

---

International® LT / RH and LoneStar Series  
Built Before 12/1/2016  
Interactive Schematics

Navistar, Inc.

2701 Navistar Drive, Lisle, 60532 USA

**9 Pin Diagnostic Connector 500K**

9 Pin Diagnostic Connector 500K Design .....1

**Body Control module (BCM)**

Body Control module (BCM) Design .....2

**Multiplexed Switch Pack (Primary Switch)**

Multiplexed Switch Pack (Primary Switch) Design ..... 10

**ABS Private J1939**

ABS Private J1939 Design .....11

**Body J1939 (250Kbps)**

Body J1939 (250Kbps) Design ..... 12

**Cab J1939 (250Kbps)**

Cab J1939 (250Kbps) Design ..... 13

**Diagnostic Private J1939 A26**

Diagnostic Private J1939 A26 Design .....14

**Engine Private J1939 A26**

Engine Private J1939 A26 Design .....15

**Engine Private J1939 X15**

Engine Private J1939 X15 Design .....16

**Fusion Private J1939**

Fusion Private J1939 Design .....17

**Low Speed J1939 (125Kbps)**

Low Speed J1939 (125Kbps) Design .....18

**Powertrain J1939 (500Kbps) X15**

Powertrain J1939 (500Kbps) X15 Design ..... 19

**Telematics J1708**

Telematics J1708 Design .....20

**Eaton Ulltrashift**

Eaton Ulltrashift Design ..... 21

**Endurant**

Endurant Design ..... 22

**Manual Transmission**

Manual Transmission Design .....23

**TC10 Series**

TC10 Series Design ..... 24

**A26 - Engine Control Module**

A26 - Engine Control Module Design ..... 25

**X15 - Engine Control Module**

X15 - Engine Control Module Design ..... 27

**Auxiliary Gauges (Secondary)**

Auxiliary Gauges (Secondary) Design .....28

**Auxiliary Gauges (Primary)**

Auxiliary Gauges (Primary) Design .....29

**Instrument Cluster (Premium)**

Instrument Cluster (Premium) Design .....30

**Instrument Cluster (Standard)**

Instrument Cluster (Standard) Design .....31

**ABS Splice Packs**

ABS Splice Packs Design .....32

**A26 - Ground Splice Packs**

A26 - Ground Splice Packs Design .....33

**Panel Dimmer Splice Packs**

Panel Dimmer Splice Packs Design .....38

**X15 Ground Splice Packs 3/4**

X15 Ground Splice Packs 3/4 Design .....39

**X15 Ground Splice Packs 4/4**

X15 Ground Splice Packs 4/4 Design .....41

**X15 - Ground Splice Packs 2/4**

X15 - Ground Splice Packs 2/4 Design .....42

**ZVR Splice Packs**

ZVR Splice Packs Design .....43

**Sleeper Ground Splice Packs**

Sleeper Ground Splice Packs Design .....44

**A26 Endurant - Ground Splice Packs**

A26 Endurant - Ground Splice Packs Design .....46

**A26 - Powertrain Ground Splice Packs**

A26 - Powertrain Ground Splice Packs Design .....47

**A26 - Powertrain ZVR Splice Packs**

A26 - Powertrain ZVR Splice Packs Design .....48

**X15 Endurant - Ground Splice Packs**

X15 Endurant - Ground Splice Packs Design .....49

**X15 - Ground Splice Packs 1/4**

X15 - Ground Splice Packs 1/4 Design .....50

**X15 - Powertrain Ground Splice Pack 1 OF 2**

X15 - Powertrain Ground Splice Pack 1 OF 2 Design .....51

**X15 - Powertrain Ground Splice Pack 2 OF 2**

X15 - Powertrain Ground Splice Pack 2 OF 2 Design .....52

**X15 - Powertrain ZVR Splice Packs**

X15 - Powertrain ZVR Splice Packs Design .....53

**Center Chassis Ground Splice Packs**

Center Chassis Ground Splice Packs Design .....54

TABLE OF CONTENTS

**Center Chassis ZVR Splice Packs**

Center Chassis ZVR Splice Packs Design ..... 55

**Endurant - Center Chassis Ground Splice Packs**

Endurant - Center Chassis Ground Splice Packs Design ..... 56

**Forward Chassis Ground Splice Packs**

Forward Chassis Ground Splice Packs Design ..... 57

**Lighting Control Module**

Lighting Control Module Design ..... 58

**A26 - Powertrain Aftertreatment PDM**

A26 - Powertrain Aftertreatment PDM Design ..... 59

**X15 - Powertrain Aftertreatment PDM**

X15 - Powertrain Aftertreatment PDM Design ..... 60

**Grid Management CA2**

Grid Management CA2 Design ..... 61

**Interior PDM Chart**

Interior PDM Chart Design ..... 62

**Special Power Distribution**

Special Power Distribution Design ..... 63

**A26 - Battery Feed 2**

A26 - Battery Feed 2 Design ..... 64

**X15 - Battery Feed 2**

X15 - Battery Feed 2 Design ..... 65

**A26 - Battery Feed 1**

A26 - Battery Feed 1 Design ..... 66

**Endurant - Battery Grid 1 (Non-Loadshed)**

Endurant - Battery Grid 1 (Non-Loadshed) Design ..... 68

**X15 - Battery Feed 1 - Part 1**

X15 - Battery Feed 1 - Part 1 Design ..... 69

**X15 - Battery Feed 1 - Part 2**

X15 - Battery Feed 1 - Part 2 Design ..... 70

**A26 - Key Switch Accessory 2**

A26 - Key Switch Accessory 2 Design ..... 71

**X15 - Key Switch Accessory 2**

X15 - Key Switch Accessory 2 Design ..... 72

**A26 - Key Switch Accessory 1**

A26 - Key Switch Accessory 1 Design ..... 73

**X15 - Key Switch Accessory 1**

X15 - Key Switch Accessory 1 Design ..... 74

**A26 - Key Switch Ignition 2**

A26 - Key Switch Ignition 2 Design ..... 75

# TABLE OF CONTENTS

## **X15 - Key Switch Ignition 2**

X15 - Key Switch Ignition 2 Design .....76

## **A26 - Key Switch Ignition 1**

A26 - Key Switch Ignition 1 Design .....77

## **X15 - Key Switch Ignition 1**

X15 - Key Switch Ignition 1 Design .....80

## **Sleeper PDM**

Sleeper PDM Design .....82

## **A26 - Underhood PDM**

A26 - Underhood PDM Design .....83

## **X15 Endurant - Underhood PDM**

X15 Endurant - Underhood PDM Design .....84

## **X15 - Underhood PDM**

X15 - Underhood PDM Design .....85

## **A26 - Fuel Heater (Vehicle Powered)(Davco)**

A26 - Fuel Heater (Vehicle Powered)(Davco) Design .....86

## **Engine Oil Fuel and Block Heaters**

Engine Oil Fuel and Block Heaters Design .....88

## **Fan - Sleeper/Bunk**

Fan - Sleeper/Bunk Design .....89

## **Power Divider Lock Control and Monitoring**

Power Divider Lock Control and Monitoring Design .....91

## **Power Windows**

Power Windows Design .....92

## **Remote Keyless Entry**

Remote Keyless Entry Design .....93

## **Theft Deterrent (Without additional relay)**

Theft Deterrent (Without additional relay) Design .....94

## **Auxiliary Air Solenoids 4-pack (1 pack/4 solenoids)**

Auxiliary Air Solenoids 4-pack (1 pack/4 solenoids) Design .....95

## **Auxiliary Air Solenoids 4-pack (2 packs/8 solenoids)**

Auxiliary Air Solenoids 4-pack (2 packs/8 solenoids) Design .....99

## **Add On:Bluetooth**

Add On:Bluetooth Design .....103

## **Radio N/ Wired Remote**

Radio N/ Wired Remote Design .....104

## **Radio W/ Wired Remote**

Radio W/ Wired Remote Design .....105

## **Speakers:Four Speakers - Daycab**

Speakers:Four Speakers - Daycab Design .....106

**Speakers:Four Speakers - Sleeper**

Speakers:Four Speakers - Sleeper Design..... 107

**Speakers:Speakers W/ Amplifier**

Speakers:Speakers W/ Amplifier Design..... 108

**Speakers:Two Speakers**

Speakers:Two Speakers Design..... 109

**Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V Panel**

Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V Panel Design.... 110

**Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V Panel-Overhead APO**

Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V Panel-Overhead APO Design..... 114

**Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V Panel-Upr Bnk APO**

Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V Panel-Upr Bnk APO Design..... 118

**Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk APO-Rear Overhead APO**

Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk APO-Rear Overhead APO Design..... 122

**Std APO-Rear Std APO-Rear APO W/Cover-12V Panel**

Std APO-Rear Std APO-Rear APO W/Cover-12V Panel Design..... 126

**Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Rear Overhead APO**

Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Rear Overhead APO Design..... 128

**Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Upr Bnk APO**

Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Upr Bnk APO Design. 130

**Std APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk APO-Rear Overhead APO**

Std APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk APO-Rear Overhead APO Design..... 132

**8XBM Single Aux Switch**

8XBM Single Aux Switch Design..... 134

**8XBN Dual Aux Switch**

8XBN Dual Aux Switch Design..... 135

**Banana Plugs Receptacle**

Banana Plugs Receptacle Design..... 136

**CB Radio Power Only**

CB Radio Power Only Design..... 137

**CB Radio Power Only (Single Antenna)**

CB Radio Power Only (Single Antenna) Design..... 138

**CB Radio with Audio Jack for Speakers**

CB Radio with Audio Jack for Speakers Design ..... 139

**Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V Panel- Upr Bnk APO**

Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V Panel- Upr Bnk APO Design ..... 140

**Cigar Lighter- Aux APO- Rear Std APO- Rear APO W/Cover- 12V Panel**

Cigar Lighter- Aux APO- Rear Std APO- Rear APO W/Cover- 12V Panel Design ..... 144

**Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover- 12V Panel- Overhead APO**

Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover- 12V Panel- Overhead APO Design ..... 148

**Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover- 12V Panel- Upr Bnk APO- Rear Overhead APO**

Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover- 12V Panel- Upr Bnk APO- Rear Overhead APO Design ..... 152

**Cigar Lighter- Rear Std APO- APO W/Cover- 12V Panel**

Cigar Lighter- Rear Std APO- APO W/Cover- 12V Panel Design ..... 156

**Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel- Overhead APO**

Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel- Overhead APO Design ..... 158

**Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel- Upr Bnk APO**

Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel- Upr Bnk APO Design ..... 160

**Cigar Lighter- Rear Std APO- Rear APO w/Cover- 12V Panel- Upr Bnk APO- Rear Overhead APO**

Cigar Lighter- Rear Std APO- Rear APO w/Cover- 12V Panel- Upr Bnk APO- Rear Overhead APO Design ..... 162

**Adaptive Cruise Control w/o Display (Wabco)**

Adaptive Cruise Control w/o Display (Wabco) Design ..... 164

**Adaptive Cruise Control w/o Display(Bendix)**

Adaptive Cruise Control w/o Display(Bendix) Design ..... 165

**Predictive Cruise Control**

Predictive Cruise Control Design ..... 166

**Vehicle Speed Control (Cruise Control) 10 - Pin**

Vehicle Speed Control (Cruise Control) 10 - Pin Design ..... 167

**Vehicle Speed Control (Cruise Control) 4 - PIN**

Vehicle Speed Control (Cruise Control) 4 - PIN Design ..... 168

**Driver Controlled Locking Differential -FR & RR Axle**

Driver Controlled Locking Differential -FR & RR Axle Design ..... 169

**Driver Controlled Locking Differential -RR Axle**

Driver Controlled Locking Differential -RR Axle Design ..... 170

**City Horn (N/ Radio Steering Wheel Controls)**

City Horn (N/ Radio Steering Wheel Controls) Design ..... 172

**City Horn (W/ Radio Steering Wheel Controls)**

City Horn (W/ Radio Steering Wheel Controls) Design ..... 173

**Door Ajar Reminder (Entry/Exit)**

Door Ajar Reminder (Entry/Exit) Design ..... 174

**Power Door Locks**

Power Door Locks Design ..... 175

**Cab Mounted Heated Mirrors (Door Pod Control)**

Cab Mounted Heated Mirrors (Door Pod Control) Design ..... 176

**Mirrors (Power) (Door Pod Actuated)**

Mirrors (Power) (Door Pod Actuated) Design ..... 177

**Cabinet Refrigerator N/Relay**

Cabinet Refrigerator N/Relay Design ..... 178

**Cabinet Refrigerator Omit**

Cabinet Refrigerator Omit Design ..... 179

**Underbunk Refrigerator N/Relay**

Underbunk Refrigerator N/Relay Design ..... 180

**Telematics Peoplenet PMG**

Telematics Peoplenet PMG Design ..... 181

**Telematics PEOPLE NET MD**

Telematics PEOPLE NET MD Design ..... 183

**Telematics XATANET W/J1939**

Telematics XATANET W/J1939 Design ..... 185

**Telematics (DRIVERTECH SLEEPER W/ J1939)**

Telematics (DRIVERTECH SLEEPER W/ J1939) Design ..... 186

**Telematics (OMNIVISION MD)**

Telematics (OMNIVISION MD) Design ..... 188

**Telematics (PEOPLE NET DAYCAB)**

Telematics (PEOPLE NET DAYCAB) Design ..... 190

**Telematics (PMG w/ DVR)**

Telematics (PMG w/ DVR) Design ..... 192

**Telematics (QUALCOMM IMCT DAYCAB W/ MVPC)**

Telematics (QUALCOMM IMCT DAYCAB W/ MVPC) Design ..... 193

**Telematics (QUALCOMM MCP50)**

Telematics (QUALCOMM MCP50) Design ..... 194

**Telematics (QUALCOMM MCT w/o Tracs)**

Telematics (QUALCOMM MCT w/o Tracs) Design ..... 195



**Telematics (QUALCOMM MCT)**

Telematics (QUALCOMM MCT) Design .....196

**Telematics (QUALCOMM TMCT)**

Telematics (QUALCOMM TMCT) Design ..... 197

**Telematics (TRIPMASTER DAYCAB)**

Telematics (TRIPMASTER DAYCAB) Design.....198

**Telematics (TRIPMASTER SLEEPER)**

Telematics (TRIPMASTER SLEEPER) Design.....199

**Hill Start Aid (Bendix)**

Hill Start Aid (Bendix) Design..... 200

**Hill Start Aid (WABCO)**

Hill Start Aid (WABCO) Design..... 203

**Two USB**

Two USB Design..... 204

**USB**

USB Design..... 206

**X15 - Selective Catalytic Reduction SCR ICT**

X15 - Selective Catalytic Reduction SCR ICT Design..... 207

**X15 - Selective Catalytic Reduction (SCR)**

X15 - Selective Catalytic Reduction (SCR) Design..... 215

**A26 - Back-Up Alarm (Manual) and UltraShift+**

A26 - Back-Up Alarm (Manual) and UltraShift+ Design..... 223

**A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy)**

A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy) Design..... 227

**Back-Up Alarm (Automatic) TC10**

Back-Up Alarm (Automatic) TC10 Design..... 235

**Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy)**

Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy) Design..... 237

**X15 - Back-Up Alarm Manual and UltraShift+**

X15 - Back-Up Alarm Manual and UltraShift+ Design..... 241

**X15 - Back-Up Alarm Manual W Tail Light Bar Assy**

X15 - Back-Up Alarm Manual W Tail Light Bar Assy Design..... 243

**A26 - Body Builder Powertrain**

A26 - Body Builder Powertrain Design..... 247

**8WRM TRI-PAC No Idle**

8WRM TRI-PAC No Idle Design..... 248

**Adjustable Engine Speed Control PTO 10-pin**

Adjustable Engine Speed Control PTO 10-pin Design..... 249

**Adjustable Engine Speed Control PTO 4-pin**

Adjustable Engine Speed Control PTO 4-pin Design..... 250

**Adjustable Engine Speed Control PTO -**

**W/OMNIVISION - W/J1939 - 1 SW**

Adjustable Engine Speed Control PTO - W/OMNIVISION - W/J1939 - 1 SW  
Design.....251

**Adjustable Engine Speed Control PTO -**

**W/OMNIVISION - W/J1939 - 2 SW**

Adjustable Engine Speed Control PTO - W/OMNIVISION - W/J1939 - 2 SW  
Design.....252

**A26 -Transmission Power Take Off Dual PTO with  
Clutch Interlock**

A26 -Transmission Power Take Off Dual PTO with Clutch Interlock Design... 253

**A26 - Transmission Power Take Off**

A26 - Transmission Power Take Off Design.....254

**A26 - Transmission Power Take Off Dual Solenoid**

A26 - Transmission Power Take Off Dual Solenoid Design..... 255

**A26 - Transmission Power Take Off W/ Clutch  
Interlock**

A26 - Transmission Power Take Off W/ Clutch Interlock Design..... 256

**X15 - Transmission Power Take Off**

X15 - Transmission Power Take Off Design.....257

**X15 - Transmission Power Take Off Dual PTO with  
Clutch Interlock**

X15 - Transmission Power Take Off Dual PTO with Clutch Interlock Design...258

**X15 - Transmission Power Take Off Dual Solenoid**

X15 - Transmission Power Take Off Dual Solenoid Design..... 259

**X15 - Transmission Power Take Off W/ Clutch  
Interlock**

X15 - Transmission Power Take Off W/ Clutch Interlock Design..... 260

**Drain Valve Heater**

Drain Valve Heater Design.....261

**Dual Air Dryers**

Dual Air Dryers Design.....262

**Left Side Air Dryer-Bendix**

Left Side Air Dryer-Bendix Design.....264

**Antilock Brake System (ABS) [Bendix 6 Channel  
Implementation]**

Antilock Brake System (ABS) [Bendix 6 Channel Implementation] Design.....266

**Antilock Brake System (ABS)-BENDIX 4 Channel  
Implemenation**

Antilock Brake System (ABS)-BENDIX 4 Channel Implemenation Design.....269

**Bendix Stability Control For Tractor or Tractors with  
Trailer Tow**

Bendix Stability Control For Tractor or Tractors with Trailer Tow Design..... 273

**Bendix Stability Control With Rear Air Suspension No Lift Axle**

Bendix Stability Control With Rear Air Suspension No Lift Axle Design . . . . . 275

**Wabco Full Stability Control**

Wabco Full Stability Control Design . . . . . 278

**Antilock Brake System (ABS)-Wabco 4 Channel Implementation**

Antilock Brake System (ABS)-Wabco 4 Channel Implementation Design . . . . . 280

**Antilock Brake System (ABS)-Wabco 6 Channel Implementation**

Antilock Brake System (ABS)-Wabco 6 Channel Implementation Design . . . . . 284

**Traction Control (Bendix Controller)**

Traction Control (Bendix Controller) Design . . . . . 287

**Traction Control (Wabco Controller)**

Traction Control (Wabco Controller) Design . . . . . 289

**Collision Avoidance System Warning**

Collision Avoidance System Warning Design . . . . . 292

**Lane Departure Warning (Mobileye Per-Wire)**

Lane Departure Warning (Mobileye Per-Wire) Design . . . . . 293

**Lane Departure Warning - (Bendix - AutoVue W/ Qualcomm Safety Direct)**

Lane Departure Warning - (Bendix - AutoVue W/ Qualcomm Safety Direct) Design . . . . . 294

**Lane Departure Warning - (Wabco OnLane)**

Lane Departure Warning - (Wabco OnLane) Design . . . . . 295

**Accelerator - Interlock**

Accelerator - Interlock Design . . . . . 296

**Adjustable Engine Speed Control PTO 10-pin n/Marker interrupt**

Adjustable Engine Speed Control PTO 10-pin n/Marker interrupt Design . . . . . 297

**A26 - Cooling Fan Control Two-Speed**

A26 - Cooling Fan Control Two-Speed Design . . . . . 298

**A26 - Interface Connector**

A26 - Interface Connector Design . . . . . 299

**A26 - Starting Aid (Flame Start)**

A26 - Starting Aid (Flame Start) Design . . . . . 300

**Engine Brake Manual Trans MUX Switch**

Engine Brake Manual Trans MUX Switch Design . . . . . 301

**Engine/Exhaust Brake**

Engine/Exhaust Brake Design . . . . . 302

**Road Speed Limiter**

Road Speed Limiter Design . . . . . 303

**Vehicle Speed Limit Override new Datalink**

Vehicle Speed Limit Override new Datalink Design ..... 304

**Water In Fuel (WIF) W/ Heater(Davco)**

Water In Fuel (WIF) W/ Heater(Davco) Design ..... 305

**X15 - Acceleration Pedal**

X15 - Acceleration Pedal Design ..... 307

**X15 - Accelerator Interlock W/ Park Brake Engagement**

X15 - Accelerator Interlock W/ Park Brake Engagement Design ..... 308

**X15 - Cooling Fan Control ON/OFF**

X15 - Cooling Fan Control ON/OFF Design ..... 309

**X15 - Starting Aid Ether Start**

X15 - Starting Aid Ether Start Design ..... 310

**X15 - Water In Fuel N/ Heater**

X15 - Water In Fuel N/ Heater Design ..... 311

**X15 - Water In Fuel W Heater**

X15 - Water In Fuel W Heater Design ..... 312

**X15 - Water In Fuel (WIF) N/ Heater**

X15 - Water In Fuel (WIF) N/ Heater Design ..... 314

**Air Shield Lighting**

Air Shield Lighting Design ..... 315

**Beacon/Strobe Light**

Beacon/Strobe Light Design ..... 317

**Exterior Lamp Reminder**

Exterior Lamp Reminder Design ..... 319

**Service Brake Switch**

Service Brake Switch Design ..... 320

**LT - Fog Lights (Halogen White Rear)**

LT - Fog Lights (Halogen White Rear) Design ..... 321

**LT - Fog Lights (LED White Rear)**

LT - Fog Lights (LED White Rear) Design ..... 322

**RH - Fog Lights (Halogen White)**

RH - Fog Lights (Halogen White) Design ..... 323

**RH - Fog Lights (LED White)**

RH - Fog Lights (LED White) Design ..... 324

**Automatic Lighting**

Automatic Lighting Design ..... 325

**Day Time Running Lights (Halogen)**

Day Time Running Lights (Halogen) Design ..... 326

**Day Time Running Lights (LED)**

Day Time Running Lights (LED) Design ..... 327

**Headlights (Halogen) N/ Headlamp Interrupt W/ 125BBC**  
Headlights (Halogen) N/ Headlamp Interrupt W/ 125BBC Design . . . . . 328

**Headlights (Halogen) W/ Headlamp Interrupt W/ 125BBC**  
Headlights (Halogen) W/ Headlamp Interrupt W/ 125BBC Design . . . . . 329

**Headlights (LED) N/ Headlamp Interrupt W/ 125BBC**  
Headlights (LED) N/ Headlamp Interrupt W/ 125BBC Design . . . . . 330

**Headlights (LED) W/ Headlamp Interrupt W/ 125BBC**  
Headlights (LED) W/ Headlamp Interrupt W/ 125BBC Design . . . . . 331

**Modesty Lighting W/ Sleeper**  
Modesty Lighting W/ Sleeper Design . . . . . 332

**Skirt Light- Customer Supplied**  
Skirt Light- Customer Supplied Design . . . . . 333

**A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans**  
A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans Design . . . . . 334

**A26 - Backup Lights (Single Reverse Light) Eaton/Manual Trans**  
A26 - Backup Lights (Single Reverse Light) Eaton/Manual Trans Design . . . . . 338

**A26 - Backup Light (Endurant)**

A26 - Backup Light (Endurant) Design . . . . . 342

**Backup Lights (Dual Reverse Light) Eaton/Manual Trans**  
Backup Lights (Dual Reverse Light) Eaton/Manual Trans Design . . . . . 343

**Backup Lights (Single Reverse Light) Eaton/Manual Trans**  
Backup Lights (Single Reverse Light) Eaton/Manual Trans Design . . . . . 345

**Backup Light (Dual Reverse Light)Allison/ZF Trans**  
Backup Light (Dual Reverse Light)Allison/ZF Trans Design . . . . . 347

**Backup Light (Single Reverse Light)Allison/ZF Trans**  
Backup Light (Single Reverse Light)Allison/ZF Trans Design . . . . . 349

**Cab Mirror Turn Lights**  
Cab Mirror Turn Lights Design . . . . . 351

**Clearance and Identification Lights (N/ Sunshade)**  
Clearance and Identification Lights (N/ Sunshade) Design . . . . . 352

**Front Turn Lights W/ Halogen**  
Front Turn Lights W/ Halogen Design . . . . . 353

**Front Turn Lights W/ LED**  
Front Turn Lights W/ LED Design . . . . . 354

**Hazard Warning Lt N/Trlr Socket**  
Hazard Warning Lt N/Trlr Socket Design . . . . . 355

**License Plate Light (Tail Light Bar Assy.)**

License Plate Light (Tail Light Bar Assy.) Design . . . . . 356

**License Plate Light(Weldon LED)**

License Plate Light(Weldon LED) Design . . . . . 358

**Park Lights (Halogen/MRKR INT-STRNGWHL)**

Park Lights (Halogen/MRKR INT-STRNGWHL) Design . . . . . 360

**Park Lights (LED)**

Park Lights (LED) Design . . . . . 361

**Rear Lights Stop - Dual Assembly**

Rear Lights Stop - Dual Assembly Design . . . . . 362

**Rear Lights Stop - Single Assembly**

Rear Lights Stop - Single Assembly Design . . . . . 364

**Rear Light (Tail Light) (Light Bar ASSY)**

Rear Light (Tail Light) (Light Bar ASSY) Design . . . . . 366

**Rear Light (Tail Light) (Light Bar ASSY/MRKR INT-STRNGWHL)**

Rear Light (Tail Light) (Light Bar ASSY/MRKR INT-STRNGWHL) Design . . . . . 368

**Rear Light (Tail Light) (Weldon LED)**

Rear Light (Tail Light) (Weldon LED) Design . . . . . 370

**Rear Light (Tail Light) (Weldon LED/MRKR INT-STRNGWHL)**

Rear Light (Tail Light) (Weldon LED/MRKR INT-STRNGWHL) Design . . . . . 372

**Rear Turn Lights W/ Dual Tail Light Assembly**

Rear Turn Lights W/ Dual Tail Light Assembly Design . . . . . 374

**Rear Turn Lights W/ Single Rear Light Assembly**

Rear Turn Lights W/ Single Rear Light Assembly Design . . . . . 376

**X15 Backup Light (Endurant)**

X15 Backup Light (Endurant) Design . . . . . 378

**Work Lights LED W/ Sw Pack - Day Cab**

Work Lights LED W/ Sw Pack - Day Cab Design . . . . . 379

**Work Lights LED W/ Sw Pack - Sleeper**

Work Lights LED W/ Sw Pack - Sleeper Design . . . . . 380

**Work Lights LED (Customer Supplied) W/ Sw Pack - Sleeper**

Work Lights LED (Customer Supplied) W/ Sw Pack - Sleeper Design . . . . . 381

**Work Lights (Customer Supplied) W/ Sw Pack**

Work Lights (Customer Supplied) W/ Sw Pack Design . . . . . 383

**Fifth Wheel Slide**

Fifth Wheel Slide Design . . . . . 385

**Jaw Monitoring**

Jaw Monitoring Design ..... 386

**Jaw Unlock Control**

Jaw Unlock Control Design ..... 387

**A26 - Heating Ventilation & Air Conditioning (HVAC)**

A26 - Heating Ventilation & Air Conditioning (HVAC) Design ..... 388

**HVAC Assembly Actuators**

HVAC Assembly Actuators Design ..... 392

**X15 - Heating Ventilation Air Conditioning (HVAC)**

X15 - Heating Ventilation Air Conditioning (HVAC) Design ..... 393

**Rear HVAC (No Idle Heater) (Espar)**

Rear HVAC (No Idle Heater) (Espar) Design ..... 395

**Rear HVAC (No Idle Heater) (Webasto Smartemp)**

Rear HVAC (No Idle Heater) (Webasto Smartemp) Design ..... 396

**Rear HVAC (No Idle Heater) (Webasto Std N/Swift) N/  
Heat Swtich**

Rear HVAC (No Idle Heater) (Webasto Std N/Swift) N/ Heat Swtich Design ... 397

**Rear HVAC (No Idle Heater) (Webasto Std W/Swift) N/  
Heat Switch**

Rear HVAC (No Idle Heater) (Webasto Std W/Swift) N/ Heat Switch Design ... 398

**Rear HVAC (Sleeper W/ Deluxe)**

Rear HVAC (Sleeper W/ Deluxe) Design ..... 399

**Rear HVAC (Sleeper W/ Premium)**

Rear HVAC (Sleeper W/ Premium) Design ..... 401

**Driver Information Display (DID)**

Driver Information Display (DID) Design ..... 403

**(Rand McNally) GPS Display**

(Rand McNally) GPS Display Design ..... 404

**Air Application Pressure Monitoring**

Air Application Pressure Monitoring Design ..... 405

**A26 - Ambient Air Temperature**

A26 - Ambient Air Temperature Design ..... 406

**A26 - Vehicle Speedometer System**

A26 - Vehicle Speedometer System Design ..... 407

**Coolant Temperature Monitoring**

Coolant Temperature Monitoring Design ..... 408

**Engine Oil Pressure**

Engine Oil Pressure Design ..... 409

**Engine Oil Temperature**

Engine Oil Temperature Design ..... 410

**Engine Speed (Tachometer)**

Engine Speed (Tachometer) Design ..... 411

**Fuel Idle Usage (W/ Cluster Feedback)**

Fuel Idle Usage (W/ Cluster Feedback) Design ..... 412

**Fuel Level (Single Tank - Left Side)**

Fuel Level (Single Tank - Left Side) Design ..... 413

**Primary/Secondary Air Gauge**

Primary/Secondary Air Gauge Design ..... 419

**PTO (Fuel and Hours)**

PTO (Fuel and Hours) Design ..... 420

**Voltage Monitoring (Voltmeter)**

Voltage Monitoring (Voltmeter) Design ..... 421

**X15 - Outside temperature monitor**

X15 - Outside temperature monitor Design ..... 422

**Engine Usage Monitoring (Base)**

Engine Usage Monitoring (Base) Design ..... 423

**Engine Usage Monitoring (VID Option)**

Engine Usage Monitoring (VID Option) Design ..... 424

**Intake Manifold Pressure (IMP) (MX1)**

Intake Manifold Pressure (IMP) (MX1) Design ..... 425

**X15 - Intake Manifold Pressure (IMP)**

X15 - Intake Manifold Pressure (IMP) Design ..... 426

**X15 - Intake Manifold Pressure (IMP) W/AUX gauge**

X15 - Intake Manifold Pressure (IMP) W/AUX gauge Design ..... 427

**Single Axle Temperature Monitoring**

Single Axle Temperature Monitoring Design ..... 428

**Single Axle Temperature Monitoring w/Aux Gauge**

Single Axle Temperature Monitoring w/Aux Gauge Design ..... 430

**Tandem Axle Temperature Monitoring**

Tandem Axle Temperature Monitoring Design ..... 432

**Tandem Axle Temperature Monitoring w/Aux Gauge**

Tandem Axle Temperature Monitoring w/Aux Gauge Design ..... 434

**A26 - Transmission Oil Temperature-Manual Trans**

A26 - Transmission Oil Temperature-Manual Trans Design ..... 436

**Transmission Oil Temperature-Automatic Trans**

Transmission Oil Temperature-Automatic Trans Design ..... 439

**Transmission Oil Temperature-Manual Trans**

Transmission Oil Temperature-Manual Trans Design ..... 440

**Air Flow Restriction Monitoring GEN IV BCM**

Air Flow Restriction Monitoring GEN IV BCM Design ..... 443



**Auto Neutral J1939 Based for Allison TC10/ Eaton Ultrashift**  
 Auto Neutral J1939 Based for Allison TC10/ Eaton Ultrashift Design ..... 444

**A26 - Air Flow Restriction Monitoring**  
 A26 - Air Flow Restriction Monitoring Design ..... 445

**A26 - Coolant Level Monitoring**  
 A26 - Coolant Level Monitoring Design ..... 447

**Driver Reward**  
 Driver Reward Design ..... 448

**Engine Oil Level Monitoring (ECM)**  
 Engine Oil Level Monitoring (ECM) Design ..... 449

**Engine Warning**  
 Engine Warning Design ..... 450

**Odometer (via BCM/EGC)**  
 Odometer (via BCM/EGC) Design ..... 451

**Park Brake (Monitoring)(US & Canada)**  
 Park Brake (Monitoring)(US & Canada) Design ..... 452

**Tire Pressure (TPMS) (US & Canada)**  
 Tire Pressure (TPMS) (US & Canada) Design ..... 453

**Up Shift Indicator**  
 Up Shift Indicator Design ..... 454

**X15 - Coolant Level Monitoring**  
 X15 - Coolant Level Monitoring Design ..... 455

**X15 - High Exhaust System Temperature (HEST) Monitoring**  
 X15 - High Exhaust System Temperature (HEST) Monitoring Design ..... 456

**A26 - Exhaust Gas Temperature – Pyrometer AUX Gauge**  
 A26 - Exhaust Gas Temperature – Pyrometer AUX Gauge Design ..... 457

**A26 - Exhaust Gas Temperature – Pyrometer Cluster**  
 A26 - Exhaust Gas Temperature – Pyrometer Cluster Design ..... 458

**X15 - Exhaust Gas Temperature – Pyrometer AUX Gauge**  
 X15 - Exhaust Gas Temperature – Pyrometer AUX Gauge Design ..... 459

**X15 - Exhaust Gas Temperature – Pyrometer Cluster**  
 X15 - Exhaust Gas Temperature – Pyrometer Cluster Design ..... 460

**Trip Odometer w/ECM**  
 Trip Odometer w/ECM Design ..... 461

**Trip Odometer w/ECM & TCM**  
 Trip Odometer w/ECM & TCM Design ..... 462

**Trip Odometer W/VID**  
 Trip Odometer W/VID Design ..... 463

**Cab Dome Light (Sleeper Cab)**

Cab Dome Light (Sleeper Cab) Design ..... 464

**Courtesy Light Cab**

Courtesy Light Cab Design ..... 465

**Floor/Search Lights DayCab**

Floor/Search Lights DayCab Design ..... 466

**Floor/Search Lights SLPR**

Floor/Search Lights SLPR Design ..... 467

**Interior Task Lights (Flood) W/Upper& Lower Reading  
LT - Sleeper Cab**

Interior Task Lights (Flood) W/Upper& Lower Reading LT - Sleeper Cab  
Design ..... 468

**Interior Task Lights (Flood) - DayCab**

Interior Task Lights (Flood) - DayCab Design ..... 469

**Lighting Sleeper Dome**

Lighting Sleeper Dome Design ..... 470

**Lighting - Cabinet Lights**

Lighting - Cabinet Lights Design ..... 471

**Luggage Compartment Lights - N/ No Idle HVAC**

Luggage Compartment Lights - N/ No Idle HVAC Design ..... 472

**Luggage Compartment Lights - W/ No Idle HVAC**

Luggage Compartment Lights - W/ No Idle HVAC Design ..... 473

**Rear Interior Dimming (Accent Light)**

Rear Interior Dimming (Accent Light) Design ..... 474

**Rear Interior Dimming (Accent/Mood)**

Rear Interior Dimming (Accent/Mood) Design ..... 475

**Seatbelt Reminder (Warning)(Driver only)**

Seatbelt Reminder (Warning)(Driver only) Design ..... 476

**Seatbelt Reminder (Warning)(Driver & Passenger in  
parallel)**

Seatbelt Reminder (Warning)(Driver & Passenger in parallel) Design ..... 477

**Axle Loading (Weight) Rear**

Axle Loading (Weight) Rear Design ..... 478

**Height Control**

Height Control Design ..... 480

**Rear Axle Load Distribution**

Rear Axle Load Distribution Design ..... 481

**Auxiliary Trailer Power Cavity D**

Auxiliary Trailer Power Cavity D Design ..... 482

**Trailer Interface (ABS) - BOC & EOF\_NA**

Trailer Interface (ABS) - BOC & EOF\_NA Design ..... 486

**Trailer Interface (ABS) - BOC\_NA**

Trailer Interface (ABS) - BOC\_NA Design ..... 494

**Trailer Interface (Lighting) – BOC & EOF**

Trailer Interface (Lighting) – BOC & EOF Design ..... 498

**Trailer Interface (Lighting) – BOC\_NA**

Trailer Interface (Lighting) – BOC\_NA Design ..... 504

**Trailer Interface (Lighting) – TRAMEC\_NA**

Trailer Interface (Lighting) – TRAMEC\_NA Design ..... 507

**A26 - Transmission Control Module (TC10 Series A65)**

A26 - Transmission Control Module (TC10 Series A65) Design ..... 508

**A26 - Transmission I/O (Endurant Pressure Sensor)**

A26 - Transmission I/O (Endurant Pressure Sensor) Design ..... 509

**A26 - Transmission Shifter (Eaton Endurant and Eaton Procision)**

A26 - Transmission Shifter (Eaton Endurant and Eaton Procision) Design ..... 510

**A26 - Ultrashift+ and FAS**

A26 - Ultrashift+ and FAS Design ..... 511

**Transmission Shifter Allison**

Transmission Shifter Allison Design ..... 512

**Transmission Shifter Universal Shifter - Ultrashift+ & FAS**

Transmission Shifter Universal Shifter - Ultrashift+ & FAS Design ..... 513

**Transmission Ultrashift+ w/Body Builder**

Transmission Ultrashift+ w/Body Builder Design ..... 514

**X15 Endurant Transmission**

X15 Endurant Transmission Design ..... 516

**X15 Transmission I/O (Endurant Pressure Sensor)**

X15 Transmission I/O (Endurant Pressure Sensor) Design ..... 517

**X15 - Transmission Shifter (Eaton Endurant and Eaton Procision)**

X15 - Transmission Shifter (Eaton Endurant and Eaton Procision) Design ..... 518

**X15 - Ultrashift+ and FAS**

X15 - Ultrashift+ and FAS Design ..... 519

**Windshield Washer Low Fluid Sensor**

Windshield Washer Low Fluid Sensor Design ..... 520

**Windshield Washer Pump**

Windshield Washer Pump Design ..... 521

**Windshield Wipers**

Windshield Wipers Design ..... 522

**A26 - Battery International (4) 12V 3700CCA**

A26 - Battery International (4) 12V 3700CCA Design ..... 523

**DC/AC Inverter**

DC/AC Inverter Design ..... 524

**Electrical Load Control W/ Fuse**

Electrical Load Control W/ Fuse Design ..... 525

**Electrical Load Control W/ Relay**

Electrical Load Control W/ Relay Design ..... 526

**X15 - Battery International (4) 12V 3700CCA**

X15 - Battery International (4) 12V 3700CCA Design ..... 527

**A26 - Bosch LH160 LH200 Alternator**

A26 - Bosch LH160 LH200 Alternator Design ..... 528

**A26 - Bosch LIL165 LIL200 Alternator**

A26 - Bosch LIL165 LIL200 Alternator Design ..... 529

**A26 - Delco Remy 28SI Alternator**

A26 - Delco Remy 28SI Alternator Design ..... 530

**A26 - Delco Remy 36SI Alternator**

A26 - Delco Remy 36SI Alternator Design ..... 531

**A26 - Delco Remy 40SI Alternator**

A26 - Delco Remy 40SI Alternator Design ..... 532

**A26 - Leece-Neville AVI160 Alternator**

A26 - Leece-Neville AVI160 Alternator Design ..... 534

**A26 - Leece-Neville AVI160-210A/240A Alternator**

A26 - Leece-Neville AVI160-210A/240A Alternator Design ..... 535

**A26 - Leece-Neville 320PAH Alternator**

A26 - Leece-Neville 320PAH Alternator Design ..... 536

**A26 - Leece-Neville - LN 325A Alternator**

A26 - Leece-Neville - LN 325A Alternator Design ..... 537

**X15 - Bosch LH160\_LH200 Alternator1**

X15 - Bosch LH160\_LH200 Alternator1 Design ..... 538

**X15 - Leece-Neville AVI160 Alternator**

X15 - Leece-Neville AVI160 Alternator Design ..... 539

**X15 - Leece-Neville AVI160-210A/240A Alternator**

X15 - Leece-Neville AVI160-210A/240A Alternator Design ..... 540

**X15 - Leece-Neville 320PAH Alternator**

X15 - Leece-Neville 320PAH Alternator Design ..... 541

**Auto Start Stop Battery & Oil Temp**

Auto Start Stop Battery & Oil Temp Design ..... 542

**A26 Endurant - Starter Interlocks (Service Brake Interlock)**

A26 Endurant - Starter Interlocks (Service Brake Interlock) Design ..... 543

**A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch**

A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch Design . . . . .544

**A26 - Starter Interlock (BCM HSD controlled W/ Clutch Switch W/ Auto Start Stop)**

A26 - Starter Interlock (BCM HSD controlled W/ Clutch Switch W/ Auto Start Stop) Design . . . . .551

**Clutch Monitoring (High and Low Switch to BCM)**

Clutch Monitoring (High and Low Switch to BCM) Design . . . . .553

**Cranking Request (w/ Key Switch w/ BCM)**

Cranking Request (w/ Key Switch w/ BCM) Design . . . . .554

**Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch**

Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch Design . . . . .555

**Cranking (Starter) W/O Thermal Overcrank Wiring (A26)**

Cranking (Starter) W/O Thermal Overcrank Wiring (A26) Design . . . . . 558

**Crank Inhibit (with ECM --> BCM ONLY)**

Crank Inhibit (with ECM --> BCM ONLY) Design . . . . . 565

**Crank Inhibit (with Hood Switch) with new BCM Pin**

Crank Inhibit (with Hood Switch) with new BCM Pin Design . . . . .566

**Starter Interlocks (BCM controlled with input from Allison TCM)**

Starter Interlocks (BCM controlled with input from Allison TCM) Design . . . . .567

**Starter Interlock (BCM HSD controlled W/ Clutch Switch N/ Auto Start Stop)**

Starter Interlock (BCM HSD controlled W/ Clutch Switch N/ Auto Start Stop) Design . . . . .568

**Starter Interlock (BCM LSD Controlled w/ Relay)\_EATON XMSN**

Starter Interlock (BCM LSD Controlled w/ Relay)\_EATON XMSN Design . . . . .569

**X15 Endurant - Starter Interlocks (Service Brake Interlock)**

X15 Endurant - Starter Interlocks (Service Brake Interlock) Design . . . . .570

**X15 - Starter Interlock (BCM HSD controlled W/ Clutch Switch W/ Auto Start Stop)**

X15 - Starter Interlock (BCM HSD controlled W/ Clutch Switch W/ Auto Start Stop) Design . . . . .571


**Connectors . . . . .572**

**Part Assembly List**

Connector Assembly List . . . . .2101

**Index . . . . .2583**

# Diagram1





DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES


**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY





















# Connector J8 (Power Feed)

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



# Diagram1

\* NOTE - The device depicted below is a multiplexed switch pack that includes a pigtail harness that is utilized for "daisy-chaining" with other multiplexed switch packs or to connect back to the Instrument Panel harness for continuation of the HMI Standard (125kbps) J1939 backbone. The below diagram only shows the battery and ground feeds since only those are required to correctly drive the wiring needed in the harnesses.




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES


**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# BENDIX ABS IMPLEMENTATION



\*NOTE - This drawing shall be used for reference only and depicts a physical representation of the J1939 network for the LT series model.

# WABCO ABS IMPLEMENTATION



\*NOTE - This drawing shall be used for reference only and depicts a physical representation of the J1939 network for the LT series model.

DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES





INSTRUMENT PANEL HARNESS



\*NOTE - The J1939 Splice Pack may be located either on Driver side or Passenger side of Instrument Panel depending on location of the Telematics feature (if equipped).

\*NOTE - This J1939 terminating resistor will be located on either the Driver side or Passenger side of Instrument Panel depending on the location of the Telematics feature (if equipped).

\*NOTE - All wires shown are part of a jacketed J1939 twisted pair. This drawing shall be used for reference only and depicts a physical representation of the J1939 network with all features available for the LT series model, which may not be a buildable combination.


DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Cab J1939 (250Kbps)




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# A26 ENGINE IMPLEMENTATION




\*NOTE - All wires shown are part of a jacketed J1939 twisted pair. This drawing shall be used for reference only and depicts a physical representation of the J1939 network with all features available for the LT series model, which may not be a buildable combination.

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# A26 ENGINE IMPLEMENTATION




\*NOTE - This harness is provided as part of the Cummins aftertreatment solution. Nets are shown representing the signals. Details on the actual wires used is not provided. Refer to Cummins documentation for further details.

\*NOTE - All wires shown are part of a jacketed J1939 twisted pair. This drawing shall be used for reference only and depicts a physical representation of the J1939 network with all features available for the LT series model, which may not be a buildable combination.

FEATURE CODES

SOFTWARE FEATURE CODES




\*NOTE - All wires shown are part of a jacketed J1939 twisted pair. This drawing shall be used for reference only and depicts a physical representation of the J1939 network with all features available for the LT series model, which may not be a buildable combination.


DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



\*NOTE - All wires shown are part of a jacketed J1939 twisted pair. This drawing shall be used for reference only and depicts a physical representation of the J1939 network with all features available for the LT series model, which may not be a buildable combination.






DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES







DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



# A26 ENGINE IMPLEMENTATION

\*NOTE - This dashed section of the J1939 backbone may not present if the truck configuration has a Bendix Fusion system installed.



**Splice Option Table**

- 852 Used when Bendix Radar is equipped
- 853 Used when Bendix Radar is equipped
- 854 Used when Wabco Radar is equipped
- 855 Used when Wabco Radar is equipped
- 856 Use when Shifter and Next Gen Cruise are NOT equipped and On Command is equipped
- 857 Use when Shifter and Next Gen Cruise are NOT equipped and On Command is equipped
- 858 Use in all other times On Command is equipped
- 859 Use in all other times On Command is equipped

\*NOTE 1\* Dashed area shows all possible orderable features and their connections. Bypass wire may be used when an orderable feature is not equipped.

\*NOTE 2\* Only 1 or the other device can be equipped at a time in the dashed area

All wires shown are part of a jacketed J1939 twisted pair. This drawing shall be used for reference only and depicts a physical representation of the J1939 network with all features available for the LT series model, which may not be a buildable combination.


FEATURE CODES

SOFTWARE FEATURE CODES



\*NOTE - This dashed section of the J1939 backbone may not present if the truck configuration has a Bendix Fusion system installed.

# A26 ENGINE IMPLEMENTATION



**Splice Option Table**

AS2	Used when Bendix Radar is equipped
AS21	Used when Bendix Radar is equipped
AS3	Used when Wabco Radar is equipped
AS31	Used when Wabco Radar is equipped
AS32	Use when Shifter and Next Gen Cruise are NOT equipped and On Command is equipped
AS33	Use when Shifter and Next Gen Cruise are NOT equipped and On Command is equipped
AS21	Use in all other times On Command is equipped
AS3	Use in all other times On Command is equipped

\*NOTE 1\* Dashed area shows all possible orderable features and their connections. Bypass wire may be used when an orderable feature is not equipped.

\*NOTE 2\* Only 1 or the other device can be equipped at a time in the dashed area

All wires shown are part of a jacketed J1939 twisted pair. This drawing shall be used for reference only and depicts a physical representation of the J1939 network with all features available for the LT series model, which may not be a buildable combination.


FEATURE CODES

SOFTWARE FEATURE CODES



\*NOTE - This dashed section of the J1939 backbone may not present if the truck configuration has a Bendix Fusion system installed.

# A26 ENGINE IMPLEMENTATION



**Splice Option Table**

AS2	Used when Bendix Radar is equipped
AS3	Used when Bendix Radar is equipped
AS4	Used when Wabco Radar is equipped
AS5	Used when Wabco Radar is equipped
AS6	Use when Shifter and Next Gen Cruise are NOT equipped and On Command is equipped
AS7	Use when Shifter and Next Gen Cruise are NOT equipped and On Command is equipped
AS8	Use in all other times On Command is equipped
AS9	Use in all other times On Command is equipped
AS10	Use in all other times On Command is equipped
AS11	Use in all other times On Command is equipped
AS12	Use in all other times On Command is equipped
AS13	Use in all other times On Command is equipped
AS14	Use in all other times On Command is equipped
AS15	Use in all other times On Command is equipped
AS16	Use in all other times On Command is equipped
AS17	Use in all other times On Command is equipped
AS18	Use in all other times On Command is equipped
AS19	Use in all other times On Command is equipped
AS20	Use in all other times On Command is equipped
AS21	Use in all other times On Command is equipped
AS22	Use in all other times On Command is equipped
AS23	Use in all other times On Command is equipped
AS24	Use in all other times On Command is equipped
AS25	Use in all other times On Command is equipped
AS26	Use in all other times On Command is equipped
AS27	Use in all other times On Command is equipped
AS28	Use in all other times On Command is equipped
AS29	Use in all other times On Command is equipped
AS30	Use in all other times On Command is equipped
AS31	Use in all other times On Command is equipped
AS32	Use in all other times On Command is equipped
AS33	Use in all other times On Command is equipped
AS34	Use in all other times On Command is equipped
AS35	Use in all other times On Command is equipped
AS36	Use in all other times On Command is equipped
AS37	Use in all other times On Command is equipped
AS38	Use in all other times On Command is equipped
AS39	Use in all other times On Command is equipped
AS40	Use in all other times On Command is equipped
AS41	Use in all other times On Command is equipped
AS42	Use in all other times On Command is equipped
AS43	Use in all other times On Command is equipped
AS44	Use in all other times On Command is equipped
AS45	Use in all other times On Command is equipped
AS46	Use in all other times On Command is equipped
AS47	Use in all other times On Command is equipped
AS48	Use in all other times On Command is equipped
AS49	Use in all other times On Command is equipped
AS50	Use in all other times On Command is equipped
AS51	Use in all other times On Command is equipped
AS52	Use in all other times On Command is equipped
AS53	Use in all other times On Command is equipped
AS54	Use in all other times On Command is equipped
AS55	Use in all other times On Command is equipped
AS56	Use in all other times On Command is equipped
AS57	Use in all other times On Command is equipped
AS58	Use in all other times On Command is equipped
AS59	Use in all other times On Command is equipped
AS60	Use in all other times On Command is equipped

\*NOTE 1\* Dashed area shows all possible orderable features and their connections. Bypass wire may be used when an orderable feature is not equipped.

\*NOTE 2\* Only 1 or the other device can be equipped at a time in the dashed area

All wires shown are part of a jacketed J1939 twisted pair. This drawing shall be used for reference only and depicts a physical representation of the J1939 network with all features available for the LT series model, which may not be a buildable combination.


FEATURE CODES

SOFTWARE FEATURE CODES



\*NOTE - This dashed section of the J1939 backbone may not present if the truck configuration has a Bendix Fusion system installed.

# A26 ENGINE IMPLEMENTATION



**Splice Option Table**


- 8956 Used when Bendix Radar is equipped
- 8957 Used when Bendix Radar is equipped
- 8958 Used when Wabco Radar is equipped
- 8959 Used when Wabco Radar is equipped
- 8960 Use when Shifter and Next Gen Cruise are NOT equipped and On Command is equipped
- 8961 Use when Shifter and Next Gen Cruise are NOT equipped and On Command is equipped
- 8962 Use in all other times On Command is equipped
- 8963 Use in all other times On Command is equipped

\*NOTE 1\* Dashed area shows all possible orderable features and their connections. Bypass wire may be used when an orderable feature is not equipped.

\*NOTE 2\* Only 1 or the other device can be equipped at a time in the dashed area


All wires shown are part of a jacketed J1939 twisted pair. This drawing shall be used for reference only and depicts a physical representation of the J1939 network with all features available for the LT series model, which may not be a buildable combination.






DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES





DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES





# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES


# Diagram1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

1027



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram3





DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES









FEATURE CODES

SOFTWARE FEATURE CODES






DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES





# Diagram1

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES







# Diagram1


DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES





DESIGN DESCRIPTION



FEATURE CODES

SOFTWARE FEATURE CODES

DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



# Diagram1

DESIGN DESCRIPTION

FEATURE CODES






SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram 1



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES





DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Engine Block Ground Stud Located on Left Side of Engine




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES





DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES


DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram 1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES





DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES

# Diagram1

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

Powertrain Aftertreatment  
A26







DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

Powertrain Aftertreatment  
X15





DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES





**B2 - 1011**  
 R1- TRAILER STOP LIGHT  
 R2 - WIPER ON/OFF  
 R3- BATT2 LOAD SHED  
 R4 - FUEL HEATER  
 R5 - WIPER SPEED  
 R6 - CONV2 LOAD SHED

**B3 - 1012**  
 R1 - TRAILER ABS ECU/BOC  
 R2 - BACKUP LIGHTS  
 R3 - OPER1A NON-LOAD SHED  
 R4 - AUX TRAILER CENTER PIN  
 R5- LOAD CONTROL  
 R6- OPER1B NON-LOAD SHED

**B6- 1015**  
 R1 - BEACON LIGHTS  
 R2 - STARTER INTERLOCK  
 R3 - OPER2 LOAD SHED  
 R4 - CUST SUPPLIED SKIRT LIGHTS  
 R5 - AUX ACCESS POER #1  
 R6- CONV1 NONLOAD SHED


**B9 - 1018**  
 R1- JAW LOCK  
 R2 - JAW UNLOCK  
 R3 - TELEMATICS TRIPMASTER  
 R4 - N/A  
 R5 - FLOOR/SEARFCH LIGHTS  
 R6 - DUAL AUX POWER #2 OR TRAILER ABS EOF

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# BTRY GRID 2 (UNSHED)




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# BTRY GRID 2 (UNSHED)



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES





# BTRY Feed (NON-LOADSHED)

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




# BTRY Feed 1 (NON-LOADSHED)


DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES










DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






# Key Switch Accessory 2 (LOADSHED)


DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Key Switch Accessory 2 (LOADSHED)



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




# Key Switch Accessory 1 (NON-LOADSHED)

DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES





# Key Switch Ignition 2



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY



# Key Switch Ignition 2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Key Switch Ignition 1A



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES


**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES







DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



PURCHASED ASSEMBLY  
SEE 3676638C91  
CABLE,ASM, W-CORD ENG BLOCK, OIL PAN, FUEL HTR




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1

PGN 0 Byte 1,4  
 J1939 Public Datalink1 Torque Speed Control Message (TSC1)  
 Note: (For Non-2013 15L ISX and ISB Engines) Cummins ECM for 15L ISX and ISB engines do not receive TSC1, Torque Speed, messages transmitted from the BCM.




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES


# Diagram1-Combination1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination2



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES


DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination4




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES


# Diagram1




DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES










DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination3




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




# Diagram1-Combination4



DESIGN DESCRIPTION
FEATURE CODES
SOFTWARE FEATURE CODES
<small>NAVISTAR, INC. CONFIDENTIAL PROPRIETARY</small>

# Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



# Diagram1-Combination2








DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1-Combination3




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES


# Diagram1-Combination4



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram 1-Combination2



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES





# Diagram1-Combination3




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram 1-Combination4




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1-Combination2



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




# Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1-Combination2



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY



# Diagram1-Combination1



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES


DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1





DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1-Combination3




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1-Combination4




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




# Diagram1-Combination4





# Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination3




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination4




DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination1






DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1-Combination3




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram 1-Combination1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1-Combination2



DESIGN DESCRIPTION






FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY



# Diagram1








DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES


# Diagram1



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES

# Diagram1

DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY


# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1-Combination2

Air from the Solenoid opens and closes the Switch



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



DESIGN DESCRIPTION  
CITY HORN

FEATURE CODES  
W/ 08RMX

SOFTWARE FEATURE CODES  
597036




# Diagram1

DESIGN DESCRIPTION  
CITY HORN


FEATURE CODES  
W/ 08RML, 08RMM, 08RMN,  
08RMP, 08RMR

SOFTWARE FEATURE CODES  
597036



**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

PGN 65321 - Proprietary B Global  
Byte 4, Bit 7 - Door Switch




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1

When a Refrigerator Cabinet is omitted from an order, the following wiring is still provided.



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY



# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram2



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY



# Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




# Diagram1-Combination2



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES





DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES








DESIGN DESCRIPTION






FEATURE CODES



SOFTWARE FEATURE CODES



The implementation of the Hill Start Aid feature for Wabco ABS requires that the Wabco Full Stability Control feature be installed.



Physical Description:  
This implementation of the Hill Start Aid (HSA) system consists of...

Logical Description:  
The Hill Start Aid (HSA) feature is designed to apply the brakes to resist the vehicle rolling backwards if in drive (or forward if in reverse) when the vehicle is in a stopped position on a hill.

Note: The Hill Start Aid (HSA) feature is a required function of the Eaton Ultrashift Plus transmission.




NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

UNLESS SPECIFIED, DIM TOLERANCES ARE:				FRACTION (Cp)	DECIMAL (Cp)
mm	2/254	.5	.X	2/254	0.005
.X	2/254	.8	.XX	2/254	0.005
.X.XX	2/254	.25	.XXX	2/254	0.010
ANGLES	2/254	1/24			
APPROVED				DATE	
DESIGNED				DATE	
CHECKED				DATE	
DESIGNER				DATE	
DRAWN				DATE	
REV				DATE	
PART NO. / REV				SCALE	
Hill Start Aid (WABCO)				1 OF 1	
RELEASE NO.				REVISION	
NAV 0712				B	

CHS DRAWING



# Diagram1-Combination1 - A01-1905



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY


DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

**Diagram1 - Heater & Supply Module Relays-Combination1**




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram 1 - Heater & Supply Module Relays-Combination2



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




# Diagram 1 - Heater & Supply Module Relays-Combination3

DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES




**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1 - Heater & Supply Module Relays-Combination4



# Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-Combination4




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

**Diagram1 - Heater & Supply Module Relays FT DEF Tank (L01)**




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1 - Heater & Supply Module Relays DEF Tank (L03)




DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



# Diagram1 - Heater & Supply Module Relays FT DEF Tank (L01)




# Diagram1 - Heater & Supply Module Relays RR DEF Tank (L03)



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES








DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES

# Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1-Combination2


DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination3



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES


DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination2



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES

# Diagram1-Combination3


DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination4



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES


DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination6




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1-Combination8




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1-Combination1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




# Diagram1-Combination1


DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination2



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




# Diagram1-Combination4


DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES


**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1-Combination2



DESIGN DESCRIPTION
FEATURE CODES
SOFTWARE FEATURE CODES
 <small>NAVISTAR, INC. CONFIDENTIAL PROPRIETARY</small>

# Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1-Combination3




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1-Combination4




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES

# Diagram1


DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




# Diagram1



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






PTO Feedback Switches are customer supplied, blunt cuts are placed as shown

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




PTO Feedback Switches are customer supplied, blunt cuts are placed as shown

DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1



DESIGN DESCRIPTION


FEATURE CODES

Feature Code 0004WXZ

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1-Combination1



DESIGN DESCRIPTION

FEATURE CODES


Feature Code 0004EXN

Feature Code 0004ECC

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1-Combination2



DESIGN DESCRIPTION

FEATURE CODES

Feature Code 0004EXN

Feature Code 0004ECC

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY


# Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES

Feature Code 0004ECC

SOFTWARE FEATURE CODES



**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY


# Diagram1-Combination2

DESIGN DESCRIPTION

FEATURE CODES

Feature Code 0004ECC

SOFTWARE FEATURE CODES





**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

DESIGN DESCRIPTION  
 BASE WIRING FOR BENDIX  
 6CH ABS

FEATURE CODES

SOFTWARE FEATURE CODES








FEATURE CODES


SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination1




DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES





# Diagram 1-Combination3




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




# Diagram1-Combination2



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



W/ 6X2,6X4 AXLE & W/ HENDRICKSON 55",60" AIR SUSPENSION

DESIGN DESCRIPTION  
BASE WIRING FOR WABCO  
4CH ABS




FEATURE CODES

SOFTWARE FEATURE CODES


FEATURE CODES

SOFTWARE FEATURE CODES




FEATURE CODES

SOFTWARE FEATURE CODES









FEATURE CODES

SOFTWARE FEATURE CODES









FEATURE CODES

SOFTWARE FEATURE CODES

DESIGN DESCRIPTION







Traction Control On/Off Switch



FEATURE CODES

SOFTWARE FEATURE CODES

DESIGN DESCRIPTION





FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




Traction Control On/Off Switch



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES





# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



# Diagram1



# Diagram1



DESIGN DESCRIPTION




FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1

PGN 65360 - Operator Notification  
 Byte 4, Bit 6,5 - Accelerator Interlock Status  
 PGN 61441 - Electronic Brake Controller 1  
 SPN 972 - Accelerator Interlock Switch




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1

Cruise Control / Vehicle Speed 1 - CCV51  
PGN 65265 SPN 84




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY




# Diagram1



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES





DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1

Note: Engine exhaust brake can be disabled by the ABS (if truck has ABS).



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES


DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



# Diagram1



# Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1

Cruise Control / Vehicle Speed 1 - CCV51  
PGN 65265 SPN 84



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY


DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES


**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY


DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

DESIGN DESCRIPTION  
AIR SHIELD LIGHTING

FEATURE CODES  
W/ 16030 & W/ 08TJD




SOFTWARE FEATURE CODES  
597005



DESIGN DESCRIPTION  
AIR SHIELD LIGHTING

FEATURE CODES  
W/ 16AUM, 16AUN, 16AUP,  
16AUS & W/ 08TJD




SOFTWARE FEATURE CODES  
597005

DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



# Diagram1



# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY






DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES


# Diagram1


DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES








FEATURE CODES

SOFTWARE FEATURE CODES




FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES


# Diagram1-Combination1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1-Combination4




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION  
 BACKUP LIGHTS (DUAL REVERSE LIGHT) W/  
 EATON/MANUAL XMSN

FEATURE CODES  
 W/ AXLE-CONFIG = 4X2 &  
 W/ 08TPP & W/  
 F-FULLER-MANL-TRANS,  
 F-ULTRASHIFTVP-TRANS,  
 F-TREMEC-10SPD-TRANS




SOFTWARE FEATURE CODES  
 N/A



DESIGN DESCRIPTION  
**BACKUP LIGHTS (DUAL REVERSE LIGHT) W/ EATON/MANUAL XMSN**

FEATURE CODES  
 W/ AXLE-CONFIG = 6X2,6X4 & W/ 08TPP & W/ F-FULLER-MANL-TRANS, F-ULTRASHIFTVP-TRANS, F-TREMEC-10SPD-TRANS


SOFTWARE FEATURE CODES  
 N/A



DESIGN DESCRIPTION  
 BACKUP LIGHTS (SINGLE REVERSE LIGHT) W/  
 EATON/MANUAL XMSN


FEATURE CODES  
 W/ AXLE-CONFIG = 4X2 &  
 N/ 08TPP & W/  
 F-FULLER-MANL-TRANS,  
 F-ULTRASHIFTVP-TRANS,  
 F-TREMEC-10SPD-TRANS

SOFTWARE FEATURE CODES  
 N/A




DESIGN DESCRIPTION  
 BACKUP LIGHTS (SINGLE  
 REVERSE LIGHT) W/  
 EATON/MANUAL XMSN

FEATURE CODES  
 W/ AXLE-CONFIG = 6X2,6X4  
 & N/ 08TPP & W/  
 F-FULLER-MANL-TRANS,  
 F-ULTRASHIFTVP-TRANS,  
 F-TREMEC-10SPD-TRANS



SOFTWARE FEATURE CODES  
 N/A

# Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES








DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES


# Diagram1-Combination1



# Diagram1-Combination2



# Diagram1



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES


# Diagram1

DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY



# Diagram1



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES


DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES





DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES

DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES

DESIGN DESCRIPTION  
 REAR STOP LIGHTS - DUAL  
 ASSEMBLY

FEATURE CODES  
 W/ AXLE-CONFIG = 4X2 &  
 W/ 08TPP


SOFTWARE FEATURE CODES  
 597026, 597035



DESIGN DESCRIPTION  
**REAR STOP LIGHTS - DUAL ASSEMBLY**

FEATURE CODES  
 W/ AXLE-CONFIG = 6X2,  
 6X4 & W/ 08TPP

SOFTWARE FEATURE CODES  
 597026, 597035






DESIGN DESCRIPTION  
**REAR STOP LIGHTS - SINGLE ASSEMBLY**

FEATURE CODES  
 W/ AXLE-CONFIG = 4X2 &  
 N/ 08TPP


SOFTWARE FEATURE CODES  
 597026, 597035



DESIGN DESCRIPTION  
**REAR STOP LIGHTS - SINGLE ASSEMBLY**

FEATURE CODES  
 W/AXLE-CONFIG = 6X2, 6X4 & N/ 08TPP


SOFTWARE FEATURE CODES  
 597026, 597035



DESIGN DESCRIPTION  
 REAR TAIL LIGHT (LIGHT BAR  
 ASSEMBLY N/ MARKER  
 INTERRUPT SWITCH)

FEATURE CODES  
 W/ AXLE-CONFIG = 4X2 &  
 W/ 08THK, 08TJE, 08TKD,  
 08TKG, 08TKH, 08TKJ,  
 08TNN, 08TPG, 08TUN & N/  
 08XHW, 08XHX


SOFTWARE FEATURE CODES  
 597004, 597005, 597074,  
 597075



DESIGN DESCRIPTION  
 REAR TAIL LIGHT (LIGHT BAR  
 ASSEMBLY N/ MARKER  
 INTERRUPT SWITCH)

FEATURE CODES  
 W/ AXLE-CONFIG = 6X2,6X4  
 & W/ 08THK, 08TJE, 08TKD,  
 08TKG, 08TKH, 08TKJ,  
 08TNN, 08TPG, 08TUN & N/  
 08XHW, 08XHX


SOFTWARE FEATURE CODES  
 597004, 597005, 597074,  
 597075



DESIGN DESCRIPTION  
 REAR TAIL LIGHTS (LIGHT BAR ASSEMBLY W/ MARKER INTERRUPT SWITCH)

FEATURE CODES  
 W/ AXLE-CONFIG = 4X2 &  
 W/ 08THK, 08TJE, 08TKD,  
 08TKG, 08TKH, 08TKJ,  
 08TNN, 08TPG, 08TUN & W/  
 08XHW, 08XHX


SOFTWARE FEATURE CODES  
 597004, 597005, 597071,  
 597074, 597075



DESIGN DESCRIPTION  
 REAR TAIL LIGHTS (LIGHT BAR ASSEMBLY W/ MARKER INTERRUPT SWITCH)

FEATURE CODES  
 W/ AXLE-CONFIG = 6X2,6X4 & W/ 08THK, 08TJE, 08TKD, 08TKG, 08TKH, 08TKJ, 08TNN, 08TPG, 08TUN & W/ 08XHW, 08XHX


SOFTWARE FEATURE CODES  
 597004, 597005, 597071, 597074, 597075



DESIGN DESCRIPTION  
 REAR TAIL LIGHTS (WELDON  
 LED N/ MARKER INTERRUPT  
 SWITCH)

FEATURE CODES  
 W/ AXLE-CONFIG = 4X2 &  
 W/ 08TPP & N/ 08XHW,  
 08XHX


SOFTWARE FEATURE CODES  
 597004, 597005, 597074,  
 597075



DESIGN DESCRIPTION  
 REAR TAIL LIGHTS (WELDON  
 LED N/ MARKER INTERRUPT  
 SWITCH)

FEATURE CODES  
 W/ AXLE-CONFIG = 6X2,6X4  
 & W/ 08TPP & N/ 08XHW,  
 08XHX

SOFTWARE FEATURE CODES  
 597004, 597005, 597074,  
 597075






DESIGN DESCRIPTION  
 REAR TAIL LIGHTS (WELDON  
 LED W/ MARKER INTERRUPT  
 SWITCH)

FEATURE CODES  
 W/ AXLE-CONFIG = 4X2 &  
 W/ 08TPP & W/ 08XHW,  
 08XHX


SOFTWARE FEATURE CODES  
 597004, 597005, 597071,  
 597074, 597075



DESIGN DESCRIPTION  
 REAR TAIL LIGHTS (WELDON  
 LED W/ MARKER INTERRUPT  
 SWITCH)


FEATURE CODES  
 W/ AXLE-CONFIG = 4X2 &  
 W/ 08TPP & W/ 08XHW,  
 08XHX

SOFTWARE FEATURE CODES  
 597004, 597005, 597071,  
 597074, 597075



DESIGN DESCRIPTION  
 REAR TURN LIGHTS (W/  
 DUAL TAIL LIGHT ASSEMBLY)


FEATURE CODES  
 W/ AXLE-CONFIG = 4X2 &  
 W/ 08THK, 08TJE, 08TKD,  
 08TKG, 08TKH, 08TKJ,  
 08TNN, 08TPG, 08TUN



SOFTWARE FEATURE CODES  
 597026

DESIGN DESCRIPTION  
 REAR TURN LIGHTS (W/  
 DUAL TAIL LIGHT ASSEMBLY)

FEATURE CODES  
 W/ AXLE-CONFIG = 6X2,6X4  
 & W/ 08THK, 08TJE, 08TKD,  
 08TKG, 08TKH, 08TKJ,  
 08TNN, 08TPG, 08TUN




SOFTWARE FEATURE CODES  
 597026

DESIGN DESCRIPTION  
 REAR TURN LIGHTS (W/  
 SINGLE REAR LIGHT  
 ASSEMBLY)

FEATURE CODES  
 W/ AXLE-CONFIG = 4X2 &  
 W/ 08TPP


SOFTWARE FEATURE CODES  
 597026



DESIGN DESCRIPTION  
 REAR TURN LIGHTS (W/  
 SINGLE REAR LIGHT  
 ASSEMBLY)


FEATURE CODES  
 W/ AXLE-CONFIG = 6X2,6X4  
 & W/ 08TPP

SOFTWARE FEATURE CODES  
 597026



DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES




# Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






# Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




# Diagram1-Combination1


DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1-Combination1




DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES





# Diagram1



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES


**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY


# Diagram1

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1 - Base HVAC-Combination



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES

# Diagram1 - Base HVAC-Combination


DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram2 - Actuators-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram2 - Actuators-Combination2




DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES





# Diagram1 - Base HVAC



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

Interior HVAC Assembly  
(Connectors are Located Below the Blower Motor)

Low Side AC Pressure Sensor

HVAC Pressure / Temperature Sensor

A / C Compressor

# Diagram2 - Actuators


DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1




HVAC System continues on following diagram.

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1




HVAC System continues on following diagram.

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram2



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES


# Diagram1

DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY





# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1



DESIGN DESCRIPTION



FEATURE CODES

SOFTWARE FEATURE CODES


**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1

PGN 65262 SPN 110  
Engine Coolant Temperature



Engine Coolant Temp Sensor




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY



# Diagram1

PGN 65262 SPN 175  
Engine Oil Temperature

BCM shown for reference.  
(Used for teach/reteach)



Engine Oil Temp Indicator



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES


**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1





# Diagram1



DESIGN DESCRIPTION


FEATURE CODES


SOFTWARE FEATURE CODES

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES





DESIGN DESCRIPTION


FEATURE CODES


SOFTWARE FEATURE CODES

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES





DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES





Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES





Additional PTO in BodyBuilder Folder




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

 <p>The diagram illustrates the communication between three modules: the Body Control Module, the Engine Control Module, and the Electronic Gauge Cluster. Each module is represented by an orange rectangular box. The Body Control Module is on the left, while the Engine Control Module and Electronic Gauge Cluster are on the right. Each module is connected to a central communication bus consisting of two lines: a top line labeled 'J1939 MUX Datalink' and a bottom line labeled 'EES-SE-L-0002'. The connections are shown as double-headed arrows, indicating bidirectional communication between each module and the bus.</p>	<p>DESIGN DESCRIPTION</p>
	<p>FEATURE CODES</p>
	<p>SOFTWARE FEATURE CODES</p>
	 <p>NAVISTAR NAVISTAR, INC. CONFIDENTIAL PROPRIETARY</p>

# Diagram1






DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1







DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1



DESIGN DESCRIPTION



FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1

SPN 102 PGN 65270  
Intake Manifold Pressure



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1

SPN 102 PGN 65270  
Intake Manifold Pressure




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1






DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES





# Diagram1-Combination1 - R01-9811, R01-9812

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES





# Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1-Combination3






DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

Transmission Oil Temp Sensor is part of the Allison Transmission

Displays Transmission Oil Temp



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES

DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




# Diagram1

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




# Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination2


DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES

Proprietary Global B  
(PGN 65321)  
0 = OFF (not restricted)  
1 = ON (restricted)

One bit in this message shall be used to request a text message or  
telltale to be turned on and off based on the air filter restriction.



# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES

NOTE - The Engine Oil Level Sensor is part of the Engine Assembly.



# Diagram1

PGN 65226 - Direct Lamp Control Data 1  
SPN 5093 - Engine Protect Lamp Data  
SPN 5094 - Engine Amber Warning Lamp Data  
SPN 5095 - Engine Red Stop Lamp Data  
SPN 5096 - OBD Malfunction Indicator Lamp Data




DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY





# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1



DESIGN DESCRIPTION




FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1

PGN 61440 SPN 520  
Actual Retarder - Percent Torque  
PGN 65360 SPN 522256  
Upshift Indicator




DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY



# Diagram1

PGN 64892 - Diesel Particulate Filter Control 1  
SPN 3698 - Exhaust System High Temperature Lamp Command




DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY


# Diagram1



# Diagram1



# Diagram1



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES


**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY



# Diagram1



# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




High Resolution Total Vehicle Distance  
(PGN 65217 SPN 917)  
Proprietary Global Parameters  
(PGN 65321)



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1



DESIGN DESCRIPTION


FEATURE CODES


SOFTWARE FEATURE CODES

DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES







# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1





DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram 1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES








DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1-Combination1

PGN 65258 - Vehicle Weight  
 SPN 928 - Axle Location  
 SPN 582 - Axle Weight



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES

DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES

PGN 65258 - Vehicle Weight  
 SPN 928 - Axle Location  
 SPN 582 - Axle Weight



# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1





DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1-Combination1



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




# Diagram1-Combination4


DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1-Combination2



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination4




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1-Combination5




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1-Combination6




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination7




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1-Combination8




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination3



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES

# Diagram1-Combination4

DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES








DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES


SOFTWARE FEATURE CODES

DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES





# Diagram1-Combination1-N01-9780M



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES

# Diagram1

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY


# Diagram1



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1-Combination2



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



# Diagram1

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1




DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES





# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1




DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY



Feature Code 0008MHD





# Diagram1


DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES


## Remote Inverter Control Cable P/N 3757368C1

Note that the inverter wiring is composed of purchased assemblies and battery cables. There is a purchased cable assembly that runs through the sleeper harness and connects the remote inverter control in the sleeper control panel to the inverter.



**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES

Feature Code 0008MHD

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY



# Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES


**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1-Combination1 - K02-6100E




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1




DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY







DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES

DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES


DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES







DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY


# Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



# Diagram1



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES

**NAVISTAR**  
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY




Connector Name A01-1916  
 Part Number 2005836C1  
 Instances Telematics (OMNIVISION MD):Diagram1-Combination1  
 Telematics (OMNIVISION MD):Diagram1-Combination2  
 Mates SW-SPKR-2033-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	CT86HA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2065.0	-	F	A01-191 9A
C	-	-	MB86HA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4045.0	-	F	A01-191 9A
D	-	-	CT86JA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2065.0	-	G	A01-191 9A
D	-	-	MB86JA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4045.0	-	G	A01-191 9A


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	CT86-GD1	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	970.0	-	X	-
E	-	-	MB86-GD1	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	660.0	-	X	-

Connector Name A01-1917  
 Part Number 1661197C1  
 Instances Telematics (OMNIVISION MD):Diagram1-Combination1  
 Telematics (OMNIVISION MD):Diagram1-Combination2  
 Mates CTRL-REMOTE-2035-03-08A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CT86RCD	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3340.0	-	A	A01-191 9A
A	-	-	MB86RCD	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3050.0	-	A	A01-191 9A
B	-	-	MB86-GD2	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1235.0	-	X	-
B	-	-	CT86-GD2	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2245.0	-	X	-


Connector Name A01-1918A  
 Part Number 1661199C1  
 Instances Telematics (OMNIVISION MD):Diagram1-Combination1  
 Telematics (OMNIVISION MD):Diagram1-Combination2  
 Mates MODU-OMNIVISION-2035-03-08A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MB14ED	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	4625.0	-	-	-
A	-	-	CT14ED	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	3695.0	-	-	-
B	-	-	CT13EE	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	3825.0	-	-	-
B	-	-	MB13EE	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	4755.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	MB11-GBE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2700.0	-	-	-
C	-	-	CT11-GBE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	3600.0	-	-	-


Connector Name A01-1919A  
 Part Number 2005836C1  
 Instances Telematics (OMNIVISION MD):Diagram1-Combination1  
 Telematics (OMNIVISION MD):Diagram1-Combination2  
 Mates MODU-OMNIVISION-2035-03-08A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CT86RCD	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3340.0	-	A	A01-1917
A	-	-	MB86RCD	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3050.0	-	A	A01-1917
B	-	-	CT11-GMW	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	2410.0	-	B5	1500
B	-	-	MB11-GMW	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	3540.0	-	B5	1500

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	CT86-GND	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1095.0	-	X	-
E	-	-	MB86-GND	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	3385.0	-	X	-
F	-	-	CT86HA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2065.0	-	C	A01-1916
F	-	-	MB86HA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4045.0	-	C	A01-1916
G	-	-	CT86JA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2065.0	-	D	A01-1916
G	-	-	MB86JA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4045.0	-	D	A01-1916


Connector Name A01-1932  
 Part Number 4105318C1  
 Instances Telematics (PMG w/ DVR):Diagram1  
 Mates DEV-PEOPLENET\_DVR-2035-05- 07A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	DW14Z	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	1625.0	-	-	-
2	-	-	DW11-GZ	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2845.0	-	-	-
3	-	-	DW13Z	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	1550.0	-	-	-




Connector Name A01-1939A  
 Part Number 3616085C1  
 Instances Telematics Peoplenet PMG:Diagram1-Combination1  
 Mates DEV-PEOPLENET\_PMG-2035-05- 07A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	JV13B	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	4905.0	-	-	-
4	-	-	JV11-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2240.0	-	-	-
5	-	-	JV14A	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	4775.0	-	-	-

Connector Name C1-6018  
 Part Number 3952655C1  
 Instances  
 A26 - Ambient Air Temperature:Diagram1  
 A26 - Body Builder Powertrain:Diagram1  
 A26 - Coolant Level Monitoring:Diagram1  
 A26 - Cooling Fan Control Two-Speed:Diagram1  
 A26 - Engine Control Module:Connector C1-6018  
 A26 - Interface Connector:Diagram1  
 A26 - Starting Aid (Flame Start):Diagram1  
 Diagnostic Private J1939 A26:Diagnostic Private J1939 A26 Engine  
 Water In Fuel (WIF) W/ Heater(Davco):Diagram1-Combination1  
 Water In Fuel (WIF) W/ Heater(Davco):Diagram1-Combination2  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater & Supply Module Relays-Combination1  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater & Supply Module Relays-Combination2  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater & Supply Module Relays-Combination3  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater & Supply Module Relays-Combination4  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-Combination1  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-Combination2  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-Combination3  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-Combination4  
 Mates MODU-ECM-A001-10-00A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	CC95GE	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	210.0	-	-	-
1	-	-	CD95GE	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	210.0	-	-	-
1	-	-	CA95GE	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2040.0	-	-	-
1	-	-	CB95GE	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1460.0	-	-	-
1	-	-	CB95GE	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1460.0	-	5	674B
1	-	-	CA95GE	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2040.0	-	5	674
1	-	-	CD95GE	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	210.0	-	X	-
2	-	-	KA97B	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1375.0	-	23	1702

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	AK95F	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1460.0	-	-	-
4	-	-	AJ95F	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2040.0	-	-	-
4	-	-	AJ95F	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2040.0	-	2	674
4	-	-	AK95F	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1460.0	-	2	674B
5	-	-	KA95-GC	3510293 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BLACK	1170.0	-	-	-
5	-	-	KA95-GC	3510293 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BLACK	1170.0	-	B10	690
6	-	-	KA97C	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1375.0	-	22	1702
7	-	-	AY95BC	2645915 R1	0.79	18.0	TXL 150C	TAN	2520.0	-	-	-
7	-	-	AP95BC	2645915 R1	0.79	18.0	TXL 150C	TAN	2645.0	-	-	-
7	-	-	AP95BC	2645915 R1	0.79	18.0	TXL 150C	TAN	2645.0	-	4	670A_1

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
7	-	-	AY95BC	2645915 R1	0.79	18.0	TXL 150C	TAN	2520.0	-	4	670B_1
8	-	-	KC34D	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2795.0	-	A	6407
8	-	-	KB34D	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2945.0	-	-	-
8	-	-	KB34D	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2945.0	-	A	6401_1
9	-	-	VL41E	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1375.0	-	18	1702
10	-	-	AP95BA	2645915 R1	0.79	18.0	TXL 150C	TAN	2645.0	-	-	-
10	-	-	AY95BA	2645915 R1	0.79	18.0	TXL 150C	TAN	2520.0	-	-	-
10	-	-	AY95BA	2645915 R1	0.79	18.0	TXL 150C	TAN	2520.0	-	3	670B_1
10	-	-	AP95BA	2645915 R1	0.79	18.0	TXL 150C	TAN	2645.0	-	3	670A_1
11	-	-	KA41-GA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1490.0	-	-	-
11	-	-	KA41-GA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1490.0	-	F	6033

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
12	-	-	KA97P	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1375.0	-	30	1702
14	-	-	KJ92A19	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	-	-
14	-	-	KJ92A19	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	J	4706
16	-	-	KJ92A13	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	-	-
16	-	-	KJ92A13	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	D	4705
17	-	-	KA13	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1375.0	-	-	-
20	-	-	KJ92A2	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	-	-
20	-	-	KJ92A2	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	E	4706

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
21	-	-	KJ92A17	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	-	-
21	-	-	KJ92A17	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	J	4705
22	-	-	KJ92A14	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	-	-
22	-	-	KJ92A14	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	D	4706
23	-	-	KJ92A6	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	-	-
23	-	-	KJ92A6	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	F	4706
24	-	-	KA95GBE	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	1480.0	-	-	-
24	-	-	KA95GBE	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	1480.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
25	-	-	ZC23A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	775.0	-	-	-
25	-	-	ZB23A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1325.0	-	-	-
25	-	-	ZT23A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1100.0	-	-	-
25	-	-	ZS23A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	775.0	-	-	-
25	-	-	ZS23A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	775.0	-	X	-
25	-	-	ZC23A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	775.0	-	X	-
28	-	-	AJ95AB	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2040.0	-	-	-
28	-	-	AK95AB	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1460.0	-	-	-



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
28	-	-	AK95AB	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1460.0	-	6	674B
28	-	-	AJ95AB	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2040.0	-	6	674
29	-	-	KA97N	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PURPLE	1160.0	-	29	1702
31	-	-	KA41A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1490.0	-	-	-
31	-	-	KA41A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1490.0	-	E	6033
33	-	-	KA99B	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1375.0	-	28	1702
34	-	-	AY95K	2645915 R1	0.79	18.0	TXL 150C	TAN	2520.0	-	-	-
34	-	-	AP95K	2645915 R1	0.79	18.0	TXL 150C	TAN	2645.0	-	-	-
34	-	-	AY95K	2645915 R1	0.79	18.0	TXL 150C	TAN	2520.0	-	8	670B_1
34	-	-	AP95K	2645915 R1	0.79	18.0	TXL 150C	TAN	2645.0	-	8	670A_1
36	-	-	ZD95DA	2645915 R1	0.79	18.0	TXL 150C	TAN	2645.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
36	-	-	ZE95DA	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	825.0	-	-	-
36	-	-	ZV95DA	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	825.0	-	-	-
36	-	-	ZF95DA	2645915 R1	0.79	18.0	TXL 150C	TAN	2520.0	-	-	-
36	-	-	ZG95DA	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	825.0	-	-	-
36	-	-	ZU95DA	2645915 R1	0.79	18.0	TXL 150C	TAN	2645.0	-	-	-
36	-	-	ZW95DA	2645915 R1	0.79	18.0	TXL 150C	TAN	2520.0	-	-	-
36	-	-	ZX95DA	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	825.0	-	-	-
36	-	-	ZW95DA	2645915 R1	0.79	18.0	TXL 150C	TAN	2520.0	-	5	670B_1
36	-	-	ZU95DA	2645915 R1	0.79	18.0	TXL 150C	TAN	2645.0	-	5	670A_1
36	-	-	ZV95DA	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	825.0	-	X	-
39	-	-	KJ92A1	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
39	-	-	KJ92A1	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	H	4706
40	-	-	KJ92A9	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	-	-
40	-	-	KJ92A9	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	E	4705
46	-	-	KJ92A16	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	-	-
46	-	-	KJ92A16	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	H	4705
50	-	-	CD99D	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1640.0	-	-	-
50	-	-	CC99D	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1640.0	-	-	-
50	-	-	CD99D	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1640.0	-	1	6104

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
55	-	-	VA95-GF	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1750.0	-	-	-
55	-	-	VE95-GF	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2100.0	-	-	-
55	-	-	VB95-GF	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1750.0	-	2	1874B
55	-	-	VE95-GF	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2100.0	-	1	1874C
55	-	-	VA95-GF	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1750.0	-	1	1874_1
56	-	-	KJ92A5	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	-	-
56	-	-	KJ92A5	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	A	4706
57	-	-	KA97M	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PURPLE	1160.0	-	24	1702

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
58	-	-	AK95H	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1460.0	-	-	-
58	-	-	AJ95H	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2040.0	-	-	-
58	-	-	AJ95H	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2040.0	-	3	674
58	-	-	AK95H	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1460.0	-	3	674B
60	-	-	-	-	-	-	-	-	-	-	-	-
61	-	-	KA98GN	-	0.0	-	J1939 .46 WAL	GREEN	290.0	-	-	-
61	-	-	WIRE196 467	-	0.0	-	-	-	0.0	-	B	4328
63	-	-	AY9A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	160.0	-	-	-
63	-	-	AP9A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	160.0	-	-	-
63	-	-	AY9A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	160.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
63	-	-	AP9A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	160.0	-	X	-
64	-	-	AJ95AT2	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1130.0	-	-	-
64	-	-	AK95AT2	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1130.0	-	-	-
64	-	-	AJ95AT2	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1130.0	-	X	-
64	-	-	AK95AT2	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1130.0	-	PIN1	-
65	-	-	KJ92A7	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	-	-
65	-	-	KJ92A7	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	G	4706
66	-	-	SJ92A18	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1225.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
66	-	-	SG92A11	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	-	-
66	-	-	SG92A11	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	B	4705
67	-	-	AJ95AR2	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1250.0	-	-	-
67	-	-	AK95AR2	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1250.0	-	-	-
67	-	-	AK95AR2	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1250.0	-	X	-
67	-	-	AJ95AR2	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1250.0	-	X	-
69	-	-	AJ95AU2	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1100.0	-	-	-
69	-	-	AK95AU2	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1100.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
69	-	-	AJ95AU2	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1100.0	-	X	-
69	-	-	AK95AU2	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1100.0	-	X	-
72	-	-	KA95TB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1900.0	-	-	-
72	-	-	KA95TB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1900.0	-	E10	690
76	-	-	ZR23-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1100.0	-	B	6400
76	-	-	ZA23-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1325.0	-	-	-
76	-	-	ZA23-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1325.0	-	B	6400A
77	-	-	KJ92A8	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	-	-




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
77	-	-	KJ92A8	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	G	4705
78	-	-	KJ92A10	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	-	-
78	-	-	KL47T	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1375.0	-	38	1702
78	-	-	KJ92A10	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	F	4705
84	-	-	-	-	-	-	-	-	-	-	-	-
85	-	-	KA98YL	-	0.0	-	J1939 .46 WAL	YELLOW 2	290.0	-	-	-
85	-	-	WIRE196 466	-	0.0	-	-	-	0.0	-	A	4328
87	-	-	AK95AS2	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1220.0	-	-	-
87	-	-	AJ95AS2	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1220.0	-	-	-
87	-	-	AK95AS2	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1220.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
87	-	-	AJ95AS2	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1220.0	-	1	-
90	-	-	KJ92A12	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	-	-
90	-	-	KJ92A12	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	C	4705
91	-	-	XN47	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2695.0	-	A	7600
91	-	-	XQ47A125	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3440.0	-	8	1503
91	-	-	XP47A125	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3500.0	-	25	7150
91	-	-	PL47	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2830.0	-	A	7600T
91	-	-	XY47A125	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2930.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
92	-	-	XN47A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2695.0	-	B	7600
92	-	-	PL47A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2830.0	-	B	7600T

Connector Name C2-6019  
 Part Number 3952656C1  
 Instances

- A26 - Engine Control Module:Connector C2-6019
- X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater & Supply Module Relays-Combination1
- X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater & Supply Module Relays-Combination2
- X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater & Supply Module Relays-Combination3
- X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater & Supply Module Relays-Combination4
- X15 - Selective Catalytic Reduction SCR ICT:Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-Combination1
- X15 - Selective Catalytic Reduction SCR ICT:Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-Combination2
- X15 - Selective Catalytic Reduction SCR ICT:Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-Combination3
- X15 - Selective Catalytic Reduction SCR ICT:Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-Combination4



Mates MODU-ECM-A001-10-00


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AP95DVH	4073403 R1	0.53	20.0	TXL 150C	TAN	2795.0	-	-	-
1	-	-	AY95DVH	4073403 R1	0.53	20.0	TXL 150C	TAN	2670.0	-	-	-
1	-	-	AP95DVH	4073403 R1	0.53	20.0	TXL 150C	TAN	2795.0	-	2	670A_1
1	-	-	AY95DVH	4073403 R1	0.53	20.0	TXL 150C	TAN	2670.0	-	2	670B_1

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	AJ95E	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	2190.0	-	-	-
2	-	-	AK95E	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1610.0	-	-	-
2	-	-	AK95E	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1610.0	-	1	674B
2	-	-	AJ95E	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	2190.0	-	1	674
3	-	-	KA14G	3510367 R1	1.91	14.0	Thin Wall XLPE Primary Cable	RED	470.0	-	X	-
4	-	-	KA92D16	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	230.0	-	X	-
6	-	-	AP95DVL	4073403 R1	0.53	20.0	TXL 150C	TAN	2795.0	-	-	-
6	-	-	AY95DVL	4073403 R1	0.53	20.0	TXL 150C	TAN	2670.0	-	-	-
6	-	-	AP95DVL	4073403 R1	0.53	20.0	TXL 150C	TAN	2795.0	-	1	670A_1
6	-	-	AY95DVL	4073403 R1	0.53	20.0	TXL 150C	TAN	2670.0	-	1	670B_1

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	KA92BA16	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	230.0	-	X	-
8	-	-	KA14HC	3510367 R1	1.91	14.0	Thin Wall XLPE Primary Cable	RED	470.0	-	X	-
9	-	-	KA14K	3510367 R1	1.91	14.0	Thin Wall XLPE Primary Cable	RED	470.0	-	X	-
10	-	-	KA92C16	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	230.0	-	X	-
11	-	-	KA95SB	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1880.0	-	-	-
11	-	-	KA95SB	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1880.0	-	A12	690
13	-	-	KA92BB16	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	310.0	-	X	-
14	-	-	KA14KAA	3510367 R1	1.91	14.0	Thin Wall XLPE Primary Cable	RED	500.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
15	-	-	KA14H	3510367 R1	1.91	14.0	Thin Wall XLPE Primary Cable	RED	500.0	-	X	-
16	-	-	KA92E16	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	310.0	-	X	-


Connector Name H01-5530  
 Part Number 2011340C1  
 Instances Telematics (PEOPLE NET DAYCAB):Diagram1-Combination2  
 Mates MODU-PEOPLENET\_COMM-2035-0 5-05A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	RF14ED	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	3180.0	-	-	-
D	-	-	RF11-GMB	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1455.0	-	-	-
E	-	-	RF13EE	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	3180.0	-	-	-




Connector Name H01-5900  
 Part Number 2011340C1  
 Instances Telematics (QUALCOMM IMCT DAYCAB W/ MVPC):Diagram1  
 Mates MODU-QUAL\_IMCT-2035-02-09A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	HL14ED	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	3180.0	-	-	-
D	-	-	JA11-GMB	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	770.0	-	-	-
E	-	-	JA13EH	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	2550.0	-	X	-
F	-	-	HL98F	2643670 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BLACK	3180.0	-	E	(5010)

Connector Name H01-5903  
 Part Number 1669973C1  
 Instances Telematics (QUALCOMM IMCT DAYCAB W/ MVPC):Diagram1  
 Mates MODU-MVPC-2035-02-10A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JA13EF	2643670 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BLACK	700.0	-	X	-
B	-	-	JA11-GMC	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3620.0	-	-	-

Connector Name J1-1603  
Part Number 3598711C1  
Instances A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 - Base HVAC-Combination1  
A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 - Base HVAC-Combination2  
Body Control module (BCM):Connector J1-1603  
City Horn (N/ Radio Steering Wheel Controls):Diagram1  
City Horn (W/ Radio Steering Wheel Controls):Diagram1  
Headlights (Halogen) N/ Headlamp Interrupt W/ 125BBC:Diagram1  
Headlights (Halogen) W/ Headlamp Interrupt W/ 125BBC:Diagram1  
Headlights (LED) N/ Headlamp Interrupt W/ 125BBC:Diagram1  
Headlights (LED) W/ Headlamp Interrupt W/ 125BBC:Diagram1  
Lane Departure Warning - (Bendix - AutoVue W/ Qualcomm Safety Direct):Diagram1  
LT - Fog Lights (Halogen White Rear):Diagram1  
LT - Fog Lights (LED White Rear):Diagram1  
Rear Lights Stop - Dual Assembly:W/ 4X2 AXLE  
Rear Lights Stop - Dual Assembly:W/ 6X2,6X4 AXLE  
Rear Lights Stop - Single Assembly:W/ 4X2 AXLE  
Rear Lights Stop - Single Assembly:W/ 6X2,6X4 AXLE  
Rear Turn Lights W/ Dual Tail Light Assembly:W/ 4X2 AXLE  
Rear Turn Lights W/ Dual Tail Light Assembly:W/ 6X2,6X4 AXLE  
Rear Turn Lights W/ Single Rear Light Assembly:W/ 4X2 AXLE  
Rear Turn Lights W/ Single Rear Light Assembly:W/ 6X2,6X4 AXLE  
Remote Keyless Entry:Diagram1  
RH - Fog Lights (Halogen White):Diagram1  
RH - Fog Lights (LED White):Diagram1  
Telematics (TRIPMASTER DAYCAB):Diagram1  
Telematics (TRIPMASTER SLEEPER):Diagram1  
Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination1-N01-9780M, R01-9790M  
Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination2-N01-9780M, R01-9790MA  
Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination3-N01-9782, R01-9790M  
Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination4-N01-9782, R01-9790MA  
Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination5-N01-9782M, R01-9790M



Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination6-N01-9782M, R01-9790MA  
 Trailer Interface (Lighting) – BOC\_NA:Diagram1-Combination1-N01-9780M  
 Trailer Interface (Lighting) – BOC\_NA:Diagram1-Combination2-N01-9782  
 Trailer Interface (Lighting) – BOC\_NA:Diagram1-Combination3-N01-9782M  
 Trailer Interface (Lighting) – TRAMEC\_NA:Diagram1  
 Work Lights (Customer Supplied) W/ Sw Pack:Diagram1-Combination1  
 Work Lights (Customer Supplied) W/ Sw Pack:Diagram1-Combination2  
 Work Lights LED (Customer Supplied) W/ Sw Pack - Sleeper:Diagram1-Combination1  
 Work Lights LED (Customer Supplied) W/ Sw Pack - Sleeper:Diagram1-Combination2  
 Work Lights LED W/ Sw Pack - Day Cab:Diagram1-Combination1  
 Work Lights LED W/ Sw Pack - Sleeper:Diagram1-Combination1  
 X15 - Heating Ventilation Air Conditioning (HVAC):Diagram1 - Base HVAC

Mates

MODU-BCM-A000-10-00

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BM57T	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	665.0	-	6	1701M
A	-	-	BM57T	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	665.0	-	-	-
B	-	-	BM56T	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	665.0	-	5	1701M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	BM56T	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	665.0	-	-	-
C	-	-	AA77	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2500.0	-	-	-
C	-	-	AA77	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2500.0	-	B12	1F
C	-	-	AA77	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2500.0	-	B12	1F_IP12
D	-	-	EC56A3	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	665.0	-	2	1701M
D	-	-	EA56A	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	665.0	-	-	-
D	-	-	NS56A	3510319 R1	1.91	14.0	Thin Wall XLPE Primary Cable	ORANGE	665.0	-	-	-
D	-	-	EA56A1	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	405.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	NC56A	3510319 R1	1.91	14.0	Thin Wall XLPE Primary Cable	ORANGE	665.0	-	-	-
D	-	-	EC56A3	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	665.0	-	-	-
D	-	-	2Z56A4	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	405.0	-	-	-
D	-	-	EA56A1	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	405.0	-	X	-
E	-	-	AA85	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	585.0	-	21	1700M
E	-	-	AA85	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	585.0	-	-	-
F	-	-	cu64a	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	585.0	-	22	1700M
F	-	-	cu64a	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	585.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
G	-	-	BS65	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	665.0	-	68	1701M
G	-	-	BW65	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	535.0	-	X	-
G	-	-	BU65	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	535.0	-	X	-
G	-	-	BT65	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1975.0	-	-	-
G	-	-	BW65	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	535.0	-	-	-
G	-	-	BU65	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	535.0	-	-	-
G	-	-	BY65	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	800.0	-	-	-
G	-	-	BS65	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	665.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
G	-	-	BX65	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	535.0	-	-	-
G	-	-	BT65	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1975.0	-	20	5000F
H	-	-	DE52A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	585.0	-	1	1700M
H	-	-	DE52A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	585.0	-	-	-
H	-	-	BB52AA	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	385.0	-	-	-
H	-	-	BB52AA	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	385.0	-	X	-
K	-	-	CU64B	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	585.0	-	23	1700M
K	-	-	CU64B	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	585.0	-	-	-



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
L	-	-	DE52B	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	585.0	-	3	1700M
L	-	-	DE52B	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	585.0	-	-	-
L	-	-	BB52B	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	585.0	-	-	-
M	-	-	NC57AA	3510319 R1	1.91	14.0	Thin Wall XLPE Primary Cable	ORANGE	665.0	-	3	1701M
M	-	-	NC57AA	3510319 R1	1.91	14.0	Thin Wall XLPE Primary Cable	ORANGE	665.0	-	-	-
M	-	-	NS57AA	3510319 R1	1.91	14.0	Thin Wall XLPE Primary Cable	ORANGE	665.0	-	-	-
M	-	-	EA57AA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	665.0	-	-	-
M	-	-	EC57A3	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	665.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
M	-	-	NS57E	3510319 R1	1.91	14.0	Thin Wall XLPE Primary Cable	ORANGE	665.0	-	-	-
M	-	-	2Z57A5	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	435.0	-	-	-
M	-	-	EA57A1	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	435.0	-	-	-
M	-	-	EA57A1	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	435.0	-	X	-


Connector Name J1  
 Part Number RING-M-12\_0  
 Instances  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram1 - W/ Bosch LH160, LH200, LIL165, LIL200  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram2 - W/ Leece Neville AVI160-210A/240A  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram3 - W/ Leece Neville AVI160 w/o Remote Sense  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram4 - W/ Delco Remy 38SI, 40SI  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram5 - W/ Delco Remy 28SI, 36SI  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram6 - W/ Leece Neville 320PAH, LN325  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram7 - W/ Delco Remy 40SI (08GHJ)  
 Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch:Diagram1-Combination1 - T08-6100D  
 Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch:Diagram1-Combination2 - T09-6100D  
 Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch:Diagram1-Combination3 - T10-6100D  
 X15 - Bosch LH160\_LH200 Alternator1:Diagram1-Combination1 - K02-6100B  
 X15 - Leece-Neville AVI160 Alternator:Diagram1-Combination1 - K02-6100A  
 X15 - Leece-Neville AVI160-210A/240A Alternator:Diagram1-Combination1 - K02-6100E



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	KB2-G	3592741 R1	32.19	2.0	Std. Wall XLPE Battery Cable	WHITE	3020.0	-	A	6101B
1	-	-	2-G	2645227 R1	61.89	0.0	SGX FLEX 125C	BLACK	280.0	-	1	6314
1	-	-	14-G	2645943 R1	80.32	0.0	SGR 125	BLACK	1140.0	-	1	6049_A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	VM2-G	3592742 R1	39.43	1.0	Std. Wall XLPE Battery Cable	WHITE	3000.0	-	A	6101E
1	-	-	JS1A	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	3350.0	-	B	1F
1	-	-	VG2-G	3592741 R1	32.19	2.0	Std. Wall XLPE Battery Cable	WHITE	3270.0	-	A	6101A
1	-	-	14-G	2645943 R1	80.32	0.0	SGR 125	BLACK	1140.0	-	1	6049


Connector Name J1  
 Part Number 1667639C1  
 Instances A26 - Bosch LIL165 LIL200 Alternator:Diagram1  
 A26 - Delco Remy 28SI Alternator:Diagram1  
 A26 - Delco Remy 36SI Alternator:Diagram1  
 A26 - Delco Remy 40SI Alternator:Diagram1-Combination1  
 A26 - Delco Remy 40SI Alternator:Diagram1-Combination2  
 A26 - Leece-Neville - LN 325A Alternator:Diagram1  
 Mates DEV-FUSE\_5A\_Inline-4004-01 -04C



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JS1B	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	230.0	-	A	6051
B	-	-	JS1A	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	3350.0	-	1	7000_2
B	-	-	JS1A	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	3350.0	-	1	J5
B	-	-	JS1A	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	3350.0	-	1	7000_3


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	JS1A	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	3350.0	-	1	7000_1

Connector Name J1  
 Part Number 1667639C1  
 Instances A26 - Leece-Neville AV1160-210A/240A Alternator:Diagram1  
 Mates DEV-FUSE\_5A\_Inline-4004-01 -04C



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JS1B	2643692 R1	1.91	14.0	Std. Wall XLPE Primary Cable	TAN	130.0	-	A	6051
B	-	-	JS1A	2643694 R1	1.91	14.0	Std. Wall XLPE Primary Cable	LIGHT BLUE	4155.0	-	1	7000

Connector Name J2-1604  
 Part Number 3598710C1  
 Instances Air Shield Lighting:W/ DAYCAB  
 Air Shield Lighting:W/ SLEEPER CAB  
 Body Control module (BCM):Connector J2-1604  
 Cab Dome Light (Sleeper Cab):Diagram1  
 Cab Mirror Turn Lights:Diagram1  
 Clearance and Identification Lights (N/ Sunshade):Diagram1  
 Collision Avoidance System Warning:Diagram1  
 Courtesy Light Cab:Diagram1  
 Day Time Running Lights (Halogen):Diagram1  
 Day Time Running Lights (LED):Diagram1  
 Front Turn Lights W/ Halogen:Diagram1  
 Front Turn Lights W/ LED:Diagram1  
 Headlights (Halogen) N/ Headlamp Interrupt W/  
 125BBC:Diagram1  
 Headlights (Halogen) W/ Headlamp Interrupt W/  
 125BBC:Diagram1  
 Headlights (LED) N/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Headlights (LED) W/ Headlamp Interrupt W/ 125BBC:Diagram1  
 License Plate Light (Tail Light Bar Assy.):Diagram1-  
 Combination1 - R01-9303  
 License Plate Light (Tail Light Bar Assy.):Diagram1-  
 Combination2 - R01-9303A  
 License Plate Light(Weldon LED):Diagram1-Combination1 -  
 R01-9303K  
 License Plate Light(Weldon LED):Diagram1-Combination2 -  
 R01-9303M  
 Modesty Lighting W/ Sleeper:Diagram1-Combination1  
 Park Lights (Halogen/MRKR INT-STRNGWHL):Diagram1  
 Rear Light (Tail Light) (Light Bar ASSY):W/ 4X2 AXLE  
 Rear Light (Tail Light) (Light Bar ASSY):W/ 6X2,6X4 AXLE  
 Rear Light (Tail Light) (Light Bar ASSY/MRKR INT-  
 STRNGWHL):W/ 4X2 AXLE  
 Rear Light (Tail Light) (Light Bar ASSY/MRKR INT-  
 STRNGWHL):W/ 6X2,6X4 AXLE  
 Rear Light (Tail Light) (Weldon LED):W/ 4X2 AXLE  
 Rear Light (Tail Light) (Weldon LED):W/ 6X2,6X4 AXLE  
 Rear Light (Tail Light) (Weldon LED/MRKR INT-  
 STRNGWHL):W/ 4X2 AXLE  
 Rear Light (Tail Light) (Weldon LED/MRKR INT-  
 STRNGWHL):W/ 6X2,6X4 AXLE  
 Remote Keyless Entry:Diagram1





Telematics (TRIPMASTER DAYCAB):Diagram1  
 Telematics (TRIPMASTER SLEEPER):Diagram1  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-  
 Combination1-N01-9780M, R01-9790M  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-  
 Combination2-N01-9780M, R01-9790MA  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-  
 Combination3-N01-9782, R01-9790M  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-  
 Combination4-N01-9782, R01-9790MA  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-  
 Combination5-N01-9782M, R01-9790M  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-  
 Combination6-N01-9782M, R01-9790MA  
 Trailer Interface (Lighting) – BOC\_NA:Diagram1-Combination1-  
 N01-9780M  
 Trailer Interface (Lighting) – BOC\_NA:Diagram1-Combination2-  
 N01-9782  
 Trailer Interface (Lighting) – BOC\_NA:Diagram1-Combination3-  
 N01-9782M  
 Trailer Interface (Lighting) – TRAMEC\_NA:Diagram1  
 Windshield Wipers:Diagram1

Mates

MODU-BCM-A000-10-00

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AA82	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1755.0	-	X	-
B	-	-	DE53A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	635.0	-	2	1700M
B	-	-	DE53A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	635.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	BB53AA	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	405.0	-	-	-
B	-	-	BB53AA	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	405.0	-	X	-
C	-	-	2G56N	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	395.0	-	X	-
C	-	-	NS56N	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	395.0	-	X	-
C	-	-	2F56N	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	395.0	-	X	-
C	-	-	NC56C	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	465.0	-	-	-
C	-	-	2G56C	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	465.0	-	-	-
C	-	-	2Z56C	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	465.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	NS56C	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	465.0	-	-	-
C	-	-	2F56C	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	465.0	-	-	-
C	-	-	2G56N	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	395.0	-	-	-
C	-	-	NC56	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	635.0	-	-	-
C	-	-	2Z56	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	635.0	-	-	-
C	-	-	2F56N	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	395.0	-	-	-
C	-	-	NS56N	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	395.0	-	-	-
D	-	-	BM68T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	715.0	-	8	1701M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
D	-	-	BM68T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	715.0	-	-	-
E	-	-	AA11-GKC	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	835.0	-	-	-
F	-	-	BM58T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	715.0	-	7	1701M
F	-	-	CW58C	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	3845.0	-	A	1906F
F	-	-	CX58C	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	2025.0	-	19	5000M
F	-	-	BM58T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	715.0	-	-	-
G	-	-	3C54	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	255.0	-	X	-
G	-	-	3E54	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	255.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
G	-	-	2A54	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	255.0	-	-	-
G	-	-	HY54	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	255.0	-	-	-
G	-	-	AW54	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1355.0	-	-	-
G	-	-	AV54	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1355.0	-	-	-
G	-	-	3E54	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	255.0	-	-	-
G	-	-	3C54	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	255.0	-	-	-
H	-	-	BB53B	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	635.0	-	4	1700M
H	-	-	BB53B	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	635.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
H	-	-	DE53B	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	635.0	-	-	-
J	-	-	AA63	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	100.0	-	X	-
J	-	-	AA63	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	100.0	-	-	-
K	-	-	2D57BC	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	465.0	-	X	-
K	-	-	2G57BC	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	465.0	-	X	-
K	-	-	2C57F	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	495.0	-	-	-
K	-	-	2B57F	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	495.0	-	-	-
K	-	-	2D57F	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	495.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
K	-	-	NY57F	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	495.0	-	-	-
K	-	-	2E57F	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	495.0	-	-	-
K	-	-	NW57F	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	495.0	-	-	-
K	-	-	2G57F	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	495.0	-	-	-
K	-	-	2F57F	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	495.0	-	-	-
K	-	-	2E57BC	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	465.0	-	-	-
K	-	-	2D57BC	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	465.0	-	-	-
K	-	-	2C57BC	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	465.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
K	-	-	2B57BC	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	465.0	-	-	-
K	-	-	2G57BC	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	465.0	-	-	-
K	-	-	2F57BC	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	465.0	-	-	-




Connector Name J2  
 Part Number RING-E-1-2\_0  
 Instances Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram1 - W/ Bosch LH160, LH200, LIL165, LIL200  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram2 - W/ Leece Neville AVI160-210A/240A  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram3 - W/ Leece Neville AVI160 w/o Remote Sense  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram4 - W/ Delco Remy 38SI, 40SI  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram5 - W/ Delco Remy 28SI, 36SI  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram6 - W/ Leece Neville 320PAH, LN325  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram7 - W/ Delco Remy 40SI (08GHJ)



Mates MOT-STARTER-5024-01-04A


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	2-G	2645227 R1	61.89	0.0	SGX FLEX 125C	BLACK	280.0	-	1	6314
A	-	-	14-G	2645943 R1	80.32	0.0	SGR 125	BLACK	1140.0	-	1	6049_A

Connector Name J2  
 Part Number 1667305C1  
 Instances Telematics XATANET W/J1939:Diagram1  
 Mates MODU-XATANET-2035-04-08A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	XA14EA	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	1220.0	-	-	-
B	-	-	XA11-GBE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2035.0	-	-	-

Connector Name J3-1600  
 Part Number 3598706C1  
 Instances A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 - Base HVAC-Combination1  
 A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 - Base HVAC-Combination2  
 A26 - Transmission Oil Temperature-Manual Trans:Diagram1-Combination1  
 A26 - Transmission Oil Temperature-Manual Trans:Diagram1-Combination2  
 A26 - Transmission Oil Temperature-Manual Trans:Diagram1-Combination3  
 Adjustable Engine Speed Control PTO 4-pin:Diagram1  
 Adjustable Engine Speed Control PTO 10-pin:Diagram1  
 Adjustable Engine Speed Control PTO 10-pin n/Marker interrupt:Diagram1  
 Air Application Pressure Monitoring:Diagram1  
 Body Control module (BCM):Connector J3-1600  
 Door Ajar Reminder (Entry/Exit):Diagram1  
 Fuel Level (Single Tank - Left Side):Diagram1-Combination1 - N01-9100A  
 Fuel Level (Single Tank - Left Side):Diagram1-Combination2 - N01-9100B  
 Fuel Level (Single Tank - Left Side):Diagram1-Combination3 - N01-9100C  
 Fuel Level (Single Tank - Left Side):Diagram1-Combination4 - N01-9100D  
 Fuel Level (Single Tank - Left Side):Diagram1-Combination5 - N01-9100E  
 Fuel Level (Single Tank - Left Side):Diagram1-Combination6 - N01-9100F  
 Grid Management CA2:Diagram1  
 Seatbelt Reminder (Warning)(Driver & Passenger in parallel):Diagram1  
 Seatbelt Reminder (Warning)(Driver only):Diagram1  
 Tandem Axle Temperature Monitoring:Diagram1-Combination1 - R01-9811, R01-9812  
 Tandem Axle Temperature Monitoring:Diagram1-Combination2 - R01-9911, R01-9912  
 Transmission Oil Temperature-Manual Trans:W/ ALL MANUAL XMSNS EXCEPT EATON ADVANTAGE, TREMEC  
 Transmission Oil Temperature-Manual Trans:W/ EATON FULLER ADVANTAGE XMSNS



Transmission Oil Temperature-Manual Trans:W/ TREMEC  
 XMSNS  
 Windshield Wipers:Diagram1  
 X15 - Heating Ventilation Air Conditioning (HVAC):Diagram1 -  
 Base HVAC

Mates

MODU-BCM-A000-10-00

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A1	-	-	AA149	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1455.0	-	C	1100
A1	-	-	AA149	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1455.0	-	-	-
A2	-	-	JZ79A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3310.0	-	-	-
A2	-	-	FU79A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2380.0	-	-	-
A2	-	-	FU79A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2380.0	-	X	-
A2	-	-	JZ79A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3310.0	-	A	1112
A4	-	-	AA52D	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	1320.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A5	-	-	AA85A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1320.0	-	-	-
A6	-	-	AA57B	3510316 R1	0.53	20.0	Thin Wall XLPE Primary Cable	ORANGE	1320.0	-	-	-
A7	-	-	AA56B	3510316 R1	0.53	20.0	Thin Wall XLPE Primary Cable	ORANGE	1320.0	-	-	-
A8	-	-	AN87A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	980.0	-	-	-
A9	-	-	AA82A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1320.0	-	C9	1800M
A9	-	-	AA82A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1320.0	-	-	-
A10	-	-	AA82B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1320.0	-	C1	1800M
A10	-	-	AA82B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1320.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A11	-	-	AA82C	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1320.0	-	B1	1800M
A11	-	-	AA82C	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1320.0	-	-	-
A12	-	-	AA44	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1320.0	-	-	-
A13	-	-	AA63A	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	375.0	-	X	-
A13	-	-	AA63A	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	375.0	-	-	-
A14	-	-	AA102A	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	1320.0	-	-	-
A15	-	-	AA87B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1220.0	-	-	-
A16	-	-	AA149F	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1455.0	-	D	1100

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A16	-	-	AA149F	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1455.0	-	-	-
B1	-	-	MS86A	2643763 R1	0.53	20.0	Std. Wall XLPE Primary Cable	GREY	1320.0	-	B12	1800M
B1	-	-	MS86A	2643763 R1	0.53	20.0	Std. Wall XLPE Primary Cable	GREY	1320.0	-	-	-
B2	-	-	AA40	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1320.0	-	-	-
B3	-	-	AA40A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1320.0	-	-	-
B4	-	-	DT97A	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	1320.0	-	-	-
B5	-	-	AA74	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2895.0	-	17	1703M
B5	-	-	AA74	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2895.0	-	D6	1F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B5	-	-	AA74	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2895.0	-	D6	1F_IP12
B6	-	-	HA30B	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	3055.0	-	16	1703M
B7	-	-	DS31	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2995.0	-	61	1703M
B7	-	-	DS31	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2995.0	-	A3	2M_IP12
B7	-	-	DS31	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2995.0	-	A3	2M
B8	-	-	AA36B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1060.0	-	27	1701M
B8	-	-	AA36B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1060.0	-	-	-
B10	-	-	DP32	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1060.0	-	44	1701M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B10	-	-	DP32	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1060.0	-	-	-
B11	-	-	DN32A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1060.0	-	43	1701M
B11	-	-	DN32A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1060.0	-	-	-
B11	-	-	DP32A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1060.0	-	-	-
B12	-	-	3H77B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2895.0	-	20	1703M
B12	-	-	3H77B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2895.0	-	B9	1F
B12	-	-	3H77B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2895.0	-	B9	1F_IP12
B14	-	-	DV40B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1320.0	-	C2	1800M


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B14	-	-	DV40B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1320.0	-	-	-
B15	-	-	DH75AA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1890.0	-	X	-
B16	-	-	AA100	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1320.0	-	-	-
B16	-	-	AA150	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1320.0	-	B11	1800M

Connector Name J3-1600  
 Part Number 3598706C1  
 Instances Radio N/ Wired Remote:Diagram1  
 Mates MODU-BCM-A000-10-00




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B16	-	-	AA100	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1320.0	-	B11	1800M

Connector Name J3-1600  
 Part Number 3598706C1  
 Instances Radio W/ Wired Remote:Diagram1  
 Mates MODU-BCM-A000-10-00




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B16	-	-	AA100	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1320.0	-	B11	1800M

Connector Name J3-1600  
 Part Number 3598706C1  
 Instances Vehicle Speed Control (Cruise Control) 10 - Pin:Diagram1  
 Mates MODU-BCM-A000-10-00




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B1	-	-	MS86A	2643763 R1	0.53	20.0	Std. Wall XLPE Primary Cable	GREY	1320.0	-	B12	1800M
B16	-	-	AA100	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1320.0	-	B11	1800M

Connector Name J3-1600  
 Part Number 3598706C1  
 Instances Vehicle Speed Control (Cruise Control) 4 - PIN:Diagram1  
 Mates MODU-BCM-A000-10-00




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B1	-	-	MS86A	2643763 R1	0.53	20.0	Std. Wall XLPE Primary Cable	GREY	1320.0	-	B12	1800M

Connector Name J3-1600  
 Part Number 3598706C1  
 Instances City Horn (N/ Radio Steering Wheel Controls):Diagram1  
 City Horn (W/ Radio Steering Wheel Controls):Diagram1  
 Mates MODU-BCM-A000-10-00



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A5	-	-	AA85A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1320.0	-	B10	1800M


Connector Name J3-1600  
 Part Number 3598706C1  
 Instances Headlights (Halogen) N/ Headlamp Interrupt W/  
 125BBC:Diagram1  
 Mates MODU-BCM-A000-10-00



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A4	-	-	AA52D	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	1320.0	-	A7	1800M
A14	-	-	AA102A	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	1320.0	-	A8	1800M




Connector Name J3-1600  
 Part Number 3598706C1  
 Instances Headlights (Halogen) W/ Headlamp Interrupt W/  
 125BBC:Diagram1  
 Mates MODU-BCM-A000-10-00




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A4	-	-	AA52D	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	1320.0	-	A7	1800M
A14	-	-	AA102A	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	1320.0	-	A8	1800M
B1	-	-	MS86A	2643763 R1	0.53	20.0	Std. Wall XLPE Primary Cable	GREY	1320.0	-	B12	1800M
B16	-	-	AA100	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1320.0	-	B11	1800M

Connector Name J3-1600  
 Part Number 3598706C1  
 Instances Headlights (LED) N/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Mates MODU-BCM-A000-10-00




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A4	-	-	AA52D	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	1320.0	-	A7	1800M
A14	-	-	AA102A	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	1320.0	-	A8	1800M

Connector Name J3-1600  
 Part Number 3598706C1  
 Instances Headlights (LED) W/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Mates MODU-BCM-A000-10-00




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A4	-	-	AA52D	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	1320.0	-	A7	1800M
A14	-	-	AA102A	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	1320.0	-	A8	1800M
B1	-	-	MS86A	2643763 R1	0.53	20.0	Std. Wall XLPE Primary Cable	GREY	1320.0	-	B12	1800M
B16	-	-	AA100	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1320.0	-	B11	1800M

Connector Name J3-1600  
 Part Number 3598706C1  
 Instances Front Turn Lights W/ Halogen:Diagram1  
 Mates MODU-BCM-A000-10-00




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A6	-	-	AA57B	3510316 R1	0.53	20.0	Thin Wall XLPE Primary Cable	ORANGE	1320.0	-	A2	1800M
A7	-	-	AA56B	3510316 R1	0.53	20.0	Thin Wall XLPE Primary Cable	ORANGE	1320.0	-	A1	1800M

Connector Name J3-1600  
 Part Number 3598706C1  
 Instances Front Turn Lights W/ LED:Diagram1  
 Mates MODU-BCM-A000-10-00




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A6	-	-	AA57B	3510316 R1	0.53	20.0	Thin Wall XLPE Primary Cable	ORANGE	1320.0	-	A2	1800M
A7	-	-	AA56B	3510316 R1	0.53	20.0	Thin Wall XLPE Primary Cable	ORANGE	1320.0	-	A1	1800M

Connector Name J3-1600  
 Part Number 3598706C1  
 Instances Park Lights (Halogen/MRKR INT-STRNGWHL):Diagram1  
 Mates MODU-BCM-A000-10-00




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B1	-	-	MS86A	2643763 R1	0.53	20.0	Std. Wall XLPE Primary Cable	GREY	1320.0	-	B12	1800M

Connector Name J3-1600  
 Part Number 3598706C1  
 Instances Rear Light (Tail Light) (Light Bar ASSY/MRKR INT-STRNGWHL):W/ 4X2 AXLE  
 Rear Light (Tail Light) (Light Bar ASSY/MRKR INT-STRNGWHL):W/ 6X2,6X4 AXLE  
 Mates MODU-BCM-A000-10-00



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B1	-	-	MS86A	2643763 R1	0.53	20.0	Std. Wall XLPE Primary Cable	GREY	1320.0	-	B12	1800M
B16	-	-	AA100	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1320.0	-	B11	1800M


Connector Name J3-1600  
 Part Number 3598706C1  
 Instances Rear Light (Tail Light) (Weldon LED/MRKR INT-STRNGWHL):W/ 4X2 AXLE  
 Rear Light (Tail Light) (Weldon LED/MRKR INT-STRNGWHL):W/ 6X2,6X4 AXLE  
 Mates MODU-BCM-A000-10-00



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B1	-	-	MS86A	2643763 R1	0.53	20.0	Std. Wall XLPE Primary Cable	GREY	1320.0	-	B12	1800M
B16	-	-	AA100	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1320.0	-	B11	1800M




Connector Name J3-1600  
 Part Number 3598706C1  
 Instances Primary/Secondary Air Gauge:Diagram1  
 Mates MODU-BCM-A000-10-00




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A13	-	-	AA63A	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	375.0	-	X	-
B2	-	-	AA40	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1320.0	-	C12	1800M
B3	-	-	AA40A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1320.0	-	B2	1800M

Connector Name J3-1600  
 Part Number 3598706C1  
 Instances Single Axle Temperature Monitoring:Diagram1-Combination1 - R01-9811  
 Single Axle Temperature Monitoring:Diagram1-Combination2 - R01-9813  
 Mates MODU-BCM-A000-10-00




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B11	-	-	DN32A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1060.0	-	43	1701M

Connector Name J3-1600  
 Part Number 3598706C1  
 Instances Park Brake (Monitoring)(US & Canada):Diagram1  
 Single Axle Temperature Monitoring w/Aux Gauge:Diagram1-  
 Combination1 - R01-9811  
 Single Axle Temperature Monitoring w/Aux Gauge:Diagram1-  
 Combination2 - R01-9813  
 Tandem Axle Temperature Monitoring w/Aux Gauge:Diagram1-  
 Combination1 - R01-9811, R01-9812  
 Tandem Axle Temperature Monitoring w/Aux Gauge:Diagram1-  
 Combination2 - R01-9911, R01-9912  
 Mates MODU-BCM-A000-10-00




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A12	-	-	AA44	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1320.0	-	B7	1800M
B10	-	-	DP32	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1060.0	-	44	1701M
B11	-	-	DN32A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1060.0	-	43	1701M

Connector Name J3-1600  
 Part Number 3598706C1  
 Instances Windshield Washer Low Fluid Sensor:Diagram1  
 Windshield Washer Pump:Diagram1  
 Mates MODU-BCM-A000-10-00




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A8	-	-	AN87A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	980.0	-	17	1700M
A15	-	-	AA87B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1220.0	-	X	-

Connector Name J3-1600  
 Part Number 3598706C1  
 Instances Clutch Monitoring (High and Low Switch to BCM):Diagram1  
 Mates MODU-BCM-A000-10-00




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B4	-	-	DT97A	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	1320.0	-	B11	1800M

Connector Name J3-1600  
 Part Number 3598706C1  
 Instances Cranking Request (w/ Key Switch w/ BCM):Diagram1  
 Mates MODU-BCM-A000-10-00




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A1	-	-	AA149	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1455.0	-	C	1100
A16	-	-	AA149F	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1455.0	-	D	1100

Connector Name J3  
 Part Number 373759C2  
 Instances Telematics XATANET W/J1939:Diagram1  
 Mates MODU-XATANET-2035-04-08A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	XA11-G	2643789 R1	7.48	8.0	Std. Wall XLPE Primary Cable	WHITE	2075.0	-	-	-

Connector Name J4-1601  
Part Number 3598707C1  
Instances A26 - Fuel Heater (Vehicle Powered)(Davco):Combination1  
A26 - Fuel Heater (Vehicle Powered)(Davco):Combination2  
Adjustable Engine Speed Control PTO - W/OMNIVISION - W/  
J1939 - 1 SW:Diagram1  
Adjustable Engine Speed Control PTO - W/OMNIVISION - W/  
J1939 - 2 SW:Diagram1  
Auto Start Stop Battery & Oil Temp:Diagram1  
Auxiliary Air Solenoids 4-pack (1 pack/4 solenoids):Diagram1-  
Combination1  
Auxiliary Air Solenoids 4-pack (1 pack/4 solenoids):Diagram1-  
Combination2  
Auxiliary Air Solenoids 4-pack (1 pack/4 solenoids):Diagram1-  
Combination3  
Auxiliary Air Solenoids 4-pack (1 pack/4 solenoids):Diagram1-  
Combination4  
Auxiliary Air Solenoids 4-pack (2 packs/8 solenoids):Diagram1-  
Combination1  
Auxiliary Air Solenoids 4-pack (2 packs/8 solenoids):Diagram1-  
Combination2  
Auxiliary Air Solenoids 4-pack (2 packs/8 solenoids):Diagram1-  
Combination3  
Auxiliary Air Solenoids 4-pack (2 packs/8 solenoids):Diagram1-  
Combination4  
Auxiliary Trailer Power Cavity D:Diagram1-Combination1  
Auxiliary Trailer Power Cavity D:Diagram1-Combination2  
Auxiliary Trailer Power Cavity D:Diagram1-Combination3  
Auxiliary Trailer Power Cavity D:Diagram1-Combination4  
Body Control module (BCM):Connector J4-1601  
Electrical Load Control W/ Relay:Diagram1  
Floor/Search Lights DayCab:Diagram1  
Floor/Search Lights SLPR:Diagram1  
Grid Management CA2:Diagram1  
Lighting Sleeper Dome:Diagram1  
Rear HVAC (No Idle Heater) (Espar):Diagram1  
Rear HVAC (No Idle Heater) (Webasto Smartemp):Diagram1  
Rear HVAC (No Idle Heater) (Webasto Std N/Swift) N/ Heat  
Switich:Diagram1  
Rear HVAC (No Idle Heater) (Webasto Std W/Swift) N/ Heat  
Switch:Diagram1  
Skirt Light- Customer Supplied:Diagram1





Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination1-N01-9780M, R01-9790M  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination2-N01-9780M, R01-9790MA  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination3-N01-9782, R01-9790M  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination4-N01-9782, R01-9790MA  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination5-N01-9782M, R01-9790M  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination6-N01-9782M, R01-9790MA  
 Trailer Interface (Lighting) – BOC\_NA:Diagram1-Combination1-N01-9780M  
 Trailer Interface (Lighting) – BOC\_NA:Diagram1-Combination2-N01-9782  
 Trailer Interface (Lighting) – BOC\_NA:Diagram1-Combination3-N01-9782M  
 Trailer Interface (Lighting) – TRAMEC\_NA:Diagram1  
 Windshield Wipers:Diagram1

Mates

MODU-BCM-A000-10-00

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E5	-	-	BC63J	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2495.0	-	-	-
E5	-	-	BC63J	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2495.0	-	R5 - 85	1018_IP 12
E6	-	-	AA82H	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2300.0	-	R5 - 86	1011_IP 12
E6	-	-	AA82H	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2300.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E7	-	-	AA82F	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2300.0	-	R2 - 86	1011_IP 12
E7	-	-	AA82F	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2300.0	-	-	-
E9	-	-	AA59H	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	705.0	-	38	1701M
E9	-	-	AA59H	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	705.0	-	-	-
E9	-	-	-	-	-	-	-	-	-	-	-	-
E11	-	-	CC72	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2390.0	-	R4 - 85	1012_IP 12
E11	-	-	CC72	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2390.0	-	-	-
E12	-	-	-	-	-	-	-	-	-	-	-	-
E12	-	-	AA59C	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	705.0	-	34	1701M
E12	-	-	AA59C	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	705.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E13	-	-	RL59E	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	705.0	-	36	1701M
E13	-	-	RL59E	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	705.0	-	-	-
E13	-	-	RK59E	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	175.0	-	-	-
E13	-	-	RK59E	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	175.0	-	X	-
E14	-	-	EE14DA	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2390.0	-	-	-
E14	-	-	EE14DA	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2390.0	-	R5 - 85	1012_IP 12
F1	-	-	HA104BC	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2135.0	-	8	1114M
F1	-	-	HA104BC	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2135.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F2	-	-	DX63C	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2015.0	-	-	-
F2	-	-	DX63C	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2015.0	-	37	5000A_I P12
F4	-	-	AA59F	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	705.0	-	37	1701M
F4	-	-	AA59F	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	705.0	-	-	-
F4	-	-	-	-	-	-	-	-	-	-	-	-
F5	-	-	AA59J	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	705.0	-	39	1701M
F5	-	-	AA59J	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	705.0	-	-	-
F5	-	-	-	-	-	-	-	-	-	-	-	-
F8	-	-	SF59D	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	210.0	-	X	-
F8	-	-	RL59D	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	705.0	-	35	1701M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
F8	-	-	RL59D	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	705.0	-	-	-
F8	-	-	SF59D	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	210.0	-	-	-
F10	-	-	-	-	-	-	-	-	-	-	-	-
F10	-	-	AA59B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	705.0	-	33	1701M
F10	-	-	AA59B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	705.0	-	-	-
F11	-	-	YE75WP	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2015.0	-	26	5000M
F12	-	-	DR19A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2300.0	-	R4 - 85	1011_IP 12
F12	-	-	DR19A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2300.0	-	-	-
F13	-	-	DD78RC	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2495.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F15	-	-	BM70C	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2300.0	-	R1 - 86	1011_IP 12
F15	-	-	BM70C	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2300.0	-	-	-
F16	-	-	DY54XD	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	2475.0	-	R4 - 86	1015_IP 12
F16	-	-	DY54XD	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	2475.0	-	-	-
F16	-	-	PA54XD	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	2475.0	-	-	-

Connector Name J5-1602  
 Part Number 3598705C1  
 Instances

- A26 - Air Flow Restriction Monitoring:Diagram1-Combination1
- A26 - Air Flow Restriction Monitoring:Diagram1-Combination2
- A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 - Base HVAC-Combination1
- A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 - Base HVAC-Combination2
- A26 - Transmission Oil Temperature-Manual Trans:Diagram1-Combination1
- A26 - Transmission Oil Temperature-Manual Trans:Diagram1-Combination2
- A26 - Transmission Oil Temperature-Manual Trans:Diagram1-Combination3
- A26 - Transmission Power Take Off:Diagram1
- A26 - Transmission Power Take Off Dual Solenoid:Diagram1
- A26 - Transmission Power Take Off W/ Clutch Interlock:Diagram1
- A26 -Transmission Power Take Off Dual PTO with Clutch Interlock:Diagram1
- Adjustable Engine Speed Control PTO - W/OMNIVISION - W/ J1939 - 1 SW:Diagram1
- Adjustable Engine Speed Control PTO - W/OMNIVISION - W/ J1939 - 2 SW:Diagram1
- Adjustable Engine Speed Control PTO 4-pin:Diagram1
- Adjustable Engine Speed Control PTO 10-pin:Diagram1
- Adjustable Engine Speed Control PTO 10-pin n/Marker interrupt:Diagram1
- Air Application Pressure Monitoring:Diagram1
- Air Flow Restriction Monitoring GEN IV BCM:Diagram1
- Auxiliary Air Solenoids 4-pack (1 pack/4 solenoids):Diagram1-Combination1
- Auxiliary Air Solenoids 4-pack (1 pack/4 solenoids):Diagram1-Combination2
- Auxiliary Air Solenoids 4-pack (1 pack/4 solenoids):Diagram1-Combination3
- Auxiliary Air Solenoids 4-pack (1 pack/4 solenoids):Diagram1-Combination4
- Auxiliary Air Solenoids 4-pack (2 packs/8 solenoids):Diagram1-Combination1
- Auxiliary Air Solenoids 4-pack (2 packs/8 solenoids):Diagram1-Combination2



Auxiliary Air Solenoids 4-pack (2 packs/8 solenoids):Diagram1-Combination3  
Auxiliary Air Solenoids 4-pack (2 packs/8 solenoids):Diagram1-Combination4  
Axle Loading (Weight) Rear:Diagram1-Combination1  
Axle Loading (Weight) Rear:Diagram1-Combination2  
Body Control module (BCM):Connector J5-1602  
Body J1939 (250Kbps):Body J1939 (250Kbps)  
City Horn (N/ Radio Steering Wheel Controls):Diagram1  
City Horn (W/ Radio Steering Wheel Controls):Diagram1  
Clearance and Identification Lights (N/ Sunshade):Diagram1  
Clutch Monitoring (High and Low Switch to BCM):Diagram1  
Day Time Running Lights (Halogen):Diagram1  
Day Time Running Lights (LED):Diagram1  
Door Ajar Reminder (Entry/Exit):Diagram1  
Driver Information Display (DID):Diagram1  
Floor/Search Lights SLPR:Diagram1  
Front Turn Lights W/ Halogen:Diagram1  
Front Turn Lights W/ LED:Diagram1  
Fuel Level (Single Tank - Left Side):Diagram1-Combination1 - N01-9100A  
Fuel Level (Single Tank - Left Side):Diagram1-Combination2 - N01-9100B  
Fuel Level (Single Tank - Left Side):Diagram1-Combination3 - N01-9100C  
Fuel Level (Single Tank - Left Side):Diagram1-Combination4 - N01-9100D  
Fuel Level (Single Tank - Left Side):Diagram1-Combination5 - N01-9100E  
Fuel Level (Single Tank - Left Side):Diagram1-Combination6 - N01-9100F  
Hazard Warning Lt N/Trlr Socket:Diagram1  
Headlights (Halogen) N/ Headlamp Interrupt W/ 125BBC:Diagram1  
Headlights (Halogen) W/ Headlamp Interrupt W/ 125BBC:Diagram1  
Headlights (LED) N/ Headlamp Interrupt W/ 125BBC:Diagram1  
Headlights (LED) W/ Headlamp Interrupt W/ 125BBC:Diagram1  
Jaw Monitoring:Diagram1  
Lighting Sleeper Dome:Diagram1  
Modesty Lighting W/ Sleeper:Diagram1-Combination1  
Park Brake (Monitoring)(US & Canada):Diagram1  
Park Lights (Halogen/MRKR INT-STRNGWHL):Diagram1  
Park Lights (LED):Diagram1



Primary/Secondary Air Gauge:Diagram1  
Radio N/ Wired Remote:Diagram1  
Radio W/ Wired Remote:Diagram1  
Rear Light (Tail Light) (Light Bar ASSY):W/ 4X2 AXLE  
Rear Light (Tail Light) (Light Bar ASSY):W/ 6X2,6X4 AXLE  
Rear Light (Tail Light) (Light Bar ASSY/MRKR INT-STRNGWHL):W/ 4X2 AXLE  
Rear Light (Tail Light) (Light Bar ASSY/MRKR INT-STRNGWHL):W/ 6X2,6X4 AXLE  
Rear Light (Tail Light) (Weldon LED):W/ 4X2 AXLE  
Rear Light (Tail Light) (Weldon LED):W/ 6X2,6X4 AXLE  
Rear Light (Tail Light) (Weldon LED/MRKR INT-STRNGWHL):W/ 4X2 AXLE  
Rear Light (Tail Light) (Weldon LED/MRKR INT-STRNGWHL):W/ 6X2,6X4 AXLE  
Rear Lights Stop - Dual Assembly:W/ 4X2 AXLE  
Rear Lights Stop - Dual Assembly:W/ 6X2,6X4 AXLE  
Rear Lights Stop - Single Assembly:W/ 4X2 AXLE  
Rear Lights Stop - Single Assembly:W/ 6X2,6X4 AXLE  
Seatbelt Reminder (Warning)(Driver & Passenger in parallel):Diagram1  
Seatbelt Reminder (Warning)(Driver only):Diagram1  
Service Brake Switch:Diagram1  
Single Axle Temperature Monitoring:Diagram1-Combination1 - R01-9811  
Single Axle Temperature Monitoring:Diagram1-Combination2 - R01-9813  
Single Axle Temperature Monitoring w/Aux Gauge:Diagram1-Combination1 - R01-9811  
Single Axle Temperature Monitoring w/Aux Gauge:Diagram1-Combination2 - R01-9813  
Tandem Axle Temperature Monitoring:Diagram1-Combination1 - R01-9811, R01-9812  
Tandem Axle Temperature Monitoring:Diagram1-Combination2 - R01-9911, R01-9912  
Tandem Axle Temperature Monitoring w/Aux Gauge:Diagram1-Combination1 - R01-9811, R01-9812  
Tandem Axle Temperature Monitoring w/Aux Gauge:Diagram1-Combination2 - R01-9911, R01-9912  
Telematics J1708:Telematics J1708  
Transmission Oil Temperature-Manual Trans:W/ ALL MANUAL XMSNS EXCEPT EATON ADVANTAGE, TREMEC  
Transmission Oil Temperature-Manual Trans:W/ EATON FULLER ADVANTAGE XMSNS

Transmission Oil Temperature-Manual Trans:W/ TREMEC XMSNS  
 Vehicle Speed Control (Cruise Control) 4 - PIN:Diagram1  
 Vehicle Speed Control (Cruise Control) 10 - Pin:Diagram1  
 Windshield Washer Low Fluid Sensor:Diagram1  
 Windshield Wipers:Diagram1  
 Work Lights (Customer Supplied) W/ Sw Pack:Diagram1-Combination1  
 Work Lights (Customer Supplied) W/ Sw Pack:Diagram1-Combination2  
 Work Lights LED (Customer Supplied) W/ Sw Pack - Sleeper:Diagram1-Combination1  
 Work Lights LED (Customer Supplied) W/ Sw Pack - Sleeper:Diagram1-Combination2  
 Work Lights LED W/ Sw Pack - Day Cab:Diagram1-Combination1  
 Work Lights LED W/ Sw Pack - Sleeper:Diagram1-Combination1  
 X15 - Heating Ventilation Air Conditioning (HVAC):Diagram1 - Base HVAC  
 X15 - Transmission Power Take Off:Diagram1  
 X15 - Transmission Power Take Off Dual PTO with Clutch Interlock:Diagram1  
 X15 - Transmission Power Take Off Dual Solenoid:Diagram1  
 X15 - Transmission Power Take Off W/ Clutch Interlock:Diagram1

Mates

MODU-BCM-A000-10-00

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E1	-	-	WIRE196497	-	0.0	-	-	-	0.0	-	C	1970
E1	-	-	WIRE197811	-	0.0	-	-	-	0.0	-	1	7TB1
E1	-	-	WIRE197813	-	0.0	-	-	-	0.0	-	E	830M
E1	-	-	WIRE197815	-	0.0	-	-	-	0.0	-	D	1910A
E1	-	-	WIRE197817	-	0.0	-	-	-	0.0	-	D	1919/1919A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E1	-	-	WIRE197819	-	0.0	-	-	-	0.0	-	D	1919B
E1	-	-	WIRE197821	-	0.0	-	-	-	0.0	-	B	1920
E1	-	-	WIRE197823	-	0.0	-	-	-	0.0	-	5	1939M
E1	-	-	-	-	-	-	-	-	-	-	-	-
E2	-	-	WIRE196496	-	0.0	-	-	-	0.0	-	D	1970
E2	-	-	WIRE197810	-	0.0	-	-	-	0.0	-	1	6TB1
E2	-	-	WIRE197812	-	0.0	-	-	-	0.0	-	D	830M
E2	-	-	WIRE197814	-	0.0	-	-	-	0.0	-	C	1910A
E2	-	-	WIRE197816	-	0.0	-	-	-	0.0	-	C	1919/1919A
E2	-	-	WIRE197818	-	0.0	-	-	-	0.0	-	C	1919B
E2	-	-	WIRE197820	-	0.0	-	-	-	0.0	-	A	1920
E2	-	-	WIRE197822	-	0.0	-	-	-	0.0	-	4	1939M
E2	-	-	-	-	-	-	-	-	-	-	-	-
E3	-	-	AA9Z	3510311R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1660.0	-	-	-
E4	-	-	AA6	3510310R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1340.0	-	B3	1800M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E4	-	-	AA6	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1340.0	-	-	-
E5	-	-	-	-	-	-	-	-	-	-	-	-
E5	-	-	AA9A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	170.0	-	X	-
E5	-	-	AA9A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	170.0	-	-	-
E6	-	-	3H6DB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	3015.0	-	19	1703M
E6	-	-	3H6DB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	3015.0	-	D1	2M
E6	-	-	3H6DB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	3015.0	-	D1	2M_IP12
E7	-	-	AA9B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	245.0	-	-	-
E7	-	-	AA9B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	245.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
E8	-	-	FF106	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	41	1701_IP 12
E8	-	-	FF106	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	-	-
E11	-	-	AA50	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1300.0	-	P	0009
E11	-	-	AA50	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1300.0	-	-	-
E12	-	-	-	-	-	-	-	-	-	-	-	-
E12	-	-	AA59A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	32	1701M
E12	-	-	AA59A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	-	-
E14	-	-	AA70	3510316 R1	0.53	20.0	Thin Wall XLPE Primary Cable	ORANGE	1340.0	-	B9	1800M
E14	-	-	AA70	3510316 R1	0.53	20.0	Thin Wall XLPE Primary Cable	ORANGE	1340.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E16	-	-	AA11-GL	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1200.0	-	-	-
F1	-	-	-	-	-	-	-	-	-	-	-	-
F2	-	-	-	-	-	-	-	-	-	-	-	-
F3	-	-	-	-	-	-	-	-	-	-	-	-
F4	-	-	-	-	-	-	-	-	-	-	-	-
F5	-	-	-	-	-	-	-	-	-	-	-	-
F5	-	-	WIRE1565	-	0.0	-	-	-	0.0	-	PIN1	-
F6	-	-	-	-	-	-	-	-	-	-	-	-
F6	-	-	WIRE1564	-	0.0	-	-	-	0.0	-	PIN1	-
F7	-	-	FF61B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	40	1701_IP12
F7	-	-	FF61B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	-	-
F9	-	-	AU28	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2915.0	-	A3	1F_IP12
F9	-	-	AU28	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2915.0	-	A3	1F
F9	-	-	AU28	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2915.0	-	18	1703M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
F10	-	-	EY71BB	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2170.0	-	X	-
F10	-	-	GM71BC	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1410.0	-	-	-
F10	-	-	BK92RAB	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1410.0	-	-	-
F11	-	-	JL116LB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2870.0	-	R2 - 30	1018_IP12
F11	-	-	JL116LB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2870.0	-	-	-
F14	-	-	FD88	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2915.0	-	D1	1F
F14	-	-	FD88	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2915.0	-	D1	1F_IP12
F14	-	-	FD88	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2915.0	-	60	1703M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F15	-	-	FE88A	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2915.0	-	D5	1F
F15	-	-	FE88A	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2915.0	-	D5	1F_IP12
F15	-	-	FE88A	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2915.0	-	59	1703M
F16	-	-	JL116UB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2870.0	-	R1 - 30	1018_IP12
F16	-	-	JL116UB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2870.0	-	-	-




Connector Name J5  
 Part Number RING-M-5\_0  
 Instances A26 - Leece-Neville - LN 325A Alternator:Diagram1  
 Mates DEV-Leece-Neville\_LN320\_Alt ernator-4004-01-09B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	JS1A	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	3350.0	-	B	J1

Connector Name J6-1606  
 Part Number 3759005C1  
 Instances

- A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram1 - W/ Bosch LH160, LH200, LIL165, LIL200
- A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram2 - W/ Leece Neville AVI160-210A/240A
- A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram3 - W/ Leece Neville AVI160 w/o Remote Sense
- A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram4 - W/ Delco Remy 38SI, 40SI
- A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram5 - W/ Delco Remy 28SI, 36SI
- A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram6 - W/ Leece Neville 320PAH, LN325
- A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram7 - W/ Delco Remy 40SI (08GHJ)
- A26 - Starter Interlock (BCM HSD controlled W/ Clutch Switch W/ Auto Start Stop):Diagram1-Combination1
- A26 - Starter Interlock (BCM HSD controlled W/ Clutch Switch W/ Auto Start Stop):Diagram1-Combination2
- Body Control module (BCM):Connector J6-1606
- Cab J1939 (250Kbps):Cab J1939 (250Kbps)
- Clutch Monitoring (High and Low Switch to BCM):Diagram1
- Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch:Diagram1-Combination1 - T08-6100D
- Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch:Diagram1-Combination2 - T09-6100D
- Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch:Diagram1-Combination3 - T10-6100D
- Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram1 - W/ Bosch LH160, LH200, LIL165, LIL200
- Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram2 - W/ Leece Neville AVI160-210A/240A
- Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram3 - W/ Leece Neville AVI160 w/o Remote Sense
- Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram4 - W/ Delco Remy 38SI, 40SI
- Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram5 - W/ Delco Remy 28SI, 36SI
- Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram6 - W/ Leece Neville 320PAH, LN325
- Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram7 - W/ Delco Remy 40SI (08GHJ)



Cranking Request (w/ Key Switch w/ BCM):Diagram1  
 Eaton Ulltrashift:Eaton Ultrashift  
 Endurant:Endurant  
 Grid Management CA2:Diagram1  
 Headlights (LED) N/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Headlights (LED) W/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Low Speed J1939 (125Kbps):Low Speed J1939 (125Kbps)  
 Manual Transmission:Manual Transmission  
 Park Lights (LED):Diagram1  
 Powertrain J1939 (500Kbps) X15:Powertrain J1939 (500Kbps)  
 X15 Engine  
 Rear HVAC (No Idle Heater) (Espar):Diagram1  
 Rear HVAC (No Idle Heater) (Webasto Smartemp):Diagram1  
 Rear HVAC (No Idle Heater) (Webasto Std N/Swift) N/ Heat  
 Swtich:Diagram1  
 Rear HVAC (No Idle Heater) (Webasto Std W/Swift) N/ Heat  
 Switch:Diagram1  
 Starter Interlock (BCM LSD Controlled w/ Relay)\_EATON  
 XMSN:Diagram1  
 TC10 Series:Powertrain Standard J1939 (500Kbps) A26 Engine  
 X15 - Starter Interlock (BCM HSD controlled W/ Clutch Switch  
 W/ Auto Start Stop):Diagram1

Mates

MODU-BCM-A000-10-00


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AH12H	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2480.0	-	X	-
A	-	-	AH12H	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2480.0	-	-	-
B	-	-	AH13H	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2510.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
B	-	-	AH13H	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2510.0	-	-	-
C	-	-	-	-	-	-	-	-	-	-	-	-
D	-	-	-	-	-	-	-	-	-	-	-	-
D	-	-	WIRE223 939	-	0.0	-	-	-	0.0	-	PIN1	-
E	-	-	-	-	-	-	-	-	-	-	-	-
E	-	-	WIRE223 938	-	0.0	-	-	-	0.0	-	PIN1	-
F	-	-	-	-	-	-	-	-	-	-	-	-
G	-	-	WIRE1303	-	0.0	-	-	-	0.0	-	PIN1	-
G	-	-	WIRE223 774	-	0.0	-	-	-	0.0	-	PIN1	-
G	-	-	-	-	-	-	-	-	-	-	-	-
H	-	-	WIRE1302	-	0.0	-	-	-	0.0	-	PIN1	-
H	-	-	WIRE223 773	-	0.0	-	-	-	0.0	-	PIN1	-
H	-	-	-	-	-	-	-	-	-	-	-	-
J	-	-	3E58	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1140.0	-	5	1700M
J	-	-	3C58	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1140.0	-	5	1700M
L	-	-	AP75WC	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1500.0	-	27	5000M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
L	-	-	AP75WC	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1500.0	-	-	-
M	-	-	AZ17B	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2990.0	-	R2 - 87	1015_IP12
M	-	-	DT104-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	3055.0	-	D4	1F_IP12
M	-	-	AZ17B	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2990.0	-	-	-
M	-	-	DT104-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	3055.0	-	22	1703M
M	-	-	DT104-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	3055.0	-	D4	1F
N	-	-	WIRE1640	-	0.0	-	-	-	0.0	-	PIN1	-
N	-	-	-	-	-	-	-	-	-	-	-	-
P	-	-	WIRE1639	-	0.0	-	-	-	0.0	-	PIN1	-
P	-	-	-	-	-	-	-	-	-	-	-	-
S	-	-	ND17HA	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	1615.0	-	B	1100


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
S	-	-	NE17H	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1320.0	-	X	-
S	-	-	ND17HA	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	1615.0	-	-	-
T	-	-	GP17	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	3055.0	-	B2	1F_IP12
T	-	-	AF17A	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	0.0	-	29	1703M
T	-	-	3B17A	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	3215.0	-	29	1703M
T	-	-	GP17	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	3055.0	-	29	1703M
T	-	-	GP17	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	3055.0	-	B2	1F
T	-	-	AF17A	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	0.0	-	B2	1F

Connector Name J6-1606  
 Part Number 3759005C1  
 Instances A26 Endurant - Starter Interlocks (Service Brake Interlock):Diagram1  
 X15 Endurant - Starter Interlocks (Service Brake Interlock):Diagram1  
 Mates MODU-BCM-A000-10-00



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
M	-	-	AZ17B	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2990.0	-	R2 - 87	1015_IP 12
M	-	-	DT104-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	3055.0	-	-	-

Connector Name J7-1607  
 Part Number 3710061C1  
 Instances A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 - Base HVAC-Combination1  
 A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 - Base HVAC-Combination2  
 A26 - Starter Interlock (BCM HSD controlled W/ Clutch Switch W/ Auto Start Stop):Diagram1-Combination1  
 A26 - Starter Interlock (BCM HSD controlled W/ Clutch Switch W/ Auto Start Stop):Diagram1-Combination2  
 Auto Start Stop Battery & Oil Temp:Diagram1  
 Body Control module (BCM):Connector J7-1607  
 Clutch Monitoring (High and Low Switch to BCM):Diagram1  
 Crank Inhibit (with Hood Switch) with new BCM Pin:Diagram1  
 Driver Controlled Locking Differential -FR & RR Axle:Diagram1-Combination1  
 Driver Controlled Locking Differential -RR Axle:Diagram1-Combination1  
 Driver Controlled Locking Differential -RR Axle:Diagram1-Combination2  
 Floor/Search Lights SLPR:Diagram1  
 Hazard Warning Lt N/Trlr Socket:Diagram1  
 Lighting Sleeper Dome:Diagram1  
 Starter Interlock (BCM HSD controlled W/ Clutch Switch N/ Auto Start Stop):Diagram1  
 Starter Interlocks (BCM controlled with input from Allison TCM):Diagram1  
 X15 - Heating Ventilation Air Conditioning (HVAC):Diagram1 - Base HVAC  
 X15 - Starter Interlock (BCM HSD controlled W/ Clutch Switch W/ Auto Start Stop):Diagram1



Mates MODU-BCM-A000-10-00

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A1	-	-	HA104SP	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2195.0	-	3	1114M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A1	-	-	HA104SP	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2195.0	-	-	-
A2	-	-	HA104SS	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2195.0	-	1	1114M
A2	-	-	HA104SS	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2195.0	-	-	-
A3	-	-	CY49	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	765.0	-	45	1701M
A3	-	-	CY49	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	765.0	-	-	-
A4	-	-	CZ49A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	765.0	-	-	-
A4	-	-	CZ49A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	765.0	-	50	1701M
A6	-	-	AA60A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2185.0	-	B	1202

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A6	-	-	AA60A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2185.0	-	-	-
A9	-	-	AK28A	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1160.0	-	-	-
A10	-	-	AA77D	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2805.0	-	-	-
A10	-	-	AA77D	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2805.0	-	L	1200E
A12	-	-	3H77BA	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2600.0	-	-	-
A12	-	-	3H77BA	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2600.0	-	A6	1F
A12	-	-	3H77BA	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2600.0	-	A6	1F_IP12
B1	-	-	3G77A	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2075.0	-	28	5000A_IP12

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B2	-	-	DT17B	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1025.0	-	D8	1800M
B2	-	-	DT17B	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1025.0	-	D8	1800_IP12
B2	-	-	GY92#141	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2600.0	-	-	-
B2	-	-	DT17B	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1025.0	-	-	-
B2	-	-	GY92#141	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2600.0	-	C11	1F_IP12
B4	-	-	EL63F	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2075.0	-	-	-
B4	-	-	EL63F	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2075.0	-	33	5000A_IP12
B5	-	-	HV104C	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	685.0	-	44	1700M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B5	-	-	HV104C	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	685.0	-	-	-
B6	-	-	DX63E	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2075.0	-	-	-
B6	-	-	DX63E	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2075.0	-	32	5000A_I P12
B9	-	-	3G77B	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2075.0	-	29	5000A_I P12
B10	-	-	AA6AM	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2805.0	-	-	-
B10	-	-	AA6AM	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2805.0	-	M	1200E


Connector Name K01-7106  
 Part Number 3765544C1  
 Instances A26 - Transmission I/O (Endurant Pressure Sensor):Diagram1  
 A26 - Transmission Shifter (Eaton Endurant and Eaton Procision):Diagram1  
 A26 Endurant - Starter Interlocks (Service Brake Interlock):Diagram1  
 Endurant:Endurant  
 Mates MODU-TCM-A002-10-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	KG17-GA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2720.0	-	19	1702_IP 12
7	-	-	KG31A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	705.0	-	3	K01-7135
9	-	-	KG92A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2720.0	-	21	1702_IP 12
11	-	-	KG5A (+)	-	0.0	-	-	-	0.0	-	PIN1	-
12	-	-	KG5A (-)	-	0.0	-	-	-	0.0	-	PIN1	-
14	-	-	KG17A	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2720.0	-	20	1702_IP 12


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
18	-	-	KG31B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	705.0	-	2	K01-7135
19	-	-	KG31C	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	705.0	-	1	K01-7135

Connector Name K01-7107  
 Part Number 3765545C1  
 Instances A26 - Backup Light (Endurant):Diagram1  
 Mates MODU-TCM-A002-10-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	KG71K	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2810.0	-	7	1702_IP 12
5	-	-	KP71L	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2350.0	-	6	1702_IP 12
5	-	-	KT71A	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	1150.0	-	X	-


Connector Name K01-7135  
 Part Number 4104389C1  
 Instances A26 - Transmission I/O (Endurant Pressure Sensor):Diagram1  
 Mates SNSR\_Fluid\_Pessure\_5045\_06\_01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	KG31C	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	705.0	-	19	K01-7106
2	-	-	KG31B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	705.0	-	18	K01-7106
3	-	-	KG31A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	705.0	-	7	K01-7106



Connector Name K02-7106-ISX  
 Part Number 3765544C1  
 Instances X15 Endurant Transmission:Diagram1  
 X15 Transmission I/O (Endurant Pressure Sensor):Diagram1  
 X15 - Transmission Shifter (Eaton Endurant and Eaton  
 Procision):Diagram1  
 X15 Endurant - Starter Interlocks (Service Brake  
 Interlock):Diagram1  
 Mates MODU-TCM-A002-10-02B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	KL17-GA	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2310.0	-	-	-
4	-	-	KL17-GA	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2310.0	-	19	1702_IP 12
5	-	-	KL10B	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	585.0	-	-	-
6	-	-	KL14A	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	4425.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	KL31A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	755.0	-	3	K02-7135
9	-	-	KL92A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2310.0	-	21	1702_IP 12
9	-	-	KL92A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2310.0	-	-	-
10	-	-	KL13A	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	2310.0	-	-	-
14	-	-	KL17A	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2310.0	-	-	-
14	-	-	KL17A	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2310.0	-	20	1702_IP 12
15	-	-	KL10A	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	585.0	-	-	-
16	-	-	KL14B	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	2460.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
18	-	-	KL31B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	755.0	-	2	K02-7135
19	-	-	KL31C	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	755.0	-	1	K02-7135


Connector Name K02-7107-ISX  
 Part Number 3765545C1  
 Instances X15 Backup Light (Endurant):Diagram1  
 X15 Endurant Transmission:Diagram1  
 Mates MODU-TCM-A002-10-02B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	KL71K	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2350.0	-	7	1702_IP 12
1	-	-	KL71K	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2350.0	-	-	-
2	-	-	KT92#202	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2300.0	-	-	-
5	-	-	KP71L	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2350.0	-	6	1702_IP 12


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	KT71A	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	1150.0	-	X	-
5	-	-	KP71L	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2350.0	-	-	-
5	-	-	KT71A	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	1150.0	-	-	-
14	-	-	KT92#214	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2300.0	-	-	-
15	-	-	KT92#215	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2300.0	-	-	-
16	-	-	KT92#216	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2300.0	-	-	-

Connector Name K02-7135  
 Part Number 4104389C1  
 Instances X15 Transmission I/O (Endurant Pressure Sensor):Diagram1  
 Mates SNSR\_Fluid\_Pessure\_5045\_07\_01B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	KL31C	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	755.0	-	19	K02-710 6-ISX
2	-	-	KL31B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	755.0	-	18	K02-710 6-ISX
3	-	-	KL31A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	755.0	-	7	K02-710 6-ISX

Connector Name 0009  
Part Number 4063156C1  
Instances 8WRM TRI-PAC No Idle:Diagram1  
8XBM Single Aux Switch:Diagram1  
8XBN Dual Aux Switch:Diagram1  
Adjustable Engine Speed Control PTO 10-pin:Diagram1  
Adjustable Engine Speed Control PTO 10-pin n/Marker interrupt:Diagram1  
Auto Start Stop Battery & Oil Temp:Diagram1  
Automatic Lighting:Diagram1  
Beacon/Strobe Light:W/ DAYCAB  
Beacon/Strobe Light:W/ SLEEPER CAB  
City Horn (N/ Radio Steering Wheel Controls):Diagram1  
City Horn (W/ Radio Steering Wheel Controls):Diagram1  
Clearance and Identification Lights (N/ Sunshade):Diagram1  
Day Time Running Lights (Halogen):Diagram1  
Day Time Running Lights (LED):Diagram1  
Hazard Warning Lt N/Trlr Socket:Diagram1  
Headlights (Halogen) N/ Headlamp Interrupt W/ 125BBC:Diagram1  
Headlights (Halogen) W/ Headlamp Interrupt W/ 125BBC:Diagram1  
Headlights (LED) N/ Headlamp Interrupt W/ 125BBC:Diagram1  
Headlights (LED) W/ Headlamp Interrupt W/ 125BBC:Diagram1  
Lighting Control Module:Diagram1  
Low Speed J1939 (125Kbps):Low Speed J1939 (125Kbps)  
Modesty Lighting W/ Sleeper:Diagram1-Combination1  
Park Lights (Halogen/MRKR INT-STRNGWHL):Diagram1  
Park Lights (LED):Diagram1  
Rear HVAC (Sleeper W/ Deluxe):Diagram1  
Rear HVAC (Sleeper W/ Premium):Diagram1  
Rear Light (Tail Light) (Light Bar ASSY):W/ 4X2 AXLE  
Rear Light (Tail Light) (Light Bar ASSY):W/ 6X2,6X4 AXLE  
Rear Light (Tail Light) (Light Bar ASSY/MRKR INT-STRNGWHL):W/ 4X2 AXLE  
Rear Light (Tail Light) (Light Bar ASSY/MRKR INT-STRNGWHL):W/ 6X2,6X4 AXLE  
Rear Light (Tail Light) (Weldon LED):W/ 4X2 AXLE  
Rear Light (Tail Light) (Weldon LED):W/ 6X2,6X4 AXLE  
Rear Light (Tail Light) (Weldon LED/MRKR INT-STRNGWHL):W/ 4X2 AXLE  
Rear Light (Tail Light) (Weldon LED/MRKR INT-STRNGWHL):W/ 6X2,6X4 AXLE




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AA13D	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2280.0	-	-	-
B	-	-	WIRE1647	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	-	-	-	-	-	-	-	-	-	-
C	-	-	WIRE1648	-	0.0	-	-	-	0.0	-	PIN1	-
C	-	-	-	-	-	-	-	-	-	-	-	-
E	-	-	AA50B	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1420.0	-	-	-
E	-	-	AA50B	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1420.0	-	B	1052
H	-	-	AA50A	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1420.0	-	-	-
H	-	-	AA50A	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1420.0	-	A	1052
J	-	-	AA11-GN	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	700.0	-	-	-
L	-	-	AA62	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	300.0	-	X	-




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
L	-	-	AA62	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	300.0	-	-	-
M	-	-	DA62DA	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	1220.0	-	-	-
N	-	-	2J62A	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2380.0	-	-	-
N	-	-	2J62A	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2380.0	-	31	5000A_I P12
P	-	-	AA50	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1300.0	-	E11	J5-1602
P	-	-	AA50	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1300.0	-	-	-
S	-	-	AA14D	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2165.0	-	-	-

Connector Name 0009  
 Part Number 4063156C1  
 Instances Floor/Search Lights SLPR:Diagram1  
 Lighting Sleeper Dome:Diagram1  
 Rear Interior Dimming (Accent Light):Diagram1  
 Mates MODU-LCM-A004-00-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
N	-	-	2J62A	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2380.0	-	31	5000A_I P12

Connector Name 1F  
 Part Number 1667639C1  
 Instances X15 - Leece-Neville AVI160-210A/240A Alternator:Diagram1-Combination1 - K02-6100E  
 Mates DEV-FUSE\_5A\_Inline



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JS1B	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	230.0	-	1	6051
B	-	-	JS1A	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	3350.0	-	1	J1

Connector Name 1F  
 Part Number 3553649C1  
 Instances X15 - Acceleration Pedal:Diagram1  
 X15 - Battery Feed 1 - Part 2:Diagram1  
 Mates 1M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A1	-	-	AA99D	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	1955.0	-	B5	1800M
A5	-	-	AA99B	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	1955.0	-	C4	1800M
B7	-	-	AA97C	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	1955.0	-	C5	1800M
B11	-	-	AA97N	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	1955.0	-	B6	1800M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C6	-	-	AA97M	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	1955.0	-	C6	1800M
C12	-	-	AA97B	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	1955.0	-	B4	1800M
D3	-	-	DT104AL	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	3210.0	-	5	1014_IP 12

Connector Name 1F  
 Part Number 3553649C1  
 Instances

- Air Flow Restriction Monitoring GEN IV BCM:Diagram1
- Backup Lights (Dual Reverse Light) Eaton/Manual Trans:W/ 4X2 AXLE
- Backup Lights (Dual Reverse Light) Eaton/Manual Trans:W/ 6X2,6X4 AXLE
- Backup Lights (Single Reverse Light) Eaton/Manual Trans:W/ 4X2 AXLE
- Backup Lights (Single Reverse Light) Eaton/Manual Trans:W/ 6X2,6X4 AXLE
- Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch:Diagram1-Combination2 - T09-6100D
- Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch:Diagram1-Combination3 - T10-6100D
- Modesty Lighting W/ Sleeper:Diagram1-Combination1
- Starter Interlock (BCM LSD Controlled w/ Relay)\_EATON XMSN:Diagram1
- Transmission Oil Temperature-Manual Trans:W/ ALL MANUAL XMSNS EXCEPT EATON ADVANTAGE, TREMEC
- Transmission Oil Temperature-Manual Trans:W/ EATON FULLER ADVANTAGE XMSNS
- Transmission Oil Temperature-Manual Trans:W/ TREMEC XMSNS
- Transmission Shifter Universal Shifter - Ultrashift+ & FAS:Diagram1
- Windshield Wipers:Diagram1
- Work Lights (Customer Supplied) W/ Sw Pack:Diagram1-Combination1
- Work Lights LED W/ Sw Pack - Day Cab:Diagram1-Combination1
- Work Lights LED W/ Sw Pack - Sleeper:Diagram1-Combination1
- X15 - Back-Up Alarm Manual and UltraShift+:Diagram1-Combination1
- X15 - Back-Up Alarm Manual and UltraShift+:Diagram1-Combination2
- X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-Combination1
- X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-Combination2
- X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-Combination3



X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-Combination4  
 X15 - Heating Ventilation Air Conditioning (HVAC):Diagram1 - Base HVAC  
 X15 - Key Switch Ignition 1:Key Switch Ignition 1A  
 X15 - Key Switch Ignition 1:Key Switch Ignition 1B  
 X15 - Outside temperature monitor:Diagram1  
 X15 - Starter Interlock (BCM HSD controlled W/ Clutch Switch W/ Auto Start Stop):Diagram1  
 X15 - Transmission Power Take Off:Diagram1  
 X15 - Transmission Power Take Off Dual PTO with Clutch Interlock:Diagram1  
 X15 - Transmission Power Take Off Dual Solenoid:Diagram1  
 X15 - Transmission Power Take Off W/ Clutch Interlock:Diagram1

Mates

1M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A2	-	-	EY71A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	3195.0	-	-	-
A2	-	-	EY71A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	3195.0	-	15	1013_IP12
A2	-	-	BP71A	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	3195.0	-	15	1013_IP12
A3	-	-	AU28	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2915.0	-	F9	J5-1602
A4	-	-	MN9ZA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2080.0	-	D	7900F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
A6	-	-	3H77BA	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2600.0	-	A12	J7-1607
A7	-	-	2A54A	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	2295.0	-	X	-
B1	-	-	2B57A	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2295.0	-	X	-
B2	-	-	GP17	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	3055.0	-	T	J6-1606
B2	-	-	AF17A	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	0.0	-	T	J6-1606
B3	-	-	AZ92-GC	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	3265.0	-	R2 - 86	1015_IP 12
B4	-	-	EY71B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	745.0	-	X	-
B5	-	-	EH97F	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PURPLE	3210.0	-	40	1014_IP 12




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B6	-	-	AZ13A	2643752 R1	1.16	16.0	Std. Wall XLPE Primary Cable	PINK	3210.0	-	37	1014_IP 12
B6	-	-	GY92#163	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	3210.0	-	37	1014_IP 12
B9	-	-	3H77B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2895.0	-	B12	J3-1600
B12	-	-	AA77	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2500.0	-	C	J1-1603
C1	-	-	MN92	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2080.0	-	C	7900F
C2	-	-	AZ92B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3265.0	-	R2 - 85	1015_IP 12
C3	-	-	AA9AA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2745.0	-	X	-
C4	-	-	AA82L	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	3090.0	-	R5 - 87A	1011_IP 12

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C5	-	-	YH82KA	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1885.0	-	X	-
C7	-	-	HZ41D	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2475.0	-	E	3200M
D1	-	-	FD88	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2915.0	-	F14	J5-1602
D3	-	-	DT104AL	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	3210.0	-	-	-
D4	-	-	DT104-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	3055.0	-	M	J6-1606
D5	-	-	FE88A	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2915.0	-	F15	J5-1602
D6	-	-	AA74	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2895.0	-	B5	J3-1600

Connector Name 1F\_IP12  
 Part Number 3553649C1  
 Instances

- A26 - Air Flow Restriction Monitoring:Diagram1-Combination1
- A26 - Air Flow Restriction Monitoring:Diagram1-Combination2
- A26 - Ambient Air Temperature:Diagram1
- A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination1
- A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination2
- A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination3
- A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination4
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination1
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination2
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination3
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination4
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination5
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination6
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination7
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination8
- A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination1
- A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination2
- A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination3
- A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination4
- A26 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1-Combination1
- A26 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1-Combination2
- A26 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1-Combination3



A26 - Backup Lights (Single Reverse Light) Eaton/Manual  
Trans:Diagram1-Combination4  
A26 - Battery Feed 1:BTRY Feed (NON-LOADSHED)  
A26 - Cranking (Starter) W/ Thermal Overcrank - External  
Switch:Diagram1 - W/ Bosch LH160, LH200, LIL165, LIL200  
A26 - Cranking (Starter) W/ Thermal Overcrank - External  
Switch:Diagram2 - W/ Leece Neville AVI160-210A/240A  
A26 - Cranking (Starter) W/ Thermal Overcrank - External  
Switch:Diagram3 - W/ Leece Neville AVI160 w/o Remote Sense  
A26 - Cranking (Starter) W/ Thermal Overcrank - External  
Switch:Diagram4 - W/ Delco Remy 38SI, 40SI  
A26 - Cranking (Starter) W/ Thermal Overcrank - External  
Switch:Diagram5 - W/ Delco Remy 28SI, 36SI  
A26 - Cranking (Starter) W/ Thermal Overcrank - External  
Switch:Diagram6 - W/ Leece Neville 320PAH, LN325  
A26 - Cranking (Starter) W/ Thermal Overcrank - External  
Switch:Diagram7 - W/ Delco Remy 40SI (08GHJ)  
A26 - Ground Splice Packs:Diagram4  
A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 -  
Base HVAC-Combination1  
A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 -  
Base HVAC-Combination2  
A26 - Key Switch Ignition 1:Key Switch Ignition 1A  
A26 - Key Switch Ignition 1:Key Switch Ignition 1C  
A26 - Starter Interlock (BCM HSD controlled W/ Clutch Switch  
W/ Auto Start Stop):Diagram1-Combination1  
A26 - Starter Interlock (BCM HSD controlled W/ Clutch Switch  
W/ Auto Start Stop):Diagram1-Combination2  
A26 - Transmission Oil Temperature-Manual Trans:Diagram1-  
Combination1  
A26 - Transmission Power Take Off:Diagram1  
A26 - Transmission Power Take Off Dual Solenoid:Diagram1  
A26 - Transmission Power Take Off W/ Clutch  
Interlock:Diagram1  
A26 - Ultrashift+ and FAS:Diagram1  
A26 -Transmission Power Take Off Dual PTO with Clutch  
Interlock:Diagram1  
Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-  
Combination1  
Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-  
Combination2  
Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-  
Combination3

Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-Combination4  
 Back-Up Alarm (Automatic) TC10:Diagram1-Combination1  
 Back-Up Alarm (Automatic) TC10:Diagram1-Combination2  
 Backup Light (Dual Reverse Light)Allison/ZF Trans:Diagram1-Combination1  
 Backup Light (Dual Reverse Light)Allison/ZF Trans:Diagram1-Combination2  
 Backup Light (Single Reverse Light)Allison/ZF Trans:Diagram1-Combination1  
 Backup Light (Single Reverse Light)Allison/ZF Trans:Diagram1-Combination2  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram1 - W/ Bosch LH160, LH200, LIL165, LIL200  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram2 - W/ Leece Neville AVI160-210A/240A  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram3 - W/ Leece Neville AVI160 w/o Remote Sense  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram4 - W/ Delco Remy 38SI, 40SI  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram5 - W/ Delco Remy 28SI, 36SI  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram6 - W/ Leece Neville 320PAH, LN325  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram7 - W/ Delco Remy 40SI (08GHJ)  
 Starter Interlocks (BCM controlled with input from Allison TCM):Diagram1  
 X15 - Engine Control Module:Connector 6000  
 X15 - Ground Splice Packs 1/4:Diagram1  
 X15 - Ultrashift+ and FAS:Diagram1

Mates

1M\_IP12

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A2	-	-	BP71A	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	3195.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
A2	-	-	EY71A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	3195.0	-	15	1013_IP 12
A2	-	-	BP71A	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	3195.0	-	15	1013_IP 12
A3	-	-	AU28	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2915.0	-	F9	J5-1602
A5	-	-	AA99B	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	1955.0	-	C4	1800_IP 12
A6	-	-	3H77BA	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2600.0	-	A12	J7-1607
A8	-	-	3T92#165	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	3180.0	-	R2 - 86	1012_IP 12
B2	-	-	GP17	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	3055.0	-	T	J6-1606
B4	-	-	BP71B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2545.0	-	1	1701_IP 12


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
B4	-	-	EY71B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	745.0	-	X	-
B5	-	-	EH97F	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PURPLE	3210.0	-	40	1014_IP 12
B5	-	-	EH97FJ	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PURPLE	2045.0	-	37	1702_IP 12
B6	-	-	AZ13A	2643752 R1	1.16	16.0	Std. Wall XLPE Primary Cable	PINK	3210.0	-	-	-
B6	-	-	GY92#163	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	3210.0	-	37	1014_IP 12
B6	-	-	AZ13A	2643752 R1	1.16	16.0	Std. Wall XLPE Primary Cable	PINK	3210.0	-	37	1014_IP 12
B6	-	-	GY92#163	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	3210.0	-	-	-
B7	-	-	AA97C	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	1955.0	-	C5	1800_IP 12

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B9	-	-	3H77B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2895.0	-	B12	J3-1600
B12	-	-	AA77	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2500.0	-	C	J1-1603
C3	-	-	AA9AA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2745.0	-	X	-
C7	-	-	HZ41D	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2475.0	-	E	3200M_I P12
C11	-	-	GY92#141	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2600.0	-	B2	J7-1607
C12	-	-	AA97B	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	1955.0	-	B4	1800_IP 12
D1	-	-	FD88	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2915.0	-	F14	J5-1602
D2	-	-	AA82-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1715.0	-	X	-



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D3	-	-	DT104AL	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	3210.0	-	-	-
D3	-	-	DT104AL	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	3210.0	-	5	1014_IP12
D4	-	-	DT104-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	3055.0	-	M	J6-1606
D5	-	-	FE88A	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2915.0	-	F15	J5-1602
D6	-	-	AA74	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2895.0	-	B5	J3-1600

Connector Name 1M  
 Part Number 3612512C1  
 Instances X15 - Acceleration Pedal:Diagram1  
 X15 - Battery Feed 1 - Part 2:Diagram1  
 Mates 1F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A1	-	-	AA99DJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	2045.0	-	30	1702F
A5	-	-	AA99BJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	2045.0	-	28	1702F
B7	-	-	AA97CJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	2045.0	-	22	1702F
B11	-	-	AA97NJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	2045.0	-	29	1702F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C6	-	-	AA97MJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	2045.0	-	24	1702F
C12	-	-	AA97BJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	2045.0	-	23	1702F
D3	-	-	DT104ALJ	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	2045.0	-	32	1702F

Connector Name 1M  
 Part Number 3612512C1  
 Instances

- Air Flow Restriction Monitoring GEN IV BCM:Diagram1
- Backup Lights (Dual Reverse Light) Eaton/Manual Trans:W/ 4X2 AXLE
- Backup Lights (Dual Reverse Light) Eaton/Manual Trans:W/ 6X2,6X4 AXLE
- Backup Lights (Single Reverse Light) Eaton/Manual Trans:W/ 4X2 AXLE
- Backup Lights (Single Reverse Light) Eaton/Manual Trans:W/ 6X2,6X4 AXLE
- Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch:Diagram1-Combination2 - T09-6100D
- Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch:Diagram1-Combination3 - T10-6100D
- Modesty Lighting W/ Sleeper:Diagram1-Combination1
- Starter Interlock (BCM LSD Controlled w/ Relay)\_EATON XMSN:Diagram1
- Transmission Oil Temperature-Manual Trans:W/ ALL MANUAL XMSNS EXCEPT EATON ADVANTAGE, TREMEC
- Transmission Oil Temperature-Manual Trans:W/ EATON FULLER ADVANTAGE XMSNS
- Transmission Oil Temperature-Manual Trans:W/ TREMEC XMSNS
- Transmission Shifter Universal Shifter - Ultrashift+ & FAS:Diagram1
- Windshield Wipers:Diagram1
- Work Lights (Customer Supplied) W/ Sw Pack:Diagram1-Combination1
- Work Lights LED W/ Sw Pack - Day Cab:Diagram1-Combination1
- Work Lights LED W/ Sw Pack - Sleeper:Diagram1-Combination1
- X15 - Back-Up Alarm Manual and UltraShift+:Diagram1-Combination1
- X15 - Back-Up Alarm Manual and UltraShift+:Diagram1-Combination2
- X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-Combination1
- X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-Combination2
- X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-Combination3



X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-Combination4  
 X15 - Heating Ventilation Air Conditioning (HVAC):Diagram1 - Base HVAC  
 X15 - Key Switch Ignition 1:Key Switch Ignition 1A  
 X15 - Key Switch Ignition 1:Key Switch Ignition 1B  
 X15 - Outside temperature monitor:Diagram1  
 X15 - Starter Interlock (BCM HSD controlled W/ Clutch Switch W/ Auto Start Stop):Diagram1  
 X15 - Transmission Power Take Off:Diagram1  
 X15 - Transmission Power Take Off Dual PTO with Clutch Interlock:Diagram1  
 X15 - Transmission Power Take Off Dual Solenoid:Diagram1  
 X15 - Transmission Power Take Off W/ Clutch Interlock:Diagram1

Mates

1F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A2	-	-	BP71AJ	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2045.0	-	6	1702F
A2	-	-	EY71AJ	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2045.0	-	6	1702F
A3	-	-	AU28J	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2045.0	-	5	1702F
A4	-	-	MN9ZAJ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2045.0	-	40	1702F
A6	-	-	3H77BAJ	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2045.0	-	42	1702F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A7	-	-	3C54AJ	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1405.0	-	C	8054M
B1	-	-	2B57AJ	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1405.0	-	B	8054M
B2	-	-	GP17J	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	2045.0	-	16	1702F
B2	-	-	AF17B	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	0.0	-	PIN1	-
B3	-	-	AZ92-GCJ	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2045.0	-	19	1702F
B4	-	-	BP71BJ	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2045.0	-	7	1702F
B4	-	-	BP71BJ	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2045.0	-	7	1702_IP12
B5	-	-	EH97FJ	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PURPLE	2045.0	-	37	1702F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
B6	-	-	AZ13AJ	2643752 R1	1.16	16.0	Std. Wall XLPE Primary Cable	PINK	2045.0	-	8	1702F
B6	-	-	GY92J#163	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	2045.0	-	8	1702F
B9	-	-	3H77BJ	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2045.0	-	4	1702F
B12	-	-	AA77J	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2045.0	-	10	1702F
C1	-	-	MN92J	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2045.0	-	12	1702F
C2	-	-	AZ92BJ	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2045.0	-	20	1702F
C3	-	-	AA9AAJ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1145.0	-	X	-
C3	-	-	AA9AAJ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1145.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C4	-	-	AA82LJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2295.0	-	E	4500
C5	-	-	YG82KJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2295.0	-	D	4500
C7	-	-	HZ41DJ	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2045.0	-	18	1702F
D1	-	-	FD88J	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2045.0	-	14	1702F
D3	-	-	DT104ALJ	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	2045.0	-	32	1702F
D4	-	-	DT104-G AJ	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2045.0	-	33	1702F
D5	-	-	FE88AJ	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2045.0	-	41	1702F
D6	-	-	AA74J	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1810.0	-	B	6202



Connector Name 1M\_IP12  
 Part Number 3612512C1  
 Instances

- A26 - Air Flow Restriction Monitoring:Diagram1-Combination1
- A26 - Air Flow Restriction Monitoring:Diagram1-Combination2
- A26 - Ambient Air Temperature:Diagram1
- A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination1
- A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination2
- A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination3
- A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination4
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination1
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination2
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination3
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination4
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination5
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination6
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination7
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination8
- A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination1
- A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination2
- A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination3
- A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination4
- A26 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1-Combination1
- A26 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1-Combination2
- A26 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1-Combination3



A26 - Backup Lights (Single Reverse Light) Eaton/Manual  
Trans:Diagram1-Combination4  
A26 - Battery Feed 1:BTRY Feed (NON-LOADSHED)  
A26 - Cranking (Starter) W/ Thermal Overcrank - External  
Switch:Diagram1 - W/ Bosch LH160, LH200, LIL165, LIL200  
A26 - Cranking (Starter) W/ Thermal Overcrank - External  
Switch:Diagram2 - W/ Leece Neville AVI160-210A/240A  
A26 - Cranking (Starter) W/ Thermal Overcrank - External  
Switch:Diagram3 - W/ Leece Neville AVI160 w/o Remote Sense  
A26 - Cranking (Starter) W/ Thermal Overcrank - External  
Switch:Diagram4 - W/ Delco Remy 38SI, 40SI  
A26 - Cranking (Starter) W/ Thermal Overcrank - External  
Switch:Diagram5 - W/ Delco Remy 28SI, 36SI  
A26 - Cranking (Starter) W/ Thermal Overcrank - External  
Switch:Diagram6 - W/ Leece Neville 320PAH, LN325  
A26 - Cranking (Starter) W/ Thermal Overcrank - External  
Switch:Diagram7 - W/ Delco Remy 40SI (08GHJ)  
A26 - Ground Splice Packs:Diagram4  
A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 -  
Base HVAC-Combination1  
A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 -  
Base HVAC-Combination2  
A26 - Key Switch Ignition 1:Key Switch Ignition 1A  
A26 - Key Switch Ignition 1:Key Switch Ignition 1C  
A26 - Starter Interlock (BCM HSD controlled W/ Clutch Switch  
W/ Auto Start Stop):Diagram1-Combination1  
A26 - Starter Interlock (BCM HSD controlled W/ Clutch Switch  
W/ Auto Start Stop):Diagram1-Combination2  
A26 - Transmission Oil Temperature-Manual Trans:Diagram1-  
Combination1  
A26 - Transmission Power Take Off:Diagram1  
A26 - Transmission Power Take Off Dual Solenoid:Diagram1  
A26 - Transmission Power Take Off W/ Clutch  
Interlock:Diagram1  
A26 - Ultrashift+ and FAS:Diagram1  
A26 -Transmission Power Take Off Dual PTO with Clutch  
Interlock:Diagram1  
Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-  
Combination1  
Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-  
Combination2  
Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-  
Combination3

Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-Combination4  
 Back-Up Alarm (Automatic) TC10:Diagram1-Combination1  
 Back-Up Alarm (Automatic) TC10:Diagram1-Combination2  
 Backup Light (Dual Reverse Light)Allison/ZF Trans:Diagram1-Combination1  
 Backup Light (Dual Reverse Light)Allison/ZF Trans:Diagram1-Combination2  
 Backup Light (Single Reverse Light)Allison/ZF Trans:Diagram1-Combination1  
 Backup Light (Single Reverse Light)Allison/ZF Trans:Diagram1-Combination2  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram1 - W/ Bosch LH160, LH200, LIL165, LIL200  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram2 - W/ Leece Neville AVI160-210A/240A  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram3 - W/ Leece Neville AVI160 w/o Remote Sense  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram4 - W/ Delco Remy 38SI, 40SI  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram5 - W/ Delco Remy 28SI, 36SI  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram6 - W/ Leece Neville 320PAH, LN325  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram7 - W/ Delco Remy 40SI (08GHJ)  
 Starter Interlocks (BCM controlled with input from Allison TCM):Diagram1  
 X15 - Engine Control Module:Connector 6000  
 X15 - Ground Splice Packs 1/4:Diagram1  
 X15 - Ultrashift+ and FAS:Diagram1

Mates

1F\_IP12

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A2	-	-	BP71AJ	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2045.0	-	6	1702_IP12


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
A2	-	-	EY71AJ	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2045.0	-	6	1702_IP 12
A3	-	-	AU28J	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2045.0	-	5	1702_IP 12
A5	-	-	AA99BJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	2045.0	-	28	1702_IP 12
A6	-	-	3H77BAJ	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2045.0	-	42	1702_IP 12
A8	-	-	3T92J#1 65	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2045.0	-	7	1702_IP 12
A8	-	-	GM92J#1 65	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2045.0	-	7	1702_IP 12
B2	-	-	GP17J	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	2045.0	-	16	1702_IP 12
B4	-	-	EY71BJ	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2045.0	-	7	1702_IP 12

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
B4	-	-	BP71BJ	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2045.0	-	7	1702_IP 12
B5	-	-	EH97FJ	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PURPLE	2045.0	-	37	1702_IP 12
B5	-	-	EH97F	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PURPLE	3210.0	-	-	-
B6	-	-	AZ13AJ	2643752 R1	1.16	16.0	Std. Wall XLPE Primary Cable	PINK	2045.0	-	8	1702_IP 12
B6	-	-	GY92J#1 63	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	2045.0	-	8	1702_IP 12
B7	-	-	AA97CJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	2045.0	-	22	1702_IP 12
B9	-	-	3H77BJ	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2045.0	-	4	1702_IP 12
B12	-	-	AA77J	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2045.0	-	10	1702_IP 12

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C3	-	-	AA9AAJ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1145.0	-	X	-
C7	-	-	HZ41DJ	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2045.0	-	18	1702_IP 12
C11	-	-	GY92J#1 41	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2045.0	-	20	1702_IP 12
C12	-	-	AA97BJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	2045.0	-	23	1702_IP 12
D1	-	-	FD88J	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2045.0	-	14	1702_IP 12
D2	-	-	AA82-GJ	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2295.0	-	-	-
D3	-	-	DT104ALJ	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	2045.0	-	32	1702_IP 12
D4	-	-	DT104-G AJ	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2045.0	-	33	1702_IP 12

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D5	-	-	FE88AJ	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2045.0	-	41	1702_IP12
D6	-	-	AA74J	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1810.0	-	B	6202


Connector Name 1TB1  
 Part Number 3722128C1  
 Instances Telematics (TRIPMASTER DAYCAB):Diagram1  
 Mates MODU-TRIPMASTER-2035-10-04A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	CF14SD	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	4775.0	-	-	-



Connector Name 1TB2  
 Part Number 3722128C1  
 Instances Telematics (TRIPMASTER DAYCAB):Diagram1  
 Mates MODU-TRIPMASTER-2035-10-04A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	CF70E	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	3650.0	-	D1	1800M

Connector Name 1000A  
 Part Number 4063415C1  
 Instances Auxiliary Gauges (Secondary):Diagram1  
 Auxiliary Gauges (Primary):Diagram1  
 Single Axle Temperature Monitoring w/Aux Gauge:Diagram1-  
 Combination1 - R01-9811  
 Single Axle Temperature Monitoring w/Aux Gauge:Diagram1-  
 Combination2 - R01-9813  
 Tandem Axle Temperature Monitoring w/Aux Gauge:Diagram1-  
 Combination1 - R01-9811, R01-9812  
 Tandem Axle Temperature Monitoring w/Aux Gauge:Diagram1-  
 Combination2 - R01-9911, R01-9912  
 Mates MODU-AUX-0004-00-04A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AT28A	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1085.0	-	B9	1500
3	-	-	AT28B	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1085.0	-	B10	1500
4	-	-	AT28C	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1085.0	-	B8	1500


Connector Name 1000A\_1  
 Part Number 4063415C1  
 Instances Auxiliary Gauges (Secondary):Diagram1  
 Mates MODU-AUX-0004-00-04B

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	Aux Gauge STS OUTC	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	210.0	-	1	1000B
3	-	-	Aux Gauge GND OUTA	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	210.0	-	3	1000B
4	-	-	Aux Gauge PWR OUTB	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	210.0	-	4	1000B

Connector Name 1000B  
 Part Number 4063415C1  
 Instances Auxiliary Gauges (Secondary):Diagram1  
 Mates MODU-AUX-0004-00-04A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	Aux Gauge STS OUTC	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	210.0	-	1	1000A_1
3	-	-	Aux Gauge GND OUTA	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	210.0	-	3	1000A_1
4	-	-	Aux Gauge PWR OUTB	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	210.0	-	4	1000A_1

Connector Name 1000F  
 Part Number 3825184C1  
 Instances Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
 Combination1  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
 Combination2  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
 Combination3  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
 Combination4  
 Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V  
 Panel- Upr Bnk APO:Diagram1-Combination1  
 Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V  
 Panel- Upr Bnk APO:Diagram1-Combination2  
 Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V  
 Panel- Upr Bnk APO:Diagram1-Combination3  
 Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V  
 Panel- Upr Bnk APO:Diagram1-Combination4  
 Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel-  
 Upr Bnk APO:Diagram1-Combination1  
 Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel-  
 Upr Bnk APO:Diagram1-Combination2  
 Cigar Lighter- Rear Std APO- Rear APO w/Cover- 12V Panel-  
 Upr Bnk APO- Rear Overhead APO:Diagram1-Combination1  
 Cigar Lighter- Rear Std APO- Rear APO w/Cover- 12V Panel-  
 Upr Bnk APO- Rear Overhead APO:Diagram1-Combination2  
 Sleeper PDM:Diagram1  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel-Upr Bnk APO:Diagram1-Combination1  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel-Upr Bnk APO:Diagram1-Combination2  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel-Upr Bnk APO:Diagram1-Combination3  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel-Upr Bnk APO:Diagram1-Combination4  
 Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination1




Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination2  
 Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination3  
 Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination4  
 Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Upr Bnk  
 APO:Diagram1-Combination1  
 Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Upr Bnk  
 APO:Diagram1-Combination2  
 Std APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk  
 APO-Rear Overhead APO:Diagram1-Combination1  
 Std APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk  
 APO-Rear Overhead APO:Diagram1-Combination2  
 ZVR Splice Packs:Diagram1

Mates 1000M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	HA109S	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	550.0	-	22	5000F
8	-	-	JP63U	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1575.0	-	8	1000M
10	-	-	JP86M	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	355.0	-	A	5015
10	-	-	JP86M	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	355.0	-	H2-A6	5001

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
11	-	-	JP86-GJJ	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1130.0	-	-	-
11	-	-	JP86-GJJ	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1130.0	-	11	1000M
11	-	-	JP86-GJJ	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1130.0	-	C	5015

Connector Name 1000M  
 Part Number 3825185C1  
 Instances Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
 Combination1  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
 Combination2  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
 Combination3  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
 Combination4  
 Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V  
 Panel- Upr Bnk APO:Diagram1-Combination1  
 Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V  
 Panel- Upr Bnk APO:Diagram1-Combination2  
 Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V  
 Panel- Upr Bnk APO:Diagram1-Combination3  
 Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V  
 Panel- Upr Bnk APO:Diagram1-Combination4  
 Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel-  
 Upr Bnk APO:Diagram1-Combination1  
 Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel-  
 Upr Bnk APO:Diagram1-Combination2  
 Cigar Lighter- Rear Std APO- Rear APO w/Cover- 12V Panel-  
 Upr Bnk APO- Rear Overhead APO:Diagram1-Combination1  
 Cigar Lighter- Rear Std APO- Rear APO w/Cover- 12V Panel-  
 Upr Bnk APO- Rear Overhead APO:Diagram1-Combination2  
 Sleeper PDM:Diagram1  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel-Upr Bnk APO:Diagram1-Combination1  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel-Upr Bnk APO:Diagram1-Combination2  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel-Upr Bnk APO:Diagram1-Combination3  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel-Upr Bnk APO:Diagram1-Combination4  
 Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination1






Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination2  
 Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination3  
 Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination4  
 Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Upr Bnk  
 APO:Diagram1-Combination1  
 Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Upr Bnk  
 APO:Diagram1-Combination2  
 Std APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk  
 APO-Rear Overhead APO:Diagram1-Combination1  
 Std APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk  
 APO-Rear Overhead APO:Diagram1-Combination2  
 ZVR Splice Packs:Diagram1

Mates 1000F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	HA109S	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	550.0	-	-	-
8	-	-	HR63U	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	2210.0	-	H1-C5	5001
8	-	-	JP63U	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1575.0	-	8	1000F
10	-	-	JP86MA	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1855.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
11	-	-	JP86-GJJ	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1130.0	-	C	5015
11	-	-	JP86-GJJ	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1130.0	-	11	1000F
11	-	-	JP86-GJJ	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1130.0	-	-	-
11	-	-	JP86-GJJ	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1130.0	-	X	-


Connector Name 1000  
 Part Number 3825184C1  
 Short Description MAIN SLEEPER CONNECTION 1  
 Instances Floor/Search Lights SLPR:Diagram1  
 Lighting Sleeper Dome:Diagram1  
 Rear Interior Dimming (Accent Light):Diagram1  
 Rear Interior Dimming (Accent/Mood):Diagram1  
 Sleeper Ground Splice Packs:Diagram1  
 Mates 1000



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	HA63HB	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	805.0	-	A	5102
2	-	-	HA63-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	730.0	-	B	5102
3	-	-	HA63D	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1680.0	-	-	-
5	-	-	HA109SA	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	550.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	HA109SA	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	550.0	-	-	-
6	-	-	HA63E	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	650.0	-	6	1000
7	-	-	HA63EA	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	650.0	-	B	5125

Connector Name 1000  
 Part Number 3825184C1  
 Short Description MAIN SLEEPER CONNECTION 1  
 Instances Interior Task Lights (Flood) W/Upper& Lower Reading LT - Sleeper Cab:Diagram1  
 Mates (1000)



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
9	-	-	JP63-GU	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1575.0	-	B	5136


Connector Name 1000  
 Part Number 3825185C1  
 Short Description 12-WAY CONNECTION FOR T-RAIL  
 Instances Floor/Search Lights SLPR:Diagram1  
 Lighting Sleeper Dome:Diagram1  
 Rear Interior Dimming (Accent Light):Diagram1  
 Rear Interior Dimming (Accent/Mood):Diagram1  
 Sleeper Ground Splice Packs:Diagram1  
 Mates 1000



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	HA63HB	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	805.0	-	-	-
2	-	-	HA63-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	730.0	-	-	-
3	-	-	HA63D	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1680.0	-	H3-A4	5001
5	-	-	HA109SA	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	550.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	HA109SA	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	550.0	-	E	5125
6	-	-	HA63E	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	650.0	-	6	1000
7	-	-	HA63EA	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	650.0	-	-	-

Connector Name 1001F  
 Part Number 3515763C1  
 Instances Air Shield Lighting:W/ SLEEPER CAB  
 Beacon/Strobe Light:W/ SLEEPER CAB  
 Fan - Sleeper/Bunk:Diagram1-Combination2  
 Sleeper PDM:Diagram1  
 Work Lights LED (Customer Supplied) W/ Sw Pack -  
 Sleeper:Diagram1-Combination2  
 Mates 1001M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JM76	2643670 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BLACK	2550.0	-	-	-
B	-	-	JM76-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2550.0	-	B	5222_1
C	-	-	HE65B	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2795.0	-	-	-
E	-	-	JP63SB	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1855.0	-	-	-



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
G	-	-	HM58C	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	2075.0	-	A	5117M
G	-	-	HM58C	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	2075.0	-	-	-
H	-	-	HM58-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2075.0	-	-	-


Connector Name 1001M  
 Part Number 3515762C1  
 Instances Air Shield Lighting:W/ SLEEPER CAB  
 Beacon/Strobe Light:W/ SLEEPER CAB  
 Fan - Sleeper/Bunk:Diagram1-Combination2  
 Sleeper PDM:Diagram1  
 Work Lights LED (Customer Supplied) W/ Sw Pack -  
 Sleeper:Diagram1-Combination2  
 Mates 1001F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JK76	2643670 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BLACK	2210.0	-	H2-A4	5001
A	-	-	JM76	2643670 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BLACK	2550.0	-	H2-A4	5001
B	-	-	JK76-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2145.0	-	-	-
C	-	-	HE65B	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2795.0	-	21	5000M


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	JP63SB	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1855.0	-	X	-
G	-	-	HM58C	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	2075.0	-	-	-
G	-	-	HM58C	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	2075.0	-	19	5000F
H	-	-	HM58-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2075.0	-	B	5117M

Connector Name 1001  
 Part Number 3515762C1  
 Short Description 8-WAY CONNECTION FOR T-RAIL  
 Instances Rear Interior Dimming (Accent/Mood):Diagram1  
 Sleeper Ground Splice Packs:Diagram2  
 Mates 1001




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	JK76-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2145.0	-	12	5007A
B	-	-	JM76-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2550.0	-	-	-
D	-	-	HE65-GE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	850.0	-	D	1001
E	-	-	JP63SB	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1855.0	-	X	-

Connector Name 1001  
 Part Number 3515763C1  
 Short Description MAIN SLEEPER CONNECTION 2  
 Instances Rear Interior Dimming (Accent/Mood):Diagram1  
 Sleeper Ground Splice Packs:Diagram2  
 Mates 1001



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	JM76-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2550.0	-	-	-
D	-	-	HE65-GE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	850.0	-	D	1001
E	-	-	JP63SB	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1855.0	-	-	-

Connector Name 1010  
 Part Number VC-3768015C1-A2-B1  
 Instances Endurant - Battery Grid 1 (Non-Loadshed):BTRY GRID 1 (NON-LOADSHED)  
 Mates PDB



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AG14AJ	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	705.0	-	X	-
1	-	-	AL14AJ	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	705.0	-	X	-
3	-	-	AA73C	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2750.0	-	X	-
4	-	-	EW20	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	6025.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	AA14EE	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	1745.0	-	-	-
6	-	-	BM70J	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	320.0	-	-	-
7	-	-	AA14D	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2165.0	-	-	-
8	-	-	AA98H	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2230.0	-	-	-
9	-	-	AL14AK	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	705.0	-	X	-
9	-	-	AG14AK	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	705.0	-	X	-
13	-	-	AA14MUX	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2745.0	-	-	-
14	-	-	FR94TV	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	75.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
14	-	-	FB94TW	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	410.0	-	10	1701_IP 12
14	-	-	HF94TV	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	410.0	-	-	-
14	-	-	BN94T	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	2295.0	-	10	1701_IP 12
14	-	-	ER94TV	2643783 R1	3.01	12.0	Std. Wall XLPE Primary Cable	GREY	410.0	-	-	-
14	-	-	HG94TV	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	410.0	-	-	-
15	-	-	MZ86AA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1105.0	-	X	-
15	-	-	MR86P	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2005.0	-	-	-
16	-	-	DH75	2643695 R1	3.01	12.0	Std. Wall XLPE Primary Cable	RED	3260.0	-	-	-



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
17	-	-	AL14AL	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	705.0	-	X	-
17	-	-	AG14AL	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	705.0	-	X	-
21	-	-	NE17AC	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1705.0	-	D7	1800_IP12
21	-	-	MM92DC	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1830.0	-	G	7900F_IP12
22	-	-	YH14A	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2250.0	-	-	-
22	-	-	2V14CSB	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	2250.0	-	-	-
22	-	-	CS14CSB	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	2250.0	-	-	-
23	-	-	LM97B	3510364 R1	0.53	20.0	Thin Wall XLPE Primary Cable	RED	1295.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
24	-	-	JV14C	2643686 R1	1.91	14.0	Std. Wall XLPE Primary Cable	RED	3215.0	-	-	-
24	-	-	RH14EA	2643686 R1	1.91	14.0	Std. Wall XLPE Primary Cable	RED	3215.0	-	-	-
24	-	-	KL14C	2643686 R1	1.91	14.0	Std. Wall XLPE Primary Cable	RED	3215.0	-	-	-
24	-	-	DL14EA	2643686 R1	1.91	14.0	Std. Wall XLPE Primary Cable	RED	3215.0	-	-	-
25	-	-	AG14AT	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	705.0	-	X	-
25	-	-	AL14AT	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	705.0	-	X	-
30	-	-	9S74RA	2643695 R1	3.01	12.0	Std. Wall XLPE Primary Cable	RED	575.0	-	X	-
30	-	-	YE75WA	3510367 R1	1.91	14.0	Thin Wall XLPE Primary Cable	RED	3745.0	-	25	5000A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
31	-	-	YE75WB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	3745.0	-	41	5000A
33	-	-	AL14AM	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	705.0	-	X	-
33	-	-	AG14AM	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	705.0	-	X	-
37	-	-	3A94AY	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	3050.0	-	-	-
37	-	-	GS94AY	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	3050.0	-	-	-
37	-	-	XY94AY	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	2935.0	-	-	-
38	-	-	KC14ED	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	775.0	-	-	-
38	-	-	CF14SD	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	4775.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
38	-	-	CK14ED	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	3695.0	-	-	-
38	-	-	FA14EG	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	1055.0	-	-	-
38	-	-	XF14L	3510364 R1	0.53	20.0	Thin Wall XLPE Primary Cable	RED	1840.0	-	-	-
38	-	-	MB14ED	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	4625.0	-	-	-
38	-	-	CT14ED	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	3695.0	-	-	-
38	-	-	JV14A	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	4775.0	-	-	-
38	-	-	DL14ED	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	4625.0	-	-	-
38	-	-	XA14EA	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	1220.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
38	-	-	ZP14EA	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	1220.0	-	-	-
38	-	-	SJ14CE	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	2885.0	-	A	830
38	-	-	KL14A	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	4425.0	-	A	1970_IP 12
38	-	-	PH14ED	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	4425.0	-	A	1970_IP 12
38	-	-	CP14ED	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	4425.0	-	A	1970_IP 12
38	-	-	CG14SD	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	4425.0	-	A	1970_IP 12
38	-	-	RH14ED	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	4425.0	-	A	1970_IP 12
39	-	-	CV81C	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	2885.0	-	C	3204M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
40	-	-	DF78V	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2225.0	-	C	3200M
40	-	-	CV81B	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	2225.0	-	C	3200M

Connector Name 1010\_IP12  
 Part Number 3768015C1  
 Short Description 1.0

Instances  
 A26 - Battery Feed 1:BTRY Feed (NON-LOADSHED)  
 A26 - Battery Feed 1:BTRY Feed 1 (NON-LOADSHED)  
 A26 - Key Switch Ignition 1:Key Switch Ignition 1C  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination1 - R01-9501, R01-9502, R01-9503, R01-9504  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination2 - R01-9501D-4chABS, R01-9502A, R01-9503D-4chABS, R01-9504B  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination3 - R01-9501D-4chABS, R01-9502B-4chABS, R01-9503D-4chABS, R01-9504A-4chABS  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination4 - R01-9502B-4chABS, R01-9504A-4chABS, R01-9511, R01-9512  
 X15 - Battery Feed 1 - Part 1:BTRY Feed 1 (NON-LOADSHED)



Mates PDB

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AL14AJ	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	705.0	-	X	-
5	-	-	AA14EE	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	1745.0	-	-	-
6	-	-	BM70J	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	320.0	-	-	-
7	-	-	AA14D	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2165.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
8	-	-	AA98H	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2230.0	-	-	-
9	-	-	AL14AK	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	705.0	-	X	-
13	-	-	AA14MUX	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2745.0	-	-	-
14	-	-	FR94TV	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	75.0	-	-	-
14	-	-	HF94TV	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	410.0	-	-	-
14	-	-	BN94T	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	2295.0	-	10	1701M
14	-	-	ER94TV	2643783 R1	3.01	12.0	Std. Wall XLPE Primary Cable	GREY	410.0	-	-	-
14	-	-	HG94TV	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	410.0	-	-	-



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
14	-	-	BN94T	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	2295.0	-	10	1701_IP12
14	-	-	HG94TV	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	410.0	-	10	1701_IP12
15	-	-	MZ86AA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1105.0	-	X	-
15	-	-	MR86P	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2005.0	-	-	-
16	-	-	DH75	2643695 R1	3.01	12.0	Std. Wall XLPE Primary Cable	RED	3260.0	-	-	-
17	-	-	AL14AL	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	705.0	-	X	-
21	-	-	MM92DC	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1830.0	-	G	7900F
21	-	-	MM92DC	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1830.0	-	G	7900F_IP12

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
22	-	-	CS14CSB	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	2250.0	-	H	16B
22	-	-	2Y14CSB	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	2250.0	-	H	16B
22	-	-	2V14CSB	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	2250.0	-	H	16B
22	-	-	YH14A	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2250.0	-	-	-
23	-	-	LM97B	3510364 R1	0.53	20.0	Thin Wall XLPE Primary Cable	RED	1295.0	-	-	-
24	-	-	-	-	-	-	-	-	-	-	-	-
24	-	-	RH14EA	2643686 R1	1.91	14.0	Std. Wall XLPE Primary Cable	RED	3215.0	-	B	1934M_I P12
24	-	-	DL14ED	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	4625.0	-	-	-
25	-	-	AL14AT	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	705.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
29	-	-	AA73C	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2750.0	-	-	-
30	-	-	YE75WA	3510367 R1	1.91	14.0	Thin Wall XLPE Primary Cable	RED	3745.0	-	25	5000M
30	-	-	YE75WA	3510367 R1	1.91	14.0	Thin Wall XLPE Primary Cable	RED	3745.0	-	25	5000A_I P12
31	-	-	YE75WB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	3745.0	-	41	5000M
31	-	-	YE75WB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	3745.0	-	41	5000A_I P12
33	-	-	AL14AM	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	705.0	-	X	-
37	-	-	XY94AY	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	2935.0	-	-	-
37	-	-	GS94AY	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	3050.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
37	-	-	XY94AY	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	2935.0	-	16	1400
38	-	-	ZP14EA	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	1220.0	-	-	-
38	-	-	MB14ED	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	4625.0	-	-	-
38	-	-	PH14ED	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	4425.0	-	A	1970_IP 12
38	-	-	CT14ED	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	3695.0	-	-	-
38	-	-	CG14SD	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	4425.0	-	A	1970_IP 12
38	-	-	DL14ED	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	4625.0	-	-	-
38	-	-	CF14SD	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	4775.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
38	-	-	SJ14CE	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	2885.0	-	-	-
38	-	-	CK14ED	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	3695.0	-	-	-
38	-	-	DL14EA	2643686 R1	1.91	14.0	Std. Wall XLPE Primary Cable	RED	3215.0	-	-	-
38	-	-	KC14ED	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	775.0	-	-	-
38	-	-	CP14ED	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	4425.0	-	A	1970_IP 12
38	-	-	XA14EA	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	1220.0	-	-	-
38	-	-	RH14ED	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	4425.0	-	A	1970_IP 12
39	-	-	CV81C	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	2885.0	-	C	3204M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
39	-	-	CV81C	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	2885.0	-	C	3204M_I P12
40	-	-	CV81B	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	2225.0	-	C	3200M
40	-	-	DF78V	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2225.0	-	C	3200M
40	-	-	DF78V	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2225.0	-	C	3200M_I P12
40	-	-	CV81B	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	2225.0	-	C	3200M_I P12

Connector Name 1011\_IP12  
 Part Number VC-3768010C1-A2-B2  
 Instances A26 - Fuel Heater (Vehicle Powered)(Davco):Combination1  
 A26 - Fuel Heater (Vehicle Powered)(Davco):Combination2  
 Grid Management CA2:Diagram1  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination1-N01-9780M, R01-9790M  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination2-N01-9780M, R01-9790MA  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination3-N01-9782, R01-9790M  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination4-N01-9782, R01-9790MA  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination5-N01-9782M, R01-9790M  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination6-N01-9782M, R01-9790MA  
 Trailer Interface (Lighting) – BOC\_NA:Diagram1-Combination1-N01-9780M  
 Trailer Interface (Lighting) – BOC\_NA:Diagram1-Combination2-N01-9782  
 Trailer Interface (Lighting) – BOC\_NA:Diagram1-Combination3-N01-9782M  
 Trailer Interface (Lighting) – TRAMEC\_NA:Diagram1  
 Windshield Wipers:Diagram1



Mates PDB

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R1 - 30	-	-	BM70J	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	320.0	-	-	-
R1 - 85	-	-	BM70-GT	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1625.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R1 - 86	-	-	BM70C	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2300.0	-	F15	J4-1601
R1 - 87	-	-	BM70T	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	2305.0	-	9	1701M
R2 - 30	-	-	AA82P	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	0.0	-	R5 - 30	1011_IP 12
R2 - 85	-	-	AA82M	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	555.0	-	X	-
R2 - 86	-	-	AA82F	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2300.0	-	E7	J4-1601
R2 - 87	-	-	AA82E	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	555.0	-	X	-
R2 - 87A	-	-	AA82J	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	3190.0	-	B12	2M
R3 - 30	-	-	AL14AB	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	465.0	-	X	-




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R3 - 85	-	-	AL14AS	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	465.0	-	X	-
R3 - 86	-	-	GJ11-GDB	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	205.0	-	X	-
R3 - 87	-	-	AL14N	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	100.0	-	X	-
R4 - 30	-	-	DR19	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2225.0	-	6	1700M
R4 - 85	-	-	DR19A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2300.0	-	F12	J4-1601
R4 - 86	-	-	DR19-GB	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2135.0	-	-	-
R4 - 87	-	-	DR19V	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	365.0	-	-	-
R5 - 30	-	-	AA82P	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	0.0	-	R2 - 30	1011_IP 12

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R5 - 85	-	-	AA82N	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	555.0	-	X	-
R5 - 86	-	-	AA82H	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2300.0	-	E6	J4-1601
R5 - 87	-	-	YH82K	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1205.0	-	X	-
R5 - 87A	-	-	AA82L	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	3090.0	-	C4	1F
R6 - 30	-	-	AL14AH	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	435.0	-	X	-
R6 - 85	-	-	AH12L	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	450.0	-	6	1014_IP 12
R6 - 86	-	-	GJ11-GDD	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	205.0	-	X	-
R6 - 87	-	-	AB12M	3510344 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	365.0	-	-	-

Connector Name 1012\_IP12  
 Part Number VC-3768010C1-A2-B3  
 Instances

- A26 - Backup Light (Endurant):Diagram1
- Auxiliary Trailer Power Cavity D:Diagram1-Combination1
- Auxiliary Trailer Power Cavity D:Diagram1-Combination2
- Auxiliary Trailer Power Cavity D:Diagram1-Combination3
- Auxiliary Trailer Power Cavity D:Diagram1-Combination4
- Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-Combination1
- Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-Combination2
- Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-Combination3
- Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-Combination4
- Back-Up Alarm (Automatic) TC10:Diagram1-Combination1
- Back-Up Alarm (Automatic) TC10:Diagram1-Combination2
- Backup Light (Dual Reverse Light)Allison/ZF Trans:Diagram1-Combination1
- Backup Light (Dual Reverse Light)Allison/ZF Trans:Diagram1-Combination2
- Backup Light (Single Reverse Light)Allison/ZF Trans:Diagram1-Combination1
- Backup Light (Single Reverse Light)Allison/ZF Trans:Diagram1-Combination2
- Electrical Load Control W/ Relay:Diagram1
- Grid Management CA2:Diagram1
- Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination1
- Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination2
- Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination3
- Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination4
- Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination5
- Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination6
- Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination7
- Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination8



Trailer Interface (ABS) - BOC\_NA:Diagram1-Combination1  
 Trailer Interface (ABS) - BOC\_NA:Diagram1-Combination2  
 Trailer Interface (ABS) - BOC\_NA:Diagram1-Combination3  
 Trailer Interface (ABS) - BOC\_NA:Diagram1-Combination4  
 X15 Backup Light (Endurant):Diagram1

Mates

PDB

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
R1 - 30	-	-	HF94TV	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	410.0	-	-	-
R1 - 30	-	-	HG94TV	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	410.0	-	-	-
R1 - 85	-	-	YY13-GFF	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1645.0	-	X	-
R1 - 85	-	-	YY13-GFF	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1645.0	-	-	-
R1 - 86	-	-	YY13FF	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	375.0	-	-	-
R1 - 87	-	-	ER94T	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	2395.0	-	10	1701M
R2 - 30	-	-	GM71A	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	275.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R2 - 30	-	-	3T71A	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	275.0	-	X	-
R2 - 30	-	-	BJ71	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	375.0	-	-	-
R2 - 30	-	-	BK71	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	375.0	-	-	-
R2 - 85	-	-	GM71B	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	275.0	-	X	-
R2 - 85	-	-	3T71B	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	275.0	-	X	-
R2 - 85	-	-	BK92R2	2643767 R1	0.53	20.0	Std. Wall XLPE Primary Cable	TAN	3340.0	-	66	1703F
R2 - 85	-	-	BJ92R2	2643767 R1	0.53	20.0	Std. Wall XLPE Primary Cable	TAN	3340.0	-	66	1703F
R2 - 85	-	-	BK92R2	2643767 R1	0.53	20.0	Std. Wall XLPE Primary Cable	TAN	3340.0	-	66	1703M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R2 - 85	-	-	BJ92R2	2643767 R1	0.53	20.0	Std. Wall XLPE Primary Cable	TAN	3340.0	-	66	1703M
R2 - 86	-	-	3T92#165	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	3180.0	-	A8	1F_IP12
R2 - 86	-	-	BK92R1	2643767 R1	0.53	20.0	Std. Wall XLPE Primary Cable	TAN	3340.0	-	45	1703F
R2 - 86	-	-	BJ92R1	2643767 R1	0.53	20.0	Std. Wall XLPE Primary Cable	TAN	3340.0	-	45	1703F
R2 - 86	-	-	BJ92R1	2643767 R1	0.53	20.0	Std. Wall XLPE Primary Cable	TAN	3340.0	-	45	1703M
R2 - 86	-	-	BK92R1	2643767 R1	0.53	20.0	Std. Wall XLPE Primary Cable	TAN	3340.0	-	45	1703M
R2 - 87	-	-	3T71BA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2395.0	-	1	1701_IP12
R2 - 87	-	-	GM71BD	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1355.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R2 - 87	-	-	BJ71BA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2395.0	-	1	1701_IP12
R2 - 87	-	-	BK71A	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1355.0	-	X	-
R2 - 87	-	-	3T71BA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2395.0	-	1	1701M
R2 - 87	-	-	BJ71BA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2395.0	-	1	1701M
R3 - 30	-	-	AL14AD	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	555.0	-	X	-
R3 - 85	-	-	AH13K	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	395.0	-	X	-
R4 - 30	-	-	CC14SC	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	465.0	-	-	-
R4 - 85	-	-	CC72	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2390.0	-	E11	J4-1601


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R4 - 86	-	-	CC72-GA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1715.0	-	-	-
R4 - 87	-	-	CC72A	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	2395.0	-	11	1701_IP 12
R5 - 30	-	-	EE11-GDE	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1645.0	-	X	-
R5 - 85	-	-	EE14DA	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2390.0	-	E14	J4-1601
R5 - 86	-	-	AA11-GU	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1565.0	-	X	-
R5 - 86	-	-	AA11-GV	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1565.0	-	X	-
R5 - 86	-	-	EE11-GDF	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1645.0	-	X	-
R5 - 87	-	-	YY13U	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	130.0	-	X	-



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R5 - 87	-	-	YY13R	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	375.0	-	-	-
R5 - 87	-	-	EE11-GDA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	215.0	-	-	-
R6 - 30	-	-	AL14AC	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	525.0	-	X	-
R6 - 85	-	-	AH13M	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	395.0	-	X	-

Connector Name 1013\_IP12  
 Part Number VC-3768015C1-A2-B5

Instances  
 A26 - Key Switch Ignition 1:Key Switch Ignition 1A  
 A26 - Key Switch Ignition 1:Key Switch Ignition 1B  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination1 - R01-9501, R01-9502, R01-9503, R01-9504  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination2 - R01-9501D-4chABS, R01-9502A, R01-9503D-4chABS, R01-9504B  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination3 - R01-9501D-4chABS, R01-9502B-4chABS, R01-9503D-4chABS, R01-9504A-4chABS  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination4 - R01-9502B-4chABS, R01-9504A-4chABS, R01-9511, R01-9512  
 X15 - Key Switch Ignition 1:Key Switch Ignition 1A  
 X15 - Key Switch Ignition 1:Key Switch Ignition 1B



Mates PDB

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	YY13R	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	375.0	-	-	-
4	-	-	YY13S	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	0.0	-	12	1013_IP12
5	-	-	AA87C	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2330.0	-	19	1700_IP12
5	-	-	AA87C	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2330.0	-	19	1700M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
7	-	-	YY13FF	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	375.0	-	-	-
8	-	-	CT98F	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1860.0	-	-	-
8	-	-	MJ98F	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1860.0	-	-	-
8	-	-	MB98F	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1860.0	-	-	-
8	-	-	CP98F	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1860.0	-	-	-
9	-	-	YY13T	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	0.0	-	17	1013_IP 12
12	-	-	YY13S	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	0.0	-	4	1013_IP 12
13	-	-	LM971G	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	1410.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
14	-	-	AA13D	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2280.0	-	-	-
15	-	-	EY71A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	3195.0	-	A2	1F_IP12
15	-	-	BP71A	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	3195.0	-	A2	1F_IP12
15	-	-	GM71	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	100.0	-	-	-
15	-	-	3T71	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	100.0	-	-	-
15	-	-	EY71A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	3195.0	-	A2	1F
15	-	-	BP71A	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	3195.0	-	A2	1F
16	-	-	HC105	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3930.0	-	B	1925_IP12

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
17	-	-	YY13T	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	0.0	-	9	1013_IP 12
22	-	-	AA13EA	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1860.0	-	-	-
23	-	-	DD78RP	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	480.0	-	-	-
25	-	-	YY13V	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	245.0	-	X	-
28	-	-	YY13X	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	0.0	-	36	1013_IP 12
31	-	-	JL116M	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2410.0	-	60	1701_IP 12
31	-	-	JL116M	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2410.0	-	60	1701M
36	-	-	YY13X	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	0.0	-	28	1013_IP 12

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
37	-	-	GS94V	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	3165.0	-	-	-
37	-	-	XY94V	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3050.0	-	-	-
37	-	-	XY94V	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3050.0	-	3	1400
39	-	-	YD67TA	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2410.0	-	12	1701_IP 12
39	-	-	YD67TA	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2410.0	-	12	1701M
40	-	-	YH13A	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	2365.0	-	-	-
40	-	-	CS67A	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	145.0	-	-	-
40	-	-	2Y13COG2	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	900.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
40	-	-	RV13COG2	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	900.0	-	-	-
40	-	-	2V13COG2	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	900.0	-	-	-


Connector Name 1014  
 Part Number VC-3768015C1-A2-B5  
 Instances Endurant - Battery Grid 1 (Non-Loadshed):BTRY GRID 1 (NON-LOADSHED)  
 Mates PDB



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AL14AU	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	585.0	-	X	-
1	-	-	AG14AU	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	585.0	-	X	-
5	-	-	AG14AV	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	390.0	-	-	-
5	-	-	AL14AV	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	390.0	-	-	-



Connector Name 1014\_IP12  
 Part Number VC-3768015C1-A2-B5  
 Instances A26 - Battery Feed 1:BTRY Feed (NON-LOADSHED)  
 A26 - Key Switch Ignition 1:Key Switch Ignition 1C  
 A26 - Key Switch Ignition 2:Key Switch Ignition 2  
 Grid Management CA2:Diagram1  
 X15 - Battery Feed 1 - Part 2:Diagram1  
 X15 - Key Switch Ignition 1:Key Switch Ignition 1B  
 X15 - Key Switch Ignition 2:Key Switch Ignition 2  
 Mates PDB



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AL14AR	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	865.0	-	X	-
2	-	-	AH12J	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	455.0	-	X	-
3	-	-	AH13J	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	425.0	-	X	-
5	-	-	DT104AL	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	3210.0	-	D3	1F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	DT104AL	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	3210.0	-	D3	1F_IP12
6	-	-	AH12L	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	450.0	-	R6 - 85	1011_IP12
7	-	-	AH13L	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	475.0	-	R3 - 85	1015_IP12
9	-	-	YY13P	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	0.0	-	17	1014_IP12
12	-	-	YY13N	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	475.0	-	-	-
13	-	-	DK13TRIB	2643752 R1	1.16	16.0	Std. Wall XLPE Primary Cable	PINK	1160.0	-	-	-
13	-	-	DK13TRIB	2643752 R1	1.16	16.0	Std. Wall XLPE Primary Cable	PINK	1160.0	-	A	5757_IP12
15	-	-	RG22AA	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	1295.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
15	-	-	RW22AA	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	2345.0	-	47	1700_IP12
15	-	-	RW22AA	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	2345.0	-	-	-
16	-	-	CA13UA	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	1385.0	-	-	-
16	-	-	CL13U	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	160.0	-	-	-
16	-	-	CB13U	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	160.0	-	-	-
17	-	-	YY13P	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	0.0	-	9	1014_IP12
25	-	-	YY13W	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	260.0	-	X	-
28	-	-	YY13Y	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	0.0	-	36	1014_IP12


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
29	-	-	BZ39	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2425.0	-	31	1701_IP12
29	-	-	RT39	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2425.0	-	31	1701_IP12
29	-	-	BZ39	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2425.0	-	31	1701M
29	-	-	RT39	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2425.0	-	31	1701M
30	-	-	RT39A	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2425.0	-	30	1701_IP12
30	-	-	RT39A	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2425.0	-	30	1701M
31	-	-	YC67A	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2345.0	-	-	-
31	-	-	2Y67A	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2345.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
32	-	-	CP13EE	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	4555.0	-	B	1970_IP 12
32	-	-	CF13SD1	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	630.0	-	X	-
32	-	-	SJ13CE	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	3015.0	-	-	-
32	-	-	CT13EE	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	3825.0	-	-	-
32	-	-	MB13EE	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	4755.0	-	-	-
32	-	-	PH13EE	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	4555.0	-	B	1970_IP 12
32	-	-	KC13EE	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	905.0	-	-	-
32	-	-	CG13SD1	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	630.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
32	-	-	DL13EE	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	4755.0	-	-	-
32	-	-	RH13EE	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	4555.0	-	B	1970_IP12
32	-	-	CK13EE	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	3825.0	-	-	-
36	-	-	YY13Y	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	0.0	-	28	1014_IP12
37	-	-	GY92#163	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	3210.0	-	B6	1F_IP12
37	-	-	AZ13A	2643752 R1	1.16	16.0	Std. Wall XLPE Primary Cable	PINK	3210.0	-	B6	1F_IP12
37	-	-	AZ13A	2643752 R1	1.16	16.0	Std. Wall XLPE Primary Cable	PINK	3210.0	-	B6	1F
37	-	-	GY92#163	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	3210.0	-	B6	1F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
38	-	-	AA73C	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2750.0	-	-	-
40	-	-	EH97F	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PURPLE	3210.0	-	B5	1F_IP12
40	-	-	EH97F	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PURPLE	3210.0	-	B5	1F


Connector Name 1014\_IP12  
 Part Number VC-3768015C1-A2-B5  
 Instances Electrical Load Control W/ Fuse:Diagram1  
 Mates Power Distribution Block



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	GJ11-GDE	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1675.0	-	-	-
8	-	-	GJ11-GDA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	245.0	-	-	-



Connector Name 1015\_IP12  
 Part Number VC-3768010C1-A2-B6  
 Instances 8XBM Single Aux Switch:Diagram1  
 8XBN Dual Aux Switch:Diagram1  
 A26 Endurant - Starter Interlocks (Service Brake Interlock):Diagram1  
 Beacon/Strobe Light:W/ DAYCAB  
 Beacon/Strobe Light:W/ SLEEPER CAB  
 Grid Management CA2:Diagram1  
 Skirt Light- Customer Supplied:Diagram1  
 Starter Interlock (BCM LSD Controlled w/ Relay)\_EATON XMSN:Diagram1  
 X15 Endurant - Starter Interlocks (Service Brake Interlock):Diagram1  
 Mates PDB



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R1 - 30	-	-	EM14BLT	3510367 R1	1.91	14.0	Thin Wall XLPE Primary Cable	RED	540.0	-	-	-
R1 - 30	-	-	GN14BLT	3510367 R1	1.91	14.0	Thin Wall XLPE Primary Cable	RED	540.0	-	-	-
R1 - 85	-	-	GN13BLT	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1290.0	-	3	1117M
R1 - 85	-	-	EM13BLT	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1290.0	-	3	1117M


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R1 - 86	-	-	EM13-GBM	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1700.0	-	X	-
R1 - 86	-	-	GN13-GBM	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1700.0	-	-	-
R1 - 87	-	-	EM58BLT	3510307 R1	1.91	14.0	Thin Wall XLPE Primary Cable	BROWN	3930.0	-	19	5000M
R1 - 87	-	-	GN58BLT	3510305 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BROWN	4560.0	-	A	5118_IP12
R2 - 30	-	-	AZ14A	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	400.0	-	-	-
R2 - 85	-	-	AZ92B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3265.0	-	28	1703M
R2 - 85	-	-	AZ92B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3265.0	-	C2	1F
R2 - 86	-	-	AZ92-GC	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	3265.0	-	21	1703M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R2 - 86	-	-	AZ92-GC	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	3265.0	-	B3	1F
R2 - 87	-	-	AZ17B	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2990.0	-	M	J6-1606
R3 - 30	-	-	AL14AE	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	610.0	-	X	-
R3 - 85	-	-	AH13L	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	475.0	-	7	1014_IP 12
R3 - 86	-	-	EE11-GDC	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	300.0	-	X	-
R3 - 87	-	-	YY13N	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	475.0	-	-	-
R4 - 30	-	-	DY54XV	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	540.0	-	-	-
R4 - 85	-	-	DY54-GXB	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2870.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R4 - 86	-	-	DY54XD	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	2475.0	-	F16	J4-1601
R4 - 87	-	-	DY54XB	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	140.0	-	X	-
R5 - 30	-	-	CE14SAC	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	400.0	-	-	-
R5 - 85	-	-	CE14SAB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1275.0	-	1	1112M
R5 - 85	-	-	CD14SAB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1275.0	-	1	1112M
R5 - 86	-	-	CE14-GSB	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	950.0	-	X	-
R5 - 87	-	-	CE14SAD	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	340.0	-	A	1940
R6 - 30	-	-	AL14AF	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	640.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R6 - 85	-	-	AH12K	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	510.0	-	X	-
R6 - 86	-	-	AA11-GW	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1650.0	-	X	-
R6 - 87	-	-	AB12P	3510344 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	400.0	-	-	-

Connector Name 1016  
 Part Number VC-3768015C1-A2-B7  
 Instances Endurant - Battery Grid 1 (Non-Loadshed):BTRY GRID 1 (NON-LOADSHED)  
 Mates PDB




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AG14AR	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	940.0	-	X	-
1	-	-	AL14AR	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	865.0	-	X	-
9	-	-	AG14AN	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	940.0	-	X	-
9	-	-	AL14AN	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	940.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
13	-	-	RP14XX	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	3655.0	-	34	5000A
14	-	-	DW14Z	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	1625.0	-	-	-
15	-	-	FR72E	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2420.0	-	51	1700_IP 12
16	-	-	AZ14A	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	400.0	-	-	-
17	-	-	AG14AP	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	940.0	-	X	-
17	-	-	AL14AP	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	940.0	-	X	-
21	-	-	AA15	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2045.0	-	-	-
22	-	-	CE14SBC	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	420.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
23	-	-	CE14SAC	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	400.0	-	-	-
23	-	-	CD14SAC	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	400.0	-	-	-
24	-	-	CE14S	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1080.0	-	X	-
24	-	-	CD14SA	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1295.0	-	-	-



Connector Name 1016\_IP12  
 Part Number 3768015C1  
 Instances A26 - Battery Feed 1:BTRY Feed (NON-LOADSHED)  
 A26 - Key Switch Accessory 1:Key Switch Accessory 1 (NON-LOADSHED)  
 Special Power Distribution:Diagram1  
 X15 - Battery Feed 1 - Part 2:Diagram1  
 X15 - Key Switch Accessory 1:Key Switch Accessory 1 (NON-LOADSHED)  
 Mates PDB




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	HF94TT2	3510313 R1	1.91	14.0	Thin Wall XLPE Primary Cable	GREY	455.0	-	-	-
3	-	-	HG94TT2	3510313 R1	1.91	14.0	Thin Wall XLPE Primary Cable	GREY	455.0	-	-	-
4	-	-	DK14TRI	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	3900.0	-	-	-
7	-	-	HG94TT	3510313 R1	1.91	14.0	Thin Wall XLPE Primary Cable	GREY	4830.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	HF94TT	3510313 R1	1.91	14.0	Thin Wall XLPE Primary Cable	GREY	3880.0	-	-	-
8	-	-	DK14TRIA	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	1360.0	-	-	-
9	-	-	AL14AN	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	940.0	-	X	-
15	-	-	FR72E	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2420.0	-	51	1700_IP 12
16	-	-	AZ14A	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	400.0	-	-	-
17	-	-	AL14AP	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	940.0	-	X	-
21	-	-	AA15	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2045.0	-	-	-
22	-	-	CE14SBC	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	420.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
23	-	-	CE14SAC	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	400.0	-	-	-
23	-	-	CD14SAC	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	400.0	-	-	-
24	-	-	CD14SA	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1295.0	-	-	-
24	-	-	CE14S	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1080.0	-	-	-
25	-	-	AB12R	3510344 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	0.0	-	33	1016_IP 12
28	-	-	AB12P	3510344 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	400.0	-	-	-
29	-	-	MZ86FE	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1340.0	-	-	-
29	-	-	MR86AE	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2210.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
31	-	-	CC14SC	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	465.0	-	-	-
33	-	-	AB12R	3510344 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	0.0	-	25	1016_IP12
39	-	-	AC12B	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	3950.0	-	17	5000A_IP12
39	-	-	AC12B	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	3950.0	-	17	5000M

Connector Name 1017\_IP12  
 Part Number 3768015C1  
 Instances A26 - Battery Feed 2:BTRY GRID 2 (LOADSHED)  
 A26 - Key Switch Accessory 2:Key Switch Accessory 2 (LOADSHED)  
 X15 - Battery Feed 2:BTRY GRID 2 (LOADSHED)  
 X15 - Key Switch Accessory 2:Key Switch Accessory 2 (LOADSHED)  
 Mates PDB



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AL14R	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	265.0	-	X	-
5	-	-	DX14VA	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	3790.0	-	1	5000A_I P12
5	-	-	DX14VA	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	3790.0	-	1	5000M
6	-	-	RF14A	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	2040.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	AA63BD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2265.0	-	5	2000_IP12
7	-	-	AA63BD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2265.0	-	5	2000M
8	-	-	BC63JK	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	150.0	-	-	-
9	-	-	AL14X	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	265.0	-	X	-
13	-	-	DR19V	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	365.0	-	-	-
15	-	-	DX14VB	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	3790.0	-	42	5000A_IP12
15	-	-	DX14VB	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	3790.0	-	42	5000M
17	-	-	AL14Y	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	265.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
21	-	-	CB84B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	100.0	-	-	-
21	-	-	CA84	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1300.0	-	-	-
21	-	-	CL84	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	100.0	-	-	-
22	-	-	AE86C	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	-	-
22	-	-	AD86C	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1200.0	-	-	-
23	-	-	ZE75C	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4470.0	-	-	-
24	-	-	EM14BLT	3510367 R1	1.91	14.0	Thin Wall XLPE Primary Cable	RED	540.0	-	-	-
24	-	-	GN14BLT	3510367 R1	1.91	14.0	Thin Wall XLPE Primary Cable	RED	540.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
25	-	-	AB12N	3510344 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	0.0	-	33	1017_IP 12
28	-	-	AB12M	3510344 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	365.0	-	-	-
31	-	-	DY54XV	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	540.0	-	-	-
32	-	-	GN13BL1	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1150.0	-	-	-
32	-	-	EM13BL1	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1150.0	-	-	-
33	-	-	AB12N	3510344 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	0.0	-	25	1017_IP 12
38	-	-	MR86F	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2265.0	-	2	2000_IP 12
38	-	-	MZ86P	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2265.0	-	2	2000_IP 12



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
38	-	-	MZ86P	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2265.0	-	2	2000M
38	-	-	MR86F	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2265.0	-	2	2000M
39	-	-	BH12A	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2140.0	-	-	-
39	-	-	RC12B	3510340 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2040.0	-	-	-
40	-	-	MZ86R	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3740.0	-	A	5011M_IP12
40	-	-	MZ86R	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3740.0	-	A	5011M

Connector Name 1018\_IP12  
 Part Number VC-3768010C1-A2-B9  
 Instances 8XBN Dual Aux Switch:Diagram1  
 Floor/Search Lights DayCab:Diagram1  
 Floor/Search Lights SLPR:Diagram1  
 Jaw Monitoring:Diagram1  
 Telematics (TRIPMASTER DAYCAB):Diagram1  
 Telematics (TRIPMASTER SLEEPER):Diagram1  
 Mates PDB




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R1 - 30	-	-	JL116UB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2870.0	-	F16	J5-1602
R1 - 85	-	-	JL116U-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	410.0	-	X	-
R1 - 86	-	-	JL116U	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	59	1701M
R1 - 87	-	-	JL116UZ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1570.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
R2 - 30	-	-	JL116LB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2870.0	-	F11	J5-1602
R2 - 85	-	-	JL116L-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	410.0	-	X	-
R2 - 86	-	-	JL116L	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	58	1701M
R2 - 87	-	-	JL116LZ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1570.0	-	X	-
R3 - 30	-	-	CF50S	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	4980.0	-	1	2TB2
R3 - 30	-	-	CG50S	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	4630.0	-	K	1970_IP 12
R3 - 85	-	-	BB53AB	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2190.0	-	X	-
R3 - 86	-	-	CF53-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2645.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R3 - 86	-	-	CG53-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2330.0	-	-	-
R3 - 87	-	-	BB53AC	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2190.0	-	X	-
R3 - 87A	-	-	BB52AB	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2220.0	-	X	-
R5 - 30	-	-	BC63JV	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	410.0	-	X	-
R5 - 85	-	-	BC63J	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2495.0	-	E5	J4-1601
R5 - 86	-	-	BC63JJ	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	410.0	-	X	-
R5 - 87	-	-	EL63JA	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1690.0	-	A	1907
R5 - 87	-	-	EL63JB	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	3950.0	-	7	5000A_I P12


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R5 - 87	-	-	MP63JA	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1690.0	-	A	1907
R6 - 30	-	-	CE14SBC	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	420.0	-	-	-
R6 - 85	-	-	CE14SBB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1295.0	-	1	1113M
R6 - 86	-	-	CE14-GSD	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	970.0	-	X	-
R6 - 87	-	-	CE14SBD	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	435.0	-	A	1941

Connector Name 1020  
 Part Number 4063041C1  
 Instances Instrument Cluster (Premium):Diagram1  
 Mates MODU-CDC-0004-00-04A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AK28A	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1160.0	-	-	-
2	-	-	AK9CDC	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	835.0	-	-	-
3	-	-	AK62F	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	895.0	-	-	-
4	-	-	AK11-GKF	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	1135.0	-	-	-

Connector Name 1021  
 Part Number 3613769C1  
 Instances Panel Dimmer Splice Packs:Diagram1  
 Mates SP-Panel\_Dimmer-B003-10-AA




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	DA62DA	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	1220.0	-	-	-
3	-	-	CD62DJ	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1665.0	-	-	-
3	-	-	CE62DJ	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1665.0	-	-	-
4	-	-	CS62A	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1420.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	CE62DK	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1665.0	-	-	-
6	-	-	HA62DF	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1730.0	-	-	-
7	-	-	XW62DG	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1730.0	-	12	1110M_I P12
8	-	-	ZY62DH	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1730.0	-	-	-
8	-	-	CN62DH	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1730.0	-	-	-
8	-	-	CR62DH	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1730.0	-	-	-
9	-	-	GN62DK	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1680.0	-	-	-
9	-	-	EM62DK	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1680.0	-	-	-



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
10	-	-	DF62DD	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1185.0	-	C	3204F_I P12
11	-	-	DK62DF	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1730.0	-	-	-
14	-	-	AK62F	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	895.0	-	-	-

Connector Name 1022  
 Part Number 3613769C1  
 Instances A26 - Ground Splice Packs:Diagram3  
 A26 Endurant - Ground Splice Packs:Diagram1  
 X15 Ground Splice Packs 3/4:Diagram1  
 Mates SP-Ground\_1-0003-00-10-A0




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	RB11-GBA	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	275.0	-	X	-
1	-	-	RA11-GBA	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	275.0	-	X	-
1	-	-	RA11-GBA	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	275.0	-	-	-
1	-	-	RB11-GBA	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	275.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	YH11-GC	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	835.0	-	-	-
3	-	-	YC67-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	800.0	-	-	-
4	-	-	DD78-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	810.0	-	-	-
5	-	-	DD78-RG	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1820.0	-	-	-
5	-	-	JA79-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1820.0	-	-	-
6	-	-	2Y67-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	800.0	-	-	-
6	-	-	CS67-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	800.0	-	-	-
7	-	-	CC72-GA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1715.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
8	-	-	HV17-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	800.0	-	-	-
9	-	-	BM70-GT	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1625.0	-	-	-
10	-	-	2Y11-GBP	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	390.0	-	-	-
10	-	-	RV11-GBP	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	390.0	-	-	-
10	-	-	2V11-GBP	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	390.0	-	-	-
10	-	-	CS11-GBP	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	390.0	-	-	-
10	-	-	2V11-GBP	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	390.0	-	X	-
10	-	-	CS11-GBP	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	390.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
10	-	-	RV11-GBP	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	390.0	-	X	-
11	-	-	5E11-GAR	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2580.0	-	-	-
12	-	-	JY11-GA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	530.0	-	X	-
12	-	-	3S11-GUC	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	1460.0	-	-	-
13	-	-	ZJ98-G	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	500.0	-	-	-
14	-	-	XF11-GX	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	425.0	-	-	-

Connector Name 1023  
 Part Number 3613769C1  
 Instances A26 - Ground Splice Packs:Diagram5  
 A26 Endurant - Ground Splice Packs:Diagram1  
 X15 Ground Splice Packs 3/4:Diagram2  
 Mates SP-GROUND\_2-0003-00-10-A0



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	RB11-GCB	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	985.0	-	X	-
1	-	-	RA11-GCB	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	985.0	-	X	-
1	-	-	RA11-GCB	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	985.0	-	-	-
1	-	-	RB11-GCB	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	985.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	AE11-GCC	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	1870.0	-	-	-
2	-	-	AD11-GCC	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	1970.0	-	-	-
2	-	-	3N11-GCF	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	1970.0	-	-	-
2	-	-	AE11-GCC	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	1870.0	-	X	-
3	-	-	MM92-GAH	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1125.0	-	-	-
3	-	-	MM92-GAH	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1125.0	-	H	7900F_I P12
4	-	-	FR11-GB	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1570.0	-	X	-
5	-	-	CN11-GBF	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	205.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	ZY11-GBF	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	205.0	-	-	-
5	-	-	CR11-GBF	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	205.0	-	-	-
5	-	-	CN11-GBF	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	205.0	-	X	-
5	-	-	CR11-GBF	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	205.0	-	X	-
5	-	-	ZY11-GBF	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	205.0	-	X	-
6	-	-	MB11-GBE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2700.0	-	-	-
6	-	-	CK11-GBE	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2990.0	-	-	-
6	-	-	CF11-GBE	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	515.0	-	-	-




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
6	-	-	CG53-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2330.0	-	-	-
6	-	-	XA11-GBE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2035.0	-	-	-
6	-	-	PH11-GBE	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2500.0	-	F	1970_IP12
6	-	-	ZP11-GBE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2035.0	-	-	-
6	-	-	SJ11-GBE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	960.0	-	-	-
6	-	-	KC11-GBE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2150.0	-	-	-
6	-	-	CF11-GBE	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	515.0	-	X	-
6	-	-	PH11-GBE	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2500.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
6	-	-	FA11-GBG	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1870.0	-	-	-
6	-	-	SJ11-GBE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	960.0	-	C	830
6	-	-	SJ11-GBE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	960.0	-	F	(5010)
6	-	-	ZY11-GBF	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	205.0	-	-	-
6	-	-	CN11-GBF	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	205.0	-	-	-
6	-	-	CR11-GBF	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	205.0	-	-	-
7	-	-	AK11-GKF	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	1135.0	-	-	-
8	-	-	LM97-G	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	2110.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
9	-	-	DR19-GB	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2135.0	-	-	-
14	-	-	AG11-GRG	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2280.0	-	-	-


Connector Name 1024/1025  
 Part Number 3601838C1  
 Instances Body J1939 (250Kbps):Body J1939 (250Kbps)  
 Mates SP-IP-B001-00-10-A1-1024



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE1567	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE1573	-	0.0	-	-	-	0.0	-	4	1930
C	-	-	WIRE1569	-	0.0	-	-	-	0.0	-	D	1024/1025
D	-	-	WIRE1569	-	0.0	-	-	-	0.0	-	C	1024/1025
E	-	-	WIRE1580	-	0.0	-	-	-	0.0	-	11	1939M
E	-	-	WIRE1581	-	0.0	-	-	-	0.0	-	C	1937P
E	-	-	WIRE1582	-	0.0	-	-	-	0.0	-	C	1937N
E	-	-	WIRE1583	-	0.0	-	-	-	0.0	-	C	1937M
E	-	-	WIRE1584	-	0.0	-	-	-	0.0	-	D	1910A
F	-	-	WIRE1571	-	0.0	-	-	-	0.0	-	B	1935M/1935N
G	-	-	WIRE1570	-	0.0	-	-	-	0.0	-	A	1935M/1935N
H	-	-	WIRE1575	-	0.0	-	-	-	0.0	-	12	1939M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
H	-	-	WIRE1576	-	0.0	-	-	-	0.0	-	A	1937P
H	-	-	WIRE1577	-	0.0	-	-	-	0.0	-	A	1937N
H	-	-	WIRE1578	-	0.0	-	-	-	0.0	-	A	1937M
H	-	-	WIRE1579	-	0.0	-	-	-	0.0	-	C	1910A
J	-	-	WIRE1568	-	0.0	-	-	-	0.0	-	K	1024/1025
K	-	-	WIRE1568	-	0.0	-	-	-	0.0	-	J	1024/1025
L	-	-	WIRE1574	-	0.0	-	-	-	0.0	-	3	1930
M	-	-	WIRE1566	-	0.0	-	-	-	0.0	-	PIN1	-


Connector Name 1026  
 Part Number 3601838C1  
 Instances Cab J1939 (250Kbps):Cab J1939 (250Kbps)  
 Mates SP-IP-B001-00-10-A1-1026



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE223 948	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE223 971	-	0.0	-	-	-	0.0	-	B	380
B	-	-	WIRE223 973	-	0.0	-	-	-	0.0	-	J	16B
C	-	-	WIRE223 952	-	0.0	-	-	-	0.0	-	D	1026
D	-	-	WIRE223 952	-	0.0	-	-	-	0.0	-	C	1026
E	-	-	WIRE223 951	-	0.0	-	-	-	0.0	-	16	2225
F	-	-	WIRE223 934	-	0.0	-	-	-	0.0	-	PIN1	-
G	-	-	WIRE223 933	-	0.0	-	-	-	0.0	-	PIN1	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
H	-	-	WIRE223 950	-	0.0	-	-	-	0.0	-	8	2225
J	-	-	WIRE223 953	-	0.0	-	-	-	0.0	-	K	1026
K	-	-	WIRE223 953	-	0.0	-	-	-	0.0	-	J	1026
L	-	-	WIRE223 970	-	0.0	-	-	-	0.0	-	A	380
L	-	-	WIRE223 972	-	0.0	-	-	-	0.0	-	K	16B
M	-	-	WIRE223 949	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 1027  
 Part Number 3613769C1  
 Instances A26 - Ground Splice Packs:Diagram2  
 X15 Ground Splice Packs 4/4:Diagram1  
 Mates SP-GROUND\_3-0003-00-10-A0




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	RB11-GCC	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	1595.0	-	X	-
1	-	-	RA11-GCC	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	1595.0	-	X	-
2	-	-	CW58-GBG	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1840.0	-	B	1906_IP12
3	-	-	RH11-GBE	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	680.0	-	A	1934M_IP12



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	CT11-GBE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	3600.0	-	-	-
3	-	-	DL11-GBE	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	680.0	-	-	-
3	-	-	RH11-GBE	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	680.0	-	-	-
4	-	-	DL11-GBH	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2090.0	-	-	-
5	-	-	DD78-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	350.0	-	D	3204M_IP12
5	-	-	DD78-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	350.0	-	D	3204M
6	-	-	DY54-GX	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	150.0	-	X	-
8	-	-	2A54-GXE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	645.0	-	A1	2M_IP12


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
8	-	-	HY54-GXE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	645.0	-	A1	2M_IP12
8	-	-	3E54-GXE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	645.0	-	A1	2M_IP12
8	-	-	3C54-GXE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	645.0	-	A1	2M_IP12
9	-	-	GN13-GBP	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1220.0	-	X	-
9	-	-	EM13-GBP	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1220.0	-	X	-
9	-	-	CW58-GBG	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1840.0	-	B	5118_IP12

Connector Name 1032  
 Part Number 3543888C1  
 Instances Work Lights (Customer Supplied) W/ Sw Pack:Diagram1-Combination1  
 Work Lights (Customer Supplied) W/ Sw Pack:Diagram1-Combination2  
 Work Lights LED W/ Sw Pack - Day Cab:Diagram1-Combination1  
 Mates LT-LED-WORK\_DAY-1032-01-05A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	J65	-	0.0	-	Std. Wall XLPE Primary Cable	BLACK	400.0	-	A	9719
B	-	-	J11-GK	-	0.0	-	Std. Wall XLPE Primary Cable	WHITE	400.0	-	B	9719
B	-	-	J11-GK	-	0.0	-	Std. Wall XLPE Primary Cable	WHITE	400.0	-	-	-

Connector Name 1050  
 Part Number 1661259C1  
 Instances Speakers:Speakers W/ Amplifier:Diagram1  
 Mates SPKR-RIGHT\_TWEETER-2058-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MX86AT	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3480.0	-	H	5011M
B	-	-	MX86AU	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3480.0	-	J	5011M

Connector Name 1051  
 Part Number 1661259C1  
 Instances Speakers:Speakers W/ Amplifier:Diagram1  
 Mates SPKR-LEFT\_TWEETER-2058-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MX86AR	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2340.0	-	F	5011M
B	-	-	MX86AS	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2340.0	-	G	5011M

Connector Name 1052  
 Part Number 1661259C1  
 Instances Automatic Lighting:Diagram1  
 Mates SNSR-AMB\_LT-1018-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AA50A	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1420.0	-	H	0009
B	-	-	AA50B	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1420.0	-	E	0009

Connector Name 1100  
 Part Number 3546518C1  
 Instances Cranking Request (w/ Key Switch w/ BCM):Diagram1  
 Grid Management CA2:Diagram1  
 Mates SW-KEY-5039-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AA15	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2045.0	-	-	-
B	-	-	ND17HA	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	1615.0	-	S	J6-1606
B	-	-	NE17HA	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	355.0	-	X	-
C	-	-	AA149	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1455.0	-	A1	J3-1600

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	AA149F	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1455.0	-	A16	J3-1600




Connector Name 1101F  
 Part Number 3768593C1  
 Instances Low Speed J1939 (125Kbps):Low Speed J1939 (125Kbps)  
 Mates SW-J1939\_PACK-0009-00-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	WIRE1651	-	0.0	-	-	-	0.0	-	PIN1	-
6	-	-	WIRE1652	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 1101M  
 Part Number 3507395C1  
 Instances Low Speed J1939 (125Kbps):Low Speed J1939 (125Kbps)  
 Multiplexed Switch Pack (Primary Switch):Diagram1  
 Mates SW-J1939\_PACK-0009-00-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	WIRE1649	-	0.0	-	-	-	0.0	-	PIN1	-
2	-	-	WIRE1650	-	0.0	-	-	-	0.0	-	PIN1	-
4	-	-	AA11-GKD	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1380.0	-	-	-
6	-	-	AA14MUX	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2745.0	-	-	-

Connector Name 1110M\_IP12  
 Part Number 3928059C1  
 Instances A26 - Ground Splice Packs:Diagram5  
 Panel Dimmer Splice Packs:Diagram1  
 X15 Ground Splice Packs 3/4:Diagram2



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	FR72EB	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2060.0	-	52	1700M
9	-	-	FR72-GB1	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	400.0	-	X	-
11	-	-	FR72-GB2	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	400.0	-	X	-
12	-	-	XW62DG	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1730.0	-	7	1021


Connector Name 1112M  
 Part Number 3928059C1  
 Instances 8XBM Single Aux Switch:Diagram1  
 8XBN Dual Aux Switch:Diagram1  
 Mates SW-ACC\_SPARE1-2055-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	CE14SAB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1275.0	-	R5 - 85	1015_IP 12
1	-	-	CE14SAA	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	0.0	-	10	1112M
1	-	-	CD14SAB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1275.0	-	R5 - 85	1015_IP 12
2	-	-	CD14SA	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1295.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	CE14SA	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	215.0	-	X	-
9	-	-	CE14-GSA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	545.0	-	X	-
10	-	-	CE14SAA	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	0.0	-	1	1112M
12	-	-	CD62DJ	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1665.0	-	-	-
12	-	-	CE62DJ	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1665.0	-	-	-

Connector Name 1112  
 Part Number 1661260C1  
 Instances Seatbelt Reminder (Warning)(Driver & Passenger in parallel):Diagram1  
 Seatbelt Reminder (Warning)(Driver only):Diagram1  
 Mates SW-SEATBELT-2017-03-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	FU79B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	930.0	-	X	-
A	-	-	JZ79A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3310.0	-	A2	J3-1600
B	-	-	FU9BC	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	900.0	-	X	-
B	-	-	JZ9BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	4590.0	-	-	-

Connector Name 1113M  
 Part Number 3928059C1  
 Instances 8XBN Dual Aux Switch:Diagram1  
 Mates SW-ACC\_SPARE2-2055-02-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	CE14SBA	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	0.0	-	10	1113M
1	-	-	CE14SBB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1295.0	-	R6 - 85	1018_IP 12
2	-	-	CE14SB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	215.0	-	X	-
9	-	-	CE14-GSC	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	545.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
10	-	-	CE14SBA	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	0.0	-	1	1113M
12	-	-	CE62DK	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1665.0	-	-	-




Connector Name 1113  
 Part Number 1661260C1  
 Instances Seatbelt Reminder (Warning)(Driver & Passenger in parallel):Diagram1  
 Mates SW-SEATBELT-2017-03-01B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	FU79C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1630.0	-	X	-
B	-	-	FU9BD	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1600.0	-	X	-


Connector Name 1114M  
 Part Number 3520850C1  
 Instances Auto Start Stop Battery & Oil Temp:Diagram1  
 Mates SW-AutoSSEnable-6000-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	HA104SS	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2195.0	-	A2	J7-1607
2B	-	-	HA11-GAT	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1390.0	-	-	-
2B	-	-	HA11-GAM	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	0.0	-	9	1114M
3	-	-	HA104SP	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2195.0	-	A1	J7-1607

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	HA62DF	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1730.0	-	-	-
8	-	-	HA104BC	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2135.0	-	F1	J4-1601
9	-	-	HA11-GT	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	0.0	-	10	1114M
9	-	-	HA11-GAM	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	0.0	-	2B	1114M
10	-	-	HA11-GT	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	0.0	-	9	1114M


Connector Name 1116M  
 Part Number 3928059C1  
 Instances 8WRM TRI-PAC No Idle:Diagram1  
 Mates SW-TRI\_PAC-2055-03-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	DK13TRIA	2643752 R1	1.16	16.0	Std. Wall XLPE Primary Cable	PINK	275.0	-	B	5757
2	-	-	DK77SBY	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3540.0	-	B	5754M
4	-	-	DK14TRIA	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	1360.0	-	-	-
11	-	-	DK62-GBN	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1390.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
12	-	-	DK62DF	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1730.0	-	-	-

Connector Name 1116M\_IP12  
 Part Number 3928059C1  
 Short Description TRI-PAC  
 Instances A26 - Ground Splice Packs:Diagram1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
11	-	-	DK62-GBN	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1390.0	-	X	-

Connector Name 1117M  
 Part Number 3530407C1  
 Instances Beacon/Strobe Light:W/ DAYCAB  
 Beacon/Strobe Light:W/ SLEEPER CAB  
 Mates SW-BEACON\_LT-1004-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	GN13BL1	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1150.0	-	-	-
2	-	-	EM13BL1	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1150.0	-	-	-
3	-	-	GN13BL2	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	0.0	-	7	1117M
3	-	-	GN13BLT	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1290.0	-	R1 - 85	1015_IP 12

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	EM13BL2	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	0.0	-	7	1117M
3	-	-	EM13BLT	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1290.0	-	R1 - 85	1015_IP12
7	-	-	GN13BL2	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	0.0	-	3	1117M
7	-	-	EM13BL2	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	0.0	-	3	1117M
8	-	-	EM62DK	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1680.0	-	-	-
8	-	-	GN62DK	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1680.0	-	-	-
9	-	-	GN13-GBL	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1310.0	-	-	-
9	-	-	EM13-GBL	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1310.0	-	X	-




Connector Name 1118M  
 Part Number 3520850C1  
 Instances Lane Departure Warning - (Wabco OnLane):Diagram1  
 Mates SW-Enable\_Disable\_Lane\_Departure\_Wabco-3020-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	RV11COG1	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1070.0	-	X	-
2B	-	-	RV67COG	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2095.0	-	G	16B
3	-	-	RV11COG3	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1070.0	-	X	-
7	-	-	RV67EN	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	2095.0	-	A	16B

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
8	-	-	RV67NA	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	2095.0	-	B	16B
9	-	-	RV13COG1	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	370.0	-	X	-
10	-	-	RV13COG3	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	370.0	-	X	-


Connector Name 1119M  
 Part Number 3928059C1  
 Instances Lane Departure Warning - (Bendix - AutoVue W/ Qualcomm Safety Direct):Diagram1  
 Mates SW-Enable\_Disable\_Lane\_Departure\_BendixAutoVue-30 20-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	2Y67COG1	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	330.0	-	X	-
2	-	-	2Y11COG1	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1060.0	-	X	-
4	-	-	2Y67COG2	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	330.0	-	X	-
9	-	-	2Y67EN	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	2085.0	-	A	16B

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
10	-	-	2V13COG3	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	360.0	-	X	-
11	-	-	2Y67NA	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PURPLE	2085.0	-	B	16B
12	-	-	2Y13COG1	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	360.0	-	X	-

Connector Name 1200A  
 Part Number 3768152C1  
 Instances A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 - Base HVAC-Combination1  
 A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 - Base HVAC-Combination2  
 A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram2 - Actuators-Combination1  
 A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram2 - Actuators-Combination2  
 Cab J1939 (250Kbps):Cab J1939 (250Kbps)  
 X15 - Heating Ventilation Air Conditioning (HVAC):Diagram1 - Base HVAC  
 X15 - Heating Ventilation Air Conditioning (HVAC):Diagram2 - Actuators  
 Mates MODU-HVAC\_CRTL\_HEAD-6003-0 6-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AA73A	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	150.0	-	X	-
2	-	-	AA74-G	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	1405.0	-	X	-
5	-	-	AA75B	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2005.0	-	P	1200E
6	-	-	DH75A	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	695.0	-	X	-
7	-	-	WIRE223 929	-	0.0	-	-	-	0.0	-	PIN1	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
8	-	-	WIRE223930	-	0.0	-	-	-	0.0	-	PIN1	-
9	-	-	AA74A2	3510298R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2005.0	-	B	1200E
10	-	-	AA74B2	3510298R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2005.0	-	G	1200E
11	-	-	AA74D5	3510298R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1875.0	-	K	1200C
12	-	-	AA73B	3510298R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	150.0	-	X	-
13	-	-	AA74-GA	3510358R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	1405.0	-	X	-
18	-	-	AA74C2	3510298R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1875.0	-	B	1200C
19	-	-	AA74E2	3510298R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1875.0	-	M	1200C
21	-	-	AA74D2	3510298R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1875.0	-	G	1200C

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
22	-	-	AA74D4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1875.0	-	J	1200C

Connector Name 1200B  
 Part Number 3768153C1  
 Instances A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram2 - Actuators-Combination1  
 A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram2 - Actuators-Combination2  
 X15 - Heating Ventilation Air Conditioning (HVAC):Diagram2 - Actuators  
 Mates MODU-HVAC\_CRTL\_HEAD-6003-0 6-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AA74B1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2005.0	-	F	1200E
2	-	-	AA74B3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2005.0	-	H	1200E
3	-	-	AA74B4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2005.0	-	J	1200E
4	-	-	AA74C1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1875.0	-	A	1200C



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
5	-	-	AA74C3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1875.0	-	C	1200C
6	-	-	AA74C4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1875.0	-	D	1200C
7	-	-	AA74C5	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1875.0	-	E	1200C
8	-	-	AA74E1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1875.0	-	L	1200C
9	-	-	AA74E3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1875.0	-	N	1200C
10	-	-	AA74E4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1875.0	-	P	1200C
11	-	-	AA74E5	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1875.0	-	S	1200C
12	-	-	AA74B5	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2005.0	-	K	1200E

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
13	-	-	AA74A1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2005.0	-	A	1200E
14	-	-	AA74A3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2005.0	-	C	1200E
15	-	-	AA74A4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2005.0	-	D	1200E
16	-	-	AA74A5	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2005.0	-	E	1200E
21	-	-	AA74D1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1875.0	-	F	1200C
22	-	-	AA74D3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1875.0	-	H	1200C

Connector Name 1200C  
 Part Number 4057474C1  
 Instances A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram2 - Actuators-Combination1  
 A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram2 - Actuators-Combination2  
 HVAC Assembly Actuators:Diagram 1  
 X15 - Heating Ventilation Air Conditioning (HVAC):Diagram2 - Actuators  
 Mates MODU-HEAT/EVAP-6003-04-04A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AA74C1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1875.0	-	4	1200B
A	-	-	WIRE237 300	-	0.35	22.0	Thin Wall XLPE Primary Cable	BLUE	0.0	-	1	HVAC
B	-	-	AA74C2	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1875.0	-	18	1200A
B	-	-	WIRE237 301	-	0.35	22.0	Thin Wall XLPE Primary Cable	BLUE	0.0	-	2	HVAC


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
C	-	-	AA74C3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1875.0	-	5	1200B
C	-	-	WIRE237 302	-	0.35	22.0	Thin Wall XLPE Primary Cable	BLUE	0.0	-	3	HVAC
D	-	-	AA74C4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1875.0	-	6	1200B
D	-	-	WIRE237 303	-	0.35	22.0	Thin Wall XLPE Primary Cable	GREEN	0.0	-	4	HVAC
E	-	-	AA74C5	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1875.0	-	7	1200B
E	-	-	WIRE237 304	-	0.35	22.0	Thin Wall XLPE Primary Cable	GREY	0.0	-	6	HVAC
F	-	-	AA74D1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1875.0	-	21	1200B
F	-	-	WIRE237 306	-	0.35	22.0	Thin Wall XLPE Primary Cable	BLUE	0.0	-	1	HVAC

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
G	-	-	AA74D2	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1875.0	-	21	1200A
G	-	-	WIRE237 307	-	0.35	22.0	Thin Wall XLPE Primary Cable	BLUE	0.0	-	2	HVAC
H	-	-	AA74D3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1875.0	-	22	1200B
H	-	-	WIRE237 308	-	0.35	22.0	Thin Wall XLPE Primary Cable	BLUE	0.0	-	3	HVAC
J	-	-	AA74D4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1875.0	-	22	1200A
J	-	-	WIRE237 309	-	0.35	22.0	Thin Wall XLPE Primary Cable	GREEN	0.0	-	4	HVAC
K	-	-	AA74D5	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1875.0	-	11	1200A
K	-	-	WIRE237 310	-	0.35	22.0	Thin Wall XLPE Primary Cable	GREY	0.0	-	6	HVAC

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
L	-	-	AA74E1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1875.0	-	8	1200B
L	-	-	WIRE237 311	-	0.35	22.0	Thin Wall XLPE Primary Cable	BLUE	0.0	-	1	HVAC
M	-	-	AA74E2	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1875.0	-	19	1200A
M	-	-	WIRE237 312	-	0.35	22.0	Thin Wall XLPE Primary Cable	GREEN	0.0	-	2	HVAC
N	-	-	AA74E3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1875.0	-	9	1200B
N	-	-	WIRE237 313	-	0.35	22.0	Thin Wall XLPE Primary Cable	GREEN	0.0	-	3	HVAC
P	-	-	AA74E4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1875.0	-	10	1200B
P	-	-	WIRE237 314	-	0.35	22.0	Thin Wall XLPE Primary Cable	GREY	0.0	-	4	HVAC

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
S	-	-	AA74E5	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1875.0	-	11	1200B
S	-	-	WIRE237 315	-	0.35	22.0	Thin Wall XLPE Primary Cable	BLUE	0.0	-	6	HVAC


Connector Name 1200D  
 Part Number 4061870C1  
 Instances A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 - Base HVAC-Combination1  
 A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 - Base HVAC-Combination2  
 HVAC Assembly Actuators:Diagram 1  
 X15 - Heating Ventilation Air Conditioning (HVAC):Diagram1 - Base HVAC  
 Mates MODU-HEAT/EVAP-6003-04-04A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	DH75	2643695 R1	3.01	12.0	Std. Wall XLPE Primary Cable	RED	3260.0	-	-	-
A	-	-	WIRE237 316	-	0.35	22.0	Thin Wall XLPE Primary Cable	RED	0.0	-	1	HVAC
B	-	-	AA75-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1895.0	-	X	-
B	-	-	WIRE237 317	-	0.35	22.0	Thin Wall XLPE Primary Cable	WHITE	0.0	-	6	HVAC



Connector Name 1200E  
 Part Number 4057658C1  
 Instances A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 - Base HVAC-Combination1  
 A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 - Base HVAC-Combination2  
 A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram2 - Actuators-Combination1  
 A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram2 - Actuators-Combination2  
 HVAC Assembly Actuators:Diagram 1  
 X15 - Heating Ventilation Air Conditioning (HVAC):Diagram1 - Base HVAC  
 X15 - Heating Ventilation Air Conditioning (HVAC):Diagram2 - Actuators



Mates MODU-HEAT/EVAP-6003-04-04A


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AA74A1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2005.0	-	13	1200B
A	-	-	74A1	-	0.35	22.0	Thin Wall XLPE Primary Cable	BLUE	0.0	-	1	HVAC
B	-	-	AA74A2	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2005.0	-	9	1200A
B	-	-	WIRE237 319	-	0.35	22.0	Thin Wall XLPE Primary Cable	BLUE	0.0	-	2	HVAC

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
C	-	-	AA74A3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2005.0	-	14	1200B
C	-	-	WIRE237 320	-	0.35	22.0	Thin Wall XLPE Primary Cable	BLUE	0.0	-	3	HVAC
D	-	-	AA74A4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2005.0	-	15	1200B
D	-	-	WIRE237 321	-	0.35	22.0	Thin Wall XLPE Primary Cable	GREEN	0.0	-	4	HVAC
E	-	-	AA74A5	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2005.0	-	16	1200B
E	-	-	WIRE237 322	-	0.35	22.0	Thin Wall XLPE Primary Cable	GREY	0.0	-	6	HVAC
F	-	-	AA74B1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2005.0	-	1	1200B
F	-	-	WIRE237 323	-	0.35	22.0	Thin Wall XLPE Primary Cable	BLUE	0.0	-	1	HVAC

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
G	-	-	AA74B2	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2005.0	-	10	1200A
G	-	-	WIRE237 324	-	0.35	22.0	Thin Wall XLPE Primary Cable	GREEN	0.0	-	2	HVAC
H	-	-	AA74B3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2005.0	-	2	1200B
H	-	-	WIRE237 325	-	0.35	22.0	Thin Wall XLPE Primary Cable	GREEN	0.0	-	3	HVAC
J	-	-	AA74B4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2005.0	-	3	1200B
J	-	-	WIRE237 326	-	0.35	22.0	Thin Wall XLPE Primary Cable	GREEN	0.0	-	4	HVAC
K	-	-	AA74B5	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2005.0	-	12	1200B
K	-	-	WIRE237 327	-	0.35	22.0	Thin Wall XLPE Primary Cable	BLUE	0.0	-	6	HVAC


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
L	-	-	AA77D	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2805.0	-	A10	J7-1607
L	-	-	WIRE237 328	-	0.35	22.0	Thin Wall XLPE Primary Cable	GREEN	0.0	-	1	HVAC
M	-	-	AA6AM	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2805.0	-	B10	J7-1607
M	-	-	WIRE237 329	-	0.35	22.0	Thin Wall XLPE Primary Cable	GREEN	0.0	-	2	HVAC
N	-	-	DH75AB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1310.0	-	X	-
N	-	-	WIRE237 330	-	0.35	22.0	Thin Wall XLPE Primary Cable	GREEN	0.0	-	2	HVAC
P	-	-	AA75B	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2005.0	-	5	1200A
P	-	-	WIRE237 332	-	0.35	22.0	Thin Wall XLPE Primary Cable	GREY	0.0	-	3	HVAC

Connector Name 1202  
 Part Number 3767197C1  
 Instances Hazard Warning Lt N/Trlr Socket:Diagram1  
 Mates SW-HAZARD-1014-04-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AA60C	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1700.0	-	X	-
B	-	-	AA60A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2185.0	-	A6	J7-1607
C	-	-	AA60B	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2330.0	-	X	-
D	-	-	AA60-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1300.0	-	-	-

Connector Name 1215\_IP12  
 Part Number 2031522C1  
 Short Description SLEEPER BLOWER  
 Instances A26 - Ground Splice Packs:Diagram2  
 Rear HVAC (Sleeper W/ Deluxe):Diagram1  
 Rear HVAC (Sleeper W/ Premium):Diagram1  
 X15 - Ground Splice Packs 1/4:Diagram1  
 Mates 5009




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ZE75C	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4470.0	-	-	-
B	-	-	RB75-GC	3510363 R1	4.81	10.0	Thin Wall XLPE Primary Cable	WHITE	3285.0	-	X	-
B	-	-	RB75-GC	3510363 R1	4.81	10.0	Thin Wall XLPE Primary Cable	WHITE	3285.0	-	-	-

Connector Name 1215\_IP12  
 Part Number 2031522C1  
 Short Description SLEEPER BLOWER  
 Instances A26 - Ground Splice Packs:Diagram4  
 Mates 5009



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	RB75-GC	3510363 R1	4.81	10.0	Thin Wall XLPE Primary Cable	WHITE	3285.0	-	-	-


Connector Name 1240  
 Part Number 373759C2  
 Instances Body Control module (BCM):Connector J8 (Power Feed)



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	A14D	2644026 R1	18.94	4.0	Std. Wall XLPE Battery Cable	RED	675.0	-	X	-



Connector Name 1300  
 Part Number 3597143C1  
 Instances Cab J1939 (250Kbps):Cab J1939 (250Kbps)  
 Radio N/ Wired Remote:Diagram1  
 Radio W/ Wired Remote:Diagram1  
 Speakers:Four Speakers - Daycab:Diagram1  
 Speakers:Four Speakers - Sleeper:Diagram1  
 Speakers:Speakers W/ Amplifier:Diagram1  
 Speakers:Two Speakers:Diagram1  
 Mates MODU-RADIO\_ASM-2008-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	WIRE223944	-	0.0	-	-	-	0.0	-	PIN1	-
2	-	-	WIRE223945	-	0.0	-	-	-	0.0	-	PIN1	-
4	-	-	MZ86FF	3510299R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	870.0	-	X	-
5	-	-	MY66AA	3510299R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2920.0	-	8	5000M
7	-	-	MZ86AF	3510299R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	900.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
8	-	-	MR86-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	460.0	-	-	-
9	-	-	MW86DB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2920.0	-	5	5000F
9	-	-	MU86DA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3110.0	-	C	2313_IP 12
9	-	-	MW86DB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2920.0	-	5	5000M
10	-	-	MW86EB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2920.0	-	6	5000F
10	-	-	MU86EA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3110.0	-	D	2313_IP 12
10	-	-	MW86EB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2920.0	-	6	5000M
11	-	-	CT86K	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1600.0	-	C	3206M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
11	-	-	MX86K	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2920.0	-	11	5000M
12	-	-	MB86L	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1600.0	-	D	3206M
12	-	-	MX86L	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2920.0	-	12	5000M
13	-	-	MV86H	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1400.0	-	C	3205M
13	-	-	MX86H	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2920.0	-	23	5000M
14	-	-	MV86J	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1400.0	-	D	3205M
14	-	-	MX86J	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2920.0	-	24	5000M
15	-	-	MW86BB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2920.0	-	3	5000F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
15	-	-	MU86BA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2890.0	-	C	2312_IP 12
15	-	-	MW86BB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2920.0	-	3	5000M
16	-	-	MW86CB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2920.0	-	4	5000F
16	-	-	MU86CA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2890.0	-	D	2312_IP 12
16	-	-	MW86CB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2920.0	-	4	5000M


Connector Name 1301  
 Part Number 3600061C1  
 Instances Add On:Bluetooth:Diagram1  
 Driver Information Display (DID):Diagram1  
 Speakers:Speakers W/ Amplifier:Diagram1  
 Mates MODU-RADIO\_ASM-2008-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	MY86AC	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2920.0	-	10	5000M
7	-	-	RF86AA	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	710.0	-	11	2225
9	-	-	RF86AC	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	710.0	-	13	2225
10	-	-	RF86AB	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	710.0	-	12	2225


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
11	-	-	RF86AD	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	710.0	-	14	2225
15	-	-	YW86A(+)	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1425.0	-	2	2505F
16	-	-	YW86A(-)	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1425.0	-	1	2505F

Connector Name 1305  
 Part Number 969541R1  
 Instances Fan - Sleeper/Bunk:Diagram1-Combination1  
 Mates DEV\_BUNK\_FAN-2057-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JH76	2643670 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BLACK	6555.0	-	-	-
B	-	-	JH76-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	6370.0	-	-	-

Connector Name 1378  
 Part Number 1687789C1  
 Instances X15 - Coolant Level Monitoring:Diagram1  
 Mates MODU-COOLANT-LEV-5012-05-0 3A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TY6B	2643770 R1	0.53	20.0	Std. Wall XLPE Primary Cable	VIOLET	1540.0	-	X	-
B	-	-	KA34	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	1070.0	-	A	6401
C	-	-	KA34E	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	2310.0	-	35	6000
D	-	-	TY34B	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	1590.0	-	X	-



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	KA34A	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	1070.0	-	B	6401

Connector Name 1400  
 Part Number 3596926C1  
 Instances Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination1 - R01-9501, R01-9502, R01-9503, R01-9504  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination2 - R01-9501D-4chABS, R01-9502A, R01-9503D-4chABS, R01-9504B  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination3 - R01-9501D-4chABS, R01-9502B-4chABS, R01-9503D-4chABS, R01-9504A-4chABS  
 Eaton Ulltrashift:Eaton Ultrashift  
 Endurant:Endurant  
 Manual Transmission:Manual Transmission  
 Powertrain J1939 (500Kbps) X15:Powertrain J1939 (500Kbps) X15 Engine  
 TC10 Series:Powertrain Standard J1939 (500Kbps) A26 Engine  
 Traction Control (Bendix Controller):Diagram1-Combination1 - R01-9505




Mates MODU-ABS-3003-01-02A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	XY94-GA	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2270.0	-	1	1400
3	-	-	XY94V	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3050.0	-	-	-
4	-	-	XX94BN	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2400.0	-	4	1400
5	-	-	XX94BM	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2400.0	-	5	1400

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	WIRE1319	-	0.0	-	-	-	0.0	-	PIN1	-
7	-	-	WIRE223782	-	0.0	-	-	-	0.0	-	PIN1	-
8	-	-	WIRE1318	-	0.0	-	-	-	0.0	-	PIN1	-
8	-	-	WIRE223785	-	0.0	-	-	-	0.0	-	PIN1	-
10	-	-	XY94BH	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2400.0	-	10	1400
11	-	-	XY94BF	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2400.0	-	11	1400
16	-	-	XY94AY	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	2935.0	-	37	1010_IP12


Connector Name 1400  
 Part Number 3596926C1  
 Instances Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ ALL HENDRICKSON SUSPENSIONS EXCEPT HTB-40-52  
 Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ IROS SUSPENSIONS  
 Mates MODU-ABS-3003-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	XY94-GA	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2270.0	-	-	-
3	-	-	XY94V	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3050.0	-	-	-
10	-	-	XY94BH	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2400.0	-	18	1701M
11	-	-	XY94BF	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2400.0	-	19	1701M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
16	-	-	XY94AY	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	2935.0	-	-	-


Connector Name 1400  
 Part Number 3596926C1  
 Instances Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination4 - R01-9502B-4chABS,  
 R01-9504A-4chABS, R01-9511, R01-9512  
 Mates MODU-ABS-3003-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	XY94-GA	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2270.0	-	1	1400
3	-	-	XY94V	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3050.0	-	37	1013_IP12
10	-	-	XY94BH	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2400.0	-	10	1400
11	-	-	XY94BF	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2400.0	-	11	1400

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
16	-	-	XY94AY	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	2935.0	-	-	-


Connector Name 1400  
 Part Number 3596926C1  
 Instances Traction Control (Bendix Controller):Diagram1-Combination2 - R01-9505A  
 Mates MODU-ABS-3003-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	XX94BN	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2400.0	-	4	1400
5	-	-	XX94BM	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2400.0	-	5	1400



Connector Name 1401  
 Part Number 3596929C1  
 Instances Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ ALL HENDRICKSON SUSPENSIONS EXCEPT HTB-40-52  
 Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ IROS SUSPENSIONS  
 Mates MODU-ABS-3003-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	XY94B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	29	1700M
2	-	-	XY94	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	27	1700M
3	-	-	XY94A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	28	1700M
4	-	-	XY94K	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	36	1700M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	XY94C	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	30	1700M
6	-	-	XY94J	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	35	1700M
7	-	-	XY94H	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	34	1700M
8	-	-	XY94D	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	31	1700M
9	-	-	XY94BK	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	22	1701M
10	-	-	XY94BL	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	20	1701M
11	-	-	XY94E	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	32	1700M
12	-	-	XY94BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	24	1701M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
13	-	-	XY94BJ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	21	1701M
14	-	-	XY94F	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	33	1700M
15	-	-	XY94BE	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	16	1701M
16	-	-	XY94BC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	25	1701M
17	-	-	XY94BA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	23	1701M
18	-	-	XY94BD	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	17	1701M

Connector Name 1401  
 Part Number 3596929C1  
 Instances Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination1 - R01-9501, R01-9502, R01-9503, R01-9504  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination2 - R01-9501D-4chABS, R01-9502A, R01-9503D-4chABS, R01-9504B  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination3 - R01-9501D-4chABS, R01-9502B-4chABS, R01-9503D-4chABS, R01-9504A-4chABS  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination4 - R01-9502B-4chABS, R01-9504A-4chABS, R01-9511, R01-9512  
 Mates MODU-ABS-3003-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	XY94B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	29	1700M
2	-	-	XY94	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	27	1700M
3	-	-	XY94A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	28	1700M
4	-	-	XY94K	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	36	1700M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	XY94C	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	30	1700M
6	-	-	XY94J	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	35	1700M
7	-	-	XY94H	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	34	1700M
8	-	-	XY94D	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	31	1700M
9	-	-	XY94BK	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	22	1701M
10	-	-	XY94BL	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	20	1701M
11	-	-	XY94E	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	32	1700M
12	-	-	XY94BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	24	1701M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
13	-	-	XY94BJ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	21	1701M
14	-	-	XY94F	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	33	1700M
15	-	-	XY94BE	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	16	1701M
16	-	-	XY94BC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	25	1701M
17	-	-	XY94BA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	23	1701M
18	-	-	XY94BD	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	17	1701M

Connector Name 1402  
 Part Number 3596928C1  
 Instances Bendix Stability Control For Tractor or Tractors with Trailer  
 Tow:Diagram1-Combination1  
 Bendix Stability Control For Tractor or Tractors with Trailer  
 Tow:Diagram1-Combination2  
 Bendix Stability Control With Rear Air Suspension No Lift  
 Axle:Diagram1-Combination1  
 Bendix Stability Control With Rear Air Suspension No Lift  
 Axle:Diagram1-Combination2  
 Bendix Stability Control With Rear Air Suspension No Lift  
 Axle:Diagram1-Combination3  
 Hill Start Aid (Bendix):Diagram1-Combination1 - N01-9515  
 Hill Start Aid (Bendix):Diagram1-Combination2 - N01-9516  
 Hill Start Aid (Bendix):Diagram1-Combination3 - N01-9516B  
 Mates MODU-ABS-3003-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	ZB94HA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2370.0	-	65	1701M
2	-	-	ZA94HA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2370.0	-	65	1701M
3	-	-	ZC94SK	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2370.0	-	67	1701M
3	-	-	ZB94SK	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2370.0	-	66	1701M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	XZ94SJ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2370.0	-	13	1701M




Connector Name 1402  
 Part Number 3596928C1  
 Instances Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ ALL HENDRICKSON SUSPENSIONS EXCEPT HTB-40-52  
 Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ IROS SUSPENSIONS  
 Mates MODU-ABS-3003-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	PJ94BP	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2370.0	-	54	1701M
6	-	-	PJ94BNN	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2370.0	-	53	1701M
7	-	-	PJ94BMM	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2370.0	-	52	1701M
9	-	-	PJ94BT	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2370.0	-	58	1701M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
10	-	-	PJ94BU	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2370.0	-	59	1701M
11	-	-	PJ94BR	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2370.0	-	56	1701M
12	-	-	PJ94BW	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2370.0	-	64	1701M
13	-	-	PJ94BS	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2370.0	-	57	1701M
14	-	-	PJ94BQ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2370.0	-	55	1701M
15	-	-	PJ94BV	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2370.0	-	60	1701M

Connector Name 1403  
 Part Number 3596927C1  
 Instances ABS Private J1939:ABS Private J1939  
 Bendix Stability Control For Tractor or Tractors with Trailer  
 Tow:Diagram1-Combination1  
 Bendix Stability Control For Tractor or Tractors with Trailer  
 Tow:Diagram1-Combination2  
 Bendix Stability Control With Rear Air Suspension No Lift  
 Axle:Diagram1-Combination1  
 Bendix Stability Control With Rear Air Suspension No Lift  
 Axle:Diagram1-Combination2  
 Bendix Stability Control With Rear Air Suspension No Lift  
 Axle:Diagram1-Combination3  
 Mates MODU-ABS-3003-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	XZ94SZD	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	190.0	-	X	-
2	-	-	XZ94SE	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1915.0	-	D5	1800M
3	-	-	XZ94SH	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2505.0	-	76	1701M
4	-	-	XZ94SVD	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	220.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	XZ94SF	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1915.0	-	D6	1800M
6	-	-	XZ94SL	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2505.0	-	74	1701M
7	-	-	XZ94SDA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1415.0	-	K	1410
8	-	-	XZ94SBA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1415.0	-	G	1410
9	-	-	XZ94SM	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2505.0	-	72	1701M
10	-	-	XZ94SCA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1415.0	-	-	-
10	-	-	XZ94SCA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1415.0	-	D	1410
11	-	-	XZ94SAA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1415.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
11	-	-	XZ94SAA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1415.0	-	A	1410
12	-	-	XZ94SN	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2505.0	-	73	1701M

Connector Name 1410  
 Part Number 3601838C1  
 Instances ABS Private J1939:ABS Private J1939  
 ABS Splice Packs:Diagram1  
 Mates SP-ABS\_SPLICE-B002-00-10-A1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	XZ94SAA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1415.0	-	11	1403
A	-	-	XD94SN	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1310.0	-	7	1423
A	-	-	XD94SN	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1310.0	-	-	-
A	-	-	XZ94SAA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1415.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	XD94SNA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1290.0	-	46	1701M
B	-	-	XZ94SAB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1290.0	-	46	1701M
C	-	-	XZ94SA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	750.0	-	A	1820M
C	-	-	XD94SNB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	750.0	-	A	1820M
D	-	-	XZ94SCA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1415.0	-	10	1403
D	-	-	XD94SP	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1310.0	-	10	1423
D	-	-	XD94SP	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1310.0	-	-	-
D	-	-	XZ94SCA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1415.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	XZ94SCB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1290.0	-	47	1701M
E	-	-	XD94SRA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1290.0	-	48	1701M
E	-	-	XZ94SCB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1290.0	-	48	1701M
E	-	-	XD94SPA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1290.0	-	47	1701M
F	-	-	XZ94SC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	750.0	-	C	1820M
F	-	-	XD94SRB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	750.0	-	C	1820M
F	-	-	XD94SPB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	750.0	-	B	1820M
G	-	-	XZ94SBA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1415.0	-	8	1403




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
G	-	-	XD94SR	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1310.0	-	3	1423
G	-	-	XD94SR	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1310.0	-	-	-
G	-	-	XZ94SBA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1415.0	-	-	-
H	-	-	XZ94SBB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1290.0	-	48	1701M
H	-	-	XD94SPA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1290.0	-	47	1701M
H	-	-	XD94SRA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1290.0	-	48	1701M
H	-	-	XZ94SBB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1290.0	-	47	1701M
J	-	-	XZ94SB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	750.0	-	B	1820M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
J	-	-	XD94SPB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	750.0	-	B	1820M
J	-	-	XD94SRB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	750.0	-	C	1820M
K	-	-	XZ94SDA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1415.0	-	7	1403
K	-	-	XD94SS	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1310.0	-	1	1423
K	-	-	XD94SS	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1310.0	-	-	-
K	-	-	XZ94SDA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1415.0	-	-	-
L	-	-	XZ94SDB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1290.0	-	49	1701M
L	-	-	XD94SSA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1290.0	-	49	1701M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
M	-	-	XZ94SD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	750.0	-	D	1820M
M	-	-	XD94SSB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	750.0	-	D	1820M

Connector Name 1420  
 Part Number 3557922C1  
 Instances Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 4X2 AXLE CONFIGURATION  
 Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ HENDRICKSON  
 55",60" AIR SUSPENSION  
 Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ HENDRICKSON  
 PRIMAAX SUSPENSION  
 Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ IROS, HENDRICKSON  
 HTB-40-52 SUSPENSIONS  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ ALL HENDRICKSON SUSPENSIONS  
 EXCEPT HTB-40-52  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ IROS SUSPENSIONS  
 Eaton Ultrashift:Eaton Ultrashift  
 Endurant:Endurant  
 Manual Transmission:Manual Transmission  
 Powertrain J1939 (500Kbps) X15:Powertrain J1939 (500Kbps)  
 X15 Engine  
 TC10 Series:Powertrain Standard J1939 (500Kbps) A26 Engine




Mates MODU-ABS-3003-02-02A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	WIRE1321	-	0.0	-	-	-	0.0	-	PIN1	-
1	-	-	WIRE223757	-	0.0	-	-	-	0.0	-	PIN1	-
3	-	-	WIRE1320	-	0.0	-	-	-	0.0	-	PIN1	-
3	-	-	WIRE223756	-	0.0	-	-	-	0.0	-	PIN1	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	GS94-GB	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	655.0	-	X	-
7	-	-	GS94V	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	3165.0	-	-	-
8	-	-	GS94AY	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	3050.0	-	-	-
9	-	-	GS94-GA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	655.0	-	X	-

Connector Name 1421  
 Part Number 3557921C1  
 Instances  
 Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 4X2 AXLE CONFIGURATION  
 Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ HENDRICKSON  
 55",60" AIR SUSPENSION  
 Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ HENDRICKSON  
 PRIMAAX SUSPENSION  
 Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ IROS, HENDRICKSON  
 HTB-40-52 SUSPENSIONS  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ ALL HENDRICKSON SUSPENSIONS  
 EXCEPT HTB-40-52  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ IROS SUSPENSIONS  
 Traction Control (Wabco Controller):Diagram1-Combination1 -  
 R01-9515  
 Traction Control (Wabco Controller):Diagram1-Combination2 -  
 R01-9515A  
 Traction Control (Wabco Controller):Diagram1-Combination3 -  
 R01-9515B



Mates MODU-ABS-3003-02-02A


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	GS94MK	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2390.0	-	36	1700M
2	-	-	GS94BC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2470.0	-	25	1701M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	GS94MB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2390.0	-	29	1700M
4	-	-	GS94MH	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2390.0	-	34	1700M
5	-	-	GS94BA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2470.0	-	23	1701M
6	-	-	GS94M	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2390.0	-	27	1700M
7	-	-	GT94BN	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2470.0	-	15	1701M
8	-	-	GS94BL	3510313 R1	1.91	14.0	Thin Wall XLPE Primary Cable	GREY	2470.0	-	20	1701M
9	-	-	GS94BJ	3510313 R1	1.91	14.0	Thin Wall XLPE Primary Cable	GREY	2470.0	-	21	1701M
10	-	-	GS94ME	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2390.0	-	32	1700M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
11	-	-	GS94BD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2470.0	-	17	1701M
12	-	-	GS94MC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2390.0	-	30	1700M
13	-	-	GS94MF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2390.0	-	33	1700M
14	-	-	GS94BE	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2470.0	-	16	1701M
15	-	-	GS94MD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2390.0	-	31	1700M
16	-	-	GT94BM	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2470.0	-	14	1701M
17	-	-	GS94BH	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2470.0	-	18	1701M
18	-	-	GS94BF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2470.0	-	19	1701M




Connector Name 1422  
 Part Number 3548978C1  
 Instances Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ ALL HENDRICKSON SUSPENSIONS  
 EXCEPT HTB-40-52  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ IROS SUSPENSIONS  
 Wabco Full Stability Control:Diagram1-Combination1  
 Wabco Full Stability Control:Diagram1-Combination2  
 Mates MODU-ABS-3003-02-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	XF94BR	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	56	1701M
3	-	-	XF94BP	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	54	1701M
5	-	-	XF94BQ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	55	1701M
6	-	-	XF94BY	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	52	1701M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
8	-	-	XG94SK	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	67	1701M
11	-	-	XF94BV	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	60	1701M
12	-	-	XF94BU	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	59	1701M
13	-	-	XG94SJ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	13	1701M
14	-	-	XF94BW	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	64	1701M
15	-	-	XF94BS	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	57	1701M


Connector Name 1423  
 Part Number 3846885C1  
 Instances ABS Private J1939:ABS Private J1939  
 Wabco Full Stability Control:Diagram1-Combination1  
 Wabco Full Stability Control:Diagram1-Combination2  
 Mates MODU-ABS-3003-02-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	XD94SS	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1310.0	-	K	1410
3	-	-	XD94SR	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1310.0	-	G	1410
7	-	-	XD94SN	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1310.0	-	A	1410
7	-	-	XD94SN	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1310.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
8	-	-	GX94BY	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1810.0	-	D6	1800M
10	-	-	XD94SP	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1310.0	-	D	1410
10	-	-	XD94SP	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1310.0	-	-	-
11	-	-	GX94-GCC	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1810.0	-	D5	1800M
13	-	-	XD94SM	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2400.0	-	75	1701M
14	-	-	GX94MN	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1810.0	-	A6	1800M
16	-	-	XD94SL	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2400.0	-	63	1701M

Connector Name 1500A  
 Part Number 3710061C1  
 Instances Eaton Ulltrashift:Eaton Ultrashift  
 Endurant:Endurant  
 Manual Transmission:Manual Transmission  
 Powertrain J1939 (500Kbps) X15:Powertrain J1939 (500Kbps)  
 X15 Engine  
 TC10 Series:Powertrain Standard J1939 (500Kbps) A26 Engine  
 Mates MODU-EGC-A003-10-00



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A9	-	-	WIRE1310	-	0.0	-	-	-	0.0	-	PIN1	-
A9	-	-	WIRE223764	-	0.0	-	-	-	0.0	-	PIN1	-
A10	-	-	WIRE1311	-	0.0	-	-	-	0.0	-	PIN1	-
A10	-	-	WIRE223763	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 1500  
 Part Number 3710061C1  
 Instances  
 Auxiliary Gauges (Secondary):Diagram1  
 Auxiliary Gauges (Primary):Diagram1  
 Instrument Cluster (Premium):Diagram1  
 Instrument Cluster (Standard):Diagram1  
 Luggage Compartment Lights - N/ No Idle HVAC:Diagram1  
 Luggage Compartment Lights - W/ No Idle HVAC:Diagram1  
 Single Axle Temperature Monitoring w/Aux Gauge:Diagram1-Combination1 - R01-9811  
 Single Axle Temperature Monitoring w/Aux Gauge:Diagram1-Combination2 - R01-9813  
 Tandem Axle Temperature Monitoring w/Aux Gauge:Diagram1-Combination1 - R01-9811, R01-9812  
 Tandem Axle Temperature Monitoring w/Aux Gauge:Diagram1-Combination2 - R01-9911, R01-9912  
 Telematics (OMNIVISION MD):Diagram1-Combination1  
 Telematics (OMNIVISION MD):Diagram1-Combination2  
 Telematics (QUALCOMM IMCT DAYCAB W/ MVPC):Diagram1  
 Telematics (QUALCOMM MCT w/o Tracs):Diagram1  
 Telematics (QUALCOMM MCT):Diagram1  
 Telematics (QUALCOMM TMCT):Diagram1



Mates MODU-EGC-A003-10-00

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A2	-	-	AA14EE	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	1745.0	-	-	-
A3	-	-	AA13EA	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1860.0	-	-	-
A9	-	-	-	-	-	-	-	-	-	-	-	-
A10	-	-	-	-	-	-	-	-	-	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B3	-	-	AA11-GKE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	280.0	-	-	-
B4	-	-	CP98F	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1860.0	-	-	-
B4	-	-	CT98F	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1860.0	-	-	-
B4	-	-	MB98F	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1860.0	-	-	-
B4	-	-	MJ98F	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1860.0	-	-	-
B5	-	-	CP11-GMW	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	3340.0	-	E	1970_IP 12
B5	-	-	CT11-GMW	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	2410.0	-	B	A01-191 9A
B5	-	-	MB11-GMW	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	3540.0	-	B	A01-191 9A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B5	-	-	CT11-GMW	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	2410.0	-	-	-
B5	-	-	CP11-GMW	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	3340.0	-	-	-
B5	-	-	MJ11-GMW	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	2410.0	-	-	-
B5	-	-	MB11-GMW	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	3540.0	-	-	-
B5	-	-	MJ11-GMW	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	2410.0	-	E	(5010)
B6	-	-	DX63AW	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	2460.0	-	18	5000M
B6	-	-	DX63AW	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	2460.0	-	-	-
B7	-	-	DX11-GLD	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	460.0	-	-	-




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B8	-	-	AT28C	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1085.0	-	4	1000A
B8	-	-	AT28C	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1085.0	-	-	-
B9	-	-	AT28A	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1085.0	-	1	1000A
B9	-	-	AT28A	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1085.0	-	-	-
B10	-	-	AT28B	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1085.0	-	3	1000A
B10	-	-	AT28B	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1085.0	-	-	-

Connector Name 1501  
 Part Number 2018589C1  
 Instances A26 - Key Switch Ignition 1:Key Switch Ignition 1A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
14	-	-	XL92#145	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	3795.0	-	6	1702
14	-	-	SB92#145	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	3420.0	-	F	7206
14	-	-	XJ92#145	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	3420.0	-	F	7206
14	-	-	XK92#145	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	3795.0	-	6	1702


Connector Name 1501  
 Part Number 2018589C1  
 Short Description ADD TRANS MODULE 1  
 Instances A26 - Key Switch Ignition 1:Key Switch Ignition 1C  
 A26 - Underhood PDM:PDM - UNDERHOOD



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	TZ92#101	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	3420.0	-	A	7206
3	-	-	TZ92#105	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3420.0	-	F	7205
5	-	-	TZ92#110	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	200.0	-	X	-
6	-	-	XJ92#117	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3420.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
6	-	-	XK92A117	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	225.0	-	-	-
6	-	-	XL92#117	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3795.0	-	-	-
6	-	-	SB92#117	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3420.0	-	-	-
7	-	-	TZ92#122	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	3420.0	-	-	-
8	-	-	TZ92#123	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	3420.0	-	-	-
10	-	-	TZ92#130	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	3420.0	-	G	7206
13	-	-	TZ92#143	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	3420.0	-	D	7206
17	-	-	TZ92#162	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	3420.0	-	H	7205
18	-	-	TZ92#163	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3795.0	-	8	1702

Connector Name 1502  
 Part Number 1661603C1  
 Short Description ADD TRANS MODULE 2  
 Instances A26 - Underhood PDM:PDM - UNDERHOOD




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	TZ92#164	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	3420.0	-	G	7205
4	-	-	TZ92#170	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	200.0	-	X	-

Connector Name 1503  
 Part Number 3627615C1  
 Instances A26 - Engine Control Module:Connector C1-6018




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
8	-	-	XQ47A125	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3440.0	-	91	C1-6018

Connector Name 1559\_IP12  
 Part Number 3572899C1  
 Short Description TIRE PRESSURE MONITOR CONN  
 Instances  
   A26 - Ground Splice Packs:Diagram1  
   A26 - Key Switch Ignition 2:Key Switch Ignition 2  
   X15 - Ground Splice Packs 2/4:Diagram1  
   X15 - Key Switch Ignition 2:Key Switch Ignition 2



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	RG22B	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1105.0	-	X	-
2	-	-	RG22-GBN	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	725.0	-	X	-


Connector Name 16B  
 Part Number 3540613C1  
 Instances Cab J1939 (250Kbps):Cab J1939 (250Kbps)  
 Fusion Private J1939:Fusion Private J1939  
 Powertrain J1939 (500Kbps) X15:Powertrain J1939 (500Kbps)  
 X15 Engine  
 Mates 1978



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	WIRE196489	-	0.0	-	-	-	0.0	-	46	1700M
F	-	-	WIRE196488	-	0.0	-	-	-	0.0	-	45	1700M
J	-	-	WIRE1331	-	0.0	-	-	-	0.0	-	X	-
J	-	-	WIRE223973	-	0.0	-	-	-	0.0	-	B	1026
K	-	-	WIRE1330	-	0.0	-	-	-	0.0	-	PIN1	-
K	-	-	WIRE223972	-	0.0	-	-	-	0.0	-	L	1026



Connector Name 16B  
 Part Number 3540613C1  
 Short Description BENDIX/TAKATA LDW ROOF CONN  
 Instances A26 - Battery Feed 1:BTRY Feed 1 (NON-LOADSHED)  
 Eaton Ulltrashift:Eaton Ultrashift  
 Endurant:Endurant  
 Lane Departure Warning - (Bendix - AutoVue W/ Qualcomm Safety Direct):Diagram1  
 Lane Departure Warning - (Wabco OnLane):Diagram1  
 Manual Transmission:Manual Transmission  
 TC10 Series:Powertrain Standard J1939 (500Kbps) A26 Engine  
 X15 - Battery Feed 1 - Part 1:BTRY Feed 1 (NON-LOADSHED)  
 Mates 1978




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RV67EN	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	2095.0	-	7	1118M
A	-	-	2Y67EN	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	2085.0	-	9	1119M
B	-	-	RV67NA	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	2095.0	-	8	1118M
B	-	-	2Y67NA	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PURPLE	2085.0	-	11	1119M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	2Y13COG	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	1725.0	-	X	-
D	-	-	2Y11COG	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1025.0	-	X	-
E	-	-	2Z56A2	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	215.0	-	X	-
F	-	-	EA57A2	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	185.0	-	X	-
G	-	-	RV67COG	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2095.0	-	2B	1118M
G	-	-	2Y67COG	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1755.0	-	X	-
H	-	-	CS14CSB	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	2250.0	-	22	1010_IP 12
H	-	-	2Y14CSB	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	2250.0	-	22	1010_IP 12


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
H	-	-	2V14CSB	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	2250.0	-	22	1010_IP12
H	-	-	2V14CSB	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	2250.0	-	-	-
J	-	-	WIRE223 905	-	0.0	-	-	-	0.0	-	X	-
K	-	-	WIRE223 904	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 1605  
 Part Number 373759C2  
 Instances Body Control module (BCM):Connector J8 (Power Feed)  
 Mates MODU-BCM-A000-10-00



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AA14J	2644026 R1	18.94	4.0	Std. Wall XLPE Battery Cable	RED	725.0	-	X	-


Connector Name 1620  
 Part Number 2007315C1  
 Instances ZVR Splice Packs:Diagram1  
 Mates SP-ZVR\_SPLICE\_PACK-B000-10 -A1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AA9Z	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1660.0	-	-	-
B	-	-	AK9CDC	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	835.0	-	-	-
C	-	-	FF109	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1290.0	-	42	1701M
D	-	-	DX109S	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2740.0	-	22	5000M


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	AN9BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1210.0	-	18	1700M
G	-	-	JL116UV	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	460.0	-	-	-
H	-	-	RE9A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	530.0	-	-	-
J	-	-	FU9BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3690.0	-	-	-
J	-	-	JZ9BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	4590.0	-	-	-

Connector Name 1650MA  
 Part Number 3544066C1  
 Instances Cab J1939 (250Kbps):Cab J1939 (250Kbps)



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
H	-	-	WIRE223980	-	0.0	-	-	-	0.0	-	PIN1	-
J	-	-	WIRE223981	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 1650  
 Part Number 3757649C1  
 Instances 9 Pin Diagnostic Connector 500K:Diagram1  
 Cab J1939 (250Kbps):Cab J1939 (250Kbps)  
 Eaton Ulltrashift:Eaton Ultrashift  
 Endurant:Endurant  
 Manual Transmission:Manual Transmission  
 Powertrain J1939 (500Kbps) X15:Powertrain J1939 (500Kbps)  
 X15 Engine  
 TC10 Series:Powertrain Standard J1939 (500Kbps) A26 Engine  
 Mates DEV-9PinDiag-0008-00-10-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	WIRE1306	-	0.0	-	-	-	0.0	-	PIN1	-
C	-	-	WIRE223777	-	0.0	-	-	-	0.0	-	PIN1	-
Connection A	-	-	AA98-G	3510359R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	765.0	-	-	-
Connection B	-	-	AA98H	3510365R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2230.0	-	-	-
Connection C	-	-	-	-	-	-	-	-	-	-	-	-
Connection D	-	-	-	-	-	-	-	-	-	-	-	-
Connection H	-	-	-	-	-	-	-	-	-	-	-	-




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
Connection J	-	-	-	-	-	-	-	-	-	-	-	-
D	-	-	WIRE1307	-	0.0	-	-	-	0.0	-	X	-
D	-	-	WIRE223778	-	0.0	-	-	-	0.0	-	X	-
H	-	-	WIRE223942	-	0.0	-	-	-	0.0	-	PIN1	-
J	-	-	WIRE223943	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 1651  
 Part Number 3757649C1  
 Instances Eaton Ulltrashift:Eaton Ultrashift  
 Endurant:Endurant  
 Manual Transmission:Manual Transmission  
 TC10 Series:Powertrain Standard J1939 (500Kbps) A26 Engine  
 Mates DEV36803




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	WIRE223790	-	0.0	-	-	-	0.0	-	PIN1	-
D	-	-	WIRE223791	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 166M\_1  
 Part Number 1661889C1  
 Instances Lane Departure Warning - (Bendix - AutoVue W/ Qualcomm Safety Direct):Diagram1  
 Mates CONN-BENDIX\_AutoVue\_RS232- 3020-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	11COG1	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	710.0	-	X	-
B	-	-	232-TX	-	0.0	-	-	-	2943.0	-	A10	1979_2
C	-	-	232-RX	-	0.0	-	-	-	2943.0	-	B11	1979_2

Connector Name 1700F  
 Part Number 3595624C1  
 Short Description FORWARD CHASSIS CONNECTOR  
 Instances  
 A26 - Fuel Heater (Vehicle Powered)(Davco):Combination1  
 A26 - Fuel Heater (Vehicle Powered)(Davco):Combination2  
 Antilock Brake System (ABS) [Bendix 6 Channel  
 Implementation]:W/ ALL HENDRICKSON SUSPENSIONS  
 EXCEPT HTB-40-52  
 Antilock Brake System (ABS) [Bendix 6 Channel  
 Implementation]:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Antilock Brake System (ABS) [Bendix 6 Channel  
 Implementation]:W/ IROS SUSPENSIONS  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implemenation:Diagram1-Combination1 - R01-9501, R01-9502,  
 R01-9503, R01-9504  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implemenation:Diagram1-Combination2 - R01-9501D-4chABS,  
 R01-9502A, R01-9503D-4chABS, R01-9504B  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implemenation:Diagram1-Combination3 - R01-9501D-4chABS,  
 R01-9502B-4chABS, R01-9503D-4chABS, R01-9504A-4chABS  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implemenation:Diagram1-Combination4 - R01-9502B-4chABS,  
 R01-9504A-4chABS, R01-9511, R01-9512  
 Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 4X2 AXLE CONFIGURATION  
 Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ HENDRICKSON  
 55",60" AIR SUSPENSION  
 Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ HENDRICKSON  
 PRIMAAAX SUSPENSION  
 Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ IROS, HENDRICKSON  
 HTB-40-52 SUSPENSIONS  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ ALL HENDRICKSON SUSPENSIONS  
 EXCEPT HTB-40-52  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ IROS SUSPENSIONS  
 Body Control module (BCM):Connector J6-1606



City Horn (N/ Radio Steering Wheel Controls):Diagram1  
 City Horn (W/ Radio Steering Wheel Controls):Diagram1  
 Crank Inhibit (with Hood Switch) with new BCM Pin:Diagram1  
 Day Time Running Lights (Halogen):Diagram1  
 Day Time Running Lights (LED):Diagram1  
 Front Turn Lights W/ Halogen:Diagram1  
 Front Turn Lights W/ LED:Diagram1  
 Fusion Private J1939:Fusion Private J1939  
 Headlights (Halogen) N/ Headlamp Interrupt W/  
 125BBC:Diagram1  
 Headlights (Halogen) W/ Headlamp Interrupt W/  
 125BBC:Diagram1  
 Headlights (LED) N/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Headlights (LED) W/ Headlamp Interrupt W/ 125BBC:Diagram1  
 LT - Fog Lights (Halogen White Rear):Diagram1  
 LT - Fog Lights (LED White Rear):Diagram1  
 Modesty Lighting W/ Sleeper:Diagram1-Combination1  
 Park Lights (Halogen/MRKR INT-STRNGWHL):Diagram1  
 Park Lights (LED):Diagram1  
 Powertrain J1939 (500Kbps) X15:Powertrain J1939 (500Kbps)  
 X15 Engine  
 RH - Fog Lights (Halogen White):Diagram1  
 RH - Fog Lights (LED White):Diagram1  
 Skirt Light- Customer Supplied:Diagram1  
 Tire Pressure (TPMS) (US & Canada):Diagram1  
 Windshield Washer Low Fluid Sensor:Diagram1  
 Windshield Washer Pump:Diagram1  
 X15 - Key Switch Ignition 1:Key Switch Ignition 1A  
 X15 Ground Splice Packs 3/4:Diagram2  
 ZVR Splice Packs:Diagram1

Mates

1700M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	MA52A	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3050.0	-	A	8001M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	MA53A	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3050.0	-	C	8001M
3	-	-	MA52B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	4250.0	-	A	8000
4	-	-	MA53B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	4250.0	-	C	8000
5	-	-	MA58	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2125.0	-	X	-
5	-	-	MA58	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2125.0	-	-	-
6	-	-	MH19	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	1745.0	-	A	8550
6	-	-	MK19	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	1945.0	-	A	8550B
14	-	-	MA56	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2070.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
15	-	-	MA57	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	4250.0	-	D	8000
17	-	-	WW87A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3650.0	-	1	8351
18	-	-	WW9BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3650.0	-	-	-
19	-	-	MA87C	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3750.0	-	1	8350
19	-	-	MA87C	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3750.0	-	-	-
20	-	-	MA87D	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3750.0	-	2	8350
21	-	-	MA85	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2020.0	-	A	8303
22	-	-	MD64A	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	2550.0	-	1	8203

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
23	-	-	MD64B	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	3125.0	-	1	8202
24	-	-	MJ54X	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	475.0	-	A	8050
27	-	-	MX94M	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2270.0	-	1	8504
27	-	-	MB94	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2270.0	-	1	8500
27	-	-	MB94	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2270.0	-	A	8500
28	-	-	MX94MA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2270.0	-	2	8504
28	-	-	MB94A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2270.0	-	2	8500
28	-	-	MB94A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2270.0	-	B	8500




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
29	-	-	MX94MB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2270.0	-	3	8504
29	-	-	MB94B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2270.0	-	3	8500
29	-	-	MB94B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2270.0	-	C	8500
30	-	-	NC94MC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1970.0	-	1	8506
30	-	-	NB94C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1970.0	-	1	8502
31	-	-	NC94MD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1970.0	-	2	8506
31	-	-	NB94D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1970.0	-	2	8502
32	-	-	PC94ME	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3650.0	-	1	8507

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
32	-	-	NB94E	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3650.0	-	1	8503
33	-	-	PC94MF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3650.0	-	2	8507
33	-	-	NB94F	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3650.0	-	2	8503
34	-	-	MZ94MH	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3900.0	-	1	8505
34	-	-	MB94H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3900.0	-	A	8501
35	-	-	MZ94MJ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3900.0	-	2	8505
35	-	-	MB94J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3900.0	-	B	8501
36	-	-	MZ94MK	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3900.0	-	3	8505


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
36	-	-	MB94K	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3900.0	-	C	8501
43	-	-	PV97H	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	3050.0	-	A	8450A
44	-	-	PV97J	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	3050.0	-	B	8450A
45	-	-	WIRE196 490	-	0.0	-	-	-	0.0	-	2	8903
46	-	-	WIRE196 491	-	0.0	-	-	-	0.0	-	7	8903
47	-	-	NS22AA	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1770.0	-	2	8993F
52	-	-	NA72EB	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	700.0	-	-	-
65	-	-	WIRE1336	-	0.0	-	-	-	0.0	-	PIN1	-
66	-	-	WIRE1335	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 1700F  
 Part Number 3595624C1  
 Instances Body J1939 (250Kbps):Body J1939 (250Kbps)  
 Eaton Ulltrashift:Eaton Ultrashift  
 Endurant:Endurant  
 Manual Transmission:Manual Transmission  
 TC10 Series:Powertrain Standard J1939 (500Kbps) A26 Engine  
 Mates 1700



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
61	-	-	WIRE1560	-	0.0	-	-	-	0.0	-	X	-
62	-	-	WIRE1561	-	0.0	-	-	-	0.0	-	PIN1	-
65	-	-	WIRE223 912	-	0.0	-	-	-	0.0	-	PIN1	-
66	-	-	WIRE223 913	-	0.0	-	-	-	0.0	-	PIN1	-


Connector Name 1700F  
 Part Number 3595624C1  
 Instances  
 A26 - Battery Feed 1:BTRY Feed (NON-LOADSHED)  
 A26 - Ground Splice Packs:Diagram1  
 A26 - Key Switch Ignition 1:Key Switch Ignition 1A  
 Adaptive Cruise Control w/o Display (Wabco):Diagram1  
 Adaptive Cruise Control w/o Display(Bendix):Diagram1  
 Endurant - Battery Grid 1 (Non-Loadshed):BTRY GRID 1 (NON-LOADSHED)  
 X15 - Battery Feed 1 - Part 2:Diagram1  
 X15 - Ground Splice Packs 2/4:Diagram1  
 X15 - Key Switch Ignition 2:Key Switch Ignition 2  
 Mates  
 1700\_IP12



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
19	-	-	MA87C	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3750.0	-	-	-
37	-	-	WU67-G	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	2950.0	-	8	8904
37	-	-	NW67-GG	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	2920.0	-	5	8903
38	-	-	NW67Y	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	2920.0	-	8	8903

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
47	-	-	NS22AA	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1770.0	-	-	-
48	-	-	NS22AG	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1770.0	-	1	8993F
48	-	-	NS22AG	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1770.0	-	-	-
51	-	-	NA72EA	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	700.0	-	C	8454
51	-	-	NA72EA	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	700.0	-	-	-

Connector Name 1700M  
 Part Number 3595625C1  
 Short Description FORWARD CHASSIS  
 Instances  
 A26 - Fuel Heater (Vehicle Powered)(Davco):Combination1  
 A26 - Fuel Heater (Vehicle Powered)(Davco):Combination2  
 Antilock Brake System (ABS) [Bendix 6 Channel  
 Implementation]:W/ ALL HENDRICKSON SUSPENSIONS  
 EXCEPT HTB-40-52  
 Antilock Brake System (ABS) [Bendix 6 Channel  
 Implementation]:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Antilock Brake System (ABS) [Bendix 6 Channel  
 Implementation]:W/ IROS SUSPENSIONS  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implemenation:Diagram1-Combination1 - R01-9501, R01-9502,  
 R01-9503, R01-9504  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implemenation:Diagram1-Combination2 - R01-9501D-4chABS,  
 R01-9502A, R01-9503D-4chABS, R01-9504B  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implemenation:Diagram1-Combination3 - R01-9501D-4chABS,  
 R01-9502B-4chABS, R01-9503D-4chABS, R01-9504A-4chABS  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implemenation:Diagram1-Combination4 - R01-9502B-4chABS,  
 R01-9504A-4chABS, R01-9511, R01-9512  
 Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 4X2 AXLE CONFIGURATION  
 Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ HENDRICKSON  
 55",60" AIR SUSPENSION  
 Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ HENDRICKSON  
 PRIMAAAX SUSPENSION  
 Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ IROS, HENDRICKSON  
 HTB-40-52 SUSPENSIONS  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ ALL HENDRICKSON SUSPENSIONS  
 EXCEPT HTB-40-52  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ IROS SUSPENSIONS  
 Body Control module (BCM):Connector J6-1606



City Horn (N/ Radio Steering Wheel Controls):Diagram1  
 City Horn (W/ Radio Steering Wheel Controls):Diagram1  
 Crank Inhibit (with Hood Switch) with new BCM Pin:Diagram1  
 Day Time Running Lights (Halogen):Diagram1  
 Day Time Running Lights (LED):Diagram1  
 Front Turn Lights W/ Halogen:Diagram1  
 Front Turn Lights W/ LED:Diagram1  
 Fusion Private J1939:Fusion Private J1939  
 Headlights (Halogen) N/ Headlamp Interrupt W/  
 125BBC:Diagram1  
 Headlights (Halogen) W/ Headlamp Interrupt W/  
 125BBC:Diagram1  
 Headlights (LED) N/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Headlights (LED) W/ Headlamp Interrupt W/ 125BBC:Diagram1  
 LT - Fog Lights (Halogen White Rear):Diagram1  
 LT - Fog Lights (LED White Rear):Diagram1  
 Modesty Lighting W/ Sleeper:Diagram1-Combination1  
 Park Lights (Halogen/MRKR INT-STRNGWHL):Diagram1  
 Park Lights (LED):Diagram1  
 Powertrain J1939 (500Kbps) X15:Powertrain J1939 (500Kbps)  
 X15 Engine  
 RH - Fog Lights (Halogen White):Diagram1  
 RH - Fog Lights (LED White):Diagram1  
 Skirt Light- Customer Supplied:Diagram1  
 Tire Pressure (TPMS) (US & Canada):Diagram1  
 Windshield Washer Low Fluid Sensor:Diagram1  
 Windshield Washer Pump:Diagram1  
 X15 - Key Switch Ignition 1:Key Switch Ignition 1A  
 X15 Ground Splice Packs 3/4:Diagram2  
 ZVR Splice Packs:Diagram1

Mates

1700F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	DE52A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	585.0	-	H	J1-1603



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	DE53A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	635.0	-	B	J2-1604
3	-	-	DE52B	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	585.0	-	L	J1-1603
4	-	-	BB53B	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	635.0	-	H	J2-1604
5	-	-	2A58	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	380.0	-	X	-
5	-	-	3E58	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1140.0	-	J	J6-1606
5	-	-	AV58	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1270.0	-	-	-
5	-	-	AW58	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1270.0	-	-	-
5	-	-	HY58	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	380.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	2A58	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	380.0	-	-	-
5	-	-	3C58	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1140.0	-	J	J6-1606
6	-	-	DR19	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2225.0	-	R4 - 30	1011_IP 12
14	-	-	2F56	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	310.0	-	X	-
14	-	-	2G56	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	310.0	-	X	-
15	-	-	2F57	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	170.0	-	X	-
17	-	-	AN87A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	980.0	-	A8	J3-1600
18	-	-	AN9BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1210.0	-	E	1620


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
19	-	-	AA87C	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2330.0	-	-	-
19	-	-	AA87C	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2330.0	-	5	1013_IP12
20	-	-	AA87D	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	790.0	-	X	-
21	-	-	AA85	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	585.0	-	E	J1-1603
22	-	-	cu64a	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	585.0	-	F	J1-1603
23	-	-	CU64B	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	585.0	-	K	J1-1603
24	-	-	DY54X	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	2260.0	-	X	-
27	-	-	GS94M	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2390.0	-	6	1421

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
27	-	-	XY94	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	2	1401
28	-	-	GS94MA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1780.0	-	X	-
28	-	-	XY94A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	3	1401
29	-	-	GS94MB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2390.0	-	3	1421
29	-	-	XY94B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	1	1401
30	-	-	GS94MC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2390.0	-	12	1421
30	-	-	XY94C	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	5	1401
31	-	-	GS94MD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2390.0	-	15	1421

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
31	-	-	XY94D	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	8	1401
32	-	-	GS94ME	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2390.0	-	10	1421
32	-	-	XY94E	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	11	1401
33	-	-	GS94MF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2390.0	-	13	1421
33	-	-	XY94F	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	14	1401
34	-	-	GS94MH	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2390.0	-	4	1421
34	-	-	XY94H	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	7	1401
35	-	-	GS94MJ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1780.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
35	-	-	XY94J	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	6	1401
36	-	-	GS94MK	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2390.0	-	1	1421
36	-	-	XY94K	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	4	1401
43	-	-	HV17-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	800.0	-	-	-
44	-	-	HV104C	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	685.0	-	B5	J7-1607
45	-	-	WIRE196 488	-	0.0	-	-	-	0.0	-	F	16B
46	-	-	WIRE196 489	-	0.0	-	-	-	0.0	-	E	16B
47	-	-	RW22AA	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	2345.0	-	-	-
52	-	-	FR72EB	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2060.0	-	2	1110M_I P12
65	-	-	WIRE1300	-	0.0	-	-	-	0.0	-	PIN1	-
66	-	-	WIRE1301	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 1700  
 Part Number 3595625C1  
 Instances Body J1939 (250Kbps):Body J1939 (250Kbps)  
 Eaton Ulltrashift:Eaton Ultrashift  
 Endurant:Endurant  
 Manual Transmission:Manual Transmission  
 TC10 Series:Powertrain Standard J1939 (500Kbps) A26 Engine  
 Mates 1700F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
61	-	-	WIRE1562	-	0.0	-	-	-	0.0	-	PIN1	-
62	-	-	WIRE1563	-	0.0	-	-	-	0.0	-	PIN1	-
65	-	-	WIRE223 775	-	0.0	-	-	-	0.0	-	PIN1	-
66	-	-	WIRE223 776	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 1700\_IP12  
 Part Number 3595625C1  
 Instances  
 A26 - Battery Feed 1:BTRY Feed (NON-LOADSHED)  
 A26 - Ground Splice Packs:Diagram1  
 A26 - Key Switch Ignition 1:Key Switch Ignition 1A  
 Adaptive Cruise Control w/o Display (Wabco):Diagram1  
 Adaptive Cruise Control w/o Display(Bendix):Diagram1  
 Endurant - Battery Grid 1 (Non-Loadshed):BTRY GRID 1 (NON-LOADSHED)  
 X15 - Battery Feed 1 - Part 2:Diagram1  
 X15 - Ground Splice Packs 2/4:Diagram1  
 X15 - Key Switch Ignition 2:Key Switch Ignition 2  
 Mates 1700F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
19	-	-	AA87C	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2330.0	-	5	1013_IP 12
37	-	-	2Y67-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	800.0	-	-	-
38	-	-	2Y67A	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2345.0	-	-	-
47	-	-	RW22AA	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	2345.0	-	15	1014_IP 12



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
47	-	-	RG22A	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	1050.0	-	X	-
48	-	-	RG22-GAN	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	930.0	-	X	-
48	-	-	RW22-GAN	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	930.0	-	X	-
51	-	-	FR72E	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2420.0	-	15	1016_IP12
51	-	-	FR72E	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2420.0	-	15	1016

Connector Name 1701F  
 Part Number 3595622C1  
 Short Description CONNECTOR TO DASH HARNESS  
 Instances  
 ABS Private J1939:ABS Private J1939  
 Bendix Stability Control For Tractor or Tractors with Trailer  
 Tow:Diagram1-Combination1  
 Bendix Stability Control For Tractor or Tractors with Trailer  
 Tow:Diagram1-Combination2  
 Bendix Stability Control With Rear Air Suspension No Lift  
 Axle:Diagram1-Combination1  
 Bendix Stability Control With Rear Air Suspension No Lift  
 Axle:Diagram1-Combination2  
 Bendix Stability Control With Rear Air Suspension No Lift  
 Axle:Diagram1-Combination3  
 Collision Avoidance System Warning:Diagram1  
 Drain Valve Heater:Diagram1  
 Driver Controlled Locking Differential -FR & RR Axle:Diagram1-  
 Combination1  
 Driver Controlled Locking Differential -RR Axle:Diagram1-  
 Combination1  
 Driver Controlled Locking Differential -RR Axle:Diagram1-  
 Combination2  
 Jaw Monitoring:Diagram1  
 License Plate Light (Tail Light Bar Assy.):Diagram1-  
 Combination1 - R01-9303  
 License Plate Light (Tail Light Bar Assy.):Diagram1-  
 Combination2 - R01-9303A  
 License Plate Light(Weldon LED):Diagram1-Combination1 -  
 R01-9303K  
 License Plate Light(Weldon LED):Diagram1-Combination2 -  
 R01-9303M  
 Wabco Full Stability Control:Diagram1-Combination1  
 Wabco Full Stability Control:Diagram1-Combination2  
 X15 - Back-Up Alarm Manual and UltraShift+:Diagram1-  
 Combination1  
 X15 - Back-Up Alarm Manual and UltraShift+:Diagram1-  
 Combination2  
 X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-  
 Combination1  
 X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-  
 Combination2  
 X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-  
 Combination3



X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-  
Combination4

Mates

1701M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
1	-	-	NA71BA	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	3235.0	-	1	9800F
4	-	-	NA68A	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	3235.0	-	4	9800F
13	-	-	PM94SJ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1655.0	-	1	9512
13	-	-	[PP94SJ]	V-16-GXL	1.16	16.0	Std. Wall XLPE Primary Cable	Not Applicable	1700.0	-	2	9514_1
30	-	-	RE39	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	350.0	-	X	-
45	-	-	NT49	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	9	9800F
46	-	-	PR94SAB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5120.0	-	1	9511/9511A
46	-	-	YJ94SN	-	0.0	-	-	RED	0.0	-	1	9511B/9511D


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
47	-	-	PR94SCB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5120.0	-	2	9511/9511A
47	-	-	YJ94SP	-	0.0	-	-	BROWN	0.0	-	2	9511B/9511D
48	-	-	PR94SBB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5120.0	-	3	9511/9511A
48	-	-	YJ94SR	-	0.0	-	-	BLACK	0.0	-	3	9511B/9511D
49	-	-	PR94SDB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5120.0	-	4	9511/9511A
49	-	-	YJ94SS	-	0.0	-	-	WHITE	0.0	-	4	9511B/9511D
50	-	-	NU49A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	11	9800F
58	-	-	YG116L	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3310.0	-	C	9989
59	-	-	YG116U	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3310.0	-	B	9989
63	-	-	[YH94SL]	V-16-GXL	1.16	16.0	Std. Wall XLPE Primary Cable	Not Applicable	1960.0	-	1	9414A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
63	-	-	PM94SZC	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	A	9510F
67	-	-	PM94SK	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1655.0	-	2	9512
67	-	-	[PP94SK]	V-16-GXL	1.16	16.0	Std. Wall XLPE Primary Cable	Not Applicable	1700.0	-	1	9514_1
69	-	-	UB67U	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3515.0	-	3	9769
70	-	-	UB67W	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3515.0	-	5	9769
71	-	-	UB67V	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3515.0	-	4	9769
72	-	-	PM94SM	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1900.0	-	A	9513_1
73	-	-	PM94SN	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1900.0	-	B	9513_1

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
74	-	-	PM94SL	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1900.0	-	C	9513_1
75	-	-	[YH94SM]	V-16-GXL	1.16	16.0	Std. Wall XLPE Primary Cable	Not Applicable	1960.0	-	2	9414A
75	-	-	PM94SVC	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	B	9510F
76	-	-	PM94SH	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	C	9510F

Connector Name 1701F  
 Part Number 3595622C1  
 Short Description CONNECTOR TO DASH HARNESS  
 Instances

- A26 - Backup Light (Endurant):Diagram1
- ABS Splice Packs:Diagram1
- Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ ALL HENDRICKSON SUSPENSIONS EXCEPT HTB-40-52
- Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ HENDRICKSON HTB-40-52 SUSPENSION
- Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ IROS SUSPENSIONS
- Antilock Brake System (ABS)-BENDIX 4 Channel Implementation:Diagram1-Combination1 - R01-9501, R01-9502, R01-9503, R01-9504
- Antilock Brake System (ABS)-BENDIX 4 Channel Implementation:Diagram1-Combination2 - R01-9501D-4chABS, R01-9502A, R01-9503D-4chABS, R01-9504B
- Antilock Brake System (ABS)-BENDIX 4 Channel Implementation:Diagram1-Combination3 - R01-9501D-4chABS, R01-9502B-4chABS, R01-9503D-4chABS, R01-9504A-4chABS
- Antilock Brake System (ABS)-BENDIX 4 Channel Implementation:Diagram1-Combination4 - R01-9502B-4chABS, R01-9504A-4chABS, R01-9511, R01-9512
- Antilock Brake System (ABS)-Wabco 4 Channel Implementation:W/ 4X2 AXLE CONFIGURATION
- Antilock Brake System (ABS)-Wabco 4 Channel Implementation:W/ 6X2,6X4 AXLE & W/ HENDRICKSON 55",60" AIR SUSPENSION
- Antilock Brake System (ABS)-Wabco 4 Channel Implementation:W/ 6X2,6X4 AXLE & W/ HENDRICKSON PRIMAAAX SUSPENSION
- Antilock Brake System (ABS)-Wabco 4 Channel Implementation:W/ 6X2,6X4 AXLE & W/ IROS, HENDRICKSON HTB-40-52 SUSPENSIONS
- Antilock Brake System (ABS)-Wabco 6 Channel Implementation:W/ ALL HENDRICKSON SUSPENSIONS EXCEPT HTB-40-52
- Antilock Brake System (ABS)-Wabco 6 Channel Implementation:W/ HENDRICKSON HTB-40-52 SUSPENSION
- Antilock Brake System (ABS)-Wabco 6 Channel Implementation:W/ IROS SUSPENSIONS



Auxiliary Air Solenoids 4-pack (1 pack/4 solenoids):Diagram1-Combination1  
Auxiliary Air Solenoids 4-pack (1 pack/4 solenoids):Diagram1-Combination2  
Auxiliary Air Solenoids 4-pack (1 pack/4 solenoids):Diagram1-Combination3  
Auxiliary Air Solenoids 4-pack (1 pack/4 solenoids):Diagram1-Combination4  
Auxiliary Air Solenoids 4-pack (2 packs/8 solenoids):Diagram1-Combination1  
Auxiliary Air Solenoids 4-pack (2 packs/8 solenoids):Diagram1-Combination2  
Auxiliary Air Solenoids 4-pack (2 packs/8 solenoids):Diagram1-Combination3  
Auxiliary Air Solenoids 4-pack (2 packs/8 solenoids):Diagram1-Combination4  
Backup Lights (Dual Reverse Light) Eaton/Manual Trans:W/ 4X2 AXLE  
Backup Lights (Dual Reverse Light) Eaton/Manual Trans:W/ 6X2,6X4 AXLE  
Backup Lights (Single Reverse Light) Eaton/Manual Trans:W/ 4X2 AXLE  
Backup Lights (Single Reverse Light) Eaton/Manual Trans:W/ 6X2,6X4 AXLE  
Fuel Level (Single Tank - Left Side):Diagram1-Combination1 - N01-9100A  
Fuel Level (Single Tank - Left Side):Diagram1-Combination2 - N01-9100B  
Fuel Level (Single Tank - Left Side):Diagram1-Combination3 - N01-9100C  
Fuel Level (Single Tank - Left Side):Diagram1-Combination4 - N01-9100D  
Fuel Level (Single Tank - Left Side):Diagram1-Combination5 - N01-9100E  
Fuel Level (Single Tank - Left Side):Diagram1-Combination6 - N01-9100F  
Hill Start Aid (Bendix):Diagram1-Combination1 - N01-9515  
Hill Start Aid (Bendix):Diagram1-Combination2 - N01-9516  
Hill Start Aid (Bendix):Diagram1-Combination3 - N01-9516B  
Rear Light (Tail Light) (Light Bar ASSY):W/ 4X2 AXLE  
Rear Light (Tail Light) (Light Bar ASSY):W/ 6X2,6X4 AXLE  
Rear Light (Tail Light) (Light Bar ASSY/MRKR INT-STRNGWHL):W/ 4X2 AXLE



Rear Light (Tail Light) (Light Bar ASSY/MRKR INT-STRNGWHL):W/ 6X2,6X4 AXLE  
Rear Light (Tail Light) (Weldon LED):W/ 4X2 AXLE  
Rear Light (Tail Light) (Weldon LED):W/ 6X2,6X4 AXLE  
Rear Light (Tail Light) (Weldon LED/MRKR INT-STRNGWHL):W/ 4X2 AXLE  
Rear Light (Tail Light) (Weldon LED/MRKR INT-STRNGWHL):W/ 6X2,6X4 AXLE  
Rear Lights Stop - Dual Assembly:W/ 4X2 AXLE  
Rear Lights Stop - Dual Assembly:W/ 6X2,6X4 AXLE  
Rear Lights Stop - Single Assembly:W/ 4X2 AXLE  
Rear Lights Stop - Single Assembly:W/ 6X2,6X4 AXLE  
Rear Turn Lights W/ Dual Tail Light Assembly:W/ 4X2 AXLE  
Rear Turn Lights W/ Dual Tail Light Assembly:W/ 6X2,6X4 AXLE  
Rear Turn Lights W/ Single Rear Light Assembly:W/ 4X2 AXLE  
Rear Turn Lights W/ Single Rear Light Assembly:W/ 6X2,6X4 AXLE  
Single Axle Temperature Monitoring:Diagram1-Combination1 - R01-9811  
Single Axle Temperature Monitoring:Diagram1-Combination2 - R01-9813  
Single Axle Temperature Monitoring w/Aux Gauge:Diagram1-Combination1 - R01-9811  
Single Axle Temperature Monitoring w/Aux Gauge:Diagram1-Combination2 - R01-9813  
Tandem Axle Temperature Monitoring:Diagram1-Combination1 - R01-9811, R01-9812  
Tandem Axle Temperature Monitoring:Diagram1-Combination2 - R01-9911, R01-9912  
Tandem Axle Temperature Monitoring w/Aux Gauge:Diagram1-Combination1 - R01-9811, R01-9812  
Tandem Axle Temperature Monitoring w/Aux Gauge:Diagram1-Combination2 - R01-9911, R01-9912  
Traction Control (Bendix Controller):Diagram1-Combination1 - R01-9505  
Traction Control (Bendix Controller):Diagram1-Combination2 - R01-9505A  
Traction Control (Wabco Controller):Diagram1-Combination1 - R01-9515  
Traction Control (Wabco Controller):Diagram1-Combination2 - R01-9515A  
Traction Control (Wabco Controller):Diagram1-Combination3 - R01-9515B

Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination1  
Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination2  
Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination3  
Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination4  
Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination5  
Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination6  
Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination7  
Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination8  
Trailer Interface (ABS) - BOC\_NA:Diagram1-Combination1  
Trailer Interface (ABS) - BOC\_NA:Diagram1-Combination2  
Trailer Interface (ABS) - BOC\_NA:Diagram1-Combination3  
Trailer Interface (ABS) - BOC\_NA:Diagram1-Combination4  
Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination1-N01-9780M, R01-9790M  
Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination2-N01-9780M, R01-9790MA  
Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination3-N01-9782, R01-9790M  
Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination4-N01-9782, R01-9790MA  
Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination5-N01-9782M, R01-9790M  
Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination6-N01-9782M, R01-9790MA  
Trailer Interface (Lighting) – BOC\_NA:Diagram1-Combination1-N01-9780M  
Trailer Interface (Lighting) – BOC\_NA:Diagram1-Combination2-N01-9782  
Trailer Interface (Lighting) – BOC\_NA:Diagram1-Combination3-N01-9782M  
Trailer Interface (Lighting) – TRAMEC\_NA:Diagram1  
Work Lights (Customer Supplied) W/ Sw Pack:Diagram1-Combination1  
Work Lights (Customer Supplied) W/ Sw Pack:Diagram1-Combination2

Work Lights LED (Customer Supplied) W/ Sw Pack -  
 Sleeper:Diagram1-Combination1  
 Work Lights LED W/ Sw Pack - Day Cab:Diagram1-  
 Combination1  
 X15 - Battery Feed 1 - Part 1:BTRY Feed 1 (NON-LOADSHED)  
 X15 - Key Switch Ignition 1:Key Switch Ignition 1B  
 ZVR Splice Packs:Diagram1

Mates 1701M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
1	-	-	NA71BA	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	3235.0	-	1	9800F
2	-	-	NA56A	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	3235.0	-	2	9800F
3	-	-	NA57A	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	3235.0	-	3	9800F
4	-	-	NA68A	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	3235.0	-	4	9800F
5	-	-	NK56T	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	700.0	-	X	-
5	-	-	YT56T	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	3110.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	RG56T	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	3490.0	-	B	9781F
5	-	-	YL56T	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	3235.0	-	B	9781
5	-	-	SF56T	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	800.0	-	B	9779F
5	-	-	RZ56T	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	800.0	-	B	9779F1
6	-	-	NK57T	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	800.0	-	X	-
6	-	-	YS57T	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	800.0	-	X	-
6	-	-	YT57T	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3060.0	-	X	-
6	-	-	RG57T	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3490.0	-	C	9781F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
6	-	-	YL57T	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3235.0	-	C	9781
6	-	-	NH57T	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	800.0	-	C	9779F
6	-	-	RZ57T	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	800.0	-	C	9779F1
7	-	-	SF58T	2643773 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BLACK	800.0	-	A	9779F
7	-	-	NK58T	2643773 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BLACK	900.0	-	X	-
7	-	-	YT58T	2643773 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BLACK	3010.0	-	X	-
7	-	-	RG58T	2643773 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BLACK	3490.0	-	A	9781F
7	-	-	YL58T	2643773 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BLACK	3235.0	-	A	9781

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	RZ58T	2643773 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BLACK	800.0	-	A	9779F1
8	-	-	NH68T	3510309 R1	4.81	10.0	Thin Wall XLPE Primary Cable	BROWN	800.0	-	B	9780M
8	-	-	NK68T	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	950.0	-	X	-
8	-	-	YS68T	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	950.0	-	X	-
8	-	-	YT68T	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	3110.0	-	X	-
8	-	-	YL68T	3510309 R1	4.81	10.0	Thin Wall XLPE Primary Cable	BROWN	3210.0	-	B	9782
8	-	-	RZ68T	3510309 R1	4.81	10.0	Thin Wall XLPE Primary Cable	BROWN	800.0	-	B	9780M1
9	-	-	SF70T	3510369 R1	4.81	10.0	Thin Wall XLPE Primary Cable	RED	800.0	-	C	9780M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
9	-	-	NK70T	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	650.0	-	X	-
9	-	-	YS70T	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	1375.0	-	X	-
9	-	-	YT70T	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	3060.0	-	X	-
9	-	-	RG70T	3510369 R1	4.81	10.0	Thin Wall XLPE Primary Cable	RED	3560.0	-	C	9782M
9	-	-	YL70T	3510369 R1	4.81	10.0	Thin Wall XLPE Primary Cable	RED	3210.0	-	C	9782
9	-	-	NH70T	3510369 R1	4.81	10.0	Thin Wall XLPE Primary Cable	RED	800.0	-	C	9780M
9	-	-	RZ70T	3510369 R1	4.81	10.0	Thin Wall XLPE Primary Cable	RED	800.0	-	C	9780M1
10	-	-	YS94T	2643784 R1	4.81	10.0	Std. Wall XLPE Primary Cable	GREY	1225.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
10	-	-	YT94T	2643784 R1	4.81	10.0	Std. Wall XLPE Primary Cable	GREY	3010.0	-	X	-
10	-	-	YL94T	3510315 R1	4.81	10.0	Thin Wall XLPE Primary Cable	GREY	3210.0	-	A	9782
10	-	-	RF94T	3510357 R1	4.81	10.0	Thin Wall XLPE Primary Cable	DARK BLUE	1650.0	-	A	9784M
10	-	-	NK94T	2643784 R1	4.81	10.0	Std. Wall XLPE Primary Cable	GREY	700.0	-	X	-
10	-	-	ME94T	3510357 R1	4.81	10.0	Thin Wall XLPE Primary Cable	DARK BLUE	800.0	-	-	-
10	-	-	YT94T	2643784 R1	4.81	10.0	Std. Wall XLPE Primary Cable	GREY	3010.0	-	-	-
10	-	-	NK94T	2643784 R1	4.81	10.0	Std. Wall XLPE Primary Cable	GREY	700.0	-	-	-
10	-	-	YS94T	2643784 R1	4.81	10.0	Std. Wall XLPE Primary Cable	GREY	1225.0	-	-	-



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
10	-	-	RG94T	3510315 R1	4.81	10.0	Thin Wall XLPE Primary Cable	GREY	3560.0	-	-	-
10	-	-	NH94T	3510315 R1	4.81	10.0	Thin Wall XLPE Primary Cable	GREY	800.0	-	-	-
10	-	-	RZ94T	3510315 R1	4.81	10.0	Thin Wall XLPE Primary Cable	GREY	800.0	-	-	-
10	-	-	RF94T	3510357 R1	4.81	10.0	Thin Wall XLPE Primary Cable	DARK BLUE	1650.0	-	-	-
10	-	-	YL94T	3510315 R1	4.81	10.0	Thin Wall XLPE Primary Cable	GREY	3210.0	-	-	-
12	-	-	UB67TA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3515.0	-	-	-
14	-	-	NC94BM	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	23	9800F
15	-	-	BC94BN	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	24	9800F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
16	-	-	BB94BE	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	17	9800F
16	-	-	NB94BE	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	17	9800F
17	-	-	BB94BD	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	16	9800F
17	-	-	NB94BD	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	16	9800F
18	-	-	BB94BH	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	19	9800F
18	-	-	NB94BH	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	19	9800F
19	-	-	BB94BF	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	18	9800F
19	-	-	NB94BF	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	18	9800F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
20	-	-	BB94BL	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	22	9800F
20	-	-	NB94BL	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	22	9800F
21	-	-	BB94BJ	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	20	9800F
21	-	-	NB94BJ	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	20	9800F
22	-	-	BB94BK	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	21	9800F
22	-	-	NB94BK	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	21	9800F
23	-	-	BB94BA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	13	9800F
23	-	-	NB94BA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	13	9800F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
24	-	-	BB94BB	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	14	9800F
24	-	-	NB94BB	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	14	9800F
25	-	-	BB94BC	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	15	9800F
25	-	-	NB94BC	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	15	9800F
27	-	-	FA36A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2660.0	-	A	9100A
27	-	-	FB36A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3685.0	-	A	9100B
27	-	-	FC36A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3760.0	-	A	9100C
27	-	-	FD36A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2000.0	-	A	9100D

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
27	-	-	FE36A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	4760.0	-	A	9100E
27	-	-	FF36A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3855.0	-	A	9100F
30	-	-	GF39A	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4115.0	-	-	-
30	-	-	GD39A	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2585.0	-	-	-
30	-	-	RE39	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	350.0	-	-	-
31	-	-	GB39	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2535.0	-	-	-
31	-	-	GA39	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2410.0	-	-	-
32	-	-	CB59A	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4010.0	-	B	9739

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
32	-	-	CC59A	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3335.0	-	B	9738
32	-	-	CD59A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2570.0	-	B	9740
32	-	-	CA59A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2735.0	-	B	9736
33	-	-	CA59B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2710.0	-	C	9736
33	-	-	CB59B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4010.0	-	C	9739
33	-	-	CC59B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3335.0	-	C	9738
33	-	-	CD59B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2570.0	-	C	9740
34	-	-	CA59C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2710.0	-	D	9736

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
34	-	-	CB59C	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4010.0	-	D	9739
34	-	-	CC59C	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3335.0	-	D	9738
34	-	-	CD59C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2570.0	-	D	9740
35	-	-	CA59D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2710.0	-	E	9736
35	-	-	CB59D	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4010.0	-	E	9739
35	-	-	CC59D	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3335.0	-	E	9738
35	-	-	CD59D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2570.0	-	E	9740
36	-	-	SW59E	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2960.0	-	B	9737

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
36	-	-	SX59E	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4010.0	-	B	9739B
36	-	-	SY59E	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	B	9738B
36	-	-	SZ59E	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2560.0	-	B	9740A
37	-	-	SW59F	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2960.0	-	C	9737
37	-	-	SX59F	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4010.0	-	C	9739B
37	-	-	SY59F	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	C	9738B
37	-	-	SZ59F	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2560.0	-	C	9740A
38	-	-	SW59H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2960.0	-	D	9737



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
38	-	-	SX59H	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4010.0	-	D	9739B
38	-	-	SY59H	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	D	9738B
38	-	-	SZ59H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2560.0	-	D	9740A
39	-	-	SW59J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2960.0	-	E	9737
39	-	-	SX59J	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4010.0	-	E	9739B
39	-	-	SY59J	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	E	9738B
39	-	-	SZ59J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2560.0	-	E	9740A
42	-	-	NP109B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
43	-	-	NR32A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3235.0	-	6	9800F
44	-	-	NS32	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3235.0	-	8	9800F
46	-	-	PS94SAB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2980.0	-	-	-
46	-	-	PR94SAB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5120.0	-	-	-
46	-	-	[YK94SN]	V-18-GXL	0.79	18.0	Std. Wall XLPE Primary Cable	Not Applicable	5120.0	-	-	-
46	-	-	[YJ94SN]	V-18-GXL	0.79	18.0	Std. Wall XLPE Primary Cable	Not Applicable	3010.0	-	-	-
47	-	-	PR94SBB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5120.0	-	-	-
47	-	-	PS94SBB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2980.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
47	-	-	[YK94SP]	V-18-GXL	0.79	18.0	Std. Wall XLPE Primary Cable	Not Applicable	5120.0	-	-	-
47	-	-	[YJ94SP]	V-18-GXL	0.79	18.0	Std. Wall XLPE Primary Cable	Not Applicable	3010.0	-	-	-
48	-	-	PR94SCB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5120.0	-	-	-
48	-	-	PS94SCB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2980.0	-	-	-
48	-	-	[YJ94SR]	V-18-GXL	0.79	18.0	Std. Wall XLPE Primary Cable	Not Applicable	3010.0	-	-	-
48	-	-	[YK94SR]	V-18-GXL	0.79	18.0	Std. Wall XLPE Primary Cable	Not Applicable	5120.0	-	-	-
49	-	-	PS94SDB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2980.0	-	-	-
49	-	-	PR94SDB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5120.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
49	-	-	[YJ94SS]	V-18-GXL	0.79	18.0	Std. Wall XLPE Primary Cable	Not Applicable	3010.0	-	-	-
49	-	-	[YK94SS]	V-18-GXL	0.79	18.0	Std. Wall XLPE Primary Cable	Not Applicable	5120.0	-	-	-
51	-	-	NX65BC	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2035.0	-	X	-
51	-	-	NY65BC	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	750.0	-	X	-
52	-	-	BA94BY	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	1	9516M
52	-	-	SA94BY	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	1	9516M
53	-	-	BA94BZ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	2	9516M
53	-	-	SA94BZ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	2	9516M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
54	-	-	BA94BP	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	3	9516M
54	-	-	SA94BP	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	3	9516M
55	-	-	BA94BQ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	4	9516M
55	-	-	SA94BQ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	4	9516M
56	-	-	BA94BR	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	5	9516M
56	-	-	SA94BR	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	5	9516M
57	-	-	BA94BS	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	6	9516M
57	-	-	SA94BS	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	6	9516M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
58	-	-	BA94BT	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	7	9516M
58	-	-	SA94BT	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	7	9516M
59	-	-	BA94BU	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	8	9516M
59	-	-	SA94BU	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	8	9516M
60	-	-	BA94BV	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	9	9516M
60	-	-	SA94BV	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	-	-
60	-	-	BA94BV	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	-	-
60	-	-	YG116M	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3310.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
60	-	-	SA94BV	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	9	9516M
64	-	-	BA94BW	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	10	9516M
64	-	-	SA94BW	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	10	9516M
65	-	-	HA94A	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3785.0	-	1	9515
65	-	-	HB94A	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4310.0	-	1	9516_1
65	-	-	HC94A	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4660.0	-	1	9516B
66	-	-	HA94B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3785.0	-	2	9515
66	-	-	HB94B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4310.0	-	2	9516_1

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
66	-	-	HC94B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4660.0	-	2	9516B
68	-	-	NV65	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2490.0	-	A	9718



Connector Name 1701F  
 Part Number 3595622C1  
 Short Description CONNECTOR TO DASH HARNESS  
 Instances

- A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination1
- A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination2
- A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination3
- A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination4
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination1
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination2
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination3
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination4
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination5
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination6
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination7
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination8
- A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination1
- A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination2
- A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination3
- A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination4
- A26 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1-Combination1
- A26 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1-Combination2
- A26 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1-Combination3
- A26 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1-Combination4



A26 - Battery Feed 1:BTRY Feed 1 (NON-LOADSHED)  
 A26 - Key Switch Ignition 1:Key Switch Ignition 1B  
 A26 - Key Switch Ignition 1:Key Switch Ignition 1C  
 Auxiliary Trailer Power Cavity D:Diagram1-Combination1  
 Auxiliary Trailer Power Cavity D:Diagram1-Combination2  
 Auxiliary Trailer Power Cavity D:Diagram1-Combination3  
 Auxiliary Trailer Power Cavity D:Diagram1-Combination4  
 Axle Loading (Weight) Rear:Diagram1-Combination1  
 Axle Loading (Weight) Rear:Diagram1-Combination2  
 Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-Combination1  
 Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-Combination2  
 Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-Combination3  
 Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-Combination4  
 Back-Up Alarm (Automatic) TC10:Diagram1-Combination1  
 Back-Up Alarm (Automatic) TC10:Diagram1-Combination2  
 Backup Light (Dual Reverse Light)Allison/ZF Trans:Diagram1-Combination1  
 Backup Light (Dual Reverse Light)Allison/ZF Trans:Diagram1-Combination2  
 Backup Light (Single Reverse Light)Allison/ZF Trans:Diagram1-Combination1  
 Backup Light (Single Reverse Light)Allison/ZF Trans:Diagram1-Combination2  
 Endurant - Battery Grid 1 (Non-Loadshed):BTRY GRID 1 (NON-LOADSHED)  
 X15 Backup Light (Endurant):Diagram1  
 X15 - Ground Splice Packs 2/4:Diagram1

Mates

1701\_IP12

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	NA71BA	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	3235.0	-	1	9800F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
10	-	-	NK94T	2643784 R1	4.81	10.0	Std. Wall XLPE Primary Cable	GREY	700.0	-	-	-
10	-	-	RG94T	3510315 R1	4.81	10.0	Thin Wall XLPE Primary Cable	GREY	3560.0	-	-	-
10	-	-	RZ94T	3510315 R1	4.81	10.0	Thin Wall XLPE Primary Cable	GREY	800.0	-	-	-
10	-	-	NH94T	3510315 R1	4.81	10.0	Thin Wall XLPE Primary Cable	GREY	800.0	-	-	-
10	-	-	YS94T	2643784 R1	4.81	10.0	Std. Wall XLPE Primary Cable	GREY	1225.0	-	-	-
10	-	-	RF94T	3510357 R1	4.81	10.0	Thin Wall XLPE Primary Cable	DARK BLUE	1650.0	-	-	-
10	-	-	YL94T	3510315 R1	4.81	10.0	Thin Wall XLPE Primary Cable	GREY	3210.0	-	-	-
10	-	-	YT94T	2643784 R1	4.81	10.0	Std. Wall XLPE Primary Cable	GREY	3010.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
10	-	-	ME94T	3510357 R1	4.81	10.0	Thin Wall XLPE Primary Cable	DARK BLUE	800.0	-	-	-
10	-	-	MD94T	3510357 R1	4.81	10.0	Thin Wall XLPE Primary Cable	DARK BLUE	800.0	-	-	-
11	-	-	NJ72V	2643755 R1	3.01	12.0	Std. Wall XLPE Primary Cable	ORANGE	800.0	-	D	9780M
11	-	-	RJ72V	2643755 R1	3.01	12.0	Std. Wall XLPE Primary Cable	ORANGE	3560.0	-	D	9782M
11	-	-	TA72V	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	1650.0	-	D	9784M
11	-	-	YM72V	2643755 R1	3.01	12.0	Std. Wall XLPE Primary Cable	ORANGE	3210.0	-	D	9782
12	-	-	UB67TA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3515.0	-	-	-
30	-	-	RE39	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	350.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
31	-	-	GB39	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2535.0	-	-	-
31	-	-	GA39	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2410.0	-	-	-
40	-	-	NP61B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	C	9865F
41	-	-	NP106B	2643675 R1	0.79	18.0	Std. Wall XLPE Primary Cable	ORANGE	3235.0	-	B	9865F
42	-	-	NP109B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	A	9865F
53	-	-	SA94BZ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	2	9516M
53	-	-	BA94BZ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	2	9516M
58	-	-	SA94BT	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	7	9516M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
58	-	-	BA94BT	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	7	9516M
58	-	-	YG116L	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3310.0	-	-	-
60	-	-	SA94BV	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	-	-
60	-	-	YG116M	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3310.0	-	-	-
65	-	-	HC94A	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4660.0	-	-	-
65	-	-	HB94A	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4310.0	-	-	-
65	-	-	HA94A	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3785.0	-	-	-

Connector Name 1701M  
Part Number 3595623C1  
Instances ABS Private J1939:ABS Private J1939  
Bendix Stability Control For Tractor or Tractors with Trailer  
Tow:Diagram1-Combination1  
Bendix Stability Control For Tractor or Tractors with Trailer  
Tow:Diagram1-Combination2  
Bendix Stability Control With Rear Air Suspension No Lift  
Axle:Diagram1-Combination1  
Bendix Stability Control With Rear Air Suspension No Lift  
Axle:Diagram1-Combination2  
Bendix Stability Control With Rear Air Suspension No Lift  
Axle:Diagram1-Combination3  
Collision Avoidance System Warning:Diagram1  
Drain Valve Heater:Diagram1  
Driver Controlled Locking Differential -FR & RR Axle:Diagram1-  
Combination1  
Driver Controlled Locking Differential -RR Axle:Diagram1-  
Combination1  
Driver Controlled Locking Differential -RR Axle:Diagram1-  
Combination2  
Jaw Monitoring:Diagram1  
License Plate Light (Tail Light Bar Assy.):Diagram1-  
Combination1 - R01-9303  
License Plate Light (Tail Light Bar Assy.):Diagram1-  
Combination2 - R01-9303A  
License Plate Light(Weldon LED):Diagram1-Combination1 -  
R01-9303K  
License Plate Light(Weldon LED):Diagram1-Combination2 -  
R01-9303M  
Wabco Full Stability Control:Diagram1-Combination1  
Wabco Full Stability Control:Diagram1-Combination2  
X15 - Back-Up Alarm Manual and UltraShift+:Diagram1-  
Combination1  
X15 - Back-Up Alarm Manual and UltraShift+:Diagram1-  
Combination2  
X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-  
Combination1  
X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-  
Combination2  
X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-  
Combination3



X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-  
Combination4

Mates

1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	EY71BA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1800.0	-	X	-
4	-	-	3E68A	3510305 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BROWN	460.0	-	X	-
13	-	-	XZ94SJ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2370.0	-	5	1402
13	-	-	XG94SJ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	13	1422
30	-	-	RT39A	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2425.0	-	-	-
45	-	-	CY49	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	765.0	-	A3	J7-1607
46	-	-	XD94SNA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1290.0	-	B	1410
46	-	-	XZ94SAB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1290.0	-	B	1410




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
47	-	-	XZ94SCB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1290.0	-	E	1410
47	-	-	XD94SPA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1290.0	-	H	1410
48	-	-	XZ94SBB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1290.0	-	H	1410
48	-	-	XD94SRA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1290.0	-	E	1410
49	-	-	XZ94SDB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1290.0	-	L	1410
49	-	-	XD94SSA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1290.0	-	L	1410
50	-	-	CZ49A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	765.0	-	A4	J7-1607
58	-	-	JL116L	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	R2 - 86	1018_IP 12

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
59	-	-	JL116U	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	R1 - 86	1018_IP12
63	-	-	XD94SL	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2400.0	-	16	1423
63	-	-	XZ94SZC	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2315.0	-	X	-
67	-	-	ZC94SK	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2370.0	-	3	1402
67	-	-	XG94SK	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	8	1422
69	-	-	YD67U	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2305.0	-	3	1942
70	-	-	YD67W	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2305.0	-	2	1942
71	-	-	YD67V	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2305.0	-	1	1942

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
72	-	-	XZ94SM	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2505.0	-	9	1403
73	-	-	XZ94SN	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2505.0	-	12	1403
74	-	-	XZ94SL	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2505.0	-	6	1403
75	-	-	XD94SM	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2400.0	-	13	1423
75	-	-	XZ94SVC	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2285.0	-	X	-
76	-	-	XZ94SH	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2505.0	-	3	1403

Connector Name 1701M  
Part Number 3595623C1  
Instances A26 - Backup Light (Endurant):Diagram1  
ABS Splice Packs:Diagram1  
Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ ALL HENDRICKSON SUSPENSIONS EXCEPT HTB-40-52  
Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ HENDRICKSON HTB-40-52 SUSPENSION  
Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ IROS SUSPENSIONS  
Antilock Brake System (ABS)-BENDIX 4 Channel Implemenation:Diagram1-Combination1 - R01-9501, R01-9502, R01-9503, R01-9504  
Antilock Brake System (ABS)-BENDIX 4 Channel Implemenation:Diagram1-Combination2 - R01-9501D-4chABS, R01-9502A, R01-9503D-4chABS, R01-9504B  
Antilock Brake System (ABS)-BENDIX 4 Channel Implemenation:Diagram1-Combination3 - R01-9501D-4chABS, R01-9502B-4chABS, R01-9503D-4chABS, R01-9504A-4chABS  
Antilock Brake System (ABS)-BENDIX 4 Channel Implemenation:Diagram1-Combination4 - R01-9502B-4chABS, R01-9504A-4chABS, R01-9511, R01-9512  
Antilock Brake System (ABS)-Wabco 4 Channel Implementation:W/ 4X2 AXLE CONFIGURATION  
Antilock Brake System (ABS)-Wabco 4 Channel Implementation:W/ 6X2,6X4 AXLE & W/ HENDRICKSON 55",60" AIR SUSPENSION  
Antilock Brake System (ABS)-Wabco 4 Channel Implementation:W/ 6X2,6X4 AXLE & W/ HENDRICKSON PRIMAAX SUSPENSION  
Antilock Brake System (ABS)-Wabco 4 Channel Implementation:W/ 6X2,6X4 AXLE & W/ IROS, HENDRICKSON HTB-40-52 SUSPENSIONS  
Antilock Brake System (ABS)-Wabco 6 Channel Implementation:W/ ALL HENDRICKSON SUSPENSIONS EXCEPT HTB-40-52  
Antilock Brake System (ABS)-Wabco 6 Channel Implementation:W/ HENDRICKSON HTB-40-52 SUSPENSION  
Antilock Brake System (ABS)-Wabco 6 Channel Implementation:W/ IROS SUSPENSIONS  
Auxiliary Air Solenoids 4-pack (1 pack/4 solenoids):Diagram1-Combination1



Auxiliary Air Solenoids 4-pack (1 pack/4 solenoids):Diagram1-Combination2  
Auxiliary Air Solenoids 4-pack (1 pack/4 solenoids):Diagram1-Combination3  
Auxiliary Air Solenoids 4-pack (1 pack/4 solenoids):Diagram1-Combination4  
Auxiliary Air Solenoids 4-pack (2 packs/8 solenoids):Diagram1-Combination1  
Auxiliary Air Solenoids 4-pack (2 packs/8 solenoids):Diagram1-Combination2  
Auxiliary Air Solenoids 4-pack (2 packs/8 solenoids):Diagram1-Combination3  
Auxiliary Air Solenoids 4-pack (2 packs/8 solenoids):Diagram1-Combination4  
Backup Lights (Dual Reverse Light) Eaton/Manual Trans:W/ 4X2 AXLE  
Backup Lights (Dual Reverse Light) Eaton/Manual Trans:W/ 6X2,6X4 AXLE  
Backup Lights (Single Reverse Light) Eaton/Manual Trans:W/ 4X2 AXLE  
Backup Lights (Single Reverse Light) Eaton/Manual Trans:W/ 6X2,6X4 AXLE  
Fuel Level (Single Tank - Left Side):Diagram1-Combination1 - N01-9100A  
Fuel Level (Single Tank - Left Side):Diagram1-Combination2 - N01-9100B  
Fuel Level (Single Tank - Left Side):Diagram1-Combination3 - N01-9100C  
Fuel Level (Single Tank - Left Side):Diagram1-Combination4 - N01-9100D  
Fuel Level (Single Tank - Left Side):Diagram1-Combination5 - N01-9100E  
Fuel Level (Single Tank - Left Side):Diagram1-Combination6 - N01-9100F  
Hill Start Aid (Bendix):Diagram1-Combination1 - N01-9515  
Hill Start Aid (Bendix):Diagram1-Combination2 - N01-9516  
Hill Start Aid (Bendix):Diagram1-Combination3 - N01-9516B  
Rear Light (Tail Light) (Light Bar ASSY):W/ 4X2 AXLE  
Rear Light (Tail Light) (Light Bar ASSY):W/ 6X2,6X4 AXLE  
Rear Light (Tail Light) (Light Bar ASSY/MRKR INT-STRNGWHL):W/ 4X2 AXLE  
Rear Light (Tail Light) (Light Bar ASSY/MRKR INT-STRNGWHL):W/ 6X2,6X4 AXLE  
Rear Light (Tail Light) (Weldon LED):W/ 4X2 AXLE

Rear Light (Tail Light) (Weldon LED):W/ 6X2,6X4 AXLE  
Rear Light (Tail Light) (Weldon LED/MRKR INT-STRNGWHL):W/ 4X2 AXLE  
Rear Light (Tail Light) (Weldon LED/MRKR INT-STRNGWHL):W/ 6X2,6X4 AXLE  
Rear Lights Stop - Dual Assembly:W/ 4X2 AXLE  
Rear Lights Stop - Dual Assembly:W/ 6X2,6X4 AXLE  
Rear Lights Stop - Single Assembly:W/ 4X2 AXLE  
Rear Lights Stop - Single Assembly:W/ 6X2,6X4 AXLE  
Rear Turn Lights W/ Dual Tail Light Assembly:W/ 4X2 AXLE  
Rear Turn Lights W/ Dual Tail Light Assembly:W/ 6X2,6X4 AXLE  
Rear Turn Lights W/ Single Rear Light Assembly:W/ 4X2 AXLE  
Rear Turn Lights W/ Single Rear Light Assembly:W/ 6X2,6X4 AXLE  
Single Axle Temperature Monitoring:Diagram1-Combination1 - R01-9811  
Single Axle Temperature Monitoring:Diagram1-Combination2 - R01-9813  
Single Axle Temperature Monitoring w/Aux Gauge:Diagram1-Combination1 - R01-9811  
Single Axle Temperature Monitoring w/Aux Gauge:Diagram1-Combination2 - R01-9813  
Tandem Axle Temperature Monitoring:Diagram1-Combination1 - R01-9811, R01-9812  
Tandem Axle Temperature Monitoring:Diagram1-Combination2 - R01-9911, R01-9912  
Tandem Axle Temperature Monitoring w/Aux Gauge:Diagram1-Combination1 - R01-9811, R01-9812  
Tandem Axle Temperature Monitoring w/Aux Gauge:Diagram1-Combination2 - R01-9911, R01-9912  
Traction Control (Bendix Controller):Diagram1-Combination1 - R01-9505  
Traction Control (Bendix Controller):Diagram1-Combination2 - R01-9505A  
Traction Control (Wabco Controller):Diagram1-Combination1 - R01-9515  
Traction Control (Wabco Controller):Diagram1-Combination2 - R01-9515A  
Traction Control (Wabco Controller):Diagram1-Combination3 - R01-9515B  
Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination1  
Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination2

Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination3  
Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination4  
Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination5  
Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination6  
Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination7  
Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination8  
Trailer Interface (ABS) - BOC\_NA:Diagram1-Combination1  
Trailer Interface (ABS) - BOC\_NA:Diagram1-Combination2  
Trailer Interface (ABS) - BOC\_NA:Diagram1-Combination3  
Trailer Interface (ABS) - BOC\_NA:Diagram1-Combination4  
Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination1-N01-9780M, R01-9790M  
Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination2-N01-9780M, R01-9790MA  
Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination3-N01-9782, R01-9790M  
Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination4-N01-9782, R01-9790MA  
Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination5-N01-9782M, R01-9790M  
Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination6-N01-9782M, R01-9790MA  
Trailer Interface (Lighting) – BOC\_NA:Diagram1-Combination1-N01-9780M  
Trailer Interface (Lighting) – BOC\_NA:Diagram1-Combination2-N01-9782  
Trailer Interface (Lighting) – BOC\_NA:Diagram1-Combination3-N01-9782M  
Trailer Interface (Lighting) – TRAMEC\_NA:Diagram1  
Work Lights (Customer Supplied) W/ Sw Pack:Diagram1-Combination1  
Work Lights (Customer Supplied) W/ Sw Pack:Diagram1-Combination2  
Work Lights LED (Customer Supplied) W/ Sw Pack - Sleeper:Diagram1-Combination1  
Work Lights LED W/ Sw Pack - Day Cab:Diagram1-Combination1  
X15 - Battery Feed 1 - Part 1:BTRY Feed 1 (NON-LOADSHED)

X15 - Key Switch Ignition 1:Key Switch Ignition 1B  
ZVR Splice Packs:Diagram1

Mates

1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	3T71BA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2395.0	-	R2 - 87	1012_IP12
1	-	-	BK71B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1040.0	-	X	-
1	-	-	GM71BA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1040.0	-	X	-
1	-	-	BJ71BA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2395.0	-	R2 - 87	1012_IP12
1	-	-	EY71BA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1800.0	-	X	-
2	-	-	EC56A3	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	665.0	-	D	J1-1603
3	-	-	NC57AA	3510319 R1	1.91	14.0	Thin Wall XLPE Primary Cable	ORANGE	665.0	-	M	J1-1603
4	-	-	3E68A	3510305 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BROWN	460.0	-	X	-



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
5	-	-	BM56T	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	665.0	-	B	J1-1603
6	-	-	BM57T	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	665.0	-	A	J1-1603
7	-	-	BM58T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	715.0	-	F	J2-1604
8	-	-	BM68T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	715.0	-	D	J2-1604
9	-	-	BM70T	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	2305.0	-	R1 - 87	1011_IP 12
10	-	-	ER94T	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	2395.0	-	R1 - 87	1012_IP 12
10	-	-	FR94T	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	2295.0	-	-	-
10	-	-	ER94T	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	2395.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
10	-	-	HF94T	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	2045.0	-	-	-
10	-	-	HG94T	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	2045.0	-	-	-
10	-	-	BN94T	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	2295.0	-	14	1010_IP12
12	-	-	YD67TA	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2410.0	-	39	1013_IP12
14	-	-	GT94BM	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2470.0	-	16	1421
14	-	-	XX94BM	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2400.0	-	-	-
15	-	-	GT94BN	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2470.0	-	7	1421
15	-	-	XX94BN	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2400.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
16	-	-	GS94BE	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2470.0	-	14	1421
16	-	-	XY94BE	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	15	1401
17	-	-	GS94BD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2470.0	-	11	1421
17	-	-	XY94BD	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	18	1401
18	-	-	GS94BH	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2470.0	-	17	1421
18	-	-	XY94BH	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2400.0	-	-	-
18	-	-	XY94BH	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2400.0	-	10	1400
19	-	-	GS94BF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2470.0	-	18	1421

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
19	-	-	XY94BF	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2400.0	-	-	-
19	-	-	XY94BF	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2400.0	-	11	1400
20	-	-	GS94BL	3510313 R1	1.91	14.0	Thin Wall XLPE Primary Cable	GREY	2470.0	-	8	1421
20	-	-	XY94BL	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	10	1401
21	-	-	GS94BJ	3510313 R1	1.91	14.0	Thin Wall XLPE Primary Cable	GREY	2470.0	-	9	1421
21	-	-	XY94BJ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	13	1401
22	-	-	GS94BK	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1860.0	-	X	-
22	-	-	XY94BK	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	9	1401

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
23	-	-	GS94BA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2470.0	-	5	1421
23	-	-	XY94BA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	17	1401
24	-	-	GS94BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1860.0	-	X	-
24	-	-	XY94BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	12	1401
25	-	-	GS94BC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2470.0	-	2	1421
25	-	-	XY94BC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	16	1401
27	-	-	AA36B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1060.0	-	B8	J3-1600
30	-	-	RT39A	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2425.0	-	30	1014_IP 12

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
31	-	-	BZ39	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2425.0	-	29	1014_IP12
31	-	-	RT39	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2425.0	-	29	1014_IP12
32	-	-	AA59A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	E12	J5-1602
33	-	-	AA59B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	705.0	-	F10	J4-1601
34	-	-	AA59C	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	705.0	-	E12	J4-1601
35	-	-	RL59D	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	705.0	-	F8	J4-1601
36	-	-	RL59E	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	705.0	-	E13	J4-1601
37	-	-	AA59F	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	705.0	-	F4	J4-1601

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
38	-	-	AA59H	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	705.0	-	E9	J4-1601
39	-	-	AA59J	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	705.0	-	F5	J4-1601
42	-	-	FF109	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1290.0	-	C	1620
43	-	-	DN32A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1060.0	-	B11	J3-1600
44	-	-	DP32	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1060.0	-	B10	J3-1600
46	-	-	XD94SNA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1290.0	-	B	1410
46	-	-	XZ94SAB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1290.0	-	B	1410
47	-	-	XZ94SBB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1290.0	-	H	1410

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
47	-	-	XD94SPA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1290.0	-	E	1410
48	-	-	XD94SRA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1290.0	-	H	1410
48	-	-	XZ94SCB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1290.0	-	E	1410
49	-	-	XD94SSA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1290.0	-	L	1410
49	-	-	XZ94SDB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1290.0	-	L	1410
51	-	-	BW65AB	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	130.0	-	X	-
51	-	-	BU65AB	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	130.0	-	X	-
52	-	-	XF94BY	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	6	1422




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
52	-	-	PJ94BMM	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2370.0	-	7	1402
53	-	-	XF94BZ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	530.0	-	X	-
53	-	-	PJ94BNN	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2370.0	-	6	1402
54	-	-	XF94BP	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	3	1422
54	-	-	PJ94BP	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2370.0	-	4	1402
55	-	-	XF94BQ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	5	1422
55	-	-	PJ94BQ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2370.0	-	14	1402
56	-	-	XF94BR	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	2	1422

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
56	-	-	PJ94BR	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2370.0	-	11	1402
57	-	-	XF94BS	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	15	1422
57	-	-	PJ94BS	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2370.0	-	13	1402
58	-	-	XF94BT	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	530.0	-	X	-
58	-	-	PJ94BT	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2370.0	-	9	1402
59	-	-	XF94BU	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	12	1422
59	-	-	PJ94BU	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2370.0	-	10	1402
60	-	-	XF94BV	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	11	1422

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
60	-	-	PJ94BV	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2370.0	-	-	-
60	-	-	XF94BV	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	-	-
60	-	-	JL116M	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2410.0	-	31	1013_IP12
60	-	-	PJ94BV	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2370.0	-	15	1402
64	-	-	XF94BW	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	14	1422
64	-	-	PJ94BW	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2370.0	-	12	1402
65	-	-	ZB94HA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2370.0	-	2	1402
65	-	-	ZA94HA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2370.0	-	2	1402

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
66	-	-	ZB94SK	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2370.0	-	3	1402
68	-	-	BS65	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	665.0	-	G	J1-1603
68	-	-	BW65AA	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	130.0	-	X	-
68	-	-	BX65AA	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	130.0	-	X	-

Connector Name 1701\_IP12  
Part Number 3595623C1  
Instances A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination1  
A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination2  
A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination3  
A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination4  
A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination1  
A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination2  
A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination3  
A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination4  
A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination5  
A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination6  
A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination7  
A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination8  
A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination1  
A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination2  
A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination3  
A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination4  
A26 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1-Combination1  
A26 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1-Combination2  
A26 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1-Combination3  
A26 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1-Combination4  
A26 - Battery Feed 1:BTRY Feed 1 (NON-LOADSHED)



A26 - Key Switch Ignition 1:Key Switch Ignition 1B  
 A26 - Key Switch Ignition 1:Key Switch Ignition 1C  
 Auxiliary Trailer Power Cavity D:Diagram1-Combination1  
 Auxiliary Trailer Power Cavity D:Diagram1-Combination2  
 Auxiliary Trailer Power Cavity D:Diagram1-Combination3  
 Auxiliary Trailer Power Cavity D:Diagram1-Combination4  
 Axle Loading (Weight) Rear:Diagram1-Combination1  
 Axle Loading (Weight) Rear:Diagram1-Combination2  
 Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-Combination1  
 Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-Combination2  
 Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-Combination3  
 Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-Combination4  
 Back-Up Alarm (Automatic) TC10:Diagram1-Combination1  
 Back-Up Alarm (Automatic) TC10:Diagram1-Combination2  
 Backup Light (Dual Reverse Light)Allison/ZF Trans:Diagram1-Combination1  
 Backup Light (Dual Reverse Light)Allison/ZF Trans:Diagram1-Combination2  
 Backup Light (Single Reverse Light)Allison/ZF Trans:Diagram1-Combination1  
 Backup Light (Single Reverse Light)Allison/ZF Trans:Diagram1-Combination2  
 Endurant - Battery Grid 1 (Non-Loadshed):BTRY GRID 1 (NON-LOADSHED)  
 X15 Backup Light (Endurant):Diagram1  
 X15 - Ground Splice Packs 2/4:Diagram1

Mates

1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	3T71BA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2395.0	-	R2 - 87	1012_IP 12

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
1	-	-	BP71B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2545.0	-	B4	1F_IP12
1	-	-	EY71BA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1800.0	-	X	-
1	-	-	GM71BA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1040.0	-	X	-
1	-	-	BJ71BA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2395.0	-	R2 - 87	1012_IP12
1	-	-	BK71B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1040.0	-	X	-
10	-	-	FB94TW	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	410.0	-	14	1010
10	-	-	ER94T	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	2395.0	-	-	-
10	-	-	FR94T	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	2295.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
10	-	-	BN94T	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	2295.0	-	14	1010
10	-	-	FB94U	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	2045.0	-	-	-
10	-	-	BN94T	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	2295.0	-	14	1010_IP 12
10	-	-	HF94T	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	2045.0	-	-	-
10	-	-	HG94T	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	2045.0	-	-	-
10	-	-	HG94TV	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	410.0	-	14	1010_IP 12
11	-	-	CC72A	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	2395.0	-	R4 - 87	1012_IP 12
12	-	-	YD67TA	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2410.0	-	39	1013_IP 12




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
30	-	-	RT39A	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2425.0	-	30	1014_IP12
31	-	-	BZ39	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2425.0	-	29	1014_IP12
31	-	-	RT39	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2425.0	-	29	1014_IP12
40	-	-	FF61B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	F7	J5-1602
41	-	-	FF106	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	E8	J5-1602
42	-	-	FF109	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1290.0	-	-	-
53	-	-	XF94BZ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	530.0	-	X	-
53	-	-	PJ94BNN	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2370.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
58	-	-	XF94BT	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	530.0	-	X	-
58	-	-	PJ94BT	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2370.0	-	-	-
58	-	-	JL116L	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	-	-
60	-	-	PJ94BV	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2370.0	-	-	-
60	-	-	XF94BV	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2430.0	-	-	-
60	-	-	JL116M	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2410.0	-	31	1013_IP12
65	-	-	9S74RC	2643695 R1	3.01	12.0	Std. Wall XLPE Primary Cable	RED	1720.0	-	X	-

Connector Name 1702F  
Part Number 3595621C1  
Instances

- Air Flow Restriction Monitoring GEN IV BCM:Diagram1
- Backup Lights (Dual Reverse Light) Eaton/Manual Trans:W/ 4X2 AXLE
- Backup Lights (Dual Reverse Light) Eaton/Manual Trans:W/ 6X2,6X4 AXLE
- Backup Lights (Single Reverse Light) Eaton/Manual Trans:W/ 4X2 AXLE
- Backup Lights (Single Reverse Light) Eaton/Manual Trans:W/ 6X2,6X4 AXLE
- Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch:Diagram1-Combination1 - T08-6100D
- Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch:Diagram1-Combination2 - T09-6100D
- Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch:Diagram1-Combination3 - T10-6100D
- Powertrain J1939 (500Kbps) X15:Powertrain J1939 (500Kbps) X15 Engine
- Starter Interlock (BCM LSD Controlled w/ Relay)\_EATON XMSN:Diagram1
- Transmission Oil Temperature-Manual Trans:W/ ALL MANUAL XMSNS EXCEPT EATON ADVANTAGE, TREMEC
- Transmission Oil Temperature-Manual Trans:W/ EATON FULLER ADVANTAGE XMSNS
- Transmission Oil Temperature-Manual Trans:W/ TREMEC XMSNS
- Transmission Shifter Universal Shifter - Ultrashift+ & FAS:Diagram1
- Work Lights LED W/ Sw Pack - Day Cab:Diagram1-Combination1
- Work Lights LED W/ Sw Pack - Sleeper:Diagram1-Combination1
- X15 - Acceleration Pedal:Diagram1
- X15 - Back-Up Alarm Manual and UltraShift+:Diagram1-Combination1
- X15 - Back-Up Alarm Manual and UltraShift+:Diagram1-Combination2
- X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-Combination1
- X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-Combination2
- X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-Combination3



X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-  
 Combination4  
 X15 - Battery Feed 1 - Part 2:Diagram1  
 X15 - Heating Ventilation Air Conditioning (HVAC):Diagram1 -  
 Base HVAC  
 X15 - Key Switch Ignition 1:Key Switch Ignition 1A  
 X15 - Key Switch Ignition 1:Key Switch Ignition 1B  
 X15 - Outside temperature monitor:Diagram1  
 X15 - Powertrain ZVR Splice Packs:Diagram 1  
 X15 - Starter Interlock (BCM HSD controlled W/ Clutch Switch  
 W/ Auto Start Stop):Diagram1  
 X15 - Transmission Power Take Off:Diagram1  
 X15 - Transmission Power Take Off Dual PTO with Clutch  
 Interlock:Diagram1  
 X15 - Transmission Power Take Off Dual Solenoid:Diagram1  
 X15 - Transmission Power Take Off W/ Clutch  
 Interlock:Diagram1

Mates

1702M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
2	-	-	AA9AAJ1	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	900.0	-	X	-
3	-	-	3H6DBJ	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2080.0	-	D1	2F
4	-	-	3H77BJ	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2045.0	-	B9	1M
5	-	-	AU28J	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2045.0	-	A3	1M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
6	-	-	BP71AJ	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2045.0	-	A2	1M
6	-	-	EY71AJ	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2045.0	-	A2	1M
7	-	-	BP71BJ	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2045.0	-	B4	1M
8	-	-	AZ13AJ	2643752 R1	1.16	16.0	Std. Wall XLPE Primary Cable	PINK	2045.0	-	B6	1M
8	-	-	GY92J#1 63	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	2045.0	-	B6	1M
10	-	-	AA77J	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2045.0	-	B12	1M
11	-	-	WIRE1324	-	0.0	-	-	-	0.0	-	C6	2F
12	-	-	MN92J	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2045.0	-	C1	1M
13	-	-	DS31J	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2080.0	-	A3	2F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
14	-	-	FD88J	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2045.0	-	D1	1M
15	-	-	HZ41EJ	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2080.0	-	-	-
16	-	-	GP17J	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	2045.0	-	B2	1M
16	-	-	AF17C	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	0.0	-	PIN1	-
17	-	-	WIRE1325	-	0.0	-	-	-	0.0	-	C7	2F
18	-	-	HZ41DJ	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2045.0	-	C7	1M
19	-	-	AZ92-GCJ	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2045.0	-	B3	1M
20	-	-	AZ92BJ	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2045.0	-	C2	1M
21	-	-	AF17	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	0.0	-	PIN1	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
22	-	-	AA97CJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	2045.0	-	B7	1M
23	-	-	AA97BJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	2045.0	-	C12	1M
24	-	-	AA97MJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	2045.0	-	C6	1M
28	-	-	AA99BJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	2045.0	-	A5	1M
29	-	-	AA97NJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	2045.0	-	B11	1M
30	-	-	AA99DJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	2045.0	-	A1	1M
32	-	-	DT104ALJ	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	2045.0	-	D3	1M
33	-	-	DT104-G AJ	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2045.0	-	D4	1M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
37	-	-	EH97FJ	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PURPLE	2045.0	-	B5	1M
40	-	-	MN9ZAJ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2045.0	-	A4	1M
41	-	-	FE88AJ	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2045.0	-	D5	1M
42	-	-	3H77BAJ	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2045.0	-	A6	1M



Connector Name 1702M  
 Part Number 3595620C1  
 Instances

- Air Flow Restriction Monitoring GEN IV BCM:Diagram1
- Backup Lights (Dual Reverse Light) Eaton/Manual Trans:W/ 4X2 AXLE
- Backup Lights (Dual Reverse Light) Eaton/Manual Trans:W/ 6X2,6X4 AXLE
- Backup Lights (Single Reverse Light) Eaton/Manual Trans:W/ 4X2 AXLE
- Backup Lights (Single Reverse Light) Eaton/Manual Trans:W/ 6X2,6X4 AXLE
- Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch:Diagram1-Combination1 - T08-6100D
- Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch:Diagram1-Combination2 - T09-6100D
- Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch:Diagram1-Combination3 - T10-6100D
- Powertrain J1939 (500Kbps) X15:Powertrain J1939 (500Kbps) X15 Engine
- Starter Interlock (BCM LSD Controlled w/ Relay)\_EATON XMSN:Diagram1
- Transmission Oil Temperature-Manual Trans:W/ ALL MANUAL XMSNS EXCEPT EATON ADVANTAGE, TREMEC
- Transmission Oil Temperature-Manual Trans:W/ EATON FULLER ADVANTAGE XMSNS
- Transmission Oil Temperature-Manual Trans:W/ TREMEC XMSNS
- Transmission Shifter Universal Shifter - Ultrashift+ & FAS:Diagram1
- Work Lights LED W/ Sw Pack - Day Cab:Diagram1-Combination1
- Work Lights LED W/ Sw Pack - Sleeper:Diagram1-Combination1
- X15 - Acceleration Pedal:Diagram1
- X15 - Back-Up Alarm Manual and UltraShift+:Diagram1-Combination1
- X15 - Back-Up Alarm Manual and UltraShift+:Diagram1-Combination2
- X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-Combination1
- X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-Combination2
- X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-Combination3



X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-Combination4  
 X15 - Battery Feed 1 - Part 2:Diagram1  
 X15 - Heating Ventilation Air Conditioning (HVAC):Diagram1 - Base HVAC  
 X15 - Key Switch Ignition 1:Key Switch Ignition 1A  
 X15 - Key Switch Ignition 1:Key Switch Ignition 1B  
 X15 - Outside temperature monitor:Diagram1  
 X15 - Powertrain ZVR Splice Packs:Diagram 1  
 X15 - Starter Interlock (BCM HSD controlled W/ Clutch Switch W/ Auto Start Stop):Diagram1  
 X15 - Transmission Power Take Off:Diagram1  
 X15 - Transmission Power Take Off Dual PTO with Clutch Interlock:Diagram1  
 X15 - Transmission Power Take Off Dual Solenoid:Diagram1  
 X15 - Transmission Power Take Off W/ Clutch Interlock:Diagram1

Mates

1702F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
2	-	-	YA9AA	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1730.0	-	-	-
3	-	-	YB6DB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2770.0	-	4	6201
4	-	-	YB77B	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2770.0	-	2	6201
5	-	-	KE28	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2350.0	-	A	7303


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
6	-	-	KW71A	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	1510.0	-	A	7500W
6	-	-	KW71A	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	1510.0	-	-	-
7	-	-	KW71B	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	1510.0	-	-	-
7	-	-	KW71B	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	1510.0	-	B	7500W
8	-	-	KH13A	2643691 R1	1.91	14.0	Std. Wall XLPE Primary Cable	PINK	2316.0	-	-	-
10	-	-	KA77	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2180.0	-	B	6200
11	-	-	WIRE1344	-	0.0	-	-	-	0.0	-	PIN1	-
12	-	-	KH92A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2316.0	-	16	7105
13	-	-	KK31	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2310.0	-	1	7700K

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
13	-	-	TA31	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2110.0	-	1	7700T
13	-	-	XA31	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2580.0	-	1	7700M
14	-	-	KM88	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3380.0	-	A	7800
15	-	-	KC41D	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	640.0	-	B	6703
16	-	-	VK17	2643752 R1	1.16	16.0	Std. Wall XLPE Primary Cable	PINK	1310.0	-	B	6316M
17	-	-	WIRE1345	-	0.0	-	-	-	0.0	-	PIN1	-
18	-	-	KC41EA	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	820.0	-	X	-
19	-	-	KH17-GC	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2316.0	-	4	7105
20	-	-	KH17B	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	2316.0	-	32	7105

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
21	-	-	KH17C	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	2316.0	-	26	7105
22	-	-	TJ97C	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PURPLE	1160.0	-	9	6000
23	-	-	TJ97B	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PURPLE	1160.0	-	33	6000
24	-	-	KA97M	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PURPLE	1160.0	-	64	6000
28	-	-	TJ99B	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PURPLE	1160.0	-	10	6000
29	-	-	KA97N	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PURPLE	1160.0	-	61	6000
30	-	-	TY99D	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	390.0	-	X	-
32	-	-	WV97S	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	1510.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
32	-	-	WV97S	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	1510.0	-	B	7802
33	-	-	WV97J	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	1510.0	-	A	7802
37	-	-	KA13B	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1160.0	-	-	-
40	-	-	KH92B	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2316.0	-	17	7105
41	-	-	KN88A	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	3380.0	-	A	7801
42	-	-	YB77C	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2770.0	-	3	6201

Connector Name 1702  
 Part Number 3595620C1  
 Instances Eaton Ulltrashift:Eaton Ultrashift  
 Endurant:Endurant  
 Manual Transmission:Manual Transmission  
 TC10 Series:Powertrain Standard J1939 (500Kbps) A26 Engine  
 Mates 1702




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
11	-	-	KH5R (+)	-	0.0	-	Thin Wall XLPE Primary Cable	Not Applicable	0.0	-	PIN1	-
11	-	-	KG5AD (+)	-	0.0	-	-	-	0.0	-	PIN1	-
11	-	-	XZ5C106	-	0.0	-	-	-	0.0	-	PIN1	-
11	-	-	KF5R (+)	-	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	0.0	-	PIN1	-
17	-	-	KH5R (-)	-	0.79	18.0	Thin Wall XLPE Primary Cable	GREEN	0.0	-	PIN1	-
17	-	-	KG5AD (-)	-	0.0	-	-	-	0.0	-	PIN1	-
17	-	-	XZ5C117	-	0.0	-	-	-	0.0	-	PIN1	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
17	-	-	KF5R (-)	-	0.79	18.0	Thin Wall XLPE Primary Cable	GREEN	0.0	-	PIN1	-



Connector Name 1702  
Part Number 3595620C1  
Instances

- A26 - Air Flow Restriction Monitoring:Diagram1-Combination1
- A26 - Air Flow Restriction Monitoring:Diagram1-Combination2
- A26 - Ambient Air Temperature:Diagram1
- A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination1
- A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination2
- A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination3
- A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination4
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination1
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination2
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination3
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination4
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination5
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination6
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination7
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination8
- A26 - Backup Light (Endurant):Diagram1
- A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination1
- A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination2
- A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination3
- A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination4
- A26 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1-Combination1
- A26 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1-Combination2



A26 - Backup Lights (Single Reverse Light) Eaton/Manual  
Trans:Diagram1-Combination3  
A26 - Backup Lights (Single Reverse Light) Eaton/Manual  
Trans:Diagram1-Combination4  
A26 - Battery Feed 1:BTRY Feed (NON-LOADSHED)  
A26 - Cranking (Starter) W/ Thermal Overcrank - External  
Switch:Diagram1 - W/ Bosch LH160, LH200, LIL165, LIL200  
A26 - Cranking (Starter) W/ Thermal Overcrank - External  
Switch:Diagram2 - W/ Leece Neville AVI160-210A/240A  
A26 - Cranking (Starter) W/ Thermal Overcrank - External  
Switch:Diagram3 - W/ Leece Neville AVI160 w/o Remote Sense  
A26 - Cranking (Starter) W/ Thermal Overcrank - External  
Switch:Diagram4 - W/ Delco Remy 38SI, 40SI  
A26 - Cranking (Starter) W/ Thermal Overcrank - External  
Switch:Diagram5 - W/ Delco Remy 28SI, 36SI  
A26 - Cranking (Starter) W/ Thermal Overcrank - External  
Switch:Diagram6 - W/ Leece Neville 320PAH, LN325  
A26 - Cranking (Starter) W/ Thermal Overcrank - External  
Switch:Diagram7 - W/ Delco Remy 40SI (08GHJ)  
A26 - Engine Control Module:Connector C1-6018  
A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 -  
Base HVAC-Combination1  
A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 -  
Base HVAC-Combination2  
A26 - Key Switch Ignition 1:Key Switch Ignition 1A  
A26 - Key Switch Ignition 1:Key Switch Ignition 1C  
A26 - Powertrain ZVR Splice Packs:Diagram 1  
A26 - Starter Interlock (BCM HSD controlled W/ Clutch Switch  
W/ Auto Start Stop):Diagram1-Combination1  
A26 - Starter Interlock (BCM HSD controlled W/ Clutch Switch  
W/ Auto Start Stop):Diagram1-Combination2  
A26 - Transmission Control Module (TC10 Series  
A65):Diagram1  
A26 - Transmission Oil Temperature-Manual Trans:Diagram1-  
Combination1  
A26 - Transmission Oil Temperature-Manual Trans:Diagram1-  
Combination2  
A26 - Transmission Oil Temperature-Manual Trans:Diagram1-  
Combination3  
A26 - Transmission Power Take Off:Diagram1  
A26 - Transmission Power Take Off Dual Solenoid:Diagram1  
A26 - Transmission Power Take Off W/ Clutch  
Interlock:Diagram1

A26 - Transmission Shifter (Eaton Endurant and Eaton Procision):Diagram1  
A26 - Ultrashift+ and FAS:Diagram1  
A26 -Transmission Power Take Off Dual PTO with Clutch Interlock:Diagram1  
A26 Endurant - Starter Interlocks (Service Brake Interlock):Diagram1  
Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-Combination1  
Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-Combination2  
Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-Combination3  
Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-Combination4  
Back-Up Alarm (Automatic) TC10:Diagram1-Combination1  
Back-Up Alarm (Automatic) TC10:Diagram1-Combination2  
Backup Light (Dual Reverse Light)Allison/ZF Trans:Diagram1-Combination1  
Backup Light (Dual Reverse Light)Allison/ZF Trans:Diagram1-Combination2  
Backup Light (Single Reverse Light)Allison/ZF Trans:Diagram1-Combination1  
Backup Light (Single Reverse Light)Allison/ZF Trans:Diagram1-Combination2  
Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram1 - W/ Bosch LH160, LH200, LIL165, LIL200  
Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram2 - W/ Leece Neville AVI160-210A/240A  
Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram3 - W/ Leece Neville AVI160 w/o Remote Sense  
Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram4 - W/ Delco Remy 38SI, 40SI  
Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram5 - W/ Delco Remy 28SI, 36SI  
Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram6 - W/ Leece Neville 320PAH, LN325  
Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram7 - W/ Delco Remy 40SI (08GHJ)  
Starter Interlocks (BCM controlled with input from Allison TCM):Diagram1  
Transmission Shifter Allison:Diagram1  
Work Lights (Customer Supplied) W/ Sw Pack:Diagram1-Combination1

X15 Backup Light (Endurant):Diagram1  
 X15 - Engine Control Module:Connector 6000  
 X15 - Transmission Shifter (Eaton Endurant and Eaton  
 Procision):Diagram1  
 X15 - Ultrashift+ and FAS:Diagram1  
 X15 Endurant - Starter Interlocks (Service Brake  
 Interlock):Diagram1

Mates 1702\_IP12

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	WC92A20	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	650.0	-	X	-
1	-	-	WA92A20	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	650.0	-	X	-
2	-	-	YK9AA	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	715.0	-	-	-
3	-	-	YN6DB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2485.0	-	4	6201B
3	-	-	YL6DB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2595.0	-	4	6201P
4	-	-	YN77B	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2485.0	-	2	6201B

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
4	-	-	YL77B	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2595.0	-	2	6201P
5	-	-	KE28	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2350.0	-	B	6703/A
5	-	-	JE28	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	1625.0	-	B	6703/A
6	-	-	KW71A	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	1510.0	-	B	7500W_1
6	-	-	PF71A	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2165.0	-	B	7500T
6	-	-	BJ92R2J	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1860.0	-	66	1703M
6	-	-	BK92R2J	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1860.0	-	66	1703M
6	-	-	BK92R2J	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1860.0	-	66	1703F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
6	-	-	BP71AJ	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2045.0	-	66	1703F
6	-	-	EY71AJ	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2045.0	-	66	1703F
6	-	-	BJ92R2J	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1860.0	-	66	1703F
6	-	-	XL92#145	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	3795.0	-	14	1501
6	-	-	PF71A	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2165.0	-	-	-
6	-	-	SD92#145	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	3855.0	-	45	7150
6	-	-	KW71A	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	1510.0	-	-	-
6	-	-	XK92#145	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	3795.0	-	14	1501

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
6	-	-	SC92#145	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	3855.0	-	45	7150
7	-	-	XV92#165	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3285.0	-	4	7350
7	-	-	KW71B	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	1510.0	-	A	7500W_1
7	-	-	PF71B	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2165.0	-	A	7500T
7	-	-	BK92R1J	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1860.0	-	45	1703M
7	-	-	BJ92R1J	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1860.0	-	45	1703M
7	-	-	BK92R1J	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1860.0	-	45	1703F
7	-	-	BJ92R1J	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1860.0	-	45	1703F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	KW71B	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	1510.0	-	-	-
8	-	-	KH13A	2643691 R1	1.91	14.0	Std. Wall XLPE Primary Cable	PINK	2316.0	-	35	7105
8	-	-	KH13A	2643691 R1	1.91	14.0	Std. Wall XLPE Primary Cable	PINK	3385.0	-	-	-
8	-	-	XV92#163	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3285.0	-	-	-
8	-	-	TD92#163	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3855.0	-	63	7150
8	-	-	TZ92#163	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3795.0	-	18	1501
8	-	-	KH13A	2643691 R1	1.91	14.0	Std. Wall XLPE Primary Cable	PINK	3385.0	-	35	7105
10	-	-	KA77	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2180.0	-	B	6200



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
12	-	-	TG92A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3385.0	-	16	7105
13	-	-	KK31	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2310.0	-	1	7700K_1
13	-	-	PC31	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3455.0	-	1	7700T_1
13	-	-	WP31	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3520.0	-	1	7700L_1
14	-	-	KM88	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3380.0	-	A	7800_1
15	-	-	WA41D	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	650.0	-	X	-
15	-	-	WC41D	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	650.0	-	X	-
16	-	-	KR17	2643752 R1	1.16	16.0	Std. Wall XLPE Primary Cable	PINK	3645.0	-	A	6306/6307

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
16	-	-	LB17	2643752 R1	1.16	16.0	Std. Wall XLPE Primary Cable	PINK	3440.0	-	B	6306/6307
18	-	-	VL41E	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1375.0	-	9	C1-6018
19	-	-	GY92J#1 34	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1860.0	-	21	1703F
19	-	-	AZ92-GCJ	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2045.0	-	21	1703F
19	-	-	KH17-GC	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2316.0	-	4	7105
19	-	-	XV92#134	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3285.0	-	19	7350
20	-	-	GY92J#1 41	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2045.0	-	28	1703F
20	-	-	AZ92BJ	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2045.0	-	28	1703F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
20	-	-	KH17B	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	2316.0	-	32	7105
20	-	-	XV92#141	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3285.0	-	20	7350
21	-	-	KH17C	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	2316.0	-	26	7105
21	-	-	2T92ZBJ	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1860.0	-	26	1703F
21	-	-	AF17C	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	0.0	-	-	-
22	-	-	KA97C	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1375.0	-	6	C1-6018
22	-	-	TJ97C	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PURPLE	1160.0	-	9	6000
23	-	-	KA97B	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1375.0	-	2	C1-6018

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
23	-	-	TJ97B	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PURPLE	1160.0	-	33	6000
24	-	-	KA97M	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PURPLE	1160.0	-	57	C1-6018
28	-	-	KA99B	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1375.0	-	33	C1-6018
28	-	-	TJ99B	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PURPLE	1160.0	-	10	6000
29	-	-	KA97N	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PURPLE	1160.0	-	29	C1-6018
30	-	-	KA97P	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1375.0	-	12	C1-6018
32	-	-	PY97S	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	2165.0	-	B	7802T
32	-	-	KY97S	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	2850.0	-	B	7802

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
32	-	-	KY97S	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	2850.0	-	-	-
32	-	-	PY97S	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	2165.0	-	-	-
33	-	-	KY97J	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	2850.0	-	A	7802
33	-	-	PY97J	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	2165.0	-	A	7802T
37	-	-	KA13	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1375.0	-	-	-
37	-	-	KA13B	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1160.0	-	5	6000
38	-	-	KL47T	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1375.0	-	78	C1-6018
40	-	-	TG92B	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3385.0	-	17	7105

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
41	-	-	KN88A	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	3380.0	-	A	7801_1
42	-	-	YN77C	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2485.0	-	3	6201B
42	-	-	YL77C	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2595.0	-	3	6201P


Connector Name 1702  
 Part Number 3595621C1  
 Instances Eaton Ulltrashift:Eaton Ultrashift  
 Endurant:Endurant  
 Manual Transmission:Manual Transmission  
 TC10 Series:Powertrain Standard J1939 (500Kbps) A26 Engine  
 Mates 1702



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
11	-	-	WIRE223752	-	0.0	-	-	-	0.0	-	53	1703F
17	-	-	WIRE223753	-	0.0	-	-	-	0.0	-	52	1703F

Connector Name 1702\_IP12  
 Part Number 3595621C1  
 Instances

- A26 - Air Flow Restriction Monitoring:Diagram1-Combination1
- A26 - Air Flow Restriction Monitoring:Diagram1-Combination2
- A26 - Ambient Air Temperature:Diagram1
- A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination1
- A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination2
- A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination3
- A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination4
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination1
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination2
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination3
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination4
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination5
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination6
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination7
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination8
- A26 - Backup Light (Endurant):Diagram1
- A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination1
- A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination2
- A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination3
- A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination4
- A26 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1-Combination1
- A26 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1-Combination2





A26 - Backup Lights (Single Reverse Light) Eaton/Manual  
Trans:Diagram1-Combination3  
A26 - Backup Lights (Single Reverse Light) Eaton/Manual  
Trans:Diagram1-Combination4  
A26 - Battery Feed 1:BTRY Feed (NON-LOADSHED)  
A26 - Cranking (Starter) W/ Thermal Overcrank - External  
Switch:Diagram1 - W/ Bosch LH160, LH200, LIL165, LIL200  
A26 - Cranking (Starter) W/ Thermal Overcrank - External  
Switch:Diagram2 - W/ Leece Neville AVI160-210A/240A  
A26 - Cranking (Starter) W/ Thermal Overcrank - External  
Switch:Diagram3 - W/ Leece Neville AVI160 w/o Remote Sense  
A26 - Cranking (Starter) W/ Thermal Overcrank - External  
Switch:Diagram4 - W/ Delco Remy 38SI, 40SI  
A26 - Cranking (Starter) W/ Thermal Overcrank - External  
Switch:Diagram5 - W/ Delco Remy 28SI, 36SI  
A26 - Cranking (Starter) W/ Thermal Overcrank - External  
Switch:Diagram6 - W/ Leece Neville 320PAH, LN325  
A26 - Cranking (Starter) W/ Thermal Overcrank - External  
Switch:Diagram7 - W/ Delco Remy 40SI (08GHJ)  
A26 - Engine Control Module:Connector C1-6018  
A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 -  
Base HVAC-Combination1  
A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 -  
Base HVAC-Combination2  
A26 - Key Switch Ignition 1:Key Switch Ignition 1A  
A26 - Key Switch Ignition 1:Key Switch Ignition 1C  
A26 - Powertrain ZVR Splice Packs:Diagram 1  
A26 - Starter Interlock (BCM HSD controlled W/ Clutch Switch  
W/ Auto Start Stop):Diagram1-Combination1  
A26 - Starter Interlock (BCM HSD controlled W/ Clutch Switch  
W/ Auto Start Stop):Diagram1-Combination2  
A26 - Transmission Control Module (TC10 Series  
A65):Diagram1  
A26 - Transmission Oil Temperature-Manual Trans:Diagram1-  
Combination1  
A26 - Transmission Oil Temperature-Manual Trans:Diagram1-  
Combination2  
A26 - Transmission Oil Temperature-Manual Trans:Diagram1-  
Combination3  
A26 - Transmission Power Take Off:Diagram1  
A26 - Transmission Power Take Off Dual Solenoid:Diagram1  
A26 - Transmission Power Take Off W/ Clutch  
Interlock:Diagram1

A26 - Transmission Shifter (Eaton Endurant and Eaton Procision):Diagram1  
A26 - Ultrashift+ and FAS:Diagram1  
A26 -Transmission Power Take Off Dual PTO with Clutch Interlock:Diagram1  
A26 Endurant - Starter Interlocks (Service Brake Interlock):Diagram1  
Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-Combination1  
Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-Combination2  
Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-Combination3  
Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-Combination4  
Back-Up Alarm (Automatic) TC10:Diagram1-Combination1  
Back-Up Alarm (Automatic) TC10:Diagram1-Combination2  
Backup Light (Dual Reverse Light)Allison/ZF Trans:Diagram1-Combination1  
Backup Light (Dual Reverse Light)Allison/ZF Trans:Diagram1-Combination2  
Backup Light (Single Reverse Light)Allison/ZF Trans:Diagram1-Combination1  
Backup Light (Single Reverse Light)Allison/ZF Trans:Diagram1-Combination2  
Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram1 - W/ Bosch LH160, LH200, LIL165, LIL200  
Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram2 - W/ Leece Neville AVI160-210A/240A  
Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram3 - W/ Leece Neville AVI160 w/o Remote Sense  
Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram4 - W/ Delco Remy 38SI, 40SI  
Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram5 - W/ Delco Remy 28SI, 36SI  
Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram6 - W/ Leece Neville 320PAH, LN325  
Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram7 - W/ Delco Remy 40SI (08GHJ)  
Starter Interlocks (BCM controlled with input from Allison TCM):Diagram1  
Transmission Shifter Allison:Diagram1  
Work Lights (Customer Supplied) W/ Sw Pack:Diagram1-Combination1

X15 Backup Light (Endurant):Diagram1  
 X15 - Engine Control Module:Connector 6000  
 X15 - Transmission Shifter (Eaton Endurant and Eaton Procision):Diagram1  
 X15 - Ultrashift+ and FAS:Diagram1  
 X15 Endurant - Starter Interlocks (Service Brake Interlock):Diagram1

Mates 1702

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	AA9AAJ1	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	900.0	-	X	-
3	-	-	3H6DBJ	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2080.0	-	D1	2F_IP12
4	-	-	3H77BJ	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2045.0	-	B9	1M_IP12
5	-	-	AU28J	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2045.0	-	A3	1M_IP12
6	-	-	BP71AJ	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2045.0	-	A2	1M_IP12
6	-	-	KP71L	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2350.0	-	5	K02-710 7-ISX

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
6	-	-	KT71C	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	1200.0	-	X	-
6	-	-	KP71L	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2350.0	-	5	K01-7107
6	-	-	EY71AJ	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2045.0	-	A2	1M_IP12
7	-	-	3T92J#1 65	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2045.0	-	A8	1M_IP12
7	-	-	EY71BJ	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2045.0	-	B4	1M_IP12
7	-	-	BP71BJ	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2045.0	-	B4	1M_IP12
7	-	-	KL71K	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2350.0	-	1	K02-710 7-ISX
7	-	-	KG71K	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2810.0	-	1	K01-7107

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
7	-	-	BP71BJ	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2045.0	-	B4	1M
7	-	-	GM92J#1 65	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2045.0	-	A8	1M_IP12
8	-	-	AZ13AJ	2643752 R1	1.16	16.0	Std. Wall XLPE Primary Cable	PINK	2045.0	-	B6	1M_IP12
8	-	-	GY92J#1 63	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	2045.0	-	B6	1M_IP12
10	-	-	AA77J	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2045.0	-	B12	1M_IP12
12	-	-	MN92J	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2045.0	-	-	-
13	-	-	DS31J	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2080.0	-	A3	2F_IP12
14	-	-	FD88J	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2045.0	-	D1	1M_IP12

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
15	-	-	HZ41EJ	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2080.0	-	B4	2F_IP12
15	-	-	HZ41EJ	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2080.0	-	-	-
16	-	-	GP17J	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	2045.0	-	B2	1M_IP12
18	-	-	HZ41DJ	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2045.0	-	-	-
18	-	-	HZ41DJ	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2045.0	-	C7	1M_IP12
19	-	-	KG17-GA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2720.0	-	4	K01-7106
19	-	-	AZ92-GCJ	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2045.0	-	-	-
19	-	-	GY92#13 4J	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2080.0	-	B3	2F_IP12


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
19	-	-	KL17-GA	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2310.0	-	4	K02-7106-ISX
20	-	-	KG17A	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2720.0	-	14	K01-7106
20	-	-	AZ92BJ	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2045.0	-	-	-
20	-	-	GY92J#141	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2045.0	-	C11	1M_IP12
20	-	-	KL17A	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2310.0	-	14	K02-7106-ISX
21	-	-	-	-	-	-	-	-	-	-	-	-
21	-	-	KL92A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2310.0	-	9	K02-7106-ISX
21	-	-	KG92A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2720.0	-	9	K01-7106
22	-	-	AA97CJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	2045.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
22	-	-	AA97CJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	2045.0	-	B7	1M_IP12
23	-	-	AA97BJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	2045.0	-	-	-
23	-	-	AA97BJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	2045.0	-	C12	1M_IP12
24	-	-	AA97MJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	2045.0	-	-	-
28	-	-	AA99BJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	2045.0	-	-	-
28	-	-	AA99BJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	2045.0	-	A5	1M_IP12
29	-	-	AA97NJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	2045.0	-	-	-
30	-	-	AA99DJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	2045.0	-	-	-



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
32	-	-	DT104ALJ	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	2045.0	-	D3	1M_IP12
33	-	-	DT104-GAJ	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2045.0	-	D4	1M_IP12
37	-	-	EH97FJ	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PURPLE	2045.0	-	B5	1M_IP12
37	-	-	EH97FJ	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PURPLE	2045.0	-	B5	1F_IP12
38	-	-	-	-	-	-	-	-	-	-	-	-
40	-	-	MN9ZAJ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2045.0	-	-	-
41	-	-	FE88AJ	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2045.0	-	D5	1M_IP12
42	-	-	3H77BAJ	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2045.0	-	A6	1M_IP12

Connector Name 1703F  
 Part Number 3595624C1  
 Short Description Engine/IP  
 Instances A26 - Backup Light (Endurant):Diagram1  
 A26 - Transmission Shifter (Eaton Endurant and Eaton Procision):Diagram1  
 A26 Endurant - Starter Interlocks (Service Brake Interlock):Diagram1  
 Body Control module (BCM):Connector J3-1600  
 Body Control module (BCM):Connector J5-1602  
 Body Control module (BCM):Connector J6-1606  
 X15 - Transmission Shifter (Eaton Endurant and Eaton Procision):Diagram1  
 X15 Endurant - Ground Splice Packs:Diagram1  
 X15 Endurant - Starter Interlocks (Service Brake Interlock):Diagram1



Mates 1703M


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
8	-	-	AA82-GJ	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2295.0	-	-	-
16	-	-	HA30BJ	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	1860.0	-	-	-
17	-	-	AA74J	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1810.0	-	-	-
18	-	-	AU28J	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2045.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
19	-	-	3H6DBJ	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2080.0	-	-	-
20	-	-	3H77BJ	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2045.0	-	-	-
21	-	-	GY92J#1 34	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1860.0	-	19	1702
21	-	-	AZ92-GCJ	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2045.0	-	19	1702
22	-	-	DT104-G AJ	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2045.0	-	-	-
26	-	-	2T92ZBJ	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1860.0	-	21	1702
28	-	-	GY92J#1 41	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2045.0	-	20	1702
28	-	-	AZ92BJ	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2045.0	-	20	1702

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
29	-	-	3B17	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	1860.0	-	-	-
29	-	-	GP17J	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	2045.0	-	-	-
29	-	-	AF17B	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	0.0	-	-	-
35	-	-	AA9AAJ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1145.0	-	-	-
45	-	-	BK92R1J	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1860.0	-	7	1702
45	-	-	BJ92R1J	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1860.0	-	7	1702
59	-	-	FE88AJ	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2045.0	-	-	-
60	-	-	FD88J	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2045.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
61	-	-	DS31J	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2080.0	-	-	-
66	-	-	BK92R2J	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1860.0	-	6	1702
66	-	-	BP71AJ	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2045.0	-	6	1702
66	-	-	EY71AJ	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2045.0	-	6	1702
66	-	-	BJ92R2J	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1860.0	-	6	1702


Connector Name 1703F  
 Part Number 3595624C1  
 Instances Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External  
 Switch:Diagram1-Combination1 - T08-6100D  
 Eaton Ulltrashift:Eaton Ultrashift  
 Endurant:Endurant  
 Manual Transmission:Manual Transmission  
 TC10 Series:Powertrain Standard J1939 (500Kbps) A26 Engine  
 X15 Backup Light (Endurant):Diagram1  
 Mates 1703M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
29	-	-	AF17B	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	0.0	-	-	-
45	-	-	BK92R1	2643767 R1	0.53	20.0	Std. Wall XLPE Primary Cable	TAN	3340.0	-	R2 - 86	1012_IP 12
45	-	-	BJ92R1	2643767 R1	0.53	20.0	Std. Wall XLPE Primary Cable	TAN	3340.0	-	R2 - 86	1012_IP 12
52	-	-	WIRE223 753	-	0.0	-	-	-	0.0	-	17	1702
53	-	-	WIRE223 752	-	0.0	-	-	-	0.0	-	11	1702

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
66	-	-	BK92R2	2643767 R1	0.53	20.0	Std. Wall XLPE Primary Cable	TAN	3340.0	-	R2 - 85	1012_IP12
66	-	-	BJ92R2	2643767 R1	0.53	20.0	Std. Wall XLPE Primary Cable	TAN	3340.0	-	R2 - 85	1012_IP12

Connector Name 1703M  
 Part Number 3595624C1  
 Instances Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External  
 Switch:Diagram1-Combination1 - T08-6100D  
 Eaton Ulltrashift:Eaton Ultrashift  
 Endurant:Endurant  
 Manual Transmission:Manual Transmission  
 TC10 Series:Powertrain Standard J1939 (500Kbps) A26 Engine  
 X15 Backup Light (Endurant):Diagram1  
 Mates 1703F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
29	-	-	AF17A	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	0.0	-	-	-
45	-	-	BK92R1J	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1860.0	-	7	1702
45	-	-	BJ92R1J	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1860.0	-	7	1702
52	-	-	WIRE223 755	-	0.0	-	-	-	0.0	-	PIN1	-
53	-	-	WIRE223 754	-	0.0	-	-	-	0.0	-	PIN1	-



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
66	-	-	BJ92R2J	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1860.0	-	6	1702
66	-	-	BK92R2J	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1860.0	-	6	1702

Connector Name 1703M  
 Part Number 3595625C1  
 Short Description IP/Engine  
 Instances  
 A26 - Backup Light (Endurant):Diagram1  
 A26 - Transmission Shifter (Eaton Endurant and Eaton Procision):Diagram1  
 A26 Endurant - Starter Interlocks (Service Brake Interlock):Diagram1  
 Body Control module (BCM):Connector J3-1600  
 Body Control module (BCM):Connector J5-1602  
 Body Control module (BCM):Connector J6-1606  
 X15 - Transmission Shifter (Eaton Endurant and Eaton Procision):Diagram1  
 X15 Endurant - Ground Splice Packs:Diagram1  
 X15 Endurant - Starter Interlocks (Service Brake Interlock):Diagram1



Mates 1703F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
8	-	-	AA82-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1715.0	-	X	-
16	-	-	HA30B	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	3055.0	-	B6	J3-1600
17	-	-	AA74	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2895.0	-	B5	J3-1600
18	-	-	AU28	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2915.0	-	F9	J5-1602

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
19	-	-	3H6DB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	3015.0	-	E6	J5-1602
20	-	-	3H77B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2895.0	-	B12	J3-1600
21	-	-	AZ92-GC	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	3265.0	-	R2 - 86	1015_IP 12
22	-	-	DT104-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	3055.0	-	M	J6-1606
26	-	-	2T92ZB	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2240.0	-	B	7900F_I P12
28	-	-	AZ92B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3265.0	-	R2 - 85	1015_IP 12
29	-	-	AF17A	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	0.0	-	T	J6-1606
29	-	-	3B17A	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	3215.0	-	T	J6-1606

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
29	-	-	GP17	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	3055.0	-	T	J6-1606
35	-	-	AA9AA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2745.0	-	X	-
45	-	-	BJ92R1	2643767 R1	0.53	20.0	Std. Wall XLPE Primary Cable	TAN	3340.0	-	R2 - 86	1012_IP 12
45	-	-	BK92R1	2643767 R1	0.53	20.0	Std. Wall XLPE Primary Cable	TAN	3340.0	-	R2 - 86	1012_IP 12
59	-	-	FE88A	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2915.0	-	F15	J5-1602
60	-	-	FD88	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2915.0	-	F14	J5-1602
61	-	-	DS31	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2995.0	-	B7	J3-1600
66	-	-	BP71A	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	3195.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
66	-	-	EY71A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	3195.0	-	-	-
66	-	-	BK92R2	2643767 R1	0.53	20.0	Std. Wall XLPE Primary Cable	TAN	3340.0	-	R2 - 85	1012_IP 12
66	-	-	BJ92R2	2643767 R1	0.53	20.0	Std. Wall XLPE Primary Cable	TAN	3340.0	-	R2 - 85	1012_IP 12

Connector Name 1776  
 Part Number 4062806C1  
 Instances Eaton Ulltrashift:Eaton Ultrashift  
 Endurant:Endurant  
 Manual Transmission:Manual Transmission  
 Powertrain J1939 (500Kbps) X15:Powertrain J1939 (500Kbps)  
 X15 Engine  
 Predictive Cruise Control:Diagram1  
 TC10 Series:Powertrain Standard J1939 (500Kbps) A26 Engine  
 Mates MODU-NGCC-5077-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
7	-	-	WIRE1329	-	0.0	-	-	-	0.0	-	PIN1	-
7	-	-	WIRE223 742	-	0.0	-	-	-	0.0	-	PIN1	-
8	-	-	LM971G	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	1410.0	-	-	-
9	-	-	LM97-G	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	2110.0	-	-	-
15	-	-	WIRE1328	-	0.0	-	-	-	0.0	-	PIN1	-
15	-	-	WIRE223 762	-	0.0	-	-	-	0.0	-	PIN1	-
18	-	-	LM97B	3510364 R1	0.53	20.0	Thin Wall XLPE Primary Cable	RED	1295.0	-	-	-

Connector Name 1800F  
 Part Number 3612512C1  
 Short Description CAB HARNESS CONNECTOR  
 Instances Adjustable Engine Speed Control PTO 4-pin:Diagram1  
 Adjustable Engine Speed Control PTO 10-pin:Diagram1  
 Adjustable Engine Speed Control PTO 10-pin n/Marker interrupt:Diagram1  
 Air Application Pressure Monitoring:Diagram1  
 Bendix Stability Control For Tractor or Tractors with Trailer Tow:Diagram1-Combination1  
 Bendix Stability Control For Tractor or Tractors with Trailer Tow:Diagram1-Combination2  
 Bendix Stability Control With Rear Air Suspension No Lift Axle:Diagram1-Combination1  
 Bendix Stability Control With Rear Air Suspension No Lift Axle:Diagram1-Combination2  
 Bendix Stability Control With Rear Air Suspension No Lift Axle:Diagram1-Combination3  
 Body Control module (BCM):Connector J3-1600  
 City Horn (N/ Radio Steering Wheel Controls):Diagram1  
 City Horn (W/ Radio Steering Wheel Controls):Diagram1  
 Clutch Monitoring (High and Low Switch to BCM):Diagram1  
 Front Turn Lights W/ Halogen:Diagram1  
 Front Turn Lights W/ LED:Diagram1  
 Headlights (Halogen) N/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Headlights (Halogen) W/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Headlights (LED) N/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Headlights (LED) W/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Park Brake (Monitoring)(US & Canada):Diagram1  
 Park Lights (Halogen/MRKR INT-STRNGWHL):Diagram1  
 Primary/Secondary Air Gauge:Diagram1  
 Radio N/ Wired Remote:Diagram1  
 Radio W/ Wired Remote:Diagram1  
 Rear Light (Tail Light) (Light Bar ASSY/MRKR INT-STRNGWHL):W/ 4X2 AXLE  
 Rear Light (Tail Light) (Light Bar ASSY/MRKR INT-STRNGWHL):W/ 6X2,6X4 AXLE  
 Rear Light (Tail Light) (Weldon LED/MRKR INT-STRNGWHL):W/ 4X2 AXLE  
 Rear Light (Tail Light) (Weldon LED/MRKR INT-STRNGWHL):W/ 6X2,6X4 AXLE



Rear Lights Stop - Dual Assembly:W/ 4X2 AXLE  
 Rear Lights Stop - Dual Assembly:W/ 6X2,6X4 AXLE  
 Rear Lights Stop - Single Assembly:W/ 4X2 AXLE  
 Rear Lights Stop - Single Assembly:W/ 6X2,6X4 AXLE  
 Service Brake Switch:Diagram1  
 Starter Interlock (BCM HSD controlled W/ Clutch Switch N/ Auto Start Stop):Diagram1  
 Telematics (TRIPMASTER DAYCAB):Diagram1  
 Telematics (TRIPMASTER SLEEPER):Diagram1  
 Vehicle Speed Control (Cruise Control) 4 - PIN:Diagram1  
 Vehicle Speed Control (Cruise Control) 10 - Pin:Diagram1  
 Wabco Full Stability Control:Diagram1-Combination1  
 Wabco Full Stability Control:Diagram1-Combination2  
 Windshield Washer Low Fluid Sensor:Diagram1  
 Windshield Washer Pump:Diagram1  
 Windshield Wipers:Diagram1  
 X15 - Acceleration Pedal:Diagram1  
 X15 - Key Switch Ignition 1:Key Switch Ignition 1B  
 X15 - Starter Interlock (BCM HSD controlled W/ Clutch Switch W/ Auto Start Stop):Diagram1

Mates

1800M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A1	-	-	BA56B	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1065.0	-	1	1801
A2	-	-	BA57B	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1065.0	-	2	1801
A4	-	-	BH9	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	450.0	-	X	-
A5	-	-	BA87E	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1065.0	-	12	1801



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A6	-	-	[BF94MN]	3510295 R1	1.91	14.0	Thin Wall XLPE Primary Cable	BLACK	750.0	-	3	1824
A7	-	-	BA52B	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1065.0	-	3	1801
A7	-	-	[BF94MN]	3510295 R1	1.91	14.0	Thin Wall XLPE Primary Cable	BLACK	750.0	-	-	-
A8	-	-	BA102A	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1065.0	-	4	1801
B1	-	-	BA82C	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1065.0	-	5	1801
B2	-	-	BA40A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	800.0	-	C	1804_1
B3	-	-	BA6	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	550.0	-	X	-
B4	-	-	BD97B	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	600.0	-	B	1809


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B5	-	-	BD99D	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	600.0	-	D	1809
B6	-	-	BD97N	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	600.0	-	E	1809
B7	-	-	BA44	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	725.0	-	C	1808
B9	-	-	BA70	2643675 R1	0.79	18.0	Std. Wall XLPE Primary Cable	ORANGE	775.0	-	C	1806
B10	-	-	BH85A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	3	1802
B10	-	-	BJ85A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B	1807
B11	-	-	BH100	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	2	1802
B11	-	-	BH100	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B11	-	-	BA97A	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	550.0	-	C	1811
B12	-	-	BJ97	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	A	1807
B12	-	-	BH97	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	1	1802
C1	-	-	BA82B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1065.0	-	11	1801
C2	-	-	BA40B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	775.0	-	C	1805
C3	-	-	BE94SV	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	425.0	-	X	-
C4	-	-	BD99B	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	600.0	-	A	1809
C5	-	-	BD97C	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	600.0	-	C	1809

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C6	-	-	BD97M	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	600.0	-	F	1809
C9	-	-	BA82A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1065.0	-	8	1801
C10	-	-	BE94SZ	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	475.0	-	X	-
C12	-	-	BA40	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	650.0	-	3	1803
D1	-	-	BB70E	2643675 R1	0.79	18.0	Std. Wall XLPE Primary Cable	ORANGE	775.0	-	C	1812
D2	-	-	BB70D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	775.0	-	D	1812
D2	-	-	BB70D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	775.0	-	-	-
D3	-	-	BH62DD	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	1125.0	-	5	1802

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D3	-	-	BJ62DD	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	1125.0	-	C	1807
D5	-	-	BE94SE	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	700.0	-	C	1822
D5	-	-	[BF94-G]	3510295 R1	1.91	14.0	Thin Wall XLPE Primary Cable	BLACK	750.0	-	2	1824
D6	-	-	BE94SF	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	600.0	-	C	1823
D6	-	-	[BF94BY]	3510295 R1	1.91	14.0	Thin Wall XLPE Primary Cable	BLACK	750.0	-	1	1824
D7	-	-	BA17A	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	550.0	-	A	1811
D8	-	-	BA17AA	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	550.0	-	B	1811


Connector Name 1800F  
 Part Number 3612512C1  
 Instances  
   A26 - Ground Splice Packs:Diagram4  
   A26 - Key Switch Ignition 1:Key Switch Ignition 1C  
   A26 - Starter Interlock (BCM HSD controlled W/ Clutch Switch W/ Auto Start Stop):Diagram1-Combination1  
   A26 - Starter Interlock (BCM HSD controlled W/ Clutch Switch W/ Auto Start Stop):Diagram1-Combination2  
   Endurant - Battery Grid 1 (Non-Loadshed):BTRY GRID 1 (NON-LOADSHED)  
   X15 - Engine Control Module:Connector 6000  
   X15 - Ground Splice Packs 1/4:Diagram1  
 Mates 1800\_IP12



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A3	-	-	BH11-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	550.0	-	-	-
A3	-	-	BJ11-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	550.0	-	-	-
B4	-	-	BD97B	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	600.0	-	-	-
C4	-	-	BD99B	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	600.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C5	-	-	BD97C	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	600.0	-	-	-
D2	-	-	BB70D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	775.0	-	-	-
D7	-	-	BA17A	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	550.0	-	-	-
D8	-	-	BA17AA	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	550.0	-	B	1811

Connector Name 1800M  
Part Number 3553649C1  
Instances Adjustable Engine Speed Control PTO 4-pin:Diagram1  
Adjustable Engine Speed Control PTO 10-pin:Diagram1  
Adjustable Engine Speed Control PTO 10-pin n/Marker interrupt:Diagram1  
Air Application Pressure Monitoring:Diagram1  
Bendix Stability Control For Tractor or Tractors with Trailer Tow:Diagram1-Combination1  
Bendix Stability Control For Tractor or Tractors with Trailer Tow:Diagram1-Combination2  
Bendix Stability Control With Rear Air Suspension No Lift Axle:Diagram1-Combination1  
Bendix Stability Control With Rear Air Suspension No Lift Axle:Diagram1-Combination2  
Bendix Stability Control With Rear Air Suspension No Lift Axle:Diagram1-Combination3  
Body Control module (BCM):Connector J3-1600  
City Horn (N/ Radio Steering Wheel Controls):Diagram1  
City Horn (W/ Radio Steering Wheel Controls):Diagram1  
Clutch Monitoring (High and Low Switch to BCM):Diagram1  
Front Turn Lights W/ Halogen:Diagram1  
Front Turn Lights W/ LED:Diagram1  
Headlights (Halogen) N/ Headlamp Interrupt W/ 125BBC:Diagram1  
Headlights (Halogen) W/ Headlamp Interrupt W/ 125BBC:Diagram1  
Headlights (LED) N/ Headlamp Interrupt W/ 125BBC:Diagram1  
Headlights (LED) W/ Headlamp Interrupt W/ 125BBC:Diagram1  
Park Brake (Monitoring)(US & Canada):Diagram1  
Park Lights (Halogen/MRKR INT-STRNGWHL):Diagram1  
Primary/Secondary Air Gauge:Diagram1  
Radio N/ Wired Remote:Diagram1  
Radio W/ Wired Remote:Diagram1  
Rear Light (Tail Light) (Light Bar ASSY/MRKR INT-STRNGWHL):W/ 4X2 AXLE  
Rear Light (Tail Light) (Light Bar ASSY/MRKR INT-STRNGWHL):W/ 6X2,6X4 AXLE  
Rear Light (Tail Light) (Weldon LED/MRKR INT-STRNGWHL):W/ 4X2 AXLE  
Rear Light (Tail Light) (Weldon LED/MRKR INT-STRNGWHL):W/ 6X2,6X4 AXLE  
Rear Lights Stop - Dual Assembly:W/ 4X2 AXLE





Rear Lights Stop - Dual Assembly:W/ 6X2,6X4 AXLE  
 Rear Lights Stop - Single Assembly:W/ 4X2 AXLE  
 Rear Lights Stop - Single Assembly:W/ 6X2,6X4 AXLE  
 Service Brake Switch:Diagram1  
 Starter Interlock (BCM HSD controlled W/ Clutch Switch N/ Auto Start Stop):Diagram1  
 Telematics (TRIPMASTER DAYCAB):Diagram1  
 Telematics (TRIPMASTER SLEEPER):Diagram1  
 Vehicle Speed Control (Cruise Control) 4 - PIN:Diagram1  
 Vehicle Speed Control (Cruise Control) 10 - Pin:Diagram1  
 Wabco Full Stability Control:Diagram1-Combination1  
 Wabco Full Stability Control:Diagram1-Combination2  
 Windshield Washer Low Fluid Sensor:Diagram1  
 Windshield Washer Pump:Diagram1  
 Windshield Wipers:Diagram1  
 X15 - Acceleration Pedal:Diagram1  
 X15 - Key Switch Ignition 1:Key Switch Ignition 1B  
 X15 - Starter Interlock (BCM HSD controlled W/ Clutch Switch W/ Auto Start Stop):Diagram1

Mates

1800F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A1	-	-	AA56B	3510316 R1	0.53	20.0	Thin Wall XLPE Primary Cable	ORANGE	1320.0	-	A7	J3-1600
A2	-	-	AA57B	3510316 R1	0.53	20.0	Thin Wall XLPE Primary Cable	ORANGE	1320.0	-	A6	J3-1600
A4	-	-	AA9	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1170.0	-	X	-
A5	-	-	AA87E	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	100.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A6	-	-	GX94MN	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1810.0	-	14	1423
A7	-	-	AA52D	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	1320.0	-	A4	J3-1600
A7	-	-	GX94MN	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1810.0	-	-	-
A8	-	-	AA102A	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	1320.0	-	A14	J3-1600
B1	-	-	AA82C	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1320.0	-	A11	J3-1600
B2	-	-	AA40A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1320.0	-	B3	J3-1600
B3	-	-	AA6	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1340.0	-	E4	J5-1602
B4	-	-	AA97B	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	1955.0	-	C12	1F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B5	-	-	AA99D	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	1955.0	-	A1	1F
B6	-	-	AA97N	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	1955.0	-	B11	1F
B7	-	-	AA44	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1320.0	-	A12	J3-1600
B9	-	-	AA70	3510316 R1	0.53	20.0	Thin Wall XLPE Primary Cable	ORANGE	1340.0	-	E14	J5-1602
B10	-	-	AA85A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1320.0	-	A5	J3-1600
B11	-	-	AA100	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1320.0	-	B16	J3-1600
B11	-	-	AA150	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1320.0	-	B16	J3-1600
B11	-	-	DT97A	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	1320.0	-	B4	J3-1600

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B12	-	-	MS86A	2643763 R1	0.53	20.0	Std. Wall XLPE Primary Cable	GREY	1320.0	-	B1	J3-1600
C1	-	-	AA82B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1320.0	-	A10	J3-1600
C2	-	-	DV40B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1320.0	-	B14	J3-1600
C3	-	-	XZ94SV	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1695.0	-	X	-
C4	-	-	AA99B	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	1955.0	-	A5	1F
C5	-	-	AA97C	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	1955.0	-	B7	1F
C6	-	-	AA97M	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	1955.0	-	C6	1F
C9	-	-	AA82A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1320.0	-	A9	J3-1600

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C10	-	-	XZ94SZ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1725.0	-	X	-
C12	-	-	AA40	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1320.0	-	B2	J3-1600
D1	-	-	CF70E	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	3650.0	-	1	1TB2
D1	-	-	CG70E	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	3300.0	-	J	1970_IP12
D2	-	-	CF70D	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1205.0	-	X	-
D2	-	-	CG70D	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1205.0	-	X	-
D3	-	-	AA62DD	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	540.0	-	X	-
D5	-	-	XZ94SE	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1915.0	-	2	1403

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D5	-	-	GX94-GCC	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1810.0	-	11	1423
D6	-	-	XZ94SF	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1915.0	-	5	1403
D6	-	-	GX94BY	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1810.0	-	8	1423
D7	-	-	NE17A	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	160.0	-	X	-
D8	-	-	DT17B	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1025.0	-	B2	J7-1607

Connector Name 1800\_IP12  
 Part Number 3553649C1  
 Instances  
   A26 - Ground Splice Packs:Diagram4  
   A26 - Key Switch Ignition 1:Key Switch Ignition 1C  
   A26 - Starter Interlock (BCM HSD controlled W/ Clutch Switch W/ Auto Start Stop):Diagram1-Combination1  
   A26 - Starter Interlock (BCM HSD controlled W/ Clutch Switch W/ Auto Start Stop):Diagram1-Combination2  
   Endurant - Battery Grid 1 (Non-Loadshed):BTRY GRID 1 (NON-LOADSHED)  
   X15 - Engine Control Module:Connector 6000  
   X15 - Ground Splice Packs 1/4:Diagram1  
 Mates 1800F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A3	-	-	AA87-GA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	240.0	-	X	-
B4	-	-	AA97B	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	1955.0	-	C12	1F_IP12
C4	-	-	AA99B	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	1955.0	-	A5	1F_IP12
C5	-	-	AA97C	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	1955.0	-	B7	1F_IP12

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D2	-	-	CF70D	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1205.0	-	X	-
D2	-	-	CG70D	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1205.0	-	X	-
D7	-	-	NE17AC	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1705.0	-	21	1010
D8	-	-	DT17B	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1025.0	-	B2	J7-1607




Connector Name 1801  
 Part Number 3539212C1  
 Instances Front Turn Lights W/ Halogen:Diagram1  
 Front Turn Lights W/ LED:Diagram1  
 Headlights (Halogen) N/ Headlamp Interrupt W/  
 125BBC:Diagram1  
 Headlights (Halogen) W/ Headlamp Interrupt W/  
 125BBC:Diagram1  
 Headlights (LED) N/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Headlights (LED) W/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Windshield Washer Low Fluid Sensor:Diagram1  
 Windshield Washer Pump:Diagram1  
 Windshield Wipers:Diagram1  
 Mates SW-MULTIFUNCTION-1016-01-0 4B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	BA56B	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1065.0	-	A1	1800F
2	-	-	BA57B	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1065.0	-	A2	1800F
3	-	-	BA52B	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1065.0	-	A7	1800F
4	-	-	BA102A	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1065.0	-	A8	1800F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	BA82C	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1065.0	-	B1	1800F
6	-	-	BJ87-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	515.0	-	X	-
7	-	-	BJ9D	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	815.0	-	X	-
8	-	-	BA82A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1065.0	-	C9	1800F
11	-	-	BA82B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1065.0	-	C1	1800F
12	-	-	BA87E	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1065.0	-	A5	1800F

Connector Name 1802  
 Part Number 3608496C1  
 Instances Adjustable Engine Speed Control PTO 10-pin:Diagram1  
 Adjustable Engine Speed Control PTO 10-pin n/Marker interrupt:Diagram1  
 City Horn (W/ Radio Steering Wheel Controls):Diagram1  
 Headlights (Halogen) W/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Headlights (LED) W/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Park Lights (Halogen/MRKR INT-STRNGWHL):Diagram1  
 Radio N/ Wired Remote:Diagram1  
 Radio W/ Wired Remote:Diagram1  
 Rear Light (Tail Light) (Light Bar ASSY/MRKR INT-STRNGWHL):W/ 4X2 AXLE  
 Rear Light (Tail Light) (Light Bar ASSY/MRKR INT-STRNGWHL):W/ 6X2,6X4 AXLE  
 Rear Light (Tail Light) (Weldon LED/MRKR INT-STRNGWHL):W/ 4X2 AXLE  
 Rear Light (Tail Light) (Weldon LED/MRKR INT-STRNGWHL):W/ 6X2,6X4 AXLE  
 Vehicle Speed Control (Cruise Control) 10 - Pin:Diagram1




Mates DEV-10PIN\_CLKSPRING-1005-0 1-03

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	BH97	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B12	1800F
2	-	-	BH100	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B11	1800F
3	-	-	BH85A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B10	1800F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	BH9C	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	875.0	-	X	-
5	-	-	BH62DD	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	1125.0	-	D3	1800F
6	-	-	BH62-GDD	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	575.0	-	X	-

Connector Name 1803  
 Part Number 1678137C1  
 Instances Primary/Secondary Air Gauge:Diagram1  
 Mates SNSR-AirPress1-3001-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	BJ9E	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	200.0	-	X	-
2	-	-	BA6A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	100.0	-	X	-
3	-	-	BA40	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	650.0	-	C12	1800F

Connector Name 1804\_1  
 Part Number 1678137C1  
 Instances Primary/Secondary Air Gauge:Diagram1  
 Mates SNSR-AirPress2-3001-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BJ9F	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	350.0	-	X	-
B	-	-	BA6B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	X	-
C	-	-	BA40A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	800.0	-	B2	1800F

Connector Name 1805  
 Part Number 1678137C1  
 Instances Air Application Pressure Monitoring:Diagram1  
 Mates SNSR-BRAKE-3027-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BJ9H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	525.0	-	X	-
B	-	-	BA6C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	625.0	-	X	-
C	-	-	BA40B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	775.0	-	C2	1800F


Connector Name 1806  
 Part Number 1661777C1  
 Instances Rear Lights Stop - Dual Assembly:W/ 4X2 AXLE  
 Rear Lights Stop - Dual Assembly:W/ 6X2,6X4 AXLE  
 Rear Lights Stop - Single Assembly:W/ 4X2 AXLE  
 Rear Lights Stop - Single Assembly:W/ 6X2,6X4 AXLE  
 Service Brake Switch:Diagram1  
 Mates SW-BRAKE\_SWITCH-3028-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	BA70	2643675 R1	0.79	18.0	Std. Wall XLPE Primary Cable	ORANGE	775.0	-	B9	1800F
D	-	-	BJ9K	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	525.0	-	X	-




Connector Name 1807  
 Part Number 3547870C1  
 Instances Adjustable Engine Speed Control PTO 4-pin:Diagram1  
 City Horn (N/ Radio Steering Wheel Controls):Diagram1  
 Vehicle Speed Control (Cruise Control) 4 - PIN:Diagram1  
 Mates DEV-STRNWHL\_HEAVY\_4PIN




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BJ97	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B12	1800F
B	-	-	BJ85A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B10	1800F
C	-	-	BJ62DD	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	1125.0	-	D3	1800F
D	-	-	BJ9C	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	875.0	-	X	-

Connector Name 1808  
 Part Number 1661777C1  
 Instances Park Brake (Monitoring)(US & Canada):Diagram1  
 Mates SW-PARK BRAKE-3022-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	BA44	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	725.0	-	B7	1800F
D	-	-	BJ9J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	275.0	-	X	-


Connector Name 1809  
 Part Number 1687790C1  
 Instances X15 - Acceleration Pedal:Diagram1  
 Mates MODU-ACC\_PEDAL-5075-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BD99B	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	600.0	-	C4	1800F
B	-	-	BD97B	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	600.0	-	B4	1800F
C	-	-	BD97C	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	600.0	-	C5	1800F
D	-	-	BD99D	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	600.0	-	B5	1800F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	BD97N	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	600.0	-	B6	1800F
F	-	-	BD97M	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	600.0	-	C6	1800F

Connector Name 1811  
 Part Number 3540757C1  
 Instances A26 - Starter Interlock (BCM HSD controlled W/ Clutch Switch W/ Auto Start Stop):Diagram1-Combination1  
 A26 - Starter Interlock (BCM HSD controlled W/ Clutch Switch W/ Auto Start Stop):Diagram1-Combination2  
 Clutch Monitoring (High and Low Switch to BCM):Diagram1  
 Starter Interlock (BCM HSD controlled W/ Clutch Switch N/ Auto Start Stop):Diagram1  
 X15 - Starter Interlock (BCM HSD controlled W/ Clutch Switch W/ Auto Start Stop):Diagram1  
 Mates SW-CLUTCH-5050-02-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BA17A	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	550.0	-	D7	1800F
B	-	-	BA17AA	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	550.0	-	D8	1800F
C	-	-	BA97A	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	550.0	-	B11	1800F
D	-	-	BJ9M	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	300.0	-	X	-

Connector Name 1812  
 Part Number 1661777C1  
 Instances Telematics (TRIPMASTER DAYCAB):Diagram1  
 Telematics (TRIPMASTER SLEEPER):Diagram1  
 Mates SW-BRAKE-2035-10-04A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	BB70E	2643675 R1	0.79	18.0	Std. Wall XLPE Primary Cable	ORANGE	775.0	-	D1	1800F
D	-	-	BB70D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	775.0	-	D2	1800F
D	-	-	BB70D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	775.0	-	-	-

Connector Name 1814  
 Part Number 1661777C1  
 Instances X15 - Accelerator Interlock W/ Park Brake  
 Engagement:Diagram1  
 Mates SW-PARK\_BRAKE-5001-01-03A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	GE44A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1480.0	-	93	6000
D	-	-	GE44G	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	960.0	-	-	-

Connector Name 1820F  
 Part Number 1667529C1  
 Instances ABS Private J1939:ABS Private J1939  
 ABS Splice Packs:Diagram1  
 Mates 1820M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BE94SD	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1195.0	-	2	1821
A	-	-	BE94SA	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1195.0	-	-	-
B	-	-	BE94SB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1195.0	-	3	1821
B	-	-	BE94SB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1195.0	-	-	-



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
C	-	-	BE94SC	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1195.0	-	-	-
D	-	-	BE94SA	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1195.0	-	4	1821
D	-	-	BE94SD	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1195.0	-	-	-


Connector Name 1820M  
 Part Number 1667305C1  
 Instances ABS Private J1939:ABS Private J1939  
 ABS Splice Packs:Diagram1  
 Mates 1820F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	XZ94SA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	750.0	-	C	1410
A	-	-	XD94SNB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	750.0	-	C	1410
B	-	-	XZ94SB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	750.0	-	J	1410
B	-	-	XD94SPB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	750.0	-	J	1410

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	XD94SPB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	750.0	-	F	1410
C	-	-	XZ94SC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	750.0	-	F	1410
C	-	-	XD94SRB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	750.0	-	F	1410
C	-	-	XD94SRB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	750.0	-	J	1410
D	-	-	XZ94SD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	750.0	-	M	1410
D	-	-	XD94SSB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	750.0	-	M	1410


Connector Name 1821A  
 Part Number 3889458C1  
 Instances ABS Private J1939:ABS Private J1939  
 Wabco Full Stability Control:Diagram1-Combination1  
 Wabco Full Stability Control:Diagram1-Combination2  
 Mates SNSR-STEERING\_ANGLE-3026-0 2-03A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	BE94SA	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1195.0	-	-	-
2	-	-	BG94ST	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	0.0	-	3	1821A
3	-	-	BG94ST	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	0.0	-	2	1821A
4	-	-	BE94SC	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1195.0	-	1	1821

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	BE94SD	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1195.0	-	-	-
5	-	-	BG94SN	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1195.0	-	-	-
6	-	-	BE94SB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1195.0	-	-	-
6	-	-	BG94SP	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1195.0	-	-	-


Connector Name 1821  
 Part Number 3601800C1  
 Instances ABS Private J1939:ABS Private J1939  
 Bendix Stability Control For Tractor or Tractors with Trailer  
 Tow:Diagram1-Combination1  
 Bendix Stability Control For Tractor or Tractors with Trailer  
 Tow:Diagram1-Combination2  
 Bendix Stability Control With Rear Air Suspension No Lift  
 Axle:Diagram1-Combination1  
 Bendix Stability Control With Rear Air Suspension No Lift  
 Axle:Diagram1-Combination2  
 Bendix Stability Control With Rear Air Suspension No Lift  
 Axle:Diagram1-Combination3  
 Mates SNSR-STEERING\_ANGLE-3026-0 1-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	BE94SC	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1195.0	-	-	-
1	-	-	BE94SC	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1195.0	-	4	1821A
2	-	-	BE94SA	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1195.0	-	-	-
2	-	-	BE94SD	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1195.0	-	A	1820F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	BE94SB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1195.0	-	B	1820F
4	-	-	BE94SA	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1195.0	-	D	1820F


Connector Name 1822  
 Part Number 1678137C1  
 Instances Bendix Stability Control For Tractor or Tractors with Trailer  
 Tow:Diagram1-Combination1  
 Bendix Stability Control For Tractor or Tractors with Trailer  
 Tow:Diagram1-Combination2  
 Bendix Stability Control With Rear Air Suspension No Lift  
 Axle:Diagram1-Combination1  
 Bendix Stability Control With Rear Air Suspension No Lift  
 Axle:Diagram1-Combination2  
 Bendix Stability Control With Rear Air Suspension No Lift  
 Axle:Diagram1-Combination3  
 Mates SNSR-PRIMARY\_PT-3026-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BE94SZA	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	475.0	-	X	-
B	-	-	BE94SVA	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	425.0	-	X	-
C	-	-	BE94SE	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	700.0	-	D5	1800F




Connector Name 1823  
 Part Number 1678137C1  
 Instances Bendix Stability Control For Tractor or Tractors with Trailer  
 Tow:Diagram1-Combination1  
 Bendix Stability Control For Tractor or Tractors with Trailer  
 Tow:Diagram1-Combination2  
 Bendix Stability Control With Rear Air Suspension No Lift  
 Axle:Diagram1-Combination1  
 Bendix Stability Control With Rear Air Suspension No Lift  
 Axle:Diagram1-Combination2  
 Bendix Stability Control With Rear Air Suspension No Lift  
 Axle:Diagram1-Combination3  
 Mates SNSR-SECONDARY\_PT-3026-01- 01B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BE94SZB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	125.0	-	X	-
B	-	-	BE94SVB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	175.0	-	X	-
C	-	-	BE94SF	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	600.0	-	D6	1800F

Connector Name 1824  
 Part Number 3554539C1-C  
 Instances Wabco Full Stability Control:Diagram1-Combination1  
 Wabco Full Stability Control:Diagram1-Combination2  
 Mates SNSR-DRIVER\_DEMAND\_PS-3026 -02-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	[BF94BY]	3510295 R1	1.91	14.0	Thin Wall XLPE Primary Cable	BLACK	750.0	-	D6	1800F
2	-	-	[BF94-G]	3510295 R1	1.91	14.0	Thin Wall XLPE Primary Cable	BLACK	750.0	-	D5	1800F
3	-	-	[BF94MN]	3510295 R1	1.91	14.0	Thin Wall XLPE Primary Cable	BLACK	750.0	-	A6	1800F


Connector Name 1825F  
 Part Number 4064551C1  
 Instances A26 - Transmission Shifter (Eaton Endurant and Eaton Procision):Diagram1  
 Eaton Ulltrashift:Eaton Ultrashift  
 Endurant:Endurant  
 Manual Transmission:Manual Transmission  
 Powertrain J1939 (500Kbps) X15:Powertrain J1939 (500Kbps) X15 Engine  
 TC10 Series:Powertrain Standard J1939 (500Kbps) A26 Engine  
 Transmission Shifter Allison:Diagram1  
 Transmission Shifter Universal Shifter - Ultrashift+ & FAS:Diagram1  
 X15 - Transmission Shifter (Eaton Endurant and Eaton Procision):Diagram1  
 Mates MODU-SHF-5040-04-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	BK92#134	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1365.0	-	B	7900M
C	-	-	XX92	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1365.0	-	C	7900M
D	-	-	XX9ZA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	D	7900M
E	-	-	WIRE1430	-	0.0	-	-	-	0.0	-	E	7900M
E	-	-	WIRE223 906	-	0.0	-	-	-	0.0	-	E	7900M
E	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	WIRE1429	-	0.0	-	-	-	0.0	-	F	7900M


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F	-	-	WIRE223907	-	0.0	-	-	-	0.0	-	F	7900M
F	-	-	-	-	-	-	-	-	-	-	-	-
G	-	-	BK62DC	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1365.0	-	G	7900M
G	-	-	BK62DC	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1365.0	-	-	-
H	-	-	BK92-GAH	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1365.0	-	H	7900M
H	-	-	BK92-GAH	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1365.0	-	-	-

Connector Name 1861  
 Part Number 3517473C1  
 Instances Banana Plugs Receptacle:Diagram1  
 Mates DEV-Two\_Post-2061-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	A86N	2643687 R1	1.91	14.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	150.0	-	-	-
B	-	-	A86-GB	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	150.0	-	-	-

Connector Name 1874A  
 Part Number 3977821C1  
 Instances X15 - Water In Fuel (WIF) N/ Heater:Diagram1  
 Mates DEV-FUEL FILTER ASSY-3036-01-09A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	KY95W	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	950.0	-	X	-
2	-	-	KY95-GG	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1570.0	-	-	-

Connector Name 1874B  
 Part Number 3590390C1  
 Instances X15 - Water In Fuel W Heater:Diagram1-Combination2



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	GA95W	2643767 R1	0.53	20.0	Std. Wall XLPE Primary Cable	TAN	850.0	-	X	-
2	-	-	GA95-GF	2643764 R1	0.53	20.0	Std. Wall XLPE Primary Cable	WHITE	1470.0	-	-	-


Connector Name 1874B  
 Part Number 3602747C1  
 Instances A26 - Engine Control Module:Connector C1-6018  
 A26 - Powertrain ZVR Splice Packs:Diagram 1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	VB95W	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1320.0	-	D	6704B
2	-	-	VB95-GF	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1750.0	-	55	C1-6018




Connector Name 1874C  
 Part Number 3590390C1  
 Instances Water In Fuel (WIF) W/ Heater(Davco):Diagram1-Combination2




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	VE95-GF	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2100.0	-	55	C1-6018
2	-	-	VE95W	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1670.0	-	-	-

Connector Name 1874  
 Part Number 3590390C1  
 Instances X15 - Water In Fuel N/ Heater:Diagram1  
 X15 - Water In Fuel W Heater:Diagram1-Combination1  
 Mates DEV-FUEL FILTER ASSY-3036-01-05A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	KY95W	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	950.0	-	X	-
1	-	-	KJ95W	2643767 R1	0.53	20.0	Std. Wall XLPE Primary Cable	TAN	900.0	-	X	-
2	-	-	KY95-GG	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1570.0	-	-	-
2	-	-	KJ95-GF	2643764 R1	0.53	20.0	Std. Wall XLPE Primary Cable	WHITE	1520.0	-	-	-

Connector Name 1874\_1  
 Part Number 3590390C1  
 Instances Water In Fuel (WIF) W/ Heater(Davco):Diagram1-Combination1  
 Mates DEV-FUEL FILTER ASSY-3036-01-07




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	VA95-GF	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1750.0	-	55	C1-6018
2	-	-	VA95W	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1320.0	-	-	-

Connector Name 1901A  
 Part Number 3590298C1  
 Instances Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-12V Panel- Overhead APO:Diagram1-Combination3  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-12V Panel- Overhead APO:Diagram1-Combination4  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-Combination3  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-Combination4  
 Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V Panel- Upr Bnk APO:Diagram1-Combination3  
 Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V Panel- Upr Bnk APO:Diagram1-Combination4  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V Panel:Diagram1-Combination3  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V Panel:Diagram1-Combination4  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V Panel-Overhead APO:Diagram1-Combination3  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V Panel-Overhead APO:Diagram1-Combination4  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V Panel-Upr Bnk APO:Diagram1-Combination3  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V Panel-Upr Bnk APO:Diagram1-Combination4  
 Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-Combination3  
 Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-Combination4  
 Mates DEV-APO-2002-01-03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CL84B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1100.0	-	X	-
C	-	-	CL84-GAB	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	1390.0	-	X	-

Connector Name 1901A  
 Part Number 3590298C1  
 Instances Cigar Lighter- Aux APO- Rear Std APO- Rear APO W/Cover-  
 12V Panel:Diagram1-Combination3  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO W/Cover-  
 12V Panel:Diagram1-Combination4  
 Mates DEV-APO-2002-01-03A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CL84B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1100.0	-	X	-
C	-	-	CL84-GAB	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	1390.0	-	X	-


Connector Name 1901  
 Part Number 3590298C1  
 Instances Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-12V Panel- Overhead APO:Diagram1-Combination1  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-12V Panel- Overhead APO:Diagram1-Combination2  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-Combination1  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-Combination2  
 Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V Panel- Upr Bnk APO:Diagram1-Combination1  
 Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V Panel- Upr Bnk APO:Diagram1-Combination2  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V Panel:Diagram1-Combination1  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V Panel:Diagram1-Combination2  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V Panel-Overhead APO:Diagram1-Combination1  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V Panel-Overhead APO:Diagram1-Combination2  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V Panel-Upr Bnk APO:Diagram1-Combination1  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V Panel-Upr Bnk APO:Diagram1-Combination2  
 Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-Combination1  
 Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-Combination2  
 Mates DEV-APO-2002-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CB84A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1350.0	-	X	-
C	-	-	CB84-GBB	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	840.0	-	X	-




Connector Name 1901  
 Part Number 3590298C1  
 Instances Cigar Lighter- Aux APO- Rear Std APO- Rear APO W/Cover-  
 12V Panel:Diagram1-Combination1  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO W/Cover-  
 12V Panel:Diagram1-Combination2  
 Mates DEV-APO-2002-01-03A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CB84A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1350.0	-	X	-
C	-	-	CB84-GBB	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	840.0	-	X	-

Connector Name 1903  
Part Number 3590298C1  
Instances Cigar Lighter- Aux APO- Rear Std APO- Rear APO W/Cover-  
12V Panel:Diagram1-Combination1  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO W/Cover-  
12V Panel:Diagram1-Combination2  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO W/Cover-  
12V Panel:Diagram1-Combination3  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO W/Cover-  
12V Panel:Diagram1-Combination4  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Overhead APO:Diagram1-Combination1  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Overhead APO:Diagram1-Combination2  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Overhead APO:Diagram1-Combination3  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Overhead APO:Diagram1-Combination4  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
Combination1  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
Combination2  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
Combination3  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
Combination4  
Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V  
Panel- Upr Bnk APO:Diagram1-Combination1  
Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V  
Panel- Upr Bnk APO:Diagram1-Combination2  
Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V  
Panel- Upr Bnk APO:Diagram1-Combination3  
Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V  
Panel- Upr Bnk APO:Diagram1-Combination4  
Cigar Lighter- Rear Std APO- APO W/Cover- 12V  
Panel:Diagram1-Combination1  
Cigar Lighter- Rear Std APO- APO W/Cover- 12V  
Panel:Diagram1-Combination2



Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel-  
Overhead APO:Diagram1-Combination1  
Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel-  
Overhead APO:Diagram1-Combination2  
Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel-  
Upr Bnk APO:Diagram1-Combination1  
Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel-  
Upr Bnk APO:Diagram1-Combination2  
Cigar Lighter- Rear Std APO- Rear APO w/Cover- 12V Panel-  
Upr Bnk APO- Rear Overhead APO:Diagram1-Combination1  
Cigar Lighter- Rear Std APO- Rear APO w/Cover- 12V Panel-  
Upr Bnk APO- Rear Overhead APO:Diagram1-Combination2  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel:Diagram1-Combination1  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel:Diagram1-Combination2  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel:Diagram1-Combination3  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel:Diagram1-Combination4  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel-Overhead APO:Diagram1-Combination1  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel-Overhead APO:Diagram1-Combination2  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel-Overhead APO:Diagram1-Combination3  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel-Overhead APO:Diagram1-Combination4  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel-Upr Bnk APO:Diagram1-Combination1  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel-Upr Bnk APO:Diagram1-Combination2  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel-Upr Bnk APO:Diagram1-Combination3  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel-Upr Bnk APO:Diagram1-Combination4  
Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
Combination1  
Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
Combination2

Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination3  
 Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination4  
 Std APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel:Diagram1-Combination1  
 Std APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel:Diagram1-Combination2  
 Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Rear  
 Overhead APO:Diagram1-Combination1  
 Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Rear  
 Overhead APO:Diagram1-Combination2  
 Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Upr Bnk  
 APO:Diagram1-Combination1  
 Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Upr Bnk  
 APO:Diagram1-Combination2  
 Std APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk  
 APO-Rear Overhead APO:Diagram1-Combination1  
 Std APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk  
 APO-Rear Overhead APO:Diagram1-Combination2


Mates

DEV-APO-2002-01-01A-1903

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
A	-	-	CL84A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1200.0	-	X	-
A	-	-	CB84	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1200.0	-	-	-
A	-	-	CL84A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1200.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	CB84-GAF	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	1490.0	-	X	-

Connector Name 1904  
 Part Number 3768147C1  
 Instances Two USB:Diagram1-Combination1 - A01-1905  
 Two USB:Diagram1-Combination2 - A01-1905A  
 USB:Diagram1  
 Mates DEV-USB-2060-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	CB11-GUA	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	1490.0	-	X	-
1	-	-	CL11-GUA	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	1490.0	-	-	-
2	-	-	CL13UA	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	1225.0	-	X	-
2	-	-	CA13UA	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	1385.0	-	-	-

Connector Name 1905A  
 Part Number 3768147C1  
 Instances Two USB:Diagram1-Combination2 - A01-1905A  
 Mates DEV-USB-2060-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	CL11-GUB	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	1390.0	-	X	-
2	-	-	CL13UB	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	1125.0	-	X	-


Connector Name 1905  
 Part Number 3768147C1  
 Instances Two USB:Diagram1-Combination1 - A01-1905  
 Mates DEV-USB-2060-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	CB11-GUB	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	840.0	-	X	-
2	-	-	CB13UB	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	1375.0	-	X	-




Connector Name 1906F  
 Part Number 1661891C1  
 Instances A26 - Ground Splice Packs:Diagram2  
 Air Shield Lighting:W/ DAYCAB  
 Beacon/Strobe Light:W/ DAYCAB  
 Mates 5117




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	58C	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1500.0	-	A	1906M
B	-	-	58-GC	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1500.0	-	-	-
B	-	-	58-GC	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1500.0	-	B	1906M

Connector Name 1906F  
 Part Number 1661891C1  
 Short Description LIGHTED AIR SHIELD  
 Instances Air Shield Lighting:W/ DAYCAB  
 Mates 1906M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CW58C	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	3845.0	-	F	J2-1604
B	-	-	CW58-GBG	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1840.0	-	-	-

Connector Name 1906M  
 Part Number 1661889C1  
 Instances A26 - Ground Splice Packs:Diagram2  
 X15 Ground Splice Packs 4/4:Diagram1  
 Mates 1906\_IP12




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	58-GC	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1500.0	-	B	1906M
B	-	-	WHITE	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1730.0	-	B	5117

Connector Name 1906M  
 Part Number 1661889C1  
 Instances A26 - Ground Splice Packs:Diagram2  
 Beacon/Strobe Light:W/ DAYCAB  
 X15 Ground Splice Packs 4/4:Diagram1  
 Mates 5118\_IP12




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	58C	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1500.0	-	A	1906F
B	-	-	58-GC	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1500.0	-	B	1906M
B	-	-	58-GC	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1500.0	-	B	1906_IP12
B	-	-	58-GC	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1500.0	-	B	1906F

Connector Name 1906M  
 Part Number 1661889C1  
 Instances Air Shield Lighting:W/ DAYCAB  
 Mates 1906F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	58C	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1500.0	-	A	1906F
B	-	-	58-GC	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1500.0	-	B	1906F

Connector Name 1906\_IP12  
 Part Number 1661891C1  
 Short Description LIGHTED AIR SHIELD  
 Instances A26 - Ground Splice Packs:Diagram2  
 X15 Ground Splice Packs 4/4:Diagram1  
 Mates 1906M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	CW58-GBG	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1840.0	-	2	1027
B	-	-	58-GC	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1500.0	-	B	1906M

Connector Name 1907  
 Part Number 1661259C1  
 Instances Floor/Search Lights DayCab:Diagram1  
 Floor/Search Lights SLPR:Diagram1  
 Mates LT-FT\_FLOOR-2009-02-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	EL63JA	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1690.0	-	R5 - 87	1018_IP 12
A	-	-	MP63JA	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1690.0	-	R5 - 87	1018_IP 12
B	-	-	BC63-GAJ	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1720.0	-	-	-


Connector Name 1910A  
 Part Number 1667305C1  
 Instances Body J1939 (250Kbps):Body J1939 (250Kbps)  
 Telematics J1708:Telematics J1708  
 Mates MODU-XATANET-2035-04-08A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	WIRE197814	-	0.0	-	-	-	0.0	-	E2	J5-1602
C	-	-	WIRE1579	-	0.0	-	-	-	0.0	-	H	1024/1025
D	-	-	WIRE197815	-	0.0	-	-	-	0.0	-	E1	J5-1602
D	-	-	WIRE1584	-	0.0	-	-	-	0.0	-	E	1024/1025




Connector Name 1918B  
 Part Number 1661199C1  
 Instances Telematics (QUALCOMM MCP50):Diagram1  
 Mates MODU-QULCM\_MCP50-2035-07-0 2A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KC14ED	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	775.0	-	-	-
B	-	-	KC13EE	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	905.0	-	-	-
C	-	-	KC11-GBE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2150.0	-	-	-

Connector Name 1919B  
 Part Number 2005836C1  
 Instances Telematics J1708:Telematics J1708  
 Mates MODU-QULCM\_MCP50-2035-07-0 2A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	WIRE197818	-	0.0	-	-	-	0.0	-	E2	J5-1602
D	-	-	WIRE197819	-	0.0	-	-	-	0.0	-	E1	J5-1602

Connector Name 1919/1919A  
 Part Number 2005836C1  
 Instances Telematics J1708:Telematics J1708  
 Mates MODU-OMNIVISION-2035-03-08A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	WIRE197816	-	0.0	-	-	-	0.0	-	E2	J5-1602
D	-	-	WIRE197817	-	0.0	-	-	-	0.0	-	E1	J5-1602

Connector Name 1920  
 Part Number 2011340C1  
 Instances Telematics J1708:Telematics J1708




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE197820	-	0.0	-	-	-	0.0	-	E2	J5-1602
B	-	-	WIRE197821	-	0.0	-	-	-	0.0	-	E1	J5-1602

Connector Name 1925\_IP12  
 Part Number 587567C91  
 Instances  
   A26 - Ground Splice Packs:Diagram1  
   A26 - Key Switch Ignition 1:Key Switch Ignition 1A  
   X15 - Ground Splice Packs 2/4:Diagram1  
   X15 - Key Switch Ignition 1:Key Switch Ignition 1A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	HC105-G AP	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2530.0	-	X	-
B	-	-	HC105	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3930.0	-	16	1013_IP 12

Connector Name 1931A  
 Part Number 4110679C1  
 Instances Eaton Ulltrashift:Eaton Ultrashift  
 Endurant:Endurant  
 Manual Transmission:Manual Transmission  
 TC10 Series:Powertrain Standard J1939 (500Kbps) A26 Engine  
 Mates DEV36805




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	WIRE223760	-	0.0	-	-	-	0.0	-	PIN1	-
8	-	-	WIRE223744	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 1934M  
 Part Number 3554818C1  
 Instances Telematics (PEOPLE NET DAYCAB):Diagram1-Combination2  
 Telematics PEOPLE NET MD:Diagram1-Combination2  
 Mates MODU-PEOPLENET\_CONN-2035-0 5-05A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RH11-GBE	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	680.0	-	-	-
B	-	-	RH14EA	2643686 R1	1.91	14.0	Std. Wall XLPE Primary Cable	RED	3215.0	-	-	-


Connector Name 1934M\_IP12  
 Part Number 3554818C1  
 Short Description PEOPLE NET CONN  
 Instances A26 - Battery Feed 1:BTRY Feed 1 (NON-LOADSHED)  
 A26 - Ground Splice Packs:Diagram2



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RH11-GBE	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	680.0	-	3	1027
B	-	-	RH14EA	2643686 R1	1.91	14.0	Std. Wall XLPE Primary Cable	RED	3215.0	-	24	1010_IP12



Connector Name 1935M/1935N  
 Part Number 3683465C1  
 Instances Body J1939 (250Kbps):Body J1939 (250Kbps)




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE1570	-	0.0	-	-	-	0.0	-	G	1024/1025
B	-	-	WIRE1571	-	0.0	-	-	-	0.0	-	F	1024/1025

Connector Name 1936M  
 Part Number BLUNT\_SL\_VC  
 Instances Adjustable Engine Speed Control PTO - W/OMNIVISION - W/  
 J1939 - 1 SW:Diagram1  
 Adjustable Engine Speed Control PTO - W/OMNIVISION - W/  
 J1939 - 2 SW:Diagram1  
 Mates BLNT-CE-VE-5002-01-06A


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	SF59DA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1855.0	-	X	-
B	-	-	RK59EA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1890.0	-	X	-

Connector Name 1937M  
 Part Number 1667741C1  
 Instances Body J1939 (250Kbps):Body J1939 (250Kbps)  
 Mates MODU-OMNIVISION-2035-03-08A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE1578	-	0.0	-	-	-	0.0	-	H	1024/1025
C	-	-	WIRE1583	-	0.0	-	-	-	0.0	-	E	1024/1025

Connector Name 1937N  
 Part Number 1667741C1  
 Instances Body J1939 (250Kbps):Body J1939 (250Kbps)  
 Mates MODU-OMNIVISION-2035-05-06A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE1577	-	0.0	-	-	-	0.0	-	H	1024/1025
C	-	-	WIRE1582	-	0.0	-	-	-	0.0	-	E	1024/1025

Connector Name 1937P  
 Part Number 1667741C1  
 Instances Body J1939 (250Kbps):Body J1939 (250Kbps)  
 Mates MODU-QULCM\_MCP50-2035-07-0 2A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE1576	-	0.0	-	-	-	0.0	-	H	1024/1025
C	-	-	WIRE1581	-	0.0	-	-	-	0.0	-	E	1024/1025

Connector Name 1938  
 Part Number 3554818C1  
 Instances Telematics (PEOPLE NET DAYCAB):Diagram1-Combination1  
 Telematics PEOPLE NET MD:Diagram1-Combination1  
 Mates MODU-PEOPLENET\_CONN-2035-0 5-05A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	DL11-GBE	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	680.0	-	-	-
B	-	-	DL14EA	2643686 R1	1.91	14.0	Std. Wall XLPE Primary Cable	RED	3215.0	-	-	-

Connector Name 1939A  
 Part Number 3616085C1  
 Instances Telematics (PMG w/ DVR):Diagram1  
 Telematics Peoplenet PMG:Diagram1-Combination2  
 Mates DEV-PEOPLENET\_PMG-2035-05- 07A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	AE13B	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	3180.0	-	B	5010
4	-	-	AE11-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1455.0	-	-	-
5	-	-	AE14A	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	3180.0	-	A	5010


Connector Name 1939D  
 Part Number 3554818C1  
 Instances Telematics Peoplenet PMG:Diagram1-Combination1  
 Mates DEV-PEOPLENET\_PMG\_VID-2035 -05-07



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JV11-GA	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	680.0	-	-	-
B	-	-	JV14C	2643686 R1	1.91	14.0	Std. Wall XLPE Primary Cable	RED	3215.0	-	-	-




Connector Name 1939E  
 Part Number 3554818C1  
 Instances Telematics (PMG w/ DVR):Diagram1  
 Telematics Peoplenet PMG:Diagram1-Combination2  
 Mates DEV-PEOPLENET\_PMG\_VID-2035 -05-07




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KL11-GA	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	680.0	-	-	-
B	-	-	KL14C	2643686 R1	1.91	14.0	Std. Wall XLPE Primary Cable	RED	3215.0	-	-	-

Connector Name 1939M  
 Part Number 3553404C1  
 Instances Body J1939 (250Kbps):Body J1939 (250Kbps)  
 Telematics J1708:Telematics J1708  
 Mates MODU-PEOPLNET\_VID-2035-05 -05A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	WIRE197822	-	0.0	-	-	-	0.0	-	E2	J5-1602
5	-	-	WIRE197823	-	0.0	-	-	-	0.0	-	E1	J5-1602
11	-	-	WIRE1580	-	0.0	-	-	-	0.0	-	E	1024/1025
12	-	-	WIRE1575	-	0.0	-	-	-	0.0	-	H	1024/1025

Connector Name 1939-125A  
 Part Number 3683465C1  
 Instances Low Speed J1939 (125Kbps):Low Speed J1939 (125Kbps)




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE1637	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE1638	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 1939-125B  
 Part Number 3683465C1  
 Instances Low Speed J1939 (125Kbps):Low Speed J1939 (125Kbps)




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE1655	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE1656	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 1939-250A  
 Part Number 3683465C1  
 Instances Cab J1939 (250Kbps):Cab J1939 (250Kbps)




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE223936	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE223937	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 1939-250B  
 Part Number 3683465C1  
 Instances Cab J1939 (250Kbps):Cab J1939 (250Kbps)



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE223927	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE223928	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 1939  
 Part Number 2011340C1  
 Instances Telematics (PEOPLE NET DAYCAB):Diagram1-Combination1  
 Telematics PEOPLE NET MD:Diagram1-Combination1  
 Telematics PEOPLE NET MD:Diagram1-Combination2  
 Mates MODU-PEOPLENET\_COMM-2035-0 5-05A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	DL14ED	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	4625.0	-	-	-
C	-	-	RF14ED	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	3180.0	-	A	5010
D	-	-	DL11-GBH	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2090.0	-	-	-
D	-	-	RF11-GMB	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1455.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	DL13EE	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	4755.0	-	-	-
E	-	-	RF13EE	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	3180.0	-	B	5010




Connector Name 1940  
 Part Number BLUNT\_SL\_VC  
 Instances 8XBM Single Aux Switch:Diagram1  
 8XBN Dual Aux Switch:Diagram1  
 Mates BLNT-OWNER\_ACC\_SW\_1-2055-0 1-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CE14SAD	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	340.0	-	R5 - 87	1015_IP 12

Connector Name 1941  
 Part Number BLUNT\_SL\_VC  
 Instances 8XBN Dual Aux Switch:Diagram1  
 Mates BLNT-OWNER\_ACC\_SW\_2-20550- 2-01A


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CE14SBD	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	435.0	-	R6 - 87	1018_IP 12

Connector Name 1942  
 Part Number 3673259C1  
 Instances Collision Avoidance System Warning:Diagram1  
 Mates MODU-SIDE\_DISPLAY-3011-02- 02




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	YD67V	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2305.0	-	71	1701M
2	-	-	YD67W	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2305.0	-	70	1701M
3	-	-	YD67U	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2305.0	-	69	1701M
4	-	-	2G57C	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2055.0	-	X	-

Connector Name 1944  
 Part Number 6114576C1  
 Short Description OMNITRACS IVG  
 Instances Eaton Ulltrashift:Eaton Ultrashift  
 Endurant:Endurant  
 Manual Transmission:Manual Transmission  
 TC10 Series:Powertrain Standard J1939 (500Kbps) A26 Engine  
 Mates DEV36804




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	WIRE223794	-	0.0	-	-	-	0.0	-	PIN1	-
11	-	-	WIRE223795	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 1970  
 Part Number 3538635C1  
 Instances Telematics J1708:Telematics J1708  
 Mates 5010




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	WIRE196497	-	0.0	-	-	-	0.0	-	E1	J5-1602
D	-	-	WIRE196496	-	0.0	-	-	-	0.0	-	E2	J5-1602

Connector Name 1970  
 Part Number 3538635C1  
 Short Description SATELLITE COMMUNICATIONS  
 Instances Telematics (PMG w/ DVR):Diagram1  
 Telematics Peoplenet PMG:Diagram1-Combination2  
 Mates 5010



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KL14A	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	4425.0	-	-	-
B	-	-	KL13B	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	4555.0	-	-	-

Connector Name 1970\_IP12  
 Part Number 3538635C1  
 Instances A26 - Battery Feed 1:BTRY Feed (NON-LOADSHED)  
 Endurant - Battery Grid 1 (Non-Loadshed):BTRY GRID 1 (NON-LOADSHED)  
 Instrument Cluster (Standard):Diagram1  
 Telematics (QUALCOMM IMCT DAYCAB W/ MVPC):Diagram1  
 Telematics (QUALCOMM MCT w/o Tracs):Diagram1  
 Telematics (QUALCOMM MCT):Diagram1  
 X15 - Battery Feed 1 - Part 1:BTRY Feed 1 (NON-LOADSHED)  
 X15 - Key Switch Ignition 1:Key Switch Ignition 1B  
 X15 Ground Splice Packs 3/4:Diagram2  
 Mates (5010)




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KL14A	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	4425.0	-	38	1010
A	-	-	PH14ED	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	4425.0	-	38	1010
A	-	-	CP14ED	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	4425.0	-	38	1010
A	-	-	CG14SD	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	4425.0	-	38	1010

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RH14ED	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	4425.0	-	38	1010
A	-	-	PH14ED	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	4425.0	-	38	1010_IP12
A	-	-	CG14SD	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	4425.0	-	38	1010_IP12
A	-	-	CP14ED	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	4425.0	-	38	1010_IP12
A	-	-	RH14ED	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	4425.0	-	38	1010_IP12
B	-	-	CP13EE	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	4555.0	-	-	-
B	-	-	PH13EE	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	4555.0	-	32	1014_IP12
B	-	-	CP13EE	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	4555.0	-	32	1014_IP12



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	RH13EE	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	4555.0	-	32	1014_IP12
B	-	-	CG13SD	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	3925.0	-	X	-
E	-	-	CP11-GMW	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	3340.0	-	B5	1500
F	-	-	PH11-GBE	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2500.0	-	6	1023
F	-	-	CR98J	3510293 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BLACK	4270.0	-	-	-


Connector Name 1970\_IP12  
 Part Number 3538635C1  
 Short Description SATELLITE COMMUNICATIONS  
 Instances  
   A26 - Ground Splice Packs:Diagram5  
   A26 - Key Switch Ignition 1:Key Switch Ignition 1C  
   Telematics (QUALCOMM TMCT):Diagram1  
   Telematics (TRIPMASTER SLEEPER):Diagram1  
   Telematics PEOPLE NET MD:Diagram1-Combination2  
 Mates 5010



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RH14ED	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	4425.0	-	-	-
B	-	-	CP13EE	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	4555.0	-	32	1014_IP12
B	-	-	PH13EE	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	4555.0	-	32	1014_IP12
B	-	-	RH13EE	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	4555.0	-	32	1014_IP12


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	CG13SD	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	3925.0	-	X	-
B	-	-	RH13EE	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	4555.0	-	-	-
E	-	-	CP11-GMW	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	3340.0	-	B5	1500
F	-	-	PH11-GBE	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2500.0	-	6	1023
F	-	-	CR98J	3510293 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BLACK	4270.0	-	-	-
J	-	-	CG70E	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	3300.0	-	D1	1800M
K	-	-	CG50S	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	4630.0	-	R3 - 30	1018_IP 12

Connector Name 1978  
 Part Number 3540612C1  
 Instances Cab J1939 (250Kbps):Cab J1939 (250Kbps)  
 Fusion Private J1939:Fusion Private J1939  
 Powertrain J1939 (500Kbps) X15:Powertrain J1939 (500Kbps)  
 X15 Engine  
 Mates 16B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	WIRE196487	-	0.0	-	-	-	0.0	-	PIN1	-
F	-	-	WIRE196486	-	0.0	-	-	-	0.0	-	X	-
J	-	-	WIRE1363	-	0.0	-	-	-	0.0	-	X	-
J	-	-	WIRE223975	-	0.0	-	-	-	0.0	-	X	-
K	-	-	WIRE1362	-	0.0	-	-	-	0.0	-	X	-
K	-	-	WIRE223974	-	0.0	-	-	-	0.0	-	X	-

Connector Name 1978  
 Part Number 3540612C1  
 Instances A26 - Battery Feed 1:BTRY Feed 1 (NON-LOADSHED)  
 Eaton Ulltrashift:Eaton Ultrashift  
 Endurant:Endurant  
 Lane Departure Warning - (Bendix - AutoVue W/ Qualcomm Safety Direct):Diagram1  
 Lane Departure Warning - (Wabco OnLane):Diagram1  
 Manual Transmission:Manual Transmission  
 TC10 Series:Powertrain Standard J1939 (500Kbps) A26 Engine  
 X15 - Battery Feed 1 - Part 1:BTRY Feed 1 (NON-LOADSHED)  
 Mates 16B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	67EN	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	2483.0	-	B7	1979_1
A	-	-	67EN	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	2483.0	-	B7	1979_2
B	-	-	67NA	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PURPLE	2483.0	-	A7	1979_1
B	-	-	67NA	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PURPLE	2483.0	-	A7	1979_2

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	13COG	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	2483.0	-	A9	1979_1
C	-	-	13COG	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	2483.0	-	A9	1979_2
D	-	-	11COG	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	250.0	-	B9	1979_1
D	-	-	11COG	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	250.0	-	X	-
E	-	-	56A2	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2483.0	-	A4	1979_2
F	-	-	57A4	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2483.0	-	B4	1979_2
G	-	-	67COG	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2483.0	-	B8	1979_1
G	-	-	67COG	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2483.0	-	B8	1979_2

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
H	-	-	14CSB	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	2483.0	-	-	-
H	-	-	-	-	-	-	-	-	-	-	-	-
H	-	-	14CSB	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	2483.0	-	A11	1979_2
J	-	-	WIRE223 924	-	0.0	-	-	-	0.0	-	X	-
K	-	-	WIRE223 925	-	0.0	-	-	-	0.0	-	X	-


Connector Name 1979A  
 Part Number 4061584C1  
 Instances Eaton Ulltrashift:Eaton Ultrashift  
 Endurant:Endurant  
 Fusion Private J1939:Fusion Private J1939  
 Manual Transmission:Manual Transmission  
 Powertrain J1939 (500Kbps) X15:Powertrain J1939 (500Kbps)  
 X15 Engine  
 TC10 Series:Powertrain Standard J1939 (500Kbps) A26 Engine  
 Mates DEV-BENDIX\_FUSION\_FLC\_20-3 020-02-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	WIRE1364	-	0.0	-	-	-	0.0	-	X	-
3	-	-	WIRE223 917	-	0.0	-	-	-	0.0	-	X	-
4	-	-	WIRE1359	-	0.0	-	-	-	0.0	-	X	-
4	-	-	WIRE223 918	-	0.0	-	-	-	0.0	-	X	-
6	-	-	WIRE196 485	-	0.0	-	-	-	0.0	-	PIN1	-
7	-	-	WIRE196 484	-	0.0	-	-	-	0.0	-	X	-




Connector Name 1979  
 Part Number 3831401C1  
 Instances Eaton Ulltrashift:Eaton Ultrashift  
 Endurant:Endurant  
 Fusion Private J1939:Fusion Private J1939  
 Manual Transmission:Manual Transmission  
 Powertrain J1939 (500Kbps) X15:Powertrain J1939 (500Kbps)  
 X15 Engine  
 TC10 Series:Powertrain Standard J1939 (500Kbps) A26 Engine  
 Mates MODU-BENDIX\_FUSION\_SAFETY\_DIRECT-3020-02-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	WIRE1360	-	0.0	-	-	-	0.0	-	X	-
5	-	-	WIRE223920	-	0.0	-	-	-	0.0	-	X	-
6	-	-	WIRE1361	-	0.0	-	-	-	0.0	-	X	-
6	-	-	WIRE223922	-	0.0	-	-	-	0.0	-	X	-
12	-	-	WIRE196482	-	0.0	-	-	-	0.0	-	X	-
13	-	-	WIRE196483	-	0.0	-	-	-	0.0	-	PIN1	-


Connector Name 1979\_1  
 Part Number 3710061C1  
 Instances Cab J1939 (250Kbps):Cab J1939 (250Kbps)  
 Lane Departure Warning - (Wabco OnLane):Diagram1  
 Mates MODU-ECU\_Lane\_Departure\_Wa bco-3020-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A1	-	-	GREENL	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1000.0	-	A	348F
A2	-	-	GREENR	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1900.0	-	A	349F
A7	-	-	67NA	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PURPLE	2483.0	-	B	1978
A9	-	-	13COG	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	2483.0	-	C	1978
A12	-	-	WIRE223 979	-	0.0	-	-	-	0.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B1	-	-	YELLOWL	2643801 R1	0.79	18.0	Std. Wall XLPE Primary Cable	YELLOW 2	1000.0	-	B	348F
B2	-	-	YELLOWR	2643801 R1	0.79	18.0	Std. Wall XLPE Primary Cable	YELLOW 2	1900.0	-	B	349F
B7	-	-	67EN	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	2483.0	-	A	1978
B8	-	-	67COG	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2483.0	-	G	1978
B9	-	-	11COG	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	250.0	-	D	1978
B12	-	-	WIRE223 976	-	0.0	-	-	-	0.0	-	X	-

Connector Name 1979\_2  
 Part Number 3710061C1  
 Instances Cab J1939 (250Kbps):Cab J1939 (250Kbps)  
 Lane Departure Warning - (Bendix - AutoVue W/ Qualcomm  
 Safety Direct):Diagram1  
 Mates MODU-ECU\_Lane\_Departure\_Bendix\_AutoVue-3020-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A1	-	-	GREENL	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1000.0	-	A	348F_1
A2	-	-	GREENR	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1900.0	-	A	349F_1
A4	-	-	56A2	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2483.0	-	E	1978
A7	-	-	67NA	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PURPLE	2483.0	-	B	1978

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
A9	-	-	13COG	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	2483.0	-	C	1978
A10	-	-	232-TX	-	0.0	-	-	-	2943.0	-	B	166M_1
A11	-	-	14CSB	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	2483.0	-	H	1978
A12	-	-	WIRE223 978	-	0.0	-	-	-	0.0	-	X	-
B1	-	-	YELLOWL	2643801 R1	0.79	18.0	Std. Wall XLPE Primary Cable	YELLOW 2	1000.0	-	B	348F_1
B2	-	-	YELLOWR	2643801 R1	0.79	18.0	Std. Wall XLPE Primary Cable	YELLOW 2	1900.0	-	B	349F_1
B4	-	-	57A4	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2483.0	-	F	1978
B7	-	-	67EN	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	2483.0	-	A	1978
B8	-	-	67COG	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2483.0	-	G	1978
B9	-	-	11COG2	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2233.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B11	-	-	232-RX	-	0.0	-	-	-	2943.0	-	C	166M_1
B12	-	-	WIRE223 977	-	0.0	-	-	-	0.0	-	X	-

Connector Name 2F  
 Part Number 3553649C1  
 Instances Powertrain J1939 (500Kbps) X15:Powertrain J1939 (500Kbps)  
 X15 Engine  
 Mates 2M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C6	-	-	WIRE1324	-	0.0	-	-	-	0.0	-	11	1702F
C7	-	-	WIRE1325	-	0.0	-	-	-	0.0	-	17	1702F

Connector Name 2F  
 Part Number 3553649C1  
 Instances Skirt Light- Customer Supplied:Diagram1  
 Transmission Oil Temperature-Manual Trans:W/ ALL MANUAL  
 XMSNS EXCEPT EATON ADVANTAGE, TREMEC  
 Transmission Oil Temperature-Manual Trans:W/ EATON  
 FULLER ADVANTAGE XMSNS  
 Transmission Oil Temperature-Manual Trans:W/ TREMEC  
 XMSNS  
 Windshield Wipers:Diagram1  
 X15 - Heating Ventilation Air Conditioning (HVAC):Diagram1 -  
 Base HVAC  
 X15 - Outside temperature monitor:Diagram1  
 Mates 2M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A3	-	-	DS31J	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2080.0	-	13	1702F
A7	-	-	AA82DJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2330.0	-	A	4500
B1	-	-	DY54XAJ	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	545.0	-	A	8051
B2	-	-	DY54-GX AJ	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	545.0	-	B	8051



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
B4	-	-	HZ41EJ	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2080.0	-	-	-
B12	-	-	AA82JJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2330.0	-	B	4500
D1	-	-	3H6DBJ	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2080.0	-	3	1702F

Connector Name 2F\_IP12  
 Part Number 3553649C1  
 Short Description COWL/IP CONNECTOR 2  
 Instances  
 A26 - Ambient Air Temperature:Diagram1  
 A26 - Ground Splice Packs:Diagram2  
 A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 - Base HVAC-Combination1  
 A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 - Base HVAC-Combination2  
 A26 - Transmission Control Module (TC10 Series A65):Diagram1  
 A26 - Transmission Oil Temperature-Manual Trans:Diagram1-Combination1  
 A26 - Transmission Oil Temperature-Manual Trans:Diagram1-Combination2  
 A26 - Transmission Oil Temperature-Manual Trans:Diagram1-Combination3  
 Transmission Shifter Allison:Diagram1  
 X15 Ground Splice Packs 4/4:Diagram1




Mates 2M\_IP12

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A1	-	-	3E54-GX EJ	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1440.0	-	A	8054_IP 12
A1	-	-	2A54-GX EJ	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1440.0	-	A	8054_IP 12
A1	-	-	3C54-GX EJ	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1440.0	-	A	8054_IP 12
A1	-	-	HY54-GX EJ	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1440.0	-	A	8054_IP 12


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
A3	-	-	DS31J	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2080.0	-	13	1702_IP 12
B2	-	-	DY54-GX AJ	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	545.0	-	-	-
B3	-	-	GY92#13 4J	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2080.0	-	19	1702_IP 12
B4	-	-	HZ41EJ	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2080.0	-	15	1702_IP 12
D1	-	-	3H6DBJ	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2080.0	-	3	1702_IP 12

Connector Name 2M  
 Part Number 3612512C1  
 Instances Powertrain J1939 (500Kbps) X15:Powertrain J1939 (500Kbps)  
 X15 Engine  
 Mates 2F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C6	-	-	WIRE1322	-	0.0	-	-	-	0.0	-	PIN1	-
C7	-	-	WIRE1323	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 2M  
 Part Number 3612512C1  
 Instances Skirt Light- Customer Supplied:Diagram1  
 Transmission Oil Temperature-Manual Trans:W/ ALL MANUAL  
 XMSNS EXCEPT EATON ADVANTAGE, TREMEC  
 Transmission Oil Temperature-Manual Trans:W/ EATON  
 FULLER ADVANTAGE XMSNS  
 Transmission Oil Temperature-Manual Trans:W/ TREMEC  
 XMSNS  
 Windshield Wipers:Diagram1  
 X15 - Heating Ventilation Air Conditioning (HVAC):Diagram1 -  
 Base HVAC  
 X15 - Outside temperature monitor:Diagram1  
 Mates 2F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A3	-	-	DS31	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2995.0	-	B7	J3-1600
A7	-	-	AA82D	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2635.0	-	X	-
B1	-	-	DY54XA	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	3225.0	-	X	-
B2	-	-	DY54-GXA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	495.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B4	-	-	HZ41E	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2575.0	-	F	3200M
B12	-	-	AA82J	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	3190.0	-	R2 - 87A	1011_IP 12
D1	-	-	3H6DB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	3015.0	-	E6	J5-1602

Connector Name 2M\_IP12  
 Part Number 3612512C1  
 Short Description IP/COWL CONNECTOR 2

Instances  
 A26 - Ambient Air Temperature:Diagram1  
 A26 - Ground Splice Packs:Diagram2  
 A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 - Base HVAC-Combination1  
 A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 - Base HVAC-Combination2  
 A26 - Transmission Control Module (TC10 Series A65):Diagram1  
 A26 - Transmission Oil Temperature-Manual Trans:Diagram1-Combination1  
 A26 - Transmission Oil Temperature-Manual Trans:Diagram1-Combination2  
 A26 - Transmission Oil Temperature-Manual Trans:Diagram1-Combination3  
 Transmission Shifter Allison:Diagram1  
 X15 Ground Splice Packs 4/4:Diagram1




Mates 2F\_IP12

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A1	-	-	2A54-GXE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	645.0	-	8	1027
A1	-	-	HY54-GXE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	645.0	-	8	1027
A1	-	-	3E54-GXE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	645.0	-	8	1027
A1	-	-	3C54-GXE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	645.0	-	8	1027

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A3	-	-	DS31	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2995.0	-	B7	J3-1600
B2	-	-	DY54-GXA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	495.0	-	X	-
B3	-	-	GY92#134	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2180.0	-	B	7900F_I P12
B4	-	-	HZ41E	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2575.0	-	F	3200M_I P12
D1	-	-	3H6DB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	3015.0	-	E6	J5-1602




Connector Name 2TB1  
 Part Number 3722128C1  
 Instances Telematics (TRIPMASTER DAYCAB):Diagram1  
 Mates MODU-TRIPMASTER-2035-10-04A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	CF11-GSD	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2335.0	-	X	-

Connector Name 2TB2  
 Part Number 3722128C1  
 Instances Telematics (TRIPMASTER DAYCAB):Diagram1  
 Mates MODU-TRIPMASTER-2035-10-04A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	CF50S	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	4980.0	-	R3 - 30	1018_IP 12

Connector Name 2000F  
 Part Number 3544687C1  
 Instances Eaton Ulltrashift:Eaton Ultrashift  
 Endurant:Endurant  
 Manual Transmission:Manual Transmission  
 Powertrain J1939 (500Kbps) X15:Powertrain J1939 (500Kbps)  
 X15 Engine  
 TC10 Series:Powertrain Standard J1939 (500Kbps) A26 Engine  
 Mates 2000




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
9	-	-	WIRE1356	-	0.0	-	-	-	0.0	-	X	-
9	-	-	WIRE223916	-	0.0	-	-	-	0.0	-	X	-
10	-	-	WIRE1354	-	0.0	-	-	-	0.0	-	X	-
10	-	-	WIRE223919	-	0.0	-	-	-	0.0	-	X	-

Connector Name 2000F  
 Part Number 3544687C1  
 Short Description ROOF/IP CONNECTOR  
 Instances A26 - Battery Feed 2:BTRY GRID 2 (LOADSHED)  
 A26 - Ground Splice Packs:Diagram4  
 A26 - Key Switch Accessory 2:Key Switch Accessory 2 (LOADSHED)  
 X15 - Ground Splice Packs 1/4:Diagram1  
 Mates 2000\_IP12



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	D86F	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2530.0	-	A	2303M
3	-	-	D63-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1330.0	-	X	-
5	-	-	D63E	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1280.0	-	X	-

Connector Name 2000F  
 Part Number 3544687C1  
 Instances Cab Dome Light (Sleeper Cab):Diagram1  
 CB Radio Power Only (Single Antenna):Diagram1  
 CB Radio with Audio Jack for Speakers:Diagram1  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Overhead APO:Diagram1-Combination1  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Overhead APO:Diagram1-Combination2  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Overhead APO:Diagram1-Combination3  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Overhead APO:Diagram1-Combination4  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
 Combination1  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
 Combination2  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
 Combination3  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
 Combination4  
 Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel-  
 Overhead APO:Diagram1-Combination1  
 Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel-  
 Overhead APO:Diagram1-Combination2  
 Cigar Lighter- Rear Std APO- Rear APO w/Cover- 12V Panel-  
 Upr Bnk APO- Rear Overhead APO:Diagram1-Combination1  
 Cigar Lighter- Rear Std APO- Rear APO w/Cover- 12V Panel-  
 Upr Bnk APO- Rear Overhead APO:Diagram1-Combination2  
 Clearance and Identification Lights (N/ Sunshade):Diagram1  
 Interior Task Lights (Flood) - DayCab:Diagram1  
 Interior Task Lights (Flood) W/Upper& Lower Reading LT -  
 Sleeper Cab:Diagram1  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel-Overhead APO:Diagram1-Combination1  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel-Overhead APO:Diagram1-Combination2  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel-Overhead APO:Diagram1-Combination3



Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel-Overhead APO:Diagram1-Combination4  
 Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination1  
 Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination2  
 Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination3  
 Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination4  
 Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Rear  
 Overhead APO:Diagram1-Combination1  
 Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Rear  
 Overhead APO:Diagram1-Combination2  
 Std APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk  
 APO-Rear Overhead APO:Diagram1-Combination1  
 Std APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk  
 APO-Rear Overhead APO:Diagram1-Combination2  
 X15 - Battery Feed 2:BTRY GRID 2 (LOADSHED)  
 X15 - Key Switch Accessory 2:Key Switch Accessory 2  
 (LOADSHED)


Mates

2000M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
1	-	-	D58T	2643672 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BROWN	1380.0	-	X	-
2	-	-	D86F	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2530.0	-	A	2303F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	D63-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1330.0	-	X	-
4	-	-	D63D	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	2120.0	-	A	2101M
5	-	-	D63E	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1280.0	-	X	-

Connector Name 2000M  
 Part Number 3544688C1  
 Instances Cab Dome Light (Sleeper Cab):Diagram1  
 CB Radio Power Only (Single Antenna):Diagram1  
 CB Radio with Audio Jack for Speakers:Diagram1  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Overhead APO:Diagram1-Combination1  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Overhead APO:Diagram1-Combination2  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Overhead APO:Diagram1-Combination3  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Overhead APO:Diagram1-Combination4  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
 Combination1  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
 Combination2  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
 Combination3  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
 Combination4  
 Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel-  
 Overhead APO:Diagram1-Combination1  
 Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel-  
 Overhead APO:Diagram1-Combination2  
 Cigar Lighter- Rear Std APO- Rear APO w/Cover- 12V Panel-  
 Upr Bnk APO- Rear Overhead APO:Diagram1-Combination1  
 Cigar Lighter- Rear Std APO- Rear APO w/Cover- 12V Panel-  
 Upr Bnk APO- Rear Overhead APO:Diagram1-Combination2  
 Clearance and Identification Lights (N/ Sunshade):Diagram1  
 Interior Task Lights (Flood) - DayCab:Diagram1  
 Interior Task Lights (Flood) W/Upper& Lower Reading LT -  
 Sleeper Cab:Diagram1  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel-Overhead APO:Diagram1-Combination1  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel-Overhead APO:Diagram1-Combination2  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel-Overhead APO:Diagram1-Combination3





Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel-Overhead APO:Diagram1-Combination4  
 Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination1  
 Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination2  
 Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination3  
 Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination4  
 Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Rear  
 Overhead APO:Diagram1-Combination1  
 Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Rear  
 Overhead APO:Diagram1-Combination2  
 Std APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk  
 APO-Rear Overhead APO:Diagram1-Combination1  
 Std APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk  
 APO-Rear Overhead APO:Diagram1-Combination2  
 X15 - Battery Feed 2:BTRY GRID 2 (LOADSHED)  
 X15 - Key Switch Accessory 2:Key Switch Accessory 2  
 (LOADSHED)


Mates

2000F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
1	-	-	HY58T	3510305 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BROWN	385.0	-	X	-
2	-	-	MZ86P	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2265.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	MR86F	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2265.0	-	-	-
2	-	-	MZ86P	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2265.0	-	38	1017_IP 12
2	-	-	MR86F	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2265.0	-	38	1017_IP 12
3	-	-	AA63-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	755.0	-	X	-
4	-	-	AA63D	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	540.0	-	X	-
5	-	-	AA63BD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2265.0	-	-	-
5	-	-	AA63BD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2265.0	-	7	1017_IP 12

Connector Name 2000  
 Part Number 3544688C1  
 Instances Eaton Ulltrashift:Eaton Ultrashift  
 Endurant:Endurant  
 Manual Transmission:Manual Transmission  
 Powertrain J1939 (500Kbps) X15:Powertrain J1939 (500Kbps)  
 X15 Engine  
 TC10 Series:Powertrain Standard J1939 (500Kbps) A26 Engine  
 Mates 2000F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
9	-	-	WIRE1333	-	0.0	-	-	-	0.0	-	PIN1	-
9	-	-	WIRE223766	-	0.0	-	-	-	0.0	-	PIN1	-
10	-	-	WIRE1332	-	0.0	-	-	-	0.0	-	PIN1	-
10	-	-	WIRE223765	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 2000\_IP12  
 Part Number 3544688C1  
 Short Description IP/ROOF CONNECTION  
 Instances A26 - Battery Feed 2:BTRY GRID 2 (LOADSHED)  
 A26 - Ground Splice Packs:Diagram4  
 A26 - Key Switch Accessory 2:Key Switch Accessory 2 (LOADSHED)  
 X15 - Ground Splice Packs 1/4:Diagram1  
 Mates 2000F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	MR86F	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2265.0	-	38	1017_IP 12
2	-	-	MZ86P	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2265.0	-	38	1017_IP 12
3	-	-	AA63-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	755.0	-	X	-
5	-	-	AA63BD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2265.0	-	7	1017_IP 12

Connector Name 2002M  
 Part Number 1661259C1  
 Instances A26 - Ground Splice Packs:Diagram4  
 Clearance and Identification Lights (N/ Sunshade):Diagram1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	D58Z	2643672 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BROWN	380.0	-	X	-
B	-	-	D58-GD	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	330.0	-	X	-

Connector Name 2003M  
 Part Number 1661259C1  
 Instances A26 - Ground Splice Packs:Diagram4  
 Clearance and Identification Lights (N/ Sunshade):Diagram1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	D58M	2643672 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BROWN	595.0	-	X	-
B	-	-	D58-GE	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	645.0	-	X	-

Connector Name 2004M  
 Part Number 1661259C1  
 Instances A26 - Ground Splice Packs:Diagram4  
 Clearance and Identification Lights (N/ Sunshade):Diagram1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	D58N	2643672 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BROWN	840.0	-	X	-
B	-	-	D58-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	890.0	-	X	-


Connector Name 2005M  
 Part Number 1661259C1  
 Instances A26 - Ground Splice Packs:Diagram4  
 Clearance and Identification Lights (N/ Sunshade):Diagram1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	D58P	2643672 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BROWN	1075.0	-	X	-
B	-	-	D58-GH	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1125.0	-	X	-




Connector Name 2006M  
 Part Number 1661259C1  
 Instances A26 - Ground Splice Packs:Diagram4  
 Clearance and Identification Lights (N/ Sunshade):Diagram1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	D58R	2643672 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BROWN	1595.0	-	X	-
B	-	-	D58-GJ	2643672 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BROWN	1645.0	-	X	-

Connector Name 2101F  
 Part Number 1669973C1  
 Instances Cab Dome Light (Sleeper Cab):Diagram1  
 X15 - Ground Splice Packs 1/4:Diagram1  
 Mates 2101M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	63D	-	0.0	-	-	-	1700.0	-	B	5219
B	-	-	63-GM	-	0.0	-	Std. Wall XLPE Primary Cable	WHITE	1700.0	-	-	-

Connector Name 2101M  
 Part Number 1669972C1  
 Short Description ROOF TO HEADLINER HARNESS CONNECTION  
 Instances A26 - Ground Splice Packs:Diagram4




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	D63-GM	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	790.0	-	X	-

Connector Name 2101M  
 Part Number 1669972C1  
 Short Description ROOF TO HEADLINER HARNESS CONNECTION  
 Instances Cab Dome Light (Sleeper Cab):Diagram1  
 X15 - Ground Splice Packs 1/4:Diagram1  
 Mates 2101F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	D63D	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	2120.0	-	4	2000F
B	-	-	D63-GM	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	790.0	-	X	-


Connector Name 2102F  
 Part Number 1669973C1  
 Short Description ROOF HARNESS  
 Instances Interior Task Lights (Flood) - DayCab:Diagram1  
 Interior Task Lights (Flood) W/Upper& Lower Reading LT -  
 Sleeper Cab:Diagram1  
 X15 - Battery Feed 2:BTRY GRID 2 (LOADSHED)  
 X15 - Ground Splice Packs 1/4:Diagram1  
 Mates 2103M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	D63M	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	400.0	-	A	2102M_2
A	-	-	D63M	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	400.0	-	A	2102M_1
A	-	-	D63M	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	400.0	-	X	-
B	-	-	D63-GE	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	400.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	D63-GE	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	400.0	-	B	2102M_2

Connector Name 2102M  
 Part Number 1669972C1  
 Short Description MAP/READING LIGHT  
 Instances A26 - Battery Feed 2:BTRY GRID 2 (LOADSHED)  
 A26 - Ground Splice Packs:Diagram4



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	D63M	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	400.0	-	X	-
B	-	-	D63-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	762.0	-	X	-


Connector Name 2102M\_1  
 Part Number 1669972C1  
 Instances Interior Task Lights (Flood) - DayCab:Diagram1  
 Interior Task Lights (Flood) W/Upper& Lower Reading LT -  
 Sleeper Cab:Diagram1  
 Mates LT-Map\_Light-2019-02-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	D63M	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	400.0	-	-	-
A	-	-	D63M	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	400.0	-	A	2102F
B	-	-	D63-GE	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	400.0	-	-	-




Connector Name 2102M\_2  
 Part Number 1669972C1  
 Instances Interior Task Lights (Flood) - DayCab:Diagram1  
 Interior Task Lights (Flood) W/Upper& Lower Reading LT -  
 Sleeper Cab:Diagram1  
 Mates LT-Map\_Light-2019-02-01B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	D63M	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	400.0	-	A	2102F
A	-	-	D63M	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	400.0	-	-	-
B	-	-	D63-GE	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	400.0	-	B	2102F

Connector Name 2103M  
 Part Number 1669972C1  
 Short Description MAP/READING LIGHT  
 Instances A26 - Battery Feed 2:BTRY GRID 2 (LOADSHED)  
 A26 - Ground Splice Packs:Diagram4




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	D63C	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	2077.0	-	X	-
B	-	-	D63-GE	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	400.0	-	X	-

Connector Name 2103M  
 Part Number 1669972C1  
 Short Description MAP/READING LIGHT  
 Instances Interior Task Lights (Flood) - DayCab:Diagram1  
 Interior Task Lights (Flood) W/Upper& Lower Reading LT -  
 Sleeper Cab:Diagram1  
 X15 - Battery Feed 2:BTRY GRID 2 (LOADSHED)  
 X15 - Ground Splice Packs 1/4:Diagram1  
 Mates 2102F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	D63M	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	400.0	-	-	-
A	-	-	D63C	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	2077.0	-	X	-
B	-	-	D63-GE	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	400.0	-	-	-
B	-	-	D63-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	762.0	-	X	-

Connector Name 220XF  
 Part Number 1661260C1  
 Instances A26 - Ground Splice Packs:Diagram1  
 Work Lights (Customer Supplied) W/ Sw Pack:Diagram1-  
 Combination2  
 X15 - Ground Splice Packs 2/4:Diagram1  
 Mates 2201\_IP12




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	65F	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1500.0	-	A	220XM
B	-	-	65-GF	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1500.0	-	B	220XM
B	-	-	65-GF	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1500.0	-	B	220XF

Connector Name 220XF  
 Part Number 1661260C1  
 Instances Work Lights (Customer Supplied) W/ Sw Pack:Diagram1-  
 Combination2  
 X15 - Ground Splice Packs 2/4:Diagram1  
 Mates 2200\_IP12




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	65F	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1500.0	-	-	-
B	-	-	65-GF	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1500.0	-	-	-
B	-	-	65-GF	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1500.0	-	B	220XF

Connector Name 220XM  
 Part Number 1661259C1  
 Instances A26 - Ground Splice Packs:Diagram1  
 Work Lights (Customer Supplied) W/ Sw Pack:Diagram1-  
 Combination2  
 X15 - Ground Splice Packs 2/4:Diagram1  
 Mates 5118




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	65F	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1500.0	-	A	220XF
B	-	-	65-GF	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1500.0	-	B	220XF
B	-	-	65-GF	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1500.0	-	-	-

Connector Name 2200\_IP12  
 Part Number 1661259C1  
 Short Description CUSTOMER SUPPLIED WORK LIGHT  
 Instances Work Lights (Customer Supplied) W/ Sw Pack:Diagram1-Combination2  
 X15 - Ground Splice Packs 2/4:Diagram1  
 Mates 220XF



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BX65AB	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1980.0	-	X	-
B	-	-	BX65-GFA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2410.0	-	-	-
B	-	-	BX65-GFA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2410.0	-	X	-


Connector Name 2201\_IP12  
 Part Number 1661259C1  
 Short Description CUSTOMER SUPPLIED WORK LIGHT  
 Instances A26 - Ground Splice Packs:Diagram1  
 Work Lights (Customer Supplied) W/ Sw Pack:Diagram1-  
 Combination2  
 X15 - Ground Splice Packs 2/4:Diagram1  
 Mates 220XF



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BX65AC	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	3710.0	-	X	-
B	-	-	BX65-GFA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2410.0	-	X	-
B	-	-	BX65-GFB	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2830.0	-	X	-
B	-	-	BX65-GFB	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2830.0	-	-	-




Connector Name 2223  
 Part Number 1669972C1  
 Instances (Rand McNally) GPS Display:Diagram1  
 Mates MODU-GPS-DISP-2034-02-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BH12A	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2140.0	-	-	-
B	-	-	BH11-GAL	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	550.0	-	-	-

Connector Name 2224  
 Part Number 3833917C1  
 Instances Driver Information Display (DID):Diagram1  
 Mates MODU-VID-2025-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	RF14A	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	2040.0	-	-	-
2	-	-	RE10AA	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	150.0	-	X	-
3	-	-	RC12B	3510340 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2040.0	-	-	-
5	-	-	RE10AB	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	150.0	-	X	-


Connector Name 2225  
 Part Number 3834322C1  
 Instances Cab J1939 (250Kbps):Cab J1939 (250Kbps)  
 Driver Information Display (DID):Diagram1  
 Mates MODU-VID-2025-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	RE9A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	530.0	-	-	-
8	-	-	WIRE223 950	-	0.0	-	-	-	0.0	-	H	1026
10	-	-	RE10AC	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	150.0	-	X	-
11	-	-	RF86AA	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	710.0	-	7	1301
12	-	-	RF86AB	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	710.0	-	10	1301

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
13	-	-	RF86AC	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	710.0	-	9	1301
14	-	-	RF86AD	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	710.0	-	11	1301
15	-	-	RE10AD	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	150.0	-	X	-
16	-	-	WIRE223 951	-	0.0	-	-	-	0.0	-	E	1026


Connector Name 23XX  
 Part Number 3534156C1  
 Short Description DOOR SW/SPEAKER JUMPER  
 Instances Door Ajar Reminder (Entry/Exit):Diagram1  
 Primary/Secondary Air Gauge:Diagram1  
 Speakers:Four Speakers - Daycab:Diagram1  
 Mates 2312\_IP12



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	63	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	1150.0	-	-	-
A	-	-	63	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	1150.0	-	A	3500
B	-	-	9	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1150.0	-	A	3501
C	-	-	86BDA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	A	2300

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	86CEA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	B	2300

Connector Name 23XX  
 Part Number 3534156C1  
 Short Description DOOR SW/SPEAKER JUMPER  
 Instances Door Ajar Reminder (Entry/Exit):Diagram1  
 Primary/Secondary Air Gauge:Diagram1  
 Speakers:Four Speakers - Daycab:Diagram1  
 Mates 2313\_IP12




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	63	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	1150.0	-	A	3500_1
A	-	-	63	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	1150.0	-	-	-
B	-	-	9	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1150.0	-	-	-
C	-	-	86BDA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	86CEA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	-	-




Connector Name 2300  
 Part Number 3535769C1  
 Instances Speakers:Four Speakers - Daycab:Diagram1  
 Mates SPKR-LEFT\_B-PILLAR-2058-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	86BDA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	C	23XX
B	-	-	86CEA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	D	23XX

Connector Name 2300\_1  
 Part Number 3535769C1  
 Instances Speakers:Four Speakers - Daycab:Diagram1  
 Mates SPKR-RIGHT\_B-PILLAR-2058-0 1A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	86BDA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	-	-
B	-	-	86CEA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	-	-

Connector Name 2303F  
Part Number 1661197C1  
Instances CB Radio Power Only (Single Antenna):Diagram1  
CB Radio with Audio Jack for Speakers:Diagram1  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Overhead APO:Diagram1-Combination1  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Overhead APO:Diagram1-Combination2  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Overhead APO:Diagram1-Combination3  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Overhead APO:Diagram1-Combination4  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
Combination1  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
Combination2  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
Combination3  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
Combination4  
Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel-  
Overhead APO:Diagram1-Combination1  
Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel-  
Overhead APO:Diagram1-Combination2  
Cigar Lighter- Rear Std APO- Rear APO w/Cover- 12V Panel-  
Upr Bnk APO- Rear Overhead APO:Diagram1-Combination1  
Cigar Lighter- Rear Std APO- Rear APO w/Cover- 12V Panel-  
Upr Bnk APO- Rear Overhead APO:Diagram1-Combination2  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel-Overhead APO:Diagram1-Combination1  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel-Overhead APO:Diagram1-Combination2  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel-Overhead APO:Diagram1-Combination3  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel-Overhead APO:Diagram1-Combination4  
Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
Combination1




Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination2  
 Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination3  
 Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination4  
 Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Rear  
 Overhead APO:Diagram1-Combination1  
 Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Rear  
 Overhead APO:Diagram1-Combination2  
 Std APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk  
 APO-Rear Overhead APO:Diagram1-Combination1  
 Std APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk  
 APO-Rear Overhead APO:Diagram1-Combination2  
 X15 - Ground Splice Packs 1/4:Diagram1  
 X15 - Key Switch Accessory 2:Key Switch Accessory 2  
 (LOADSHED)

Mates 2303M


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	D86F	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2530.0	-	2	2000F
A	-	-	D86M	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	160.0	-	-	-
B	-	-	D86-GF	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1200.0	-	X	-
B	-	-	1G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	130.0	-	X	-

Connector Name 2303M  
 Part Number 1661197C1  
 Short Description CB RADIO POWER  
 Instances A26 - Ground Splice Packs:Diagram4  
 A26 - Key Switch Accessory 2:Key Switch Accessory 2  
 (LOADSHED)



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	D86F	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2530.0	-	2	2000F
B	-	-	D86-GF	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1200.0	-	X	-

Connector Name 2303M  
 Part Number 1661197C1  
 Short Description CB CONNECTOR  
 Instances  
 CB Radio Power Only (Single Antenna):Diagram1  
 CB Radio with Audio Jack for Speakers:Diagram1  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Overhead APO:Diagram1-Combination1  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Overhead APO:Diagram1-Combination2  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Overhead APO:Diagram1-Combination3  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Overhead APO:Diagram1-Combination4  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
 Combination1  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
 Combination2  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
 Combination3  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
 Combination4  
 Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel-  
 Overhead APO:Diagram1-Combination1  
 Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel-  
 Overhead APO:Diagram1-Combination2  
 Cigar Lighter- Rear Std APO- Rear APO w/Cover- 12V Panel-  
 Upr Bnk APO- Rear Overhead APO:Diagram1-Combination1  
 Cigar Lighter- Rear Std APO- Rear APO w/Cover- 12V Panel-  
 Upr Bnk APO- Rear Overhead APO:Diagram1-Combination2  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel-Overhead APO:Diagram1-Combination1  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel-Overhead APO:Diagram1-Combination2  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel-Overhead APO:Diagram1-Combination3  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel-Overhead APO:Diagram1-Combination4



Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination1  
 Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination2  
 Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination3  
 Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination4  
 Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Rear  
 Overhead APO:Diagram1-Combination1  
 Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Rear  
 Overhead APO:Diagram1-Combination2  
 Std APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk  
 APO-Rear Overhead APO:Diagram1-Combination1  
 Std APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk  
 APO-Rear Overhead APO:Diagram1-Combination2  
 X15 - Ground Splice Packs 1/4:Diagram1  
 X15 - Key Switch Accessory 2:Key Switch Accessory 2  
 (LOADSHED)


Mates 2303F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
A	-	-	2A	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	180.0	-	X	-
A	-	-	D86M	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	160.0	-	A	2310
A	-	-	1A	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	90.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	D86-GG	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	160.0	-	-	-
B	-	-	2G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	140.0	-	X	-




Connector Name 2306M  
 Part Number PAS1(1)  
 Short Description CB/RADIO ROOF CB ANTENNA  
 Instances CB Radio Power Only:Diagram1  
 CB Radio Power Only (Single Antenna):Diagram1  
 CB Radio with Audio Jack for Speakers:Diagram1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	[R-CB]	V-COAXWIRE	0.0	NONE	NONE	Not Applicable	2700.0	-	A	2307F
1	-	-	[L-CB]	V-COAXWIRE	0.0	NONE	NONE	Not Applicable	2700.0	-	A	2308F

Connector Name 2307F  
 Part Number RING-E-3-8\_0  
 Instances CB Radio Power Only:Diagram1  
 CB Radio Power Only (Single Antenna):Diagram1  
 CB Radio with Audio Jack for Speakers:Diagram1  
 Mates ANTENNA-CB-RH-2033-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	[R-CB]	V-COAXWIRE	0.0	NONE	NONE	Not Applicable	2700.0	-	1	2306M

Connector Name 2308F  
 Part Number RING-E-3-8\_0  
 Instances CB Radio Power Only:Diagram1  
 CB Radio with Audio Jack for Speakers:Diagram1  
 Mates ANTENNA-CB-LH-2033-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	[L-CB]	V-COAXWIRE	0.0	NONE	NONE	Not Applicable	2700.0	-	1	2306M


Connector Name 2310  
 Part Number BLUNT\_SL\_VC  
 Instances CB Radio Power Only:Diagram1  
 CB Radio Power Only (Single Antenna):Diagram1  
 CB Radio with Audio Jack for Speakers:Diagram1  
 Mates BLNT-CB+VE-2033-01-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	D86M	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	160.0	-	-	-
A	-	-	D86M	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	160.0	-	A	2303M

Connector Name 2311  
 Part Number BLUNT\_SL\_VC  
 Instances CB Radio Power Only:Diagram1  
 CB Radio Power Only (Single Antenna):Diagram1  
 CB Radio with Audio Jack for Speakers:Diagram1  
 Mates BLNT-CB-VE-2033-01-01A


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	D86-GG	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	160.0	-	-	-

Connector Name 2312\_IP12  
 Part Number 3533975C1  
 Short Description DOOR SWITCH/SPEAKER JUMPER  
 Instances Door Ajar Reminder (Entry/Exit):Diagram1  
 Primary/Secondary Air Gauge:Diagram1  
 Speakers:Four Speakers - Daycab:Diagram1  
 Mates 23XX




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AA63B	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	1055.0	-	X	-
B	-	-	AA9BAA	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1085.0	-	X	-
C	-	-	MU86BA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2890.0	-	15	1300
D	-	-	MU86CA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2890.0	-	16	1300

Connector Name 2313\_IP12  
 Part Number 3533975C1  
 Short Description DOOR SWITCH/SPEAKER JUMPER  
 Instances Door Ajar Reminder (Entry/Exit):Diagram1  
 Primary/Secondary Air Gauge:Diagram1  
 Speakers:Four Speakers - Daycab:Diagram1  
 Mates 23XX



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AA63C	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	4225.0	-	X	-
B	-	-	AA9BAB	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4195.0	-	X	-
C	-	-	MU86DA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3110.0	-	9	1300
D	-	-	MU86EA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3110.0	-	10	1300


Connector Name 2505F  
 Part Number 3811207C1  
 Short Description BLUETOOTH MICROPHONE IP/ROOF CONNECTOR  
 Instances Add On:Bluetooth:Diagram1  
 Mates 2505M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	YW86A(-)	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1425.0	-	16	1301
2	-	-	YW86A(+)	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1425.0	-	15	1301




Connector Name 2505M  
 Part Number 3811181C1  
 Instances Add On:Bluetooth:Diagram1  
 Mates 2505F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	86A(-)	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1200.0	-	1	100
2	-	-	86A(+)	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1200.0	-	2	100

Connector Name 3000M  
 Part Number 1661200C1  
 Short Description DOOR/IP INTERCONNECT  
 Instances Cab Mirror Turn Lights:Diagram1  
 Mates 3200F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	E56A	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	980.0	-	E	3000


Connector Name 3000  
 Part Number 3538634C1  
 Instances A26 - Ambient Air Temperature:Diagram1  
 Cab Mirror Turn Lights:Diagram1  
 Cab Mounted Heated Mirrors (Door Pod Control):Diagram1  
 Mirrors (Power) (Door Pod Actuated):Diagram1  
 X15 - Outside temperature monitor:Diagram1  
 Mates MODU-DS-MIRROR-1019-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	E78G	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1145.0	-	5	3203M
B	-	-	E78F	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1145.0	-	4	3203M
C	-	-	E41A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	E	3200F
D	-	-	E41B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	F	3200F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
E	-	-	E56A	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	980.0	-	A	3000M
F	-	-	E78H	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	1145.0	-	6	3203M
G	-	-	E78AA	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1145.0	-	1	3203M
H	-	-	E78-GF	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1145.0	-	8	3203M


Connector Name 3000\_1  
 Part Number 3538634C1  
 Instances Cab Mounted Heated Mirrors (Door Pod Control):Diagram1  
 Mirrors (Power) (Door Pod Actuated):Diagram1  
 Mates MODU-PS-MIRROR-1019-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	F78G	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1145.0	-	5	3203M_1
B	-	-	F78F	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1145.0	-	4	3203M_1
F	-	-	F78H	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	1145.0	-	6	3203M_1
G	-	-	F78AA	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1145.0	-	1	3203M_1


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
H	-	-	F78-GF	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1145.0	-	8	3203M_1

Connector Name 3000\_1  
 Part Number 3538634C1  
 Instances Cab Mirror Turn Lights:Diagram1  
 Mates MODU-PS-MIRROR-1019-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	F56A	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	980.0	-	A	3001M


Connector Name 3001M  
 Part Number 1661200C1  
 Instances Panel Dimmer Splice Packs:Diagram1  
 Mates 3204F\_IP12



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	-	-	-	-	-	-	-	-	-	-




Connector Name 3001M  
 Part Number 1661200C1  
 Short Description DOOR/IP INTERCONNECT  
 Instances Cab Mirror Turn Lights:Diagram1  
 Mates 3204F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	F56A	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	980.0	-	E	3000_1

Connector Name 3003M  
 Part Number 1671610C1  
 Instances Power Door Locks:Diagram1  
 Mates MOT-DS\_LOCK-2016-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	E81A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1800.0	-	3	3201M
B	-	-	E81B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1800.0	-	4	3201M

Connector Name 3003M\_1  
 Part Number 1671610C1  
 Instances Power Door Locks:Diagram1  
 Remote Keyless Entry:Diagram1  
 Mates MOT-PS\_LOCK-2016-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	F81A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1800.0	-	3	3201M_1
B	-	-	F81B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1800.0	-	4	3201M_1

Connector Name 3100M  
 Part Number 3767181C1  
 Instances Power Windows:Diagram1  
 Mates MOT-DS\_WINDOW-2013-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	E83B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1340.0	-	2	3201M
2	-	-	E83A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1340.0	-	1	3201M

Connector Name 3100M\_1  
 Part Number 3767181C1  
 Instances Power Windows:Diagram1  
 Mates MOT-PS\_WINDOW-2013-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	F83B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1340.0	-	2	3201M
2	-	-	F83A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1340.0	-	1	3201M

Connector Name 3200F  
 Part Number 1661201C1  
 Short Description DOOR/IP INTERCONNECT  
 Instances Endurant - Battery Grid 1 (Non-Loadshed):BTRY GRID 1 (NON-LOADSHED)  
 Low Speed J1939 (125Kbps):Low Speed J1939 (125Kbps)  
 Power Door Locks:Diagram1  
 Power Windows:Diagram1  
 X15 - Battery Feed 1 - Part 1:BTRY Feed 1 (NON-LOADSHED)  
 X15 - Outside temperature monitor:Diagram1  
 Mates 3200M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE1644	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE1643	-	0.0	-	-	-	0.0	-	PIN1	-
C	-	-	E81D	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1245.0	-	-	-
D	-	-	E81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1245.0	-	4	3202M
E	-	-	E41A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	C	3000
F	-	-	E41B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	D	3000

Connector Name 3200F  
 Part Number 1661201C1  
 Instances A26 - Ambient Air Temperature:Diagram1  
 A26 - Battery Feed 1:BTRY Feed (NON-LOADSHED)  
 X15 - Ground Splice Packs 2/4:Diagram1  
 Mates 3200M\_IP12



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	E81D	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1245.0	-	-	-
D	-	-	E81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1245.0	-	-	-
E	-	-	E41A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	C	3000
F	-	-	E41B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	D	3000


Connector Name 3200F  
 Part Number 1661201C1  
 Short Description DOOR IP/INTERCONNECT 1  
 Instances Cab Mirror Turn Lights:Diagram1  
 Mates 3000M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	2F56D	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	275.0	-	X	-




Connector Name 3200M  
 Part Number 1661200C1  
 Instances Endurant - Battery Grid 1 (Non-Loadshed):BTRY GRID 1 (NON-LOADSHED)  
 Low Speed J1939 (125Kbps):Low Speed J1939 (125Kbps)  
 Power Door Locks:Diagram1  
 Power Windows:Diagram1  
 X15 - Battery Feed 1 - Part 1:BTRY Feed 1 (NON-LOADSHED)  
 X15 - Outside temperature monitor:Diagram1  
 Mates 3200F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE196493	-	0.0	-	-	-	0.0	-	3	3202M
B	-	-	WIRE196492	-	0.0	-	-	-	0.0	-	2	3202M
C	-	-	DF78V	3510302R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2225.0	-	40	1010
C	-	-	CV81B	3510368R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	2225.0	-	40	1010
C	-	-	CV81B	3510368R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	2225.0	-	40	1010_IP12

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	DF78V	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2225.0	-	40	1010_IP12
D	-	-	CV81-GA	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	460.0	-	X	-
E	-	-	HZ41D	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2475.0	-	C7	1F
F	-	-	HZ41E	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2575.0	-	B4	2M


Connector Name 3200M\_IP12  
 Part Number 1661200C1  
 Instances A26 - Ambient Air Temperature:Diagram1  
 A26 - Battery Feed 1:BTRY Feed (NON-LOADSHED)  
 X15 - Ground Splice Packs 2/4:Diagram1  
 Mates 3200F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	DF78V	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2225.0	-	40	1010_IP12
C	-	-	CV81B	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	2225.0	-	40	1010_IP12
D	-	-	CV81-GA	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	460.0	-	X	-
D	-	-	DD78-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	810.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	HZ41D	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2475.0	-	C7	1F_IP12
F	-	-	HZ41E	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2575.0	-	B4	2M_IP12


Connector Name 3201M  
 Part Number 3709437C1  
 Instances Power Door Locks:Diagram1  
 Power Windows:Diagram1  
 Mates MODU-FRONT-DS\_DOOR\_POD-201 6-02-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	E83A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1340.0	-	2	3100M
1	-	-	F83A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1340.0	-	2	3100M_1
2	-	-	E83B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1340.0	-	1	3100M
2	-	-	F83B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1340.0	-	1	3100M_1


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	E81A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1800.0	-	A	3003M
4	-	-	E81B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1800.0	-	B	3003M

Connector Name 3201M\_1  
 Part Number 3709437C1  
 Instances Power Door Locks:Diagram1  
 Remote Keyless Entry:Diagram1  
 Mates MODU-FRONT-PS\_DOOR\_POD-201 6-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	F81A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1800.0	-	A	3003M_1
4	-	-	F81B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1800.0	-	B	3003M_1

Connector Name 3202M  
 Part Number 3820176C1  
 Instances A26 - Battery Feed 1:BTRY Feed (NON-LOADSHED)  
 A26 - Ground Splice Packs:Diagram2  
 Low Speed J1939 (125Kbps):Low Speed J1939 (125Kbps)  
 Power Door Locks:Diagram1  
 Power Windows:Diagram1  
 Mates MODU-DS\_DOOR\_POD-2016-01-0 2A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	E81D	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1245.0	-	-	-
1	-	-	F81D	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1245.0	-	C	3204F
1	-	-	F81D	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1245.0	-	-	-
2	-	-	WIRE196 492	-	0.0	-	-	-	0.0	-	B	3200M
3	-	-	WIRE196 493	-	0.0	-	-	-	0.0	-	A	3200M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	E81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1245.0	-	D	3200F
4	-	-	F81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1245.0	-	D	3204F

Connector Name 3202M\_1  
 Part Number 3820176C1  
 Instances Low Speed J1939 (125Kbps):Low Speed J1939 (125Kbps)  
 Power Door Locks:Diagram1  
 Mates MODU-PS\_DOOR\_POD-2016-01-0 2A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	F81D	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1245.0	-	-	-
2	-	-	WIRE196 494	-	0.0	-	-	-	0.0	-	B	3204M
3	-	-	WIRE196 495	-	0.0	-	-	-	0.0	-	A	3204M
4	-	-	F81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1245.0	-	D	3204F


Connector Name 3203M  
 Part Number 3709924C1  
 Instances Cab Mounted Heated Mirrors (Door Pod Control):Diagram1  
 Mirrors (Power) (Door Pod Actuated):Diagram1  
 Mates MODU-FRONT-DS\_DOOR\_POD-201 6-02-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	E78AA	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1145.0	-	G	3000
4	-	-	E78F	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1145.0	-	B	3000
5	-	-	E78G	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1145.0	-	A	3000
6	-	-	E78H	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	1145.0	-	F	3000

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
8	-	-	E78-GF	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1145.0	-	H	3000


Connector Name 3203M\_1  
 Part Number 3709924C1  
 Instances Cab Mounted Heated Mirrors (Door Pod Control):Diagram1  
 Mirrors (Power) (Door Pod Actuated):Diagram1  
 Mates MODU-FRONT-PS\_DOOR\_POD-201 6-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	F78AA	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1145.0	-	G	3000_1
4	-	-	F78F	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1145.0	-	B	3000_1
5	-	-	F78G	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1145.0	-	A	3000_1
6	-	-	F78H	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	1145.0	-	F	3000_1


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
8	-	-	F78-GF	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1145.0	-	H	3000_1

Connector Name 3204F  
 Part Number 1661201C1  
 Short Description DOOR/IP INTERCONNECT  
 Instances Endurant - Battery Grid 1 (Non-Loadshed):BTRY GRID 1 (NON-LOADSHED)  
 Low Speed J1939 (125Kbps):Low Speed J1939 (125Kbps)  
 Power Door Locks:Diagram1  
 Power Windows:Diagram1  
 X15 - Battery Feed 1 - Part 1:BTRY Feed 1 (NON-LOADSHED)  
 X15 Ground Splice Packs 4/4:Diagram1  
 Mates 3204M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
A	-	-	WIRE1654	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE1653	-	0.0	-	-	-	0.0	-	PIN1	-
C	-	-	F81D	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1245.0	-	-	-
D	-	-	F81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1245.0	-	4	3202M_1
D	-	-	F81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1245.0	-	-	-
D	-	-	F81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1245.0	-	4	3202M


Connector Name 3204F  
 Part Number 1661201C1  
 Instances A26 - Battery Feed 1:BTRY Feed (NON-LOADSHED)  
 A26 - Ground Splice Packs:Diagram2  
 X15 - Ground Splice Packs 2/4:Diagram1  
 Mates 3204M\_IP12



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	F81D	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1245.0	-	1	3202M
D	-	-	F81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1245.0	-	4	3202M
D	-	-	F81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1245.0	-	-	-




Connector Name 3204F  
 Part Number 1661201C1  
 Short Description IP/DOOR INTERCONNECT 2  
 Instances Cab Mirror Turn Lights:Diagram1  
 Mates 3001M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	2G57B	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2125.0	-	X	-

Connector Name 3204F\_IP12  
 Part Number 1661201C1  
 Short Description IP/DOOR INTERCONNECT 2  
 Instances Panel Dimmer Splice Packs:Diagram1  
 Mates 3001M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	DF62DD	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1185.0	-	10	1021


Connector Name 3204M  
 Part Number 1661200C1  
 Instances Endurant - Battery Grid 1 (Non-Loadshed):BTRY GRID 1 (NON-LOADSHED)  
 Low Speed J1939 (125Kbps):Low Speed J1939 (125Kbps)  
 Power Door Locks:Diagram1  
 Power Windows:Diagram1  
 X15 - Battery Feed 1 - Part 1:BTRY Feed 1 (NON-LOADSHED)  
 X15 Ground Splice Packs 4/4:Diagram1  
 Mates 3204F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE196495	-	0.0	-	-	-	0.0	-	3	3202M_1
B	-	-	WIRE196494	-	0.0	-	-	-	0.0	-	2	3202M_1
C	-	-	CV81C	3510368R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	2885.0	-	39	1010
C	-	-	CV81C	3510368R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	2885.0	-	39	1010_IP12
D	-	-	CV81-GB	3510362R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1920.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	CV81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1920.0	-	-	-
D	-	-	DD78-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	350.0	-	5	1027


Connector Name 3204M\_IP12  
 Part Number 1661200C1  
 Instances A26 - Battery Feed 1:BTRY Feed (NON-LOADSHED)  
 A26 - Ground Splice Packs:Diagram2  
 X15 - Ground Splice Packs 2/4:Diagram1  
 Mates 3204F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	CV81C	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	2885.0	-	39	1010_IP12
D	-	-	DD78-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	350.0	-	5	1027
D	-	-	CV81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1920.0	-	-	-
D	-	-	CV81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1920.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	DD78-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	350.0	-	-	-

Connector Name 3205F  
 Part Number 1667529C1  
 Short Description DOOR/ IP COURTESY LIGHT AND SPEAKER  
 Instances A26 - Ground Splice Packs:Diagram4  
 Courtesy Light Cab:Diagram1  
 Speakers:Four Speakers - Daycab:Diagram1  
 Speakers:Four Speakers - Sleeper:Diagram1  
 Speakers:Speakers W/ Amplifier:Diagram1  
 Speakers:Two Speakers:Diagram1  
 Mates 3205M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	E63BB	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1200.0	-	A	3400
B	-	-	E63-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1200.0	-	-	-
B	-	-	E63-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1200.0	-	B	3400
C	-	-	E86S	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	A	3300M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	E86T	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	B	3300M




Connector Name 3205F  
 Part Number 1667529C1  
 Short Description DOOR/ IP COURTESY LIGHT AND SPEAKER  
 Instances A26 - Ground Splice Packs:Diagram4  
 X15 - Ground Splice Packs 1/4:Diagram1  
 Mates 3206M\_IP12




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	F63-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1200.0	-	-	-

Connector Name 3205F  
 Part Number 1667529C1  
 Short Description DOOR/ IP COURTESY LIGHT AND SPEAKER  
 Instances X15 - Ground Splice Packs 1/4:Diagram1  
 Mates 3205M\_IP12




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	E63-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1200.0	-	-	-

Connector Name 3205F  
 Part Number 1667529C1  
 Short Description DOOR/ IP COURTESY LIGHT AND SPEAKER  
 Instances Courtesy Light Cab:Diagram1  
 Speakers:Four Speakers - Daycab:Diagram1  
 Speakers:Four Speakers - Sleeper:Diagram1  
 Speakers:Speakers W/ Amplifier:Diagram1  
 Speakers:Two Speakers:Diagram1  
 Mates 3206M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	F63BB	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1200.0	-	A	3400_1
B	-	-	F63-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1200.0	-	B	3400_1
C	-	-	F86S	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	A	3300M_1
D	-	-	F86T	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	B	3300M_1


Connector Name 3205M  
 Part Number 1667305C1  
 Instances A26 - Ground Splice Packs:Diagram4  
 Courtesy Light Cab:Diagram1  
 Speakers:Four Speakers - Daycab:Diagram1  
 Speakers:Four Speakers - Sleeper:Diagram1  
 Speakers:Speakers W/ Amplifier:Diagram1  
 Speakers:Two Speakers:Diagram1  
 Mates 3205F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AA63BB	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	545.0	-	X	-
B	-	-	AA11-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	760.0	-	X	-
C	-	-	MV86H	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1400.0	-	13	1300
C	-	-	MX86AH	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2090.0	-	15	5000M


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	MV86J	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1400.0	-	14	1300
D	-	-	MX86AJ	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2090.0	-	16	5000M

Connector Name 3205M\_IP12  
 Part Number 1667305C1  
 Short Description IP/DOOR COURTESY LIGHT & SPEAKER  
 Instances X15 - Ground Splice Packs 1/4:Diagram1  
 Mates 3205F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	AA11-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	760.0	-	X	-

Connector Name 3206M  
 Part Number 1667305C1  
 Instances Courtesy Light Cab:Diagram1  
 Speakers:Four Speakers - Daycab:Diagram1  
 Speakers:Four Speakers - Sleeper:Diagram1  
 Speakers:Speakers W/ Amplifier:Diagram1  
 Speakers:Two Speakers:Diagram1  
 Mates 3205F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AA63BC	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2255.0	-	X	-
B	-	-	AA11-GK	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1520.0	-	X	-
C	-	-	CT86K	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1600.0	-	11	1300
C	-	-	MX86AK	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3800.0	-	13	5000M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	MB86L	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1600.0	-	12	1300
D	-	-	MX86AL	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3800.0	-	14	5000M




Connector Name 3206M\_IP12  
 Part Number 1667305C1  
 Short Description IP/DOOR COURTESY LIGHT & SPEAKER  
 Instances A26 - Ground Splice Packs:Diagram4  
 X15 - Ground Splice Packs 1/4:Diagram1  
 Mates 3205F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	AA11-GK	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1520.0	-	X	-

Connector Name 3300M  
 Part Number 3535769C1  
 Instances Speakers:Four Speakers - Daycab:Diagram1  
 Speakers:Four Speakers - Sleeper:Diagram1  
 Speakers:Speakers W/ Amplifier:Diagram1  
 Speakers:Two Speakers:Diagram1  
 Mates SPKR-LEFT\_FRONT\_DOOR-2058- 01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	E86S	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	C	3205F
B	-	-	E86T	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	D	3205F

Connector Name 3300M\_1  
 Part Number 3535769C1  
 Instances Speakers:Four Speakers - Daycab:Diagram1  
 Speakers:Four Speakers - Sleeper:Diagram1  
 Speakers:Speakers W/ Amplifier:Diagram1  
 Speakers:Two Speakers:Diagram1  
 Mates SPKR-RIGHT\_FRONT\_DOOR-2058 -01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	F86S	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	C	3205F
B	-	-	F86T	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	D	3205F

Connector Name 3400  
 Part Number 1661259C1  
 Instances Courtesy Light Cab:Diagram1  
 Mates LT-LF\_COURTESY-2006-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	E63BB	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1200.0	-	A	3205F
B	-	-	E63-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1200.0	-	B	3205F

Connector Name 3400\_1  
 Part Number 1661259C1  
 Instances Courtesy Light Cab:Diagram1  
 Mates LT-RF\_COURTESY-2006-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	F63BB	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1200.0	-	A	3205F
B	-	-	F63-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1200.0	-	B	3205F

Connector Name 344F  
 Part Number PAS2(A,B)  
 Instances CB Radio with Audio Jack for Speakers:Diagram1  
 Mates SPKR-CB-2033-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	[GREEN]	V-16-GXL	1.16	16.0	Std. Wall XLPE Primary Cable	Not Applicable	2352.0	-	POS	344M
2	-	-	[YELLOW]	V-16-GXL	1.16	16.0	Std. Wall XLPE Primary Cable	Not Applicable	2352.0	-	NEG	344M

Connector Name 344M  
 Part Number PAS2(A,B)  
 Short Description CB SPEAKER CABLE ASSY  
 Instances CB Radio with Audio Jack for Speakers:Diagram1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
NEG	-	-	[YELLOW]	V-16-GXL	1.16	16.0	Std. Wall XLPE Primary Cable	Not Applicable	2352.0	-	2	344F
POS	-	-	[GREEN]	V-16-GXL	1.16	16.0	Std. Wall XLPE Primary Cable	Not Applicable	2352.0	-	1	344F


Connector Name 348F  
 Part Number 1661197C1  
 Instances Lane Departure Warning - (Wabco OnLane):Diagram1  
 Mates DEV-SPKR\_LEFT\_LANE\_DEPARTU RE-3020-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	GREENL	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1000.0	-	A1	1979_1
B	-	-	YELLOWL	2643801 R1	0.79	18.0	Std. Wall XLPE Primary Cable	YELLOW 2	1000.0	-	B1	1979_1




Connector Name 348F\_1  
 Part Number 1661197C1  
 Instances Lane Departure Warning - (Bendix - AutoVue W/ Qualcomm Safety Direct):Diagram1  
 Mates DEV-SPKR\_LEFT\_LANE\_DEPARTU RE-3020-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	GREENL	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1000.0	-	A1	1979_2
B	-	-	YELLOWL	2643801 R1	0.79	18.0	Std. Wall XLPE Primary Cable	YELLOW 2	1000.0	-	B1	1979_2

Connector Name 349F  
 Part Number 1661197C1  
 Instances Lane Departure Warning - (Wabco OnLane):Diagram1  
 Mates DEV-SPKR\_RIGHT\_LANE\_DEPART URE-3020-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	GREENR	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1900.0	-	A2	1979_1
B	-	-	YELLOWR	2643801 R1	0.79	18.0	Std. Wall XLPE Primary Cable	YELLOW 2	1900.0	-	B2	1979_1

Connector Name 349F\_1  
 Part Number 1661197C1  
 Instances Lane Departure Warning - (Bendix - AutoVue W/ Qualcomm Safety Direct):Diagram1  
 Mates DEV-SPKR\_RIGHT\_LANE\_DEPART URE-3020-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	GREENR	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1900.0	-	A2	1979_2
B	-	-	YELLOWR	2643801 R1	0.79	18.0	Std. Wall XLPE Primary Cable	YELLOW 2	1900.0	-	B2	1979_2

Connector Name 3500  
 Part Number 239808R1  
 Instances Door Ajar Reminder (Entry/Exit):Diagram1  
 Primary/Secondary Air Gauge:Diagram1  
 Mates SW-LEFT\_DOOR-2030-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	63	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	1150.0	-	-	-
A	-	-	63	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	1150.0	-	A	23XX

Connector Name 3500\_1  
 Part Number 239808R1  
 Instances Door Ajar Reminder (Entry/Exit):Diagram1  
 Primary/Secondary Air Gauge:Diagram1  
 Mates SW-RIGHT\_DOOR-2030-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	63	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	1150.0	-	A	23XX
A	-	-	63	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	1150.0	-	-	-

Connector Name 3501  
 Part Number 239808R1  
 Instances Door Ajar Reminder (Entry/Exit):Diagram1  
 Primary/Secondary Air Gauge:Diagram1  
 Mates SW-LEFT\_DOOR-2030-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	9	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1150.0	-	B	23XX

Connector Name 3501\_1  
 Part Number 239808R1  
 Instances Door Ajar Reminder (Entry/Exit):Diagram1  
 Primary/Secondary Air Gauge:Diagram1  
 Mates SW-RIGHT\_DOOR-2030-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	9	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1150.0	-	-	-

Connector Name 380  
 Part Number BLUNT\_SL\_VC  
 Instances Cab J1939 (250Kbps):Cab J1939 (250Kbps)  
 Mates BLNT-J1939-3020-03-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE223970	-	0.0	-	-	-	0.0	-	L	1026
B	-	-	WIRE223971	-	0.0	-	-	-	0.0	-	B	1026




Connector Name 381  
 Part Number BLUNT\_SL\_VC  
 Instances Lane Departure Warning (Mobileye Per-Wire):Diagram1  
 Mates BLNT-WIPER\_SIGNAL-3020-03- 01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
A	-	-	YH11-GC	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	835.0	-	-	-
B	-	-	YH82KB	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1055.0	-	-	-

Connector Name 382  
 Part Number BLUNT\_SL\_VC  
 Instances Lane Departure Warning (Mobileye Per-Wire):Diagram1  
 Mates BLNT-MOBILEYE\_PWR-3020-03- 01A


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	YH13A	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	2365.0	-	-	-
B	-	-	YH14A	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2250.0	-	-	-

Connector Name 4TB1  
 Part Number 3722128C1  
 Instances Telematics (TRIPMASTER DAYCAB):Diagram1  
 Mates MODU-TRIPMASTER-2035-10-04A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	CF13SD	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	4275.0	-	X	-

Connector Name 4005B  
 Part Number RING-E-3-8\_0  
 Instances A26 - Cooling Fan Control Two-Speed:Diagram1  
 X15 - Cooling Fan Control ON/OFF:Diagram1  
 Mates Radiator Frame GND




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MA11-GC	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	1760.0	-	A	8600

Connector Name 4007  
 Part Number 3866817C1  
 Short Description ECA GROUND  
 Instances X15 - Powertrain Ground Splice Pack 2 OF 2:Diagram 1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	KH11-GA	3510363 R1	4.81	10.0	Thin Wall XLPE Primary Cable	WHITE	620.0	-	-	-

Connector Name 4328  
 Part Number 3602454C1  
 Instances Diagnostic Private J1939 A26:Diagnostic Private J1939 A26 Engine  
 Mates CONN-ENGINE\_DIAGNOSTIC-000 8-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE196466	-	0.0	-	-	-	0.0	-	85	C1-6018
B	-	-	WIRE196467	-	0.0	-	-	-	0.0	-	61	C1-6018

Connector Name 4500  
 Part Number 1661375C2  
 Instances Windshield Wipers:Diagram1  
 Mates MOT-WIPER-1031-03-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AA82DJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2330.0	-	A7	2F
B	-	-	AA82JJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2330.0	-	B12	2F
C	-	-	AA82-GJ	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2295.0	-	-	-
D	-	-	YG82KJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2295.0	-	C5	1M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	AA82LJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2295.0	-	C4	1M




Connector Name 4705  
 Part Number 3538634C1  
 Instances A26 - Body Builder Powertrain:Diagram1  
 Mates CONN-BODY\_BUILDER\_1-4009-0 1-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ZS92A15	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	250.0	-	X	-
B	-	-	SG92A11	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	66	C1-6018
C	-	-	KJ92A12	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	90	C1-6018
D	-	-	KJ92A13	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	16	C1-6018

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	KJ92A9	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	40	C1-6018
F	-	-	KJ92A10	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	78	C1-6018
G	-	-	KJ92A8	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	77	C1-6018
H	-	-	KJ92A16	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	46	C1-6018
J	-	-	KJ92A17	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	21	C1-6018


Connector Name 4706  
 Part Number 3538635C1  
 Instances A26 - Body Builder Powertrain:Diagram1  
 Mates CONN-BODY\_BUILDER\_2-4009-0 1-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KJ92A5	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	56	C1-6018
B	-	-	ZV92A4	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	200.0	-	X	-
C	-	-	SG92A3	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	595.0	-	-	-
D	-	-	KJ92A14	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	22	C1-6018


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	KJ92A2	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	20	C1-6018
F	-	-	KJ92A6	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	23	C1-6018
G	-	-	KJ92A7	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	65	C1-6018
H	-	-	KJ92A1	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	39	C1-6018
J	-	-	KJ92A19	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	14	C1-6018

Connector Name 5000A  
 Part Number 3595620C1  
 Instances Cab J1939 (250Kbps):Cab J1939 (250Kbps)  
 Mates 5000




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
35	-	-	WIRE223 954	-	0.0	-	-	-	0.0	-	PIN1	-
36	-	-	WIRE223 955	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 5000A  
 Part Number 3595621C1  
 Short Description IP/SLEEPER CONNECTION  
 Instances Endurant - Battery Grid 1 (Non-Loadshed):BTRY GRID 1 (NON-LOADSHED)  
 Mates 5000



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
25	-	-	YE75WA	3510367 R1	1.91	14.0	Thin Wall XLPE Primary Cable	RED	3745.0	-	30	1010
34	-	-	RP14XX	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	3655.0	-	13	1016
41	-	-	YE75WB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	3745.0	-	31	1010

Connector Name 5000A\_IP12  
 Part Number 3595621C1  
 Short Description IP/SLEEPER CONNECTION  
 Instances  
 A26 - Battery Feed 1:BTRY Feed 1 (NON-LOADSHED)  
 A26 - Battery Feed 2:BTRY GRID 2 (LOADSHED)  
 A26 - Key Switch Accessory 1:Key Switch Accessory 1 (NON-LOADSHED)  
 Body Control module (BCM):Connector J2-1604  
 Body Control module (BCM):Connector J7-1607  
 Floor/Search Lights SLPR:Diagram1  
 Lighting Sleeper Dome:Diagram1  
 Rear HVAC (Sleeper W/ Deluxe):Diagram1  
 Rear HVAC (Sleeper W/ Premium):Diagram1  
 Rear Interior Dimming (Accent Light):Diagram1  
 Mates 5000




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	DX14VA	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	3790.0	-	5	1017_IP12
7	-	-	EL63JB	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	3950.0	-	R5 - 87	1018_IP12
17	-	-	AC12B	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	3950.0	-	39	1016_IP12
19	-	-	EM58BLT	3510307 R1	1.91	14.0	Thin Wall XLPE Primary Cable	BROWN	3930.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
19	-	-	CW58C	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	3845.0	-	-	-
25	-	-	YE75WA	3510367 R1	1.91	14.0	Thin Wall XLPE Primary Cable	RED	3745.0	-	30	1010_IP12
28	-	-	3G77A	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2075.0	-	B1	J7-1607
29	-	-	3G77B	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2075.0	-	B9	J7-1607
31	-	-	2J62A	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2380.0	-	N	0009
32	-	-	DX63E	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2075.0	-	B6	J7-1607
33	-	-	EL63F	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2075.0	-	B4	J7-1607
34	-	-	RP14XX	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	3655.0	-	X	-



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
37	-	-	DX63C	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2015.0	-	F2	J4-1601
41	-	-	YE75WB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	3745.0	-	31	1010_IP 12
42	-	-	DX14VB	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	3790.0	-	15	1017_IP 12

Connector Name 5000F  
 Part Number 3595620C1  
 Instances  
 Air Shield Lighting:W/ SLEEPER CAB  
 Beacon/Strobe Light:W/ SLEEPER CAB  
 Grid Management CA2:Diagram1  
 Luggage Compartment Lights - N/ No Idle HVAC:Diagram1  
 Luggage Compartment Lights - W/ No Idle HVAC:Diagram1  
 Rear HVAC (No Idle Heater) (Espar):Diagram1  
 Rear HVAC (No Idle Heater) (Webasto Smartemp):Diagram1  
 Rear HVAC (No Idle Heater) (Webasto Std N/Swift) N/ Heat Switch:Diagram1  
 Rear HVAC (No Idle Heater) (Webasto Std W/Swift) N/ Heat Switch:Diagram1  
 Sleeper PDM:Diagram1  
 Speakers:Speakers W/ Amplifier:Diagram1  
 X15 - Battery Feed 1 - Part 1:BTRY Feed 1 (NON-LOADSHED)  
 X15 - Battery Feed 2:BTRY GRID 2 (LOADSHED)  
 X15 - Key Switch Accessory 1:Key Switch Accessory 1 (NON-LOADSHED)  
 ZVR Splice Packs:Diagram1



Mates 5000M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	HA14VA	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	645.0	-	X	-
1	-	-	HA14VA	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	645.0	-	-	-
3	-	-	HH86BB	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1520.0	-	8	5313

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	HH86CB	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1520.0	-	21	5313
5	-	-	HH86DB	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1520.0	-	7	5313
6	-	-	HH86EB	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1520.0	-	20	5313
8	-	-	HH86AA	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1520.0	-	6	5313
10	-	-	HH86AC	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1520.0	-	4	5312
11	-	-	HH86K	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1520.0	-	9	5313
12	-	-	HH86L	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1520.0	-	22	5313
13	-	-	HH86AK	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1520.0	-	2	5312


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
14	-	-	HH86AL	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1520.0	-	10	5312
15	-	-	HH86AH	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1520.0	-	1	5312
16	-	-	HH86AJ	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1520.0	-	9	5312
17	-	-	HA12B	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	3475.0	-	-	-
18	-	-	LE63AW	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	695.0	-	X	-
18	-	-	LD63AW	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	645.0	-	X	-
19	-	-	HM58C	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	2075.0	-	-	-
19	-	-	HM58C	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	2075.0	-	G	1001M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
22	-	-	HA109S	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	550.0	-	4	1000F
23	-	-	HH86H	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1520.0	-	10	5313
24	-	-	HH86J	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1520.0	-	23	5313
25	-	-	GS75WA	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	1825.0	-	-	-
25	-	-	ZC75WA	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	1825.0	-	-	-
25	-	-	GV75WA	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	1825.0	-	-	-
25	-	-	GS75WA	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	1825.0	-	A	5236
25	-	-	GV75WA	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	1825.0	-	A	5238

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
26	-	-	ZC75WP	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1825.0	-	D	5237
26	-	-	GS75WP	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1825.0	-	D	5236
26	-	-	GV75WP	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1825.0	-	D	5238
27	-	-	GV75WDB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	815.0	-	X	-
27	-	-	ZC75WDB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	815.0	-	X	-
34	-	-	BA14AC	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	785.0	-	-	-
41	-	-	GV75WB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1825.0	-	-	-
41	-	-	BD77CR	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1170.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
41	-	-	GX75WB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1825.0	-	-	-
41	-	-	GX75WB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1825.0	-	C	5236
41	-	-	GV75WB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1825.0	-	C	5238
42	-	-	HA14VB	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	665.0	-	X	-
42	-	-	HA14VB	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	665.0	-	-	-

Connector Name 5000F  
 Part Number 3595621C1  
 Instances Speakers:Four Speakers - Sleeper:Diagram1  
 Work Lights LED (Customer Supplied) W/ Sw Pack -  
 Sleeper:Diagram1-Combination1  
 Work Lights LED (Customer Supplied) W/ Sw Pack -  
 Sleeper:Diagram1-Combination2  
 Work Lights LED W/ Sw Pack - Sleeper:Diagram1-Combination1  
 Mates 5000M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	MW86BB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2920.0	-	15	1300
4	-	-	MW86CB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2920.0	-	16	1300
5	-	-	MW86DB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2920.0	-	9	1300
6	-	-	MW86EB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2920.0	-	10	1300



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
20	-	-	BU65AA	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2030.0	-	X	-
20	-	-	BY65AA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1175.0	-	X	-
20	-	-	BT65	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1975.0	-	G	J1-1603
21	-	-	BY65AB	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1175.0	-	X	-


Connector Name 5000M  
 Part Number 3595620C1  
 Instances Speakers:Four Speakers - Sleeper:Diagram1  
 Work Lights LED (Customer Supplied) W/ Sw Pack -  
 Sleeper:Diagram1-Combination1  
 Work Lights LED (Customer Supplied) W/ Sw Pack -  
 Sleeper:Diagram1-Combination2  
 Work Lights LED W/ Sw Pack - Sleeper:Diagram1-Combination1  
 Mates 5000F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	HF86BB	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2550.0	-	A	5300M
4	-	-	HF86CB	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2550.0	-	B	5300M
5	-	-	HF86DB	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2550.0	-	C	5300M
6	-	-	HF86EB	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2550.0	-	D	5300M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
20	-	-	HA65	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2510.0	-	E	5300F
21	-	-	HE65B	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2795.0	-	C	1001M

Connector Name 5000M  
 Part Number 3595621C1  
 Instances  
 Air Shield Lighting:W/ SLEEPER CAB  
 Beacon/Strobe Light:W/ SLEEPER CAB  
 Grid Management CA2:Diagram1  
 Luggage Compartment Lights - N/ No Idle HVAC:Diagram1  
 Luggage Compartment Lights - W/ No Idle HVAC:Diagram1  
 Rear HVAC (No Idle Heater) (Espar):Diagram1  
 Rear HVAC (No Idle Heater) (Webasto Smartemp):Diagram1  
 Rear HVAC (No Idle Heater) (Webasto Std N/Swift) N/ Heat Switch:Diagram1  
 Rear HVAC (No Idle Heater) (Webasto Std W/Swift) N/ Heat Switch:Diagram1  
 Sleeper PDM:Diagram1  
 Speakers:Speakers W/ Amplifier:Diagram1  
 X15 - Battery Feed 1 - Part 1:BTRY Feed 1 (NON-LOADSHED)  
 X15 - Battery Feed 2:BTRY GRID 2 (LOADSHED)  
 X15 - Key Switch Accessory 1:Key Switch Accessory 1 (NON-LOADSHED)  
 ZVR Splice Packs:Diagram1



Mates 5000F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	DX14VA	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	3790.0	-	-	-
1	-	-	DX14VA	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	3790.0	-	5	1017_IP12
3	-	-	MW86BB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2920.0	-	15	1300

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	MW86CB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2920.0	-	16	1300
5	-	-	MW86DB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2920.0	-	9	1300
6	-	-	MW86EB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2920.0	-	10	1300
8	-	-	MY66AA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2920.0	-	5	1300
10	-	-	MY86AC	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2920.0	-	2	1301
11	-	-	MX86K	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2920.0	-	11	1300
12	-	-	MX86L	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2920.0	-	12	1300
13	-	-	MX86AK	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3800.0	-	C	3206M


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
14	-	-	MX86AL	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3800.0	-	D	3206M
15	-	-	MX86AH	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2090.0	-	C	3205M
16	-	-	MX86AJ	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2090.0	-	D	3205M
17	-	-	AC12B	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	3950.0	-	39	1016_IP 12
18	-	-	DX63AW	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	2460.0	-	B6	1500
19	-	-	CX58C	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	2025.0	-	F	J2-1604
19	-	-	EM58BLT	3510307 R1	1.91	14.0	Thin Wall XLPE Primary Cable	BROWN	3930.0	-	R1 - 87	1015_IP 12
22	-	-	DX109S	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2740.0	-	D	1620

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
23	-	-	MX86H	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2920.0	-	13	1300
24	-	-	MX86J	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2920.0	-	14	1300
25	-	-	YE75WA	3510367 R1	1.91	14.0	Thin Wall XLPE Primary Cable	RED	3745.0	-	30	1010_IP 12
25	-	-	YE75WA	3510367 R1	1.91	14.0	Thin Wall XLPE Primary Cable	RED	3745.0	-	-	-
26	-	-	YE75WP	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2015.0	-	F11	J4-1601
27	-	-	AP75WC	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1500.0	-	L	J6-1606
34	-	-	RP14XX	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	3655.0	-	X	-
41	-	-	YE75WB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	3745.0	-	31	1010_IP 12

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
41	-	-	YE75WB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	3745.0	-	-	-
42	-	-	DX14VB	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	3790.0	-	-	-
42	-	-	DX14VB	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	3790.0	-	15	1017_IP 12



Connector Name 5000  
 Part Number 3595620C1  
 Short Description CAB / SLEEPER  
 Instances  
 A26 - Battery Feed 1:BTRY Feed 1 (NON-LOADSHED)  
 A26 - Battery Feed 2:BTRY GRID 2 (LOADSHED)  
 A26 - Key Switch Accessory 1:Key Switch Accessory 1 (NON-LOADSHED)  
 Body Control module (BCM):Connector J2-1604  
 Body Control module (BCM):Connector J7-1607  
 Floor/Search Lights SLPR:Diagram1  
 Lighting Sleeper Dome:Diagram1  
 Rear HVAC (Sleeper W/ Deluxe):Diagram1  
 Rear HVAC (Sleeper W/ Premium):Diagram1  
 Rear Interior Dimming (Accent Light):Diagram1  
 Mates 5000A\_IP12




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	HA14VA	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	645.0	-	-	-
7	-	-	ZA63JB	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1620.0	-	X	-
17	-	-	HA12B	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	3475.0	-	-	-
19	-	-	HM58C	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	2075.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
25	-	-	GV75WA	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	1825.0	-	-	-
25	-	-	ZC75WA	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	1825.0	-	-	-
25	-	-	GS75WA	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	1825.0	-	-	-
28	-	-	ZF77A	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3955.0	-	-	-
29	-	-	ZF77B	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3955.0	-	2	5218A
31	-	-	HG62A	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	3200.0	-	PIN1	-
31	-	-	BD62A	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	565.0	-	X	-
31	-	-	BF62A	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	2540.0	-	D	5125

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
32	-	-	HA63E	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	650.0	-	-	-
33	-	-	HA63F	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	2540.0	-	F	5125
34	-	-	BA14AC	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	785.0	-	-	-
37	-	-	HA63C	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	785.0	-	H3-A3	5001
41	-	-	BD77CR	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1170.0	-	-	-
41	-	-	GX75WB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1825.0	-	-	-
41	-	-	GV75WB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1825.0	-	-	-
42	-	-	HA14VB	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	665.0	-	-	-


Connector Name 5000  
 Part Number 3595620C1  
 Short Description CAB / SLEEPER  
 Instances Endurant - Battery Grid 1 (Non-Loadshed):BTRY GRID 1 (NON-LOADSHED)  
 Mates 5000A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
25	-	-	ZE75WA	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	2125.0	-	-	-
25	-	-	ZC75WA	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	1825.0	-	-	-
25	-	-	GV75WA	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	1825.0	-	-	-
25	-	-	ZG75WA	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	2125.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
25	-	-	GS75WA	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	1825.0	-	-	-
34	-	-	BA14AC	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	785.0	-	-	-
34	-	-	ZE14AC	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	785.0	-	-	-
34	-	-	ZG14AC	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	785.0	-	-	-
41	-	-	BD77CR	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1170.0	-	-	-
41	-	-	ZE75WB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2125.0	-	-	-
41	-	-	ZG75WB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2125.0	-	-	-
41	-	-	GV75WB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1825.0	-	-	-
41	-	-	GX75WB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1825.0	-	-	-

Connector Name 5000  
 Part Number 3595621C1  
 Instances Cab J1939 (250Kbps):Cab J1939 (250Kbps)  
 Mates 5000A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
35	-	-	WIRE223956	-	0.0	-	-	-	0.0	-	PIN1	-
36	-	-	WIRE223957	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 5001  
 Part Number 3600905C1  
 Instances Lighting Sleeper Dome:Diagram1  
 Luggage Compartment Lights - N/ No Idle HVAC:Diagram1  
 Luggage Compartment Lights - W/ No Idle HVAC:Diagram1  
 Sleeper PDM:Diagram1  
 Mates SLEEPER PDM



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
H1 - A4	-	-	HB86AG	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4405.0	-	-	-
H1 - A4	-	-	LF86AG	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2470.0	-	-	-
H1-B1	-	-	HA14VAA	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	140.0	-	X	-
H1-B3	-	-	HA14VAD	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	140.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
H1-B4	-	-	HA14CC	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	140.0	-	X	-
H1-B5	-	-	HA14CD	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	140.0	-	X	-
H1-B6	-	-	HA75AM	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	140.0	-	X	-
H1-C1	-	-	HA14VAB	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	355.0	-	-	-
H1-C3	-	-	JN86SBB	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	5845.0	-	-	-
H1-C3	-	-	JL86SBB	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	6030.0	-	-	-
H1-C5	-	-	HR63U	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	2210.0	-	8	1000M
H2-A4	-	-	JK76	2643670 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BLACK	2210.0	-	A	1001M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
H2-A4	-	-	JM76	2643670 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BLACK	2550.0	-	A	1001M
H2-A4	-	-	JH76	2643670 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BLACK	6555.0	-	-	-
H2-A6	-	-	JP86M	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	355.0	-	10	1000F
H2-B1	-	-	HA14VBA	2643686 R1	1.91	14.0	Std. Wall XLPE Primary Cable	RED	120.0	-	X	-
H2-B2	-	-	HA14VBB	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	120.0	-	X	-
H2-B3	-	-	HA14VBC	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	120.0	-	X	-
H2-B4	-	-	HA14VBD	2643695 R1	3.01	12.0	Std. Wall XLPE Primary Cable	RED	120.0	-	X	-
H2-B5	-	-	HA75AN	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	120.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
H2-B6	-	-	HA14VBE	2643686 R1	1.91	14.0	Std. Wall XLPE Primary Cable	RED	120.0	-	X	-
H2-B6	-	-	LD63SF	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	240.0	-	X	-
H2-C1	-	-	HA86SB	2643687 R1	1.91	14.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	130.0	-	-	-
H2-C3	-	-	HH86AP	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	750.0	-	-	-
H2-C5	-	-	LD14VAF	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	390.0	-	-	-
H2-C5	-	-	LE14VAF	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	340.0	-	-	-
H3-A3	-	-	HA63C	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	785.0	-	37	5000
H3-A4	-	-	HA63D	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1680.0	-	3	1000

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
H3-A5	-	-	LE63-GSA	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1370.0	-	X	-
H3-A5	-	-	LD63-GSA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1330.0	-	X	-
H3-A6	-	-	LE63SF	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	290.0	-	X	-
H3-B6	-	-	LA63SCA	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	2445.0	-	A	5133
H3-C3	-	-	HA63DV	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	355.0	-	X	-
H3-C4	-	-	HA63-GD	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1735.0	-	-	-
H3-C5	-	-	LE63SJ	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1400.0	-	X	-
H3-C5	-	-	LD63SJ	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	2135.0	-	A	5110


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
H3-C6	-	-	LE63SH	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	290.0	-	X	-
H3-C6	-	-	LD63SH	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	240.0	-	X	-
H4-B1	-	-	BA14AC	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	785.0	-	-	-
H4-C1	-	-	BA75AL	2643753 R1	3.01	12.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3885.0	-	-	-

Connector Name 5002F  
 Part Number 3700151C1  
 Instances X15 - Ground Splice Packs 2/4:Diagram1  
 Mates 5002M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	HA11-G	2643789 R1	7.48	8.0	Std. Wall XLPE Primary Cable	WHITE	1095.0	-	-	-

Connector Name 5002M  
 Part Number 3537133C1  
 Instances X15 - Ground Splice Packs 2/4:Diagram1  
 Mates 5002F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AC11-G	2643789 R1	7.48	8.0	Std. Wall XLPE Primary Cable	WHITE	2230.0	-	1	1005B

Connector Name 5002  
 Part Number 3700151C1  
 Short Description SLEEPER GROUND  
 Instances A26 - Ground Splice Packs:Diagram4  
 Mates 5002\_IP12



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	HA11-G	2643789 R1	7.48	8.0	Std. Wall XLPE Primary Cable	WHITE	1095.0	-	-	-


Connector Name 5002\_IP12  
 Part Number 3537133C1  
 Short Description SLEEPER GROUND  
 Instances A26 - Ground Splice Packs:Diagram4  
 Mates 5002



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AC11-G	2643789 R1	7.48	8.0	Std. Wall XLPE Primary Cable	WHITE	2230.0	-	1	1005B



Connector Name 5003  
Part Number 3613000C1  
Instances Cigar Lighter- Aux APO- Rear Std APO- Rear APO W/Cover-  
12V Panel:Diagram1-Combination1  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO W/Cover-  
12V Panel:Diagram1-Combination2  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO W/Cover-  
12V Panel:Diagram1-Combination3  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO W/Cover-  
12V Panel:Diagram1-Combination4  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Overhead APO:Diagram1-Combination1  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Overhead APO:Diagram1-Combination2  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Overhead APO:Diagram1-Combination3  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Overhead APO:Diagram1-Combination4  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
Combination1  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
Combination2  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
Combination3  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
Combination4  
Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V  
Panel- Upr Bnk APO:Diagram1-Combination1  
Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V  
Panel- Upr Bnk APO:Diagram1-Combination2  
Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V  
Panel- Upr Bnk APO:Diagram1-Combination3  
Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V  
Panel- Upr Bnk APO:Diagram1-Combination4  
Cigar Lighter- Rear Std APO- APO W/Cover- 12V  
Panel:Diagram1-Combination1  
Cigar Lighter- Rear Std APO- APO W/Cover- 12V  
Panel:Diagram1-Combination2



Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel-  
Overhead APO:Diagram1-Combination1  
Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel-  
Overhead APO:Diagram1-Combination2  
Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel-  
Upr Bnk APO:Diagram1-Combination1  
Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel-  
Upr Bnk APO:Diagram1-Combination2  
Cigar Lighter- Rear Std APO- Rear APO w/Cover- 12V Panel-  
Upr Bnk APO- Rear Overhead APO:Diagram1-Combination1  
Cigar Lighter- Rear Std APO- Rear APO w/Cover- 12V Panel-  
Upr Bnk APO- Rear Overhead APO:Diagram1-Combination2  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel:Diagram1-Combination1  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel:Diagram1-Combination2  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel:Diagram1-Combination3  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel:Diagram1-Combination4  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel-Overhead APO:Diagram1-Combination1  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel-Overhead APO:Diagram1-Combination2  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel-Overhead APO:Diagram1-Combination3  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel-Overhead APO:Diagram1-Combination4  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel-Upr Bnk APO:Diagram1-Combination1  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel-Upr Bnk APO:Diagram1-Combination2  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel-Upr Bnk APO:Diagram1-Combination3  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel-Upr Bnk APO:Diagram1-Combination4  
Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
Combination1  
Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
Combination2


Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination3  
 Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination4  
 Std APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel:Diagram1-Combination1  
 Std APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel:Diagram1-Combination2  
 Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Rear  
 Overhead APO:Diagram1-Combination1  
 Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Rear  
 Overhead APO:Diagram1-Combination2  
 Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Upr Bnk  
 APO:Diagram1-Combination1  
 Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Upr Bnk  
 APO:Diagram1-Combination2  
 Std APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk  
 APO-Rear Overhead APO:Diagram1-Combination1  
 Std APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk  
 APO-Rear Overhead APO:Diagram1-Combination2

Mates

DEV-APO-2002-01-09B

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
A	-	-	HA86SBA	2643806 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT BLUE	1815.0	-	X	-
C	-	-	HA86-GSA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	305.0	-	-	-

Connector Name 5005  
Part Number 872291R1  
Instances Cigar Lighter- Aux APO- Rear Std APO- Rear APO W/Cover-  
12V Panel:Diagram1-Combination1  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO W/Cover-  
12V Panel:Diagram1-Combination2  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO W/Cover-  
12V Panel:Diagram1-Combination3  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO W/Cover-  
12V Panel:Diagram1-Combination4  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Overhead APO:Diagram1-Combination1  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Overhead APO:Diagram1-Combination2  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Overhead APO:Diagram1-Combination3  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Overhead APO:Diagram1-Combination4  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
Combination1  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
Combination2  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
Combination3  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
Combination4  
Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V  
Panel- Upr Bnk APO:Diagram1-Combination1  
Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V  
Panel- Upr Bnk APO:Diagram1-Combination2  
Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V  
Panel- Upr Bnk APO:Diagram1-Combination3  
Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V  
Panel- Upr Bnk APO:Diagram1-Combination4  
Cigar Lighter- Rear Std APO- APO W/Cover- 12V  
Panel:Diagram1-Combination1  
Cigar Lighter- Rear Std APO- APO W/Cover- 12V  
Panel:Diagram1-Combination2



Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel-Overhead APO:Diagram1-Combination1  
Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel-Overhead APO:Diagram1-Combination2  
Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel-Upr Bnk APO:Diagram1-Combination1  
Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel-Upr Bnk APO:Diagram1-Combination2  
Cigar Lighter- Rear Std APO- Rear APO w/Cover- 12V Panel-Upr Bnk APO- Rear Overhead APO:Diagram1-Combination1  
Cigar Lighter- Rear Std APO- Rear APO w/Cover- 12V Panel-Upr Bnk APO- Rear Overhead APO:Diagram1-Combination2  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V Panel:Diagram1-Combination1  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V Panel:Diagram1-Combination2  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V Panel:Diagram1-Combination3  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V Panel:Diagram1-Combination4  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V Panel-Overhead APO:Diagram1-Combination1  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V Panel-Overhead APO:Diagram1-Combination2  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V Panel-Overhead APO:Diagram1-Combination3  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V Panel-Overhead APO:Diagram1-Combination4  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V Panel-Upr Bnk APO:Diagram1-Combination1  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V Panel-Upr Bnk APO:Diagram1-Combination2  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V Panel-Upr Bnk APO:Diagram1-Combination3  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V Panel-Upr Bnk APO:Diagram1-Combination4  
Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-Combination1  
Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-Combination2


Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination3  
 Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination4  
 Std APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel:Diagram1-Combination1  
 Std APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel:Diagram1-Combination2  
 Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Rear  
 Overhead APO:Diagram1-Combination1  
 Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Rear  
 Overhead APO:Diagram1-Combination2  
 Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Upr Bnk  
 APO:Diagram1-Combination1  
 Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Upr Bnk  
 APO:Diagram1-Combination2  
 Std APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk  
 APO-Rear Overhead APO:Diagram1-Combination1  
 Std APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk  
 APO-Rear Overhead APO:Diagram1-Combination2

Mates

DEV-APO\_W/COVER-2002-01-09A


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
A	-	-	HA86-GSC	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1279.0	-	-	-
B	-	-	HA86SA	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2884.0	-	X	-

Connector Name 5006  
 Part Number 1661197C1  
 Instances DC/AC Inverter:Diagram1  
 Mates VD\_POWER\_PANEL\_GND\_2042-01 -01



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	JD11-GSP	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1900.0	-	-	-

Connector Name 5007A  
 Part Number 3613769C1  
 Instances Sleeper Ground Splice Packs:Diagram2  
 Mates Ground Splice Pack



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	HA11-GM1	3510363 R1	4.81	10.0	Thin Wall XLPE Primary Cable	WHITE	155.0	-	X	-
2	-	-	HM58-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2075.0	-	-	-
3	-	-	HH86-GH	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	540.0	-	-	-
4	-	-	HE65-GE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	850.0	-	-	-




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	HW86-GHW	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1805.0	-	-	-
6	-	-	HB86-GK	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	4220.0	-	-	-
6	-	-	LF86-GK	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2285.0	-	-	-
7	-	-	JD11-GSP	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1900.0	-	-	-
10	-	-	HR63-GU	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2145.0	-	-	-
10	-	-	JP11-GT	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	105.0	-	-	-
11	-	-	JZ11-GMB	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1555.0	-	X	-
11	-	-	RF11-GMB	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1455.0	-	D	5530

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
11	-	-	JB11-GMB	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1455.0	-	D	5900
11	-	-	JA11-GME	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	685.0	-	X	-
11	-	-	HZ11-GMB	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2450.0	-	-	-
11	-	-	HT11-GSD	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2450.0	-	-	-
12	-	-	JK76-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2145.0	-	B	1001
12	-	-	JM76-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2550.0	-	B	5222
12	-	-	JH76-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	6370.0	-	-	-
13	-	-	MK75WG	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1015.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
13	-	-	BF75-GSX	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	160.0	-	-	-
13	-	-	ZC75-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1015.0	-	-	-
13	-	-	MJ75WK	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	515.0	-	-	-
13	-	-	BD75-GSX	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	160.0	-	-	-
14	-	-	JL86-GSB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	5845.0	-	-	-
14	-	-	JN86-GSB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	5660.0	-	-	-

Connector Name 5007B  
 Part Number 3613769C1  
 Instances Sleeper Ground Splice Packs:Diagram1  
 Mates Ground Splice Pack




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	HA11-GM2	3510363 R1	4.81	10.0	Thin Wall XLPE Primary Cable	WHITE	105.0	-	X	-
2	-	-	LD63-GSE	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1265.0	-	-	-
3	-	-	LE63-GSE	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1305.0	-	-	-

Connector Name 5009  
 Part Number 2031520C1  
 Short Description AUX HEATER-BEHR  
 Instances A26 - Ground Splice Packs:Diagram4  
 Mates 1215\_IP12




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	KK11-GSM	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	2150.0	-	B	5009

Connector Name 5009  
 Part Number 2031520C1  
 Short Description AUX HEATER-BEHR  
 Instances A26 - Ground Splice Packs:Diagram2  
 Rear HVAC (Sleeper W/ Deluxe):Diagram1  
 Rear HVAC (Sleeper W/ Premium):Diagram1  
 X15 - Ground Splice Packs 1/4:Diagram1  
 Mates 1215\_IP12



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	HG75C	2643753 R1	3.01	12.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2150.0	-	6	5214
B	-	-	KK11-GSM	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	2150.0	-	B	5009
B	-	-	KK11-GSM	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	2150.0	-	5	5214
B	-	-	KK11-GSM	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	2150.0	-	-	-

Connector Name 5010  
 Part Number 3538634C1  
 Instances Telematics J1708:Telematics J1708  
 Mates 1970




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	WIRE197804	-	0.0	-	-	-	0.0	-	5	5020
C	-	-	WIRE197805	-	0.0	-	-	-	0.0	-	B	5900
C	-	-	WIRE197806	-	0.0	-	-	-	0.0	-	F	5902
C	-	-	WIRE197807	-	0.0	-	-	-	0.0	-	5	5906
C	-	-	WIRE197808	-	0.0	-	-	-	0.0	-	G	5909
C	-	-	WIRE197809	-	0.0	-	-	-	0.0	-	B	5927
D	-	-	WIRE196498	-	0.0	-	-	-	0.0	-	A	5927
D	-	-	WIRE196499	-	0.0	-	-	-	0.0	-	F	5909

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	WIRE197800	-	0.0	-	-	-	0.0	-	6	5906
D	-	-	WIRE197801	-	0.0	-	-	-	0.0	-	E	5902
D	-	-	WIRE197802	-	0.0	-	-	-	0.0	-	A	5900
D	-	-	WIRE197803	-	0.0	-	-	-	0.0	-	4	5020




Connector Name 5010  
 Part Number 3538634C1  
 Short Description SATELLITE COMMUNICATION  
 Instances  
   A26 - Ground Splice Packs:Diagram5  
   A26 - Key Switch Ignition 1:Key Switch Ignition 1C  
   Telematics (QUALCOMM TMCT):Diagram1  
   Telematics (TRIPMASTER SLEEPER):Diagram1  
   Telematics PEOPLE NET MD:Diagram1-Combination2  
 Mates 1970\_IP12



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RF14ED	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	3180.0	-	C	1939
B	-	-	RF13EE	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	3180.0	-	E	5530
B	-	-	HT13SD	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	3385.0	-	-	-
B	-	-	JZ13EE	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	3580.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	JA13EE	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	630.0	-	-	-
B	-	-	JB13EE	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	3180.0	-	-	-
B	-	-	GD13EE	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	5635.0	-	-	-
B	-	-	HZ13EE	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	3385.0	-	-	-
B	-	-	RF13EE	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	3180.0	-	E	1939
E	-	-	HZ98F	2643670 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BLACK	3385.0	-	C	5902
F	-	-	GD11-GMB	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	5635.0	-	-	-
J	-	-	HT70E	2643675 R1	0.79	18.0	Std. Wall XLPE Primary Cable	ORANGE	3385.0	-	G	5927
K	-	-	HT50S	2643801 R1	0.79	18.0	Std. Wall XLPE Primary Cable	YELLOW 2	3385.0	-	F	5927

Connector Name 5010  
 Part Number 3538634C1  
 Short Description SATELLITE COMMUNICATION  
 Instances Telematics (PMG w/ DVR):Diagram1  
 Telematics Peoplenet PMG:Diagram1-Combination2  
 Mates 1970




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AE14A	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	3180.0	-	5	1939A
B	-	-	AE13B	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	3180.0	-	3	1939A

Connector Name 5011F  
 Part Number 3540613C1  
 Instances A26 - Battery Feed 1:BTRY Feed 1 (NON-LOADSHED)  
 A26 - Key Switch Accessory 2:Key Switch Accessory 2 (LOADSHED)  
 Mates 5011M\_IP12




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	HW86R	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2570.0	-	-	-
E	-	-	HW86F	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2570.0	-	-	-

Connector Name 5011F  
 Part Number 3540613C1  
 Short Description REMOTE RADIO AND TWEETER  
 Instances Endurant - Battery Grid 1 (Non-Loadshed):BTRY GRID 1 (NON-LOADSHED)  
 Mates 5011M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	HW86F	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2570.0	-	-	-


Connector Name 5011F  
 Part Number 3540613C1  
 Short Description REMOTE RADIO AND TWEETER  
 Instances Radio W/ Wired Remote:Diagram1  
 Speakers:Speakers W/ Amplifier:Diagram1  
 X15 - Battery Feed 1 - Part 1:BTRY Feed 1 (NON-LOADSHED)  
 X15 - Key Switch Accessory 2:Key Switch Accessory 2 (LOADSHED)  
 Mates 5011M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	HW86R	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2570.0	-	-	-
B	-	-	HW86AE	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2570.0	-	6	5303
E	-	-	HW86F	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2570.0	-	1	5303
E	-	-	HW86F	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2570.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F	-	-	JT86AR	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1595.0	-	3	5313
G	-	-	JT86AS	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1595.0	-	16	5313
H	-	-	JT86AT	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1595.0	-	4	5313
J	-	-	JT86AU	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1595.0	-	17	5313


Connector Name 5011M  
 Part Number 3540612C1  
 Short Description SLEEPER REMOTE/AMP  
 Instances Endurant - Battery Grid 1 (Non-Loadshed):BTRY GRID 1 (NON-LOADSHED)  
 Mates 5011F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	MZ86F	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2590.0	-	X	-




Connector Name 5011M  
 Part Number 3540612C1  
 Instances Radio W/ Wired Remote:Diagram1  
 Speakers:Speakers W/ Amplifier:Diagram1  
 X15 - Battery Feed 1 - Part 1:BTRY Feed 1 (NON-LOADSHED)  
 X15 - Key Switch Accessory 2:Key Switch Accessory 2 (LOADSHED)  
 Mates 5011F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MZ86R	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3740.0	-	40	1017_IP 12
B	-	-	MZ86AE	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2560.0	-	X	-
E	-	-	MZ86F	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2590.0	-	X	-
F	-	-	MX86AR	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2340.0	-	A	1051


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
G	-	-	MX86AS	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2340.0	-	B	1051
H	-	-	MX86AT	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3480.0	-	A	1050
J	-	-	MX86AU	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3480.0	-	B	1050

Connector Name 5011M\_IP12  
 Part Number 3540612C1  
 Instances A26 - Battery Feed 1:BTRY Feed 1 (NON-LOADSHED)  
 A26 - Key Switch Accessory 2:Key Switch Accessory 2 (LOADSHED)  
 Mates 5011F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MZ86R	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3740.0	-	40	1017_IP12
E	-	-	MZ86F	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2590.0	-	X	-

Connector Name 5012  
Part Number 872291R1  
Instances Cigar Lighter- Aux APO- Rear Std APO- Rear APO W/Cover-  
12V Panel:Diagram1-Combination1  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO W/Cover-  
12V Panel:Diagram1-Combination3  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Overhead APO:Diagram1-Combination1  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Overhead APO:Diagram1-Combination3  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
Combination1  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
Combination3  
Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V  
Panel- Upr Bnk APO:Diagram1-Combination1  
Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V  
Panel- Upr Bnk APO:Diagram1-Combination3  
Cigar Lighter- Rear Std APO- APO W/Cover- 12V  
Panel:Diagram1-Combination1  
Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel-  
Overhead APO:Diagram1-Combination1  
Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel-  
Upr Bnk APO:Diagram1-Combination1  
Cigar Lighter- Rear Std APO- Rear APO w/Cover- 12V Panel-  
Upr Bnk APO- Rear Overhead APO:Diagram1-Combination1  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel:Diagram1-Combination1  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel:Diagram1-Combination3  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel-Overhead APO:Diagram1-Combination1  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel-Overhead APO:Diagram1-Combination3  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel-Upr Bnk APO:Diagram1-Combination1  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel-Upr Bnk APO:Diagram1-Combination3  
Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
Combination1




Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination3  
 Std APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel:Diagram1-Combination1  
 Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Rear  
 Overhead APO:Diagram1-Combination1  
 Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Upr Bnk  
 APO:Diagram1-Combination1  
 Std APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk  
 APO-Rear Overhead APO:Diagram1-Combination1

Mates

DEV-12V\_Panel-2002-01-17A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JL86-GSB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	5845.0	-	-	-
B	-	-	JL86SBB	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	6030.0	-	-	-

Connector Name 5013  
 Part Number 872291R1  
 Instances Cigar Lighter- Aux APO- Rear Std APO- Rear APO W/Cover-  
 12V Panel:Diagram1-Combination2  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO W/Cover-  
 12V Panel:Diagram1-Combination4  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Overhead APO:Diagram1-Combination2  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Overhead APO:Diagram1-Combination4  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
 Combination2  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
 Combination4  
 Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V  
 Panel- Upr Bnk APO:Diagram1-Combination2  
 Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V  
 Panel- Upr Bnk APO:Diagram1-Combination4  
 Cigar Lighter- Rear Std APO- APO W/Cover- 12V  
 Panel:Diagram1-Combination2  
 Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel-  
 Overhead APO:Diagram1-Combination2  
 Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel-  
 Upr Bnk APO:Diagram1-Combination2  
 Cigar Lighter- Rear Std APO- Rear APO w/Cover- 12V Panel-  
 Upr Bnk APO- Rear Overhead APO:Diagram1-Combination2  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel:Diagram1-Combination2  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel:Diagram1-Combination4  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel-Overhead APO:Diagram1-Combination2  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel-Overhead APO:Diagram1-Combination4  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel-Upr Bnk APO:Diagram1-Combination2  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel-Upr Bnk APO:Diagram1-Combination4  
 Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination2




Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination4  
 Std APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel:Diagram1-Combination2  
 Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Rear  
 Overhead APO:Diagram1-Combination2  
 Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Upr Bnk  
 APO:Diagram1-Combination2  
 Std APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk  
 APO-Rear Overhead APO:Diagram1-Combination2

Mates

DEV-12V\_Panel-2002-01-17A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JN86-GSB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	5660.0	-	-	-
B	-	-	JN86SBB	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	5845.0	-	-	-


Connector Name 5015  
 Part Number 3613000C1  
 Instances Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
 12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
 Combination4  
 Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V  
 Panel- Upr Bnk APO:Diagram1-Combination4  
 Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel-  
 Upr Bnk APO:Diagram1-Combination2  
 Cigar Lighter- Rear Std APO- Rear APO w/Cover- 12V Panel-  
 Upr Bnk APO- Rear Overhead APO:Diagram1-Combination1  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel-Upr Bnk APO:Diagram1-Combination1  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel-Upr Bnk APO:Diagram1-Combination2  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel-Upr Bnk APO:Diagram1-Combination3  
 Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
 Panel-Upr Bnk APO:Diagram1-Combination4  
 Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination1  
 Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination2  
 Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination3  
 Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination4  
 Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Upr Bnk  
 APO:Diagram1-Combination1  
 Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Upr Bnk  
 APO:Diagram1-Combination2  
 Std APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk  
 APO-Rear Overhead APO:Diagram1-Combination1  
 Std APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk  
 APO-Rear Overhead APO:Diagram1-Combination2  
 Mates DEV-Upr\_Bnk\_APO-2002-01-25A






Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JP86M	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	355.0	-	-	-
A	-	-	JP86M	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	355.0	-	10	1000F
C	-	-	JP86-GJJ	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1130.0	-	11	1000M
C	-	-	JP86-GJJ	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1130.0	-	-	-
C	-	-	JP86-GJJ	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1130.0	-	11	1000F

Connector Name 5015  
 Part Number 3613000C1  
 Instances Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V  
 Panel- Upr Bnk APO:Diagram1-Combination1  
 Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V  
 Panel- Upr Bnk APO:Diagram1-Combination2  
 Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V  
 Panel- Upr Bnk APO:Diagram1-Combination3




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JP86M	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	355.0	-	10	1000F
C	-	-	JP86-GJJ	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1130.0	-	11	1000F

Connector Name 5015  
 Part Number 3613000C1  
 Instances Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-Combination1  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-Combination2  
 Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-Combination3




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JP86M	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	355.0	-	10	1000F
C	-	-	JP86-GJJ	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1130.0	-	-	-

Connector Name 5015  
 Part Number 3613000C1  
 Instances Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel-  
 Upr Bnk APO:Diagram1-Combination1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JP86M	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	355.0	-	-	-
C	-	-	JP86-GJJ	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1130.0	-	-	-

Connector Name 5015  
 Part Number 3613000C1  
 Instances Cigar Lighter- Rear Std APO- Rear APO w/Cover- 12V Panel-  
 Upr Bnk APO- Rear Overhead APO:Diagram1-Combination2  
 Mates DEV-Upr\_Bnk\_APO-2002-01-25A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JP86M	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	355.0	-	10	1000F
C	-	-	JP86-GJJ	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1130.0	-	-	-

Connector Name 5020  
 Part Number 3553404C1  
 Instances Telematics J1708:Telematics J1708  
 Mates MODU-PEOPLENET\_VID-2035-05 -05A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	WIRE197803	-	0.0	-	-	-	0.0	-	D	5010
5	-	-	WIRE197804	-	0.0	-	-	-	0.0	-	C	5010

Connector Name 5100  
 Part Number 3522068C1  
 Instances Work Lights LED (Customer Supplied) W/ Sw Pack - Sleeper:Diagram1-Combination1  
 Work Lights LED (Customer Supplied) W/ Sw Pack - Sleeper:Diagram1-Combination2  
 Work Lights LED W/ Sw Pack - Sleeper:Diagram1-Combination1  
 Mates LT-LED-WORK\_SLPR-1032-01-0 6A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	V65B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	300.0	-	X	-
B	-	-	V65-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	200.0	-	X	-


Connector Name 5101  
 Part Number 3522068C1  
 Instances Work Lights LED (Customer Supplied) W/ Sw Pack - Sleeper:Diagram1-Combination1  
 Work Lights LED (Customer Supplied) W/ Sw Pack - Sleeper:Diagram1-Combination2  
 Work Lights LED W/ Sw Pack - Sleeper:Diagram1-Combination1  
 Mates LT-LED-WORK\_SLPR-1032-01-0 6B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	V65A	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	615.0	-	X	-
B	-	-	V65-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	415.0	-	X	-




Connector Name 5102  
 Part Number 2031871C1  
 Short Description ROOF HARNESS  
 Instances Lighting Sleeper Dome:Diagram1  
 Rear Interior Dimming (Accent Light):Diagram1  
 Rear Interior Dimming (Accent/Mood):Diagram1  
 Sleeper Ground Splice Packs:Diagram1  
 Mates 5102



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	HA63HB	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	805.0	-	1	1000
B	-	-	HA63-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	730.0	-	2	1000
C	-	-	HA63D	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1680.0	-	-	-
E	-	-	HA109SB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1130.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F	-	-	HA63EB	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1030.0	-	X	-


Connector Name 5102  
 Part Number 2031872C1  
 Short Description SLEEPER ROOF PANEL  
 Instances Lighting Sleeper Dome:Diagram1  
 Rear Interior Dimming (Accent Light):Diagram1  
 Rear Interior Dimming (Accent/Mood):Diagram1  
 Sleeper Ground Splice Packs:Diagram1  
 Mates 5102



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	V63HB	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1120.0	-	X	-
B	-	-	V63-GB	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1020.0	-	X	-
B	-	-	V63-GB	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1020.0	-	-	-
C	-	-	V63D	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1695.0	-	A	5107


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	V9NCB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1695.0	-	D	5107
F	-	-	V63EB	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1695.0	-	C	5107

Connector Name 5103  
 Part Number 1661198C1  
 Instances Rear Interior Dimming (Accent Light):Diagram1  
 Rear Interior Dimming (Accent/Mood):Diagram1  
 Mates LT-LS\_ACCENT-2000-02-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	V63-GBD	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	580.0	-	X	-
B	-	-	V63HBD	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	680.0	-	X	-

Connector Name 5104  
 Part Number 1661198C1  
 Instances Rear Interior Dimming (Accent Light):Diagram1  
 Rear Interior Dimming (Accent/Mood):Diagram1  
 Mates LT-RS\_ACCENT-2000-02-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	V63-GBE	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	910.0	-	X	-
B	-	-	V63HBE	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	810.0	-	X	-

Connector Name 5107  
 Part Number 3541785C1  
 Instances Lighting Sleeper Dome:Diagram1  
 Mates LT-DOME\_SLPR-2003-02-02



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	V63D	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1695.0	-	C	5102
B	-	-	V63-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	675.0	-	X	-
C	-	-	V63EB	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1695.0	-	F	5102
D	-	-	V9NCB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1695.0	-	E	5102


Connector Name 5110  
 Part Number 1661196C1  
 Instances Luggage Compartment Lights - N/ No Idle HVAC:Diagram1  
 Luggage Compartment Lights - W/ No Idle HVAC:Diagram1  
 Mates LT-LS\_LUGGAGE-2012-01-03A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	LE63SJA	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	735.0	-	X	-
A	-	-	LD63SJ	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	2135.0	-	H3-C5	5001
B	-	-	LE63-GSB	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	765.0	-	X	-
B	-	-	LD63-GSB	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	805.0	-	X	-




Connector Name 5111  
 Part Number 1661196C1  
 Instances Luggage Compartment Lights - N/ No Idle HVAC:Diagram1  
 Mates LT-RS\_LUGGAGE-2012-01-03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	LE63SJB	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	2075.0	-	X	-
B	-	-	LE63-GSC	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	2105.0	-	X	-

Connector Name 5112  
 Part Number 239808R1  
 Instances Luggage Compartment Lights - N/ No Idle HVAC:Diagram1  
 Luggage Compartment Lights - W/ No Idle HVAC:Diagram1  
 Mates SW-LS\_DOOR-2012-01-03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	LE63SD	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	130.0	-	X	-
A	-	-	LD63SD	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	80.0	-	X	-

Connector Name 5113  
 Part Number 239808R1  
 Instances Luggage Compartment Lights - N/ No Idle HVAC:Diagram1  
 Luggage Compartment Lights - W/ No Idle HVAC:Diagram1  
 Mates SW-LS\_DOOR-2012-01-03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	LE63SDA	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	180.0	-	X	-
A	-	-	LD63SDA	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	230.0	-	X	-

Connector Name 5114  
 Part Number 239808R1  
 Instances Luggage Compartment Lights - N/ No Idle HVAC:Diagram1  
 Mates SW-RS\_DOOR-2012-01-03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	LE63SE	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	4245.0	-	X	-

Connector Name 5115  
 Part Number 239808R1  
 Instances Luggage Compartment Lights - N/ No Idle HVAC:Diagram1  
 Mates SW-RS\_DOOR-2012-01-03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	LE63SEA	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	4195.0	-	X	-

Connector Name 5117F  
 Part Number 1661889C1  
 Instances Air Shield Lighting:W/ SLEEPER CAB  
 Beacon/Strobe Light:W/ SLEEPER CAB  
 Mates 5117M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BLACK	-	0.0	-	Std. Wall XLPE Primary Cable	BLACK	1730.0	-	-	-
A	-	-	BLACK	-	0.0	-	Std. Wall XLPE Primary Cable	BLACK	1730.0	-	A	5121_1
B	-	-	WHITE	-	0.0	-	Std. Wall XLPE Primary Cable	WHITE	1730.0	-	-	-
B	-	-	WHITE	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1730.0	-	A	5120_1

Connector Name 5117M  
 Part Number 1661891C1  
 Instances Air Shield Lighting:W/ SLEEPER CAB  
 Beacon/Strobe Light:W/ SLEEPER CAB  
 Mates 5117F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	HM58C	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	2075.0	-	G	1001F
A	-	-	HM58C	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	2075.0	-	-	-
B	-	-	HM58-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2075.0	-	-	-
B	-	-	HM58-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2075.0	-	H	1001M

Connector Name 5117  
 Part Number 1661889C1  
 Instances A26 - Ground Splice Packs:Diagram2  
 Air Shield Lighting:W/ DAYCAB  
 Beacon/Strobe Light:W/ DAYCAB  
 Mates 1906F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BLACK	-	0.0	-	Std. Wall XLPE Primary Cable	BLACK	1730.0	-	A	5121_4
A	-	-	BLACK	-	0.0	-	Std. Wall XLPE Primary Cable	BLACK	1730.0	-	-	-
B	-	-	WHITE	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1730.0	-	B	5118
B	-	-	WHITE	-	0.0	-	Std. Wall XLPE Primary Cable	WHITE	1730.0	-	A	5120_4




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	WHITE	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1730.0	-	-	-

Connector Name 5117  
 Part Number 1661889C1  
 Instances X15 Ground Splice Packs 4/4:Diagram1  
 Mates 5117




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	WHITE	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1730.0	-	B	1906M

Connector Name 5117  
 Part Number 1661891C1  
 Short Description AIR SHIELD LIGHT  
 Instances X15 Ground Splice Packs 4/4:Diagram1  
 Mates 5117




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	58-GC	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1500.0	-	-	-

Connector Name 5118F  
 Part Number 1661260C1  
 Instances Work Lights LED (Customer Supplied) W/ Sw Pack -  
 Sleeper:Diagram1-Combination2  
 Mates 5118M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BLACK	-	0.0	-	Std. Wall XLPE Primary Cable	BLACK	1730.0	-	A	5123_L1
B	-	-	WHITE	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1730.0	-	-	-

Connector Name 5118M  
 Part Number 1661259C1  
 Instances Work Lights LED (Customer Supplied) W/ Sw Pack -  
 Sleeper:Diagram1-Combination2  
 Mates 5118F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	HE65BB	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	150.0	-	X	-
B	-	-	HE65-GD	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	230.0	-	X	-

Connector Name 5118  
 Part Number 1661260C1  
 Instances A26 - Ground Splice Packs:Diagram1  
 Work Lights (Customer Supplied) W/ Sw Pack:Diagram1-  
 Combination2  
 X15 - Ground Splice Packs 2/4:Diagram1  
 Mates 220XM




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BLACK	-	0.0	-	Std. Wall XLPE Primary Cable	BLACK	1730.0	-	A	5123_R
B	-	-	WHITE	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1730.0	-	B	5117
B	-	-	WHITE	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1730.0	-	A	5122_L
B	-	-	WHITE	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1730.0	-	-	-

Connector Name 5118  
 Part Number 1661260C1  
 Short Description OPTIONAL WORK LIGHT CONN  
 Instances Work Lights LED (Customer Supplied) W/ Sw Pack -  
 Sleeper:Diagram1-Combination2  
 Mates 5119



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BLACK	-	0.0	-	Std. Wall XLPE Primary Cable	BLACK	1730.0	-	-	-
B	-	-	WHITE	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1730.0	-	-	-


Connector Name 5118\_IP12  
 Part Number 1661891C1  
 Short Description BEACON LIGHT DAYCAB  
 Instances A26 - Ground Splice Packs:Diagram2  
 Beacon/Strobe Light:W/ DAYCAB  
 X15 Ground Splice Packs 4/4:Diagram1  
 Mates 1906M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	GN58BLT	3510305 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BROWN	4560.0	-	R1 - 87	1015_IP12
B	-	-	GN13-GBR	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2860.0	-	X	-
B	-	-	CW58-GBG	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1840.0	-	9	1027
B	-	-	GN13-GBR	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2860.0	-	-	-



Connector Name 5119  
 Part Number 1661259C1  
 Short Description RIGHT OPTIONAL WORK LIGHT  
 Instances Work Lights LED (Customer Supplied) W/ Sw Pack -  
 Sleeper:Diagram1-Combination2  
 Mates 5118



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	HE65BA	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	1075.0	-	X	-
B	-	-	HE65-GC	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1255.0	-	X	-

Connector Name 5120  
 Part Number BLUNT\_SL\_VC  
 Instances Beacon/Strobe Light:W/ DAYCAB  
 Mates BLNT-RT\_BEACON\_STROBE-1004 -01-01B

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WHITE	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1730.0	-	-	-

Connector Name 5120\_1  
 Part Number BLUNT\_SL\_VC  
 Instances Air Shield Lighting:W/ SLEEPER CAB  
 Beacon/Strobe Light:W/ SLEEPER CAB  
 Mates BLNT-RT\_AIR\_SHIELD-1001-01 -02B

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WHITE	-	0.0	-	Std. Wall XLPE Primary Cable	WHITE	1730.0	-	-	-
A	-	-	WHITE	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1730.0	-	B	5117F

Connector Name 5120\_4  
 Part Number BLUNT\_SL\_VC  
 Instances Air Shield Lighting:W/ DAYCAB  
 Mates BLNT-RT\_AIR\_SHIELD-1001-01 -02B

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WHITE	-	0.0	-	Std. Wall XLPE Primary Cable	WHITE	1730.0	-	B	5117

Connector Name 5121  
 Part Number BLUNT\_SL\_VC  
 Instances Beacon/Strobe Light:W/ DAYCAB  
 Mates BLNT-RT\_BEACON\_STROBE-1004 -01-01C

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BLACK	-	0.0	-	Std. Wall XLPE Primary Cable	BLACK	1730.0	-	-	-

Connector Name 5121\_1  
 Part Number BLUNT\_SL\_VC  
 Instances Air Shield Lighting:W/ SLEEPER CAB  
 Beacon/Strobe Light:W/ SLEEPER CAB  
 Mates BLNT-RT\_AIR\_SHIELD-1001-01 -02A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BLACK	-	0.0	-	Std. Wall XLPE Primary Cable	BLACK	1730.0	-	-	-
A	-	-	BLACK	-	0.0	-	Std. Wall XLPE Primary Cable	BLACK	1730.0	-	A	5117F

Connector Name 5121\_4  
 Part Number BLUNT\_SL\_VC  
 Instances Air Shield Lighting:W/ DAYCAB  
 Mates BLNT-RT\_AIR\_SHIELD-1001-01 -02A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BLACK	-	0.0	-	Std. Wall XLPE Primary Cable	BLACK	1730.0	-	A	5117

Connector Name 5122\_L1  
 Part Number BLUNT\_SL\_VC  
 Instances Work Lights LED (Customer Supplied) W/ Sw Pack -  
 Sleeper:Diagram1-Combination2  
 Mates BLNT-CUST\_WORK\_LT\_GND-1032 -01-09B

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WHITE	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1730.0	-	A	5122_R1



Connector Name 5122\_L  
 Part Number BLUNT\_SL\_VC  
 Instances Work Lights (Customer Supplied) W/ Sw Pack:Diagram1-Combination2  
 Mates BLNT-CUST\_WORK\_LT\_GND-1032 -02-06B

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WHITE	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1730.0	-	B	5118

Connector Name 5122\_R1  
 Part Number BLUNT\_SL\_VC  
 Instances Work Lights LED (Customer Supplied) W/ Sw Pack -  
 Sleeper:Diagram1-Combination2  
 Mates BLNT-CUST\_WORK\_LT\_GND-1032 -01-09A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WHITE	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1730.0	-	A	5122_L1

Connector Name 5122\_R  
 Part Number BLUNT\_SL\_VC  
 Instances Work Lights (Customer Supplied) W/ Sw Pack:Diagram1-Combination2  
 Mates BLNT-CUST\_WORK\_LT\_GND-1032 -02-06A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WHITE	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1730.0	-	-	-

Connector Name 5123\_L1  
 Part Number BLUNT\_SL\_VC  
 Instances Work Lights LED (Customer Supplied) W/ Sw Pack -  
 Sleeper:Diagram1-Combination2  
 Mates BLNT-CUST\_WORK\_LT\_PWR-1032 -01-09B

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BLACK	-	0.0	-	Std. Wall XLPE Primary Cable	BLACK	1730.0	-	A	5118F

Connector Name 5123\_L  
 Part Number BLUNT\_SL\_VC  
 Instances Work Lights (Customer Supplied) W/ Sw Pack:Diagram1-Combination2  
 Mates BLNT-CUST\_WORK\_LT\_PWR-1032 -02-06B

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BLACK	-	0.0	-	Std. Wall XLPE Primary Cable	BLACK	1730.0	-	-	-


Connector Name 5123\_R1  
 Part Number BLUNT\_SL\_VC  
 Instances Work Lights LED (Customer Supplied) W/ Sw Pack -  
 Sleeper:Diagram1-Combination2  
 Mates BLNT-CUST\_WORK\_LT\_PWR-1032 -01-09A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BLACK	-	0.0	-	Std. Wall XLPE Primary Cable	BLACK	1730.0	-	-	-

Connector Name 5123\_R  
 Part Number BLUNT\_SL\_VC  
 Instances Work Lights (Customer Supplied) W/ Sw Pack:Diagram1-Combination2  
 Mates BLNT-CUST\_WORK\_LT\_PWR-1032 -02-06A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BLACK	-	0.0	-	Std. Wall XLPE Primary Cable	BLACK	1730.0	-	A	5118

Connector Name 5124  
 Part Number 3520850C1  
 Instances Floor/Search Lights SLPR:Diagram1  
 Lighting Sleeper Dome:Diagram1  
 Rear Interior Dimming (Accent Light):Diagram1  
 Rear Interior Dimming (Accent/Mood):Diagram1  
 Mates SW-SLPRDOME/FLOOR-2003-02- 01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AA63F	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	405.0	-	F	5125
2B	-	-	AA109SA	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	405.0	-	E	5125
3	-	-	AA63EA	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	405.0	-	B	5125
7	-	-	AP62D	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	225.0	-	X	-



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	AP62A	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	150.0	-	D	512
8	-	-	AP62K	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	225.0	-	X	-
9	-	-	AA62-GSD	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	405.0	-	C	5125
9	-	-	AA62-GSA	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	150.0	-	F	512
9	-	-	AA62-GSD	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	405.0	-	-	-


Connector Name 5125  
 Part Number 2005835C1  
 Short Description SCP SWITCH PACK  
 Instances Floor/Search Lights SLPR:Diagram1  
 Lighting Sleeper Dome:Diagram1  
 Rear Interior Dimming (Accent Light):Diagram1  
 Rear Interior Dimming (Accent/Mood):Diagram1  
 Sleeper Ground Splice Packs:Diagram1  
 Mates 5125



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	HA63SA	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	1760.0	-	-	-
B	-	-	HA63EA	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	650.0	-	7	1000
C	-	-	HA62-GSD	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	75.0	-	X	-
D	-	-	BD62AS	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1975.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	BF62A	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	2540.0	-	31	5000
E	-	-	HA109SA	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	550.0	-	-	-
E	-	-	HA109SA	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	550.0	-	5	1000
F	-	-	HA63F	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	2540.0	-	33	5000
G	-	-	HA63HB	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	805.0	-	-	-
H	-	-	HA63-GSF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	75.0	-	X	-


Connector Name 5125  
 Part Number 2005836C1  
 Short Description SLPR CTRL PNL SW INTERCONNECT  
 Instances Floor/Search Lights SLPR:Diagram1  
 Lighting Sleeper Dome:Diagram1  
 Rear Interior Dimming (Accent Light):Diagram1  
 Rear Interior Dimming (Accent/Mood):Diagram1  
 Sleeper Ground Splice Packs:Diagram1  
 Mates 5125



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AA63	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	100.0	-	A	512
B	-	-	AA63EA	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	405.0	-	3	5124
C	-	-	AA62-GSD	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	405.0	-	9	5124
C	-	-	AA62-GSD	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	405.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	AM62AS	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	180.0	-	X	-
D	-	-	AP62AS	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	180.0	-	X	-
E	-	-	AA109SA	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	405.0	-	2B	5124
F	-	-	AA63F	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	405.0	-	1	5124
G	-	-	AA63HB	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	455.0	-	C	512
H	-	-	AA63-GSF	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	455.0	-	B	512
H	-	-	AA63-GSF	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	455.0	-	-	-

Connector Name 5128  
 Part Number 1661259C1  
 Instances Floor/Search Lights SLPR:Diagram1  
 Mates LT-SLPR\_LF\_FLOOR-2009-02-0 2A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ZA63JBA	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	200.0	-	X	-
B	-	-	ZA63-GJA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	285.0	-	PIN1	-

Connector Name 5129  
 Part Number 1661259C1  
 Instances Floor/Search Lights SLPR:Diagram1  
 Mates LT-SLPR\_RT\_FLOOR-2009-02-0 2A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ZA63JBB	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	2185.0	-	X	-
B	-	-	ZA63-GJB	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2180.0	-	PIN1	-

Connector Name 512  
 Part Number 1661200C1  
 Instances Rear Interior Dimming (Accent Light):Diagram1  
 Rear Interior Dimming (Accent/Mood):Diagram1  
 Mates SW-ACCENT\_LT-2000-02-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AA63	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	100.0	-	A	5125
B	-	-	AA63-GSF	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	455.0	-	H	5125
C	-	-	AA63HB	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	455.0	-	G	5125
D	-	-	AM62B	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	275.0	-	X	-




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	AP62A	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	150.0	-	7	5124
F	-	-	AA62-GSA	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	150.0	-	9	5124

Connector Name 5130  
 Part Number 1669972C1  
 Instances Interior Task Lights (Flood) W/Upper& Lower Reading LT -  
 Sleeper Cab:Diagram1  
 Mates LT-Sleeper Lower Reading Light-2019-03-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	HA63SB	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	980.0	-	-	-
B	-	-	HA63-GSD	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2560.0	-	-	-

Connector Name 5131  
 Part Number 1661197C1  
 Instances Lighting - Cabinet Lights:Diagram1  
 Sleeper PDM:Diagram1  
 Mates 5134




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WHITE	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1730.0	-	A	5219
B	-	-	BLUE	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	700.0	-	-	-
B	-	-	BLUE	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	700.0	-	B	5219

Connector Name 5132  
 Part Number 225822R1  
 Instances Luggage Compartment Lights - N/ No Idle HVAC:Diagram1  
 Luggage Compartment Lights - W/ No Idle HVAC:Diagram1  
 Mates SW-LUGGAGE\_LT-2012-01-03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	LE63SC	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	2625.0	-	X	-
A	-	-	LD63SC	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	2675.0	-	X	-

Connector Name 5133  
 Part Number 225822R1  
 Instances Luggage Compartment Lights - N/ No Idle HVAC:Diagram1  
 Luggage Compartment Lights - W/ No Idle HVAC:Diagram1  
 Mates SW-LUGGAGE\_LT-2012-01-03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	LA63SCA	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	2445.0	-	H3-B6	5001

Connector Name 5134  
 Part Number 1661196C1  
 Instances Lighting - Cabinet Lights:Diagram1  
 Sleeper PDM:Diagram1  
 Mates 5131




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JP63-GK	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	5705.0	-	X	-
B	-	-	JP63K	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	5840.0	-	X	-

Connector Name 5135A  
 Part Number 1661198C1  
 Instances Rear Interior Dimming (Accent/Mood):Diagram1  
 Mates LT-LS\_SKYRISE\_ACCENT-2000- 03-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	J63-GSDA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	250.0	-	X	-
B	-	-	J63SBA	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	300.0	-	X	-


Connector Name 5135B  
 Part Number 1661198C1  
 Instances Rear Interior Dimming (Accent/Mood):Diagram1  
 Mates LT-RS\_SKYRISE\_ACCENT-2000- 03-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	J63-GSDB	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	620.0	-	X	-
B	-	-	J63SBB	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	670.0	-	X	-




Connector Name 5135F  
 Part Number 1661197C1  
 Short Description T-RAIL CONNECTION  
 Instances Rear Interior Dimming (Accent/Mood):Diagram1  
 Sleeper PDM:Diagram1  
 Mates 5135M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	J63SB	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	410.0	-	-	-
A	-	-	J63SB	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	410.0	-	X	-
B	-	-	J63-GSD	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	460.0	-	X	-

Connector Name 5135M  
 Part Number 1661196C1  
 Short Description SKYRISE LOWER BUNK LIGHTS  
 Instances Rear Interior Dimming (Accent/Mood):Diagram1  
 Sleeper PDM:Diagram1  
 Mates 5135F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JP63SB	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1855.0	-	-	-
B	-	-	JP63-GSD	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1235.0	-	-	-

Connector Name 5136  
 Part Number 1669972C1  
 Instances Interior Task Lights (Flood) W/Upper& Lower Reading LT -  
 Sleeper Cab:Diagram1  
 Mates LT-Sleeper Upper Reading Light-2019-03-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JP63U	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1575.0	-	-	-
B	-	-	JP63-GU	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1575.0	-	9	1000


Connector Name 5200  
 Part Number 2029979C1  
 Instances Rear HVAC (Sleeper W/ Premium):Diagram2  
 Mates SW-HVAC\_CTRL-6002-05-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	HD75F	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4315.0	-	24	5210
8	-	-	HD75-GA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	4315.0	-	25	5210
9	-	-	HD75R	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4315.0	-	26	5210
10	-	-	HD75H	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4315.0	-	27	5210


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
11	-	-	HD75J	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4315.0	-	28	5210
12	-	-	HD75K	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4315.0	-	29	5210
13	-	-	HD75L	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4315.0	-	30	5210
14	-	-	HD75M	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4315.0	-	31	5210
15	-	-	HD75N	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4315.0	-	32	5210

Connector Name 5201  
 Part Number 3536187C1  
 Instances Rear HVAC (Sleeper W/ Deluxe):Diagram2  
 Mates SW-BLOWER\_SPEED\_CTRL-6002- 06-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	HC77TVB	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	210.0	-	X	-
B	-	-	HC77TB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4335.0	-	23	5210
C	-	-	HC77TZB	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	335.0	-	X	-

Connector Name 5202  
 Part Number 3599251C1  
 Instances Rear HVAC (Sleeper W/ Deluxe):Diagram2  
 Mates SW-TEMP\_CTRL-6002-06-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	HC77TVT	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	220.0	-	X	-
B	-	-	HC77TT	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4275.0	-	21	5210
C	-	-	HC77TZT	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	275.0	-	X	-


Connector Name 5205  
 Part Number 3544870C1  
 Instances Cab J1939 (250Kbps):Cab J1939 (250Kbps)  
 Mates MODU-BERG\_NO-IDLE-6002-01- 02



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A5	-	-	WIRE223960	-	0.0	-	-	-	0.0	-	L	5600
A6	-	-	WIRE223967	-	0.0	-	-	-	0.0	-	B	5600



Connector Name 5210  
 Part Number 3548957C91  
 Instances Cab J1939 (250Kbps):Cab J1939 (250Kbps)  
 Rear HVAC (Sleeper W/ Deluxe):Diagram1  
 Rear HVAC (Sleeper W/ Deluxe):Diagram2  
 Rear HVAC (Sleeper W/ Premium):Diagram1  
 Rear HVAC (Sleeper W/ Premium):Diagram2  
 Mates MODU-HVAC\_BEHR\_STD-6002-05 -01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	HA12B	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	3475.0	-	-	-
4	-	-	LD75-GBB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3630.0	-	-	-
5	-	-	HG75CB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	435.0	-	3	5214
7	-	-	HG77TFA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	635.0	-	10	5212

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
8	-	-	HG77TF	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	635.0	-	9	5212
9	-	-	HG77TFB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	635.0	-	7	5212
10	-	-	HG77TMB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	635.0	-	6	5212
11	-	-	HG77TMA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	635.0	-	5	5212
12	-	-	HG77TSB	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1045.0	-	2	5213
13	-	-	HG77TSA	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1045.0	-	1	5213
15	-	-	WIRE223 969	-	0.0	-	-	-	0.0	-	PIN1	-
16	-	-	WIRE223 968	-	0.0	-	-	-	0.0	-	PIN1	-
17	-	-	HG62AH	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	275.0	-	PIN1	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
18	-	-	HC77TV	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4125.0	-	X	-
19	-	-	HC77TZ	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4000.0	-	X	-
21	-	-	HC77TT	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4275.0	-	B	5202
23	-	-	HC77TB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4335.0	-	B	5201
24	-	-	HD75F	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4315.0	-	7	5200
25	-	-	HD75-GA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	4315.0	-	8	5200
26	-	-	HD75R	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4315.0	-	9	5200
27	-	-	HD75H	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4315.0	-	10	5200

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
28	-	-	HD75J	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4315.0	-	11	5200
29	-	-	HD75K	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4315.0	-	12	5200
30	-	-	HD75L	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4315.0	-	13	5200
31	-	-	HD75M	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4315.0	-	14	5200
32	-	-	HD75N	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4315.0	-	15	5200


Connector Name 5212  
 Part Number 3522071C1  
 Instances Rear HVAC (Sleeper W/ Deluxe):Diagram2  
 Rear HVAC (Sleeper W/ Premium):Diagram2  
 Mates BLENDER-BEHR-6002-05-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	HG77TMA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	635.0	-	11	5210
6	-	-	HG77TMB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	635.0	-	10	5210
7	-	-	HG77TFB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	635.0	-	9	5210
9	-	-	HG77TF	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	635.0	-	8	5210


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
10	-	-	HG77TFA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	635.0	-	7	5210

Connector Name 5213  
 Part Number 3602659C1  
 Instances Rear HVAC (Sleeper W/ Deluxe):Diagram1  
 Rear HVAC (Sleeper W/ Premium):Diagram1  
 Mates SNSR-TEMP-6002-05-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	HG77TSA	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1045.0	-	13	5210
2	-	-	HG77TSB	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1045.0	-	12	5210


Connector Name 5214  
 Part Number 3627940C1  
 Instances Rear HVAC (Sleeper W/ Deluxe):Diagram1  
 Rear HVAC (Sleeper W/ Premium):Diagram1  
 Mates DEV-BLOWER\_LPM-6002-05-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	HG75CB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	435.0	-	5	5210
5	-	-	KK11-GSM	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	2150.0	-	B	5009
6	-	-	HG75C	2643753 R1	3.01	12.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2150.0	-	A	5009




Connector Name 5218A  
 Part Number 3602659C1  
 Short Description INTECK TEMP SENSOR  
 Instances Body Control module (BCM):Connector J7-1607




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	ZF77B	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3955.0	-	29	5000

Connector Name 5219  
 Part Number 1661198C1  
 Instances Cab Dome Light (Sleeper Cab):Diagram1  
 Lighting - Cabinet Lights:Diagram1  
 Mates LT-Cab\_Dome\_Sleeper-2003-0 2-04A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	63-GM	-	0.0	-	Std. Wall XLPE Primary Cable	WHITE	1700.0	-	-	-
A	-	-	WHITE	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1730.0	-	A	5131
B	-	-	63D	-	0.0	-	-	-	1700.0	-	A	2101F
B	-	-	BLUE	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	700.0	-	B	5131

Connector Name 5222  
 Part Number 969541R1  
 Short Description SKYRISE BUNK FAN  
 Instances Sleeper Ground Splice Packs:Diagram2  
 Sleeper PDM:Diagram1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JM76	2643670 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BLACK	2550.0	-	-	-
B	-	-	JM76-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2550.0	-	12	5007A

Connector Name 5222\_1  
 Part Number 969541R1  
 Instances Fan - Sleeper/Bunk:Diagram1-Combination2  
 Mates DEV\_BUNK\_FAN-2057-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JM76	2643670 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BLACK	2550.0	-	-	-
B	-	-	JM76-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2550.0	-	B	1001F


Connector Name 5230F  
 Part Number 1661201C1  
 Instances Rear HVAC (No Idle Heater) (Espar):Diagram1  
 Rear HVAC (No Idle Heater) (Webasto Std N/Swift) N/ Heat Swtich:Diagram1  
 Rear HVAC (No Idle Heater) (Webasto Std W/Swift) N/ Heat Switch:Diagram1  
 Mates 5230M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AM75WC	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	150.0	-	C	5235
A	-	-	AT75WC	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	200.0	-	A	5237
B	-	-	AM75WD	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	150.0	-	D	5235
B	-	-	BB75WD	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	200.0	-	B	5237

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	AM75WE	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	150.0	-	B	5235
C	-	-	BB75WE	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	200.0	-	C	5237
D	-	-	AM75WF	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	150.0	-	A	5235
D	-	-	BB75WF	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	200.0	-	D	5237
E	-	-	BB75WJ	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	200.0	-	E	5237
F	-	-	AT75WK	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	200.0	-	F	5237

Connector Name 5230M  
 Part Number 1661200C1  
 Instances Rear HVAC (No Idle Heater) (Espar):Diagram1  
 Rear HVAC (No Idle Heater) (Webasto Std N/Swift) N/ Heat Swtich:Diagram1  
 Rear HVAC (No Idle Heater) (Webasto Std W/Swift) N/ Heat Switch:Diagram1  
 Mates 5230F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	GS75WC	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2540.0	-	E	5236
A	-	-	GV75WC	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2540.0	-	E	5238
B	-	-	GS75WD	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1660.0	-	X	-
C	-	-	GS75WE	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2540.0	-	G	5236

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	GV75WE	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2540.0	-	G	5238
D	-	-	GS75WF	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2540.0	-	H	5236
D	-	-	GV75WF	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2540.0	-	H	5238
E	-	-	MK75WJ	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2540.0	-	J	5238
F	-	-	GV75WK	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2540.0	-	K	5238




Connector Name 5231F  
 Part Number 3540613C1  
 Instances Rear HVAC (No Idle Heater) (Webasto Smartemp):Diagram1  
 Mates 5231M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AV75WA	2643765 R1	0.53	20.0	Std. Wall XLPE Primary Cable	ORANGE	150.0	-	A	5236
B	-	-	AV75WB	2643757 R1	0.53	20.0	Std. Wall XLPE Primary Cable	BLACK	150.0	-	B	5236
C	-	-	AV75WC	2643762 R1	0.53	20.0	Std. Wall XLPE Primary Cable	BROWN	150.0	-	C	5236
D	-	-	AV75WD	2643758 R1	0.53	20.0	Std. Wall XLPE Primary Cable	RED	150.0	-	D	5236

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	AV75WE	2643771 R1	0.53	20.0	Std. Wall XLPE Primary Cable	DARK BLUE	150.0	-	E	5236
F	-	-	AV75WF	2643768 R1	0.53	20.0	Std. Wall XLPE Primary Cable	YELLOW 2	150.0	-	F	5236
G	-	-	AV75WG	2643763 R1	0.53	20.0	Std. Wall XLPE Primary Cable	GREY	150.0	-	G	5236
H	-	-	AV75WH	2643761 R1	0.53	20.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	150.0	-	H	5236


Connector Name 5231M  
 Part Number 3540612C1  
 Instances Rear HVAC (No Idle Heater) (Webasto Smartemp):Diagram1  
 Mates 5231F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ZC75WFA	2643761 R1	0.53	20.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2540.0	-	E	5237
B	-	-	ZC75WDA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1660.0	-	X	-
C	-	-	ZC75WC	2643762 R1	0.53	20.0	Std. Wall XLPE Primary Cable	BROWN	2540.0	-	G	5237
D	-	-	ZC75WJ	-	0.53	20.0	Std. Wall XLPE Primary Cable	RED	2540.0	-	K	5237


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	ZC75WE	2643771 R1	0.53	20.0	Std. Wall XLPE Primary Cable	DARK BLUE	2540.0	-	H	5237
F	-	-	ZC75WK	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2540.0	-	C	5237
G	-	-	ZC75WG	2643763 R1	0.53	20.0	Std. Wall XLPE Primary Cable	GREY	2540.0	-	J	5237
H	-	-	ZC75WF	2643768 R1	0.53	20.0	Std. Wall XLPE Primary Cable	YELLOW 2	2540.0	-	L	5237

Connector Name 5235  
 Part Number 1667529C1  
 Instances Rear HVAC (No Idle Heater) (Webasto Std N/Swift) N/ Heat Swtich:Diagram1  
 Rear HVAC (No Idle Heater) (Webasto Std W/Swift) N/ Heat Switch:Diagram1  
 Mates Modu-Webasto\_Driver\_Cntrl- 6002-01-01



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
A	-	-	AM75WF	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	150.0	-	D	5230F
B	-	-	AM75WE	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	150.0	-	C	5230F
C	-	-	AM75WC	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	150.0	-	A	5230F
D	-	-	AM75WD	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	150.0	-	B	5230F

Connector Name 5236  
 Part Number 3540613C1  
 Instances Rear HVAC (No Idle Heater) (Webasto Smartemp):Diagram1  
 Rear HVAC (No Idle Heater) (Webasto Std N/Swift) N/ Heat Swtich:Diagram1  
 Rear HVAC (No Idle Heater) (Webasto Std W/Swift) N/ Heat Switch:Diagram1  
 Mates Modu-Webasto\_Driver\_CNTRL




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AV75WA	2643765 R1	0.53	20.0	Std. Wall XLPE Primary Cable	ORANGE	150.0	-	A	5231F
A	-	-	GS75WA	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	1825.0	-	25	5000F
B	-	-	AV75WB	2643757 R1	0.53	20.0	Std. Wall XLPE Primary Cable	BLACK	150.0	-	B	5231F
B	-	-	MJ75WG	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	500.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	AV75WC	2643762 R1	0.53	20.0	Std. Wall XLPE Primary Cable	BROWN	150.0	-	C	5231F
C	-	-	GX75WB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1825.0	-	41	5000F
D	-	-	AV75WD	2643758 R1	0.53	20.0	Std. Wall XLPE Primary Cable	RED	150.0	-	D	5231F
D	-	-	GS75WP	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1825.0	-	26	5000F
E	-	-	AV75WE	2643771 R1	0.53	20.0	Std. Wall XLPE Primary Cable	DARK BLUE	150.0	-	E	5231F
E	-	-	GS75WC	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2540.0	-	A	5230M
F	-	-	AV75WF	2643768 R1	0.53	20.0	Std. Wall XLPE Primary Cable	YELLOW 2	150.0	-	F	5231F
F	-	-	GS75WDA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1010.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
G	-	-	AV75WG	2643763 R1	0.53	20.0	Std. Wall XLPE Primary Cable	GREY	150.0	-	G	5231F
G	-	-	GS75WE	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2540.0	-	C	5230M
H	-	-	AV75WH	2643761 R1	0.53	20.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	150.0	-	H	5231F
H	-	-	GS75WF	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2540.0	-	D	5230M



Connector Name 5237  
 Part Number 3598711C1  
 Instances Rear HVAC (No Idle Heater) (Espar):Diagram1  
 Rear HVAC (No Idle Heater) (Webasto Smartemp):Diagram1  
 Mates MODU-ESPAR\_DRIVER\_CTRL-600 0-02-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ZC75WA	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	1825.0	-	-	-
A	-	-	AT75WC	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	200.0	-	A	5230F
B	-	-	ZC75-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1015.0	-	-	-
B	-	-	BB75WD	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	200.0	-	B	5230F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	ZC75WK	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2540.0	-	F	5231M
C	-	-	BB75WE	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	200.0	-	C	5230F
D	-	-	ZC75WP	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1825.0	-	26	5000F
D	-	-	BB75WF	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	200.0	-	D	5230F
E	-	-	ZC75WFA	2643761 R1	0.53	20.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2540.0	-	A	5231M
E	-	-	BB75WJ	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	200.0	-	E	5230F
F	-	-	ZC75WD	2643758 R1	0.53	20.0	Std. Wall XLPE Primary Cable	RED	1010.0	-	X	-
F	-	-	AT75WK	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	200.0	-	F	5230F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
G	-	-	ZC75WC	2643762 R1	0.53	20.0	Std. Wall XLPE Primary Cable	BROWN	2540.0	-	C	5231M
H	-	-	ZC75WE	2643771 R1	0.53	20.0	Std. Wall XLPE Primary Cable	DARK BLUE	2540.0	-	E	5231M
J	-	-	ZC75WG	2643763 R1	0.53	20.0	Std. Wall XLPE Primary Cable	GREY	2540.0	-	G	5231M
K	-	-	ZC75WJ	-	0.53	20.0	Std. Wall XLPE Primary Cable	RED	2540.0	-	D	5231M
L	-	-	ZC75WF	2643768 R1	0.53	20.0	Std. Wall XLPE Primary Cable	YELLOW 2	2540.0	-	H	5231M


Connector Name 5238  
 Part Number 3540613C1  
 Instances Rear HVAC (No Idle Heater) (Espar):Diagram1  
 Mates HTR-NO\_IDLE-ESPAR-6002-02- 01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	GV75WA	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	1825.0	-	25	5000F
B	-	-	MK75WG	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1015.0	-	-	-
C	-	-	GV75WB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1825.0	-	41	5000F
D	-	-	GV75WP	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1825.0	-	26	5000F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
E	-	-	GV75WC	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2540.0	-	A	5230M
F	-	-	GV75WDA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1010.0	-	X	-
G	-	-	GV75WE	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2540.0	-	C	5230M
H	-	-	GV75WF	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2540.0	-	D	5230M
J	-	-	MK75WJ	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2540.0	-	E	5230M
K	-	-	GV75WK	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2540.0	-	F	5230M

Connector Name 5300F  
 Part Number 2031871C1  
 Instances Work Lights LED (Customer Supplied) W/ Sw Pack -  
 Sleeper:Diagram1-Combination1  
 Work Lights LED (Customer Supplied) W/ Sw Pack -  
 Sleeper:Diagram1-Combination2  
 Work Lights LED W/ Sw Pack - Sleeper:Diagram1-Combination1  
 Mates 5300M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	HA65	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2510.0	-	20	5000M
F	-	-	HA65-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	445.0	-	-	-

Connector Name 5300F  
 Part Number 2031872C1  
 Instances Speakers:Four Speakers - Sleeper:Diagram1  
 Speakers:Speakers W/ Amplifier:Diagram1  
 Mates 5300M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	V86BB	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	720.0	-	A	5301
B	-	-	V86CB	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	720.0	-	B	5301
C	-	-	V86DB	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1435.0	-	A	5302
D	-	-	V86EB	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1435.0	-	B	5302

Connector Name 5300M  
 Part Number 2031871C1  
 Instances Speakers:Four Speakers - Sleeper:Diagram1  
 Speakers:Speakers W/ Amplifier:Diagram1  
 Mates 5300F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	HF86BB	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2550.0	-	3	5000M
A	-	-	HH86BBP	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2310.0	-	5	5312
B	-	-	HF86CB	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2550.0	-	4	5000M
B	-	-	HH86CBP	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2310.0	-	13	5312




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
C	-	-	HF86DB	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2550.0	-	5	5000M
C	-	-	HH86DBP	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2310.0	-	6	5312
D	-	-	HF86EB	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2550.0	-	6	5000M
D	-	-	HH86EBP	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2310.0	-	14	5312

Connector Name 5300M  
 Part Number 2031872C1  
 Instances Work Lights LED (Customer Supplied) W/ Sw Pack -  
 Sleeper:Diagram1-Combination1  
 Work Lights LED (Customer Supplied) W/ Sw Pack -  
 Sleeper:Diagram1-Combination2  
 Work Lights LED W/ Sw Pack - Sleeper:Diagram1-Combination1  
 Mates 5300F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	V65	2643675 R1	0.79	18.0	Std. Wall XLPE Primary Cable	ORANGE	670.0	-	X	-
F	-	-	V65-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	870.0	-	X	-

Connector Name 5300  
 Part Number 2031871C1  
 Short Description BACK PANEL  
 Instances Sleeper Ground Splice Packs:Diagram1  
 Mates 5300




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F	-	-	HA65-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	445.0	-	X	-

Connector Name 5300  
 Part Number 2031872C1  
 Instances Sleeper Ground Splice Packs:Diagram1  
 Mates 5300




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F	-	-	V65-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	870.0	-	-	-

Connector Name 5301  
 Part Number 3535769C1  
 Instances Speakers:Four Speakers - Sleeper:Diagram1  
 Speakers:Speakers W/ Amplifier:Diagram1  
 Mates SPKR-LEFT\_SLPR-2058-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	V86BB	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	720.0	-	A	5300F
B	-	-	V86CB	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	720.0	-	B	5300F

Connector Name 5302  
 Part Number 3535769C1  
 Instances Speakers:Four Speakers - Sleeper:Diagram1  
 Speakers:Speakers W/ Amplifier:Diagram1  
 Mates SPKR-RIGHT\_SLPR-2058-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	V86DB	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1435.0	-	C	5300F
B	-	-	V86EB	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1435.0	-	D	5300F

Connector Name 5303  
 Part Number 3515763C1  
 Instances Cab J1939 (250Kbps):Cab J1939 (250Kbps)  
 Mates MODU-RADIO\_RMT-2008-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	WIRE223966	-	0.0	-	-	-	0.0	-	H	5600
E	-	-	WIRE223961	-	0.0	-	-	-	0.0	-	E	5600

Connector Name 5303  
 Part Number 3515763C1  
 Instances Radio W/ Wired Remote:Diagram1  
 Mates MODU-RADIO\_ASM-2008-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
1	-	-	HW86F	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2570.0	-	E	5011F
2	-	-	HW86R	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2570.0	-	-	-
3	-	-	HW86-GHW	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1805.0	-	-	-
6	-	-	HW86AE	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2570.0	-	B	5011F



Connector Name 5312  
 Part Number 3663001C1  
 Instances Speakers:Speakers W/ Amplifier:Diagram1  
 Mates MODU-AMPLIFIER-2058-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	HH86AH	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1520.0	-	15	5000F
2	-	-	HH86AK	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1520.0	-	13	5000F
4	-	-	HH86AC	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1520.0	-	10	5000F
5	-	-	HH86BBP	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2310.0	-	A	5300M
6	-	-	HH86DBP	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2310.0	-	C	5300M
9	-	-	HH86AJ	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1520.0	-	16	5000F
10	-	-	HH86AL	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1520.0	-	14	5000F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
13	-	-	HH86CBP	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2310.0	-	B	5300M
14	-	-	HH86EBP	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2310.0	-	D	5300M


Connector Name 5313  
Part Number 3663000C1  
Instances Speakers:Speakers W/ Amplifier:Diagram1  
Mates MODU-AMPLIFIER-2058-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	HH86DBA	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	200.0	-	1	5314
2	-	-	HH86BBA	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	200.0	-	2	5314
3	-	-	JT86AR	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1595.0	-	F	5011F
4	-	-	JT86AT	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1595.0	-	H	5011F
6	-	-	HH86AA	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1520.0	-	8	5000F
7	-	-	HH86DB	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1520.0	-	5	5000F
8	-	-	HH86BB	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1520.0	-	3	5000F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
9	-	-	HH86K	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1520.0	-	11	5000F
10	-	-	HH86H	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1520.0	-	23	5000F
11	-	-	HH86APX	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	145.0	-	X	-
12	-	-	HH86APY	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	145.0	-	X	-
13	-	-	HH86APZ	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	145.0	-	X	-
14	-	-	HH86CBA	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	200.0	-	3	5314
15	-	-	HH86EBA	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	200.0	-	4	5314
16	-	-	JT86AS	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1595.0	-	G	5011F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
17	-	-	JT86AU	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1595.0	-	J	5011F
20	-	-	HH86EB	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1520.0	-	6	5000F
21	-	-	HH86CB	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1520.0	-	4	5000F
22	-	-	HH86L	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1520.0	-	12	5000F
23	-	-	HH86J	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1520.0	-	24	5000F
24	-	-	HH86-GHX	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	170.0	-	X	-
25	-	-	HH86-GHY	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	170.0	-	X	-
26	-	-	HH86-GHZ	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	170.0	-	X	-

Connector Name 5314  
 Part Number 1661200C1  
 Instances Speakers:Speakers W/ Amplifier:Diagram1  
 Mates MODU-SUBWOOFER-2058-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	HH86DBA	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	200.0	-	1	5313
2	-	-	HH86BBA	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	200.0	-	2	5313
3	-	-	HH86CBA	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	200.0	-	14	5313
4	-	-	HH86EBA	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	200.0	-	15	5313

Connector Name 5500  
 Part Number 872291R1  
 Instances Cabinet Refrigerator N/Relay:Diagram1  
 Cabinet Refrigerator Omit:Diagram1  
 Mates DEV-REFRIGERATOR-2053-01-0 1A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	HB86-GK	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	4220.0	-	-	-
B	-	-	HB86AG	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4405.0	-	-	-


Connector Name 5501  
 Part Number 872291R1  
 Instances Underbunk Refrigerator N/Relay:Diagram1  
 Mates DEV-REFRIGERATOR-2053-02-0 1A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	LF86-GK	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2285.0	-	-	-
B	-	-	LF86AG	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2470.0	-	-	-




Connector Name 5530  
 Part Number 2011340C1  
 Instances  
 A26 - Battery Feed 1:BTRY Feed (NON-LOADSHED)  
 A26 - Key Switch Ignition 1:Key Switch Ignition 1C  
 Sleeper Ground Splice Packs:Diagram2  
 X15 - Battery Feed 1 - Part 1:BTRY Feed 1 (NON-LOADSHED)  
 X15 - Key Switch Ignition 1:Key Switch Ignition 1B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	RF14ED	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	3180.0	-	A	(5010)
D	-	-	RF11-GMB	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1455.0	-	11	5007A
E	-	-	RF13EE	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	3180.0	-	B	5010
E	-	-	RF13EE	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	3180.0	-	B	(5010)


Connector Name 5600  
 Part Number 3601838C1  
 Instances Cab J1939 (250Kbps):Cab J1939 (250Kbps)  
 Mates SP-IP-B001-00-10-H1-5600



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	COND1820	-	0.0	-	-	-	-	,	B:C	5600:5600
A	-	-	WIRE223965	-	0.0	-	-	-	0.0	-	B	5930M
B	-	-	COND1820	-	0.0	-	-	-	-	,	A:C	5600:5600
B	-	-	WIRE223967	-	0.0	-	-	-	0.0	-	A6	5205
C	-	-	COND1820	-	0.0	-	-	-	-	,	A:B	5600:5600
C	-	-	WIRE223963	-	0.0	-	-	-	0.0	-	D	5600
D	-	-	COND1817	-	0.0	-	-	-	-	,	E:F	5600:5600
D	-	-	WIRE223963	-	0.0	-	-	-	0.0	-	C	5600


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
E	-	-	COND1817	-	0.0	-	-	-	-	,	D:F	5600:5600
E	-	-	WIRE223961	-	0.0	-	-	-	0.0	-	E	5303
F	-	-	COND1817	-	0.0	-	-	-	-	,	D:E	5600:5600
F	-	-	WIRE223959	-	0.0	-	-	-	0.0	-	PIN1	-
G	-	-	COND1818	-	0.0	-	-	-	-	,	H:J	5600:5600
G	-	-	WIRE223958	-	0.0	-	-	-	0.0	-	PIN1	-
H	-	-	COND1818	-	0.0	-	-	-	-	,	G:J	5600:5600
H	-	-	WIRE223966	-	0.0	-	-	-	0.0	-	D	5303
J	-	-	COND1818	-	0.0	-	-	-	-	,	G:H	5600:5600
J	-	-	WIRE223962	-	0.0	-	-	-	0.0	-	K	5600
K	-	-	COND1819	-	0.0	-	-	-	-	,	L:M	5600:5600
K	-	-	WIRE223962	-	0.0	-	-	-	0.0	-	J	5600
L	-	-	COND1819	-	0.0	-	-	-	-	,	K:M	5600:5600
L	-	-	WIRE223960	-	0.0	-	-	-	0.0	-	A5	5205
M	-	-	COND1819	-	0.0	-	-	-	-	,	K:L	5600:5600
M	-	-	WIRE223964	-	0.0	-	-	-	0.0	-	A	5930M

Connector Name 5754F  
 Part Number 1661196C1  
 Instances 8WRM TRI-PAC No Idle:Diagram1  
 Mates 5754M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JY14TRI	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	4770.0	-	1	5755
B	-	-	JY77SBY	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4770.0	-	1	5756

Connector Name 5754M  
 Part Number 1661197C1  
 Instances 8WRM TRI-PAC No Idle:Diagram1  
 Mates 5754F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	DK14TRI	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	3900.0	-	-	-
B	-	-	DK77SBY	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3540.0	-	2	1116M

Connector Name 5755  
 Part Number 3616095C1  
 Instances 8WRM TRI-PAC No Idle:Diagram1  
 Mates TRI-PAC POWER




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	JY14TRI	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	4770.0	-	A	5754F

Connector Name 5756  
 Part Number 366817C2  
 Instances 8WRM TRI-PAC No Idle:Diagram1  
 Mates TRI-PAC STAND-BY



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	JY77SBY	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4770.0	-	B	5754F


Connector Name 5757  
 Part Number 872291R1  
 Instances 8WRM TRI-PAC No Idle:Diagram1  
 Mates RECTIFIER-TRI\_PAC-2055-03- 01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	DK13TRIB	2643752 R1	1.16	16.0	Std. Wall XLPE Primary Cable	PINK	1160.0	-	-	-
B	-	-	DK13TRIA	2643752 R1	1.16	16.0	Std. Wall XLPE Primary Cable	PINK	275.0	-	1	1116M




Connector Name 5757\_IP12  
 Part Number 872291R1  
 Short Description TRI-PAC RECTIFIER  
 Instances A26 - Key Switch Ignition 2:Key Switch Ignition 2




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	DK13TRIB	2643752 R1	1.16	16.0	Std. Wall XLPE Primary Cable	PINK	1160.0	-	13	1014_IP 12

Connector Name 5758F  
 Part Number 587567C91  
 Short Description TRAILER TRACS  
 Instances Telematics (QUALCOMM MCT):Diagram1  
 Mates 5758M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	HF94TT	3510313 R1	1.91	14.0	Thin Wall XLPE Primary Cable	GREY	3880.0	-	-	-

Connector Name 5758M  
 Part Number 587568C91  
 Short Description TRAILER TRACS.  
 Instances Telematics (QUALCOMM MCT):Diagram1  
 Mates 5758F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	GP94TT	2643763 R1	0.53	20.0	Std. Wall XLPE Primary Cable	GREY	2740.0	-	37	5906


Connector Name 5900  
 Part Number 2011340C1  
 Instances Instrument Cluster (Standard):Diagram1  
 Sleeper Ground Splice Packs:Diagram2  
 Telematics J1708:Telematics J1708  
 X15 - Battery Feed 1 - Part 1:BTRY Feed 1 (NON-LOADSHED)  
 Mates MODU-QUAL\_IMCT-2035-02-09A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE197802	-	0.0	-	-	-	0.0	-	D	5010
B	-	-	WIRE197805	-	0.0	-	-	-	0.0	-	C	5010
C	-	-	HL14ED	2643759R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	3180.0	-	A	(5010)
D	-	-	JA11-GMB	2643674R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	770.0	-	-	-
D	-	-	JA11-GMB	2643674R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	770.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	JB11-GMB	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1455.0	-	11	5007A
F	-	-	HL98F	2643670 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BLACK	3180.0	-	E	(5010)

Connector Name 5901  
 Part Number 587565C91  
 Short Description QUALCOMM PANIC BUTTON  
 Instances X15 Ground Splice Packs 3/4:Diagram2



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	HY11-GSC	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3180.0	-	F	(5010)

Connector Name 5902  
 Part Number 1661201C1  
 Instances Telematics (QUALCOMM TMCT):Diagram1  
 Telematics J1708:Telematics J1708  
 Mates MODU-QUAL\_TMCT-2035-01-04A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	HZ13EE	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	3385.0	-	-	-
B	-	-	HZ14ED	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	3385.0	-	-	-
C	-	-	HZ98F	2643670 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BLACK	3385.0	-	E	5010
D	-	-	HZ11-GMB	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2450.0	-	-	-
E	-	-	WIRE197 801	-	0.0	-	-	-	0.0	-	D	5010

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F	-	-	WIRE197806	-	0.0	-	-	-	0.0	-	C	5010




Connector Name 5903  
 Part Number 1669972C1  
 Short Description QUALCOMM IMCT W/MVPC KEY BOARD  
 Instances Sleeper Ground Splice Packs:Diagram2




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	JA11-GMC	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3620.0	-	X	-

Connector Name 5906  
 Part Number 2028493C1  
 Instances Telematics (QUALCOMM MCT):Diagram1  
 Telematics J1708:Telematics J1708  
 Mates MODU-QUALCOMM\_MCT-2035-08- 02B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	WIRE197807	-	0.0	-	-	-	0.0	-	C	5010
6	-	-	WIRE197800	-	0.0	-	-	-	0.0	-	D	5010
37	-	-	GP94TT	2643763R1	0.53	20.0	Std. Wall XLPE Primary Cable	GREY	2740.0	-	A	5758M


Connector Name 5907  
 Part Number 2017533C1  
 Instances Instrument Cluster (Standard):Diagram1  
 Sleeper Ground Splice Packs:Diagram2  
 Telematics (QUALCOMM MCT w/o Tracs):Diagram1  
 Telematics (QUALCOMM MCT):Diagram1  
 X15 - Battery Feed 1 - Part 1:BTRY Feed 1 (NON-LOADSHED)  
 X15 - Key Switch Ignition 1:Key Switch Ignition 1B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
A	-	-	JZ14EA	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	500.0	-	X	-
B	-	-	JZ14EB	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	500.0	-	X	-
C	-	-	JZ11-GMA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	300.0	-	X	-
D	-	-	JZ11-GMC	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	300.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	JZ13EE	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	3580.0	-	-	-
E	-	-	JZ13EE	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	3580.0	-	B	(5010)
F	-	-	JZ98F	2643670 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BLACK	3580.0	-	E	(5010)


Connector Name 5909  
 Part Number 2005835C1  
 Instances Telematics (DRIVERTECH SLEEPER W/ J1939):Diagram1  
 Telematics (DRIVERTECH SLEEPER W/ J1939):Diagram2  
 Telematics J1708:Telematics J1708  
 Mates MODU-DRIVERTECH-2035-12-05



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	GD14ED	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	5635.0	-	-	-
A	-	-	14ED	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	2245.0	-	-	-
C	-	-	GD11-GMB	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	5635.0	-	-	-
C	-	-	11-GMB	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2245.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
E	-	-	GD13EE	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	5635.0	-	-	-
E	-	-	13EE	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	2245.0	-	-	-
F	-	-	WIRE196 499	-	0.0	-	-	-	0.0	-	D	5010
G	-	-	WIRE197 808	-	0.0	-	-	-	0.0	-	C	5010

Connector Name 5927  
 Part Number 2005836C1  
 Instances Telematics (TRIPMASTER SLEEPER):Diagram1  
 Telematics J1708:Telematics J1708  
 Mates MODU-TRIPMASTER-2035-10-05A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE196498	-	0.0	-	-	-	0.0	-	D	5010
B	-	-	WIRE197809	-	0.0	-	-	-	0.0	-	C	5010
C	-	-	HT13SD	2643794R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	3385.0	-	-	-
D	-	-	HT11-GSD	2643674R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2450.0	-	-	-
E	-	-	HT14SD	2643759R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	3385.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F	-	-	HT50S	2643801 R1	0.79	18.0	Std. Wall XLPE Primary Cable	YELLOW 2	3385.0	-	K	5010
G	-	-	HT70E	2643675 R1	0.79	18.0	Std. Wall XLPE Primary Cable	ORANGE	3385.0	-	J	5010




Connector Name 5930M  
 Part Number 3683465C1  
 Instances Cab J1939 (250Kbps):Cab J1939 (250Kbps)




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE223964	-	0.0	-	-	-	0.0	-	M	5600
B	-	-	WIRE223965	-	0.0	-	-	-	0.0	-	A	5600

Connector Name 6TB1  
 Part Number 3722128C1  
 Instances Telematics J1708:Telematics J1708  
 Mates MODU-TRIPMASTER-2035-10-04A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	WIRE197810	-	0.0	-	-	-	0.0	-	E2	J5-1602

Connector Name 6000  
Part Number 3945694C1  
Instances A26 - Vehicle Speedometer System:Diagram1  
Powertrain J1939 (500Kbps) X15:Powertrain J1939 (500Kbps)  
X15 Engine  
X15 - Acceleration Pedal:Diagram1  
X15 - Accelerator Interlock W/ Park Brake  
Engagement:Diagram1  
X15 - Coolant Level Monitoring:Diagram1  
X15 - Cooling Fan Control ON/OFF:Diagram1  
X15 - Engine Control Module:Connector 6000  
X15 - Outside temperature monitor:Diagram1  
X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater &  
Supply Module Relays FT DEF Tank (L01)  
X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater &  
Supply Module Relays DEF Tank (L03)  
X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater &  
Supply Module Relays FT DEF Tank (L01)  
X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater &  
Supply Module Relays RR DEF Tank (L03)  
X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply  
Module, Sensor Table, Quality Sensor, DEF Tank Valve RR DEF  
Tank (L03)  
X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply  
Module, Sensor Table, Quality Sensor, DEF Tank Valve FT DEF  
Tank (L01)  
X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply  
Module, Sensor Table, Quality Sensor, DEF Tank Valve RR DEF  
Tank (L03)  
X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply  
Module, Sensor Table, Quality Sensor, DEF Tank Valve, FT  
DEF Tank (L01)  
X15 - Starting Aid Ether Start:Diagram1  
X15 - Water In Fuel (WIF) N/ Heater:Diagram1  
X15 - Water In Fuel N/ Heater:Diagram1  
X15 - Water In Fuel W Heater:Diagram1-Combination1  
X15 - Water In Fuel W Heater:Diagram1-Combination2



Mates MODU-ECM-A001-10-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	KA14A6	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	80.0	-	X	-
3	-	-	KA95GBE	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	1480.0	-	-	-
3	-	-	KA95GBE	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	1480.0	-	X	-
5	-	-	KA13B	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1160.0	-	37	1702
6	-	-	TJ95F	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1870.0	-	-	-
6	-	-	TK95F	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1150.0	-	-	-
6	-	-	TK95F	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1150.0	-	2	674F
6	-	-	TJ95F	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1870.0	-	2	674M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
8	-	-	TY6A	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PURPLE	770.0	-	X	-
8	-	-	TP6A	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PURPLE	770.0	-	-	-
8	-	-	TY6A	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PURPLE	770.0	-	-	-
8	-	-	TP6A	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PURPLE	770.0	-	X	-
9	-	-	TJ97C	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PURPLE	1160.0	-	22	1702
9	-	-	TJ97C	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PURPLE	1160.0	-	22	1702M
10	-	-	TJ99B	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PURPLE	1160.0	-	28	1702
10	-	-	TJ99B	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PURPLE	1160.0	-	28	1702M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
13	-	-	KY95WA	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	500.0	-	X	-
13	-	-	KJ95WA	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	500.0	-	X	-
13	-	-	GA95WA	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	500.0	-	X	-
13	-	-	KJ95WA	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	500.0	-	-	-
13	-	-	GA95WA	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	500.0	-	-	-
13	-	-	KY95WA	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	500.0	-	-	-
16	-	-	TP95K	4073403 R1	0.53	20.0	TXL 150C	TAN	2305.0	-	-	-
16	-	-	TY95K	4073403 R1	0.53	20.0	TXL 150C	TAN	4030.0	-	-	-
16	-	-	TY95K	4073403 R1	0.53	20.0	TXL 150C	TAN	4030.0	-	8	670B_1
16	-	-	TP95K	4073403 R1	0.53	20.0	TXL 150C	TAN	2305.0	-	8	670A
22	-	-	WIRE1350	-	0.0	-	-	-	0.0	-	PIN1	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
25	-	-	KA14A5	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	80.0	-	X	-
26	-	-	KA14A4	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	80.0	-	X	-
27	-	-	KA14A2	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	140.0	-	X	-
28	-	-	KA14A1	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	140.0	-	X	-
32	-	-	TY9A	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	720.0	-	X	-
32	-	-	TP9A	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	720.0	-	-	-
32	-	-	TY9A	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	720.0	-	-	-
32	-	-	TP9A	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	720.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
33	-	-	TJ97B	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PURPLE	1160.0	-	23	1702
33	-	-	TJ97B	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PURPLE	1160.0	-	23	1702M
35	-	-	KA34E	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	2310.0	-	C	1378
35	-	-	KA34E	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	2310.0	-	-	-
38	-	-	TJ95AT2	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	820.0	-	-	-
38	-	-	TK95AT2	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	820.0	-	-	-
38	-	-	TK95AT2	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	820.0	-	X	-
38	-	-	TJ95AT2	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	820.0	-	X	-



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
39	-	-	TJ95AS2	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	910.0	-	-	-
39	-	-	TK95AS2	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	910.0	-	-	-
39	-	-	TK95AS2	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	910.0	-	X	-
39	-	-	TJ95AS2	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	910.0	-	X	-
40	-	-	TJ95AU2	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	790.0	-	-	-
40	-	-	TK95AU2	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	790.0	-	-	-
40	-	-	TJ95AU2	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	790.0	-	X	-
40	-	-	TK95AU2	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	790.0	-	X	-
41	-	-	TY95BA	4073403 R1	0.53	20.0	TXL 150C	TAN	4030.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
41	-	-	TP95BA	4073403 R1	0.53	20.0	TXL 150C	TAN	2305.0	-	-	-
41	-	-	TY95BA	4073403 R1	0.53	20.0	TXL 150C	TAN	4030.0	-	3	670B_1
41	-	-	TP95BA	4073403 R1	0.53	20.0	TXL 150C	TAN	2305.0	-	3	670A
42	-	-	TY95BC	4073403 R1	0.53	20.0	TXL 150C	TAN	4030.0	-	-	-
42	-	-	TP95BC	4073403 R1	0.53	20.0	TXL 150C	TAN	2305.0	-	-	-
42	-	-	TY95BC	4073403 R1	0.53	20.0	TXL 150C	TAN	4030.0	-	4	670B_1
42	-	-	TP95BC	4073403 R1	0.53	20.0	TXL 150C	TAN	2305.0	-	4	670A
46	-	-	WIRE1351	-	0.0	-	-	-	0.0	-	PIN1	-
49	-	-	KA10-GH	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	110.0	-	X	-
50	-	-	KA10-GG	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	110.0	-	X	-
51	-	-	KA10-GF	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	110.0	-	X	-
52	-	-	KA10-GE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	170.0	-	X	-
53	-	-	TY95DVL	4073403 R1	0.53	20.0	TXL 150C	TAN	4030.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
53	-	-	TP95DVL	4073403 R1	0.53	20.0	TXL 150C	TAN	2305.0	-	-	-
53	-	-	TP95DVL	4073403 R1	0.53	20.0	TXL 150C	TAN	2305.0	-	1	670A
53	-	-	TY95DVL	4073403 R1	0.53	20.0	TXL 150C	TAN	4030.0	-	1	670B_1
54	-	-	TK95E	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1150.0	-	-	-
54	-	-	TJ95E	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1870.0	-	-	-
54	-	-	TJ95E	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1870.0	-	1	674M
54	-	-	TK95E	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1150.0	-	1	674F
57	-	-	TK95AA	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	430.0	-	-	-
57	-	-	TJ95AA	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	430.0	-	-	-
57	-	-	TJ95AA	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	430.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
57	-	-	TK95AA	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	430.0	-	X	-
59	-	-	KF47	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1225.0	-	X	-
59	-	-	KF47AA	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1190.0	-	X	-
60	-	-	KF47AA	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1190.0	-	X	-
60	-	-	KF47	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1225.0	-	X	-
61	-	-	KA97N	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PURPLE	1160.0	-	-	-
61	-	-	KA97N	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PURPLE	1160.0	-	29	1702M
62	-	-	KA95G	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	620.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
64	-	-	KA97M	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PURPLE	1160.0	-	-	-
64	-	-	KA97M	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PURPLE	1160.0	-	24	1702M
65	-	-	KC41E	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	340.0	-	X	-
73	-	-	KA10-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	170.0	-	X	-
75	-	-	KU21	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	1300.0	-	A	6550
75	-	-	KU21	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	1300.0	-	-	-
76	-	-	KU21A	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	1300.0	-	B	6550
76	-	-	KU21A	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	1300.0	-	-	-
77	-	-	TP95DVH	4073403 R1	0.53	20.0	TXL 150C	TAN	2305.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
77	-	-	TY95DVH	4073403 R1	0.53	20.0	TXL 150C	TAN	4030.0	-	-	-
77	-	-	TP95DVH	4073403 R1	0.53	20.0	TXL 150C	TAN	2305.0	-	2	670A
77	-	-	TY95DVH	4073403 R1	0.53	20.0	TXL 150C	TAN	4030.0	-	2	670B_1
78	-	-	TJ23	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1180.0	-	-	-
78	-	-	TK23	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1180.0	-	-	-
78	-	-	TK23	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1180.0	-	A	6400
79	-	-	KA95SB	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1880.0	-	-	-
79	-	-	KA95SB	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1880.0	-	15	690
82	-	-	TK95AC	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1150.0	-	-	-
82	-	-	TJ95AC	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1870.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
82	-	-	TK95AC	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1150.0	-	5	674F
82	-	-	TJ95AC	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1870.0	-	5	674M
93	-	-	GE44A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1480.0	-	-	-
93	-	-	GE44A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1480.0	-	C	1814


Connector Name 6018  
 Part Number 3952655C1  
 Instances Engine Private J1939 A26:Engine Private J1939 A26 Engine  
 Mates MODU-ECM-A001-10-00



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
60	-	-	WIRE239 164	-	0.0	-	-	-	0.0	-	PIN1	-
84	-	-	WIRE239 162	-	0.0	-	-	-	0.0	-	PIN1	-




Connector Name 6018  
 Part Number 3952655C1  
 Instances Eaton Ulltrashift:Eaton Ultrashift  
 Endurant:Endurant  
 Manual Transmission:Manual Transmission  
 TC10 Series:Powertrain Standard J1939 (500Kbps) A26 Engine  
 Mates MODU-ECM-A001-10-00



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
59	-	-	KH5S (-)	-	0.0	-	-	-	0.0	-	PIN1	-
59	-	-	KG5AE (-)	-	0.0	-	-	-	0.0	-	PIN1	-
59	-	-	XZ5R117	-	0.0	-	-	-	0.0	-	PIN1	-
59	-	-	KF5S(-)	-	0.0	-	-	-	0.0	-	PIN1	-
60	-	-	-	-	-	-	-	-	-	-	-	-
83	-	-	KH5S (+)	-	0.0	-	-	-	0.0	-	PIN1	-
83	-	-	KG5AE (+)	-	0.0	-	-	-	0.0	-	PIN1	-
83	-	-	XZ5R106	-	0.0	-	-	-	0.0	-	PIN1	-
83	-	-	KF5S (+)	-	0.0	-	-	-	0.0	-	PIN1	-
84	-	-	-	-	-	-	-	-	-	-	-	-

Connector Name 6033  
 Part Number 3917967C1  
 Instances  
   A26 - Interface Connector:Diagram1  
   A26 - Starting Aid (Flame Start):Diagram1  
   X15 - Selective Catalytic Reduction SCR ICT:Diagram2 -  
   Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-  
   Combination1  
   X15 - Selective Catalytic Reduction SCR ICT:Diagram2 -  
   Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-  
   Combination2  
   X15 - Selective Catalytic Reduction SCR ICT:Diagram2 -  
   Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-  
   Combination3  
   X15 - Selective Catalytic Reduction SCR ICT:Diagram2 -  
   Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-  
   Combination4




Mates CONN-ENGINE\_INTERFACE-5057 -01-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CD21B1	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1280.0	-	6	8410
B	-	-	CD21B2	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1280.0	-	7	8410
C	-	-	CD21B3	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1280.0	-	8	8410
D	-	-	AL13AB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1660.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	AN13AB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1660.0	-	X	-
D	-	-	AM13AB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1660.0	-	X	-
E	-	-	KA41A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1490.0	-	31	C1-6018
F	-	-	KA41-GA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1490.0	-	11	C1-6018
G	-	-	KA41-GB	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1015.0	-	X	-
H	-	-	KA41-GC	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1015.0	-	X	-

Connector Name 6049  
 Part Number 3866817C1  
 Instances Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External  
 Switch:Diagram1-Combination1 - T08-6100D  
 Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External  
 Switch:Diagram1-Combination2 - T09-6100D  
 Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External  
 Switch:Diagram1-Combination3 - T10-6100D  
 Mates 12 Volt No-Idle Battery



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	14-G	2645943 R1	80.32	0.0	SGR 125	BLACK	1140.0	-	1	J1

Connector Name 6049\_A  
 Part Number 3866817C1  
 Instances A26 - Battery International (4) 12V 3700CCA:Diagram1  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram1 - W/ Bosch LH160, LH200, LIL165, LIL200  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram2 - W/ Leece Neville AVI160-210A/240A  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram3 - W/ Leece Neville AVI160 w/o Remote Sense  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram4 - W/ Delco Remy 38SI, 40SI  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram5 - W/ Delco Remy 28SI, 36SI  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram6 - W/ Leece Neville 320PAH, LN325  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram7 - W/ Delco Remy 40SI (08GHJ)  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram1 - W/ Bosch LH160, LH200, LIL165, LIL200  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram2 - W/ Leece Neville AVI160-210A/240A  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram3 - W/ Leece Neville AVI160 w/o Remote Sense  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram4 - W/ Delco Remy 38SI, 40SI  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram5 - W/ Delco Remy 28SI, 36SI  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram6 - W/ Leece Neville 320PAH, LN325  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram7 - W/ Delco Remy 40SI (08GHJ)  
 X15 - Battery International (4) 12V 3700CCA:Diagram1




Mates BTRY-INTL\_925CCA-BTRY-00-0 3A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	14-G	2645943 R1	80.32	0.0	SGR 125	BLACK	1140.0	-	A	J2
1	-	-	14-G	2645943 R1	80.32	0.0	SGR 125	BLACK	1140.0	-	1	J1


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	14-G	2645943 R1	80.32	0.0	SGR 125	BLACK	1140.0	-	1	6049_B
1	-	-	14-G	2645943 R1	80.32	0.0	SGR 125	BLACK	1140.0	-	1	6049_C

Connector Name 6049\_B  
 Part Number 3866817C1  
 Instances A26 - Battery International (4) 12V 3700CCA:Diagram1  
 X15 - Battery International (4) 12V 3700CCA:Diagram1  
 Mates BTRY-INTL\_925CCA-BTRY-00-0 3B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	14-G	2645943 R1	80.32	0.0	SGR 125	BLACK	1140.0	-	1	6049_A
1	-	-	KA41-GH	2644025 R1	18.94	4.0	Std. Wall XLPE Battery Cable	WHITE	1995.0	-	X	-
1	-	-	14-G	2645943 R1	80.32	0.0	SGR 125	BLACK	1140.0	-	-	-


Connector Name 6049\_C  
 Part Number 3866817C1  
 Instances A26 - Battery International (4) 12V 3700CCA:Diagram1  
 X15 - Battery International (4) 12V 3700CCA:Diagram1  
 Mates BTRY-INTL\_925CCA-BTRY-00-0 3C



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	14-G	2645943 R1	80.32	0.0	SGR 125	BLACK	1140.0	-	-	-
1	-	-	14-G	2645943 R1	80.32	0.0	SGR 125	BLACK	1140.0	-	1	6049_A




Connector Name 6049\_D  
 Part Number 3866817C1  
 Instances A26 - Battery International (4) 12V 3700CCA:Diagram1  
 X15 - Battery International (4) 12V 3700CCA:Diagram1  
 Mates BTRY-INTL\_925CCA-BTRY-00-0 3D




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	14-G	2645943 R1	80.32	0.0	SGR 125	BLACK	1140.0	-	-	-

Connector Name 6051  
 Part Number RING-E-3-8\_0  
 Instances A26 - Bosch LIL165 LIL200 Alternator:Diagram1  
 Mates BTRY-INTL\_650CCA-BTRY-00-0 2A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JS1B	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	230.0	-	A	J1

Connector Name 6051  
 Part Number RING-E-3-8\_0  
 Instances A26 - Delco Remy 28SI Alternator:Diagram1  
 Mates BTRY-INTL\_650CCA-BTRY-00-0 2A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JS1B	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	230.0	-	A	J1

Connector Name 6051  
 Part Number RING-E-3-8\_0  
 Instances A26 - Delco Remy 36SI Alternator:Diagram1  
 Mates BTRY-INTL\_650CCA-BTRY-00-0 2A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JS1B	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	230.0	-	A	J1

Connector Name 6051  
 Part Number RING-E-3-8\_0  
 Instances A26 - Delco Remy 40SI Alternator:Diagram1-Combination1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	-	-	-	-	-	-	-	-	-	-

Connector Name 6051  
 Part Number RING-E-3-8\_0  
 Instances A26 - Delco Remy 40SI Alternator:Diagram1-Combination2  
 Mates BTRY-INTL\_650CCA-BTRY-00-0 2A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JS1B	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	230.0	-	A	J1

Connector Name 6051  
 Part Number RING-E-3-8\_0  
 Instances A26 - Leece-Neville AV1160-210A/240A Alternator:Diagram1  
 Mates BTRY-INTL\_650CCA-BTRY-00-0 2A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JS1B	2643692 R1	1.91	14.0	Std. Wall XLPE Primary Cable	TAN	130.0	-	A	J1


Connector Name 6051  
 Part Number RING-E-3-8\_0  
 Instances A26 - Leece-Neville - LN 325A Alternator:Diagram1  
 Mates BTRY-INTL\_650CCA-BTRY-00-0 2A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JS1B	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	230.0	-	A	J1




Connector Name 6051  
 Part Number 3866817C1  
 Instances Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External  
 Switch:Diagram1-Combination1 - T08-6100D  
 Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External  
 Switch:Diagram1-Combination2 - T09-6100D  
 Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External  
 Switch:Diagram1-Combination3 - T10-6100D  
 X15 - Leece-Neville AV1160-210A/240A Alternator:Diagram1-  
 Combination1 - K02-6100E  
 Mates 12 Volt No-Idle Battery



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	JS1B	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	230.0	-	A	1F
1	-	-	14	2645967 R1	80.32	0.0	SGR 125	RED	1750.0	-	1	6301

Connector Name 6051\_A  
 Part Number 3866817C1  
 Instances  
 A26 - Battery International (4) 12V 3700CCA:Diagram1  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram1 - W/ Bosch LH160, LH200, LIL165, LIL200  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram2 - W/ Leece Neville AVI160-210A/240A  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram3 - W/ Leece Neville AVI160 w/o Remote Sense  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram4 - W/ Delco Remy 38SI, 40SI  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram5 - W/ Delco Remy 28SI, 36SI  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram6 - W/ Leece Neville 320PAH, LN325  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram7 - W/ Delco Remy 40SI (08GHJ)  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram1 - W/ Bosch LH160, LH200, LIL165, LIL200  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram2 - W/ Leece Neville AVI160-210A/240A  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram3 - W/ Leece Neville AVI160 w/o Remote Sense  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram4 - W/ Delco Remy 38SI, 40SI  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram5 - W/ Delco Remy 28SI, 36SI  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram6 - W/ Leece Neville 320PAH, LN325  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram7 - W/ Delco Remy 40SI (08GHJ)  
 X15 - Battery International (4) 12V 3700CCA:Diagram1




Mates BTRY-INTL\_925CCA-BTRY-00-0 3A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	1/0	2645962 R1	49.99	0.0	SGX NFLEX 125	RED	210.0	-	1	6305


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	14	2645967 R1	80.32	0.0	SGR 125	RED	1750.0	-	1	6305
1	-	-	1/0	2645962 R1	49.99	0.0	SGX NFLEX 125	RED	210.0	-	-	-
1	-	-	14	2645967 R1	80.32	0.0	SGR 125	RED	1750.0	-	-	-
1	-	-	14	2645967 R1	80.32	0.0	SGR 125	RED	1750.0	-	1	6051_B

Connector Name 6051\_B  
 Part Number 3866817C1  
 Instances A26 - Battery International (4) 12V 3700CCA:Diagram1  
 X15 - Battery International (4) 12V 3700CCA:Diagram1  
 Mates BTRY-INTL\_925CCA-BTRY-00-0 3B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	1/0	2645962 R1	49.99	0.0	SGX NFLEX 125	RED	210.0	-	-	-
1	-	-	14	2645967 R1	80.32	0.0	SGR 125	RED	1750.0	-	1	6051_A

Connector Name 6051\_C  
 Part Number 3866817C1  
 Instances A26 - Battery International (4) 12V 3700CCA:Diagram1  
 X15 - Battery International (4) 12V 3700CCA:Diagram1  
 Mates BTRY-INTL\_925CCA-BTRY-00-0 3C




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	1/0	2645962 R1	49.99	0.0	SGX NFLEX 125	RED	210.0	-	1	6051_D
1	-	-	14	2645967 R1	80.32	0.0	SGR 125	RED	1750.0	-	-	-

Connector Name 6051\_D  
 Part Number 3866817C1  
 Instances A26 - Battery International (4) 12V 3700CCA:Diagram1  
 X15 - Battery International (4) 12V 3700CCA:Diagram1  
 Mates BTRY-INTL\_925CCA-BTRY-00-0 3D




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	1/0	2645962 R1	49.99	0.0	SGX NFLEX 125	RED	210.0	-	1	6051_C

Connector Name 6100A  
 Part Number RING-M-8\_0  
 Instances X15 - Leece-Neville AVI160 Alternator:Diagram1-Combination1 - K02-6100A  
 Mates DEV-Leece\_Neville\_AVI\_160\_Alternator



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	VG2	3592739 R1	32.19	2.0	Std. Wall XLPE Battery Cable	RED	2870.0	-	PIN1	-


Connector Name 6100B  
 Part Number RING-M-8\_0  
 Instances X15 - Bosch LH160\_LH200 Alternator1:Diagram1-Combination1  
 - K02-6100B  
 Mates DEV-Bosch\_LH160\_LG200\_Alte rnator



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KB2	3592739 R1	32.19	2.0	Std. Wall XLPE Battery Cable	RED	2870.0	-	X	-




Connector Name 6100D  
 Part Number RING-M-8\_0  
 Instances A26 - Leece-Neville AVI160-210A/240A Alternator:Diagram1  
 Mates DEV-Leece\_Neville\_AVI160\_2 10A\_240A\_Alternator-4004-01-04B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	VH2	2645958 R1	39.43	1.0	SGR 125	RED	2925.0	-	X	-

Connector Name 6100D  
 Part Number RING-M-8\_0  
 Instances A26 - Leece-Neville 320PAH Alternator:Diagram1  
 Mates DEV-Leece\_Neville\_320PAH\_A lternator-4004-01-03B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	K2	2645228 R1	61.89	0.0	SGX FLEX 125C	RED	2725.0	-	X	-

Connector Name 6100D\_1  
 Part Number RING-M-8\_0  
 Instances Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External  
 Switch:Diagram1-Combination1 - T08-6100D  
 X15 - Leece-Neville 320PAH Alternator:Diagram1-Combination1  
 - T08-6100D  
 Mates DEV-Leece\_Neville\_320PAH\_A lternator




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	K2	2645228 R1	61.89	0.0	SGX FLEX 125C	RED	2725.0	-	X	-
A	-	-	K2	2645228 R1	61.89	0.0	SGX FLEX 125C	RED	2725.0	-	A	6100D_2

Connector Name 6100D\_2  
 Part Number RING-E-5-16\_0  
 Instances Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External  
 Switch:Diagram1-Combination2 - T09-6100D




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	K2	2645228 R1	61.89	0.0	SGX FLEX 125C	RED	2725.0	-	A	6100D_1

Connector Name 6100D\_3  
 Part Number RING-M-8\_0  
 Instances Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External  
 Switch:Diagram1-Combination3 - T10-6100D




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	K2	2645228 R1	61.89	0.0	SGX FLEX 125C	RED	2725.0	-	-	-

Connector Name 6100E  
 Part Number RING-M-8\_0  
 Instances X15 - Leece-Neville AVI160-210A/240A Alternator:Diagram1-Combination1 - K02-6100E  
 Mates DEV-Leece\_Neville\_AVI160\_2 10A\_240A\_Alternator




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	VM2	3592740 R1	39.43	1.0	Std. Wall XLPE Battery Cable	RED	2810.0	-	X	-

Connector Name 6100G  
 Part Number RING-M-8\_0  
 Instances A26 - Bosch LH160 LH200 Alternator:Diagram1  
 A26 - Bosch LIL165 LIL200 Alternator:Diagram1  
 Mates DEV-Bosch\_LH160\_LG200\_Alte rnator- 4004-01-01B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	VM2	3592740 R1	39.43	1.0	Std. Wall XLPE Battery Cable	RED	2810.0	-	X	-


Connector Name 6100H  
 Part Number RING-M-8\_0  
 Instances A26 - Delco Remy 28SI Alternator:Diagram1  
 Mates DEV-Delco\_Remy\_28SI\_Alternator-4004-01-05B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	LD2	2645955 R1	32.19	2.0	SGR 125	RED	2995.0	-	X	-




Connector Name 6100J  
 Part Number RING-E-1-4\_0  
 Instances A26 - Delco Remy 36SI Alternator:Diagram1  
 Mates DEV-Delco\_Remy\_36SI\_Altern ator-4004-01-07B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	LD2	2645955 R1	32.19	2.0	SGR 125	RED	2995.0	-	X	-

Connector Name 6101A  
 Part Number RING-M-8\_0  
 Instances X15 - Leece-Neville AVI160 Alternator:Diagram1-Combination1 - K02-6100A  
 Mates DEV-Leece\_Neville\_AVI\_160\_Alternator




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	VG2-G	3592741 R1	32.19	2.0	Std. Wall XLPE Battery Cable	WHITE	3270.0	-	1	J1

Connector Name 6101B  
 Part Number RING-M-6\_0  
 Instances X15 - Bosch LH160\_LH200 Alternator1:Diagram1-Combination1  
 - K02-6100B  
 Mates DEV-Bosch\_LH160\_LG200\_Alte rnator




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KB2-G	3592741 R1	32.19	2.0	Std. Wall XLPE Battery Cable	WHITE	3020.0	-	1	J1

Connector Name 6101D  
 Part Number RING-M-10\_0  
 Instances A26 - Leece-Neville 320PAH Alternator:Diagram1  
 Mates DEV-Leece\_Neville\_320PAH\_A lternator-4004-01-03B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	K2-G	2645227 R1	61.89	0.0	SGX FLEX 125C	BLACK	3155.0	-	1	6314

Connector Name 6101D  
 Part Number RING-M-8\_0  
 Instances A26 - Leece-Neville AVI160-210A/240A Alternator:Diagram1  
 Mates DEV-Leece\_Neville\_AVI160\_2 10A\_240A\_Alternator-4004-01-04B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	VH2-G	2645934 R1	39.43	1.0	SGR 125	BLACK	2880.0	-	1	6314

Connector Name 6101D\_1  
 Part Number RING-M-10\_0  
 Instances Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External  
 Switch:Diagram1-Combination1 - T08-6100D  
 X15 - Leece-Neville 320PAH Alternator:Diagram1-Combination1  
 - T08-6100D  
 Mates DEV-Leece\_Neville\_320PAH\_A lternator




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	K2-G	2645227 R1	61.89	0.0	SGX FLEX 125C	BLACK	3155.0	-	1	6302B
1	-	-	K2-G	2645227 R1	61.89	0.0	SGX FLEX 125C	BLACK	3155.0	-	-	-

Connector Name 6101D\_2  
 Part Number RING-E-5-16\_0  
 Instances Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External  
 Switch:Diagram1-Combination2 - T09-6100D



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	K2-G	2645227 R1	61.89	0.0	SGX FLEX 125C	BLACK	3155.0	-	-	-


Connector Name 6101D\_3  
 Part Number RING-M-8\_0  
 Instances Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External  
 Switch:Diagram1-Combination3 - T10-6100D



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	K2-G	2645227 R1	61.89	0.0	SGX FLEX 125C	BLACK	3155.0	-	1	6302B




Connector Name 6101D\_4  
 Part Number RING-M-8\_0  
 Instances A26 - Leece-Neville - LN 325A Alternator:Diagram1  
 Mates DEV-Leece-Neville\_LN320\_Alt ernator-4004-01-09B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	K2	2645228 R1	61.89	0.0	SGX FLEX 125C	RED	2725.0	-	X	-

Connector Name 6101D\_5  
 Part Number RING-E-5-16\_0  
 Instances A26 - Delco Remy 40SI Alternator:Diagram1-Combination1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	LC2	2645958 R1	39.43	1.0	SGR 125	RED	2960.0	-	X	-

Connector Name 6101D\_6  
 Part Number RING-E-5-16\_0  
 Instances A26 - Delco Remy 40SI Alternator:Diagram1-Combination2  
 Cranking (Starter) W/O Thermal Overcrank Wiring  
 (A26):Diagram7 - W/ Delco Remy 40SI (08GHJ)  
 Mates DEV-Delco\_Remy\_40SI\_Alternator-4004-01-06B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	DL2	2645964 R1	61.89	0.0	SGR 125	RED	2960.0	-	X	-

Connector Name 6101D\_7  
 Part Number RING-M-8\_0  
 Instances A26 - Leece-Neville AVI160 Alternator:Diagram1  
 Mates DEV-Leece\_Neville\_AVI\_160\_Alternator-4004-01-02B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	VG2	3592739 R1	32.19	2.0	Std. Wall XLPE Battery Cable	RED	2870.0	-	X	-

Connector Name 6101E  
 Part Number RING-M-8\_0  
 Instances X15 - Leece-Neville AVI160-210A/240A Alternator:Diagram1-Combination1 - K02-6100E  
 Mates DEV-Leece\_Neville\_AVI160\_2 10A\_240A\_Alternator




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	VM2-G	3592742 R1	39.43	1.0	Std. Wall XLPE Battery Cable	WHITE	3000.0	-	1	J1

Connector Name 6101G  
 Part Number RING-M-6\_0  
 Instances A26 - Bosch LH160 LH200 Alternator:Diagram1  
 A26 - Bosch LIL165 LIL200 Alternator:Diagram1  
 Mates DEV-Bosch\_LH160\_LG200\_Alternator- 4004-01-01B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	VM2-G	3592742 R1	39.43	1.0	Std. Wall XLPE Battery Cable	WHITE	3000.0	-	1	6314

Connector Name 6101H  
 Part Number RING-M-6\_0  
 Instances A26 - Delco Remy 28SI Alternator:Diagram1  
 Mates DEV-Delco\_Remy\_28SI\_Alternator-4004-01-05B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	LD2-G	2645931 R1	32.19	2.0	SGR 125	BLACK	2885.0	-	1	6314


Connector Name 6101J  
 Part Number RING-E-1-4\_0  
 Instances A26 - Delco Remy 36SI Alternator:Diagram1  
 Mates DEV-Delco\_Remy\_36SI\_Alternator-4004-01-07B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	LD2-G	2645931 R1	32.19	2.0	SGR 125	BLACK	2885.0	-	1	6314




Connector Name 6101\_4  
 Part Number RING-M-8\_0  
 Instances A26 - Leece-Neville - LN 325A Alternator:Diagram1  
 Mates DEV-Leece-Neville\_LN320\_Alt ernator-4004-01-09B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	K2-G	2645227 R1	61.89	0.0	SGX FLEX 125C	BLACK	3155.0	-	1	6314

Connector Name 6101\_5  
 Part Number RING-E-5-16\_0  
 Instances A26 - Delco Remy 40SI Alternator:Diagram1-Combination1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	LC2-G	2645934 R1	39.43	1.0	SGR 125	BLACK	2880.0	-	1	6314

Connector Name 6101\_6  
 Part Number RING-E-5-16\_0  
 Instances A26 - Delco Remy 40SI Alternator:Diagram1-Combination2  
 Cranking (Starter) W/O Thermal Overcrank Wiring  
 (A26):Diagram7 - W/ Delco Remy 40SI (08GHJ)  
 Mates DEV-Delco\_Remy\_40SI\_Altern ator-4004-01-06B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	DL2-G	2645940 R1	61.89	0.0	SGR 125	BLACK	2880.0	-	1	6314

Connector Name 6101\_7  
 Part Number RING-M-8\_0  
 Instances A26 - Leece-Neville AVI160 Alternator:Diagram1  
 Mates DEV-Leece\_Neville\_AVI\_160\_Alternator-4004-01-02B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	VG2-G	3592741 R1	32.19	2.0	Std. Wall XLPE Battery Cable	WHITE	3270.0	-	1	6314

Connector Name 6104  
 Part Number 6113104C1  
 Instances A26 - Starting Aid (Flame Start):Diagram1  
 Mates SOL-COLD\_START-5022-02-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	CD99D	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1640.0	-	50	C1-6018
2	-	-	CD95GC	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	1430.0	-	X	-

Connector Name 6200  
 Part Number 1671610C1  
 Instances A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 - Base HVAC-Combination1  
 A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 - Base HVAC-Combination2  
 X15 - Heating Ventilation Air Conditioning (HVAC):Diagram1 - Base HVAC  
 Mates DEV-FREON\_COMPRESSOR-6003- 04-04A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KA77-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2510.0	-	1	-
A	-	-	WC10-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	4250.0	-	-	-
B	-	-	KA77	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2180.0	-	10	1702M
B	-	-	KA77	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2180.0	-	10	1702

Connector Name 6201A  
 Part Number 3600324C1  
 Short Description A/C PRESSURE TRANSDUCER  
 Instances A26 - Powertrain ZVR Splice Packs:Diagram 1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	YM9AB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2050.0	-	B	6702_1


Connector Name 6201B  
 Part Number 3600324C1  
 Instances A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 - Base HVAC-Combination1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	YN9AB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1970.0	-	-	-
2	-	-	YN77B	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2485.0	-	4	1702
3	-	-	YN77C	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2485.0	-	42	1702
4	-	-	YN6DB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2485.0	-	3	1702




Connector Name 6201P  
 Part Number 3600324C1  
 Instances A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 - Base HVAC-Combination2  
 Mates SNSR-AC\_PT-6003-04-04A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	YL9AB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2080.0	-	-	-
2	-	-	YL77B	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2595.0	-	4	1702
3	-	-	YL77C	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2595.0	-	42	1702
4	-	-	YL6DB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2595.0	-	3	1702

Connector Name 6201  
 Part Number 3600324C1  
 Instances X15 - Heating Ventilation Air Conditioning (HVAC):Diagram1 - Base HVAC  
 Mates SNSR-AC\_PT-6003-04-04A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	YB9AB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1240.0	-	-	-
2	-	-	YB77B	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2770.0	-	4	1702M
3	-	-	YB77C	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2770.0	-	42	1702M
4	-	-	YB6DB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2770.0	-	3	1702M

Connector Name 6202  
 Part Number 3590299C1  
 Instances A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 - Base HVAC-Combination1  
 A26 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 - Base HVAC-Combination2  
 X15 - Heating Ventilation Air Conditioning (HVAC):Diagram1 - Base HVAC  
 Mates SNSR-LOW\_PRESSURE-6003-04- 04A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AA9AE	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	665.0	-	X	-
B	-	-	AA74J	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1810.0	-	D6	1M
B	-	-	AA74J	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1810.0	-	D6	1M_IP12

Connector Name 6301  
 Part Number RING-M-12\_0  
 Instances Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch:Diagram1-Combination1 - T08-6100D  
 Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch:Diagram1-Combination2 - T09-6100D  
 Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch:Diagram1-Combination3 - T10-6100D  
 X15 - Bosch LH160\_LH200 Alternator1:Diagram1-Combination1 - K02-6100B  
 X15 - Leece-Neville 320PAH Alternator:Diagram1-Combination1 - T08-6100D  
 X15 - Leece-Neville AV1160 Alternator:Diagram1-Combination1 - K02-6100A  
 X15 - Leece-Neville AV1160-210A/240A Alternator:Diagram1-Combination1 - K02-6100E




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	KB2A-FL	2643473 R1	4.81	10.0	FUSEABLE LINK	RUST	150.0	-	X	-
1	-	-	VM2A-FL	2643473 R1	4.81	10.0	FUSEABLE LINK	RUST	150.0	-	X	-
1	-	-	K2A-FL	2643473 R1	4.81	10.0	FUSEABLE LINK	RUST	150.0	-	X	-
1	-	-	VG2A-FL	2643473 R1	4.81	10.0	FUSEABLE LINK	RUST	150.0	-	PIN1	-
1	-	-	14	2645967 R1	80.32	0.0	SGR 125	RED	1750.0	-	1	6051

Connector Name 6305M  
 Part Number RING-M-5\_0  
 Instances Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External  
 Switch:Diagram1-Combination1 - T08-6100D  
 Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External  
 Switch:Diagram1-Combination2 - T09-6100D  
 Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External  
 Switch:Diagram1-Combination3 - T10-6100D  
 Mates MOT-STARTER-5024-01-03



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	VK17D	2643752 R1	1.16	16.0	Std. Wall XLPE Primary Cable	PINK	750.0	-	A	6316M

Connector Name 6305  
 Part Number RING-M-12\_0  
 Instances  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram1 - W/ Bosch LH160, LH200, LIL165, LIL200  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram2 - W/ Leece Neville AVI160-210A/240A  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram3 - W/ Leece Neville AVI160 w/o Remote Sense  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram4 - W/ Delco Remy 38SI, 40SI  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram5 - W/ Delco Remy 28SI, 36SI  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram6 - W/ Leece Neville 320PAH, LN325  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram7 - W/ Delco Remy 40SI (08GHJ)  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram1 - W/ Bosch LH160, LH200, LIL165, LIL200  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram2 - W/ Leece Neville AVI160-210A/240A  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram3 - W/ Leece Neville AVI160 w/o Remote Sense  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram4 - W/ Delco Remy 38SI, 40SI  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram5 - W/ Delco Remy 28SI, 36SI  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram6 - W/ Leece Neville 320PAH, LN325  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram7 - W/ Delco Remy 40SI (08GHJ)




Mates MOT-STARTER-5024-01-03

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	DL2B-FL	2643473 R1	4.81	10.0	FUSEABLE LINK	RUST	160.0	-	X	-
1	-	-	VH2B-FL	2643473 R1	4.81	10.0	FUSEABLE LINK	RUST	160.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	VM2A-FL	2643473 R1	4.81	10.0	FUSEABLE LINK	RUST	150.0	-	X	-
1	-	-	LD2A-FL	2643473 R1	4.81	10.0	FUSEABLE LINK	RUST	160.0	-	X	-
1	-	-	K2B-FL	2643473 R1	4.81	10.0	FUSEABLE LINK	RUST	1750.0	-	X	-
1	-	-	VG2A-FL	2643473 R1	4.81	10.0	FUSEABLE LINK	RUST	150.0	-	X	-
1	-	-	LC2B-FL	2643473 R1	4.81	10.0	FUSEABLE LINK	RUST	160.0	-	X	-
1	-	-	1/0	2645962 R1	49.99	0.0	SGX NFLEX 125	RED	210.0	-	1	6051_A
1	-	-	14	2645967 R1	80.32	0.0	SGR 125	RED	1750.0	-	1	6051_A

Connector Name 6306/6307  
 Part Number RING-M-6\_0  
 Instances Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram1 - W/ Bosch LH160, LH200, LIL165, LIL200  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram2 - W/ Leece Neville AVI160-210A/240A  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram3 - W/ Leece Neville AVI160 w/o Remote Sense  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram4 - W/ Delco Remy 38SI, 40SI  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram5 - W/ Delco Remy 28SI, 36SI  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram6 - W/ Leece Neville 320PAH, LN325  
 Cranking (Starter) W/O Thermal Overcrank Wiring (A26):Diagram7 - W/ Delco Remy 40SI (08GHJ)



Mates MOT-STARTER-5024-01-04A


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KR17	2643752 R1	1.16	16.0	Std. Wall XLPE Primary Cable	PINK	3645.0	-	16	1702



Connector Name 6306/6307

Part Number 2036583C1


Instances A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram1 - W/ Bosch LH160, LH200, LIL165, LIL200  
A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram2 - W/ Leece Neville AVI160-210A/240A  
A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram3 - W/ Leece Neville AVI160 w/o Remote Sense  
A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram4 - W/ Delco Remy 38SI, 40SI  
A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram5 - W/ Delco Remy 28SI, 36SI  
A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram6 - W/ Leece Neville 320PAH, LN325  
A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram7 - W/ Delco Remy 40SI (08GHJ)



Mates MOT-STARTER-5024-01-03


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	LB17D	2643752 R1	1.16	16.0	Std. Wall XLPE Primary Cable	PINK	1285.0	-	1	6317
B	-	-	LB17	2643752 R1	1.16	16.0	Std. Wall XLPE Primary Cable	PINK	3440.0	-	16	1702

Connector Name 6316M  
 Part Number 2036583C1  
 Short Description THERMAL OVERCRANK  
 Instances Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch:Diagram1-Combination1 - T08-6100D  
 Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch:Diagram1-Combination2 - T09-6100D  
 Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch:Diagram1-Combination3 - T10-6100D  
 Mates MOT-STARTER-5024-01-03



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	VK17D	2643752 R1	1.16	16.0	Std. Wall XLPE Primary Cable	PINK	750.0	-	1	6305M
B	-	-	VK17	2643752 R1	1.16	16.0	Std. Wall XLPE Primary Cable	PINK	1310.0	-	16	1702M


Connector Name 6317  
 Part Number RING-M-5\_0  
 Instances  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram1 - W/ Bosch LH160, LH200, LIL165, LIL200  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram2 - W/ Leece Neville AVI160-210A/240A  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram3 - W/ Leece Neville AVI160 w/o Remote Sense  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram4 - W/ Delco Remy 38SI, 40SI  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram5 - W/ Delco Remy 28SI, 36SI  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram6 - W/ Leece Neville 320PAH, LN325  
 A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch:Diagram7 - W/ Delco Remy 40SI (08GHJ)



Mates MOT-STARTER-5024-01-03


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	LB17D	2643752 R1	1.16	16.0	Std. Wall XLPE Primary Cable	PINK	1285.0	-	A	6306/6307

Connector Name 6400A  
 Part Number 3522068C1  
 Instances A26 - Cooling Fan Control Two-Speed:Diagram1  
 Mates SOL-FAN\_2SPEED-5014-01-04A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ZC23A2	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	550.0	-	X	-
B	-	-	ZA23-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1325.0	-	76	C1-6018

Connector Name 6400  
 Part Number 3522068C1  
 Instances A26 - Engine Control Module:Connector C1-6018  
 X15 - Cooling Fan Control ON/OFF:Diagram1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TK23	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1180.0	-	78	6000
B	-	-	ZR23-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1100.0	-	76	C1-6018
B	-	-	TK23-G	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	750.0	-	X	-

Connector Name 6401  
 Part Number 1671610C1  
 Instances X15 - Coolant Level Monitoring:Diagram1  
 Mates SNSR-COOLANT-LEV-5012-05-0 3A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KA34	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	1070.0	-	B	1378
B	-	-	KA34A	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	1070.0	-	E	1378

Connector Name 6401\_1  
 Part Number 3662425C1  
 Instances A26 - Coolant Level Monitoring:Diagram1  
 Mates SNSR-COOLANT-LEV-5012-04-0 1A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KB34D	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2945.0	-	8	C1-6018
B	-	-	KB34B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2515.0	-	-	-


Connector Name 6407  
 Part Number 3662425C1  
 Instances A26 - Engine Control Module:Connector C1-6018  
 A26 - Powertrain ZVR Splice Packs:Diagram 1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KC34D	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2795.0	-	8	C1-6018
B	-	-	KC34B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2365.0	-	F	6704B




Connector Name 6550  
 Part Number 1671610C1  
 Instances X15 - Starting Aid Ether Start:Diagram1  
 Mates SO-ETHER\_CTRL-VALVE-5022-0 1-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KU21	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	1300.0	-	75	6000
B	-	-	KU21A	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	1300.0	-	76	6000

Connector Name 6564  
 Part Number 374377C2  
 Instances A26 - Starting Aid (Flame Start):Diagram1  
 Mates DEV-FLAME\_START\_GLOW-5022- 02-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	CD21A1	2643797 R1	3.01	12.0	Std. Wall XLPE Primary Cable	TAN	1350.0	-	1	8410
1	-	-	CD21A2	2643797 R1	3.01	12.0	Std. Wall XLPE Primary Cable	TAN	1350.0	-	2	8410

Connector Name 6565  
 Part Number 3752570C1  
 Instances A26 - Underhood PDM:PDM - UNDERHOOD



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	CD14A	3525611 R1	7.48	8.0	Thin Wall XLPE Primary Cable	RED	1720.0	-	-	-
1	-	-	CC14A	3525611 R1	7.48	8.0	Thin Wall XLPE Primary Cable	RED	1720.0	-	-	-


Connector Name 6567  
 Part Number 6113341C1  
 Instances A26 - Underhood PDM:PDM - UNDERHOOD  
 X15 - Underhood PDM:PDM - UNDERHOOD  
 X15 Endurant - Underhood PDM:PDM - UNDERHOOD  
 Mates MODU-PDM\_UNDERHOOD-0003-00 -04



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	KA14B	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	280.0	-	-	-
7	-	-	TZ92A170	2643686 R1	1.91	14.0	Std. Wall XLPE Primary Cable	RED	4100.0	-	X	-
7	-	-	XV92#110	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	3790.0	-	-	-
7	-	-	TD92A170	2643686 R1	1.91	14.0	Std. Wall XLPE Primary Cable	RED	4215.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	KH14A	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	2466.0	-	-	-
7	-	-	LJ14A	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	3890.0	-	-	-
7	-	-	KL14A	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	4425.0	-	-	-
13	-	-	KA14D	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	1990.0	-	-	-
13	-	-	KA14D	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	1990.0	-	X	-

Connector Name 670A/670B  
 Part Number 3573078C1  
 Instances Engine Private J1939 A26:Engine Private J1939 A26 Engine  
 Engine Private J1939 X15:Engine Private J1939 X15 Engine  
 Mates 670A/670B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
9	-	-	WIRE239163	-	0.0	-	-	-	0.0	-	PIN1	-
9	-	-	WIRE1721	-	0.0	-	-	-	0.0	-	2	8500
10	-	-	WIRE239165	-	0.0	-	-	-	0.0	-	PIN1	-
10	-	-	WIRE1722	-	0.0	-	-	-	0.0	-	9	8500
13	-	-	WIRE1719	-	0.0	-	-	-	0.0	-	13	674B
14	-	-	WIRE1720	-	0.0	-	-	-	0.0	-	14	674B

Connector Name 670A  
 Part Number 3573078C1  
 Instances X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve FT DEF Tank (L01)  
 X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve RR DEF Tank (L03)  
 Mates DPF-SensrTable-5041-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	TP95DVL	4073403 R1	0.53	20.0	TXL 150C	TAN	2305.0	-	53	6000
2	-	-	TP95DVH	4073403 R1	0.53	20.0	TXL 150C	TAN	2305.0	-	77	6000
3	-	-	TP95BA	4073403 R1	0.53	20.0	TXL 150C	TAN	2305.0	-	41	6000
4	-	-	TP95BC	4073403 R1	0.53	20.0	TXL 150C	TAN	2305.0	-	42	6000
5	-	-	TP6	2645915 R1	0.79	18.0	TXL 150C	TAN	2155.0	-	X	-
7	-	-	TP9	2645915 R1	0.79	18.0	TXL 150C	TAN	2105.0	-	X	-
8	-	-	TP95K	4073403 R1	0.53	20.0	TXL 150C	TAN	2305.0	-	16	6000
11	-	-	TL10-AH	4085637 R1	3.01	12.0	TXL 150C	WHITE	600.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
11	-	-	TM10-AH	4085637 R1	3.01	12.0	TXL 150C	WHITE	600.0	-	X	-
12	-	-	TL13R2	4085639 R1	3.01	12.0	TXL 150C	PINK	630.0	-	X	-
12	-	-	TM13R2	4085639 R1	3.01	12.0	TXL 150C	PINK	630.0	-	X	-




Connector Name 670A\_1  
 Part Number 3573078C1  
 Instances X15 - Selective Catalytic Reduction SCR ICT:Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-Combination1  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-Combination3  
 Mates DPF-SensrTable-5041-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AP95DVL	4073403 R1	0.53	20.0	TXL 150C	TAN	2795.0	-	6	C2-6019
2	-	-	AP95DVH	4073403 R1	0.53	20.0	TXL 150C	TAN	2795.0	-	1	C2-6019
3	-	-	AP95BA	2645915 R1	0.79	18.0	TXL 150C	TAN	2645.0	-	10	C1-6018
4	-	-	AP95BC	2645915 R1	0.79	18.0	TXL 150C	TAN	2645.0	-	7	C1-6018
5	-	-	ZU95DA	2645915 R1	0.79	18.0	TXL 150C	TAN	2645.0	-	36	C1-6018
7	-	-	AP9	4073403 R1	0.53	20.0	TXL 150C	TAN	2485.0	-	X	-
8	-	-	AP95K	2645915 R1	0.79	18.0	TXL 150C	TAN	2645.0	-	34	C1-6018
11	-	-	AL10-AG	4085637 R1	3.01	12.0	TXL 150C	WHITE	630.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
11	-	-	AM10-AG	4085637 R1	3.01	12.0	TXL 150C	WHITE	630.0	-	X	-
12	-	-	AL13R	4085639 R1	3.01	12.0	TXL 150C	PINK	600.0	-	X	-
12	-	-	AM13R	4085639 R1	3.01	12.0	TXL 150C	PINK	600.0	-	X	-


Connector Name 670B\_1  
 Part Number 3573078C1  
 Instances X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve RR DEF Tank (L03)  
 X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve, FT DEF Tank (L01)  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-Combination2  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-Combination4



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AY95DVL	4073403 R1	0.53	20.0	TXL 150C	TAN	2670.0	-	6	C2-6019
1	-	-	TY95DVL	4073403 R1	0.53	20.0	TXL 150C	TAN	4030.0	-	53	6000
2	-	-	AY95DVH	4073403 R1	0.53	20.0	TXL 150C	TAN	2670.0	-	1	C2-6019
2	-	-	TY95DVH	4073403 R1	0.53	20.0	TXL 150C	TAN	4030.0	-	77	6000
3	-	-	AY95BA	2645915 R1	0.79	18.0	TXL 150C	TAN	2520.0	-	10	C1-6018
3	-	-	TY95BA	4073403 R1	0.53	20.0	TXL 150C	TAN	4030.0	-	41	6000
4	-	-	AY95BC	2645915 R1	0.79	18.0	TXL 150C	TAN	2520.0	-	7	C1-6018
4	-	-	TY95BC	4073403 R1	0.53	20.0	TXL 150C	TAN	4030.0	-	42	6000

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
5	-	-	ZW95DA	2645915 R1	0.79	18.0	TXL 150C	TAN	2520.0	-	36	C1-6018
5	-	-	TY6	2645915 R1	0.79	18.0	TXL 150C	TAN	3880.0	-	X	-
7	-	-	AY9	4073403 R1	0.53	20.0	TXL 150C	TAN	2360.0	-	X	-
7	-	-	TY9	2645915 R1	0.79	18.0	TXL 150C	TAN	3830.0	-	X	-
8	-	-	AY95K	2645915 R1	0.79	18.0	TXL 150C	TAN	2520.0	-	34	C1-6018
8	-	-	TY95K	4073403 R1	0.53	20.0	TXL 150C	TAN	4030.0	-	16	6000
11	-	-	AN10-AG	4085637 R1	3.01	12.0	TXL 150C	WHITE	630.0	-	X	-
11	-	-	AS10-AG	4085637 R1	3.01	12.0	TXL 150C	WHITE	630.0	-	X	-
11	-	-	TS10-AH	4085637 R1	3.01	12.0	TXL 150C	WHITE	600.0	-	X	-
12	-	-	AN13R	4085639 R1	3.01	12.0	TXL 150C	PINK	600.0	-	X	-
12	-	-	TS13R2	4085639 R1	3.01	12.0	TXL 150C	PINK	630.0	-	X	-


Connector Name 6702  
 Part Number 3551896C1  
 Instances X15 - Powertrain ZVR Splice Packs:Diagram 1  
 Mates SP-ISX-B000-00-10-K1B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	YA9AA	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1730.0	-	-	-
B	-	-	YB9AB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1240.0	-	-	-
C	-	-	YE9AAD	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3160.0	-	-	-
C	-	-	YG9AAD	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3360.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	YC9AAD	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3630.0	-	-	-
D	-	-	KE9AAB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	720.0	-	-	-
E	-	-	KZ9AAC	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4130.0	-	-	-

Connector Name 6702\_1  
 Part Number 3551896C1  
 Instances A26 - Powertrain ZVR Splice Packs:Diagram 1  
 Mates SP-N13-B000-00-10-K1A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	YK9AA	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	715.0	-	-	-
B	-	-	YM9AB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2050.0	-	1	6201A
B	-	-	YL9AB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2080.0	-	-	-
B	-	-	YN9AB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1970.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	KK9AAD	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2705.0	-	-	-
C	-	-	PC9AAD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3170.0	-	-	-
C	-	-	WP9AAD	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	-	-
D	-	-	JE9AAB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1110.0	-	-	-
D	-	-	KE9AAB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	720.0	-	-	-
D	-	-	WW9AAB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1110.0	-	-	-
E	-	-	WN9AA	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1875.0	-	-	-




Connector Name 6703/A  
 Part Number 3522068C1  
 Instances A26 - Air Flow Restriction Monitoring:Diagram1-Combination1  
 A26 - Air Flow Restriction Monitoring:Diagram1-Combination2  
 Mates GAUG-AIR\_RESTRICTION-5010- 01-01B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JE9AAB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1110.0	-	-	-
A	-	-	KE9AAB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	720.0	-	-	-
B	-	-	KE28	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2350.0	-	5	1702
B	-	-	JE28	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	1625.0	-	5	1702


Connector Name 6703  
 Part Number 3551896C1  
 Instances X15 - Powertrain ZVR Splice Packs:Diagram 1  
 Mates SP-ISX-B000-00-10-K1A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KA95G	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	620.0	-	-	-
B	-	-	KC41D	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	640.0	-	15	1702M
C	-	-	GA95-GF	2643764 R1	0.53	20.0	Std. Wall XLPE Primary Cable	WHITE	1470.0	-	-	-
C	-	-	KY95-GG	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1570.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	KJ95-GF	2643764 R1	0.53	20.0	Std. Wall XLPE Primary Cable	WHITE	1520.0	-	-	-
D	-	-	GE44G	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	960.0	-	-	-


Connector Name 6704B  
 Part Number 3551896C1  
 Instances A26 - Powertrain ZVR Splice Packs:Diagram 1  
 Mates SP-N13-B000-00-10-K1B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AP9B	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	430.0	-	-	-
A	-	-	AY9B	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	430.0	-	-	-
B	-	-	WA92B20	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	295.0	-	X	-
B	-	-	WC92B20	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	295.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	VB95W	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1320.0	-	1	1874B
D	-	-	VA95W	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1320.0	-	-	-
D	-	-	VE95W	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1670.0	-	-	-
F	-	-	KC34B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2365.0	-	B	6407
F	-	-	KB34B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2515.0	-	-	-


Connector Name 6704  
 Part Number 3551896C1  
 Instances X15 - Powertrain Ground Splice Pack 1 OF 2:Diagram 1  
 X15 - Powertrain Ground Splice Pack 2 OF 2:Diagram 1  
 Mates SP-ISX-0003-00-10-K0A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KA10H2	3510363 R1	4.81	10.0	Thin Wall XLPE Primary Cable	WHITE	200.0	-	X	-
B	-	-	TJ95-GB	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	1160.0	-	-	-
B	-	-	TK95-GB	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	440.0	-	-	-
C	-	-	KA95-GC	3510293 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BLACK	1170.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	TM10-G	3510363 R1	4.81	10.0	Thin Wall XLPE Primary Cable	WHITE	100.0	-	-	-
D	-	-	TL10-G	3510363 R1	4.81	10.0	Thin Wall XLPE Primary Cable	WHITE	100.0	-	-	-
D	-	-	TS10-G	3510363 R1	4.81	10.0	Thin Wall XLPE Primary Cable	WHITE	100.0	-	-	-
E	-	-	KA10H3	3510363 R1	4.81	10.0	Thin Wall XLPE Primary Cable	WHITE	200.0	-	X	-

Connector Name 6704\_1  
 Part Number 3551896C1  
 Instances A26 - Powertrain Ground Splice Packs:Diagram 1  
 Mates SP-N13-0003-00-10-K0A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KA92F16	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	1185.0	-	-	-
B	-	-	AN10-H	3510363 R1	4.81	10.0	Thin Wall XLPE Primary Cable	WHITE	325.0	-	-	-
B	-	-	AL10-H	3510363 R1	4.81	10.0	Thin Wall XLPE Primary Cable	WHITE	325.0	-	-	-
B	-	-	AS10-H	3510363 R1	4.81	10.0	Thin Wall XLPE Primary Cable	WHITE	325.0	-	-	-



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	AM10-H	3510363 R1	4.81	10.0	Thin Wall XLPE Primary Cable	WHITE	325.0	-	-	-
C	-	-	KA41-GD	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	1560.0	-	-	-
D	-	-	XV92-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1725.0	-	-	-
E	-	-	KA41-GE	3510363 R1	4.81	10.0	Thin Wall XLPE Primary Cable	WHITE	85.0	-	-	-
F	-	-	KA41-GF	3510363 R1	4.81	10.0	Thin Wall XLPE Primary Cable	WHITE	85.0	-	-	-

Connector Name 674B  
 Part Number 6114577C1  
 Instances Engine Private J1939 A26:Engine Private J1939 A26 Engine  
 Engine Private J1939 X15:Engine Private J1939 X15 Engine  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater  
 & Supply Module Relays-Combination3  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater  
 & Supply Module Relays-Combination4  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram2 -  
 Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-  
 Combination3  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram2 -  
 Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-  
 Combination4  
 Mates 674




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AK95E	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1610.0	-	2	C2-6019
2	-	-	AK95F	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1460.0	-	4	C1-6018
3	-	-	AK95H	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1460.0	-	58	C1-6018
4	-	-	AK95AR1	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	210.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	CB95GE	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1460.0	-	1	C1-6018
6	-	-	AK95AB	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1460.0	-	28	C1-6018
7	-	-	AK95AS1	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	240.0	-	X	-
8	-	-	AK95AT1	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	330.0	-	PIN1	-
9	-	-	AK95AU1	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	360.0	-	X	-
10	-	-	AM95-GB	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	300.0	-	X	-
10	-	-	WIRE179	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	0.0	-	X	-
11	-	-	AN95-GL	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	300.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
11	-	-	AM95-GL	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	300.0	-	X	-
12	-	-	AN13AA	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	270.0	-	X	-
12	-	-	AM13AA	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	270.0	-	X	-
13	-	-	WIRE1719	-	0.0	-	-	-	0.0	-	13	670A/670B
14	-	-	WIRE1720	-	0.0	-	-	-	0.0	-	14	670A/670B


Connector Name 674F  
 Part Number 6114576C1  
 Instances X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater & Supply Module Relays DEF Tank (L03)  
 X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater & Supply Module Relays RR DEF Tank (L03)  
 X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve RR DEF Tank (L03)  
 X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve RR DEF Tank (L03)  
 Mates 674M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	95E	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	4	680_1
2	-	-	95F	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	3	680_1
3	-	-	95H	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	1	680_1
4	-	-	95AR	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	2	680_1

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	95AC	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	670.0	-	1	691_1
6	-	-	95AB	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	670.0	-	4	691_1
7	-	-	95AS	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	510.0	-	1	675_1
8	-	-	95AT	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	680.0	-	1	676_1
9	-	-	95AU	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	680.0	-	1	677_1
10	-	-	95-G	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	330.0	-	1	-
11	-	-	10-GL	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	530.0	-	3	678_1
12	-	-	13A	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	530.0	-	4	678_1

Connector Name 674F  
 Part Number 6114577C1  
 Instances X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater & Supply Module Relays FT DEF Tank (L01)  
 X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater & Supply Module Relays FT DEF Tank (L01)  
 X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve FT DEF Tank (L01)  
 X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve, FT DEF Tank (L01)  
 Mates 674M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	TK95E	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1150.0	-	54	6000
2	-	-	TK95F	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1150.0	-	6	6000
3	-	-	TK95H	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1170.0	-	1	8500
4	-	-	TK95AR1	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	210.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
5	-	-	TK95AC	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1150.0	-	82	6000
6	-	-	TK95AB	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	720.0	-	X	-
7	-	-	TK95AS1	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	240.0	-	X	-
8	-	-	TK95AT1	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	330.0	-	X	-
9	-	-	TK95AU1	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	360.0	-	X	-
10	-	-	TK95-GB	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	440.0	-	-	-
11	-	-	TM10-GL	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	440.0	-	X	-
12	-	-	TM13AA	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	270.0	-	X	-




Connector Name 674M  
 Part Number 6114576C1  
 Instances X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater & Supply Module Relays FT DEF Tank (L01)  
 X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater & Supply Module Relays FT DEF Tank (L01)  
 X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve FT DEF Tank (L01)  
 X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve, FT DEF Tank (L01)  
 Mates 674F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	95E	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	-	-
2	-	-	95F	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	-	-
3	-	-	95H	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	-	-
4	-	-	95AR	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	95AC	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	670.0	-	-	-
6	-	-	95AB	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	670.0	-	-	-
7	-	-	95AS	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	510.0	-	-	-
8	-	-	95AT	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	680.0	-	-	-
9	-	-	95AU	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	680.0	-	-	-
10	-	-	95-G	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	330.0	-	-	-
11	-	-	10-GL	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	530.0	-	-	-
12	-	-	13A	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	530.0	-	-	-

Connector Name 674M  
 Part Number 6114577C1  
 Instances X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater & Supply Module Relays DEF Tank (L03)  
 X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater & Supply Module Relays RR DEF Tank (L03)  
 X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve RR DEF Tank (L03)  
 X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve RR DEF Tank (L03)  
 Mates 674F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	TJ95E	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1870.0	-	54	6000
2	-	-	TJ95F	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1870.0	-	6	6000
3	-	-	TJ95H	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1890.0	-	1	8500
4	-	-	TJ95AR1	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	930.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
5	-	-	TJ95AC	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1870.0	-	82	6000
6	-	-	TJ95AB	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1440.0	-	X	-
7	-	-	TJ95AS1	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	960.0	-	X	-
8	-	-	TJ95AT1	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1050.0	-	X	-
9	-	-	TJ95AU1	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1080.0	-	X	-
10	-	-	TJ95-GB	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	1160.0	-	-	-
11	-	-	TS10-GL	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1160.0	-	X	-
11	-	-	TL10-GL	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1160.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
12	-	-	TS13AA	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	240.0	-	X	-
12	-	-	TL13AA	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	990.0	-	X	-

Connector Name 6748  
 Part Number 3602454C1  
 Instances Engine Private J1939 A26:Engine Private J1939 A26 Engine  
 Mates CONN-EGNR\_DIAGNOSTIC-0008- 01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE239167	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE239166	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 674  
 Part Number 6114576C1  
 Instances Engine Private J1939 A26:Engine Private J1939 A26 Engine  
 Engine Private J1939 X15:Engine Private J1939 X15 Engine  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater  
 & Supply Module Relays-Combination3  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater  
 & Supply Module Relays-Combination4  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram2 -  
 Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-  
 Combination3  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram2 -  
 Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-  
 Combination4  
 Mates 674B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	95E	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	-	-
2	-	-	95F	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	-	-
3	-	-	95H	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	-	-
4	-	-	95AR	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	95AC	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	670.0	-	-	-
6	-	-	95AB	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	670.0	-	-	-
7	-	-	95AS	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	510.0	-	-	-
8	-	-	95AT	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	680.0	-	-	-
9	-	-	95AU	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	680.0	-	-	-
10	-	-	95-G	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	330.0	-	-	-
11	-	-	10-GL	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	530.0	-	-	-
12	-	-	13A	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	530.0	-	-	-
13	-	-	WIRE1717	-	0.0	-	-	-	0.0	-	PIN1	-
14	-	-	WIRE1718	-	0.0	-	-	-	0.0	-	PIN1	-




Connector Name 674  
 Part Number 6114576C1  
 Instances X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater & Supply Module Relays-Combination1  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater & Supply Module Relays-Combination2  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-Combination1  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-Combination2  
 Mates 674



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	95E	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	4	680_3
2	-	-	95F	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	3	680_3
3	-	-	95H	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	1	680_3
4	-	-	95AR	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	2	680_3

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	95AC	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	670.0	-	1	691_3
6	-	-	95AB	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	670.0	-	4	691_3
7	-	-	95AS	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	510.0	-	1	675_3
8	-	-	95AT	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	680.0	-	1	676_3
9	-	-	95AU	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	680.0	-	1	677_3
10	-	-	95-G	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	330.0	-	1	-
11	-	-	10-GL	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	530.0	-	3	678_3
12	-	-	13A	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	530.0	-	4	678_3

Connector Name 674  
 Part Number 6114577C1  
 Short Description DEF TANK HARNESS CONNECTOR  
 Instances  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater & Supply Module Relays-Combination1  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater & Supply Module Relays-Combination2  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-Combination1  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-Combination2  
 Mates 674




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AJ95E	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	2190.0	-	2	C2-6019
2	-	-	AJ95F	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2040.0	-	4	C1-6018
3	-	-	AJ95H	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2040.0	-	58	C1-6018
4	-	-	AJ95AR1	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	790.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	CA95GE	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2040.0	-	1	C1-6018
6	-	-	AJ95AB	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2040.0	-	28	C1-6018
7	-	-	AJ95AS1	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	820.0	-	1	-
8	-	-	AJ95AT1	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	910.0	-	X	-
9	-	-	AJ95AU1	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	940.0	-	X	-
10	-	-	AL95-GB	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	880.0	-	X	-
10	-	-	AS95-GB	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	880.0	-	X	-
11	-	-	AL95-GL	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	880.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
11	-	-	AS95-GL	3510293 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BLACK	880.0	-	X	-
12	-	-	AL13AA	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	850.0	-	X	-

Connector Name 675  
 Part Number 3854665C91  
 Instances X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater & Supply Module Relays FT DEF Tank (L01)  
 X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater & Supply Module Relays FT DEF Tank (L01)




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	95AS	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	510.0	-	-	-
2	-	-	95-GA	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	180.0	-	-	-

Connector Name 675\_1  
 Part Number 3854665C91  
 Instances X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater & Supply Module Relays DEF Tank (L03)  
 X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater & Supply Module Relays RR DEF Tank (L03)  
 Mates HTR-BACKFLOW-5041-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	95AS	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	510.0	-	7	674F
2	-	-	95-GA	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	180.0	-	1	-


Connector Name 675\_2  
 Part Number 3854665C91  
 Instances X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater & Supply Module Relays-Combination3  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater & Supply Module Relays-Combination4



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	95AS	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	510.0	-	-	-
2	-	-	95-GA	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	180.0	-	-	-




Connector Name 675\_3  
 Part Number 3854665C91  
 Instances X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater & Supply Module Relays-Combination1  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater & Supply Module Relays-Combination2  
 Mates HTR-BACKFLOW-5041-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	95AS	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	510.0	-	7	674
2	-	-	95-GA	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	180.0	-	1	-

Connector Name 676  
 Part Number 3854666C91  
 Instances X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater & Supply Module Relays FT DEF Tank (L01)  
 X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater & Supply Module Relays FT DEF Tank (L01)




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	95AT	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	680.0	-	-	-
2	-	-	95-GB	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	350.0	-	-	-

Connector Name 676\_1  
 Part Number 3854666C91  
 Instances X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater & Supply Module Relays DEF Tank (L03)  
 X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater & Supply Module Relays RR DEF Tank (L03)  
 Mates HTR-PRESSURE-5041-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	95AT	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	680.0	-	8	674F
2	-	-	95-GB	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	350.0	-	1	-

Connector Name 676\_2  
 Part Number 3854666C91  
 Instances X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater & Supply Module Relays-Combination3  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater & Supply Module Relays-Combination4




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	95AT	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	680.0	-	-	-
2	-	-	95-GB	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	350.0	-	-	-

Connector Name 676\_3  
 Part Number 3854666C91  
 Instances X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater & Supply Module Relays-Combination1  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater & Supply Module Relays-Combination2  
 Mates HTR-PRESSURE-5041-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	95AT	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	680.0	-	8	674
2	-	-	95-GB	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	350.0	-	1	-

Connector Name 677  
 Part Number 3854645C91  
 Instances X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater & Supply Module Relays FT DEF Tank (L01)  
 X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater & Supply Module Relays FT DEF Tank (L01)  
 Mates HTR-SUCTION




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	95AU	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	680.0	-	-	-
2	-	-	95-GC	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	350.0	-	-	-

Connector Name 677\_1  
 Part Number 3854645C91  
 Instances X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater & Supply Module Relays DEF Tank (L03)  
 X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater & Supply Module Relays RR DEF Tank (L03)  
 Mates HTR-SUCTION-5041-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	95AU	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	680.0	-	9	674F
2	-	-	95-GC	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	350.0	-	1	-


Connector Name 677\_2  
 Part Number 3854645C91  
 Instances X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater & Supply Module Relays-Combination3  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater & Supply Module Relays-Combination4



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	95AU	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	680.0	-	-	-
2	-	-	95-GC	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	350.0	-	-	-



Connector Name 677\_3  
 Part Number 3854645C91  
 Instances X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater & Supply Module Relays-Combination1  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater & Supply Module Relays-Combination2  
 Mates HTR-SUCTION-5041-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	95AU	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	680.0	-	9	674
2	-	-	95-GC	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	350.0	-	1	-

Connector Name 678

Part Number 3991593C1

Instances Engine Private J1939 A26:Engine Private J1939 A26 Engine  
Engine Private J1939 X15:Engine Private J1939 X15 Engine  
X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply  
Module, Sensor Table, Quality Sensor, DEF Tank Valve FT DEF  
Tank (L01)

Mates SNSR-DEF\_TANK\_QUAL-5041-01 -01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	WIRE1716	-	0.0	-	-	-	0.0	-	PIN1	-
2	-	-	WIRE1715	-	0.0	-	-	-	0.0	-	PIN1	-
3	-	-	10-GL	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	530.0	-	-	-
4	-	-	13A	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	530.0	-	-	-

Connector Name 678\_1  
 Part Number 3991593C1  
 Instances X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve RR DEF Tank (L03)  
 X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve RR DEF Tank (L03)  
 X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve, FT DEF Tank (L01)

Mates SNSR-DEF\_TANK\_QUAL-5041-01 -01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	10-GL	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	530.0	-	11	674F
4	-	-	13A	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	530.0	-	12	674F

Connector Name 678\_2

Part Number 3991593C1


Instances X15 - Selective Catalytic Reduction SCR ICT:Diagram2 -  
Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-  
Combination3  
X15 - Selective Catalytic Reduction SCR ICT:Diagram2 -  
Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-  
Combination4

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	10-GL	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	530.0	-	-	-
4	-	-	13A	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	530.0	-	-	-

Connector Name 678\_3  
 Part Number 3991593C1  
 Instances X15 - Selective Catalytic Reduction SCR ICT:Diagram2 -  
 Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-  
 Combination1  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram2 -  
 Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-  
 Combination2  
 Mates SNSR-DEF\_TANK\_QUAL-5041-01 -01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	10-GL	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	530.0	-	11	674
4	-	-	13A	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	530.0	-	12	674

Connector Name 680\_1  
 Part Number 3993814C1  
 Instances X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater & Supply Module Relays FT DEF Tank (L01)  
 X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater & Supply Module Relays DEF Tank (L03)  
 X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater & Supply Module Relays FT DEF Tank (L01)  
 X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater & Supply Module Relays RR DEF Tank (L03)  
 X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve RR DEF Tank (L03)  
 X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve FT DEF Tank (L01)  
 X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve RR DEF Tank (L03)  
 X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve, FT DEF Tank (L01)




Mates MODU-SUPPLY-5041-01-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	95H	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	3	674F
2	-	-	95AR	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	4	674F
3	-	-	95F	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	2	674F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	95E	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	1	674F


Connector Name 680\_2  
 Part Number 3993814C1  
 Instances  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater & Supply Module Relays-Combination3  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater & Supply Module Relays-Combination4  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-Combination3  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-Combination4



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	95H	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	-	-
2	-	-	95AR	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	-	-
3	-	-	95F	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	-	-
4	-	-	95E	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	-	-




Connector Name 680\_3  
 Part Number 3993814C1  
 Instances X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater & Supply Module Relays-Combination1  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater & Supply Module Relays-Combination2  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-Combination1  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-Combination2  
 Mates MODU-SUPPLY-5041-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	95H	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	3	674
2	-	-	95AR	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	4	674
3	-	-	95F	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	2	674
4	-	-	95E	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	1	674


Connector Name 681  
 Part Number 3683465C1  
 Instances Engine Private J1939 A26:Engine Private J1939 A26 Engine  
 Engine Private J1939 X15:Engine Private J1939 X15 Engine  
 Mates TERMINATING RESISTOR



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE1713	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE1714	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 690  
 Part Number 3765646C91  
 Instances

- A26 - Powertrain Aftertreatment PDM:PDM - AFTERTREATMENT
- X15 - Powertrain Aftertreatment PDM:PDM - AFTERTREATMENT
- X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater & Supply Module Relays FT DEF Tank (L01)
- X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater & Supply Module Relays DEF Tank (L03)
- X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater & Supply Module Relays FT DEF Tank (L01)
- X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater & Supply Module Relays RR DEF Tank (L03)
- X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve RR DEF Tank (L03)
- X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve FT DEF Tank (L01)
- X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve RR DEF Tank (L03)
- X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve, FT DEF Tank (L01)
- X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater & Supply Module Relays-Combination1
- X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater & Supply Module Relays-Combination2
- X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater & Supply Module Relays-Combination3
- X15 - Selective Catalytic Reduction SCR ICT:Diagram1 - Heater & Supply Module Relays-Combination4
- X15 - Selective Catalytic Reduction SCR ICT:Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-Combination1
- X15 - Selective Catalytic Reduction SCR ICT:Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-Combination2
- X15 - Selective Catalytic Reduction SCR ICT:Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-Combination3



X15 - Selective Catalytic Reduction SCR ICT:Diagram2 -  
 Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-  
 Combination4

Mates

DEF PDM

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	KA95H1	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	340.0	-	X	-
2	-	-	KA95GBA	3510293 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BLACK	160.0	-	X	-
3	-	-	KA95H2	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	340.0	-	X	-
4	-	-	TJ95AS3	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	970.0	-	X	-
4	-	-	TK95AS3	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	970.0	-	X	-
5	-	-	KA95PA	3510327 R1	4.81	10.0	Thin Wall XLPE Primary Cable	PINK	220.0	-	X	-
6	-	-	KA95TB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1900.0	-	5	8500

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	KA95PC	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	220.0	-	X	-
8	-	-	TS95KD	3510369 R1	4.81	10.0	Thin Wall XLPE Primary Cable	RED	750.0	-	X	-
8	-	-	TL95KD	3510369 R1	4.81	10.0	Thin Wall XLPE Primary Cable	RED	1000.0	-	X	-
8	-	-	TM95KD	3510369 R1	4.81	10.0	Thin Wall XLPE Primary Cable	RED	1000.0	-	X	-
9	-	-	KA95H3	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	340.0	-	X	-
10	-	-	KA95GGB	3510293 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BLACK	160.0	-	X	-
11	-	-	KA95H4	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	340.0	-	X	-
12	-	-	TJ95AT3	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1060.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
12	-	-	TK95AT3	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1060.0	-	X	-
13	-	-	KA95P	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	0.0	-	-	-
14	-	-	KA95-GC	3510293 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BLACK	1170.0	-	-	-
15	-	-	KA95SB	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1880.0	-	79	6000
16	-	-	TJ95AR3	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	940.0	-	X	-
16	-	-	TK95AR3	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	940.0	-	X	-
17	-	-	KA95H5	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	340.0	-	X	-
18	-	-	KA95GBD	3510293 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BLACK	400.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
19	-	-	KA95H6	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	340.0	-	X	-
20	-	-	TJ95AU3	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	X	-
20	-	-	TK95AU3	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	X	-
23	-	-	KA14B	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	280.0	-	X	-
25	-	-	KA14C	3510369 R1	4.81	10.0	Thin Wall XLPE Primary Cable	RED	280.0	-	X	-
A1	-	-	KA95H1	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	340.0	-	X	-
A3	-	-	KA95H2	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	340.0	-	X	-
A4	-	-	KA95H3	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	340.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A6	-	-	KA95H4	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	340.0	-	X	-
A7	-	-	KA95H5	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	340.0	-	X	-
A9	-	-	KA95H6	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	340.0	-	X	-
A10	-	-	KA95P	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	0.0	-	-	-
A12	-	-	KA95SB	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1880.0	-	11	C2-6019
B1	-	-	KA95GBA	3510293 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BLACK	160.0	-	X	-
B3	-	-	AK95AS3	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1050.0	-	X	-
B3	-	-	AJ95AS3	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1050.0	-	1	-




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B4	-	-	KA95GBB	3510293 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BLACK	160.0	-	X	-
B6	-	-	AK95AT3	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1140.0	-	PIN1	-
B6	-	-	AJ95AT3	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1140.0	-	X	-
B7	-	-	KA95GBD	3510293 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BLACK	400.0	-	X	-
B9	-	-	AK95AU3	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1170.0	-	X	-
B9	-	-	AJ95AU3	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1170.0	-	X	-
B10	-	-	KA95-GC	3510293 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BLACK	1170.0	-	5	C1-6018
B12	-	-	AK95AR3	3510293 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BLACK	1020.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
B12	-	-	AJ95AR3	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1020.0	-	X	-
D10	-	-	KA95PA	3510327 R1	4.81	10.0	Thin Wall XLPE Primary Cable	PINK	220.0	-	X	-
D12	-	-	KA95PC	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	220.0	-	X	-
E1	-	-	KA95H7	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	340.0	-	-	-
E2	-	-	KA14A	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	280.0	-	X	-
E3	-	-	KA95P	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	0.0	-	-	-
E4	-	-	KA14B	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	280.0	-	X	-
E5	-	-	KA95PB	3510327 R1	4.81	10.0	Thin Wall XLPE Primary Cable	PINK	220.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E6	-	-	KA14C	3510369 R1	4.81	10.0	Thin Wall XLPE Primary Cable	RED	280.0	-	X	-
E10	-	-	KA95TB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1900.0	-	72	C1-6018
E12	-	-	AL95KD	3510333 R1	4.81	10.0	Thin Wall XLPE Primary Cable	TAN	1080.0	-	X	-
E12	-	-	AN95KD	3510369 R1	4.81	10.0	Thin Wall XLPE Primary Cable	RED	1080.0	-	X	-
E12	-	-	AM95KD	3510369 R1	4.81	10.0	Thin Wall XLPE Primary Cable	RED	1080.0	-	X	-

Connector Name 690\_1  
 Part Number 3765646C91  
 Instances X15 - Powertrain Aftertreatment PDM:PDM -  
 AFTERTREATMENT  
 Mates DEF PDM



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
21	-	-	KA14A	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	280.0	-	X	-
22	-	-	KA95P	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	0.0	-	-	-
24	-	-	KA95PB	3510327 R1	4.81	10.0	Thin Wall XLPE Primary Cable	PINK	220.0	-	-	-
26	-	-	KA95H7	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	340.0	-	-	-

Connector Name 691

Part Number 3714731C1

Instances X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply  
Module, Sensor Table, Quality Sensor, DEF Tank Valve FT DEF  
Tank (L01)  
X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply  
Module, Sensor Table, Quality Sensor, DEF Tank Valve, FT  
DEF Tank (L01)

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	95AC	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	670.0	-	-	-
4	-	-	95AB	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	670.0	-	-	-

Connector Name 691\_1

Part Number 3714731C1

Instances X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply  
Module, Sensor Table, Quality Sensor, DEF Tank Valve RR DEF  
Tank (L03)  
X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply  
Module, Sensor Table, Quality Sensor, DEF Tank Valve RR DEF  
Tank (L03)

Mates VALV-DEF\_TANK\_HT-5041-01-0 1A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	95AC	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	670.0	-	5	674F
4	-	-	95AB	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	670.0	-	6	674F

Connector Name 691\_2

Part Number 3714731C1

Instances X15 - Selective Catalytic Reduction SCR ICT:Diagram2 -  
Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-  
Combination3  
X15 - Selective Catalytic Reduction SCR ICT:Diagram2 -  
Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-  
Combination4


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	95AC	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	670.0	-	-	-
4	-	-	95AB	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	670.0	-	-	-

Connector Name 691\_3  
 Part Number 3714731C1  
 Instances X15 - Selective Catalytic Reduction SCR ICT:Diagram2 -  
 Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-  
 Combination1  
 X15 - Selective Catalytic Reduction SCR ICT:Diagram2 -  
 Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve-  
 Combination2  
 Mates VALV-DEF\_TANK\_HT-5041-01-0 1A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	95AC	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	670.0	-	5	674
4	-	-	95AB	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PURPLE	670.0	-	6	674




Connector Name 7TB1  
 Part Number 3722128C1  
 Instances Telematics J1708:Telematics J1708  
 Mates MODU-TRIPMASTER-2035-10-04A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	WIRE197811	-	0.0	-	-	-	0.0	-	E1	J5-1602

Connector Name 7000  
 Part Number RING-M-5\_0  
 Instances A26 - Leece-Neville AVI160-210A/240A Alternator:Diagram1  
 Mates DEV-Leece\_Neville\_AVI160\_2 10A\_240A\_Alternator-4004-01-04B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	JS1A	2643694 R1	1.91	14.0	Std. Wall XLPE Primary Cable	LIGHT BLUE	4155.0	-	B	J1

Connector Name 7000\_1  
 Part Number RING-M-5\_0  
 Instances A26 - Delco Remy 28SI Alternator:Diagram1  
 Mates DEV-Delco\_Remy\_28SI\_Alternator-4004-01-05B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	JS1A	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	3350.0	-	B	J1

Connector Name 7000\_2  
 Part Number RING-10\_0  
 Instances A26 - Delco Remy 36SI Alternator:Diagram1  
 A26 - Delco Remy 40SI Alternator:Diagram1-Combination1  
 A26 - Delco Remy 40SI Alternator:Diagram1-Combination2  
 Mates DEV-Delco\_Remy\_36SI\_Altern ator-4004-01-07B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	JS1A	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	3350.0	-	B	J1

Connector Name 7000\_3  
 Part Number RING-M-5\_0  
 Instances A26 - Bosch LIL165 LIL200 Alternator:Diagram1  
 Mates DEV-Bosch\_LIL165\_LIL200\_Alternator-4004-01-08B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	JS1A	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	3350.0	-	B	J1

Connector Name 7105A  
 Part Number 3599542C1  
 Instances Eaton Ulltrashift:Eaton Ultrashift  
 Mates DEV6631



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	KH5V (-)	-	0.79	18.0	Thin Wall XLPE Primary Cable	GREEN	0.0	-	PIN1	-
3	-	-	KH5V (+)	-	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	0.0	-	PIN1	-

Connector Name 7105  
 Part Number 3599542C1  
 Instances A26 - Ultrashift+ and FAS:Diagram1  
 Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External  
 Switch:Diagram1-Combination1 - T08-6100D  
 Powertrain J1939 (500Kbps) X15:Powertrain J1939 (500Kbps)  
 X15 Engine  
 Starter Interlock (BCM LSD Controlled w/ Relay)\_EATON  
 XMSN:Diagram1  
 Transmission Shifter Universal Shifter - Ultrashift+ &  
 FAS:Diagram1  
 Transmission Ultrashift+ w/Body Builder:Diagram1-  
 Combination1  
 Transmission Ultrashift+ w/Body Builder:Diagram1-  
 Combination2  
 X15 - Ultrashift+ and FAS:Diagram1  
 Mates MODU-TCM-A002-11-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	WIRE1353	-	0.0	-	-	-	0.0	-	PIN1	-
2	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	WIRE1352	-	0.0	-	-	-	0.0	-	PIN1	-
3	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	KH17-GC	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2316.0	-	19	1702M
4	-	-	KH17-GC	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2316.0	-	19	1702
4	-	-	KH17-GC	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2316.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
16	-	-	TG92A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3385.0	-	12	1702
16	-	-	KH92A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2316.0	-	12	1702M
16	-	-	KH92A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2316.0	-	-	-
17	-	-	TG92B	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3385.0	-	40	1702
17	-	-	KH92B	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2316.0	-	40	1702M
17	-	-	KH92B	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2316.0	-	-	-
18	-	-	KH92DP	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	486.0	-	A	7502
18	-	-	VY92DP	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	285.0	-	A	7502_1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
18	-	-	VY92DP	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	285.0	-	-	-
18	-	-	KH92DP	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	486.0	-	-	-
26	-	-	KH17C	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	2316.0	-	21	1702
26	-	-	KH17C	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	2316.0	-	21	1702M
32	-	-	KH17B	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	2316.0	-	20	1702M
32	-	-	KH17B	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	2316.0	-	20	1702
32	-	-	KH17B	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	2316.0	-	-	-
34	-	-	VY92DR	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	285.0	-	B	7502_1


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
34	-	-	KH92DR	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	486.0	-	B	7502
34	-	-	VY92DR	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	285.0	-	-	-
34	-	-	KH92DR	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	486.0	-	-	-
35	-	-	KH13A	2643691 R1	1.91	14.0	Std. Wall XLPE Primary Cable	PINK	2316.0	-	8	1702
35	-	-	KH13A	2643691 R1	1.91	14.0	Std. Wall XLPE Primary Cable	PINK	3385.0	-	8	1702
36	-	-	WC10-GE	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	185.0	-	-	-
36	-	-	KH10-GK	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1996.0	-	-	-
38	-	-	LJ14A	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	3890.0	-	X	-
38	-	-	KH14A	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	2466.0	-	-	-

Connector Name 7110/7110A  
 Part Number 3683465C1  
 Instances Powertrain J1939 (500Kbps) X15:Powertrain J1939 (500Kbps)  
 X15 Engine




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE1348	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE1349	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 7110  
 Part Number 3683465C1  
 Instances Eaton Ulltrashift:Eaton Ultrashift  
 Manual Transmission:Manual Transmission  
 TC10 Series:Powertrain Standard J1939 (500Kbps) A26 Engine




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KH5TB (-)	-	0.79	18.0	Thin Wall XLPE Primary Cable	GREEN	0.0	-	PIN1	-
A	-	-	XZ5A117	-	0.0	-	-	-	0.0	-	PIN1	-
A	-	-	KF5TB (-)	-	0.79	18.0	Thin Wall XLPE Primary Cable	GREEN	0.0	-	PIN1	-
B	-	-	KH5TB (+)	-	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	0.0	-	PIN1	-
B	-	-	XZ5A106	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	KF5TB (+)	-	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	0.0	-	PIN1	-

Connector Name 7111  
 Part Number 3683465C1  
 Instances Endurant:Endurant  
 Mates TERMINATING RESISTOR



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KG5AB (-)	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	KG5AB (+)	-	0.0	-	-	-	0.0	-	PIN1	-


Connector Name 7150  
 Part Number 3605713C1  
 Instances  
   A26 - Engine Control Module:Connector C1-6018  
   A26 - Key Switch Ignition 1:Key Switch Ignition 1A  
   A26 - Key Switch Ignition 1:Key Switch Ignition 1C  
   A26 - Underhood PDM:PDM - UNDERHOOD



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
10	-	-	TD92#110	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	145.0	-	X	-
25	-	-	XP47A125	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3500.0	-	91	C1-6018
45	-	-	SD92#145	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	3855.0	-	6	1702
45	-	-	SC92#145	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	3855.0	-	6	1702

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
45	-	-	SA92#145	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	3480.0	-	F	7206
63	-	-	TD92#163	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3855.0	-	8	1702
70	-	-	TD92#170	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	145.0	-	X	-

Connector Name 7205  
 Part Number 3525872C1  
 Short Description VIW A  
 Instances A26 - Underhood PDM:PDM - UNDERHOOD




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F	-	-	TZ92#105	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3420.0	-	3	1501
F	-	-	TD92#105	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3480.0	-	-	-
G	-	-	TZ92#164	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	3420.0	-	1	1502
G	-	-	TD92#164	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	3480.0	-	-	-



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
H	-	-	TZ92#162	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	3420.0	-	17	1501
H	-	-	TD92#162	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	3480.0	-	-	-

Connector Name 7206  
 Part Number 3525874C1  
 Short Description VIW C  
 Instances A26 - Key Switch Ignition 1:Key Switch Ignition 1A  
 A26 - Underhood PDM:PDM - UNDERHOOD




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TZ92#101	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	3420.0	-	1	1501
A	-	-	TD92#101	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	3480.0	-	-	-
B	-	-	XJ92#117	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3420.0	-	-	-
B	-	-	SA92#117	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3480.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	SB92#117	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3420.0	-	-	-
D	-	-	TZ92#143	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	3420.0	-	13	1501
D	-	-	TD92#143	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	3480.0	-	-	-
E	-	-	XL92#142	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3420.0	-	-	-
E	-	-	VX92#142	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	3480.0	-	-	-
E	-	-	XJ92#142	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3420.0	-	-	-
F	-	-	SB92#145	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	3420.0	-	14	1501
F	-	-	XJ92#145	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	3420.0	-	14	1501


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
F	-	-	SA92#145	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	3480.0	-	45	7150
G	-	-	TZ92#130	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	3420.0	-	10	1501
G	-	-	TD92#130	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	3480.0	-	-	-

Connector Name 7303  
 Part Number 3522068C1  
 Short Description AIR RESTRICTION GUAGE  
 Instances Air Flow Restriction Monitoring GEN IV BCM:Diagram1  
 Mates GAUG-AIR\_RESTRICTION-5010- 01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KE28	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2350.0	-	5	1702M
B	-	-	KE9AAB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	720.0	-	-	-

Connector Name 7350  
 Part Number 3755755C1  
 Instances A26 - Transmission Control Module (TC10 Series A65):Diagram1  
 Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-Combination1  
 Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-Combination2  
 Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-Combination3  
 Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-Combination4  
 Back-Up Alarm (Automatic) TC10:Diagram1-Combination1  
 Back-Up Alarm (Automatic) TC10:Diagram1-Combination2  
 Backup Light (Dual Reverse Light)Allison/ZF Trans:Diagram1-Combination1  
 Backup Light (Dual Reverse Light)Allison/ZF Trans:Diagram1-Combination2  
 Backup Light (Single Reverse Light)Allison/ZF Trans:Diagram1-Combination1  
 Backup Light (Single Reverse Light)Allison/ZF Trans:Diagram1-Combination2  
 Starter Interlocks (BCM controlled with input from Allison TCM):Diagram1  
 Transmission Shifter Allison:Diagram1




Mates MODU-TCM-A002-10-00A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	XV92-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1725.0	-	-	-
4	-	-	XV92#165	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3285.0	-	7	1702

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	XV92#165	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3285.0	-	-	-
10	-	-	XY47A125	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2930.0	-	-	-
16	-	-	XV92#163	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3285.0	-	-	-
19	-	-	XV92#134	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3285.0	-	19	1702
20	-	-	XV92#141	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3285.0	-	20	1702
20	-	-	XV92#141	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3285.0	-	-	-
22	-	-	XV92#110	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	3790.0	-	-	-


Connector Name 7350\_  
 Part Number 3755755C1  
 Instances TC10 Series:Powertrain Standard J1939 (500Kbps) A26 Engine  
 Mates MODU-TCM-A002-10-00A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
6	-	-	XZ5B106	-	0.0	-	-	-	0.0	-	PIN1	-
17	-	-	XZ5B117	-	0.0	-	-	-	0.0	-	PIN1	-




Connector Name 745A  
Part Number 872291R1  
Instances Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Overhead APO:Diagram1-Combination1  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Overhead APO:Diagram1-Combination2  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Overhead APO:Diagram1-Combination3  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Overhead APO:Diagram1-Combination4  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
Combination1  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
Combination2  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
Combination3  
Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover-  
12V Panel- Upr Bnk APO- Rear Overhead APO:Diagram1-  
Combination4  
Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel-  
Overhead APO:Diagram1-Combination1  
Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel-  
Overhead APO:Diagram1-Combination2  
Cigar Lighter- Rear Std APO- Rear APO w/Cover- 12V Panel-  
Upr Bnk APO- Rear Overhead APO:Diagram1-Combination1  
Cigar Lighter- Rear Std APO- Rear APO w/Cover- 12V Panel-  
Upr Bnk APO- Rear Overhead APO:Diagram1-Combination2  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel-Overhead APO:Diagram1-Combination1  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel-Overhead APO:Diagram1-Combination2  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel-Overhead APO:Diagram1-Combination3  
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V  
Panel-Overhead APO:Diagram1-Combination4  
Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
Combination1



Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination2  
 Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination3  
 Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V  
 Panel-Upr Bnk APO-Rear Overhead APO:Diagram1-  
 Combination4  
 Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Rear  
 Overhead APO:Diagram1-Combination1  
 Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Rear  
 Overhead APO:Diagram1-Combination2  
 Std APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk  
 APO-Rear Overhead APO:Diagram1-Combination1  
 Std APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk  
 APO-Rear Overhead APO:Diagram1-Combination2  
 Mates  
 DEV-APO-2002-01-13A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
A	-	-	4G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	90.0	-	X	-
B	-	-	4A	2643687 R1	1.91	14.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	130.0	-	X	-


Connector Name 7500T  
 Part Number 1661778C1  
 Instances A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination1  
 A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination2  
 A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination1  
 A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination2  
 A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination3  
 A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination4  
 A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination1  
 A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination2  
 A26 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1-Combination1  
 A26 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1-Combination2



Mates SW-TRANSSWITCH-1023-01-02B

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	PF71B	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2165.0	-	7	1702
B	-	-	PF71A	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2165.0	-	-	-
B	-	-	PF71A	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2165.0	-	6	1702


Connector Name 7500W  
 Part Number 1661778C1  
 Instances Backup Lights (Dual Reverse Light) Eaton/Manual Trans:W/ 4X2 AXLE  
 Backup Lights (Dual Reverse Light) Eaton/Manual Trans:W/ 6X2,6X4 AXLE  
 Backup Lights (Single Reverse Light) Eaton/Manual Trans:W/ 4X2 AXLE  
 Backup Lights (Single Reverse Light) Eaton/Manual Trans:W/ 6X2,6X4 AXLE  
 X15 - Back-Up Alarm Manual and UltraShift+:Diagram1-Combination1  
 X15 - Back-Up Alarm Manual and UltraShift+:Diagram1-Combination2  
 X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-Combination3  
 X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-Combination4



Mates SW-TRANSSWITCH-1023-01-02A


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KW71A	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	1510.0	-	A	7500W
A	-	-	KW71A	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	1510.0	-	-	-
A	-	-	KW71A	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	1510.0	-	6	1702M
B	-	-	KW71B	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	1510.0	-	7	1702M

Connector Name 7500W  
 Part Number 1661778C1  
 Instances X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-Combination1  
 X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-Combination2  
 X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-Combination3




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KW71A	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	1510.0	-	A	7500W
B	-	-	KW71B	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	1510.0	-	-	-

Connector Name 7500W\_1  
 Part Number 1661778C1  
 Instances A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination3  
 A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination4  
 A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination5  
 A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination6  
 A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination7  
 A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination8  
 A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination3  
 A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination4  
 A26 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1-Combination3  
 A26 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1-Combination4




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KW71B	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	1510.0	-	7	1702
B	-	-	KW71A	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	1510.0	-	-	-
B	-	-	KW71A	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	1510.0	-	6	1702

Connector Name 7501  
 Part Number 3577412C1  
 Short Description ECA  
 Instances Transmission Ultrashift+ w/Body Builder:Diagram1-Combination2  
 X15 - Underhood PDM:PDM - UNDERHOOD



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	KH11-G	3510363 R1	4.81	10.0	Thin Wall XLPE Primary Cable	WHITE	2310.0	-	X	-
2	-	-	KH14K	3510369 R1	4.81	10.0	Thin Wall XLPE Primary Cable	RED	2770.0	-	-	-
2	-	-	KH14K	3510369 R1	4.81	10.0	Thin Wall XLPE Primary Cable	RED	2770.0	-	3	6566


Connector Name 7501\_1  
 Part Number 3577412C1  
 Instances Transmission Ultrashift+ w/Body Builder:Diagram1-Combination1  
 Mates DEV-Electronic\_Clutch\_Actuator-5045-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	WC11-G	3510363 R1	4.81	10.0	Thin Wall XLPE Primary Cable	WHITE	700.0	-	X	-
2	-	-	VV14N	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	4455.0	-	-	-




Connector Name 7502  
 Part Number 587567C91  
 Short Description XMSN PTO  
 Instances Transmission Ultrashift+ w/Body Builder:Diagram1-Combination2




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KH92DP	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	486.0	-	18	7105
B	-	-	KH92DR	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	486.0	-	34	7105

Connector Name 7502\_1  
 Part Number 587567C91  
 Instances Transmission Ultrashift+ w/Body Builder:Diagram1-Combination1  
 Mates CONN-BODY\_BUILDER-5045-01- 02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	VY92DP	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	285.0	-	18	7105
B	-	-	VY92DR	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	285.0	-	34	7105

Connector Name 7600T  
 Part Number 3662425C1  
 Short Description SPEED SENSOR  
 Instances A26 - Engine Control Module:Connector C1-6018




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	PL47	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2830.0	-	91	C1-6018
B	-	-	PL47A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2830.0	-	92	C1-6018

Connector Name 7600  
 Part Number 3662425C1  
 Short Description VSS  
 Instances A26 - Engine Control Module:Connector C1-6018  
 A26 - Vehicle Speedometer System:Diagram1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	XN47	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2695.0	-	91	C1-6018
A	-	-	KF47B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	365.0	-	X	-
B	-	-	XN47A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2695.0	-	92	C1-6018
B	-	-	KF47A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	400.0	-	X	-

Connector Name 7700K  
 Part Number 3536864C1  
 Instances Transmission Oil Temperature-Manual Trans:W/ ALL MANUAL  
 XMSNS EXCEPT EATON ADVANTAGE, TREMEC  
 Mates SNSR-TRANS\_OIL\_TEMP-5046-0 1-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	KK31	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2310.0	-	13	1702M
2	-	-	YG9AAD	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3360.0	-	-	-

Connector Name 7700K\_1  
 Part Number 3536864C1  
 Instances A26 - Transmission Oil Temperature-Manual Trans:Diagram1-Combination1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	KK31	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2310.0	-	13	1702
2	-	-	KK9AAD	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2705.0	-	-	-

Connector Name 7700L\_1  
 Part Number 3536864C1  
 Instances A26 - Transmission Oil Temperature-Manual Trans:Diagram1-Combination2



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	WP31	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3520.0	-	13	1702
2	-	-	WP9AAD	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	-	-


Connector Name 7700M  
 Part Number 3536864C1  
 Instances Transmission Oil Temperature-Manual Trans:W/ EATON FULLER ADVANTAGE XMSNS



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	XA31	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2580.0	-	13	1702M
2	-	-	YC9AAD	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3630.0	-	-	-




Connector Name 7700T  
 Part Number 3536864C1  
 Instances Transmission Oil Temperature-Manual Trans:W/ TREMEC  
 XMSNS



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	TA31	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2110.0	-	13	1702M
2	-	-	YE9AAD	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3160.0	-	-	-

Connector Name 7700T\_1  
 Part Number 3536864C1  
 Instances A26 - Transmission Oil Temperature-Manual Trans:Diagram1-Combination3  
 Mates SNSR-TRANS\_OIL\_TEMP-5046-0 1-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	PC31	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3455.0	-	13	1702
2	-	-	PC9AAD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3170.0	-	-	-

Connector Name 7800  
 Part Number BLUNT\_SL\_VC  
 Short Description PTO 1  
 Instances X15 - Transmission Power Take Off:Diagram1  
 X15 - Transmission Power Take Off Dual PTO with Clutch  
 Interlock:Diagram1  
 X15 - Transmission Power Take Off Dual Solenoid:Diagram1  
 X15 - Transmission Power Take Off W/ Clutch  
 Interlock:Diagram1  
 Mates SW-PTOA-BLUNT

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KM88	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3380.0	-	14	1702M

Connector Name 7800\_1  
 Part Number BLUNT\_SL\_VC  
 Instances A26 - Transmission Power Take Off:Diagram1  
 A26 - Transmission Power Take Off Dual Solenoid:Diagram1  
 A26 - Transmission Power Take Off W/ Clutch  
 Interlock:Diagram1  
 A26 -Transmission Power Take Off Dual PTO with Clutch  
 Interlock:Diagram1  
 Mates SW-PTOA-BLUNTA

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KM88	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3380.0	-	14	1702


Connector Name 7801  
 Part Number BLUNT\_SL\_VC  
 Instances X15 - Transmission Power Take Off Dual PTO with Clutch  
 Interlock:Diagram1  
 X15 - Transmission Power Take Off Dual Solenoid:Diagram1  
 Mates SW-PTOB-BLUNT

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KN88A	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	3380.0	-	41	1702M

Connector Name 7801\_1  
 Part Number BLUNT\_SL\_VC  
 Instances A26 - Transmission Power Take Off Dual Solenoid:Diagram1  
 A26 -Transmission Power Take Off Dual PTO with Clutch  
 Interlock:Diagram1  
 Mates SW-PTOB-BLUNTB


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KN88A	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	3380.0	-	41	1702

Connector Name 7802T  
 Part Number 3540051C91  
 Instances A26 - Starter Interlock (BCM HSD controlled W/ Clutch Switch  
 W/ Auto Start Stop):Diagram1-Combination2  
 Mates SW-TRANS\_NEUTRAL-5023-07-0 2A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	PY97J	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	2165.0	-	33	1702
B	-	-	PY97S	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	2165.0	-	32	1702


Connector Name 7802  
 Part Number 3540051C91  
 Instances A26 - Starter Interlock (BCM HSD controlled W/ Clutch Switch  
 W/ Auto Start Stop):Diagram1-Combination1  
 X15 - Starter Interlock (BCM HSD controlled W/ Clutch Switch  
 W/ Auto Start Stop):Diagram1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KY97J	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	2850.0	-	33	1702
A	-	-	WV97J	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	1510.0	-	33	1702M
B	-	-	KY97S	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	2850.0	-	32	1702
B	-	-	WV97S	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	1510.0	-	32	1702M




Connector Name 7900F  
 Part Number 4064551C1  
 Instances Eaton Ulltrashift:Eaton Ultrashift  
 Endurant:Endurant  
 Manual Transmission:Manual Transmission  
 Powertrain J1939 (500Kbps) X15:Powertrain J1939 (500Kbps)  
 X15 Engine  
 TC10 Series:Powertrain Standard J1939 (500Kbps) A26 Engine  
 Transmission Shifter Universal Shifter - Ultrashift+ &  
 FAS:Diagram1  
 X15 - Battery Feed 1 - Part 1:BTRY Feed 1 (NON-LOADSHED)  
 Mates 7900M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	MN92	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2080.0	-	C1	1F
D	-	-	MN9ZA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2080.0	-	A4	1F
E	-	-	WIRE1312	-	0.0	-	-	-	0.0	-	PIN1	-
E	-	-	WIRE223 761	-	0.0	-	-	-	0.0	-	PIN1	-
F	-	-	WIRE1313	-	0.0	-	-	-	0.0	-	PIN1	-
F	-	-	WIRE223 743	-	0.0	-	-	-	0.0	-	PIN1	-
G	-	-	MM92DC	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1830.0	-	21	1010_IP 12


Connector Name 7900F\_IP12  
 Part Number 4064551C1  
 Short Description DCM SHIFTER CONN  
 Instances  
 A26 - Battery Feed 1:BTRY Feed 1 (NON-LOADSHED)  
 A26 - Transmission Control Module (TC10 Series A65):Diagram1  
 A26 - Transmission Shifter (Eaton Endurant and Eaton Procision):Diagram1  
 Endurant - Battery Grid 1 (Non-Loadshed):BTRY GRID 1 (NON-LOADSHED)  
 Transmission Shifter Allison:Diagram1  
 X15 - Transmission Shifter (Eaton Endurant and Eaton Procision):Diagram1  
 X15 Ground Splice Packs 3/4:Diagram2  
 Mates 7900M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	2T92ZB	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2240.0	-	26	1703M
B	-	-	GY92#134	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2180.0	-	-	-
B	-	-	GY92#134	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2180.0	-	B3	2M_IP12
G	-	-	MM92DC	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1830.0	-	21	1010


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
G	-	-	MM92DC	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1830.0	-	-	-
G	-	-	MM92DC	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1830.0	-	21	1010_IP12
H	-	-	MM92-GAH	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1125.0	-	-	-
H	-	-	MM92-GAH	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1125.0	-	3	1023

Connector Name 7900M  
 Part Number 4064552C1  
 Short Description STALK SHIFTER CONN  
 Instances Eaton Ulltrashift:Eaton Ultrashift  
 Endurant:Endurant  
 Manual Transmission:Manual Transmission  
 Powertrain J1939 (500Kbps) X15:Powertrain J1939 (500Kbps)  
 X15 Engine  
 TC10 Series:Powertrain Standard J1939 (500Kbps) A26 Engine  
 Transmission Shifter Universal Shifter - Ultrashift+ &  
 FAS:Diagram1  
 X15 - Battery Feed 1 - Part 1:BTRY Feed 1 (NON-LOADSHED)  
 Mates 7900F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	XX92	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1365.0	-	C	1825F
D	-	-	XX9ZA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	D	1825F
E	-	-	WIRE1430	-	0.0	-	-	-	0.0	-	E	1825F
E	-	-	WIRE223 906	-	0.0	-	-	-	0.0	-	E	1825F
F	-	-	WIRE1429	-	0.0	-	-	-	0.0	-	F	1825F
F	-	-	WIRE223 907	-	0.0	-	-	-	0.0	-	F	1825F
G	-	-	BK62DC	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1365.0	-	-	-


Connector Name 7900M  
 Part Number 4064552C1  
 Short Description STALK SHIFTER CONN  
 Instances  
 A26 - Battery Feed 1:BTRY Feed 1 (NON-LOADSHED)  
 A26 - Transmission Control Module (TC10 Series A65):Diagram1  
 A26 - Transmission Shifter (Eaton Endurant and Eaton Procision):Diagram1  
 Endurant - Battery Grid 1 (Non-Loadshed):BTRY GRID 1 (NON-LOADSHED)  
 Transmission Shifter Allison:Diagram1  
 X15 - Transmission Shifter (Eaton Endurant and Eaton Procision):Diagram1  
 X15 Ground Splice Packs 3/4:Diagram2  
 Mates 7900F\_IP12



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	BK92#134	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1365.0	-	B	1825F
B	-	-	BK92#134	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1365.0	-	-	-
G	-	-	BK62DC	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1365.0	-	-	-
G	-	-	BK62DC	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1365.0	-	G	1825F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
H	-	-	BK92-GAH	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1365.0	-	H	1825F
H	-	-	BK92-GAH	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1365.0	-	-	-

Connector Name 8000F  
 Part Number 1677851C1  
 Short Description HEADLIGHT T/S HARNESS CONNECTOR  
 Instances Day Time Running Lights (Halogen):Diagram1  
 Day Time Running Lights (LED):Diagram1  
 Front Turn Lights W/ Halogen:Diagram1  
 Front Turn Lights W/ LED:Diagram1  
 Headlights (Halogen) N/ Headlamp Interrupt W/  
 125BBC:Diagram1  
 Headlights (Halogen) W/ Headlamp Interrupt W/  
 125BBC:Diagram1  
 Headlights (LED) N/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Headlights (LED) W/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Park Lights (Halogen/MRKR INT-STRNGWHL):Diagram1  
 Park Lights (LED):Diagram1




Mates 8000

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	U52A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	800.0	-	A	8006R
A	-	-	U52A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	800.0	-	-	-
B	-	-	U11-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	550.0	-	X	-
B	-	-	U11-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	550.0	-	B	8001F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	U11-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	550.0	-	-	-
B	-	-	MA58B	2643679 R1	1.16	16.0	Std. Wall XLPE Primary Cable	BROWN	2125.0	-	X	-
C	-	-	U53A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	925.0	-	-	-
D	-	-	U56	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	800.0	-	3	8166_R
D	-	-	U56	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	800.0	-	-	-
E	-	-	U58A	2643679 R1	1.16	16.0	Std. Wall XLPE Primary Cable	BROWN	600.0	-	E	8001F



Connector Name 8000  
 Part Number 1661375C2  
 Short Description RIGHT HEADLIGHT T/S HARNESS CONNECTOR  
 Instances Day Time Running Lights (Halogen):Diagram1  
 Day Time Running Lights (LED):Diagram1  
 Front Turn Lights W/ Halogen:Diagram1  
 Front Turn Lights W/ LED:Diagram1  
 Headlights (Halogen) N/ Headlamp Interrupt W/  
 125BBC:Diagram1  
 Headlights (Halogen) W/ Headlamp Interrupt W/  
 125BBC:Diagram1  
 Headlights (LED) N/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Headlights (LED) W/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Park Lights (Halogen/MRKR INT-STRNGWHL):Diagram1  
 Park Lights (LED):Diagram1




Mates 8000F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MA52B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	4250.0	-	3	1700F
B	-	-	MA11-GB	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2505.0	-	X	-
B	-	-	U58A	2643679 R1	1.16	16.0	Std. Wall XLPE Primary Cable	BROWN	600.0	-	E	8001M
C	-	-	MA53B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	4250.0	-	4	1700F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	MA57	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	4250.0	-	15	1700F
E	-	-	MA58B	2643679 R1	1.16	16.0	Std. Wall XLPE Primary Cable	BROWN	2125.0	-	X	-

Connector Name 8001F  
 Part Number 1677851C1  
 Short Description HEADLIGHT T/S HARNESS CONNECTOR  
 Instances Day Time Running Lights (Halogen):Diagram1  
 Day Time Running Lights (LED):Diagram1  
 Front Turn Lights W/ Halogen:Diagram1  
 Front Turn Lights W/ LED:Diagram1  
 Headlights (Halogen) N/ Headlamp Interrupt W/  
 125BBC:Diagram1  
 Headlights (Halogen) W/ Headlamp Interrupt W/  
 125BBC:Diagram1  
 Headlights (LED) N/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Headlights (LED) W/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Park Lights (Halogen/MRKR INT-STRNGWHL):Diagram1  
 Park Lights (LED):Diagram1




Mates 8001M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	U52A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	800.0	-	-	-
A	-	-	U52A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	800.0	-	A	8006R
B	-	-	U11-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	550.0	-	-	-
B	-	-	U11-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	550.0	-	B	8000F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	U11-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	550.0	-	X	-
B	-	-	MA11-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1305.0	-	X	-
C	-	-	U53A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	925.0	-	-	-
D	-	-	U56	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	800.0	-	-	-
D	-	-	U56	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	800.0	-	3	8166
E	-	-	U58A	2643679 R1	1.16	16.0	Std. Wall XLPE Primary Cable	BROWN	600.0	-	E	8000F
E	-	-	MA58A	2643679 R1	1.16	16.0	Std. Wall XLPE Primary Cable	BROWN	925.0	-	X	-

Connector Name 8001M  
 Part Number 1661375C2  
 Short Description LEFT HEADLIGHT T/S HARNESS CONNECTOR  
 Instances Day Time Running Lights (Halogen):Diagram1  
 Day Time Running Lights (LED):Diagram1  
 Front Turn Lights W/ Halogen:Diagram1  
 Front Turn Lights W/ LED:Diagram1  
 Headlights (Halogen) N/ Headlamp Interrupt W/  
 125BBC:Diagram1  
 Headlights (Halogen) W/ Headlamp Interrupt W/  
 125BBC:Diagram1  
 Headlights (LED) N/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Headlights (LED) W/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Park Lights (Halogen/MRKR INT-STRNGWHL):Diagram1  
 Park Lights (LED):Diagram1




Mates 8001F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MA52A	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3050.0	-	1	1700F
B	-	-	MA11-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1305.0	-	X	-
B	-	-	U11-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	550.0	-	X	-
B	-	-	MA11-GB	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2505.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	MA53A	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3050.0	-	2	1700F
D	-	-	MA56AC	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	980.0	-	X	-
E	-	-	MA58A	2643679 R1	1.16	16.0	Std. Wall XLPE Primary Cable	BROWN	925.0	-	X	-
E	-	-	U58A	2643679 R1	1.16	16.0	Std. Wall XLPE Primary Cable	BROWN	600.0	-	B	8000

Connector Name 8006R  
 Part Number 4062272C1  
 Instances Headlights (Halogen) N/ Headlamp Interrupt W/  
 125BBC:Diagram1  
 Headlights (Halogen) W/ Headlamp Interrupt W/  
 125BBC:Diagram1  
 Headlights (LED) N/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Headlights (LED) W/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Mates LT-LS\_HEADLIGHT\_HAL-1016-0 1-04



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	U52A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	800.0	-	A	8000F
A	-	-	U52A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	800.0	-	A	8001F
A	-	-	U52A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	800.0	-	A	8006R_R
B	-	-	U11-GAA	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	250.0	-	X	-


Connector Name 8006R\_R  
 Part Number 4062272C1  
 Instances Headlights (Halogen) N/ Headlamp Interrupt W/  
 125BBC:Diagram1  
 Headlights (Halogen) W/ Headlamp Interrupt W/  
 125BBC:Diagram1  
 Headlights (LED) N/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Headlights (LED) W/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Mates LT-RS\_HEADLIGHT\_HAL-1016-0 1-04



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	U52A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	800.0	-	-	-
A	-	-	U52A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	800.0	-	A	8006R
B	-	-	U11-GAA	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	250.0	-	-	-




Connector Name 8006T  
 Part Number 3668886C1  
 Instances Headlights (Halogen) N/ Headlamp Interrupt W/  
 125BBC:Diagram1  
 Headlights (Halogen) W/ Headlamp Interrupt W/  
 125BBC:Diagram1  
 Headlights (LED) N/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Headlights (LED) W/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Mates LT-LS\_HEADLIGHT\_HAL-1016-0 1-04




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	U53A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	925.0	-	A	8006T_R
B	-	-	U11-GAB	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	375.0	-	X	-
B	-	-	U11-GAB	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	375.0	-	-	-

Connector Name 8006T\_R  
 Part Number 3668886C1  
 Instances Headlights (Halogen) N/ Headlamp Interrupt W/  
 125BBC:Diagram1  
 Headlights (Halogen) W/ Headlamp Interrupt W/  
 125BBC:Diagram1  
 Headlights (LED) N/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Headlights (LED) W/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Mates LT-RS\_HEADLIGHT\_HAL-1016-0 1-04




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	U53A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	925.0	-	A	8006T
B	-	-	U11-GAB	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	375.0	-	-	-
B	-	-	U11-GAB	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	375.0	-	X	-

Connector Name 8050  
 Part Number 1661778C1  
 Instances Skirt Light- Customer Supplied:Diagram1  
 Mates LT-CS\_LS\_Skirt-1040-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MJ54X	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	475.0	-	24	1700F
B	-	-	MJ54-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1970.0	-	-	-

Connector Name 8051  
 Part Number 1661778C1  
 Instances Skirt Light- Customer Supplied:Diagram1  
 Mates LT-CS\_RS\_Skirt-1040-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	DY54XAJ	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	545.0	-	B1	2F
B	-	-	DY54-GX AJ	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	545.0	-	B2	2F

Connector Name 8054B  
 Part Number 1667741C1  
 Instances Modesty Lighting W/ Sleeper:Diagram1-Combination1  
 Mates LT-RR\_MODESTY-1039-01-3A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	J11GBB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2350.0	-	-	-
B	-	-	J56AB	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2300.0	-	-	-
C	-	-	J58AB	2643679 R1	1.16	16.0	Std. Wall XLPE Primary Cable	BROWN	2250.0	-	-	-

Connector Name 8054F  
 Part Number 1667740C1  
 Short Description MODESTY TURN LAMP HARNESS CONNECTION  
 Instances A26 - Ground Splice Packs:Diagram2  
 X15 Ground Splice Packs 4/4:Diagram1  
 Mates 8054\_IP12




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	J11GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	100.0	-	-	-

Connector Name 8054F  
 Part Number 1667740C1  
 Short Description MODESTY TURN LAMP HARNESS CONNECTION  
 Instances Modesty Lighting W/ Sleeper:Diagram1-Combination1  
 Mates 8054M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	J56A	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	150.0	-	-	-
C	-	-	J58A	2643679 R1	1.16	16.0	Std. Wall XLPE Primary Cable	BROWN	200.0	-	-	-


Connector Name 8054M  
 Part Number 1667741C1  
 Instances Modesty Lighting W/ Sleeper:Diagram1-Combination1  
 Mates 8054F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	2B57AJ	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1405.0	-	B1	1M
C	-	-	3C54AJ	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1405.0	-	A7	1M




Connector Name 8054  
 Part Number 1667741C1  
 Instances Modesty Lighting W/ Sleeper:Diagram1-Combination1  
 Mates LT-RF\_MODESTY-1039-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	J11GBA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	250.0	-	-	-
B	-	-	J56AA	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	300.0	-	X	-
C	-	-	J58AA	2643679 R1	1.16	16.0	Std. Wall XLPE Primary Cable	BROWN	350.0	-	C	8100A

Connector Name 8054\_IP12  
 Part Number 1667741C1  
 Short Description RIGHT TURN SIGNAL  
 Instances A26 - Ground Splice Packs:Diagram2  
 X15 Ground Splice Packs 4/4:Diagram1  
 Mates 8054F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	3E54-GX EJ	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1440.0	-	A1	2F_IP12
A	-	-	2A54-GX EJ	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1440.0	-	A1	2F_IP12
A	-	-	3C54-GX EJ	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1440.0	-	A1	2F_IP12
A	-	-	HY54-GX EJ	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1440.0	-	A1	2F_IP12

Connector Name 8100A  
 Part Number 1667741C1  
 Instances Modesty Lighting W/ Sleeper:Diagram1-Combination1  
 Mates LT-LF\_MODESTY-1039-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	J11GBA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	250.0	-	X	-
B	-	-	J56AA	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	300.0	-	-	-
C	-	-	J58AA	2643679 R1	1.16	16.0	Std. Wall XLPE Primary Cable	BROWN	350.0	-	C	8054

Connector Name 8100B  
 Part Number 1667741C1  
 Instances Modesty Lighting W/ Sleeper:Diagram1-Combination1  
 Mates LT-LR\_MODESTY-1039-01-03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	J11GBB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2350.0	-	X	-
B	-	-	J56AB	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2300.0	-	X	-
C	-	-	J58AB	2643679 R1	1.16	16.0	Std. Wall XLPE Primary Cable	BROWN	2250.0	-	X	-

Connector Name 8100F  
 Part Number 1667740C1  
 Short Description MODESTY TURN LAMP HARNESS CONNECTION  
 Instances Modesty Lighting W/ Sleeper:Diagram1-Combination1  
 Mates 8100M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	J11GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	100.0	-	X	-
B	-	-	J56A	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	150.0	-	X	-
C	-	-	J58A	2643679 R1	1.16	16.0	Std. Wall XLPE Primary Cable	BROWN	200.0	-	X	-

Connector Name 8100M  
 Part Number 1667741C1  
 Instances Modesty Lighting W/ Sleeper:Diagram1-Combination1  
 Mates 8100F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MA11-GBB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1945.0	-	-	-
B	-	-	MA56AB	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2270.0	-	X	-
C	-	-	MA58AB	2643679 R1	1.16	16.0	Std. Wall XLPE Primary Cable	BROWN	2325.0	-	X	-

Connector Name 8166  
 Part Number 3625557C1  
 Instances Day Time Running Lights (Halogen):Diagram1  
 Day Time Running Lights (LED):Diagram1  
 Front Turn Lights W/ Halogen:Diagram1  
 Front Turn Lights W/ LED:Diagram1  
 Headlights (LED) N/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Headlights (LED) W/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Park Lights (Halogen/MRKR INT-STRNGWHL):Diagram1  
 Park Lights (LED):Diagram1  
 Mates LT-LS\_HEADLIGHT\_HAL-1016-0 1-04




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	U11-GAC	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	250.0	-	1	8166_R
1	-	-	U11-GAC	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	250.0	-	X	-
2	-	-	U58AB	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	200.0	-	2	8166_R
3	-	-	U56	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	800.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	U56	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	800.0	-	D	8001F




Connector Name 8166\_R  
 Part Number 3625557C1  
 Instances Day Time Running Lights (Halogen):Diagram1  
 Day Time Running Lights (LED):Diagram1  
 Front Turn Lights W/ Halogen:Diagram1  
 Headlights (LED) N/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Headlights (LED) W/ Headlamp Interrupt W/ 125BBC:Diagram1  
 Park Lights (Halogen/MRKR INT-STRNGWHL):Diagram1  
 Park Lights (LED):Diagram1  
 Mates LT-RS\_HEADLIGHT\_HAL-1016-0 1-04



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	U11-GAC	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	250.0	-	-	-
1	-	-	U11-GAC	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	250.0	-	1	8166
2	-	-	U58AB	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	200.0	-	2	8166
3	-	-	U56	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	800.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	U56	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	800.0	-	D	8000F

Connector Name 8166\_R  
 Part Number 3625557C1  
 Instances Front Turn Lights W/ LED:Diagram1  
 Mates LT-RS\_HEADLIGHT\_LED-1016-0 1-03




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	U11-GAC	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	250.0	-	1	8166
3	-	-	U56	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	800.0	-	D	8000F

Connector Name 8200  
 Part Number 587567C91  
 Short Description RIGHT FOG LIGHT  
 Instances Forward Chassis Ground Splice Packs:Diagram 1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	ME64-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1280.0	-	C	8800

Connector Name 8201  
 Part Number 587567C91  
 Short Description LEFT FOG LIGHT  
 Instances Forward Chassis Ground Splice Packs:Diagram 1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	ME64-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	705.0	-	B	8800

Connector Name 8202  
 Part Number 6131286C1  
 Instances LT - Fog Lights (Halogen White Rear):Diagram1  
 LT - Fog Lights (LED White Rear):Diagram1  
 RH - Fog Lights (Halogen White):Diagram1  
 RH - Fog Lights (LED White):Diagram1  
 Mates LT-RS\_FOG\_FRT-1012-03-04A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	MD64B	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	3125.0	-	23	1700F
2	-	-	MD64-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1280.0	-	-	-

Connector Name 8203  
 Part Number 6131286C1  
 Instances LT - Fog Lights (Halogen White Rear):Diagram1  
 LT - Fog Lights (LED White Rear):Diagram1  
 RH - Fog Lights (Halogen White):Diagram1  
 RH - Fog Lights (LED White):Diagram1  
 Mates LT-LS\_FOG\_FRT-1012-03-04A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	MD64A	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	2550.0	-	22	1700F
2	-	-	MD64-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	705.0	-	-	-


Connector Name 830F  
 Part Number 1661200C1  
 Short Description CADEC GPS CONNECTION  
 Instances A26 Endurant - Ground Splice Packs:Diagram1  
 Endurant - Battery Grid 1 (Non-Loadshed):BTRY GRID 1 (NON-LOADSHED)  
 Mates 830



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	14CE	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	3490.0	-	X	-
C	-	-	11CE-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	3490.0	-	X	-




Connector Name 830M  
 Part Number 1661201C1  
 Instances Telematics J1708:Telematics J1708  
 Mates MODU-CADEC\_GPS-2035-09-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	WIRE197812	-	0.0	-	-	-	0.0	-	E2	J5-1602
E	-	-	WIRE197813	-	0.0	-	-	-	0.0	-	E1	J5-1602

Connector Name 8303  
 Part Number 1661778C1  
 Short Description ELECTRIC HORN  
 Instances City Horn (N/ Radio Steering Wheel Controls):Diagram1  
 City Horn (W/ Radio Steering Wheel Controls):Diagram1  
 Mates 8310




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MA85	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2020.0	-	21	1700F
B	-	-	MA85-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	175.0	-	-	-

Connector Name 830  
 Part Number 1661201C1  
 Short Description CADEC GPS CONN  
 Instances A26 Endurant - Ground Splice Packs:Diagram1  
 Endurant - Battery Grid 1 (Non-Loadshed):BTRY GRID 1 (NON-LOADSHED)  
 Mates 830F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	SJ14CE	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	2885.0	-	38	1010
C	-	-	SJ11-GBE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	960.0	-	6	1023

Connector Name 8310  
 Part Number 3543888C1  
 Instances City Horn (N/ Radio Steering Wheel Controls):Diagram1  
 City Horn (W/ Radio Steering Wheel Controls):Diagram1  
 Mates 8303




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	M85J	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	800.0	-	A	8311
B	-	-	M85-GC	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	800.0	-	B	8311

Connector Name 8311  
 Part Number 1661778C1  
 Instances City Horn (N/ Radio Steering Wheel Controls):Diagram1  
 City Horn (W/ Radio Steering Wheel Controls):Diagram1  
 Mates HORN-CITYHORN-1005-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	M85J	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	800.0	-	A	8310
B	-	-	M85-GC	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	800.0	-	B	8310

Connector Name 8350  
 Part Number 3536864C1  
 Instances Windshield Washer Low Fluid Sensor:Diagram1  
 Windshield Washer Pump:Diagram1  
 Mates MOT-WASHERPUMP-1029-03-06A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	MA87C	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3750.0	-	19	1700F
1	-	-	MA87C	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3750.0	-	-	-
2	-	-	MA87D	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3750.0	-	20	1700F

Connector Name 8351  
 Part Number 3536864C1  
 Instances Windshield Washer Low Fluid Sensor:Diagram1  
 Mates SNSR-WASH\_FLUID-1029-03-06A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	WW87A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3650.0	-	17	1700F
2	-	-	WW9BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3650.0	-	-	-

Connector Name 8410  
 Part Number 3664985C1  
 Instances A26 - Starting Aid (Flame Start):Diagram1  
 Mates RLY-FLAME\_START-5022-02-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	CD21A1	2643797 R1	3.01	12.0	Std. Wall XLPE Primary Cable	TAN	1350.0	-	1	6564
2	-	-	CD21A2	2643797 R1	3.01	12.0	Std. Wall XLPE Primary Cable	TAN	1350.0	-	1	6564
3	-	-	CC14A	3525611 R1	7.48	8.0	Thin Wall XLPE Primary Cable	RED	1720.0	-	-	-
6	-	-	CD21B1	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1280.0	-	A	6033




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	CD21B2	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1280.0	-	B	6033
8	-	-	CD21B3	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1280.0	-	C	6033

Connector Name 8450A  
 Part Number 587567C91  
 Short Description INTERCONNECT TO FORWARD CHASSIS HARNESS  
 Instances Crank Inhibit (with Hood Switch) with new BCM Pin:Diagram1  
 Mates 8450A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	U97H	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	1040.0	-	A	8450B
B	-	-	U97J	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	1040.0	-	B	8450B

Connector Name 8450A  
 Part Number 587568C91  
 Short Description START/STOP HOOD SWITCH  
 Instances Crank Inhibit (with Hood Switch) with new BCM Pin:Diagram1  
 Mates 8450A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	PV97H	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	3050.0	-	43	1700F
B	-	-	PV97J	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	3050.0	-	44	1700F

Connector Name 8450B  
 Part Number 587568C91  
 Instances Crank Inhibit (with Hood Switch) with new BCM Pin:Diagram1  
 Mates SW-HOOD-5058-03-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	U97H	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	1040.0	-	A	8450A
B	-	-	U97J	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	1040.0	-	B	8450A

Connector Name 8454  
 Part Number 1661777C1  
 Short Description TRLR SOC PARK BRAKE PRESSURE SWITCH  
 Instances A26 - Battery Feed 1:BTRY Feed (NON-LOADSHED)  
 X15 - Battery Feed 1 - Part 2:Diagram1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	NA72EA	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	700.0	-	51	1700F


Connector Name 8500  
 Part Number 1686834C1  
 Instances Antilock Brake System (ABS) [Bendix 6 Channel  
 Implementation]:W/ ALL HENDRICKSON SUSPENSIONS  
 EXCEPT HTB-40-52  
 Antilock Brake System (ABS) [Bendix 6 Channel  
 Implementation]:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Antilock Brake System (ABS) [Bendix 6 Channel  
 Implementation]:W/ IROS SUSPENSIONS  
 Mates MDL-ABS-3003-01-04A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MB94	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2270.0	-	27	1700F
B	-	-	MB94A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2270.0	-	28	1700F
C	-	-	MB94B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2270.0	-	29	1700F

Connector Name 8500  
 Part Number 6114576C1  
 Instances Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination1 - R01-9501, R01-9502, R01-9503, R01-9504  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination2 - R01-9501D-4chABS, R01-9502A, R01-9503D-4chABS, R01-9504B  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination3 - R01-9501D-4chABS, R01-9502B-4chABS, R01-9503D-4chABS, R01-9504A-4chABS  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination4 - R01-9502B-4chABS, R01-9504A-4chABS, R01-9511, R01-9512  
 X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater & Supply Module Relays FT DEF Tank (L01)  
 X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater & Supply Module Relays DEF Tank (L03)  
 X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater & Supply Module Relays FT DEF Tank (L01)  
 X15 - Selective Catalytic Reduction (SCR):Diagram1 - Heater & Supply Module Relays RR DEF Tank (L03)  
 X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve RR DEF Tank (L03)  
 X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve FT DEF Tank (L01)  
 X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve RR DEF Tank (L03)  
 X15 - Selective Catalytic Reduction (SCR):Diagram2 - Supply Module, Sensor Table, Quality Sensor, DEF Tank Valve, FT DEF Tank (L01)

Mates DEV-ISX ENG-5041-02-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
1	-	-	TJ95H	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1890.0	-	3	674M
1	-	-	TK95H	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1170.0	-	3	674F
1	-	-	MB94	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2270.0	-	27	1700F
2	-	-	MB94A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2270.0	-	28	1700F
3	-	-	MB94B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2270.0	-	29	1700F
5	-	-	KA95TB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1900.0	-	6	690
6	-	-	TS13AB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1650.0	-	X	-
6	-	-	TL13AB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	900.0	-	X	-




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
6	-	-	TM13AB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	900.0	-	X	-
8	-	-	TJ95AR2	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	960.0	-	X	-
8	-	-	TK95AR2	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	960.0	-	X	-
13	-	-	TL10-GK	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	730.0	-	X	-
13	-	-	TS10-GK	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	730.0	-	X	-
13	-	-	TM10-GK	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	730.0	-	X	-

Connector Name 8501  
 Part Number 1686834C1  
 Instances Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ ALL HENDRICKSON SUSPENSIONS EXCEPT HTB-40-52  
 Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ IROS SUSPENSIONS  
 Mates MDL-ABS-3003-01-04B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MB94H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3900.0	-	34	1700F
B	-	-	MB94J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3900.0	-	35	1700F
C	-	-	MB94K	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3900.0	-	36	1700F

Connector Name 8501  
 Part Number 1686834C1  
 Instances Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination1 - R01-9501, R01-9502,  
 R01-9503, R01-9504  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination2 - R01-9501D-4chABS,  
 R01-9502A, R01-9503D-4chABS, R01-9504B  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination3 - R01-9501D-4chABS,  
 R01-9502B-4chABS, R01-9503D-4chABS, R01-9504A-4chABS  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination4 - R01-9502B-4chABS,  
 R01-9504A-4chABS, R01-9511, R01-9512  
 Mates MDL-ABS-3003-01-04B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MB94H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3900.0	-	34	1700F
B	-	-	MB94J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3900.0	-	35	1700F
C	-	-	MB94K	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3900.0	-	36	1700F

Connector Name 8502  
 Part Number 3866308C1  
 Instances Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ ALL HENDRICKSON SUSPENSIONS EXCEPT HTB-40-52  
 Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ IROS SUSPENSIONS  
 Mates SNSR-WS-3003-01-04B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	NB94C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1970.0	-	30	1700F
2	-	-	NB94D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1970.0	-	31	1700F

Connector Name 8502  
 Part Number 3866308C1  
 Instances Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination1 - R01-9501, R01-9502,  
 R01-9503, R01-9504  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination2 - R01-9501D-4chABS,  
 R01-9502A, R01-9503D-4chABS, R01-9504B  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination3 - R01-9501D-4chABS,  
 R01-9502B-4chABS, R01-9503D-4chABS, R01-9504A-4chABS  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination4 - R01-9502B-4chABS,  
 R01-9504A-4chABS, R01-9511, R01-9512  
 Mates SNSR-WS-3003-01-04B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	NB94C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1970.0	-	30	1700F
2	-	-	NB94D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1970.0	-	31	1700F

Connector Name 8503  
 Part Number 3866308C1  
 Instances Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ ALL HENDRICKSON SUSPENSIONS EXCEPT HTB-40-52  
 Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ IROS SUSPENSIONS  
 Mates SNSR-WS-3003-01-04C




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	NB94E	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3650.0	-	32	1700F
2	-	-	NB94F	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3650.0	-	33	1700F

Connector Name 8503  
 Part Number 3866308C1  
 Instances Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination1 - R01-9501, R01-9502,  
 R01-9503, R01-9504  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination2 - R01-9501D-4chABS,  
 R01-9502A, R01-9503D-4chABS, R01-9504B  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination3 - R01-9501D-4chABS,  
 R01-9502B-4chABS, R01-9503D-4chABS, R01-9504A-4chABS  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination4 - R01-9502B-4chABS,  
 R01-9504A-4chABS, R01-9511, R01-9512  
 Mates SNSR-WS-3003-01-04C



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	NB94E	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3650.0	-	32	1700F
2	-	-	NB94F	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3650.0	-	33	1700F

Connector Name 8504  
 Part Number 3919376C1  
 Instances  
 Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 4X2 AXLE CONFIGURATION  
 Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ HENDRICKSON  
 55",60" AIR SUSPENSION  
 Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ HENDRICKSON  
 PRIMAAX SUSPENSION  
 Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ IROS, HENDRICKSON  
 HTB-40-52 SUSPENSIONS  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ ALL HENDRICKSON SUSPENSIONS  
 EXCEPT HTB-40-52  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ IROS SUSPENSIONS




Mates MDL-ABS-3003-02-04A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	MX94M	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2270.0	-	27	1700F
2	-	-	MX94MA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2270.0	-	28	1700F
3	-	-	MX94MB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2270.0	-	29	1700F




Connector Name 8505  
 Part Number 3919376C1  
 Instances  
 Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 4X2 AXLE CONFIGURATION  
 Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ HENDRICKSON  
 55",60" AIR SUSPENSION  
 Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ HENDRICKSON  
 PRIMAAX SUSPENSION  
 Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ IROS, HENDRICKSON  
 HTB-40-52 SUSPENSIONS  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ ALL HENDRICKSON SUSPENSIONS  
 EXCEPT HTB-40-52  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ IROS SUSPENSIONS



Mates MDL-ABS-3003-02-04B

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	MZ94MH	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3900.0	-	34	1700F
2	-	-	MZ94MJ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3900.0	-	35	1700F
3	-	-	MZ94MK	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3900.0	-	36	1700F


Connector Name 8506  
 Part Number 6111844C1  
 Instances Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 4X2 AXLE CONFIGURATION  
 Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ HENDRICKSON  
 55",60" AIR SUSPENSION  
 Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ HENDRICKSON  
 PRIMAAX SUSPENSION  
 Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ IROS, HENDRICKSON  
 HTB-40-52 SUSPENSIONS  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ ALL HENDRICKSON SUSPENSIONS  
 EXCEPT HTB-40-52  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ IROS SUSPENSIONS



Mates SNSR-WS-3003-02-04A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	NC94MC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1970.0	-	30	1700F
2	-	-	NC94MD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1970.0	-	31	1700F


Connector Name 8507  
 Part Number 6111844C1  
 Instances Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 4X2 AXLE CONFIGURATION  
 Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ HENDRICKSON  
 55",60" AIR SUSPENSION  
 Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ HENDRICKSON  
 PRIMAAX SUSPENSION  
 Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ IROS, HENDRICKSON  
 HTB-40-52 SUSPENSIONS  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ ALL HENDRICKSON SUSPENSIONS  
 EXCEPT HTB-40-52  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ IROS SUSPENSIONS



Mates SNSR-WS-3003-02-04B


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	PC94ME	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3650.0	-	32	1700F
2	-	-	PC94MF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3650.0	-	33	1700F

Connector Name 8550B  
 Part Number 587567C91  
 Instances A26 - Fuel Heater (Vehicle Powered)(Davco):Combination2




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MK19	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	1945.0	-	6	1700F
B	-	-	MK19-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1140.0	-	-	-

Connector Name 8550  
 Part Number 587567C91  
 Instances A26 - Fuel Heater (Vehicle Powered)(Davco):Combination1  
 Mates DEV-FUEL FILTER ASSY-3036-01-07A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MH19	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	1745.0	-	6	1700F
B	-	-	MH19-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	940.0	-	-	-

Connector Name 8600  
 Part Number 587566C91  
 Instances A26 - Cooling Fan Control Two-Speed:Diagram1  
 X15 - Cooling Fan Control ON/OFF:Diagram1  
 Mates GND-RADIATOR-5014-01-03A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MA11-GC	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	1760.0	-	A	4005B

Connector Name 8800  
 Part Number 3551896C1  
 Instances Forward Chassis Ground Splice Packs:Diagram 1  
 Mates SP-0003-00-10-M0A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MA11-GD	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	250.0	-	X	-
B	-	-	ME64-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	705.0	-	B	8201
B	-	-	MD64-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	705.0	-	-	-
C	-	-	ME64-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1280.0	-	B	8200

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	MD64-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1280.0	-	-	-
D	-	-	MK19-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1140.0	-	-	-
D	-	-	MH19-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	940.0	-	-	-
E	-	-	MJ54-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1970.0	-	-	-
F	-	-	MA85-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	175.0	-	-	-




Connector Name 8802  
 Part Number 3551896C1  
 Instances Center Chassis ZVR Splice Packs:Diagram 1  
 Mates SP-B000-00-10-N1A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NA9BC	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2085.0	-	-	-
C	-	-	FB9BE	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1875.0	-	-	-
C	-	-	FF9BE	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2045.0	-	-	-
C	-	-	FC9BE	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1950.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	FD9BE	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1660.0	-	-	-
C	-	-	FA9BE	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	850.0	-	-	-
C	-	-	FE9BE	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2950.0	-	-	-
D	-	-	NR9BF	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1400.0	-	7	9800F


Connector Name 8803  
 Part Number 3551896C1  
 Instances Center Chassis Ground Splice Packs:Diagram 1  
 Endurant - Center Chassis Ground Splice Packs:Diagram 1  
 Mates SP-0003-00-10-N0A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NA11-GA	3510363 R1	4.81	10.0	Thin Wall XLPE Primary Cable	WHITE	1550.0	-	1	4006
B	-	-	NA10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2335.0	-	-	-
D	-	-	GD39-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1685.0	-	-	-
D	-	-	GF39-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	3215.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	GB39-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1635.0	-	-	-
E	-	-	GA39-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1510.0	-	-	-
F	-	-	RE39-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	200.0	-	-	-

Connector Name 8804  
 Part Number 3551896C1  
 Instances Center Chassis Ground Splice Packs:Diagram 1  
 Endurant - Center Chassis Ground Splice Packs:Diagram 1  
 Mates SP-0003-00-10-N0B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NA11-GB	3510363 R1	4.81	10.0	Thin Wall XLPE Primary Cable	WHITE	1700.0	-	1	4006
B	-	-	CB59-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2960.0	-	-	-
B	-	-	CD59-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1520.0	-	-	-
B	-	-	CA59-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1660.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	CC59-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2285.0	-	-	-
C	-	-	SZ59-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1510.0	-	-	-
C	-	-	SX59-GA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2960.0	-	-	-
C	-	-	SW59-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1910.0	-	-	-
C	-	-	SY59-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2185.0	-	-	-
D	-	-	NT49-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2185.0	-	-	-
E	-	-	NV65-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1440.0	-	-	-
F	-	-	NX65-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1975.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F	-	-	NY65-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	100.0	-	X	-
F	-	-	NX65-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1975.0	-	-	-
F	-	-	NY65-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	100.0	-	-	-

Connector Name 8903  
 Part Number 6111813C1  
 Instances Adaptive Cruise Control w/o Display(Bendix):Diagram1  
 Eaton Ultrashift:Eaton Ultrashift  
 Endurant:Endurant  
 Fusion Private J1939:Fusion Private J1939  
 Manual Transmission:Manual Transmission  
 Powertrain J1939 (500Kbps) X15:Powertrain J1939 (500Kbps)  
 X15 Engine  
 TC10 Series:Powertrain Standard J1939 (500Kbps) A26 Engine




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	WIRE1341	-	0.0	-	-	-	0.0	-	PIN1	-
1	-	-	WIRE223 914	-	0.0	-	-	-	0.0	-	PIN1	-
1	-	-	SV5UE(+)	-	0.0	-	J1939 .46 WAL	YELLOW 2	410.0	-	-	-
2	-	-	WIRE196 490	-	0.0	-	-	-	0.0	-	45	1700F
5	-	-	NW67-GG	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	2920.0	-	37	1700F
6	-	-	WIRE1340	-	0.0	-	-	-	0.0	-	PIN1	-
6	-	-	WIRE223 915	-	0.0	-	-	-	0.0	-	PIN1	-
6	-	-	SV5UE(-)	-	0.0	-	J1939 .46 WAL	GREEN	380.0	-	-	-




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	WIRE196491	-	0.0	-	-	-	0.0	-	46	1700F
8	-	-	NW67Y	3510322R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	2920.0	-	38	1700F

Connector Name 8904  
 Part Number 3852527C1  
 Instances Adaptive Cruise Control w/o Display (Wabco):Diagram1  
 Eaton Ultrashift:Eaton Ultrashift  
 Endurant:Endurant  
 Manual Transmission:Manual Transmission  
 Powertrain J1939 (500Kbps) X15:Powertrain J1939 (500Kbps)  
 X15 Engine  
 TC10 Series:Powertrain Standard J1939 (500Kbps) A26 Engine  
 Mates SNSR-WABCO\_RADR-3000-04-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	WU67YB	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	470.0	-	X	-
2	-	-	WU67YC	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	470.0	-	X	-
3	-	-	WIRE1338	-	0.0	-	-	-	0.0	-	PIN1	-
3	-	-	WIRE223 908	-	0.0	-	-	-	0.0	-	PIN1	-
6	-	-	WIRE1339	-	0.0	-	-	-	0.0	-	PIN1	-
6	-	-	WIRE223 909	-	0.0	-	-	-	0.0	-	PIN1	-
8	-	-	WU67-G	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	2950.0	-	37	1700F

Connector Name 8956  
 Part Number 3683465C1  
 Instances Eaton Ulltrashift:Eaton Ultrashift  
 Endurant:Endurant  
 Manual Transmission:Manual Transmission  
 Powertrain J1939 (500Kbps) X15:Powertrain J1939 (500Kbps)  
 X15 Engine  
 TC10 Series:Powertrain Standard J1939 (500Kbps) A26 Engine




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE1334	-	0.0	-	-	-	0.0	-	PIN1	-
A	-	-	WIRE223910	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE1337	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE223911	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 8958  
 Part Number 3683465C1  
 Instances Body J1939 (250Kbps):Body J1939 (250Kbps)




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE1556	-	0.0	-	-	-	0.0	-	X	-
B	-	-	WIRE1557	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 8993F  
 Part Number 3823761C1  
 Instances A26 - Ground Splice Packs:Diagram1  
 Body J1939 (250Kbps):Body J1939 (250Kbps)  
 Tire Pressure (TPMS) (US & Canada):Diagram1  
 Mates MODU-TPMS-3032-01-10A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	NS22AG	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1770.0	-	-	-
1	-	-	NS22AG	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1770.0	-	48	1700F
2	-	-	NS22AA	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1770.0	-	47	1700F
11	-	-	WIRE1558	-	0.0	-	-	-	0.0	-	X	-
12	-	-	WIRE1559	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 9100A  
 Part Number 1661778C1  
 Instances Fuel Level (Single Tank - Left Side):Diagram1-Combination1 - N01-9100A  
 Mates SNSR-Fuel\_Sender-3017-06-0 1A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	FA36A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2660.0	-	27	1701F
B	-	-	FA9BE	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	850.0	-	-	-

Connector Name 9100B  
 Part Number 1661778C1  
 Instances Fuel Level (Single Tank - Left Side):Diagram1-Combination2 - N01-9100B  
 Mates SNSR-Fuel\_Sender-3017-06-0 1A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	FB36A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3685.0	-	27	1701F
B	-	-	FB9BE	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1875.0	-	-	-


Connector Name 9100C  
 Part Number 1661778C1  
 Instances Fuel Level (Single Tank - Left Side):Diagram1-Combination3 - N01-9100C  
 Mates SNSR-Fuel\_Sender-3017-06-0 1A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	FC36A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3760.0	-	27	1701F
B	-	-	FC9BE	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1950.0	-	-	-




Connector Name 9100D  
 Part Number 1661778C1  
 Instances Fuel Level (Single Tank - Left Side):Diagram1-Combination4 - N01-9100D  
 Mates SNSR-Fuel\_Sender-3017-06-0 1A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	FD36A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2000.0	-	27	1701F
B	-	-	FD9BE	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1660.0	-	-	-

Connector Name 9100E  
 Part Number 1661778C1  
 Instances Fuel Level (Single Tank - Left Side):Diagram1-Combination5 - N01-9100E  
 Mates SNSR-Fuel\_Sender-3017-06-0 1A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	FE36A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	4760.0	-	27	1701F
B	-	-	FE9BE	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2950.0	-	-	-

Connector Name 9100F  
 Part Number 1661778C1  
 Instances Fuel Level (Single Tank - Left Side):Diagram1-Combination6 - N01-9100F  
 Mates SNSR-Fuel\_Sender-3017-06-0 1A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	FF36A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3855.0	-	27	1701F
B	-	-	FF9BE	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2045.0	-	-	-

Connector Name 9260  
 Part Number 475961C1  
 Short Description BATTERY NEGATIVE  
 Instances X15 - Powertrain Ground Splice Pack 1 OF 2:Diagram 1  
 X15 - Powertrain Ground Splice Pack 2 OF 2:Diagram 1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	KA10-H	2644025 R1	18.94	4.0	Std. Wall XLPE Battery Cable	WHITE	1530.0	-	X	-


Connector Name 9303A  
 Part Number 1661375C2  
 Instances  
 A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination3  
 A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination4  
 A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination7  
 A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination8  
 Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-Combination3  
 Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-Combination4  
 Rear Light (Tail Light) (Light Bar ASSY):W/ 6X2,6X4 AXLE  
 Rear Light (Tail Light) (Light Bar ASSY/MRKR INT-STRNGWHL):W/ 6X2,6X4 AXLE  
 Rear Lights Stop - Single Assembly:W/ 6X2,6X4 AXLE  
 Mates LT-TAIL ASSY-1002-01-04



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	SA71BA	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	3816.0	-	1	9800M
B	-	-	SA56A	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	3816.0	-	2	9800M
C	-	-	SA57A	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	3816.0	-	3	9800M
D	-	-	SA68A	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	3816.0	-	4	9800M


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	SA10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	3816.0	-	5	9800M
E	-	-	SA10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	3816.0	-	-	-

Connector Name 9303A  
 Part Number 1661375C2  
 Instances X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-Combination3  
 X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-Combination4  
 Mates LT-TAIL ASSY-1002-01-04



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	SA71BA	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	3816.0	-	1	9800M
E	-	-	SA10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	3816.0	-	5	9800M


Connector Name 9303A  
 Part Number 1661375C2  
 Instances A26 - Backup Light (Endurant):Diagram1  
 A26 - Backup Lights (Single Reverse Light) Eaton/Manual  
 Trans:Diagram1-Combination2  
 A26 - Backup Lights (Single Reverse Light) Eaton/Manual  
 Trans:Diagram1-Combination4  
 Backup Light (Single Reverse Light)Allison/ZF Trans:Diagram1-  
 Combination2  
 Mates LT-TAIL ASSY-1002-01-04



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	SA71BA	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	3816.0	-	1	9800M
E	-	-	SA10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	3816.0	-	-	-
E	-	-	SA10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	3816.0	-	5	9800M




Connector Name 9303A  
 Part Number 1661375C2  
 Instances License Plate Light (Tail Light Bar Assy.):Diagram1-  
 Combination2 - R01-9303A  
 X15 Backup Light (Endurant):Diagram1  
 Mates LT-TAIL ASSY-1002-01-04




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	SA71BA	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	3816.0	-	1	9800M
D	-	-	SA68A	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	3816.0	-	4	9800M
E	-	-	SA10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	3816.0	-	5	9800M
E	-	-	SA10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	3816.0	-	-	-

Connector Name 9303A  
 Part Number 1661375C2  
 Instances Rear Turn Lights W/ Single Rear Light Assembly:W/ 6X2,6X4 AXLE  
 Mates LT-TAIL ASSY-1002-01-04



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	SA56A	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	3816.0	-	2	9800M
C	-	-	SA57A	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	3816.0	-	3	9800M
E	-	-	SA10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	3816.0	-	5	9800M


Connector Name 9303K  
 Part Number 1661375C2  
 Instances  
 A26 - Backup Lights (Dual Reverse Light) Eaton/Manual  
 Trans:Diagram1-Combination1  
 A26 - Backup Lights (Dual Reverse Light) Eaton/Manual  
 Trans:Diagram1-Combination3  
 Backup Light (Dual Reverse Light)Allison/ZF Trans:Diagram1-  
 Combination1  
 Backup Lights (Dual Reverse Light) Eaton/Manual Trans:W/  
 6X2,6X4 AXLE  
 License Plate Light(Weldon LED):Diagram1-Combination1 -  
 R01-9303K  
 Rear Light (Tail Light) (Weldon LED):W/ 6X2,6X4 AXLE  
 Rear Light (Tail Light) (Weldon LED/MRKR INT-  
 STRNGWHL):W/ 6X2,6X4 AXLE  
 Rear Lights Stop - Dual Assembly:W/ 6X2,6X4 AXLE  
 Rear Turn Lights W/ Dual Tail Light Assembly:W/ 6X2,6X4 AXLE  
 Mates LT-LS\_TAIL\_ASSY-1002-02-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
A	-	-	VJ71BE	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	550.0	-	X	-
A	-	-	VH71BE	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	550.0	-	X	-
B	-	-	VG56A	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	4216.0	-	2	9800M
D	-	-	VG68AC	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	600.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	VH10-GE	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	650.0	-	1	-
E	-	-	VJ10-GE	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	650.0	-	X	-


Connector Name 9303L  
 Part Number 1661375C2  
 Instances  
   A26 - Backup Lights (Dual Reverse Light) Eaton/Manual  
   Trans:Diagram1-Combination1  
   A26 - Backup Lights (Dual Reverse Light) Eaton/Manual  
   Trans:Diagram1-Combination3  
   Backup Light (Dual Reverse Light)Allison/ZF Trans:Diagram1-  
   Combination1  
   Backup Lights (Dual Reverse Light) Eaton/Manual Trans:W/  
   6X2,6X4 AXLE  
   Rear Light (Tail Light) (Weldon LED):W/ 6X2,6X4 AXLE  
   Rear Light (Tail Light) (Weldon LED/MRKR INT-  
   STRNGWHL):W/ 6X2,6X4 AXLE  
   Rear Lights Stop - Dual Assembly:W/ 6X2,6X4 AXLE  
   Rear Turn Lights W/ Dual Tail Light Assembly:W/ 6X2,6X4 AXLE  
 Mates LT-RS\_TAIL\_ASSY-1002-02-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	VJ71BG	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	700.0	-	X	-
A	-	-	VH71BG	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	700.0	-	X	-
C	-	-	VG57A	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	4566.0	-	3	9800M
D	-	-	VG68AD	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	650.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	VH10-GG	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	600.0	-	1	-
E	-	-	VJ10-GG	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	600.0	-	X	-

Connector Name 9303M  
 Part Number 1661375C2  
 Instances A26 - Backup Lights (Dual Reverse Light) Eaton/Manual  
 Trans:Diagram1-Combination2  
 A26 - Backup Lights (Dual Reverse Light) Eaton/Manual  
 Trans:Diagram1-Combination4  
 Backup Light (Dual Reverse Light)Allison/ZF Trans:Diagram1-  
 Combination2  
 Backup Lights (Dual Reverse Light) Eaton/Manual Trans:W/ 4X2  
 AXLE  
 License Plate Light(Weldon LED):Diagram1-Combination2 -  
 R01-9303M  
 Rear Light (Tail Light) (Weldon LED):W/ 4X2 AXLE  
 Rear Light (Tail Light) (Weldon LED/MRKR INT-  
 STRNGWHL):W/ 4X2 AXLE  
 Rear Lights Stop - Dual Assembly:W/ 4X2 AXLE  
 Rear Turn Lights W/ Dual Tail Light Assembly:W/ 4X2 AXLE




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	VK71BC	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	550.0	-	X	-
A	-	-	VF71BC	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	550.0	-	X	-
B	-	-	VE56A	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	3516.0	-	2	9800M
D	-	-	VE68AB	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	600.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	VK10-GC	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	White	650.0	-	X	-
E	-	-	VF10-GC	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	650.0	-	X	-




Connector Name 9303N  
 Part Number 1661375C2  
 Instances A26 - Backup Lights (Dual Reverse Light) Eaton/Manual  
 Trans:Diagram1-Combination2  
 A26 - Backup Lights (Dual Reverse Light) Eaton/Manual  
 Trans:Diagram1-Combination4  
 Backup Light (Dual Reverse Light)Allison/ZF Trans:Diagram1-  
 Combination2  
 Backup Lights (Dual Reverse Light) Eaton/Manual Trans:W/ 4X2  
 AXLE  
 Rear Light (Tail Light) (Weldon LED):W/ 4X2 AXLE  
 Rear Light (Tail Light) (Weldon LED/MRKR INT-  
 STRNGWHL):W/ 4X2 AXLE  
 Rear Lights Stop - Dual Assembly:W/ 4X2 AXLE  
 Rear Turn Lights W/ Dual Tail Light Assembly:W/ 4X2 AXLE



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	VK71BD	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	700.0	-	X	-
A	-	-	VF71BD	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	700.0	-	X	-
C	-	-	VE57A	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	3866.0	-	3	9800M
D	-	-	VE68AA	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	650.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	VK10-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	White	600.0	-	X	-
E	-	-	VF10-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	600.0	-	X	-

Connector Name 9303  
 Part Number 1661375C2  
 Instances  
 A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination1  
 A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination2  
 A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination5  
 A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination6  
 Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-Combination1  
 Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-Combination2  
 Rear Light (Tail Light) (Light Bar ASSY):W/ 4X2 AXLE  
 Rear Light (Tail Light) (Light Bar ASSY/MRKR INT-STRNGWHL):W/ 4X2 AXLE  
 Mates  
 LT-TAIL ASSY-1002-01-04




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RA71BA	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	3116.0	-	1	9800M
D	-	-	RA68A	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	3116.0	-	4	9800M
E	-	-	RA10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	3116.0	-	5	9800M
E	-	-	RA10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	3116.0	-	-	-

Connector Name 9303  
 Part Number 1661375C2  
 Instances X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-Combination1  
 X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-Combination2  
 Mates LT-TAIL ASSY-1002-01-04




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RA71BA	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	3116.0	-	1	9800M
E	-	-	RA10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	3116.0	-	5	9800M

Connector Name 9303  
 Part Number 1661375C2  
 Instances A26 - Backup Lights (Single Reverse Light) Eaton/Manual  
 Trans:Diagram1-Combination1  
 A26 - Backup Lights (Single Reverse Light) Eaton/Manual  
 Trans:Diagram1-Combination3  
 Backup Light (Single Reverse Light)Allison/ZF Trans:Diagram1-  
 Combination1  
 Mates LT-TAIL ASSY-1002-01-04



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RA71BA	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	3116.0	-	1	9800M
E	-	-	RA10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	3116.0	-	-	-
E	-	-	RA10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	3116.0	-	5	9800M


Connector Name 9303  
 Part Number 1661375C2  
 Instances Backup Lights (Single Reverse Light) Eaton/Manual Trans:W/  
 4X2 AXLE  
 Backup Lights (Single Reverse Light) Eaton/Manual Trans:W/  
 6X2,6X4 AXLE  
 Rear Lights Stop - Single Assembly:W/ 4X2 AXLE  
 Rear Turn Lights W/ Single Rear Light Assembly:W/ 4X2 AXLE  
 Mates LT-TAIL ASSY-1002-01-04



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RA71BA	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	3116.0	-	1	9800M
A	-	-	SA71BA	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	3816.0	-	1	9800M
B	-	-	RA56A	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	3116.0	-	2	9800M
C	-	-	RA57A	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	3116.0	-	3	9800M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	RA10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	3116.0	-	5	9800M
E	-	-	SA10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	3816.0	-	5	9800M


Connector Name 9303  
 Part Number 1661375C2  
 Instances License Plate Light (Tail Light Bar Assy.):Diagram1-  
 Combination1 - R01-9303  
 Mates LT-TAIL ASSY-1002-01-04



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	RA68A	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	3116.0	-	4	9800M
E	-	-	RA10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	3116.0	-	5	9800M




Connector Name 9305B  
 Part Number 1671610C1  
 Instances A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination1  
 A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination3  
 Back-Up Alarm (Automatic) TC10:Diagram1-Combination1  
 X15 - Back-Up Alarm Manual and UltraShift+:Diagram1-Combination1  
 Mates ALRM-REVERSE-3009-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	VH71BF	2643755 R1	3.01	12.0	Std. Wall XLPE Primary Cable	ORANGE	425.0	-	X	-
B	-	-	VH10-GF	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	325.0	-	1	-

Connector Name 9305C  
 Part Number 1671610C1  
 Instances A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination2  
 A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination4  
 Back-Up Alarm (Automatic) TC10:Diagram1-Combination2  
 X15 - Back-Up Alarm Manual and UltraShift+:Diagram1-Combination2




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	VF71BB	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	425.0	-	X	-
B	-	-	VF10-GD	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	325.0	-	X	-

Connector Name 9414A  
 Part Number 3678796C1  
 Instances Wabco Full Stability Control:Diagram1-Combination1  
 Wabco Full Stability Control:Diagram1-Combination2  
 Mates SOL-ESC\_TCV-3026-02-03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	[YH94SL]	V-16-GXL	1.16	16.0	Std. Wall XLPE Primary Cable	Not Applicable	1960.0	-	63	1701F
2	-	-	[YH94SM]	V-16-GXL	1.16	16.0	Std. Wall XLPE Primary Cable	Not Applicable	1960.0	-	75	1701F

Connector Name 9501D  
 Part Number 3866308C1  
 Instances Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ ALL HENDRICKSON SUSPENSIONS EXCEPT HTB-40-52  
 Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ IROS SUSPENSIONS  
 Mates SNSR-WS-3003-01-06A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	TF94BQ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2666.0	-	4	9516M
1	-	-	UP94BQ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2666.0	-	4	9516M
2	-	-	TF94BR	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2666.0	-	5	9516M
2	-	-	UP94BR	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2666.0	-	5	9516M

Connector Name 9501D  
 Part Number 3866308C1  
 Instances Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination2 - R01-9501D-4chABS,  
 R01-9502A, R01-9503D-4chABS, R01-9504B  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination3 - R01-9501D-4chABS,  
 R01-9502B-4chABS, R01-9503D-4chABS, R01-9504A-4chABS  
 Mates SNSR-WS-3003-01-04D




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	SB94BE	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2716.0	-	17	9800M
2	-	-	SB94BD	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2716.0	-	16	9800M

Connector Name 9501  
 Part Number 3866308C1  
 Instances Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination1 - R01-9501, R01-9502,  
 R01-9503, R01-9504  
 Mates SNSR-WS-3003-01-04D




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	RB94BE	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1531.0	-	17	9800M
2	-	-	RB94BD	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1531.0	-	16	9800M

Connector Name 9502A  
 Part Number 1686834C1  
 Instances Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ ALL HENDRICKSON SUSPENSIONS EXCEPT HTB-40-52  
 Mates MDL-ABS-3003-01-04C



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	UP94BA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1581.0	-	13	9800M
B	-	-	UP94BB	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1581.0	-	14	9800M
C	-	-	UP94BC	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1581.0	-	15	9800M


Connector Name 9502A  
 Part Number 1686834C1  
 Instances Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination2 - R01-9501D-4chABS,  
 R01-9502A, R01-9503D-4chABS, R01-9504B  
 Mates MDL-ABS-3003-01-04C



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	SB94BA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1581.0	-	13	9800M
B	-	-	SB94BB	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1581.0	-	14	9800M
C	-	-	UP94BC	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1581.0	-	15	9800M




Connector Name 9502B  
 Part Number 1686834C1  
 Instances Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ ALL HENDRICKSON SUSPENSIONS EXCEPT HTB-40-52  
 Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ IROS SUSPENSIONS  
 Mates MDL-ABS-3003-01-06A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TF94BY	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2796.0	-	1	9516M
A	-	-	UP94BY	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2796.0	-	1	9516M
B	-	-	TF94BZ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2796.0	-	2	9516M
B	-	-	UP94BZ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2796.0	-	2	9516M


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	UP94BP	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2796.0	-	3	9516M
C	-	-	TF94BP	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2796.0	-	3	9516M

Connector Name 9502B  
 Part Number 1686834C1  
 Instances Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination3 - R01-9501D-4chABS,  
 R01-9502B-4chABS, R01-9503D-4chABS, R01-9504A-4chABS  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination4 - R01-9502B-4chABS,  
 R01-9504A-4chABS, R01-9511, R01-9512  
 Mates MDL-ABS-3003-01-04C




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	SZ94BA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2846.0	-	13	9800M
B	-	-	SD94BB	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2846.0	-	14	9800M
C	-	-	SZ94BC	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2846.0	-	15	9800M

Connector Name 9502  
 Part Number 1686834C1  
 Instances Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination1 - R01-9501, R01-9502,  
 R01-9503, R01-9504  
 Mates MDL-ABS-3003-01-04C




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RB94BA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1506.0	-	13	9800M
B	-	-	RB94BB	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1506.0	-	14	9800M
C	-	-	RB94BC	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1506.0	-	15	9800M

Connector Name 9503D  
 Part Number 3866308C1  
 Instances Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ ALL HENDRICKSON SUSPENSIONS EXCEPT HTB-40-52  
 Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ IROS SUSPENSIONS  
 Mates SNSR-WS-3003-01-06B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	TF94BW	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3241.0	-	10	9516M
1	-	-	UP94BW	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3241.0	-	10	9516M
2	-	-	TF94BV	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3241.0	-	9	9516M
2	-	-	UP94BV	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3241.0	-	9	9516M

Connector Name 9503D  
 Part Number 3866308C1  
 Instances Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination2 - R01-9501D-4chABS,  
 R01-9502A, R01-9503D-4chABS, R01-9504B  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination3 - R01-9501D-4chABS,  
 R01-9502B-4chABS, R01-9503D-4chABS, R01-9504A-4chABS  
 Mates SNSR-WS-3003-01-04A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	SB94BH	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3291.0	-	19	9800M
2	-	-	SD94BF	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3291.0	-	18	9800M

Connector Name 9503  
 Part Number 3866308C1  
 Instances Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination1 - R01-9501, R01-9502,  
 R01-9503, R01-9504  
 Mates SNSR-WS-3003-01-04A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	RB94BH	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2056.0	-	19	9800M
2	-	-	RB94BF	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2056.0	-	18	9800M

Connector Name 9504A  
 Part Number 1686834C1  
 Instances Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ ALL HENDRICKSON SUSPENSIONS EXCEPT HTB-40-52  
 Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ IROS SUSPENSIONS  
 Mates MDL-ABS-3003-01-06B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	UP94BS	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3416.0	-	6	9516M
A	-	-	TF94BS	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3416.0	-	6	9516M
B	-	-	TF94BT	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3416.0	-	7	9516M
B	-	-	UP94BT	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3416.0	-	7	9516M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	TF94BU	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3416.0	-	8	9516M
C	-	-	UP94BU	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3416.0	-	8	9516M

Connector Name 9504A  
 Part Number 1686834C1  
 Instances Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination3 - R01-9501D-4chABS,  
 R01-9502B-4chABS, R01-9503D-4chABS, R01-9504A-4chABS  
 Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination4 - R01-9502B-4chABS,  
 R01-9504A-4chABS, R01-9511, R01-9512  
 Mates MDL-ABS-3003-01-04D




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	SD94BJ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3466.0	-	20	9800M
B	-	-	SZ94BK	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3466.0	-	21	9800M
C	-	-	SZ94BL	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3466.0	-	22	9800M

Connector Name 9504B  
 Part Number 1686834C1  
 Instances Antilock Brake System (ABS) [Bendix 6 Channel  
 Implementation]:W/ ALL HENDRICKSON SUSPENSIONS  
 EXCEPT HTB-40-52  
 Mates MDL-ABS-3003-01-04D




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	UP94BJ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4041.0	-	20	9800M
B	-	-	UP94BK	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4041.0	-	21	9800M
C	-	-	UP94BL	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4041.0	-	22	9800M

Connector Name 9504B  
 Part Number 1686834C1  
 Instances Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination2 - R01-9501D-4chABS,  
 R01-9502A, R01-9503D-4chABS, R01-9504B  
 Mates MDL-ABS-3003-01-04D




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	SB94BJ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4041.0	-	20	9800M
B	-	-	SB94BK	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4041.0	-	21	9800M
C	-	-	UP94BL	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4041.0	-	22	9800M

Connector Name 9504  
 Part Number 1686834C1  
 Instances Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination1 - R01-9501, R01-9502,  
 R01-9503, R01-9504  
 Mates MDL-ABS-3003-01-04D




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RB94BJ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2256.0	-	20	9800M
B	-	-	RB94BK	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2256.0	-	21	9800M
C	-	-	RB94BL	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2256.0	-	22	9800M

Connector Name 9505A  
 Part Number 3678796C1  
 Instances Traction Control (Bendix Controller):Diagram1-Combination2 - R01-9505A  
 Mates SOL-TCV\_BENDIX-3033-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	SC94BM	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2201.0	-	23	9800M
2	-	-	SE94BN	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2201.0	-	24	9800M

Connector Name 9505  
 Part Number 3678796C1  
 Instances Traction Control (Bendix Controller):Diagram1-Combination1 - R01-9505  
 Mates SOL-TCV\_BENDIX-3026-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	RC94BM	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1511.0	-	23	9800M
2	-	-	RC94BN	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1511.0	-	24	9800M

Connector Name 9506D  
 Part Number 6111844C1  
 Instances Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ HENDRICKSON  
 55",60" AIR SUSPENSION  
 Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ HENDRICKSON  
 PRIMAAX SUSPENSION  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ ALL HENDRICKSON SUSPENSIONS  
 EXCEPT HTB-40-52  
 Mates SNSR-WS-3003-02-04C




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	SR94ME	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2516.0	-	17	9800M
1	-	-	VT94MD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2516.0	-	17	9800M
1	-	-	US94BRA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1510.0	-	X	-
2	-	-	SR94MD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2516.0	-	16	9800M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	VT94ME	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2516.0	-	16	9800M
2	-	-	US94BQA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1890.0	-	X	-

Connector Name 9506E  
 Part Number 6111844C1  
 Instances Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ IROS, HENDRICKSON  
 HTB-40-52 SUSPENSIONS  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ IROS SUSPENSIONS  
 Mates SNSR-WS-3003-02-04C




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	SS94ME	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2516.0	-	17	9800M
1	-	-	UJ94BRA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1510.0	-	X	-
2	-	-	SS94MD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2516.0	-	16	9800M
2	-	-	UJ94BQA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1890.0	-	X	-

Connector Name 9506  
 Part Number 6111844C1  
 Instances Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 4X2 AXLE CONFIGURATION  
 Mates SNSR-WS-3003-02-04C



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	ST94ME	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1531.0	-	17	9800M
2	-	-	ST94MD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1531.0	-	16	9800M


Connector Name 9507A  
 Part Number 3919376C1  
 Instances Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ HENDRICKSON  
 55",60" AIR SUSPENSION  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ ALL HENDRICKSON SUSPENSIONS  
 EXCEPT HTB-40-52  
 Mates MDL-ABS-3003-02-04C



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	SR94MA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1581.0	-	13	9800M
1	-	-	US94MA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1581.0	-	13	9800M
2	-	-	SR94MB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1581.0	-	14	9800M
2	-	-	US94MB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1581.0	-	14	9800M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	SR94MC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1581.0	-	15	9800M
3	-	-	US94MC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1581.0	-	15	9800M


Connector Name 9507B  
 Part Number 3919376C1  
 Instances Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ HENDRICKSON  
 PRIMAAX SUSPENSION  
 Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ IROS, HENDRICKSON  
 HTB-40-52 SUSPENSIONS  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ ALL HENDRICKSON SUSPENSIONS  
 EXCEPT HTB-40-52  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ IROS SUSPENSIONS  
 Mates MDL-ABS-3003-02-04C



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	SS94MA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2416.0	-	13	9800M
1	-	-	VT94MA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2416.0	-	13	9800M
1	-	-	UJ94BYA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	660.0	-	X	-
1	-	-	US94BYA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	660.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	SS94MB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2416.0	-	14	9800M
2	-	-	VT94MB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2416.0	-	14	9800M
2	-	-	US94BZA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	500.0	-	X	-
2	-	-	UJ94BZA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	500.0	-	X	-
3	-	-	SS94MC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2416.0	-	15	9800M
3	-	-	VT94MC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2416.0	-	15	9800M
3	-	-	UJ94BPA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2042.0	-	PIN1	-
3	-	-	US94BPA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2042.0	-	X	-


Connector Name 9507  
 Part Number 3919376C1  
 Instances Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 4X2 AXLE CONFIGURATION  
 Mates MDL-ABS-3003-02-04C



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	ST94MA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1506.0	-	13	9800M
2	-	-	ST94MB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1506.0	-	14	9800M
3	-	-	ST94MC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1506.0	-	15	9800M




Connector Name 9508D  
 Part Number 6111844C1  
 Instances Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ HENDRICKSON  
 55",60" AIR SUSPENSION  
 Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ HENDRICKSON  
 PRIMAAX SUSPENSION  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ ALL HENDRICKSON SUSPENSIONS  
 EXCEPT HTB-40-52  
 Mates SNSR-WS-3003-02-04D



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	SR94MH	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3091.0	-	19	9800M
1	-	-	VT94MH	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3091.0	-	19	9800M
1	-	-	US94BVA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1585.0	-	X	-
2	-	-	SR94MF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3091.0	-	18	9800M


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	VT94MF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3091.0	-	18	9800M
2	-	-	US94BWA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1510.0	-	X	-

Connector Name 9508E  
 Part Number 6111844C1  
 Instances Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ IROS, HENDRICKSON  
 HTB-40-52 SUSPENSIONS  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ IROS SUSPENSIONS  
 Mates SNSR-WS-3003-02-04D




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	SS94MH	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3091.0	-	19	9800M
1	-	-	UJ94BVA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1585.0	-	X	-
2	-	-	SS94MF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3091.0	-	18	9800M
2	-	-	UJ94BWA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1510.0	-	X	-

Connector Name 9508  
 Part Number 6111844C1  
 Instances Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 4X2 AXLE CONFIGURATION  
 Mates SNSR-WS-3003-02-04D



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	ST94MH	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2056.0	-	19	9800M
2	-	-	ST94MF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2056.0	-	18	9800M


Connector Name 9509A  
 Part Number 3919376C1  
 Instances Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ HENDRICKSON  
 PRIMAAX SUSPENSION  
 Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ IROS, HENDRICKSON  
 HTB-40-52 SUSPENSIONS  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ ALL HENDRICKSON SUSPENSIONS  
 EXCEPT HTB-40-52  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ IROS SUSPENSIONS  
 Mates MDL-ABS-3003-02-04D



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	SS94MJ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3266.0	-	20	9800M
1	-	-	VT94MJ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3266.0	-	20	9800M
1	-	-	UJ94BSA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2200.0	-	X	-
1	-	-	US94BSA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2200.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	SS94MK	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3266.0	-	21	9800M
2	-	-	VT94MK	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3266.0	-	21	9800M
2	-	-	US94BTA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2120.0	-	X	-
2	-	-	UJ94BTA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2120.0	-	X	-
3	-	-	SS94ML	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3266.0	-	22	9800M
3	-	-	VT94ML	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3266.0	-	22	9800M
3	-	-	UJ94BUA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1860.0	-	X	-
3	-	-	US94BUA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1860.0	-	X	-

Connector Name 9509B  
 Part Number 3919376C1  
 Instances Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 6X2,6X4 AXLE & W/ HENDRICKSON  
 55",60" AIR SUSPENSION  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ ALL HENDRICKSON SUSPENSIONS  
 EXCEPT HTB-40-52  
 Mates MDL-ABS-3003-02-04D




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	SR94MJ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	4041.0	-	20	9800M
1	-	-	US94MJ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	4041.0	-	20	9800M
2	-	-	SR94MK	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	4041.0	-	21	9800M
2	-	-	US94MK	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	4041.0	-	21	9800M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	SR94ML	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	4041.0	-	22	9800M
3	-	-	US94ML	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	4041.0	-	22	9800M




Connector Name 9509  
 Part Number 3919376C1  
 Instances Antilock Brake System (ABS)-Wabco 4 Channel  
 Implementation:W/ 4X2 AXLE CONFIGURATION  
 Mates MDL-ABS-3003-02-04D




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	ST94MJ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2256.0	-	20	9800M
2	-	-	ST94MK	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2256.0	-	21	9800M
3	-	-	ST94ML	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2256.0	-	22	9800M

Connector Name 9510A  
 Part Number 1678137C1  
 Instances Bendix Stability Control With Rear Air Suspension No Lift  
 Axle:Diagram1-Combination3  
 Mates SNSR-SUSPENSION\_PT-3026-01 -03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	SJ94SZC	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3341.0	-	A	9510M
B	-	-	SJ94SVC	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3341.0	-	B	9510M
C	-	-	SJ94SH	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3341.0	-	C	9510M

Connector Name 9510F  
 Part Number 1667741C1  
 Short Description ABS-6 PRESSURE SENSOR  
 Instances Bendix Stability Control With Rear Air Suspension No Lift  
 Axle:Diagram1-Combination1  
 Bendix Stability Control With Rear Air Suspension No Lift  
 Axle:Diagram1-Combination2  
 Bendix Stability Control With Rear Air Suspension No Lift  
 Axle:Diagram1-Combination3  
 Mates 9510M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	PM94SZC	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	63	1701F
B	-	-	PM94SVC	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	75	1701F
C	-	-	PM94SH	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	76	1701F


Connector Name 9510M  
 Part Number 1667740C1  
 Short Description ABS-6 PRESSURE SENSOR  
 Instances Bendix Stability Control With Rear Air Suspension No Lift  
 Axle:Diagram1-Combination1  
 Bendix Stability Control With Rear Air Suspension No Lift  
 Axle:Diagram1-Combination2  
 Bendix Stability Control With Rear Air Suspension No Lift  
 Axle:Diagram1-Combination3  
 Mates 9510F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	SJ94SZC	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3341.0	-	A	9510A
A	-	-	SH94SZC	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3841.0	-	A	9510
B	-	-	SJ94SVC	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3341.0	-	B	9510A
B	-	-	SH94SVC	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3841.0	-	B	9510


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	SH94SH	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3841.0	-	C	9510
C	-	-	SJ94SH	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3341.0	-	C	9510A

Connector Name 9510  
 Part Number 1678137C1  
 Instances Bendix Stability Control With Rear Air Suspension No Lift  
 Axle:Diagram1-Combination1  
 Bendix Stability Control With Rear Air Suspension No Lift  
 Axle:Diagram1-Combination2  
 Mates SNSR-SUSPENSION\_PT-3026-01 -03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	SH94SZC	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3841.0	-	A	9510M
B	-	-	SH94SVC	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3841.0	-	B	9510M
C	-	-	SH94SH	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3841.0	-	C	9510M

Connector Name 9511A  
 Part Number 3601685C1  
 Instances Bendix Stability Control For Tractor or Tractors with Trailer  
 Tow:Diagram1-Combination2  
 Bendix Stability Control With Rear Air Suspension No Lift  
 Axle:Diagram1-Combination2  
 Mates SNSR-YAW\_RATE-3026-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	PR94SAB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5120.0	-	-	-
2	-	-	PR94SBB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5120.0	-	-	-


Connector Name 9511B/9511D  
 Part Number 3601685C1  
 Instances ABS Private J1939:ABS Private J1939  
 Mates SNSR-YAW\_RATE-3026-02-03A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	YJ94SN	-	0.0	-	-	RED	0.0	-	46	1701F
2	-	-	YJ94SP	-	0.0	-	-	BROWN	0.0	-	47	1701F
3	-	-	YJ94SR	-	0.0	-	-	BLACK	0.0	-	48	1701F
4	-	-	YJ94SS	-	0.0	-	-	WHITE	0.0	-	49	1701F




Connector Name 9511B  
 Part Number 3601685C1  
 Instances Wabco Full Stability Control:Diagram1-Combination1  
 Mates SNSR-YAW\_RATE-3026-02-03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	[YJ94SN]	V-18-GXL	0.79	18.0	Std. Wall XLPE Primary Cable	Not Applicable	3010.0	-	-	-
2	-	-	[YJ94SP]	V-18-GXL	0.79	18.0	Std. Wall XLPE Primary Cable	Not Applicable	3010.0	-	-	-

Connector Name 9511D  
 Part Number 3601685C1  
 Instances Wabco Full Stability Control:Diagram1-Combination2  
 Mates SNSR-YAW\_RATE-3026-02-03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	[YK94SN]	V-18-GXL	0.79	18.0	Std. Wall XLPE Primary Cable	Not Applicable	5120.0	-	-	-
2	-	-	[YK94SP]	V-18-GXL	0.79	18.0	Std. Wall XLPE Primary Cable	Not Applicable	5120.0	-	-	-

Connector Name 9511/9511A  
 Part Number 3601685C1  
 Instances ABS Private J1939:ABS Private J1939  
 Mates SNSR-YAW\_RATE-3026-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	PR94SAB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5120.0	-	46	1701F
2	-	-	PR94SCB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5120.0	-	47	1701F
3	-	-	PR94SBB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5120.0	-	48	1701F
4	-	-	PR94SDB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5120.0	-	49	1701F

Connector Name 9511  
 Part Number 3866308C1  
 Instances Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ ALL HENDRICKSON SUSPENSIONS EXCEPT HTB-40-52  
 Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ IROS SUSPENSIONS  
 Mates SNSR-WS-3003-01-04A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	TF94BH	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1476.0	-	19	9800M
1	-	-	UP94BH	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1476.0	-	19	9800M
2	-	-	TF94BF	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1476.0	-	18	9800M
2	-	-	UP94BF	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1476.0	-	18	9800M

Connector Name 9511  
 Part Number 3866308C1  
 Instances Antilock Brake System (ABS)-BENDIX 4 Channel  
 Implementation:Diagram1-Combination4 - R01-9502B-4chABS,  
 R01-9504A-4chABS, R01-9511, R01-9512  
 Bendix Stability Control For Tractor or Tractors with Trailer  
 Tow:Diagram1-Combination1  
 Bendix Stability Control With Rear Air Suspension No Lift  
 Axle:Diagram1-Combination1  
 Bendix Stability Control With Rear Air Suspension No Lift  
 Axle:Diagram1-Combination3  
 Mates SNSR-WS-3003-01-04A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	PS94SAB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2980.0	-	-	-
1	-	-	TF94BH	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1476.0	-	19	9800M
2	-	-	PS94SBB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2980.0	-	-	-
2	-	-	SZ94BF	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1476.0	-	18	9800M


Connector Name 9512  
 Part Number 3866308C1  
 Instances Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ ALL HENDRICKSON SUSPENSIONS EXCEPT HTB-40-52  
 Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ IROS SUSPENSIONS  
 Antilock Brake System (ABS)-BENDIX 4 Channel Implemenation:Diagram1-Combination4 - R01-9502B-4chABS, R01-9504A-4chABS, R01-9511, R01-9512  
 Bendix Stability Control For Tractor or Tractors with Trailer Tow:Diagram1-Combination1  
 Bendix Stability Control For Tractor or Tractors with Trailer Tow:Diagram1-Combination2  
 Bendix Stability Control With Rear Air Suspension No Lift Axle:Diagram1-Combination1  
 Bendix Stability Control With Rear Air Suspension No Lift Axle:Diagram1-Combination2  
 Bendix Stability Control With Rear Air Suspension No Lift Axle:Diagram1-Combination3  
 Mates SNSR-WS-3003-01-04D



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	PM94SJ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1655.0	-	13	1701F
1	-	-	TF94BE	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	996.0	-	17	9800M
1	-	-	UP94BE	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	996.0	-	17	9800M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	PM94SK	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1655.0	-	67	1701F
2	-	-	SZ94BD	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	996.0	-	16	9800M
2	-	-	TF94BD	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	996.0	-	16	9800M
2	-	-	UP94BD	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	996.0	-	16	9800M


Connector Name 9513  
 Part Number 1686834C1  
 Instances Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ IROS SUSPENSIONS  
 Mates MDL-ABS-3003-01-04C



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TF94BA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1096.0	-	13	9800M
B	-	-	TF94BB	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1096.0	-	14	9800M
C	-	-	TF94BC	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1096.0	-	15	9800M




Connector Name 9513\_1  
 Part Number 1686834C1  
 Instances Bendix Stability Control For Tractor or Tractors with Trailer  
 Tow:Diagram1-Combination1  
 Bendix Stability Control For Tractor or Tractors with Trailer  
 Tow:Diagram1-Combination2  
 Bendix Stability Control With Rear Air Suspension No Lift  
 Axle:Diagram1-Combination1  
 Bendix Stability Control With Rear Air Suspension No Lift  
 Axle:Diagram1-Combination2  
 Bendix Stability Control With Rear Air Suspension No Lift  
 Axle:Diagram1-Combination3  
 Mates MDL-TRAILER-3026-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	PM94SM	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1900.0	-	72	1701F
B	-	-	PM94SN	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1900.0	-	73	1701F
C	-	-	PM94SL	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1900.0	-	74	1701F

Connector Name 9514  
 Part Number 1686834C1  
 Instances Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ IROS SUSPENSIONS  
 Mates MDL-ABS-3003-01-04D




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TF94BJ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1876.0	-	20	9800M
B	-	-	TF94BK	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1876.0	-	21	9800M
C	-	-	TF94BL	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1876.0	-	22	9800M

Connector Name 9514\_1  
 Part Number PAS2(1,2)  
 Instances Wabco Full Stability Control:Diagram1-Combination1  
 Wabco Full Stability Control:Diagram1-Combination2  
 Mates SOL-TRL-TCV\_WABCO-3026-02- 01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	[PP94SK]	V-16-GXL	1.16	16.0	Std. Wall XLPE Primary Cable	Not Applicable	1700.0	-	67	1701F
2	-	-	[PP94SJ]	V-16-GXL	1.16	16.0	Std. Wall XLPE Primary Cable	Not Applicable	1700.0	-	13	1701F

Connector Name 9515  
 Part Number 3678796C1  
 Instances Hill Start Aid (Bendix):Diagram1-Combination1 - N01-9515  
 Mates SOL-HSA-3019-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	HA94A	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3785.0	-	65	1701F
2	-	-	HA94B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3785.0	-	66	1701F

Connector Name 9516B  
 Part Number 3678796C1  
 Instances Hill Start Aid (Bendix):Diagram1-Combination3 - N01-9516B  
 Mates SOL-HSA-3019-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	HC94A	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4660.0	-	65	1701F
2	-	-	HC94B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4660.0	-	66	1701F

Connector Name 9516M  
 Part Number 3690369C1  
 Short Description 6 CHANNEL ABS IN LINE CONNECTOR  
 Instances  
 Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ ALL HENDRICKSON SUSPENSIONS EXCEPT HTB-40-52  
 Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ IROS SUSPENSIONS  
 Antilock Brake System (ABS)-Wabco 6 Channel Implementation:W/ ALL HENDRICKSON SUSPENSIONS EXCEPT HTB-40-52  
 Antilock Brake System (ABS)-Wabco 6 Channel Implementation:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Antilock Brake System (ABS)-Wabco 6 Channel Implementation:W/ IROS SUSPENSIONS  
 X15 - Ground Splice Packs 2/4:Diagram1



Mates 9516M


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	BA94BY	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	52	1701F
1	-	-	SA94BY	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	52	1701F
2	-	-	SA94BZ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	53	1701F
2	-	-	BA94BZ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	53	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	BA94BP	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	54	1701F
3	-	-	SA94BP	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	54	1701F
4	-	-	BA94BQ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	55	1701F
4	-	-	SA94BQ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	55	1701F
5	-	-	BA94BR	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	56	1701F
5	-	-	SA94BR	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	56	1701F
6	-	-	BA94BS	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	57	1701F
6	-	-	SA94BS	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	57	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	SA94BT	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	58	1701F
7	-	-	BA94BT	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	58	1701F
8	-	-	BA94BU	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	59	1701F
8	-	-	SA94BU	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	59	1701F
9	-	-	BA94BV	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	60	1701F
9	-	-	SA94BV	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	60	1701F
10	-	-	BA94BW	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	64	1701F
10	-	-	SA94BW	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3370.0	-	64	1701F



Connector Name 9516M  
 Part Number 6112506C1  
 Short Description BENDIX 6-CHANNEL ABS INLINE CONNECTOR  
 Instances  
 Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ ALL HENDRICKSON SUSPENSIONS EXCEPT HTB-40-52  
 Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ IROS SUSPENSIONS  
 Antilock Brake System (ABS)-Wabco 6 Channel Implementation:W/ ALL HENDRICKSON SUSPENSIONS EXCEPT HTB-40-52  
 Antilock Brake System (ABS)-Wabco 6 Channel Implementation:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Antilock Brake System (ABS)-Wabco 6 Channel Implementation:W/ IROS SUSPENSIONS  
 X15 - Ground Splice Packs 2/4:Diagram1



Mates 9516M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	US94BY	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1706.0	-	X	-
1	-	-	VB94BY	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1706.0	-	X	-
1	-	-	UJ94BY	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1706.0	-	X	-
1	-	-	TF94BY	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2796.0	-	A	9502B

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	VA94BY	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2366.0	-	A	9522
1	-	-	UP94BY	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2796.0	-	A	9502B
2	-	-	VB94BZ	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1866.0	-	-	-
2	-	-	TF94BZ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2796.0	-	-	-
2	-	-	VA94BZ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2366.0	-	-	-
2	-	-	US94BZ	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1866.0	-	-	-
2	-	-	UP94BZ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2796.0	-	-	-
2	-	-	UJ94BZ	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1866.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	VB94BZ	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1866.0	-	X	-
2	-	-	US94BZ	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1866.0	-	X	-
2	-	-	UJ94BZ	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1866.0	-	X	-
2	-	-	VA94BZ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2366.0	-	B	9522
2	-	-	TF94BZ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2796.0	-	B	9502B
2	-	-	UP94BZ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2796.0	-	B	9502B
3	-	-	VB94BP	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	324.0	-	X	-
3	-	-	US94BP	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	324.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	UJ94BP	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	324.0	-	PIN1	-
3	-	-	UP94BP	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2796.0	-	C	9502B
3	-	-	TF94BP	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2796.0	-	C	9502B
3	-	-	VA94BP	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2366.0	-	C	9522
4	-	-	VB94BQ	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	576.0	-	1	-
4	-	-	UJ94BQ	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	576.0	-	X	-
4	-	-	US94BQ	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	576.0	-	X	-
4	-	-	VA94BQ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2416.0	-	1	9523

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	TF94BQ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2666.0	-	1	9501D
4	-	-	UP94BQ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2666.0	-	1	9501D
5	-	-	UJ94BR	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	956.0	-	X	-
5	-	-	VB94BR	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	956.0	-	X	-
5	-	-	US94BR	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	956.0	-	X	-
5	-	-	VA94BR	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2416.0	-	2	9523
5	-	-	TF94BR	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2666.0	-	2	9501D
5	-	-	UP94BR	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2666.0	-	2	9501D

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
6	-	-	US94BS	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1016.0	-	X	-
6	-	-	UJ94BS	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1016.0	-	X	-
6	-	-	VB94BS	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1016.0	-	X	-
6	-	-	UP94BS	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3416.0	-	A	9504A
6	-	-	VA94BS	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3091.0	-	A	9524
6	-	-	TF94BS	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3416.0	-	A	9504A
7	-	-	UP94BT	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3416.0	-	-	-
7	-	-	VB94BT	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1096.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	UJ94BT	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1096.0	-	-	-
7	-	-	US94BT	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1096.0	-	-	-
7	-	-	TF94BT	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3416.0	-	-	-
7	-	-	VA94BT	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3091.0	-	-	-
7	-	-	UJ94BT	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1096.0	-	X	-
7	-	-	VB94BT	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1096.0	-	X	-
7	-	-	US94BT	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1096.0	-	X	-
7	-	-	TF94BT	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3416.0	-	B	9504A


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	UP94BT	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3416.0	-	B	9504A
7	-	-	VA94BT	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3091.0	-	B	9524
8	-	-	VB94BU	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1356.0	-	X	-
8	-	-	UJ94BU	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1356.0	-	X	-
8	-	-	US94BU	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1356.0	-	X	-
8	-	-	TF94BU	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3416.0	-	C	9504A
8	-	-	UP94BU	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3416.0	-	C	9504A
8	-	-	VA94BU	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3091.0	-	C	9524



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
9	-	-	VB94BV	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1456.0	-	X	-
9	-	-	UJ94BV	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1456.0	-	X	-
9	-	-	US94BV	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1456.0	-	X	-
9	-	-	VA94BV	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3091.0	-	2	9525
9	-	-	TF94BV	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3241.0	-	2	9503D
9	-	-	UP94BV	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3241.0	-	2	9503D
10	-	-	VB94BW	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1531.0	-	X	-
10	-	-	UJ94BW	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1531.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
10	-	-	US94BW	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1531.0	-	X	-
10	-	-	VA94BW	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3091.0	-	1	9525
10	-	-	TF94BW	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3241.0	-	1	9503D
10	-	-	UP94BW	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3241.0	-	1	9503D

Connector Name 9516  
 Part Number 3919376C1  
 Instances Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ IROS SUSPENSIONS  
 Mates MDL-ABS-3003-02-04D




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	UJ94MJ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1876.0	-	20	9800M
2	-	-	UJ94MK	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1876.0	-	21	9800M
3	-	-	UJ94ML	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1876.0	-	22	9800M

Connector Name 9516\_1  
 Part Number 3678796C1  
 Instances Hill Start Aid (Bendix):Diagram1-Combination2 - N01-9516  
 Mates SOL-HSA-3019-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	HB94A	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4310.0	-	65	1701F
2	-	-	HB94B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4310.0	-	66	1701F

Connector Name 9517  
 Part Number 6111844C1  
 Instances Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ ALL HENDRICKSON SUSPENSIONS  
 EXCEPT HTB-40-52  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ IROS SUSPENSIONS  
 Mates SNSR-WS-3003-02-04D




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	UJ94MH	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1476.0	-	19	9800M
1	-	-	US94MH	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1476.0	-	19	9800M
2	-	-	UJ94MF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1476.0	-	18	9800M
2	-	-	US94MF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1476.0	-	18	9800M

Connector Name 9518  
 Part Number 6111844C1  
 Instances Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ ALL HENDRICKSON SUSPENSIONS  
 EXCEPT HTB-40-52  
 Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ IROS SUSPENSIONS  
 Mates SNSR-WS-3003-02-04C




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	UJ94ME	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	996.0	-	17	9800M
1	-	-	US94ME	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	996.0	-	17	9800M
2	-	-	UJ94MD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	996.0	-	16	9800M
2	-	-	US94MD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	996.0	-	16	9800M

Connector Name 9519  
 Part Number 3919376C1  
 Instances Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ IROS SUSPENSIONS  
 Mates MDL-ABS-3003-02-04C



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	UJ94MA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1096.0	-	13	9800M
2	-	-	UJ94MB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1096.0	-	14	9800M
3	-	-	UJ94MC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1096.0	-	15	9800M


Connector Name 9520  
 Part Number 1686834C1  
 Instances Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Mates MDL-ABS-3003-01-04C



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	VA94BA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1906.0	-	13	9800M
B	-	-	VA94BB	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1906.0	-	14	9800M
C	-	-	VA94BC	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1906.0	-	15	9800M




Connector Name 9521  
 Part Number 3866308C1  
 Instances Antilock Brake System (ABS) [Bendix 6 Channel  
 Implementation]:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Mates SNSR-WS-3003-01-04D




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	VA94BE	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2056.0	-	17	9800M
2	-	-	VA94BD	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2056.0	-	16	9800M

Connector Name 9522  
 Part Number 1686834C1  
 Instances Antilock Brake System (ABS) [Bendix 6 Channel  
 Implementation]:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Mates MDL-ABS-3003-01-06A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	VA94BY	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2366.0	-	1	9516M
B	-	-	VA94BZ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2366.0	-	2	9516M
C	-	-	VA94BP	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2366.0	-	3	9516M

Connector Name 9523  
 Part Number 3866308C1  
 Instances Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Mates SNSR-WS-3003-01-06A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	VA94BQ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2416.0	-	4	9516M
2	-	-	VA94BR	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2416.0	-	5	9516M

Connector Name 9524  
 Part Number 1686834C1  
 Instances Antilock Brake System (ABS) [Bendix 6 Channel  
 Implementation]:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Mates MDL-ABS-3003-01-06B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	VA94BS	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3091.0	-	6	9516M
B	-	-	VA94BT	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3091.0	-	7	9516M
C	-	-	VA94BU	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3091.0	-	8	9516M

Connector Name 9525  
 Part Number 3866308C1  
 Instances Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Mates SNSR-WS-3003-01-06B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	VA94BW	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3091.0	-	10	9516M
2	-	-	VA94BV	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3091.0	-	9	9516M

Connector Name 9526  
 Part Number 1686834C1  
 Instances Antilock Brake System (ABS) [Bendix 6 Channel  
 Implementation]:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Mates MDL-ABS-3003-01-04D




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	VA94BJ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3391.0	-	20	9800M
B	-	-	VA94BK	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3391.0	-	21	9800M
C	-	-	VA94BL	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3391.0	-	22	9800M

Connector Name 9527  
 Part Number 3866308C1  
 Instances Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Mates SNSR-WS-3003-01-04A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	VA94BH	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3641.0	-	19	9800M
2	-	-	VA94BF	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3641.0	-	18	9800M


Connector Name 9528  
 Part Number 3919376C1  
 Instances Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Mates MDL-ABS-3003-02-04C



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	VB94MA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1906.0	-	13	9800M
2	-	-	VB94MB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1906.0	-	14	9800M
3	-	-	VB94MC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1906.0	-	15	9800M




Connector Name 9529  
 Part Number 6111844C1  
 Instances Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Mates SNSR-WS-3003-02-04C




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	VB94ME	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2056.0	-	17	9800M
2	-	-	VB94MD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2056.0	-	16	9800M

Connector Name 9532  
 Part Number 3919376C1  
 Instances Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Mates MDL-ABS-3003-02-06B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	VB94BSA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2105.0	-	X	-
2	-	-	VB94BTA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2025.0	-	X	-
3	-	-	VB94BUA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1765.0	-	X	-

Connector Name 9534  
 Part Number 3919376C1  
 Instances Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Mates MDL-ABS-3003-02-04D




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	VB94MJ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3391.0	-	20	9800M
2	-	-	VB94MK	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3391.0	-	21	9800M
3	-	-	VB94ML	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3391.0	-	22	9800M

Connector Name 9535  
 Part Number 6111844C1  
 Instances Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Mates SNSR-WS-3003-02-04D




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	VB94MH	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3641.0	-	19	9800M
2	-	-	VB94MF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3641.0	-	18	9800M

Connector Name 9536  
 Part Number 3919376C1  
 Instances Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Mates MDL-ABS-3003-02-06A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	VB94BYA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	660.0	-	X	-
2	-	-	VB94BZA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	500.0	-	X	-
3	-	-	VB94BPA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2042.0	-	X	-

Connector Name 9537  
 Part Number 6111844C1  
 Instances Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Mates SNSR-WS-3003-02-06A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	VB94BRA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1460.0	-	X	-
2	-	-	VB94BQA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1840.0	-	1	-

Connector Name 9538  
 Part Number 6111844C1  
 Instances Antilock Brake System (ABS)-Wabco 6 Channel  
 Implementation:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Mates SNSR-WS-3003-02-06B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	VB94BVA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1635.0	-	X	-
2	-	-	VB94BWA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1560.0	-	X	-

Connector Name 9715F  
 Part Number 1667732C1  
 Instances Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination1  
 Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination2  
 Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination3  
 Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination4  
 Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination5  
 Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination6  
 Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination7  
 Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination8  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination1-N01-9780M, R01-9790M  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination2-N01-9780M, R01-9790MA  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination3-N01-9782, R01-9790M  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination4-N01-9782, R01-9790MA  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination5-N01-9782M, R01-9790M  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination6-N01-9782M, R01-9790MA




Mates 9715M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RS70W	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	3016.0	-	A	9790MA



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RR70W	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	2541.0	-	A	9790M
B	-	-	RS68W	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	3016.0	-	B	9790MA
B	-	-	RR68W	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2541.0	-	B	9790M
C	-	-	RS94W	2643816 R1	4.81	10.0	Std. Wall XLPE Primary Cable	DARK BLUE	3016.0	-	C	9790MA
C	-	-	RR94W	2643816 R1	4.81	10.0	Std. Wall XLPE Primary Cable	DARK BLUE	2541.0	-	C	9790M

Connector Name 9715M  
 Part Number 1667733C1  
 Short Description TRAILER SOCKET #1  
 Instances Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination1  
 Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination2  
 Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination3  
 Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination4  
 Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination5  
 Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination6  
 Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination7  
 Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination8  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination1-N01-9780M, R01-9790M  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination2-N01-9780M, R01-9790MA  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination3-N01-9782, R01-9790M  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination4-N01-9782, R01-9790MA  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination5-N01-9782M, R01-9790M  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination6-N01-9782M, R01-9790MA




Mates 9715F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	YS70W	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	2310.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
A	-	-	YT70W	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	375.0	-	X	-
A	-	-	NK70W	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	2685.0	-	X	-
B	-	-	YT68W	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	425.0	-	X	-
B	-	-	YS68W	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2285.0	-	X	-
B	-	-	NK68W	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2285.0	-	X	-
C	-	-	NK94W	2643784 R1	4.81	10.0	Std. Wall XLPE Primary Cable	GREY	2735.0	-	X	-
C	-	-	YS94W	2643784 R1	4.81	10.0	Std. Wall XLPE Primary Cable	GREY	2160.0	-	X	-
C	-	-	YT94W	2643784 R1	4.81	10.0	Std. Wall XLPE Primary Cable	GREY	325.0	-	X	-

Connector Name 9716F  
 Part Number 1667732C1  
 Short Description TRAILER SOCKET #2

Instances  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination1-N01-9780M, R01-9790M  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination2-N01-9780M, R01-9790MA  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination3-N01-9782, R01-9790M  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination4-N01-9782, R01-9790MA  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination5-N01-9782M, R01-9790M  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination6-N01-9782M, R01-9790MA




Mates 9716M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NK58W	2643773 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BLACK	2335.0	-	X	-
A	-	-	YT58W	2643773 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BLACK	325.0	-	X	-
B	-	-	YT56W	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	425.0	-	X	-
B	-	-	NK56W	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	2735.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
C	-	-	YS57W	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2435.0	-	X	-
C	-	-	YT57W	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	375.0	-	X	-
C	-	-	NK57W	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2435.0	-	X	-

Connector Name 9716M  
 Part Number 1667733C1  
 Short Description TRAILER SOCKET 2

Instances  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination1-N01-9780M, R01-9790M  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination2-N01-9780M, R01-9790MA  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination3-N01-9782, R01-9790M  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination4-N01-9782, R01-9790MA  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination5-N01-9782M, R01-9790M  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination6-N01-9782M, R01-9790MA




Mates 9716F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RR58W	2643773 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BLACK	2541.0	-	A	9789F
A	-	-	RS58W	2643773 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BLACK	3016.0	-	A	9789FA
B	-	-	RS56W	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	3016.0	-	B	9789FA
B	-	-	RR56W	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	2541.0	-	B	9789F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	RS57W	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3016.0	-	C	9789FA
C	-	-	RR57W	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2541.0	-	C	9789F

Connector Name 9718  
 Part Number 1661778C1  
 Short Description DAYCAB WORK LIGHT  
 Instances Work Lights (Customer Supplied) W/ Sw Pack:Diagram1-Combination1  
 Work Lights (Customer Supplied) W/ Sw Pack:Diagram1-Combination2  
 Work Lights LED W/ Sw Pack - Day Cab:Diagram1-Combination1  
 Mates 9719



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NV65	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2490.0	-	68	1701F
B	-	-	NV65-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1440.0	-	-	-




Connector Name 9719A  
 Part Number BLUNT\_SL\_VC  
 Instances Work Lights LED (Customer Supplied) W/ Sw Pack -  
 Sleeper:Diagram1-Combination1  
 Mates BLNT-CUST\_WORK\_LT\_PWR-1032 -01-09B-9719A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NY65BD	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	3735.0	-	X	-
A	-	-	NY65-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	3335.0	-	X	-

Connector Name 9719  
 Part Number BLUNT\_SL\_VC  
 Instances Work Lights (Customer Supplied) W/ Sw Pack:Diagram1-Combination1  
 Mates BLNT-CUST\_WORK\_LT\_PWR-1032 -02-06B-9719

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NX65-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	4425.0	-	X	-
A	-	-	NX65BD	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	3435.0	-	X	-

Connector Name 9719  
 Part Number 3543888C1  
 Short Description WORK LIGHT  
 Instances Work Lights (Customer Supplied) W/ Sw Pack:Diagram1-Combination1  
 Work Lights (Customer Supplied) W/ Sw Pack:Diagram1-Combination2  
 Work Lights LED W/ Sw Pack - Day Cab:Diagram1-Combination1  
 Mates 9718



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	J65	-	0.0	-	Std. Wall XLPE Primary Cable	BLACK	400.0	-	A	1032
B	-	-	J11-GK	-	0.0	-	Std. Wall XLPE Primary Cable	WHITE	400.0	-	B	1032


Connector Name 9720A  
 Part Number BLUNT\_SL\_VC  
 Instances Work Lights LED (Customer Supplied) W/ Sw Pack -  
 Sleeper:Diagram1-Combination1  
 Mates BLNT-CUST\_WORK\_LT\_PWR-1032 -01-09A-9720A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NY65-GC	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	5535.0	-	X	-
A	-	-	NY65BE	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	5935.0	-	X	-

Connector Name 9720  
 Part Number BLUNT\_SL\_VC  
 Instances Work Lights (Customer Supplied) W/ Sw Pack:Diagram1-Combination1  
 Mates BLNT-CUST\_WORK\_LT\_PWR-1032 -02-06A-9720

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NX65BE	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	4175.0	-	X	-
A	-	-	NX65-GC	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	3185.0	-	X	-


Connector Name 9736  
 Part Number 1661375C2  
 Instances Auxiliary Air Solenoids 4-pack (1 pack/4 solenoids):Diagram1-Combination1  
 Auxiliary Air Solenoids 4-pack (2 packs/8 solenoids):Diagram1-Combination1  
 Mates SOL-AIR\_4\_PACK1-3004



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CA59-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1660.0	-	-	-
B	-	-	CA59A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2735.0	-	32	1701F
C	-	-	CA59B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2710.0	-	33	1701F
D	-	-	CA59C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2710.0	-	34	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	CA59D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2710.0	-	35	1701F

Connector Name 9737  
 Part Number 1661375C2  
 Instances Auxiliary Air Solenoids 4-pack (2 packs/8 solenoids):Diagram1-Combination1  
 Mates SOL-AIR\_4\_PACK2-3004




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	SW59-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1910.0	-	-	-
B	-	-	SW59E	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2960.0	-	36	1701F
C	-	-	SW59F	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2960.0	-	37	1701F
D	-	-	SW59H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2960.0	-	38	1701F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	SW59J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2960.0	-	39	1701F


Connector Name 9738B  
 Part Number 1661375C2  
 Instances Auxiliary Air Solenoids 4-pack (2 packs/8 solenoids):Diagram1-Combination2  
 Mates SOL-AIR\_4\_PACK2-3004



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	SY59-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2185.0	-	-	-
B	-	-	SY59E	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	36	1701F
C	-	-	SY59F	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	37	1701F
D	-	-	SY59H	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	38	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	SY59J	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	39	1701F


Connector Name 9738  
 Part Number 1661375C2  
 Instances Auxiliary Air Solenoids 4-pack (1 pack/4 solenoids):Diagram1-Combination2  
 Auxiliary Air Solenoids 4-pack (2 packs/8 solenoids):Diagram1-Combination2  
 Mates SOL-AIR\_4\_PACK1-3004



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CC59-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2285.0	-	-	-
B	-	-	CC59A	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3335.0	-	32	1701F
C	-	-	CC59B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3335.0	-	33	1701F
D	-	-	CC59C	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3335.0	-	34	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	CC59D	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3335.0	-	35	1701F


Connector Name 9739B  
 Part Number 1661375C2  
 Instances Auxiliary Air Solenoids 4-pack (2 packs/8 solenoids):Diagram1-Combination3  
 Mates SOL-AIR\_4\_PACK2-3004



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	SX59-GA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2960.0	-	-	-
B	-	-	SX59E	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4010.0	-	36	1701F
C	-	-	SX59F	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4010.0	-	37	1701F
D	-	-	SX59H	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4010.0	-	38	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	SX59J	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4010.0	-	39	1701F

Connector Name 9739  
 Part Number 1661375C2  
 Instances Auxiliary Air Solenoids 4-pack (1 pack/4 solenoids):Diagram1-Combination3  
 Auxiliary Air Solenoids 4-pack (2 packs/8 solenoids):Diagram1-Combination3  
 Mates SOL-AIR\_4\_PACK1-3004




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CB59-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2960.0	-	-	-
B	-	-	CB59A	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4010.0	-	32	1701F
C	-	-	CB59B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4010.0	-	33	1701F
D	-	-	CB59C	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4010.0	-	34	1701F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	CB59D	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4010.0	-	35	1701F


Connector Name 9740A  
 Part Number 1661375C2  
 Instances Auxiliary Air Solenoids 4-pack (2 packs/8 solenoids):Diagram1-Combination4  
 Mates SOL-AIR\_4\_PACK2-3004



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	SZ59-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1510.0	-	-	-
B	-	-	SZ59E	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2560.0	-	36	1701F
C	-	-	SZ59F	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2560.0	-	37	1701F
D	-	-	SZ59H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2560.0	-	38	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	SZ59J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2560.0	-	39	1701F


Connector Name 9740  
 Part Number 1661375C2  
 Instances Auxiliary Air Solenoids 4-pack (1 pack/4 solenoids):Diagram1-Combination4  
 Auxiliary Air Solenoids 4-pack (2 packs/8 solenoids):Diagram1-Combination4  
 Mates SOL-AIR\_4\_PACK1-3004



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CD59-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1520.0	-	-	-
B	-	-	CD59A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2570.0	-	32	1701F
C	-	-	CD59B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2570.0	-	33	1701F
D	-	-	CD59C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2570.0	-	34	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	CD59D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2570.0	-	35	1701F


Connector Name 9769  
 Part Number 3673640C1  
 Instances Collision Avoidance System Warning:Diagram1  
 Mates SNSR-SIDE\_RADAR-3011-03-02



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	UB67TA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3515.0	-	-	-
2	-	-	UB67-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	3865.0	-	1	9771
3	-	-	UB67U	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3515.0	-	69	1701F
4	-	-	UB67V	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3515.0	-	71	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	UB67W	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3515.0	-	70	1701F


Connector Name 9779F1  
 Part Number 1667732C1  
 Instances Trailer Interface (Lighting) – TRAMEC\_NA:Diagram1  
 Mates TRLR-SKT\_BOC\_TRAMEC-3035-0 1-03A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RZ58T	2643773 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BLACK	800.0	-	7	1701F
B	-	-	RZ56T	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	800.0	-	5	1701F
C	-	-	RZ57T	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	800.0	-	6	1701F




Connector Name 9779F  
 Part Number 1667732C1  
 Instances Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination1-N01-9780M, R01-9790M  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination2-N01-9780M, R01-9790MA  
 Trailer Interface (Lighting) – BOC\_NA:Diagram1-Combination1-N01-9780M  
 Mates TRLR-SKT\_BOC-3035-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	SF58T	2643773 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BLACK	800.0	-	7	1701F
A	-	-	NK58U	2643773 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BLACK	500.0	-	X	-
B	-	-	NK56U	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	100.0	-	X	-
B	-	-	SF56T	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	800.0	-	5	1701F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	NK57U	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	400.0	-	X	-
C	-	-	NH57T	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	800.0	-	6	1701F

Connector Name 9780M1  
 Part Number 1667733C1  
 Instances Trailer Interface (Lighting) – TRAMEC\_NA:Diagram1  
 Mates TRLR-SKT\_BOC\_TRAMEC-3035-0 1-03A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	RZ68T	3510309 R1	4.81	10.0	Thin Wall XLPE Primary Cable	BROWN	800.0	-	8	1701F
C	-	-	RZ70T	3510369 R1	4.81	10.0	Thin Wall XLPE Primary Cable	RED	800.0	-	9	1701F


Connector Name 9780M  
 Part Number 3535482C1  
 Instances Auxiliary Trailer Power Cavity D:Diagram1-Combination1  
 Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination1  
 Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination2  
 Trailer Interface (ABS) - BOC\_NA:Diagram1-Combination1  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination1-N01-9780M, R01-9790M  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination2-N01-9780M, R01-9790MA  
 Trailer Interface (Lighting) – BOC\_NA:Diagram1-Combination1-N01-9780M  
 Mates TRLR-SKT\_BOC-3035-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NK94U	3510315 R1	4.81	10.0	Thin Wall XLPE Primary Cable	GREY	100.0	-	X	-
B	-	-	NH68T	3510309 R1	4.81	10.0	Thin Wall XLPE Primary Cable	BROWN	800.0	-	8	1701F
B	-	-	NK68U	3510309 R1	4.81	10.0	Thin Wall XLPE Primary Cable	BROWN	550.0	-	X	-
C	-	-	SF70T	3510369 R1	4.81	10.0	Thin Wall XLPE Primary Cable	RED	800.0	-	9	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	NK70U	3510369 R1	4.81	10.0	Thin Wall XLPE Primary Cable	RED	150.0	-	X	-
C	-	-	NH70T	3510369 R1	4.81	10.0	Thin Wall XLPE Primary Cable	RED	800.0	-	9	1701F
D	-	-	NJ72V	2643755 R1	3.01	12.0	Std. Wall XLPE Primary Cable	ORANGE	800.0	-	11	1701F


Connector Name 9781F  
 Part Number 1667732C1  
 Instances Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination5-N01-9782M, R01-9790M  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination6-N01-9782M, R01-9790MA  
 Trailer Interface (Lighting) – BOC\_NA:Diagram1-Combination3-N01-9782M  
 Mates TRLR-SKT\_BOC-3035-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	YT58U	2643773 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BLACK	480.0	-	X	-
A	-	-	RG58T	2643773 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BLACK	3490.0	-	7	1701F
B	-	-	YT56U	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	380.0	-	X	-
B	-	-	RG56T	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	3490.0	-	5	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	YT57U	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	430.0	-	X	-
C	-	-	RG57T	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3490.0	-	6	1701F


Connector Name 9781  
 Part Number 1667732C1  
 Instances Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination3-N01-9782, R01-9790M  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination4-N01-9782, R01-9790MA  
 Trailer Interface (Lighting) – BOC\_NA:Diagram1-Combination2-N01-9782  
 Mates TRLR-SKT\_BOC-3035-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	YL58T	2643773 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BLACK	3235.0	-	7	1701F
B	-	-	YL56T	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	3235.0	-	5	1701F
C	-	-	YL57T	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3235.0	-	6	1701F




Connector Name 9782M  
 Part Number 3535482C1  
 Instances Auxiliary Trailer Power Cavity D:Diagram1-Combination3  
 Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination5  
 Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination6  
 Trailer Interface (ABS) - BOC\_NA:Diagram1-Combination3  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination5-N01-9782M, R01-9790M  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination6-N01-9782M, R01-9790MA  
 Trailer Interface (Lighting) – BOC\_NA:Diagram1-Combination3-N01-9782M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	YT94U	3510315 R1	4.81	10.0	Thin Wall XLPE Primary Cable	GREY	550.0	-	X	-
B	-	-	YT68U	3510309 R1	4.81	10.0	Thin Wall XLPE Primary Cable	BROWN	450.0	-	X	-
C	-	-	RG70T	3510369 R1	4.81	10.0	Thin Wall XLPE Primary Cable	RED	3560.0	-	9	1701F
D	-	-	RJ72V	2643755 R1	3.01	12.0	Std. Wall XLPE Primary Cable	ORANGE	3560.0	-	11	1701F

Connector Name 9782  
 Part Number 3535482C1  
 Instances Auxiliary Trailer Power Cavity D:Diagram1-Combination2  
 Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination3  
 Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination4  
 Trailer Interface (ABS) - BOC\_NA:Diagram1-Combination2  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination3-N01-9782, R01-9790M  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination4-N01-9782, R01-9790MA  
 Trailer Interface (Lighting) – BOC\_NA:Diagram1-Combination2-N01-9782




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	YL94T	3510315 R1	4.81	10.0	Thin Wall XLPE Primary Cable	GREY	3210.0	-	10	1701F
B	-	-	YL68T	3510309 R1	4.81	10.0	Thin Wall XLPE Primary Cable	BROWN	3210.0	-	8	1701F
C	-	-	YL70T	3510369 R1	4.81	10.0	Thin Wall XLPE Primary Cable	RED	3210.0	-	9	1701F
D	-	-	YM72V	2643755 R1	3.01	12.0	Std. Wall XLPE Primary Cable	ORANGE	3210.0	-	11	1701F

Connector Name 9784M  
 Part Number 3535482C1  
 Instances Auxiliary Trailer Power Cavity D:Diagram1-Combination4  
 Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination7  
 Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination8  
 Trailer Interface (ABS) - BOC\_NA:Diagram1-Combination4




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RF94T	3510357 R1	4.81	10.0	Thin Wall XLPE Primary Cable	DARK BLUE	1650.0	-	10	1701F
A	-	-	YS94U	3510315 R1	4.81	10.0	Thin Wall XLPE Primary Cable	GREY	425.0	-	X	-
D	-	-	TA72V	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	1650.0	-	11	1701F

Connector Name 9789FA  
 Part Number 1667732C1  
 Instances Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination2-N01-9780M, R01-9790MA  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination6-N01-9782M, R01-9790MA  
 Mates TRLR-SKT\_EOF-3035-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RS58W	2643773 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BLACK	3016.0	-	A	9716M
B	-	-	RS56W	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	3016.0	-	B	9716M
C	-	-	RS57W	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3016.0	-	C	9716M


Connector Name 9789F  
 Part Number 1667732C1  
 Instances Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination1-N01-9780M, R01-9790M  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination3-N01-9782, R01-9790M  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination4-N01-9782, R01-9790MA  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination5-N01-9782M, R01-9790M  
 Mates TRLR-SKT\_EOF-3035-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RR58W	2643773 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BLACK	2541.0	-	A	9716M
A	-	-	RS58W	2643773 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BLACK	3016.0	-	-	-
B	-	-	RS56W	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	3016.0	-	-	-
B	-	-	RR56W	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	2541.0	-	B	9716M


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	RS57W	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3016.0	-	-	-
C	-	-	RR57W	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2541.0	-	C	9716M

Connector Name 9790MA  
 Part Number 1667733C1  
 Instances Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination2  
 Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination4  
 Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination6  
 Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination8  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination2-N01-9780M, R01-9790MA  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination6-N01-9782M, R01-9790MA  
 Mates TRLR-SKT\_EOF-3035-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RS70W	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	3016.0	-	A	9715F
A	-	-	RS94W	2643816 R1	4.81	10.0	Std. Wall XLPE Primary Cable	DARK BLUE	3016.0	-	-	-
B	-	-	RS68W	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	3016.0	-	B	9715F
C	-	-	RS94W	2643816 R1	4.81	10.0	Std. Wall XLPE Primary Cable	DARK BLUE	3016.0	-	C	9715F

Connector Name 9790M  
 Part Number 1667733C1  
 Instances Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination1  
 Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination3  
 Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination5  
 Trailer Interface (ABS) - BOC & EOF\_NA:Diagram1-Combination7  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination1-N01-9780M, R01-9790M  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination3-N01-9782, R01-9790M  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination4-N01-9782, R01-9790MA  
 Trailer Interface (Lighting) – BOC & EOF:Diagram1-Combination5-N01-9782M, R01-9790M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RS70W	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	3016.0	-	-	-
A	-	-	RR70W	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	2541.0	-	A	9715F
B	-	-	RS68W	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	3016.0	-	-	-
B	-	-	RR68W	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2541.0	-	B	9715F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	RR94W	2643816 R1	4.81	10.0	Std. Wall XLPE Primary Cable	DARK BLUE	2541.0	-	C	9715F

Connector Name 9800F  
 Part Number 3558026C1  
 Instances A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination1  
 A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination2  
 A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination3  
 A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination4  
 A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination1  
 A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination2  
 A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination3  
 A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination4  
 A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination5  
 A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination6  
 A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination7  
 A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination8  
 A26 - Backup Light (Endurant):Diagram1  
 A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination1  
 A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination2  
 A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination3  
 A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination4  
 A26 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1-Combination1  
 A26 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1-Combination2  
 A26 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1-Combination3  
 A26 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1-Combination4



Antilock Brake System (ABS)-BENDIX 4 Channel  
Implementation:Diagram1-Combination1 - R01-9501, R01-9502,  
R01-9503, R01-9504

Antilock Brake System (ABS)-BENDIX 4 Channel  
Implementation:Diagram1-Combination2 - R01-9501D-4chABS,  
R01-9502A, R01-9503D-4chABS, R01-9504B

Antilock Brake System (ABS)-BENDIX 4 Channel  
Implementation:Diagram1-Combination3 - R01-9501D-4chABS,  
R01-9502B-4chABS, R01-9503D-4chABS, R01-9504A-4chABS

Antilock Brake System (ABS)-BENDIX 4 Channel  
Implementation:Diagram1-Combination4 - R01-9502B-4chABS,  
R01-9504A-4chABS, R01-9511, R01-9512

Antilock Brake System (ABS)-Wabco 4 Channel  
Implementation:W/ 4X2 AXLE CONFIGURATION

Antilock Brake System (ABS)-Wabco 4 Channel  
Implementation:W/ 6X2,6X4 AXLE & W/ HENDRICKSON  
55",60" AIR SUSPENSION

Antilock Brake System (ABS)-Wabco 4 Channel  
Implementation:W/ 6X2,6X4 AXLE & W/ HENDRICKSON  
PRIMAAX SUSPENSION

Antilock Brake System (ABS)-Wabco 4 Channel  
Implementation:W/ 6X2,6X4 AXLE & W/ IROS, HENDRICKSON  
HTB-40-52 SUSPENSIONS

Antilock Brake System (ABS)-Wabco 6 Channel  
Implementation:W/ ALL HENDRICKSON SUSPENSIONS  
EXCEPT HTB-40-52

Antilock Brake System (ABS)-Wabco 6 Channel  
Implementation:W/ HENDRICKSON HTB-40-52 SUSPENSION

Antilock Brake System (ABS)-Wabco 6 Channel  
Implementation:W/ IROS SUSPENSIONS

Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-  
Combination1

Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-  
Combination2

Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-  
Combination3

Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-  
Combination4

Back-Up Alarm (Automatic) TC10:Diagram1-Combination1

Back-Up Alarm (Automatic) TC10:Diagram1-Combination2

Backup Light (Dual Reverse Light)Allison/ZF Trans:Diagram1-  
Combination1

Backup Light (Dual Reverse Light)Allison/ZF Trans:Diagram1-  
Combination2

Backup Light (Single Reverse Light)Allison/ZF Trans:Diagram1-Combination1  
Backup Light (Single Reverse Light)Allison/ZF Trans:Diagram1-Combination2  
Backup Lights (Dual Reverse Light) Eaton/Manual Trans:W/ 4X2 AXLE  
Backup Lights (Dual Reverse Light) Eaton/Manual Trans:W/ 6X2,6X4 AXLE  
Backup Lights (Single Reverse Light) Eaton/Manual Trans:W/ 4X2 AXLE  
Backup Lights (Single Reverse Light) Eaton/Manual Trans:W/ 6X2,6X4 AXLE  
Center Chassis ZVR Splice Packs:Diagram 1  
Driver Controlled Locking Differential -FR & RR Axle:Diagram1-Combination1  
Driver Controlled Locking Differential -RR Axle:Diagram1-Combination1  
Driver Controlled Locking Differential -RR Axle:Diagram1-Combination2  
License Plate Light (Tail Light Bar Assy.):Diagram1-Combination1 - R01-9303  
License Plate Light (Tail Light Bar Assy.):Diagram1-Combination2 - R01-9303A  
License Plate Light(Weldon LED):Diagram1-Combination1 - R01-9303K  
License Plate Light(Weldon LED):Diagram1-Combination2 - R01-9303M  
Rear Light (Tail Light) (Light Bar ASSY):W/ 4X2 AXLE  
Rear Light (Tail Light) (Light Bar ASSY):W/ 6X2,6X4 AXLE  
Rear Light (Tail Light) (Light Bar ASSY/MRKR INT-STRNGWHL):W/ 4X2 AXLE  
Rear Light (Tail Light) (Light Bar ASSY/MRKR INT-STRNGWHL):W/ 6X2,6X4 AXLE  
Rear Light (Tail Light) (Weldon LED):W/ 4X2 AXLE  
Rear Light (Tail Light) (Weldon LED):W/ 6X2,6X4 AXLE  
Rear Light (Tail Light) (Weldon LED/MRKR INT-STRNGWHL):W/ 4X2 AXLE  
Rear Light (Tail Light) (Weldon LED/MRKR INT-STRNGWHL):W/ 6X2,6X4 AXLE  
Rear Lights Stop - Dual Assembly:W/ 4X2 AXLE  
Rear Lights Stop - Dual Assembly:W/ 6X2,6X4 AXLE  
Rear Lights Stop - Single Assembly:W/ 4X2 AXLE  
Rear Lights Stop - Single Assembly:W/ 6X2,6X4 AXLE  
Rear Turn Lights W/ Dual Tail Light Assembly:W/ 4X2 AXLE

Rear Turn Lights W/ Dual Tail Light Assembly:W/ 6X2,6X4 AXLE  
Rear Turn Lights W/ Single Rear Light Assembly:W/ 4X2 AXLE  
Rear Turn Lights W/ Single Rear Light Assembly:W/ 6X2,6X4  
AXLE  
Single Axle Temperature Monitoring:Diagram1-Combination1 -  
R01-9811  
Single Axle Temperature Monitoring:Diagram1-Combination2 -  
R01-9813  
Single Axle Temperature Monitoring w/Aux Gauge:Diagram1-  
Combination1 - R01-9811  
Single Axle Temperature Monitoring w/Aux Gauge:Diagram1-  
Combination2 - R01-9813  
Tandem Axle Temperature Monitoring:Diagram1-Combination1 -  
R01-9811, R01-9812  
Tandem Axle Temperature Monitoring:Diagram1-Combination2 -  
R01-9911, R01-9912  
Tandem Axle Temperature Monitoring w/Aux Gauge:Diagram1-  
Combination1 - R01-9811, R01-9812  
Tandem Axle Temperature Monitoring w/Aux Gauge:Diagram1-  
Combination2 - R01-9911, R01-9912  
Traction Control (Bendix Controller):Diagram1-Combination1 -  
R01-9505  
Traction Control (Bendix Controller):Diagram1-Combination2 -  
R01-9505A  
Traction Control (Wabco Controller):Diagram1-Combination1 -  
R01-9515  
Traction Control (Wabco Controller):Diagram1-Combination2 -  
R01-9515A  
Traction Control (Wabco Controller):Diagram1-Combination3 -  
R01-9515B  
X15 Backup Light (Endurant):Diagram1  
X15 - Back-Up Alarm Manual and UltraShift+:Diagram1-  
Combination1  
X15 - Back-Up Alarm Manual and UltraShift+:Diagram1-  
Combination2  
X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-  
Combination1  
X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-  
Combination2  
X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-  
Combination3  
X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-  
Combination4

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	NA71BA	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	3235.0	-	1	1701F
2	-	-	NA56A	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	3235.0	-	2	1701F
3	-	-	NA57A	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	3235.0	-	3	1701F
4	-	-	NA68A	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	3235.0	-	4	1701F
5	-	-	NA10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2335.0	-	-	-
6	-	-	NR32A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3235.0	-	43	1701F
7	-	-	NR9BF	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1400.0	-	D	8802
8	-	-	NS32	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3235.0	-	44	1701F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
9	-	-	NT49	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	45	1701F
10	-	-	NT49-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2185.0	-	-	-
11	-	-	NU49A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	50	1701F
13	-	-	BB94BA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	23	1701F
13	-	-	NB94BA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	23	1701F
14	-	-	BB94BB	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	24	1701F
15	-	-	BB94BC	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	25	1701F
15	-	-	NB94BC	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	25	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
16	-	-	BB94BD	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	17	1701F
16	-	-	NB94BD	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	17	1701F
17	-	-	BB94BE	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	16	1701F
17	-	-	NB94BE	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	16	1701F
18	-	-	BB94BF	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	19	1701F
18	-	-	NB94BF	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	19	1701F
19	-	-	BB94BH	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	18	1701F
19	-	-	NB94BH	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	18	1701F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
20	-	-	BB94BJ	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	21	1701F
20	-	-	NB94BJ	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	21	1701F
21	-	-	BB94BK	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	22	1701F
21	-	-	NB94BK	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	22	1701F
22	-	-	BB94BL	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	20	1701F
22	-	-	NB94BL	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	20	1701F
23	-	-	NC94BM	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	14	1701F
24	-	-	BC94BN	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	15	1701F

Connector Name 9800F  
 Part Number 3558026C1  
 Short Description CONNECTION TO REAR CHASSIS HARNESS  
 Instances Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ ALL HENDRICKSON SUSPENSIONS EXCEPT HTB-40-52  
 Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ IROS SUSPENSIONS  
 Mates 9800M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
13	-	-	NB94BA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	23	1701F
14	-	-	NB94BB	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	24	1701F
15	-	-	NB94BC	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	25	1701F
16	-	-	NB94BD	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	17	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
17	-	-	NB94BE	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	16	1701F
18	-	-	NB94BF	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	19	1701F
19	-	-	NB94BH	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	18	1701F
20	-	-	NB94BJ	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	21	1701F
21	-	-	NB94BK	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	22	1701F
22	-	-	NB94BL	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	20	1701F

Connector Name 9800M  
 Part Number 3558022C1  
 Short Description CONNECTION TO CENTER HARNESS  
 Instances

- A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination1
- A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination2
- A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination3
- A26 - Back-Up Alarm (Manual) and UltraShift+:Diagram1-Combination4
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination1
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination2
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination3
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination4
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination5
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination6
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination7
- A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy):Diagram1-Combination8
- A26 - Backup Light (Endurant):Diagram1
- A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination1
- A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination2
- A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination3
- A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans:Diagram1-Combination4
- A26 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1-Combination1
- A26 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1-Combination2
- A26 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1-Combination3



A26 - Backup Lights (Single Reverse Light) Eaton/Manual  
Trans:Diagram1-Combination4  
Antilock Brake System (ABS)-BENDIX 4 Channel  
Implementation:Diagram1-Combination1 - R01-9501, R01-9502,  
R01-9503, R01-9504  
Antilock Brake System (ABS)-BENDIX 4 Channel  
Implementation:Diagram1-Combination2 - R01-9501D-4chABS,  
R01-9502A, R01-9503D-4chABS, R01-9504B  
Antilock Brake System (ABS)-BENDIX 4 Channel  
Implementation:Diagram1-Combination3 - R01-9501D-4chABS,  
R01-9502B-4chABS, R01-9503D-4chABS, R01-9504A-4chABS  
Antilock Brake System (ABS)-BENDIX 4 Channel  
Implementation:Diagram1-Combination4 - R01-9502B-4chABS,  
R01-9504A-4chABS, R01-9511, R01-9512  
Antilock Brake System (ABS)-Wabco 4 Channel  
Implementation:W/ 4X2 AXLE CONFIGURATION  
Antilock Brake System (ABS)-Wabco 4 Channel  
Implementation:W/ 6X2,6X4 AXLE & W/ HENDRICKSON  
55",60" AIR SUSPENSION  
Antilock Brake System (ABS)-Wabco 4 Channel  
Implementation:W/ 6X2,6X4 AXLE & W/ HENDRICKSON  
PRIMAAX SUSPENSION  
Antilock Brake System (ABS)-Wabco 4 Channel  
Implementation:W/ 6X2,6X4 AXLE & W/ IROS, HENDRICKSON  
HTB-40-52 SUSPENSIONS  
Antilock Brake System (ABS)-Wabco 6 Channel  
Implementation:W/ ALL HENDRICKSON SUSPENSIONS  
EXCEPT HTB-40-52  
Antilock Brake System (ABS)-Wabco 6 Channel  
Implementation:W/ HENDRICKSON HTB-40-52 SUSPENSION  
Antilock Brake System (ABS)-Wabco 6 Channel  
Implementation:W/ IROS SUSPENSIONS  
Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-  
Combination1  
Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-  
Combination2  
Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-  
Combination3  
Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy):Diagram1-  
Combination4  
Back-Up Alarm (Automatic) TC10:Diagram1-Combination1  
Back-Up Alarm (Automatic) TC10:Diagram1-Combination2  
Backup Light (Dual Reverse Light)Allison/ZF Trans:Diagram1-  
Combination1

Backup Light (Dual Reverse Light)Allison/ZF Trans:Diagram1-Combination2  
Backup Light (Single Reverse Light)Allison/ZF Trans:Diagram1-Combination1  
Backup Light (Single Reverse Light)Allison/ZF Trans:Diagram1-Combination2  
Backup Lights (Dual Reverse Light) Eaton/Manual Trans:W/ 4X2 AXLE  
Backup Lights (Dual Reverse Light) Eaton/Manual Trans:W/ 6X2,6X4 AXLE  
Backup Lights (Single Reverse Light) Eaton/Manual Trans:W/ 4X2 AXLE  
Backup Lights (Single Reverse Light) Eaton/Manual Trans:W/ 6X2,6X4 AXLE  
Center Chassis ZVR Splice Packs:Diagram 1  
Driver Controlled Locking Differential -FR & RR Axle:Diagram1-Combination1  
Driver Controlled Locking Differential -RR Axle:Diagram1-Combination1  
Driver Controlled Locking Differential -RR Axle:Diagram1-Combination2  
License Plate Light (Tail Light Bar Assy.):Diagram1-Combination1 - R01-9303  
License Plate Light (Tail Light Bar Assy.):Diagram1-Combination2 - R01-9303A  
License Plate Light(Weldon LED):Diagram1-Combination1 - R01-9303K  
License Plate Light(Weldon LED):Diagram1-Combination2 - R01-9303M  
Rear Light (Tail Light) (Light Bar ASSY):W/ 4X2 AXLE  
Rear Light (Tail Light) (Light Bar ASSY):W/ 6X2,6X4 AXLE  
Rear Light (Tail Light) (Light Bar ASSY/MRKR INT-STRNGWHL):W/ 4X2 AXLE  
Rear Light (Tail Light) (Light Bar ASSY/MRKR INT-STRNGWHL):W/ 6X2,6X4 AXLE  
Rear Light (Tail Light) (Weldon LED):W/ 4X2 AXLE  
Rear Light (Tail Light) (Weldon LED):W/ 6X2,6X4 AXLE  
Rear Light (Tail Light) (Weldon LED/MRKR INT-STRNGWHL):W/ 4X2 AXLE  
Rear Light (Tail Light) (Weldon LED/MRKR INT-STRNGWHL):W/ 6X2,6X4 AXLE  
Rear Lights Stop - Dual Assembly:W/ 4X2 AXLE  
Rear Lights Stop - Dual Assembly:W/ 6X2,6X4 AXLE  
Rear Lights Stop - Single Assembly:W/ 4X2 AXLE

Rear Lights Stop - Single Assembly:W/ 6X2,6X4 AXLE  
Rear Turn Lights W/ Dual Tail Light Assembly:W/ 4X2 AXLE  
Rear Turn Lights W/ Dual Tail Light Assembly:W/ 6X2,6X4 AXLE  
Rear Turn Lights W/ Single Rear Light Assembly:W/ 4X2 AXLE  
Rear Turn Lights W/ Single Rear Light Assembly:W/ 6X2,6X4  
AXLE  
Single Axle Temperature Monitoring:Diagram1-Combination1 -  
R01-9811  
Single Axle Temperature Monitoring:Diagram1-Combination2 -  
R01-9813  
Single Axle Temperature Monitoring w/Aux Gauge:Diagram1-  
Combination1 - R01-9811  
Single Axle Temperature Monitoring w/Aux Gauge:Diagram1-  
Combination2 - R01-9813  
Tandem Axle Temperature Monitoring:Diagram1-Combination1 -  
R01-9811, R01-9812  
Tandem Axle Temperature Monitoring:Diagram1-Combination2 -  
R01-9911, R01-9912  
Tandem Axle Temperature Monitoring w/Aux Gauge:Diagram1-  
Combination1 - R01-9811, R01-9812  
Tandem Axle Temperature Monitoring w/Aux Gauge:Diagram1-  
Combination2 - R01-9911, R01-9912  
Traction Control (Bendix Controller):Diagram1-Combination1 -  
R01-9505  
Traction Control (Bendix Controller):Diagram1-Combination2 -  
R01-9505A  
Traction Control (Wabco Controller):Diagram1-Combination1 -  
R01-9515  
Traction Control (Wabco Controller):Diagram1-Combination2 -  
R01-9515A  
Traction Control (Wabco Controller):Diagram1-Combination3 -  
R01-9515B  
X15 Backup Light (Endurant):Diagram1  
X15 - Back-Up Alarm Manual and UltraShift+:Diagram1-  
Combination1  
X15 - Back-Up Alarm Manual and UltraShift+:Diagram1-  
Combination2  
X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-  
Combination1  
X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-  
Combination2  
X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-  
Combination3

X15 - Back-Up Alarm Manual W Tail Light Bar Assy:Diagram1-  
Combination4

Mates

9800F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	RA71BA	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	3116.0	-	A	9303
1	-	-	SA71BA	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	3816.0	-	A	9303A
1	-	-	VK71BA	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	3166.0	-	X	-
1	-	-	VJ71BA	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	3866.0	-	X	-
1	-	-	VF71BA	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	3166.0	-	X	-
1	-	-	VH71BA	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	3866.0	-	X	-
1	-	-	SA71BA	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	3816.0	-	A	9303
2	-	-	VG56A	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	4216.0	-	B	9303K



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
2	-	-	VE56A	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	3516.0	-	B	9303M
2	-	-	SA56A	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	3816.0	-	B	9303A
2	-	-	RA56A	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	3116.0	-	B	9303
3	-	-	VG57A	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	4566.0	-	C	9303L
3	-	-	VE57A	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	3866.0	-	C	9303N
3	-	-	RA57A	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	3116.0	-	C	9303
3	-	-	SA57A	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	3816.0	-	C	9303A
4	-	-	SA68A	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	3816.0	-	D	9303A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	RA68A	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	3116.0	-	D	9303
4	-	-	VE68A	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	3216.0	-	X	-
4	-	-	VG68A	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	3916.0	-	X	-
5	-	-	VH10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	3966.0	-	1	-
5	-	-	VK10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	White	3266.0	-	X	-
5	-	-	VJ10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	3966.0	-	X	-
5	-	-	SA10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	3816.0	-	E	9303A
5	-	-	RA10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	3116.0	-	E	9303

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	VF10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	3266.0	-	X	-
5	-	-	SA10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	3816.0	-	E	9303
6	-	-	TA32	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2156.0	-	1	9811
6	-	-	RJ32A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3381.0	-	1	9813
6	-	-	RH32A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3381.0	-	1	9812
6	-	-	UC32A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3531.0	-	1	9912
7	-	-	RJ9	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3381.0	-	-	-
7	-	-	UC9A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	906.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	TA9C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2156.0	-	-	-
7	-	-	RH9A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	906.0	-	-	-
8	-	-	UC32	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	1666.0	-	1	9911
8	-	-	RH32	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2156.0	-	1	9811
9	-	-	RL49	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2756.0	-	A	9816
9	-	-	RM49	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3071.0	-	A	9815
10	-	-	RN49-GC	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	471.0	-	X	-
10	-	-	RL49-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2756.0	-	B	9816

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
11	-	-	RN49A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2126.0	-	A	9814
13	-	-	ST94MA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1506.0	-	1	9507
13	-	-	SR94MA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1581.0	-	1	9507A
13	-	-	SS94MA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2416.0	-	1	9507B
13	-	-	VT94MA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2416.0	-	1	9507B
13	-	-	UJ94MA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1096.0	-	1	9519
13	-	-	VB94MA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1906.0	-	1	9528
13	-	-	US94MA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1581.0	-	1	9507A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
13	-	-	SZ94BA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2846.0	-	A	9502B
13	-	-	RB94BA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1506.0	-	A	9502
13	-	-	SB94BA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1581.0	-	A	9502A
14	-	-	ST94MB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1506.0	-	2	9507
14	-	-	SR94MB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1581.0	-	2	9507A
14	-	-	SS94MB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2416.0	-	2	9507B
14	-	-	VT94MB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2416.0	-	2	9507B
14	-	-	UJ94MB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1096.0	-	2	9519

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
14	-	-	VB94MB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1906.0	-	2	9528
14	-	-	US94MB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1581.0	-	2	9507A
14	-	-	RB94BB	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1506.0	-	B	9502
14	-	-	SD94BB	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2846.0	-	B	9502B
14	-	-	SB94BB	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1581.0	-	B	9502A
15	-	-	ST94MC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1506.0	-	3	9507
15	-	-	SR94MC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1581.0	-	3	9507A
15	-	-	SS94MC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2416.0	-	3	9507B

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
15	-	-	VT94MC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2416.0	-	3	9507B
15	-	-	UJ94MC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1096.0	-	3	9519
15	-	-	VB94MC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1906.0	-	3	9528
15	-	-	US94MC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1581.0	-	3	9507A
15	-	-	UP94BC	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1581.0	-	C	9502A
15	-	-	RB94BC	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1506.0	-	C	9502
15	-	-	SZ94BC	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2846.0	-	C	9502B
16	-	-	SS94MD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2516.0	-	2	9506E



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
16	-	-	SR94MD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2516.0	-	2	9506D
16	-	-	ST94MD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1531.0	-	2	9506
16	-	-	VT94ME	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2516.0	-	2	9506D
16	-	-	VB94MD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2056.0	-	2	9529
16	-	-	UJ94MD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	996.0	-	2	9518
16	-	-	US94MD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	996.0	-	2	9518
16	-	-	RB94BD	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1531.0	-	2	9501
16	-	-	SZ94BD	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	996.0	-	2	9512

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
16	-	-	SB94BD	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2716.0	-	2	9501D
17	-	-	SS94ME	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2516.0	-	1	9506E
17	-	-	SR94ME	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2516.0	-	1	9506D
17	-	-	ST94ME	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1531.0	-	1	9506
17	-	-	VT94MD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2516.0	-	1	9506D
17	-	-	VB94ME	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2056.0	-	1	9529
17	-	-	UJ94ME	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	996.0	-	1	9518
17	-	-	US94ME	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	996.0	-	1	9518

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
17	-	-	SB94BE	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2716.0	-	1	9501D
17	-	-	RB94BE	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1531.0	-	1	9501
17	-	-	TF94BE	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	996.0	-	1	9512
18	-	-	ST94MF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2056.0	-	2	9508
18	-	-	SR94MF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3091.0	-	2	9508D
18	-	-	SS94MF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3091.0	-	2	9508E
18	-	-	VT94MF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3091.0	-	2	9508D
18	-	-	VB94MF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3641.0	-	2	9535

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
18	-	-	UJ94MF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1476.0	-	2	9517
18	-	-	US94MF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1476.0	-	2	9517
18	-	-	RB94BF	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2056.0	-	2	9503
18	-	-	SD94BF	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3291.0	-	2	9503D
18	-	-	SZ94BF	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1476.0	-	2	9511
19	-	-	ST94MH	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2056.0	-	1	9508
19	-	-	SR94MH	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3091.0	-	1	9508D
19	-	-	SS94MH	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3091.0	-	1	9508E

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
19	-	-	VT94MH	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3091.0	-	1	9508D
19	-	-	VB94MH	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3641.0	-	1	9535
19	-	-	UJ94MH	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1476.0	-	1	9517
19	-	-	US94MH	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1476.0	-	1	9517
19	-	-	SB94BH	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3291.0	-	1	9503D
19	-	-	RB94BH	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2056.0	-	1	9503
19	-	-	TF94BH	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1476.0	-	1	9511
20	-	-	ST94MJ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2256.0	-	1	9509

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
20	-	-	SR94MJ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	4041.0	-	1	9509B
20	-	-	SS94MJ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3266.0	-	1	9509A
20	-	-	VT94MJ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3266.0	-	1	9509A
20	-	-	VB94MJ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3391.0	-	1	9534
20	-	-	UJ94MJ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1876.0	-	1	9516
20	-	-	US94MJ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	4041.0	-	1	9509B
20	-	-	SD94BJ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3466.0	-	A	9504A
20	-	-	RB94BJ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2256.0	-	A	9504

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
20	-	-	SB94BJ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4041.0	-	A	9504B
21	-	-	ST94MK	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2256.0	-	2	9509
21	-	-	SR94MK	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	4041.0	-	2	9509B
21	-	-	SS94MK	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3266.0	-	2	9509A
21	-	-	VT94MK	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3266.0	-	2	9509A
21	-	-	UJ94MK	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1876.0	-	2	9516
21	-	-	VB94MK	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3391.0	-	2	9534
21	-	-	US94MK	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	4041.0	-	2	9509B


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
21	-	-	RB94BK	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2256.0	-	B	9504
21	-	-	SB94BK	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4041.0	-	B	9504B
21	-	-	SZ94BK	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3466.0	-	B	9504A
22	-	-	ST94ML	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2256.0	-	3	9509
22	-	-	SR94ML	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	4041.0	-	3	9509B
22	-	-	SS94ML	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3266.0	-	3	9509A
22	-	-	VT94ML	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3266.0	-	3	9509A
22	-	-	VB94ML	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3391.0	-	3	9534



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
22	-	-	UJ94ML	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1876.0	-	3	9516
22	-	-	US94ML	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	4041.0	-	3	9509B
22	-	-	UP94BL	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4041.0	-	C	9504B
22	-	-	SZ94BL	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3466.0	-	C	9504A
22	-	-	RB94BL	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2256.0	-	C	9504
23	-	-	[SU94MM]	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1206.0	-	2	9515_1
23	-	-	[SV94MM]	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1946.0	-	2	9515A
23	-	-	[SW94MM]	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1946.0	-	2	9515B

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
23	-	-	RC94BM	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1511.0	-	1	9505
23	-	-	SC94BM	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2201.0	-	1	9505A
24	-	-	[SU94MN]	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1206.0	-	1	9515_1
24	-	-	[SV94MN]	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1946.0	-	1	9515A
24	-	-	[SW94MN]	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1946.0	-	1	9515B
24	-	-	RC94BN	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1511.0	-	2	9505
24	-	-	SE94BN	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2201.0	-	2	9505A

Connector Name 9800M  
 Part Number 3558022C1  
 Short Description CONNECTION TO CENTER HARNESS  
 Instances Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ ALL HENDRICKSON SUSPENSIONS EXCEPT HTB-40-52  
 Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ HENDRICKSON HTB-40-52 SUSPENSION  
 Antilock Brake System (ABS) [Bendix 6 Channel Implementation]:W/ IROS SUSPENSIONS  
 Mates 9800F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
13	-	-	TF94BA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1096.0	-	A	9513
13	-	-	VA94BA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1906.0	-	A	9520
13	-	-	UP94BA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1581.0	-	A	9502A
14	-	-	TF94BB	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1096.0	-	B	9513


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
14	-	-	VA94BB	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1906.0	-	B	9520
14	-	-	UP94BB	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1581.0	-	B	9502A
15	-	-	TF94BC	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1096.0	-	C	9513
15	-	-	VA94BC	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1906.0	-	C	9520
15	-	-	UP94BC	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1581.0	-	C	9502A
16	-	-	VA94BD	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2056.0	-	2	9521
16	-	-	TF94BD	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	996.0	-	2	9512
16	-	-	UP94BD	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	996.0	-	2	9512

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
17	-	-	VA94BE	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2056.0	-	1	9521
17	-	-	TF94BE	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	996.0	-	1	9512
17	-	-	UP94BE	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	996.0	-	1	9512
18	-	-	VA94BF	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3641.0	-	2	9527
18	-	-	TF94BF	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1476.0	-	2	9511
18	-	-	UP94BF	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1476.0	-	2	9511
19	-	-	VA94BH	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3641.0	-	1	9527
19	-	-	TF94BH	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1476.0	-	1	9511

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
19	-	-	UP94BH	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1476.0	-	1	9511
20	-	-	TF94BJ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1876.0	-	A	9514
20	-	-	VA94BJ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3391.0	-	A	9526
20	-	-	UP94BJ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4041.0	-	A	9504B
21	-	-	TF94BK	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1876.0	-	B	9514
21	-	-	VA94BK	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3391.0	-	B	9526
21	-	-	UP94BK	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4041.0	-	B	9504B
22	-	-	TF94BL	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1876.0	-	C	9514

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
22	-	-	VA94BL	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3391.0	-	C	9526
22	-	-	UP94BL	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4041.0	-	C	9504B


Connector Name 9811  
 Part Number 3536864C1  
 Instances Single Axle Temperature Monitoring:Diagram1-Combination1 - R01-9811  
 Single Axle Temperature Monitoring w/Aux Gauge:Diagram1-Combination1 - R01-9811  
 Tandem Axle Temperature Monitoring:Diagram1-Combination1 - R01-9811, R01-9812  
 Tandem Axle Temperature Monitoring w/Aux Gauge:Diagram1-Combination1 - R01-9811, R01-9812  
 Mates SNSR-Single\_Axl\_Temp-3008- 01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	TA32	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2156.0	-	6	9800M
1	-	-	RH32	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2156.0	-	8	9800M
2	-	-	RH9C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1250.0	-	X	-
2	-	-	TA9C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2156.0	-	-	-




Connector Name 9812  
 Part Number 3536864C1  
 Instances Tandem Axle Temperature Monitoring:Diagram1-Combination1 - R01-9811, R01-9812  
 Tandem Axle Temperature Monitoring w/Aux Gauge:Diagram1-Combination1 - R01-9811, R01-9812  
 Mates SNSR-RR\_Axl\_Temp-3008-02-0 1A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	RH32A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3381.0	-	6	9800M
2	-	-	RH9B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2475.0	-	X	-

Connector Name 9813  
 Part Number 3536864C1  
 Instances Single Axle Temperature Monitoring:Diagram1-Combination2 - R01-9813  
 Single Axle Temperature Monitoring w/Aux Gauge:Diagram1-Combination2 - R01-9813  
 Mates SNSR-RR\_Axl\_Temp-3008-02-0 1A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	RJ32A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3381.0	-	6	9800M
2	-	-	RJ9	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3381.0	-	-	-

Connector Name 9814  
 Part Number 587567C91  
 Instances Driver Controlled Locking Differential -FR & RR Axle:Diagram1-Combination1  
 Mates SW-FT\_DIFF\_LOCK-3012-05-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RN49A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2126.0	-	11	9800M
B	-	-	RN49-GB	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1655.0	-	X	-

Connector Name 9815  
 Part Number 587567C91  
 Instances Driver Controlled Locking Differential -FR & RR Axle:Diagram1-Combination1  
 Driver Controlled Locking Differential -RR Axle:Diagram1-Combination1  
 Mates SW-RR\_DIFF\_LOCK-3012-05-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RM49	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3071.0	-	9	9800M
B	-	-	RN49-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2600.0	-	X	-

Connector Name 9816  
 Part Number 587567C91  
 Instances Driver Controlled Locking Differential -RR Axle:Diagram1-Combination2




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RL49	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2756.0	-	9	9800M
B	-	-	RL49-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2756.0	-	10	9800M

Connector Name 9830  
 Part Number 1678137C1  
 Instances Axle Loading (Weight) Rear:Diagram1-Combination1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RD109B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3841.0	-	A	9865M
B	-	-	RD106B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3841.0	-	B	9865M
C	-	-	RD61B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3841.0	-	C	9865M

Connector Name 9832  
 Part Number 1678137C1  
 Instances Axle Loading (Weight) Rear:Diagram1-Combination2  
 Mates SNSR-RRAXLE-3007-03-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RE109B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3341.0	-	A	9865M
B	-	-	RE106B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3341.0	-	B	9865M
C	-	-	RE61B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3341.0	-	C	9865M


Connector Name 9865F  
 Part Number 1667740C1  
 Short Description LOAD INDICATOR  
 Instances Axle Loading (Weight) Rear:Diagram1-Combination1  
 Axle Loading (Weight) Rear:Diagram1-Combination2  
 Mates 9865M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NP109B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	42	1701F
B	-	-	NP106B	2643675 R1	0.79	18.0	Std. Wall XLPE Primary Cable	ORANGE	3235.0	-	41	1701F
C	-	-	NP61B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3235.0	-	40	1701F




Connector Name 9865M  
 Part Number 1667741C1  
 Short Description LOAD INDICATOR TO CENTER CHASSIS  
 Instances Axle Loading (Weight) Rear:Diagram1-Combination1  
 Axle Loading (Weight) Rear:Diagram1-Combination2  
 Mates 9865F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RD109B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3841.0	-	A	9830
A	-	-	RE109B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3341.0	-	A	9832
B	-	-	RE106B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3341.0	-	B	9832
B	-	-	RD106B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3841.0	-	B	9830


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	RD61B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3841.0	-	C	9830
C	-	-	RE61B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3341.0	-	C	9832

Connector Name 9901A  
 Part Number 1673790C1  
 Instances Dual Air Dryers:Diagram1-Combination1  
 Left Side Air Dryer-Bendix:Diagram1-Combination1  
 Mates HTR-AIR\_DRYER-3002-01-02B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	GA39	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2410.0	-	-	-
B	-	-	GA39-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1510.0	-	-	-

Connector Name 9901B  
 Part Number 1673790C1  
 Instances Dual Air Dryers:Diagram1-Combination1  
 Mates HTR-AIR\_DRYER-3002-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	GF39A	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4115.0	-	-	-
B	-	-	GF39-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	3215.0	-	-	-

Connector Name 9902A  
 Part Number 1673790C1  
 Instances Dual Air Dryers:Diagram1-Combination2  
 Mates HTR-AIR\_DRYER-3002-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	GD39A	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2585.0	-	-	-
B	-	-	GD39-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1685.0	-	-	-

Connector Name 9902  
 Part Number 1673790C1  
 Instances Dual Air Dryers:Diagram1-Combination2  
 Left Side Air Dryer-Bendix:Diagram1-Combination2  
 Mates HTR-AIR\_DRYER-3002-01-02B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	GB39	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2535.0	-	-	-
B	-	-	GB39-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1635.0	-	-	-

Connector Name 9903  
 Part Number 1671610C1  
 Instances Drain Valve Heater:Diagram1  
 Mates HTR-DRAIN\_VALVE-3042-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RE39A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2800.0	-	X	-
B	-	-	RE39-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2150.0	-	X	-


Connector Name 9904  
 Part Number 1671610C1  
 Instances Drain Valve Heater:Diagram1  
 Mates HTR-DRAIN\_VALVE-3042-01-01B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RE39B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3050.0	-	X	-
B	-	-	RE39-GB	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2400.0	-	X	-




Connector Name 9911  
 Part Number 3536864C1  
 Instances Tandem Axle Temperature Monitoring:Diagram1-Combination2 - R01-9911, R01-9912  
 Tandem Axle Temperature Monitoring w/Aux Gauge:Diagram1-Combination2 - R01-9911, R01-9912  
 Mates SNSR-Single\_Axl\_Temp-3008- 01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	UC32	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	1666.0	-	8	9800M
2	-	-	UC9C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	910.0	-	X	-

Connector Name 9912  
 Part Number 3536864C1  
 Instances Tandem Axle Temperature Monitoring:Diagram1-Combination2 - R01-9911, R01-9912  
 Tandem Axle Temperature Monitoring w/Aux Gauge:Diagram1-Combination2 - R01-9911, R01-9912  
 Mates SNSR-RR\_Axl\_Temp-3008-02-0 1A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	UC32A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3531.0	-	6	9800M
2	-	-	UC9B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2625.0	-	X	-

Connector Name 9989  
 Part Number 3535481C1  
 Instances Jaw Monitoring:Diagram1  
 Mates DEV-JAW\_MONITOR-3039-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	YG116M	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3310.0	-	-	-
B	-	-	YG116U	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3310.0	-	59	1701F
C	-	-	YG116L	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3310.0	-	58	1701F
D	-	-	YG116-GA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	3660.0	-	1	9717F

Connector Name (1000)  
 Part Number 3825185C1  
 Short Description 12-WAY CONNECTION FOR T-RAIL  
 Instances Interior Task Lights (Flood) W/Upper& Lower Reading LT - Sleeper Cab:Diagram1  
 Mates 1000




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
9	-	-	HR63-GU	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2145.0	-	-	-

Connector Name (5007A)  
 Part Number 3613769C1  
 Instances Speakers:Speakers W/ Amplifier:Diagram1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	HH86-GH	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	540.0	-	X	-

Connector Name (5010)  
 Part Number 3538634C1  
 Instances  
 A26 - Battery Feed 1:BTRY Feed (NON-LOADSHED)  
 Endurant - Battery Grid 1 (Non-Loadshed):BTRY GRID 1 (NON-LOADSHED)  
 Instrument Cluster (Standard):Diagram1  
 Telematics (QUALCOMM IMCT DAYCAB W/ MVPC):Diagram1  
 Telematics (QUALCOMM MCT w/o Tracs):Diagram1  
 Telematics (QUALCOMM MCT):Diagram1  
 X15 - Battery Feed 1 - Part 1:BTRY Feed 1 (NON-LOADSHED)  
 X15 - Key Switch Ignition 1:Key Switch Ignition 1B  
 X15 Ground Splice Packs 3/4:Diagram2  
 Mates 1970\_IP12



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AE14A	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	3180.0	-	-	-
A	-	-	GD14ED	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	5635.0	-	-	-
A	-	-	HL14ED	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	3180.0	-	-	-
A	-	-	RF14ED	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	3180.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JZ14ED	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	3080.0	-	-	-
A	-	-	HT14SD	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	3385.0	-	-	-
A	-	-	HZ14ED	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	3385.0	-	-	-
A	-	-	RF14ED	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	3180.0	-	C	5530
A	-	-	JZ14ED	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	3080.0	-	X	-
A	-	-	HL14ED	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	3180.0	-	C	5900
B	-	-	JA13EE	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	630.0	-	X	-
B	-	-	JB13EE	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	3180.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	GD13EE	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	5635.0	-	-	-
B	-	-	JZ13EE	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	3580.0	-	E	5907
B	-	-	JA13EE	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	630.0	-	-	-
B	-	-	RF13EE	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	3180.0	-	E	5530
B	-	-	HT13SD	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	3385.0	-	-	-
B	-	-	HZ13EE	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	3385.0	-	-	-
E	-	-	JZ98F	2643670 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BLACK	3580.0	-	F	5907
E	-	-	HL98F	2643670 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BLACK	3180.0	-	F	H01-5900



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	HL98F	2643670 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BLACK	3180.0	-	F	5900
E	-	-	HZ98F	2643670 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BLACK	3385.0	-	-	-
E	-	-	MJ11-GMW	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	2410.0	-	B5	1500
F	-	-	SJ11-GBE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	960.0	-	6	1023
F	-	-	HY11-GSC	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3180.0	-	A	5901
F	-	-	GD11-GMB	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	5635.0	-	-	-

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
2A58TB	18	BN	TXL	35135R1	3544688C1		2	1 N/A		N/A
3C58TB	18	BN	TXL	35135R1	3544688C1		2	1 N/A		N/A
3E58TB	18	BN	TXL	35135R1	3544688C1		2	1 N/A		N/A
AA63-GA	16	WH	TXL	35136R1	3544688C1		2	3 N/A		N/A
AA63BD	18	GY	TXL	351311R1	3544688C1		2	5 N/A		N/A
AA63D	18	DKBL	TXL	351353R1	3544688C1		2	4 N/A		N/A
AV58TB	18	BN	TXL	35135R1	3544688C1		2	1 N/A		N/A
AW58TB	18	BN	TXL	35135R1	3544688C1		2	1 N/A		N/A
HY58TB	18	BN	TXL	35135R1	3544688C1		2	1 N/A		N/A
JC5F(+)	18	YL	TXL	3572112R1	3544688C1		2	1 N/A		N/A
JC5F(-)	18	GN	TXL	3572112R1	3544688C1		2	9 N/A		N/A
JD5F(+)	18	YL	TXL	3572112R1	3544688C1		2	1 N/A		N/A
JD5F(-)	18	GN	TXL	3572112R1	3544688C1		2	9 N/A		N/A
JF5F(+)	18	YL	TXL	3572112R1	3544688C1		2	1 N/A		N/A
JF5F(-)	18	GN	TXL	3572112R1	3544688C1		2	9 N/A		N/A
JG5F(+)	18	YL	TXL	3572112R1	3544688C1		2	1 N/A		N/A
JG5F(-)	18	GN	TXL	3572112R1	3544688C1		2	9 N/A		N/A
LR86AR	18	LTGN	TXL	351299R1	3544688C1		2	7 N/A		N/A
LR86AT	18	LTGN	TXL	351299R1	3544688C1		2	8 N/A		N/A
LR86YL	18	LTGN	TXL	351299R1	3544688C1		2	6 N/A		N/A
MR86F	18	LTGN	TXL	351299R1	3544688C1		2	2 N/A		N/A
MZ86P	18	LTGN	TXL	351299R1	3544688C1		2	2 N/A		N/A
SB5F(+)	18	YL	TXL	3572112R1	3544688C1		2	1 N/A		N/A
SB5F(-)	18	GN	TXL	3572112R1	3544688C1		2	9 N/A		N/A
SC5F(+)	18	YL	TXL	3572112R1	3544688C1		2	1 N/A		N/A
SC5F(-)	18	GN	TXL	3572112R1	3544688C1		2	9 N/A		N/A
SD5F(+)	18	YL	TXL	3572112R1	3544688C1		2	1 N/A		N/A
SD5F(-)	18	GN	TXL	3572112R1	3544688C1		2	9 N/A		N/A
SE5F(+)	18	YL	TXL	3572112R1	3544688C1		2	1 N/A		N/A
SE5F(-)	18	GN	TXL	3572112R1	3544688C1		2	9 N/A		N/A
GA95WA	2	TN	TXL	351328R1	3945694C1		6	13 N/A	3743662C1	N/A
GE44A	2	GY	TXL	35131R1	3945694C1		6	93 N/A	3743662C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
GK34	2	TN	TXL	351328R1	3945694C1	6	35	N/A	3743662C1	N/A
GM6A	2	VT	TXL	351346R1	3945694C1	6	8	N/A	3743662C1	N/A
GM9A	2	TN	TXL	351328R1	3945694C1	6	32	N/A	3743662C1	N/A
GN6A	2	VT	TXL	351346R1	3945694C1	6	8	N/A	3743662C1	N/A
GN9A	2	TN	TXL	351328R1	3945694C1	6	32	N/A	3743662C1	N/A
KA1-GB	16	WH	TXL	35136R1	3945694C1	6	73	N/A	3743662C1	N/A
KA1-GE	16	WH	TXL	35136R1	3945694C1	6	52	N/A	3743662C1	N/A
KA1-GF	16	WH	TXL	35136R1	3945694C1	6	51	N/A	3743662C1	N/A
KA1-GG	16	WH	TXL	35136R1	3945694C1	6	5	N/A	3743662C1	N/A
KA1-GH	16	WH	TXL	35136R1	3945694C1	6	49	N/A	3743662C1	N/A
KA13B	18	PK	TXL	351323R1	3945694C1	6	5	N/A	3743662C1	N/A
KA14A1	16	RD	TXL	351366R1	3945694C1	6	28	N/A	3743662C1	N/A
KA14A2	16	RD	TXL	351366R1	3945694C1	6	27	N/A	3743662C1	N/A
KA14A4	16	RD	TXL	351366R1	3945694C1	6	26	N/A	3743662C1	N/A
KA14A5	16	RD	TXL	351366R1	3945694C1	6	25	N/A	3743662C1	N/A
KA14A6	16	RD	TXL	351366R1	3945694C1	6	1	N/A	3743662C1	N/A
KA95G	2	WH	TXL	351358R1	3945694C1	6	62	N/A	3743662C1	N/A
KA95GBE	16	TN	TXL	35133R1	3945694C1	6	3	N/A	3743662C1	N/A
KA95SB	2	TN	TXL	351328R1	3945694C1	6	79	N/A	3743662C1	N/A
KA97M	2	VT	TXL	351346R1	3945694C1	6	64	N/A	3743662C1	N/A
KA97N	2	VT	TXL	351346R1	3945694C1	6	61	N/A	3743662C1	N/A
KC41E	2	TN	TXL	351328R1	3945694C1	6	65	N/A	3743662C1	N/A
KD34E	2	TN	TXL	351328R1	3945694C1	6	35	N/A	3743662C1	N/A
KF47	2	GY	TXL	35131R1	3945694C1	6	6	N/A	3743662C1	N/A
KF47AA	2	GY	TXL	35131R1	3945694C1	6	59	N/A	3743662C1	N/A
KF5(+)	2	YL	193	3858761R1	3945694C1	6	22	N/A	3743662C1	N/A
KF5(-)	2	GN	193	3858761R1	3945694C1	6	46	N/A	3743662C1	N/A
KH5(+)	2	YL	193	3858761R1	3945694C1	6	22	N/A	3743662C1	N/A
KH5(-)	2	GN	193	3858761R1	3945694C1	6	46	N/A	3743662C1	N/A
KJ95WA	2	TN	TXL	351328R1	3945694C1	6	13	N/A	3743662C1	N/A
KL5AE(+)	2	YL	193	3858761R1	3945694C1	6	22	N/A	3743662C1	N/A
KL5AE(-)	2	GN	193	3858761R1	3945694C1	6	46	N/A	3743662C1	N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
KL5BD(+)	2	YL	193	3858761R1	3945694C1		6	21 N/A	3743662C1	N/A
KL5BD(-)	2	GN	193	3858761R1	3945694C1		6	45 N/A	3743662C1	N/A
KU21	16	TN	TXL	35133R1	3945694C1		6	75 N/A	3743662C1	N/A
KU21A	16	TN	TXL	35133R1	3945694C1		6	76 N/A	3743662C1	N/A
KY95WA	2	TN	TXL	351328R1	3945694C1		6	13 N/A	3743662C1	N/A
TJ23	2	TN	TXL	351328R1	3945694C1		6	78 N/A	3743662C1	N/A
TJ95AA	2	TN	TXL	351328R1	3945694C1		6	57 N/A	3743662C1	N/A
TJ95AC	2	TN	TXL	351328R1	3945694C1		6	82 N/A	3743662C1	N/A
TJ95AS2	2	TN	TXL	351328R1	3945694C1		6	39 N/A	3743662C1	N/A
TJ95AT2	2	TN	TXL	351328R1	3945694C1		6	38 N/A	3743662C1	N/A
TJ95AU2	2	TN	TXL	351328R1	3945694C1		6	4 N/A	3743662C1	N/A
TJ95E	2	TN	TXL	351328R1	3945694C1		6	54 N/A	3743662C1	N/A
TJ95F	2	TN	TXL	351328R1	3945694C1		6	6 N/A	3743662C1	N/A
TJ97B	2	VT	TXL	351346R1	3945694C1		6	33 N/A	3743662C1	N/A
TJ97C	2	VT	TXL	351346R1	3945694C1		6	9 N/A	3743662C1	N/A
TJ99B	2	VT	TXL	351346R1	3945694C1		6	1 N/A	3743662C1	N/A
TK23	2	TN	TXL	351328R1	3945694C1		6	78 N/A	3743662C1	N/A
TK95AA	2	TN	TXL	351328R1	3945694C1		6	57 N/A	3743662C1	N/A
TK95AC	2	TN	TXL	351328R1	3945694C1		6	82 N/A	3743662C1	N/A
TK95AS2	2	TN	TXL	351328R1	3945694C1		6	39 N/A	3743662C1	N/A
TK95AT2	2	TN	TXL	351328R1	3945694C1		6	38 N/A	3743662C1	N/A
TK95AU2	2	TN	TXL	351328R1	3945694C1		6	4 N/A	3743662C1	N/A
TK95E	2	TN	TXL	351328R1	3945694C1		6	54 N/A	3743662C1	N/A
TK95F	2	TN	TXL	351328R1	3945694C1		6	6 N/A	3743662C1	N/A
TK97B	2	PL	TXL	351346R1	3945694C1		6	33 N/A	3743662C1	N/A
TK97C	2	PL	TXL	351346R1	3945694C1		6	9 N/A	3743662C1	N/A
TK99B	2	PL	TXL	351346R1	3945694C1		6	1 N/A	3743662C1	N/A
TP95BA	2	TN	15	47343R1	3945694C1		6	41 N/A	3743662C1	N/A
TP95BC	2	TN	15	47343R1	3945694C1		6	42 N/A	3743662C1	N/A
TP95DVH	2	TN	15	47343R1	3945694C1		6	77 N/A	3743662C1	N/A
TP95DVL	2	TN	15	47343R1	3945694C1		6	53 N/A	3743662C1	N/A
TP95K	2	TN	15	47343R1	3945694C1		6	16 N/A	3743662C1	N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
TY95BA	2	TN	15	47343R1	3945694C1	6		41 N/A	3743662C1	N/A
TY95BC	2	TN	15	47343R1	3945694C1	6		42 N/A	3743662C1	N/A
TY95DVH	2	TN	15	47343R1	3945694C1	6		77 N/A	3743662C1	N/A
TY95DVL	2	TN	15	47343R1	3945694C1	6		53 N/A	3743662C1	N/A
TY95K	2	TN	15	47343R1	3945694C1	6		16 N/A	3743662C1	N/A
JS1A	14	LTBL	GXL	2643694R1	N/A	7		1 264438R1	N/A	N/A
JS1A	16	RD	TXL	351366R1	N/A	7		1 264438R1	N/A	N/A
MA11-GB	14	WH	GXL	2643689R1	1661375C2	8	B	589391C1	1661376C1	N/A
MA52B	14	YL	GXL	2643693R1	1661375C2	8	A	589391C1	1661376C1	N/A
MA53B	14	YL	GXL	2643693R1	1661375C2	8	C	589391C1	1661376C1	N/A
MA57	16	OR	GXL	2643682R1	1661375C2	8	D	1652325C1	1661376C1	N/A
MA58B	16	BN	GXL	2643679R1	1661375C2	8	E	1652325C1	1661376C1	N/A
2J62A	18	DKBL	TXL	351353R1	463156C1	9	N	N/A	3573833C1	N/A
AA11-GN	18	WH	TXL	351359R1	463156C1	9	J	N/A	3573833C1	N/A
AA13D	18	PK	TXL	351323R1	463156C1	9	A	N/A	3573833C1	N/A
AA14D	18	RD	TXL	351365R1	463156C1	9	S	N/A	3573833C1	N/A
AA5	18	YL	TXL	351335R1	463156C1	9	P	N/A	3573833C1	N/A
AA5A	18	YL	TXL	351335R1	463156C1	9	H	N/A	3573833C1	N/A
AA5B	18	YL	TXL	351335R1	463156C1	9	E	N/A	3573833C1	N/A
AA62	18	DKBL	TXL	351353R1	463156C1	9	L	N/A	3573833C1	N/A
AA9ZA	18	GY	TXL	351311R1	463156C1	9	R	N/A	3573833C1	N/A
DA62DA	16	DKBL	TXL	351354R1	463156C1	9	M	N/A	3573833C1	N/A
JM5BF(+)	18	YL	TXL	351335R1	463156C1	9	B	N/A	3573833C1	N/A
JM5BF(-)	18	LTGN	TXL	351299R1	463156C1	9	C	N/A	3573833C1	N/A
JN5BF(+)	18	YL	TXL	351335R1	463156C1	9	B	N/A	3573833C1	N/A
JN5BF(-)	18	LTGN	TXL	351299R1	463156C1	9	C	N/A	3573833C1	N/A
JP5BF(+)	18	YL	TXL	351335R1	463156C1	9	B	N/A	3573833C1	N/A
JP5BF(-)	18	LTGN	TXL	351299R1	463156C1	9	C	N/A	3573833C1	N/A
JR5BF(+)	18	YL	TXL	351335R1	463156C1	9	B	N/A	3573833C1	N/A
JR5BF(-)	18	LTGN	TXL	351299R1	463156C1	9	C	N/A	3573833C1	N/A
2V14CSB	16	RD	TXL	351366R1	376815C1	11		22 N/A	N/A	N/A
3A94AY	14	GY	GXL	2643782R1	376815C1	11		37 N/A	N/A	N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
9S74RA	12	RD	GXL	2643695R1	376815C1	11		3 N/A	N/A	N/A
AA149	18	GY	TXL	351311R1	3546518C1	11	C	N/A	3546519C1	N/A
AA149F	18	GY	TXL	351311R1	3546518C1	11	D	N/A	3546519C1	N/A
AA14D	18	RD	TXL	351365R1	376815C1	11		7 N/A	N/A	N/A
AA14EE	16	RD	TXL	351366R1	376815C1	11		5 N/A	N/A	N/A
AA14MUX	18	RD	TXL	351365R1	376815C1	11		13 N/A	N/A	N/A
AA15	18	RD	TXL	351365R1	3546518C1	11	A	N/A	3546519C1	N/A
AA73C	2	LTGN	TXL	351298R1	376815C1	11		29 N/A	N/A	N/A
AA98H	18	RD	TXL	351365R1	376815C	11		8 N/A	N/A	N/A
AG14AJ	12	RD	TXL	351368R1	376815C1	11		1 N/A	N/A	N/A
AG14AK	12	RD	TXL	351368R1	376815C1	11		9 N/A	N/A	N/A
AG14AL	12	RD	TXL	351368R1	376815C1	11		17 N/A	N/A	N/A
AG14AM	12	RD	TXL	351368R1	376815C1	11		33 N/A	N/A	N/A
AG14AT	12	RD	TXL	351368R1	376815C1	11		25 N/A	N/A	N/A
AL14AJ	12	RD	TXL	351368R1	376815C1	11		1 N/A	N/A	N/A
AL14AK	12	RD	TXL	351368R1	376815C1	11		9 N/A	N/A	N/A
AL14AL	12	RD	TXL	351368R1	376815C1	11		17 N/A	N/A	N/A
AL14AM	12	RD	TXL	351368R1	376815C1	11		33 N/A	N/A	N/A
AL14AT	12	RD	TXL	351368R1	376815C1	11		25 N/A	N/A	N/A
BM7J	12	OR	TXL	35132R1	376815C1	11		6 N/A	N/A	N/A
BN94T	12	GY	TXL	351314R1	376815C1	11		14 N/A	N/A	N/A
CF14SD	18	RD	TXL	351365R1	376815C1	11		38 N/A	N/A	N/A
CG14SD	18	RD	TXL	351365R1	376815C1	11		38 N/A	N/A	N/A
CK14ED	18	RD	TXL	351365R1	376815C1	11		38 N/A	N/A	N/A
CP14ED	18	RD	TXL	351365R1	376815C1	11		38 N/A	N/A	N/A
CS14CSB	16	RD	TXL	351366R1	376815C1	11		22 N/A	N/A	N/A
CT14ED	18	RD	TXL	351365R1	376815C1	11		38 N/A	N/A	N/A
CV81B	12	RD	TXL	351368R1	376815C1	11		4 N/A	N/A	N/A
CV81C	12	RD	TXL	351368R1	376815C1	11		39 N/A	N/A	N/A
DF78V	12	LTGN	TXL	35132R1	376815C1	11		4 N/A	N/A	N/A
DH75	12	RD	GXL	2643695R1	376815C1	11		16 N/A	N/A	N/A
DL14EA	14	RD	GXL	2643686R1	376815C1	11		24 N/A	N/A	N/A

Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
DL14ED	18	RD	GXL	2643759R1	376815C1	11	38	N/A	N/A	N/A	
ER94TV	12	GY	GXL	2643783R1	376815C1	11	14	N/A	N/A	N/A	
EW2	16	LTGN	GXL	2643678R1	376815C1	11	32	N/A	N/A	N/A	
FA14EG	16	RD	TXL	351366R1	376815C1	11	38	N/A	N/A	N/A	
FB94TW	12	GY	TXL	351314R1	376815C1	11	14	N/A	N/A	N/A	
FR94TV	12	GY	TXL	351314R1	376815C1	11	14	N/A	N/A	N/A	
GS94AY	14	GY	GXL	2643782R1	376815C1	11	37	N/A	N/A	N/A	
HF94TV	12	GY	TXL	351314R1	376815C1	11	14	N/A	N/A	N/A	
HG94TV	12	GY	TXL	351314R1	376815C1	11	14	N/A	N/A	N/A	
JV14A	18	RD	TXL	351365R1	376815C1	11	38	N/A	N/A	N/A	
JV14C	14	RD	GXL	2643686R1	376815C1	11	24	N/A	N/A	N/A	
KC14ED	16	RD	TXL	351366R1	376815C1	11	38	N/A	N/A	N/A	
KL14A	18	RD	GXL	2643759R1	376815C1	11	38	N/A	N/A	N/A	
KL14C	14	RD	GXL	2643686R1	376815C1	11	24	N/A	N/A	N/A	
LM97B	2	RD	TXL	351364R1	376815C1	11	23	N/A	N/A	N/A	
MB14ED	16	RD	TXL	351366R1	376815C1	11	38	N/A	N/A	N/A	
MM92DC	18	TN	TXL	351329R1	376815C1	11	21	N/A	N/A	N/A	
MR86P	18	LTGN	TXL	351299R1	376815C1	11	15	N/A	N/A	N/A	
MZ86AA	18	LTGN	TXL	351299R1	376815C1	11	15	N/A	N/A	N/A	
ND17HA	16	PK	TXL	351324R1	3546518C1	11	B	N/A	3546519C1	N/A	
NE17AC	18	PK	TXL	351323R1	376815C1	11	21	N/A	N/A	N/A	
NE17H	18	PK	TXL	351323R1	3546518C1	11	B	N/A	3546519C1	N/A	
PH14ED	18	RD	TXL	351365R1	376815C1	11	38	N/A	N/A	N/A	
RH14EA	14	RD	GXL	2643686R1	376815C1	11	24	N/A	N/A	N/A	
RH14ED	18	RD	GXL	2643759R1	376815C1	11	38	N/A	N/A	N/A	
SJ14CE	16	RD	TXL	351366R1	376815C1	11	38	N/A	N/A	N/A	
XA14EA	16	RD	TXL	351366R1	376815C1	11	38	N/A	N/A	N/A	
XF14L	2	RD	TXL	351364R1	376815C1	11	32	N/A	N/A	N/A	
XY94AY	12	GY	TXL	351314R1	376815C1	11	37	N/A	N/A	N/A	
YE75WA	14	RD	TXL	351367R1	376815C1	11	3	N/A	N/A	N/A	
YE75WB	18	RD	TXL	351365R1	376815C1	11	31	N/A	N/A	N/A	
YH14A	18	RD	TXL	351365R1	376815C1	11	22	N/A	N/A	N/A	

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
ZJ98P	18	RD	TXL	351365R1	376815C1	11	38	N/A	N/A	N/A
ZP14EA	16	RD	TXL	351366R1	376815C1	11	38	N/A	N/A	N/A
AG14	6	RD	SGX	264372R1	N/A	12	1	26445R1	N/A	N/A
AK11-GKF	2	WH	TXL	351358R1	46341C1	12	4	N/A	237987C1	N/A
AK28A	2	TN	TXL	351328R1	46341C1	12	1	N/A	237987C1	N/A
AK62F	2	DKBL	TXL	351352R1	46341C1	12	3	N/A	237987C1	N/A
AK9CDC	2	GY	TXL	35131R1	46341C1	12	2	N/A	237987C1	N/A
AL14	6	RD	SGX	264372R1	N/A	12	1	26445R1	N/A	N/A
AG14W	6	RD	SGX	264372R1	N/A	13	1	26445R1	N/A	N/A
AL14W	6	RD	SGX	264372R1	N/A	13	1	26445R1	N/A	N/A
CT86H	18	LTGN	TXL	351299R1	3597143C1	13	13	N/A		N/A
CT86J	18	LTGN	TXL	351299R1	3597143C1	13	14	N/A		N/A
CT86K	18	LTGN	TXL	351299R1	3597143C1	13	11	N/A		N/A
CT86L	18	LTGN	TXL	351299R1	3597143C1	13	12	N/A		N/A
GZ5AH(+)	18	YL	TXL	3572112R1	3597143C1	13	1	N/A		N/A
GZ5AH(-)	18	GN	TXL	3572112R1	3597143C1	13	2	N/A		N/A
JK5AH(+)	18	YL	TXL	3572112R1	3597143C1	13	1	N/A		N/A
JK5AH(-)	18	GN	TXL	3572112R1	3597143C1	13	2	N/A		N/A
KU5AH(+)	18	YL	TXL	3572112R1	3597143C1	13	1	N/A		N/A
KU5AH(-)	18	GN	TXL	3572112R1	3597143C1	13	2	N/A		N/A
LN5AH(+)	18	YL	TXL	3572112R1	3597143C1	13	1	N/A		N/A
LN5AH(-)	18	GN	TXL	3572112R1	3597143C1	13	2	N/A		N/A
MB86H	18	LTGN	TXL	351299R1	3597143C1	13	13	N/A		N/A
MB86J	18	LTGN	TXL	351299R1	3597143C1	13	14	N/A		N/A
MB86K	18	LTGN	TXL	351299R1	3597143C1	13	11	N/A		N/A
MB86L	18	LTGN	TXL	351299R1	3597143C1	13	12	N/A		N/A
MR86-G	18	WH	TXL	351359R1	3597143C1	13	8	N/A		N/A
MR86AE	18	LTGN	TXL	351299R1	3597143C1	13	4	N/A		N/A
MR86P	18	LTGN	TXL	351299R1	3597143C1	13	7	N/A		N/A
MU86BA	18	LTGN	TXL	351299R1	3597143C1	13	15	N/A		N/A
MU86CA	18	LTGN	TXL	351299R1	3597143C1	13	16	N/A		N/A
MU86DA	18	LTGN	TXL	351299R1	3597143C1	13	9	N/A		N/A



Circuit				Terminal Splice	Connector Body	Connector				Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve			
MU86EA	18	LTGN	TXL	351299R1	3597143C1	13	1	N/A			N/A
MV86H	18	LTGN	TXL	351299R1	3597143C1	13	13	N/A			N/A
MV86J	18	LTGN	TXL	351299R1	3597143C1	13	14	N/A			N/A
MV86K	18	LTGN	TXL	351299R1	3597143C1	13	11	N/A			N/A
MV86L	18	LTGN	TXL	351299R1	3597143C1	13	12	N/A			N/A
MW86BB	18	LTGN	TXL	351299R1	3597143C1	13	15	N/A			N/A
MW86CB	18	LTGN	TXL	351299R1	3597143C1	13	16	N/A			N/A
MW86DB	18	LTGN	TXL	351299R1	3597143C1	13	9	N/A			N/A
MW86EB	18	LTGN	TXL	351299R1	3597143C1	13	1	N/A			N/A
MX86H	18	LTGN	TXL	351299R1	3597143C1	13	13	N/A			N/A
MX86J	18	LTGN	TXL	351299R1	3597143C1	13	14	N/A			N/A
MX86K	18	LTGN	TXL	351299R1	3597143C1	13	11	N/A			N/A
MX86L	18	LTGN	TXL	351299R1	3597143C1	13	12	N/A			N/A
MY66AA	18	LTGN	TXL	351299R1	3597143C1	13	5	N/A			N/A
MZ86-G	18	WH	TXL	351359R1	3597143C1	13	8	N/A			N/A
MZ86AF	18	LTGN	TXL	351299R1	3597143C1	13	7	N/A			N/A
MZ86FF	18	LTGN	TXL	351299R1	3597143C1	13	4	N/A			N/A
3D5N(+)	18	YL	TXL	3572112R1	3596926C1	14	8	N/A	356239C1		N/A
3D5N(-)	18	GN	TXL	3572112R1	3596926C1	14	7	N/A	356239C1		N/A
3F94AA	16	GY	TXL	351312R1	3596926C1	14	2	N/A	356239C1		N/A
9K5N(+)	18	YL	TXL	3572112R1	3596926C1	14	8	N/A	356239C1		N/A
9K5N(-)	18	GN	TXL	3572112R1	3596926C1	14	7	N/A	356239C1		N/A
9L5N(+)	18	YL	TXL	3572112R1	3596926C1	14	8	N/A	356239C1		N/A
9L5N(-)	18	GN	TXL	3572112R1	3596926C1	14	7	N/A	356239C1		N/A
DB11-GAA	14	WH	TXL	351361R1	N/A	14	1	264438R1	N/A		N/A
JC5N(+)	18	YL	TXL	3572112R1	3596926C1	14	8	N/A	356239C1		N/A
JC5N(-)	18	GN	TXL	3572112R1	3596926C1	14	7	N/A	356239C1		N/A
JD5N(+)	18	YL	TXL	3572112R1	3596926C1	14	8	N/A	356239C1		N/A
JD5N(-)	18	GN	TXL	3572112R1	3596926C1	14	7	N/A	356239C1		N/A
JF5N(+)	18	YL	TXL	3572112R1	3596926C1	14	8	N/A	356239C1		N/A
JF5N(-)	18	GN	TXL	3572112R1	3596926C1	14	7	N/A	356239C1		N/A
JG5N(+)	18	YL	TXL	3572112R1	3596926C1	14	8	N/A	356239C1		N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
JG5N(-)	18	GN	TXL	3572112R1	3596926C1	14		7 N/A	356239C1	N/A
PY5N(+)	18	YL	TXL	3572112R1	3596926C1	14		8 N/A	356239C1	N/A
PY5N(-)	18	GN	TXL	3572112R1	3596926C1	14		7 N/A	356239C1	N/A
RJ5N(+)	18	YL	TXL	3572112R1	3596926C1	14		8 N/A	356239C1	N/A
RJ5N(-)	18	GN	TXL	3572112R1	3596926C1	14		7 N/A	356239C1	N/A
RS5N(+)	18	YL	TXL	3572112R1	3596926C1	14		8 N/A	356239C1	N/A
RS5N(-)	18	GN	TXL	3572112R1	3596926C1	14		7 N/A	356239C1	N/A
RU5N(+)	18	YL	TXL	3572112R1	3596926C1	14		8 N/A	356239C1	N/A
RU5N(-)	18	GN	TXL	3572112R1	3596926C1	14		7 N/A	356239C1	N/A
SB5N(+)	18	YL	TXL	3572112R1	3596926C1	14		8 N/A	356239C1	N/A
SB5N(-)	18	GN	TXL	3572112R1	3596926C1	14		7 N/A	356239C1	N/A
SC5N(+)	18	YL	TXL	3572112R1	3596926C1	14		8 N/A	356239C1	N/A
SC5N(-)	18	GN	TXL	3572112R1	3596926C1	14		7 N/A	356239C1	N/A
SD5N(+)	18	YL	TXL	3572112R1	3596926C1	14		8 N/A	356239C1	N/A
SD5N(-)	18	GN	TXL	3572112R1	3596926C1	14		7 N/A	356239C1	N/A
SE5N(+)	18	YL	TXL	3572112R1	3596926C1	14		8 N/A	356239C1	N/A
SE5N(-)	18	GN	TXL	3572112R1	3596926C1	14		7 N/A	356239C1	N/A
SN5N(+)	18	YL	TXL	3572112R1	3596926C1	14		8 N/A	356239C1	N/A
SN5N(-)	18	GN	TXL	3572112R1	3596926C1	14		7 N/A	356239C1	N/A
XX94BM	18	GY	TXL	351311R1	3596926C1	14		5 N/A	356239C1	N/A
XX94BN	18	GY	TXL	351311R1	3596926C1	14		4 N/A	356239C1	N/A
XY94-GA	12	WH	TXL	351362R1	3596926C1	14		1 N/A	356239C1	N/A
XY94AY	12	GY	TXL	351314R1	3596926C1	14		16 N/A	356239C1	N/A
XY94BF	16	GY	TXL	351312R1	3596926C1	14		11 N/A	356239C1	N/A
XY94BH	16	GY	TXL	351312R1	3596926C1	14		1 N/A	356239C1	N/A
XY94V	18	GY	TXL	351311R1	3596926C1	14		3 N/A	356239C1	N/A
LR86AT	18	LTGN	TXL	351299R1	166126C1	15	A	N/A		N/A
LR86AU	18	LTGN	TXL	351299R1	166126C1	15	B	N/A		N/A
MX86AT	18	LTGN	TXL	351299R1	166126C1	15	A	N/A		N/A
MX86AU	18	LTGN	TXL	351299R1	166126C1	15	B	N/A		N/A
XA11-G	8	WH	GXL	2643789R1	N/A	15		1 26445R1	N/A	N/A
ZP11-G	8	WH	GXL	2643789R1	N/A	15		1 26445R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
3H77B	18	GY	TXL	351311R1	359876C1	16	B12	N/A	1618847C1	1618846C1
AA12A	2	YL	TXL	351334R1	359876C1	16	A14	N/A	1618847C1	1618846C1
AA149	18	GY	TXL	351311R1	359876C1	16	A1	N/A	1618847C1	1618846C1
AA149F	18	GY	TXL	351311R1	359876C1	16	A16	N/A	1618847C1	1618846C1
AA15	18	LTGN	TXL	351299R1	359876C1	16	B16	N/A	1618847C1	1618846C1
AA36B	18	TN	TXL	351329R1	359876C1	16	B8	N/A	1618847C1	1618846C1
AA4	2	GY	TXL	35131R1	359876C1	16	B2	N/A	1618847C1	1618846C1
AA4A	2	GY	TXL	35131R1	359876C1	16	B3	N/A	1618847C1	1618846C1
AA44	2	GY	TXL	35131R1	359876C1	16	A12	N/A	1618847C1	1618846C1
AA52D	2	YL	TXL	351334R1	359876C1	16	A4	N/A	1618847C1	1618846C1
AA56B	2	OR	TXL	351316R1	359876C1	16	A7	N/A	1618847C1	1618846C1
AA57B	2	OR	TXL	351316R1	359876C1	16	A6	N/A	1618847C1	1618846C1
AA63A	16	DKBL	TXL	351354R1	359876C1	16	A13	N/A	1618847C1	1618846C1
AA74	18	LTGN	TXL	351299R1	359876C1	16	B5	N/A	1618847C1	1618846C1
AA82A	2	GY	TXL	35131R1	359876C1	16	A9	N/A	1618847C1	1618846C1
AA82B	2	GY	TXL	35131R1	359876C1	16	A1	N/A	1618847C1	1618846C1
AA82C	2	GY	TXL	35131R1	359876C1	16	A11	N/A	1618847C1	1618846C1
AA85A	2	GY	TXL	35131R1	359876C1	16	A5	N/A	1618847C1	1618846C1
AA87B	2	GY	TXL	35131R1	359876C1	16	A15	N/A	1618847C1	1618846C1
AN87A	18	GY	TXL	351311R1	359876C1	16	A8	N/A	1618847C1	1618846C1
DH75AA	18	LTGN	TXL	351299R1	359876C1	16	B15	N/A	1618847C1	1618846C1
DN32A	18	TN	TXL	351329R1	359876C1	16	B11	N/A	1618847C1	1618846C1
DP32	18	OR	TXL	351317R1	359876C1	16	B1	N/A	1618847C1	1618846C1
DP32A	18	OR	TXL	351317R1	359876C1	16	B11	N/A	1618847C1	1618846C1
DS31	18	TN	TXL	351329R1	359876C1	16	B7	N/A	1618847C1	1618846C1
DT97A	18	VT	TXL	351347R1	359876C1	16	B4	N/A	1618847C1	1618846C1
DV4B	18	GY	TXL	351311R1	359876C1	16	B14	N/A	1618847C1	1618846C1
FU79A	18	GY	TXL	351311R1	359876C1	16	A2	N/A	1618847C1	1618846C1
HA3B	16	TN	TXL	35133R1	359876C1	16	B6	N/A	1618847C1	1618846C1
JZ79A	18	GY	TXL	351311R1	359876C1	16	A2	N/A	1618847C1	1618846C1
MS86A	2	GY	GXL	2643763R1	359876C1	16	B1	N/A	1618847C1	1618846C1
2A58	16	BN	TXL	35136R1	3595625C1	17		5 N/A		N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
2A58TA	16	BN	TXL	35136R1	3595625C1	17	7	N/A		N/A
2B57	16	OR	TXL	351318R1	3595625C1	17	15	N/A		N/A
2C57	16	OR	TXL	351318R1	3595625C1	17	15	N/A		N/A
2D57	16	OR	TXL	351318R1	3595625C1	17	15	N/A		N/A
2.00E+57	16	OR	TXL	351318R1	3595625C1	17	15	N/A		N/A
2F56F	16	OR	TXL	351318R1	3595625C1	17	14	N/A		N/A
2F56G	16	OR	TXL	351318R1	3595625C1	17	16	N/A		N/A
2F57	16	OR	TXL	351318R1	3595625C1	17	15	N/A		N/A
2G56F	16	OR	TXL	351318R1	3595625C1	17	14	N/A		N/A
2G56G	16	OR	TXL	351318R1	3595625C1	17	16	N/A		N/A
2G57	16	OR	TXL	351318R1	3595625C1	17	15	N/A		N/A
2Z56F	16	OR	TXL	351318R1	3595625C1	17	14	N/A		N/A
2Z56G	16	OR	TXL	351318R1	3595625C1	17	16	N/A		N/A
3A94M	18	GY	TXL	351311R1	3595625C1	17	27	N/A		N/A
3A94MA	18	GY	TXL	351311R1	3595625C1	17	28	N/A		N/A
3A94MB	18	GY	TXL	351311R1	3595625C1	17	29	N/A		N/A
3A94MC	18	GY	TXL	351311R1	3595625C1	17	3	N/A		N/A
3A94MD	18	GY	TXL	351311R1	3595625C1	17	31	N/A		N/A
3A94ME	18	GY	TXL	351311R1	3595625C1	17	32	N/A		N/A
3A94MF	18	GY	TXL	351311R1	3595625C1	17	33	N/A		N/A
3A94MH	18	GY	TXL	351311R1	3595625C1	17	34	N/A		N/A
3A94MJ	18	GY	TXL	351311R1	3595625C1	17	35	N/A		N/A
3A94MK	18	GY	TXL	351311R1	3595625C1	17	36	N/A		N/A
3C58	16	BN	TXL	35136R1	3595625C1	17	5	N/A		N/A
3C58TA	16	BN	TXL	35136R1	3595625C1	17	7	N/A		N/A
3D5A(+)	18	YL	TXL	3572112R1	3595625C1	17	65	N/A		N/A
3D5A(-)	18	GN	TXL	3572112R1	3595625C1	17	66	N/A		N/A
3.00E+58	16	BN	TXL	35136R1	3595625C1	17	5	N/A		N/A
3E58TA	16	BN	TXL	35136R1	3595625C1	17	7	N/A		N/A
3L5BA(+)	18	YL	TXL	3572112R1	3595625C1	17	61	N/A		N/A
3L5BA(-)	18	GN	TXL	3572112R1	3595625C1	17	62	N/A		N/A
3M5A(+)	18	YL	TXL	3572112R1	3595625C1	17	65	N/A		N/A

Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
3M5A(-)	18	GN	TXL	3572112R1	3595625C1	17	66	N/A		N/A	
9K5A(+)	18	YL	TXL	3572112R1	3595625C1	17	65	N/A		N/A	
9K5A(-)	18	GN	TXL	3572112R1	3595625C1	17	66	N/A		N/A	
9L5A(+)	18	YL	TXL	3572112R1	3595625C1	17	65	N/A		N/A	
9L5A(-)	18	GN	TXL	3572112R1	3595625C1	17	66	N/A		N/A	
9P5A(+)	18	YL	TXL	3572112R1	3595625C1	17	65	N/A		N/A	
9P5A(-)	18	GN	TXL	3572112R1	3595625C1	17	66	N/A		N/A	
9V5A(+)	18	YL	TXL	3572112R1	3595625C1	17	65	N/A		N/A	
9V5A(-)	18	GN	TXL	3572112R1	3595625C1	17	66	N/A		N/A	
AA85	16	GY	TXL	351312R1	3595625C1	17	21	N/A		N/A	
AA87C	18	GY	TXL	351311R1	3595625C1	17	19	N/A		N/A	
AA87D	18	GY	TXL	351311R1	3595625C1	17	2	N/A		N/A	
AN87A	18	GY	TXL	351311R1	3595625C1	17	17	N/A		N/A	
AN9BB	18	GY	TXL	351311R1	3595625C1	17	18	N/A		N/A	
AR5BA(+)	18	YL	TXL	3572112R1	3595625C1	17	61	N/A		N/A	
AR5BA(-)	18	GN	TXL	3572112R1	3595625C1	17	62	N/A		N/A	
AS5BA(+)	18	YL	TXL	3572112R1	3595625C1	17	61	N/A		N/A	
AS5BA(-)	18	GN	TXL	3572112R1	3595625C1	17	62	N/A		N/A	
AV58	16	BN	TXL	35136R1	3595625C1	17	5	N/A		N/A	
AV58TA	16	BN	TXL	35136R1	3595625C1	17	7	N/A		N/A	
AW58	16	BN	TXL	35136R1	3595625C1	17	5	N/A		N/A	
AW58TA	16	BN	TXL	35136R1	3595625C1	17	7	N/A		N/A	
BB52A	14	YL	TXL	351337R1	3595625C1	17	1	N/A		N/A	
BB52B	14	YL	TXL	351337R1	3595625C1	17	3	N/A		N/A	
BB53A	14	YL	TXL	351337R1	3595625C1	17	2	N/A		N/A	
BB53B	14	YL	TXL	351337R1	3595625C1	17	4	N/A		N/A	
CS5DA(+)	18	YL	TXL	3572112R1	3595625C1	17	45	N/A		N/A	
CS5DA(-)	18	GN	TXL	3572112R1	3595625C1	17	46	N/A		N/A	
CS67-G	18	WH	TXL	351359R1	3595625C1	17	37	N/A		N/A	
CS67Y	18	PK	TXL	351323R1	3595625C1	17	38	N/A		N/A	
CU64A	16	YL	TXL	351336R1	3595625C1	17	22	N/A		N/A	
CU64B	16	YL	TXL	351336R1	3595625C1	17	23	N/A		N/A	

Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
DE52A	14	YL	TXL	351337R1	3595625C1	17	1	N/A		N/A	
DE52B	14	YL	TXL	351337R1	3595625C1	17	3	N/A		N/A	
DE53A	14	YL	TXL	351337R1	3595625C1	17	2	N/A		N/A	
DE53B	14	YL	TXL	351337R1	3595625C1	17	4	N/A		N/A	
DR19	16	GY	TXL	351312R1	3595625C1	17	6	N/A		N/A	
DY54X	16	BN	TXL	35136R1	3595625C1	17	24	N/A		N/A	
FH5BM(+)	18	YL	TXL	3572112R1	3595625C1	17	61	N/A		N/A	
FH5BM(-)	18	GN	TXL	3572112R1	3595625C1	17	62	N/A		N/A	
FR72E	18	OR	TXL	351317R1	3595625C1	17	51	N/A		N/A	
FR72EB	18	OR	TXL	351317R1	3595625C1	17	52	N/A		N/A	
GS94M	18	GY	TXL	351311R1	3595625C1	17	27	N/A		N/A	
GS94MA	18	GY	TXL	351311R1	3595625C1	17	28	N/A		N/A	
GS94MB	18	GY	TXL	351311R1	3595625C1	17	29	N/A		N/A	
GS94MC	18	GY	TXL	351311R1	3595625C1	17	3	N/A		N/A	
GS94MD	18	GY	TXL	351311R1	3595625C1	17	31	N/A		N/A	
GS94ME	18	GY	TXL	351311R1	3595625C1	17	32	N/A		N/A	
GS94MF	18	GY	TXL	351311R1	3595625C1	17	33	N/A		N/A	
GS94MH	18	GY	TXL	351311R1	3595625C1	17	34	N/A		N/A	
GS94MJ	18	GY	TXL	351311R1	3595625C1	17	35	N/A		N/A	
GS94MK	18	GY	TXL	351311R1	3595625C1	17	36	N/A		N/A	
HV14C	16	DKBL	TXL	351354R1	3595625C1	17	44	N/A		N/A	
HV17-G	16	WH	TXL	35136R1	3595625C1	17	43	N/A		N/A	
HY58	16	BN	TXL	35136R1	3595625C1	17	5	N/A		N/A	
HY58TA	16	BN	TXL	35136R1	3595625C1	17	7	N/A		N/A	
JA78	16	LTGN	TXL	3513R1	3595625C1	17	8	N/A		N/A	
JB5A(+)	18	YL	TXL	3572112R1	3595625C1	17	65	N/A		N/A	
JB5A(-)	18	GN	TXL	3572112R1	3595625C1	17	66	N/A		N/A	
NC56F	16	OR	TXL	351318R1	3595625C1	17	14	N/A		N/A	
NC56G	16	OR	TXL	351318R1	3595625C1	17	16	N/A		N/A	
NS56F	16	OR	TXL	351318R1	3595625C1	17	14	N/A		N/A	
NS56G	16	OR	TXL	351318R1	3595625C1	17	16	N/A		N/A	
NW57	16	OR	TXL	351318R1	3595625C1	17	15	N/A		N/A	

Circuit Number	Gauge	Color	Insulation	Terminal Splice	Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
				Number	Part Numbers	Number	Cavity			
NY57	16	OR	TXL	351318R1	3595625C1	17	15	N/A		N/A
PA54X	16	BN	TXL	35136R1	3595625C1	17	24	N/A		N/A
PY5A(+)	18	YL	TXL	3572112R1	3595625C1	17	65	N/A		N/A
PY5A(-)	18	GN	TXL	3572112R1	3595625C1	17	66	N/A		N/A
PZ5A(+)	18	YL	TXL	3572112R1	3595625C1	17	65	N/A		N/A
PZ5A(-)	18	GN	TXL	3572112R1	3595625C1	17	66	N/A		N/A
RD5A(+)	18	YL	TXL	3572112R1	3595625C1	17	65	N/A		N/A
RD5A(-)	18	GN	TXL	3572112R1	3595625C1	17	66	N/A		N/A
RG5A(+)	18	YL	TXL	3572112R1	3595625C1	17	65	N/A		N/A
RG5A(-)	18	GN	TXL	3572112R1	3595625C1	17	66	N/A		N/A
RJ5A(+)	18	YL	TXL	3572112R1	3595625C1	17	65	N/A		N/A
RJ5A(-)	18	GN	TXL	3572112R1	3595625C1	17	66	N/A		N/A
RM5A(+)	18	YL	TXL	3572112R1	3595625C1	17	65	N/A		N/A
RM5A(-)	18	GN	TXL	3572112R1	3595625C1	17	66	N/A		N/A
RS5A(+)	18	YL	TXL	3572112R1	3595625C1	17	65	N/A		N/A
RS5A(-)	18	GN	TXL	3572112R1	3595625C1	17	66	N/A		N/A
RU5A(+)	18	YL	TXL	3572112R1	3595625C1	17	65	N/A		N/A
RU5A(-)	18	GN	TXL	3572112R1	3595625C1	17	66	N/A		N/A
RW22-GAN	18	WH	TXL	351359R1	3595625C1	17	48	N/A		N/A
RW22AA	16	PK	TXL	351324R1	3595625C1	17	47	N/A		N/A
SA5A(+)	18	YL	TXL	3572112R1	3595625C1	17	65	N/A		N/A
SA5A(-)	18	GN	TXL	3572112R1	3595625C1	17	66	N/A		N/A
SN5A(+)	18	YL	TXL	3572112R1	3595625C1	17	65	N/A		N/A
SN5A(-)	18	GN	TXL	3572112R1	3595625C1	17	66	N/A		N/A
SP5A(+)	18	YL	TXL	3572112R1	3595625C1	17	65	N/A		N/A
SP5A(-)	18	GN	TXL	3572112R1	3595625C1	17	66	N/A		N/A
XY94	18	GY	TXL	351311R1	3595625C1	17	27	N/A		N/A
XY94A	18	GY	TXL	351311R1	3595625C1	17	28	N/A		N/A
XY94B	18	GY	TXL	351311R1	3595625C1	17	29	N/A		N/A
XY94C	16	GY	TXL	351312R1	3595625C1	17	3	N/A		N/A
XY94D	16	GY	TXL	351312R1	3595625C1	17	31	N/A		N/A
XY94E	16	GY	TXL	351312R1	3595625C1	17	32	N/A		N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
XY94F	16	GY	TXL	351312R1	3595625C1	17	33	N/A		N/A
XY94H	18	GY	TXL	351311R1	3595625C1	17	34	N/A		N/A
XY94J	18	GY	TXL	351311R1	3595625C1	17	35	N/A		N/A
XY94K	18	GY	TXL	351311R1	3595625C1	17	36	N/A		N/A
YC67-G	18	WH	TXL	351359R1	3595625C1	17	37	N/A		N/A
YC67A	18	PK	TXL	351323R1	3595625C1	17	38	N/A		N/A
ZH5A(+)	18	YL	TXL	3572112R1	3595625C1	17	65	N/A		N/A
ZH5A(-)	18	GN	TXL	3572112R1	3595625C1	17	66	N/A		N/A
AA12A	2	YL	TXL	351334R1	3553649C1	18	A8	N/A	355365C1	N/A
AA15	18	LTGN	TXL	351299R1	3553649C1	18	B11	N/A	355365C1	N/A
AA4	2	GY	TXL	35131R1	3553649C1	18	C12	N/A	355365C1	N/A
AA4A	2	GY	TXL	35131R1	3553649C1	18	B2	N/A	355365C1	N/A
AA44	2	GY	TXL	35131R1	3553649C1	18	B7	N/A	355365C1	N/A
AA52D	2	YL	TXL	351334R1	3553649C1	18	A7	N/A	355365C1	N/A
AA56B	2	OR	TXL	351316R1	3553649C1	18	A1	N/A	355365C1	N/A
AA57B	2	OR	TXL	351316R1	3553649C1	18	A2	N/A	355365C1	N/A
AA6	2	GY	TXL	35131R1	3553649C1	18	B3	N/A	355365C1	N/A
AA62DD	18	DKBL	TXL	351353R1	3553649C1	18	D3	N/A	355365C1	N/A
AA7	2	OR	TXL	351316R1	3553649C1	18	B9	N/A	355365C1	N/A
AA82A	2	GY	TXL	35131R1	3553649C1	18	C9	N/A	355365C1	N/A
AA82B	2	GY	TXL	35131R1	3553649C1	18	C1	N/A	355365C1	N/A
AA82C	2	GY	TXL	35131R1	3553649C1	18	B1	N/A	355365C1	N/A
AA85A	2	GY	TXL	35131R1	3553649C1	18	B1	N/A	355365C1	N/A
AA87-GA	18	WH	TXL	351359R1	3553649C1	18	A3	N/A	355365C1	N/A
AA87E	18	GY	TXL	351311R1	3553649C1	18	A5	N/A	355365C1	N/A
AA9	18	GY	GXL	2643673R1	3553649C1	18	A4	N/A	355365C1	N/A
AA97B	18	VT	TXL	351347R1	3553649C1	18	B4	N/A	355365C1	N/A
AA97C	18	VT	TXL	351347R1	3553649C1	18	C5	N/A	355365C1	N/A
AA97M	18	VT	TXL	351347R1	3553649C1	18	C6	N/A	355365C1	N/A
AA97N	18	VT	TXL	351347R1	3553649C1	18	B6	N/A	355365C1	N/A
AA99B	18	VT	TXL	351347R1	3553649C1	18	C4	N/A	355365C1	N/A
AA99D	18	VT	TXL	351347R1	3553649C1	18	B5	N/A	355365C1	N/A



Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
CF7D	18	GY	TXL	351311R1	3553649C1	18	D2	N/A	355365C1	N/A	
CF7E	18	OR	TXL	351317R1	3553649C1	18	D1	N/A	355365C1	N/A	
CG7D	18	OR	TXL	351317R1	3553649C1	18	D2	N/A	355365C1	N/A	
CG7E	18	OR	TXL	351317R1	3553649C1	18	D1	N/A	355365C1	N/A	
DT17B	18	PK	TXL	351323R1	3553649C1	18	D8	N/A	355365C1	N/A	
DT97A	18	VT	TXL	351347R1	3553649C1	18	C11	N/A	355365C1	N/A	
DV4B	18	GY	TXL	351311R1	3553649C1	18	C2	N/A	355365C1	N/A	
GX94-GCC	18	WH	TXL	351359R1	3553649C1	18	D5	N/A	355365C1	N/A	
GX94BY	18	GY	TXL	351311R1	3553649C1	18	D6	N/A	355365C1	N/A	
GX94MN	18	GY	TXL	351311R1	3553649C1	18	A6	N/A	355365C1	N/A	
MS86A	2	GY	GXL	2643763R1	3553649C1	18	B12	N/A	355365C1	N/A	
NE17AC	18	PK	TXL	351323R1	3553649C1	18	D7	N/A	355365C1	N/A	
XZ94SE	18	GY	TXL	351311R1	3553649C1	18	D5	N/A	355365C1	N/A	
XZ94SF	16	GY	TXL	351312R1	3553649C1	18	D6	N/A	355365C1	N/A	
XZ94SV	16	GY	TXL	351312R1	3553649C1	18	C3	N/A	355365C1	N/A	
XZ94SZ	16	GY	TXL	351312R1	3553649C1	18	C1	N/A	355365C1	N/A	
KZ9AAC	18	GY	GXL	2643673R1	236584C1	21	B	N/A		N/A	
WN3BC	16	TN	GXL	2643683R1	236584C1	21	A	N/A		N/A	
BX65-GFA	18	WH	TXL	351359R1	1661259C1	22	B	N/A	1661263C1	N/A	
BX65AB	18	OR	TXL	351317R1	1661259C1	22	A	N/A	1661263C1	N/A	
YH5A(+)	18	YL	TXL	3572112R1	BLUNT_SL_V	38	A	N/A		N/A	
YH5A(-)	18	GN	TXL	3572112R1	BLUNT_SL_V	38	B	N/A		N/A	
MA11-G	1	WH	GXL	2643788R1	N/A	45		1 26442R1	N/A	N/A	
AA82-GJ	16	WH	TXL	35136R1	1661375C2	45	C	N/A	1661376C1	N/A	
AA82DJ	16	GY	TXL	351312R1	1661375C2	45	A	N/A	1661376C1	N/A	
AA82JJ	16	GY	TXL	351312R1	1661375C2	45	B	N/A	1661376C1	N/A	
AA82LJ	16	GY	TXL	351312R1	1661375C2	45	E	N/A	1661376C1	N/A	
YG82KJ	16	GY	TXL	351312R1	1661375C2	45	D	N/A	1661376C1	N/A	
YH82KAJ	16	GY	TXL	351312R1	1661375C2	45	D	N/A	1661376C1	N/A	
MA11-G	1	WH	GXL	2643788R1	N/A	45		1 26442R1	N/A	N/A	
NA11-GA	1	WH	TXL	351363R1	N/A	46		1 264454R1	N/A	N/A	
NA11-GB	1	WH	TXL	351363R1	N/A	46		1 264454R1	N/A	N/A	

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
AA14J-FL	8	LTBL	FUS	396168R1	N/A	47		1 264454R1	N/A	N/A
KH11-GA	1	WH	TXL	351363R1	N/A	47		1 26445R1	N/A	N/A
AC11-G	8	WH	GXL	2643789R1	3537133C1	52	A	N/A		N/A
KA77	16	LTGN	GXL	2643678R1	167161C1	62	B	1652325C1	167168C1	N/A
KG1-GD	16	WH	GXL	2643681R1	167161C1	62	A	1652325C1	167168C1	N/A
WA1-GA	16	WH	GXL	2643681R1	167161C1	62	A	1652325C1	167168C1	N/A
WC1-GA	12	WH	GXL	2643787R1	167161C1	62	A	58939C1	167168C1	N/A
KA77	16	LTGN	TXL	3513R1	167161C1	62	B	1652325C1	167168C1	N/A
KA77-G	16	WH	TXL	35136R1	167161C1	62	A	1652325C1	167168C1	N/A
TJ23	2	TN	TXL	351328R1	352268C1	64	A	356857C1	1661874C1	N/A
TJ23-G	2	TN	TXL	351328R1	352268C1	64	B	356857C1	1661874C1	N/A
TK23	2	TN	TXL	351328R1	352268C1	64	A	356857C1	1661874C1	N/A
TK23-G	2	TN	TXL	351328R1	352268C1	64	B	356857C1	1661874C1	N/A
AJ95AR3	18	TN	TXL	351329R1	3765646C92	69	B12	3517771C1		N/A
AJ95AS3	18	TN	TXL	351329R1	3765646C92	69	B3	3517771C1		N/A
AJ95AT3	18	TN	TXL	351329R1	3765646C92	69	B6	3517771C1		N/A
AJ95AU3	18	TN	TXL	351329R1	3765646C92	69	B9	3517771C1		N/A
AK95AR3	18	BK	TXL	351293R1	3765646C92	69	B12	3517771C1		N/A
AK95AS3	18	TN	TXL	351329R1	3765646C92	69	B3	3517771C1		N/A
AK95AT3	18	TN	TXL	351329R1	3765646C92	69	B6	3517771C1		N/A
AK95AU3	18	TN	TXL	351329R1	3765646C92	69	B9	3517771C1		N/A
AL95KD	1	TN	TXL	351333R1	3765646C92	69	E12	58939C1		N/A
AM95KD	1	RD	TXL	351369R1	3765646C92	69	E12	58939C1		N/A
AS95KD	1	RD	TXL	351369R1	3765646C92	69	E12	58939C1		N/A
KA14A	18	RD	TXL	351365R1	3765646C92	69	E2	3517771C1		N/A
KA14B	16	RD	TXL	351366R1	3765646C92	69	E4	1652325C1		N/A
KA14C	1	RD	TXL	351369R1	3765646C92	69	E6	58939C1		N/A
KA95-GC	18	BK	TXL	351293R1	3765646C92	69	B1	3517771C1		N/A
KA95GBA	18	BK	TXL	351293R1	3765646C92	69	B1	3517771C1		N/A
KA95GBB	18	BK	TXL	351293R1	3765646C92	69	B4	3517771C1		N/A
KA95GBD	18	BK	TXL	351293R1	3765646C92	69	B7	3517771C1		N/A
KA95H1	18	PK	TXL	351323R1	3765646C92	69	A1	3517771C1		N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
KA95H2	18	PK	TXL	351323R1	3765646C92	69	A3	3517771C1		N/A
KA95H3	18	PK	TXL	351323R1	3765646C92	69	A4	3517771C1		N/A
KA95H4	18	PK	TXL	351323R1	3765646C92	69	A6	3517771C1		N/A
KA95H5	18	PK	TXL	351323R1	3765646C92	69	A7	3517771C1		N/A
KA95H6	18	PK	TXL	351323R1	3765646C92	69	A9	3517771C1		N/A
KA95H7	18	PK	TXL	351323R1	3765646C92	69	E1	3517771C1		N/A
KA95P	18	RD	TXL	351365R1	3765646C92	69	A1	3517771C1		N/A
KA95P	18	RD	TXL	351365R1	3765646C92	69	E3	3517771C1		N/A
KA95PA	1	PK	TXL	351327R1	3765646C92	69	D1	58939C1		N/A
KA95PB	1	PK	TXL	351327R1	3765646C92	69	E5	58939C1		N/A
KA95PC	18	PK	TXL	351323R1	3765646C92	69	D12	3517771C1		N/A
KA95SB	2	TN	TXL	351328R1	3765646C92	69	A12	3517771C1		N/A
KA95TB	18	GY	TXL	351311R1	3765646C92	69	E1	3517771C1		N/A
KA14A	16	RD	TXL	351366R1	3765646C92	69	E2	1652325C1		N/A
KA14B	16	RD	TXL	351366R1	3765646C92	69	E4	1652325C1		N/A
KA14C	1	RD	TXL	351369R1	3765646C92	69	E6	58939C1		N/A
KA95-GC	18	BK	TXL	351293R1	3765646C92	69	B1	3517771C1		N/A
KA95GBA	18	BK	TXL	351293R1	3765646C92	69	B1	3517771C1		N/A
KA95GBB	18	BK	TXL	351293R1	3765646C92	69	B4	3517771C1		N/A
KA95GBD	18	BK	TXL	351293R1	3765646C92	69	B7	3517771C1		N/A
KA95H1	18	PK	TXL	351323R1	3765646C92	69	A1	3517771C1		N/A
KA95H2	18	PK	TXL	351323R1	3765646C92	69	A3	3517771C1		N/A
KA95H3	18	PK	TXL	351323R1	3765646C92	69	A4	3517771C1		N/A
KA95H4	18	PK	TXL	351323R1	3765646C92	69	A6	3517771C1		N/A
KA95H5	18	PK	TXL	351323R1	3765646C92	69	A7	3517771C1		N/A
KA95H6	18	PK	TXL	351323R1	3765646C92	69	A9	3517771C1		N/A
KA95H7	18	PK	TXL	351323R1	3765646C92	69	E1	3517771C1		N/A
KA95P	18	RD	TXL	351365R1	3765646C92	69	A1	3517771C1		N/A
KA95P	18	RD	TXL	351365R1	3765646C92	69	E3	3517771C1		N/A
KA95PA	1	PK	TXL	351327R1	3765646C92	69	D1	58939C1		N/A
KA95PB	1	PK	TXL	351327R1	3765646C92	69	E5	58939C1		N/A
KA95PC	18	PK	TXL	351323R1	3765646C92	69	D12	3517771C1		N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
KA95SB	2	TN	TXL	351328R1	3765646C92	69	A12	3517771C1		N/A
KA95TB	18	GY	TXL	351311R1	3765646C92	69	E1	3517771C1		N/A
TJ95AR3	18	TN	TXL	351329R1	3765646C92	69	B12	3517771C1		N/A
TJ95AS3	18	TN	TXL	351329R1	3765646C92	69	B3	3517771C1		N/A
TJ95AT3	18	TN	TXL	351329R1	3765646C92	69	B6	3517771C1		N/A
TJ95AU3	18	TN	TXL	351329R1	3765646C92	69	B9	3517771C1		N/A
TK95AR3	18	TN	TXL	351329R1	3765646C92	69	B12	3517771C1		N/A
TK95AS3	18	TN	TXL	351329R1	3765646C92	69	B3	3517771C1		N/A
TK95AT3	18	TN	TXL	351329R1	3765646C92	69	B6	3517771C1		N/A
TK95AU3	18	TN	TXL	351329R1	3765646C92	69	B9	3517771C1		N/A
TL95KD	1	RD	TXL	351369R1	3765646C92	69	E12	58939C1		N/A
TM95KD	1	RD	TXL	351369R1	3765646C92	69	E12	58939C1		N/A
TS95KD	1	RD	TXL	351369R1	3765646C92	69	E12	58939C1		N/A
JS1B	14	TN	GXL	2643692R1	N/A	71		1 26445R1	N/A	N/A
JS1B	16	RD	TXL	351366R1	N/A	71		1 26445R1	N/A	N/A
XN47	18	GY	TXL	351311R1	361533C1	76	A	3554318C1	361532C1	N/A
XN47A	18	GY	TXL	351311R1	361533C1	76	B	3554318C1	361532C1	N/A
KF47A	18	GY	TXL	351311R1	361533C1	76	A	3554318C1	361532C1	N/A
KF47B	18	GY	TXL	351311R1	361533C1	76	B	3554318C1	361532C1	N/A
KM88	16	LTGN	GXL	2643678R1	BLUNT_SL_V	78	A	N/A		N/A
KM88	16	LTGN	GXL	2643678R1	BLUNT_SL_V	78	A	N/A		N/A
MA11-GA	14	WH	GXL	2643689R1	1661375C2	81	B	589391C1	1661376C1	N/A
MA11-GBB	16	WH	GXL	2643681R1	1667741C1	81	A	1661872C1	1667771C1	N/A
MA52A	14	YL	GXL	2643693R1	1661375C2	81	A	589391C1	1661376C1	N/A
MA53A	14	YL	GXL	2643693R1	1661375C2	81	C	589391C1	1661376C1	N/A
MA56AB	16	OR	GXL	2643682R1	1667741C1	81	B	1661872C1	1667771C1	N/A
MA56AC	16	OR	GXL	2643682R1	1661375C2	81	D	1652325C1	1661376C1	N/A
MA58A	16	BN	GXL	2643679R1	1661375C2	81	E	1652325C1	1661376C1	N/A
MA58AB	16	BN	GXL	2643679R1	1667741C1	81	C	1661872C1	1667771C1	N/A
MA11-GBB	16	WH	GXL	2643681R1	1667741C1	81	A	1661872C1	1667771C1	N/A
MA56AB	16	OR	GXL	2643682R1	1667741C1	81	B	1661872C1	1667771C1	N/A
MA58CA	16	BN	GXL	2643679R1	1667741C1	81	C	1661872C1	1667771C1	N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
ME64-GB	16	WH	GXL	2643681R1	587567C91	82	B	1652325C1		N/A
ME64B	16	YL	GXL	2643684R1	587567C91	82	A	1652325C1		N/A
MA11-GA	14	WH	GXL	2643689R1	361236C1	82		2 N/A		N/A
MA52A	14	YL	GXL	2643693R1	361236C1	82		1 N/A		N/A
MA53A	14	YL	GXL	2643693R1	361236C1	82		3 N/A		N/A
MA56	16	OR	GXL	2643682R1	361236C1	82		4 N/A		N/A
MA58A	16	BN	GXL	2643679R1	361236C1	82		5 N/A		N/A
SJ11-GBE	16	WH	TXL	35136R1	166121C1	83	C	N/A		N/A
SJ13CE	16	PK	TXL	351324R1	166121C1	83	B	N/A		N/A
SJ14CE	16	RD	TXL	351366R1	166121C1	83	A	N/A		N/A
SJ3CE(+)	18	DKBL	TXL	351353R1	166121C1	83	D	N/A		N/A
SJ3CE(-)	18	GY	TXL	351311R1	166121C1	83	E	N/A		N/A
MA11-GB	14	WH	GXL	2643689R1	361236C1	83		2 N/A		N/A
MA52B	14	YL	GXL	2643693R1	361236C1	83		1 N/A		N/A
MA53B	14	YL	GXL	2643693R1	361236C1	83		3 N/A		N/A
MA57	16	OR	GXL	2643682R1	361236C1	83		4 N/A		N/A
MA58B	16	BN	GXL	2643679R1	361236C1	83		5 N/A		N/A
MB94	18	GY	GXL	2643673R1	1686834C1	85	A	1652325C1	166448C1	N/A
MB94A	18	GY	GXL	2643673R1	1686834C1	85	B	1652325C1	166448C1	N/A
MB94B	18	GY	GXL	2643673R1	1686834C1	85	C	1652325C1	166448C1	N/A
MJ54-GA	16	WH	GXL	2643681R1	1661778C1	85	B	1661872C1	1661874C1	N/A
MJ54X	16	OR	GXL	2643682R1	1661778C1	85	A	1661872C1	1661874C1	N/A
KA95TB	18	GY	TXL	351311R1	6114576C1	85		5 N/A		N/A
TJ95AR2	18	RD	TXL	351365R1	6114576C1	85		8 N/A		N/A
TJ95H	18	TN	TXL	351329R1	6114576C1	85		1 N/A		N/A
TK95AR2	18	RD	TXL	351365R1	6114576C1	85		8 N/A		N/A
TK95H	18	TN	TXL	351329R1	6114576C1	85		1 N/A		N/A
TL1-GK	16	BK	TXL	351294R1	6114576C1	85		13 N/A		N/A
TL13AB	18	RD	TXL	351365R1	6114576C1	85		6 N/A		N/A
TM1-GK	16	BK	TXL	351294R1	6114576C1	85		13 N/A		N/A
TM13AB	18	RD	TXL	351365R1	6114576C1	85		6 N/A		N/A
TP5A(+)	18	YL	193	2645917R1	6114576C1	85		2 N/A		N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
TP5A(-)	18	GN	193	2645917R1	6114576C1	85		9 N/A		N/A
TS1-GK	16	BK	TXL	351294R1	6114576C1	85		13 N/A		N/A
TS13AB	18	RD	TXL	351365R1	6114576C1	85		6 N/A		N/A
TY5A(+)	18	YL	193	2645917R1	6114576C1	85		2 N/A		N/A
TY5A(-)	18	GN	193	2645917R1	6114576C1	85		9 N/A		N/A
MA54-GA	16	WH	GXL	2643681R1	1661778C1	85	B	1661872C1	1661874C1	N/A
MA54XB	16	OR	GXL	2643682R1	1661778C1	85	A	1661872C1	1661874C1	N/A
MB94	18	GY	GXL	2643673R1	1686834C1	85	A	1652325C1	166448C1	N/A
MB94A	18	GY	GXL	2643673R1	1686834C1	85	B	1652325C1	166448C1	N/A
MB94B	18	GY	GXL	2643673R1	1686834C1	85	C	1652325C1	166448C1	N/A
MA11-GC	12	WH	GXL	2643787R1	587566C91	86	A	58939C1		N/A
MA11-GC	12	WH	GXL	2643787R1	587566C91	86	A	58939C1		N/A
MA11-GD	12	WH	GXL	2643787R1	3551896C1	88	A	58939C1	354454C1	3551897C1
MA85-GA	16	WH	GXL	2643681R1	3551896C1	88	F	1652325C1	354454C1	3551897C1
MD64-GA	16	WH	TXL	35136R1	3551896C1	88	B	1652325C1	354454C1	3551897C1
MD64-GB	16	WH	TXL	35136R1	3551896C1	88	C	1652325C1	354454C1	3551897C1
ME64-GA	16	WH	GXL	2643681R1	3551896C1	88	B	1652325C1	354454C1	3551897C1
ME64-GB	16	WH	GXL	2643681R1	3551896C1	88	C	1652325C1	354454C1	3551897C1
MH19-GA	14	WH	GXL	2643689R1	3551896C1	88	D	589391C1	354454C1	3551897C1
MJ54-GA	16	WH	GXL	2643681R1	3551896C1	88	E	1652325C1	354454C1	3551897C1
MK19-GA	14	WH	GXL	2643689R1	3551896C1	88	D	589391C1	354454C1	3551897C1
MA11-GD	12	WH	GXL	2643787R1	3551896C1	88	A	58939C1	354454C1	3551897C1
MA85-GA	16	WH	GXL	2643681R1	3551896C1	88	F	1652325C1	354454C1	3551897C1
ME64-GA	16	WH	GXL	2643681R1	3551896C1	88	B	1652325C1	354454C1	3551897C1
ME64-GB	16	WH	GXL	2643681R1	3551896C1	88	C	1652325C1	354454C1	3551897C1
MH19-GA	14	WH	GXL	2643689R1	3551896C1	88	D	589391C1	354454C1	3551897C1
AA82E	16	GY	TXL	351312R1	37681C1	111	R2 -	7 N/A	N/A	N/A
AA82F	18	GY	TXL	351311R1	37681C1	111	R2 -	6 N/A	N/A	N/A
AA82H	18	GY	TXL	351311R1	37681C1	111	R5 -	6 N/A	N/A	N/A
AA82J	16	GY	TXL	351312R1	37681C1	111	R2 -	7A N/A	N/A	N/A
AA82L	16	GY	TXL	351312R1	37681C1	111	R5 -	7A N/A	N/A	N/A
AA82M	18	GY	TXL	351311R1	37681C1	111	R2 -	5 N/A	N/A	N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
AA82N	18	GY	TXL	351311R1	37681C1	111	R5 -	5 N/A	N/A	N/A
AA82P	16	GY	TXL	351312R1	37681C1	111	R5 -	N/A	N/A	N/A
AA82P	16	GY	TXL	351312R1	37681C1	111	R2 -	3 N/A	N/A	N/A
AB12M	12	LTBL	TXL	351344R1	37681C1	111	R6 -	7 N/A	N/A	N/A
AG14AB	1	RD	TXL	351369R1	37681C1	111	R3 -	N/A	N/A	N/A
AG14AH	12	RD	TXL	351368R1	37681C1	111	R6 -	N/A	N/A	N/A
AG14AS	18	RD	TXL	351365R1	37681C1	111	R3 -	5 N/A	N/A	N/A
AG14N	1	RD	TXL	351369R1	37681C1	111	R3 -	7 N/A	N/A	N/A
AH12L	18	LTBL	TXL	351341R1	37681C1	111	R6 -	5 N/A	N/A	N/A
AL14AB	1	RD	TXL	351369R1	37681C1	111	R3 -	N/A	N/A	N/A
AL14AH	12	RD	TXL	351368R1	37681C1	111	R6 -	N/A	N/A	N/A
AL14AS	18	RD	TXL	351365R1	37681C1	111	R3 -	5 N/A	N/A	N/A
AL14N	1	RD	TXL	351369R1	37681C1	111	R3 -	7 N/A	N/A	N/A
BM7-GT	18	WH	TXL	351359R1	37681C1	111	R1 -	5 N/A	N/A	N/A
BM7C	18	OR	TXL	351317R1	37681C1	111	R1 -	6 N/A	N/A	N/A
BM7J	12	OR	TXL	35132R1	37681C1	111	R1 -	N/A	N/A	N/A
BM7T	12	OR	TXL	35132R1	37681C1	111	R1 -	7 N/A	N/A	N/A
DR19	16	GY	TXL	351312R1	37681C1	111	R4 -	N/A	N/A	N/A
DR19-GB	18	WH	TXL	351359R1	37681C1	111	R4 -	6 N/A	N/A	N/A
DR19A	18	GY	TXL	351311R1	37681C1	111	R4 -	5 N/A	N/A	N/A
DR19V	16	GY	TXL	351312R1	37681C1	111	R4 -	7 N/A	N/A	N/A
EE11-GDB	18	WH	TXL	351359R1	37681C1	111	R3 -	6 N/A	N/A	N/A
EE11-GDD	18	WH	TXL	351359R1	37681C1	111	R6 -	6 N/A	N/A	N/A
GJ11-GDB	18	WH	TXL	351359R1	37681C1	111	R3 -	6 N/A	N/A	N/A
GJ11-GDD	18	WH	TXL	351359R1	37681C1	111	R6 -	6 N/A	N/A	N/A
YG82K	16	GY	TXL	351312R1	37681C1	111	R5 -	7 N/A	N/A	N/A
YH82K	16	GY	TXL	351312R1	37681C1	111	R5 -	7 N/A	N/A	N/A
3T71A	16	OR	TXL	351318R1	37681C1	112	R2 -	N/A	N/A	N/A
3T71B	18	OR	TXL	351317R1	37681C1	112	R2 -	5 N/A	N/A	N/A
3T71BA	16	OR	TXL	351318R1	37681C1	112	R2 -	7 N/A	N/A	N/A
3T92#165	18	OR	TXL	351317R1	37681C1	112	R2 -	6 N/A	N/A	N/A
AA11-GU	18	WH	TXL	351359R1	37681C1	112	R6 -	6 N/A	N/A	N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
AA11-GV	18	WH	TXL	351359R1	37681C1	112	R3 -	6 N/A	N/A	N/A
AG14AC	12	RD	TXL	351368R1	37681C1	112	R6 -	N/A	N/A	N/A
AG14AD	12	RD	TXL	351368R1	37681C1	112	R3 -	N/A	N/A	N/A
AH13K	18	PK	TXL	351323R1	37681C1	112	R3 -	5 N/A	N/A	N/A
AH13M	18	PK	TXL	351323R1	37681C1	112	R6 -	5 N/A	N/A	N/A
AL14AC	12	RD	TXL	351368R1	37681C1	112	R6 -	N/A	N/A	N/A
AL14AD	12	RD	TXL	351368R1	37681C1	112	R3 -	N/A	N/A	N/A
BJ71	16	OR	TXL	351318R1	37681C1	112	R2 -	N/A	N/A	N/A
BJ71BA	16	OR	TXL	351318R1	37681C1	112	R2 -	7 N/A	N/A	N/A
BJ92R1	2	TN	GXL	2643767R1	37681C1	112	R2 -	6 N/A	N/A	N/A
BJ92R2	2	TN	GXL	2643767R1	37681C1	112	R2 -	5 N/A	N/A	N/A
BK71	16	OR	TXL	351318R1	37681C1	112	R2 -	N/A	N/A	N/A
BK71A	16	OR	TXL	351318R1	37681C1	112	R2 -	7 N/A	N/A	N/A
BK92R1	2	TN	GXL	2643767R1	37681C1	112	R2 -	6 N/A	N/A	N/A
BK92R2	2	TN	GXL	2643767R1	37681C1	112	R2 -	5 N/A	N/A	N/A
CC14SC	12	RD	TXL	351368R1	37681C1	112	R4 -	N/A	N/A	N/A
CC72	18	OR	TXL	351317R1	37681C1	112	R4 -	5 N/A	N/A	N/A
CC72-GA	18	WH	TXL	351359R1	37681C1	112	R4 -	6 N/A	N/A	N/A
CC72A	12	OR	TXL	35132R1	37681C1	112	R4 -	7 N/A	N/A	N/A
EE11-GDA	18	GY	TXL	351311R1	37681C1	112	R5 -	7 N/A	N/A	N/A
EE11-GDE	18	WH	TXL	351359R1	37681C1	112	R5 -	N/A	N/A	N/A
EE11-GDF	18	WH	TXL	351359R1	37681C1	112	R5 -	6 N/A	N/A	N/A
EE14DA	18	RD	TXL	351365R1	37681C1	112	R5 -	5 N/A	N/A	N/A
ER94T	12	GY	TXL	351314R1	37681C1	112	R1 -	7 N/A	N/A	N/A
ER94TV	12	GY	GXL	2643783R1	37681C1	112	R1 -	N/A	N/A	N/A
FB94TT3	12	GY	TXL	351314R1	37681C1	112	R1 -	7 N/A	N/A	N/A
FB94TW	12	GY	TXL	351314R1	37681C1	112	R1 -	N/A	N/A	N/A
FR72-GB3	18	WH	TXL	351359R1	37681C1	112	R4 -	5 N/A	N/A	N/A
FR72EE	18	OR	TXL	351317R1	37681C1	112	R4 -	6 N/A	N/A	N/A
FR94TA	12	GY	TXL	351314R1	37681C1	112	R4 -	7 N/A	N/A	N/A
FR94TB	12	GY	TXL	351314R1	37681C1	112	R1 -	7 N/A	N/A	N/A
FR94TV1	16	GY	TXL	351312R1	37681C1	112	R1 -	N/A	N/A	N/A



Circuit				Terminal Splice	Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
FR94TV2	16	GY	TXL	351312R1	37681C1	112	R4 -	N/A	N/A	N/A
GM71A	16	OR	TXL	351318R1	37681C1	112	R2 -	N/A	N/A	N/A
GM71B	18	OR	TXL	351317R1	37681C1	112	R2 -	5 N/A	N/A	N/A
GM71BD	16	OR	TXL	351318R1	37681C1	112	R2 -	7 N/A	N/A	N/A
GM92#165	18	OR	TXL	351317R1	37681C1	112	R2 -	6 N/A	N/A	N/A
HF94TT1	12	GY	TXL	351314R1	37681C1	112	R1 -	7 N/A	N/A	N/A
HF94TV	12	GY	TXL	351314R1	37681C1	112	R1 -	N/A	N/A	N/A
HG94TT1	12	GY	TXL	351314R1	37681C1	112	R1 -	7 N/A	N/A	N/A
HG94TV	12	GY	TXL	351314R1	37681C1	112	R1 -	N/A	N/A	N/A
YY13-GFF	18	WH	TXL	351359R1	37681C1	112	R1 -	5 N/A	N/A	N/A
YY13FF	18	PK	TXL	351323R1	37681C1	112	R1 -	6 N/A	N/A	N/A
YY13R	12	PK	TXL	351326R1	37681C1	112	R3 -	7 N/A	N/A	N/A
YY13U	12	PK	TXL	351326R1	37681C1	112	R6 -	7 N/A	N/A	N/A
2V13COG2	16	PK	TXL	351324R1	376815C1	113		4 N/A	N/A	N/A
3A94V	14	GY	GXL	2643782R1	376815C1	113		37 N/A	N/A	N/A
3F13AA	16	PK	TXL	351324R1	376815C1	113		38 N/A	N/A	N/A
3T71	16	OR	TXL	351318R1	376815C1	113		15 N/A	N/A	N/A
5E13AB	18	PK	TXL	351323R1	376815C1	113		24 N/A	N/A	N/A
AA13D	18	PK	TXL	351323R1	376815C1	113		14 N/A	N/A	N/A
AA13EA	18	PK	TXL	351323R1	376815C1	113		22 N/A	N/A	N/A
AA87C	18	GY	TXL	351311R1	376815C1	113		5 N/A	N/A	N/A
BJ71	16	OR	TXL	351318R1	376815C1	113		15 N/A	N/A	N/A
BK71	16	OR	TXL	351318R1	376815C1	113		15 N/A	N/A	N/A
BP71A	16	OR	TXL	351318R1	376815C1	113		15 N/A	N/A	N/A
CP98F	2	TN	TXL	351328R1	376815C1	113		8 N/A	N/A	N/A
CS67A	16	PK	TXL	351324R1	376815C1	113		4 N/A	N/A	N/A
CT98F	2	TN	TXL	351328R1	376815C1	113		8 N/A	N/A	N/A
DD78RP	16	LTGN	TXL	3513R1	376815C1	113		23 N/A	N/A	N/A
EY71A	18	OR	TXL	351317R1	376815C1	113		15 N/A	N/A	N/A
GM71	16	OR	TXL	351318R1	376815C1	113		15 N/A	N/A	N/A
GS94V	14	GY	GXL	2643782R1	376815C1	113		37 N/A	N/A	N/A
HC15	18	LTGN	TXL	351299R1	376815C1	113		16 N/A	N/A	N/A

Circuit				Terminal Splice	Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
JA78RP	16	LTGN	TXL	3513R1	376815C1	113	23	N/A	N/A	N/A
JL116M	18	GY	TXL	351311R1	376815C1	113	31	N/A	N/A	N/A
KN116M	18	GY	TXL	351311R1	376815C1	113	31	N/A	N/A	N/A
LM971G	2	PK	TXL	351322R1	376815C1	113	13	N/A	N/A	N/A
MB98F	2	TN	TXL	351328R1	376815C1	113	8	N/A	N/A	N/A
MJ98F	2	TN	TXL	351328R1	376815C1	113	8	N/A	N/A	N/A
RV13COG2	16	PK	TXL	351324R1	376815C1	113	4	N/A	N/A	N/A
XY94V	18	GY	TXL	351311R1	376815C1	113	37	N/A	N/A	N/A
YD67TA	18	PK	TXL	351323R1	376815C1	113	39	N/A	N/A	N/A
YH13A	16	PK	TXL	351324R1	376815C1	113	4	N/A	N/A	N/A
YY13FF	18	PK	TXL	351323R1	376815C1	113	7	N/A	N/A	N/A
YY13R	12	PK	TXL	351326R1	376815C1	113	1	N/A	N/A	N/A
YY13S	12	PK	TXL	351326R1	376815C1	113	4	N/A	N/A	N/A
YY13S	12	PK	TXL	351326R1	376815C1	113	12	N/A	N/A	N/A
YY13T	12	PK	TXL	351326R1	376815C1	113	9	N/A	N/A	N/A
YY13T	12	PK	TXL	351326R1	376815C1	113	17	N/A	N/A	N/A
YY13V	12	PK	TXL	351326R1	376815C1	113	25	N/A	N/A	N/A
YY13X	12	PK	TXL	351326R1	376815C1	113	28	N/A	N/A	N/A
YY13X	12	PK	TXL	351326R1	376815C1	113	36	N/A	N/A	N/A
3S13UC	2	PK	TXL	351322R1	376815C1	114	14	N/A	N/A	N/A
AG14AU	12	RD	TXL	351368R1	376815C1	114	1	N/A	N/A	N/A
AG14AV	12	RD	TXL	351368R1	376815C1	114	5	N/A	N/A	N/A
AH12J	18	LTBL	TXL	351341R1	376815C1	114	2	N/A	N/A	N/A
AH12L	18	LTBL	TXL	351341R1	376815C1	114	6	N/A	N/A	N/A
AH13J	18	PK	TXL	351323R1	376815C1	114	3	N/A	N/A	N/A
AH13L	18	PK	TXL	351323R1	376815C1	114	7	N/A	N/A	N/A
AL14AU	12	RD	TXL	351368R1	376815C1	114	1	N/A	N/A	N/A
AL14AV	12	RD	TXL	351368R1	376815C1	114	5	N/A	N/A	N/A
AZ13A	16	PK	GXL	2643752R1	376815C1	114	37	N/A	N/A	N/A
BZ39	16	GY	TXL	351312R1	376815C1	114	29	N/A	N/A	N/A
CA13UA	2	PK	TXL	351322R1	376815C1	114	16	N/A	N/A	N/A
CB13U	18	PK	TXL	351323R1	376815C1	114	16	N/A	N/A	N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
CF13SD1	18	PK	TXL	351323R1	376815C1	114	32	N/A	N/A	N/A
CG13SD1	18	PK	TXL	351323R1	376815C1	114	32	N/A	N/A	N/A
CK13EE	18	PK	TXL	351323R1	376815C1	114	32	N/A	N/A	N/A
CL13U	18	PK	TXL	351323R1	376815C1	114	16	N/A	N/A	N/A
CP13EE	18	PK	TXL	351323R1	376815C1	114	32	N/A	N/A	N/A
CT13EE	18	PK	TXL	351323R1	376815C1	114	32	N/A	N/A	N/A
DK13TRIB	16	PK	GXL	2643752R1	376815C1	114	13	N/A	N/A	N/A
DL13EE	18	PK	TXL	351323R1	376815C1	114	32	N/A	N/A	N/A
DW13Z	16	PK	TXL	351324R1	376815C1	114	38	N/A	N/A	N/A
EE11-GDH	18	WH	TXL	351359R1	376815C1	114	4	N/A	N/A	N/A
EE11-GDJ	18	WH	TXL	351359R1	376815C1	114	8	N/A	N/A	N/A
EH97F	16	VT	TXL	351348R1	376815C1	114	4	N/A	N/A	N/A
GJ11-GDA	18	WH	TXL	351359R1	376815C1	114	8	N/A	N/A	N/A
GJ11-GDE	18	WH	TXL	351359R1	376815C1	114	4	N/A	N/A	N/A
GY92#163	16	PK	TXL	351324R1	376815C1	114	37	N/A	N/A	N/A
JV13B	18	PK	TXL	351323R1	376815C1	114	32	N/A	N/A	N/A
JY13	18	PK	TXL	351323R1	376815C1	114	14	N/A	N/A	N/A
KC13EE	16	PK	TXL	351324R1	376815C1	114	32	N/A	N/A	N/A
KL13B	18	PK	TXL	351323R1	376815C1	114	32	N/A	N/A	N/A
MB13EE	16	PK	TXL	351324R1	376815C1	114	32	N/A	N/A	N/A
PH13EE	18	PK	TXL	351323R1	376815C1	114	32	N/A	N/A	N/A
RH13EE	18	PK	TXL	351323R1	376815C1	114	32	N/A	N/A	N/A
RT39	16	GY	TXL	351312R1	376815C1	114	29	N/A	N/A	N/A
RT39A	16	GY	TXL	351312R1	376815C1	114	3	N/A	N/A	N/A
RW22AA	16	PK	TXL	351324R1	376815C1	114	15	N/A	N/A	N/A
SJ13CE	16	PK	TXL	351324R1	376815C1	114	32	N/A	N/A	N/A
YC67A	18	PK	TXL	351323R1	376815C1	114	31	N/A	N/A	N/A
YY13N	12	PK	TXL	351326R1	376815C1	114	12	N/A	N/A	N/A
YY13P	12	PK	TXL	351326R1	376815C1	114	17	N/A	N/A	N/A
YY13P	12	PK	TXL	351326R1	376815C1	114	9	N/A	N/A	N/A
YY13W	12	PK	TXL	351326R1	376815C1	114	25	N/A	N/A	N/A
YY13Y	12	PK	TXL	351326R1	376815C1	114	28	N/A	N/A	N/A

Circuit				Terminal Splice	Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
YY13Y	12	PK	TXL	351326R1	376815C1	114	36	N/A	N/A	N/A
AA11-GW	18	WH	TXL	351359R1	37681C1	115	R6 -	6 N/A	N/A	N/A
AB12P	12	LTBL	TXL	351344R1	37681C1	115	R6 -	7 N/A	N/A	N/A
AG14AE	12	RD	TXL	351368R1	37681C1	115	R3 -	N/A	N/A	N/A
AG14AF	12	RD	TXL	351368R1	37681C1	115	R6 -	N/A	N/A	N/A
AH12K	18	LTBL	TXL	351341R1	37681C1	115	R6 -	5 N/A	N/A	N/A
AH13L	18	PK	TXL	351323R1	37681C1	115	R3 -	5 N/A	N/A	N/A
AL14AE	12	RD	TXL	351368R1	37681C1	115	R3 -	N/A	N/A	N/A
AL14AF	12	RD	TXL	351368R1	37681C1	115	R6 -	N/A	N/A	N/A
AZ14A	18	RD	TXL	351365R1	37681C1	115	R2 -	N/A	N/A	N/A
AZ17B	18	PK	TXL	351323R1	37681C1	115	R2 -	7 N/A	N/A	N/A
AZ92-GC	18	WH	TXL	351359R1	37681C1	115	R2 -	6 N/A	N/A	N/A
AZ92B	18	TN	TXL	351329R1	37681C1	115	R2 -	5 N/A	N/A	N/A
CD14-GSB	18	WH	TXL	351359R1	37681C1	115	R5 -	6 N/A	N/A	N/A
CD14SAB	18	RD	TXL	351365R1	37681C1	115	R5 -	5 N/A	N/A	N/A
CD14SAC	12	RD	TXL	351368R1	37681C1	115	R5 -	N/A	N/A	N/A
CE14-GSB	18	WH	TXL	351359R1	37681C1	115	R5 -	6 N/A	N/A	N/A
CE14SAB	18	RD	TXL	351365R1	37681C1	115	R5 -	5 N/A	N/A	N/A
CE14SAC	12	RD	TXL	351368R1	37681C1	115	R5 -	N/A	N/A	N/A
CW11-GFU	18	WH	TXL	351359R1	37681C1	115	R1 -	6 N/A	N/A	N/A
CW14FU	16	RD	TXL	351366R1	37681C1	115	R1 -	N/A	N/A	N/A
CW58B	18	BN	TXL	35135R1	37681C1	115	R1 -	5 N/A	N/A	N/A
CW58C	16	BN	TXL	35136R1	37681C1	115	R1 -	7 N/A	N/A	N/A
CX11-GFU	18	WH	TXL	351359R1	37681C1	115	R1 -	6 N/A	N/A	N/A
CX14FU	16	RD	TXL	351366R1	37681C1	115	R1 -	N/A	N/A	N/A
CX58B	18	BN	TXL	35135R1	37681C1	115	R1 -	5 N/A	N/A	N/A
CX58C	16	BN	TXL	35136R1	37681C1	115	R1 -	7 N/A	N/A	N/A
DY54-GXB	18	WH	TXL	351359R1	37681C1	115	R4 -	5 N/A	N/A	N/A
DY54XB	16	BN	TXL	35136R1	37681C1	115	R4 -	7 N/A	N/A	N/A
DY54XD	16	BN	TXL	35136R1	37681C1	115	R4 -	6 N/A	N/A	N/A
DY54XV	16	BN	TXL	35136R1	37681C1	115	R4 -	N/A	N/A	N/A
EE11-GDC	18	WH	TXL	351359R1	37681C1	115	R3 -	6 N/A	N/A	N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
EM13-GBM	18	WH	TXL	351359R1	37681C1	115	R1 -	6 N/A	N/A	N/A
EM13BLT	18	PK	TXL	351323R1	37681C1	115	R1 -	5 N/A	N/A	N/A
EM14BLT	14	RD	TXL	351367R1	37681C1	115	R1 -	N/A	N/A	N/A
EM58BLT	14	BN	TXL	35137R1	37681C1	115	R1 -	7 N/A	N/A	N/A
GB14SAG	12	LTGN	TXL	35132R1	37681C1	115	R5 -	7 N/A	N/A	N/A
GD14SAH	14	LTBL	TXL	351343R1	37681C1	115	R5 -	7 N/A	N/A	N/A
GF14SAD	12	LTGN	TXL	35132R1	37681C1	115	R5 -	7 N/A	N/A	N/A
GH14SAF	14	LTBL	TXL	351343R1	37681C1	115	R5 -	7 N/A	N/A	N/A
GJ11-GDC	18	WH	TXL	351359R1	37681C1	115	R3 -	6 N/A	N/A	N/A
GN13-GBM	18	WH	TXL	351359R1	37681C1	115	R1 -	6 N/A	N/A	N/A
GN13BLT	18	PK	TXL	351323R1	37681C1	115	R1 -	5 N/A	N/A	N/A
GN14BLT	14	RD	TXL	351367R1	37681C1	115	R1 -	N/A	N/A	N/A
GN58BLT	18	BN	TXL	35135R1	37681C1	115	R1 -	7 N/A	N/A	N/A
PA54-GXB	18	WH	TXL	351359R1	37681C1	115	R4 -	5 N/A	N/A	N/A
PA54XB	16	BN	TXL	35136R1	37681C1	115	R4 -	7 N/A	N/A	N/A
PA54XD	16	BN	TXL	35136R1	37681C1	115	R4 -	6 N/A	N/A	N/A
PA54XV	16	BN	TXL	35136R1	37681C1	115	R4 -	N/A	N/A	N/A
YY13N	12	PK	TXL	351326R1	37681C1	115	R3 -	7 N/A	N/A	N/A
9S74RB	16	RD	GXL	264376R1	376815C1	116		2 N/A	N/A	N/A
9S74RB2	16	RD	GXL	264376R1	376815C1	116		6 N/A	N/A	N/A
AA15	18	RD	TXL	351365R1	376815C1	116		21 N/A	N/A	N/A
AB12P	12	LTBL	TXL	351344R1	376815C1	116		28 N/A	N/A	N/A
AB12R	12	LTBL	TXL	351344R1	376815C1	116		25 N/A	N/A	N/A
AB12R	12	LTBL	TXL	351344R1	376815C1	116		33 N/A	N/A	N/A
AC12B	18	LTBL	TXL	351341R1	376815C1	116		39 N/A	N/A	N/A
AG14AN	12	RD	TXL	351368R1	376815C1	116		9 N/A	N/A	N/A
AG14AP	12	RD	TXL	351368R1	376815C1	116		17 N/A	N/A	N/A
AG14AR	18	RD	TXL	351365R1	376815C1	116		1 N/A	N/A	N/A
AL14AN	12	RD	TXL	351368R1	376815C1	116		9 N/A	N/A	N/A
AL14AP	12	RD	TXL	351368R1	376815C1	116		17 N/A	N/A	N/A
AL14AR	18	RD	TXL	351365R1	376815C1	116		1 N/A	N/A	N/A
AZ14A	18	RD	TXL	351365R1	376815C1	116		16 N/A	N/A	N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
CD14SA	18	RD	TXL	351365R1	376815C1	116	24	N/A	N/A	N/A
CD14SAC	12	RD	TXL	351368R1	376815C1	116	23	N/A	N/A	N/A
CE14S	18	RD	TXL	351365R1	376815C1	116	24	N/A	N/A	N/A
CE14SAC	12	RD	TXL	351368R1	376815C1	116	23	N/A	N/A	N/A
CE14SBC	12	RD	TXL	351368R1	376815C1	116	22	N/A	N/A	N/A
DK14TRI	16	RD	GXL	264376R1	376815C1	116	8	N/A	N/A	N/A
DK14TRIA	16	RD	TXL	351366R1	376815C1	116	4	N/A	N/A	N/A
DT14AL	16	DKBL	TXL	351354R1	376815C1	116	5	N/A	N/A	N/A
DW14Z	16	RD	TXL	351366R1	376815C1	116	14	N/A	N/A	N/A
FA13EF	16	RD	TXL	351366R1	376815C1	116	7	N/A	N/A	N/A
FB94TT4	14	GY	TXL	351313R1	376815C1	116	3	N/A	N/A	N/A
FR72E	18	OR	TXL	351317R1	376815C1	116	15	N/A	N/A	N/A
HF94TT	14	GY	TXL	351313R1	376815C1	116	7	N/A	N/A	N/A
HF94TT2	14	GY	TXL	351313R1	376815C1	116	3	N/A	N/A	N/A
HG94TT	14	GY	TXL	351313R1	376815C1	116	7	N/A	N/A	N/A
HG94TT2	14	GY	TXL	351313R1	376815C1	116	3	N/A	N/A	N/A
MR86AE	18	LTGN	TXL	351299R1	376815C1	116	29	N/A	N/A	N/A
MZ86FE	18	LTGN	TXL	351299R1	376815C1	116	29	N/A	N/A	N/A
RP14XX	12	RD	TXL	351368R1	376815C1	116	13	N/A	N/A	N/A
3N86CC	14	LTGN	TXL	35131R1	376815C1	117	22	N/A	N/A	N/A
AA63BD	18	GY	TXL	351311R1	376815C1	117	7	N/A	N/A	N/A
AB12M	12	LTBL	TXL	351344R1	376815C1	117	28	N/A	N/A	N/A
AB12N	12	LTBL	TXL	351344R1	376815C1	117	33	N/A	N/A	N/A
AB12N	12	LTBL	TXL	351344R1	376815C1	117	25	N/A	N/A	N/A
AD86C	14	LTGN	TXL	35131R1	376815C1	117	22	N/A	N/A	N/A
AE86C	14	LTGN	TXL	35131R1	376815C1	117	22	N/A	N/A	N/A
AG14R	12	RD	TXL	351368R1	376815C1	117	1	N/A	N/A	N/A
AG14X	12	RD	TXL	351368R1	376815C1	117	9	N/A	N/A	N/A
AG14Y	12	RD	TXL	351368R1	376815C1	117	17	N/A	N/A	N/A
AL14R	12	RD	TXL	351368R1	376815C1	117	1	N/A	N/A	N/A
AL14X	12	RD	TXL	351368R1	376815C1	117	9	N/A	N/A	N/A
AL14Y	12	RD	TXL	351368R1	376815C1	117	17	N/A	N/A	N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
BC63JK	18	DKBL	TXL	351353R1	376815C1	117	8	N/A	N/A	N/A
BH12A	18	LTBL	TXL	351341R1	376815C1	117	39	N/A	N/A	N/A
CA84	14	LTGN	TXL	35131R1	376815C1	117	21	N/A	N/A	N/A
CB84B	14	LTGN	TXL	35131R1	376815C1	117	21	N/A	N/A	N/A
CC14SC	12	RD	TXL	351368R1	376815C1	117	16	N/A	N/A	N/A
CL84	14	LTGN	TXL	35131R1	376815C1	117	21	N/A	N/A	N/A
CW14FU	16	RD	TXL	351366R1	376815C1	117	24	N/A	N/A	N/A
CX14FU	16	RD	TXL	351366R1	376815C1	117	24	N/A	N/A	N/A
DR19V	16	GY	TXL	351312R1	376815C1	117	13	N/A	N/A	N/A
DX14VA	12	RD	TXL	351368R1	376815C1	117	5	N/A	N/A	N/A
DX14VB	12	RD	TXL	351368R1	376815C1	117	15	N/A	N/A	N/A
DY54XV	16	BN	TXL	35136R1	376815C1	117	31	N/A	N/A	N/A
EM13BL1	18	PK	TXL	351323R1	376815C1	117	32	N/A	N/A	N/A
EM14BLT	14	RD	TXL	351367R1	376815C1	117	24	N/A	N/A	N/A
GN13BL1	18	PK	TXL	351323R1	376815C1	117	32	N/A	N/A	N/A
GN14BLT	14	RD	TXL	351367R1	376815C1	117	24	N/A	N/A	N/A
JY14C	18	RD	TXL	351365R1	376815C1	117	14	N/A	N/A	N/A
KN116L	18	GY	TXL	351311R1	376815C1	117	23	N/A	N/A	N/A
MR86F	18	LTGN	TXL	351299R1	376815C1	117	38	N/A	N/A	N/A
MZ86P	18	LTGN	TXL	351299R1	376815C1	117	38	N/A	N/A	N/A
MZ86R	18	LTGN	TXL	351299R1	376815C1	117	4	N/A	N/A	N/A
PA54XV	16	BN	TXL	35136R1	376815C1	117	31	N/A	N/A	N/A
RC12B	2	LTBL	TXL	35134R1	376815C1	117	39	N/A	N/A	N/A
RF14A	2	PK	TXL	351322R1	376815C1	117	6	N/A	N/A	N/A
ZE75C	12	LTGN	TXL	35132R1	376815C1	117	23	N/A	N/A	N/A
BB52AB	18	YL	TXL	351335R1	37681C1	118	R3 -	7A N/A	N/A	N/A
BB53AB	18	YL	TXL	351335R1	37681C1	118	R3 -	5 N/A	N/A	N/A
BB53AC	18	YL	TXL	351335R1	37681C1	118	R3 -	7 N/A	N/A	N/A
BC63J	18	DKBL	TXL	351353R1	37681C1	118	R5 -	5 N/A	N/A	N/A
BC63JJ	18	GY	GXL	2643673R1	37681C1	118	R5 -	6 N/A	N/A	N/A
BC63JV	18	GY	GXL	2643673R1	37681C1	118	R5 -	N/A	N/A	N/A
CE14-GSD	18	WH	TXL	351359R1	37681C1	118	R6 -	6 N/A	N/A	N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
CE14SBB	18	RD	TXL	351365R1	37681C1	118	R6 -	5 N/A	N/A	N/A
CE14SBC	12	RD	TXL	351368R1	37681C1	118	R6 -	N/A	N/A	N/A
CE14SBD	12	LTGN	TXL	35132R1	37681C1	118	R6 -	7 N/A	N/A	N/A
CF5S	18	YL	TXL	351335R1	37681C1	118	R3 -	N/A	N/A	N/A
CF53-G	18	WH	TXL	351359R1	37681C1	118	R3 -	6 N/A	N/A	N/A
CG5S	18	YL	TXL	351335R1	37681C1	118	R3 -	N/A	N/A	N/A
CG53-G	18	WH	TXL	351359R1	37681C1	118	R3 -	6 N/A	N/A	N/A
DD78	16	LTGN	TXL	3513R1	37681C1	118	R1 -	7 N/A	N/A	N/A
DD78-RG	18	WH	TXL	351359R1	37681C1	118	R1 -	6 N/A	N/A	N/A
DD78RC	18	LTGN	TXL	351299R1	37681C1	118	R1 -	5 N/A	N/A	N/A
DD78RP	16	LTGN	TXL	3513R1	37681C1	118	R1 -	N/A	N/A	N/A
EL63JA	18	DKBL	TXL	351353R1	37681C1	118	R5 -	7 N/A	N/A	N/A
EL63JB	18	DKBL	TXL	351353R1	37681C1	118	R5 -	7 N/A	N/A	N/A
JA78	16	LTGN	TXL	3513R1	37681C1	118	R1 -	7 N/A	N/A	N/A
JA78RC	18	LTGN	TXL	351299R1	37681C1	118	R1 -	5 N/A	N/A	N/A
JA78RP	16	LTGN	TXL	3513R1	37681C1	118	R1 -	N/A	N/A	N/A
JA79-G	18	WH	TXL	351359R1	37681C1	118	R1 -	6 N/A	N/A	N/A
JL116L	18	GY	TXL	351311R1	37681C1	118	R2 -	6 N/A	N/A	N/A
JL116L-G	18	WH	TXL	351359R1	37681C1	118	R2 -	5 N/A	N/A	N/A
JL116LB	18	GY	GXL	2643673R1	37681C1	118	R2 -	N/A	N/A	N/A
JL116LZ	18	GY	TXL	351311R1	37681C1	118	R2 -	7 N/A	N/A	N/A
JL116U	18	GY	TXL	351311R1	37681C1	118	R1 -	6 N/A	N/A	N/A
JL116U-G	18	WH	TXL	351359R1	37681C1	118	R1 -	5 N/A	N/A	N/A
JL116UB	18	GY	TXL	351311R1	37681C1	118	R1 -	N/A	N/A	N/A
JL116UZ	18	GY	TXL	351311R1	37681C1	118	R1 -	7 N/A	N/A	N/A
MP63JA	18	DKBL	TXL	351353R1	37681C1	118	R5 -	7 N/A	N/A	N/A
AK62F	2	DKBL	TXL	351352R1	3613769C1	121	14	N/A		N/A
CD62DJ	18	DKBL	TXL	351353R1	3613769C1	121	3	N/A		N/A
CE62DJ	18	DKBL	TXL	351353R1	3613769C1	121	3	N/A		N/A
CE62DK	18	DKBL	TXL	351353R1	3613769C1	121	5	N/A		N/A
CN62DH	18	DKBL	TXL	351353R1	3613769C1	121	8	N/A		N/A
CR62DH	18	DKBL	TXL	351353R1	3613769C1	121	8	N/A		N/A



Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
CS62A	18	DKBL	TXL	351353R1	3613769C1	121		4 N/A		N/A
DA62DA	16	DKBL	TXL	351354R1	3613769C1	121		1 N/A		N/A
DF62DD	18	DKBL	TXL	351353R1	3613769C1	121		1 N/A		N/A
DK62DF	18	DKBL	TXL	351353R1	3613769C1	121		11 N/A		N/A
EM62DL	18	DKBL	TXL	351353R1	3613769C1	121		9 N/A		N/A
GN62DL	18	DKBL	TXL	351353R1	3613769C1	121		9 N/A		N/A
HA62DF	18	DKBL	TXL	351353R1	3613769C1	121		6 N/A		N/A
XW62DG	18	DKBL	TXL	351353R1	3613769C1	121		7 N/A		N/A
ZY62DH	18	DKBL	TXL	351353R1	3613769C1	121		8 N/A		N/A
2V11-GBP	18	WH	TXL	351359R1	3613769C1	122		1 N/A		N/A
3S11-GUC	2	WH	TXL	351358R1	3613769C1	122		12 N/A		N/A
5E11-GAR	18	WH	TXL	351359R1	3613769C1	122		11 N/A		N/A
AA6-G	18	WH	TXL	351359R1	3767197C1	122	A	N/A	1661263C1	354454C1
AA6A	18	OR	TXL	351317R1	3767197C1	122	C	N/A	1661263C1	354454C1
AA6B	18	OR	TXL	351317R1	3767197C1	122	D	N/A	1661263C1	354454C1
AA6C	18	OR	TXL	351317R1	3767197C1	122	B	N/A	1661263C1	354454C1
BM7-GT	18	WH	TXL	351359R1	3613769C1	122		9 N/A		N/A
CC72-GA	18	WH	TXL	351359R1	3613769C1	122		7 N/A		N/A
CS11-GBP	18	WH	TXL	351359R1	3613769C1	122		1 N/A		N/A
CS67-G	18	WH	TXL	351359R1	3613769C1	122		6 N/A		N/A
DD78-GA	16	WH	TXL	35136R1	3613769C1	122		4 N/A		N/A
DD78-RG	18	WH	TXL	351359R1	3613769C1	122		5 N/A		N/A
HV17-G	16	WH	TXL	35136R1	3613769C1	122		8 N/A		N/A
JA79-G	18	WH	TXL	351359R1	3613769C1	122		5 N/A		N/A
JY11-GA	18	WH	TXL	351359R1	3613769C1	122		12 N/A		N/A
RA11-GBA	14	WH	TXL	351361R1	3613769C1	122		1 N/A		N/A
RB11-GBA	14	WH	TXL	351361R1	3613769C1	122		1 N/A		N/A
RV11-GBP	18	WH	TXL	351359R1	3613769C1	122		1 N/A		N/A
XF11-GX	2	WH	TXL	351358R1	3613769C1	122		14 N/A		N/A
YC67-G	18	WH	TXL	351359R1	3613769C1	122		3 N/A		N/A
YH11-GC	14	WH	TXL	351361R1	3613769C1	122		2 N/A		N/A
ZJ98-G	2	WH	TXL	351358R1	3613769C1	122		13 N/A		N/A

Circuit			Terminal Splice		Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
3N11-GCF	14	WH	TXL	351361R1	3613769C1	123		2 N/A		N/A
AD11-GCC	14	WH	TXL	351361R1	3613769C1	123		2 N/A		N/A
AE11-GCC	14	WH	TXL	351361R1	3613769C1	123		2 N/A		N/A
AG11-GRG	16	WH	GXL	2643681R1	3613769C1	123	14	N/A		N/A
AK11-GKF	2	WH	TXL	351358R1	3613769C1	123		7 N/A		N/A
CF11-GBE	18	WH	TXL	351359R1	3613769C1	123		6 N/A		N/A
CG53-G	18	WH	TXL	351359R1	3613769C1	123		6 N/A		N/A
CK11-GBE	18	WH	TXL	351359R1	3613769C1	123		6 N/A		N/A
CN11-GBF	18	WH	TXL	351359R1	3613769C1	123		5 N/A		N/A
CR11-GBF	18	WH	TXL	351359R1	3613769C1	123		5 N/A		N/A
DR19-GB	18	WH	TXL	351359R1	3613769C1	123		9 N/A		N/A
FA11-GBG	16	WH	TXL	35136R1	3613769C1	123		6 N/A		N/A
FR11-GB	18	WH	TXL	351359R1	3613769C1	123		4 N/A		N/A
KC11-GBE	16	WH	TXL	35136R1	3613769C1	123		6 N/A		N/A
LM97-G	2	WH	TXL	351358R1	3613769C1	123		8 N/A		N/A
MB11-GBE	16	WH	TXL	35136R1	3613769C1	123		6 N/A		N/A
MM92-GAH	18	WH	TXL	351359R1	3613769C1	123		3 N/A		N/A
PH11-GBE	18	WH	TXL	351359R1	3613769C1	123		6 N/A		N/A
RA11-GCB	14	WH	TXL	351361R1	3613769C1	123		1 N/A		N/A
RB11-GCB	14	WH	TXL	351361R1	3613769C1	123		1 N/A		N/A
SJ11-GBE	16	WH	TXL	35136R1	3613769C1	123		6 N/A		N/A
XA11-GBE	16	WH	TXL	35136R1	3613769C1	123		6 N/A		N/A
ZP11-GBE	16	WH	TXL	35136R1	3613769C1	123		6 N/A		N/A
ZY11-GBF	18	WH	TXL	351359R1	3613769C1	123		5 N/A		N/A
3L5BA(+)	18	YL	TXL	3572112R1	361838C1	124	G	N/A	361839C1	N/A
3L5BA(-)	18	GN	TXL	3572112R1	361838C1	124	F	N/A	361839C1	N/A
3L5BF(+)	18	YL	TXL	3572112R1	361838C1	124	M	N/A	361839C1	N/A
3L5BF(-)	18	GN	TXL	3572112R1	361838C1	124	A	N/A	361839C1	N/A
3L5BG(+)	18	YL	TXL	3572112R1	361838C1	124	J	N/A	361839C1	N/A
3L5BG(+)	18	YL	TXL	3572112R1	361838C1	124	K	N/A	361839C1	N/A
3L5BG(-)	18	GN	TXL	3572112R1	361838C1	124	C	N/A	361839C1	N/A
3L5BG(-)	18	GN	TXL	3572112R1	361838C1	124	D	N/A	361839C1	N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
5E5V(+)	18	YL	TXL	3572112R1	361838C1	124	L	N/A	361839C1	N/A
5E5V(-)	18	GN	TXL	3572112R1	361838C1	124	B	N/A	361839C1	N/A
AS5BC(+)	18	YL	TXL	3572112R1	361838C1	124	M	N/A	361839C1	N/A
AS5BC(-)	18	GN	TXL	3572112R1	361838C1	124	A	N/A	361839C1	N/A
AS5BD(+)	18	YL	TXL	3572112R1	361838C1	124	K	N/A	361839C1	N/A
AS5BD(+)	18	YL	TXL	3572112R1	361838C1	124	J	N/A	361839C1	N/A
AS5BD(-)	18	GN	TXL	3572112R1	361838C1	124	C	N/A	361839C1	N/A
AS5BD(-)	18	GN	TXL	3572112R1	361838C1	124	D	N/A	361839C1	N/A
AS5BE(+)	18	YL	TXL	3572112R1	361838C1	124	G	N/A	361839C1	N/A
AS5BE(-)	18	GN	TXL	3572112R1	361838C1	124	F	N/A	361839C1	N/A
JS5(+)	18	YL	TXL	3572112R1	361838C1	124	H	N/A	361839C1	N/A
JS5(-)	18	GN	TXL	3572112R1	361838C1	124	E	N/A	361839C1	N/A
KD5U(+)	18	YL	TXL	3572112R1	361838C1	124	H	N/A	361839C1	N/A
KD5U(-)	18	GN	TXL	3572112R1	361838C1	124	E	N/A	361839C1	N/A
KK5(+)	18	YL	TXL	3572112R1	361838C1	124	H	N/A	361839C1	N/A
KK5(-)	18	GN	TXL	3572112R1	361838C1	124	E	N/A	361839C1	N/A
KR5BF(+)	18	YL	TXL	3572112R1	361838C1	124	H	N/A	361839C1	N/A
KR5BF(-)	18	GN	TXL	3572112R1	361838C1	124	E	N/A	361839C1	N/A
KS5BF(+)	18	YL	TXL	3572112R1	361838C1	124	H	N/A	361839C1	N/A
KS5BF(-)	18	GN	TXL	3572112R1	361838C1	124	E	N/A	361839C1	N/A
3L5BD(+)	18	YL	TXL	3572112R1	361838C1	125	J	N/A	361839C1	N/A
3L5BD(+)	18	YL	TXL	3572112R1	361838C1	125	K	N/A	361839C1	N/A
3L5BD(-)	18	GN	TXL	3572112R1	361838C1	125	C	N/A	361839C1	N/A
3L5BD(-)	18	GN	TXL	3572112R1	361838C1	125	D	N/A	361839C1	N/A
3L5BE(+)	18	YL	TXL	3572112R1	361838C1	125	G	N/A	361839C1	N/A
3L5BE(-)	18	GN	TXL	3572112R1	361838C1	125	F	N/A	361839C1	N/A
3L5BK(+)	18	YL	TXL	3572112R1	361838C1	125	M	N/A	361839C1	N/A
3L5BK(-)	18	GN	TXL	3572112R1	361838C1	125	A	N/A	361839C1	N/A
AR5BC(+)	18	YL	TXL	3572112R1	361838C1	125	M	N/A	361839C1	N/A
AR5BC(-)	18	GN	TXL	3572112R1	361838C1	125	A	N/A	361839C1	N/A
AR5BD(+)	18	YL	TXL	3572112R1	361838C1	125	K	N/A	361839C1	N/A
AR5BD(+)	18	YL	TXL	3572112R1	361838C1	125	J	N/A	361839C1	N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
AR5BD(-)	18	GN	TXL	3572112R1	361838C1	125	C	N/A	361839C1	N/A
AR5BD(-)	18	GN	TXL	3572112R1	361838C1	125	D	N/A	361839C1	N/A
AR5BE(+)	18	YL	TXL	3572112R1	361838C1	125	G	N/A	361839C1	N/A
AR5BE(-)	18	GN	TXL	3572112R1	361838C1	125	F	N/A	361839C1	N/A
EW5E(+)	18	YL	TXL	3572112R1	361838C1	125	L	N/A	361839C1	N/A
EW5E(-)	18	GN	TXL	3572112R1	361838C1	125	B	N/A	361839C1	N/A
KB5U(+)	18	YL	TXL	3572112R1	361838C1	125	H	N/A	361839C1	N/A
KB5U(-)	18	GN	TXL	3572112R1	361838C1	125	E	N/A	361839C1	N/A
KG5(+)	18	YL	TXL	3572112R1	361838C1	125	H	N/A	361839C1	N/A
KG5(-)	18	GN	TXL	3572112R1	361838C1	125	E	N/A	361839C1	N/A
LP5BF(+)	18	YL	TXL	3572112R1	361838C1	125	H	N/A	361839C1	N/A
LP5BF(-)	18	GN	TXL	3572112R1	361838C1	125	E	N/A	361839C1	N/A
RY5BF(+)	18	YL	TXL	3572112R1	361838C1	125	H	N/A	361839C1	N/A
RY5BF(-)	18	GN	TXL	3572112R1	361838C1	125	E	N/A	361839C1	N/A
ZP5BE(+)	18	YL	TXL	3572112R1	361838C1	125	H	N/A	361839C1	N/A
ZP5BE(-)	18	GN	TXL	3572112R1	361838C1	125	E	N/A	361839C1	N/A
2V5CA(+)	18	YL	TXL	3572112R1	361838C1	126	L	N/A	361839C1	N/A
2V5CA(-)	18	GN	TXL	3572112R1	361838C1	126	B	N/A	361839C1	N/A
JK5AJ(+)	18	YL	TXL	3572112R1	361838C1	126	M	N/A	361839C1	N/A
JK5AJ(-)	18	GN	TXL	3572112R1	361838C1	126	A	N/A	361839C1	N/A
JK5AK(+)	18	YL	TXL	3572112R1	361838C1	126	K	N/A	361839C1	N/A
JK5AK(+)	18	YL	TXL	3572112R1	361838C1	126	J	N/A	361839C1	N/A
JK5AK(-)	18	GN	TXL	3572112R1	361838C1	126	C	N/A	361839C1	N/A
JK5AK(-)	18	GN	TXL	3572112R1	361838C1	126	D	N/A	361839C1	N/A
JK5AL(+)	18	YL	TXL	3572112R1	361838C1	126	G	N/A	361839C1	N/A
JK5AL(-)	18	GN	TXL	3572112R1	361838C1	126	F	N/A	361839C1	N/A
LN5AJ(+)	18	YL	TXL	3572112R1	361838C1	126	M	N/A	361839C1	N/A
LN5AJ(-)	18	GN	TXL	3572112R1	361838C1	126	A	N/A	361839C1	N/A
LN5AK(+)	18	YL	TXL	3572112R1	361838C1	126	K	N/A	361839C1	N/A
LN5AK(+)	18	YL	TXL	3572112R1	361838C1	126	J	N/A	361839C1	N/A
LN5AK(-)	18	GN	TXL	3572112R1	361838C1	126	C	N/A	361839C1	N/A
LN5AK(-)	18	GN	TXL	3572112R1	361838C1	126	D	N/A	361839C1	N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
LN5AL(+)	18	YL	TXL	3572112R1	361838C1	126	G	N/A	361839C1	N/A
LN5AL(-)	18	GN	TXL	3572112R1	361838C1	126	F	N/A	361839C1	N/A
RN5L(+)	2	YL	193	3858761R1	361838C1	126	H	N/A	361839C1	N/A
RN5L(-)	2	GN	193	3858761R1	361838C1	126	E	N/A	361839C1	N/A
RV5CA(+)	18	YL	TXL	3572112R1	361838C1	126	L	N/A	361839C1	N/A
RV5CA(-)	18	GN	TXL	3572112R1	361838C1	126	B	N/A	361839C1	N/A
YH5A(+)	18	YL	TXL	3572112R1	361838C1	126	L	N/A	361839C1	N/A
YH5A(-)	18	GN	TXL	3572112R1	361838C1	126	B	N/A	361839C1	N/A
2A54-GXE	16	WH	TXL	35136R1	3613769C1	127		8 N/A		N/A
3C54-GXE	16	WH	TXL	35136R1	3613769C1	127		8 N/A		N/A
3E54-GXE	16	WH	TXL	35136R1	3613769C1	127		8 N/A		N/A
AW54-GXE	16	WH	TXL	35136R1	3613769C1	127		8 N/A		N/A
CT11-GBE	16	WH	TXL	35136R1	3613769C1	127		3 N/A		N/A
CW11-GFU	18	WH	TXL	351359R1	3613769C1	127		14 N/A		N/A
CW58-GBG	16	WH	TXL	35136R1	3613769C1	127		2 N/A		N/A
CX11-GFU	18	WH	TXL	351359R1	3613769C1	127		14 N/A		N/A
DD78-GB	16	WH	TXL	35136R1	3613769C1	127		5 N/A		N/A
DL11-GBE	14	WH	TXL	351361R1	3613769C1	127		3 N/A		N/A
DL11-GBH	18	WH	TXL	351359R1	3613769C1	127		4 N/A		N/A
DW11-GZ	16	WH	TXL	35136R1	3613769C1	127		1 N/A		N/A
DY54-GX	16	WH	TXL	35136R1	3613769C1	127		6 N/A		N/A
EM13-GBP	18	WH	TXL	351359R1	3613769C1	127		9 N/A		N/A
EW11-GR	14	WH	TXL	351361R1	3613769C1	127		7 N/A		N/A
GN13-GBP	18	WH	TXL	351359R1	3613769C1	127		9 N/A		N/A
HY54-GXE	16	WH	TXL	35136R1	3613769C1	127		8 N/A		N/A
JV11-GA	14	WH	TXL	351361R1	3613769C1	127		3 N/A		N/A
JV11-GB	16	WH	TXL	35136R1	3613769C1	127		4 N/A		N/A
KL11-GA	14	WH	TXL	351361R1	3613769C1	127		3 N/A		N/A
PA54-GX	16	WH	TXL	35136R1	3613769C1	127		6 N/A		N/A
RA11-GCC	14	WH	TXL	351361R1	3613769C1	127		1 N/A		N/A
RB11-GCC	14	WH	TXL	351361R1	3613769C1	127		1 N/A		N/A
RH11-GBE	14	WH	TXL	351361R1	3613769C1	127		3 N/A		N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
2A54	16	BN	TXL	35136R1	3613769C1	128	1	N/A	N/A	
2A54A	16	BN	TXL	35136R1	3613769C1	128	5	N/A	N/A	
2A58	16	BN	TXL	35136R1	3613769C1	128	2	N/A	N/A	
2A58DA	18	BN	TXL	35135R1	3613769C1	128	6	N/A	N/A	
2A58DB	18	BN	TXL	35135R1	3613769C1	128	7	N/A	N/A	
2A58TA	16	BN	TXL	35136R1	3613769C1	128	3	N/A	N/A	
2A58TB	18	BN	TXL	35135R1	3613769C1	128	4	N/A	N/A	
2A68A	18	BN	TXL	35135R1	3613769C1	128	8	N/A	N/A	
3C54	16	BN	TXL	35136R1	3613769C1	128	1	N/A	N/A	
3C54A	16	BN	TXL	35136R1	3613769C1	128	5	N/A	N/A	
3C58DA	18	BN	TXL	35135R1	3613769C1	128	6	N/A	N/A	
3C58DB	18	BN	TXL	35135R1	3613769C1	128	7	N/A	N/A	
3C58TA	16	BN	TXL	35136R1	3613769C1	128	3	N/A	N/A	
3C58TB	18	BN	TXL	35135R1	3613769C1	128	4	N/A	N/A	
3C68A	18	BN	TXL	35135R1	3613769C1	128	8	N/A	N/A	
3.00E+54	16	BN	TXL	35136R1	3613769C1	128	1	N/A	N/A	
3E54A	16	BN	TXL	35136R1	3613769C1	128	5	N/A	N/A	
3E58TA	16	BN	TXL	35136R1	3613769C1	128	3	N/A	N/A	
3E58TB	18	BN	TXL	35135R1	3613769C1	128	4	N/A	N/A	
3E68A	18	BN	TXL	35135R1	3613769C1	128	8	N/A	N/A	
AV54	16	BN	TXL	35136R1	3613769C1	128	1	N/A	N/A	
AV54A	16	BN	TXL	35136R1	3613769C1	128	5	N/A	N/A	
AV58	16	BN	TXL	35136R1	3613769C1	128	2	N/A	N/A	
AV58DA	18	BN	TXL	35135R1	3613769C1	128	6	N/A	N/A	
AV58DB	18	BN	TXL	35135R1	3613769C1	128	7	N/A	N/A	
AV58TA	16	BN	TXL	35136R1	3613769C1	128	3	N/A	N/A	
AV58TB	18	BN	TXL	35135R1	3613769C1	128	4	N/A	N/A	
AV68A	18	BN	TXL	35135R1	3613769C1	128	8	N/A	N/A	
AW54	16	BN	TXL	35136R1	3613769C1	128	1	N/A	N/A	
AW54A	16	BN	TXL	35136R1	3613769C1	128	5	N/A	N/A	
AW58	16	BN	TXL	35136R1	3613769C1	128	2	N/A	N/A	
AW58TA	16	BN	TXL	35136R1	3613769C1	128	3	N/A	N/A	

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
AW58TB	18	BN	TXL	35135R1	3613769C1	128	4	N/A		N/A
AW68A	18	BN	TXL	35135R1	3613769C1	128	8	N/A		N/A
CW58B	18	BN	TXL	35135R1	3613769C1	128	14	N/A		N/A
CX58B	18	BN	TXL	35135R1	3613769C1	128	14	N/A		N/A
HY54	16	BN	TXL	35136R1	3613769C1	128	1	N/A		N/A
HY54A	16	BN	TXL	35136R1	3613769C1	128	5	N/A		N/A
HY58	16	BN	TXL	35136R1	3613769C1	128	2	N/A		N/A
HY58TA	16	BN	TXL	35136R1	3613769C1	128	3	N/A		N/A
HY58TB	18	BN	TXL	35135R1	3613769C1	128	4	N/A		N/A
HY68A	18	BN	TXL	35135R1	3613769C1	128	8	N/A		N/A
3L5BC(+)	18	YL	TXL	3572112R1	361838C1	129	M	N/A	361839C1	N/A
3L5BC(-)	18	GN	TXL	3572112R1	361838C1	129	A	N/A	361839C1	N/A
3L5BH(+)	18	YL	TXL	3572112R1	361838C1	129	K	N/A	361839C1	N/A
3L5BH(+)	18	YL	TXL	3572112R1	361838C1	129	J	N/A	361839C1	N/A
3L5BH(-)	18	GN	TXL	3572112R1	361838C1	129	C	N/A	361839C1	N/A
3L5BH(-)	18	GN	TXL	3572112R1	361838C1	129	D	N/A	361839C1	N/A
3L5BK(+)	18	YL	TXL	3572112R1	361838C1	129	G	N/A	361839C1	N/A
3L5BK(-)	18	GN	TXL	3572112R1	361838C1	129	F	N/A	361839C1	N/A
FH5BM(+)	18	YL	TXL	3572112R1	361838C1	129	G	N/A	361839C1	N/A
FH5BM(-)	18	GN	TXL	3572112R1	361838C1	129	F	N/A	361839C1	N/A
FH5BP(+)	18	YL	TXL	3572112R1	361838C1	129	M	N/A	361839C1	N/A
FH5BP(-)	18	GN	TXL	3572112R1	361838C1	129	A	N/A	361839C1	N/A
FH5BR(+)	18	YL	TXL	3572112R1	361838C1	129	K	N/A	361839C1	N/A
FH5BR(+)	18	YL	TXL	3572112R1	361838C1	129	J	N/A	361839C1	N/A
FH5BR(-)	18	GN	TXL	3572112R1	361838C1	129	C	N/A	361839C1	N/A
FH5BR(-)	18	GN	TXL	3572112R1	361838C1	129	D	N/A	361839C1	N/A
FM5UA(+)	18	YL	TXL	3572112R1	361838C1	129	H	N/A	361839C1	N/A
FM5UA(-)	18	GN	TXL	3572112R1	361838C1	129	E	N/A	361839C1	N/A
JE5(+)	18	YL	TXL	3572112R1	361838C1	129	H	N/A	361839C1	N/A
JE5(-)	18	GN	TXL	3572112R1	361838C1	129	E	N/A	361839C1	N/A
ZG5(+)	18	YL	TXL	3572112R1	361838C1	129	L	N/A	361839C1	N/A
ZG5(-)	18	GN	TXL	3572112R1	361838C1	129	B	N/A	361839C1	N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
MY86AC	18	LTGN	TXL	351299R1	3661C1	131		2 N/A		N/A
RF86AA	2	LTGN	TXL	351298R1	3661C1	131		7 N/A		N/A
RF86AB	2	LTGN	TXL	351298R1	3661C1	131		1 N/A		N/A
RF86AC	2	LTGN	TXL	351298R1	3661C1	131		9 N/A		N/A
RF86AD	2	LTGN	TXL	351298R1	3661C1	131		11 N/A		N/A
YW86A(+)	2	LTGN	TXL	351298R1	3661C1	131		15 N/A		N/A
YW86A(-)	2	LTGN	TXL	351298R1	3661C1	131		16 N/A		N/A
XD94SN	18	GY	TXL	351311R1	361838C1	141	A	N/A	361839C1	N/A
XD94SNA	18	GY	TXL	351311R1	361838C1	141	B	N/A	361839C1	N/A
XD94SNB	18	GY	TXL	351311R1	361838C1	141	C	N/A	361839C1	N/A
XD94SP	18	GY	TXL	351311R1	361838C1	141	D	N/A	361839C1	N/A
XD94SPA	18	GY	TXL	351311R1	361838C1	141	E	N/A	361839C1	N/A
XD94SPB	18	GY	TXL	351311R1	361838C1	141	F	N/A	361839C1	N/A
XD94SR	18	GY	TXL	351311R1	361838C1	141	G	N/A	361839C1	N/A
XD94SRA	18	GY	TXL	351311R1	361838C1	141	H	N/A	361839C1	N/A
XD94SRB	18	GY	TXL	351311R1	361838C1	141	J	N/A	361839C1	N/A
XD94SS	18	GY	TXL	351311R1	361838C1	141	K	N/A	361839C1	N/A
XD94SSA	18	GY	TXL	351311R1	361838C1	141	L	N/A	361839C1	N/A
XD94SSB	18	GY	TXL	351311R1	361838C1	141	M	N/A	361839C1	N/A
XY94	18	GY	TXL	351311R1	3596929C1	141		2 N/A		N/A
XY94A	18	GY	TXL	351311R1	3596929C1	141		3 N/A		N/A
XY94B	18	GY	TXL	351311R1	3596929C1	141		1 N/A		N/A
XY94BA	18	GY	TXL	351311R1	3596929C1	141		17 N/A		N/A
XY94BB	18	GY	TXL	351311R1	3596929C1	141		12 N/A		N/A
XY94BC	18	GY	TXL	351311R1	3596929C1	141		16 N/A		N/A
XY94BD	16	GY	TXL	351312R1	3596929C1	141		18 N/A		N/A
XY94BE	16	GY	TXL	351312R1	3596929C1	141		15 N/A		N/A
XY94BJ	18	GY	TXL	351311R1	3596929C1	141		13 N/A		N/A
XY94BK	18	GY	TXL	351311R1	3596929C1	141		9 N/A		N/A
XY94BL	18	GY	TXL	351311R1	3596929C1	141		1 N/A		N/A
XY94C	16	GY	TXL	351312R1	3596929C1	141		5 N/A		N/A
XY94D	16	GY	TXL	351312R1	3596929C1	141		8 N/A		N/A



Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
XY94E	16	GY	TXL	351312R1	3596929C1	141	11	N/A		N/A
XY94F	16	GY	TXL	351312R1	3596929C1	141	14	N/A		N/A
XY94H	18	GY	TXL	351311R1	3596929C1	141	7	N/A		N/A
XY94J	18	GY	TXL	351311R1	3596929C1	141	6	N/A		N/A
XY94K	18	GY	TXL	351311R1	3596929C1	141	4	N/A		N/A
XZ94SA	18	GY	TXL	351311R1	361838C1	141	C	N/A	361839C1	N/A
XZ94SAA	18	GY	TXL	351311R1	361838C1	141	A	N/A	361839C1	N/A
XZ94SAB	18	GY	TXL	351311R1	361838C1	141	B	N/A	361839C1	N/A
XZ94SB	18	GY	TXL	351311R1	361838C1	141	J	N/A	361839C1	N/A
XZ94SBA	18	GY	TXL	351311R1	361838C1	141	G	N/A	361839C1	N/A
XZ94SBB	18	GY	TXL	351311R1	361838C1	141	H	N/A	361839C1	N/A
XZ94SC	18	GY	TXL	351311R1	361838C1	141	F	N/A	361839C1	N/A
XZ94SCA	18	GY	TXL	351311R1	361838C1	141	D	N/A	361839C1	N/A
XZ94SCB	18	GY	TXL	351311R1	361838C1	141	E	N/A	361839C1	N/A
XZ94SD	18	GY	TXL	351311R1	361838C1	141	M	N/A	361839C1	N/A
XZ94SDA	18	LTGN	TXL	351299R1	361838C1	141	K	N/A	361839C1	N/A
XZ94SDB	18	GY	TXL	351311R1	361838C1	141	L	N/A	361839C1	N/A
3A94-GA	18	WH	TXL	351359R1	3557922C1	142	9	N/A	354912C1	N/A
3A94-GB	18	WH	TXL	351359R1	3557922C1	142	4	N/A	354912C1	N/A
3A94AY	14	GY	GXL	2643782R1	3557922C1	142	8	N/A	354912C1	N/A
3A94V	14	GY	GXL	2643782R1	3557922C1	142	7	N/A	354912C1	N/A
3M5N(+)	18	YL	TXL	3572112R1	3557922C1	142	3	N/A	354912C1	N/A
3M5N(-)	18	GN	TXL	3572112R1	3557922C1	142	1	N/A	354912C1	N/A
9P5N(+)	18	YL	TXL	3572112R1	3557922C1	142	3	N/A	354912C1	N/A
9P5N(-)	18	GN	TXL	3572112R1	3557922C1	142	1	N/A	354912C1	N/A
9V5N(+)	18	YL	TXL	3572112R1	3557922C1	142	3	N/A	354912C1	N/A
9V5N(-)	18	GN	TXL	3572112R1	3557922C1	142	1	N/A	354912C1	N/A
GS94-GA	18	WH	TXL	351359R1	3557922C1	142	9	N/A	354912C1	N/A
GS94-GB	18	WH	TXL	351359R1	3557922C1	142	4	N/A	354912C1	N/A
GS94AY	14	GY	GXL	2643782R1	3557922C1	142	8	N/A	354912C1	N/A
GS94V	14	GY	GXL	2643782R1	3557922C1	142	7	N/A	354912C1	N/A
PJ94BMM	16	GY	TXL	351312R1	3596928C1	142	7	N/A		N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
PJ94BNN	16	GY	TXL	351312R1	3596928C1	142	6	N/A		N/A
PJ94BP	16	GY	TXL	351312R1	3596928C1	142	4	N/A		N/A
PJ94BQ	16	GY	TXL	351312R1	3596928C1	142	14	N/A		N/A
PJ94BR	16	GY	TXL	351312R1	3596928C1	142	11	N/A		N/A
PJ94BS	16	GY	GXL	264368R1	3596928C1	142	13	N/A		N/A
PJ94BT	16	GY	GXL	264368R1	3596928C1	142	9	N/A		N/A
PJ94BU	16	GY	GXL	264368R1	3596928C1	142	1	N/A		N/A
PJ94BV	16	GY	TXL	351312R1	3596928C1	142	15	N/A		N/A
PJ94BW	16	GY	TXL	351312R1	3596928C1	142	12	N/A		N/A
PZ5N(+)	18	YL	TXL	3572112R1	3557922C1	142	3	N/A	354912C1	N/A
PZ5N(-)	18	GN	TXL	3572112R1	3557922C1	142	1	N/A	354912C1	N/A
RD5N(+)	18	YL	TXL	3572112R1	3557922C1	142	3	N/A	354912C1	N/A
RD5N(-)	18	GN	TXL	3572112R1	3557922C1	142	1	N/A	354912C1	N/A
RG5N(+)	18	YL	TXL	3572112R1	3557922C1	142	3	N/A	354912C1	N/A
RG5N(-)	18	GN	TXL	3572112R1	3557922C1	142	1	N/A	354912C1	N/A
RM5N(+)	18	YL	TXL	3572112R1	3557922C1	142	3	N/A	354912C1	N/A
RM5N(-)	18	GN	TXL	3572112R1	3557922C1	142	1	N/A	354912C1	N/A
SP5N(+)	18	YL	TXL	3572112R1	3557922C1	142	3	N/A	354912C1	N/A
SP5N(-)	18	GN	TXL	3572112R1	3557922C1	142	1	N/A	354912C1	N/A
XZ94SJ	18	GY	TXL	351311R1	3596928C1	142	5	N/A		N/A
ZA94HA	18	GY	TXL	351311R1	3596928C1	142	2	N/A		N/A
ZA94SK	18	GY	TXL	351311R1	3596928C1	142	3	N/A		N/A
ZB94HA	18	GY	TXL	351311R1	3596928C1	142	2	N/A		N/A
ZB94SK	18	GY	TXL	351311R1	3596928C1	142	3	N/A		N/A
ZC94SK	18	GY	TXL	351311R1	3596928C1	142	3	N/A		N/A
XZ94SAA	18	GY	TXL	351311R1	3596927C1	143	11	N/A		N/A
XZ94SBA	18	GY	TXL	351311R1	3596927C1	143	8	N/A		N/A
XZ94SCA	18	GY	TXL	351311R1	3596927C1	143	1	N/A		N/A
XZ94SDA	18	LTGN	TXL	351299R1	3596927C1	143	7	N/A		N/A
XZ94SE	18	GY	TXL	351311R1	3596927C1	143	2	N/A		N/A
XZ94SF	16	GY	TXL	351312R1	3596927C1	143	5	N/A		N/A
XZ94SH	16	GY	TXL	351312R1	3596927C1	143	3	N/A		N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
XZ94SL	18	GY	TXL	351311R1	3596927C1	143	6	N/A		N/A
XZ94SM	18	GY	TXL	351311R1	3596927C1	143	9	N/A		N/A
XZ94SN	18	GY	TXL	351311R1	3596927C1	143	12	N/A		N/A
XZ94SVD	16	GY	TXL	351312R1	3596927C1	143	4	N/A		N/A
XZ94SZD	16	GY	TXL	351312R1	3596927C1	143	1	N/A		N/A
LR86AR	18	LTGN	TXL	351299R1	166126C1	151	A	N/A		N/A
LR86AS	18	LTGN	TXL	351299R1	166126C1	151	B	N/A		N/A
MX86AR	18	LTGN	TXL	351299R1	166126C1	151	A	N/A		N/A
MX86AS	18	LTGN	TXL	351299R1	166126C1	151	B	N/A		N/A
AA5A	18	YL	TXL	351335R1	1661259C1	152	B	N/A	1661263C1	N/A
AA5B	18	YL	TXL	351335R1	1661259C1	152	A	N/A	1661263C1	N/A
9S11-GBA	16	WH	GXL	2643681R1	3545577C1	156	3	N/A	3545579C1	N/A
9S74G	16	LTGN	GXL	2643678R1	3545577C1	156	2	N/A	3545579C1	N/A
9S74RBA	16	RD	GXL	264376R1	3545577C1	156	4	N/A	3545579C1	N/A
9S74Y	16	YL	GXL	2643684R1	3545577C1	156	1	N/A	3545579C1	N/A
AA59B	18	GY	TXL	351311R1	359877C1	161	F1	N/A	1618846C1	1618847C1
AA59C	18	GY	TXL	351311R1	359877C1	161	E12	N/A	1618846C1	1618847C1
AA59F	18	GY	TXL	351311R1	359877C1	161	F4	N/A	1618846C1	1618847C1
AA59H	18	GY	TXL	351311R1	359877C1	161	E9	N/A	1618846C1	1618847C1
AA59J	18	GY	TXL	351311R1	359877C1	161	F5	N/A	1618846C1	1618847C1
AA82F	18	GY	TXL	351311R1	359877C1	161	E7	N/A	1618846C1	1618847C1
AA82H	18	GY	TXL	351311R1	359877C1	161	E6	N/A	1618846C1	1618847C1
BC63J	18	DKBL	TXL	351353R1	359877C1	161	E5	N/A	1618846C1	1618847C1
BM7C	18	OR	TXL	351317R1	359877C1	161	F15	N/A	1618846C1	1618847C1
CC72	18	OR	TXL	351317R1	359877C1	161	E11	N/A	1618846C1	1618847C1
DD78RC	18	LTGN	TXL	351299R1	359877C1	161	F13	N/A	1618846C1	1618847C1
DR19A	18	GY	TXL	351311R1	359877C1	161	F12	N/A	1618846C1	1618847C1
DX63C	18	DKBL	TXL	351353R1	359877C1	161	F2	N/A	1618846C1	1618847C1
DY54XD	16	BN	TXL	35136R1	359877C1	161	F16	N/A	1618846C1	1618847C1
EE14DA	18	RD	TXL	351365R1	359877C1	161	E14	N/A	1618846C1	1618847C1
HA14BC	18	DKBL	TXL	351353R1	359877C1	161	F1	N/A	1618846C1	1618847C1
JA78RC	18	LTGN	TXL	351299R1	359877C1	161	F13	N/A	1618846C1	1618847C1

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
PA54XD	16	BN	TXL	35136R1	359877C1	161	F16	N/A	1618846C1	1618847C1
RK59E	18	GY	TXL	351311R1	359877C1	161	E13	N/A	1618846C1	1618847C1
RL59D	18	GY	TXL	351311R1	359877C1	161	F8	N/A	1618846C1	1618847C1
RL59E	18	GY	TXL	351311R1	359877C1	161	E13	N/A	1618846C1	1618847C1
SF59D	18	GY	TXL	351311R1	359877C1	161	F8	N/A	1618846C1	1618847C1
YE75WP	18	LTGN	TXL	351299R1	359877C1	161	F11	N/A	1618846C1	1618847C1
3H6DB	18	GY	TXL	351311R1	359875C1	162	E6	N/A	1618847C1	1618846C1
3L5BB(+)	18	YL	TXL	3572112R1	359875C1	162	F6	N/A	1618847C1	1618846C1
3L5BB(-)	18	GN	TXL	3572112R1	359875C1	162	F5	N/A	1618847C1	1618846C1
AA11-GL	18	WH	TXL	351359R1	359875C1	162	E16	N/A	1618847C1	1618846C1
AA5	18	YL	TXL	351335R1	359875C1	162	E11	N/A	1618847C1	1618846C1
AA59A	18	GY	TXL	351311R1	359875C1	162	E12	N/A	1618847C1	1618846C1
AA6	2	GY	TXL	35131R1	359875C1	162	E4	N/A	1618847C1	1618846C1
AA7	2	OR	TXL	351316R1	359875C1	162	E14	N/A	1618847C1	1618846C1
AA9A	18	GY	TXL	351311R1	359875C1	162	E5	N/A	1618847C1	1618846C1
AA9B	18	GY	TXL	351311R1	359875C1	162	E7	N/A	1618847C1	1618846C1
AA9Z	18	GY	TXL	351311R1	359875C1	162	E3	N/A	1618847C1	1618846C1
AA9Z	18	GY	TXL	351311R1	27315C1	162	A	N/A	27316C1	N/A
AA9ZA	18	GY	TXL	351311R1	27315C1	162	F	N/A	27316C1	N/A
AK9CDC	2	GY	TXL	35131R1	27315C1	162	B	N/A	27316C1	N/A
AN9BB	18	GY	TXL	351311R1	27315C1	162	E	N/A	27316C1	N/A
AR5BB(+)	18	YL	TXL	3572112R1	359875C1	162	F6	N/A	1618847C1	1618846C1
AR5BB(-)	18	GN	TXL	3572112R1	359875C1	162	F5	N/A	1618847C1	1618846C1
AS5BB(+)	18	YL	TXL	3572112R1	359875C1	162	F6	N/A	1618847C1	1618846C1
AS5BB(-)	18	GN	TXL	3572112R1	359875C1	162	F5	N/A	1618847C1	1618846C1
AU28	18	TN	TXL	351329R1	359875C1	162	F9	N/A	1618847C1	1618846C1
BK92RAB	18	TN	TXL	351329R1	359875C1	162	F1	N/A	1618847C1	1618846C1
CF98A(+)	18	DKBL	TXL	351353R1	359875C1	162	E2	N/A	1618847C1	1618846C1
CF98A(-)	18	GY	TXL	351311R1	359875C1	162	E1	N/A	1618847C1	1618846C1
CG98A(+)	18	GY	TXL	351311R1	359875C1	162	E2	N/A	1618847C1	1618846C1
CG98A(-)	18	DKBL	TXL	351353R1	359875C1	162	E1	N/A	1618847C1	1618846C1
CP3BD(+)	18	DKBL	TXL	351353R1	359875C1	162	E2	N/A	1618847C1	1618846C1

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
CP3BD(-)	18	GY	TXL	351311R1	359875C1	162	E1	N/A	1618847C1	1618846C1
CT3BD(+)	18	DKBL	TXL	351353R1	359875C1	162	E2	N/A	1618847C1	1618846C1
CT3BD(-)	18	GY	TXL	351311R1	359875C1	162	E1	N/A	1618847C1	1618846C1
DL3BD(+)	18	DKBL	TXL	351353R1	359875C1	162	E2	N/A	1618847C1	1618846C1
DL3BD(-)	18	GY	TXL	351311R1	359875C1	162	E1	N/A	1618847C1	1618846C1
DX19S	18	GY	TXL	351311R1	27315C1	162	D	N/A	27316C1	N/A
EY71BB	18	OR	TXL	351317R1	359875C1	162	F1	N/A	1618847C1	1618846C1
FD88	18	LTGN	TXL	351299R1	359875C1	162	F14	N/A	1618847C1	1618846C1
FE88A	18	LTGN	TXL	351299R1	359875C1	162	F15	N/A	1618847C1	1618846C1
FF16	18	GY	TXL	351311R1	359875C1	162	E8	N/A	1618847C1	1618846C1
FF19	18	GY	TXL	351311R1	27315C1	162	C	N/A	27316C1	N/A
FF61B	18	GY	TXL	351311R1	359875C1	162	F7	N/A	1618847C1	1618846C1
FH5BT(+)	18	YL	TXL	3572112R1	359875C1	162	F6	N/A	1618847C1	1618846C1
FH5BT(-)	18	GN	TXL	3572112R1	359875C1	162	F5	N/A	1618847C1	1618846C1
FU9BB	18	GY	TXL	351311R1	27315C1	162	J	N/A	27316C1	N/A
GM71BC	18	OR	TXL	351317R1	359875C1	162	F1	N/A	1618847C1	1618846C1
JL116LB	18	GY	GXL	2643673R1	359875C1	162	F11	N/A	1618847C1	1618846C1
JL116UB	18	GY	TXL	351311R1	359875C1	162	F16	N/A	1618847C1	1618846C1
JL116UV	18	GY	TXL	351311R1	27315C1	162	G	N/A	27316C1	N/A
JZ9BB	18	GY	TXL	351311R1	27315C1	162	J	N/A	27316C1	N/A
KC3BD(+)	18	DKBL	TXL	351353R1	359875C1	162	E2	N/A	1618847C1	1618846C1
KC3BD(-)	18	GY	TXL	351311R1	359875C1	162	E1	N/A	1618847C1	1618846C1
MB3BD(+)	18	DKBL	TXL	351353R1	359875C1	162	E2	N/A	1618847C1	1618846C1
MB3BD(-)	18	GY	TXL	351311R1	359875C1	162	E1	N/A	1618847C1	1618846C1
MJ3BD(+)	18	DKBL	TXL	351353R1	359875C1	162	E2	N/A	1618847C1	1618846C1
MJ3BD(-)	18	GY	TXL	351311R1	359875C1	162	E1	N/A	1618847C1	1618846C1
PH3BD(+)	18	DKBL	TXL	351353R1	359875C1	162	E2	N/A	1618847C1	1618846C1
PH3BD(-)	18	GY	TXL	351311R1	359875C1	162	E1	N/A	1618847C1	1618846C1
RE9A	2	GY	TXL	35131R1	27315C1	162	H	N/A	27316C1	N/A
RH3BD(+)	18	DKBL	TXL	351353R1	359875C1	162	E2	N/A	1618847C1	1618846C1
RH3BD(-)	18	GY	TXL	351311R1	359875C1	162	E1	N/A	1618847C1	1618846C1
SJ3CE(+)	18	DKBL	TXL	351353R1	359875C1	162	E2	N/A	1618847C1	1618846C1

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
SJ3CE(-)	18	GY	TXL	351311R1	359875C1	162	E1	N/A	1618847C1	1618846C1
XA3BE(+)	18	DKBL	TXL	351353R1	359875C1	162	E2	N/A	1618847C1	1618846C1
XA3BE(-)	18	GY	TXL	351311R1	359875C1	162	E1	N/A	1618847C1	1618846C1
2Z56A	16	OR	TXL	351318R1	3598711C1	163	D	N/A	3573833C1	N/A
2Z57AA	16	OR	TXL	351318R1	3598711C1	163	M	N/A	3573833C1	N/A
AA77	18	LTGN	TXL	351299R1	3598711C1	163	C	N/A	3573833C1	N/A
AA85	16	GY	TXL	351312R1	3598711C1	163	E	N/A	3573833C1	N/A
BB52AA	14	YL	TXL	351337R1	3598711C1	163	H	N/A	3573833C1	N/A
BB52B	14	YL	TXL	351337R1	3598711C1	163	L	N/A	3573833C1	N/A
BM56T	12	OR	TXL	35132R1	3598711C1	163	B	N/A	3573833C1	N/A
BM57T	12	OR	TXL	35132R1	3598711C1	163	A	N/A	3573833C1	N/A
BS65	18	OR	TXL	351317R1	3598711C1	163	G	N/A	3573833C1	N/A
BT65	18	OR	TXL	351317R1	3598711C1	163	G	N/A	3573833C1	N/A
BU65	16	OR	TXL	351318R1	3598711C1	163	G	N/A	3573833C1	N/A
BW65	16	OR	TXL	351318R1	3598711C1	163	G	N/A	3573833C1	N/A
BX65	16	OR	TXL	351318R1	3598711C1	163	G	N/A	3573833C1	N/A
BY65	16	OR	TXL	351318R1	3598711C1	163	G	N/A	3573833C1	N/A
CU64A	16	YL	TXL	351336R1	3598711C1	163	F	N/A	3573833C1	N/A
CU64B	16	YL	TXL	351336R1	3598711C1	163	K	N/A	3573833C1	N/A
DE52A	14	YL	TXL	351337R1	3598711C1	163	H	N/A	3573833C1	N/A
DE52B	14	YL	TXL	351337R1	3598711C1	163	L	N/A	3573833C1	N/A
EA56A	16	OR	TXL	351318R1	3598711C1	163	D	N/A	3573833C1	N/A
EA57AA	16	OR	TXL	351318R1	3598711C1	163	M	N/A	3573833C1	N/A
NC56A	14	OR	TXL	351319R1	3598711C1	163	D	N/A	3573833C1	N/A
NC57AA	14	OR	TXL	351319R1	3598711C1	163	M	N/A	3573833C1	N/A
NS56A	14	OR	TXL	351319R1	3598711C1	163	D	N/A	3573833C1	N/A
NS57AA	14	OR	TXL	351319R1	3598711C1	163	M	N/A	3573833C1	N/A
2A54	16	BN	TXL	35136R1	359871C1	164	G	N/A		N/A
2B57F	16	OR	TXL	351318R1	359871C1	164	K	N/A		N/A
2C57F	16	OR	TXL	351318R1	359871C1	164	K	N/A		N/A
2D57F	16	OR	TXL	351318R1	359871C1	164	K	N/A		N/A
2E57F	16	OR	TXL	351318R1	359871C1	164	K	N/A		N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
2F56C	16	OR	TXL	351318R1	359871C1	164	C	N/A		N/A
2F57F	16	OR	TXL	351318R1	359871C1	164	K	N/A		N/A
2G56C	16	OR	TXL	351318R1	359871C1	164	C	N/A		N/A
2G57F	16	OR	TXL	351318R1	359871C1	164	K	N/A		N/A
2Z56C	16	OR	TXL	351318R1	359871C1	164	C	N/A		N/A
3C54	16	BN	TXL	35136R1	359871C1	164	G	N/A		N/A
3.00E+54	16	BN	TXL	35136R1	359871C1	164	G	N/A		N/A
AA11-GKC	12	WH	TXL	351362R1	359871C1	164	E	N/A		N/A
AA63	18	DKBL	TXL	351353R1	359871C1	164	J	N/A		N/A
AA82	16	GY	TXL	351312R1	359871C1	164	A	N/A		N/A
AV54	16	BN	TXL	35136R1	359871C1	164	G	N/A		N/A
AW54	16	BN	TXL	35136R1	359871C1	164	G	N/A		N/A
BB53AA	14	YL	TXL	351337R1	359871C1	164	B	N/A		N/A
BB53B	14	YL	TXL	351337R1	359871C1	164	H	N/A		N/A
BM58T	12	BN	TXL	35138R1	359871C1	164	F	N/A		N/A
BM68T	12	BN	TXL	35138R1	359871C1	164	D	N/A		N/A
DE53A	14	YL	TXL	351337R1	359871C1	164	B	N/A		N/A
DE53B	14	YL	TXL	351337R1	359871C1	164	H	N/A		N/A
HY54	16	BN	TXL	35136R1	359871C1	164	G	N/A		N/A
NC56C	16	OR	TXL	351318R1	359871C1	164	C	N/A		N/A
NS56C	16	OR	TXL	351318R1	359871C1	164	C	N/A		N/A
NW57F	16	OR	TXL	351318R1	359871C1	164	K	N/A		N/A
NY57F	16	OR	TXL	351318R1	359871C1	164	K	N/A		N/A
3D5D(+)	18	YL	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
3D5D(-)	18	GN	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
3M5D(+)	18	YL	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
3M5D(-)	18	GN	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
9K5D(+)	18	YL	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
9K5D(-)	18	GN	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
9L5D(+)	18	YL	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
9L5D(-)	18	GN	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
9P5D(+)	18	YL	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
9P5D(-)	18	GN	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
9V5D(+)	18	YL	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
9V5D(-)	18	GN	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
AA14J	4	RD	SGX	264426R1	N/A	165	A	26444R1	N/A	N/A
AA98-G	18	WH	TXL	351359R1	3757649C1	165	Conne	ti N/A		N/A
AA98H	18	RD	TXL	351365R1	3757649C1	165	Conne	ti N/A		N/A
GZ5AD(+)	18	YL	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
GZ5AD(-)	18	GN	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
JB5D(+)	18	YL	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
JB5D(-)	18	GN	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
JK5AD(+)	18	YL	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
JK5AD(-)	18	GN	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
KU5AD(+)	18	YL	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
KU5AD(-)	18	GN	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
LN5AD(+)	18	YL	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
LN5AD(-)	18	GN	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
PY5D(+)	18	YL	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
PY5D(-)	18	GN	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
PZ5D(+)	18	YL	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
PZ5D(-)	18	GN	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
RD5D(+)	18	YL	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
RD5D(-)	18	GN	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
RG5D(+)	18	YL	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
RG5D(-)	18	GN	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
RJ5D(+)	18	YL	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
RJ5D(-)	18	GN	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
RM5D(+)	18	YL	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
RM5D(-)	18	GN	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
RS5D(+)	18	YL	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
RS5D(-)	18	GN	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
RU5D(+)	18	YL	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
RU5D(-)	18	GN	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A



Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
SA5D(+)	18	YL	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
SA5D(-)	18	GN	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
SN5D(+)	18	YL	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
SN5D(-)	18	GN	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
SP5D(+)	18	YL	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
SP5D(-)	18	GN	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
ZH5D(+)	18	YL	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
ZH5D(-)	18	GN	TXL	3572112R1	3757649C1	165	Conne	ti N/A		N/A
3B17A	16	PK	TXL	351324R1	37595C1	166	T	N/A	3573833C1	N/A
3C58	16	BN	TXL	35136R1	37595C1	166	J	N/A	3573833C1	N/A
3D5B(+)	18	YL	TXL	3572112R1	37595C1	166	H	N/A	3573833C1	N/A
3D5B(-)	18	GN	TXL	3572112R1	37595C1	166	G	N/A	3573833C1	N/A
3.00E+58	16	BN	TXL	35136R1	37595C1	166	J	N/A	3573833C1	N/A
3M5B(+)	18	YL	TXL	3572112R1	37595C1	166	H	N/A	3573833C1	N/A
3M5B(-)	18	GN	TXL	3572112R1	37595C1	166	G	N/A	3573833C1	N/A
9K5B(+)	18	YL	TXL	3572112R1	37595C1	166	H	N/A	3573833C1	N/A
9K5B(-)	18	GN	TXL	3572112R1	37595C1	166	G	N/A	3573833C1	N/A
9L5B(+)	18	YL	TXL	3572112R1	37595C1	166	H	N/A	3573833C1	N/A
9L5B(-)	18	GN	TXL	3572112R1	37595C1	166	G	N/A	3573833C1	N/A
9P5B(+)	18	YL	TXL	3572112R1	37595C1	166	H	N/A	3573833C1	N/A
9P5B(-)	18	GN	TXL	3572112R1	37595C1	166	G	N/A	3573833C1	N/A
9V5B(+)	18	YL	TXL	3572112R1	37595C1	166	H	N/A	3573833C1	N/A
9V5B(-)	18	GN	TXL	3572112R1	37595C1	166	G	N/A	3573833C1	N/A
AF17A	16	PK	TXL	351324R1	37595C1	166	T	N/A	3573833C1	N/A
AH12H	18	LTBL	TXL	351341R1	37595C1	166	A	N/A	3573833C1	N/A
AH13H	18	PK	TXL	351323R1	37595C1	166	B	N/A	3573833C1	N/A
AP75WC	18	LTGN	TXL	351299R1	37595C1	166	L	N/A	3573833C1	N/A
AZ17B	18	PK	TXL	351323R1	37595C1	166	M	N/A	3573833C1	N/A
DT14-GA	16	WH	TXL	35136R1	37595C1	166	M	N/A	3573833C1	N/A
GP17	16	PK	TXL	351324R1	37595C1	166	T	N/A	3573833C1	N/A
GY92#141	18	TN	TXL	351329R1	37595C1	166	M	N/A	3573833C1	N/A
GZ5AA(+)	18	YL	TXL	3572112R1	37595C1	166	E	N/A	3573833C1	N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
GZ5AA(-)	18	GN	TXL	3572112R1	37595C1	166	D	N/A	3573833C1	N/A
JB5B(+)	18	YL	TXL	3572112R1	37595C1	166	H	N/A	3573833C1	N/A
JB5B(-)	18	GN	TXL	3572112R1	37595C1	166	G	N/A	3573833C1	N/A
JK5AA(+)	18	YL	TXL	3572112R1	37595C1	166	E	N/A	3573833C1	N/A
JK5AA(-)	18	GN	TXL	3572112R1	37595C1	166	D	N/A	3573833C1	N/A
JM5BA(+)	18	YL	TXL	351335R1	37595C1	166	P	N/A	3573833C1	N/A
JM5BA(-)	18	LTGN	TXL	351299R1	37595C1	166	N	N/A	3573833C1	N/A
JN5BA(+)	18	YL	TXL	351335R1	37595C1	166	P	N/A	3573833C1	N/A
JN5BA(-)	18	LTGN	TXL	351299R1	37595C1	166	N	N/A	3573833C1	N/A
JP5BA(+)	18	YL	TXL	351335R1	37595C1	166	P	N/A	3573833C1	N/A
JP5BA(-)	18	LTGN	TXL	351299R1	37595C1	166	N	N/A	3573833C1	N/A
JR5BA(+)	18	YL	TXL	351335R1	37595C1	166	P	N/A	3573833C1	N/A
JR5BA(-)	18	LTGN	TXL	351299R1	37595C1	166	N	N/A	3573833C1	N/A
KU5AA(+)	18	YL	TXL	3572112R1	37595C1	166	E	N/A	3573833C1	N/A
KU5AA(-)	18	GN	TXL	3572112R1	37595C1	166	D	N/A	3573833C1	N/A
LN5AA(+)	18	YL	TXL	3572112R1	37595C1	166	E	N/A	3573833C1	N/A
LN5AA(-)	18	GN	TXL	3572112R1	37595C1	166	D	N/A	3573833C1	N/A
ND17HA	16	PK	TXL	351324R1	37595C1	166	S	N/A	3573833C1	N/A
NE17H	18	PK	TXL	351323R1	37595C1	166	S	N/A	3573833C1	N/A
PY5B(+)	18	YL	TXL	3572112R1	37595C1	166	H	N/A	3573833C1	N/A
PY5B(-)	18	GN	TXL	3572112R1	37595C1	166	G	N/A	3573833C1	N/A
PZ5B(+)	18	YL	TXL	3572112R1	37595C1	166	H	N/A	3573833C1	N/A
PZ5B(-)	18	GN	TXL	3572112R1	37595C1	166	G	N/A	3573833C1	N/A
RD5B(+)	18	YL	TXL	3572112R1	37595C1	166	H	N/A	3573833C1	N/A
RD5B(-)	18	GN	TXL	3572112R1	37595C1	166	G	N/A	3573833C1	N/A
RG5B(+)	18	YL	TXL	3572112R1	37595C1	166	H	N/A	3573833C1	N/A
RG5B(-)	18	GN	TXL	3572112R1	37595C1	166	G	N/A	3573833C1	N/A
RJ5B(+)	18	YL	TXL	3572112R1	37595C1	166	H	N/A	3573833C1	N/A
RJ5B(-)	18	GN	TXL	3572112R1	37595C1	166	G	N/A	3573833C1	N/A
RM5B(+)	18	YL	TXL	3572112R1	37595C1	166	H	N/A	3573833C1	N/A
RM5B(-)	18	GN	TXL	3572112R1	37595C1	166	G	N/A	3573833C1	N/A
RS5B(+)	18	YL	TXL	3572112R1	37595C1	166	H	N/A	3573833C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
RS5B(-)	18	GN	TXL	3572112R1	37595C1	166	G	N/A	3573833C1	N/A
RU5B(+)	18	YL	TXL	3572112R1	37595C1	166	H	N/A	3573833C1	N/A
RU5B(-)	18	GN	TXL	3572112R1	37595C1	166	G	N/A	3573833C1	N/A
SA5B(+)	18	YL	TXL	3572112R1	37595C1	166	H	N/A	3573833C1	N/A
SA5B(-)	18	GN	TXL	3572112R1	37595C1	166	G	N/A	3573833C1	N/A
SN5B(+)	18	YL	TXL	3572112R1	37595C1	166	H	N/A	3573833C1	N/A
SN5B(-)	18	GN	TXL	3572112R1	37595C1	166	G	N/A	3573833C1	N/A
SP5B(+)	18	YL	TXL	3572112R1	37595C1	166	H	N/A	3573833C1	N/A
SP5B(-)	18	GN	TXL	3572112R1	37595C1	166	G	N/A	3573833C1	N/A
ZH5B(+)	18	YL	TXL	3572112R1	37595C1	166	H	N/A	3573833C1	N/A
ZH5B(-)	18	GN	TXL	3572112R1	37595C1	166	G	N/A	3573833C1	N/A
3G77A	2	LTGN	TXL	351298R1	37161C1	167	B1	N/A	3539892C1	3539893C1
3G77B	2	LTGN	TXL	351298R1	37161C1	167	B9	N/A	3539892C1	3539893C1
3H77BA	18	LTGN	TXL	351299R1	37161C1	167	A12	N/A	3539892C1	3539893C1
AA6A	18	OR	TXL	351317R1	37161C1	167	A6	N/A	3539892C1	3539893C1
AA6AM	2	GY	TXL	35131R1	37161C1	167	B1	N/A	3539892C1	3539893C1
AA77D	2	LTGN	TXL	351298R1	37161C1	167	A1	N/A	3539892C1	3539893C1
AK28A	2	TN	TXL	351328R1	37161C1	167	A9	N/A	3539892C1	3539893C1
CY49	18	GY	TXL	351311R1	37161C1	167	A3	N/A	3539892C1	3539893C1
CZ49	18	GY	TXL	351311R1	37161C1	167	A3	N/A	3539892C1	3539893C1
CZ49A	18	GY	TXL	351311R1	37161C1	167	A4	N/A	3539892C1	3539893C1
DT17B	18	PK	TXL	351323R1	37161C1	167	B2	N/A	3539892C1	3539893C1
DX63E	18	DKBL	TXL	351353R1	37161C1	167	B6	N/A	3539892C1	3539893C1
EL63F	18	DKBL	TXL	351353R1	37161C1	167	B4	N/A	3539892C1	3539893C1
HA14SP	18	DKBL	TXL	351353R1	37161C1	167	A1	N/A	3539892C1	3539893C1
HA14SS	18	DKBL	TXL	351353R1	37161C1	167	A2	N/A	3539892C1	3539893C1
HV14C	16	DKBL	TXL	351354R1	37161C1	167	B5	N/A	3539892C1	3539893C1
2A68A	18	BN	TXL	35135R1	3595623C1	171	4	N/A		N/A
2Z56A	16	OR	TXL	351318R1	3595623C1	171	2	N/A		N/A
2Z57AA	16	OR	TXL	351318R1	3595623C1	171	3	N/A		N/A
3A94BA	18	GY	TXL	351311R1	3595623C1	171	23	N/A		N/A
3A94BB	18	GY	TXL	351311R1	3595623C1	171	24	N/A		N/A

Circuit		Terminal Splice			Connector Body	Connector			Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve		
3A94BC	18	GY	TXL	351311R1	3595623C1	171	25	N/A		N/A
3A94BD	18	GY	TXL	351311R1	3595623C1	171	17	N/A		N/A
3A94BE	18	GY	TXL	351311R1	3595623C1	171	16	N/A		N/A
3A94BF	18	GY	TXL	351311R1	3595623C1	171	19	N/A		N/A
3A94BH	18	GY	TXL	351311R1	3595623C1	171	18	N/A		N/A
3A94BJ	14	GY	TXL	351313R1	3595623C1	171	21	N/A		N/A
3A94BK	18	GY	TXL	351311R1	3595623C1	171	22	N/A		N/A
3A94BL	14	GY	TXL	351313R1	3595623C1	171	2	N/A		N/A
3A94BP	18	GY	TXL	351311R1	3595623C1	171	54	N/A		N/A
3A94BQ	18	GY	TXL	351311R1	3595623C1	171	55	N/A		N/A
3A94BR	18	GY	TXL	351311R1	3595623C1	171	56	N/A		N/A
3A94BS	18	GY	TXL	351311R1	3595623C1	171	57	N/A		N/A
3A94BT	18	GY	TXL	351311R1	3595623C1	171	58	N/A		N/A
3A94BU	18	GY	TXL	351311R1	3595623C1	171	59	N/A		N/A
3A94BV	18	GY	TXL	351311R1	3595623C1	171	6	N/A		N/A
3A94BW	18	GY	TXL	351311R1	3595623C1	171	64	N/A		N/A
3A94BY	18	GY	TXL	351311R1	3595623C1	171	52	N/A		N/A
3A94BZ	18	GY	TXL	351311R1	3595623C1	171	53	N/A		N/A
3C68A	18	BN	TXL	35135R1	3595623C1	171	4	N/A		N/A
3E68A	18	BN	TXL	35135R1	3595623C1	171	4	N/A		N/A
3F13AA	16	PK	TXL	351324R1	3595623C1	171	62	N/A		N/A
3F94AA	16	GY	TXL	351312R1	3595623C1	171	61	N/A		N/A
3T71BA	16	OR	TXL	351318R1	3595623C1	171	1	N/A		N/A
9S11-GC	18	WH	GXL	2643674R1	3595623C1	171	66	N/A		N/A
9S74RC	12	RD	GXL	2643695R1	3595623C1	171	65	N/A		N/A
9S74Y	16	YL	GXL	2643684R1	3595623C1	171	26	N/A		N/A
AA36B	18	TN	TXL	351329R1	3595623C1	171	27	N/A		N/A
AA59A	18	GY	TXL	351311R1	3595623C1	171	32	N/A		N/A
AA59B	18	GY	TXL	351311R1	3595623C1	171	33	N/A		N/A
AA59C	18	GY	TXL	351311R1	3595623C1	171	34	N/A		N/A
AA59F	18	GY	TXL	351311R1	3595623C1	171	37	N/A		N/A
AA59H	18	GY	TXL	351311R1	3595623C1	171	38	N/A		N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice	Connector Body	Connector			Lock 1	Lock 2
				Number	Part Numbers	Number	Cavity	Seal / Sleeve		
AA59J	18	GY	TXL	351311R1	3595623C1	171	39	N/A		N/A
AA9BC	18	GY	TXL	351311R1	3595623C1	171	28	N/A		N/A
AV68A	18	BN	TXL	35135R1	3595623C1	171	4	N/A		N/A
AW68A	18	BN	TXL	35135R1	3595623C1	171	4	N/A		N/A
BJ71BA	16	OR	TXL	351318R1	3595623C1	171	1	N/A		N/A
BK71B	16	OR	TXL	351318R1	3595623C1	171	1	N/A		N/A
BM56T	12	OR	TXL	35132R1	3595623C1	171	5	N/A		N/A
BM57T	12	OR	TXL	35132R1	3595623C1	171	6	N/A		N/A
BM58T	12	BN	TXL	35138R1	3595623C1	171	7	N/A		N/A
BM68T	12	BN	TXL	35138R1	3595623C1	171	8	N/A		N/A
BM7T	12	OR	TXL	35132R1	3595623C1	171	9	N/A		N/A
BN94T	12	GY	TXL	351314R1	3595623C1	171	1	N/A		N/A
BP71B	16	OR	TXL	351318R1	3595623C1	171	1	N/A		N/A
BS65	18	OR	TXL	351317R1	3595623C1	171	68	N/A		N/A
BU65AB	16	OR	TXL	351318R1	3595623C1	171	51	N/A		N/A
BW65AA	18	OR	TXL	351317R1	3595623C1	171	68	N/A		N/A
BW65AB	16	OR	TXL	351318R1	3595623C1	171	51	N/A		N/A
BX65AA	18	OR	TXL	351317R1	3595623C1	171	68	N/A		N/A
BZ39	16	GY	TXL	351312R1	3595623C1	171	31	N/A		N/A
CC72A	12	OR	TXL	35132R1	3595623C1	171	11	N/A		N/A
CY49	18	GY	TXL	351311R1	3595623C1	171	45	N/A		N/A
CZ49	18	GY	TXL	351311R1	3595623C1	171	45	N/A		N/A
CZ49A	18	GY	TXL	351311R1	3595623C1	171	5	N/A		N/A
DN32A	18	TN	TXL	351329R1	3595623C1	171	43	N/A		N/A
DP32	18	OR	TXL	351317R1	3595623C1	171	44	N/A		N/A
DP32A	18	OR	TXL	351317R1	3595623C1	171	43	N/A		N/A
EA56A	16	OR	TXL	351318R1	3595623C1	171	2	N/A		N/A
EA57AA	16	OR	TXL	351318R1	3595623C1	171	3	N/A		N/A
ER94T	12	GY	TXL	351314R1	3595623C1	171	1	N/A		N/A
EY71BA	16	OR	TXL	351318R1	3595623C1	171	1	N/A		N/A
FB94U	12	GY	TXL	351314R1	3595623C1	171	1	N/A		N/A
FF16	18	GY	TXL	351311R1	3595623C1	171	41	N/A		N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
FF19	18	GY	TXL	351311R1	3595623C1	171	42	N/A		N/A
FF61B	18	GY	TXL	351311R1	3595623C1	171	4	N/A		N/A
FR94T	12	GY	TXL	351314R1	3595623C1	171	1	N/A		N/A
GM71BA	16	OR	TXL	351318R1	3595623C1	171	1	N/A		N/A
GS94BA	18	GY	TXL	351311R1	3595623C1	171	23	N/A		N/A
GS94BB	18	GY	TXL	351311R1	3595623C1	171	24	N/A		N/A
GS94BC	18	GY	TXL	351311R1	3595623C1	171	25	N/A		N/A
GS94BD	18	GY	TXL	351311R1	3595623C1	171	17	N/A		N/A
GS94BE	18	GY	TXL	351311R1	3595623C1	171	16	N/A		N/A
GS94BF	18	GY	TXL	351311R1	3595623C1	171	19	N/A		N/A
GS94BH	18	GY	TXL	351311R1	3595623C1	171	18	N/A		N/A
GS94BJ	14	GY	TXL	351313R1	3595623C1	171	21	N/A		N/A
GS94BK	18	GY	TXL	351311R1	3595623C1	171	22	N/A		N/A
GS94BL	14	GY	TXL	351313R1	3595623C1	171	2	N/A		N/A
GT94BM	18	GY	TXL	351311R1	3595623C1	171	14	N/A		N/A
GT94BN	18	GY	TXL	351311R1	3595623C1	171	15	N/A		N/A
HF94T	12	GY	TXL	351314R1	3595623C1	171	1	N/A		N/A
HG94T	12	GY	TXL	351314R1	3595623C1	171	1	N/A		N/A
HY68A	18	BN	TXL	35135R1	3595623C1	171	4	N/A		N/A
JL116L	18	GY	TXL	351311R1	3595623C1	171	26	N/A		N/A
JL116M	18	GY	TXL	351311R1	3595623C1	171	29	N/A		N/A
JL116U	18	GY	TXL	351311R1	3595623C1	171	3	N/A		N/A
KN116L	18	GY	TXL	351311R1	3595623C1	171	61	N/A		N/A
KN116M	18	GY	TXL	351311R1	3595623C1	171	62	N/A		N/A
NC56A	14	OR	TXL	351319R1	3595623C1	171	2	N/A		N/A
NC57AA	14	OR	TXL	351319R1	3595623C1	171	3	N/A		N/A
NS56A	14	OR	TXL	351319R1	3595623C1	171	2	N/A		N/A
NS57AA	14	OR	TXL	351319R1	3595623C1	171	3	N/A		N/A
PJ94BMM	16	GY	TXL	351312R1	3595623C1	171	52	N/A		N/A
PJ94BNN	16	GY	TXL	351312R1	3595623C1	171	53	N/A		N/A
PJ94BP	16	GY	TXL	351312R1	3595623C1	171	54	N/A		N/A
PJ94BQ	16	GY	TXL	351312R1	3595623C1	171	55	N/A		N/A

Circuit		Terminal Splice			Connector Body	Connector			Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve		
PJ94BR	16	GY	TXL	351312R1	3595623C1	171	56	N/A		N/A
PJ94BS	16	GY	GXL	264368R1	3595623C1	171	57	N/A		N/A
PJ94BT	16	GY	GXL	264368R1	3595623C1	171	58	N/A		N/A
PJ94BU	16	GY	GXL	264368R1	3595623C1	171	59	N/A		N/A
PJ94BV	16	GY	TXL	351312R1	3595623C1	171	6	N/A		N/A
PJ94BW	16	GY	TXL	351312R1	3595623C1	171	64	N/A		N/A
RK59EB	18	GY	TXL	351311R1	3595623C1	171	36	N/A		N/A
RL59D	18	GY	TXL	351311R1	3595623C1	171	35	N/A		N/A
RL59E	18	GY	TXL	351311R1	3595623C1	171	36	N/A		N/A
RT39	16	GY	TXL	351312R1	3595623C1	171	31	N/A		N/A
RT39A	16	GY	TXL	351312R1	3595623C1	171	3	N/A		N/A
SF59DB	18	GY	TXL	351311R1	3595623C1	171	35	N/A		N/A
XD94SL	18	GY	TXL	351311R1	3595623C1	171	63	N/A		N/A
XD94SM	18	GY	TXL	351311R1	3595623C1	171	75	N/A		N/A
XD94SNA	18	GY	TXL	351311R1	3595623C1	171	46	N/A		N/A
XD94SPA	18	GY	TXL	351311R1	3595623C1	171	47	N/A		N/A
XD94SRA	18	GY	TXL	351311R1	3595623C1	171	48	N/A		N/A
XD94SSA	18	GY	TXL	351311R1	3595623C1	171	49	N/A		N/A
XG94SJ	18	GY	TXL	351311R1	3595623C1	171	13	N/A		N/A
XG94SK	18	GY	TXL	351311R1	3595623C1	171	67	N/A		N/A
XX94BM	18	GY	TXL	351311R1	3595623C1	171	14	N/A		N/A
XX94BN	18	GY	TXL	351311R1	3595623C1	171	15	N/A		N/A
XY94BA	18	GY	TXL	351311R1	3595623C1	171	23	N/A		N/A
XY94BB	18	GY	TXL	351311R1	3595623C1	171	24	N/A		N/A
XY94BC	18	GY	TXL	351311R1	3595623C1	171	25	N/A		N/A
XY94BD	16	GY	TXL	351312R1	3595623C1	171	17	N/A		N/A
XY94BE	16	GY	TXL	351312R1	3595623C1	171	16	N/A		N/A
XY94BF	16	GY	TXL	351312R1	3595623C1	171	19	N/A		N/A
XY94BH	16	GY	TXL	351312R1	3595623C1	171	18	N/A		N/A
XY94BJ	18	GY	TXL	351311R1	3595623C1	171	21	N/A		N/A
XY94BK	18	GY	TXL	351311R1	3595623C1	171	22	N/A		N/A
XY94BL	18	GY	TXL	351311R1	3595623C1	171	2	N/A		N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
XZ94SAB	18	GY	TXL	351311R1	3595623C1	171	46	N/A		N/A
XZ94SBB	18	GY	TXL	351311R1	3595623C1	171	47	N/A		N/A
XZ94SCB	18	GY	TXL	351311R1	3595623C1	171	48	N/A		N/A
XZ94SDB	18	GY	TXL	351311R1	3595623C1	171	49	N/A		N/A
XZ94SH	16	GY	TXL	351312R1	3595623C1	171	76	N/A		N/A
XZ94SJ	18	GY	TXL	351311R1	3595623C1	171	13	N/A		N/A
XZ94SL	18	GY	TXL	351311R1	3595623C1	171	74	N/A		N/A
XZ94SM	18	GY	TXL	351311R1	3595623C1	171	72	N/A		N/A
XZ94SN	18	GY	TXL	351311R1	3595623C1	171	73	N/A		N/A
XZ94SVC	16	GY	TXL	351312R1	3595623C1	171	75	N/A		N/A
XZ94SZC	16	GY	TXL	351312R1	3595623C1	171	63	N/A		N/A
YD67TA	18	PK	TXL	351323R1	3595623C1	171	12	N/A		N/A
YD67U	18	GY	GXL	2643673R1	3595623C1	171	69	N/A		N/A
YD67V	18	GY	GXL	2643673R1	3595623C1	171	71	N/A		N/A
YD67W	18	GY	GXL	2643673R1	3595623C1	171	7	N/A		N/A
ZA94HA	18	GY	TXL	351311R1	3595623C1	171	65	N/A		N/A
ZA94SKA	18	GY	TXL	351311R1	3595623C1	171	67	N/A		N/A
ZA94SKB	18	GY	TXL	351311R1	3595623C1	171	66	N/A		N/A
ZB94HA	18	GY	TXL	351311R1	3595623C1	171	65	N/A		N/A
ZB94SK	18	GY	TXL	351311R1	3595623C1	171	66	N/A		N/A
ZC94SK	18	GY	TXL	351311R1	3595623C1	171	67	N/A		N/A
2T92ZBJ	18	TN	TXL	351329R1	3595621C1	172	21	N/A	3598918C1	3598919C1
3B17	16	PK	TXL	351324R1	3595621C1	172	16	N/A	3598918C1	3598919C1
3D5PJ(+)	18	YL	TXL	3572112R1	3595621C1	172	11	N/A	3598918C1	3598919C1
3D5PJ(-)	18	GN	TXL	3572112R1	3595621C1	172	17	N/A	3598918C1	3598919C1
3H6DBJ	18	GY	TXL	351311R1	3595621C1	172	3	N/A	3598918C1	3598919C1
3H77BAJ	18	LTGN	TXL	351299R1	3595621C1	172	42	N/A	3598918C1	3598919C1
3H77BJ	18	LTGN	TXL	351299R1	3595621C1	172	4	N/A	3598918C1	3598919C1
3M5PJ(+)	18	YL	TXL	3572112R1	3595621C1	172	11	N/A	3598918C1	3598919C1
3M5PJ(-)	18	GN	TXL	3572112R1	3595621C1	172	17	N/A	3598918C1	3598919C1
3T92J#165	18	OR	TXL	351317R1	3595621C1	172	7	N/A	3598918C1	3598919C1
9K5PJ(+)	18	YL	TXL	3572112R1	3595621C1	172	11	N/A	3598918C1	3598919C1



Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
9K5PJ(-)	18	GN	TXL	3572112R1	3595621C1	172	17	N/A	3598918C1	3598919C1
9L5PJ(+)	18	YL	TXL	3572112R1	3595621C1	172	11	N/A	3598918C1	3598919C1
9L5PJ(-)	18	GN	TXL	3572112R1	3595621C1	172	17	N/A	3598918C1	3598919C1
9P5PJ(+)	18	YL	TXL	3572112R1	3595621C1	172	11	N/A	3598918C1	3598919C1
9P5PJ(-)	18	GN	TXL	3572112R1	3595621C1	172	17	N/A	3598918C1	3598919C1
9V5PJ(+)	18	YL	TXL	3572112R1	3595621C1	172	11	N/A	3598918C1	3598919C1
9V5PJ(-)	18	GN	TXL	3572112R1	3595621C1	172	17	N/A	3598918C1	3598919C1
AA77J	16	LTGN	GXL	2643678R1	3595621C1	172	1	N/A	3598918C1	3598919C1
AA97BJ	18	VT	TXL	351347R1	3595621C1	172	23	N/A	3598918C1	3598919C1
AA97CJ	18	VT	TXL	351347R1	3595621C1	172	22	N/A	3598918C1	3598919C1
AA97MJ	18	VT	TXL	351347R1	3595621C1	172	24	N/A	3598918C1	3598919C1
AA97NJ	18	VT	TXL	351347R1	3595621C1	172	29	N/A	3598918C1	3598919C1
AA99BJ	18	VT	TXL	351347R1	3595621C1	172	28	N/A	3598918C1	3598919C1
AA99DJ	18	VT	TXL	351347R1	3595621C1	172	3	N/A	3598918C1	3598919C1
AA9AAJ1	18	GY	TXL	351311R1	3595621C1	172	2	N/A	3598918C1	3598919C1
AF17	16	PK	GXL	2643752R1	3595621C1	172	16	N/A	3598918C1	3598919C1
AF17C	16	PK	GXL	2643752R1	3595621C1	172	21	N/A	3598918C1	3598919C1
AU28J	18	TN	TXL	351329R1	3595621C1	172	5	N/A	3598918C1	3598919C1
AZ13AJ	16	PK	GXL	2643752R1	3595621C1	172	8	N/A	3598918C1	3598919C1
AZ92-GCJ	18	WH	TXL	351359R1	3595621C1	172	19	N/A	3598918C1	3598919C1
AZ92BJ	18	TN	TXL	351329R1	3595621C1	172	2	N/A	3598918C1	3598919C1
BJ92R1J	2	TN	TXL	351328R1	3595621C1	172	7	N/A	3598918C1	3598919C1
BJ92R2J	2	TN	TXL	351328R1	3595621C1	172	6	N/A	3598918C1	3598919C1
BK92R1J	2	TN	TXL	351328R1	3595621C1	172	7	N/A	3598918C1	3598919C1
BK92R2J	2	TN	TXL	351328R1	3595621C1	172	6	N/A	3598918C1	3598919C1
BP71AJ	16	OR	TXL	351318R1	3595621C1	172	6	N/A	3598918C1	3598919C1
BP71BJ	16	OR	TXL	351318R1	3595621C1	172	7	N/A	3598918C1	3598919C1
DS31J	18	TN	TXL	351329R1	3595621C1	172	13	N/A	3598918C1	3598919C1
DT14-GAJ	16	WH	TXL	35136R1	3595621C1	172	33	N/A	3598918C1	3598919C1
DT14ALJ	16	DKBL	TXL	351354R1	3595621C1	172	32	N/A	3598918C1	3598919C1
EH97FJ	16	VT	TXL	351348R1	3595621C1	172	37	N/A	3598918C1	3598919C1
EY71AJ	18	OR	TXL	351317R1	3595621C1	172	6	N/A	3598918C1	3598919C1

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
EY71BJ	16	OR	TXL	351318R1	3595621C1	172	7	N/A	3598918C1	3598919C1
FD88J	18	LTGN	TXL	351299R1	3595621C1	172	14	N/A	3598918C1	3598919C1
FE88AJ	18	LTGN	TXL	351299R1	3595621C1	172	41	N/A	3598918C1	3598919C1
GM92J#165	18	OR	TXL	351317R1	3595621C1	172	7	N/A	3598918C1	3598919C1
GP17J	16	PK	TXL	351324R1	3595621C1	172	16	N/A	3598918C1	3598919C1
GY92J#134	18	TN	TXL	351329R1	3595621C1	172	19	N/A	3598918C1	3598919C1
GY92J#141	18	TN	TXL	351329R1	3595621C1	172	2	N/A	3598918C1	3598919C1
GY92J#163	16	PK	TXL	351324R1	3595621C1	172	8	N/A	3598918C1	3598919C1
HA3BJ	16	TN	TXL	35133R1	3595621C1	172	34	N/A	3598918C1	3598919C1
HZ41DJ	18	TN	TXL	351329R1	3595621C1	172	18	N/A	3598918C1	3598919C1
HZ41EJ	18	TN	TXL	351329R1	3595621C1	172	15	N/A	3598918C1	3598919C1
JC5PJ(+)	18	YL	TXL	3572112R1	3595621C1	172	11	N/A	3598918C1	3598919C1
JC5PJ(-)	18	GN	TXL	3572112R1	3595621C1	172	17	N/A	3598918C1	3598919C1
JD5PJ(+)	18	YL	TXL	3572112R1	3595621C1	172	11	N/A	3598918C1	3598919C1
JD5PJ(-)	18	GN	TXL	3572112R1	3595621C1	172	17	N/A	3598918C1	3598919C1
JF5PJ(+)	18	YL	TXL	3572112R1	3595621C1	172	11	N/A	3598918C1	3598919C1
JF5PJ(-)	18	GN	TXL	3572112R1	3595621C1	172	17	N/A	3598918C1	3598919C1
JG5PJ(+)	18	YL	TXL	3572112R1	3595621C1	172	11	N/A	3598918C1	3598919C1
JG5PJ(-)	18	GN	TXL	3572112R1	3595621C1	172	17	N/A	3598918C1	3598919C1
MN92J	18	TN	TXL	351329R1	3595621C1	172	12	N/A	3598918C1	3598919C1
MN9ZAJ	18	GY	TXL	351311R1	3595621C1	172	4	N/A	3598918C1	3598919C1
PY5PJ(+)	18	YL	TXL	3572112R1	3595621C1	172	11	N/A	3598918C1	3598919C1
PY5PJ(-)	18	GN	TXL	3572112R1	3595621C1	172	17	N/A	3598918C1	3598919C1
PZ5PJ(+)	18	YL	TXL	3572112R1	3595621C1	172	11	N/A	3598918C1	3598919C1
PZ5PJ(-)	18	GN	TXL	3572112R1	3595621C1	172	17	N/A	3598918C1	3598919C1
RD5PJ(+)	18	YL	TXL	3572112R1	3595621C1	172	11	N/A	3598918C1	3598919C1
RD5PJ(-)	18	GN	TXL	3572112R1	3595621C1	172	17	N/A	3598918C1	3598919C1
RG5PJ(+)	18	YL	TXL	3572112R1	3595621C1	172	11	N/A	3598918C1	3598919C1
RG5PJ(-)	18	GN	TXL	3572112R1	3595621C1	172	17	N/A	3598918C1	3598919C1
RJ5PJ(+)	18	YL	TXL	3572112R1	3595621C1	172	11	N/A	3598918C1	3598919C1
RJ5PJ(-)	18	GN	TXL	3572112R1	3595621C1	172	17	N/A	3598918C1	3598919C1
RM5PJ(+)	18	YL	TXL	3572112R1	3595621C1	172	11	N/A	3598918C1	3598919C1

Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
RM5PJ(-)	18	GN	TXL	3572112R1	3595621C1	172	17	N/A	3598918C1	3598919C1	
RS5PJ(+)	18	YL	TXL	3572112R1	3595621C1	172	11	N/A	3598918C1	3598919C1	
RS5PJ(-)	18	GN	TXL	3572112R1	3595621C1	172	17	N/A	3598918C1	3598919C1	
RU5PJ(+)	18	YL	TXL	3572112R1	3595621C1	172	11	N/A	3598918C1	3598919C1	
RU5PJ(-)	18	GN	TXL	3572112R1	3595621C1	172	17	N/A	3598918C1	3598919C1	
SB5PJ(+)	18	YL	TXL	3572112R1	3595621C1	172	11	N/A	3598918C1	3598919C1	
SB5PJ(-)	18	GN	TXL	3572112R1	3595621C1	172	17	N/A	3598918C1	3598919C1	
SC5PJ(+)	18	YL	TXL	3572112R1	3595621C1	172	11	N/A	3598918C1	3598919C1	
SC5PJ(-)	18	GN	TXL	3572112R1	3595621C1	172	17	N/A	3598918C1	3598919C1	
SD5PJ(+)	18	YL	TXL	3572112R1	3595621C1	172	11	N/A	3598918C1	3598919C1	
SD5PJ(-)	18	GN	TXL	3572112R1	3595621C1	172	17	N/A	3598918C1	3598919C1	
SE5PJ(+)	18	YL	TXL	3572112R1	3595621C1	172	11	N/A	3598918C1	3598919C1	
SE5PJ(-)	18	GN	TXL	3572112R1	3595621C1	172	17	N/A	3598918C1	3598919C1	
SN5PJ(+)	18	YL	TXL	3572112R1	3595621C1	172	11	N/A	3598918C1	3598919C1	
SN5PJ(-)	18	GN	TXL	3572112R1	3595621C1	172	17	N/A	3598918C1	3598919C1	
SP5PJ(+)	18	YL	TXL	3572112R1	3595621C1	172	11	N/A	3598918C1	3598919C1	
SP5PJ(-)	18	GN	TXL	3572112R1	3595621C1	172	17	N/A	3598918C1	3598919C1	
JE28	18	TN	GXL	2643676R1	359562C1	172	5	N/A	3598916C1	3598917C1	
KA13	18	PK	TXL	351323R1	359562C1	172	37	N/A	3598916C1	3598917C1	
KA77	16	LTGN	GXL	2643678R1	359562C1	172	1	N/A	3598916C1	3598917C1	
KA97B	18	VT	TXL	351347R1	359562C1	172	23	N/A	3598916C1	3598917C1	
KA97C	18	VT	TXL	351347R1	359562C1	172	22	N/A	3598916C1	3598917C1	
KA97M	18	VT	TXL	351347R1	359562C1	172	24	N/A	3598916C1	3598917C1	
KA97N	18	VT	TXL	351347R1	359562C1	172	29	N/A	3598916C1	3598917C1	
KA97P	18	TN	TXL	351329R1	359562C1	172	3	N/A	3598916C1	3598917C1	
KA99B	18	VT	TXL	351347R1	359562C1	172	28	N/A	3598916C1	3598917C1	
KD41D	18	WH	TXL	351359R1	359562C1	172	15	N/A	3598916C1	3598917C1	
KD92A2	18	WH	TXL	351359R1	359562C1	172	1	N/A	3598916C1	3598917C1	
KE28	18	TN	GXL	2643676R1	359562C1	172	5	N/A	3598916C1	3598917C1	
KF5R(+)	18	YL	TXL	3572112R1	359562C1	172	11	N/A	3598916C1	3598917C1	
KF5R(-)	18	GN	TXL	3572112R1	359562C1	172	17	N/A	3598916C1	3598917C1	
KG13A	18	PK	TXL	351323R1	359562C1	172	8	N/A	3598916C1	3598917C1	

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
KG17-GA	18	WH	TXL	351359R1	359562C1	172	19	N/A	3598916C1	3598917C1
KG17A	18	PK	TXL	351323R1	359562C1	172	2	N/A	3598916C1	3598917C1
KG5AD(+)	18	YL	TXL	3572112R1	359562C1	172	11	N/A	3598916C1	3598917C1
KG5AD(-)	18	GN	TXL	3572112R1	359562C1	172	17	N/A	3598916C1	3598917C1
KG71K	18	LTBL	TXL	351341R1	359562C1	172	7	N/A	3598916C1	3598917C1
KG92A	18	TN	TXL	351329R1	359562C1	172	21	N/A	3598916C1	3598917C1
KH13A	14	PK	GXL	2643691R1	359562C1	172	8	N/A	3598916C1	3598917C1
KH17-GC	18	PK	GXL	2643794R1	359562C1	172	19	N/A	3598916C1	3598917C1
KH17B	18	PK	GXL	2643794R1	359562C1	172	2	N/A	3598916C1	3598917C1
KH17C	16	PK	TXL	351324R1	359562C1	172	21	N/A	3598916C1	3598917C1
KH3BA(+)	18	DKBL	GXL	264372R1	359562C1	172	35	N/A	3598916C1	3598917C1
KH3BA(-)	18	GY	GXL	2643673R1	359562C1	172	36	N/A	3598916C1	3598917C1
KH5R(+)	18	YL	TXL	3572112R1	359562C1	172	11	N/A	3598916C1	3598917C1
KH5R(-)	18	GN	TXL	3572112R1	359562C1	172	17	N/A	3598916C1	3598917C1
KK31	18	TN	GXL	2643676R1	359562C1	172	13	N/A	3598916C1	3598917C1
KL47T	18	GY	TXL	351311R1	359562C1	172	38	N/A	3598916C1	3598917C1
KM88	16	LTGN	GXL	2643678R1	359562C1	172	14	N/A	3598916C1	3598917C1
KN88A	16	LTGN	GXL	2643678R1	359562C1	172	41	N/A	3598916C1	3598917C1
KP71L	18	OR	TXL	351317R1	359562C1	172	6	N/A	3598916C1	3598917C1
KR17	16	PK	GXL	2643752R1	359562C1	172	16	N/A	3598916C1	3598917C1
KT71C	18	LTBL	TXL	351341R1	359562C1	172	6	N/A	3598916C1	3598917C1
KW71A	16	OR	GXL	2643682R1	359562C1	172	6	N/A	3598916C1	3598917C1
KW71B	16	OR	GXL	2643682R1	359562C1	172	7	N/A	3598916C1	3598917C1
KY97J	18	VT	GXL	2643718R1	359562C1	172	33	N/A	3598916C1	3598917C1
KY97S	18	VT	GXL	2643718R1	359562C1	172	32	N/A	3598916C1	3598917C1
LB17	16	PK	GXL	2643752R1	359562C1	172	16	N/A	3598916C1	3598917C1
PC31	18	TN	GXL	2643676R1	359562C1	172	13	N/A	3598916C1	3598917C1
PF71A	18	TN	GXL	2643676R1	359562C1	172	6	N/A	3598916C1	3598917C1
PF71B	16	OR	GXL	2643682R1	359562C1	172	7	N/A	3598916C1	3598917C1
PY97J	18	VT	GXL	2643718R1	359562C1	172	33	N/A	3598916C1	3598917C1
PY97S	18	VT	GXL	2643718R1	359562C1	172	32	N/A	3598916C1	3598917C1
SJ92A11	16	TN	GXL	2643683R1	359562C1	172	27	N/A	3598916C1	3598917C1

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
SJ92A18A	16	TN	GXL	2643683R1	359562C1	172	41	N/A	3598916C1	3598917C1
SJ92A3	18	TN	TXL	351329R1	359562C1	172	26	N/A	3598916C1	3598917C1
SJ92DN	18	TN	GXL	2643676R1	359562C1	172	25	N/A	3598916C1	3598917C1
TG92A	18	TN	GXL	2643676R1	359562C1	172	12	N/A	3598916C1	3598917C1
TG92B	18	TN	GXL	2643676R1	359562C1	172	4	N/A	3598916C1	3598917C1
VL41E	18	TN	TXL	351329R1	359562C1	172	18	N/A	3598916C1	3598917C1
VS17	16	PK	GXL	2643752R1	359562C1	172	16	N/A	3598916C1	3598917C1
WA41D	18	WH	TXL	351359R1	359562C1	172	15	N/A	3598916C1	3598917C1
WA92A2	18	WH	TXL	351359R1	359562C1	172	1	N/A	3598916C1	3598917C1
WC41D	18	WH	TXL	351359R1	359562C1	172	15	N/A	3598916C1	3598917C1
WC92A2	18	WH	TXL	351359R1	359562C1	172	1	N/A	3598916C1	3598917C1
WP31	18	TN	GXL	2643676R1	359562C1	172	13	N/A	3598916C1	3598917C1
XV92#134	18	TN	TXL	351329R1	359562C1	172	19	N/A	3598916C1	3598917C1
XV92#141	18	TN	TXL	351329R1	359562C1	172	2	N/A	3598916C1	3598917C1
XV92#163	18	TN	TXL	351329R1	359562C1	172	8	N/A	3598916C1	3598917C1
XV92#165	18	TN	TXL	351329R1	359562C1	172	7	N/A	3598916C1	3598917C1
XZ5C16	18	YL	TXL	3572112R1	359562C1	172	11	N/A	3598916C1	3598917C1
XZ5C117	18	GN	TXL	3572112R1	359562C1	172	17	N/A	3598916C1	3598917C1
YK9AA	16	GY	TXL	351312R1	359562C1	172	2	N/A	3598916C1	3598917C1
YL6DB	2	GY	TXL	35131R1	359562C1	172	3	N/A	3598916C1	3598917C1
YL77B	2	LTGN	TXL	351298R1	359562C1	172	4	N/A	3598916C1	3598917C1
YL77C	2	LTGN	TXL	351298R1	359562C1	172	42	N/A	3598916C1	3598917C1
YN6DB	2	GY	TXL	35131R1	359562C1	172	3	N/A	3598916C1	3598917C1
YN77B	2	LTGN	TXL	351298R1	359562C1	172	4	N/A	3598916C1	3598917C1
YN77C	2	LTGN	TXL	351298R1	359562C1	172	42	N/A	3598916C1	3598917C1
GM99D	18	VT	GXL	2643718R1	359562C1	172	3	N/A	3598916C1	3598917C1
GN99D	18	VT	GXL	2643718R1	359562C1	172	3	N/A	3598916C1	3598917C1
KA13B	18	PK	TXL	351323R1	359562C1	172	37	N/A	3598916C1	3598917C1
KA77	16	LTGN	TXL	3513R1	359562C1	172	1	N/A	3598916C1	3598917C1
KA97M	2	VT	TXL	351346R1	359562C1	172	24	N/A	3598916C1	3598917C1
KA97N	2	VT	TXL	351346R1	359562C1	172	29	N/A	3598916C1	3598917C1
KC41D	2	WH	TXL	351358R1	359562C1	172	15	N/A	3598916C1	3598917C1

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
KC41EA	18	TN	TXL	351329R1	359562C1	172	18	N/A	3598916C1	3598917C1
KE28	18	TN	TXL	351329R1	359562C1	172	5	N/A	3598916C1	3598917C1
KF5R(+)	18	YL	TXL	3572112R1	359562C1	172	11	N/A	3598916C1	3598917C1
KF5R(-)	18	GN	TXL	3572112R1	359562C1	172	17	N/A	3598916C1	3598917C1
KH13A	14	PK	GXL	2643691R1	359562C1	172	8	N/A	3598916C1	3598917C1
KH17-GC	18	WH	GXL	2643674R1	359562C1	172	19	N/A	3598916C1	3598917C1
KH17B	18	PK	GXL	2643794R1	359562C1	172	2	N/A	3598916C1	3598917C1
KH17C	18	PK	GXL	2643794R1	359562C1	172	21	N/A	3598916C1	3598917C1
KH3BC(+)	18	DKBL	GXL	264372R1	359562C1	172	35	N/A	3598916C1	3598917C1
KH3BC(-)	18	GY	GXL	2643673R1	359562C1	172	36	N/A	3598916C1	3598917C1
KH5R(+)	18	YL	TXL	3572112R1	359562C1	172	11	N/A	3598916C1	3598917C1
KH5R(-)	18	GN	TXL	3572112R1	359562C1	172	17	N/A	3598916C1	3598917C1
KH92A	18	TN	GXL	2643676R1	359562C1	172	12	N/A	3598916C1	3598917C1
KH92B	18	TN	GXL	2643676R1	359562C1	172	4	N/A	3598916C1	3598917C1
KK31	18	TN	GXL	2643676R1	359562C1	172	13	N/A	3598916C1	3598917C1
KL13A	16	PK	TXL	351324R1	359562C1	172	8	N/A	3598916C1	3598917C1
KL17-GA	18	TN	TXL	351329R1	359562C1	172	19	N/A	3598916C1	3598917C1
KL17A	18	DKBL	TXL	351353R1	359562C1	172	2	N/A	3598916C1	3598917C1
KL5AD(+)	18	YL	TXL	3572112R1	359562C1	172	11	N/A	3598916C1	3598917C1
KL5AD(-)	18	GN	TXL	3572112R1	359562C1	172	17	N/A	3598916C1	3598917C1
KL71K	18	LTBL	TXL	351341R1	359562C1	172	7	N/A	3598916C1	3598917C1
KL92A	18	TN	TXL	351329R1	359562C1	172	21	N/A	3598916C1	3598917C1
KM88	16	LTGN	GXL	2643678R1	359562C1	172	14	N/A	3598916C1	3598917C1
KN88A	18	VT	GXL	2643718R1	359562C1	172	41	N/A	3598916C1	3598917C1
KP71L	18	OR	TXL	351317R1	359562C1	172	6	N/A	3598916C1	3598917C1
KT71C	18	LTBL	TXL	351341R1	359562C1	172	6	N/A	3598916C1	3598917C1
KW71A	16	OR	GXL	2643682R1	359562C1	172	6	N/A	3598916C1	3598917C1
KW71B	16	OR	GXL	2643682R1	359562C1	172	7	N/A	3598916C1	3598917C1
TA31	18	TN	GXL	2643676R1	359562C1	172	13	N/A	3598916C1	3598917C1
TJ97B	2	VT	TXL	351346R1	359562C1	172	23	N/A	3598916C1	3598917C1
TJ97C	2	VT	TXL	351346R1	359562C1	172	22	N/A	3598916C1	3598917C1
TJ99B	2	VT	TXL	351346R1	359562C1	172	28	N/A	3598916C1	3598917C1

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
TK97B	2	PL	TXL	351346R1	359562C1	172		23 N/A	3598916C1	3598917C1
TK97C	2	PL	TXL	351346R1	359562C1	172		22 N/A	3598916C1	3598917C1
TK99B	2	PL	TXL	351346R1	359562C1	172		28 N/A	3598916C1	3598917C1
VK17	16	PK	GXL	2643752R1	359562C1	172		16 N/A	3598916C1	3598917C1
VT17	16	PK	GXL	2643752R1	359562C1	172		16 N/A	3598916C1	3598917C1
WN3BC	16	TN	GXL	2643683R1	359562C1	172		34 N/A	3598916C1	3598917C1
WV97J	18	VT	GXL	2643718R1	359562C1	172		33 N/A	3598916C1	3598917C1
WV97S	18	VT	GXL	2643718R1	359562C1	172		32 N/A	3598916C1	3598917C1
XA31	18	TN	GXL	2643676R1	359562C1	172		13 N/A	3598916C1	3598917C1
YA9AA	16	GY	TXL	351312R1	359562C1	172		2 N/A	3598916C1	3598917C1
YB6DB	2	GY	TXL	35131R1	359562C1	172		3 N/A	3598916C1	3598917C1
YB77B	2	LTGN	TXL	351298R1	359562C1	172		4 N/A	3598916C1	3598917C1
YB77C	2	LTGN	TXL	351298R1	359562C1	172		42 N/A	3598916C1	3598917C1
BA12A	18	YL	TXL	351335R1	3539212C1	181		4 N/A		N/A
BA52B	18	YL	TXL	351335R1	3539212C1	181		3 N/A		N/A
BA56B	18	OR	TXL	351317R1	3539212C1	181		1 N/A		N/A
BA57B	18	OR	TXL	351317R1	3539212C1	181		2 N/A		N/A
BA82A	18	GY	TXL	351311R1	3539212C1	181		8 N/A		N/A
BA82B	18	GY	TXL	351311R1	3539212C1	181		11 N/A		N/A
BA82C	18	GY	TXL	351311R1	3539212C1	181		5 N/A		N/A
BA87E	18	GY	TXL	351311R1	3539212C1	181		12 N/A		N/A
BH87-G	18	WH	TXL	351359R1	3539212C1	181		6 N/A		N/A
BH9D	18	GY	TXL	351311R1	3539212C1	181		7 N/A		N/A
BJ87-G	18	WH	TXL	351359R1	3539212C1	181		6 N/A		N/A
BJ9D	18	GY	TXL	351311R1	3539212C1	181		7 N/A		N/A
BG94SN	2	GY	TXL	35131R1	1667529C1	182	A	N/A	166753C1	N/A
BG94SP	2	GY	TXL	35131R1	1667529C1	182	B	N/A	166753C1	N/A
BG94SR	2	GY	TXL	35131R1	1667529C1	182	C	N/A	166753C1	N/A
BG94SS	2	GY	TXL	35131R1	1667529C1	182	D	N/A	166753C1	N/A
BH1	2	GY	TXL	35131R1	368496C1	182		2 N/A		N/A
BH62-GDD	18	WH	TXL	351359R1	368496C1	182		6 N/A		N/A
BH62DD	2	DKBL	TXL	351352R1	368496C1	182		5 N/A		N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice	Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
				Number	Part Numbers	Number	Cavity			
BH85A	2	GY	TXL	35131R1	368496C1	182	3	N/A		N/A
BH97	2	GY	TXL	35131R1	368496C1	182	1	N/A		N/A
BH9C	18	GY	TXL	351311R1	368496C1	182	4	N/A		N/A
BA4	18	GY	GXL	2643673R1	1678137C1	183	C	N/A		N/A
BA6A	18	GY	GXL	2643673R1	1678137C1	183	B	N/A		N/A
BH9E	18	GY	GXL	2643673R1	1678137C1	183	A	N/A		N/A
BJ9E	18	GY	GXL	2643673R1	1678137C1	183	A	N/A		N/A
BA4A	18	GY	GXL	2643673R1	1678137C1	184	C	N/A		N/A
BA6B	18	GY	GXL	2643673R1	1678137C1	184	B	N/A		N/A
BH9F	18	GY	GXL	2643673R1	1678137C1	184	A	N/A		N/A
BJ9F	18	GY	GXL	2643673R1	1678137C1	184	A	N/A		N/A
BA4B	18	GY	GXL	2643673R1	1678137C1	185	C	N/A		N/A
BA6C	18	GY	GXL	2643673R1	1678137C1	185	B	N/A		N/A
BH9H	18	GY	GXL	2643673R1	1678137C1	185	A	N/A		N/A
BJ9H	18	GY	GXL	2643673R1	1678137C1	185	A	N/A		N/A
BA7	18	OR	GXL	2643675R1	1661777C1	186	C	N/A	1661873C1	N/A
BH9K	18	GY	GXL	2643673R1	1661777C1	186	D	N/A	1661873C1	N/A
BJ9K	18	GY	GXL	2643673R1	1661777C1	186	D	N/A	1661873C1	N/A
BJ62DD	2	DKBL	TXL	351352R1	354787C1	187	C	N/A	3515764C1	N/A
BJ85A	2	GY	TXL	35131R1	354787C1	187	B	N/A	3515764C1	N/A
BJ97	2	GY	TXL	35131R1	354787C1	187	A	N/A	3515764C1	N/A
BJ9C	18	GY	TXL	351311R1	354787C1	187	D	N/A	3515764C1	N/A
BA44	18	GY	GXL	2643673R1	1661777C1	188	C	N/A	1661873C1	N/A
BH9J	18	GY	GXL	2643673R1	1661777C1	188	D	N/A	1661873C1	N/A
BJ9J	18	GY	GXL	2643673R1	1661777C1	188	D	N/A	1661873C1	N/A
BD97B	18	VT	GXL	2643718R1	168779C1	189	B	N/A		N/A
BD97C	18	VT	GXL	2643718R1	168779C1	189	C	N/A		N/A
BD97M	18	VT	GXL	2643718R1	168779C1	189	F	N/A		N/A
BD97N	18	VT	GXL	2643718R1	168779C1	189	E	N/A		N/A
BD99B	18	VT	GXL	2643718R1	168779C1	189	A	N/A		N/A
BD99D	18	VT	GXL	2643718R1	168779C1	189	D	N/A		N/A
CB84-GBB	14	WH	TXL	351361R1	3613C1	191	C	N/A	3557682C1	N/A



Circuit				Terminal Splice	Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
CB84A	14	LTGN	TXL	35131R1	3613C1	191	A	N/A	3557682C1	N/A
AD11-GCC	14	WH	TXL	351361R1	1661196C1	192	B	N/A		N/A
AD86C	14	LTGN	TXL	35131R1	1661196C1	192	A	N/A		N/A
AE11-GCD	14	WH	TXL	351361R1	1661196C1	192	B	N/A		N/A
AE86C1	14	LTGN	TXL	35131R1	1661196C1	192	A	N/A		N/A
CK11-GBE	18	WH	TXL	351359R1	21134C1	192	D	N/A	211364C1	N/A
CK13EE	18	PK	TXL	351323R1	21134C1	192	E	N/A	211364C1	N/A
CK14ED	18	RD	TXL	351365R1	21134C1	192	C	N/A	211364C1	N/A
MJ11-GMW	2	WH	TXL	351358R1	21134C1	192	F	N/A	211364C1	N/A
MJ3BD(+)	18	DKBL	TXL	351353R1	21134C1	192	A	N/A	211364C1	N/A
MJ3BD(-)	18	GY	TXL	351311R1	21134C1	192	B	N/A	211364C1	N/A
CA84	14	LTGN	TXL	35131R1	494648C1	193	A	N/A	3557682C1	N/A
CA84-GAF	14	WH	TXL	351361R1	494648C1	193	C	N/A	3557682C1	N/A
CB84	14	LTGN	TXL	35131R1	494648C1	193	A	N/A	3557682C1	N/A
CB84-GAF	14	WH	TXL	351361R1	494648C1	193	C	N/A	3557682C1	N/A
CL84-GAF	14	WH	TXL	351361R1	494648C1	193	C	N/A	3557682C1	N/A
CL84A	14	LTGN	TXL	35131R1	494648C1	193	A	N/A	3557682C1	N/A
EW11-GR	14	WH	TXL	351361R1	3572899C1	193		2 N/A	25242C1	N/A
EW2	16	LTGN	GXL	2643678R1	3572899C1	193		6 N/A	25242C1	N/A
EW5E(+)	18	YL	TXL	3572112R1	3572899C1	193		3 N/A	25242C1	N/A
EW5E(-)	18	GN	TXL	3572112R1	3572899C1	193		4 N/A	25242C1	N/A
CA11-GUA	2	WH	TXL	351358R1	3768147C1	194		1 N/A		N/A
CA13UA	2	PK	TXL	351322R1	3768147C1	194		2 N/A		N/A
CB11-GUA	2	WH	TXL	351358R1	3768147C1	194		1 N/A		N/A
CB13UA	2	PK	TXL	351322R1	3768147C1	194		2 N/A		N/A
CL11-GUA	2	WH	TXL	351358R1	3768147C1	194		1 N/A		N/A
CL13UA	2	PK	TXL	351322R1	3768147C1	194		2 N/A		N/A
CB11-GUB	2	WH	TXL	351358R1	3768147C1	195		1 N/A		N/A
CB13UB	2	PK	TXL	351322R1	3768147C1	195		2 N/A		N/A
JE5(+)	18	YL	TXL	3572112R1	374182C1	195		8 N/A		N/A
JE5(-)	18	GN	TXL	3572112R1	374182C1	195		9 N/A		N/A
J55(+)	18	YL	TXL	3572112R1	374182C1	195		8 N/A		N/A

Circuit				Terminal Splice	Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
J5(-)	18	GN	TXL	3572112R1	374182C1	195		9 N/A		N/A
JY11-GC	18	WH	TXL	351359R1	374182C1	195		6 N/A		N/A
JY13E	18	PK	TXL	351323R1	374182C1	195		4 N/A		N/A
JY14E	18	RD	TXL	351365R1	374182C1	195		2 N/A		N/A
JY91	18	VT	TXL	351347R1	374182C1	195		16 N/A		N/A
CW58-GBG	16	WH	TXL	35136R1	1661891C1	196	B	N/A	1661892C1	N/A
CW58C	16	BN	TXL	35136R1	1661891C1	196	A	N/A	1661892C1	N/A
BC63-GAJ	18	WH	TXL	351359R1	1661259C1	197	B	N/A	1661263C1	N/A
CG13SD	18	PK	TXL	351323R1	3538635C1	197	B	N/A	3538636C1	N/A
CG14SD	18	RD	TXL	351365R1	3538635C1	197	A	N/A	3538636C1	N/A
CG5S	18	YL	TXL	351335R1	3538635C1	197	K	N/A	3538636C1	N/A
CG7E	18	OR	TXL	351317R1	3538635C1	197	J	N/A	3538636C1	N/A
CG98A(+)	18	GY	TXL	351311R1	3538635C1	197	D	N/A	3538636C1	N/A
CG98A(-)	18	DKBL	TXL	351353R1	3538635C1	197	C	N/A	3538636C1	N/A
CP11-GMW	2	WH	TXL	351358R1	3538635C1	197	E	N/A	3538636C1	N/A
CP13EE	18	PK	TXL	351323R1	3538635C1	197	B	N/A	3538636C1	N/A
CP14ED	18	RD	TXL	351365R1	3538635C1	197	A	N/A	3538636C1	N/A
CP3BD(+)	18	DKBL	TXL	351353R1	3538635C1	197	D	N/A	3538636C1	N/A
CP3BD(-)	18	GY	TXL	351311R1	3538635C1	197	C	N/A	3538636C1	N/A
CR98J	18	BK	TXL	351293R1	3538635C1	197	F	N/A	3538636C1	N/A
EL63JA	18	DKBL	TXL	351353R1	1661259C1	197	A	N/A	1661263C1	N/A
KL13B	18	PK	TXL	351323R1	3538635C1	197	B	N/A	3538636C1	N/A
KL14A	18	RD	GXL	2643759R1	3538635C1	197	A	N/A	3538636C1	N/A
MP63JA	18	DKBL	TXL	351353R1	1661259C1	197	A	N/A	1661263C1	N/A
PH11-GBE	18	WH	TXL	351359R1	3538635C1	197	F	N/A	3538636C1	N/A
PH13EE	18	PK	TXL	351323R1	3538635C1	197	B	N/A	3538636C1	N/A
PH14ED	18	RD	TXL	351365R1	3538635C1	197	A	N/A	3538636C1	N/A
PH3BD(+)	18	DKBL	TXL	351353R1	3538635C1	197	D	N/A	3538636C1	N/A
PH3BD(-)	18	GY	TXL	351311R1	3538635C1	197	C	N/A	3538636C1	N/A
RH13EE	18	PK	TXL	351323R1	3538635C1	197	B	N/A	3538636C1	N/A
RH14ED	18	RD	GXL	2643759R1	3538635C1	197	A	N/A	3538636C1	N/A
RH3BD(+)	18	DKBL	TXL	351353R1	3538635C1	197	D	N/A	3538636C1	N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
RH3BD(-)	18	GY	TXL	351311R1	3538635C1	197	C	N/A	3538636C1	N/A
BX65-GFB	18	WH	TXL	351359R1	1661259C1	221	B	N/A	1661263C1	N/A
BX65AC	18	OR	TXL	351317R1	1661259C1	221	A	N/A	1661263C1	N/A
YW86A(+)	2	LTGN	TXL	351298R1	381127C1	255		2 366587C1		N/A
YW86A(-)	2	LTGN	TXL	351298R1	381127C1	255		1 366587C1		N/A
YH11-GC	14	WH	TXL	351361R1	BLUNT_SL_V	381	A	N/A		N/A
YH82KB	16	GY	TXL	351312R1	BLUNT_SL_V	381	B	N/A		N/A
YH13A	16	PK	TXL	351324R1	BLUNT_SL_V	382	A	N/A		N/A
YH14A	18	RD	TXL	351365R1	BLUNT_SL_V	382	B	N/A		N/A
KJ92A1	18	TN	TXL	351329R1	3538634C1	475	F	356857C1	3538636C1	N/A
KJ92A12	18	TN	TXL	351329R1	3538634C1	475	C	356857C1	3538636C1	N/A
KJ92A13	18	TN	TXL	351329R1	3538634C1	475	D	356857C1	3538636C1	N/A
KJ92A16	18	TN	TXL	351329R1	3538634C1	475	H	356857C1	3538636C1	N/A
KJ92A17	18	TN	TXL	351329R1	3538634C1	475	J	356857C1	3538636C1	N/A
KJ92A8	18	TN	TXL	351329R1	3538634C1	475	G	356857C1	3538636C1	N/A
KJ92A9	18	TN	TXL	351329R1	3538634C1	475	E	356857C1	3538636C1	N/A
SG92A11	18	TN	TXL	351329R1	3538634C1	475	B	356857C1	3538636C1	N/A
SI92A11	16	TN	GXL	2643683R1	3538634C1	475	B	1661872C1	3538636C1	N/A
ZC92A15	18	TN	GXL	2643676R1	3538634C1	475	A	1661872C1	3538636C1	N/A
KJ92A1	18	TN	TXL	351329R1	3538635C1	476	H	356857C1	3538636C1	N/A
KJ92A14	18	TN	TXL	351329R1	3538635C1	476	D	356857C1	3538636C1	N/A
KJ92A19	18	TN	TXL	351329R1	3538635C1	476	J	356857C1	3538636C1	N/A
KJ92A2	18	TN	TXL	351329R1	3538635C1	476	E	356857C1	3538636C1	N/A
KJ92A5	18	TN	TXL	351329R1	3538635C1	476	A	356857C1	3538636C1	N/A
KJ92A6	18	TN	TXL	351329R1	3538635C1	476	F	356857C1	3538636C1	N/A
KJ92A7	18	TN	TXL	351329R1	3538635C1	476	G	356857C1	3538636C1	N/A
SG92A3	18	TN	TXL	351329R1	3538635C1	476	C	356857C1	3538636C1	N/A
SI92A3	18	TN	TXL	351329R1	3538635C1	476	C	356857C1	3538636C1	N/A
ZE92A4	18	TN	TXL	351329R1	3538635C1	476	B	356857C1	3538636C1	N/A
ZG92A4	18	TN	TXL	351329R1	3538635C1	476	B	356857C1	3538636C1	N/A
GS94-GC	16	WH	TXL	35136R1	N/A	481		1 264438R1	N/A	N/A
CC95GC	18	VT	GXL	2643718R1	611314C1	614		2 361687C1		N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
CC99D	18	VT	TXL	351347R1	611314C1	614	1	373369C1		N/A
CD95GC	18	VT	GXL	2643718R1	611314C1	614	2	361687C1		N/A
CD99D	18	VT	TXL	351347R1	611314C1	614	1	373369C1		N/A
AJ95AB	18	TN	TXL	351329R1	3952655C1	618	28	N/A	3978364C1	N/A
AJ95AR2	18	RD	TXL	351365R1	3952655C1	618	67	N/A	3978364C1	N/A
AJ95AS2	18	TN	TXL	351329R1	3952655C1	618	87	N/A	3978364C1	N/A
AJ95AT2	18	TN	TXL	351329R1	3952655C1	618	64	N/A	3978364C1	N/A
AJ95AU2	18	TN	TXL	351329R1	3952655C1	618	69	N/A	3978364C1	N/A
AJ95F	18	TN	TXL	351329R1	3952655C1	618	4	N/A	3978364C1	N/A
AJ95H	18	TN	TXL	351329R1	3952655C1	618	58	N/A	3978364C1	N/A
AK95AB	18	TN	TXL	351329R1	3952655C1	618	28	N/A	3978364C1	N/A
AK95AR2	18	RD	TXL	351365R1	3952655C1	618	67	N/A	3978364C1	N/A
AK95AS2	18	TN	TXL	351329R1	3952655C1	618	87	N/A	3978364C1	N/A
AK95AT2	18	TN	TXL	351329R1	3952655C1	618	64	N/A	3978364C1	N/A
AK95AU2	18	TN	TXL	351329R1	3952655C1	618	69	N/A	3978364C1	N/A
AK95F	18	TN	TXL	351329R1	3952655C1	618	4	N/A	3978364C1	N/A
AK95H	18	TN	TXL	351329R1	3952655C1	618	58	N/A	3978364C1	N/A
AP5A(+)	18	YL	TXL	3572112R1	3952655C1	618	84	N/A	3978364C1	N/A
AP5A(-)	18	GN	TXL	3572112R1	3952655C1	618	6	N/A	3978364C1	N/A
AP95BA	18	TN	15	2645915R1	3952655C1	618	1	N/A	3978364C1	N/A
AP95BC	18	TN	15	2645915R1	3952655C1	618	7	N/A	3978364C1	N/A
AP95K	18	TN	15	2645915R1	3952655C1	618	34	N/A	3978364C1	N/A
AP9A	18	TN	TXL	351329R1	3952655C1	618	63	N/A	3978364C1	N/A
AY5A(+)	18	YL	TXL	3572112R1	3952655C1	618	84	N/A	3978364C1	N/A
AY5A(-)	18	GN	TXL	3572112R1	3952655C1	618	6	N/A	3978364C1	N/A
AY95BA	18	TN	15	2645915R1	3952655C1	618	1	N/A	3978364C1	N/A
AY95BC	18	TN	15	2645915R1	3952655C1	618	7	N/A	3978364C1	N/A
AY95K	18	TN	15	2645915R1	3952655C1	618	34	N/A	3978364C1	N/A
AY9A	18	TN	TXL	351329R1	3952655C1	618	63	N/A	3978364C1	N/A
CA95GE	18	TN	TXL	351329R1	3952655C1	618	1	N/A	3978364C1	N/A
CB95GE	18	TN	TXL	351329R1	3952655C1	618	1	N/A	3978364C1	N/A
CC95GE	18	TN	TXL	351329R1	3952655C1	618	1	N/A	3978364C1	N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
CC99D	18	VT	TXL	351347R1	3952655C1	618	5	N/A	3978364C1	N/A
CD95GE	18	TN	TXL	351329R1	3952655C1	618	1	N/A	3978364C1	N/A
CD99D	18	VT	TXL	351347R1	3952655C1	618	5	N/A	3978364C1	N/A
KA13	18	PK	TXL	351323R1	3952655C1	618	17	N/A	3978364C1	N/A
KA41-GA	18	WH	TXL	351359R1	3952655C1	618	11	N/A	3978364C1	N/A
KA41A	18	TN	TXL	351329R1	3952655C1	618	31	N/A	3978364C1	N/A
KA95-GC	18	BK	TXL	351293R1	3952655C1	618	5	N/A	3978364C1	N/A
KA95GBE	18	TN	TXL	351329R1	3952655C1	618	24	N/A	3978364C1	N/A
KA95TB	18	GY	TXL	351311R1	3952655C1	618	72	N/A	3978364C1	N/A
KA97B	18	VT	TXL	351347R1	3952655C1	618	2	N/A	3978364C1	N/A
KA97C	18	VT	TXL	351347R1	3952655C1	618	6	N/A	3978364C1	N/A
KA97M	18	VT	TXL	351347R1	3952655C1	618	57	N/A	3978364C1	N/A
KA97N	18	VT	TXL	351347R1	3952655C1	618	29	N/A	3978364C1	N/A
KA97P	18	TN	TXL	351329R1	3952655C1	618	12	N/A	3978364C1	N/A
KA98GN	2	GN	193	3858761R1	3952655C1	618	61	N/A	3978364C1	N/A
KA98YL	2	YL	193	3858761R1	3952655C1	618	85	N/A	3978364C1	N/A
KA99B	18	VT	TXL	351347R1	3952655C1	618	33	N/A	3978364C1	N/A
KB34D	18	TN	TXL	351329R1	3952655C1	618	8	N/A	3978364C1	N/A
KF5S(+)	2	YL	193	3858761R1	3952655C1	618	83	N/A	3978364C1	N/A
KF5S(-)	2	GN	193	3858761R1	3952655C1	618	59	N/A	3978364C1	N/A
KG5AE(+)	2	YL	193	3858761R1	3952655C1	618	83	N/A	3978364C1	N/A
KG5AE(-)	2	GN	193	3858761R1	3952655C1	618	59	N/A	3978364C1	N/A
KH5S(+)	2	YL	193	3858761R1	3952655C1	618	83	N/A	3978364C1	N/A
KH5S(-)	2	GN	193	3858761R1	3952655C1	618	59	N/A	3978364C1	N/A
KJ92A1	18	TN	TXL	351329R1	3952655C1	618	39	N/A	3978364C1	N/A
KJ92A1	18	TN	TXL	351329R1	3952655C1	618	78	N/A	3978364C1	N/A
KJ92A12	18	TN	TXL	351329R1	3952655C1	618	9	N/A	3978364C1	N/A
KJ92A13	18	TN	TXL	351329R1	3952655C1	618	16	N/A	3978364C1	N/A
KJ92A14	18	TN	TXL	351329R1	3952655C1	618	22	N/A	3978364C1	N/A
KJ92A16	18	TN	TXL	351329R1	3952655C1	618	46	N/A	3978364C1	N/A
KJ92A17	18	TN	TXL	351329R1	3952655C1	618	21	N/A	3978364C1	N/A
KJ92A19	18	TN	TXL	351329R1	3952655C1	618	14	N/A	3978364C1	N/A

Circuit				Terminal Splice	Connector Body	Connector				Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve			
KJ92A2	18	TN	TXL	351329R1	3952655C1	618	2	N/A		3978364C1	N/A
KJ92A5	18	TN	TXL	351329R1	3952655C1	618	56	N/A		3978364C1	N/A
KJ92A6	18	TN	TXL	351329R1	3952655C1	618	23	N/A		3978364C1	N/A
KJ92A7	18	TN	TXL	351329R1	3952655C1	618	65	N/A		3978364C1	N/A
KJ92A8	18	TN	TXL	351329R1	3952655C1	618	77	N/A		3978364C1	N/A
KJ92A9	18	TN	TXL	351329R1	3952655C1	618	4	N/A		3978364C1	N/A
KL47T	18	GY	TXL	351311R1	3952655C1	618	78	N/A		3978364C1	N/A
LE5A(+)	18	YL	TXL	3572112R1	3952655C1	618	84	N/A		3978364C1	N/A
LE5A(-)	18	GN	TXL	3572112R1	3952655C1	618	6	N/A		3978364C1	N/A
LE95BA	18	TN	15	2645915R1	3952655C1	618	1	N/A		3978364C1	N/A
LE95BC	18	TN	15	2645915R1	3952655C1	618	7	N/A		3978364C1	N/A
LE95K	18	TN	15	2645915R1	3952655C1	618	34	N/A		3978364C1	N/A
LE9A	18	TN	15	2645915R1	3952655C1	618	63	N/A		3978364C1	N/A
LF5A(+)	18	YL	TXL	3572112R1	3952655C1	618	84	N/A		3978364C1	N/A
LF5A(-)	18	GN	TXL	3572112R1	3952655C1	618	6	N/A		3978364C1	N/A
LF95BA	18	TN	15	2645915R1	3952655C1	618	1	N/A		3978364C1	N/A
LF95BC	18	TN	15	2645915R1	3952655C1	618	7	N/A		3978364C1	N/A
LF95K	18	TN	15	2645915R1	3952655C1	618	34	N/A		3978364C1	N/A
LF9A	18	TN	15	2645915R1	3952655C1	618	63	N/A		3978364C1	N/A
PL47	18	GY	TXL	351311R1	3952655C1	618	91	N/A		3978364C1	N/A
PL47A	18	GY	TXL	351311R1	3952655C1	618	92	N/A		3978364C1	N/A
SG92A11	18	TN	TXL	351329R1	3952655C1	618	66	N/A		3978364C1	N/A
SJ92A18	18	TN	TXL	351329R1	3952655C1	618	66	N/A		3978364C1	N/A
VA95-GF	18	WH	TXL	351359R1	3952655C1	618	55	N/A		3978364C1	N/A
VE95-GF	18	WH	TXL	351359R1	3952655C1	618	55	N/A		3978364C1	N/A
VL41E	18	TN	TXL	351329R1	3952655C1	618	9	N/A		3978364C1	N/A
XN47	18	GY	TXL	351311R1	3952655C1	618	91	N/A		3978364C1	N/A
XN47A	18	GY	TXL	351311R1	3952655C1	618	92	N/A		3978364C1	N/A
XY47A125	18	TN	TXL	351329R1	3952655C1	618	91	N/A		3978364C1	N/A
XZ5R16	2	YL	193	3858761R1	3952655C1	618	83	N/A		3978364C1	N/A
XZ5R117	2	GN	193	3858761R1	3952655C1	618	59	N/A		3978364C1	N/A
ZA23-G	18	WH	TXL	351359R1	3952655C1	618	76	N/A		3978364C1	N/A

Circuit		Terminal Splice			Connector Body	Connector				Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve			
ZB23A	18	TN	TXL	351329R1	3952655C1	618	25	N/A		3978364C1	N/A
ZC23A	18	TN	TXL	351329R1	3952655C1	618	25	N/A		3978364C1	N/A
ZD95DA	18	TN	15	2645915R1	3952655C1	618	36	N/A		3978364C1	N/A
ZE95DA	18	TN	TXL	351329R1	3952655C1	618	36	N/A		3978364C1	N/A
ZF95DA	18	TN	15	2645915R1	3952655C1	618	36	N/A		3978364C1	N/A
ZG95DA	18	TN	TXL	351329R1	3952655C1	618	36	N/A		3978364C1	N/A
AJ95E	2	TN	TXL	351328R1	3952656C1	619	2	3623615C1			N/A
AK95E	2	TN	TXL	351328R1	3952656C1	619	2	3623615C1			N/A
AP95DVH	2	TN	15	47343R1	3952656C1	619	1	3623615C1			N/A
AP95DVL	2	TN	15	47343R1	3952656C1	619	6	3623615C1			N/A
AY95DVH	2	TN	15	47343R1	3952656C1	619	1	3623615C1			N/A
AY95DVL	2	TN	15	47343R1	3952656C1	619	6	3623615C1			N/A
KA14G	14	RD	TXL	351367R1	3952656C1	619	3	3624233C1			N/A
KA14H	14	RD	TXL	351367R1	3952656C1	619	15	3624233C1			N/A
KA14HC	14	RD	TXL	351367R1	3952656C1	619	8	3624233C1			N/A
KA14K	14	RD	TXL	351367R1	3952656C1	619	9	3624233C1			N/A
KA14KAA	14	RD	TXL	351367R1	3952656C1	619	14	3624233C1			N/A
KA92BA16	14	WH	TXL	351361R1	3952656C1	619	7	3624233C1			N/A
KA92BB16	14	WH	TXL	351361R1	3952656C1	619	13	3624233C1			N/A
KA92C16	14	WH	TXL	351361R1	3952656C1	619	1	3624233C1			N/A
KA92D16	14	WH	TXL	351361R1	3952656C1	619	4	3624233C1			N/A
KA92E16	14	WH	TXL	351361R1	3952656C1	619	16	3624233C1			N/A
KA95SB	2	TN	TXL	351328R1	3952656C1	619	11	3623615C1			N/A
LE95DVH	2	TN	15	47343R1	3952656C1	619	1	3623615C1			N/A
LE95DVL	2	TN	15	47343R1	3952656C1	619	6	3623615C1			N/A
LF95DVH	2	TN	15	47343R1	3952656C1	619	1	3623615C1			N/A
LF95DVL	2	TN	15	47343R1	3952656C1	619	6	3623615C1			N/A
YB6DB	2	GY	TXL	35131R1	36324C1	621	4	36327C1			N/A
YB77B	2	LTGN	TXL	351298R1	36324C1	621	2	36327C1			N/A
YB77C	2	LTGN	TXL	351298R1	36324C1	621	3	36327C1			N/A
YB9AB	2	GY	TXL	35131R1	36324C1	621	1	36327C1			N/A
AA74J	18	LTGN	TXL	351299R1	359299C1	622	B	N/A		1661874C1	N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
AA9AE	18	GY	TXL	351311R1	359299C1	622	A	N/A	1661874C1	N/A
VF2-G	2	WH	SGX	3592741R1	N/A	631		1 26444R1	N/A	N/A
VM2A-FL	1	RS	FUS	2643473R1	N/A	631		1 264454R1	N/A	N/A
VM2B-FL	1	RS	FUS	2643473R1	N/A	631		1 264454R1	N/A	N/A
KB2-G	2	WH	SGX	3592741R1	N/A	632		1 26444R1	N/A	N/A
AL13AB	18	RD	TXL	351365R1	3917967C1	633	D	3535424C1	3573833C1	3919239C1
AM13AB	18	RD	TXL	351365R1	3917967C1	633	D	3535424C1	3573833C1	3919239C1
AS13AB	18	RD	TXL	351365R1	3917967C1	633	D	3535424C1	3573833C1	3919239C1
CC21B1	18	TN	TXL	351329R1	3917967C1	633	B	3535424C1	3573833C1	3919239C1
CC21B2	18	TN	TXL	351329R1	3917967C1	633	A	3535424C1	3573833C1	3919239C1
CC21B3	18	TN	TXL	351329R1	3917967C1	633	C	3535424C1	3573833C1	3919239C1
CD21B1	18	TN	TXL	351329R1	3917967C1	633	B	3535424C1	3573833C1	3919239C1
CD21B2	18	TN	TXL	351329R1	3917967C1	633	A	3535424C1	3573833C1	3919239C1
CD21B3	18	TN	TXL	351329R1	3917967C1	633	C	3535424C1	3573833C1	3919239C1
KA41-GA	18	WH	TXL	351359R1	3917967C1	633	F	3535424C1	3573833C1	3919239C1
KA41-GB	18	WH	TXL	351359R1	3917967C1	633	G	3535424C1	3573833C1	3919239C1
KA41-GC	18	WH	TXL	351359R1	3917967C1	633	H	3535424C1	3573833C1	3919239C1
KA41A	18	TN	TXL	351329R1	3917967C1	633	E	3535424C1	3573833C1	3919239C1
KA1-G	8	WH	GXL	2643789R1	N/A	633		1 264454R1	N/A	N/A
VG2-G	2	WH	SGX	3592741R1	N/A	634		1 26444R1	N/A	N/A
VT17	16	PK	GXL	2643752R1	N/A	635		1 264438R1	N/A	N/A
KR17	16	PK	GXL	2643752R1	N/A	636		1 264438R1	N/A	N/A
KL1C	1	BK	TXL	351297R1	N/A	636	A	26445R1	N/A	N/A
VS17	16	PK	GXL	2643752R1	N/A	637		1 264438R1	N/A	N/A
VD2-G	1	WH	SGX	3592742R1	N/A	637		1 26444R1	N/A	N/A
VE2-G	2	WH	SGX	3592741R1	N/A	639		1 26444R1	N/A	N/A
WX2-G	2	WH	SGX	3592741R1	N/A	639		1 26444R1	N/A	N/A
KB34B	18	TN	TXL	351329R1	3662425C1	641	B	3554318C1	3662518C1	N/A
KB34D	18	TN	TXL	351329R1	3662425C1	641	A	3554318C1	3662518C1	N/A
KD34	16	TN	TXL	35133R1	167161C1	641	A	1652325C1	167168C1	N/A
KD34A	16	TN	TXL	35133R1	167161C1	641	B	1652325C1	167168C1	N/A
GK34-G	18	TN	TXL	351329R1	3662425C1	642	B	3554318C1	3662518C1	N/A



Circuit				Terminal Splice	Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
GK34A	18	TN	TXL	351329R1	3662425C1	642	A	3554318C1	3662518C1	N/A
KU21	16	TN	TXL	35133R1	167161C1	655	A	1652325C1	167168C1	N/A
KU21A	16	TN	TXL	35133R1	167161C1	655	B	1652325C1	167168C1	N/A
JE9AAB	18	GY	GXL	2643673R1	3543729C1	672	D	3535424C1	3543731C1	N/A
KE9AAB	18	GY	TXL	351311R1	3543729C1	672	D	3535424C1	3543731C1	N/A
KK9AAD	18	GY	GXL	2643673R1	3543729C1	672	C	3535424C1	3543731C1	N/A
PC9AAD	18	GY	TXL	351311R1	3543729C1	672	C	3535424C1	3543731C1	N/A
WP9AAD	18	GY	GXL	2643673R1	3543729C1	672	C	3535424C1	3543731C1	N/A
YK9AA	16	GY	TXL	351312R1	3543729C1	672	A	3535424C1	3543731C1	N/A
YL9AB	2	GY	TXL	35131R1	3543729C1	672	B	3535423C1	3543731C1	N/A
YN9AB	2	GY	TXL	35131R1	3543729C1	672	B	3535423C1	3543731C1	N/A
KE9AAB	18	GY	TXL	351311R1	3543729C1	672	D	3535424C1	3543731C1	N/A
KZ9AAC	18	GY	GXL	2643673R1	3543729C1	672	E	3535424C1	3543731C1	N/A
YA9AA	16	GY	TXL	351312R1	3543729C1	672	A	3535424C1	3543731C1	N/A
YB9AB	2	GY	TXL	35131R1	3543729C1	672	B	3535423C1	3543731C1	N/A
YC9AAD	18	GY	GXL	2643673R1	3543729C1	672	C	3535424C1	3543731C1	N/A
YE9AAD	18	GY	GXL	2643673R1	3543729C1	672	C	3535424C1	3543731C1	N/A
YG9AAD	18	GY	GXL	2643673R1	3543729C1	672	C	3535424C1	3543731C1	N/A
GA95-GF	2	WH	GXL	2643764R1	3543729C1	673	C	3535424C1	3543731C1	N/A
GE44G	18	GY	TXL	351311R1	3543729C1	673	D	3535424C1	3543731C1	N/A
GK34-G	18	TN	TXL	351329R1	3543729C1	673	C	3535424C1	3543731C1	N/A
KA95G	2	WH	TXL	351358R1	3543729C1	673	A	3535423C1	3543731C1	N/A
KC41D	2	WH	TXL	351358R1	3543729C1	673	B	3535423C1	3543731C1	N/A
KJ95-GF	2	WH	GXL	2643764R1	3543729C1	673	C	3535424C1	3543731C1	N/A
KY95-GG	18	WH	GXL	2643674R1	3543729C1	673	C	3535424C1	3543731C1	N/A
AJ95AB	18	TN	TXL	351329R1	6114577C1	674		6 N/A		N/A
AJ95AR1	18	TN	TXL	351329R1	6114577C1	674		4 N/A		N/A
AJ95AS1	18	TN	TXL	351329R1	6114577C1	674		7 N/A		N/A
AJ95AT1	18	TN	TXL	351329R1	6114577C1	674		8 N/A		N/A
AJ95AU1	18	TN	TXL	351329R1	6114577C1	674		9 N/A		N/A
AJ95E	2	TN	TXL	351328R1	6114577C1	674		1 N/A		N/A
AJ95F	18	TN	TXL	351329R1	6114577C1	674		2 N/A		N/A

Circuit				Terminal Splice	Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
AJ95H	18	TN	TXL	351329R1	6114577C1	674		3 N/A		N/A
AL1-H	1	WH	TXL	351363R1	3551896C1	674	B	58939C1	354454C1	3551897C1
AL13AA	18	RD	TXL	351365R1	6114577C1	674		12 N/A		N/A
AL5(+)	18	YL	193	2645917R1	6114577C1	674		13 N/A		N/A
AL5(-)	18	GN	193	2645917R1	6114577C1	674		14 N/A		N/A
AL95-GB	16	BK	TXL	351294R1	6114577C1	674		1 N/A		N/A
AL95-GL	16	BK	TXL	351294R1	6114577C1	674		11 N/A		N/A
AM1-H	1	WH	TXL	351363R1	3551896C1	674	B	58939C1	354454C1	3551897C1
AS1-H	1	WH	TXL	351363R1	3551896C1	674	B	58939C1	354454C1	3551897C1
AS13AA	18	RD	TXL	351365R1	6114577C1	674		12 N/A		N/A
AS5(+)	18	YL	193	2645917R1	6114577C1	674		13 N/A		N/A
AS5(-)	18	GN	193	2645917R1	6114577C1	674		14 N/A		N/A
AS95-GB	16	BK	TXL	351294R1	6114577C1	674		1 N/A		N/A
AS95-GL	18	BK	TXL	351293R1	6114577C1	674		11 N/A		N/A
CA95GE	18	TN	TXL	351329R1	6114577C1	674		5 N/A		N/A
CC95AC	2	TN	TXL	351328R1	6114577C1	674		5 N/A		N/A
KA41-GD	12	WH	GXL	2643787R1	3551896C1	674	C	58939C1	354454C1	3551897C1
KA41-GE	1	WH	TXL	351363R1	3551896C1	674	E	58939C1	354454C1	3551897C1
KA41-GF	1	WH	TXL	351363R1	3551896C1	674	F	58939C1	354454C1	3551897C1
KA92F16	14	WH	TXL	351361R1	3551896C1	674	A	1652325C1	354454C1	3551897C1
XV92-G	12	WH	TXL	351362R1	3551896C1	674	D	589391C1	354454C1	3551897C1
KA1H2	1	WH	TXL	351363R1	3551896C1	674	A	58939C1	354454C1	3551897C1
KA1H3	1	WH	TXL	351363R1	3551896C1	674	E	58939C1	354454C1	3551897C1
KA95-GC	18	BK	TXL	351293R1	3551896C1	674	C	3517771C1	354454C1	3551897C1
TJ95-GB	16	BK	TXL	351294R1	6114577C1	674		1 N/A		N/A
TJ95-GB	16	BK	TXL	351294R1	3551896C1	674	B	1652325C1	354454C1	3551897C1
TJ95AB	18	TN	TXL	351329R1	6114577C1	674		6 N/A		N/A
TJ95AC	2	TN	TXL	351328R1	6114577C1	674		5 N/A		N/A
TJ95AR1	18	TN	TXL	351329R1	6114577C1	674		4 N/A		N/A
TJ95AS1	18	TN	TXL	351329R1	6114577C1	674		7 N/A		N/A
TJ95AT1	18	TN	TXL	351329R1	6114577C1	674		8 N/A		N/A
TJ95AU1	18	TN	TXL	351329R1	6114577C1	674		9 N/A		N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
TJ95E	2	TN	TXL	351328R1	6114577C1	674		1 N/A		N/A
TJ95F	2	TN	TXL	351328R1	6114577C1	674		2 N/A		N/A
TJ95H	18	TN	TXL	351329R1	6114577C1	674		3 N/A		N/A
TK95-GB	16	BK	TXL	351294R1	3551896C1	674	B	1652325C1	354454C1	3551897C1
TL1-G	1	WH	TXL	351363R1	3551896C1	674	D	58939C1	354454C1	3551897C1
TL1-GL	18	WH	TXL	351359R1	6114577C1	674		11 N/A		N/A
TL13AA	18	PK	TXL	351323R1	6114577C1	674		12 N/A		N/A
TL5(+)	18	YL	193	2645917R1	6114577C1	674		13 N/A		N/A
TL5(-)	18	GN	193	2645917R1	6114577C1	674		14 N/A		N/A
TM1-G	1	WH	TXL	351363R1	3551896C1	674	D	58939C1	354454C1	3551897C1
TS1-G	1	WH	TXL	351363R1	3551896C1	674	D	58939C1	354454C1	3551897C1
TS1-GL	18	WH	TXL	351359R1	6114577C1	674		11 N/A		N/A
TS13AA	18	PK	TXL	351323R1	6114577C1	674		12 N/A		N/A
TS5(+)	18	YL	193	2645917R1	6114577C1	674		13 N/A		N/A
TS5(-)	18	GN	193	2645917R1	6114577C1	674		14 N/A		N/A
KF5TB(+)	18	YL	TXL	3572112R1	3683465C1	711	B	3535424C1	3683466C1	3573833C1
KF5TB(-)	18	GN	TXL	3572112R1	3683465C1	711	A	3535424C1	3683466C1	3573833C1
KH5TB(+)	18	YL	TXL	3572112R1	3683465C1	711	B	3535424C1	3683466C1	3573833C1
KH5TB(-)	18	GN	TXL	3572112R1	3683465C1	711	A	3535424C1	3683466C1	3573833C1
XZ5A16	18	YL	TXL	3572112R1	3683465C1	711	B	3535424C1	3683466C1	3573833C1
XZ5A117	18	GN	TXL	3572112R1	3683465C1	711	A	3535424C1	3683466C1	3573833C1
KF5TB(+)	18	YL	TXL	3572112R1	3683465C1	711	A	3535424C1	3683466C1	3573833C1
KF5TB(-)	18	GN	TXL	3572112R1	3683465C1	711	B	3535424C1	3683466C1	3573833C1
KL5BE(+)	18	YL	TXL	3572112R1	3683465C1	711	A	3535424C1	3683466C1	3573833C1
KL5BE(-)	18	GN	TXL	3572112R1	3683465C1	711	B	3535424C1	3683466C1	3573833C1
KH1-GK	12	WH	TXL	351362R1	3599542C1	715		36 N/A		N/A
KH13A	14	PK	GXL	2643691R1	3599542C1	715		35 N/A		N/A
KH14A	12	RD	TXL	351368R1	3599542C1	715		38 N/A		N/A
KH17-GC	18	WH	GXL	2643674R1	3599542C1	715		4 N/A		N/A
KH17B	18	PK	GXL	2643794R1	3599542C1	715		32 N/A		N/A
KH17C	18	PK	GXL	2643794R1	3599542C1	715		26 N/A		N/A
KH3BC(+)	18	DKBL	GXL	264372R1	3599542C1	715		1 N/A		N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
KH3BC(-)	18	GY	GXL	2643673R1	3599542C1	715	11	N/A		N/A
KH5V(+)	18	YL	TXL	3572112R1	3599542C1	715	3	N/A		N/A
KH5V(-)	18	GN	TXL	3572112R1	3599542C1	715	2	N/A		N/A
KH92A	18	TN	GXL	2643676R1	3599542C1	715	16	N/A		N/A
KH92B	18	TN	GXL	2643676R1	3599542C1	715	17	N/A		N/A
KH92DP	18	TN	GXL	2643676R1	3599542C1	715	18	N/A		N/A
KH92DR	18	TN	GXL	2643676R1	3599542C1	715	34	N/A		N/A
KG1-GA	16	BK	TXL	351294R1	3765544C1	716	15	3554318C1	3765546C1	3765565C1
KG1-GB	16	BK	TXL	351294R1	3765544C1	716	5	3554318C1	3765546C1	3765565C1
KG13A	18	PK	TXL	351323R1	3765544C1	716	1	3554318C1	3765546C1	3765565C1
KG14A	16	RD	TXL	351366R1	3765544C1	716	6	3554318C1	3765546C1	3765565C1
KG14B	16	RD	TXL	351366R1	3765544C1	716	16	3554318C1	3765546C1	3765565C1
KG17-GA	18	WH	TXL	351359R1	3765544C1	716	4	3554318C1	3765546C1	3765565C1
KG17A	18	PK	TXL	351323R1	3765544C1	716	14	3554318C1	3765546C1	3765565C1
KG31A	18	TN	TXL	351329R1	3765544C1	716	7	3554318C1	3765546C1	3765565C1
KG31B	18	TN	TXL	351329R1	3765544C1	716	18	3554318C1	3765546C1	3765565C1
KG31C	18	TN	TXL	351329R1	3765544C1	716	19	3554318C1	3765546C1	3765565C1
KG5A(+)	18	YL	TXL	3572112R1	3765544C1	716	11	3554318C1	3765546C1	3765565C1
KG5A(-)	18	GN	TXL	3572112R1	3765544C1	716	12	3554318C1	3765546C1	3765565C1
KG92A	18	TN	TXL	351329R1	3765544C1	716	9	3554318C1	3765546C1	3765565C1
KL1A	16	BK	TXL	351294R1	3765544C1	716	15	3554318C1	3765546C1	3765565C1
KL1B	16	BK	TXL	351294R1	3765544C1	716	5	3554318C1	3765546C1	3765565C1
KL13A	16	PK	TXL	351324R1	3765544C1	716	1	3554318C1	3765546C1	3765565C1
KL14A	16	RD	TXL	351366R1	3765544C1	716	6	3554318C1	3765546C1	3765565C1
KL14B	16	RD	TXL	351366R1	3765544C1	716	16	3554318C1	3765546C1	3765565C1
KL17-GA	18	TN	TXL	351329R1	3765544C1	716	4	3554318C1	3765546C1	3765565C1
KL17A	18	DKBL	TXL	351353R1	3765544C1	716	14	3554318C1	3765546C1	3765565C1
KL31A	18	TN	TXL	351329R1	3765544C1	716	7	3554318C1	3765546C1	3765565C1
KL31B	18	TN	TXL	351329R1	3765544C1	716	18	3554318C1	3765546C1	3765565C1
KL31C	18	TN	TXL	351329R1	3765544C1	716	19	3554318C1	3765546C1	3765565C1
KL5A(+)	18	YL	TXL	3572112R1	3765544C1	716	11	3554318C1	3765546C1	3765565C1
KL5A(-)	18	GN	TXL	3572112R1	3765544C1	716	12	3554318C1	3765546C1	3765565C1

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
KL92A	18	TN	TXL	351329R1	3765544C1	716		9 3554318C1	3765546C1	3765565C1
KG71K	18	LTBL	TXL	351341R1	3765545C1	717		1 3554318C1	3765547C1	3765565C1
KP71L	18	OR	TXL	351317R1	3765545C1	717		5 3554318C1	3765547C1	3765565C1
KT71A	18	LTBL	TXL	351341R1	3765545C1	717		5 3554318C1	3765547C1	3765565C1
KT92#22	18	TN	TXL	351329R1	3765545C1	717		2 3554318C1	3765547C1	3765565C1
KT92#214	18	TN	TXL	351329R1	3765545C1	717		14 3554318C1	3765547C1	3765565C1
KT92#215	18	TN	TXL	351329R1	3765545C1	717		15 3554318C1	3765547C1	3765565C1
KT92#216	18	TN	TXL	351329R1	3765545C1	717		16 3554318C1	3765547C1	3765565C1
LE5D(+)	18	YL	TXL	3572112R1	3765545C1	717		7 3554318C1	3765547C1	3765565C1
LE5D(-)	18	GN	TXL	3572112R1	3765545C1	717		8 3554318C1	3765547C1	3765565C1
LF5D(+)	18	YL	TXL	3572112R1	3765545C1	717		7 3554318C1	3765547C1	3765565C1
LF5D(-)	18	GN	TXL	3572112R1	3765545C1	717		8 3554318C1	3765547C1	3765565C1
KL5B(+)	18	YL	TXL	3572112R1	3765545C1	717		7 3554318C1	3765547C1	3765565C1
KL5B(-)	18	GN	TXL	3572112R1	3765545C1	717		8 3554318C1	3765547C1	3765565C1
KL71K	18	LTBL	TXL	351341R1	3765545C1	717		1 3554318C1	3765547C1	3765565C1
KP71L	18	OR	TXL	351317R1	3765545C1	717		5 3554318C1	3765547C1	3765565C1
KT71A	18	LTBL	TXL	351341R1	3765545C1	717		5 3554318C1	3765547C1	3765565C1
KT92#22	18	LTBL	TXL	351341R1	3765545C1	717		2 3554318C1	3765547C1	3765565C1
KT92#214	18	TN	TXL	351329R1	3765545C1	717		14 3554318C1	3765547C1	3765565C1
KT92#215	18	TN	TXL	351329R1	3765545C1	717		15 3554318C1	3765547C1	3765565C1
KT92#216	18	TN	TXL	351329R1	3765545C1	717		16 3554318C1	3765547C1	3765565C1
XT92#11	18	TN	TXL	351329R1	3525872C1	727	H	356857C1	3525873C1	N/A
XT92#17	18	TN	TXL	351329R1	3525872C1	727	B	356857C1	3525873C1	N/A
XT92#19	18	TN	TXL	351329R1	3525872C1	727	D	356857C1	3525873C1	N/A
XT92#113	18	TN	TXL	351329R1	3525872C1	727	A	356857C1	3525873C1	N/A
XT92#115	18	TN	TXL	351329R1	3525872C1	727	E	356857C1	3525873C1	N/A
KE28	18	TN	TXL	351329R1	352268C1	733	B	356857C1	1661874C1	N/A
KE9AAB	18	GY	TXL	351311R1	352268C1	733	A	356857C1	1661874C1	N/A
XT92#11	18	TN	TXL	351329R1	3755755C1	735		1 N/A		N/A
XT92#17	18	TN	TXL	351329R1	3755755C1	735		7 N/A		N/A
XT92#19	18	TN	TXL	351329R1	3755755C1	735		9 N/A		N/A
XT92#113	18	TN	TXL	351329R1	3755755C1	735		13 N/A		N/A

Circuit				Terminal Splice	Connector Body	Connector			Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve		
XT92#115	18	TN	TXL	351329R1	3755755C1	735	15	N/A		N/A
XV92#11	12	RD	TXL	351368R1	3755755C1	735	22	N/A		N/A
XV92#134	18	TN	TXL	351329R1	3755755C1	735	19	N/A		N/A
XV92#141	18	TN	TXL	351329R1	3755755C1	735	2	N/A		N/A
XV92#163	18	TN	TXL	351329R1	3755755C1	735	16	N/A		N/A
XV92#165	18	TN	TXL	351329R1	3755755C1	735	4	N/A		N/A
XV92-G	12	WH	TXL	351362R1	3755755C1	735	3	N/A		N/A
XY47A125	18	TN	TXL	351329R1	3755755C1	735	1	N/A		N/A
XZ5B16	18	YL	TXL	3572112R1	3755755C1	735	6	N/A		N/A
XZ5B117	18	GN	TXL	3572112R1	3755755C1	735	17	N/A		N/A
VV14N	1	RD	GXL	2643698R1	3577412C1	751	2	N/A	3577413C1	N/A
WC11-G	1	WH	TXL	351363R1	3577412C1	751	1	N/A	3577413C1	N/A
KH11-G	1	WH	TXL	351363R1	3577412C1	751	1	N/A	3577413C1	N/A
KH14K	1	RD	TXL	351369R1	3577412C1	751	2	N/A	3577413C1	N/A
VY92DP	18	TN	GXL	2643676R1	587567C91	752	A	1652325C1		N/A
VY92DR	18	TN	GXL	2643676R1	587567C91	752	B	1652325C1		N/A
KH92DP	18	TN	GXL	2643676R1	587567C91	752	A	1652325C1		N/A
KH92DR	18	TN	GXL	2643676R1	587567C91	752	B	1652325C1		N/A
KN88A	16	LTGN	GXL	2643678R1	BLUNT_SL_V	781	A	N/A		N/A
KN88A	18	VT	GXL	2643718R1	BLUNT_SL_V	781	A	N/A		N/A
KY97J	18	VT	GXL	2643718R1	35451C91	782	A	1652325C1		N/A
KY97S	18	VT	GXL	2643718R1	35451C91	782	B	1652325C1		N/A
WV97J	18	VT	GXL	2643718R1	35451C91	782	A	1652325C1		N/A
WV97S	18	VT	GXL	2643718R1	35451C91	782	B	1652325C1		N/A
MA54-GCC	16	WH	GXL	2643681R1	166774C1	812	A	1661872C1	1667771C1	1667771C1
MA56AC	16	OR	GXL	2643682R1	166774C1	812	B	1661872C1	1667771C1	1667771C1
MA58CB	16	BN	GXL	2643679R1	166774C1	812	C	1661872C1	1667771C1	1667771C1
ME64-GA	16	WH	GXL	2643681R1	587567C91	821	B	1652325C1		N/A
ME64A	16	YL	GXL	2643684R1	587567C91	821	A	1652325C1		N/A
MD64-GB	16	WH	TXL	35136R1	6131286C1	822	2	48C1		N/A
MD64B	16	YL	TXL	351336R1	6131286C1	822	1	48C1		N/A
MD64-GA	16	WH	TXL	35136R1	6131286C1	823	2	48C1		N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
MD64A	16	YL	TXL	351336R1	6131286C1	823		1 48C1		N/A
ME64-GA	16	WH	GXL	2643681R1	3824986C1	823		2 3578677C1		N/A
ME64-GB	16	WH	GXL	2643681R1	3824986C1	823		4 3578677C1		N/A
ME64A	16	YL	GXL	2643684R1	3824986C1	823		1 3578677C1		N/A
ME64B	16	YL	GXL	2643684R1	3824986C1	823		3 3578677C1		N/A
MA85	16	GY	GXL	264368R1	1661778C1	833	A	1661872C1	1661874C1	N/A
MA85-GA	16	WH	GXL	2643681R1	1661778C1	833	B	1661872C1	1661874C1	N/A
MA85	16	GY	GXL	264368R1	1661778C1	833	A	1661872C1	1661874C1	N/A
MA85-GA	16	WH	GXL	2643681R1	1661778C1	833	B	1661872C1	1661874C1	N/A
MA87C	16	GY	GXL	264368R1	3536864C1	835		1 3536868C1		N/A
MA87D	16	GY	GXL	264368R1	3536864C1	835		2 3536868C1		N/A
CC14A	8	RD	TXL	3525611R1	3664985C1	841		3 3664986C1		N/A
CC21A1	12	TN	GXL	2643797R1	3664985C1	841		1 3664987C1		N/A
CC21A2	12	TN	GXL	2643797R1	3664985C1	841		2 3664987C1		N/A
CC21B1	18	TN	TXL	351329R1	3664985C1	841		6 3664988C1		N/A
CC21B2	18	TN	TXL	351329R1	3664985C1	841		7 3664988C1		N/A
CC21B3	18	TN	TXL	351329R1	3664985C1	841		8 3664988C1		N/A
CD14A	8	RD	TXL	3525611R1	3664985C1	841		3 3664986C1		N/A
CD21A1	12	TN	GXL	2643797R1	3664985C1	841		1 3664987C1		N/A
CD21A2	12	TN	GXL	2643797R1	3664985C1	841		2 3664987C1		N/A
CD21B1	18	TN	TXL	351329R1	3664985C1	841		6 3664988C1		N/A
CD21B2	18	TN	TXL	351329R1	3664985C1	841		7 3664988C1		N/A
CD21B3	18	TN	TXL	351329R1	3664985C1	841		8 3664988C1		N/A
MB94H	18	GY	GXL	2643673R1	1686834C1	851	A	1652325C1	166448C1	N/A
MB94J	18	GY	GXL	2643673R1	1686834C1	851	B	1652325C1	166448C1	N/A
MB94K	18	GY	GXL	2643673R1	1686834C1	851	C	1652325C1	166448C1	N/A
DY54-GXAJ	16	WH	TXL	35136R1	1661778C1	851	B	N/A	1661874C1	N/A
DY54XAJ	16	BN	TXL	35136R1	1661778C1	851	A	N/A	1661874C1	N/A
PA54-GXAJ	16	WH	TXL	35136R1	1661778C1	851	B	N/A	1661874C1	N/A
PA54XE	16	BN	TXL	35136R1	1661778C1	851	A	N/A	1661874C1	N/A
MB94H	18	GY	GXL	2643673R1	1686834C1	851	A	1652325C1	166448C1	N/A
MB94J	18	GY	GXL	2643673R1	1686834C1	851	B	1652325C1	166448C1	N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
MB94K	18	GY	GXL	2643673R1	1686834C1	851	C	1652325C1	166448C1	N/A
NB94C	18	GY	GXL	2643673R1	386638C1	852		1 UNDEF	1684263C1	N/A
NB94D	18	GY	GXL	2643673R1	386638C1	852		2 UNDEF	1684263C1	N/A
NW57CJ	16	OR	TXL	351318R1	166774C1	852	B	1661872C1	1667771C1	1667771C1
NY57CJ	16	OR	TXL	351318R1	166774C1	852	B	1661872C1	1667771C1	1667771C1
PA54-GXD	16	WH	TXL	35136R1	166774C1	852	A	1661872C1	1667771C1	1667771C1
PA54XC	16	BN	TXL	35136R1	166774C1	852	C	1661872C1	1667771C1	1667771C1
MA54-GE	16	VT	GXL	2643719R1	167161C1	852	B	1652325C1	167168C1	N/A
MA54XC	16	OR	GXL	2643682R1	167161C1	852	A	1652325C1	167168C1	N/A
NB94C	18	GY	GXL	2643673R1	386638C1	852		1 N/A	1684263C1	N/A
NB94D	18	GY	GXL	2643673R1	386638C1	852		2 N/A	1684263C1	N/A
NB94E	18	GY	GXL	2643673R1	386638C1	853		1 UNDEF	1684263C1	N/A
NB94F	18	GY	GXL	2643673R1	386638C1	853		2 UNDEF	1684263C1	N/A
AV54AJ	16	BN	TXL	35136R1	1667741C1	853	C	1661872C1	1667771C1	N/A
AW54AJ	16	BN	TXL	35136R1	1667741C1	853	C	1661872C1	1667771C1	N/A
NW57BJ	16	OR	TXL	351318R1	1667741C1	853	B	1661872C1	1667771C1	N/A
NY57BJ	16	OR	TXL	351318R1	1667741C1	853	B	1661872C1	1667771C1	N/A
PA54-GXE	16	WH	TXL	35136R1	1667741C1	853	A	1661872C1	1667771C1	N/A
NB94E	18	GY	GXL	2643673R1	386638C1	853		1 N/A	1684263C1	N/A
NB94F	18	GY	GXL	2643673R1	386638C1	853		2 N/A	1684263C1	N/A
MX94M	18	GY	TXL	351311R1	3919376C1	854		1 373369C1		N/A
MX94MA	18	GY	TXL	351311R1	3919376C1	854		2 373369C1		N/A
MX94MB	18	GY	TXL	351311R1	3919376C1	854		3 373369C1		N/A
2A54-GXEJ	16	WH	TXL	35136R1	1667741C1	854	A	1661872C1	1667771C1	N/A
2A54AJ	16	BN	TXL	35136R1	1667741C1	854	C	1661872C1	1667771C1	N/A
2B57AJ	16	OR	TXL	351318R1	1667741C1	854	B	1661872C1	1667771C1	N/A
2C57AJ	16	OR	TXL	351318R1	1667741C1	854	B	1661872C1	1667771C1	N/A
2D57AJ	16	OR	TXL	351318R1	1667741C1	854	B	1661872C1	1667771C1	N/A
2E57AJ	16	OR	TXL	351318R1	1667741C1	854	B	1661872C1	1667771C1	N/A
2F57AJ	16	OR	TXL	351318R1	1667741C1	854	B	1661872C1	1667771C1	N/A
2G57AJ	16	OR	TXL	351318R1	1667741C1	854	B	1661872C1	1667771C1	N/A
3C54-GXEJ	16	WH	TXL	35136R1	1667741C1	854	A	1661872C1	1667771C1	N/A



Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
3C54AJ	16	BN	TXL	35136R1	1667741C1	854	C	1661872C1	1667771C1	N/A
3E54-GXEJ	16	WH	TXL	35136R1	1667741C1	854	A	1661872C1	1667771C1	N/A
3E54AJ	16	BN	TXL	35136R1	1667741C1	854	C	1661872C1	1667771C1	N/A
HY54-GXEJ	16	WH	TXL	35136R1	1667741C1	854	A	1661872C1	1667771C1	N/A
HY54AJ	16	BN	TXL	35136R1	1667741C1	854	C	1661872C1	1667771C1	N/A
MX94M	18	GY	TXL	351311R1	3919376C1	854		1 373369C1		N/A
MX94MA	18	GY	TXL	351311R1	3919376C1	854		2 373369C1		N/A
MX94MB	18	GY	TXL	351311R1	3919376C1	854		3 373369C1		N/A
MH19	14	GY	GXL	2643782R1	587567C91	855	A	589391C1		N/A
MH19-GA	14	WH	GXL	2643689R1	587567C91	855	B	589391C1		N/A
MZ94MH	18	GY	TXL	351311R1	3919376C1	855		1 373369C1		N/A
MZ94MJ	18	GY	TXL	351311R1	3919376C1	855		2 373369C1		N/A
MZ94MK	18	GY	TXL	351311R1	3919376C1	855		3 373369C1		N/A
MH19	14	GY	GXL	2643782R1	587567C91	855	A	589391C1		N/A
MH19-GA	14	WH	GXL	2643689R1	587567C91	855	B	589391C1		N/A
MZ94MH	18	GY	TXL	351311R1	3919376C1	855		1 373369C1		N/A
MZ94MJ	18	GY	TXL	351311R1	3919376C1	855		2 373369C1		N/A
MZ94MK	18	GY	TXL	351311R1	3919376C1	855		3 373369C1		N/A
NC94MC	18	GY	TXL	351311R1	6111844C1	856		1 6111843C1		N/A
NC94MD	18	GY	TXL	351311R1	6111844C1	856		2 6111843C1		N/A
NC94MC	18	GY	TXL	351311R1	6111844C1	856		1 6111843C1		N/A
NC94MD	18	GY	TXL	351311R1	6111844C1	856		2 6111843C1		N/A
PC94ME	18	GY	TXL	351311R1	6111844C1	857		1 6111843C1		N/A
PC94MF	18	GY	TXL	351311R1	6111844C1	857		2 6111843C1		N/A
PC94ME	18	GY	TXL	351311R1	6111844C1	857		1 6111843C1		N/A
PC94MF	18	GY	TXL	351311R1	6111844C1	857		2 6111843C1		N/A
FA9BE	18	GY	GXL	2643673R1	3551896C1	882	C	1652325C1	354454C1	3551897C1
FB9BE	18	GY	GXL	2643673R1	3551896C1	882	C	1652325C1	354454C1	3551897C1
FC9BE	18	GY	GXL	2643673R1	3551896C1	882	C	1652325C1	354454C1	3551897C1
FD9BE	18	GY	GXL	2643673R1	3551896C1	882	C	1652325C1	354454C1	3551897C1
FE9BE	18	GY	GXL	2643673R1	3551896C1	882	C	1652325C1	354454C1	3551897C1
FF9BE	18	GY	GXL	2643673R1	3551896C1	882	C	1652325C1	354454C1	3551897C1

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
NA9BC	18	GY	GXL	2643673R1	3551896C1	882	A	1652325C1	354454C1	3551897C1
NR9BF	18	GY	GXL	2643673R1	3551896C1	882	D	1652325C1	354454C1	3551897C1
GA39-G	16	WH	GXL	2643681R1	3551896C1	883	E	1652325C1	354454C1	3551897C1
GB39-G	16	WH	GXL	2643681R1	3551896C1	883	E	1652325C1	354454C1	3551897C1
GD39-GA	16	WH	GXL	2643681R1	3551896C1	883	D	1652325C1	354454C1	3551897C1
GF39-GA	16	WH	GXL	2643681R1	3551896C1	883	D	1652325C1	354454C1	3551897C1
NA1-G	12	WH	TXL	351362R1	3551896C1	883	B	589391C1	354454C1	3551897C1
NA11-GA	1	WH	TXL	351363R1	3551896C1	883	A	58939C1	354454C1	3551897C1
RE39-G	18	WH	GXL	2643674R1	3551896C1	883	F	1652325C1	354454C1	3551897C1
CA59-G	14	WH	GXL	2643689R1	3551896C1	884	B	589391C1	354454C1	3551897C1
CB59-G	14	WH	GXL	2643689R1	3551896C1	884	B	589391C1	354454C1	3551897C1
CC59-G	14	WH	GXL	2643689R1	3551896C1	884	B	589391C1	354454C1	3551897C1
CD59-G	14	WH	GXL	2643689R1	3551896C1	884	B	589391C1	354454C1	3551897C1
NA11-GB	1	WH	TXL	351363R1	3551896C1	884	A	58939C1	354454C1	3551897C1
NT49-G	18	WH	GXL	2643674R1	3551896C1	884	D	1652325C1	354454C1	3551897C1
NV65-G	16	WH	GXL	2643681R1	3551896C1	884	E	1652325C1	354454C1	3551897C1
NX65-GA	14	WH	GXL	2643689R1	3551896C1	884	F	589391C1	354454C1	3551897C1
NY65-GA	14	WH	GXL	2643689R1	3551896C1	884	F	589391C1	354454C1	3551897C1
SW59-GA	14	WH	GXL	2643689R1	3551896C1	884	C	589391C1	354454C1	3551897C1
SX59-GA	16	GY	GXL	264368R1	3551896C1	884	C	1652325C1	354454C1	3551897C1
SY59-GA	14	WH	GXL	2643689R1	3551896C1	884	C	589391C1	354454C1	3551897C1
SZ59-G	14	WH	GXL	2643689R1	3551896C1	884	C	589391C1	354454C1	3551897C1
NW67-GG	2	WH	TXL	351358R1	6111813C1	893		5 3987169C1		N/A
NW67Y	2	PK	TXL	351322R1	6111813C1	893		8 3987169C1		N/A
SV5UE(+)	2	YL	193	3858761R1	6111813C1	893		1 3987169C1		N/A
SV5UE(-)	2	GN	193	3858761R1	6111813C1	893		6 3987169C1		N/A
WX5UE(+)	18	YL	TXL	3572112R1	6111813C1	893		2 3987169C1		N/A
WX5UE(-)	18	GN	TXL	3572112R1	6111813C1	893		7 3987169C1		N/A
NW67-GG	2	WH	TXL	351358R1	6111813C1	893		5 3987169C1		N/A
NW67Y	2	PK	TXL	351322R1	6111813C1	893		8 3987169C1		N/A
SV5UE(+)	2	YL	193	3858761R1	6111813C1	893		1 3987169C1		N/A
SV5UE(-)	2	GN	193	3858761R1	6111813C1	893		6 3987169C1		N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
WX5UE(+)	18	YL	TXL	3572112R1	6111813C1	893		2 3987169C1		N/A
WX5UE(-)	18	GN	TXL	3572112R1	6111813C1	893		7 3987169C1		N/A
SK5UF(+)	2	YL	193	3858761R1	3852527C1	894		3 36327C1		N/A
SK5UF(-)	2	GN	193	3858761R1	3852527C1	894		6 36327C1		N/A
WU67-G	2	WH	TXL	351358R1	3852527C1	894		8 36327C1		N/A
WU67YB	2	PK	TXL	351322R1	3852527C1	894		1 36327C1		N/A
WU67YC	2	PK	TXL	351322R1	3852527C1	894		2 36327C1		N/A
SK5UF(+)	2	YL	193	3858761R1	3852527C1	894		3 36327C1		N/A
SK5UF(-)	2	GN	193	3858761R1	3852527C1	894		6 36327C1		N/A
WU67-G	2	WH	TXL	351358R1	3852527C1	894		8 36327C1		N/A
WU67YB	2	PK	TXL	351322R1	3852527C1	894		1 36327C1		N/A
WU67YC	2	PK	TXL	351322R1	3852527C1	894		2 36327C1		N/A
KA1-H	4	WH	SGX	264425R1	N/A	926		1 3812582R1	N/A	N/A
RA1-G	12	WH	TXL	351362R1	1661375C2	933	E	589391C1	1661376C1	N/A
RA56A	14	OR	GXL	264369R1	1661375C2	933	B	589391C1	1661376C1	N/A
RA57A	14	OR	GXL	264369R1	1661375C2	933	C	589391C1	1661376C1	N/A
RA68A	14	BN	GXL	2643688R1	1661375C2	933	D	589391C1	1661376C1	N/A
RA71BA	12	OR	TXL	35132R1	1661375C2	933	A	589391C1	1661376C1	N/A
RB94BD	16	GY	GXL	264368R1	3539777C1	951		1 UNDEF	3539784C1	N/A
RB94BE	16	GY	GXL	264368R1	3539777C1	951		2 UNDEF	3539784C1	N/A
SH94SH	18	GY	GXL	2643673R1	1678137C1	951	C	N/A		N/A
SH94SVC	18	GY	GXL	2643673R1	1678137C1	951	B	N/A		N/A
SH94SZC	18	GY	GXL	2643673R1	1678137C1	951	A	N/A		N/A
RB94BA	16	GY	GXL	264368R1	1686834C1	952	A	1652325C1	166448C1	N/A
RB94BB	16	GY	GXL	264368R1	1686834C1	952	B	1652325C1	166448C1	N/A
RB94BC	16	GY	GXL	264368R1	1686834C1	952	C	1652325C1	166448C1	N/A
VA94BA	16	GY	GXL	264368R1	1686834C1	952	A	1652325C1	166448C1	N/A
VA94BB	16	GY	GXL	264368R1	1686834C1	952	B	1652325C1	166448C1	N/A
VA94BC	16	GY	GXL	264368R1	1686834C1	952	C	1652325C1	166448C1	N/A
RB94BF	16	GY	GXL	264368R1	3539777C1	953		1 UNDEF	3539784C1	N/A
RB94BH	16	GY	GXL	264368R1	3539777C1	953		2 UNDEF	3539784C1	N/A
TB49	18	GY	GXL	2643673R1	3593684C91	953	A	1652325C1		N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
TB49-G	18	WH	GXL	2643674R1	3593684C91	953	B	1652325C1		N/A
UY49-GB	18	WH	GXL	2643674R1	3593684C91	953	B	1652325C1		N/A
UY49A	18	GY	GXL	2643673R1	3593684C91	953	A	1652325C1		N/A
RB94BJ	16	GY	GXL	264368R1	1686834C1	954	A	1652325C1	166448C1	N/A
RB94BK	16	GY	GXL	264368R1	1686834C1	954	B	1652325C1	166448C1	N/A
RB94BL	16	GY	GXL	264368R1	1686834C1	954	C	1652325C1	166448C1	N/A
RC94BM	16	GY	GXL	264368R1	3678796C1	955		1 361687C1		N/A
RC94BN	16	GY	GXL	264368R1	3678796C1	955		2 361687C1		N/A
ST94MD	18	GY	TXL	351311R1	6111844C1	956		1 6111843C1		N/A
ST94ME	18	GY	TXL	351311R1	6111844C1	956		2 6111843C1		N/A
ST94MA	18	GY	TXL	351311R1	3919376C1	957		1 373369C1		N/A
ST94MB	18	GY	TXL	351311R1	3919376C1	957		2 373369C1		N/A
ST94MC	18	GY	TXL	351311R1	3919376C1	957		3 373369C1		N/A
ST94MF	18	GY	TXL	351311R1	6111844C1	958		1 6111843C1		N/A
ST94MH	18	GY	TXL	351311R1	6111844C1	958		2 6111843C1		N/A
ST94MJ	18	GY	TXL	351311R1	3919376C1	959		1 373369C1		N/A
ST94MK	18	GY	TXL	351311R1	3919376C1	959		2 373369C1		N/A
ST94ML	18	GY	TXL	351311R1	3919376C1	959		3 373369C1		N/A
NX65-GC	16	WH	GXL	2643681R1	BLUNT_SL_V	972	B	UNDEF		N/A
NX65BE	16	OR	GXL	2643682R1	BLUNT_SL_V	972	A	UNDEF		N/A
CD59-G	14	WH	GXL	2643689R1	1661375C2	974	A	589391C1	1661376C1	N/A
CD59A	18	GY	GXL	2643673R1	1661375C2	974	B	1652325C1	1661376C1	N/A
CD59B	18	GY	GXL	2643673R1	1661375C2	974	C	1652325C1	1661376C1	N/A
CD59C	18	GY	GXL	2643673R1	1661375C2	974	D	1652325C1	1661376C1	N/A
CD59D	18	GY	GXL	2643673R1	1661375C2	974	E	1652325C1	1661376C1	N/A
RD16B	18	GY	GXL	2643673R1	1678137C1	983	B	N/A		N/A
RD19B	18	GY	GXL	2643673R1	1678137C1	983	A	N/A		N/A
RD61B	18	GY	GXL	2643673R1	1678137C1	983	C	N/A		N/A
GB39	16	GY	GXL	264368R1	167379C1	992	A	1652325C1	1673791C1	N/A
GB39-G	16	WH	GXL	2643681R1	167379C1	992	B	1652325C1	1673791C1	N/A
RE39-GA	18	WH	GXL	2643674R1	167161C1	993	B	1652325C1	167168C1	N/A
RE39A	18	GY	GXL	2643673R1	167161C1	993	A	1652325C1	167168C1	N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
RE39-GB	18	WH	GXL	2643674R1	167161C1	994	B	1652325C1	167168C1	N/A
RE39B	18	GY	GXL	2643673R1	167161C1	994	A	1652325C1	167168C1	N/A
FU79B	18	GY	GXL	2643673R1	166126C1	1112	A	N/A		N/A
FU9BC	18	GY	GXL	2643673R1	166126C1	1112	B	N/A		N/A
JZ79A	18	GY	TXL	351311R1	166126C1	1112	A	N/A		N/A
JZ9BB	18	GY	TXL	351311R1	166126C1	1112	B	N/A		N/A
FU79C	18	GY	GXL	2643673R1	166126C1	1113	A	N/A		N/A
FU9BD	18	GY	GXL	2643673R1	166126C1	1113	B	N/A		N/A
RB75-GC	1	WH	TXL	351363R1	231522C1	1215	B	N/A		N/A
ZE75C	12	LTGN	TXL	35132R1	231522C1	1215	A	N/A		N/A
GM34B	16	TN	TXL	35133R1	1687789C1	1378	D	1652325C1	1661376C1	N/A
GM6B	2	VT	GXL	264377R1	1687789C1	1378	A	1652325C1	1661376C1	N/A
GN34B	16	TN	TXL	35133R1	1687789C1	1378	D	1652325C1	1661376C1	N/A
GN6B	2	VT	GXL	264377R1	1687789C1	1378	A	1652325C1	1661376C1	N/A
KD34	16	TN	TXL	35133R1	1687789C1	1378	B	1652325C1	1661376C1	N/A
KD34A	16	TN	TXL	35133R1	1687789C1	1378	E	1652325C1	1661376C1	N/A
KD34E	2	TN	TXL	351328R1	1687789C1	1378	C	3517771C1	1661376C1	N/A
3A94BA	18	GY	TXL	351311R1	3557921C1	1421		5 N/A	356239C1	N/A
3A94BC	18	GY	TXL	351311R1	3557921C1	1421		2 N/A	356239C1	N/A
3A94BD	18	GY	TXL	351311R1	3557921C1	1421		11 N/A	356239C1	N/A
3A94BE	18	GY	TXL	351311R1	3557921C1	1421		14 N/A	356239C1	N/A
3A94BF	18	GY	TXL	351311R1	3557921C1	1421		18 N/A	356239C1	N/A
3A94BH	18	GY	TXL	351311R1	3557921C1	1421		17 N/A	356239C1	N/A
3A94BJ	14	GY	TXL	351313R1	3557921C1	1421		9 N/A	356239C1	N/A
3A94BL	14	GY	TXL	351313R1	3557921C1	1421		8 N/A	356239C1	N/A
3A94M	18	GY	TXL	351311R1	3557921C1	1421		6 N/A	356239C1	N/A
3A94MB	18	GY	TXL	351311R1	3557921C1	1421		3 N/A	356239C1	N/A
3A94MC	18	GY	TXL	351311R1	3557921C1	1421		12 N/A	356239C1	N/A
3A94MD	18	GY	TXL	351311R1	3557921C1	1421		15 N/A	356239C1	N/A
3A94ME	18	GY	TXL	351311R1	3557921C1	1421		1 N/A	356239C1	N/A
3A94MF	18	GY	TXL	351311R1	3557921C1	1421		13 N/A	356239C1	N/A
3A94MH	18	GY	TXL	351311R1	3557921C1	1421		4 N/A	356239C1	N/A

Circuit				Terminal Splice	Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
3A94MK	18	GY	TXL	351311R1	3557921C1	1421	1	N/A	356239C1	N/A
GS94BA	18	GY	TXL	351311R1	3557921C1	1421	5	N/A	356239C1	N/A
GS94BC	18	GY	TXL	351311R1	3557921C1	1421	2	N/A	356239C1	N/A
GS94BD	18	GY	TXL	351311R1	3557921C1	1421	11	N/A	356239C1	N/A
GS94BE	18	GY	TXL	351311R1	3557921C1	1421	14	N/A	356239C1	N/A
GS94BF	18	GY	TXL	351311R1	3557921C1	1421	18	N/A	356239C1	N/A
GS94BH	18	GY	TXL	351311R1	3557921C1	1421	17	N/A	356239C1	N/A
GS94BJ	14	GY	TXL	351313R1	3557921C1	1421	9	N/A	356239C1	N/A
GS94BL	14	GY	TXL	351313R1	3557921C1	1421	8	N/A	356239C1	N/A
GS94M	18	GY	TXL	351311R1	3557921C1	1421	6	N/A	356239C1	N/A
GS94MB	18	GY	TXL	351311R1	3557921C1	1421	3	N/A	356239C1	N/A
GS94MC	18	GY	TXL	351311R1	3557921C1	1421	12	N/A	356239C1	N/A
GS94MD	18	GY	TXL	351311R1	3557921C1	1421	15	N/A	356239C1	N/A
GS94ME	18	GY	TXL	351311R1	3557921C1	1421	1	N/A	356239C1	N/A
GS94MF	18	GY	TXL	351311R1	3557921C1	1421	13	N/A	356239C1	N/A
GS94MH	18	GY	TXL	351311R1	3557921C1	1421	4	N/A	356239C1	N/A
GS94MK	18	GY	TXL	351311R1	3557921C1	1421	1	N/A	356239C1	N/A
GT94BM	18	GY	TXL	351311R1	3557921C1	1421	16	N/A	356239C1	N/A
GT94BN	18	GY	TXL	351311R1	3557921C1	1421	7	N/A	356239C1	N/A
3A94BP	18	GY	TXL	351311R1	3548978C1	1422	3	N/A	354912C1	N/A
3A94BQ	18	GY	TXL	351311R1	3548978C1	1422	5	N/A	354912C1	N/A
3A94BR	18	GY	TXL	351311R1	3548978C1	1422	2	N/A	354912C1	N/A
3A94BS	18	GY	TXL	351311R1	3548978C1	1422	15	N/A	354912C1	N/A
3A94BU	18	GY	TXL	351311R1	3548978C1	1422	12	N/A	354912C1	N/A
3A94BV	18	GY	TXL	351311R1	3548978C1	1422	11	N/A	354912C1	N/A
3A94BW	18	GY	TXL	351311R1	3548978C1	1422	14	N/A	354912C1	N/A
3A94BY	18	GY	TXL	351311R1	3548978C1	1422	6	N/A	354912C1	N/A
XG94SJ	18	GY	TXL	351311R1	3548978C1	1422	8	N/A	354912C1	N/A
XG94SK	18	GY	TXL	351311R1	3548978C1	1422	13	N/A	354912C1	N/A
GX94-GCC	18	WH	TXL	351359R1	3846885C1	1423	11	N/A	356239C1	N/A
GX94BY	18	GY	TXL	351311R1	3846885C1	1423	8	N/A	356239C1	N/A
GX94MN	18	GY	TXL	351311R1	3846885C1	1423	14	N/A	356239C1	N/A

Circuit				Terminal Splice	Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
XD94SL	18	GY	TXL	351311R1	3846885C1	1423	13	N/A	356239C1	N/A
XD94SM	18	GY	TXL	351311R1	3846885C1	1423	16	N/A	356239C1	N/A
XD94SN	18	GY	TXL	351311R1	3846885C1	1423	7	N/A	356239C1	N/A
XD94SP	18	GY	TXL	351311R1	3846885C1	1423	1	N/A	356239C1	N/A
XD94SR	18	GY	TXL	351311R1	3846885C1	1423	3	N/A	356239C1	N/A
XD94SS	18	GY	TXL	351311R1	3846885C1	1423	1	N/A	356239C1	N/A
9S74RBB	16	RD	GXL	264376R1	N/A	1561	1	N/A	N/A	N/A
9S11-GBB	16	WH	GXL	2643681R1	N/A	1562	1	N/A	N/A	N/A
9S74J	16	RD	GXL	264376R1	N/A	1563	1	N/A	N/A	N/A
9S74G	16	LTGN	GXL	2643678R1	N/A	1564	1	N/A	N/A	N/A
ZG5(+)	18	YL	TXL	3572112R1	3757649C1	1651	H	N/A		N/A
ZG5(-)	18	GN	TXL	3572112R1	3757649C1	1651	J	N/A		N/A
ZH5G(+)	18	YL	TXL	3572112R1	3757649C1	1651	C	N/A		N/A
ZH5G(-)	18	GN	TXL	3572112R1	3757649C1	1651	D	N/A		N/A
ZJ98-G	2	WH	TXL	351358R1	3757649C1	1651	A	N/A		N/A
ZJ98P	18	RD	TXL	351365R1	3757649C1	1651	B	N/A		N/A
3D5L(+)	2	YL	193	3858761R1	46286C1	1776	15	N/A	46287C1	N/A
3D5L(-)	2	GN	193	3858761R1	46286C1	1776	7	N/A	46287C1	N/A
3M5L(+)	2	YL	193	3858761R1	46286C1	1776	15	N/A	46287C1	N/A
3M5L(-)	2	GN	193	3858761R1	46286C1	1776	7	N/A	46287C1	N/A
9L5L(+)	2	YL	193	3858761R1	46286C1	1776	15	N/A	46287C1	N/A
9L5L(-)	2	GN	193	3858761R1	46286C1	1776	7	N/A	46287C1	N/A
9V5L(+)	2	YL	193	3858761R1	46286C1	1776	15	N/A	46287C1	N/A
9V5L(-)	2	GN	193	3858761R1	46286C1	1776	7	N/A	46287C1	N/A
JC5L(+)	2	YL	193	3858761R1	46286C1	1776	15	N/A	46287C1	N/A
JC5L(-)	2	GN	193	3858761R1	46286C1	1776	7	N/A	46287C1	N/A
JD5L(+)	2	YL	193	3858761R1	46286C1	1776	15	N/A	46287C1	N/A
JD5L(-)	2	GN	193	3858761R1	46286C1	1776	7	N/A	46287C1	N/A
LM97-G	2	WH	TXL	351358R1	46286C1	1776	9	N/A	46287C1	N/A
LM971G	2	PK	TXL	351322R1	46286C1	1776	8	N/A	46287C1	N/A
LM97B	2	RD	TXL	351364R1	46286C1	1776	18	N/A	46287C1	N/A
RD5L(+)	2	YL	193	3858761R1	46286C1	1776	15	N/A	46287C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
RD5L(-)	2	GN	193	3858761R1	46286C1	1776		7 N/A	46287C1	N/A
RJ5L(+)	2	YL	193	3858761R1	46286C1	1776		15 N/A	46287C1	N/A
RJ5L(-)	2	GN	193	3858761R1	46286C1	1776		7 N/A	46287C1	N/A
RM5L(+)	2	YL	193	3858761R1	46286C1	1776		15 N/A	46287C1	N/A
RM5L(-)	2	GN	193	3858761R1	46286C1	1776		7 N/A	46287C1	N/A
RS5L(+)	2	YL	193	3858761R1	46286C1	1776		15 N/A	46287C1	N/A
RS5L(-)	2	GN	193	3858761R1	46286C1	1776		7 N/A	46287C1	N/A
SB5L(+)	2	YL	193	3858761R1	46286C1	1776		15 N/A	46287C1	N/A
SB5L(-)	2	GN	193	3858761R1	46286C1	1776		7 N/A	46287C1	N/A
SC5L(+)	2	YL	193	3858761R1	46286C1	1776		15 N/A	46287C1	N/A
SC5L(-)	2	GN	193	3858761R1	46286C1	1776		7 N/A	46287C1	N/A
[LM97A]	NONE	-	NON	V-COAXWIRE	PAS1(1)	1777		1 N/A		N/A
[LM97A]	NONE	-	NON	V-COAXWIRE	PAS1(1)	1778		1 N/A		N/A
BA17A	18	PK	GXL	2643794R1	354757C1	1811	A	N/A		N/A
BA17AA	18	PK	GXL	2643794R1	354757C1	1811	B	N/A		N/A
BA97A	18	VT	GXL	2643718R1	354757C1	1811	C	N/A		N/A
BH9M	18	GY	GXL	2643673R1	354757C1	1811	D	N/A		N/A
BJ9M	18	GY	GXL	2643673R1	354757C1	1811	D	N/A		N/A
BB7D	18	GY	GXL	2643673R1	1661777C1	1812	D	N/A	1661873C1	N/A
BB7E	18	OR	GXL	2643675R1	1661777C1	1812	C	N/A	1661873C1	N/A
GE44A	2	GY	TXL	35131R1	1661777C1	1814	D	356857C1	1661873C1	N/A
GE44G	18	GY	TXL	351311R1	1661777C1	1814	C	356857C1	1661873C1	N/A
BE94SA	2	GY	TXL	35131R1	3618C1	1821		2 N/A		N/A
BE94SB	2	GY	TXL	35131R1	3618C1	1821		3 N/A		N/A
BE94SC	2	GY	TXL	35131R1	3618C1	1821		1 N/A		N/A
BE94SD	2	GY	TXL	35131R1	3618C1	1821		4 N/A		N/A
BE94SE	18	GY	GXL	2643673R1	1678137C1	1822	C	N/A		N/A
BE94SVA	18	GY	GXL	2643673R1	1678137C1	1822	B	N/A		N/A
BE94SZA	18	GY	GXL	2643673R1	1678137C1	1822	A	N/A		N/A
BE94SF	18	GY	GXL	2643673R1	1678137C1	1823	C	N/A		N/A
BE94SVB	18	GY	GXL	2643673R1	1678137C1	1823	B	N/A		N/A
BE94SZB	18	GY	GXL	2643673R1	1678137C1	1823	A	N/A		N/A



Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
[BF94-G]	14	BK	TXL	351295R1	3554539C1	1824	2	N/A		N/A
[BF94BY]	14	BK	TXL	351295R1	3554539C1	1824	1	N/A		N/A
[BF94MN]	14	BK	TXL	351295R1	3554539C1	1824	3	N/A		N/A
VA95-GF	18	WH	TXL	351359R1	35939C1	1874	2	3536867C1		N/A
VA95W	18	TN	TXL	351329R1	35939C1	1874	1	3536867C1		N/A
KJ95-GF	2	WH	GXL	2643764R1	35939C1	1874	2	3536867C1		N/A
KJ95W	2	TN	GXL	2643767R1	35939C1	1874	1	3536867C1		N/A
CT86-GD1	18	WH	TXL	351359R1	25836C1	1916	E	N/A	2654C1	N/A
CT86H	18	LTGN	TXL	351299R1	25836C1	1916	A	N/A	2654C1	N/A
CT86HA	18	LTGN	TXL	351299R1	25836C1	1916	C	N/A	2654C1	N/A
CT86HB	18	LTGN	TXL	351299R1	25836C1	1916	F	N/A	2654C1	N/A
CT86J	18	LTGN	TXL	351299R1	25836C1	1916	B	N/A	2654C1	N/A
CT86JA	18	LTGN	TXL	351299R1	25836C1	1916	D	N/A	2654C1	N/A
CT86JB	18	LTGN	TXL	351299R1	25836C1	1916	G	N/A	2654C1	N/A
MB86-GD1	18	WH	TXL	351359R1	25836C1	1916	E	N/A	2654C1	N/A
MB86H	18	LTGN	TXL	351299R1	25836C1	1916	A	N/A	2654C1	N/A
MB86HA	18	LTGN	TXL	351299R1	25836C1	1916	C	N/A	2654C1	N/A
MB86HB	18	LTGN	TXL	351299R1	25836C1	1916	F	N/A	2654C1	N/A
MB86J	18	LTGN	TXL	351299R1	25836C1	1916	B	N/A	2654C1	N/A
MB86JA	18	LTGN	TXL	351299R1	25836C1	1916	D	N/A	2654C1	N/A
MB86JB	18	LTGN	TXL	351299R1	25836C1	1916	G	N/A	2654C1	N/A
CT86-GD2	18	WH	TXL	351359R1	1661197C1	1917	B	N/A		N/A
CT86RCD	18	LTGN	TXL	351299R1	1661197C1	1917	A	N/A		N/A
MB86-GD2	18	WH	TXL	351359R1	1661197C1	1917	B	N/A		N/A
MB86RCD	18	LTGN	TXL	351299R1	1661197C1	1917	A	N/A		N/A
CT11-GBE	16	WH	TXL	35136R1	1661199C1	1918	C	N/A		N/A
CT13EE	18	PK	TXL	351323R1	1661199C1	1918	B	N/A		N/A
CT14ED	18	RD	TXL	351365R1	1661199C1	1918	A	N/A		N/A
CT11-GMW	2	WH	TXL	351358R1	25836C1	1919	B	N/A	2654C1	N/A
CT3BD(+)	18	DKBL	TXL	351353R1	25836C1	1919	C	N/A	2654C1	N/A
CT3BD(-)	18	GY	TXL	351311R1	25836C1	1919	D	N/A	2654C1	N/A
CT86-GND	18	WH	TXL	351359R1	25836C1	1919	E	N/A	2654C1	N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
CT86HA	18	LTGN	TXL	351299R1	25836C1	1919	F	N/A	2654C1	N/A
CT86JA	18	LTGN	TXL	351299R1	25836C1	1919	G	N/A	2654C1	N/A
CT86RCD	18	LTGN	TXL	351299R1	25836C1	1919	A	N/A	2654C1	N/A
CN98J	18	BK	TXL	351293R1	587565C91	1921	A	N/A		N/A
ZY98-GBE	18	WH	TXL	351359R1	166126C1	1924	A	N/A		N/A
ZY98J	18	BK	TXL	351293R1	166126C1	1924	B	N/A		N/A
HC15	18	LTGN	TXL	351299R1	587567C91	1925	B	N/A		N/A
HC15-GAP	18	WH	TXL	351359R1	587567C91	1925	A	N/A		N/A
5E11-GAR	18	WH	TXL	351359R1	3544677C1	1926	B	N/A		N/A
5E13BA	18	PK	TXL	351323R1	3544677C1	1926	A	N/A		N/A
5.00E+179	18	WH	TXL	351359R1	3544677C1	1926	E	N/A		N/A
5E5V(+)	18	YL	TXL	3572112R1	3544677C1	1926	C	N/A		N/A
5E5V(-)	18	GN	TXL	3572112R1	3544677C1	1926	D	N/A		N/A
DW11-GZ	16	WH	TXL	35136R1	415318C1	1932		2 N/A		N/A
DW13Z	16	PK	TXL	351324R1	415318C1	1932		3 N/A		N/A
DW14Z	16	RD	TXL	351366R1	415318C1	1932		4 N/A		N/A
DL11-GBH	18	WH	TXL	351359R1	21134C1	1939	D	N/A	211364C1	N/A
DL13EE	18	PK	TXL	351323R1	21134C1	1939	E	N/A	211364C1	N/A
DL14ED	18	RD	GXL	2643759R1	21134C1	1939	C	N/A	211364C1	N/A
6L11COG3	18	WH	TXL	351359R1	1661891C1	1942	A	N/A	1661892C1	N/A
6L232-R2	2	LTGN	TXL	351298R1	1661891C1	1942	C	N/A	1661892C1	N/A
6L232-T2	2	YL	TXL	351334R1	1661891C1	1942	B	N/A	1661892C1	N/A
6A11COG2	18	WH	TXL	351359R1	1661891C1	1943	A	N/A	1661892C1	N/A
6A232-R1	2	LTGN	TXL	351298R1	1661891C1	1943	C	N/A	1661892C1	N/A
6A232-T1	2	YL	TXL	351334R1	1661891C1	1943	B	N/A	1661892C1	N/A
6W11COG4	18	WH	TXL	351359R1	6114576C1	1944		13 N/A		N/A
6W232-R3	2	LTGN	TXL	351298R1	6114576C1	1944		1 N/A		N/A
6W232-T3	2	YL	TXL	351334R1	6114576C1	1944		1 N/A		N/A
FA11-GBG	16	WH	TXL	35136R1	6114576C1	1944		8 N/A		N/A
FA13EF	16	RD	TXL	351366R1	6114576C1	1944		7 N/A		N/A
FA14EG	16	RD	TXL	351366R1	6114576C1	1944		14 N/A		N/A
FM5UA(+)	18	YL	TXL	3572112R1	6114576C1	1944		2 N/A		N/A

Circuit			Terminal Splice		Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
FM5UA(-)	18	GN	TXL	3572112R1	6114576C1	1944		9 N/A		N/A
6A11COG2	18	WH	TXL	351359R1	1661889C1	1945	A	N/A	166189C1	N/A
6A232-R1	2	LTGN	TXL	351298R1	1661889C1	1945	C	N/A	166189C1	N/A
6A232-T1	2	YL	TXL	351334R1	1661889C1	1945	B	N/A	166189C1	N/A
6L11COG3	18	WH	TXL	351359R1	1661889C1	1945	A	N/A	166189C1	N/A
6L232-R2	2	LTGN	TXL	351298R1	1661889C1	1945	C	N/A	166189C1	N/A
6L232-T2	2	YL	TXL	351334R1	1661889C1	1945	B	N/A	166189C1	N/A
6W11COG4	18	WH	TXL	351359R1	1661891C1	1946	A	N/A	1661892C1	N/A
6W232-R3	2	LTGN	TXL	351298R1	1661891C1	1946	C	N/A	1661892C1	N/A
6W232-T3	2	YL	TXL	351334R1	1661891C1	1946	B	N/A	1661892C1	N/A
JY11-GD	18	WH	TXL	351359R1	374144C1	1951		4 N/A		N/A
JY13F	18	PK	TXL	351323R1	374144C1	1951		1 N/A		N/A
JY14B	18	RD	TXL	351365R1	374144C1	1951		3 N/A		N/A
JY91	18	VT	TXL	351347R1	374144C1	1951		2 N/A		N/A
BH11-GAL	18	WH	TXL	351359R1	1669972C1	2223	B	N/A		N/A
BH12A	18	LTBL	TXL	351341R1	1669972C1	2223	A	N/A		N/A
RC12B	2	LTBL	TXL	35134R1	3833917C1	2224		3 N/A		N/A
RE1AA	2	WH	TXL	351358R1	3833917C1	2224		2 N/A		N/A
RE1AB	2	WH	TXL	351358R1	3833917C1	2224		5 N/A		N/A
RF14A	2	PK	TXL	351322R1	3833917C1	2224		1 N/A		N/A
RE1AC	2	WH	TXL	351358R1	3834322C1	2225		1 N/A		N/A
RE1AD	2	WH	TXL	351358R1	3834322C1	2225		15 N/A		N/A
RE9A	2	GY	TXL	35131R1	3834322C1	2225		1 N/A		N/A
RF86AA	2	LTGN	TXL	351298R1	3834322C1	2225		11 N/A		N/A
RF86AB	2	LTGN	TXL	351298R1	3834322C1	2225		12 N/A		N/A
RF86AC	2	LTGN	TXL	351298R1	3834322C1	2225		13 N/A		N/A
RF86AD	2	LTGN	TXL	351298R1	3834322C1	2225		14 N/A		N/A
RN5L(+)	2	YL	193	3858761R1	3834322C1	2225		8 N/A		N/A
RN5L(-)	2	GN	193	3858761R1	3834322C1	2225		16 N/A		N/A
AA63B	16	DKBL	TXL	351354R1	3533975C1	2312	A	N/A	3534158C1	N/A
AA9BAA	16	GY	TXL	351312R1	3533975C1	2312	B	N/A	3534158C1	N/A
MU86BA	18	LTGN	TXL	351299R1	3533975C1	2312	C	N/A	3534158C1	N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
MU86CA	18	LTGN	TXL	351299R1	3533975C1	2312	D	N/A	3534158C1	N/A
AA63C	16	DKBL	TXL	351354R1	3533975C1	2313	A	N/A	3534158C1	N/A
AA9BAB	16	GY	TXL	351312R1	3533975C1	2313	B	N/A	3534158C1	N/A
MU86DA	18	LTGN	TXL	351299R1	3533975C1	2313	C	N/A	3534158C1	N/A
MU86EA	18	LTGN	TXL	351299R1	3533975C1	2313	D	N/A	3534158C1	N/A
KA98GN	2	GN	193	3858761R1	362454C1	4328	B	N/A	165575C1	N/A
KA98YL	2	YL	193	3858761R1	362454C1	4328	A	N/A	165575C1	N/A
GN13-GBR	18	WH	TXL	351359R1	1661891C1	5118	B	N/A	1661892C1	N/A
GN58BLT	18	BN	TXL	35135R1	1661891C1	5118	A	N/A	1661892C1	N/A
DK14TRI	16	RD	GXL	264376R1	1661197C1	5754	A	N/A		N/A
DK77SBY	16	LTGN	GXL	2643678R1	1661197C1	5754	B	N/A		N/A
DK13TRIA	16	PK	GXL	2643752R1	872291R1	5757	B	N/A		N/A
DK13TRIB	16	PK	GXL	2643752R1	872291R1	5757	A	N/A		N/A
LB17D	16	PK	GXL	2643752R1	N/A	6317		1 264438R1	N/A	N/A
KR2-G	2	WH	SGX	3592741R1	N/A	6317	A	26444R1	N/A	N/A
CC21A1	12	TN	GXL	2643797R1	N/A	6564		1 26442R1	N/A	N/A
CC21A2	12	TN	GXL	2643797R1	N/A	6564		1 26442R1	N/A	N/A
CD21A1	12	TN	GXL	2643797R1	N/A	6564		1 26442R1	N/A	N/A
CD21A2	12	TN	GXL	2643797R1	N/A	6564		1 26442R1	N/A	N/A
CC14A	8	RD	TXL	3525611R1	N/A	6565		1 264454R1	N/A	N/A
CD14A	8	RD	TXL	3525611R1	N/A	6565		1 264454R1	N/A	N/A
KA14J2	1	RD	GXL	2643698R1	6113338C1	6566		1 6113347C1		N/A
VV14N	1	RD	GXL	2643698R1	6113338C1	6566		3 6113347C1		N/A
KA14AF	1	RD	TXL	351369R1	6113338C1	6566		1 6113347C1		N/A
KH14K	1	RD	TXL	351369R1	6113338C1	6566		3 6113347C1		N/A
KA14B	16	RD	TXL	351366R1	6113341C1	6567		1 35993C1		N/A
KA14D	12	RD	TXL	351368R1	6113341C1	6567		13 3575783C1		N/A
KG14A	16	RD	TXL	351366R1	6113341C1	6567		7 35993C1		N/A
KG14B	16	RD	TXL	351366R1	6113341C1	6567		4 35993C1		N/A
LJ14A	12	RD	TXL	351368R1	6113341C1	6567		7 3575783C1		N/A
XV92#11	12	RD	TXL	351368R1	6113341C1	6567		7 3575783C1		N/A
KA14B	16	RD	TXL	351366R1	6113341C1	6567		1 35993C1		N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
KA14D	12	RD	TXL	351368R1	6113341C1	6567	13	3575783C1		N/A
KH14A	12	RD	TXL	351368R1	6113341C1	6567	7	3575783C1		N/A
KL14A	16	RD	TXL	351366R1	6113341C1	6567	7	35993C1		N/A
KL14B	16	RD	TXL	351366R1	6113341C1	6567	4	35993C1		N/A
AP5B(+)	18	YL	TXL	3572112R1	362454C1	6748	A	N/A	165575C1	N/A
AP5B(-)	18	GN	TXL	3572112R1	362454C1	6748	B	N/A	165575C1	N/A
AY5B(+)	18	YL	TXL	3572112R1	362454C1	6748	A	N/A	165575C1	N/A
AY5B(-)	18	GN	TXL	3572112R1	362454C1	6748	B	N/A	165575C1	N/A
LE5B(+)	18	YL	TXL	3572112R1	362454C1	6748	B	N/A	165575C1	N/A
LE5B(-)	18	GN	TXL	3572112R1	362454C1	6748	A	N/A	165575C1	N/A
LF5B(+)	18	YL	TXL	3572112R1	362454C1	6748	B	N/A	165575C1	N/A
LF5B(-)	18	GN	TXL	3572112R1	362454C1	6748	A	N/A	165575C1	N/A
KG5AB(+)	18	YL	TXL	3572112R1	3683465C1	7111	B	3535424C1	3683466C1	3573833C1
KG5AB(-)	18	GN	TXL	3572112R1	3683465C1	7111	A	3535424C1	3683466C1	3573833C1
KG31A	18	TN	TXL	351329R1	414389C1	7135	3	36327C1		N/A
KG31B	18	TN	TXL	351329R1	414389C1	7135	2	36327C1		N/A
KG31C	18	TN	TXL	351329R1	414389C1	7135	1	36327C1		N/A
KL31A	18	TN	TXL	351329R1	414389C1	7135	3	36327C1		N/A
KL31B	18	TN	TXL	351329R1	414389C1	7135	2	36327C1		N/A
KL31C	18	TN	TXL	351329R1	414389C1	7135	1	36327C1		N/A
WW87A	18	GY	TXL	351311R1	3554317C1	8351	1	3554318C1		N/A
WW9BB	18	GY	TXL	351311R1	3554317C1	8351	2	3554318C1		N/A
WW87A	18	GY	TXL	351311R1	3554317C1	8351	1	3554318C1		N/A
WW9BB	18	GY	TXL	351311R1	3554317C1	8351	2	3554318C1		N/A
MA87C	16	GY	GXL	264368R1	352268C1	8352	A	1661872C1	1661874C1	N/A
MA87D	16	GY	GXL	264368R1	352268C1	8352	B	1661872C1	1661874C1	N/A
NA72EA	16	OR	GXL	2643682R1	1661777C1	8454	C	1661872C1	1661873C1	N/A
NA72EB	16	OR	GXL	2643682R1	1661777C1	8454	D	1661872C1	1661873C1	N/A
NA72EA	16	OR	GXL	2643682R1	1661777C1	8454	C	1661872C1	1661873C1	N/A
NA72EB	16	OR	GXL	2643682R1	1661777C1	8454	D	1661872C1	1661873C1	N/A
SK5UH(+)	18	YL	TXL	3572112R1	3683465C1	8956	A	3535424C1	3683466C1	3573833C1
SK5UH(-)	18	GN	TXL	3572112R1	3683465C1	8956	B	3535424C1	3683466C1	3573833C1

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
SR5U(+)	18	YL	TXL	3572112R1	3683465C1	8956	A	3535424C1	3683466C1	3573833C1
SR5U(-)	18	GN	TXL	3572112R1	3683465C1	8956	B	3535424C1	3683466C1	3573833C1
SV5UB(+)	18	YL	TXL	3572112R1	3683465C1	8956	A	3535424C1	3683466C1	3573833C1
SV5UB(-)	18	GN	TXL	3572112R1	3683465C1	8956	B	3535424C1	3683466C1	3573833C1
SK5UH(+)	18	YL	TXL	3572112R1	3683465C1	8956	A	3535424C1	3683466C1	3573833C1
SK5UH(-)	18	GN	TXL	3572112R1	3683465C1	8956	B	3535424C1	3683466C1	3573833C1
SR5U(+)	18	YL	TXL	3572112R1	3683465C1	8956	A	3535424C1	3683466C1	3573833C1
SR5U(-)	18	GN	TXL	3572112R1	3683465C1	8956	B	3535424C1	3683466C1	3573833C1
SV5UB(+)	18	YL	TXL	3572112R1	3683465C1	8956	A	3535424C1	3683466C1	3573833C1
SV5UB(-)	18	GN	TXL	3572112R1	3683465C1	8956	B	3535424C1	3683466C1	3573833C1
RK5UH(+)	18	YL	TXL	3572112R1	3683465C1	8958	A	3535424C1	3683466C1	3573833C1
RK5UH(-)	18	GN	TXL	3572112R1	3683465C1	8958	B	3535424C1	3683466C1	3573833C1
RS5U(+)	18	YL	TXL	3572112R1	3683465C1	8958	A	3535424C1	3683466C1	3573833C1
RS5U(-)	18	GN	TXL	3572112R1	3683465C1	8958	B	3535424C1	3683466C1	3573833C1
RK5UH(+)	18	YL	TXL	3572112R1	3683465C1	8958	A	3535424C1	3683466C1	3573833C1
RK5UH(-)	18	GN	TXL	3572112R1	3683465C1	8958	B	3535424C1	3683466C1	3573833C1
RS5U(+)	18	YL	TXL	3572112R1	3683465C1	8958	A	3535424C1	3683466C1	3573833C1
RS5U(-)	18	GN	TXL	3572112R1	3683465C1	8958	B	3535424C1	3683466C1	3573833C1
PS94SAB	18	GY	GXL	2643673R1	361685C1	9511		1 361687C1		N/A
PS94SBB	18	GY	GXL	2643673R1	361685C1	9511		3 361687C1		N/A
PS94SCB	18	GY	GXL	2643673R1	361685C1	9511		2 361687C1		N/A
PS94SDB	18	GY	GXL	2643673R1	361685C1	9511		4 361687C1		N/A
SZ94BF	16	GY	GXL	264368R1	3539777C1	9511		1 UNDEF	3539784C1	N/A
SZ94BH	16	GY	GXL	264368R1	3539777C1	9511		2 UNDEF	3539784C1	N/A
TF94BF	16	GY	GXL	264368R1	3539777C1	9511		1 UNDEF	3539784C1	N/A
TF94BH	16	GY	GXL	264368R1	3539777C1	9511		2 UNDEF	3539784C1	N/A
UP94BF	16	GY	GXL	264368R1	3539777C1	9511		1 UNDEF	3539784C1	N/A
UP94BH	16	GY	GXL	264368R1	3539777C1	9511		2 UNDEF	3539784C1	N/A
PM94SJ	16	GY	GXL	264368R1	3678796C1	9512		1 361687C1		N/A
PM94SK	16	GY	GXL	264368R1	3678796C1	9512		2 361687C1		N/A
SZ94BD	16	GY	GXL	264368R1	3539777C1	9512		1 UNDEF	3539784C1	N/A
SZ94BE	16	GY	GXL	264368R1	3539777C1	9512		2 UNDEF	3539784C1	N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
TF94BD	16	GY	GXL	264368R1	3539777C1	9512		1 UNDEF	3539784C1	N/A
TF94BE	16	GY	GXL	264368R1	3539777C1	9512		2 UNDEF	3539784C1	N/A
UP94BD	16	GY	GXL	264368R1	3539777C1	9512		1 UNDEF	3539784C1	N/A
UP94BE	16	GY	GXL	264368R1	3539777C1	9512		2 UNDEF	3539784C1	N/A
PM94SL	16	GY	GXL	264368R1	1686834C1	9513	C	1652325C1	166448C1	N/A
PM94SM	16	GY	GXL	264368R1	1686834C1	9513	A	1652325C1	166448C1	N/A
PM94SN	16	GY	GXL	264368R1	1686834C1	9513	B	1652325C1	166448C1	N/A
TF94BA	16	GY	GXL	264368R1	1686834C1	9513	A	1652325C1	166448C1	N/A
TF94BB	16	GY	GXL	264368R1	1686834C1	9513	B	1652325C1	166448C1	N/A
TF94BC	16	GY	GXL	264368R1	1686834C1	9513	C	1652325C1	166448C1	N/A
TF94BJ	16	GY	GXL	264368R1	1686834C1	9514	A	1652325C1	166448C1	N/A
TF94BK	16	GY	GXL	264368R1	1686834C1	9514	B	1652325C1	166448C1	N/A
TF94BL	16	GY	GXL	264368R1	1686834C1	9514	C	1652325C1	166448C1	N/A
HA94A	16	GY	GXL	264368R1	3678796C1	9515		1 361687C1		N/A
HA94B	16	GY	GXL	264368R1	3678796C1	9515		2 361687C1		N/A
HB94A	16	GY	GXL	264368R1	3678796C1	9516		1 361687C1		N/A
HB94B	16	GY	GXL	264368R1	3678796C1	9516		2 361687C1		N/A
UJ94MJ	18	GY	TXL	351311R1	3919376C1	9516		1 373369C1		N/A
UJ94MK	18	GY	TXL	351311R1	3919376C1	9516		2 373369C1		N/A
UJ94ML	18	GY	TXL	351311R1	3919376C1	9516		3 373369C1		N/A
UJ94MF	18	GY	TXL	351311R1	6111844C1	9517		1 6111843C1		N/A
UJ94MH	18	GY	TXL	351311R1	6111844C1	9517		2 6111843C1		N/A
US94MF	18	GY	TXL	351311R1	6111844C1	9517		1 6111843C1		N/A
US94MH	18	GY	TXL	351311R1	6111844C1	9517		2 6111843C1		N/A
UJ94MD	18	GY	TXL	351311R1	6111844C1	9518		1 6111843C1		N/A
UJ94ME	18	GY	TXL	351311R1	6111844C1	9518		2 6111843C1		N/A
US94MD	18	GY	TXL	351311R1	6111844C1	9518		1 6111843C1		N/A
US94ME	18	GY	TXL	351311R1	6111844C1	9518		2 6111843C1		N/A
UJ94MA	18	GY	TXL	351311R1	3919376C1	9519		1 373369C1		N/A
UJ94MB	18	GY	TXL	351311R1	3919376C1	9519		2 373369C1		N/A
UJ94MC	18	GY	TXL	351311R1	3919376C1	9519		3 373369C1		N/A
VA94BD	16	GY	GXL	264368R1	3539777C1	9521		1 UNDEF	3539784C1	N/A

Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
VA94BE	16	GY	GXL	264368R1	3539777C1	9521		2 UNDEF	3539784C1	N/A	
VA94BP	16	GY	GXL	264368R1	1686834C1	9522	C	1652325C1	166448C1	N/A	
VA94BY	16	GY	GXL	264368R1	1686834C1	9522	A	1652325C1	166448C1	N/A	
VA94BZ	16	GY	GXL	264368R1	1686834C1	9522	B	1652325C1	166448C1	N/A	
VA94BQ	16	GY	GXL	264368R1	3539777C1	9523		1 UNDEF	3539784C1	N/A	
VA94BR	16	GY	GXL	264368R1	3539777C1	9523		2 UNDEF	3539784C1	N/A	
VA94BS	16	GY	GXL	264368R1	1686834C1	9524	A	1652325C1	166448C1	N/A	
VA94BT	16	GY	GXL	264368R1	1686834C1	9524	B	1652325C1	166448C1	N/A	
VA94BU	16	GY	GXL	264368R1	1686834C1	9524	C	1652325C1	166448C1	N/A	
VA94BV	16	GY	GXL	264368R1	3539777C1	9525		1 UNDEF	3539784C1	N/A	
VA94BW	16	GY	GXL	264368R1	3539777C1	9525		2 UNDEF	3539784C1	N/A	
VA94BJ	16	GY	GXL	264368R1	1686834C1	9526	A	1652325C1	166448C1	N/A	
VA94BK	16	GY	GXL	264368R1	1686834C1	9526	B	1652325C1	166448C1	N/A	
VA94BL	16	GY	GXL	264368R1	1686834C1	9526	C	1652325C1	166448C1	N/A	
VA94BF	16	GY	GXL	264368R1	3539777C1	9527		1 UNDEF	3539784C1	N/A	
VA94BH	16	GY	GXL	264368R1	3539777C1	9527		2 UNDEF	3539784C1	N/A	
VB94MA	18	GY	TXL	351311R1	3919376C1	9528		1 373369C1		N/A	
VB94MB	18	GY	TXL	351311R1	3919376C1	9528		2 373369C1		N/A	
VB94MC	18	GY	TXL	351311R1	3919376C1	9528		3 373369C1		N/A	
VB94MD	18	GY	TXL	351311R1	6111844C1	9529		1 6111843C1		N/A	
VB94ME	18	GY	TXL	351311R1	6111844C1	9529		2 6111843C1		N/A	
UV49	18	GY	GXL	2643673R1	3593684C91	9531	A	1652325C1		N/A	
UV49-G	18	WH	GXL	2643674R1	3593684C91	9531	B	1652325C1		N/A	
VB94BSA	18	GY	TXL	351311R1	3919376C1	9532		1 373369C1		N/A	
VB94BTA	18	GY	TXL	351311R1	3919376C1	9532		2 373369C1		N/A	
VB94BUA	18	GY	TXL	351311R1	3919376C1	9532		3 373369C1		N/A	
UW49	18	GY	GXL	2643673R1	3593684C91	9533	A	1652325C1		N/A	
UX49-G	18	WH	GXL	2643674R1	3593684C91	9533	B	1652325C1		N/A	
UY49-GA	18	WH	GXL	2643674R1	3593684C91	9533	B	1652325C1		N/A	
VB94MJ	18	GY	TXL	351311R1	3919376C1	9534		1 373369C1		N/A	
VB94MK	18	GY	TXL	351311R1	3919376C1	9534		2 373369C1		N/A	
VB94ML	18	GY	TXL	351311R1	3919376C1	9534		3 373369C1		N/A	



Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
VB94MF	18	GY	TXL	351311R1	6111844C1	9535		1 6111843C1		N/A
VB94MH	18	GY	TXL	351311R1	6111844C1	9535		2 6111843C1		N/A
VB94BPA	18	GY	TXL	351311R1	3919376C1	9536		3 373369C1		N/A
VB94BYA	18	GY	TXL	351311R1	3919376C1	9536		1 373369C1		N/A
VB94BZA	18	GY	TXL	351311R1	3919376C1	9536		2 373369C1		N/A
VB94BQA	18	GY	TXL	351311R1	6111844C1	9537		1 6111843C1		N/A
VB94BRA	18	GY	TXL	351311R1	6111844C1	9537		2 6111843C1		N/A
VB94BVA	18	GY	TXL	351311R1	6111844C1	9538		1 6111843C1		N/A
VB94BWA	18	GY	TXL	351311R1	6111844C1	9538		2 6111843C1		N/A
NV65	16	OR	GXL	2643682R1	1661778C1	9718	A	1661872C1	1661874C1	N/A
NV65-G	16	WH	GXL	2643681R1	1661778C1	9718	B	1661872C1	1661874C1	N/A
NX65-GB	16	WH	GXL	2643681R1	BLUNT_SL_V	9719	B	UNDEF		N/A
NX65BD	16	OR	GXL	2643682R1	BLUNT_SL_V	9719	A	UNDEF		N/A
CA59-G	14	WH	GXL	2643689R1	1661375C2	9736	A	589391C1	1661376C1	N/A
CA59A	18	GY	GXL	2643673R1	1661375C2	9736	B	1652325C1	1661376C1	N/A
CA59B	18	GY	GXL	2643673R1	1661375C2	9736	C	1652325C1	1661376C1	N/A
CA59C	18	GY	GXL	2643673R1	1661375C2	9736	D	1652325C1	1661376C1	N/A
CA59D	18	GY	GXL	2643673R1	1661375C2	9736	E	1652325C1	1661376C1	N/A
SW59-GA	14	WH	GXL	2643689R1	1661375C2	9737	A	589391C1	1661376C1	N/A
SW59E	18	GY	GXL	2643673R1	1661375C2	9737	B	1652325C1	1661376C1	N/A
SW59F	18	GY	GXL	2643673R1	1661375C2	9737	C	1652325C1	1661376C1	N/A
SW59H	18	GY	GXL	2643673R1	1661375C2	9737	D	1652325C1	1661376C1	N/A
SW59J	18	GY	GXL	2643673R1	1661375C2	9737	E	1652325C1	1661376C1	N/A
CC59-G	14	WH	GXL	2643689R1	1661375C2	9738	A	589391C1	1661376C1	N/A
CC59A	16	GY	GXL	264368R1	1661375C2	9738	B	1652325C1	1661376C1	N/A
CC59B	16	GY	GXL	264368R1	1661375C2	9738	C	1652325C1	1661376C1	N/A
CC59C	16	GY	GXL	264368R1	1661375C2	9738	D	1652325C1	1661376C1	N/A
CC59D	16	GY	GXL	264368R1	1661375C2	9738	E	1652325C1	1661376C1	N/A
CB59-G	14	WH	GXL	2643689R1	1661375C2	9739	A	589391C1	1661376C1	N/A
CB59A	16	GY	GXL	264368R1	1661375C2	9739	B	1652325C1	1661376C1	N/A
CB59B	16	GY	GXL	264368R1	1661375C2	9739	C	1652325C1	1661376C1	N/A
CB59C	16	GY	GXL	264368R1	1661375C2	9739	D	1652325C1	1661376C1	N/A

Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
CB59D	16	GY	GXL	264368R1	1661375C2	9739	E	1652325C1	1661376C1	N/A	
UB67-G	16	WH	GXL	2643681R1	367364C1	9769		2 N/A	25243C1	N/A	
UB67TA	16	GY	GXL	264368R1	367364C1	9769		1 N/A	25243C1	N/A	
UB67U	16	GY	GXL	264368R1	367364C1	9769		3 N/A	25243C1	N/A	
UB67V	16	GY	GXL	264368R1	367364C1	9769		4 N/A	25243C1	N/A	
UB67W	16	GY	GXL	264368R1	367364C1	9769		5 N/A	25243C1	N/A	
UB67-G	16	WH	GXL	2643681R1	N/A	9771		1 264438R1	N/A	N/A	
YL56T	1	YL	GXL	264382R1	1667732C1	9781	B	1667735C1	1667734C1	N/A	
YL57T	1	LTGN	GXL	2643776R1	1667732C1	9781	C	1667735C1	1667734C1	N/A	
YL58T	1	BK	GXL	2643773R1	1667732C1	9781	A	1667735C1	1667734C1	N/A	
YL68T	1	BN	TXL	35139R1	3535482C1	9782	B	58939C1	3535483C1	N/A	
YL7T	1	RD	TXL	351369R1	3535482C1	9782	C	58939C1	3535483C1	N/A	
YL94T	1	GY	TXL	351315R1	3535482C1	9782	A	58939C1	3535483C1	N/A	
YM72V	12	OR	GXL	2643755R1	3535482C1	9782	D	58939C1	3535483C1	N/A	
RH32	18	TN	GXL	2643676R1	3536864C1	9811		1 3536868C1		N/A	
RH9C	18	GY	GXL	2643673R1	3536864C1	9811		2 3536868C1		N/A	
TA32	18	TN	GXL	2643676R1	3536864C1	9811		1 3536868C1		N/A	
TA9C	18	GY	GXL	2643673R1	3536864C1	9811		2 3536868C1		N/A	
RH32A	18	TN	GXL	2643676R1	3536864C1	9812		1 3536868C1		N/A	
RH9B	18	GY	GXL	2643673R1	3536864C1	9812		2 3536868C1		N/A	
RJ32A	18	TN	GXL	2643676R1	3536864C1	9813		1 3536868C1		N/A	
RJ9	18	GY	GXL	2643673R1	3536864C1	9813		2 3536868C1		N/A	
RN49-GB	18	WH	GXL	2643674R1	587567C91	9814	B	1652325C1		N/A	
RN49A	18	GY	GXL	2643673R1	587567C91	9814	A	1652325C1		N/A	
RM49	18	GY	GXL	2643673R1	587567C91	9815	A	1652325C1		N/A	
RN49-GA	18	WH	GXL	2643674R1	587567C91	9815	B	1652325C1		N/A	
RP49-G	18	WH	GXL	2643674R1	587567C91	9815	B	1652325C1		N/A	
RL49	18	GY	GXL	2643673R1	587567C91	9816	A	1652325C1		N/A	
RL49-G	18	WH	GXL	2643674R1	587567C91	9816	B	1652325C1		N/A	
RE16B	18	GY	GXL	2643673R1	1678137C1	9832	B	N/A		N/A	
RE19B	18	GY	GXL	2643673R1	1678137C1	9832	A	N/A		N/A	
RE61B	18	GY	GXL	2643673R1	1678137C1	9832	C	N/A		N/A	

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
UC32	18	TN	GXL	2643676R1	3536864C1	9911		1 3536868C1		N/A
UC9C	18	GY	GXL	2643673R1	3536864C1	9911		2 3536868C1		N/A
UC32A	18	TN	GXL	2643676R1	3536864C1	9912		1 3536868C1		N/A
UC9B	18	GY	GXL	2643673R1	3536864C1	9912		2 3536868C1		N/A
YG116-GA	18	WH	TXL	351359R1	3535481C1	9989	D	3517771C1	3535485C1	N/A
YG116L	18	GY	GXL	2643673R1	3535481C1	9989	C	1652325C1	3535485C1	N/A
YG116M	18	GY	TXL	351311R1	3535481C1	9989	A	3517771C1	3535485C1	N/A
YG116U	18	GY	GXL	2643673R1	3535481C1	9989	B	1652325C1	3535485C1	N/A
3D5D(-)	18	GN	TXL	3572112R1	A	BS1	-	2644	N/A	N/A
3M5D(-)	18	GN	TXL	3572112R1	A	BS1	-	2644	N/A	N/A
9K5D(-)	18	GN	TXL	3572112R1	A	BS1	-	2644	N/A	N/A
9L5D(-)	18	GN	TXL	3572112R1	A	BS1	-	2644	N/A	N/A
9P5D(-)	18	GN	TXL	3572112R1	A	BS1	-	2644	N/A	N/A
9V5D(-)	18	GN	TXL	3572112R1	A	BS1	-	2644	N/A	N/A
JB5D(-)	18	GN	TXL	3572112R1	A	BS1	-	2644	N/A	N/A
PY5D(-)	18	GN	TXL	3572112R1	A	BS1	-	2644	N/A	N/A
PZ5D(-)	18	GN	TXL	3572112R1	A	BS1	-	2644	N/A	N/A
RD5D(-)	18	GN	TXL	3572112R1	A	BS1	-	2644	N/A	N/A
RG5D(-)	18	GN	TXL	3572112R1	A	BS1	-	2644	N/A	N/A
RJ5D(-)	18	GN	TXL	3572112R1	A	BS1	-	2644	N/A	N/A
RM5D(-)	18	GN	TXL	3572112R1	A	BS1	-	2644	N/A	N/A
RS5D(-)	18	GN	TXL	3572112R1	A	BS1	-	2644	N/A	N/A
RU5D(-)	18	GN	TXL	3572112R1	A	BS1	-	2644	N/A	N/A
SA5D(-)	18	GN	TXL	3572112R1	A	BS1	-	2644	N/A	N/A
SN5D(-)	18	GN	TXL	3572112R1	A	BS1	-	2644	N/A	N/A
SP5D(-)	18	GN	TXL	3572112R1	A	BS1	-	2644	N/A	N/A
ZH5D(-)	18	GN	TXL	3572112R1	A	BS1	-	2644	N/A	N/A
BB52AB	18	YL	TXL	351335R1	B	BS11	-	2644	N/A	N/A
GZ5AD(+)	18	YL	TXL	3572112R1	A	BS13	-	2644	N/A	N/A
JK5AD(+)	18	YL	TXL	3572112R1	A	BS13	-	2644	N/A	N/A
KU5AD(+)	18	YL	TXL	3572112R1	A	BS13	-	2644	N/A	N/A
LN5AD(+)	18	YL	TXL	3572112R1	A	BS13	-	2644	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
GZ5AD(-)	18	GN	TXL	3572112R1	A	BS14	-	2644 N/A	N/A	N/A
JK5AD(-)	18	GN	TXL	3572112R1	A	BS14	-	2644 N/A	N/A	N/A
KU5AD(-)	18	GN	TXL	3572112R1	A	BS14	-	2644 N/A	N/A	N/A
LN5AD(-)	18	GN	TXL	3572112R1	A	BS14	-	2644 N/A	N/A	N/A
3D5D(+)	18	YL	TXL	3572112R1	A	BS2	-	2644 N/A	N/A	N/A
3M5D(+)	18	YL	TXL	3572112R1	A	BS2	-	2644 N/A	N/A	N/A
9K5D(+)	18	YL	TXL	3572112R1	A	BS2	-	2644 N/A	N/A	N/A
9L5D(+)	18	YL	TXL	3572112R1	A	BS2	-	2644 N/A	N/A	N/A
9P5D(+)	18	YL	TXL	3572112R1	A	BS2	-	2644 N/A	N/A	N/A
9V5D(+)	18	YL	TXL	3572112R1	A	BS2	-	2644 N/A	N/A	N/A
JB5D(+)	18	YL	TXL	3572112R1	A	BS2	-	2644 N/A	N/A	N/A
PY5D(+)	18	YL	TXL	3572112R1	A	BS2	-	2644 N/A	N/A	N/A
PZ5D(+)	18	YL	TXL	3572112R1	A	BS2	-	2644 N/A	N/A	N/A
RD5D(+)	18	YL	TXL	3572112R1	A	BS2	-	2644 N/A	N/A	N/A
RG5D(+)	18	YL	TXL	3572112R1	A	BS2	-	2644 N/A	N/A	N/A
RJ5D(+)	18	YL	TXL	3572112R1	A	BS2	-	2644 N/A	N/A	N/A
RM5D(+)	18	YL	TXL	3572112R1	A	BS2	-	2644 N/A	N/A	N/A
RS5D(+)	18	YL	TXL	3572112R1	A	BS2	-	2644 N/A	N/A	N/A
RU5D(+)	18	YL	TXL	3572112R1	A	BS2	-	2644 N/A	N/A	N/A
SA5D(+)	18	YL	TXL	3572112R1	A	BS2	-	2644 N/A	N/A	N/A
SN5D(+)	18	YL	TXL	3572112R1	A	BS2	-	2644 N/A	N/A	N/A
SP5D(+)	18	YL	TXL	3572112R1	A	BS2	-	2644 N/A	N/A	N/A
ZH5D(+)	18	YL	TXL	3572112R1	A	BS2	-	2644 N/A	N/A	N/A
AA98-G	18	WH	TXL	351359R1	A	FS1	-	2644 N/A	N/A	N/A
CD14SAB	18	RD	TXL	351365R1	392859C1	1112M	4	N/A	N/A	N/A
CE14SAB	18	RD	TXL	351365R1	392859C1	1112M	4	N/A	N/A	N/A
CE14SBB	18	RD	TXL	351365R1	392859C1	1113M	4	N/A	N/A	N/A
3T92#165	18	OR	TXL	351317R1	3595625C1	173M	45	N/A	N/A	N/A
AZ92-GC	18	WH	TXL	351359R1	3595625C1	173M	21	N/A	N/A	N/A
BJ92R1	2	TN	GXL	2643767R1	3595625C1	173M	45	N/A	N/A	N/A
BJ92R2	2	TN	GXL	2643767R1	3595625C1	173M	66	N/A	N/A	N/A
BK92R1	2	TN	GXL	2643767R1	3595625C1	173M	45	N/A	N/A	N/A

Circuit				Terminal Splice	Connector Body	Connector				Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve			
BK92R2	2	TN	GXL	2643767R1	3595625C1	173M	66	N/A			N/A
GM92#165	18	OR	TXL	351317R1	3595625C1	173M	45	N/A			N/A
CF5S	18	YL	TXL	351335R1	N/A	2TB2	1	264438R	N/A		N/A
CX58C	16	BN	TXL	35136R1	3595621C1	5A	19	N/A	3598918C1		3598919C1
EL63JB	18	DKBL	TXL	351353R1	3595621C1	5A	7	N/A	3598918C1		3598919C1
GD14SAH	14	LTBL	TXL	351343R1	3595621C1	5A	3	N/A	3598918C1		3598919C1
GH14SAF	14	LTBL	TXL	351343R1	3595621C1	5A	3	N/A	3598918C1		3598919C1
BB53AB	18	YL	TXL	351335R1	B	BS12	-	2644R	N/A		N/A
BB53AC	18	YL	TXL	351335R1	B	BS12	-	2644R	N/A		N/A
AA11-GU	18	WH	TXL	351359R1	B	FS1	-	2644R	N/A		N/A
AA11-GV	18	WH	TXL	351359R1	B	FS1	-	2644R	N/A		N/A
AA11-GW	18	WH	TXL	351359R1	B	FS1	-	2644R	N/A		N/A
EM13-GBM	18	WH	TXL	351359R1	B	GS1	-	2644R	N/A		N/A
GN13-GBM	18	WH	TXL	351359R1	B	GS1	-	2644R	N/A		N/A
YH82K	16	GY	TXL	351312R1	B	GS12	-	2644R	N/A		N/A
PA54XB	16	BN	TXL	35136R1	B	GS14	-	2644R	N/A		N/A
DD78	16	LTGN	TXL	3513R1	B	GS17	-	2644R	N/A		N/A
CD14-GSB	18	WH	TXL	351359R1	B	GS18	-	2644R	N/A		N/A
CE14-GSB	18	WH	TXL	351359R1	B	GS18	-	2644R	N/A		N/A
CE14-GSD	18	WH	TXL	351359R1	B	GS18	-	2644R	N/A		N/A
JL116LZ	18	GY	TXL	351311R1	B	GS2	-	2644R	N/A		N/A
JL116UZ	18	GY	TXL	351311R1	B	GS2	-	2644R	N/A		N/A
BC63JJ	18	GY	GXL	2643673R1	A	GS22	-	2644R	N/A		N/A
BC63JV	18	GY	GXL	2643673R1	A	GS22	-	2644R	N/A		N/A
AH12K	18	LTBL	TXL	351341R1	B	GS23	-	2644R	N/A		N/A
AH13K	18	PK	TXL	351323R1	B	GS24	-	2644R	N/A		N/A
AH13M	18	PK	TXL	351323R1	B	GS24	-	2644R	N/A		N/A
YY13U	12	PK	TXL	351326R1	B	GS26	-	2644R	N/A		N/A
AL14AB	1	RD	TXL	351369R1	B	GS28	-	2644R	N/A		N/A
AL14AD	12	RD	TXL	351368R1	B	GS28	-	2644R	N/A		N/A
AL14AF	12	RD	TXL	351368R1	B	GS28	-	2644R	N/A		N/A
AL14AS	18	RD	TXL	351365R1	B	GS28	-	2644R	N/A		N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
AL14AC	12	RD	TXL	351368R1	B	GS3	-	2644R	N/A	N/A
AL14AE	12	RD	TXL	351368R1	B	GS3	-	2644R	N/A	N/A
AL14AH	12	RD	TXL	351368R1	B	GS3	-	2644R	N/A	N/A
EE11-GDA	18	GY	TXL	351311R1	B	GS32	-	2644R	N/A	N/A
EE11-GDB	18	WH	TXL	351359R1	A	GS32	-	2644R	N/A	N/A
EE11-GDC	18	WH	TXL	351359R1	B	GS32	-	2644R	N/A	N/A
EE11-GDD	18	WH	TXL	351359R1	A	GS32	-	2644R	N/A	N/A
GJ11-GDB	18	WH	TXL	351359R1	A	GS32	-	2644R	N/A	N/A
GJ11-GDC	18	WH	TXL	351359R1	B	GS32	-	2644R	N/A	N/A
GJ11-GDD	18	WH	TXL	351359R1	A	GS32	-	2644R	N/A	N/A
AL14N	1	RD	TXL	351369R1	A	GS33	-	2644R	N/A	N/A
AA82E	16	GY	TXL	351312R1	B	GS34	-	2644R	N/A	N/A
AA82M	18	GY	TXL	351311R1	B	GS34	-	2644R	N/A	N/A
AA82N	18	GY	TXL	351311R1	B	GS34	-	2644R	N/A	N/A
FR72EE	18	OR	TXL	351317R1	A	GS36	-	2644R	N/A	N/A
FR72-GB3	18	WH	TXL	351359R1	A	GS37	-	2644R	N/A	N/A
FR94TA	12	GY	TXL	351314R1	B	GS38	-	2644R	N/A	N/A
FR94TB	12	GY	TXL	351314R1	B	GS38	-	2644R	N/A	N/A
HF94TT1	12	GY	TXL	351314R1	B	GS39	-	2644R	N/A	N/A
HG94TT1	12	GY	TXL	351314R1	B	GS39	-	2644R	N/A	N/A
BK71A	16	OR	TXL	351318R1	B	GS44	-	2644R	N/A	N/A
GM71BD	16	OR	TXL	351318R1	B	GS44	-	2644R	N/A	N/A
FB94TT3	12	GY	TXL	351314R1	B	GS5	-	2644R	N/A	N/A
EE11-GDE	18	WH	TXL	351359R1	B	GS7	-	N/A	N/A	N/A
EE11-GDF	18	WH	TXL	351359R1	B	GS7	-	N/A	N/A	N/A
YY13-GFF	18	WH	TXL	351359R1	B	GS7	-	N/A	N/A	N/A
JL116L-G	18	WH	TXL	351359R1	B	GS8	-	2644R	N/A	N/A
JL116U-G	18	WH	TXL	351359R1	B	GS8	-	2644R	N/A	N/A
CF53-G	18	WH	TXL	351359R1	B	NS9	-	2644R	N/A	N/A
DY54-GXB	18	WH	TXL	351359R1	B	PS3	-	2644R	N/A	N/A
PA54-GXB	18	WH	TXL	351359R1	B	PS3	-	2644R	N/A	N/A
CN11-GBC	18	WH	TXL	351359R1	392859C1	1111M		2 N/A		N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
CN11-GBD	18	WH	TXL	351359R1	392859C1	1111M	11	N/A		N/A
CN62DH	18	DKBL	TXL	351353R1	392859C1	1111M	12	N/A		N/A
CN98J	18	BK	TXL	351293R1	392859C1	1111M	4	N/A		N/A
CR11-GBC	18	WH	TXL	351359R1	392859C1	1111M	2	N/A		N/A
CR11-GBD	18	WH	TXL	351359R1	392859C1	1111M	11	N/A		N/A
CR62DH	18	DKBL	TXL	351353R1	392859C1	1111M	12	N/A		N/A
CR98J	18	BK	TXL	351293R1	392859C1	1111M	4	N/A		N/A
ZY11-GBC	18	WH	TXL	351359R1	392859C1	1111M	2	N/A		N/A
ZY11-GBD	18	WH	TXL	351359R1	392859C1	1111M	11	N/A		N/A
ZY62DH	18	DKBL	TXL	351353R1	392859C1	1111M	12	N/A		N/A
ZY98J	18	BK	TXL	351293R1	392859C1	1111M	4	N/A		N/A
CD14-GSA	18	WH	TXL	351359R1	392859C1	1112M	9	N/A		N/A
CD14SA	18	RD	TXL	351365R1	392859C1	1112M	2	N/A		N/A
CD14SAA	18	RD	TXL	351365R1	392859C1	1112M	4	N/A		N/A
CD14SAA	18	RD	TXL	351365R1	392859C1	1112M	1	N/A		N/A
CD62-GAJ	18	WH	TXL	351359R1	392859C1	1112M	11	N/A		N/A
CD62DJ	18	DKBL	TXL	351353R1	392859C1	1112M	12	N/A		N/A
CE14-GSA	18	WH	TXL	351359R1	392859C1	1112M	9	N/A		N/A
CE14SA	18	RD	TXL	351365R1	392859C1	1112M	2	N/A		N/A
CE14SAA	18	RD	TXL	351365R1	392859C1	1112M	4	N/A		N/A
CE14SAA	18	RD	TXL	351365R1	392859C1	1112M	1	N/A		N/A
CE62-GA	18	WH	TXL	351359R1	392859C1	1112M	11	N/A		N/A
CE62DJ	18	DKBL	TXL	351353R1	392859C1	1112M	12	N/A		N/A
CE14-GSC	18	WH	TXL	351359R1	392859C1	1113M	9	N/A		N/A
CE14SB	18	RD	TXL	351365R1	392859C1	1113M	2	N/A		N/A
CE14SBA	18	RD	TXL	351365R1	392859C1	1113M	4	N/A		N/A
CE14SBA	18	RD	TXL	351365R1	392859C1	1113M	1	N/A		N/A
CE62-GB	18	WH	TXL	351359R1	392859C1	1113M	11	N/A		N/A
CE62DK	18	DKBL	TXL	351353R1	392859C1	1113M	12	N/A		N/A
HA14BC	18	DKBL	TXL	351353R1	392859C1	1114M	1	N/A		N/A
HA14SP	18	DKBL	TXL	351353R1	392859C1	1114M	4	N/A		N/A
HA14SS	18	DKBL	TXL	351353R1	392859C1	1114M	1	N/A		N/A

Circuit					Terminal Splice	Connector Body	Connector			Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve			
HA11-GAM	18	WH	TXL	351359R1	392859C1	1114M		9 N/A			N/A
HA11-GAM	18	WH	TXL	351359R1	392859C1	1114M		2 N/A			N/A
HA11-GAT	18	WH	TXL	351359R1	392859C1	1114M		11 N/A			N/A
HA11-GT	18	WH	TXL	351359R1	392859C1	1114M		11 N/A			N/A
HA11-GT	18	WH	TXL	351359R1	392859C1	1114M		2 N/A			N/A
HA62DF	18	DKBL	TXL	351353R1	392859C1	1114M		12 N/A			N/A
DK13TRIA	16	PK	GXL	2643752R1	392859C1	1116M		1 N/A			N/A
DK14TRIA	16	RD	TXL	351366R1	392859C1	1116M		4 N/A			N/A
DK62-GBN	18	WH	TXL	351359R1	392859C1	1116M		11 N/A			N/A
DK62DF	18	DKBL	TXL	351353R1	392859C1	1116M		12 N/A			N/A
DK77SBY	16	LTGN	GXL	2643678R1	392859C1	1116M		2 N/A			N/A
EM13-GBL	18	WH	TXL	351359R1	392859C1	1117M		9 N/A			N/A
EM13BL1	18	PK	TXL	351323R1	392859C1	1117M		2 N/A			N/A
EM13BL2	18	PK	TXL	351323R1	392859C1	1117M		4 N/A			N/A
EM13BL2	18	PK	TXL	351323R1	392859C1	1117M		1 N/A			N/A
EM13BLT	18	PK	TXL	351323R1	392859C1	1117M		4 N/A			N/A
EM62-GDL	18	WH	TXL	351359R1	392859C1	1117M		11 N/A			N/A
EM62DL	18	DKBL	TXL	351353R1	392859C1	1117M		12 N/A			N/A
GN13-GBL	18	WH	TXL	351359R1	392859C1	1117M		9 N/A			N/A
GN13BL1	18	PK	TXL	351323R1	392859C1	1117M		2 N/A			N/A
GN13BL2	18	PK	TXL	351323R1	392859C1	1117M		4 N/A			N/A
GN13BL2	18	PK	TXL	351323R1	392859C1	1117M		1 N/A			N/A
GN13BLT	18	PK	TXL	351323R1	392859C1	1117M		4 N/A			N/A
GN62-GDL	18	WH	TXL	351359R1	392859C1	1117M		11 N/A			N/A
GN62DL	18	DKBL	TXL	351353R1	392859C1	1117M		12 N/A			N/A
RV11COG1	18	WH	TXL	351359R1	35285C1	1118M		1 N/A			N/A
RV11COG3	18	WH	TXL	351359R1	35285C1	1118M		3 N/A			N/A
RV13COG1	16	PK	TXL	351324R1	35285C1	1118M		9 N/A			N/A
RV13COG3	16	PK	TXL	351324R1	35285C1	1118M		1 N/A			N/A
RV67COG	18	WH	TXL	351359R1	35285C1	1118M	2B	N/A			N/A
RV67EN	16	TN	TXL	35133R1	35285C1	1118M		7 N/A			N/A
RV67NA	16	TN	TXL	35133R1	35285C1	1118M		8 N/A			N/A



Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
2V11COG1	18	WH	TXL	351359R1	392859C1	1119M	2	N/A		N/A
2V13COG1	16	PK	TXL	351324R1	392859C1	1119M	12	N/A		N/A
2V13COG3	16	PK	TXL	351324R1	392859C1	1119M	1	N/A		N/A
2V67COG1	18	GY	TXL	351311R1	392859C1	1119M	1	N/A		N/A
2V67COG2	18	GY	TXL	351311R1	392859C1	1119M	4	N/A		N/A
2V67EN	16	TN	TXL	35133R1	392859C1	1119M	9	N/A		N/A
2V67NA	16	VT	TXL	351348R1	392859C1	1119M	11	N/A		N/A
JN5BH(+)	18	YL	TXL	351335R1	3768593C1	111F	5	N/A		N/A
JN5BH(-)	18	LTGN	TXL	351299R1	3768593C1	111F	6	N/A		N/A
JR5BH(+)	18	YL	TXL	351335R1	3768593C1	111F	5	N/A		N/A
JR5BH(-)	18	LTGN	TXL	351299R1	3768593C1	111F	6	N/A		N/A
AA11-GKD	18	WH	TXL	351359R1	352271C1	111M	8	N/A		N/A
AA14MUX	18	RD	TXL	351365R1	352271C1	111M	1	N/A		N/A
FR72-GB1	18	WH	TXL	351359R1	392859C1	111M	9	N/A		N/A
FR72-GB2	18	WH	TXL	351359R1	392859C1	111M	11	N/A		N/A
FR72EB	18	OR	TXL	351317R1	392859C1	111M	2	N/A		N/A
FR72EC	18	OR	TXL	351317R1	392859C1	111M	4	N/A		N/A
FR72ED	18	OR	TXL	351317R1	392859C1	111M	1	N/A		N/A
JN5BG(+)	18	YL	TXL	351335R1	352271C1	111M	5	N/A		N/A
JN5BG(-)	18	LTGN	TXL	351299R1	352271C1	111M	6	N/A		N/A
JR5BG(+)	18	YL	TXL	351335R1	352271C1	111M	5	N/A		N/A
JR5BG(-)	18	LTGN	TXL	351299R1	352271C1	111M	6	N/A		N/A
XW62DG	18	DKBL	TXL	351353R1	392859C1	111M	12	N/A		N/A
HN62AA	18	DKBL	TXL	351353R1	392859C1	1124M	12	N/A		N/A
HN62J	18	DKBL	TXL	351353R1	392859C1	1124M	12	N/A		N/A
HN75-GAS	18	WH	GXL	2643674R1	392859C1	1124M	11	N/A		N/A
HN75AF	18	LTGN	GXL	2643671R1	392859C1	1124M	4	N/A		N/A
HN75AG	18	LTGN	GXL	2643671R1	392859C1	1124M	9	N/A		N/A
HN75AT	18	LTGN	GXL	2643671R1	392859C1	1124M	1	N/A		N/A
HN75HA	18	LTGN	GXL	2643671R1	392859C1	1124M	11	N/A		N/A
HN75HC	18	LTGN	GXL	2643671R1	392859C1	1124M	2	N/A		N/A
HN62AA	18	DKBL	TXL	351353R1	392859C1	1125M	12	N/A		N/A

Circuit		Terminal Splice			Connector Body	Connector				Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve			
HN75HA	18	LTGN	GXL	2643671R1	392859C1	1125M	11	N/A			N/A
HN75HB	18	LTGN	GXL	2643671R1	392859C1	1125M	1	N/A			N/A
HN75HD	18	LTGN	GXL	2643671R1	392859C1	1125M	2	N/A			N/A
HN77NE	18	LTGN	GXL	2643671R1	392859C1	1125M	4	N/A			N/A
HN77NF	18	LTGN	GXL	2643671R1	392859C1	1125M	9	N/A			N/A
CS11COG1	18	WH	TXL	351359R1	392859C1	1126M	2	N/A			N/A
CS62A	18	DKBL	TXL	351353R1	392859C1	1126M	12	N/A			N/A
CS67COG1	18	GY	TXL	351311R1	392859C1	1126M	1	N/A			N/A
CS67COG2	18	GY	TXL	351311R1	392859C1	1126M	4	N/A			N/A
CS67NB	16	VT	TXL	351348R1	392859C1	1126M	11	N/A			N/A
AG11-GRG	16	WH	GXL	2643681R1	417138C1	129A	85	N/A	22326C1		N/A
AG14AA	8	RD	GXL	264371R1	417138C1	129A	3	N/A	22326C1		N/A
AG14XS	16	RD	GXL	264376R1	417138C1	129A	86	N/A	22326C1		N/A
AG14XY	8	RD	GXL	264371R1	417138C1	129A	87	N/A	22326C1		N/A
AA73A	2	LTGN	TXL	351298R1	3768152C1	12A	1	N/A			N/A
AA73B	2	LTGN	TXL	351298R1	3768152C1	12A	12	N/A			N/A
AA74-G	2	WH	TXL	351358R1	3768152C1	12A	2	N/A			N/A
AA74-GA	2	WH	TXL	351358R1	3768152C1	12A	13	N/A			N/A
AA74A2	2	LTGN	TXL	351298R1	3768152C1	12A	9	N/A			N/A
AA74B2	2	LTGN	TXL	351298R1	3768152C1	12A	1	N/A			N/A
AA74C2	2	LTGN	TXL	351298R1	3768152C1	12A	18	N/A			N/A
AA74D2	2	LTGN	TXL	351298R1	3768152C1	12A	21	N/A			N/A
AA74D4	2	LTGN	TXL	351298R1	3768152C1	12A	22	N/A			N/A
AA74D5	2	LTGN	TXL	351298R1	3768152C1	12A	11	N/A			N/A
AA74E2	2	LTGN	TXL	351298R1	3768152C1	12A	19	N/A			N/A
AA75B	2	LTGN	TXL	351298R1	3768152C1	12A	5	N/A			N/A
DH75A	2	LTGN	TXL	351298R1	3768152C1	12A	6	N/A			N/A
GZ5AF(+)	2	YL	193	3858761R1	3768152C1	12A	7	N/A			N/A
GZ5AF(-)	2	GN	193	3858761R1	3768152C1	12A	8	N/A			N/A
JK5AF(+)	2	YL	193	3858761R1	3768152C1	12A	7	N/A			N/A
JK5AF(-)	2	GN	193	3858761R1	3768152C1	12A	8	N/A			N/A
KU5AF(+)	2	YL	193	3858761R1	3768152C1	12A	7	N/A			N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
KU5AF(-)	2	GN	193	3858761R1	3768152C1	12A		8 N/A		N/A
LN5AF(+)	2	YL	193	3858761R1	3768152C1	12A		7 N/A		N/A
LN5AF(-)	2	GN	193	3858761R1	3768152C1	12A		8 N/A		N/A
AA74A1	2	LTGN	TXL	351298R1	3768153C1	12B		13 N/A		N/A
AA74A3	2	LTGN	TXL	351298R1	3768153C1	12B		14 N/A		N/A
AA74A4	2	LTGN	TXL	351298R1	3768153C1	12B		15 N/A		N/A
AA74A5	2	LTGN	TXL	351298R1	3768153C1	12B		16 N/A		N/A
AA74B1	2	LTGN	TXL	351298R1	3768153C1	12B		1 N/A		N/A
AA74B3	2	LTGN	TXL	351298R1	3768153C1	12B		2 N/A		N/A
AA74B4	2	LTGN	TXL	351298R1	3768153C1	12B		3 N/A		N/A
AA74B5	2	LTGN	TXL	351298R1	3768153C1	12B		12 N/A		N/A
AA74C1	2	LTGN	TXL	351298R1	3768153C1	12B		4 N/A		N/A
AA74C3	2	LTGN	TXL	351298R1	3768153C1	12B		5 N/A		N/A
AA74C4	2	LTGN	TXL	351298R1	3768153C1	12B		6 N/A		N/A
AA74C5	2	LTGN	TXL	351298R1	3768153C1	12B		7 N/A		N/A
AA74D1	2	LTGN	TXL	351298R1	3768153C1	12B		21 N/A		N/A
AA74D3	2	LTGN	TXL	351298R1	3768153C1	12B		22 N/A		N/A
AA74E1	2	LTGN	TXL	351298R1	3768153C1	12B		8 N/A		N/A
AA74E3	2	LTGN	TXL	351298R1	3768153C1	12B		9 N/A		N/A
AA74E4	2	LTGN	TXL	351298R1	3768153C1	12B		1 N/A		N/A
AA74E5	2	LTGN	TXL	351298R1	3768153C1	12B		11 N/A		N/A
AA74C1	2	LTGN	TXL	351298R1	457474C1	12C	A	N/A		N/A
AA74C2	2	LTGN	TXL	351298R1	457474C1	12C	B	N/A		N/A
AA74C3	2	LTGN	TXL	351298R1	457474C1	12C	C	N/A		N/A
AA74C4	2	LTGN	TXL	351298R1	457474C1	12C	D	N/A		N/A
AA74C5	2	LTGN	TXL	351298R1	457474C1	12C	E	N/A		N/A
AA74D1	2	LTGN	TXL	351298R1	457474C1	12C	F	N/A		N/A
AA74D2	2	LTGN	TXL	351298R1	457474C1	12C	G	N/A		N/A
AA74D3	2	LTGN	TXL	351298R1	457474C1	12C	H	N/A		N/A
AA74D4	2	LTGN	TXL	351298R1	457474C1	12C	J	N/A		N/A
AA74D5	2	LTGN	TXL	351298R1	457474C1	12C	K	N/A		N/A
AA74E1	2	LTGN	TXL	351298R1	457474C1	12C	L	N/A		N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
AA74E2	2	LTGN	TXL	351298R1	457474C1	12C	M	N/A		N/A
AA74E3	2	LTGN	TXL	351298R1	457474C1	12C	N	N/A		N/A
AA74E4	2	LTGN	TXL	351298R1	457474C1	12C	P	N/A		N/A
AA74E5	2	LTGN	TXL	351298R1	457474C1	12C	S	N/A		N/A
AA75-G	12	WH	TXL	351362R1	46187C1	12D	B	N/A	464677C1	N/A
DH75	12	RD	GXL	2643695R1	46187C1	12D	A	N/A	464677C1	N/A
AA6AM	2	GY	TXL	35131R1	457658C1	12E	M	N/A		N/A
AA74A1	2	LTGN	TXL	351298R1	457658C1	12E	A	N/A		N/A
AA74A2	2	LTGN	TXL	351298R1	457658C1	12E	B	N/A		N/A
AA74A3	2	LTGN	TXL	351298R1	457658C1	12E	C	N/A		N/A
AA74A4	2	LTGN	TXL	351298R1	457658C1	12E	D	N/A		N/A
AA74A5	2	LTGN	TXL	351298R1	457658C1	12E	E	N/A		N/A
AA74B1	2	LTGN	TXL	351298R1	457658C1	12E	F	N/A		N/A
AA74B2	2	LTGN	TXL	351298R1	457658C1	12E	G	N/A		N/A
AA74B3	2	LTGN	TXL	351298R1	457658C1	12E	H	N/A		N/A
AA74B4	2	LTGN	TXL	351298R1	457658C1	12E	J	N/A		N/A
AA74B5	2	LTGN	TXL	351298R1	457658C1	12E	K	N/A		N/A
AA75B	2	LTGN	TXL	351298R1	457658C1	12E	P	N/A		N/A
AA77D	2	LTGN	TXL	351298R1	457658C1	12E	L	N/A		N/A
DH75AB	18	LTGN	TXL	351299R1	457658C1	12E	N	N/A		N/A
CV81-G	1	WH	TXL	351363R1	N/A	14A		1 26442R1	N/A	N/A
AA11-GCA	12	WH	TXL	351362R1	N/A	14B		1 26445R1	N/A	N/A
AA11-GKC	12	WH	TXL	351362R1	N/A	14B		1 26445R1	N/A	N/A
3D5G(+)	18	YL	TXL	3572112R1	37161C1	15A	A9	N/A	3539892C1	3539893C1
3D5G(-)	18	GN	TXL	3572112R1	37161C1	15A	A1	N/A	3539892C1	3539893C1
3M5G(+)	18	YL	TXL	3572112R1	37161C1	15A	A9	N/A	3539892C1	3539893C1
3M5G(-)	18	GN	TXL	3572112R1	37161C1	15A	A1	N/A	3539892C1	3539893C1
5E13C	18	PK	TXL	351323R1	37161C1	15A	A6	N/A	3539892C1	3539893C1
5.00E+179	18	WH	TXL	351359R1	37161C1	15A	A7	N/A	3539892C1	3539893C1
9K5G(+)	18	YL	TXL	3572112R1	37161C1	15A	A9	N/A	3539892C1	3539893C1
9K5G(-)	18	GN	TXL	3572112R1	37161C1	15A	A1	N/A	3539892C1	3539893C1
9L5G(+)	18	YL	TXL	3572112R1	37161C1	15A	A9	N/A	3539892C1	3539893C1

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
9L5G(-)	18	GN	TXL	3572112R1	37161C1	15A	A1	N/A	3539892C1	3539893C1
9P5G(+)	18	YL	TXL	3572112R1	37161C1	15A	A9	N/A	3539892C1	3539893C1
9P5G(-)	18	GN	TXL	3572112R1	37161C1	15A	A1	N/A	3539892C1	3539893C1
9V5G(+)	18	YL	TXL	3572112R1	37161C1	15A	A9	N/A	3539892C1	3539893C1
9V5G(-)	18	GN	TXL	3572112R1	37161C1	15A	A1	N/A	3539892C1	3539893C1
AA11-GKE	16	WH	TXL	35136R1	37161C1	15A	B3	N/A	3539892C1	3539893C1
AA13EA	18	PK	TXL	351323R1	37161C1	15A	A3	N/A	3539892C1	3539893C1
AA14EE	16	RD	TXL	351366R1	37161C1	15A	A2	N/A	3539892C1	3539893C1
AT28A	2	TN	TXL	351328R1	37161C1	15A	B9	N/A	3539892C1	3539893C1
AT28B	2	TN	TXL	351328R1	37161C1	15A	B1	N/A	3539892C1	3539893C1
AT28C	2	TN	TXL	351328R1	37161C1	15A	B8	N/A	3539892C1	3539893C1
CP11-GMW	2	WH	TXL	351358R1	37161C1	15A	B5	N/A	3539892C1	3539893C1
CP98F	2	TN	TXL	351328R1	37161C1	15A	B4	N/A	3539892C1	3539893C1
CT11-GMW	2	WH	TXL	351358R1	37161C1	15A	B5	N/A	3539892C1	3539893C1
CT98F	2	TN	TXL	351328R1	37161C1	15A	B4	N/A	3539892C1	3539893C1
DX11-GLD	2	WH	TXL	351358R1	37161C1	15A	B7	N/A	3539892C1	3539893C1
DX63AW	2	DKBL	TXL	351352R1	37161C1	15A	B6	N/A	3539892C1	3539893C1
JC5G(+)	18	YL	TXL	3572112R1	37161C1	15A	A9	N/A	3539892C1	3539893C1
JC5G(-)	18	GN	TXL	3572112R1	37161C1	15A	A1	N/A	3539892C1	3539893C1
JD5G(+)	18	YL	TXL	3572112R1	37161C1	15A	A9	N/A	3539892C1	3539893C1
JD5G(-)	18	GN	TXL	3572112R1	37161C1	15A	A1	N/A	3539892C1	3539893C1
JF5G(+)	18	YL	TXL	3572112R1	37161C1	15A	A9	N/A	3539892C1	3539893C1
JF5G(-)	18	GN	TXL	3572112R1	37161C1	15A	A1	N/A	3539892C1	3539893C1
JG5G(+)	18	YL	TXL	3572112R1	37161C1	15A	A9	N/A	3539892C1	3539893C1
JG5G(-)	18	GN	TXL	3572112R1	37161C1	15A	A1	N/A	3539892C1	3539893C1
MB11-GMM	2	WH	TXL	351358R1	37161C1	15A	B5	N/A	3539892C1	3539893C1
MB98F	2	TN	TXL	351328R1	37161C1	15A	B4	N/A	3539892C1	3539893C1
MJ11-GMW	2	WH	TXL	351358R1	37161C1	15A	B5	N/A	3539892C1	3539893C1
MJ98F	2	TN	TXL	351328R1	37161C1	15A	B4	N/A	3539892C1	3539893C1
PY5G(+)	18	YL	TXL	3572112R1	37161C1	15A	A9	N/A	3539892C1	3539893C1
PY5G(-)	18	GN	TXL	3572112R1	37161C1	15A	A1	N/A	3539892C1	3539893C1
PZ5G(+)	18	YL	TXL	3572112R1	37161C1	15A	A9	N/A	3539892C1	3539893C1

Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
PZ5G(-)	18	GN	TXL	3572112R1	37161C1	15A	A1	N/A	3539892C1	3539893C1	
RA11-GKJ	6	WH	SGX	264379R1	N/A	15A		1 26442R1	N/A	N/A	
RB11-GKJ	6	WH	SGX	264379R1	N/A	15A		1 26442R1	N/A	N/A	
RD5G(+)	18	YL	TXL	3572112R1	37161C1	15A	A9	N/A	3539892C1	3539893C1	
RD5G(-)	18	GN	TXL	3572112R1	37161C1	15A	A1	N/A	3539892C1	3539893C1	
RG5G(+)	18	YL	TXL	3572112R1	37161C1	15A	A9	N/A	3539892C1	3539893C1	
RG5G(-)	18	GN	TXL	3572112R1	37161C1	15A	A1	N/A	3539892C1	3539893C1	
RJ5G(+)	18	YL	TXL	3572112R1	37161C1	15A	A9	N/A	3539892C1	3539893C1	
RJ5G(-)	18	GN	TXL	3572112R1	37161C1	15A	A1	N/A	3539892C1	3539893C1	
RM5G(+)	18	YL	TXL	3572112R1	37161C1	15A	A9	N/A	3539892C1	3539893C1	
RM5G(-)	18	GN	TXL	3572112R1	37161C1	15A	A1	N/A	3539892C1	3539893C1	
RS5G(+)	18	YL	TXL	3572112R1	37161C1	15A	A9	N/A	3539892C1	3539893C1	
RS5G(-)	18	GN	TXL	3572112R1	37161C1	15A	A1	N/A	3539892C1	3539893C1	
RU5G(+)	18	YL	TXL	3572112R1	37161C1	15A	A9	N/A	3539892C1	3539893C1	
RU5G(-)	18	GN	TXL	3572112R1	37161C1	15A	A1	N/A	3539892C1	3539893C1	
SB5G(+)	18	YL	TXL	3572112R1	37161C1	15A	A9	N/A	3539892C1	3539893C1	
SB5G(-)	18	GN	TXL	3572112R1	37161C1	15A	A1	N/A	3539892C1	3539893C1	
SC5G(+)	18	YL	TXL	3572112R1	37161C1	15A	A9	N/A	3539892C1	3539893C1	
SC5G(-)	18	GN	TXL	3572112R1	37161C1	15A	A1	N/A	3539892C1	3539893C1	
SD5G(+)	18	YL	TXL	3572112R1	37161C1	15A	A9	N/A	3539892C1	3539893C1	
SD5G(-)	18	GN	TXL	3572112R1	37161C1	15A	A1	N/A	3539892C1	3539893C1	
SE5G(+)	18	YL	TXL	3572112R1	37161C1	15A	A9	N/A	3539892C1	3539893C1	
SE5G(-)	18	GN	TXL	3572112R1	37161C1	15A	A1	N/A	3539892C1	3539893C1	
SN5G(+)	18	YL	TXL	3572112R1	37161C1	15A	A9	N/A	3539892C1	3539893C1	
SN5G(-)	18	GN	TXL	3572112R1	37161C1	15A	A1	N/A	3539892C1	3539893C1	
SP5G(+)	18	YL	TXL	3572112R1	37161C1	15A	A9	N/A	3539892C1	3539893C1	
SP5G(-)	18	GN	TXL	3572112R1	37161C1	15A	A1	N/A	3539892C1	3539893C1	
AC11-G	8	WH	GXL	2643789R1	N/A	15B		1 26445R1	N/A	N/A	
2F56A4	16	OR	TXL	351318R1	354613C1	16B	E	N/A	354615C1	N/A	
2F57A2	16	OR	TXL	351318R1	354613C1	16B	F	N/A	354615C1	N/A	
2G56A4	16	OR	TXL	351318R1	354613C1	16B	E	N/A	354615C1	N/A	
2G57A2	16	OR	TXL	351318R1	354613C1	16B	F	N/A	354615C1	N/A	

Circuit		Terminal Splice			Connector Body	Connector				Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve			
2V11COG	18	WH	TXL	351359R1	354613C1	16B	D	N/A		354615C1	N/A
2V13COG	16	PK	TXL	351324R1	354613C1	16B	C	N/A		354615C1	N/A
2V14CSB	16	RD	TXL	351366R1	354613C1	16B	H	N/A		354615C1	N/A
2V5CA(+)	18	YL	TXL	3572112R1	354613C1	16B	K	N/A		354615C1	N/A
2V5CA(-)	18	GN	TXL	3572112R1	354613C1	16B	J	N/A		354615C1	N/A
2V67COG	18	GY	TXL	351311R1	354613C1	16B	G	N/A		354615C1	N/A
2V67EN	16	TN	TXL	35133R1	354613C1	16B	A	N/A		354615C1	N/A
2V67NA	16	VT	TXL	351348R1	354613C1	16B	B	N/A		354615C1	N/A
2Z56A2	16	OR	TXL	351318R1	354613C1	16B	E	N/A		354615C1	N/A
2Z57A4	16	OR	TXL	351318R1	354613C1	16B	F	N/A		354615C1	N/A
CS11COG	18	WH	TXL	351359R1	354613C1	16B	D	N/A		354615C1	N/A
CS13COG	16	PK	TXL	351324R1	354613C1	16B	C	N/A		354615C1	N/A
CS14CSB	16	RD	TXL	351366R1	354613C1	16B	H	N/A		354615C1	N/A
CS5DA(+)	18	YL	TXL	3572112R1	354613C1	16B	F	N/A		354615C1	N/A
CS5DA(-)	18	GN	TXL	3572112R1	354613C1	16B	E	N/A		354615C1	N/A
CS67COG	18	GY	TXL	351311R1	354613C1	16B	G	N/A		354615C1	N/A
JB5E(+)	18	YL	TXL	3572112R1	354613C1	16B	K	N/A		354615C1	N/A
JB5E(-)	18	GN	TXL	3572112R1	354613C1	16B	J	N/A		354615C1	N/A
RV11COG	18	WH	TXL	351359R1	354613C1	16B	D	N/A		354615C1	N/A
RV13COG	16	PK	TXL	351324R1	354613C1	16B	C	N/A		354615C1	N/A
RV5CA(+)	18	YL	TXL	3572112R1	354613C1	16B	K	N/A		354615C1	N/A
RV5CA(-)	18	GN	TXL	3572112R1	354613C1	16B	J	N/A		354615C1	N/A
RV67COG	18	WH	TXL	351359R1	354613C1	16B	G	N/A		354615C1	N/A
RV67EN	16	TN	TXL	35133R1	354613C1	16B	A	N/A		354615C1	N/A
RV67NA	16	TN	TXL	35133R1	354613C1	16B	B	N/A		354615C1	N/A
SA5E(+)	18	YL	TXL	3572112R1	354613C1	16B	K	N/A		354615C1	N/A
SA5E(-)	18	GN	TXL	3572112R1	354613C1	16B	J	N/A		354615C1	N/A
ZH5E(+)	18	YL	TXL	3572112R1	354613C1	16B	K	N/A		354615C1	N/A
ZH5E(-)	18	GN	TXL	3572112R1	354613C1	16B	J	N/A		354615C1	N/A
BA94BP	16	GY	GXL	264368R1	3595622C1	171F		54 N/A			N/A
BA94BQ	16	GY	GXL	264368R1	3595622C1	171F		55 N/A			N/A
BA94BR	16	GY	GXL	264368R1	3595622C1	171F		56 N/A			N/A

<b>Circuit</b>				<b>Terminal Splice</b>	<b>Connector Body</b>	<b>Connector</b>					
<b>Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Number</b>	<b>Part Numbers</b>	<b>Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>	
BA94BS	16	GY	GXL	264368R1	3595622C1	171F	57	N/A		N/A	
BA94BT	16	GY	GXL	264368R1	3595622C1	171F	58	N/A		N/A	
BA94BU	16	GY	GXL	264368R1	3595622C1	171F	59	N/A		N/A	
BA94BV	16	GY	GXL	264368R1	3595622C1	171F	6	N/A		N/A	
BA94BW	16	GY	GXL	264368R1	3595622C1	171F	64	N/A		N/A	
BA94BY	16	GY	GXL	264368R1	3595622C1	171F	52	N/A		N/A	
BA94BZ	16	GY	GXL	264368R1	3595622C1	171F	53	N/A		N/A	
BB94BA	16	GY	GXL	264368R1	3595622C1	171F	23	N/A		N/A	
BB94BB	16	GY	GXL	264368R1	3595622C1	171F	24	N/A		N/A	
BB94BC	16	GY	GXL	264368R1	3595622C1	171F	25	N/A		N/A	
BB94BD	16	GY	GXL	264368R1	3595622C1	171F	17	N/A		N/A	
BB94BE	16	GY	GXL	264368R1	3595622C1	171F	16	N/A		N/A	
BB94BF	16	GY	GXL	264368R1	3595622C1	171F	19	N/A		N/A	
BB94BH	16	GY	GXL	264368R1	3595622C1	171F	18	N/A		N/A	
BB94BJ	14	GY	GXL	2643782R1	3595622C1	171F	21	N/A		N/A	
BB94BK	16	GY	GXL	264368R1	3595622C1	171F	22	N/A		N/A	
BB94BL	14	GY	GXL	2643782R1	3595622C1	171F	2	N/A		N/A	
BC94BM	16	GY	GXL	264368R1	3595622C1	171F	14	N/A		N/A	
BC94BN	16	GY	GXL	264368R1	3595622C1	171F	15	N/A		N/A	
CA59A	18	GY	GXL	2643673R1	3595622C1	171F	32	N/A		N/A	
CA59B	18	GY	GXL	2643673R1	3595622C1	171F	33	N/A		N/A	
CA59C	18	GY	GXL	2643673R1	3595622C1	171F	34	N/A		N/A	
CA59D	18	GY	GXL	2643673R1	3595622C1	171F	35	N/A		N/A	
CB59A	16	GY	GXL	264368R1	3595622C1	171F	32	N/A		N/A	
CB59B	16	GY	GXL	264368R1	3595622C1	171F	33	N/A		N/A	
CB59C	16	GY	GXL	264368R1	3595622C1	171F	34	N/A		N/A	
CB59D	16	GY	GXL	264368R1	3595622C1	171F	35	N/A		N/A	
CC59A	16	GY	GXL	264368R1	3595622C1	171F	32	N/A		N/A	
CC59B	16	GY	GXL	264368R1	3595622C1	171F	33	N/A		N/A	
CC59C	16	GY	GXL	264368R1	3595622C1	171F	34	N/A		N/A	
CC59D	16	GY	GXL	264368R1	3595622C1	171F	35	N/A		N/A	
CD59A	18	GY	GXL	2643673R1	3595622C1	171F	32	N/A		N/A	



Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
CD59B	18	GY	GXL	2643673R1	3595622C1	171F	33	N/A		N/A
CD59C	18	GY	GXL	2643673R1	3595622C1	171F	34	N/A		N/A
CD59D	18	GY	GXL	2643673R1	3595622C1	171F	35	N/A		N/A
FA36A	18	TN	GXL	2643676R1	3595622C1	171F	27	N/A		N/A
FB36A	18	TN	GXL	2643676R1	3595622C1	171F	27	N/A		N/A
FC36A	18	TN	GXL	2643676R1	3595622C1	171F	27	N/A		N/A
FD36A	18	TN	GXL	2643676R1	3595622C1	171F	27	N/A		N/A
FE36A	18	TN	GXL	2643676R1	3595622C1	171F	27	N/A		N/A
FF36A	18	TN	GXL	2643676R1	3595622C1	171F	27	N/A		N/A
GA39	16	GY	GXL	264368R1	3595622C1	171F	31	N/A		N/A
GB39	16	GY	GXL	264368R1	3595622C1	171F	31	N/A		N/A
GD39A	16	GY	GXL	264368R1	3595622C1	171F	3	N/A		N/A
GF39A	16	GY	GXL	264368R1	3595622C1	171F	3	N/A		N/A
HA94A	16	GY	GXL	264368R1	3595622C1	171F	65	N/A		N/A
HA94B	16	GY	GXL	264368R1	3595622C1	171F	66	N/A		N/A
HB94A	16	GY	GXL	264368R1	3595622C1	171F	65	N/A		N/A
HB94B	16	GY	GXL	264368R1	3595622C1	171F	66	N/A		N/A
HC94A	16	GY	GXL	264368R1	3595622C1	171F	65	N/A		N/A
HC94B	16	GY	GXL	264368R1	3595622C1	171F	66	N/A		N/A
MD72V	1	OR	TXL	351321R1	3595622C1	171F	11	N/A		N/A
MD94T	1	DKBL	TXL	351357R1	3595622C1	171F	1	N/A		N/A
MD94TA	12	YL	GXL	2643756R1	3595622C1	171F	26	N/A		N/A
ME72V	1	OR	TXL	351321R1	3595622C1	171F	11	N/A		N/A
ME94T	1	DKBL	TXL	351357R1	3595622C1	171F	1	N/A		N/A
NA56A	14	OR	GXL	264369R1	3595622C1	171F	2	N/A		N/A
NA57A	14	OR	GXL	264369R1	3595622C1	171F	3	N/A		N/A
NA68A	14	BN	GXL	2643688R1	3595622C1	171F	4	N/A		N/A
NA71BA	14	OR	GXL	264369R1	3595622C1	171F	1	N/A		N/A
NA9BC	18	GY	GXL	2643673R1	3595622C1	171F	28	N/A		N/A
NB94BA	16	GY	GXL	264368R1	3595622C1	171F	23	N/A		N/A
NB94BB	16	GY	GXL	264368R1	3595622C1	171F	24	N/A		N/A
NB94BC	16	GY	GXL	264368R1	3595622C1	171F	25	N/A		N/A

Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
NB94BD	16	GY	GXL	264368R1	3595622C1	171F	17	N/A		N/A	
NB94BE	16	GY	GXL	264368R1	3595622C1	171F	16	N/A		N/A	
NB94BF	16	GY	GXL	264368R1	3595622C1	171F	19	N/A		N/A	
NB94BH	16	GY	GXL	264368R1	3595622C1	171F	18	N/A		N/A	
NB94BJ	14	GY	GXL	2643782R1	3595622C1	171F	21	N/A		N/A	
NB94BK	16	GY	GXL	264368R1	3595622C1	171F	22	N/A		N/A	
NB94BL	14	GY	GXL	2643782R1	3595622C1	171F	2	N/A		N/A	
NC94BM	16	GY	GXL	264368R1	3595622C1	171F	14	N/A		N/A	
NC94BN	16	GY	GXL	264368R1	3595622C1	171F	15	N/A		N/A	
NH56T	1	YL	GXL	264382R1	3595622C1	171F	5	N/A		N/A	
NH57T	1	LTGN	GXL	2643776R1	3595622C1	171F	6	N/A		N/A	
NH58T	1	BK	GXL	2643773R1	3595622C1	171F	7	N/A		N/A	
NH68T	1	BN	TXL	35139R1	3595622C1	171F	8	N/A		N/A	
NH7T	1	RD	TXL	351369R1	3595622C1	171F	9	N/A		N/A	
NH94T	1	GY	TXL	351315R1	3595622C1	171F	1	N/A		N/A	
NJ72V	12	OR	GXL	2643755R1	3595622C1	171F	11	N/A		N/A	
NK56T	1	YL	GXL	264382R1	3595622C1	171F	5	N/A		N/A	
NK57T	1	LTGN	GXL	2643776R1	3595622C1	171F	6	N/A		N/A	
NK58T	1	BK	GXL	2643773R1	3595622C1	171F	7	N/A		N/A	
NK68T	1	BN	GXL	2643779R1	3595622C1	171F	8	N/A		N/A	
NK7T	1	RD	GXL	2643698R1	3595622C1	171F	9	N/A		N/A	
NK94T	1	GY	GXL	2643784R1	3595622C1	171F	1	N/A		N/A	
NP16B	18	OR	GXL	2643675R1	3595622C1	171F	41	N/A		N/A	
NP19B	18	GY	GXL	2643673R1	3595622C1	171F	42	N/A		N/A	
NP61B	18	GY	GXL	2643673R1	3595622C1	171F	4	N/A		N/A	
NR32A	18	TN	GXL	2643676R1	3595622C1	171F	43	N/A		N/A	
NS32	18	TN	GXL	2643676R1	3595622C1	171F	44	N/A		N/A	
NT49	18	GY	GXL	2643673R1	3595622C1	171F	45	N/A		N/A	
NU49A	18	GY	GXL	2643673R1	3595622C1	171F	5	N/A		N/A	
NV65	16	OR	GXL	2643682R1	3595622C1	171F	68	N/A		N/A	
NX65BC	14	OR	GXL	264369R1	3595622C1	171F	51	N/A		N/A	
NY65BC	14	OR	GXL	264369R1	3595622C1	171F	51	N/A		N/A	

Circuit		Terminal Splice			Connector Body	Connector				Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve			
PM94SH	16	GY	GXL	264368R1	3595622C1	171F	76	N/A			N/A
PM94SJ	16	GY	GXL	264368R1	3595622C1	171F	13	N/A			N/A
PM94SK	16	GY	GXL	264368R1	3595622C1	171F	67	N/A			N/A
PM94SL	16	GY	GXL	264368R1	3595622C1	171F	74	N/A			N/A
PM94SM	16	GY	GXL	264368R1	3595622C1	171F	72	N/A			N/A
PM94SN	16	GY	GXL	264368R1	3595622C1	171F	73	N/A			N/A
PM94SVC	16	GY	GXL	264368R1	3595622C1	171F	75	N/A			N/A
PM94SZC	16	GY	GXL	264368R1	3595622C1	171F	63	N/A			N/A
PR94SAB	18	GY	GXL	2643673R1	3595622C1	171F	46	N/A			N/A
PR94SBB	18	GY	GXL	2643673R1	3595622C1	171F	47	N/A			N/A
PR94SCB	18	GY	GXL	2643673R1	3595622C1	171F	48	N/A			N/A
PR94SDB	18	GY	GXL	2643673R1	3595622C1	171F	49	N/A			N/A
PS94SAB	18	GY	GXL	2643673R1	3595622C1	171F	46	N/A			N/A
PS94SBB	18	GY	GXL	2643673R1	3595622C1	171F	47	N/A			N/A
PS94SCB	18	GY	GXL	2643673R1	3595622C1	171F	48	N/A			N/A
PS94SDB	18	GY	GXL	2643673R1	3595622C1	171F	49	N/A			N/A
RE39	18	GY	GXL	2643673R1	3595622C1	171F	3	N/A			N/A
RF56T	1	YL	GXL	264382R1	3595622C1	171F	5	N/A			N/A
RF57T	1	LTGN	GXL	2643776R1	3595622C1	171F	6	N/A			N/A
RF58T	1	BK	GXL	2643773R1	3595622C1	171F	7	N/A			N/A
RF68T	1	BN	TXL	35139R1	3595622C1	171F	8	N/A			N/A
RF7T	1	RD	TXL	351369R1	3595622C1	171F	9	N/A			N/A
RF94T	1	DKBL	TXL	351357R1	3595622C1	171F	1	N/A			N/A
RG56T	1	YL	GXL	264382R1	3595622C1	171F	5	N/A			N/A
RG57T	1	LTGN	GXL	2643776R1	3595622C1	171F	6	N/A			N/A
RG58T	1	BK	GXL	2643773R1	3595622C1	171F	7	N/A			N/A
RG68T	1	BN	TXL	35139R1	3595622C1	171F	8	N/A			N/A
RG7T	1	RD	TXL	351369R1	3595622C1	171F	9	N/A			N/A
RG94T	1	GY	TXL	351315R1	3595622C1	171F	1	N/A			N/A
RJ72V	12	OR	GXL	2643755R1	3595622C1	171F	11	N/A			N/A
RZ56T	1	YL	GXL	264382R1	3595622C1	171F	5	N/A			N/A
RZ57T	1	LTGN	GXL	2643776R1	3595622C1	171F	6	N/A			N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
RZ58T	1	BK	GXL	2643773R1	3595622C1	171F	7	N/A		N/A
RZ68T	1	BN	TXL	35139R1	3595622C1	171F	8	N/A		N/A
RZ7T	1	RD	TXL	351369R1	3595622C1	171F	9	N/A		N/A
RZ94T	1	GY	TXL	351315R1	3595622C1	171F	1	N/A		N/A
SA94BP	16	GY	GXL	264368R1	3595622C1	171F	54	N/A		N/A
SA94BQ	16	GY	GXL	264368R1	3595622C1	171F	55	N/A		N/A
SA94BR	16	GY	GXL	264368R1	3595622C1	171F	56	N/A		N/A
SA94BS	16	GY	GXL	264368R1	3595622C1	171F	57	N/A		N/A
SA94BT	16	GY	GXL	264368R1	3595622C1	171F	58	N/A		N/A
SA94BU	16	GY	GXL	264368R1	3595622C1	171F	59	N/A		N/A
SA94BV	16	GY	GXL	264368R1	3595622C1	171F	6	N/A		N/A
SA94BW	16	GY	GXL	264368R1	3595622C1	171F	64	N/A		N/A
SA94BY	16	GY	GXL	264368R1	3595622C1	171F	52	N/A		N/A
SA94BZ	16	GY	GXL	264368R1	3595622C1	171F	53	N/A		N/A
SF56T	1	YL	GXL	264382R1	3595622C1	171F	5	N/A		N/A
SF57T	1	LTGN	GXL	2643776R1	3595622C1	171F	6	N/A		N/A
SF58T	1	BK	GXL	2643773R1	3595622C1	171F	7	N/A		N/A
SF68T	1	BN	TXL	35139R1	3595622C1	171F	8	N/A		N/A
SF7T	1	RD	TXL	351369R1	3595622C1	171F	9	N/A		N/A
SW59E	18	GY	GXL	2643673R1	3595622C1	171F	36	N/A		N/A
SW59F	18	GY	GXL	2643673R1	3595622C1	171F	37	N/A		N/A
SW59H	18	GY	GXL	2643673R1	3595622C1	171F	38	N/A		N/A
SW59J	18	GY	GXL	2643673R1	3595622C1	171F	39	N/A		N/A
SX59E	16	GY	GXL	264368R1	3595622C1	171F	36	N/A		N/A
SX59F	16	GY	GXL	264368R1	3595622C1	171F	37	N/A		N/A
SX59H	16	GY	GXL	264368R1	3595622C1	171F	38	N/A		N/A
SX59J	16	GY	GXL	264368R1	3595622C1	171F	39	N/A		N/A
SY59E	16	GY	GXL	264368R1	3595622C1	171F	36	N/A		N/A
SY59F	16	GY	GXL	264368R1	3595622C1	171F	37	N/A		N/A
SY59H	16	GY	GXL	264368R1	3595622C1	171F	38	N/A		N/A
SY59J	16	GY	GXL	264368R1	3595622C1	171F	39	N/A		N/A
SZ59E	18	GY	GXL	2643673R1	3595622C1	171F	36	N/A		N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
SZ59F	18	GY	GXL	2643673R1	3595622C1	171F	37	N/A		N/A
SZ59H	18	GY	GXL	2643673R1	3595622C1	171F	38	N/A		N/A
SZ59J	18	GY	GXL	2643673R1	3595622C1	171F	39	N/A		N/A
TA72V	12	OR	TXL	35132R1	3595622C1	171F	11	N/A		N/A
UB67TA	16	GY	GXL	264368R1	3595622C1	171F	12	N/A		N/A
UB67U	16	GY	GXL	264368R1	3595622C1	171F	69	N/A		N/A
UB67V	16	GY	GXL	264368R1	3595622C1	171F	71	N/A		N/A
UB67W	16	GY	GXL	264368R1	3595622C1	171F	7	N/A		N/A
YG116L	18	GY	GXL	2643673R1	3595622C1	171F	58	N/A		N/A
YG116M	18	GY	TXL	351311R1	3595622C1	171F	6	N/A		N/A
YG116U	18	GY	GXL	2643673R1	3595622C1	171F	59	N/A		N/A
YL56T	1	YL	GXL	264382R1	3595622C1	171F	5	N/A		N/A
YL57T	1	LTGN	GXL	2643776R1	3595622C1	171F	6	N/A		N/A
YL58T	1	BK	GXL	2643773R1	3595622C1	171F	7	N/A		N/A
YL68T	1	BN	TXL	35139R1	3595622C1	171F	8	N/A		N/A
YL7T	1	RD	TXL	351369R1	3595622C1	171F	9	N/A		N/A
YL94T	1	GY	TXL	351315R1	3595622C1	171F	1	N/A		N/A
YM72V	12	OR	GXL	2643755R1	3595622C1	171F	11	N/A		N/A
YS56T	1	YL	GXL	264382R1	3595622C1	171F	5	N/A		N/A
YS57T	1	LTGN	GXL	2643776R1	3595622C1	171F	6	N/A		N/A
YS58T	1	BK	GXL	2643773R1	3595622C1	171F	7	N/A		N/A
YS68T	1	BN	GXL	2643779R1	3595622C1	171F	8	N/A		N/A
YS7T	1	RD	GXL	2643698R1	3595622C1	171F	9	N/A		N/A
YS94T	1	GY	GXL	2643784R1	3595622C1	171F	1	N/A		N/A
YT56T	1	YL	GXL	264382R1	3595622C1	171F	5	N/A		N/A
YT57T	1	LTGN	GXL	2643776R1	3595622C1	171F	6	N/A		N/A
YT58T	1	BK	GXL	2643773R1	3595622C1	171F	7	N/A		N/A
YT68T	1	BN	GXL	2643779R1	3595622C1	171F	8	N/A		N/A
YT7T	1	RD	GXL	2643698R1	3595622C1	171F	9	N/A		N/A
YT94T	1	GY	GXL	2643784R1	3595622C1	171F	1	N/A		N/A
[PP94SJ]	16	-	GXL	V-16-GXL	3595622C1	171F	13	N/A		N/A
[PP94SK]	16	-	GXL	V-16-GXL	3595622C1	171F	67	N/A		N/A

Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
[YH94SL]	16	-	GXL	V-16-GXL	3595622C1	171F	63	N/A		N/A	
[YH94SM]	16	-	GXL	V-16-GXL	3595622C1	171F	75	N/A		N/A	
[YJ94SN]	18	-	GXL	V-18-GXL	3595622C1	171F	46	N/A		N/A	
[YJ94SP]	18	-	GXL	V-18-GXL	3595622C1	171F	47	N/A		N/A	
[YJ94SR]	18	-	GXL	V-18-GXL	3595622C1	171F	48	N/A		N/A	
[YJ94SS]	18	-	GXL	V-18-GXL	3595622C1	171F	49	N/A		N/A	
[YK94SN]	18	-	GXL	V-18-GXL	3595622C1	171F	46	N/A		N/A	
[YK94SP]	18	-	GXL	V-18-GXL	3595622C1	171F	47	N/A		N/A	
[YK94SR]	18	-	GXL	V-18-GXL	3595622C1	171F	48	N/A		N/A	
[YK94SS]	18	-	GXL	V-18-GXL	3595622C1	171F	49	N/A		N/A	
2A54-GXEJ	16	WH	TXL	35136R1	3595624C1	173F	1	N/A		N/A	
2A54AJ	16	BN	TXL	35136R1	3595624C1	173F	15	N/A		N/A	
2B57AJ	16	OR	TXL	351318R1	3595624C1	173F	14	N/A		N/A	
2C57AJ	16	OR	TXL	351318R1	3595624C1	173F	14	N/A		N/A	
2D57AJ	16	OR	TXL	351318R1	3595624C1	173F	14	N/A		N/A	
2E57AJ	16	OR	TXL	351318R1	3595624C1	173F	14	N/A		N/A	
2F57AJ	16	OR	TXL	351318R1	3595624C1	173F	14	N/A		N/A	
2G57AJ	16	OR	TXL	351318R1	3595624C1	173F	14	N/A		N/A	
2T92ZBJ	18	TN	TXL	351329R1	3595624C1	173F	26	N/A		N/A	
3B17	16	PK	TXL	351324R1	3595624C1	173F	29	N/A		N/A	
3C54-GXEJ	16	WH	TXL	35136R1	3595624C1	173F	1	N/A		N/A	
3C54AJ	16	BN	TXL	35136R1	3595624C1	173F	15	N/A		N/A	
3D5PJ(+)	18	YL	TXL	3572112R1	3595624C1	173F	53	N/A		N/A	
3D5PJ(-)	18	GN	TXL	3572112R1	3595624C1	173F	52	N/A		N/A	
3E54-GXEJ	16	WH	TXL	35136R1	3595624C1	173F	1	N/A		N/A	
3E54AJ	16	BN	TXL	35136R1	3595624C1	173F	15	N/A		N/A	
3H6DBJ	18	GY	TXL	351311R1	3595624C1	173F	19	N/A		N/A	
3H77BAJ	18	LTGN	TXL	351299R1	3595624C1	173F	23	N/A		N/A	
3H77BJ	18	LTGN	TXL	351299R1	3595624C1	173F	2	N/A		N/A	
3M5PJ(+)	18	YL	TXL	3572112R1	3595624C1	173F	53	N/A		N/A	
3M5PJ(-)	18	GN	TXL	3572112R1	3595624C1	173F	52	N/A		N/A	
3T92J#165	18	OR	TXL	351317R1	3595624C1	173F	45	N/A		N/A	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
9K5PJ(+)	18	YL	TXL	3572112R1	3595624C1	173F		53 N/A		N/A
9K5PJ(-)	18	GN	TXL	3572112R1	3595624C1	173F		52 N/A		N/A
9L5PJ(+)	18	YL	TXL	3572112R1	3595624C1	173F		53 N/A		N/A
9L5PJ(-)	18	GN	TXL	3572112R1	3595624C1	173F		52 N/A		N/A
9P5PJ(+)	18	YL	TXL	3572112R1	3595624C1	173F		53 N/A		N/A
9P5PJ(-)	18	GN	TXL	3572112R1	3595624C1	173F		52 N/A		N/A
9V5PJ(+)	18	YL	TXL	3572112R1	3595624C1	173F		53 N/A		N/A
9V5PJ(-)	18	GN	TXL	3572112R1	3595624C1	173F		52 N/A		N/A
AA74J	18	LTGN	TXL	351299R1	3595624C1	173F		17 N/A		N/A
AA77J	16	LTGN	GXL	2643678R1	3595624C1	173F		65 N/A		N/A
AA82-GJ	16	WH	TXL	35136R1	3595624C1	173F		8 N/A		N/A
AA82DJ	16	GY	TXL	351312R1	3595624C1	173F		74 N/A		N/A
AA82JJ	16	GY	TXL	351312R1	3595624C1	173F		72 N/A		N/A
AA82LJ	16	GY	TXL	351312R1	3595624C1	173F		7 N/A		N/A
AA97BJ	18	VT	TXL	351347R1	3595624C1	173F		36 N/A		N/A
AA97CJ	18	VT	TXL	351347R1	3595624C1	173F		49 N/A		N/A
AA97MJ	18	VT	TXL	351347R1	3595624C1	173F		48 N/A		N/A
AA97NJ	18	VT	TXL	351347R1	3595624C1	173F		37 N/A		N/A
AA99BJ	18	VT	TXL	351347R1	3595624C1	173F		47 N/A		N/A
AA99DJ	18	VT	TXL	351347R1	3595624C1	173F		38 N/A		N/A
AA9AAJ	18	GY	TXL	351311R1	3595624C1	173F		35 N/A		N/A
AF17B	16	PK	GXL	2643752R1	3595624C1	173F		29 N/A		N/A
AU28J	18	TN	TXL	351329R1	3595624C1	173F		18 N/A		N/A
AV54AJ	16	BN	TXL	35136R1	3595624C1	173F		15 N/A		N/A
AW54AJ	16	BN	TXL	35136R1	3595624C1	173F		15 N/A		N/A
AZ13AJ	16	PK	GXL	2643752R1	3595624C1	173F		42 N/A		N/A
AZ92-GCJ	18	WH	TXL	351359R1	3595624C1	173F		21 N/A		N/A
AZ92BJ	18	TN	TXL	351329R1	3595624C1	173F		28 N/A		N/A
BJ92R1J	2	TN	TXL	351328R1	3595624C1	173F		45 N/A		N/A
BJ92R2J	2	TN	TXL	351328R1	3595624C1	173F		66 N/A		N/A
BK92R1J	2	TN	TXL	351328R1	3595624C1	173F		45 N/A		N/A
BK92R2J	2	TN	TXL	351328R1	3595624C1	173F		66 N/A		N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
BP71AJ	16	OR	TXL	351318R1	3595624C1	173F	66	N/A	N/A	
BP71BJ	16	OR	TXL	351318R1	3595624C1	173F	44	N/A	N/A	
DS31J	18	TN	TXL	351329R1	3595624C1	173F	61	N/A	N/A	
DT14-GAJ	16	WH	TXL	35136R1	3595624C1	173F	22	N/A	N/A	
DT14ALJ	16	DKBL	TXL	351354R1	3595624C1	173F	4	N/A	N/A	
DY54-GXAJ	16	WH	TXL	35136R1	3595624C1	173F	12	N/A	N/A	
DY54XAJ	16	BN	TXL	35136R1	3595624C1	173F	76	N/A	N/A	
EH97FJ	16	VT	TXL	351348R1	3595624C1	173F	54	N/A	N/A	
EY71AJ	18	OR	TXL	351317R1	3595624C1	173F	66	N/A	N/A	
EY71BJ	16	OR	TXL	351318R1	3595624C1	173F	44	N/A	N/A	
FD88J	18	LTGN	TXL	351299R1	3595624C1	173F	6	N/A	N/A	
FE88AJ	18	LTGN	TXL	351299R1	3595624C1	173F	59	N/A	N/A	
GM92J#165	18	OR	TXL	351317R1	3595624C1	173F	45	N/A	N/A	
GP17J	16	PK	TXL	351324R1	3595624C1	173F	29	N/A	N/A	
GY92J#134	18	TN	TXL	351329R1	3595624C1	173F	21	N/A	N/A	
GY92J#141	18	TN	TXL	351329R1	3595624C1	173F	28	N/A	N/A	
GY92J#163	16	PK	TXL	351324R1	3595624C1	173F	42	N/A	N/A	
HA3BJ	16	TN	TXL	35133R1	3595624C1	173F	16	N/A	N/A	
HY54-GXEJ	16	WH	TXL	35136R1	3595624C1	173F	1	N/A	N/A	
HY54AJ	16	BN	TXL	35136R1	3595624C1	173F	15	N/A	N/A	
HZ41DJ	18	TN	TXL	351329R1	3595624C1	173F	25	N/A	N/A	
HZ41EJ	18	TN	TXL	351329R1	3595624C1	173F	24	N/A	N/A	
JC5PJ(+)	18	YL	TXL	3572112R1	3595624C1	173F	53	N/A	N/A	
JC5PJ(-)	18	GN	TXL	3572112R1	3595624C1	173F	52	N/A	N/A	
JD5PJ(+)	18	YL	TXL	3572112R1	3595624C1	173F	53	N/A	N/A	
JD5PJ(-)	18	GN	TXL	3572112R1	3595624C1	173F	52	N/A	N/A	
JF5PJ(+)	18	YL	TXL	3572112R1	3595624C1	173F	53	N/A	N/A	
JF5PJ(-)	18	GN	TXL	3572112R1	3595624C1	173F	52	N/A	N/A	
JG5PJ(+)	18	YL	TXL	3572112R1	3595624C1	173F	53	N/A	N/A	
JG5PJ(-)	18	GN	TXL	3572112R1	3595624C1	173F	52	N/A	N/A	
MN92J	18	TN	TXL	351329R1	3595624C1	173F	33	N/A	N/A	
MN9ZAJ	18	GY	TXL	351311R1	3595624C1	173F	34	N/A	N/A	



Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
NW57BJ	16	OR	TXL	351318R1	3595624C1	173F	14	N/A	N/A	
NW57CJ	16	OR	TXL	351318R1	3595624C1	173F	27	N/A	N/A	
NY57BJ	16	OR	TXL	351318R1	3595624C1	173F	14	N/A	N/A	
NY57CJ	16	OR	TXL	351318R1	3595624C1	173F	27	N/A	N/A	
PA54-GXAH	16	WH	TXL	35136R1	3595624C1	173F	12	N/A	N/A	
PA54XAJ	16	BN	TXL	35136R1	3595624C1	173F	76	N/A	N/A	
PY5PJ(+)	18	YL	TXL	3572112R1	3595624C1	173F	53	N/A	N/A	
PY5PJ(-)	18	GN	TXL	3572112R1	3595624C1	173F	52	N/A	N/A	
PZ5PJ(+)	18	YL	TXL	3572112R1	3595624C1	173F	53	N/A	N/A	
PZ5PJ(-)	18	GN	TXL	3572112R1	3595624C1	173F	52	N/A	N/A	
RD5PJ(+)	18	YL	TXL	3572112R1	3595624C1	173F	53	N/A	N/A	
RD5PJ(-)	18	GN	TXL	3572112R1	3595624C1	173F	52	N/A	N/A	
RG5PJ(+)	18	YL	TXL	3572112R1	3595624C1	173F	53	N/A	N/A	
RG5PJ(-)	18	GN	TXL	3572112R1	3595624C1	173F	52	N/A	N/A	
RJ5PJ(+)	18	YL	TXL	3572112R1	3595624C1	173F	53	N/A	N/A	
RJ5PJ(-)	18	GN	TXL	3572112R1	3595624C1	173F	52	N/A	N/A	
RM5PJ(+)	18	YL	TXL	3572112R1	3595624C1	173F	53	N/A	N/A	
RM5PJ(-)	18	GN	TXL	3572112R1	3595624C1	173F	52	N/A	N/A	
RS5PJ(+)	18	YL	TXL	3572112R1	3595624C1	173F	53	N/A	N/A	
RS5PJ(-)	18	GN	TXL	3572112R1	3595624C1	173F	52	N/A	N/A	
RU5PJ(+)	18	YL	TXL	3572112R1	3595624C1	173F	53	N/A	N/A	
RU5PJ(-)	18	GN	TXL	3572112R1	3595624C1	173F	52	N/A	N/A	
SB5PJ(+)	18	YL	TXL	3572112R1	3595624C1	173F	53	N/A	N/A	
SB5PJ(-)	18	GN	TXL	3572112R1	3595624C1	173F	52	N/A	N/A	
SC5PJ(+)	18	YL	TXL	3572112R1	3595624C1	173F	53	N/A	N/A	
SC5PJ(-)	18	GN	TXL	3572112R1	3595624C1	173F	52	N/A	N/A	
SD5PJ(+)	18	YL	TXL	3572112R1	3595624C1	173F	53	N/A	N/A	
SD5PJ(-)	18	GN	TXL	3572112R1	3595624C1	173F	52	N/A	N/A	
SE5PJ(+)	18	YL	TXL	3572112R1	3595624C1	173F	53	N/A	N/A	
SE5PJ(-)	18	GN	TXL	3572112R1	3595624C1	173F	52	N/A	N/A	
SN5PJ(+)	18	YL	TXL	3572112R1	3595624C1	173F	53	N/A	N/A	
SN5PJ(-)	18	GN	TXL	3572112R1	3595624C1	173F	52	N/A	N/A	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
SP5PJ(+)	18	YL	TXL	3572112R1	3595624C1	173F		53 N/A		N/A
SP5PJ(-)	18	GN	TXL	3572112R1	3595624C1	173F		52 N/A		N/A
YG82KJ	16	GY	TXL	351312R1	3595624C1	173F		69 N/A		N/A
YH82KAJ	16	GY	TXL	351312R1	3595624C1	173F		69 N/A		N/A
2A54-GXE	16	WH	TXL	35136R1	3595625C1	173M		1 N/A		N/A
2A54A	16	BN	TXL	35136R1	3595625C1	173M		15 N/A		N/A
2B57A	16	OR	TXL	351318R1	3595625C1	173M		14 N/A		N/A
2C57A	16	OR	TXL	351318R1	3595625C1	173M		14 N/A		N/A
2D57A	16	OR	TXL	351318R1	3595625C1	173M		14 N/A		N/A
2E57A	16	OR	TXL	351318R1	3595625C1	173M		14 N/A		N/A
2F57A	16	OR	TXL	351318R1	3595625C1	173M		14 N/A		N/A
2G57A	16	OR	TXL	351318R1	3595625C1	173M		14 N/A		N/A
2T92ZB	18	TN	TXL	351329R1	3595625C1	173M		26 N/A		N/A
3B17A	16	PK	TXL	351324R1	3595625C1	173M		29 N/A		N/A
3C54-GXE	16	WH	TXL	35136R1	3595625C1	173M		1 N/A		N/A
3C54A	16	BN	TXL	35136R1	3595625C1	173M		15 N/A		N/A
3D5P(+)	18	YL	TXL	3572112R1	3595625C1	173M		53 N/A		N/A
3D5P(-)	18	GN	TXL	3572112R1	3595625C1	173M		52 N/A		N/A
3E54-GXE	16	WH	TXL	35136R1	3595625C1	173M		1 N/A		N/A
3E54A	16	BN	TXL	35136R1	3595625C1	173M		15 N/A		N/A
3H6DB	18	GY	TXL	351311R1	3595625C1	173M		19 N/A		N/A
3H77B	18	GY	TXL	351311R1	3595625C1	173M		2 N/A		N/A
3H77BA	18	LTGN	TXL	351299R1	3595625C1	173M		23 N/A		N/A
3M5P(+)	18	YL	TXL	3572112R1	3595625C1	173M		53 N/A		N/A
3M5P(-)	18	GN	TXL	3572112R1	3595625C1	173M		52 N/A		N/A
9K5P(+)	18	YL	TXL	3572112R1	3595625C1	173M		53 N/A		N/A
9K5P(-)	18	GN	TXL	3572112R1	3595625C1	173M		52 N/A		N/A
9L5P(+)	18	YL	TXL	3572112R1	3595625C1	173M		53 N/A		N/A
9L5P(-)	18	GN	TXL	3572112R1	3595625C1	173M		52 N/A		N/A
9P5P(+)	18	YL	TXL	3572112R1	3595625C1	173M		53 N/A		N/A
9P5P(-)	18	GN	TXL	3572112R1	3595625C1	173M		52 N/A		N/A
9V5P(+)	18	YL	TXL	3572112R1	3595625C1	173M		53 N/A		N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
9V5P(-)	18	GN	TXL	3572112R1	3595625C1	173M	52	N/A		N/A
AA74	18	LTGN	TXL	351299R1	3595625C1	173M	17	N/A		N/A
AA77	18	LTGN	TXL	351299R1	3595625C1	173M	65	N/A		N/A
AA82-G	16	WH	TXL	35136R1	3595625C1	173M	8	N/A		N/A
AA82D	16	GY	TXL	351312R1	3595625C1	173M	74	N/A		N/A
AA82J	16	GY	TXL	351312R1	3595625C1	173M	72	N/A		N/A
AA82L	16	GY	TXL	351312R1	3595625C1	173M	7	N/A		N/A
AA97B	18	VT	TXL	351347R1	3595625C1	173M	36	N/A		N/A
AA97C	18	VT	TXL	351347R1	3595625C1	173M	49	N/A		N/A
AA97M	18	VT	TXL	351347R1	3595625C1	173M	48	N/A		N/A
AA97N	18	VT	TXL	351347R1	3595625C1	173M	37	N/A		N/A
AA99B	18	VT	TXL	351347R1	3595625C1	173M	47	N/A		N/A
AA99D	18	VT	TXL	351347R1	3595625C1	173M	38	N/A		N/A
AA9AA	18	GY	TXL	351311R1	3595625C1	173M	35	N/A		N/A
AF17A	16	PK	TXL	351324R1	3595625C1	173M	29	N/A		N/A
AU28	18	TN	TXL	351329R1	3595625C1	173M	18	N/A		N/A
AV54A	16	BN	TXL	35136R1	3595625C1	173M	15	N/A		N/A
AW54-GXE	16	WH	TXL	35136R1	3595625C1	173M	1	N/A		N/A
AW54A	16	BN	TXL	35136R1	3595625C1	173M	15	N/A		N/A
AZ13A	16	PK	GXL	2643752R1	3595625C1	173M	42	N/A		N/A
AZ92B	18	TN	TXL	351329R1	3595625C1	173M	28	N/A		N/A
BP71A	16	OR	TXL	351318R1	3595625C1	173M	66	N/A		N/A
BP71B	16	OR	TXL	351318R1	3595625C1	173M	44	N/A		N/A
DS31	18	TN	TXL	351329R1	3595625C1	173M	61	N/A		N/A
DT14-GA	16	WH	TXL	35136R1	3595625C1	173M	22	N/A		N/A
DT14AL	16	DKBL	TXL	351354R1	3595625C1	173M	4	N/A		N/A
DY54-GXA	16	WH	TXL	35136R1	3595625C1	173M	12	N/A		N/A
DY54XA	16	BN	TXL	35136R1	3595625C1	173M	76	N/A		N/A
EH97F	16	VT	TXL	351348R1	3595625C1	173M	54	N/A		N/A
EY71A	18	OR	TXL	351317R1	3595625C1	173M	66	N/A		N/A
EY71B	16	OR	TXL	351318R1	3595625C1	173M	44	N/A		N/A
FD88	18	LTGN	TXL	351299R1	3595625C1	173M	6	N/A		N/A

Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
FE88A	18	LTGN	TXL	351299R1	3595625C1	173M	59	N/A		N/A	
GP17	16	PK	TXL	351324R1	3595625C1	173M	29	N/A		N/A	
GY92#134	18	TN	TXL	351329R1	3595625C1	173M	21	N/A		N/A	
GY92#141	18	TN	TXL	351329R1	3595625C1	173M	28	N/A		N/A	
GY92#163	16	PK	TXL	351324R1	3595625C1	173M	42	N/A		N/A	
HA3B	16	TN	TXL	35133R1	3595625C1	173M	16	N/A		N/A	
HY54-GXE	16	WH	TXL	35136R1	3595625C1	173M	1	N/A		N/A	
HY54A	16	BN	TXL	35136R1	3595625C1	173M	15	N/A		N/A	
HZ41D	18	TN	TXL	351329R1	3595625C1	173M	25	N/A		N/A	
HZ41E	18	GY	TXL	351311R1	3595625C1	173M	24	N/A		N/A	
JC5P(+)	18	YL	TXL	3572112R1	3595625C1	173M	53	N/A		N/A	
JC5P(-)	18	GN	TXL	3572112R1	3595625C1	173M	52	N/A		N/A	
JD5P(+)	18	YL	TXL	3572112R1	3595625C1	173M	53	N/A		N/A	
JD5P(-)	18	GN	TXL	3572112R1	3595625C1	173M	52	N/A		N/A	
JF5P(+)	18	YL	TXL	3572112R1	3595625C1	173M	53	N/A		N/A	
JF5P(-)	18	GN	TXL	3572112R1	3595625C1	173M	52	N/A		N/A	
JG5P(+)	18	YL	TXL	3572112R1	3595625C1	173M	53	N/A		N/A	
JG5P(-)	18	GN	TXL	3572112R1	3595625C1	173M	52	N/A		N/A	
MN92	18	TN	TXL	351329R1	3595625C1	173M	33	N/A		N/A	
MN9ZA	18	GY	TXL	351311R1	3595625C1	173M	34	N/A		N/A	
NW57B	16	OR	TXL	351318R1	3595625C1	173M	14	N/A		N/A	
NW57C	16	OR	TXL	351318R1	3595625C1	173M	27	N/A		N/A	
NY57B	16	OR	TXL	351318R1	3595625C1	173M	14	N/A		N/A	
NY57C	16	OR	TXL	351318R1	3595625C1	173M	27	N/A		N/A	
PA54-GXA	16	WH	TXL	35136R1	3595625C1	173M	12	N/A		N/A	
PA54XA	16	BN	TXL	35136R1	3595625C1	173M	76	N/A		N/A	
PY5P(+)	18	YL	TXL	3572112R1	3595625C1	173M	53	N/A		N/A	
PY5P(-)	18	GN	TXL	3572112R1	3595625C1	173M	52	N/A		N/A	
PZ5P(+)	18	YL	TXL	3572112R1	3595625C1	173M	53	N/A		N/A	
PZ5P(-)	18	GN	TXL	3572112R1	3595625C1	173M	52	N/A		N/A	
RD5P(+)	18	YL	TXL	3572112R1	3595625C1	173M	53	N/A		N/A	
RD5P(-)	18	GN	TXL	3572112R1	3595625C1	173M	52	N/A		N/A	

<b>Circuit</b>				<b>Terminal Splice</b>	<b>Connector Body</b>	<b>Connector</b>				
<b>Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Number</b>	<b>Part Numbers</b>	<b>Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
RG5P(+)	18	YL	TXL	3572112R1	3595625C1	173M	53	N/A		N/A
RG5P(-)	18	GN	TXL	3572112R1	3595625C1	173M	52	N/A		N/A
RJ5P(+)	18	YL	TXL	3572112R1	3595625C1	173M	53	N/A		N/A
RJ5P(-)	18	GN	TXL	3572112R1	3595625C1	173M	52	N/A		N/A
RM5P(+)	18	YL	TXL	3572112R1	3595625C1	173M	53	N/A		N/A
RM5P(-)	18	GN	TXL	3572112R1	3595625C1	173M	52	N/A		N/A
RS5P(+)	18	YL	TXL	3572112R1	3595625C1	173M	53	N/A		N/A
RS5P(-)	18	GN	TXL	3572112R1	3595625C1	173M	52	N/A		N/A
RU5P(+)	18	YL	TXL	3572112R1	3595625C1	173M	53	N/A		N/A
RU5P(-)	18	GN	TXL	3572112R1	3595625C1	173M	52	N/A		N/A
SB5P(+)	18	YL	TXL	3572112R1	3595625C1	173M	53	N/A		N/A
SB5P(-)	18	GN	TXL	3572112R1	3595625C1	173M	52	N/A		N/A
SC5P(+)	18	YL	TXL	3572112R1	3595625C1	173M	53	N/A		N/A
SC5P(-)	18	GN	TXL	3572112R1	3595625C1	173M	52	N/A		N/A
SD5P(+)	18	YL	TXL	3572112R1	3595625C1	173M	53	N/A		N/A
SD5P(-)	18	GN	TXL	3572112R1	3595625C1	173M	52	N/A		N/A
SE5P(+)	18	YL	TXL	3572112R1	3595625C1	173M	53	N/A		N/A
SE5P(-)	18	GN	TXL	3572112R1	3595625C1	173M	52	N/A		N/A
SN5P(+)	18	YL	TXL	3572112R1	3595625C1	173M	53	N/A		N/A
SN5P(-)	18	GN	TXL	3572112R1	3595625C1	173M	52	N/A		N/A
SP5P(+)	18	YL	TXL	3572112R1	3595625C1	173M	53	N/A		N/A
SP5P(-)	18	GN	TXL	3572112R1	3595625C1	173M	52	N/A		N/A
YG82K	16	GY	TXL	351312R1	3595625C1	173M	69	N/A		N/A
YH82KA	16	GY	TXL	351312R1	3595625C1	173M	69	N/A		N/A
MA52A	14	YL	GXL	2643693R1	3595624C1	17F	1	N/A		N/A
MA52B	14	YL	GXL	2643693R1	3595624C1	17F	3	N/A		N/A
MA53A	14	YL	GXL	2643693R1	3595624C1	17F	2	N/A		N/A
MA53B	14	YL	GXL	2643693R1	3595624C1	17F	4	N/A		N/A
MA56	16	OR	GXL	2643682R1	3595624C1	17F	14	N/A		N/A
MA57	16	OR	GXL	2643682R1	3595624C1	17F	15	N/A		N/A
MA58	14	BN	GXL	2643688R1	3595624C1	17F	5	N/A		N/A
MA85	16	GY	GXL	264368R1	3595624C1	17F	21	N/A		N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
MA87C	16	GY	GXL	264368R1	3595624C1	17F	19	N/A		N/A
MA87D	16	GY	GXL	264368R1	3595624C1	17F	2	N/A		N/A
MB94	18	GY	GXL	2643673R1	3595624C1	17F	27	N/A		N/A
MB94A	18	GY	GXL	2643673R1	3595624C1	17F	28	N/A		N/A
MB94B	18	GY	GXL	2643673R1	3595624C1	17F	29	N/A		N/A
MB94H	18	GY	GXL	2643673R1	3595624C1	17F	34	N/A		N/A
MB94J	18	GY	GXL	2643673R1	3595624C1	17F	35	N/A		N/A
MB94K	18	GY	GXL	2643673R1	3595624C1	17F	36	N/A		N/A
MD64A	16	YL	TXL	351336R1	3595624C1	17F	22	N/A		N/A
MD64B	16	YL	TXL	351336R1	3595624C1	17F	23	N/A		N/A
ME64A	16	YL	GXL	2643684R1	3595624C1	17F	22	N/A		N/A
ME64B	16	YL	GXL	2643684R1	3595624C1	17F	23	N/A		N/A
MH19	14	GY	GXL	2643782R1	3595624C1	17F	6	N/A		N/A
MJ54X	16	OR	GXL	2643682R1	3595624C1	17F	24	N/A		N/A
MK19	14	GY	GXL	2643782R1	3595624C1	17F	6	N/A		N/A
MX94M	18	GY	TXL	351311R1	3595624C1	17F	27	N/A		N/A
MX94MA	18	GY	TXL	351311R1	3595624C1	17F	28	N/A		N/A
MX94MB	18	GY	TXL	351311R1	3595624C1	17F	29	N/A		N/A
MZ94MH	18	GY	TXL	351311R1	3595624C1	17F	34	N/A		N/A
MZ94MJ	18	GY	TXL	351311R1	3595624C1	17F	35	N/A		N/A
MZ94MK	18	GY	TXL	351311R1	3595624C1	17F	36	N/A		N/A
NA72EA	16	OR	GXL	2643682R1	3595624C1	17F	51	N/A		N/A
NA72EB	16	OR	GXL	2643682R1	3595624C1	17F	52	N/A		N/A
NB94C	18	GY	GXL	2643673R1	3595624C1	17F	3	N/A		N/A
NB94D	18	GY	GXL	2643673R1	3595624C1	17F	31	N/A		N/A
NB94E	18	GY	GXL	2643673R1	3595624C1	17F	32	N/A		N/A
NB94F	18	GY	GXL	2643673R1	3595624C1	17F	33	N/A		N/A
NC94MC	18	GY	TXL	351311R1	3595624C1	17F	3	N/A		N/A
NC94MD	18	GY	TXL	351311R1	3595624C1	17F	31	N/A		N/A
NS22AA	18	PK	TXL	351323R1	3595624C1	17F	47	N/A		N/A
NS22AG	18	WH	TXL	351359R1	3595624C1	17F	48	N/A		N/A
NW67-GG	2	WH	TXL	351358R1	3595624C1	17F	37	N/A		N/A

Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
NW67Y	2	PK	TXL	351322R1	3595624C1	17F	38	N/A		N/A	
PC94ME	18	GY	TXL	351311R1	3595624C1	17F	32	N/A		N/A	
PC94MF	18	GY	TXL	351311R1	3595624C1	17F	33	N/A		N/A	
PV97H	18	VT	GXL	2643718R1	3595624C1	17F	43	N/A		N/A	
PV97J	18	VT	GXL	2643718R1	3595624C1	17F	44	N/A		N/A	
RK5U(+)	18	YL	TXL	3572112R1	3595624C1	17F	61	N/A		N/A	
RK5U(-)	18	GN	TXL	3572112R1	3595624C1	17F	62	N/A		N/A	
RS5U(+)	18	YL	TXL	3572112R1	3595624C1	17F	61	N/A		N/A	
RS5U(-)	18	GN	TXL	3572112R1	3595624C1	17F	62	N/A		N/A	
SK5UK(+)	18	YL	TXL	3572112R1	3595624C1	17F	65	N/A		N/A	
SK5UK(-)	18	GN	TXL	3572112R1	3595624C1	17F	66	N/A		N/A	
SR5U(+)	18	YL	TXL	3572112R1	3595624C1	17F	65	N/A		N/A	
SR5U(-)	18	GN	TXL	3572112R1	3595624C1	17F	66	N/A		N/A	
SV5U(+)	18	YL	TXL	3572112R1	3595624C1	17F	65	N/A		N/A	
SV5U(-)	18	GN	TXL	3572112R1	3595624C1	17F	66	N/A		N/A	
WU67-G	2	WH	TXL	351358R1	3595624C1	17F	37	N/A		N/A	
WU67YA	2	PK	TXL	351322R1	3595624C1	17F	38	N/A		N/A	
WW87A	18	GY	TXL	351311R1	3595624C1	17F	17	N/A		N/A	
WW9BB	18	GY	TXL	351311R1	3595624C1	17F	18	N/A		N/A	
WX5UE(+)	18	YL	TXL	3572112R1	3595624C1	17F	45	N/A		N/A	
WX5UE(-)	18	GN	TXL	3572112R1	3595624C1	17F	46	N/A		N/A	
MA52A	14	YL	GXL	2643693R1	3595624C1	17F	1	N/A		N/A	
MA52B	14	YL	GXL	2643693R1	3595624C1	17F	3	N/A		N/A	
MA53A	14	YL	GXL	2643693R1	3595624C1	17F	2	N/A		N/A	
MA53B	14	YL	GXL	2643693R1	3595624C1	17F	4	N/A		N/A	
MA54X	16	OR	GXL	2643682R1	3595624C1	17F	24	N/A		N/A	
MA56	16	OR	GXL	2643682R1	3595624C1	17F	14	N/A		N/A	
MA56A	16	OR	GXL	2643682R1	3595624C1	17F	16	N/A		N/A	
MA57	16	OR	GXL	2643682R1	3595624C1	17F	15	N/A		N/A	
MA58	14	BN	GXL	2643688R1	3595624C1	17F	5	N/A		N/A	
MA58C	16	BN	GXL	2643679R1	3595624C1	17F	7	N/A		N/A	
MA85	16	GY	GXL	264368R1	3595624C1	17F	21	N/A		N/A	

<b>Circuit</b>				<b>Terminal Splice</b>	<b>Connector Body</b>	<b>Connector</b>				<b>Lock 1</b>	<b>Lock 2</b>
<b>Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Number</b>	<b>Part Numbers</b>	<b>Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>			
MA87C	16	GY	GXL	264368R1	3595624C1	17F	19	N/A			N/A
MA87D	16	GY	GXL	264368R1	3595624C1	17F	2	N/A			N/A
MB94	18	GY	GXL	2643673R1	3595624C1	17F	27	N/A			N/A
MB94A	18	GY	GXL	2643673R1	3595624C1	17F	28	N/A			N/A
MB94B	18	GY	GXL	2643673R1	3595624C1	17F	29	N/A			N/A
MB94H	18	GY	GXL	2643673R1	3595624C1	17F	34	N/A			N/A
MB94J	18	GY	GXL	2643673R1	3595624C1	17F	35	N/A			N/A
MB94K	18	GY	GXL	2643673R1	3595624C1	17F	36	N/A			N/A
ME64A	16	YL	GXL	2643684R1	3595624C1	17F	22	N/A			N/A
ME64B	16	YL	GXL	2643684R1	3595624C1	17F	23	N/A			N/A
MH19	14	GY	GXL	2643782R1	3595624C1	17F	6	N/A			N/A
MX94M	18	GY	TXL	351311R1	3595624C1	17F	27	N/A			N/A
MX94MA	18	GY	TXL	351311R1	3595624C1	17F	28	N/A			N/A
MX94MB	18	GY	TXL	351311R1	3595624C1	17F	29	N/A			N/A
MZ94MH	18	GY	TXL	351311R1	3595624C1	17F	34	N/A			N/A
MZ94MJ	18	GY	TXL	351311R1	3595624C1	17F	35	N/A			N/A
MZ94MK	18	GY	TXL	351311R1	3595624C1	17F	36	N/A			N/A
NA72EA	16	OR	GXL	2643682R1	3595624C1	17F	51	N/A			N/A
NA72EB	16	OR	GXL	2643682R1	3595624C1	17F	52	N/A			N/A
NB94C	18	GY	GXL	2643673R1	3595624C1	17F	3	N/A			N/A
NB94D	18	GY	GXL	2643673R1	3595624C1	17F	31	N/A			N/A
NB94E	18	GY	GXL	2643673R1	3595624C1	17F	32	N/A			N/A
NB94F	18	GY	GXL	2643673R1	3595624C1	17F	33	N/A			N/A
NC94MC	18	GY	TXL	351311R1	3595624C1	17F	3	N/A			N/A
NC94MD	18	GY	TXL	351311R1	3595624C1	17F	31	N/A			N/A
NS22AA	18	PK	TXL	351323R1	3595624C1	17F	47	N/A			N/A
NS22AG	18	WH	TXL	351359R1	3595624C1	17F	48	N/A			N/A
NW67-GG	2	WH	TXL	351358R1	3595624C1	17F	37	N/A			N/A
NW67Y	2	PK	TXL	351322R1	3595624C1	17F	38	N/A			N/A
PC94ME	18	GY	TXL	351311R1	3595624C1	17F	32	N/A			N/A
PC94MF	18	GY	TXL	351311R1	3595624C1	17F	33	N/A			N/A
PV97H	18	VT	GXL	2643718R1	3595624C1	17F	43	N/A			N/A



Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
PV97J	18	VT	GXL	2643718R1	3595624C1	17F		44 N/A		N/A
RK5U(+)	18	YL	TXL	3572112R1	3595624C1	17F		61 N/A		N/A
RK5U(-)	18	GN	TXL	3572112R1	3595624C1	17F		62 N/A		N/A
RS5U(+)	18	YL	TXL	3572112R1	3595624C1	17F		61 N/A		N/A
RS5U(-)	18	GN	TXL	3572112R1	3595624C1	17F		62 N/A		N/A
SK5UK(+)	18	YL	TXL	3572112R1	3595624C1	17F		65 N/A		N/A
SK5UK(-)	18	GN	TXL	3572112R1	3595624C1	17F		66 N/A		N/A
SR5U(+)	18	YL	TXL	3572112R1	3595624C1	17F		65 N/A		N/A
SR5U(-)	18	GN	TXL	3572112R1	3595624C1	17F		66 N/A		N/A
SV5U(+)	18	YL	TXL	3572112R1	3595624C1	17F		65 N/A		N/A
SV5U(-)	18	GN	TXL	3572112R1	3595624C1	17F		66 N/A		N/A
WU67-G	2	WH	TXL	351358R1	3595624C1	17F		37 N/A		N/A
WU67YA	2	PK	TXL	351322R1	3595624C1	17F		38 N/A		N/A
WW87A	18	GY	TXL	351311R1	3595624C1	17F		17 N/A		N/A
WW9BB	18	GY	TXL	351311R1	3595624C1	17F		18 N/A		N/A
WX5UE(+)	18	YL	TXL	3572112R1	3595624C1	17F		45 N/A		N/A
WX5UE(-)	18	GN	TXL	3572112R1	3595624C1	17F		46 N/A		N/A
BG94SN	2	GY	TXL	35131R1	3889458C1	1821A		5 N/A		N/A
BG94SP	2	GY	TXL	35131R1	3889458C1	1821A		6 N/A		N/A
BG94SR	2	GY	TXL	35131R1	3889458C1	1821A		4 N/A		N/A
BG94SS	2	GY	TXL	35131R1	3889458C1	1821A		1 N/A		N/A
BG94ST	2	GY	TXL	35131R1	3889458C1	1821A		3 N/A		N/A
BG94ST	2	GY	TXL	35131R1	3889458C1	1821A		2 N/A		N/A
BK5FA(+)	18	YL	TXL	UNDEF	464551C1	1825F	E	N/A		N/A
BK5FA(-)	18	GN	TXL	UNDEF	464551C1	1825F	F	N/A		N/A
BK62DC	18	DKBL	TXL	351353R1	464551C1	1825F	G	N/A		N/A
BK92#134	18	TN	TXL	351329R1	464551C1	1825F	B	N/A		N/A
BK92-GAH	18	WH	TXL	351359R1	464551C1	1825F	H	N/A		N/A
XX92	18	TN	TXL	351329R1	464551C1	1825F	C	N/A		N/A
XX9ZA	18	GY	TXL	351311R1	464551C1	1825F	D	N/A		N/A
BE94SA	2	GY	TXL	35131R1	1667529C1	182F	A	N/A	166753C1	N/A
BE94SB	2	GY	TXL	35131R1	1667529C1	182F	B	N/A	166753C1	N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
BE94SC	2	GY	TXL	35131R1	1667529C1	182F	C	N/A	166753C1	N/A
BE94SD	2	GY	TXL	35131R1	1667529C1	182F	D	N/A	166753C1	N/A
XD94SNB	18	GY	TXL	351311R1	166735C1	182M	A	N/A	1661263C1	N/A
XD94SPB	18	GY	TXL	351311R1	166735C1	182M	B	N/A	1661263C1	N/A
XD94SRB	18	GY	TXL	351311R1	166735C1	182M	C	N/A	1661263C1	N/A
XD94SSB	18	GY	TXL	351311R1	166735C1	182M	D	N/A	1661263C1	N/A
XZ94SA	18	GY	TXL	351311R1	166735C1	182M	A	N/A	1661263C1	N/A
XZ94SB	18	GY	TXL	351311R1	166735C1	182M	B	N/A	1661263C1	N/A
XZ94SC	18	GY	TXL	351311R1	166735C1	182M	C	N/A	1661263C1	N/A
XZ94SD	18	GY	TXL	351311R1	166735C1	182M	D	N/A	1661263C1	N/A
KY95-GG	18	WH	GXL	2643674R1	3977821C1	1874A		2 N/A		N/A
KY95W	18	TN	GXL	2643676R1	3977821C1	1874A		1 N/A		N/A
GA95-GF	2	WH	GXL	2643764R1	35939C1	1874B		2 3536867C1		N/A
GA95W	2	TN	GXL	2643767R1	35939C1	1874B		1 3536867C1		N/A
VE95-GF	18	WH	TXL	351359R1	35939C1	1874C		2 3536867C1		N/A
VE95W	18	TN	TXL	351329R1	35939C1	1874C		1 3536867C1		N/A
BA12A	18	YL	TXL	351335R1	3612512C1	18F	A8	N/A	3612513C1	3553652C1
BA17A	18	PK	GXL	2643794R1	3612512C1	18F	D7	N/A	3612513C1	3553652C1
BA17AA	18	PK	GXL	2643794R1	3612512C1	18F	D8	N/A	3612513C1	3553652C1
BA4	18	GY	GXL	2643673R1	3612512C1	18F	C12	N/A	3612513C1	3553652C1
BA4A	18	GY	GXL	2643673R1	3612512C1	18F	B2	N/A	3612513C1	3553652C1
BA4B	18	GY	GXL	2643673R1	3612512C1	18F	C2	N/A	3612513C1	3553652C1
BA44	18	GY	GXL	2643673R1	3612512C1	18F	B7	N/A	3612513C1	3553652C1
BA52B	18	YL	TXL	351335R1	3612512C1	18F	A7	N/A	3612513C1	3553652C1
BA56B	18	OR	TXL	351317R1	3612512C1	18F	A1	N/A	3612513C1	3553652C1
BA57B	18	OR	TXL	351317R1	3612512C1	18F	A2	N/A	3612513C1	3553652C1
BA6	18	GY	GXL	2643673R1	3612512C1	18F	B3	N/A	3612513C1	3553652C1
BA7	18	OR	GXL	2643675R1	3612512C1	18F	B9	N/A	3612513C1	3553652C1
BA82A	18	GY	TXL	351311R1	3612512C1	18F	C9	N/A	3612513C1	3553652C1
BA82B	18	GY	TXL	351311R1	3612512C1	18F	C1	N/A	3612513C1	3553652C1
BA82C	18	GY	TXL	351311R1	3612512C1	18F	B1	N/A	3612513C1	3553652C1
BA87E	18	GY	TXL	351311R1	3612512C1	18F	A5	N/A	3612513C1	3553652C1

Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
BA97A	18	VT	GXL	2643718R1	3612512C1	18F	C11	N/A	3612513C1	3553652C1	
BB7D	18	GY	GXL	2643673R1	3612512C1	18F	D2	N/A	3612513C1	3553652C1	
BB7E	18	OR	GXL	2643675R1	3612512C1	18F	D1	N/A	3612513C1	3553652C1	
BD97B	18	VT	GXL	2643718R1	3612512C1	18F	B4	N/A	3612513C1	3553652C1	
BD97C	18	VT	GXL	2643718R1	3612512C1	18F	C5	N/A	3612513C1	3553652C1	
BD97M	18	VT	GXL	2643718R1	3612512C1	18F	C6	N/A	3612513C1	3553652C1	
BD97N	18	VT	GXL	2643718R1	3612512C1	18F	B6	N/A	3612513C1	3553652C1	
BD99B	18	VT	GXL	2643718R1	3612512C1	18F	C4	N/A	3612513C1	3553652C1	
BD99D	18	VT	GXL	2643718R1	3612512C1	18F	B5	N/A	3612513C1	3553652C1	
BE94SE	18	GY	GXL	2643673R1	3612512C1	18F	D5	N/A	3612513C1	3553652C1	
BE94SF	18	GY	GXL	2643673R1	3612512C1	18F	D6	N/A	3612513C1	3553652C1	
BE94SV	18	GY	GXL	2643673R1	3612512C1	18F	C3	N/A	3612513C1	3553652C1	
BE94SZ	18	GY	GXL	2643673R1	3612512C1	18F	C1	N/A	3612513C1	3553652C1	
BH1	2	GY	TXL	35131R1	3612512C1	18F	B11	N/A	3612513C1	3553652C1	
BH11-GA	18	WH	GXL	2643674R1	3612512C1	18F	A3	N/A	3612513C1	3553652C1	
BH62DD	2	DKBL	TXL	351352R1	3612512C1	18F	D3	N/A	3612513C1	3553652C1	
BH85A	2	GY	TXL	35131R1	3612512C1	18F	B1	N/A	3612513C1	3553652C1	
BH9	18	GY	GXL	2643673R1	3612512C1	18F	A4	N/A	3612513C1	3553652C1	
BH97	2	GY	TXL	35131R1	3612512C1	18F	B12	N/A	3612513C1	3553652C1	
BJ11-GA	18	WH	GXL	2643674R1	3612512C1	18F	A3	N/A	3612513C1	3553652C1	
BJ62DD	2	DKBL	TXL	351352R1	3612512C1	18F	D3	N/A	3612513C1	3553652C1	
BJ85A	2	GY	TXL	35131R1	3612512C1	18F	B1	N/A	3612513C1	3553652C1	
BJ9	18	GY	GXL	2643673R1	3612512C1	18F	A4	N/A	3612513C1	3553652C1	
BJ97	2	GY	TXL	35131R1	3612512C1	18F	B12	N/A	3612513C1	3553652C1	
[BF94-G]	14	BK	TXL	351295R1	3612512C1	18F	D5	N/A	3612513C1	3553652C1	
[BF94BY]	14	BK	TXL	351295R1	3612512C1	18F	D6	N/A	3612513C1	3553652C1	
[BF94MN]	14	BK	TXL	351295R1	3612512C1	18F	A6	N/A	3612513C1	3553652C1	
MB11-GBE	16	WH	TXL	35136R1	1661199C1	1918A	C	N/A		N/A	
MB13EE	16	PK	TXL	351324R1	1661199C1	1918A	B	N/A		N/A	
MB14ED	16	RD	TXL	351366R1	1661199C1	1918A	A	N/A		N/A	
KC11-GBE	16	WH	TXL	35136R1	1661199C1	1918B	C	N/A		N/A	
KC13EE	16	PK	TXL	351324R1	1661199C1	1918B	B	N/A		N/A	

Circuit		Terminal Splice			Connector Body	Connector				Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve			
KC14ED	16	RD	TXL	351366R1	1661199C1	1918B	A	N/A			N/A
MB11-GMM	2	WH	TXL	351358R1	25836C1	1919A	B	N/A	2654C1		N/A
MB3BD(+)	18	DKBL	TXL	351353R1	25836C1	1919A	C	N/A	2654C1		N/A
MB3BD(-)	18	GY	TXL	351311R1	25836C1	1919A	D	N/A	2654C1		N/A
MB86-GND	18	WH	TXL	351359R1	25836C1	1919A	E	N/A	2654C1		N/A
MB86HA	18	LTGN	TXL	351299R1	25836C1	1919A	F	N/A	2654C1		N/A
MB86JA	18	LTGN	TXL	351299R1	25836C1	1919A	G	N/A	2654C1		N/A
MB86RCD	18	LTGN	TXL	351299R1	25836C1	1919A	A	N/A	2654C1		N/A
KC3BD(+)	18	DKBL	TXL	351353R1	25836C1	1919B	C	N/A	2654C1		N/A
KC3BD(-)	18	GY	TXL	351311R1	25836C1	1919B	D	N/A	2654C1		N/A
3N11-GCF	14	WH	TXL	351361R1	3613C1	191A	C	N/A	3557682C1		N/A
3N86CC	14	LTGN	TXL	35131R1	3613C1	191A	A	N/A	3557682C1		N/A
AE11-GCE	14	WH	TXL	351361R1	3613C1	191A	C	N/A	3557682C1		N/A
AE86C2	14	LTGN	TXL	35131R1	3613C1	191A	A	N/A	3557682C1		N/A
CL84-GAB	14	WH	TXL	351361R1	3613C1	191A	C	N/A	3557682C1		N/A
CL84B	14	LTGN	TXL	35131R1	3613C1	191A	A	N/A	3557682C1		N/A
XA11-GBE	16	WH	TXL	35136R1	166735C1	191A	B	N/A	1661263C1		N/A
XA14EA	16	RD	TXL	351366R1	166735C1	191A	A	N/A	1661263C1		N/A
XA3BE(+)	18	DKBL	TXL	351353R1	166735C1	191A	C	N/A	1661263C1		N/A
XA3BE(-)	18	GY	TXL	351311R1	166735C1	191A	D	N/A	1661263C1		N/A
ZP11-GBE	16	WH	TXL	35136R1	166735C1	191A	B	N/A	1661263C1		N/A
ZP14EA	16	RD	TXL	351366R1	166735C1	191A	A	N/A	1661263C1		N/A
ZP5BE(+)	18	YL	TXL	3572112R1	166735C1	191A	C	N/A	1661263C1		N/A
ZP5BE(-)	18	GN	TXL	3572112R1	166735C1	191A	D	N/A	1661263C1		N/A
XA11-G	8	WH	GXL	2643789R1	N/A	191G		1 264454R1	N/A		N/A
ZP11-G	8	WH	GXL	2643789R1	N/A	191G		1 264454R1	N/A		N/A
PY5K(+)	2	YL	193	3858761R1	411679C1	1931A		1 N/A	41168C1		N/A
PY5K(-)	2	GN	193	3858761R1	411679C1	1931A		8 N/A	41168C1		N/A
PZ5R(+)	2	YL	193	3858761R1	411679C1	1931A		1 N/A	41168C1		N/A
PZ5R(-)	2	GN	193	3858761R1	411679C1	1931A		8 N/A	41168C1		N/A
RD5R(+)	2	YL	193	3858761R1	411679C1	1931A		1 N/A	41168C1		N/A
RD5R(-)	2	GN	193	3858761R1	411679C1	1931A		8 N/A	41168C1		N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
RG5J(+)	2	YL	193	3858761R1	411679C1	1931A		1 N/A	41168C1	N/A
RG5J(-)	2	GN	193	3858761R1	411679C1	1931A		8 N/A	41168C1	N/A
RJ5J(+)	2	YL	193	3858761R1	411679C1	1931A		1 N/A	41168C1	N/A
RJ5J(-)	2	GN	193	3858761R1	411679C1	1931A		8 N/A	41168C1	N/A
RM5J(+)	2	YL	193	3858761R1	411679C1	1931A		1 N/A	41168C1	N/A
RM5J(-)	2	GN	193	3858761R1	411679C1	1931A		8 N/A	41168C1	N/A
RS5R(+)	2	YL	193	3858761R1	411679C1	1931A		1 N/A	41168C1	N/A
RS5R(-)	2	GN	193	3858761R1	411679C1	1931A		8 N/A	41168C1	N/A
RU5L(+)	2	YL	193	3858761R1	411679C1	1931A		1 N/A	41168C1	N/A
RU5L(-)	2	GN	193	3858761R1	411679C1	1931A		8 N/A	41168C1	N/A
SB5K(+)	2	YL	193	3858761R1	411679C1	1931A		1 N/A	41168C1	N/A
SB5K(-)	2	GN	193	3858761R1	411679C1	1931A		8 N/A	41168C1	N/A
SC5T(+)	2	YL	193	3858761R1	411679C1	1931A		1 N/A	41168C1	N/A
SC5T(-)	2	GN	193	3858761R1	411679C1	1931A		8 N/A	41168C1	N/A
SD5K(+)	2	YL	193	3858761R1	411679C1	1931A		1 N/A	41168C1	N/A
SD5K(-)	2	GN	193	3858761R1	411679C1	1931A		8 N/A	41168C1	N/A
SE5M(+)	2	YL	193	3858761R1	411679C1	1931A		1 N/A	41168C1	N/A
SE5M(-)	2	GN	193	3858761R1	411679C1	1931A		8 N/A	41168C1	N/A
XF11-GX	2	WH	TXL	351358R1	411679C1	1931A		13 N/A	41168C1	N/A
XF14L	2	RD	TXL	351364R1	411679C1	1931A		14 N/A	41168C1	N/A
RH11-GBE	14	WH	TXL	351361R1	3554818C1	1934M	A	N/A	3554821C1	N/A
RH14EA	14	RD	GXL	2643686R1	3554818C1	1934M	B	N/A	3554821C1	N/A
AS5BE(+)	18	YL	TXL	3572112R1	3683465C1	1935M	A	N/A	3683466C1	3573833C1
AS5BE(-)	18	GN	TXL	3572112R1	3683465C1	1935M	B	N/A	3683466C1	3573833C1
FH5BS(+)	18	YL	TXL	3572112R1	3683465C1	1935M	A	N/A	3683466C1	3573833C1
FH5BS(-)	18	GN	TXL	3572112R1	3683465C1	1935M	B	N/A	3683466C1	3573833C1
3L5BE(+)	18	YL	TXL	3572112R1	3683465C1	1935N	A	N/A	3683466C1	3573833C1
3L5BE(-)	18	GN	TXL	3572112R1	3683465C1	1935N	B	N/A	3683466C1	3573833C1
AR5BE(+)	18	YL	TXL	3572112R1	3683465C1	1935N	A	N/A	3683466C1	3573833C1
AR5BE(-)	18	GN	TXL	3572112R1	3683465C1	1935N	B	N/A	3683466C1	3573833C1
RK59EA	18	GY	TXL	351311R1	587568C91	1936M	B	N/A		N/A
SF59DA	18	GY	TXL	351311R1	587568C91	1936M	A	N/A		N/A

<b>Circuit</b>				<b>Terminal Splice</b>	<b>Connector Body</b>	<b>Connector</b>					
<b>Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Number</b>	<b>Part Numbers</b>	<b>Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>	
KS5BF(+)	18	YL	TXL	3572112R1	1667741C1	1937M	A	N/A	1667771C1	N/A	
KS5BF(-)	18	GN	TXL	3572112R1	1667741C1	1937M	C	N/A	1667771C1	N/A	
KR5BF(+)	18	YL	TXL	3572112R1	1667741C1	1937N	A	N/A	1667771C1	N/A	
KR5BF(-)	18	GN	TXL	3572112R1	1667741C1	1937N	C	N/A	1667771C1	N/A	
RY5BF(+)	18	YL	TXL	3572112R1	1667741C1	1937N	A	N/A	1667771C1	N/A	
RY5BF(-)	18	GN	TXL	3572112R1	1667741C1	1937N	C	N/A	1667771C1	N/A	
KB5U(+)	18	YL	TXL	3572112R1	1667741C1	1937P	A	N/A	1667771C1	N/A	
KB5U(-)	18	GN	TXL	3572112R1	1667741C1	1937P	C	N/A	1667771C1	N/A	
KD5U(+)	18	YL	TXL	3572112R1	1667741C1	1937P	A	N/A	1667771C1	N/A	
KD5U(-)	18	GN	TXL	3572112R1	1667741C1	1937P	C	N/A	1667771C1	N/A	
DL11-GBE	14	WH	TXL	351361R1	3554818C1	1938M	A	N/A	3554821C1	N/A	
DL14EA	14	RD	GXL	2643686R1	3554818C1	1938M	B	N/A	3554821C1	N/A	
JM5BB(+)	18	YL	TXL	351335R1	3683465C1	1939-1	A	N/A	3683466C1	3573833C1	
JM5BB(-)	18	LTGN	TXL	351299R1	3683465C1	1939-1	B	N/A	3683466C1	3573833C1	
JM5BG(+)	18	YL	TXL	351335R1	3683465C1	1939-1	A	N/A	3683466C1	3573833C1	
JM5BG(-)	18	LTGN	TXL	351299R1	3683465C1	1939-1	B	N/A	3683466C1	3573833C1	
JN5BB(+)	18	YL	TXL	351335R1	3683465C1	1939-1	A	N/A	3683466C1	3573833C1	
JN5BB(-)	18	LTGN	TXL	351299R1	3683465C1	1939-1	B	N/A	3683466C1	3573833C1	
JN5BH(+)	18	YL	TXL	351335R1	3683465C1	1939-1	A	N/A	3683466C1	3573833C1	
JN5BH(-)	18	LTGN	TXL	351299R1	3683465C1	1939-1	B	N/A	3683466C1	3573833C1	
JP5BB(+)	18	YL	TXL	351335R1	3683465C1	1939-1	A	N/A	3683466C1	3573833C1	
JP5BB(-)	18	LTGN	TXL	351299R1	3683465C1	1939-1	B	N/A	3683466C1	3573833C1	
JP5BJ(+)	18	YL	TXL	351335R1	3683465C1	1939-1	A	N/A	3683466C1	3573833C1	
JP5BJ(-)	18	LTGN	TXL	351299R1	3683465C1	1939-1	B	N/A	3683466C1	3573833C1	
JR5BB(+)	18	YL	TXL	351335R1	3683465C1	1939-1	A	N/A	3683466C1	3573833C1	
JR5BB(-)	18	LTGN	TXL	351299R1	3683465C1	1939-1	B	N/A	3683466C1	3573833C1	
JR5BJ(+)	18	YL	TXL	351335R1	3683465C1	1939-1	A	N/A	3683466C1	3573833C1	
JR5BJ(-)	18	LTGN	TXL	351299R1	3683465C1	1939-1	B	N/A	3683466C1	3573833C1	
GZ5AB(+)	18	YL	TXL	3572112R1	3683465C1	1939-2	A	N/A	3683466C1	3573833C1	
GZ5AB(-)	18	GN	TXL	3572112R1	3683465C1	1939-2	B	N/A	3683466C1	3573833C1	
GZ5AG(+)	18	YL	TXL	3572112R1	3683465C1	1939-2	A	N/A	3683466C1	3573833C1	
GZ5AG(-)	18	GN	TXL	3572112R1	3683465C1	1939-2	B	N/A	3683466C1	3573833C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
JK5AB(+)	18	YL	TXL	3572112R1	3683465C1	1939-2	A	N/A	3683466C1	3573833C1
JK5AB(-)	18	GN	TXL	3572112R1	3683465C1	1939-2	B	N/A	3683466C1	3573833C1
JK5AG(+)	18	YL	TXL	3572112R1	3683465C1	1939-2	A	N/A	3683466C1	3573833C1
JK5AG(-)	18	GN	TXL	3572112R1	3683465C1	1939-2	B	N/A	3683466C1	3573833C1
KU5AB(+)	18	YL	TXL	3572112R1	3683465C1	1939-2	A	N/A	3683466C1	3573833C1
KU5AB(-)	18	GN	TXL	3572112R1	3683465C1	1939-2	B	N/A	3683466C1	3573833C1
LN5AB(+)	18	YL	TXL	3572112R1	3683465C1	1939-2	A	N/A	3683466C1	3573833C1
LN5AB(-)	18	GN	TXL	3572112R1	3683465C1	1939-2	B	N/A	3683466C1	3573833C1
JV11-GB	16	WH	TXL	35136R1	361685C1	1939A		4 N/A		N/A
JV13B	18	PK	TXL	351323R1	361685C1	1939A		3 N/A		N/A
JV14A	18	RD	TXL	351365R1	361685C1	1939A		5 N/A		N/A
KG5(+)	18	YL	TXL	3572112R1	361685C1	1939A		7 N/A		N/A
KG5(-)	18	GN	TXL	3572112R1	361685C1	1939A		2 N/A		N/A
JV11-GA	14	WH	TXL	351361R1	3554818C1	1939D	A	N/A	3554821C1	N/A
JV14C	14	RD	GXL	2643686R1	3554818C1	1939D	B	N/A	3554821C1	N/A
KL11-GA	14	WH	TXL	351361R1	3554818C1	1939E	A	N/A	3554821C1	N/A
KL14C	14	RD	GXL	2643686R1	3554818C1	1939E	B	N/A	3554821C1	N/A
DL3BD(+)	18	DKBL	TXL	351353R1	355344C1	1939M		4 N/A	355346C1	N/A
DL3BD(-)	18	GY	TXL	351311R1	355344C1	1939M		5 N/A	355346C1	N/A
LP5BF(+)	18	YL	TXL	3572112R1	355344C1	1939M		12 N/A	355346C1	N/A
LP5BF(-)	18	GN	TXL	3572112R1	355344C1	1939M		11 N/A	355346C1	N/A
2D57C	18	OR	TXL	351317R1	3673259C1	1942F		4 N/A	353599C1	353599C1
2E57C	18	OR	TXL	351317R1	3673259C1	1942F		4 N/A	353599C1	353599C1
2G57C	18	OR	TXL	351317R1	3673259C1	1942F		4 N/A	353599C1	353599C1
YD67U	18	GY	GXL	2643673R1	3673259C1	1942F		3 N/A	353599C1	353599C1
YD67V	18	GY	GXL	2643673R1	3673259C1	1942F		1 N/A	353599C1	353599C1
YD67W	18	GY	GXL	2643673R1	3673259C1	1942F		2 N/A	353599C1	353599C1
HN62J	18	DKBL	TXL	351353R1	3515763C1	1946F	G	N/A	3515765C1	N/A
HN75-GAS	18	WH	GXL	2643674R1	3515763C1	1946F	D	N/A	3515765C1	N/A
HN75AF	18	LTGN	GXL	2643671R1	3515763C1	1946F	B	N/A	3515765C1	N/A
HN75AG	18	LTGN	GXL	2643671R1	3515763C1	1946F	A	N/A	3515765C1	N/A
HN75AR	18	LTGN	GXL	2643671R1	3515763C1	1946F	C	N/A	3515765C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
HN77NE	18	LTGN	GXL	2643671R1	3515763C1	1946F	E	N/A	3515765C1	N/A
HN77NF	18	LTGN	GXL	2643671R1	3515763C1	1946F	F	N/A	3515765C1	N/A
3S11-GUC	2	WH	TXL	351358R1	3768147C1	195A		1 N/A		N/A
3S13UC	2	PK	TXL	351322R1	3768147C1	195A		2 N/A		N/A
CL11-GUB	2	WH	TXL	351358R1	3768147C1	195A		1 N/A		N/A
CL13UB	2	PK	TXL	351322R1	3768147C1	195A		2 N/A		N/A
AT28A	2	TN	TXL	351328R1	463415C1	1A		1 N/A		N/A
AT28B	2	TN	TXL	351328R1	463415C1	1A		3 N/A		N/A
AT28C	2	TN	TXL	351328R1	463415C1	1A		4 N/A		N/A
JS1A	14	LTBL	GXL	2643694R1	356527C1	1F	B	N/A		N/A
JS1B	14	TN	GXL	2643692R1	356527C1	1F	A	N/A		N/A
JS1A	16	RD	TXL	351366R1	356527C1	1F	B	N/A		N/A
JS1B	16	RD	TXL	351366R1	356527C1	1F	A	N/A		N/A
CF14SD	18	RD	TXL	351365R1	N/A	1TB1		1 264438R1	N/A	N/A
CF7E	18	OR	TXL	351317R1	N/A	1TB2		1 264438R1	N/A	N/A
CF11-GSD	18	WH	TXL	351359R1	N/A	2TB1		1 264438R1	N/A	N/A
2A58DB	18	BN	TXL	35135R1	166121C1	324F	A	N/A		N/A
2C57B	18	OR	TXL	351317R1	166121C1	324F	A	N/A		N/A
2E57B	18	OR	TXL	351317R1	166121C1	324F	A	N/A		N/A
2F57B	18	OR	TXL	351317R1	166121C1	324F	A	N/A		N/A
2G57B	18	OR	TXL	351317R1	166121C1	324F	A	N/A		N/A
3C58DB	18	BN	TXL	35135R1	166121C1	324F	A	N/A		N/A
AV58DB	18	BN	TXL	35135R1	166121C1	324F	A	N/A		N/A
DD78B	16	LTGN	TXL	3513R1	166121C1	324F	B	N/A		N/A
DF62DD	18	DKBL	TXL	351353R1	166121C1	324F	C	N/A		N/A
DF78D	18	LTGN	TXL	351299R1	166121C1	324F	D	N/A		N/A
DF78E	18	LTGN	TXL	351299R1	166121C1	324F	E	N/A		N/A
DF78F	18	LTGN	TXL	351299R1	166121C1	324F	F	N/A		N/A
NY57BA	16	OR	TXL	351318R1	166121C1	324F	A	N/A		N/A
CV81-GB	12	WH	TXL	351362R1	16612C1	324M	D	N/A		N/A
CV81C	12	RD	TXL	351368R1	16612C1	324M	C	N/A		N/A
DD78-GB	16	WH	TXL	35136R1	16612C1	324M	D	N/A		N/A



<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
JP5BK(+)	18	YL	TXL	351335R1	16612C1	324M	B	N/A		N/A
JP5BK(-)	18	LTGN	TXL	351299R1	16612C1	324M	A	N/A		N/A
JR5BK(+)	18	YL	TXL	351335R1	16612C1	324M	B	N/A		N/A
JR5BK(-)	18	LTGN	TXL	351299R1	16612C1	324M	A	N/A		N/A
AA11-G	18	WH	TXL	351359R1	166735C1	325M	B	N/A	1661263C1	N/A
AA63BB	18	DKBL	TXL	351353R1	166735C1	325M	A	N/A	1661263C1	N/A
CT86HB	18	LTGN	TXL	351299R1	166735C1	325M	C	N/A	1661263C1	N/A
CT86JB	18	LTGN	TXL	351299R1	166735C1	325M	D	N/A	1661263C1	N/A
MB86HB	18	LTGN	TXL	351299R1	166735C1	325M	C	N/A	1661263C1	N/A
MB86JB	18	LTGN	TXL	351299R1	166735C1	325M	D	N/A	1661263C1	N/A
MV86H	18	LTGN	TXL	351299R1	166735C1	325M	C	N/A	1661263C1	N/A
MV86J	18	LTGN	TXL	351299R1	166735C1	325M	D	N/A	1661263C1	N/A
MX86AH	18	LTGN	TXL	351299R1	166735C1	325M	C	N/A	1661263C1	N/A
MX86AJ	18	LTGN	TXL	351299R1	166735C1	325M	D	N/A	1661263C1	N/A
AA11-GK	18	WH	TXL	351359R1	166735C1	326M	B	N/A	1661263C1	N/A
AA63BC	18	DKBL	TXL	351353R1	166735C1	326M	A	N/A	1661263C1	N/A
CT86K	18	LTGN	TXL	351299R1	166735C1	326M	C	N/A	1661263C1	N/A
CT86L	18	LTGN	TXL	351299R1	166735C1	326M	D	N/A	1661263C1	N/A
MB86K	18	LTGN	TXL	351299R1	166735C1	326M	C	N/A	1661263C1	N/A
MB86L	18	LTGN	TXL	351299R1	166735C1	326M	D	N/A	1661263C1	N/A
MV86K	18	LTGN	TXL	351299R1	166735C1	326M	C	N/A	1661263C1	N/A
MV86L	18	LTGN	TXL	351299R1	166735C1	326M	D	N/A	1661263C1	N/A
MX86AK	18	LTGN	TXL	351299R1	166735C1	326M	C	N/A	1661263C1	N/A
MX86AL	18	LTGN	TXL	351299R1	166735C1	326M	D	N/A	1661263C1	N/A
2A58DA	18	BN	TXL	35135R1	166121C1	32F	A	N/A		N/A
2F56D	18	OR	TXL	351317R1	166121C1	32F	A	N/A		N/A
2G56D	18	OR	TXL	351317R1	166121C1	32F	A	N/A		N/A
3C58DA	18	BN	TXL	35135R1	166121C1	32F	A	N/A		N/A
AV58DA	18	BN	TXL	35135R1	166121C1	32F	A	N/A		N/A
DD78A	16	LTGN	TXL	3513R1	166121C1	32F	B	N/A		N/A
DF78D	18	LTGN	TXL	351299R1	166121C1	32F	D	N/A		N/A
DF78E	18	LTGN	TXL	351299R1	166121C1	32F	E	N/A		N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
DF78F	18	LTGN	TXL	351299R1	166121C1	32F	F	N/A		N/A
NS56D	18	OR	TXL	351317R1	166121C1	32F	A	N/A		N/A
CV81-GA	12	WH	TXL	351362R1	16612C1	32M	D	N/A		N/A
CV81B	12	RD	TXL	351368R1	16612C1	32M	C	N/A		N/A
DD78-GA	16	WH	TXL	35136R1	16612C1	32M	D	N/A		N/A
DF78V	12	LTGN	TXL	35132R1	16612C1	32M	C	N/A		N/A
HZ41D	18	TN	TXL	351329R1	16612C1	32M	E	N/A		N/A
HZ41E	18	GY	TXL	351311R1	16612C1	32M	F	N/A		N/A
JP5BD(+)	18	YL	TXL	351335R1	16612C1	32M	B	N/A		N/A
JP5BD(-)	18	LTGN	TXL	351299R1	16612C1	32M	A	N/A		N/A
JR5BD(+)	18	YL	TXL	351335R1	16612C1	32M	B	N/A		N/A
JR5BD(-)	18	LTGN	TXL	351299R1	16612C1	32M	A	N/A		N/A
MA11-GC	12	WH	GXL	2643787R1	N/A	45B		1 26445R1	N/A	N/A
MA11-GC	12	WH	GXL	2643787R1	N/A	45B		1 26445R1	N/A	N/A
AG14P	8	RD	GXL	264371R1	N/A	47A		1 264454R1	N/A	N/A
AG14AA	8	RD	GXL	264371R1	3515523C1	47B	B	N/A		N/A
AG14P	8	RD	GXL	264371R1	3515523C1	47B	A	N/A		N/A
3A94-GD	14	WH	TXL	351361R1	N/A	481A		1 264438R1	N/A	N/A
XY94-GA	12	WH	TXL	351362R1	N/A	481A		1 264438R1	N/A	N/A
CF13SD	18	PK	TXL	351323R1	N/A	4TB1		1 264438R1	N/A	N/A
MX86AR	18	LTGN	TXL	351299R1	354612C1	511M	F	N/A	354614C1	N/A
MX86AS	18	LTGN	TXL	351299R1	354612C1	511M	G	N/A	354614C1	N/A
MX86AT	18	LTGN	TXL	351299R1	354612C1	511M	H	N/A	354614C1	N/A
MX86AU	18	LTGN	TXL	351299R1	354612C1	511M	J	N/A	354614C1	N/A
MZ86AE	18	LTGN	TXL	351299R1	354612C1	511M	B	N/A	354614C1	N/A
MZ86F	18	YL	TXL	351335R1	354612C1	511M	E	N/A	354614C1	N/A
MZ86R	18	LTGN	TXL	351299R1	354612C1	511M	A	N/A	354614C1	N/A
HF94TT	14	GY	TXL	351313R1	587567C91	5758F	A	N/A		N/A
HG94TT	14	GY	TXL	351313R1	587567C91	5759F	A	N/A		N/A
2J62A	18	DKBL	TXL	351353R1	3595621C1	5A		31 N/A	3598918C1	3598919C1
3G77A	2	LTGN	TXL	351298R1	3595621C1	5A		28 N/A	3598918C1	3598919C1
3G77B	2	LTGN	TXL	351298R1	3595621C1	5A		29 N/A	3598918C1	3598919C1

Circuit		Terminal Splice			Connector Body	Connector				Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve			
AC12B	18	LTBL	TXL	351341R1	3595621C1	5A	17	N/A		3598918C1	3598919C1
AP75WC	18	LTGN	TXL	351299R1	3595621C1	5A	27	N/A		3598918C1	3598919C1
BT65	18	OR	TXL	351317R1	3595621C1	5A	2	N/A		3598918C1	3598919C1
BU65AA	18	OR	TXL	351317R1	3595621C1	5A	2	N/A		3598918C1	3598919C1
BY65AA	16	OR	TXL	351318R1	3595621C1	5A	2	N/A		3598918C1	3598919C1
BY65AB	16	OR	TXL	351318R1	3595621C1	5A	21	N/A		3598918C1	3598919C1
DX19S	18	GY	TXL	351311R1	3595621C1	5A	22	N/A		3598918C1	3598919C1
DX14VA	12	RD	TXL	351368R1	3595621C1	5A	1	N/A		3598918C1	3598919C1
DX14VBA	1	RD	TXL	351369R1	3595621C1	5A	42	N/A		3598918C1	3598919C1
DX63AW	2	DKBL	TXL	351352R1	3595621C1	5A	18	N/A		3598918C1	3598919C1
DX63C	18	DKBL	TXL	351353R1	3595621C1	5A	37	N/A		3598918C1	3598919C1
DX63E	18	DKBL	TXL	351353R1	3595621C1	5A	32	N/A		3598918C1	3598919C1
EL63F	18	DKBL	TXL	351353R1	3595621C1	5A	33	N/A		3598918C1	3598919C1
EM58BLT	14	BN	TXL	35137R1	3595621C1	5A	19	N/A		3598918C1	3598919C1
KK5(+)	18	YL	TXL	3572112R1	3595621C1	5A	38	N/A		3598918C1	3598919C1
KK5(-)	18	GN	TXL	3572112R1	3595621C1	5A	39	N/A		3598918C1	3598919C1
KU5AG(+)	18	YL	TXL	3572112R1	3595621C1	5A	35	N/A		3598918C1	3598919C1
KU5AG(-)	18	GN	TXL	3572112R1	3595621C1	5A	36	N/A		3598918C1	3598919C1
LN5AG(+)	18	YL	TXL	3572112R1	3595621C1	5A	35	N/A		3598918C1	3598919C1
LN5AG(-)	18	GN	TXL	3572112R1	3595621C1	5A	36	N/A		3598918C1	3598919C1
MW86BB	18	LTGN	TXL	351299R1	3595621C1	5A	3	N/A		3598918C1	3598919C1
MW86CB	18	LTGN	TXL	351299R1	3595621C1	5A	4	N/A		3598918C1	3598919C1
MW86DB	18	LTGN	TXL	351299R1	3595621C1	5A	5	N/A		3598918C1	3598919C1
MW86EB	18	LTGN	TXL	351299R1	3595621C1	5A	6	N/A		3598918C1	3598919C1
MX86AH	18	LTGN	TXL	351299R1	3595621C1	5A	15	N/A		3598918C1	3598919C1
MX86AJ	18	LTGN	TXL	351299R1	3595621C1	5A	16	N/A		3598918C1	3598919C1
MX86AK	18	LTGN	TXL	351299R1	3595621C1	5A	13	N/A		3598918C1	3598919C1
MX86AL	18	LTGN	TXL	351299R1	3595621C1	5A	14	N/A		3598918C1	3598919C1
MX86H	18	LTGN	TXL	351299R1	3595621C1	5A	23	N/A		3598918C1	3598919C1
MX86J	18	LTGN	TXL	351299R1	3595621C1	5A	24	N/A		3598918C1	3598919C1
MX86K	18	LTGN	TXL	351299R1	3595621C1	5A	11	N/A		3598918C1	3598919C1
MX86L	18	LTGN	TXL	351299R1	3595621C1	5A	12	N/A		3598918C1	3598919C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
MY66AA	18	LTGN	TXL	351299R1	3595621C1	5A		8 N/A	3598918C1	3598919C1
MY86AC	18	LTGN	TXL	351299R1	3595621C1	5A		1 N/A	3598918C1	3598919C1
RP14XX	12	RD	TXL	351368R1	3595621C1	5A		34 N/A	3598918C1	3598919C1
YE75WA	14	RD	TXL	351367R1	3595621C1	5A		25 N/A	3598918C1	3598919C1
YE75WB	18	RD	TXL	351365R1	3595621C1	5A		41 N/A	3598918C1	3598919C1
YE75WP	18	LTGN	TXL	351299R1	3595621C1	5A		26 N/A	3598918C1	3598919C1
VG2-G	2	WH	SGX	3592741R1	N/A	611A		1 26444R1	N/A	N/A
KB2-G	2	WH	SGX	3592741R1	N/A	611B		1 3812582R1	N/A	N/A
VD2-G	1	WH	SGX	3592742R1	N/A	611D		1 264338R1	N/A	N/A
VM2-G	1	WH	SGX	3592742R1	N/A	611E		1 264338R1	N/A	N/A
VE2-G	2	WH	SGX	3592741R1	N/A	611F		1 3812582R1	N/A	N/A
VF2-G	2	WH	SGX	3592741R1	N/A	611G		1 3812582R1	N/A	N/A
WX2-G	2	WH	SGX	3592741R1	N/A	611H		1 3812582R1	N/A	N/A
KR2-G	2	WH	SGX	3592741R1	N/A	611J	A	3812582R1	N/A	N/A
VG2	2	RD	SGX	3592739R1	N/A	61A		1 26444R1	N/A	N/A
KB2	2	RD	SGX	3592739R1	N/A	61B		1 3812582R1	N/A	N/A
VD2	1	RD	SGX	359274R1	N/A	61D		1 264338R1	N/A	N/A
VM2	1	RD	SGX	359274R1	N/A	61E		1 264338R1	N/A	N/A
VE2	2	RD	SGX	3592739R1	N/A	61F		1 26444R1	N/A	N/A
VF2	2	RD	SGX	3592739R1	N/A	61G		1 3812582R1	N/A	N/A
WX2	2	RD	SGX	3592739R1	N/A	61H		1 26444R1	N/A	N/A
KR2	2	RD	SGX	3592739R1	N/A	61J	A	3812582R1	N/A	N/A
YN6DB	2	GY	TXL	35131R1	36324C1	621B		4 36327C1		N/A
YN77B	2	LTGN	TXL	351298R1	36324C1	621B		2 36327C1		N/A
YN77C	2	LTGN	TXL	351298R1	36324C1	621B		3 36327C1		N/A
YN9AB	2	GY	TXL	35131R1	36324C1	621B		1 36327C1		N/A
YL6DB	2	GY	TXL	35131R1	36324C1	621P		4 36327C1		N/A
YL77B	2	LTGN	TXL	351298R1	36324C1	621P		2 36327C1		N/A
YL77C	2	LTGN	TXL	351298R1	36324C1	621P		3 36327C1		N/A
YL9AB	2	GY	TXL	35131R1	36324C1	621P		1 36327C1		N/A
WA1-GA	16	WH	GXL	2643681R1	N/A	6314A		1 26445R1	N/A	N/A
WC1-GF	6	WH	SGX	264379R1	N/A	6314B		1 26442R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
KG1-GC	1	BK	TXL	351297R1	N/A	6314C		1 26445R1	N/A	N/A
LB17	16	PK	GXL	2643752R1	236583C1	6316M	B	N/A		N/A
LB17D	16	PK	GXL	2643752R1	236583C1	6316M	A	N/A		N/A
VK17	16	PK	GXL	2643752R1	236583C1	6316M	B	N/A		N/A
VK17D	16	PK	GXL	2643752R1	236583C1	6316M	A	N/A		N/A
VD2C-FL	1	RS	FUS	2643473R1	N/A	631C		1 26445R1	N/A	N/A
VD2A-FL	1	RS	FUS	2643473R1	N/A	631D		1 264454R1	N/A	N/A
VD2B-FL	1	RS	FUS	2643473R1	N/A	631D		1 264454R1	N/A	N/A
KB2A-FL	1	RS	FUS	2643473R1	N/A	631E		1 264454R1	N/A	N/A
KB2B-FL	1	RS	FUS	2643473R1	N/A	631E		1 264454R1	N/A	N/A
VG2A-FL	1	RS	FUS	2643473R1	N/A	631E		1 264454R1	N/A	N/A
VG2B-FL	1	RS	FUS	2643473R1	N/A	631E		1 264454R1	N/A	N/A
VM2C-FL	1	RS	FUS	2643473R1	N/A	631F		1 26445R1	N/A	N/A
VE2A-FL	1	RS	FUS	2643473R1	N/A	631G		1 264454R1	N/A	N/A
VE2B-FL	1	RS	FUS	2643473R1	N/A	631G		1 264454R1	N/A	N/A
WX2A-FL	1	RS	FUS	2643473R1	N/A	631G		1 264454R1	N/A	N/A
WX2B-FL	1	RS	FUS	2643473R1	N/A	631G		1 264454R1	N/A	N/A
VF2A-FL	1	RS	FUS	2643473R1	N/A	631H		1 264454R1	N/A	N/A
VF2B-FL	1	RS	FUS	2643473R1	N/A	631H		1 264454R1	N/A	N/A
KR2A-FL	1	RS	FUS	2643473R1	N/A	631J	A	264454R1	N/A	N/A
KR2B-FL	1	RS	FUS	2643473R1	N/A	631J	A	264454R1	N/A	N/A
VM2-G	1	WH	SGX	3592742R1	N/A	632B		1 26444R1	N/A	N/A
VK17D	16	PK	GXL	2643752R1	N/A	635M		1 264438R1	N/A	N/A
ZA23-G	18	WH	TXL	351359R1	352268C1	64A	B	356857C1	1661874C1	N/A
ZB23A	18	TN	TXL	351329R1	352268C1	64A	A	356857C1	1661874C1	N/A
ZC23A2	18	TN	TXL	351329R1	352268C1	64A	A	356857C1	1661874C1	N/A
JE28	18	TN	GXL	2643676R1	352268C1	673A	B	1661872C1	1661874C1	N/A
JE9AAB	18	GY	GXL	2643673R1	352268C1	673A	A	1661872C1	1661874C1	N/A
KE28	18	TN	GXL	2643676R1	352268C1	673B	B	1661872C1	1661874C1	N/A
KE9AAB	18	GY	TXL	351311R1	352268C1	673B	A	356857C1	1661874C1	N/A
AP9B	18	VT	TXL	351347R1	3551896C1	674B	A	3517771C1	354454C1	3551897C1
AY9B	18	VT	TXL	351347R1	3551896C1	674B	A	3517771C1	354454C1	3551897C1

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
KB34B	18	TN	TXL	351329R1	3551896C1	674B	F	3517771C1	354454C1	3551897C1
KD92B2	18	TN	TXL	351329R1	3551896C1	674B	B	3517771C1	354454C1	3551897C1
LE9B	18	VT	TXL	351347R1	3551896C1	674B	A	3517771C1	354454C1	3551897C1
LF9B	18	VT	TXL	351347R1	3551896C1	674B	A	3517771C1	354454C1	3551897C1
SG92A3	18	TN	TXL	351329R1	3551896C1	674B	C	3517771C1	354454C1	3551897C1
VA95W	18	TN	TXL	351329R1	3551896C1	674B	D	3517771C1	354454C1	3551897C1
VE95W	18	TN	TXL	351329R1	3551896C1	674B	D	3517771C1	354454C1	3551897C1
WA92B2	18	TN	TXL	351329R1	3551896C1	674B	B	3517771C1	354454C1	3551897C1
WC92B2	18	TN	TXL	351329R1	3551896C1	674B	B	3517771C1	354454C1	3551897C1
AK95AB	18	TN	TXL	351329R1	6114577C1	674B		6 N/A		N/A
AK95AR1	18	TN	TXL	351329R1	6114577C1	674B		4 N/A		N/A
AK95AS1	18	TN	TXL	351329R1	6114577C1	674B		7 N/A		N/A
AK95AT1	18	TN	TXL	351329R1	6114577C1	674B		8 N/A		N/A
AK95AU1	18	TN	TXL	351329R1	6114577C1	674B		9 N/A		N/A
AK95E	2	TN	TXL	351328R1	6114577C1	674B		1 N/A		N/A
AK95F	18	TN	TXL	351329R1	6114577C1	674B		2 N/A		N/A
AK95H	18	TN	TXL	351329R1	6114577C1	674B		3 N/A		N/A
AM13AA	18	RD	TXL	351365R1	6114577C1	674B		12 N/A		N/A
AM5(+)	18	YL	193	2645917R1	6114577C1	674B		13 N/A		N/A
AM5(-)	18	GN	193	2645917R1	6114577C1	674B		14 N/A		N/A
AM95-GB	16	BK	TXL	351294R1	6114577C1	674B		1 N/A		N/A
AM95-GL	16	BK	TXL	351294R1	6114577C1	674B		11 N/A		N/A
CB95GE	18	TN	TXL	351329R1	6114577C1	674B		5 N/A		N/A
CD95AC	2	TN	TXL	351328R1	6114577C1	674B		5 N/A		N/A
TK95-GB	16	BK	TXL	351294R1	6114577C1	674B		1 N/A		N/A
TK95AB	18	TN	TXL	351329R1	6114577C1	674B		6 N/A		N/A
TK95AC	2	TN	TXL	351328R1	6114577C1	674B		5 N/A		N/A
TK95AR1	18	TN	TXL	351329R1	6114577C1	674B		4 N/A		N/A
TK95AS1	18	TN	TXL	351329R1	6114577C1	674B		7 N/A		N/A
TK95AT1	18	TN	TXL	351329R1	6114577C1	674B		8 N/A		N/A
TK95AU1	18	TN	TXL	351329R1	6114577C1	674B		9 N/A		N/A
TK95E	2	TN	TXL	351328R1	6114577C1	674B		1 N/A		N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
TK95F	2	TN	TXL	351328R1	6114577C1	674B	2	N/A		N/A
TK95H	18	TN	TXL	351329R1	6114577C1	674B	3	N/A		N/A
TM1-GL	18	WH	TXL	351359R1	6114577C1	674B	11	N/A		N/A
TM13AA	18	PK	TXL	351323R1	6114577C1	674B	12	N/A		N/A
TM5(+)	18	YL	193	2645917R1	6114577C1	674B	13	N/A		N/A
TM5(-)	18	GN	193	2645917R1	6114577C1	674B	14	N/A		N/A
KA41-GH	4	WH	SGX	264425R1	N/A	674H	1	3812582R1	N/A	N/A
AL1-AG	12	WH	15	485637R1	357378C1	67A	11	N/A		N/A
AL13R	12	PK	15	485639R1	357378C1	67A	12	N/A		N/A
AL5(+)	18	YL	193	2645917R1	357378C1	67A	13	N/A		N/A
AL5(-)	18	GN	193	2645917R1	357378C1	67A	14	N/A		N/A
AM1-AG	12	WH	15	485637R1	357378C1	67A	11	N/A		N/A
AM13R	12	PK	15	485639R1	357378C1	67A	12	N/A		N/A
AM5(+)	18	YL	193	2645917R1	357378C1	67A	13	N/A		N/A
AM5(-)	18	GN	193	2645917R1	357378C1	67A	14	N/A		N/A
AP5C(+)	18	YL	193	2645917R1	357378C1	67A	9	N/A		N/A
AP5C(-)	18	GN	193	2645917R1	357378C1	67A	1	N/A		N/A
AP9	2	TN	15	47343R1	357378C1	67A	7	N/A		N/A
AP95BA	18	TN	15	2645915R1	357378C1	67A	3	N/A		N/A
AP95BC	18	TN	15	2645915R1	357378C1	67A	4	N/A		N/A
AP95DVH	2	TN	15	47343R1	357378C1	67A	2	N/A		N/A
AP95DVL	2	TN	15	47343R1	357378C1	67A	1	N/A		N/A
AP95K	18	TN	15	2645915R1	357378C1	67A	8	N/A		N/A
LE5C(+)	18	YL	193	2645917R1	357378C1	67A	9	N/A		N/A
LE5C(-)	18	GN	193	2645917R1	357378C1	67A	1	N/A		N/A
LE9	2	TN	15	47343R1	357378C1	67A	7	N/A		N/A
LE95BA	18	TN	15	2645915R1	357378C1	67A	3	N/A		N/A
LE95BC	18	TN	15	2645915R1	357378C1	67A	4	N/A		N/A
LE95DVH	2	TN	15	47343R1	357378C1	67A	2	N/A		N/A
LE95DVL	2	TN	15	47343R1	357378C1	67A	1	N/A		N/A
LE95K	18	TN	15	2645915R1	357378C1	67A	8	N/A		N/A
ZD95DA	18	TN	15	2645915R1	357378C1	67A	5	N/A		N/A

<b>Circuit</b>				<b>Terminal Splice</b>	<b>Connector Body</b>	<b>Connector</b>				
<b>Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Number</b>	<b>Part Numbers</b>	<b>Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
ZE95DB	2	TN	15	47343R1	357378C1	67A		5 N/A		N/A
GM6	18	TN	15	2645915R1	357378C1	67A		5 N/A		N/A
GM9	18	TN	15	2645915R1	357378C1	67A		7 N/A		N/A
TL1-AH	12	WH	15	485637R1	357378C1	67A		11 N/A		N/A
TL13R2	12	PK	15	485639R1	357378C1	67A		12 N/A		N/A
TL5(+)	18	YL	193	2645917R1	357378C1	67A		13 N/A		N/A
TL5(-)	18	GN	193	2645917R1	357378C1	67A		14 N/A		N/A
TM1-AH	12	WH	15	485637R1	357378C1	67A		11 N/A		N/A
TM13R2	12	PK	15	485639R1	357378C1	67A		12 N/A		N/A
TM5(+)	18	YL	193	2645917R1	357378C1	67A		13 N/A		N/A
TM5(-)	18	GN	193	2645917R1	357378C1	67A		14 N/A		N/A
TP5A(+)	18	YL	193	2645917R1	357378C1	67A		9 N/A		N/A
TP5A(-)	18	GN	193	2645917R1	357378C1	67A		1 N/A		N/A
TP95BA	2	TN	15	47343R1	357378C1	67A		3 N/A		N/A
TP95BC	2	TN	15	47343R1	357378C1	67A		4 N/A		N/A
TP95DVH	2	TN	15	47343R1	357378C1	67A		2 N/A		N/A
TP95DVL	2	TN	15	47343R1	357378C1	67A		1 N/A		N/A
TP95K	2	TN	15	47343R1	357378C1	67A		8 N/A		N/A
AS1-AG	12	WH	15	485637R1	357378C1	67B		11 N/A		N/A
AS13R	12	PK	15	485639R1	357378C1	67B		12 N/A		N/A
AS5(+)	18	YL	193	2645917R1	357378C1	67B		13 N/A		N/A
AS5(-)	18	GN	193	2645917R1	357378C1	67B		14 N/A		N/A
AY5C(+)	18	YL	193	2645917R1	357378C1	67B		9 N/A		N/A
AY5C(-)	18	GN	193	2645917R1	357378C1	67B		1 N/A		N/A
AY9	2	TN	15	47343R1	357378C1	67B		7 N/A		N/A
AY95BA	18	TN	15	2645915R1	357378C1	67B		3 N/A		N/A
AY95BC	18	TN	15	2645915R1	357378C1	67B		4 N/A		N/A
AY95DVH	2	TN	15	47343R1	357378C1	67B		2 N/A		N/A
AY95DVL	2	TN	15	47343R1	357378C1	67B		1 N/A		N/A
AY95K	18	TN	15	2645915R1	357378C1	67B		8 N/A		N/A
LF5C(+)	18	YL	193	2645917R1	357378C1	67B		9 N/A		N/A
LF5C(-)	18	GN	193	2645917R1	357378C1	67B		1 N/A		N/A



Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
LF9	2	TN	15	47343R1	357378C1	67B		7 N/A		N/A
LF95BA	18	TN	15	2645915R1	357378C1	67B		3 N/A		N/A
LF95BC	18	TN	15	2645915R1	357378C1	67B		4 N/A		N/A
LF95DVH	2	TN	15	47343R1	357378C1	67B		2 N/A		N/A
LF95DVL	2	TN	15	47343R1	357378C1	67B		1 N/A		N/A
LF95K	18	TN	15	2645915R1	357378C1	67B		8 N/A		N/A
ZF95DA	18	TN	15	2645915R1	357378C1	67B		5 N/A		N/A
ZG95DB	2	TN	15	47343R1	357378C1	67B		5 N/A		N/A
GN6	18	TN	15	2645915R1	357378C1	67B		5 N/A		N/A
GN9	18	TN	15	2645915R1	357378C1	67B		7 N/A		N/A
TS1-AH	12	WH	15	485637R1	357378C1	67B		11 N/A		N/A
TS13R2	12	PK	15	485639R1	357378C1	67B		12 N/A		N/A
TS5(+)	18	YL	193	2645917R1	357378C1	67B		13 N/A		N/A
TS5(-)	18	GN	193	2645917R1	357378C1	67B		14 N/A		N/A
TY5A(+)	18	YL	193	2645917R1	357378C1	67B		9 N/A		N/A
TY5A(-)	18	GN	193	2645917R1	357378C1	67B		1 N/A		N/A
TY95BA	2	TN	15	47343R1	357378C1	67B		3 N/A		N/A
TY95BC	2	TN	15	47343R1	357378C1	67B		4 N/A		N/A
TY95DVH	2	TN	15	47343R1	357378C1	67B		2 N/A		N/A
TY95DVL	2	TN	15	47343R1	357378C1	67B		1 N/A		N/A
TY95K	2	TN	15	47343R1	357378C1	67B		8 N/A		N/A
CF98A(+)	18	DKBL	TXL	351353R1	N/A	6TB1		1 264438R1	N/A	N/A
KH5B(+)	18	YL	TXL	3572112R1	3683465C1	711A	A	3535424C1	3683466C1	3573833C1
KH5B(-)	18	GN	TXL	3572112R1	3683465C1	711A	B	3535424C1	3683466C1	3573833C1
KL5AB(+)	18	YL	TXL	3572112R1	3683465C1	711X	A	3535424C1	3683466C1	3573833C1
KL5AB(-)	18	GN	TXL	3572112R1	3683465C1	711X	B	3535424C1	3683466C1	3573833C1
KL5BB(+)	18	YL	TXL	3572112R1	3683465C1	711Z	A	3535424C1	3683466C1	3573833C1
KL5BB(-)	18	GN	TXL	3572112R1	3683465C1	711Z	B	3535424C1	3683466C1	3573833C1
KH13A	14	PK	GXL	2643691R1	3599542C1	715A		35 N/A		N/A
KH17-GC	18	PK	GXL	2643794R1	3599542C1	715A		4 N/A		N/A
KH17B	18	PK	GXL	2643794R1	3599542C1	715A		32 N/A		N/A
KH17C	16	PK	TXL	351324R1	3599542C1	715A		26 N/A		N/A

Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
KH3BA(+)	18	DKBL	GXL	264372R1	3599542C1	715A		1 N/A		N/A	
KH3BA(-)	18	GY	GXL	2643673R1	3599542C1	715A		11 N/A		N/A	
KH5V(+)	18	YL	TXL	3572112R1	3599542C1	715A		3 N/A		N/A	
KH5V(-)	18	GN	TXL	3572112R1	3599542C1	715A		2 N/A		N/A	
LJ14A	12	RD	TXL	351368R1	3599542C1	715A		38 N/A		N/A	
SJ92DN	18	TN	GXL	2643676R1	3599542C1	715A		24 N/A		N/A	
TG92A	18	TN	GXL	2643676R1	3599542C1	715A		16 N/A		N/A	
TG92B	18	TN	GXL	2643676R1	3599542C1	715A		17 N/A		N/A	
VY92DP	18	TN	GXL	2643676R1	3599542C1	715A		18 N/A		N/A	
VY92DR	18	TN	GXL	2643676R1	3599542C1	715A		34 N/A		N/A	
WC1-GE	12	WH	GXL	2643787R1	3599542C1	715A		36 N/A		N/A	
KT92#22	18	TN	TXL	351329R1	3525874C1	728A	A	356857C1	3525875C1	N/A	
KT92#25	18	LTBL	TXL	351341R1	3525874C1	728A	B	356857C1	3525875C1	N/A	
KT92#214	18	TN	TXL	351329R1	3525874C1	728A	C	356857C1	3525875C1	N/A	
KT92#215	18	TN	TXL	351329R1	3525874C1	728A	D	356857C1	3525875C1	N/A	
KT92#216	18	TN	TXL	351329R1	3525874C1	728A	E	356857C1	3525875C1	N/A	
KT92#22	18	LTBL	TXL	351341R1	3525874C1	728A	A	356857C1	3525875C1	N/A	
KT92#25	18	LTBL	TXL	351341R1	3525874C1	728A	B	356857C1	3525875C1	N/A	
KT92#214	18	TN	TXL	351329R1	3525874C1	728A	C	356857C1	3525875C1	N/A	
KT92#215	18	TN	TXL	351329R1	3525874C1	728A	D	356857C1	3525875C1	N/A	
KT92#216	18	TN	TXL	351329R1	3525874C1	728A	E	356857C1	3525875C1	N/A	
PF71A	18	TN	GXL	2643676R1	1661778C1	75T	A	1661872C1	1661874C1	N/A	
PF71B	16	OR	GXL	2643682R1	1661778C1	75T	B	1661872C1	1661874C1	N/A	
KW71A	16	OR	GXL	2643682R1	1661778C1	75W	A	1661872C1	1661874C1	N/A	
KW71B	16	OR	GXL	2643682R1	1661778C1	75W	B	1661872C1	1661874C1	N/A	
KW71A	16	OR	GXL	2643682R1	1661778C1	75W	A	1661872C1	1661874C1	N/A	
KW71B	16	OR	GXL	2643682R1	1661778C1	75W	B	1661872C1	1661874C1	N/A	
PL47	18	GY	TXL	351311R1	361533C1	76T	A	3554318C1	361532C1	N/A	
PL47A	18	GY	TXL	351311R1	361533C1	76T	B	3554318C1	361532C1	N/A	
KK31	18	TN	GXL	2643676R1	3536864C1	77K		1 3536868C1		N/A	
KK9AAD	18	GY	GXL	2643673R1	3536864C1	77K		2 3536868C1		N/A	
KK31	18	TN	GXL	2643676R1	3536864C1	77K		1 3536868C1		N/A	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
YG9AAD	18	GY	GXL	2643673R1	3536864C1	77K		2 3536868C1		N/A
WP31	18	TN	GXL	2643676R1	3536864C1	77L		1 3536868C1		N/A
WP9AAD	18	GY	GXL	2643673R1	3536864C1	77L		2 3536868C1		N/A
XA31	18	TN	GXL	2643676R1	3536864C1	77M		1 3536868C1		N/A
YC9AAD	18	GY	GXL	2643673R1	3536864C1	77M		2 3536868C1		N/A
PC31	18	TN	GXL	2643676R1	3536864C1	77T		1 3536868C1		N/A
PC9AAD	18	GY	TXL	351311R1	3536864C1	77T		2 3536867C1		N/A
TA31	18	TN	GXL	2643676R1	3536864C1	77T		1 3536868C1		N/A
YE9AAD	18	GY	GXL	2643673R1	3536864C1	77T		2 3536868C1		N/A
PY97J	18	VT	GXL	2643718R1	35451C91	782T	A	1652325C1		N/A
PY97S	18	VT	GXL	2643718R1	35451C91	782T	B	1652325C1		N/A
2T92ZB	18	TN	TXL	351329R1	464551C1	79F	B	N/A		N/A
3D5J(+)	18	YL	TXL	3572112R1	464551C1	79F	E	N/A		N/A
3D5J(-)	18	GN	TXL	3572112R1	464551C1	79F	F	N/A		N/A
3M5J(+)	18	YL	TXL	3572112R1	464551C1	79F	E	N/A		N/A
3M5J(-)	18	GN	TXL	3572112R1	464551C1	79F	F	N/A		N/A
GY92#134	18	TN	TXL	351329R1	464551C1	79F	B	N/A		N/A
JD5J(+)	18	YL	TXL	3572112R1	464551C1	79F	E	N/A		N/A
JD5J(-)	18	GN	TXL	3572112R1	464551C1	79F	F	N/A		N/A
JG5J(+)	18	YL	TXL	3572112R1	464551C1	79F	E	N/A		N/A
JG5J(-)	18	GN	TXL	3572112R1	464551C1	79F	F	N/A		N/A
MM92-GAH	18	WH	TXL	351359R1	464551C1	79F	H	N/A		N/A
MM92DC	18	TN	TXL	351329R1	464551C1	79F	G	N/A		N/A
MN92	18	TN	TXL	351329R1	464551C1	79F	C	N/A		N/A
MN9ZA	18	GY	TXL	351311R1	464551C1	79F	D	N/A		N/A
PZ5J(+)	18	YL	TXL	3572112R1	464551C1	79F	E	N/A		N/A
PZ5J(-)	18	GN	TXL	3572112R1	464551C1	79F	F	N/A		N/A
RD5J(+)	18	YL	TXL	3572112R1	464551C1	79F	E	N/A		N/A
RD5J(-)	18	GN	TXL	3572112R1	464551C1	79F	F	N/A		N/A
RS5J(+)	18	YL	TXL	3572112R1	464551C1	79F	E	N/A		N/A
RS5J(-)	18	GN	TXL	3572112R1	464551C1	79F	F	N/A		N/A
RU5J(+)	18	YL	TXL	3572112R1	464551C1	79F	E	N/A		N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
RU5J(-)	18	GN	TXL	3572112R1	464551C1	79F	F	N/A		N/A
SC5J(+)	18	YL	TXL	3572112R1	464551C1	79F	E	N/A		N/A
SC5J(-)	18	GN	TXL	3572112R1	464551C1	79F	F	N/A		N/A
SE5J(+)	18	YL	TXL	3572112R1	464551C1	79F	E	N/A		N/A
SE5J(-)	18	GN	TXL	3572112R1	464551C1	79F	F	N/A		N/A
SN5J(+)	18	YL	TXL	3572112R1	464551C1	79F	E	N/A		N/A
SN5J(-)	18	GN	TXL	3572112R1	464551C1	79F	F	N/A		N/A
SP5J(+)	18	YL	TXL	3572112R1	464551C1	79F	E	N/A		N/A
SP5J(-)	18	GN	TXL	3572112R1	464551C1	79F	F	N/A		N/A
BK5FA(+)	18	YL	TXL	UNDEF	464552C1	79M	E	N/A		N/A
BK5FA(-)	18	GN	TXL	UNDEF	464552C1	79M	F	N/A		N/A
BK62DC	18	DKBL	TXL	351353R1	464552C1	79M	G	N/A		N/A
BK92#134	18	TN	TXL	351329R1	464552C1	79M	B	N/A		N/A
BK92-GAH	18	WH	TXL	351359R1	464552C1	79M	H	N/A		N/A
XX92	18	TN	TXL	351329R1	464552C1	79M	C	N/A		N/A
XX9ZA	18	GY	TXL	351311R1	464552C1	79M	D	N/A		N/A
CF98A(-)	18	GY	TXL	351311R1	N/A	7TB1		1 264438R1	N/A	N/A
PV97H	18	VT	GXL	2643718R1	587568C91	845A	A	1652325C1		N/A
PV97J	18	VT	GXL	2643718R1	587568C91	845A	B	1652325C1		N/A
PV97H	18	VT	GXL	2643718R1	587568C91	845A	A	1652325C1		N/A
PV97J	18	VT	GXL	2643718R1	587568C91	845A	B	1652325C1		N/A
MK19	14	GY	GXL	2643782R1	587567C91	855B	A	589391C1		N/A
MK19-GA	14	WH	GXL	2643689R1	587567C91	855B	B	589391C1		N/A
NS22AA	18	PK	TXL	351323R1	3823761C1	8993F		2 N/A		N/A
NS22AG	18	WH	TXL	351359R1	3823761C1	8993F		1 N/A		N/A
RK5UF(+)	18	YL	TXL	3572112R1	3823761C1	8993F		11 N/A		N/A
RK5UF(-)	18	GN	TXL	3572112R1	3823761C1	8993F		12 N/A		N/A
NS22AA	18	PK	TXL	351323R1	3823761C1	8993F		2 N/A		N/A
NS22AG	18	WH	TXL	351359R1	3823761C1	8993F		1 N/A		N/A
RK5UF(+)	18	YL	TXL	3572112R1	3823761C1	8993F		11 N/A		N/A
RK5UF(-)	18	GN	TXL	3572112R1	3823761C1	8993F		12 N/A		N/A
FA36A	18	TN	GXL	2643676R1	1661778C1	91A	A	1661872C1	1661874C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
FA9BE	18	GY	GXL	2643673R1	1661778C1	91A	B	1661872C1	1661874C1	N/A
FB36A	18	TN	GXL	2643676R1	1661778C1	91B	A	1661872C1	1661874C1	N/A
FB9BE	18	GY	GXL	2643673R1	1661778C1	91B	B	1661872C1	1661874C1	N/A
FC36A	18	TN	GXL	2643676R1	1661778C1	91C	A	1661872C1	1661874C1	N/A
FC9BE	18	GY	GXL	2643673R1	1661778C1	91C	B	1661872C1	1661874C1	N/A
FD36A	18	TN	GXL	2643676R1	1661778C1	91D	A	1661872C1	1661874C1	N/A
FD9BE	18	GY	GXL	2643673R1	1661778C1	91D	B	1661872C1	1661874C1	N/A
FE36A	18	TN	GXL	2643676R1	1661778C1	91E	A	1661872C1	1661874C1	N/A
FE9BE	18	GY	GXL	2643673R1	1661778C1	91E	B	1661872C1	1661874C1	N/A
FF36A	18	TN	GXL	2643676R1	1661778C1	91F	A	1661872C1	1661874C1	N/A
FF9BE	18	GY	GXL	2643673R1	1661778C1	91F	B	1661872C1	1661874C1	N/A
SA1-G	12	WH	TXL	351362R1	1661375C2	933A	E	589391C1	1661376C1	N/A
SA56A	14	OR	GXL	264369R1	1661375C2	933A	B	589391C1	1661376C1	N/A
SA57A	14	OR	GXL	264369R1	1661375C2	933A	C	589391C1	1661376C1	N/A
SA68A	14	BN	GXL	2643688R1	1661375C2	933A	D	589391C1	1661376C1	N/A
SA71BA	12	OR	TXL	35132R1	1661375C2	933A	A	589391C1	1661376C1	N/A
VG56A	14	OR	GXL	264369R1	1661375C2	933K	B	589391C1	1661376C1	N/A
VG68AC	14	BN	GXL	2643688R1	1661375C2	933K	D	589391C1	1661376C1	N/A
VH1-GE	12	WH	TXL	351362R1	1661375C2	933K	E	589391C1	1661376C1	N/A
VH71BE	12	OR	TXL	35132R1	1661375C2	933K	A	589391C1	1661376C1	N/A
VJ1-GE	12	WH	TXL	351362R1	1661375C2	933K	E	589391C1	1661376C1	N/A
VJ71BE	12	OR	TXL	35132R1	1661375C2	933K	A	589391C1	1661376C1	N/A
VG57A	14	OR	GXL	264369R1	1661375C2	933L	C	589391C1	1661376C1	N/A
VG68AD	14	BN	GXL	2643688R1	1661375C2	933L	D	589391C1	1661376C1	N/A
VH1-GG	12	WH	TXL	351362R1	1661375C2	933L	E	589391C1	1661376C1	N/A
VH71BG	12	OR	TXL	35132R1	1661375C2	933L	A	589391C1	1661376C1	N/A
VJ1-GG	12	WH	TXL	351362R1	1661375C2	933L	E	589391C1	1661376C1	N/A
VJ71BG	12	OR	TXL	35132R1	1661375C2	933L	A	589391C1	1661376C1	N/A
VE56A	14	OR	GXL	264369R1	1661375C2	933M	B	589391C1	1661376C1	N/A
VE68AB	14	BN	GXL	2643688R1	1661375C2	933M	D	589391C1	1661376C1	N/A
VF1-GC	12	WH	TXL	351362R1	1661375C2	933M	E	589391C1	1661376C1	N/A
VF71BC	12	OR	TXL	35132R1	1661375C2	933M	A	589391C1	1661376C1	N/A

<b>Circuit</b>				<b>Terminal Splice</b>	<b>Connector Body</b>	<b>Connector</b>					
<b>Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Number</b>	<b>Part Numbers</b>	<b>Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>	
VK1-GC	12	WH	TXL	351362R1	1661375C2	933M	E	589391C1	1661376C1	N/A	
VK71BC	12	OR	TXL	35132R1	1661375C2	933M	A	589391C1	1661376C1	N/A	
VE57A	14	OR	GXL	264369R1	1661375C2	933N	C	589391C1	1661376C1	N/A	
VE68AA	14	BN	GXL	2643688R1	1661375C2	933N	D	589391C1	1661376C1	N/A	
VF1-GB	12	WH	TXL	351362R1	1661375C2	933N	E	589391C1	1661376C1	N/A	
VF71BD	12	OR	TXL	35132R1	1661375C2	933N	A	589391C1	1661376C1	N/A	
VK1-GB	12	WH	TXL	351362R1	1661375C2	933N	E	589391C1	1661376C1	N/A	
VK71BD	12	OR	TXL	35132R1	1661375C2	933N	A	589391C1	1661376C1	N/A	
VH1-GF	12	WH	TXL	351362R1	167161C1	935B	B	589391C1	167168C1	N/A	
VH71BF	12	OR	GXL	2643755R1	167161C1	935B	A	58939C1	167168C1	N/A	
VF1-GD	12	WH	TXL	351362R1	167161C1	935C	B	589391C1	167168C1	N/A	
VF71BB	12	OR	TXL	35132R1	167161C1	935C	A	589391C1	167168C1	N/A	
PR94SAB	18	GY	GXL	2643673R1	361685C1	9511A		1 361687C1		N/A	
PR94SBB	18	GY	GXL	2643673R1	361685C1	9511A		3 361687C1		N/A	
PR94SCB	18	GY	GXL	2643673R1	361685C1	9511A		2 361687C1		N/A	
PR94SDB	18	GY	GXL	2643673R1	361685C1	9511A		4 361687C1		N/A	
HC94A	16	GY	GXL	264368R1	3678796C1	9516B		1 361687C1		N/A	
HC94B	16	GY	GXL	264368R1	3678796C1	9516B		2 361687C1		N/A	
BA94BP	16	GY	GXL	264368R1	369369C1	9516M		3 N/A		N/A	
BA94BQ	16	GY	GXL	264368R1	369369C1	9516M		4 N/A		N/A	
BA94BR	16	GY	GXL	264368R1	369369C1	9516M		5 N/A		N/A	
BA94BS	16	GY	GXL	264368R1	369369C1	9516M		6 N/A		N/A	
BA94BT	16	GY	GXL	264368R1	369369C1	9516M		7 N/A		N/A	
BA94BU	16	GY	GXL	264368R1	369369C1	9516M		8 N/A		N/A	
BA94BV	16	GY	GXL	264368R1	369369C1	9516M		9 N/A		N/A	
BA94BW	16	GY	GXL	264368R1	369369C1	9516M		1 N/A		N/A	
BA94BY	16	GY	GXL	264368R1	369369C1	9516M		1 N/A		N/A	
BA94BZ	16	GY	GXL	264368R1	369369C1	9516M		2 N/A		N/A	
SA94BP	16	GY	GXL	264368R1	369369C1	9516M		3 N/A		N/A	
SA94BQ	16	GY	GXL	264368R1	369369C1	9516M		4 N/A		N/A	
SA94BR	16	GY	GXL	264368R1	369369C1	9516M		5 N/A		N/A	
SA94BS	16	GY	GXL	264368R1	369369C1	9516M		6 N/A		N/A	

<b>Circuit</b>				<b>Terminal Splice</b>	<b>Connector Body</b>	<b>Connector</b>				
<b>Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Number</b>	<b>Part Numbers</b>	<b>Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
SA94BT	16	GY	GXL	264368R1	369369C1	9516M	7	N/A		N/A
SA94BU	16	GY	GXL	264368R1	369369C1	9516M	8	N/A		N/A
SA94BV	16	GY	GXL	264368R1	369369C1	9516M	9	N/A		N/A
SA94BW	16	GY	GXL	264368R1	369369C1	9516M	1	N/A		N/A
SA94BY	16	GY	GXL	264368R1	369369C1	9516M	1	N/A		N/A
SA94BZ	16	GY	GXL	264368R1	369369C1	9516M	2	N/A		N/A
TF94BP	16	GY	GXL	264368R1	611256C1	9516M	3	UNDEF		N/A
TF94BQ	16	GY	GXL	264368R1	611256C1	9516M	4	UNDEF		N/A
TF94BR	16	GY	GXL	264368R1	611256C1	9516M	5	UNDEF		N/A
TF94BS	16	GY	GXL	264368R1	611256C1	9516M	6	UNDEF		N/A
TF94BT	16	GY	GXL	264368R1	611256C1	9516M	7	UNDEF		N/A
TF94BU	16	GY	GXL	264368R1	611256C1	9516M	8	UNDEF		N/A
TF94BV	16	GY	GXL	264368R1	611256C1	9516M	9	UNDEF		N/A
TF94BW	16	GY	GXL	264368R1	611256C1	9516M	1	UNDEF		N/A
TF94BY	16	GY	GXL	264368R1	611256C1	9516M	1	UNDEF		N/A
TF94BZ	16	GY	GXL	264368R1	611256C1	9516M	2	UNDEF		N/A
UJ94BP	18	GY	GXL	2643673R1	611256C1	9516M	3	UNDEF		N/A
UJ94BQ	18	GY	GXL	2643673R1	611256C1	9516M	4	UNDEF		N/A
UJ94BR	18	GY	GXL	2643673R1	611256C1	9516M	5	UNDEF		N/A
UJ94BS	18	GY	GXL	2643673R1	611256C1	9516M	6	UNDEF		N/A
UJ94BT	18	GY	GXL	2643673R1	611256C1	9516M	7	UNDEF		N/A
UJ94BU	18	GY	GXL	2643673R1	611256C1	9516M	8	UNDEF		N/A
UJ94BV	18	GY	GXL	2643673R1	611256C1	9516M	9	UNDEF		N/A
UJ94BW	18	GY	GXL	2643673R1	611256C1	9516M	1	UNDEF		N/A
UJ94BY	18	GY	GXL	2643673R1	611256C1	9516M	1	UNDEF		N/A
UJ94BZ	18	GY	GXL	2643673R1	611256C1	9516M	2	UNDEF		N/A
UP94BP	16	GY	GXL	264368R1	611256C1	9516M	3	UNDEF		N/A
UP94BQ	16	GY	GXL	264368R1	611256C1	9516M	4	UNDEF		N/A
UP94BR	16	GY	GXL	264368R1	611256C1	9516M	5	UNDEF		N/A
UP94BS	16	GY	GXL	264368R1	611256C1	9516M	6	UNDEF		N/A
UP94BT	16	GY	GXL	264368R1	611256C1	9516M	7	UNDEF		N/A
UP94BU	16	GY	GXL	264368R1	611256C1	9516M	8	UNDEF		N/A

Circuit				Terminal Splice	Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
UP94BV	16	GY	GXL	264368R1	611256C1	9516M	9	UNDEF		N/A
UP94BW	16	GY	GXL	264368R1	611256C1	9516M	1	UNDEF		N/A
UP94BY	16	GY	GXL	264368R1	611256C1	9516M	1	UNDEF		N/A
UP94BZ	16	GY	GXL	264368R1	611256C1	9516M	2	UNDEF		N/A
US94BP	18	GY	GXL	2643673R1	611256C1	9516M	3	UNDEF		N/A
US94BQ	18	GY	GXL	2643673R1	611256C1	9516M	4	UNDEF		N/A
US94BR	18	GY	GXL	2643673R1	611256C1	9516M	5	UNDEF		N/A
US94BS	18	GY	GXL	2643673R1	611256C1	9516M	6	UNDEF		N/A
US94BT	18	GY	GXL	2643673R1	611256C1	9516M	7	UNDEF		N/A
US94BU	18	GY	GXL	2643673R1	611256C1	9516M	8	UNDEF		N/A
US94BV	18	GY	GXL	2643673R1	611256C1	9516M	9	UNDEF		N/A
US94BW	18	GY	GXL	2643673R1	611256C1	9516M	1	UNDEF		N/A
US94BY	18	GY	GXL	2643673R1	611256C1	9516M	1	UNDEF		N/A
US94BZ	18	GY	GXL	2643673R1	611256C1	9516M	2	UNDEF		N/A
VA94BP	16	GY	GXL	264368R1	611256C1	9516M	3	UNDEF		N/A
VA94BQ	16	GY	GXL	264368R1	611256C1	9516M	4	UNDEF		N/A
VA94BR	16	GY	GXL	264368R1	611256C1	9516M	5	UNDEF		N/A
VA94BS	16	GY	GXL	264368R1	611256C1	9516M	6	UNDEF		N/A
VA94BT	16	GY	GXL	264368R1	611256C1	9516M	7	UNDEF		N/A
VA94BU	16	GY	GXL	264368R1	611256C1	9516M	8	UNDEF		N/A
VA94BV	16	GY	GXL	264368R1	611256C1	9516M	9	UNDEF		N/A
VA94BW	16	GY	GXL	264368R1	611256C1	9516M	1	UNDEF		N/A
VA94BY	16	GY	GXL	264368R1	611256C1	9516M	1	UNDEF		N/A
VA94BZ	16	GY	GXL	264368R1	611256C1	9516M	2	UNDEF		N/A
VB94BP	18	GY	GXL	2643673R1	611256C1	9516M	3	UNDEF		N/A
VB94BQ	18	GY	GXL	2643673R1	611256C1	9516M	4	UNDEF		N/A
VB94BR	18	GY	GXL	2643673R1	611256C1	9516M	5	UNDEF		N/A
VB94BS	18	GY	GXL	2643673R1	611256C1	9516M	6	UNDEF		N/A
VB94BT	18	GY	GXL	2643673R1	611256C1	9516M	7	UNDEF		N/A
VB94BU	18	GY	GXL	2643673R1	611256C1	9516M	8	UNDEF		N/A
VB94BV	18	GY	GXL	2643673R1	611256C1	9516M	9	UNDEF		N/A
VB94BW	18	GY	GXL	2643673R1	611256C1	9516M	1	UNDEF		N/A



Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
VB94BY	18	GY	GXL	2643673R1	611256C1	9516M		1 UNDEF		N/A	
VB94BZ	18	GY	GXL	2643673R1	611256C1	9516M		2 UNDEF		N/A	
SJ94SH	18	GY	GXL	2643673R1	1678137C1	951A	C	N/A		N/A	
SJ94SVC	18	GY	GXL	2643673R1	1678137C1	951A	B	N/A		N/A	
SJ94SZC	18	GY	GXL	2643673R1	1678137C1	951A	A	N/A		N/A	
SB94BD	16	GY	GXL	264368R1	3539777C1	951D		1 UNDEF	3539784C1	N/A	
SB94BE	16	GY	GXL	264368R1	3539777C1	951D		2 UNDEF	3539784C1	N/A	
SD94BD	16	GY	GXL	264368R1	3539777C1	951D		1 UNDEF	3539784C1	N/A	
SD94BE	16	GY	GXL	264368R1	3539777C1	951D		2 UNDEF	3539784C1	N/A	
TF94BQ	16	GY	GXL	264368R1	3539777C1	951D		1 UNDEF	3539784C1	N/A	
TF94BR	16	GY	GXL	264368R1	3539777C1	951D		2 UNDEF	3539784C1	N/A	
UP94BQ	16	GY	GXL	264368R1	3539777C1	951D		1 UNDEF	3539784C1	N/A	
UP94BR	16	GY	GXL	264368R1	3539777C1	951D		2 UNDEF	3539784C1	N/A	
PM94SH	16	GY	GXL	264368R1	1667741C1	951F	C	1661872C1	1667771C1	N/A	
PM94SVC	16	GY	GXL	264368R1	1667741C1	951F	B	1661872C1	1667771C1	N/A	
PM94SZC	16	GY	GXL	264368R1	1667741C1	951F	A	1661872C1	1667771C1	N/A	
SH94SH	18	GY	GXL	2643673R1	166774C1	951M	C	1661872C1	1667771C1	1667771C1	
SH94SVC	18	GY	GXL	2643673R1	166774C1	951M	B	1661872C1	1667771C1	1667771C1	
SH94SZC	18	GY	GXL	2643673R1	166774C1	951M	A	1661872C1	1667771C1	1667771C1	
SJ94SH	18	GY	GXL	2643673R1	166774C1	951M	C	1661872C1	1667771C1	1667771C1	
SJ94SVC	18	GY	GXL	2643673R1	166774C1	951M	B	1661872C1	1667771C1	1667771C1	
SJ94SZC	18	GY	GXL	2643673R1	166774C1	951M	A	1661872C1	1667771C1	1667771C1	
SB94BA	16	GY	GXL	264368R1	1686834C1	952A	A	1652325C1	166448C1	N/A	
SB94BB	16	GY	GXL	264368R1	1686834C1	952A	B	1652325C1	166448C1	N/A	
SB94BC	16	GY	GXL	264368R1	1686834C1	952A	C	1652325C1	166448C1	N/A	
UP94BA	16	GY	GXL	264368R1	1686834C1	952A	A	1652325C1	166448C1	N/A	
UP94BB	16	GY	GXL	264368R1	1686834C1	952A	B	1652325C1	166448C1	N/A	
UP94BC	16	GY	GXL	264368R1	1686834C1	952A	C	1652325C1	166448C1	N/A	
SD94BA	16	GY	GXL	264368R1	1686834C1	952B	A	1652325C1	166448C1	N/A	
SD94BB	16	GY	GXL	264368R1	1686834C1	952B	B	1652325C1	166448C1	N/A	
SD94BC	16	GY	GXL	264368R1	1686834C1	952B	C	1652325C1	166448C1	N/A	
SZ94BA	16	GY	GXL	264368R1	1686834C1	952B	A	1652325C1	166448C1	N/A	

<b>Circuit</b>				<b>Terminal Splice</b>	<b>Connector Body</b>	<b>Connector</b>				
<b>Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Number</b>	<b>Part Numbers</b>	<b>Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
SZ94BB	16	GY	GXL	264368R1	1686834C1	952B	B	1652325C1	166448C1	N/A
SZ94BC	16	GY	GXL	264368R1	1686834C1	952B	C	1652325C1	166448C1	N/A
TF94BP	16	GY	GXL	264368R1	1686834C1	952B	C	1652325C1	166448C1	N/A
TF94BY	16	GY	GXL	264368R1	1686834C1	952B	A	1652325C1	166448C1	N/A
TF94BZ	16	GY	GXL	264368R1	1686834C1	952B	B	1652325C1	166448C1	N/A
UP94BP	16	GY	GXL	264368R1	1686834C1	952B	C	1652325C1	166448C1	N/A
UP94BY	16	GY	GXL	264368R1	1686834C1	952B	A	1652325C1	166448C1	N/A
UP94BZ	16	GY	GXL	264368R1	1686834C1	952B	B	1652325C1	166448C1	N/A
SB94BF	16	GY	GXL	264368R1	3539777C1	953D		1 UNDEF	3539784C1	N/A
SB94BH	16	GY	GXL	264368R1	3539777C1	953D		2 UNDEF	3539784C1	N/A
SD94BF	16	GY	GXL	264368R1	3539777C1	953D		1 UNDEF	3539784C1	N/A
SD94BH	16	GY	GXL	264368R1	3539777C1	953D		2 UNDEF	3539784C1	N/A
TF94BV	16	GY	GXL	264368R1	3539777C1	953D		1 UNDEF	3539784C1	N/A
TF94BW	16	GY	GXL	264368R1	3539777C1	953D		2 UNDEF	3539784C1	N/A
UP94BV	16	GY	GXL	264368R1	3539777C1	953D		1 UNDEF	3539784C1	N/A
UP94BW	16	GY	GXL	264368R1	3539777C1	953D		2 UNDEF	3539784C1	N/A
SD94BJ	16	GY	GXL	264368R1	1686834C1	954A	A	1652325C1	166448C1	N/A
SD94BK	16	GY	GXL	264368R1	1686834C1	954A	B	1652325C1	166448C1	N/A
SD94BL	16	GY	GXL	264368R1	1686834C1	954A	C	1652325C1	166448C1	N/A
SZ94BJ	16	GY	GXL	264368R1	1686834C1	954A	A	1652325C1	166448C1	N/A
SZ94BK	16	GY	GXL	264368R1	1686834C1	954A	B	1652325C1	166448C1	N/A
SZ94BL	16	GY	GXL	264368R1	1686834C1	954A	C	1652325C1	166448C1	N/A
TF94BS	16	GY	GXL	264368R1	1686834C1	954A	A	1652325C1	166448C1	N/A
TF94BT	16	GY	GXL	264368R1	1686834C1	954A	B	1652325C1	166448C1	N/A
TF94BU	16	GY	GXL	264368R1	1686834C1	954A	C	1652325C1	166448C1	N/A
UP94BS	16	GY	GXL	264368R1	1686834C1	954A	A	1652325C1	166448C1	N/A
UP94BT	16	GY	GXL	264368R1	1686834C1	954A	B	1652325C1	166448C1	N/A
UP94BU	16	GY	GXL	264368R1	1686834C1	954A	C	1652325C1	166448C1	N/A
SB94BJ	16	GY	GXL	264368R1	1686834C1	954B	A	1652325C1	166448C1	N/A
SB94BK	16	GY	GXL	264368R1	1686834C1	954B	B	1652325C1	166448C1	N/A
SB94BL	16	GY	GXL	264368R1	1686834C1	954B	C	1652325C1	166448C1	N/A
UP94BJ	16	GY	GXL	264368R1	1686834C1	954B	A	1652325C1	166448C1	N/A

<b>Circuit</b>				<b>Terminal Splice</b>	<b>Connector Body</b>	<b>Connector</b>					
<b>Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Number</b>	<b>Part Numbers</b>	<b>Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>	
UP94BK	16	GY	GXL	264368R1	1686834C1	954B	B	1652325C1	166448C1	N/A	
UP94BL	16	GY	GXL	264368R1	1686834C1	954B	C	1652325C1	166448C1	N/A	
SC94BM	16	GY	GXL	264368R1	3678796C1	955A		1 361687C1		N/A	
SC94BN	16	GY	GXL	264368R1	3678796C1	955A		2 361687C1		N/A	
SE94BM	16	GY	GXL	264368R1	3678796C1	955A		1 361687C1		N/A	
SE94BN	16	GY	GXL	264368R1	3678796C1	955A		2 361687C1		N/A	
SR94MD	18	GY	TXL	351311R1	6111844C1	956D		1 6111843C1		N/A	
SR94ME	18	GY	TXL	351311R1	6111844C1	956D		2 6111843C1		N/A	
US94BQA	18	GY	TXL	351311R1	6111844C1	956D		1 6111843C1		N/A	
US94BRA	18	GY	TXL	351311R1	6111844C1	956D		2 6111843C1		N/A	
VT94MD	18	GY	TXL	351311R1	6111844C1	956D		1 6111843C1		N/A	
VT94ME	18	GY	TXL	351311R1	6111844C1	956D		2 6111843C1		N/A	
SS94MD	18	GY	TXL	351311R1	6111844C1	956E		1 6111843C1		N/A	
SS94ME	18	GY	TXL	351311R1	6111844C1	956E		2 6111843C1		N/A	
UJ94BQA	18	GY	TXL	351311R1	6111844C1	956E		1 6111843C1		N/A	
UJ94BRA	18	GY	TXL	351311R1	6111844C1	956E		2 6111843C1		N/A	
SR94MA	18	GY	TXL	351311R1	3919376C1	957A		1 373369C1		N/A	
SR94MB	18	GY	TXL	351311R1	3919376C1	957A		2 373369C1		N/A	
SR94MC	18	GY	TXL	351311R1	3919376C1	957A		3 373369C1		N/A	
US94MA	18	GY	TXL	351311R1	3919376C1	957A		1 373369C1		N/A	
US94MB	18	GY	TXL	351311R1	3919376C1	957A		2 373369C1		N/A	
US94MC	18	GY	TXL	351311R1	3919376C1	957A		3 373369C1		N/A	
SS94MA	18	GY	TXL	351311R1	3919376C1	957B		1 373369C1		N/A	
SS94MB	18	GY	TXL	351311R1	3919376C1	957B		2 373369C1		N/A	
SS94MC	18	GY	TXL	351311R1	3919376C1	957B		3 373369C1		N/A	
UJ94BPA	18	GY	TXL	351311R1	3919376C1	957B		3 373369C1		N/A	
UJ94BYA	18	GY	TXL	351311R1	3919376C1	957B		1 373369C1		N/A	
UJ94BZA	18	GY	TXL	351311R1	3919376C1	957B		2 373369C1		N/A	
US94BPA	18	GY	TXL	351311R1	3919376C1	957B		3 373369C1		N/A	
US94BYA	18	GY	TXL	351311R1	3919376C1	957B		1 373369C1		N/A	
US94BZA	18	GY	TXL	351311R1	3919376C1	957B		2 373369C1		N/A	
VT94MA	18	GY	TXL	351311R1	3919376C1	957B		1 373369C1		N/A	

Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
VT94MB	18	GY	TXL	351311R1	3919376C1	957B		2 373369C1		N/A	
VT94MC	18	GY	TXL	351311R1	3919376C1	957B		3 373369C1		N/A	
SR94MF	18	GY	TXL	351311R1	6111844C1	958D		1 6111843C1		N/A	
SR94MH	18	GY	TXL	351311R1	6111844C1	958D		2 6111843C1		N/A	
US94BVA	18	GY	TXL	351311R1	6111844C1	958D		1 6111843C1		N/A	
US94BWA	18	GY	TXL	351311R1	6111844C1	958D		2 6111843C1		N/A	
VT94MF	18	GY	TXL	351311R1	6111844C1	958D		1 6111843C1		N/A	
VT94MH	18	GY	TXL	351311R1	6111844C1	958D		2 6111843C1		N/A	
SS94MF	18	GY	TXL	351311R1	6111844C1	958E		1 6111843C1		N/A	
SS94MH	18	GY	TXL	351311R1	6111844C1	958E		2 6111843C1		N/A	
UJ94BVA	18	GY	TXL	351311R1	6111844C1	958E		1 6111843C1		N/A	
UJ94BWA	18	GY	TXL	351311R1	6111844C1	958E		2 6111843C1		N/A	
SS94MJ	18	GY	TXL	351311R1	3919376C1	959A		1 373369C1		N/A	
SS94MK	18	GY	TXL	351311R1	3919376C1	959A		2 373369C1		N/A	
SS94ML	18	GY	TXL	351311R1	3919376C1	959A		3 373369C1		N/A	
UJ94BSA	18	GY	TXL	351311R1	3919376C1	959A		1 373369C1		N/A	
UJ94BTA	18	GY	TXL	351311R1	3919376C1	959A		2 373369C1		N/A	
UJ94BUA	18	GY	TXL	351311R1	3919376C1	959A		3 373369C1		N/A	
US94BSA	18	GY	TXL	351311R1	3919376C1	959A		1 373369C1		N/A	
US94BTA	18	GY	TXL	351311R1	3919376C1	959A		2 373369C1		N/A	
US94BUA	18	GY	TXL	351311R1	3919376C1	959A		3 373369C1		N/A	
VT94MJ	18	GY	TXL	351311R1	3919376C1	959A		1 373369C1		N/A	
VT94MK	18	GY	TXL	351311R1	3919376C1	959A		2 373369C1		N/A	
VT94ML	18	GY	TXL	351311R1	3919376C1	959A		3 373369C1		N/A	
SR94MJ	18	GY	TXL	351311R1	3919376C1	959B		1 373369C1		N/A	
SR94MK	18	GY	TXL	351311R1	3919376C1	959B		2 373369C1		N/A	
SR94ML	18	GY	TXL	351311R1	3919376C1	959B		3 373369C1		N/A	
US94MJ	18	GY	TXL	351311R1	3919376C1	959B		1 373369C1		N/A	
US94MK	18	GY	TXL	351311R1	3919376C1	959B		2 373369C1		N/A	
US94ML	18	GY	TXL	351311R1	3919376C1	959B		3 373369C1		N/A	
RR68W	1	BN	GXL	2643779R1	1667732C1	9715F	B	1667735C1	1667734C1	N/A	
RR7W	1	RD	GXL	2643698R1	1667732C1	9715F	A	1667735C1	1667734C1	N/A	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
RR94W	1	DKBL	GXL	2643816R1	1667732C1	9715F	C	1667735C1	1667734C1	N/A
RS68W	1	BN	GXL	2643779R1	1667732C1	9715F	B	1667735C1	1667734C1	N/A
RS7W	1	RD	GXL	2643698R1	1667732C1	9715F	A	1667735C1	1667734C1	N/A
RS94W	1	DKBL	GXL	2643816R1	1667732C1	9715F	C	1667735C1	1667734C1	N/A
NK68W	1	BN	GXL	2643779R1	1667733C1	9715M	B	1667735C1	1667734C1	N/A
NK7W	1	RD	GXL	2643698R1	1667733C1	9715M	A	1667735C1	1667734C1	N/A
NK94W	1	GY	GXL	2643784R1	1667733C1	9715M	C	1667735C1	1667734C1	N/A
YS68W	1	BN	GXL	2643779R1	1667733C1	9715M	B	1667735C1	1667734C1	N/A
YS7W	1	RD	GXL	2643698R1	1667733C1	9715M	A	1667735C1	1667734C1	N/A
YS94W	1	GY	GXL	2643784R1	1667733C1	9715M	C	1667735C1	1667734C1	N/A
YT68W	1	BN	GXL	2643779R1	1667733C1	9715M	B	1667735C1	1667734C1	N/A
YT7W	1	RD	GXL	2643698R1	1667733C1	9715M	A	1667735C1	1667734C1	N/A
YT94W	1	GY	GXL	2643784R1	1667733C1	9715M	C	1667735C1	1667734C1	N/A
NK56W	1	YL	GXL	264382R1	1667732C1	9716F	B	1667735C1	1667734C1	N/A
NK57W	1	LTGN	GXL	2643776R1	1667732C1	9716F	C	1667735C1	1667734C1	N/A
NK58W	1	BK	GXL	2643773R1	1667732C1	9716F	A	1667735C1	1667734C1	N/A
YS56W	1	YL	GXL	264382R1	1667732C1	9716F	B	1667735C1	1667734C1	N/A
YS57W	1	LTGN	GXL	2643776R1	1667732C1	9716F	C	1667735C1	1667734C1	N/A
YS58W	1	BK	GXL	2643773R1	1667732C1	9716F	A	1667735C1	1667734C1	N/A
YT56W	1	YL	GXL	264382R1	1667732C1	9716F	B	1667735C1	1667734C1	N/A
YT57W	1	LTGN	GXL	2643776R1	1667732C1	9716F	C	1667735C1	1667734C1	N/A
YT58W	1	BK	GXL	2643773R1	1667732C1	9716F	A	1667735C1	1667734C1	N/A
RR56W	1	YL	GXL	264382R1	1667733C1	9716M	B	1667735C1	1667734C1	N/A
RR57W	1	LTGN	GXL	2643776R1	1667733C1	9716M	C	1667735C1	1667734C1	N/A
RR58W	1	BK	GXL	2643773R1	1667733C1	9716M	A	1667735C1	1667734C1	N/A
RS56W	1	YL	GXL	264382R1	1667733C1	9716M	B	1667735C1	1667734C1	N/A
RS57W	1	LTGN	GXL	2643776R1	1667733C1	9716M	C	1667735C1	1667734C1	N/A
RS58W	1	BK	GXL	2643773R1	1667733C1	9716M	A	1667735C1	1667734C1	N/A
YG116-GA	18	WH	TXL	351359R1	N/A	9717F		1 264438R1	N/A	N/A
NY65-GB	16	WH	GXL	2643681R1	BLUNT_SL_V	9719A	B	UNDEF		N/A
NY65BD	16	OR	GXL	2643682R1	BLUNT_SL_V	9719A	A	UNDEF		N/A
NY65-GC	16	WH	GXL	2643681R1	BLUNT_SL_V	972A	B	UNDEF		N/A

Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
NY65BE	16	OR	GXL	2643682R1	BLUNT_SL_V	972A	A	UNDEF		N/A	
SY59-GA	14	WH	GXL	2643689R1	1661375C2	9738B	A	589391C1	1661376C1	N/A	
SY59E	16	GY	GXL	264368R1	1661375C2	9738B	B	1652325C1	1661376C1	N/A	
SY59F	16	GY	GXL	264368R1	1661375C2	9738B	C	1652325C1	1661376C1	N/A	
SY59H	16	GY	GXL	264368R1	1661375C2	9738B	D	1652325C1	1661376C1	N/A	
SY59J	16	GY	GXL	264368R1	1661375C2	9738B	E	1652325C1	1661376C1	N/A	
SX59-GA	16	GY	GXL	264368R1	1661375C2	9739B	A	1652325C1	1661376C1	N/A	
SX59E	16	GY	GXL	264368R1	1661375C2	9739B	B	1652325C1	1661376C1	N/A	
SX59F	16	GY	GXL	264368R1	1661375C2	9739B	C	1652325C1	1661376C1	N/A	
SX59H	16	GY	GXL	264368R1	1661375C2	9739B	D	1652325C1	1661376C1	N/A	
SX59J	16	GY	GXL	264368R1	1661375C2	9739B	E	1652325C1	1661376C1	N/A	
SZ59-G	14	WH	GXL	2643689R1	1661375C2	974A	A	589391C1	1661376C1	N/A	
SZ59E	18	GY	GXL	2643673R1	1661375C2	974A	B	1652325C1	1661376C1	N/A	
SZ59F	18	GY	GXL	2643673R1	1661375C2	974A	C	1652325C1	1661376C1	N/A	
SZ59H	18	GY	GXL	2643673R1	1661375C2	974A	D	1652325C1	1661376C1	N/A	
SZ59J	18	GY	GXL	2643673R1	1661375C2	974A	E	1652325C1	1661376C1	N/A	
NH56T	1	YL	GXL	264382R1	1667732C1	9779F	B	1667735C1	1667734C1	N/A	
NH57T	1	LTGN	GXL	2643776R1	1667732C1	9779F	C	1667735C1	1667734C1	N/A	
NH58T	1	BK	GXL	2643773R1	1667732C1	9779F	A	1667735C1	1667734C1	N/A	
NK56U	1	YL	GXL	264382R1	1667732C1	9779F	B	1667735C1	1667734C1	N/A	
NK57U	1	LTGN	GXL	2643776R1	1667732C1	9779F	C	1667735C1	1667734C1	N/A	
NK58U	1	BK	GXL	2643773R1	1667732C1	9779F	A	1667735C1	1667734C1	N/A	
SF56T	1	YL	GXL	264382R1	1667732C1	9779F	B	1667735C1	1667734C1	N/A	
SF57T	1	LTGN	GXL	2643776R1	1667732C1	9779F	C	1667735C1	1667734C1	N/A	
SF58T	1	BK	GXL	2643773R1	1667732C1	9779F	A	1667735C1	1667734C1	N/A	
RZ56T	1	YL	GXL	264382R1	1667732C1	9779F1	B	1667735C1	1667734C1	N/A	
RZ57T	1	LTGN	GXL	2643776R1	1667732C1	9779F1	C	1667735C1	1667734C1	N/A	
RZ58T	1	BK	GXL	2643773R1	1667732C1	9779F1	A	1667735C1	1667734C1	N/A	
RG56T	1	YL	GXL	264382R1	1667732C1	9781F	B	1667735C1	1667734C1	N/A	
RG57T	1	LTGN	GXL	2643776R1	1667732C1	9781F	C	1667735C1	1667734C1	N/A	
RG58T	1	BK	GXL	2643773R1	1667732C1	9781F	A	1667735C1	1667734C1	N/A	
YT56U	1	YL	GXL	264382R1	1667732C1	9781F	B	1667735C1	1667734C1	N/A	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
YT57U	1	LTGN	GXL	2643776R1	1667732C1	9781F	C	1667735C1	1667734C1	N/A
YT58U	1	BK	GXL	2643773R1	1667732C1	9781F	A	1667735C1	1667734C1	N/A
RG68T	1	BN	TXL	35139R1	3535482C1	9782M	B	58939C1	3535483C1	N/A
RG7T	1	RD	TXL	351369R1	3535482C1	9782M	C	58939C1	3535483C1	N/A
RG94T	1	GY	TXL	351315R1	3535482C1	9782M	A	58939C1	3535483C1	N/A
RJ72V	12	OR	GXL	2643755R1	3535482C1	9782M	D	58939C1	3535483C1	N/A
YT68U	1	BN	TXL	35139R1	3535482C1	9782M	B	58939C1	3535483C1	N/A
YT7U	1	RD	TXL	351369R1	3535482C1	9782M	C	58939C1	3535483C1	N/A
YT94U	1	GY	TXL	351315R1	3535482C1	9782M	A	58939C1	3535483C1	N/A
RF56T	1	YL	GXL	264382R1	1667732C1	9783F	B	1667735C1	1667734C1	N/A
RF57T	1	LTGN	GXL	2643776R1	1667732C1	9783F	C	1667735C1	1667734C1	N/A
RF58T	1	BK	GXL	2643773R1	1667732C1	9783F	A	1667735C1	1667734C1	N/A
YS56U	1	YL	GXL	264382R1	1667732C1	9783F	B	1667735C1	1667734C1	N/A
YS57U	1	LTGN	GXL	2643776R1	1667732C1	9783F	C	1667735C1	1667734C1	N/A
YS58U	1	BK	GXL	2643773R1	1667732C1	9783F	A	1667735C1	1667734C1	N/A
MD94T	1	DKBL	TXL	351357R1	231522C1	9783M	A	225427C1		N/A
MD94TA	12	YL	GXL	2643756R1	231522C1	9783M	B	225428C1		N/A
ME72V	1	OR	TXL	351321R1	231522C1	9783M	A	225427C1		N/A
RF68T	1	BN	TXL	35139R1	3535482C1	9784M	B	58939C1	3535483C1	N/A
RF7T	1	RD	TXL	351369R1	3535482C1	9784M	C	58939C1	3535483C1	N/A
RF94T	1	DKBL	TXL	351357R1	3535482C1	9784M	A	58939C1	3535483C1	N/A
TA72V	12	OR	TXL	35132R1	3535482C1	9784M	D	589391C1	3535483C1	N/A
YS68U	1	BN	TXL	35139R1	3535482C1	9784M	B	58939C1	3535483C1	N/A
YS7U	1	RD	TXL	351369R1	3535482C1	9784M	C	58939C1	3535483C1	N/A
YS94U	1	GY	TXL	351315R1	3535482C1	9784M	A	58939C1	3535483C1	N/A
RR56W	1	YL	GXL	264382R1	1667732C1	9789F	B	1667735C1	1667734C1	N/A
RR57W	1	LTGN	GXL	2643776R1	1667732C1	9789F	C	1667735C1	1667734C1	N/A
RR58W	1	BK	GXL	2643773R1	1667732C1	9789F	A	1667735C1	1667734C1	N/A
RS56W	1	YL	GXL	264382R1	1667732C1	9789FA	B	1667735C1	1667734C1	N/A
RS57W	1	LTGN	GXL	2643776R1	1667732C1	9789FA	C	1667735C1	1667734C1	N/A
RS58W	1	BK	GXL	2643773R1	1667732C1	9789FA	A	1667735C1	1667734C1	N/A
MD72V	1	OR	TXL	351321R1	3535482C1	978M	A	58939C1	3535483C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
ME94T	1	DKBL	TXL	351357R1	3535482C1	978M	A	58939C1	3535483C1	N/A
NH68T	1	BN	TXL	35139R1	3535482C1	978M	B	58939C1	3535483C1	N/A
NH7T	1	RD	TXL	351369R1	3535482C1	978M	C	58939C1	3535483C1	N/A
NH94T	1	GY	TXL	351315R1	3535482C1	978M	A	58939C1	3535483C1	N/A
NJ72V	12	OR	GXL	2643755R1	3535482C1	978M	D	58939C1	3535483C1	N/A
NK68U	1	BN	TXL	35139R1	3535482C1	978M	B	58939C1	3535483C1	N/A
NK7U	1	RD	TXL	351369R1	3535482C1	978M	C	58939C1	3535483C1	N/A
NK94U	1	GY	TXL	351315R1	3535482C1	978M	A	58939C1	3535483C1	N/A
SF68T	1	BN	TXL	35139R1	3535482C1	978M	B	58939C1	3535483C1	N/A
SF7T	1	RD	TXL	351369R1	3535482C1	978M	C	58939C1	3535483C1	N/A
RZ68T	1	BN	TXL	35139R1	1667733C1	978M1	B	1667735C1	1667734C1	N/A
RZ7T	1	RD	TXL	351369R1	1667733C1	978M1	C	1667735C1	1667734C1	N/A
RZ94T	1	GY	TXL	351315R1	1667733C1	978M1	A	1667735C1	1667734C1	N/A
RR68W	1	BN	GXL	2643779R1	1667733C1	979M	B	1667735C1	1667734C1	N/A
RR7W	1	RD	GXL	2643698R1	1667733C1	979M	A	1667735C1	1667734C1	N/A
RR94W	1	DKBL	GXL	2643816R1	1667733C1	979M	C	1667735C1	1667734C1	N/A
RS68W	1	BN	GXL	2643779R1	1667733C1	979MA	B	1667735C1	1667734C1	N/A
RS7W	1	RD	GXL	2643698R1	1667733C1	979MA	A	1667735C1	1667734C1	N/A
RS94W	1	DKBL	GXL	2643816R1	1667733C1	979MA	C	1667735C1	1667734C1	N/A
NP16B	18	OR	GXL	2643675R1	166774C1	9865F	B	1661872C1	1667771C1	1667771C1
NP19B	18	GY	GXL	2643673R1	166774C1	9865F	A	1661872C1	1667771C1	1667771C1
NP61B	18	GY	GXL	2643673R1	166774C1	9865F	C	1661872C1	1667771C1	1667771C1
RD16B	18	GY	GXL	2643673R1	1667741C1	9865M	B	1661872C1	1667771C1	N/A
RD19B	18	GY	GXL	2643673R1	1667741C1	9865M	A	1661872C1	1667771C1	N/A
RD61B	18	GY	GXL	2643673R1	1667741C1	9865M	C	1661872C1	1667771C1	N/A
RE16B	18	GY	GXL	2643673R1	1667741C1	9865M	B	1661872C1	1667771C1	N/A
RE19B	18	GY	GXL	2643673R1	1667741C1	9865M	A	1661872C1	1667771C1	N/A
RE61B	18	GY	GXL	2643673R1	1667741C1	9865M	C	1661872C1	1667771C1	N/A
BB94BA	16	GY	GXL	264368R1	355826C1	98F	13	35993C1	355856C1	N/A
BB94BB	16	GY	GXL	264368R1	355826C1	98F	14	35993C1	355856C1	N/A
BB94BC	16	GY	GXL	264368R1	355826C1	98F	15	35993C1	355856C1	N/A
BB94BD	16	GY	GXL	264368R1	355826C1	98F	16	35993C1	355856C1	N/A



<b>Circuit</b>				<b>Terminal Splice</b>	<b>Connector Body</b>	<b>Connector</b>				
<b>Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Number</b>	<b>Part Numbers</b>	<b>Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
BB94BE	16	GY	GXL	264368R1	355826C1	98F	17	35993C1	355856C1	N/A
BB94BF	16	GY	GXL	264368R1	355826C1	98F	18	35993C1	355856C1	N/A
BB94BH	16	GY	GXL	264368R1	355826C1	98F	19	35993C1	355856C1	N/A
BB94BJ	14	GY	GXL	2643782R1	355826C1	98F	2	3575783C1	355856C1	N/A
BB94BK	16	GY	GXL	264368R1	355826C1	98F	21	35993C1	355856C1	N/A
BB94BL	14	GY	GXL	2643782R1	355826C1	98F	22	3575783C1	355856C1	N/A
BC94BM	16	GY	GXL	264368R1	355826C1	98F	23	35993C1	355856C1	N/A
BC94BN	16	GY	GXL	264368R1	355826C1	98F	24	35993C1	355856C1	N/A
NA1-G	12	WH	TXL	351362R1	355826C1	98F	5	3575783C1	355856C1	N/A
NA56A	14	OR	GXL	264369R1	355826C1	98F	2	3575783C1	355856C1	N/A
NA57A	14	OR	GXL	264369R1	355826C1	98F	3	3575783C1	355856C1	N/A
NA68A	14	BN	GXL	2643688R1	355826C1	98F	4	3575783C1	355856C1	N/A
NA71BA	14	OR	GXL	264369R1	355826C1	98F	1	3575783C1	355856C1	N/A
NB94BA	16	GY	GXL	264368R1	355826C1	98F	13	35993C1	355856C1	N/A
NB94BB	16	GY	GXL	264368R1	355826C1	98F	14	35993C1	355856C1	N/A
NB94BC	16	GY	GXL	264368R1	355826C1	98F	15	35993C1	355856C1	N/A
NB94BD	16	GY	GXL	264368R1	355826C1	98F	16	35993C1	355856C1	N/A
NB94BE	16	GY	GXL	264368R1	355826C1	98F	17	35993C1	355856C1	N/A
NB94BF	16	GY	GXL	264368R1	355826C1	98F	18	35993C1	355856C1	N/A
NB94BH	16	GY	GXL	264368R1	355826C1	98F	19	35993C1	355856C1	N/A
NB94BJ	14	GY	GXL	2643782R1	355826C1	98F	2	3575783C1	355856C1	N/A
NB94BK	16	GY	GXL	264368R1	355826C1	98F	21	35993C1	355856C1	N/A
NB94BL	14	GY	GXL	2643782R1	355826C1	98F	22	3575783C1	355856C1	N/A
NC94BM	16	GY	GXL	264368R1	355826C1	98F	23	35993C1	355856C1	N/A
NC94BN	16	GY	GXL	264368R1	355826C1	98F	24	35993C1	355856C1	N/A
NR32A	18	TN	GXL	2643676R1	355826C1	98F	6	35993C1	355856C1	N/A
NR9BF	18	GY	GXL	2643673R1	355826C1	98F	7	35993C1	355856C1	N/A
NS32	18	TN	GXL	2643676R1	355826C1	98F	8	35993C1	355856C1	N/A
NT49	18	GY	GXL	2643673R1	355826C1	98F	9	35993C1	355856C1	N/A
NT49-G	18	WH	GXL	2643674R1	355826C1	98F	1	35993C1	355856C1	N/A
NU49A	18	GY	GXL	2643673R1	355826C1	98F	11	35993C1	355856C1	N/A
RA1-G	12	WH	TXL	351362R1	355822C1	98M	5	3575783C1	355856C1	N/A

<b>Circuit</b>				<b>Terminal Splice</b>	<b>Connector Body</b>	<b>Connector</b>				
<b>Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Number</b>	<b>Part Numbers</b>	<b>Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
RA56A	14	OR	GXL	264369R1	355822C1	98M	2	3575783C1	355856C1	N/A
RA57A	14	OR	GXL	264369R1	355822C1	98M	3	3575783C1	355856C1	N/A
RA68A	14	BN	GXL	2643688R1	355822C1	98M	4	3575783C1	355856C1	N/A
RA71BA	12	OR	TXL	35132R1	355822C1	98M	1	3575783C1	355856C1	N/A
RB94BA	16	GY	GXL	264368R1	355822C1	98M	13	35993C1	355856C1	N/A
RB94BB	16	GY	GXL	264368R1	355822C1	98M	14	35993C1	355856C1	N/A
RB94BC	16	GY	GXL	264368R1	355822C1	98M	15	35993C1	355856C1	N/A
RB94BD	16	GY	GXL	264368R1	355822C1	98M	16	35993C1	355856C1	N/A
RB94BE	16	GY	GXL	264368R1	355822C1	98M	17	35993C1	355856C1	N/A
RB94BF	16	GY	GXL	264368R1	355822C1	98M	18	35993C1	355856C1	N/A
RB94BH	16	GY	GXL	264368R1	355822C1	98M	19	35993C1	355856C1	N/A
RB94BJ	16	GY	GXL	264368R1	355822C1	98M	2	35993C1	355856C1	N/A
RB94BK	16	GY	GXL	264368R1	355822C1	98M	21	35993C1	355856C1	N/A
RB94BL	16	GY	GXL	264368R1	355822C1	98M	22	35993C1	355856C1	N/A
RC94BM	16	GY	GXL	264368R1	355822C1	98M	23	35993C1	355856C1	N/A
RC94BN	16	GY	GXL	264368R1	355822C1	98M	24	35993C1	355856C1	N/A
RH32	18	TN	GXL	2643676R1	355822C1	98M	8	35993C1	355856C1	N/A
RH32A	18	TN	GXL	2643676R1	355822C1	98M	6	35993C1	355856C1	N/A
RH9A	18	GY	GXL	2643673R1	355822C1	98M	7	35993C1	355856C1	N/A
RJ32A	18	TN	GXL	2643676R1	355822C1	98M	6	35993C1	355856C1	N/A
RJ9	18	GY	GXL	2643673R1	355822C1	98M	7	35993C1	355856C1	N/A
RL49	18	GY	GXL	2643673R1	355822C1	98M	9	35993C1	355856C1	N/A
RL49-G	18	WH	GXL	2643674R1	355822C1	98M	1	35993C1	355856C1	N/A
RM49	18	GY	GXL	2643673R1	355822C1	98M	9	35993C1	355856C1	N/A
RN49-GC	18	WH	GXL	2643674R1	355822C1	98M	1	35993C1	355856C1	N/A
RN49A	18	GY	GXL	2643673R1	355822C1	98M	11	35993C1	355856C1	N/A
RP49-G	18	WH	GXL	2643674R1	355822C1	98M	1	35993C1	355856C1	N/A
SA1-G	12	WH	TXL	351362R1	355822C1	98M	5	3575783C1	355856C1	N/A
SA56A	14	OR	GXL	264369R1	355822C1	98M	2	3575783C1	355856C1	N/A
SA57A	14	OR	GXL	264369R1	355822C1	98M	3	3575783C1	355856C1	N/A
SA68A	14	BN	GXL	2643688R1	355822C1	98M	4	3575783C1	355856C1	N/A
SA71BA	12	OR	TXL	35132R1	355822C1	98M	1	3575783C1	355856C1	N/A

Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
SB94BA	16	GY	GXL	264368R1	355822C1	98M	13	35993C1	355856C1	N/A	
SB94BB	16	GY	GXL	264368R1	355822C1	98M	14	35993C1	355856C1	N/A	
SB94BC	16	GY	GXL	264368R1	355822C1	98M	15	35993C1	355856C1	N/A	
SB94BD	16	GY	GXL	264368R1	355822C1	98M	16	35993C1	355856C1	N/A	
SB94BE	16	GY	GXL	264368R1	355822C1	98M	17	35993C1	355856C1	N/A	
SB94BF	16	GY	GXL	264368R1	355822C1	98M	18	35993C1	355856C1	N/A	
SB94BH	16	GY	GXL	264368R1	355822C1	98M	19	35993C1	355856C1	N/A	
SB94BJ	16	GY	GXL	264368R1	355822C1	98M	2	35993C1	355856C1	N/A	
SB94BK	16	GY	GXL	264368R1	355822C1	98M	21	35993C1	355856C1	N/A	
SB94BL	16	GY	GXL	264368R1	355822C1	98M	22	35993C1	355856C1	N/A	
SC94BM	16	GY	GXL	264368R1	355822C1	98M	23	35993C1	355856C1	N/A	
SC94BN	16	GY	GXL	264368R1	355822C1	98M	24	35993C1	355856C1	N/A	
SD94BA	16	GY	GXL	264368R1	355822C1	98M	13	35993C1	355856C1	N/A	
SD94BB	16	GY	GXL	264368R1	355822C1	98M	14	35993C1	355856C1	N/A	
SD94BC	16	GY	GXL	264368R1	355822C1	98M	15	35993C1	355856C1	N/A	
SD94BD	16	GY	GXL	264368R1	355822C1	98M	16	35993C1	355856C1	N/A	
SD94BE	16	GY	GXL	264368R1	355822C1	98M	17	35993C1	355856C1	N/A	
SD94BF	16	GY	GXL	264368R1	355822C1	98M	18	35993C1	355856C1	N/A	
SD94BH	16	GY	GXL	264368R1	355822C1	98M	19	35993C1	355856C1	N/A	
SD94BJ	16	GY	GXL	264368R1	355822C1	98M	2	35993C1	355856C1	N/A	
SD94BK	16	GY	GXL	264368R1	355822C1	98M	21	35993C1	355856C1	N/A	
SD94BL	16	GY	GXL	264368R1	355822C1	98M	22	35993C1	355856C1	N/A	
SE94BM	16	GY	GXL	264368R1	355822C1	98M	23	35993C1	355856C1	N/A	
SE94BN	16	GY	GXL	264368R1	355822C1	98M	24	35993C1	355856C1	N/A	
SR94MA	18	GY	TXL	351311R1	355822C1	98M	13	3532128C1	355856C1	N/A	
SR94MB	18	GY	TXL	351311R1	355822C1	98M	14	3532128C1	355856C1	N/A	
SR94MC	18	GY	TXL	351311R1	355822C1	98M	15	3532128C1	355856C1	N/A	
SR94MD	18	GY	TXL	351311R1	355822C1	98M	16	3532128C1	355856C1	N/A	
SR94ME	18	GY	TXL	351311R1	355822C1	98M	17	3532128C1	355856C1	N/A	
SR94MF	18	GY	TXL	351311R1	355822C1	98M	18	3532128C1	355856C1	N/A	
SR94MH	18	GY	TXL	351311R1	355822C1	98M	19	3532128C1	355856C1	N/A	
SR94MJ	18	GY	TXL	351311R1	355822C1	98M	2	3532128C1	355856C1	N/A	

Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
SR94MK	18	GY	TXL	351311R1	355822C1	98M	21	3532128C1	355856C1	N/A	
SR94ML	18	GY	TXL	351311R1	355822C1	98M	22	3532128C1	355856C1	N/A	
SS94MA	18	GY	TXL	351311R1	355822C1	98M	13	3532128C1	355856C1	N/A	
SS94MB	18	GY	TXL	351311R1	355822C1	98M	14	3532128C1	355856C1	N/A	
SS94MC	18	GY	TXL	351311R1	355822C1	98M	15	3532128C1	355856C1	N/A	
SS94MD	18	GY	TXL	351311R1	355822C1	98M	16	3532128C1	355856C1	N/A	
SS94ME	18	GY	TXL	351311R1	355822C1	98M	17	3532128C1	355856C1	N/A	
SS94MF	18	GY	TXL	351311R1	355822C1	98M	18	3532128C1	355856C1	N/A	
SS94MH	18	GY	TXL	351311R1	355822C1	98M	19	3532128C1	355856C1	N/A	
SS94MJ	18	GY	TXL	351311R1	355822C1	98M	2	3532128C1	355856C1	N/A	
SS94MK	18	GY	TXL	351311R1	355822C1	98M	21	3532128C1	355856C1	N/A	
SS94ML	18	GY	TXL	351311R1	355822C1	98M	22	3532128C1	355856C1	N/A	
ST94MA	18	GY	TXL	351311R1	355822C1	98M	13	3532128C1	355856C1	N/A	
ST94MB	18	GY	TXL	351311R1	355822C1	98M	14	3532128C1	355856C1	N/A	
ST94MC	18	GY	TXL	351311R1	355822C1	98M	15	3532128C1	355856C1	N/A	
ST94MD	18	GY	TXL	351311R1	355822C1	98M	16	3532128C1	355856C1	N/A	
ST94ME	18	GY	TXL	351311R1	355822C1	98M	17	3532128C1	355856C1	N/A	
ST94MF	18	GY	TXL	351311R1	355822C1	98M	18	3532128C1	355856C1	N/A	
ST94MH	18	GY	TXL	351311R1	355822C1	98M	19	3532128C1	355856C1	N/A	
ST94MJ	18	GY	TXL	351311R1	355822C1	98M	2	3532128C1	355856C1	N/A	
ST94MK	18	GY	TXL	351311R1	355822C1	98M	21	3532128C1	355856C1	N/A	
ST94ML	18	GY	TXL	351311R1	355822C1	98M	22	3532128C1	355856C1	N/A	
SZ94BA	16	GY	GXL	264368R1	355822C1	98M	13	35993C1	355856C1	N/A	
SZ94BB	16	GY	GXL	264368R1	355822C1	98M	14	35993C1	355856C1	N/A	
SZ94BC	16	GY	GXL	264368R1	355822C1	98M	15	35993C1	355856C1	N/A	
SZ94BD	16	GY	GXL	264368R1	355822C1	98M	16	35993C1	355856C1	N/A	
SZ94BE	16	GY	GXL	264368R1	355822C1	98M	17	35993C1	355856C1	N/A	
SZ94BF	16	GY	GXL	264368R1	355822C1	98M	18	35993C1	355856C1	N/A	
SZ94BH	16	GY	GXL	264368R1	355822C1	98M	19	35993C1	355856C1	N/A	
SZ94BJ	16	GY	GXL	264368R1	355822C1	98M	2	35993C1	355856C1	N/A	
SZ94BK	16	GY	GXL	264368R1	355822C1	98M	21	35993C1	355856C1	N/A	
SZ94BL	16	GY	GXL	264368R1	355822C1	98M	22	35993C1	355856C1	N/A	

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
TA32	18	TN	GXL	2643676R1	355822C1	98M	6	35993C1	355856C1	N/A
TA9C	18	GY	GXL	2643673R1	355822C1	98M	7	35993C1	355856C1	N/A
TB49	18	GY	GXL	2643673R1	355822C1	98M	9	35993C1	355856C1	N/A
TB49-G	18	WH	GXL	2643674R1	355822C1	98M	1	35993C1	355856C1	N/A
TF94BA	16	GY	GXL	264368R1	355822C1	98M	13	35993C1	355856C1	N/A
TF94BB	16	GY	GXL	264368R1	355822C1	98M	14	35993C1	355856C1	N/A
TF94BC	16	GY	GXL	264368R1	355822C1	98M	15	35993C1	355856C1	N/A
TF94BD	16	GY	GXL	264368R1	355822C1	98M	16	35993C1	355856C1	N/A
TF94BE	16	GY	GXL	264368R1	355822C1	98M	17	35993C1	355856C1	N/A
TF94BF	16	GY	GXL	264368R1	355822C1	98M	18	35993C1	355856C1	N/A
TF94BH	16	GY	GXL	264368R1	355822C1	98M	19	35993C1	355856C1	N/A
TF94BJ	16	GY	GXL	264368R1	355822C1	98M	2	35993C1	355856C1	N/A
TF94BK	16	GY	GXL	264368R1	355822C1	98M	21	35993C1	355856C1	N/A
TF94BL	16	GY	GXL	264368R1	355822C1	98M	22	35993C1	355856C1	N/A
UC32	18	TN	GXL	2643676R1	355822C1	98M	8	35993C1	355856C1	N/A
UC32A	18	TN	GXL	2643676R1	355822C1	98M	6	35993C1	355856C1	N/A
UC9A	18	GY	GXL	2643673R1	355822C1	98M	7	35993C1	355856C1	N/A
UJ94MA	18	GY	TXL	351311R1	355822C1	98M	13	3532128C1	355856C1	N/A
UJ94MB	18	GY	TXL	351311R1	355822C1	98M	14	3532128C1	355856C1	N/A
UJ94MC	18	GY	TXL	351311R1	355822C1	98M	15	3532128C1	355856C1	N/A
UJ94MD	18	GY	TXL	351311R1	355822C1	98M	16	3532128C1	355856C1	N/A
UJ94ME	18	GY	TXL	351311R1	355822C1	98M	17	3532128C1	355856C1	N/A
UJ94MF	18	GY	TXL	351311R1	355822C1	98M	18	3532128C1	355856C1	N/A
UJ94MH	18	GY	TXL	351311R1	355822C1	98M	19	3532128C1	355856C1	N/A
UJ94MJ	18	GY	TXL	351311R1	355822C1	98M	2	3532128C1	355856C1	N/A
UJ94MK	18	GY	TXL	351311R1	355822C1	98M	21	3532128C1	355856C1	N/A
UJ94ML	18	GY	TXL	351311R1	355822C1	98M	22	3532128C1	355856C1	N/A
UP94BA	16	GY	GXL	264368R1	355822C1	98M	13	35993C1	355856C1	N/A
UP94BB	16	GY	GXL	264368R1	355822C1	98M	14	35993C1	355856C1	N/A
UP94BC	16	GY	GXL	264368R1	355822C1	98M	15	35993C1	355856C1	N/A
UP94BD	16	GY	GXL	264368R1	355822C1	98M	16	35993C1	355856C1	N/A
UP94BE	16	GY	GXL	264368R1	355822C1	98M	17	35993C1	355856C1	N/A

<b>Circuit</b>				<b>Terminal Splice</b>	<b>Connector Body</b>	<b>Connector</b>					
<b>Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Number</b>	<b>Part Numbers</b>	<b>Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>	
UP94BF	16	GY	GXL	264368R1	355822C1	98M	18	35993C1	355856C1	N/A	
UP94BH	16	GY	GXL	264368R1	355822C1	98M	19	35993C1	355856C1	N/A	
UP94BJ	16	GY	GXL	264368R1	355822C1	98M	2	35993C1	355856C1	N/A	
UP94BK	16	GY	GXL	264368R1	355822C1	98M	21	35993C1	355856C1	N/A	
UP94BL	16	GY	GXL	264368R1	355822C1	98M	22	35993C1	355856C1	N/A	
US94MA	18	GY	TXL	351311R1	355822C1	98M	13	3532128C1	355856C1	N/A	
US94MB	18	GY	TXL	351311R1	355822C1	98M	14	3532128C1	355856C1	N/A	
US94MC	18	GY	TXL	351311R1	355822C1	98M	15	3532128C1	355856C1	N/A	
US94MD	18	GY	TXL	351311R1	355822C1	98M	16	3532128C1	355856C1	N/A	
US94ME	18	GY	TXL	351311R1	355822C1	98M	17	3532128C1	355856C1	N/A	
US94MF	18	GY	TXL	351311R1	355822C1	98M	18	3532128C1	355856C1	N/A	
US94MH	18	GY	TXL	351311R1	355822C1	98M	19	3532128C1	355856C1	N/A	
US94MJ	18	GY	TXL	351311R1	355822C1	98M	2	3532128C1	355856C1	N/A	
US94MK	18	GY	TXL	351311R1	355822C1	98M	21	3532128C1	355856C1	N/A	
US94ML	18	GY	TXL	351311R1	355822C1	98M	22	3532128C1	355856C1	N/A	
UV49	18	GY	GXL	2643673R1	355822C1	98M	9	35993C1	355856C1	N/A	
UV49-G	18	WH	GXL	2643674R1	355822C1	98M	1	35993C1	355856C1	N/A	
UW49	18	GY	GXL	2643673R1	355822C1	98M	9	35993C1	355856C1	N/A	
UX49-G	18	WH	GXL	2643674R1	355822C1	98M	1	35993C1	355856C1	N/A	
UY49-GC	18	WH	GXL	2643674R1	355822C1	98M	1	35993C1	355856C1	N/A	
UY49A	18	GY	GXL	2643673R1	355822C1	98M	11	35993C1	355856C1	N/A	
VA94BA	16	GY	GXL	264368R1	355822C1	98M	13	35993C1	355856C1	N/A	
VA94BB	16	GY	GXL	264368R1	355822C1	98M	14	35993C1	355856C1	N/A	
VA94BC	16	GY	GXL	264368R1	355822C1	98M	15	35993C1	355856C1	N/A	
VA94BD	16	GY	GXL	264368R1	355822C1	98M	16	35993C1	355856C1	N/A	
VA94BE	16	GY	GXL	264368R1	355822C1	98M	17	35993C1	355856C1	N/A	
VA94BF	16	GY	GXL	264368R1	355822C1	98M	18	35993C1	355856C1	N/A	
VA94BH	16	GY	GXL	264368R1	355822C1	98M	19	35993C1	355856C1	N/A	
VA94BJ	16	GY	GXL	264368R1	355822C1	98M	2	35993C1	355856C1	N/A	
VA94BK	16	GY	GXL	264368R1	355822C1	98M	21	35993C1	355856C1	N/A	
VA94BL	16	GY	GXL	264368R1	355822C1	98M	22	35993C1	355856C1	N/A	
VB94MA	18	GY	TXL	351311R1	355822C1	98M	13	3532128C1	355856C1	N/A	

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
VB94MB	18	GY	TXL	351311R1	355822C1	98M	14	3532128C1	355856C1	N/A
VB94MC	18	GY	TXL	351311R1	355822C1	98M	15	3532128C1	355856C1	N/A
VB94MD	18	GY	TXL	351311R1	355822C1	98M	16	3532128C1	355856C1	N/A
VB94ME	18	GY	TXL	351311R1	355822C1	98M	17	3532128C1	355856C1	N/A
VB94MF	18	GY	TXL	351311R1	355822C1	98M	18	3532128C1	355856C1	N/A
VB94MH	18	GY	TXL	351311R1	355822C1	98M	19	3532128C1	355856C1	N/A
VB94MJ	18	GY	TXL	351311R1	355822C1	98M	2	3532128C1	355856C1	N/A
VB94MK	18	GY	TXL	351311R1	355822C1	98M	21	3532128C1	355856C1	N/A
VB94ML	18	GY	TXL	351311R1	355822C1	98M	22	3532128C1	355856C1	N/A
VE56A	14	OR	GXL	264369R1	355822C1	98M	2	3575783C1	355856C1	N/A
VE57A	14	OR	GXL	264369R1	355822C1	98M	3	3575783C1	355856C1	N/A
VE68A	14	BN	GXL	2643688R1	355822C1	98M	4	3575783C1	355856C1	N/A
VF1-G	12	WH	TXL	351362R1	355822C1	98M	5	3575783C1	355856C1	N/A
VF71BA	12	OR	TXL	35132R1	355822C1	98M	1	3575783C1	355856C1	N/A
VG56A	14	OR	GXL	264369R1	355822C1	98M	2	3575783C1	355856C1	N/A
VG57A	14	OR	GXL	264369R1	355822C1	98M	3	3575783C1	355856C1	N/A
VG68A	14	BN	GXL	2643688R1	355822C1	98M	4	3575783C1	355856C1	N/A
VH1-G	12	WH	TXL	351362R1	355822C1	98M	5	3575783C1	355856C1	N/A
VH71BA	12	OR	TXL	35132R1	355822C1	98M	1	3575783C1	355856C1	N/A
VJ1-G	12	WH	TXL	351362R1	355822C1	98M	5	3575783C1	355856C1	N/A
VJ71BA	12	OR	TXL	35132R1	355822C1	98M	1	3575783C1	355856C1	N/A
VK1-G	12	WH	TXL	351362R1	355822C1	98M	5	3575783C1	355856C1	N/A
VK71BA	12	OR	TXL	35132R1	355822C1	98M	1	3575783C1	355856C1	N/A
VT94MA	18	GY	TXL	351311R1	355822C1	98M	13	3532128C1	355856C1	N/A
VT94MB	18	GY	TXL	351311R1	355822C1	98M	14	3532128C1	355856C1	N/A
VT94MC	18	GY	TXL	351311R1	355822C1	98M	15	3532128C1	355856C1	N/A
VT94MD	18	GY	TXL	351311R1	355822C1	98M	16	3532128C1	355856C1	N/A
VT94ME	18	GY	TXL	351311R1	355822C1	98M	17	3532128C1	355856C1	N/A
VT94MF	18	GY	TXL	351311R1	355822C1	98M	18	3532128C1	355856C1	N/A
VT94MH	18	GY	TXL	351311R1	355822C1	98M	19	3532128C1	355856C1	N/A
VT94MJ	18	GY	TXL	351311R1	355822C1	98M	2	3532128C1	355856C1	N/A
VT94MK	18	GY	TXL	351311R1	355822C1	98M	21	3532128C1	355856C1	N/A

Circuit		Terminal Splice			Connector Body	Connector				Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve			
VT94ML	18	GY	TXL	351311R1	355822C1	98M		22 3532128C1		355856C1	N/A
[SU94MM]	16	-	GXL	V-16-GXL	355822C1	98M		23 35993C1		355856C1	N/A
[SU94MN]	16	-	GXL	V-16-GXL	355822C1	98M		24 35993C1		355856C1	N/A
[SV94MM]	16	-	GXL	V-16-GXL	355822C1	98M		23 35993C1		355856C1	N/A
[SV94MN]	16	-	GXL	V-16-GXL	355822C1	98M		24 35993C1		355856C1	N/A
[SW94MM]	16	-	GXL	V-16-GXL	355822C1	98M		23 35993C1		355856C1	N/A
[SW94MN]	16	-	GXL	V-16-GXL	355822C1	98M		24 35993C1		355856C1	N/A
GA39	16	GY	GXL	264368R1	167379C1	991A	A	1652325C1		1673791C1	N/A
GA39-G	16	WH	GXL	2643681R1	167379C1	991A	B	1652325C1		1673791C1	N/A
GF39-GA	16	WH	GXL	2643681R1	167379C1	991B	B	1652325C1		1673791C1	N/A
GF39A	16	GY	GXL	264368R1	167379C1	991B	A	1652325C1		1673791C1	N/A
GD39-GA	16	WH	GXL	2643681R1	167379C1	992A	B	1652325C1		1673791C1	N/A
GD39A	16	GY	GXL	264368R1	167379C1	992A	A	1652325C1		1673791C1	N/A
FU9BB	18	GY	TXL	351311R1	N/A	AS1	-	2644R1		N/A	N/A
FU9BC	18	GY	GXL	2643673R1	N/A	AS1	-	2644R1		N/A	N/A
FU9BD	18	GY	GXL	2643673R1	N/A	AS1	-	2644R1		N/A	N/A
AA14J	4	RD	SGX	264426R1	N/A	AS1	-	2644R1		N/A	N/A
AA14J-FL	8	LTBL	FUS	396168R1	N/A	AS1	-	2644R1		N/A	N/A
FU79A	18	GY	TXL	351311R1	N/A	AS11	-	2644R1		N/A	N/A
FU79B	18	GY	GXL	2643673R1	N/A	AS11	-	2644R1		N/A	N/A
FU79C	18	GY	GXL	2643673R1	N/A	AS11	-	2644R1		N/A	N/A
AA6B	18	OR	TXL	351317R1	N/A	AS12	-	2644R1		N/A	N/A
AA9	18	GY	GXL	2643673R1	N/A	AS12	-	2644R1		N/A	N/A
AA9A	18	GY	TXL	351311R1	N/A	AS12	-	2644R1		N/A	N/A
AA9AA	18	GY	TXL	351311R1	N/A	AS12	-	2644R1		N/A	N/A
GZ5AA(-)	18	GN	TXL	3572112R1	N/A	AS13	-	2644R1		N/A	N/A
GZ5AB(-)	18	GN	TXL	3572112R1	N/A	AS13	-	2644R1		N/A	N/A
GZ5AC(-)	18	GN	TXL	3572112R1	N/A	AS13	-	2644R1		N/A	N/A
JK5AA(-)	18	GN	TXL	3572112R1	N/A	AS13	-	2644R1		N/A	N/A
JK5AB(-)	18	GN	TXL	3572112R1	N/A	AS13	-	2644R1		N/A	N/A
JK5AC(-)	18	GN	TXL	3572112R1	N/A	AS13	-	2644R1		N/A	N/A
KU5AA(-)	18	GN	TXL	3572112R1	N/A	AS13	-	2644R1		N/A	N/A



Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
KU5AC(-)	18	GN	TXL	3572112R1	N/A	AS13	-	2644R1	N/A	N/A	
KU5AG(-)	18	GN	TXL	3572112R1	N/A	AS13	-	2644R1	N/A	N/A	
LN5AA(-)	18	GN	TXL	3572112R1	N/A	AS13	-	2644R1	N/A	N/A	
LN5AC(-)	18	GN	TXL	3572112R1	N/A	AS13	-	2644R1	N/A	N/A	
LN5AG(-)	18	GN	TXL	3572112R1	N/A	AS13	-	2644R1	N/A	N/A	
GZ5AA(+)	18	YL	TXL	3572112R1	N/A	AS14	-	2644R1	N/A	N/A	
GZ5AB(+)	18	YL	TXL	3572112R1	N/A	AS14	-	2644R1	N/A	N/A	
GZ5AC(+)	18	YL	TXL	3572112R1	N/A	AS14	-	2644R1	N/A	N/A	
JK5AA(+)	18	YL	TXL	3572112R1	N/A	AS14	-	2644R1	N/A	N/A	
JK5AB(+)	18	YL	TXL	3572112R1	N/A	AS14	-	2644R1	N/A	N/A	
JK5AC(+)	18	YL	TXL	3572112R1	N/A	AS14	-	2644R1	N/A	N/A	
KU5AA(+)	18	YL	TXL	3572112R1	N/A	AS14	-	2644R1	N/A	N/A	
KU5AC(+)	18	YL	TXL	3572112R1	N/A	AS14	-	2644R1	N/A	N/A	
KU5AG(+)	18	YL	TXL	3572112R1	N/A	AS14	-	2644R1	N/A	N/A	
LN5AA(+)	18	YL	TXL	3572112R1	N/A	AS14	-	2644R1	N/A	N/A	
LN5AC(+)	18	YL	TXL	3572112R1	N/A	AS14	-	2644R1	N/A	N/A	
LN5AG(+)	18	YL	TXL	3572112R1	N/A	AS14	-	2644R1	N/A	N/A	
AA63A	16	DKBL	TXL	351354R1	N/A	AS15	-	2644R1	N/A	N/A	
AA63B	16	DKBL	TXL	351354R1	N/A	AS15	-	2644R1	N/A	N/A	
AA63C	16	DKBL	TXL	351354R1	N/A	AS15	-	2644R1	N/A	N/A	
AA9B	18	GY	TXL	351311R1	N/A	AS16	-	2644R1	N/A	N/A	
AA9BAA	16	GY	TXL	351312R1	N/A	AS16	-	2644R1	N/A	N/A	
AA9BAB	16	GY	TXL	351312R1	N/A	AS16	-	2644R1	N/A	N/A	
AA9BC	18	GY	TXL	351311R1	N/A	AS16	-	2644R1	N/A	N/A	
AA63	18	DKBL	TXL	351353R1	N/A	AS17	-	2644R1	N/A	N/A	
AA63BB	18	DKBL	TXL	351353R1	N/A	AS17	-	2644R1	N/A	N/A	
AA63BC	18	DKBL	TXL	351353R1	N/A	AS17	-	2644R1	N/A	N/A	
AA63D	18	DKBL	TXL	351353R1	N/A	AS17	-	2644R1	N/A	N/A	
BY65	16	OR	TXL	351318R1	N/A	AS18	-	2644R1	N/A	N/A	
BY65AA	16	OR	TXL	351318R1	N/A	AS18	-	2644R1	N/A	N/A	
BY65AB	16	OR	TXL	351318R1	N/A	AS18	-	2644R1	N/A	N/A	
CT86-GD1	18	WH	TXL	351359R1	N/A	AS19	-	2644R1	N/A	N/A	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
CT86-GD2	18	WH	TXL	351359R1	N/A	AS19	-	2644R1	N/A	N/A
CT86-GND	18	WH	TXL	351359R1	N/A	AS19	-	2644R1	N/A	N/A
ZH5C(-)	18	GN	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
ZH5F(-)	18	GN	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
ZH5G(-)	18	GN	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
3D5A(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
3D5B(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
3D5C(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
3M5A(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
3M5B(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
3M5C(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
9K5A(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
9K5B(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
9K5C(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
9L5A(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
9L5B(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
9L5C(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
9P5A(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
9P5B(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
9P5C(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
9V5A(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
9V5B(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
9V5C(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
JB5A(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
JB5B(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
JB5C(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
PY5A(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
PY5B(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
PY5C(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
PZ5A(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
PZ5B(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
PZ5C(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
RD5A(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
RD5B(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
RD5C(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
RG5A(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
RG5B(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
RG5C(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
RJ5A(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
RJ5B(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
RJ5C(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
RM5A(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
RM5B(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
RM5C(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
RS5A(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
RS5B(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
RS5C(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
RU5A(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
RU5B(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
RU5C(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
SA5A(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
SA5B(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
SA5C(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
SN5A(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
SN5B(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
SN5C(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
SP5A(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
SP5B(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
SP5C(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
ZH5A(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
ZH5B(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
ZH5F(+)	18	YL	TXL	3572112R1	N/A	AS2	-	2644R1	N/A	N/A
ZH5C(+)	18	YL	TXL	3572112R1	N/A	AS21	-	2644R1	N/A	N/A
ZH5F(+)	18	YL	TXL	3572112R1	N/A	AS21	-	2644R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
ZH5G(+)	18	YL	TXL	3572112R1	N/A	AS21	-	2644R1	N/A	N/A
3D5A(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
3D5B(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
3D5C(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
3M5A(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
3M5B(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
3M5C(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
9K5A(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
9K5B(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
9K5C(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
9L5A(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
9L5B(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
9L5C(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
9P5A(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
9P5B(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
9P5C(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
9V5A(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
9V5B(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
9V5C(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
JB5A(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
JB5B(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
JB5C(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
PY5A(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
PY5B(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
PY5C(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
PZ5A(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
PZ5B(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
PZ5C(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
RD5A(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
RD5B(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
RD5C(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
RG5A(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
RG5B(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
RG5C(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
RJ5A(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
RJ5B(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
RJ5C(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
RM5A(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
RM5B(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
RM5C(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
RS5A(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
RS5B(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
RS5C(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
RU5A(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
RU5B(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
RU5C(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
SA5A(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
SA5B(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
SA5C(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
SN5A(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
SN5B(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
SN5C(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
SP5A(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
SP5B(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
SP5C(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
ZH5A(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
ZH5B(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
ZH5F(-)	18	GN	TXL	3572112R1	N/A	AS3	-	2644R1	N/A	N/A
JM5BA(-)	18	LTGN	TXL	351299R1	N/A	AS4	-	2644R1	N/A	N/A
JM5BB(-)	18	LTGN	TXL	351299R1	N/A	AS4	-	2644R1	N/A	N/A
JM5BC(-)	18	LTGN	TXL	351299R1	N/A	AS4	-	2644R1	N/A	N/A
JN5BA(-)	18	LTGN	TXL	351299R1	N/A	AS4	-	2644R1	N/A	N/A
JN5BB(-)	18	LTGN	TXL	351299R1	N/A	AS4	-	2644R1	N/A	N/A
JN5BC(-)	18	LTGN	TXL	351299R1	N/A	AS4	-	2644R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
JP5BA(-)	18	LTGN	TXL	351299R1	N/A	AS4	-	2644R1	N/A	N/A
JP5BB(-)	18	LTGN	TXL	351299R1	N/A	AS4	-	2644R1	N/A	N/A
JP5BC(-)	18	LTGN	TXL	351299R1	N/A	AS4	-	2644R1	N/A	N/A
JR5BA(-)	18	LTGN	TXL	351299R1	N/A	AS4	-	2644R1	N/A	N/A
JR5BB(-)	18	LTGN	TXL	351299R1	N/A	AS4	-	2644R1	N/A	N/A
JR5BC(-)	18	LTGN	TXL	351299R1	N/A	AS4	-	2644R1	N/A	N/A
JM5BA(+)	18	YL	TXL	351335R1	N/A	AS5	-	2644R1	N/A	N/A
JM5BB(+)	18	YL	TXL	351335R1	N/A	AS5	-	2644R1	N/A	N/A
JM5BC(+)	18	YL	TXL	351335R1	N/A	AS5	-	2644R1	N/A	N/A
JN5BA(+)	18	YL	TXL	351335R1	N/A	AS5	-	2644R1	N/A	N/A
JN5BB(+)	18	YL	TXL	351335R1	N/A	AS5	-	2644R1	N/A	N/A
JN5BC(+)	18	YL	TXL	351335R1	N/A	AS5	-	2644R1	N/A	N/A
JP5BA(+)	18	YL	TXL	351335R1	N/A	AS5	-	2644R1	N/A	N/A
JP5BB(+)	18	YL	TXL	351335R1	N/A	AS5	-	2644R1	N/A	N/A
JP5BC(+)	18	YL	TXL	351335R1	N/A	AS5	-	2644R1	N/A	N/A
JR5BA(+)	18	YL	TXL	351335R1	N/A	AS5	-	2644R1	N/A	N/A
JR5BB(+)	18	YL	TXL	351335R1	N/A	AS5	-	2644R1	N/A	N/A
JR5BC(+)	18	YL	TXL	351335R1	N/A	AS5	-	2644R1	N/A	N/A
SF59D	18	GY	TXL	351311R1	N/A	AS8	-	2644R1	N/A	N/A
SF59DA	18	GY	TXL	351311R1	N/A	AS8	-	2644R1	N/A	N/A
SF59DB	18	GY	TXL	351311R1	N/A	AS8	-	2644R1	N/A	N/A
RK59E	18	GY	TXL	351311R1	N/A	AS9	-	2644R1	N/A	N/A
RK59EA	18	GY	TXL	351311R1	N/A	AS9	-	2644R1	N/A	N/A
RK59EB	18	GY	TXL	351311R1	N/A	AS9	-	2644R1	N/A	N/A
3D5C(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
3D5E(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
3M5C(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
3M5E(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
9K5C(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
9K5E(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
9L5C(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
9L5E(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
9P5C(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
9P5E(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
9V5C(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
9V5E(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
JB5C(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
JB5E(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
PY5C(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
PY5E(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
PZ5C(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
PZ5E(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
RD5C(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
RD5E(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
RG5C(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
RG5E(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
RJ5C(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
RJ5E(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
RM5C(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
RM5E(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
RS5C(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
RS5E(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
RU5C(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
RU5E(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
SA5C(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
SA5E(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
SN5C(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
SN5E(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
SP5C(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
SP5E(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
ZH5C(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
ZH5E(-)	18	GN	TXL	3572112R1	N/A	BS1	-	2644R1	N/A	N/A
BB52A	14	YL	TXL	351337R1	N/A	BS11	-	2644R1	N/A	N/A
BB52AA	14	YL	TXL	351337R1	N/A	BS11	-	2644R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
BB53A	14	YL	TXL	351337R1	N/A	BS12	-	2644R1	N/A	N/A
BB53AA	14	YL	TXL	351337R1	N/A	BS12	-	2644R1	N/A	N/A
GZ5AC(+)	18	YL	TXL	3572112R1	N/A	BS13	-	2644R1	N/A	N/A
GZ5AE(+)	18	YL	TXL	3572112R1	N/A	BS13	-	2644R1	N/A	N/A
JK5AC(+)	18	YL	TXL	3572112R1	N/A	BS13	-	2644R1	N/A	N/A
JK5AE(+)	18	YL	TXL	3572112R1	N/A	BS13	-	2644R1	N/A	N/A
KU5AC(+)	18	YL	TXL	3572112R1	N/A	BS13	-	2644R1	N/A	N/A
KU5AE(+)	18	YL	TXL	3572112R1	N/A	BS13	-	2644R1	N/A	N/A
LN5AC(+)	18	YL	TXL	3572112R1	N/A	BS13	-	2644R1	N/A	N/A
LN5AE(+)	18	YL	TXL	3572112R1	N/A	BS13	-	2644R1	N/A	N/A
GZ5AC(-)	18	GN	TXL	3572112R1	N/A	BS14	-	2644R1	N/A	N/A
GZ5AE(-)	18	GN	TXL	3572112R1	N/A	BS14	-	2644R1	N/A	N/A
JK5AC(-)	18	GN	TXL	3572112R1	N/A	BS14	-	2644R1	N/A	N/A
JK5AE(-)	18	GN	TXL	3572112R1	N/A	BS14	-	2644R1	N/A	N/A
KU5AC(-)	18	GN	TXL	3572112R1	N/A	BS14	-	2644R1	N/A	N/A
KU5AE(-)	18	GN	TXL	3572112R1	N/A	BS14	-	2644R1	N/A	N/A
LN5AC(-)	18	GN	TXL	3572112R1	N/A	BS14	-	2644R1	N/A	N/A
LN5AE(-)	18	GN	TXL	3572112R1	N/A	BS14	-	2644R1	N/A	N/A
ZA94SK	18	GY	TXL	351311R1	N/A	BS15	-	2644R1	N/A	N/A
ZA94SKA	18	GY	TXL	351311R1	N/A	BS15	-	2644R1	N/A	N/A
ZA94SKB	18	GY	TXL	351311R1	N/A	BS15	-	2644R1	N/A	N/A
BU65	16	OR	TXL	351318R1	N/A	BS16	-	2644R1	N/A	N/A
BU65AA	18	OR	TXL	351317R1	N/A	BS16	-	2644R1	N/A	N/A
BU65AB	16	OR	TXL	351318R1	N/A	BS16	-	2644R1	N/A	N/A
BW65	16	OR	TXL	351318R1	N/A	BS16	-	2644R1	N/A	N/A
BW65AA	18	OR	TXL	351317R1	N/A	BS16	-	2644R1	N/A	N/A
BW65AB	16	OR	TXL	351318R1	N/A	BS16	-	2644R1	N/A	N/A
BX65	16	OR	TXL	351318R1	N/A	BS16	-	2644R1	N/A	N/A
BX65AA	18	OR	TXL	351317R1	N/A	BS16	-	2644R1	N/A	N/A
BX65AB	18	OR	TXL	351317R1	N/A	BS16	-	2644R1	N/A	N/A
BX65AC	18	OR	TXL	351317R1	N/A	BS16	-	2644R1	N/A	N/A
FH5BP(-)	18	GN	TXL	3572112R1	N/A	BS17	-	2644R1	N/A	N/A



Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
FH5BS(-)	18	GN	TXL	3572112R1	N/A	BS17	-	2644R1	N/A	N/A
FH5BT(-)	18	GN	TXL	3572112R1	N/A	BS17	-	2644R1	N/A	N/A
2F56A4	16	OR	TXL	351318R1	N/A	BS18	-	2644R1	N/A	N/A
2F56C	16	OR	TXL	351318R1	N/A	BS18	-	2644R1	N/A	N/A
2F56D	18	OR	TXL	351317R1	N/A	BS18	-	2644R1	N/A	N/A
2F56F	16	OR	TXL	351318R1	N/A	BS18	-	2644R1	N/A	N/A
2F56G	16	OR	TXL	351318R1	N/A	BS18	-	2644R1	N/A	N/A
2G56A4	16	OR	TXL	351318R1	N/A	BS18	-	2644R1	N/A	N/A
2G56C	16	OR	TXL	351318R1	N/A	BS18	-	2644R1	N/A	N/A
2G56D	18	OR	TXL	351317R1	N/A	BS18	-	2644R1	N/A	N/A
2G56F	16	OR	TXL	351318R1	N/A	BS18	-	2644R1	N/A	N/A
2G56G	16	OR	TXL	351318R1	N/A	BS18	-	2644R1	N/A	N/A
2Z56A2	16	OR	TXL	351318R1	N/A	BS18	-	2644R1	N/A	N/A
2Z56C	16	OR	TXL	351318R1	N/A	BS18	-	2644R1	N/A	N/A
2Z56F	16	OR	TXL	351318R1	N/A	BS18	-	2644R1	N/A	N/A
2Z56G	16	OR	TXL	351318R1	N/A	BS18	-	2644R1	N/A	N/A
NC56C	16	OR	TXL	351318R1	N/A	BS18	-	2644R1	N/A	N/A
NC56F	16	OR	TXL	351318R1	N/A	BS18	-	2644R1	N/A	N/A
NC56G	16	OR	TXL	351318R1	N/A	BS18	-	2644R1	N/A	N/A
NS56C	16	OR	TXL	351318R1	N/A	BS18	-	2644R1	N/A	N/A
NS56D	18	OR	TXL	351317R1	N/A	BS18	-	2644R1	N/A	N/A
NS56F	16	OR	TXL	351318R1	N/A	BS18	-	2644R1	N/A	N/A
NS56G	16	OR	TXL	351318R1	N/A	BS18	-	2644R1	N/A	N/A
3D5C(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
3D5E(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
3M5C(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
3M5E(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
9K5C(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
9K5E(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
9L5C(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
9L5E(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
9P5C(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
9P5E(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
9V5C(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
9V5E(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
JB5C(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
JB5E(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
PY5C(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
PY5E(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
PZ5C(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
PZ5E(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
RD5C(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
RD5E(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
RG5C(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
RG5E(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
RJ5C(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
RJ5E(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
RM5C(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
RM5E(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
RS5C(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
RS5E(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
RU5C(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
RU5E(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
SA5C(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
SA5E(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
SN5C(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
SN5E(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
SP5C(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
SP5E(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
ZH5C(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
ZH5E(+)	18	YL	TXL	3572112R1	N/A	BS2	-	2644R1	N/A	N/A
JP5BC(+)	18	YL	TXL	351335R1	N/A	BS3	-	2644R1	N/A	N/A
JP5BD(+)	18	YL	TXL	351335R1	N/A	BS3	-	2644R1	N/A	N/A
JP5BE(+)	18	YL	TXL	351335R1	N/A	BS3	-	2644R1	N/A	N/A

Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
JR5BC(+)	18	YL	TXL	351335R1	N/A	BS3	-	2644R1	N/A	N/A	
JR5BD(+)	18	YL	TXL	351335R1	N/A	BS3	-	2644R1	N/A	N/A	
JR5BE(+)	18	YL	TXL	351335R1	N/A	BS3	-	2644R1	N/A	N/A	
JP5BC(-)	18	LTGN	TXL	351299R1	N/A	BS4	-	2644R1	N/A	N/A	
JP5BD(-)	18	LTGN	TXL	351299R1	N/A	BS4	-	2644R1	N/A	N/A	
JP5BE(-)	18	LTGN	TXL	351299R1	N/A	BS4	-	2644R1	N/A	N/A	
JR5BC(-)	18	LTGN	TXL	351299R1	N/A	BS4	-	2644R1	N/A	N/A	
JR5BD(-)	18	LTGN	TXL	351299R1	N/A	BS4	-	2644R1	N/A	N/A	
JR5BE(-)	18	LTGN	TXL	351299R1	N/A	BS4	-	2644R1	N/A	N/A	
3L5BB(+)	18	YL	TXL	3572112R1	N/A	BS5	-	2644R1	N/A	N/A	
3L5BC(+)	18	YL	TXL	3572112R1	N/A	BS5	-	2644R1	N/A	N/A	
3L5BF(+)	18	YL	TXL	3572112R1	N/A	BS5	-	2644R1	N/A	N/A	
AR5BA(+)	18	YL	TXL	3572112R1	N/A	BS5	-	2644R1	N/A	N/A	
AR5BB(+)	18	YL	TXL	3572112R1	N/A	BS5	-	2644R1	N/A	N/A	
AR5BC(+)	18	YL	TXL	3572112R1	N/A	BS5	-	2644R1	N/A	N/A	
AS5BA(+)	18	YL	TXL	3572112R1	N/A	BS5	-	2644R1	N/A	N/A	
AS5BB(+)	18	YL	TXL	3572112R1	N/A	BS5	-	2644R1	N/A	N/A	
AS5BC(+)	18	YL	TXL	3572112R1	N/A	BS5	-	2644R1	N/A	N/A	
3L5BB(-)	18	GN	TXL	3572112R1	N/A	BS6	-	2644R1	N/A	N/A	
3L5BC(-)	18	GN	TXL	3572112R1	N/A	BS6	-	2644R1	N/A	N/A	
3L5BF(-)	18	GN	TXL	3572112R1	N/A	BS6	-	2644R1	N/A	N/A	
AR5BA(-)	18	GN	TXL	3572112R1	N/A	BS6	-	2644R1	N/A	N/A	
AR5BB(-)	18	GN	TXL	3572112R1	N/A	BS6	-	2644R1	N/A	N/A	
AR5BC(-)	18	GN	TXL	3572112R1	N/A	BS6	-	2644R1	N/A	N/A	
AS5BA(-)	18	GN	TXL	3572112R1	N/A	BS6	-	2644R1	N/A	N/A	
AS5BB(-)	18	GN	TXL	3572112R1	N/A	BS6	-	2644R1	N/A	N/A	
AS5BC(-)	18	GN	TXL	3572112R1	N/A	BS6	-	2644R1	N/A	N/A	
FH5BP(+)	18	YL	TXL	3572112R1	N/A	BS7	-	2644R1	N/A	N/A	
FH5BS(+)	18	YL	TXL	3572112R1	N/A	BS7	-	2644R1	N/A	N/A	
FH5BT(+)	18	YL	TXL	3572112R1	N/A	BS7	-	2644R1	N/A	N/A	
2B57	16	OR	TXL	351318R1	N/A	BS8	-	2644R1	N/A	N/A	
2B57A	16	OR	TXL	351318R1	N/A	BS8	-	2644R1	N/A	N/A	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
2B57F	16	OR	TXL	351318R1	N/A	BS8	-	2644R1	N/A	N/A
2C57	16	OR	TXL	351318R1	N/A	BS8	-	2644R1	N/A	N/A
2C57A	16	OR	TXL	351318R1	N/A	BS8	-	2644R1	N/A	N/A
2C57B	18	OR	TXL	351317R1	N/A	BS8	-	2644R1	N/A	N/A
2C57F	16	OR	TXL	351318R1	N/A	BS8	-	2644R1	N/A	N/A
2D57	16	OR	TXL	351318R1	N/A	BS8	-	2644R1	N/A	N/A
2D57A	16	OR	TXL	351318R1	N/A	BS8	-	2644R1	N/A	N/A
2D57C	18	OR	TXL	351317R1	N/A	BS8	-	2644R1	N/A	N/A
2D57F	16	OR	TXL	351318R1	N/A	BS8	-	2644R1	N/A	N/A
2.00E+57	16	OR	TXL	351318R1	N/A	BS8	-	2644R1	N/A	N/A
2E57A	16	OR	TXL	351318R1	N/A	BS8	-	2644R1	N/A	N/A
2E57B	18	OR	TXL	351317R1	N/A	BS8	-	2644R1	N/A	N/A
2E57C	18	OR	TXL	351317R1	N/A	BS8	-	2644R1	N/A	N/A
2E57F	16	OR	TXL	351318R1	N/A	BS8	-	2644R1	N/A	N/A
2F57	16	OR	TXL	351318R1	N/A	BS8	-	2644R1	N/A	N/A
2F57A	16	OR	TXL	351318R1	N/A	BS8	-	2644R1	N/A	N/A
2F57A2	16	OR	TXL	351318R1	N/A	BS8	-	2644R1	N/A	N/A
2F57B	18	OR	TXL	351317R1	N/A	BS8	-	2644R1	N/A	N/A
2F57F	16	OR	TXL	351318R1	N/A	BS8	-	2644R1	N/A	N/A
2G57	16	OR	TXL	351318R1	N/A	BS8	-	2644R1	N/A	N/A
2G57A	16	OR	TXL	351318R1	N/A	BS8	-	2644R1	N/A	N/A
2G57A2	16	OR	TXL	351318R1	N/A	BS8	-	2644R1	N/A	N/A
2G57B	18	OR	TXL	351317R1	N/A	BS8	-	2644R1	N/A	N/A
2G57C	18	OR	TXL	351317R1	N/A	BS8	-	2644R1	N/A	N/A
2G57F	16	OR	TXL	351318R1	N/A	BS8	-	2644R1	N/A	N/A
2Z57A4	16	OR	TXL	351318R1	N/A	BS8	-	2644R1	N/A	N/A
NW57	16	OR	TXL	351318R1	N/A	BS8	-	2644R1	N/A	N/A
NW57B	16	OR	TXL	351318R1	N/A	BS8	-	2644R1	N/A	N/A
NW57C	16	OR	TXL	351318R1	N/A	BS8	-	2644R1	N/A	N/A
NW57F	16	OR	TXL	351318R1	N/A	BS8	-	2644R1	N/A	N/A
NY57	16	OR	TXL	351318R1	N/A	BS8	-	2644R1	N/A	N/A
NY57B	16	OR	TXL	351318R1	N/A	BS8	-	2644R1	N/A	N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
NY57BA	16	OR	TXL	351318R1	N/A	BS8	-	2644R1	N/A	N/A
NY57C	16	OR	TXL	351318R1	N/A	BS8	-	2644R1	N/A	N/A
NY57F	16	OR	TXL	351318R1	N/A	BS8	-	2644R1	N/A	N/A
CV81-G	1	WH	TXL	351363R1	N/A	CS1	-	2644R1	N/A	N/A
CV81-GA	12	WH	TXL	351362R1	N/A	CS1	-	2644R1	N/A	N/A
CV81-GB	12	WH	TXL	351362R1	N/A	CS1	-	2644R1	N/A	N/A
3A94-GC	16	WH	TXL	35136R1	N/A	CS2	-	2644R1	N/A	N/A
3A94-GD	14	WH	TXL	351361R1	N/A	CS2	-	2644R1	N/A	N/A
3A94BT	18	GY	TXL	351311R1	N/A	CS2	-	2644R1	N/A	N/A
3A94BZ	18	GY	TXL	351311R1	N/A	CS2	-	2644R1	N/A	N/A
AG14K	8	RD	TXL	3525611R1	N/A	CS3	-	2644R1	N/A	N/A
AG14M	8	RD	TXL	3525611R1	N/A	CS3	-	2644R1	N/A	N/A
AG14W	6	RD	SGX	264372R1	N/A	CS3	-	2644R1	N/A	N/A
AL14K	8	RD	TXL	3525611R1	N/A	CS3	-	2644R1	N/A	N/A
AL14M	8	RD	TXL	3525611R1	N/A	CS3	-	2644R1	N/A	N/A
AL14W	6	RD	SGX	264372R1	N/A	CS3	-	2644R1	N/A	N/A
AG14	6	RD	SGX	264372R1	N/A	CS4	-	2644R1	N/A	N/A
AG14F	8	RD	TXL	3525611R1	N/A	CS4	-	2644R1	N/A	N/A
AG14H	8	RD	TXL	3525611R1	N/A	CS4	-	2644R1	N/A	N/A
AL14	6	RD	SGX	264372R1	N/A	CS4	-	2644R1	N/A	N/A
AL14F	8	RD	TXL	3525611R1	N/A	CS4	-	2644R1	N/A	N/A
AL14H	8	RD	TXL	3525611R1	N/A	CS4	-	2644R1	N/A	N/A
LR86AS	18	LTGN	TXL	351299R1	N/A	CS5	-	2644R1	N/A	N/A
LR86AU	18	LTGN	TXL	351299R1	N/A	CS5	-	2644R1	N/A	N/A
LR86YL	18	LTGN	TXL	351299R1	N/A	CS5	-	2644R1	N/A	N/A
JM5BC(+)	18	YL	TXL	351335R1	N/A	DS1	-	2644R1	N/A	N/A
JM5BF(+)	18	YL	TXL	351335R1	N/A	DS1	-	2644R1	N/A	N/A
JM5BG(+)	18	YL	TXL	351335R1	N/A	DS1	-	2644R1	N/A	N/A
JN5BC(+)	18	YL	TXL	351335R1	N/A	DS1	-	2644R1	N/A	N/A
JN5BF(+)	18	YL	TXL	351335R1	N/A	DS1	-	2644R1	N/A	N/A
JN5BG(+)	18	YL	TXL	351335R1	N/A	DS1	-	2644R1	N/A	N/A
JP5BE(+)	18	YL	TXL	351335R1	N/A	DS1	-	2644R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
JP5BF(+)	18	YL	TXL	351335R1	N/A	DS1	-	2644R1	N/A	N/A
JP5BG(+)	18	YL	TXL	351335R1	N/A	DS1	-	2644R1	N/A	N/A
JR5BE(+)	18	YL	TXL	351335R1	N/A	DS1	-	2644R1	N/A	N/A
JR5BF(+)	18	YL	TXL	351335R1	N/A	DS1	-	2644R1	N/A	N/A
JR5BG(+)	18	YL	TXL	351335R1	N/A	DS1	-	2644R1	N/A	N/A
JM5BC(-)	18	LTGN	TXL	351299R1	N/A	DS2	-	2644R1	N/A	N/A
JM5BF(-)	18	LTGN	TXL	351299R1	N/A	DS2	-	2644R1	N/A	N/A
JM5BG(-)	18	LTGN	TXL	351299R1	N/A	DS2	-	2644R1	N/A	N/A
JN5BC(-)	18	LTGN	TXL	351299R1	N/A	DS2	-	2644R1	N/A	N/A
JN5BF(-)	18	LTGN	TXL	351299R1	N/A	DS2	-	2644R1	N/A	N/A
JN5BG(-)	18	LTGN	TXL	351299R1	N/A	DS2	-	2644R1	N/A	N/A
JP5BE(-)	18	LTGN	TXL	351299R1	N/A	DS2	-	2644R1	N/A	N/A
JP5BF(-)	18	LTGN	TXL	351299R1	N/A	DS2	-	2644R1	N/A	N/A
JP5BG(-)	18	LTGN	TXL	351299R1	N/A	DS2	-	2644R1	N/A	N/A
JR5BE(-)	18	LTGN	TXL	351299R1	N/A	DS2	-	2644R1	N/A	N/A
JR5BF(-)	18	LTGN	TXL	351299R1	N/A	DS2	-	2644R1	N/A	N/A
JR5BG(-)	18	LTGN	TXL	351299R1	N/A	DS2	-	2644R1	N/A	N/A
RA11-GBA	14	WH	TXL	351361R1	N/A	DS3	-	2644R1	N/A	N/A
RA11-GCB	14	WH	TXL	351361R1	N/A	DS3	-	2644R1	N/A	N/A
RA11-GCC	14	WH	TXL	351361R1	N/A	DS3	-	2644R1	N/A	N/A
RA11-GKJ	6	WH	SGX	264379R1	N/A	DS3	-	2644R1	N/A	N/A
RB11-GBA	14	WH	TXL	351361R1	N/A	DS3	-	2644R1	N/A	N/A
RB11-GCB	14	WH	TXL	351361R1	N/A	DS3	-	2644R1	N/A	N/A
RB11-GCC	14	WH	TXL	351361R1	N/A	DS3	-	2644R1	N/A	N/A
RB11-GKJ	6	WH	SGX	264379R1	N/A	DS3	-	2644R1	N/A	N/A
RB75-GC	1	WH	TXL	351363R1	N/A	DS3	-	2644R1	N/A	N/A
AA6C	18	OR	TXL	351317R1	N/A	DS4	-	2644R1	N/A	N/A
AA62	18	DKBL	TXL	351353R1	N/A	DS4	-	2644R1	N/A	N/A
AA62DD	18	DKBL	TXL	351353R1	N/A	DS4	-	2644R1	N/A	N/A
3D5E(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
3D5G(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
3D5H(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
3M5E(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
3M5G(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
3M5H(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
9K5E(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
9K5G(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
9K5H(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
9L5E(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
9L5G(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
9L5H(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
9P5E(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
9P5G(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
9P5H(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
9V5E(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
9V5G(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
9V5H(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
JC5F(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
JC5G(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
JC5H(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
JD5F(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
JD5G(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
JD5H(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
JF5F(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
JF5G(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
JF5H(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
JG5F(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
JG5G(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
JG5H(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
PY5E(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
PY5G(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
PY5J(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
PZ5E(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
PZ5G(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
PZ5H(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
RD5E(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
RD5G(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
RD5H(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
RG5E(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
RG5F(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
RG5G(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
RJ5E(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
RJ5G(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
RJ5H(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
RM5E(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
RM5G(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
RM5H(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
RS5E(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
RS5G(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
RS5H(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
RU5E(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
RU5G(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
RU5H(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
SB5F(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
SB5G(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
SB5H(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
SC5F(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
SC5G(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
SC5H(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
SD5F(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
SD5G(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
SD5J(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
SE5F(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
SE5G(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
SE5H(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
SN5E(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A



Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
SN5G(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
SN5H(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
SP5E(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
SP5G(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
SP5H(+)	18	YL	TXL	3572112R1	N/A	ES1	-	2644R1	N/A	N/A
3D5E(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
3D5G(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
3D5H(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
3M5E(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
3M5G(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
3M5H(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
9K5E(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
9K5G(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
9K5H(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
9L5E(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
9L5G(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
9L5H(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
9P5E(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
9P5G(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
9P5H(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
9V5E(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
9V5G(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
9V5H(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
JC5F(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
JC5G(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
JC5H(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
JD5F(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
JD5G(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
JD5H(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
JF5F(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
JF5G(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
JF5H(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
JG5F(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
JG5G(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
JG5H(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
PY5E(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
PY5G(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
PY5J(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
PZ5E(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
PZ5G(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
PZ5H(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
RD5E(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
RD5G(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
RD5H(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
RG5E(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
RG5F(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
RG5G(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
RJ5E(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
RJ5G(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
RJ5H(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
RM5E(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
RM5G(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
RM5H(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
RS5E(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
RS5G(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
RS5H(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
RU5E(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
RU5G(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
RU5H(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
SB5F(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
SB5G(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
SB5H(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
SC5F(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
SC5G(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
SC5H(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
SD5F(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
SD5G(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
SD5J(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
SE5F(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
SE5G(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
SE5H(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
SN5E(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
SN5G(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
SN5H(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
SP5E(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
SP5G(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
SP5H(-)	18	GN	TXL	3572112R1	N/A	ES2	-	2644R1	N/A	N/A
MB86-GD1	18	WH	TXL	351359R1	N/A	ES3	-	2644R1	N/A	N/A
MB86-GD2	18	WH	TXL	351359R1	N/A	ES3	-	2644R1	N/A	N/A
MB86-GND	18	WH	TXL	351359R1	N/A	ES3	-	2644R1	N/A	N/A
AA11-G	18	WH	TXL	351359R1	N/A	FS1	-	2644R1	N/A	N/A
AA11-GCA	12	WH	TXL	351362R1	N/A	FS1	-	2644R1	N/A	N/A
AA11-GK	18	WH	TXL	351359R1	N/A	FS1	-	2644R1	N/A	N/A
AA11-GKD	18	WH	TXL	351359R1	N/A	FS1	-	2644R1	N/A	N/A
AA11-GKE	16	WH	TXL	35136R1	N/A	FS1	-	2644R1	N/A	N/A
AA11-GL	18	WH	TXL	351359R1	N/A	FS1	-	2644R1	N/A	N/A
AA11-GN	18	WH	TXL	351359R1	N/A	FS1	-	2644R1	N/A	N/A
AA6-G	18	WH	TXL	351359R1	N/A	FS1	-	2644R1	N/A	N/A
AA63-GA	16	WH	TXL	35136R1	N/A	FS1	-	2644R1	N/A	N/A
AA74-G	2	WH	TXL	351358R1	N/A	FS1	-	2644R1	N/A	N/A
AA74-GA	2	WH	TXL	351358R1	N/A	FS1	-	2644R1	N/A	N/A
AA75-G	12	WH	TXL	351362R1	N/A	FS1	-	2644R1	N/A	N/A
AA82-G	16	WH	TXL	35136R1	N/A	FS1	-	2644R1	N/A	N/A
AA87-GA	18	WH	TXL	351359R1	N/A	FS1	-	2644R1	N/A	N/A
AA87B	2	GY	TXL	35131R1	N/A	FS3	-	2644R1	N/A	N/A
AA87D	18	GY	TXL	351311R1	N/A	FS3	-	2644R1	N/A	N/A

Circuit				Terminal Splice	Connector Body	Connector				Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve			
AA87E	18	GY	TXL	351311R1	N/A	FS3	-	2644R1	N/A	N/A	N/A
2V13COG	16	PK	TXL	351324R1	N/A	GS1	-	2644R1	N/A	N/A	N/A
2V13COG1	16	PK	TXL	351324R1	N/A	GS1	-	2644R1	N/A	N/A	N/A
2V13COG2	16	PK	TXL	351324R1	N/A	GS1	-	2644R1	N/A	N/A	N/A
2V13COG3	16	PK	TXL	351324R1	N/A	GS1	-	2644R1	N/A	N/A	N/A
RV13COG	16	PK	TXL	351324R1	N/A	GS1	-	2644R1	N/A	N/A	N/A
RV13COG1	16	PK	TXL	351324R1	N/A	GS1	-	2644R1	N/A	N/A	N/A
RV13COG2	16	PK	TXL	351324R1	N/A	GS1	-	2644R1	N/A	N/A	N/A
RV13COG3	16	PK	TXL	351324R1	N/A	GS1	-	2644R1	N/A	N/A	N/A
EM13-GBL	18	WH	TXL	351359R1	N/A	GS1	-	2644R1	N/A	N/A	N/A
EM13-GBP	18	WH	TXL	351359R1	N/A	GS1	-	2644R1	N/A	N/A	N/A
EM62-GDL	18	WH	TXL	351359R1	N/A	GS1	-	2644R1	N/A	N/A	N/A
GN13-GBL	18	WH	TXL	351359R1	N/A	GS1	-	2644R1	N/A	N/A	N/A
GN13-GBP	18	WH	TXL	351359R1	N/A	GS1	-	2644R1	N/A	N/A	N/A
GN13-GBR	18	WH	TXL	351359R1	N/A	GS1	-	2644R1	N/A	N/A	N/A
GN62-GDL	18	WH	TXL	351359R1	N/A	GS1	-	2644R1	N/A	N/A	N/A
2V67COG	18	GY	TXL	351311R1	N/A	GS11	-	2644R1	N/A	N/A	N/A
2V67COG1	18	GY	TXL	351311R1	N/A	GS11	-	2644R1	N/A	N/A	N/A
2V67COG2	18	GY	TXL	351311R1	N/A	GS11	-	2644R1	N/A	N/A	N/A
YH82KA	16	GY	TXL	351312R1	N/A	GS12	-	2644R1	N/A	N/A	N/A
YH82KB	16	GY	TXL	351312R1	N/A	GS12	-	2644R1	N/A	N/A	N/A
DY54X	16	BN	TXL	35136R1	N/A	GS14	-	2644R1	N/A	N/A	N/A
DY54XA	16	BN	TXL	35136R1	N/A	GS14	-	2644R1	N/A	N/A	N/A
DY54XB	16	BN	TXL	35136R1	N/A	GS14	-	2644R1	N/A	N/A	N/A
PA54X	16	BN	TXL	35136R1	N/A	GS14	-	2644R1	N/A	N/A	N/A
PA54XA	16	BN	TXL	35136R1	N/A	GS14	-	2644R1	N/A	N/A	N/A
CS13COG	16	PK	TXL	351324R1	N/A	GS15	-	2644R1	N/A	N/A	N/A
CS67A	16	PK	TXL	351324R1	N/A	GS15	-	2644R1	N/A	N/A	N/A
CS67Y	18	PK	TXL	351323R1	N/A	GS15	-	2644R1	N/A	N/A	N/A
DD78A	16	LTGN	TXL	3513R1	N/A	GS17	-	2644R1	N/A	N/A	N/A
DD78B	16	LTGN	TXL	3513R1	N/A	GS17	-	2644R1	N/A	N/A	N/A
CD14-GAG	18	WH	TXL	351359R1	N/A	GS18	-	2644R1	N/A	N/A	N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
CD14-GSA	18	WH	TXL	351359R1	N/A	GS18	-	2644R1	N/A	N/A
CD62-GAJ	18	WH	TXL	351359R1	N/A	GS18	-	2644R1	N/A	N/A
CE14-GAG	18	WH	TXL	351359R1	N/A	GS18	-	2644R1	N/A	N/A
CE14-GSA	18	WH	TXL	351359R1	N/A	GS18	-	2644R1	N/A	N/A
CE14-GSC	18	WH	TXL	351359R1	N/A	GS18	-	2644R1	N/A	N/A
CE62-GA	18	WH	TXL	351359R1	N/A	GS18	-	2644R1	N/A	N/A
CE62-GB	18	WH	TXL	351359R1	N/A	GS18	-	2644R1	N/A	N/A
CE14S	18	RD	TXL	351365R1	N/A	GS19	-	2644R1	N/A	N/A
CE14SA	18	RD	TXL	351365R1	N/A	GS19	-	2644R1	N/A	N/A
CE14SB	18	RD	TXL	351365R1	N/A	GS19	-	2644R1	N/A	N/A
MZ86AE	18	LTGN	TXL	351299R1	N/A	GS2	-	2644R1	N/A	N/A
MZ86FE	18	LTGN	TXL	351299R1	N/A	GS2	-	2644R1	N/A	N/A
MZ86FF	18	LTGN	TXL	351299R1	N/A	GS2	-	2644R1	N/A	N/A
JL116UV	18	GY	TXL	351311R1	N/A	GS2	-	2644R1	N/A	N/A
MZ86AA	18	LTGN	TXL	351299R1	N/A	GS21	-	2644R1	N/A	N/A
MZ86AF	18	LTGN	TXL	351299R1	N/A	GS21	-	2644R1	N/A	N/A
MZ86F	18	YL	TXL	351335R1	N/A	GS21	-	2644R1	N/A	N/A
BC63JK	18	DKBL	TXL	351353R1	N/A	GS22	-	2644R1	N/A	N/A
AH12H	18	LTBL	TXL	351341R1	N/A	GS23	-	2644R1	N/A	N/A
AH12J	18	LTBL	TXL	351341R1	N/A	GS23	-	2644R1	N/A	N/A
AH13H	18	PK	TXL	351323R1	N/A	GS24	-	2644R1	N/A	N/A
AH13J	18	PK	TXL	351323R1	N/A	GS24	-	2644R1	N/A	N/A
CB84	14	LTGN	TXL	35131R1	N/A	GS25	-	2644R1	N/A	N/A
CB84A	14	LTGN	TXL	35131R1	N/A	GS25	-	2644R1	N/A	N/A
CB84B	14	LTGN	TXL	35131R1	N/A	GS25	-	2644R1	N/A	N/A
CL84	14	LTGN	TXL	35131R1	N/A	GS25	-	2644R1	N/A	N/A
CL84A	14	LTGN	TXL	35131R1	N/A	GS25	-	2644R1	N/A	N/A
CL84B	14	LTGN	TXL	35131R1	N/A	GS25	-	2644R1	N/A	N/A
YY13V	12	PK	TXL	351326R1	N/A	GS26	-	2644R1	N/A	N/A
YY13W	12	PK	TXL	351326R1	N/A	GS26	-	2644R1	N/A	N/A
CB13U	18	PK	TXL	351323R1	N/A	GS27	-	2644R1	N/A	N/A
CB13UA	2	PK	TXL	351322R1	N/A	GS27	-	2644R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
CB13UB	2	PK	TXL	351322R1	N/A	GS27	-	2644R1	N/A	N/A
CL13U	18	PK	TXL	351323R1	N/A	GS27	-	2644R1	N/A	N/A
CL13UA	2	PK	TXL	351322R1	N/A	GS27	-	2644R1	N/A	N/A
CL13UB	2	PK	TXL	351322R1	N/A	GS27	-	2644R1	N/A	N/A
AG14AB	1	RD	TXL	351369R1	N/A	GS28	-	2644R1	N/A	N/A
AG14AD	12	RD	TXL	351368R1	N/A	GS28	-	2644R1	N/A	N/A
AG14AF	12	RD	TXL	351368R1	N/A	GS28	-	2644R1	N/A	N/A
AG14AS	18	RD	TXL	351365R1	N/A	GS28	-	2644R1	N/A	N/A
AG14AU	12	RD	TXL	351368R1	N/A	GS28	-	2644R1	N/A	N/A
AG14F	8	RD	TXL	3525611R1	N/A	GS28	-	2644R1	N/A	N/A
AL14AU	12	RD	TXL	351368R1	N/A	GS28	-	2644R1	N/A	N/A
AL14F	8	RD	TXL	3525611R1	N/A	GS28	-	2644R1	N/A	N/A
AG14AN	12	RD	TXL	351368R1	N/A	GS29	-	2644R1	N/A	N/A
AG14AP	12	RD	TXL	351368R1	N/A	GS29	-	2644R1	N/A	N/A
AG14AR	18	RD	TXL	351365R1	N/A	GS29	-	2644R1	N/A	N/A
AG14H	8	RD	TXL	3525611R1	N/A	GS29	-	2644R1	N/A	N/A
AL14AN	12	RD	TXL	351368R1	N/A	GS29	-	2644R1	N/A	N/A
AL14AP	12	RD	TXL	351368R1	N/A	GS29	-	2644R1	N/A	N/A
AL14AR	18	RD	TXL	351365R1	N/A	GS29	-	2644R1	N/A	N/A
AL14H	8	RD	TXL	3525611R1	N/A	GS29	-	2644R1	N/A	N/A
AG14AC	12	RD	TXL	351368R1	N/A	GS3	-	2644R1	N/A	N/A
AG14AE	12	RD	TXL	351368R1	N/A	GS3	-	2644R1	N/A	N/A
AG14AH	12	RD	TXL	351368R1	N/A	GS3	-	2644R1	N/A	N/A
AG14K	8	RD	TXL	3525611R1	N/A	GS3	-	2644R1	N/A	N/A
AL14K	8	RD	TXL	3525611R1	N/A	GS3	-	2644R1	N/A	N/A
3D5H(+)	18	YL	TXL	3572112R1	N/A	GS3	-	2644R1	N/A	N/A
3D5K(+)	18	YL	TXL	3572112R1	N/A	GS3	-	2644R1	N/A	N/A
3D5L(+)	2	YL	193	3858761R1	N/A	GS3	-	2644R1	N/A	N/A
3M5H(+)	18	YL	TXL	3572112R1	N/A	GS3	-	2644R1	N/A	N/A
3M5K(+)	18	YL	TXL	3572112R1	N/A	GS3	-	2644R1	N/A	N/A
3M5L(+)	2	YL	193	3858761R1	N/A	GS3	-	2644R1	N/A	N/A
9L5H(+)	18	YL	TXL	3572112R1	N/A	GS3	-	2644R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
9L5L(+)	2	YL	193	3858761R1	N/A	GS3	-	2644R1	N/A	N/A
9L5M(+)	18	YL	TXL	3572112R1	N/A	GS3	-	2644R1	N/A	N/A
9V5H(+)	18	YL	TXL	3572112R1	N/A	GS3	-	2644R1	N/A	N/A
9V5L(+)	2	YL	193	3858761R1	N/A	GS3	-	2644R1	N/A	N/A
9V5M(+)	18	YL	TXL	3572112R1	N/A	GS3	-	2644R1	N/A	N/A
JC5H(+)	18	YL	TXL	3572112R1	N/A	GS3	-	2644R1	N/A	N/A
JC5L(+)	2	YL	193	3858761R1	N/A	GS3	-	2644R1	N/A	N/A
JC5M(+)	18	YL	TXL	3572112R1	N/A	GS3	-	2644R1	N/A	N/A
JD5H(+)	18	YL	TXL	3572112R1	N/A	GS3	-	2644R1	N/A	N/A
JD5K(+)	18	YL	TXL	3572112R1	N/A	GS3	-	2644R1	N/A	N/A
JD5L(+)	2	YL	193	3858761R1	N/A	GS3	-	2644R1	N/A	N/A
RD5F(+)	18	YL	TXL	3572112R1	N/A	GS3	-	2644R1	N/A	N/A
RD5H(+)	18	YL	TXL	3572112R1	N/A	GS3	-	2644R1	N/A	N/A
RD5K(+)	18	YL	TXL	3572112R1	N/A	GS3	-	2644R1	N/A	N/A
RD5L(+)	2	YL	193	3858761R1	N/A	GS3	-	2644R1	N/A	N/A
RJ5F(+)	18	YL	TXL	3572112R1	N/A	GS3	-	2644R1	N/A	N/A
RJ5H(+)	18	YL	TXL	3572112R1	N/A	GS3	-	2644R1	N/A	N/A
RJ5L(+)	2	YL	193	3858761R1	N/A	GS3	-	2644R1	N/A	N/A
RM5F(+)	18	YL	TXL	3572112R1	N/A	GS3	-	2644R1	N/A	N/A
RM5H(+)	18	YL	TXL	3572112R1	N/A	GS3	-	2644R1	N/A	N/A
RM5L(+)	2	YL	193	3858761R1	N/A	GS3	-	2644R1	N/A	N/A
RS5F(+)	18	YL	TXL	3572112R1	N/A	GS3	-	2644R1	N/A	N/A
RS5H(+)	18	YL	TXL	3572112R1	N/A	GS3	-	2644R1	N/A	N/A
RS5L(+)	2	YL	193	3858761R1	N/A	GS3	-	2644R1	N/A	N/A
SB5H(+)	18	YL	TXL	3572112R1	N/A	GS3	-	2644R1	N/A	N/A
SB5J(+)	18	YL	TXL	3572112R1	N/A	GS3	-	2644R1	N/A	N/A
SB5L(+)	2	YL	193	3858761R1	N/A	GS3	-	2644R1	N/A	N/A
SC5H(+)	18	YL	TXL	3572112R1	N/A	GS3	-	2644R1	N/A	N/A
SC5K(+)	18	YL	TXL	3572112R1	N/A	GS3	-	2644R1	N/A	N/A
SC5L(+)	2	YL	193	3858761R1	N/A	GS3	-	2644R1	N/A	N/A
AG14AJ	12	RD	TXL	351368R1	N/A	GS31	-	2644R1	N/A	N/A
AG14AK	12	RD	TXL	351368R1	N/A	GS31	-	2644R1	N/A	N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
AG14AL	12	RD	TXL	351368R1	N/A	GS31	-	2644R1	N/A	N/A
AG14AM	12	RD	TXL	351368R1	N/A	GS31	-	2644R1	N/A	N/A
AG14AT	12	RD	TXL	351368R1	N/A	GS31	-	2644R1	N/A	N/A
AG14M	8	RD	TXL	3525611R1	N/A	GS31	-	2644R1	N/A	N/A
AL14AJ	12	RD	TXL	351368R1	N/A	GS31	-	2644R1	N/A	N/A
AL14AK	12	RD	TXL	351368R1	N/A	GS31	-	2644R1	N/A	N/A
AL14AL	12	RD	TXL	351368R1	N/A	GS31	-	2644R1	N/A	N/A
AL14AM	12	RD	TXL	351368R1	N/A	GS31	-	2644R1	N/A	N/A
AL14AT	12	RD	TXL	351368R1	N/A	GS31	-	2644R1	N/A	N/A
AL14M	8	RD	TXL	3525611R1	N/A	GS31	-	2644R1	N/A	N/A
EE11-GDJ	18	WH	TXL	351359R1	N/A	GS32	-	2644R1	N/A	N/A
GJ11-GDA	18	WH	TXL	351359R1	N/A	GS32	-	2644R1	N/A	N/A
AG14AV	12	RD	TXL	351368R1	N/A	GS33	-	2644R1	N/A	N/A
AG14N	1	RD	TXL	351369R1	N/A	GS33	-	2644R1	N/A	N/A
AG14R	12	RD	TXL	351368R1	N/A	GS33	-	2644R1	N/A	N/A
AG14XS	16	RD	GXL	264376R1	N/A	GS33	-	2644R1	N/A	N/A
AL14AV	12	RD	TXL	351368R1	N/A	GS33	-	2644R1	N/A	N/A
AL14R	12	RD	TXL	351368R1	N/A	GS33	-	2644R1	N/A	N/A
AL14X	12	RD	TXL	351368R1	N/A	GS33	-	2644R1	N/A	N/A
AL14Y	12	RD	TXL	351368R1	N/A	GS33	-	2644R1	N/A	N/A
AA82	16	GY	TXL	351312R1	N/A	GS34	-	2644R1	N/A	N/A
AA82D	16	GY	TXL	351312R1	N/A	GS34	-	2644R1	N/A	N/A
FR94TV	12	GY	TXL	351314R1	N/A	GS35	-	2644R1	N/A	N/A
FR94TV1	16	GY	TXL	351312R1	N/A	GS35	-	2644R1	N/A	N/A
FR94TV2	16	GY	TXL	351312R1	N/A	GS35	-	2644R1	N/A	N/A
CS67COG	18	GY	TXL	351311R1	N/A	GS36	-	2644R1	N/A	N/A
CS67COG1	18	GY	TXL	351311R1	N/A	GS36	-	2644R1	N/A	N/A
CS67COG2	18	GY	TXL	351311R1	N/A	GS36	-	2644R1	N/A	N/A
FR72EC	18	OR	TXL	351317R1	N/A	GS36	-	2644R1	N/A	N/A
FR72ED	18	OR	TXL	351317R1	N/A	GS36	-	2644R1	N/A	N/A
FR11-GB	18	WH	TXL	351359R1	N/A	GS37	-	2644R1	N/A	N/A
FR72-GB1	18	WH	TXL	351359R1	N/A	GS37	-	2644R1	N/A	N/A



Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
FR72-GB2	18	WH	TXL	351359R1	N/A	GS37	-	2644R1	N/A	N/A
FR94T	12	GY	TXL	351314R1	N/A	GS38	-	2644R1	N/A	N/A
HF94T	12	GY	TXL	351314R1	N/A	GS39	-	2644R1	N/A	N/A
HF94TT2	14	GY	TXL	351313R1	N/A	GS39	-	2644R1	N/A	N/A
HG94T	12	GY	TXL	351314R1	N/A	GS39	-	2644R1	N/A	N/A
HG94TT2	14	GY	TXL	351313R1	N/A	GS39	-	2644R1	N/A	N/A
5E13AB	18	PK	TXL	351323R1	N/A	GS4	-	2644R1	N/A	N/A
5E13BA	18	PK	TXL	351323R1	N/A	GS4	-	2644R1	N/A	N/A
5E13C	18	PK	TXL	351323R1	N/A	GS4	-	2644R1	N/A	N/A
3D5H(-)	18	GN	TXL	3572112R1	N/A	GS4	-	2644R1	N/A	N/A
3D5K(-)	18	GN	TXL	3572112R1	N/A	GS4	-	2644R1	N/A	N/A
3D5L(-)	2	GN	193	3858761R1	N/A	GS4	-	2644R1	N/A	N/A
3M5H(-)	18	GN	TXL	3572112R1	N/A	GS4	-	2644R1	N/A	N/A
3M5K(-)	18	GN	TXL	3572112R1	N/A	GS4	-	2644R1	N/A	N/A
3M5L(-)	2	GN	193	3858761R1	N/A	GS4	-	2644R1	N/A	N/A
9L5H(-)	18	GN	TXL	3572112R1	N/A	GS4	-	2644R1	N/A	N/A
9L5L(-)	2	GN	193	3858761R1	N/A	GS4	-	2644R1	N/A	N/A
9L5M(-)	18	GN	TXL	3572112R1	N/A	GS4	-	2644R1	N/A	N/A
9V5H(-)	18	GN	TXL	3572112R1	N/A	GS4	-	2644R1	N/A	N/A
9V5L(-)	2	GN	193	3858761R1	N/A	GS4	-	2644R1	N/A	N/A
9V5M(-)	18	GN	TXL	3572112R1	N/A	GS4	-	2644R1	N/A	N/A
JC5H(-)	18	GN	TXL	3572112R1	N/A	GS4	-	2644R1	N/A	N/A
JC5L(-)	2	GN	193	3858761R1	N/A	GS4	-	2644R1	N/A	N/A
JC5M(-)	18	GN	TXL	3572112R1	N/A	GS4	-	2644R1	N/A	N/A
JD5H(-)	18	GN	TXL	3572112R1	N/A	GS4	-	2644R1	N/A	N/A
JD5K(-)	18	GN	TXL	3572112R1	N/A	GS4	-	2644R1	N/A	N/A
JD5L(-)	2	GN	193	3858761R1	N/A	GS4	-	2644R1	N/A	N/A
RD5F(-)	18	GN	TXL	3572112R1	N/A	GS4	-	2644R1	N/A	N/A
RD5H(-)	18	GN	TXL	3572112R1	N/A	GS4	-	2644R1	N/A	N/A
RD5K(-)	18	GN	TXL	3572112R1	N/A	GS4	-	2644R1	N/A	N/A
RD5L(-)	2	GN	193	3858761R1	N/A	GS4	-	2644R1	N/A	N/A
RI5F(-)	18	GN	TXL	3572112R1	N/A	GS4	-	2644R1	N/A	N/A

Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
RJ5H(-)	18	GN	TXL	3572112R1	N/A	GS4	-	2644R1	N/A	N/A	
RJ5L(-)	2	GN	193	3858761R1	N/A	GS4	-	2644R1	N/A	N/A	
RM5F(-)	18	GN	TXL	3572112R1	N/A	GS4	-	2644R1	N/A	N/A	
RM5H(-)	18	GN	TXL	3572112R1	N/A	GS4	-	2644R1	N/A	N/A	
RM5L(-)	2	GN	193	3858761R1	N/A	GS4	-	2644R1	N/A	N/A	
RS5F(-)	18	GN	TXL	3572112R1	N/A	GS4	-	2644R1	N/A	N/A	
RS5H(-)	18	GN	TXL	3572112R1	N/A	GS4	-	2644R1	N/A	N/A	
RS5L(-)	2	GN	193	3858761R1	N/A	GS4	-	2644R1	N/A	N/A	
SB5H(-)	18	GN	TXL	3572112R1	N/A	GS4	-	2644R1	N/A	N/A	
SB5J(-)	18	GN	TXL	3572112R1	N/A	GS4	-	2644R1	N/A	N/A	
SB5L(-)	2	GN	193	3858761R1	N/A	GS4	-	2644R1	N/A	N/A	
SC5H(-)	18	GN	TXL	3572112R1	N/A	GS4	-	2644R1	N/A	N/A	
SC5K(-)	18	GN	TXL	3572112R1	N/A	GS4	-	2644R1	N/A	N/A	
SC5L(-)	2	GN	193	3858761R1	N/A	GS4	-	2644R1	N/A	N/A	
AE11-GCC	14	WH	TXL	351361R1	N/A	GS41	-	2644R1	N/A	N/A	
AE11-GCD	14	WH	TXL	351361R1	N/A	GS41	-	2644R1	N/A	N/A	
AE11-GCE	14	WH	TXL	351361R1	N/A	GS41	-	2644R1	N/A	N/A	
AE86C	14	LTGN	TXL	35131R1	N/A	GS42	-	2644R1	N/A	N/A	
AE86C1	14	LTGN	TXL	35131R1	N/A	GS42	-	2644R1	N/A	N/A	
AE86C2	14	LTGN	TXL	35131R1	N/A	GS42	-	2644R1	N/A	N/A	
3T71	16	OR	TXL	351318R1	N/A	GS43	-	2644R1	N/A	N/A	
3T71A	16	OR	TXL	351318R1	N/A	GS43	-	2644R1	N/A	N/A	
3T71B	18	OR	TXL	351317R1	N/A	GS43	-	2644R1	N/A	N/A	
GM71	16	OR	TXL	351318R1	N/A	GS43	-	2644R1	N/A	N/A	
GM71A	16	OR	TXL	351318R1	N/A	GS43	-	2644R1	N/A	N/A	
GM71B	18	OR	TXL	351317R1	N/A	GS43	-	2644R1	N/A	N/A	
BK71B	16	OR	TXL	351318R1	N/A	GS44	-	2644R1	N/A	N/A	
BK92RAB	18	TN	TXL	351329R1	N/A	GS44	-	2644R1	N/A	N/A	
GM71BA	16	OR	TXL	351318R1	N/A	GS44	-	2644R1	N/A	N/A	
GM71BC	18	OR	TXL	351317R1	N/A	GS44	-	2644R1	N/A	N/A	
CF13SD	18	PK	TXL	351323R1	N/A	GS45	-	2644R1	N/A	N/A	
CF13SD1	18	PK	TXL	351323R1	N/A	GS45	-	2644R1	N/A	N/A	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
CF7D	18	GY	TXL	351311R1	N/A	GS45	-	2644R1	N/A	N/A
CG13SD	18	PK	TXL	351323R1	N/A	GS45	-	2644R1	N/A	N/A
CG13SD1	18	PK	TXL	351323R1	N/A	GS45	-	2644R1	N/A	N/A
CG7D	18	OR	TXL	351317R1	N/A	GS45	-	2644R1	N/A	N/A
DX14VB	12	RD	TXL	351368R1	N/A	GS46	-	2644R1	N/A	N/A
DX14VBA	1	RD	TXL	351369R1	N/A	GS46	-	2644R1	N/A	N/A
JY11-GA	18	WH	TXL	351359R1	N/A	GS47	-	2644R1	N/A	N/A
JY11-GC	18	WH	TXL	351359R1	N/A	GS47	-	2644R1	N/A	N/A
JY11-GD	18	WH	TXL	351359R1	N/A	GS47	-	2644R1	N/A	N/A
JY13	18	PK	TXL	351323R1	N/A	GS48	-	2644R1	N/A	N/A
JY13E	18	PK	TXL	351323R1	N/A	GS48	-	2644R1	N/A	N/A
JY13F	18	PK	TXL	351323R1	N/A	GS48	-	2644R1	N/A	N/A
JY14B	18	RD	TXL	351365R1	N/A	GS49	-	2644R1	N/A	N/A
JY14C	18	RD	TXL	351365R1	N/A	GS49	-	2644R1	N/A	N/A
JY14E	18	RD	TXL	351365R1	N/A	GS49	-	2644R1	N/A	N/A
FB94TT4	14	GY	TXL	351313R1	N/A	GS5	-	2644R1	N/A	N/A
FB94U	12	GY	TXL	351314R1	N/A	GS5	-	2644R1	N/A	N/A
3D5J(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
3D5K(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
3D5M(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
3M5J(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
3M5K(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
3M5M(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
JD5J(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
JD5K(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
JD5M(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
JG5H(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
JG5J(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
JG5K(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
PZ5H(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
PZ5J(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
PZ5M(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
RD5F(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
RD5F(-)	18	GN	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
RD5J(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
RD5K(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
RS5F(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
RS5J(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
RS5K(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
RU5F(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
RU5H(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
RU5J(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
SC5J(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
SC5K(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
SC5R(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
SE5H(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
SE5J(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
SE5L(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
SN5H(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
SN5J(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
SN5K(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
SP5H(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
SP5J(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
SP5K(+)	18	YL	TXL	3572112R1	N/A	GS5	-	2644R1	N/A	N/A
HN75AR	18	LTGN	GXL	2643671R1	N/A	GS51	-	2644R1	N/A	N/A
HN75AT	18	LTGN	GXL	2643671R1	N/A	GS51	-	2644R1	N/A	N/A
HN75HB	18	LTGN	GXL	2643671R1	N/A	GS51	-	2644R1	N/A	N/A
HN75HC	18	LTGN	GXL	2643671R1	N/A	GS51	-	2644R1	N/A	N/A
HN75HD	18	LTGN	GXL	2643671R1	N/A	GS51	-	2644R1	N/A	N/A
AG14X	12	RD	TXL	351368R1	N/A	GS52	-	2644R1	N/A	N/A
AG14XY	8	RD	GXL	264371R1	N/A	GS52	-	2644R1	N/A	N/A
AG14Y	12	RD	TXL	351368R1	N/A	GS52	-	2644R1	N/A	N/A
9S11-GB	18	WH	GXL	2643674R1	N/A	GS53	-	2644R1	N/A	N/A
9S11-GBA	16	WH	GXL	2643681R1	N/A	GS53	-	2644R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
9S11-GBB	16	WH	GXL	2643681R1	N/A	GS53	-	2644R1	N/A	N/A
9S11-GA	18	WH	GXL	2643674R1	N/A	GS54	-	2644R1	N/A	N/A
9S11-GB	18	WH	GXL	2643674R1	N/A	GS54	-	2644R1	N/A	N/A
9S11-GC	18	WH	GXL	2643674R1	N/A	GS54	-	2644R1	N/A	N/A
9S74J	16	RD	GXL	264376R1	N/A	GS55	-	2644R1	N/A	N/A
9S74RB2	16	RD	GXL	264376R1	N/A	GS55	-	2644R1	N/A	N/A
9S74RBA	16	RD	GXL	264376R1	N/A	GS55	-	2644R1	N/A	N/A
9S74RBB	16	RD	GXL	264376R1	N/A	GS55	-	2644R1	N/A	N/A
9S74RA	12	RD	GXL	2643695R1	N/A	GS56	-	2644R1	N/A	N/A
9S74RB	16	RD	GXL	264376R1	N/A	GS56	-	2644R1	N/A	N/A
9S74RC	12	RD	GXL	2643695R1	N/A	GS56	-	2644R1	N/A	N/A
PY5H(+)	18	YL	TXL	3572112R1	N/A	GS57	-	2644R1	N/A	N/A
PY5J(+)	18	YL	TXL	3572112R1	N/A	GS57	-	2644R1	N/A	N/A
PY5K(+)	2	YL	193	3858761R1	N/A	GS57	-	2644R1	N/A	N/A
RG5F(+)	18	YL	TXL	3572112R1	N/A	GS57	-	2644R1	N/A	N/A
RG5H(+)	18	YL	TXL	3572112R1	N/A	GS57	-	2644R1	N/A	N/A
RG5J(+)	2	YL	193	3858761R1	N/A	GS57	-	2644R1	N/A	N/A
SD5H(+)	18	YL	TXL	3572112R1	N/A	GS57	-	2644R1	N/A	N/A
SD5J(+)	18	YL	TXL	3572112R1	N/A	GS57	-	2644R1	N/A	N/A
SD5K(+)	2	YL	193	3858761R1	N/A	GS57	-	2644R1	N/A	N/A
PY5H(-)	18	GN	TXL	3572112R1	N/A	GS58	-	2644R1	N/A	N/A
PY5J(-)	18	GN	TXL	3572112R1	N/A	GS58	-	2644R1	N/A	N/A
PY5K(-)	2	GN	193	3858761R1	N/A	GS58	-	2644R1	N/A	N/A
RG5F(-)	18	GN	TXL	3572112R1	N/A	GS58	-	2644R1	N/A	N/A
RG5H(-)	18	GN	TXL	3572112R1	N/A	GS58	-	2644R1	N/A	N/A
RG5J(-)	2	GN	193	3858761R1	N/A	GS58	-	2644R1	N/A	N/A
SD5H(-)	18	GN	TXL	3572112R1	N/A	GS58	-	2644R1	N/A	N/A
SD5J(-)	18	GN	TXL	3572112R1	N/A	GS58	-	2644R1	N/A	N/A
SD5K(-)	2	GN	193	3858761R1	N/A	GS58	-	2644R1	N/A	N/A
3D5J(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A
3D5K(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A
3D5M(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
3M5J(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A
3M5K(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A
3M5M(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A
JD5J(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A
JD5K(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A
JD5M(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A
JG5H(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A
JG5J(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A
JG5K(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A
PZ5H(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A
PZ5J(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A
PZ5M(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A
RD5J(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A
RD5K(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A
RS5F(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A
RS5J(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A
RS5K(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A
RU5F(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A
RU5H(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A
RU5J(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A
SC5J(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A
SC5K(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A
SC5R(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A
SE5H(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A
SE5J(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A
SE5L(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A
SN5H(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A
SN5J(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A
SN5K(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A
SP5H(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A
SP5J(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A
SP5K(-)	18	GN	TXL	3572112R1	N/A	GS6	-	2644R1	N/A	N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
9S11-GA	18	WH	GXL	2643674R1	N/A	GS7	-	N/A	N/A	N/A
BC63-GAJ	18	WH	TXL	351359R1	N/A	GS7	-	N/A	N/A	N/A
BH11-GAL	18	WH	TXL	351359R1	N/A	GS7	-	N/A	N/A	N/A
BX65-GFA	18	WH	TXL	351359R1	N/A	GS7	-	N/A	N/A	N/A
BX65-GFB	18	WH	TXL	351359R1	N/A	GS7	-	N/A	N/A	N/A
CA11-GUA	2	WH	TXL	351358R1	N/A	GS7	-	N/A	N/A	N/A
CA84-GAF	14	WH	TXL	351361R1	N/A	GS7	-	N/A	N/A	N/A
CB11-GUA	2	WH	TXL	351358R1	N/A	GS7	-	N/A	N/A	N/A
CB11-GUB	2	WH	TXL	351358R1	N/A	GS7	-	N/A	N/A	N/A
CB84-GAF	14	WH	TXL	351361R1	N/A	GS7	-	N/A	N/A	N/A
CB84-GBB	14	WH	TXL	351361R1	N/A	GS7	-	N/A	N/A	N/A
CD14-GAG	18	WH	TXL	351359R1	N/A	GS7	-	N/A	N/A	N/A
CE14-GAG	18	WH	TXL	351359R1	N/A	GS7	-	N/A	N/A	N/A
CL11-GUA	2	WH	TXL	351358R1	N/A	GS7	-	N/A	N/A	N/A
CL11-GUB	2	WH	TXL	351358R1	N/A	GS7	-	N/A	N/A	N/A
CL84-GAB	14	WH	TXL	351361R1	N/A	GS7	-	N/A	N/A	N/A
CL84-GAF	14	WH	TXL	351361R1	N/A	GS7	-	N/A	N/A	N/A
DB11-GAA	14	WH	TXL	351361R1	N/A	GS7	-	N/A	N/A	N/A
DK62-GBN	18	WH	TXL	351359R1	N/A	GS7	-	N/A	N/A	N/A
DX11-GLD	2	WH	TXL	351358R1	N/A	GS7	-	N/A	N/A	N/A
EE11-GDH	18	WH	TXL	351359R1	N/A	GS7	-	N/A	N/A	N/A
GJ11-GDE	18	WH	TXL	351359R1	N/A	GS7	-	N/A	N/A	N/A
HA11-GAT	18	WH	TXL	351359R1	N/A	GS7	-	N/A	N/A	N/A
HC15-GAP	18	WH	TXL	351359R1	N/A	GS7	-	N/A	N/A	N/A
JL116GAG	18	WH	TXL	351359R1	N/A	GS7	-	N/A	N/A	N/A
MR86-G	18	WH	TXL	351359R1	N/A	GS7	-	N/A	N/A	N/A
MZ86-G	18	WH	TXL	351359R1	N/A	GS7	-	N/A	N/A	N/A
RE11-GAL	2	WH	TXL	351358R1	N/A	GS7	-	N/A	N/A	N/A
RW22-GAN	18	WH	TXL	351359R1	N/A	GS7	-	N/A	N/A	N/A
JL116GAG	18	WH	TXL	351359R1	N/A	GS8	-	2644R1	N/A	N/A
2V11-GBP	18	WH	TXL	351359R1	N/A	GS9	-	2644R1	N/A	N/A
2V11COG	18	WH	TXL	351359R1	N/A	GS9	-	2644R1	N/A	N/A

Circuit		Terminal Splice			Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
2V11COG1	18	WH	TXL	351359R1	N/A	GS9	-	2644R1	N/A	N/A	
CS11-GBP	18	WH	TXL	351359R1	N/A	GS9	-	2644R1	N/A	N/A	
CS11COG	18	WH	TXL	351359R1	N/A	GS9	-	2644R1	N/A	N/A	
CS11COG1	18	WH	TXL	351359R1	N/A	GS9	-	2644R1	N/A	N/A	
CS67NB	16	VT	TXL	351348R1	N/A	GS9	-	2644R1	N/A	N/A	
RV11-GBP	18	WH	TXL	351359R1	N/A	GS9	-	2644R1	N/A	N/A	
RV11COG	18	WH	TXL	351359R1	N/A	GS9	-	2644R1	N/A	N/A	
RV11COG1	18	WH	TXL	351359R1	N/A	GS9	-	2644R1	N/A	N/A	
RV11COG3	18	WH	TXL	351359R1	N/A	GS9	-	2644R1	N/A	N/A	
RE1AA	2	WH	TXL	351358R1	N/A	HS1	-	2644R1	N/A	N/A	
RE1AB	2	WH	TXL	351358R1	N/A	HS1	-	2644R1	N/A	N/A	
RE1AC	2	WH	TXL	351358R1	N/A	HS1	-	2644R1	N/A	N/A	
RE1AD	2	WH	TXL	351358R1	N/A	HS1	-	2644R1	N/A	N/A	
RE11-GAL	2	WH	TXL	351358R1	N/A	HS1	-	2644R1	N/A	N/A	
GZ5AE(+)	18	YL	TXL	3572112R1	N/A	HS2	-	2644R1	N/A	N/A	
GZ5AH(+)	18	YL	TXL	3572112R1	N/A	HS2	-	2644R1	N/A	N/A	
GZ5AJ(+)	18	YL	TXL	3572112R1	N/A	HS2	-	2644R1	N/A	N/A	
JK5AE(+)	18	YL	TXL	3572112R1	N/A	HS2	-	2644R1	N/A	N/A	
JK5AH(+)	18	YL	TXL	3572112R1	N/A	HS2	-	2644R1	N/A	N/A	
JK5AJ(+)	18	YL	TXL	3572112R1	N/A	HS2	-	2644R1	N/A	N/A	
KU5AE(+)	18	YL	TXL	3572112R1	N/A	HS2	-	2644R1	N/A	N/A	
KU5AH(+)	18	YL	TXL	3572112R1	N/A	HS2	-	2644R1	N/A	N/A	
KU5AJ(+)	18	YL	TXL	3572112R1	N/A	HS2	-	2644R1	N/A	N/A	
LN5AE(+)	18	YL	TXL	3572112R1	N/A	HS2	-	2644R1	N/A	N/A	
LN5AH(+)	18	YL	TXL	3572112R1	N/A	HS2	-	2644R1	N/A	N/A	
LN5AJ(+)	18	YL	TXL	3572112R1	N/A	HS2	-	2644R1	N/A	N/A	
GZ5AE(-)	18	GN	TXL	3572112R1	N/A	HS3	-	2644R1	N/A	N/A	
GZ5AH(-)	18	GN	TXL	3572112R1	N/A	HS3	-	2644R1	N/A	N/A	
GZ5AJ(-)	18	GN	TXL	3572112R1	N/A	HS3	-	2644R1	N/A	N/A	
JK5AE(-)	18	GN	TXL	3572112R1	N/A	HS3	-	2644R1	N/A	N/A	
JK5AH(-)	18	GN	TXL	3572112R1	N/A	HS3	-	2644R1	N/A	N/A	
JK5AJ(-)	18	GN	TXL	3572112R1	N/A	HS3	-	2644R1	N/A	N/A	



Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
KU5AE(-)	18	GN	TXL	3572112R1	N/A	HS3	-	2644R1	N/A	N/A	
KU5AH(-)	18	GN	TXL	3572112R1	N/A	HS3	-	2644R1	N/A	N/A	
KU5AJ(-)	18	GN	TXL	3572112R1	N/A	HS3	-	2644R1	N/A	N/A	
LN5AE(-)	18	GN	TXL	3572112R1	N/A	HS3	-	2644R1	N/A	N/A	
LN5AH(-)	18	GN	TXL	3572112R1	N/A	HS3	-	2644R1	N/A	N/A	
LN5AJ(-)	18	GN	TXL	3572112R1	N/A	HS3	-	2644R1	N/A	N/A	
PZ5K(+)	18	YL	TXL	3572112R1	N/A	KS1	-	2644R1	N/A	N/A	
PZ5M(+)	18	YL	TXL	3572112R1	N/A	KS1	-	2644R1	N/A	N/A	
PZ5R(+)	2	YL	193	3858761R1	N/A	KS1	-	2644R1	N/A	N/A	
RD5M(+)	18	YL	TXL	3572112R1	N/A	KS1	-	2644R1	N/A	N/A	
RD5R(+)	2	YL	193	3858761R1	N/A	KS1	-	2644R1	N/A	N/A	
RJ5F(+)	18	YL	TXL	3572112R1	N/A	KS1	-	2644R1	N/A	N/A	
RJ5J(+)	2	YL	193	3858761R1	N/A	KS1	-	2644R1	N/A	N/A	
RJ5M(+)	18	YL	TXL	3572112R1	N/A	KS1	-	2644R1	N/A	N/A	
RM5F(+)	18	YL	TXL	3572112R1	N/A	KS1	-	2644R1	N/A	N/A	
RM5J(+)	2	YL	193	3858761R1	N/A	KS1	-	2644R1	N/A	N/A	
RM5M(+)	18	YL	TXL	3572112R1	N/A	KS1	-	2644R1	N/A	N/A	
RS5K(+)	18	YL	TXL	3572112R1	N/A	KS1	-	2644R1	N/A	N/A	
RS5M(+)	18	YL	TXL	3572112R1	N/A	KS1	-	2644R1	N/A	N/A	
RS5R(+)	2	YL	193	3858761R1	N/A	KS1	-	2644R1	N/A	N/A	
RU5F(+)	18	YL	TXL	3572112R1	N/A	KS1	-	2644R1	N/A	N/A	
RU5K(+)	18	YL	TXL	3572112R1	N/A	KS1	-	2644R1	N/A	N/A	
RU5L(+)	2	YL	193	3858761R1	N/A	KS1	-	2644R1	N/A	N/A	
SB5J(+)	18	YL	TXL	3572112R1	N/A	KS1	-	2644R1	N/A	N/A	
SB5K(+)	2	YL	193	3858761R1	N/A	KS1	-	2644R1	N/A	N/A	
SB5M(+)	18	YL	TXL	3572112R1	N/A	KS1	-	2644R1	N/A	N/A	
SC5M(+)	18	YL	TXL	3572112R1	N/A	KS1	-	2644R1	N/A	N/A	
SC5R(+)	18	YL	TXL	3572112R1	N/A	KS1	-	2644R1	N/A	N/A	
SC5T(+)	2	YL	193	3858761R1	N/A	KS1	-	2644R1	N/A	N/A	
SE5K(+)	18	YL	TXL	3572112R1	N/A	KS1	-	2644R1	N/A	N/A	
SE5L(+)	18	YL	TXL	3572112R1	N/A	KS1	-	2644R1	N/A	N/A	
SE5M(+)	2	YL	193	3858761R1	N/A	KS1	-	2644R1	N/A	N/A	

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
PZ5K(-)	18	GN	TXL	3572112R1	N/A	KS2	-	2644R1	N/A	N/A
PZ5M(-)	18	GN	TXL	3572112R1	N/A	KS2	-	2644R1	N/A	N/A
PZ5R(-)	2	GN	193	3858761R1	N/A	KS2	-	2644R1	N/A	N/A
RD5M(-)	18	GN	TXL	3572112R1	N/A	KS2	-	2644R1	N/A	N/A
RD5R(-)	2	GN	193	3858761R1	N/A	KS2	-	2644R1	N/A	N/A
RJ5F(-)	18	GN	TXL	3572112R1	N/A	KS2	-	2644R1	N/A	N/A
RJ5J(-)	2	GN	193	3858761R1	N/A	KS2	-	2644R1	N/A	N/A
RJ5M(-)	18	GN	TXL	3572112R1	N/A	KS2	-	2644R1	N/A	N/A
RM5F(-)	18	GN	TXL	3572112R1	N/A	KS2	-	2644R1	N/A	N/A
RM5J(-)	2	GN	193	3858761R1	N/A	KS2	-	2644R1	N/A	N/A
RM5M(-)	18	GN	TXL	3572112R1	N/A	KS2	-	2644R1	N/A	N/A
RS5K(-)	18	GN	TXL	3572112R1	N/A	KS2	-	2644R1	N/A	N/A
RS5M(-)	18	GN	TXL	3572112R1	N/A	KS2	-	2644R1	N/A	N/A
RS5R(-)	2	GN	193	3858761R1	N/A	KS2	-	2644R1	N/A	N/A
RU5F(-)	18	GN	TXL	3572112R1	N/A	KS2	-	2644R1	N/A	N/A
RU5K(-)	18	GN	TXL	3572112R1	N/A	KS2	-	2644R1	N/A	N/A
RU5L(-)	2	GN	193	3858761R1	N/A	KS2	-	2644R1	N/A	N/A
SB5J(-)	18	GN	TXL	3572112R1	N/A	KS2	-	2644R1	N/A	N/A
SB5K(-)	2	GN	193	3858761R1	N/A	KS2	-	2644R1	N/A	N/A
SB5M(-)	18	GN	TXL	3572112R1	N/A	KS2	-	2644R1	N/A	N/A
SC5M(-)	18	GN	TXL	3572112R1	N/A	KS2	-	2644R1	N/A	N/A
SC5R(-)	18	GN	TXL	3572112R1	N/A	KS2	-	2644R1	N/A	N/A
SC5T(-)	2	GN	193	3858761R1	N/A	KS2	-	2644R1	N/A	N/A
SE5K(-)	18	GN	TXL	3572112R1	N/A	KS2	-	2644R1	N/A	N/A
SE5L(-)	18	GN	TXL	3572112R1	N/A	KS2	-	2644R1	N/A	N/A
SE5M(-)	2	GN	193	3858761R1	N/A	KS2	-	2644R1	N/A	N/A
CN11-GBC	18	WH	TXL	351359R1	N/A	MS1	-	2644R1	N/A	N/A
CN11-GBD	18	WH	TXL	351359R1	N/A	MS1	-	2644R1	N/A	N/A
CN11-GBF	18	WH	TXL	351359R1	N/A	MS1	-	2644R1	N/A	N/A
CR11-GBC	18	WH	TXL	351359R1	N/A	MS1	-	2644R1	N/A	N/A
CR11-GBD	18	WH	TXL	351359R1	N/A	MS1	-	2644R1	N/A	N/A
CR11-GBF	18	WH	TXL	351359R1	N/A	MS1	-	2644R1	N/A	N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
ZY11-GBC	18	WH	TXL	351359R1	N/A	MS1	-	2644R1	N/A	N/A
ZY11-GBD	18	WH	TXL	351359R1	N/A	MS1	-	2644R1	N/A	N/A
ZY11-GBF	18	WH	TXL	351359R1	N/A	MS1	-	2644R1	N/A	N/A
ZY98-GBE	18	WH	TXL	351359R1	N/A	MS1	-	2644R1	N/A	N/A
AA73A	2	LTGN	TXL	351298R1	N/A	NS1	-	2644R1	N/A	N/A
AA73B	2	LTGN	TXL	351298R1	N/A	NS1	-	2644R1	N/A	N/A
AA73C	2	LTGN	TXL	351298R1	N/A	NS1	-	2644R1	N/A	N/A
JP5BG(+)	18	YL	TXL	351335R1	N/A	NS1	-	2644R1	N/A	N/A
JP5BJ(+)	18	YL	TXL	351335R1	N/A	NS1	-	2644R1	N/A	N/A
JP5BK(+)	18	YL	TXL	351335R1	N/A	NS1	-	2644R1	N/A	N/A
JR5BH(+)	18	YL	TXL	351335R1	N/A	NS1	-	2644R1	N/A	N/A
JR5BJ(+)	18	YL	TXL	351335R1	N/A	NS1	-	2644R1	N/A	N/A
JR5BK(+)	18	YL	TXL	351335R1	N/A	NS1	-	2644R1	N/A	N/A
JP5BG(-)	18	LTGN	TXL	351299R1	N/A	NS2	-	2644R1	N/A	N/A
JP5BJ(-)	18	LTGN	TXL	351299R1	N/A	NS2	-	2644R1	N/A	N/A
JP5BK(-)	18	LTGN	TXL	351299R1	N/A	NS2	-	2644R1	N/A	N/A
JR5BH(-)	18	LTGN	TXL	351299R1	N/A	NS2	-	2644R1	N/A	N/A
JR5BJ(-)	18	LTGN	TXL	351299R1	N/A	NS2	-	2644R1	N/A	N/A
JR5BK(-)	18	LTGN	TXL	351299R1	N/A	NS2	-	2644R1	N/A	N/A
DH75A	2	LTGN	TXL	351298R1	N/A	NS3	-	2644R1	N/A	N/A
DH75AA	18	LTGN	TXL	351299R1	N/A	NS3	-	2644R1	N/A	N/A
DH75AB	18	LTGN	TXL	351299R1	N/A	NS3	-	2644R1	N/A	N/A
3A94-GA	18	WH	TXL	351359R1	N/A	NS4	-	2644R1	N/A	N/A
3A94-GB	18	WH	TXL	351359R1	N/A	NS4	-	2644R1	N/A	N/A
3A94-GC	16	WH	TXL	35136R1	N/A	NS4	-	2644R1	N/A	N/A
3A94BB	18	GY	TXL	351311R1	N/A	NS4	-	2644R1	N/A	N/A
3A94BK	18	GY	TXL	351311R1	N/A	NS4	-	2644R1	N/A	N/A
3A94MA	18	GY	TXL	351311R1	N/A	NS4	-	2644R1	N/A	N/A
3A94MJ	18	GY	TXL	351311R1	N/A	NS4	-	2644R1	N/A	N/A
GS94-GA	18	WH	TXL	351359R1	N/A	NS4	-	2644R1	N/A	N/A
GS94-GB	18	WH	TXL	351359R1	N/A	NS4	-	2644R1	N/A	N/A
GS94-GC	16	WH	TXL	35136R1	N/A	NS4	-	2644R1	N/A	N/A

Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
GS94BB	18	GY	TXL	351311R1	N/A	NS4	-	2644R1	N/A	N/A	
GS94BK	18	GY	TXL	351311R1	N/A	NS4	-	2644R1	N/A	N/A	
GS94MA	18	GY	TXL	351311R1	N/A	NS4	-	2644R1	N/A	N/A	
GS94MJ	18	GY	TXL	351311R1	N/A	NS4	-	2644R1	N/A	N/A	
GZ5AF(+)	2	YL	193	3858761R1	N/A	NS5	-	2644R1	N/A	N/A	
GZ5AG(+)	18	YL	TXL	3572112R1	N/A	NS5	-	2644R1	N/A	N/A	
GZ5AJ(+)	18	YL	TXL	3572112R1	N/A	NS5	-	2644R1	N/A	N/A	
JK5AF(+)	2	YL	193	3858761R1	N/A	NS5	-	2644R1	N/A	N/A	
JK5AG(+)	18	YL	TXL	3572112R1	N/A	NS5	-	2644R1	N/A	N/A	
JK5AL(+)	18	YL	TXL	3572112R1	N/A	NS5	-	2644R1	N/A	N/A	
KU5AB(+)	18	YL	TXL	3572112R1	N/A	NS5	-	2644R1	N/A	N/A	
KU5AF(+)	2	YL	193	3858761R1	N/A	NS5	-	2644R1	N/A	N/A	
KU5AJ(+)	18	YL	TXL	3572112R1	N/A	NS5	-	2644R1	N/A	N/A	
LN5AB(+)	18	YL	TXL	3572112R1	N/A	NS5	-	2644R1	N/A	N/A	
LN5AF(+)	2	YL	193	3858761R1	N/A	NS5	-	2644R1	N/A	N/A	
LN5AL(+)	18	YL	TXL	3572112R1	N/A	NS5	-	2644R1	N/A	N/A	
GZ5AF(-)	2	GN	193	3858761R1	N/A	NS6	-	2644R1	N/A	N/A	
GZ5AG(-)	18	GN	TXL	3572112R1	N/A	NS6	-	2644R1	N/A	N/A	
GZ5AJ(-)	18	GN	TXL	3572112R1	N/A	NS6	-	2644R1	N/A	N/A	
JK5AF(-)	2	GN	193	3858761R1	N/A	NS6	-	2644R1	N/A	N/A	
JK5AG(-)	18	GN	TXL	3572112R1	N/A	NS6	-	2644R1	N/A	N/A	
JK5AL(-)	18	GN	TXL	3572112R1	N/A	NS6	-	2644R1	N/A	N/A	
KU5AB(-)	18	GN	TXL	3572112R1	N/A	NS6	-	2644R1	N/A	N/A	
KU5AF(-)	2	GN	193	3858761R1	N/A	NS6	-	2644R1	N/A	N/A	
KU5AJ(-)	18	GN	TXL	3572112R1	N/A	NS6	-	2644R1	N/A	N/A	
LN5AB(-)	18	GN	TXL	3572112R1	N/A	NS6	-	2644R1	N/A	N/A	
LN5AF(-)	2	GN	193	3858761R1	N/A	NS6	-	2644R1	N/A	N/A	
LN5AL(-)	18	GN	TXL	3572112R1	N/A	NS6	-	2644R1	N/A	N/A	
EY71B	16	OR	TXL	351318R1	N/A	NS7	-	2644R1	N/A	N/A	
EY71BA	16	OR	TXL	351318R1	N/A	NS7	-	2644R1	N/A	N/A	
EY71BB	18	OR	TXL	351317R1	N/A	NS7	-	2644R1	N/A	N/A	
CF11-GBE	18	WH	TXL	351359R1	N/A	NS9	-	2644R1	N/A	N/A	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
CF11-GSD	18	WH	TXL	351359R1	N/A	NS9	-	2644R1	N/A	N/A
3D5M(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
3D5N(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
3D5P(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
3M5M(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
3M5N(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
3M5P(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
9K5H(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
9K5N(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
9K5P(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
9L5M(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
9L5N(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
9L5P(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
9P5H(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
9P5N(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
9P5P(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
9V5M(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
9V5N(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
9V5P(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
JC5M(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
JC5N(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
JC5P(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
JD5M(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
JD5N(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
JD5P(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
JF5H(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
JF5N(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
JF5P(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
JG5K(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
JG5N(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
JG5P(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
PY5H(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
PY5N(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
PY5P(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
PZ5K(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
PZ5N(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
PZ5P(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
RD5M(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
RD5N(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
RD5P(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
RG5H(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
RG5N(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
RG5P(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
RJ5M(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
RJ5N(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
RJ5P(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
RM5M(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
RM5N(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
RM5P(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
RS5M(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
RS5N(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
RS5P(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
RU5K(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
RU5N(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
RU5P(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
SB5M(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
SB5N(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
SB5P(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
SC5M(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
SC5N(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
SC5P(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
SD5H(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
SD5N(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
SD5P(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
SE5K(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
SE5N(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
SE5P(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
SN5K(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
SN5N(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
SN5P(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
SP5K(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
SP5N(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
SP5P(-)	18	GN	TXL	3572112R1	N/A	PS1	-	2644R1	N/A	N/A
3D5M(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
3D5N(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
3D5P(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
3M5M(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
3M5N(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
3M5P(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
9K5H(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
9K5N(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
9K5P(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
9L5M(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
9L5N(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
9L5P(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
9P5H(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
9P5N(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
9P5P(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
9V5M(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
9V5N(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
9V5P(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
JC5M(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
JC5N(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
JC5P(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
JD5M(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
JD5N(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
JD5P(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
JF5H(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
JF5N(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
JF5P(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
JG5K(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
JG5N(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
JG5P(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
PY5H(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
PY5N(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
PY5P(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
PZ5K(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
PZ5N(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
PZ5P(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
RD5M(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
RD5N(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
RD5P(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
RG5H(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
RG5N(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
RG5P(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
RJ5M(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
RJ5N(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
RJ5P(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
RM5M(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
RM5N(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
RM5P(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
RS5M(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
RS5N(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
RS5P(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
RU5K(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
RU5N(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
RU5P(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
SB5M(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A



<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
SB5N(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
SB5P(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
SC5M(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
SC5N(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
SC5P(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
SD5H(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
SD5N(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
SD5P(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
SE5K(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
SE5N(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
SE5P(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
SN5K(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
SN5N(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
SN5P(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
SP5K(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
SP5N(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
SP5P(+)	18	YL	TXL	3572112R1	N/A	PS2	-	2644R1	N/A	N/A
DY54-GX	16	WH	TXL	35136R1	N/A	PS3	-	2644R1	N/A	N/A
DY54-GXA	16	WH	TXL	35136R1	N/A	PS3	-	2644R1	N/A	N/A
PA54-GX	16	WH	TXL	35136R1	N/A	PS3	-	2644R1	N/A	N/A
PA54-GXA	16	WH	TXL	35136R1	N/A	PS3	-	2644R1	N/A	N/A
XZ94SV	16	GY	TXL	351312R1	N/A	RS1	-	2644R1	N/A	N/A
XZ94SVC	16	GY	TXL	351312R1	N/A	RS1	-	2644R1	N/A	N/A
XZ94SVD	16	GY	TXL	351312R1	N/A	RS1	-	2644R1	N/A	N/A
XZ94SZ	16	GY	TXL	351312R1	N/A	RS2	-	2644R1	N/A	N/A
XZ94SZC	16	GY	TXL	351312R1	N/A	RS2	-	2644R1	N/A	N/A
XZ94SZD	16	GY	TXL	351312R1	N/A	RS2	-	2644R1	N/A	N/A
MA54X	16	OR	GXL	2643682R1	N/A	SAS1	-	2644R1	N/A	N/A
MA54XB	16	OR	GXL	2643682R1	N/A	SAS1	-	2644R1	N/A	N/A
MA54XC	16	OR	GXL	2643682R1	N/A	SAS1	-	2644R1	N/A	N/A
RN49-GA	18	WH	GXL	2643674R1	N/A	SBS1	-	2644R1	N/A	N/A
RN49-GB	18	WH	GXL	2643674R1	N/A	SBS1	-	2644R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
RN49-GC	18	WH	GXL	2643674R1	N/A	SBS1	-	2644R1	N/A	N/A
NK68T	1	BN	GXL	2643779R1	N/A	SBS2	-	2644R1	N/A	N/A
NK68U	1	BN	TXL	35139R1	N/A	SBS2	-	2644R1	N/A	N/A
NK68W	1	BN	GXL	2643779R1	N/A	SBS2	-	2644R1	N/A	N/A
NK57T	1	LTGN	GXL	2643776R1	N/A	SBS5	-	2644R1	N/A	N/A
NK57U	1	LTGN	GXL	2643776R1	N/A	SBS5	-	2644R1	N/A	N/A
NK57W	1	LTGN	GXL	2643776R1	N/A	SBS5	-	2644R1	N/A	N/A
NY65BC	14	OR	GXL	264369R1	N/A	SBS6	-	2644R1	N/A	N/A
NY65BD	16	OR	GXL	2643682R1	N/A	SBS6	-	2644R1	N/A	N/A
NY65BE	16	OR	GXL	2643682R1	N/A	SBS6	-	2644R1	N/A	N/A
BA6	18	GY	GXL	2643673R1	N/A	SCS1	-	UNDEF	N/A	N/A
BA6A	18	GY	GXL	2643673R1	N/A	SCS1	-	UNDEF	N/A	N/A
BA6B	18	GY	GXL	2643673R1	N/A	SCS1	-	UNDEF	N/A	N/A
BA6C	18	GY	GXL	2643673R1	N/A	SCS1	-	UNDEF	N/A	N/A
BH9	18	GY	GXL	2643673R1	N/A	SCS2	-	UNDEF	N/A	N/A
BH9C	18	GY	TXL	351311R1	N/A	SCS2	-	UNDEF	N/A	N/A
BH9D	18	GY	TXL	351311R1	N/A	SCS2	-	UNDEF	N/A	N/A
BH9E	18	GY	GXL	2643673R1	N/A	SCS2	-	UNDEF	N/A	N/A
BH9F	18	GY	GXL	2643673R1	N/A	SCS2	-	UNDEF	N/A	N/A
BH9H	18	GY	GXL	2643673R1	N/A	SCS2	-	UNDEF	N/A	N/A
BH9J	18	GY	GXL	2643673R1	N/A	SCS2	-	UNDEF	N/A	N/A
BH9K	18	GY	GXL	2643673R1	N/A	SCS2	-	UNDEF	N/A	N/A
BH9M	18	GY	GXL	2643673R1	N/A	SCS2	-	UNDEF	N/A	N/A
BJ9	18	GY	GXL	2643673R1	N/A	SCS2	-	UNDEF	N/A	N/A
BJ9C	18	GY	TXL	351311R1	N/A	SCS2	-	UNDEF	N/A	N/A
BJ9D	18	GY	TXL	351311R1	N/A	SCS2	-	UNDEF	N/A	N/A
BJ9E	18	GY	GXL	2643673R1	N/A	SCS2	-	UNDEF	N/A	N/A
BJ9F	18	GY	GXL	2643673R1	N/A	SCS2	-	UNDEF	N/A	N/A
BJ9H	18	GY	GXL	2643673R1	N/A	SCS2	-	UNDEF	N/A	N/A
BJ9J	18	GY	GXL	2643673R1	N/A	SCS2	-	UNDEF	N/A	N/A
BJ9K	18	GY	GXL	2643673R1	N/A	SCS2	-	UNDEF	N/A	N/A
BJ9M	18	GY	GXL	2643673R1	N/A	SCS2	-	UNDEF	N/A	N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
BE94SV	18	GY	GXL	2643673R1	N/A	SCS3	-	2644R1	N/A	N/A
BE94SVA	18	GY	GXL	2643673R1	N/A	SCS3	-	2644R1	N/A	N/A
BE94SVB	18	GY	GXL	2643673R1	N/A	SCS3	-	2644R1	N/A	N/A
BE94SZ	18	GY	GXL	2643673R1	N/A	SCS4	-	2644R1	N/A	N/A
BE94SZA	18	GY	GXL	2643673R1	N/A	SCS4	-	2644R1	N/A	N/A
BE94SZB	18	GY	GXL	2643673R1	N/A	SCS4	-	2644R1	N/A	N/A
MA11-G	1	WH	GXL	2643788R1	N/A	SDS1	-	2644R1	N/A	N/A
MA11-GA	14	WH	GXL	2643689R1	N/A	SDS1	-	2644R1	N/A	N/A
MA11-GB	14	WH	GXL	2643689R1	N/A	SDS1	-	2644R1	N/A	N/A
MA11-GBB	16	WH	GXL	2643681R1	N/A	SDS1	-	2644R1	N/A	N/A
MA11-GD	12	WH	GXL	2643787R1	N/A	SDS1	-	2644R1	N/A	N/A
BH11-GA	18	WH	GXL	2643674R1	N/A	SDS1	-	UNDEF	N/A	N/A
BH62-GDD	18	WH	TXL	351359R1	N/A	SDS1	-	UNDEF	N/A	N/A
BH87-G	18	WH	TXL	351359R1	N/A	SDS1	-	UNDEF	N/A	N/A
BJ11-GA	18	WH	GXL	2643674R1	N/A	SDS1	-	UNDEF	N/A	N/A
BJ87-G	18	WH	TXL	351359R1	N/A	SDS1	-	UNDEF	N/A	N/A
RH9A	18	GY	GXL	2643673R1	N/A	SDS1	-	2644R1	N/A	N/A
RH9B	18	GY	GXL	2643673R1	N/A	SDS1	-	2644R1	N/A	N/A
RH9C	18	GY	GXL	2643673R1	N/A	SDS1	-	2644R1	N/A	N/A
MA11-G	1	WH	GXL	2643788R1	N/A	SDS1	-	2644R1	N/A	N/A
MA11-GA	14	WH	GXL	2643689R1	N/A	SDS1	-	2644R1	N/A	N/A
MA11-GB	14	WH	GXL	2643689R1	N/A	SDS1	-	2644R1	N/A	N/A
MA11-GD	12	WH	GXL	2643787R1	N/A	SDS1	-	2644R1	N/A	N/A
MA54-GA	16	WH	GXL	2643681R1	N/A	SDS1	-	2644R1	N/A	N/A
MA54-GBB	16	WH	GXL	2643681R1	N/A	SDS1	-	2644R1	N/A	N/A
MA54-GE	16	VT	GXL	2643719R1	N/A	SDS1	-	2644R1	N/A	N/A
KA41-GB	18	WH	TXL	351359R1	N/A	SDS2	-	2644R1	N/A	N/A
KA41-GC	18	WH	TXL	351359R1	N/A	SDS2	-	2644R1	N/A	N/A
KA41-GD	12	WH	GXL	2643787R1	N/A	SDS2	-	2644R1	N/A	N/A
NY65-GA	14	WH	GXL	2643689R1	N/A	SDS7	-	2644R1	N/A	N/A
NY65-GB	16	WH	GXL	2643681R1	N/A	SDS7	-	2644R1	N/A	N/A
NY65-GC	16	WH	GXL	2643681R1	N/A	SDS7	-	2644R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
MA58	14	BN	GXL	2643688R1	N/A	SES2	-	2644R1	N/A	N/A
MA58A	16	BN	GXL	2643679R1	N/A	SES2	-	2644R1	N/A	N/A
MA58AB	16	BN	GXL	2643679R1	N/A	SES2	-	2644R1	N/A	N/A
MA58B	16	BN	GXL	2643679R1	N/A	SES2	-	2644R1	N/A	N/A
NX65BC	14	OR	GXL	264369R1	N/A	SES2	-	2644R1	N/A	N/A
NX65BD	16	OR	GXL	2643682R1	N/A	SES2	-	2644R1	N/A	N/A
NX65BE	16	OR	GXL	2643682R1	N/A	SES2	-	2644R1	N/A	N/A
MA58	14	BN	GXL	2643688R1	N/A	SES2	-	2644R1	N/A	N/A
MA58A	16	BN	GXL	2643679R1	N/A	SES2	-	2644R1	N/A	N/A
MA58B	16	BN	GXL	2643679R1	N/A	SES2	-	2644R1	N/A	N/A
MA56	16	OR	GXL	2643682R1	N/A	SES3	-	2644R1	N/A	N/A
MA56AB	16	OR	GXL	2643682R1	N/A	SES3	-	2644R1	N/A	N/A
MA56AC	16	OR	GXL	2643682R1	N/A	SES3	-	2644R1	N/A	N/A
KF5R(+)	18	YL	TXL	3572112R1	N/A	SES5	-	2644R1	N/A	N/A
KF5S(+)	2	YL	193	3858761R1	N/A	SES5	-	2644R1	N/A	N/A
KF5TB(+)	18	YL	TXL	3572112R1	N/A	SES5	-	2644R1	N/A	N/A
NX65-GA	14	WH	GXL	2643689R1	N/A	SES5	-	2644R1	N/A	N/A
NX65-GB	16	WH	GXL	2643681R1	N/A	SES5	-	2644R1	N/A	N/A
NX65-GC	16	WH	GXL	2643681R1	N/A	SES5	-	2644R1	N/A	N/A
KF5R(-)	18	GN	TXL	3572112R1	N/A	SES6	-	2644R1	N/A	N/A
KF5S(-)	2	GN	193	3858761R1	N/A	SES6	-	2644R1	N/A	N/A
KF5TB(-)	18	GN	TXL	3572112R1	N/A	SES6	-	2644R1	N/A	N/A
KH5R(+)	18	YL	TXL	3572112R1	N/A	SES7	-	2644R1	N/A	N/A
KH5S(+)	2	YL	193	3858761R1	N/A	SES7	-	2644R1	N/A	N/A
KH5TA(+)	18	YL	TXL	3572112R1	N/A	SES7	-	2644R1	N/A	N/A
KH5R(-)	18	GN	TXL	3572112R1	N/A	SES8	-	2644R1	N/A	N/A
KH5S(-)	2	GN	193	3858761R1	N/A	SES8	-	2644R1	N/A	N/A
KH5TA(-)	18	GN	TXL	3572112R1	N/A	SES8	-	2644R1	N/A	N/A
KH5TA(+)	18	YL	TXL	3572112R1	N/A	SGS7	-	2644R1	N/A	N/A
KH5TB(+)	18	YL	TXL	3572112R1	N/A	SGS7	-	2644R1	N/A	N/A
KH5V(+)	18	YL	TXL	3572112R1	N/A	SGS7	-	2644R1	N/A	N/A
KH5TA(-)	18	GN	TXL	3572112R1	N/A	SGS8	-	2644R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
KH5TB(-)	18	GN	TXL	3572112R1	N/A	SGS8	-	2644R1	N/A	N/A
KH5V(-)	18	GN	TXL	3572112R1	N/A	SGS8	-	2644R1	N/A	N/A
SV5U(+)	18	YL	TXL	3572112R1	N/A	SHS9	-	2644R1	N/A	N/A
SV5UB(+)	18	YL	TXL	3572112R1	N/A	SHS9	-	2644R1	N/A	N/A
SV5UE(+)	2	YL	193	3858761R1	N/A	SHS9	-	2644R1	N/A	N/A
SV5U(+)	18	YL	TXL	3572112R1	N/A	SHS9	-	2644R1	N/A	N/A
SV5UB(+)	18	YL	TXL	3572112R1	N/A	SHS9	-	2644R1	N/A	N/A
SV5UE(+)	2	YL	193	3858761R1	N/A	SHS9	-	2644R1	N/A	N/A
AP9	2	TN	15	47343R1	N/A	SMS1	-	2644R1	N/A	N/A
AP9A	18	TN	TXL	351329R1	N/A	SMS1	-	2644R1	N/A	N/A
AP9B	18	VT	TXL	351347R1	N/A	SMS1	-	2644R1	N/A	N/A
LE9	2	TN	15	47343R1	N/A	SMS1	-	2644R1	N/A	N/A
LE9A	18	TN	15	2645915R1	N/A	SMS1	-	2644R1	N/A	N/A
LE9B	18	VT	TXL	351347R1	N/A	SMS1	-	2644R1	N/A	N/A
LF9	2	TN	15	47343R1	N/A	SMS1	-	2644R1	N/A	N/A
LF9A	18	TN	15	2645915R1	N/A	SMS1	-	2644R1	N/A	N/A
LF9B	18	VT	TXL	351347R1	N/A	SMS1	-	2644R1	N/A	N/A
KA14H	14	RD	TXL	351367R1	N/A	SMS4	-	2644R1	N/A	N/A
KA14KAA	14	RD	TXL	351367R1	N/A	SMS4	-	2644R1	N/A	N/A
KA14KB	14	RD	TXL	351367R1	N/A	SMS4	-	2644R1	N/A	N/A
NK56T	1	YL	GXL	264382R1	N/A	SNS2	-	2644R1	N/A	N/A
NK56U	1	YL	GXL	264382R1	N/A	SNS2	-	2644R1	N/A	N/A
NK56W	1	YL	GXL	264382R1	N/A	SNS2	-	2644R1	N/A	N/A
NK7T	1	RD	GXL	2643698R1	N/A	SNS5	-	2644R1	N/A	N/A
NK7U	1	RD	TXL	351369R1	N/A	SNS5	-	2644R1	N/A	N/A
NK7W	1	RD	GXL	2643698R1	N/A	SNS5	-	2644R1	N/A	N/A
NK94T	1	GY	GXL	2643784R1	N/A	SNS6	-	2644R1	N/A	N/A
NK94U	1	GY	TXL	351315R1	N/A	SNS6	-	2644R1	N/A	N/A
NK94W	1	GY	GXL	2643784R1	N/A	SNS6	-	2644R1	N/A	N/A
KL1A	16	BK	TXL	351294R1	N/A	SPX11	-	2644R1	N/A	N/A
KL1B	16	BK	TXL	351294R1	N/A	SPX11	-	2644R1	N/A	N/A
KL1C	1	BK	TXL	351297R1	N/A	SPX11	-	2644R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
KG5A(+)	18	YL	TXL	3572112R1	N/A	SS1	-	2644R1	N/A	N/A
KG5AB(+)	18	YL	TXL	3572112R1	N/A	SS1	-	2644R1	N/A	N/A
KG5AC(+)	18	YL	TXL	3572112R1	N/A	SS1	-	2644R1	N/A	N/A
AM1-AH	1	WH	TXL	351363R1	N/A	SS1	-	2644R1	N/A	N/A
AM1-H	1	WH	TXL	351363R1	N/A	SS1	-	2644R1	N/A	N/A
AM95-GB	16	BK	TXL	351294R1	N/A	SS1	-	2644R1	N/A	N/A
AM95-GL	16	BK	TXL	351294R1	N/A	SS1	-	2644R1	N/A	N/A
KA1-H	4	WH	SGX	264425R1	N/A	SS1	-	264427R1	N/A	N/A
KA1H2	1	WH	TXL	351363R1	N/A	SS1	-	264427R1	N/A	N/A
KA1H3	1	WH	TXL	351363R1	N/A	SS1	-	264427R1	N/A	N/A
YT56T	1	YL	GXL	264382R1	N/A	SS1	-	2644R1	N/A	N/A
YT56U	1	YL	GXL	264382R1	N/A	SS1	-	2644R1	N/A	N/A
YT56W	1	YL	GXL	264382R1	N/A	SS1	-	2644R1	N/A	N/A
VH71BA	12	OR	TXL	35132R1	N/A	SS1	-	264427R1	N/A	N/A
VH71BE	12	OR	TXL	35132R1	N/A	SS1	-	264427R1	N/A	N/A
VH71BF	12	OR	GXL	2643755R1	N/A	SS1	-	264427R1	N/A	N/A
VH71BG	12	OR	TXL	35132R1	N/A	SS1	-	264427R1	N/A	N/A
WU67YA	2	PK	TXL	351322R1	N/A	SS1	-	2644R1	N/A	N/A
WU67YB	2	PK	TXL	351322R1	N/A	SS1	-	2644R1	N/A	N/A
WU67YC	2	PK	TXL	351322R1	N/A	SS1	-	2644R1	N/A	N/A
AY5A(+)	18	YL	TXL	3572112R1	N/A	SS1	-	2644R1	N/A	N/A
AY5B(+)	18	YL	TXL	3572112R1	N/A	SS1	-	2644R1	N/A	N/A
AY5C(+)	18	YL	193	2645917R1	N/A	SS1	-	2644R1	N/A	N/A
KA14A4	16	RD	TXL	351366R1	N/A	SS1	-	2644R1	N/A	N/A
KA14A4A	1	RD	TXL	351369R1	N/A	SS1	-	2644R1	N/A	N/A
KA14A5	16	RD	TXL	351366R1	N/A	SS1	-	2644R1	N/A	N/A
KA14A6	16	RD	TXL	351366R1	N/A	SS1	-	2644R1	N/A	N/A
NK58T	1	BK	GXL	2643773R1	N/A	SS1	-	2644R1	N/A	N/A
NK58U	1	BK	GXL	2643773R1	N/A	SS1	-	2644R1	N/A	N/A
NK58W	1	BK	GXL	2643773R1	N/A	SS1	-	2644R1	N/A	N/A
UC9A	18	GY	GXL	2643673R1	N/A	SS1	-	2644R1	N/A	N/A
UC9B	18	GY	GXL	2643673R1	N/A	SS1	-	2644R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
UC9C	18	GY	GXL	2643673R1	N/A	SS1	-	2644R1	N/A	N/A
WU67YA	2	PK	TXL	351322R1	N/A	SS1	-	2644R1	N/A	N/A
WU67YB	2	PK	TXL	351322R1	N/A	SS1	-	2644R1	N/A	N/A
WU67YC	2	PK	TXL	351322R1	N/A	SS1	-	2644R1	N/A	N/A
KG5AC(+)	18	YL	TXL	3572112R1	N/A	SS11	-	2644R1	N/A	N/A
KG5AD(+)	18	YL	TXL	3572112R1	N/A	SS11	-	2644R1	N/A	N/A
KG5AE(+)	2	YL	193	3858761R1	N/A	SS11	-	2644R1	N/A	N/A
AP5A(-)	18	GN	TXL	3572112R1	N/A	SS11	-	2644R1	N/A	N/A
AP5B(-)	18	GN	TXL	3572112R1	N/A	SS11	-	2644R1	N/A	N/A
AP5C(-)	18	GN	193	2645917R1	N/A	SS11	-	2644R1	N/A	N/A
KH5(+)	2	YL	193	3858761R1	N/A	SS11	-	2644R1	N/A	N/A
KH5A(+)	18	YL	TXL	3572112R1	N/A	SS11	-	2644R1	N/A	N/A
KH5R(+)	18	YL	TXL	3572112R1	N/A	SS11	-	2644R1	N/A	N/A
YT57T	1	LTGN	GXL	2643776R1	N/A	SS11	-	2644R1	N/A	N/A
YT57U	1	LTGN	GXL	2643776R1	N/A	SS11	-	2644R1	N/A	N/A
YT57W	1	LTGN	GXL	2643776R1	N/A	SS11	-	2644R1	N/A	N/A
VJ71BA	12	OR	TXL	35132R1	N/A	SS11	-	2644R1	N/A	N/A
VJ71BE	12	OR	TXL	35132R1	N/A	SS11	-	2644R1	N/A	N/A
VJ71BG	12	OR	TXL	35132R1	N/A	SS11	-	2644R1	N/A	N/A
KG5A(-)	18	GN	TXL	3572112R1	N/A	SS12	-	2644R1	N/A	N/A
KG5AB(-)	18	GN	TXL	3572112R1	N/A	SS12	-	2644R1	N/A	N/A
KG5AC(-)	18	GN	TXL	3572112R1	N/A	SS12	-	2644R1	N/A	N/A
AS1-AH	1	WH	TXL	351363R1	N/A	SS12	-	2644R1	N/A	N/A
AS1-H	1	WH	TXL	351363R1	N/A	SS12	-	2644R1	N/A	N/A
AS95-GB	16	BK	TXL	351294R1	N/A	SS12	-	2644R1	N/A	N/A
AS95-GL	18	BK	TXL	351293R1	N/A	SS12	-	2644R1	N/A	N/A
GM34B	16	TN	TXL	35133R1	N/A	SS12	-	2644R1	N/A	N/A
GM9	18	TN	15	2645915R1	N/A	SS12	-	2644R1	N/A	N/A
GM9A	2	TN	TXL	351328R1	N/A	SS12	-	2644R1	N/A	N/A
YT58T	1	BK	GXL	2643773R1	N/A	SS12	-	2644R1	N/A	N/A
YT58U	1	BK	GXL	2643773R1	N/A	SS12	-	2644R1	N/A	N/A
YT58W	1	BK	GXL	2643773R1	N/A	SS12	-	2644R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
VF1-G	12	WH	TXL	351362R1	N/A	SS12	-	264427R1	N/A	N/A
VF1-GB	12	WH	TXL	351362R1	N/A	SS12	-	264427R1	N/A	N/A
VF1-GC	12	WH	TXL	351362R1	N/A	SS12	-	264427R1	N/A	N/A
VF1-GD	12	WH	TXL	351362R1	N/A	SS12	-	264427R1	N/A	N/A
KG5AC(-)	18	GN	TXL	3572112R1	N/A	SS13	-	2644R1	N/A	N/A
KG5AD(-)	18	GN	TXL	3572112R1	N/A	SS13	-	2644R1	N/A	N/A
KG5AE(-)	2	GN	193	3858761R1	N/A	SS13	-	2644R1	N/A	N/A
KH5A(-)	18	GN	TXL	3572112R1	N/A	SS13	-	2644R1	N/A	N/A
KH5B(-)	18	GN	TXL	3572112R1	N/A	SS13	-	2644R1	N/A	N/A
KH5V(-)	18	GN	TXL	3572112R1	N/A	SS13	-	2644R1	N/A	N/A
YT68T	1	BN	GXL	2643779R1	N/A	SS13	-	2644R1	N/A	N/A
YT68U	1	BN	TXL	35139R1	N/A	SS13	-	2644R1	N/A	N/A
YT68W	1	BN	GXL	2643779R1	N/A	SS13	-	2644R1	N/A	N/A
VK1-G	12	WH	TXL	351362R1	N/A	SS13	-	2644R1	N/A	N/A
VK1-GB	12	WH	TXL	351362R1	N/A	SS13	-	2644R1	N/A	N/A
VK1-GC	12	WH	TXL	351362R1	N/A	SS13	-	2644R1	N/A	N/A
KG1-GA	16	BK	TXL	351294R1	N/A	SS14	-	2644R1	N/A	N/A
KG1-GB	16	BK	TXL	351294R1	N/A	SS14	-	2644R1	N/A	N/A
KG1-GC	1	BK	TXL	351297R1	N/A	SS14	-	2644R1	N/A	N/A
KG1-GD	16	WH	GXL	2643681R1	N/A	SS14	-	2644R1	N/A	N/A
GN34B	16	TN	TXL	35133R1	N/A	SS14	-	2644R1	N/A	N/A
GN9	18	TN	15	2645915R1	N/A	SS14	-	2644R1	N/A	N/A
GN9A	2	TN	TXL	351328R1	N/A	SS14	-	2644R1	N/A	N/A
YT7T	1	RD	GXL	2643698R1	N/A	SS14	-	2644R1	N/A	N/A
YT7U	1	RD	TXL	351369R1	N/A	SS14	-	2644R1	N/A	N/A
YT7W	1	RD	GXL	2643698R1	N/A	SS14	-	2644R1	N/A	N/A
VE68A	14	BN	GXL	2643688R1	N/A	SS14	-	2644R1	N/A	N/A
VE68AA	14	BN	GXL	2643688R1	N/A	SS14	-	2644R1	N/A	N/A
VE68AB	14	BN	GXL	2643688R1	N/A	SS14	-	2644R1	N/A	N/A
KT71A	18	LTBL	TXL	351341R1	N/A	SS15	-	2644R1	N/A	N/A
KT71C	18	LTBL	TXL	351341R1	N/A	SS15	-	2644R1	N/A	N/A
KT92#25	18	LTBL	TXL	351341R1	N/A	SS15	-	2644R1	N/A	N/A



Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
KT71A	18	LTBL	TXL	351341R1	N/A	SS15	-	2644R1	N/A	N/A
KT71C	18	LTBL	TXL	351341R1	N/A	SS15	-	2644R1	N/A	N/A
KT92#25	18	LTBL	TXL	351341R1	N/A	SS15	-	2644R1	N/A	N/A
AL13AA	18	RD	TXL	351365R1	N/A	SS15	-	2644R1	N/A	N/A
AL13AB	18	RD	TXL	351365R1	N/A	SS15	-	2644R1	N/A	N/A
AL13R2	1	RD	TXL	351369R1	N/A	SS15	-	2644R1	N/A	N/A
AL95KD	1	TN	TXL	351333R1	N/A	SS15	-	2644R1	N/A	N/A
KF5(+)	2	YL	193	3858761R1	N/A	SS15	-	2644R1	N/A	N/A
KF5R(+)	18	YL	TXL	3572112R1	N/A	SS15	-	2644R1	N/A	N/A
KF5TB(+)	18	YL	TXL	3572112R1	N/A	SS15	-	2644R1	N/A	N/A
YT94T	1	GY	GXL	2643784R1	N/A	SS15	-	2644R1	N/A	N/A
YT94U	1	GY	TXL	351315R1	N/A	SS15	-	2644R1	N/A	N/A
YT94W	1	GY	GXL	2643784R1	N/A	SS15	-	2644R1	N/A	N/A
VF71BA	12	OR	TXL	35132R1	N/A	SS15	-	264427R1	N/A	N/A
VF71BB	12	OR	TXL	35132R1	N/A	SS15	-	264427R1	N/A	N/A
VF71BC	12	OR	TXL	35132R1	N/A	SS15	-	264427R1	N/A	N/A
VF71BD	12	OR	TXL	35132R1	N/A	SS15	-	264427R1	N/A	N/A
LE5C(+)	18	YL	193	2645917R1	N/A	SS16	-	2644R1	N/A	N/A
LE5D(+)	18	YL	TXL	3572112R1	N/A	SS16	-	2644R1	N/A	N/A
LE5E(+)	18	YL	TXL	3572112R1	N/A	SS16	-	2644R1	N/A	N/A
AM13AA	18	RD	TXL	351365R1	N/A	SS16	-	2644R1	N/A	N/A
AM13AB	18	RD	TXL	351365R1	N/A	SS16	-	2644R1	N/A	N/A
AM13R2	1	RD	TXL	351369R1	N/A	SS16	-	2644R1	N/A	N/A
AM95KD	1	RD	TXL	351369R1	N/A	SS16	-	2644R1	N/A	N/A
TJ23-G	2	TN	TXL	351328R1	N/A	SS16	-	2644R1	N/A	N/A
TJ95AA	2	TN	TXL	351328R1	N/A	SS16	-	2644R1	N/A	N/A
TJ95AB	18	TN	TXL	351329R1	N/A	SS16	-	2644R1	N/A	N/A
VK71BA	12	OR	TXL	35132R1	N/A	SS16	-	2644R1	N/A	N/A
VK71BC	12	OR	TXL	35132R1	N/A	SS16	-	2644R1	N/A	N/A
VK71BD	12	OR	TXL	35132R1	N/A	SS16	-	2644R1	N/A	N/A
LE5C(-)	18	GN	193	2645917R1	N/A	SS17	-	2644R1	N/A	N/A
LE5D(-)	18	GN	TXL	3572112R1	N/A	SS17	-	2644R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
LE5E(-)	18	GN	TXL	3572112R1	N/A	SS17	-	2644R1	N/A	N/A
AS13AA	18	RD	TXL	351365R1	N/A	SS17	-	2644R1	N/A	N/A
AS13AB	18	RD	TXL	351365R1	N/A	SS17	-	2644R1	N/A	N/A
AS13R2	1	RD	TXL	351369R1	N/A	SS17	-	2644R1	N/A	N/A
AS95KD	1	RD	TXL	351369R1	N/A	SS17	-	2644R1	N/A	N/A
TK23-G	2	TN	TXL	351328R1	N/A	SS17	-	2644R1	N/A	N/A
TK95AA	2	TN	TXL	351328R1	N/A	SS17	-	2644R1	N/A	N/A
TK95AB	18	TN	TXL	351329R1	N/A	SS17	-	2644R1	N/A	N/A
UJ94BQ	18	GY	GXL	2643673R1	N/A	SS17	-	2644R1	N/A	N/A
UJ94BQA	18	GY	TXL	351311R1	N/A	SS17	-	2644R1	N/A	N/A
LF5C(+)	18	YL	193	2645917R1	N/A	SS18	-	2644R1	N/A	N/A
LF5D(+)	18	YL	TXL	3572112R1	N/A	SS18	-	2644R1	N/A	N/A
LF5E(+)	18	YL	TXL	3572112R1	N/A	SS18	-	2644R1	N/A	N/A
KH5(-)	2	GN	193	3858761R1	N/A	SS18	-	2644R1	N/A	N/A
KH5A(-)	18	GN	TXL	3572112R1	N/A	SS18	-	2644R1	N/A	N/A
KH5R(-)	18	GN	TXL	3572112R1	N/A	SS18	-	2644R1	N/A	N/A
US94BQ	18	GY	GXL	2643673R1	N/A	SS18	-	2644R1	N/A	N/A
US94BQA	18	GY	TXL	351311R1	N/A	SS18	-	2644R1	N/A	N/A
LF5C(-)	18	GN	193	2645917R1	N/A	SS19	-	2644R1	N/A	N/A
LF5D(-)	18	GN	TXL	3572112R1	N/A	SS19	-	2644R1	N/A	N/A
LF5E(-)	18	GN	TXL	3572112R1	N/A	SS19	-	2644R1	N/A	N/A
AJ95AS1	18	TN	TXL	351329R1	N/A	SS19	-	2644R1	N/A	N/A
AJ95AS2	18	TN	TXL	351329R1	N/A	SS19	-	2644R1	N/A	N/A
AJ95AS3	18	TN	TXL	351329R1	N/A	SS19	-	2644R1	N/A	N/A
KF47A	18	GY	TXL	351311R1	N/A	SS19	-	2644R1	N/A	N/A
KF47AA	2	GY	TXL	35131R1	N/A	SS19	-	2644R1	N/A	N/A
VB94BQ	18	GY	GXL	2643673R1	N/A	SS19	-	2644R1	N/A	N/A
VB94BQA	18	GY	TXL	351311R1	N/A	SS19	-	2644R1	N/A	N/A
TS1-AG	1	WH	TXL	351363R1	N/A	SS2	-	2644R1	N/A	N/A
TS1-G	1	WH	TXL	351363R1	N/A	SS2	-	2644R1	N/A	N/A
TS1-GK	16	BK	TXL	351294R1	N/A	SS2	-	2644R1	N/A	N/A
TS1-GL	18	WH	TXL	351359R1	N/A	SS2	-	2644R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
UJ94BR	18	GY	GXL	2643673R1	N/A	SS2	-	2644R1	N/A	N/A
UJ94BRA	18	GY	TXL	351311R1	N/A	SS2	-	2644R1	N/A	N/A
SV5U(-)	18	GN	TXL	3572112R1	N/A	SS2	-	2644R1	N/A	N/A
SV5UB(-)	18	GN	TXL	3572112R1	N/A	SS2	-	2644R1	N/A	N/A
SV5UE(-)	2	GN	193	3858761R1	N/A	SS2	-	2644R1	N/A	N/A
AJ95AU1	18	TN	TXL	351329R1	N/A	SS2	-	2644R1	N/A	N/A
AJ95AU2	18	TN	TXL	351329R1	N/A	SS2	-	2644R1	N/A	N/A
AJ95AU3	18	TN	TXL	351329R1	N/A	SS2	-	2644R1	N/A	N/A
KC41E	2	TN	TXL	351328R1	N/A	SS2	-	2644R1	N/A	N/A
KC41EA	18	TN	TXL	351329R1	N/A	SS2	-	2644R1	N/A	N/A
RE39-G	18	WH	GXL	2643674R1	N/A	SS2	-	2644R1	N/A	N/A
RE39-GA	18	WH	GXL	2643674R1	N/A	SS2	-	2644R1	N/A	N/A
RE39-GB	18	WH	GXL	2643674R1	N/A	SS2	-	2644R1	N/A	N/A
SV5U(-)	18	GN	TXL	3572112R1	N/A	SS2	-	2644R1	N/A	N/A
SV5UB(-)	18	GN	TXL	3572112R1	N/A	SS2	-	2644R1	N/A	N/A
SV5UE(-)	2	GN	193	3858761R1	N/A	SS2	-	2644R1	N/A	N/A
AK95AS1	18	TN	TXL	351329R1	N/A	SS21	-	2644R1	N/A	N/A
AK95AS2	18	TN	TXL	351329R1	N/A	SS21	-	2644R1	N/A	N/A
AK95AS3	18	TN	TXL	351329R1	N/A	SS21	-	2644R1	N/A	N/A
KY95W	18	TN	GXL	2643676R1	N/A	SS21	-	2644R1	N/A	N/A
KY95WA	2	TN	TXL	351328R1	N/A	SS21	-	2644R1	N/A	N/A
US94BR	18	GY	GXL	2643673R1	N/A	SS21	-	2644R1	N/A	N/A
US94BRA	18	GY	TXL	351311R1	N/A	SS21	-	2644R1	N/A	N/A
AJ95AR1	18	TN	TXL	351329R1	N/A	SS22	-	2644R1	N/A	N/A
AJ95AR2	18	RD	TXL	351365R1	N/A	SS22	-	2644R1	N/A	N/A
AJ95AR3	18	TN	TXL	351329R1	N/A	SS22	-	2644R1	N/A	N/A
KH5A(+)	18	YL	TXL	3572112R1	N/A	SS22	-	2644R1	N/A	N/A
KH5B(+)	18	YL	TXL	3572112R1	N/A	SS22	-	2644R1	N/A	N/A
KH5V(+)	18	YL	TXL	3572112R1	N/A	SS22	-	2644R1	N/A	N/A
VB94BR	18	GY	GXL	2643673R1	N/A	SS22	-	2644R1	N/A	N/A
VB94BRA	18	GY	TXL	351311R1	N/A	SS22	-	2644R1	N/A	N/A
AK95AR1	18	TN	TXL	351329R1	N/A	SS23	-	2644R1	N/A	N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
AK95AR2	18	RD	TXL	351365R1	N/A	SS23	-	2644R1	N/A	N/A
AK95AR3	18	BK	TXL	351293R1	N/A	SS23	-	2644R1	N/A	N/A
KF5(-)	2	GN	193	3858761R1	N/A	SS23	-	2644R1	N/A	N/A
KF5R(-)	18	GN	TXL	3572112R1	N/A	SS23	-	2644R1	N/A	N/A
KF5TB(-)	18	GN	TXL	3572112R1	N/A	SS23	-	2644R1	N/A	N/A
UJ94BS	18	GY	GXL	2643673R1	N/A	SS23	-	2644R1	N/A	N/A
UJ94BSA	18	GY	TXL	351311R1	N/A	SS23	-	2644R1	N/A	N/A
TM1-AG	1	WH	TXL	351363R1	N/A	SS24	-	2644R1	N/A	N/A
TM1-G	1	WH	TXL	351363R1	N/A	SS24	-	2644R1	N/A	N/A
TM1-GK	16	BK	TXL	351294R1	N/A	SS24	-	2644R1	N/A	N/A
TM1-GL	18	WH	TXL	351359R1	N/A	SS24	-	2644R1	N/A	N/A
US94BS	18	GY	GXL	2643673R1	N/A	SS24	-	2644R1	N/A	N/A
US94BSA	18	GY	TXL	351311R1	N/A	SS24	-	2644R1	N/A	N/A
AP5A(+)	18	YL	TXL	3572112R1	N/A	SS25	-	2644R1	N/A	N/A
AP5B(+)	18	YL	TXL	3572112R1	N/A	SS25	-	2644R1	N/A	N/A
AP5C(+)	18	YL	193	2645917R1	N/A	SS25	-	2644R1	N/A	N/A
TL1-AG	1	WH	TXL	351363R1	N/A	SS25	-	2644R1	N/A	N/A
TL1-G	1	WH	TXL	351363R1	N/A	SS25	-	2644R1	N/A	N/A
TL1-GK	16	BK	TXL	351294R1	N/A	SS25	-	2644R1	N/A	N/A
TL1-GL	18	WH	TXL	351359R1	N/A	SS25	-	2644R1	N/A	N/A
VB94BS	18	GY	GXL	2643673R1	N/A	SS25	-	2644R1	N/A	N/A
VB94BSA	18	GY	TXL	351311R1	N/A	SS25	-	2644R1	N/A	N/A
KA95GBC	16	TN	TXL	35133R1	N/A	SS26	-	2644R1	N/A	N/A
KA95GBD	18	BK	TXL	351293R1	N/A	SS26	-	2644R1	N/A	N/A
KA95GBE	18	TN	TXL	351329R1	N/A	SS26	-	2644R1	N/A	N/A
VE2	2	RD	SGX	3592739R1	N/A	SS26	-	2644R1	N/A	N/A
VE2A-FL	1	RS	FUS	2643473R1	N/A	SS26	-	2644R1	N/A	N/A
VE2B-FL	1	RS	FUS	2643473R1	N/A	SS26	-	2644R1	N/A	N/A
UJ94BT	18	GY	GXL	2643673R1	N/A	SS26	-	2644R1	N/A	N/A
UJ94BTA	18	GY	TXL	351311R1	N/A	SS26	-	2644R1	N/A	N/A
KA95H1	18	PK	TXL	351323R1	N/A	SS27	-	2644R1	N/A	N/A
KA95H2	18	PK	TXL	351323R1	N/A	SS27	-	2644R1	N/A	N/A

Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
KA95H3	18	PK	TXL	351323R1	N/A	SS27	-	2644R1	N/A	N/A	
KA95H4	18	PK	TXL	351323R1	N/A	SS27	-	2644R1	N/A	N/A	
KA95H5	18	PK	TXL	351323R1	N/A	SS27	-	2644R1	N/A	N/A	
KA95H6	18	PK	TXL	351323R1	N/A	SS27	-	2644R1	N/A	N/A	
KA95H7	18	PK	TXL	351323R1	N/A	SS27	-	2644R1	N/A	N/A	
VF2	2	RD	SGX	3592739R1	N/A	SS27	-	2644R1	N/A	N/A	
VF2A-FL	1	RS	FUS	2643473R1	N/A	SS27	-	2644R1	N/A	N/A	
VF2B-FL	1	RS	FUS	2643473R1	N/A	SS27	-	2644R1	N/A	N/A	
US94BT	18	GY	GXL	2643673R1	N/A	SS27	-	2644R1	N/A	N/A	
US94BTA	18	GY	TXL	351311R1	N/A	SS27	-	2644R1	N/A	N/A	
KA14A	18	RD	TXL	351365R1	N/A	SS28	-	2644R1	N/A	N/A	
KA14C	1	RD	TXL	351369R1	N/A	SS28	-	2644R1	N/A	N/A	
KA14D	12	RD	TXL	351368R1	N/A	SS28	-	2644R1	N/A	N/A	
KF47	2	GY	TXL	35131R1	N/A	SS28	-	2644R1	N/A	N/A	
KF47B	18	GY	TXL	351311R1	N/A	SS28	-	2644R1	N/A	N/A	
VB94BT	18	GY	GXL	2643673R1	N/A	SS28	-	2644R1	N/A	N/A	
VB94BTA	18	GY	TXL	351311R1	N/A	SS28	-	2644R1	N/A	N/A	
KA95PA	1	PK	TXL	351327R1	N/A	SS29	-	2644R1	N/A	N/A	
KA95PB	1	PK	TXL	351327R1	N/A	SS29	-	2644R1	N/A	N/A	
KA95PC	18	PK	TXL	351323R1	N/A	SS29	-	2644R1	N/A	N/A	
TJ95AR1	18	TN	TXL	351329R1	N/A	SS29	-	2644R1	N/A	N/A	
TJ95AR2	18	RD	TXL	351365R1	N/A	SS29	-	2644R1	N/A	N/A	
TJ95AR3	18	TN	TXL	351329R1	N/A	SS29	-	2644R1	N/A	N/A	
UJ94BU	18	GY	GXL	2643673R1	N/A	SS29	-	2644R1	N/A	N/A	
UJ94BUA	18	GY	TXL	351311R1	N/A	SS29	-	2644R1	N/A	N/A	
KA95GBA	18	BK	TXL	351293R1	N/A	SS3	-	2644R1	N/A	N/A	
KA95GBB	18	BK	TXL	351293R1	N/A	SS3	-	2644R1	N/A	N/A	
KA95GBC	16	TN	TXL	35133R1	N/A	SS3	-	2644R1	N/A	N/A	
TK95AR1	18	TN	TXL	351329R1	N/A	SS3	-	2644R1	N/A	N/A	
TK95AR2	18	RD	TXL	351365R1	N/A	SS3	-	2644R1	N/A	N/A	
TK95AR3	18	TN	TXL	351329R1	N/A	SS3	-	2644R1	N/A	N/A	
US94BU	18	GY	GXL	2643673R1	N/A	SS3	-	2644R1	N/A	N/A	

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
US94BUA	18	GY	TXL	351311R1	N/A	SS3	-	2644R1	N/A	N/A
RK5U(+)	18	YL	TXL	3572112R1	N/A	SS3	-	2644R1	N/A	N/A
RK5UF(+)	18	YL	TXL	3572112R1	N/A	SS3	-	2644R1	N/A	N/A
RK5UH(+)	18	YL	TXL	3572112R1	N/A	SS3	-	2644R1	N/A	N/A
AK95AU1	18	TN	TXL	351329R1	N/A	SS3	-	2644R1	N/A	N/A
AK95AU2	18	TN	TXL	351329R1	N/A	SS3	-	2644R1	N/A	N/A
AK95AU3	18	TN	TXL	351329R1	N/A	SS3	-	2644R1	N/A	N/A
KB2	2	RD	SGX	3592739R1	N/A	SS3	-	2644R1	N/A	N/A
KB2A-FL	1	RS	FUS	2643473R1	N/A	SS3	-	2644R1	N/A	N/A
KB2B-FL	1	RS	FUS	2643473R1	N/A	SS3	-	2644R1	N/A	N/A
KR2	2	RD	SGX	3592739R1	N/A	SS3	-	2644R1	N/A	N/A
KR2A-FL	1	RS	FUS	2643473R1	N/A	SS3	-	2644R1	N/A	N/A
KR2B-FL	1	RS	FUS	2643473R1	N/A	SS3	-	2644R1	N/A	N/A
RE39	18	GY	GXL	2643673R1	N/A	SS3	-	2644R1	N/A	N/A
RE39A	18	GY	GXL	2643673R1	N/A	SS3	-	2644R1	N/A	N/A
RE39B	18	GY	GXL	2643673R1	N/A	SS3	-	2644R1	N/A	N/A
RK5U(+)	18	YL	TXL	3572112R1	N/A	SS3	-	2644R1	N/A	N/A
RK5UF(+)	18	YL	TXL	3572112R1	N/A	SS3	-	2644R1	N/A	N/A
RK5UH(+)	18	YL	TXL	3572112R1	N/A	SS3	-	2644R1	N/A	N/A
SJ92A18	18	TN	TXL	351329R1	N/A	SS31	-	2644R1	N/A	N/A
SJ92A18A	16	TN	GXL	2643683R1	N/A	SS31	-	2644R1	N/A	N/A
TJ95AS1	18	TN	TXL	351329R1	N/A	SS31	-	2644R1	N/A	N/A
TJ95AS2	2	TN	TXL	351328R1	N/A	SS31	-	2644R1	N/A	N/A
TJ95AS3	18	TN	TXL	351329R1	N/A	SS31	-	2644R1	N/A	N/A
VB94BU	18	GY	GXL	2643673R1	N/A	SS31	-	2644R1	N/A	N/A
VB94BUA	18	GY	TXL	351311R1	N/A	SS31	-	2644R1	N/A	N/A
ZG92A4	18	TN	TXL	351329R1	N/A	SS32	-	2644R1	N/A	N/A
ZG95DA	18	TN	TXL	351329R1	N/A	SS32	-	2644R1	N/A	N/A
ZG95DB	2	TN	15	47343R1	N/A	SS32	-	2644R1	N/A	N/A
TK95AS1	18	TN	TXL	351329R1	N/A	SS32	-	2644R1	N/A	N/A
TK95AS2	2	TN	TXL	351328R1	N/A	SS32	-	2644R1	N/A	N/A
TK95AS3	18	TN	TXL	351329R1	N/A	SS32	-	2644R1	N/A	N/A

Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
UJ94BV	18	GY	GXL	2643673R1	N/A	SS32	-	2644R1	N/A	N/A	
UJ94BVA	18	GY	TXL	351311R1	N/A	SS32	-	2644R1	N/A	N/A	
AL13R	12	PK	15	485639R1	N/A	SS33	-	2644R1	N/A	N/A	
AL13R2	1	RD	TXL	351369R1	N/A	SS33	-	2644R1	N/A	N/A	
TL13AA	18	PK	TXL	351323R1	N/A	SS33	-	2644R1	N/A	N/A	
TL13AB	18	RD	TXL	351365R1	N/A	SS33	-	2644R1	N/A	N/A	
TL13R	1	RD	TXL	351369R1	N/A	SS33	-	2644R1	N/A	N/A	
TL95KD	1	RD	TXL	351369R1	N/A	SS33	-	2644R1	N/A	N/A	
US94BV	18	GY	GXL	2643673R1	N/A	SS33	-	2644R1	N/A	N/A	
US94BVA	18	GY	TXL	351311R1	N/A	SS33	-	2644R1	N/A	N/A	
TS13R	1	RD	TXL	351369R1	N/A	SS34	-	2644R1	N/A	N/A	
TS13R2	12	PK	15	485639R1	N/A	SS34	-	2644R1	N/A	N/A	
VB94BV	18	GY	GXL	2643673R1	N/A	SS34	-	2644R1	N/A	N/A	
VB94BVA	18	GY	TXL	351311R1	N/A	SS34	-	2644R1	N/A	N/A	
AM13R	12	PK	15	485639R1	N/A	SS35	-	2644R1	N/A	N/A	
AM13R2	1	RD	TXL	351369R1	N/A	SS35	-	2644R1	N/A	N/A	
VD2	1	RD	SGX	359274R1	N/A	SS35	-	2644R1	N/A	N/A	
VD2A-FL	1	RS	FUS	2643473R1	N/A	SS35	-	2644R1	N/A	N/A	
VD2B-FL	1	RS	FUS	2643473R1	N/A	SS35	-	2644R1	N/A	N/A	
VD2C-FL	1	RS	FUS	2643473R1	N/A	SS35	-	2644R1	N/A	N/A	
UJ94BW	18	GY	GXL	2643673R1	N/A	SS35	-	2644R1	N/A	N/A	
UJ94BWA	18	GY	TXL	351311R1	N/A	SS35	-	2644R1	N/A	N/A	
VM2	1	RD	SGX	359274R1	N/A	SS36	-	2644R1	N/A	N/A	
VM2A-FL	1	RS	FUS	2643473R1	N/A	SS36	-	2644R1	N/A	N/A	
VM2B-FL	1	RS	FUS	2643473R1	N/A	SS36	-	2644R1	N/A	N/A	
VM2C-FL	1	RS	FUS	2643473R1	N/A	SS36	-	2644R1	N/A	N/A	
US94BW	18	GY	GXL	2643673R1	N/A	SS36	-	2644R1	N/A	N/A	
US94BWA	18	GY	TXL	351311R1	N/A	SS36	-	2644R1	N/A	N/A	
WC1-GD	8	WH	GXL	2643789R1	N/A	SS37	-	2644R1	N/A	N/A	
WC1-GE	12	WH	GXL	2643787R1	N/A	SS37	-	2644R1	N/A	N/A	
WC11-G	1	WH	TXL	351363R1	N/A	SS37	-	2644R1	N/A	N/A	
WX2	2	RD	SGX	3592739R1	N/A	SS37	-	2644R1	N/A	N/A	

Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
WX2A-FL	1	RS	FUS	2643473R1	N/A	SS37	-	2644R1	N/A	N/A	
WX2B-FL	1	RS	FUS	2643473R1	N/A	SS37	-	2644R1	N/A	N/A	
VB94BW	18	GY	GXL	2643673R1	N/A	SS37	-	2644R1	N/A	N/A	
VB94BWA	18	GY	TXL	351311R1	N/A	SS37	-	2644R1	N/A	N/A	
AL1-AG	12	WH	15	485637R1	N/A	SS38	-	2644R1	N/A	N/A	
AL1-AH	1	WH	TXL	351363R1	N/A	SS38	-	2644R1	N/A	N/A	
TS1-AG	1	WH	TXL	351363R1	N/A	SS38	-	2644R1	N/A	N/A	
TS1-AH	12	WH	15	485637R1	N/A	SS38	-	2644R1	N/A	N/A	
UJ94BY	18	GY	GXL	2643673R1	N/A	SS38	-	2644R1	N/A	N/A	
UJ94BYA	18	GY	TXL	351311R1	N/A	SS38	-	2644R1	N/A	N/A	
AM1-AG	12	WH	15	485637R1	N/A	SS39	-	2644R1	N/A	N/A	
AM1-AH	1	WH	TXL	351363R1	N/A	SS39	-	2644R1	N/A	N/A	
GA95W	2	TN	GXL	2643767R1	N/A	SS39	-	2644R1	N/A	N/A	
GA95WA	2	TN	TXL	351328R1	N/A	SS39	-	2644R1	N/A	N/A	
US94BY	18	GY	GXL	2643673R1	N/A	SS39	-	2644R1	N/A	N/A	
US94BYA	18	GY	TXL	351311R1	N/A	SS39	-	2644R1	N/A	N/A	
TM13AA	18	PK	TXL	351323R1	N/A	SS4	-	2644R1	N/A	N/A	
TM13AB	18	RD	TXL	351365R1	N/A	SS4	-	2644R1	N/A	N/A	
TM13R	1	RD	TXL	351369R1	N/A	SS4	-	2644R1	N/A	N/A	
TM95KD	1	RD	TXL	351369R1	N/A	SS4	-	2644R1	N/A	N/A	
UJ94BZ	18	GY	GXL	2643673R1	N/A	SS4	-	2644R1	N/A	N/A	
UJ94BZA	18	GY	TXL	351311R1	N/A	SS4	-	2644R1	N/A	N/A	
RK5U(-)	18	GN	TXL	3572112R1	N/A	SS4	-	2644R1	N/A	N/A	
RK5UF(-)	18	GN	TXL	3572112R1	N/A	SS4	-	2644R1	N/A	N/A	
RK5UH(-)	18	GN	TXL	3572112R1	N/A	SS4	-	2644R1	N/A	N/A	
AJ95AT1	18	TN	TXL	351329R1	N/A	SS4	-	2644R1	N/A	N/A	
AJ95AT2	18	TN	TXL	351329R1	N/A	SS4	-	2644R1	N/A	N/A	
AJ95AT3	18	TN	TXL	351329R1	N/A	SS4	-	2644R1	N/A	N/A	
GN6	18	TN	15	2645915R1	N/A	SS4	-	2644R1	N/A	N/A	
GN6A	2	VT	TXL	351346R1	N/A	SS4	-	2644R1	N/A	N/A	
GN6B	2	VT	GXL	264377R1	N/A	SS4	-	2644R1	N/A	N/A	
GN99D	18	VT	GXL	2643718R1	N/A	SS4	-	2644R1	N/A	N/A	



Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
YS94T	1	GY	GXL	2643784R1	N/A	SS4	-	2644R1	N/A	N/A
YS94U	1	GY	TXL	351315R1	N/A	SS4	-	2644R1	N/A	N/A
YS94W	1	GY	GXL	2643784R1	N/A	SS4	-	2644R1	N/A	N/A
UY49-GA	18	WH	GXL	2643674R1	N/A	SS4	-	2644R1	N/A	N/A
UY49-GB	18	WH	GXL	2643674R1	N/A	SS4	-	2644R1	N/A	N/A
UY49-GC	18	WH	GXL	2643674R1	N/A	SS4	-	2644R1	N/A	N/A
RK5U(-)	18	GN	TXL	3572112R1	N/A	SS4	-	2644R1	N/A	N/A
RK5UF(-)	18	GN	TXL	3572112R1	N/A	SS4	-	2644R1	N/A	N/A
RK5UH(-)	18	GN	TXL	3572112R1	N/A	SS4	-	2644R1	N/A	N/A
AS13R	12	PK	15	485639R1	N/A	SS41	-	2644R1	N/A	N/A
AS13R2	1	RD	TXL	351369R1	N/A	SS41	-	2644R1	N/A	N/A
KJ95W	2	TN	GXL	2643767R1	N/A	SS41	-	2644R1	N/A	N/A
KJ95WA	2	TN	TXL	351328R1	N/A	SS41	-	2644R1	N/A	N/A
US94BZ	18	GY	GXL	2643673R1	N/A	SS41	-	2644R1	N/A	N/A
US94BZA	18	GY	TXL	351311R1	N/A	SS41	-	2644R1	N/A	N/A
KA14A1	16	RD	TXL	351366R1	N/A	SS42	-	2644R1	N/A	N/A
KA14A2	16	RD	TXL	351366R1	N/A	SS42	-	2644R1	N/A	N/A
KA14A4B	1	RD	TXL	351369R1	N/A	SS42	-	2644R1	N/A	N/A
VB94BP	18	GY	GXL	2643673R1	N/A	SS42	-	2644R1	N/A	N/A
VB94BPA	18	GY	TXL	351311R1	N/A	SS42	-	2644R1	N/A	N/A
AY9	2	TN	15	47343R1	N/A	SS43	-	2644R1	N/A	N/A
AY9A	18	TN	TXL	351329R1	N/A	SS43	-	2644R1	N/A	N/A
AY9B	18	VT	TXL	351347R1	N/A	SS43	-	2644R1	N/A	N/A
KH1-GK	12	WH	TXL	351362R1	N/A	SS43	-	2644R1	N/A	N/A
KH11-G	1	WH	TXL	351363R1	N/A	SS43	-	2644R1	N/A	N/A
KH11-GA	1	WH	TXL	351363R1	N/A	SS43	-	2644R1	N/A	N/A
VB94BY	18	GY	GXL	2643673R1	N/A	SS43	-	2644R1	N/A	N/A
VB94BYA	18	GY	TXL	351311R1	N/A	SS43	-	2644R1	N/A	N/A
AS1-AG	12	WH	15	485637R1	N/A	SS44	-	2644R1	N/A	N/A
AS1-AH	1	WH	TXL	351363R1	N/A	SS44	-	2644R1	N/A	N/A
TL13R	1	RD	TXL	351369R1	N/A	SS44	-	2644R1	N/A	N/A
TL13R2	12	PK	15	485639R1	N/A	SS44	-	2644R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
VB94BZ	18	GY	GXL	2643673R1	N/A	SS44	-	2644R1	N/A	N/A
VB94BZA	18	GY	TXL	351311R1	N/A	SS44	-	2644R1	N/A	N/A
LE5A(+)	18	YL	TXL	3572112R1	N/A	SS45	-	2644R1	N/A	N/A
LE5B(+)	18	YL	TXL	3572112R1	N/A	SS45	-	2644R1	N/A	N/A
LE5E(+)	18	YL	TXL	3572112R1	N/A	SS45	-	2644R1	N/A	N/A
TS13AA	18	PK	TXL	351323R1	N/A	SS45	-	2644R1	N/A	N/A
TS13AB	18	RD	TXL	351365R1	N/A	SS45	-	2644R1	N/A	N/A
TS13R	1	RD	TXL	351369R1	N/A	SS45	-	2644R1	N/A	N/A
TS95KD	1	RD	TXL	351369R1	N/A	SS45	-	2644R1	N/A	N/A
LE5A(-)	18	GN	TXL	3572112R1	N/A	SS46	-	2644R1	N/A	N/A
LE5B(-)	18	GN	TXL	3572112R1	N/A	SS46	-	2644R1	N/A	N/A
LE5E(-)	18	GN	TXL	3572112R1	N/A	SS46	-	2644R1	N/A	N/A
TJ95AT1	18	TN	TXL	351329R1	N/A	SS46	-	2644R1	N/A	N/A
TJ95AT2	2	TN	TXL	351328R1	N/A	SS46	-	2644R1	N/A	N/A
TJ95AT3	18	TN	TXL	351329R1	N/A	SS46	-	2644R1	N/A	N/A
LF5A(+)	18	YL	TXL	3572112R1	N/A	SS47	-	2644R1	N/A	N/A
LF5B(+)	18	YL	TXL	3572112R1	N/A	SS47	-	2644R1	N/A	N/A
LF5E(+)	18	YL	TXL	3572112R1	N/A	SS47	-	2644R1	N/A	N/A
TK95AT1	18	TN	TXL	351329R1	N/A	SS47	-	2644R1	N/A	N/A
TK95AT2	2	TN	TXL	351328R1	N/A	SS47	-	2644R1	N/A	N/A
TK95AT3	18	TN	TXL	351329R1	N/A	SS47	-	2644R1	N/A	N/A
LF5A(-)	18	GN	TXL	3572112R1	N/A	SS48	-	2644R1	N/A	N/A
LF5B(-)	18	GN	TXL	3572112R1	N/A	SS48	-	2644R1	N/A	N/A
LF5E(-)	18	GN	TXL	3572112R1	N/A	SS48	-	2644R1	N/A	N/A
TJ95AU1	18	TN	TXL	351329R1	N/A	SS48	-	2644R1	N/A	N/A
TJ95AU2	2	TN	TXL	351328R1	N/A	SS48	-	2644R1	N/A	N/A
TJ95AU3	18	TN	TXL	351329R1	N/A	SS48	-	2644R1	N/A	N/A
TK95AU1	18	TN	TXL	351329R1	N/A	SS49	-	2644R1	N/A	N/A
TK95AU2	2	TN	TXL	351328R1	N/A	SS49	-	2644R1	N/A	N/A
TK95AU3	18	TN	TXL	351329R1	N/A	SS49	-	2644R1	N/A	N/A
KA95GBA	18	BK	TXL	351293R1	N/A	SS5	-	2644R1	N/A	N/A
KA95GBB	18	BK	TXL	351293R1	N/A	SS5	-	2644R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
KA95GBC	16	TN	TXL	35133R1	N/A	SS5	-	2644R1	N/A	N/A
SK5UF(+)	2	YL	193	3858761R1	N/A	SS5	-	2644R1	N/A	N/A
SK5UH(+)	18	YL	TXL	3572112R1	N/A	SS5	-	2644R1	N/A	N/A
SK5UK(+)	18	YL	TXL	3572112R1	N/A	SS5	-	2644R1	N/A	N/A
AK95AT1	18	TN	TXL	351329R1	N/A	SS5	-	2644R1	N/A	N/A
AK95AT2	18	TN	TXL	351329R1	N/A	SS5	-	2644R1	N/A	N/A
AK95AT3	18	TN	TXL	351329R1	N/A	SS5	-	2644R1	N/A	N/A
VG2	2	RD	SGX	3592739R1	N/A	SS5	-	2644R1	N/A	N/A
VG2A-FL	1	RS	FUS	2643473R1	N/A	SS5	-	2644R1	N/A	N/A
VG2B-FL	1	RS	FUS	2643473R1	N/A	SS5	-	2644R1	N/A	N/A
YS56T	1	YL	GXL	264382R1	N/A	SS5	-	2644R1	N/A	N/A
YS56U	1	YL	GXL	264382R1	N/A	SS5	-	2644R1	N/A	N/A
YS56W	1	YL	GXL	264382R1	N/A	SS5	-	2644R1	N/A	N/A
UJ94BP	18	GY	GXL	2643673R1	N/A	SS5	-	2644R1	N/A	N/A
UJ94BPA	18	GY	TXL	351311R1	N/A	SS5	-	2644R1	N/A	N/A
SK5UF(+)	2	YL	193	3858761R1	N/A	SS5	-	2644R1	N/A	N/A
SK5UH(+)	18	YL	TXL	3572112R1	N/A	SS5	-	2644R1	N/A	N/A
SK5UK(+)	18	YL	TXL	3572112R1	N/A	SS5	-	2644R1	N/A	N/A
ZE92A4	18	TN	TXL	351329R1	N/A	SS51	-	2644R1	N/A	N/A
ZE95DA	18	TN	TXL	351329R1	N/A	SS51	-	2644R1	N/A	N/A
ZE95DB	2	TN	15	47343R1	N/A	SS51	-	2644R1	N/A	N/A
KA95PA	1	PK	TXL	351327R1	N/A	SS51	-	2644R1	N/A	N/A
KA95PB	1	PK	TXL	351327R1	N/A	SS51	-	2644R1	N/A	N/A
KA95PC	18	PK	TXL	351323R1	N/A	SS51	-	2644R1	N/A	N/A
KA14A	16	RD	TXL	351366R1	N/A	SS52	-	2644R1	N/A	N/A
KA14C	1	RD	TXL	351369R1	N/A	SS52	-	2644R1	N/A	N/A
KA14D	12	RD	TXL	351368R1	N/A	SS52	-	2644R1	N/A	N/A
KA95H1	18	PK	TXL	351323R1	N/A	SS53	-	2644R1	N/A	N/A
KA95H2	18	PK	TXL	351323R1	N/A	SS53	-	2644R1	N/A	N/A
KA95H3	18	PK	TXL	351323R1	N/A	SS53	-	2644R1	N/A	N/A
KA95H4	18	PK	TXL	351323R1	N/A	SS53	-	2644R1	N/A	N/A
KA95H5	18	PK	TXL	351323R1	N/A	SS53	-	2644R1	N/A	N/A

Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
KA95H6	18	PK	TXL	351323R1	N/A	SS53	-	2644R1	N/A	N/A	
KA95H7	18	PK	TXL	351323R1	N/A	SS53	-	2644R1	N/A	N/A	
KA95GBC	16	TN	TXL	35133R1	N/A	SS54	-	2644R1	N/A	N/A	
KA95GBD	18	BK	TXL	351293R1	N/A	SS54	-	2644R1	N/A	N/A	
KA95GBE	16	TN	TXL	35133R1	N/A	SS54	-	2644R1	N/A	N/A	
TM13R	1	RD	TXL	351369R1	N/A	SS55	-	2644R1	N/A	N/A	
TM13R2	12	PK	15	485639R1	N/A	SS55	-	2644R1	N/A	N/A	
ZC23A	18	TN	TXL	351329R1	N/A	SS56	-	2644R1	N/A	N/A	
ZC23A2	18	TN	TXL	351329R1	N/A	SS56	-	2644R1	N/A	N/A	
ZC92A15	18	TN	GXL	2643676R1	N/A	SS56	-	2644R1	N/A	N/A	
TL1-AG	1	WH	TXL	351363R1	N/A	SS56	-	2644R1	N/A	N/A	
TL1-AH	12	WH	15	485637R1	N/A	SS56	-	2644R1	N/A	N/A	
TM1-AG	1	WH	TXL	351363R1	N/A	SS57	-	2644R1	N/A	N/A	
TM1-AH	12	WH	15	485637R1	N/A	SS57	-	2644R1	N/A	N/A	
KA14A4A	1	RD	TXL	351369R1	N/A	SS58	-	2644R1	N/A	N/A	
KA14A4B	1	RD	TXL	351369R1	N/A	SS58	-	2644R1	N/A	N/A	
KA14AF	1	RD	TXL	351369R1	N/A	SS58	-	2644R1	N/A	N/A	
GK34	2	TN	TXL	351328R1	N/A	SS59	-	2644R1	N/A	N/A	
GK34A	18	TN	TXL	351329R1	N/A	SS59	-	2644R1	N/A	N/A	
WA41D	18	WH	TXL	351359R1	N/A	SS6	-	2644R1	N/A	N/A	
WA92A2	18	WH	TXL	351359R1	N/A	SS6	-	2644R1	N/A	N/A	
WA92B2	18	TN	TXL	351329R1	N/A	SS6	-	2644R1	N/A	N/A	
SK5UF(-)	2	GN	193	3858761R1	N/A	SS6	-	2644R1	N/A	N/A	
SK5UH(-)	18	GN	TXL	3572112R1	N/A	SS6	-	2644R1	N/A	N/A	
SK5UK(-)	18	GN	TXL	3572112R1	N/A	SS6	-	2644R1	N/A	N/A	
KA1-GA	1	WH	GXL	2643788R1	N/A	SS6	-	2644R1	N/A	N/A	
KA1-GF	16	WH	TXL	35136R1	N/A	SS6	-	2644R1	N/A	N/A	
KA1-GG	16	WH	TXL	35136R1	N/A	SS6	-	2644R1	N/A	N/A	
KA1-GH	16	WH	TXL	35136R1	N/A	SS6	-	2644R1	N/A	N/A	
YS7T	1	RD	GXL	2643698R1	N/A	SS6	-	2644R1	N/A	N/A	
YS7U	1	RD	TXL	351369R1	N/A	SS6	-	2644R1	N/A	N/A	
YS7W	1	RD	GXL	2643698R1	N/A	SS6	-	2644R1	N/A	N/A	

Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
US94BP	18	GY	GXL	2643673R1	N/A	SS6	-	2644R1	N/A	N/A	
US94BPA	18	GY	TXL	351311R1	N/A	SS6	-	2644R1	N/A	N/A	
SK5UF(-)	2	GN	193	3858761R1	N/A	SS6	-	2644R1	N/A	N/A	
SK5UH(-)	18	GN	TXL	3572112R1	N/A	SS6	-	2644R1	N/A	N/A	
SK5UK(-)	18	GN	TXL	3572112R1	N/A	SS6	-	2644R1	N/A	N/A	
WC41D	18	WH	TXL	351359R1	N/A	SS62	-	2644R1	N/A	N/A	
WC92A2	18	WH	TXL	351359R1	N/A	SS62	-	2644R1	N/A	N/A	
WC92B2	18	TN	TXL	351329R1	N/A	SS62	-	2644R1	N/A	N/A	
KA41-GE	1	WH	TXL	351363R1	N/A	SS63	-	264427R1	N/A	N/A	
KA41-GF	1	WH	TXL	351363R1	N/A	SS63	-	264427R1	N/A	N/A	
KA41-GH	4	WH	SGX	264425R1	N/A	SS63	-	264427R1	N/A	N/A	
KA14G	14	RD	TXL	351367R1	N/A	SS64	-	2644R1	N/A	N/A	
KA14HA	14	RD	TXL	351367R1	N/A	SS64	-	2644R1	N/A	N/A	
KA14HC	14	RD	TXL	351367R1	N/A	SS64	-	2644R1	N/A	N/A	
KA14K	14	RD	TXL	351367R1	N/A	SS64	-	2644R1	N/A	N/A	
CC95AC	2	TN	TXL	351328R1	N/A	SS65	-	2644R1	N/A	N/A	
CC95GC	18	VT	GXL	2643718R1	N/A	SS65	-	2644R1	N/A	N/A	
CC95GE	18	TN	TXL	351329R1	N/A	SS65	-	2644R1	N/A	N/A	
CD95AC	2	TN	TXL	351328R1	N/A	SS66	-	2644R1	N/A	N/A	
CD95GC	18	VT	GXL	2643718R1	N/A	SS66	-	2644R1	N/A	N/A	
CD95GE	18	TN	TXL	351329R1	N/A	SS66	-	2644R1	N/A	N/A	
KA92BB16	14	WH	TXL	351361R1	N/A	SS67	-	2644R1	N/A	N/A	
KA92E16	14	WH	TXL	351361R1	N/A	SS67	-	2644R1	N/A	N/A	
KA92G16	14	WH	TXL	351361R1	N/A	SS67	-	2644R1	N/A	N/A	
KA92B16	14	TN	TXL	351331R1	N/A	SS68	-	2644R1	N/A	N/A	
KA92F16	14	WH	TXL	351361R1	N/A	SS68	-	2644R1	N/A	N/A	
KA92G16	14	WH	TXL	351361R1	N/A	SS68	-	2644R1	N/A	N/A	
KA92B16	14	TN	TXL	351331R1	N/A	SS69	-	2644R1	N/A	N/A	
KA92BA16	14	WH	TXL	351361R1	N/A	SS69	-	2644R1	N/A	N/A	
KA92C16	14	WH	TXL	351361R1	N/A	SS69	-	2644R1	N/A	N/A	
KA92D16	14	WH	TXL	351361R1	N/A	SS69	-	2644R1	N/A	N/A	
AY5A(-)	18	GN	TXL	3572112R1	N/A	SS7	-	2644R1	N/A	N/A	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
AY5B(-)	18	GN	TXL	3572112R1	N/A	SS7	-	2644R1	N/A	N/A
AY5C(-)	18	GN	193	2645917R1	N/A	SS7	-	2644R1	N/A	N/A
KA1-GB	16	WH	TXL	35136R1	N/A	SS7	-	2644R1	N/A	N/A
KA1-GE	16	WH	TXL	35136R1	N/A	SS7	-	2644R1	N/A	N/A
KA1-GJ	1	WH	TXL	351363R1	N/A	SS7	-	2644R1	N/A	N/A
YS57T	1	LTGN	GXL	2643776R1	N/A	SS7	-	2644R1	N/A	N/A
YS57U	1	LTGN	GXL	2643776R1	N/A	SS7	-	2644R1	N/A	N/A
YS57W	1	LTGN	GXL	2643776R1	N/A	SS7	-	2644R1	N/A	N/A
VJ1-G	12	WH	TXL	351362R1	N/A	SS7	-	2644R1	N/A	N/A
VJ1-GE	12	WH	TXL	351362R1	N/A	SS7	-	2644R1	N/A	N/A
VJ1-GG	12	WH	TXL	351362R1	N/A	SS7	-	2644R1	N/A	N/A
KA14HA	14	RD	TXL	351367R1	N/A	SS8	-	2644R1	N/A	N/A
KA14J2	1	RD	GXL	2643698R1	N/A	SS8	-	2644R1	N/A	N/A
KA14KB	14	RD	TXL	351367R1	N/A	SS8	-	2644R1	N/A	N/A
KA1-G	8	WH	GXL	2643789R1	N/A	SS8	-	2644R1	N/A	N/A
KA1-GA	1	WH	GXL	2643788R1	N/A	SS8	-	2644R1	N/A	N/A
KA1-GJ	1	WH	TXL	351363R1	N/A	SS8	-	2644R1	N/A	N/A
KA77-G	16	WH	TXL	35136R1	N/A	SS8	-	2644R1	N/A	N/A
YS58T	1	BK	GXL	2643773R1	N/A	SS8	-	2644R1	N/A	N/A
YS58U	1	BK	GXL	2643773R1	N/A	SS8	-	2644R1	N/A	N/A
YS58W	1	BK	GXL	2643773R1	N/A	SS8	-	2644R1	N/A	N/A
VH1-G	12	WH	TXL	351362R1	N/A	SS8	-	264427R1	N/A	N/A
VH1-GE	12	WH	TXL	351362R1	N/A	SS8	-	264427R1	N/A	N/A
VH1-GF	12	WH	TXL	351362R1	N/A	SS8	-	264427R1	N/A	N/A
VH1-GG	12	WH	TXL	351362R1	N/A	SS8	-	264427R1	N/A	N/A
XZ5A117	18	GN	TXL	3572112R1	N/A	SS84	-	2644R1	N/A	N/A
XZ5B117	18	GN	TXL	3572112R1	N/A	SS84	-	2644R1	N/A	N/A
XZ5S117	18	GN	TXL	3572112R1	N/A	SS84	-	2644R1	N/A	N/A
XZ5A16	18	YL	TXL	3572112R1	N/A	SS85	-	2644R1	N/A	N/A
XZ5B16	18	YL	TXL	3572112R1	N/A	SS85	-	2644R1	N/A	N/A
XZ5S16	18	YL	TXL	3572112R1	N/A	SS85	-	2644R1	N/A	N/A
XZ5C16	18	YL	TXL	3572112R1	N/A	SS86	-	2644R1	N/A	N/A

<b>Circuit</b>				<b>Terminal Splice</b>	<b>Connector Body</b>	<b>Connector</b>					
<b>Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Number</b>	<b>Part Numbers</b>	<b>Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>	
XZ5R16	2	YL	193	3858761R1	N/A	SS86	-	2644R1	N/A	N/A	
XZ5S16	18	YL	TXL	3572112R1	N/A	SS86	-	2644R1	N/A	N/A	
XZ5C117	18	GN	TXL	3572112R1	N/A	SS87	-	2644R1	N/A	N/A	
XZ5R117	2	GN	193	3858761R1	N/A	SS87	-	2644R1	N/A	N/A	
XZ5S117	18	GN	TXL	3572112R1	N/A	SS87	-	2644R1	N/A	N/A	
AL1-AH	1	WH	TXL	351363R1	N/A	SS9	-	2644R1	N/A	N/A	
AL1-H	1	WH	TXL	351363R1	N/A	SS9	-	2644R1	N/A	N/A	
AL95-GB	16	BK	TXL	351294R1	N/A	SS9	-	2644R1	N/A	N/A	
AL95-GL	16	BK	TXL	351294R1	N/A	SS9	-	2644R1	N/A	N/A	
GM6	18	TN	15	2645915R1	N/A	SS9	-	2644R1	N/A	N/A	
GM6A	2	VT	TXL	351346R1	N/A	SS9	-	2644R1	N/A	N/A	
GM6B	2	VT	GXL	264377R1	N/A	SS9	-	2644R1	N/A	N/A	
GM99D	18	VT	GXL	2643718R1	N/A	SS9	-	2644R1	N/A	N/A	
YS68T	1	BN	GXL	2643779R1	N/A	SS9	-	2644R1	N/A	N/A	
YS68U	1	BN	TXL	35139R1	N/A	SS9	-	2644R1	N/A	N/A	
YS68W	1	BN	GXL	2643779R1	N/A	SS9	-	2644R1	N/A	N/A	
VG68A	14	BN	GXL	2643688R1	N/A	SS9	-	2644R1	N/A	N/A	
VG68AC	14	BN	GXL	2643688R1	N/A	SS9	-	2644R1	N/A	N/A	
VG68AD	14	BN	GXL	2643688R1	N/A	SS9	-	2644R1	N/A	N/A	
WC1-GA	12	WH	GXL	2643787R1	N/A	SS92	-	2644R1	N/A	N/A	
WC1-GD	8	WH	GXL	2643789R1	N/A	SS92	-	2644R1	N/A	N/A	
WC1-GF	6	WH	SGX	264379R1	N/A	SS92	-	2644R1	N/A	N/A	
KD41D	18	WH	TXL	351359R1	N/A	SS93	-	2644R1	N/A	N/A	
KD92A2	18	WH	TXL	351359R1	N/A	SS93	-	2644R1	N/A	N/A	
KD92B2	18	TN	TXL	351329R1	N/A	SS93	-	2644R1	N/A	N/A	
MA11-GBB	16	WH	GXL	2643681R1	N/A	SVS2	-	2644R1	N/A	N/A	
MA54-GBB	16	WH	GXL	2643681R1	N/A	SVS2	-	2644R1	N/A	N/A	
MA54-GCC	16	WH	GXL	2643681R1	N/A	SVS2	-	2644R1	N/A	N/A	
MA58C	16	BN	GXL	2643679R1	N/A	SVS5	-	2644R1	N/A	N/A	
MA58CA	16	BN	GXL	2643679R1	N/A	SVS5	-	2644R1	N/A	N/A	
MA58CB	16	BN	GXL	2643679R1	N/A	SVS5	-	2644R1	N/A	N/A	
MA56A	16	OR	GXL	2643682R1	N/A	SVS6	-	2644R1	N/A	N/A	

Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
MA56AB	16	OR	GXL	2643682R1	N/A	SVS6	-	2644R1	N/A	N/A	
MA56AC	16	OR	GXL	2643682R1	N/A	SVS6	-	2644R1	N/A	N/A	
KL5AC(+)	18	YL	TXL	3572112R1	N/A	SX2	-	2644R1	N/A	N/A	
KL5AD(+)	18	YL	TXL	3572112R1	N/A	SX2	-	2644R1	N/A	N/A	
KL5AE(+)	2	YL	193	3858761R1	N/A	SX2	-	2644R1	N/A	N/A	
KL5A(-)	18	GN	TXL	3572112R1	N/A	SX3	-	2644R1	N/A	N/A	
KL5AB(-)	18	GN	TXL	3572112R1	N/A	SX3	-	2644R1	N/A	N/A	
KL5AC(-)	18	GN	TXL	3572112R1	N/A	SX3	-	2644R1	N/A	N/A	
KL5AC(-)	18	GN	TXL	3572112R1	N/A	SX4	-	2644R1	N/A	N/A	
KL5AD(-)	18	GN	TXL	3572112R1	N/A	SX4	-	2644R1	N/A	N/A	
KL5AE(-)	2	GN	193	3858761R1	N/A	SX4	-	2644R1	N/A	N/A	
KL5A(+)	18	YL	TXL	3572112R1	N/A	SX5	-	2644R1	N/A	N/A	
KL5AB(+)	18	YL	TXL	3572112R1	N/A	SX5	-	2644R1	N/A	N/A	
KL5AC(+)	18	YL	TXL	3572112R1	N/A	SX5	-	2644R1	N/A	N/A	
KL5B(-)	18	GN	TXL	3572112R1	N/A	SX6	-	2644R1	N/A	N/A	
KL5BB(-)	18	GN	TXL	3572112R1	N/A	SX6	-	2644R1	N/A	N/A	
KL5BC(-)	18	GN	TXL	3572112R1	N/A	SX6	-	2644R1	N/A	N/A	
KL5B(+)	18	YL	TXL	3572112R1	N/A	SX7	-	2644R1	N/A	N/A	
KL5BB(+)	18	YL	TXL	3572112R1	N/A	SX7	-	2644R1	N/A	N/A	
KL5BC(+)	18	YL	TXL	3572112R1	N/A	SX7	-	2644R1	N/A	N/A	
KL5BC(+)	18	YL	TXL	3572112R1	N/A	SX8	-	2644R1	N/A	N/A	
KL5BD(+)	2	YL	193	3858761R1	N/A	SX8	-	2644R1	N/A	N/A	
KL5BE(+)	18	YL	TXL	3572112R1	N/A	SX8	-	2644R1	N/A	N/A	
KL5BC(-)	18	GN	TXL	3572112R1	N/A	SX9	-	2644R1	N/A	N/A	
KL5BD(-)	2	GN	193	3858761R1	N/A	SX9	-	2644R1	N/A	N/A	
KL5BE(-)	18	GN	TXL	3572112R1	N/A	SX9	-	2644R1	N/A	N/A	
AA9AAJ	18	GY	TXL	351311R1	N/A	TS1	-	2644R1	N/A	N/A	
AA9AAJ1	18	GY	TXL	351311R1	N/A	TS1	-	2644R1	N/A	N/A	
AA9AE	18	GY	TXL	351311R1	N/A	TS1	-	2644R1	N/A	N/A	
PA54-GXAH	16	WH	TXL	35136R1	N/A	TS2	-	2644R1	N/A	N/A	
PA54-GXAJ	16	WH	TXL	35136R1	N/A	TS2	-	2644R1	N/A	N/A	
PA54-GXD	16	WH	TXL	35136R1	N/A	TS2	-	2644R1	N/A	N/A	



Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
PA54-GXE	16	WH	TXL	35136R1	N/A	TS2	-	2644R1	N/A	N/A	
PA54XAJ	16	BN	TXL	35136R1	N/A	TS3	-	2644R1	N/A	N/A	
PA54XC	16	BN	TXL	35136R1	N/A	TS3	-	2644R1	N/A	N/A	
PA54XE	16	BN	TXL	35136R1	N/A	TS3	-	2644R1	N/A	N/A	
AF17	16	PK	GXL	2643752R1	N/A	TS4	-	2644R1	N/A	N/A	
AF17B	16	PK	GXL	2643752R1	N/A	TS4	-	2644R1	N/A	N/A	
AF17C	16	PK	GXL	2643752R1	N/A	TS4	-	2644R1	N/A	N/A	
[KC11A]	2	-	GXL	V-2-GXL	PAS15(1	2)	1937PB		7 N/A	N/A	
[KC11B]	2	-	GXL	V-2-GXL	PAS15(1	2)	1937PB		8 N/A	N/A	
[KC13]	2	-	GXL	V-2-GXL	PAS15(1	2)	1937PB		5 N/A	N/A	
[KC14A]	2	-	GXL	V-2-GXL	PAS15(1	2)	1937PB		1 N/A	N/A	
[KC14B]	2	-	GXL	V-2-GXL	PAS15(1	2)	1937PB		2 N/A	N/A	
[KC3(+)]	2	-	GXL	V-2-GXL	PAS15(1	2)	1937PB		4 N/A	N/A	
[KC3(-)]	2	-	GXL	V-2-GXL	PAS15(1	2)	1937PB		3 N/A	N/A	
[KC4(+)]	2	-	GXL	V-2-GXL	PAS15(1	2)	1937PB		13 N/A	N/A	
[KC4(-)]	2	-	GXL	V-2-GXL	PAS15(1	2)	1937PB		14 N/A	N/A	
[KC5(+)]	2	-	GXL	V-2-GXL	PAS15(1	2)	1937PB		1 N/A	N/A	
[KC5(-)]	2	-	GXL	V-2-GXL	PAS15(1	2)	1937PB		12 N/A	N/A	
[BDCORE]	NONE	-	NON	V-COAXWIRE	PAS2(1	2)	2A		1 N/A	N/A	
[BDCORE]	NONE	-	NON	V-COAXWIRE	PAS2(1	2)	1A		1 N/A	N/A	
[BDSHLD]	NONE	-	NON	V-COAXWIRE	PAS2(1	2)	2A		2 N/A	N/A	
[BDSHLD]	NONE	-	NON	V-COAXWIRE	PAS2(1	2)	1A		2 N/A	N/A	
[BECORE]	NONE	-	NON	V-COAXWIRE	PAS2(1	2)	3A		1 N/A	N/A	
[BECORE]	NONE	-	NON	V-COAXWIRE	PAS2(1	2)	4A		1 N/A	N/A	
[BESHLD]	NONE	-	NON	V-COAXWIRE	PAS2(1	2)	3A		2 N/A	N/A	
[BESHLD]	NONE	-	NON	V-COAXWIRE	PAS2(1	2)	4A		2 N/A	N/A	
[ZQBRN]	22	-	TXL	V-22-TXL	PAS8(1	2)	2A		2 N/A	N/A	
[ZQBRN]	22	-	TXL	V-22-TXL	PAS8(1	2)	21A		2 N/A	N/A	
[ZQGRN]	22	-	TXL	V-22-TXL	PAS8(1	2)	2A		3 N/A	N/A	
[ZQGRN]	22	-	TXL	V-22-TXL	PAS8(1	2)	21A		3 N/A	N/A	
[ZQGRY]	22	-	TXL	V-22-TXL	PAS8(1	2)	2A		5 N/A	N/A	
[ZQGRY]	22	-	TXL	V-22-TXL	PAS8(1	2)	21A		5 N/A	N/A	

Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
[ZQRED]	22	-	TXL	V-22-TXL	PAS8(1	2)	2A	8 N/A	N/A		
[ZQRED]	22	-	TXL	V-22-TXL	PAS8(1	2)	21A	8 N/A	N/A		
[ZQWHT]	22	-	TXL	V-22-TXL	PAS8(1	2)	2A	1 N/A	N/A		
[ZQWHT]	22	-	TXL	V-22-TXL	PAS8(1	2)	21A	1 N/A	N/A		
[ZQYEL]	22	-	TXL	V-22-TXL	PAS8(1	2)	2A	4 N/A	N/A		
[ZQYEL]	22	-	TXL	V-22-TXL	PAS8(1	2)	21A	4 N/A	N/A		
[PP94SJ]	16	-	GXL	V-16-GXL	PAS2(1	2)	9514	1 N/A	N/A		
[PP94SK]	16	-	GXL	V-16-GXL	PAS2(1	2)	9514	2 N/A	N/A		
[YH94SL]	16	-	GXL	V-16-GXL	PAS2(1	2)	9414A	1 N/A	N/A		
[YH94SM]	16	-	GXL	V-16-GXL	PAS2(1	2)	9414A	2 N/A	N/A		
[YJ94SN]	18	-	GXL	V-18-GXL	PAS4(1	2)	9511B	1 N/A	N/A		
[YJ94SP]	18	-	GXL	V-18-GXL	PAS4(1	2)	9511B	2 N/A	N/A		
[YJ94SR]	18	-	GXL	V-18-GXL	PAS4(1	2)	9511B	3 N/A	N/A		
[YJ94SS]	18	-	GXL	V-18-GXL	PAS4(1	2)	9511B	4 N/A	N/A		
[YK94SN]	18	-	GXL	V-18-GXL	PAS4(1	2)	9511D	1 N/A	N/A		
[YK94SP]	18	-	GXL	V-18-GXL	PAS4(1	2)	9511D	2 N/A	N/A		
[YK94SR]	18	-	GXL	V-18-GXL	PAS4(1	2)	9511D	3 N/A	N/A		
[YK94SS]	18	-	GXL	V-18-GXL	PAS4(1	2)	9511D	4 N/A	N/A		
[SU94MM]	16	-	GXL	V-16-GXL	PAS2(1	2)	9515	1 N/A	N/A		
[SU94MN]	16	-	GXL	V-16-GXL	PAS2(1	2)	9515	2 N/A	N/A		
[SV94MM]	16	-	GXL	V-16-GXL	PAS2(1	2)	9515A	1 N/A	N/A		
[SV94MN]	16	-	GXL	V-16-GXL	PAS2(1	2)	9515A	2 N/A	N/A		
[SW94MM]	16	-	GXL	V-16-GXL	PAS2(1	2)	9515B	1 N/A	N/A		
[SW94MN]	16	-	GXL	V-16-GXL	PAS2(1	2)	9515B	2 N/A	N/A		
[KC11A]	2	-	GXL	V-2-GXL	PAS3(A	B)	1918BA	C	N/A	N/A	
[KC11B]	2	-	GXL	V-2-GXL	PAS3(A	B)	1918BA	C	N/A	N/A	
[KC13]	2	-	GXL	V-2-GXL	PAS3(A	B)	1918BA	B	N/A	N/A	
[KC14A]	2	-	GXL	V-2-GXL	PAS3(A	B)	1918BA	A	N/A	N/A	
[KC14B]	2	-	GXL	V-2-GXL	PAS3(A	B)	1918BA	A	N/A	N/A	
[KC3(+)]	2	-	GXL	V-2-GXL	PAS8(A	B)	1919BA	C	N/A	N/A	
[KC3(-)]	2	-	GXL	V-2-GXL	PAS8(A	B)	1919BA	D	N/A	N/A	
[KC4(+)]	2	-	GXL	V-2-GXL	PAS2(A	B)	1937PC	A	N/A	N/A	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
[KC4(-)]	2	-	GXL	V-2-GXL	PAS2(A	B)	1937PC	B	N/A	N/A
[KC5(+)]	2	-	GXL	V-2-GXL	PAS3(A	B)	1937PA	A	N/A	N/A
[KC5(-)]	2	-	GXL	V-2-GXL	PAS3(A	B)	1937PA	C	N/A	N/A
GB14SAG	12	LTGN	TXL	35132R1	BLUNT_SL_	C 194	A	N/A	N/A	N/A
GF14SAD	12	LTGN	TXL	35132R1	BLUNT_SL_	C 194	A	N/A	N/A	N/A
CE14SBD	12	LTGN	TXL	35132R1	BLUNT_SL_	C 1941	A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
B(+)	8	RD	GXL	0373756C2			100 A	2644054R1	N/A	N/A
B(+)	8	RD	GXL	0373756C2			100 A	2644054R1	N/A	N/A
B(-)	8	WH	GXL	0373756C2			100 A	2644054R1	N/A	N/A
B(-)	8	WH	GXL	0373756C2			100 A	2644054R1	N/A	N/A
A14D	4	RD	SGX	0475961C1			100 A	3812582R1	N/A	N/A
D86M	16	LTGN	GXL	NONE			100 A	N/A	N/A	N/A
D86M	16	LTGN	GXL	NONE			100 A	N/A	N/A	N/A
D86M	16	LTGN	GXL	NONE			100 A	N/A	N/A	N/A
D86-GG	16	WH	GXL	NONE			101 A	N/A	N/A	N/A
D86-GG	16	WH	GXL	NONE			101 A	N/A	N/A	N/A
D86-GG	16	WH	GXL	NONE			101 A	N/A	N/A	N/A
MA11-G	10	WH	GXL	2034790C1			102 A	2644005R1	N/A	N/A
NA11-GA	10	WH	TXL	0373756C2			102 A	2644054R1	N/A	N/A
NA11-GB	10	WH	TXL	0373756C2			102 A	2644054R1	N/A	N/A
A14D-FL	8	LTBL	FUS	0373756C2			103 A	2644005R1	N/A	N/A
KH11-GA	10	WH	TXL	3866817C1			512 A	2644005R1	N/A	N/A
WHITE	16	WH	GXL	NONE			512 A	3544921C1	N/A	N/A
BLACK	16	BK	GXL	NONE			512 A	3544921C1	N/A	N/A
WHITE	16	WH	GXL	NONE			512 A	3544921C1	N/A	N/A
BLACK	16	BK	GXL	NONE			512 A	3544921C1	N/A	N/A
DL2-G	0	BK	SGR	0475968C1			512 A	2643308R1	N/A	N/A
K2-G	0	BK	SGR	0475968C1			512 A	2643308R1	N/A	N/A
LC2-G	1	BK	SGR	3870430C1			512 A	2643308R1	N/A	N/A
LD2-G	2	BK	SGR	0475962C1			512 A	2644004R1	N/A	N/A
VG2-G	2	BK	SGR	0475962C1			512 A	2644004R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
VH2-G	1	BK	SGR	0475964C1		512 A		2643308R1	N/A	N/A
VM2-G	2	BK	SGR	0475962C1		674 A		2644004R1	N/A	N/A
VM2A-FL	10	RS	FUS	0338892C2		674 A		2644002R1	N/A	N/A
VM2B-FL	10	RS	FUS	0338892C2		674 A		2644002R1	N/A	N/A
KB2-G	2	WH	SGX	0475963C1		674 A		2644004R1	N/A	N/A
KA10-G	8	WH	GXL	0373756C2		674 A		2644054R1	N/A	N/A
VG2-G	2	WH	SGX	0475963C1		674 A		2644004R1	N/A	N/A
VT17	16	PK	GXL	3728984C1		674 A		2644038R1	N/A	N/A
KR17	16	PK	GXL	3692844C1		674 A		2644038R1	N/A	N/A
VD2-G	1	WH	SGX	0475965C1		674 A		2643308R1	N/A	N/A
VS17	16	PK	GXL	3692844C1		674 A		2644038R1	N/A	N/A
VE2-G	2	WH	SGX	0475963C1		674 A		2644004R1	N/A	N/A
WX2-G	2	WH	SGX	0475963C1		674 A		2644004R1	N/A	N/A
VF2-G	2	WH	SGX	0475963C1		674 A		2644004R1	N/A	N/A
LB17D	16	PK	GXL	3692844C1		674 A		2644038R1	N/A	N/A
CC21A1	12	TN	GXL	0374377C2		674 A		2644002R1	N/A	N/A
CC21A2	12	TN	GXL	0374377C2		674 A		2644002R1	N/A	N/A
CD21A1	12	TN	GXL	0374377C2		674 A		2644002R1	N/A	N/A
CD21A2	12	TN	GXL	0374377C2		674 A		2644002R1	N/A	N/A
CC14A	8	RD	TXL	3752570C1		674 A		3812582R1	N/A	N/A
CD14A	8	RD	TXL	3752570C1		674 A		3812582R1	N/A	N/A
JS1A	14	LTBL	GXL	0365876C2		674 A		2644038R1	N/A	N/A
JS1A	16	RD	TXL	0365876C2		674 A		2644038R1	N/A	N/A
JS1B	14	TN	GXL	3695859C1		674 A		2644005R1	N/A	N/A
JS1B	16	RD	TXL	3695859C1		674 A		2644005R1	N/A	N/A
KM88	16	LTGN	GXL	NONE		674 A		N/A	N/A	N/A
KM88	16	LTGN	GXL	NONE		674 A		N/A	N/A	N/A
KN88A	16	LTGN	GXL	NONE		674 A		N/A	N/A	N/A
KN88A	18	VT	GXL	NONE		674 A		N/A	N/A	N/A
Jan-00	0	RD	SGX	2241345C1		674 A		3812583R1	N/A	N/A
Jan-00	0	RD	SGX	2241361C1		674 A		3812583R1	N/A	N/A
N104AZ	12	RD	GXL	2241345C1		674 A		3812583R1	N/A	N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
Jan-00	0	RD	SGX	2241361C1		674 A		3812583R1	N/A	N/A
Jan-00	0	RD	SGX	2241666C1		674 A		3812583R1	N/A	N/A
Jan-00	0	BK	SGX	2241345C1		674 A		3812583R1	N/A	N/A
N104-G	12	WH	GXL	2241345C1		674 A		3812583R1	N/A	N/A
Jan-00	0	BK	SGX	2241361C1		674 A		3812583R1	N/A	N/A
KA10-H	4	WH	SGX	0475961C1		674 A		3812582R1	N/A	N/A
NX65BD	16	OR	GXL	NONE		674 A		3544921C1	N/A	N/A
NX65-GB	16	WH	GXL	NONE		674 B		3544921C1	N/A	N/A
NX65BE	16	OR	GXL	NONE		674 A		3544921C1	N/A	N/A
NX65-GC	16	WH	GXL	NONE		674 B		3544921C1	N/A	N/A
UB67-G	16	WH	GXL	3549254C1		674 A		2644038R1	N/A	N/A
B(+)	8	RD	GXL	3877760C1		674 A		2644054R1	N/A	N/A
MA11-GC	12	WH	GXL	3866817C1		674 A		2644005R1	N/A	N/A
VG2	2	RD	SGX	2012973C1		674 A		2644004R1	N/A	N/A
KB2	2	RD	SGX	3820000C1		674 A		2644004R1	N/A	N/A
K2	0	RD	SGX	0475968C1		674 A		N/A	N/A	N/A
K2	0	RD	SGX	0475968C1		674 A		N/A	N/A	N/A
VD2	1	RD	SGX	3870430C1		674 A		2643308R1	N/A	N/A
VM2	1	RD	SGX	3870430C1		674 A		2643308R1	N/A	N/A
VE2	2	RD	SGX	2012973C1		674 A		2644004R1	N/A	N/A
VF2	2	RD	SGX	0571717C1		674 A		2644004R1	N/A	N/A
WX2	2	RD	SGX	2012973C1		675 A		2644004R1	N/A	N/A
VG2-G	2	WH	SGX	2012973C1		675 A		2644004R1	N/A	N/A
KB2-G	2	WH	SGX	0571717C1		676 A		2644004R1	N/A	N/A
DL2	0	RD	SGR	0475968C1		676 A		2643308R1	N/A	N/A
K2	0	RD	SGR	0527859C1		677 A		2643308R1	N/A	N/A
K2-G	0	BK	SGX	0475968C1		677 A		2643308R1	N/A	N/A
K2-G	0	BK	SGX	0475968C1		678 A		2643308R1	N/A	N/A
LC2	1	RD	SGR	3870430C1		678 A		2643308R1	N/A	N/A
LD2	2	RD	SGR	2012973C1		678 A		2644004R1	N/A	N/A
VD2-G	1	WH	SGX	3870430C1		678 A		2643308R1	N/A	N/A
VG2	2	RD	SGR	2012973C1		680 A		2644004R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
VH2	1	RD	SGR	0475964C1		680	A	2643308R1	N/A	N/A
VM2	2	RD	SGR	2012973C1		680	A	2644004R1	N/A	N/A
VM2-G	1	WH	SGX	3870430C1		680	A	2643308R1	N/A	N/A
VE2-G	2	WH	SGX	0571717C1		681	A	2644004R1	N/A	N/A
VF2-G	2	WH	SGX	0571717C1		681	A	2644004R1	N/A	N/A
WX2-G	2	WH	SGX	0571717C1		690	A	2644004R1	N/A	N/A
VD2C-FL	10	RS	FUS	3693775C1		690	A	2644002R1	N/A	N/A
VD2A-FL	10	RS	FUS	0338892C2		690	A	2644002R1	N/A	N/A
VD2B-FL	10	RS	FUS	0338892C2		690	A	2644002R1	N/A	N/A
DL2A-FL	10	RS	FUS	0338892C2		690	A	2644002R1	N/A	N/A
DL2B-FL	10	RS	FUS	0338892C2		690	A	2644002R1	N/A	N/A
K2A-FL	10	RS	FUS	0338892C2		690	A	2644002R1	N/A	N/A
K2A-FL	10	RS	FUS	0338892C2		690	A	2644054R1	N/A	N/A
K2A-FL	10	RS	FUS	0338892C2		690	A	2644054R1	N/A	N/A
K2B-FL	10	RS	FUS	0338892C2		690	A	2644002R1	N/A	N/A
K2C-FL	10	RS	FUS	0338892C2		690	A	2644054R1	N/A	N/A
K2C-FL	10	RS	FUS	0338892C2		690	A	2644054R1	N/A	N/A
KB2A-FL	10	RS	FUS	0338892C2		690	A	2644002R1	N/A	N/A
KB2B-FL	10	RS	FUS	0338892C2		690	A	2644002R1	N/A	N/A
LC2A-FL	10	RS	FUS	0338892C2		690	A	2644054R1	N/A	N/A
LC2B-FL	10	RS	FUS	0338892C2		690	A	2644054R1	N/A	N/A
LD2A-FL	10	RS	FUS	0338892C2		690	A	2644002R1	N/A	N/A
LD2B-FL	10	RS	FUS	0338892C2		690	A	2644002R1	N/A	N/A
VG2A-FL	10	RS	FUS	0338892C2		690	A	2644002R1	N/A	N/A
VG2A-FL	10	RS	FUS	0338892C2		690	A	2644002R1	N/A	N/A
VG2B-FL	10	RS	FUS	0338892C2		690	A	2644002R1	N/A	N/A
VG2B-FL	10	RS	FUS	0338892C2		690	A	2644002R1	N/A	N/A
VH2A-FL	10	RS	FUS	0338892C2		690	A	2644054R1	N/A	N/A
VH2B-FL	10	RS	FUS	0338892C2		690	A	2644054R1	N/A	N/A
VM2A-FL	10	RS	FUS	0338892C2		690	A	2644002R1	N/A	N/A
VM2B-FL	10	RS	FUS	0338892C2		690	A	2644002R1	N/A	N/A
DL2C-FL	10	RS	FUS	0338892C2		690	A	2644002R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
DL2D-FL	10	RS	FUS	0338892C2		690	A	2644002R1	N/A	N/A
K2B-FL	10	RS	FUS	0338892C2		690	A	2644054R1	N/A	N/A
K2B-FL	10	RS	FUS	0338892C2		690	A	2644054R1	N/A	N/A
K2C-FL	10	RS	FUS	0338892C2		690	A	2644002R1	N/A	N/A
K2D-FL	10	RS	FUS	0338892C2		690	A	2644002R1	N/A	N/A
K2D-FL	10	RS	FUS	0338892C2		690	A	2644054R1	N/A	N/A
K2D-FL	10	RS	FUS	0338892C2		690	A	2644054R1	N/A	N/A
K2D-FL	10	RS	FUS	0338892C2		690	A	2644054R1	N/A	N/A
LC2C-FL	10	RS	FUS	0365685C2		690	A	2644005R1	N/A	N/A
VH2C-FL	10	RS	FUS	0365685C2		690	A	2644005R1	N/A	N/A
VM2C-FL	10	RS	FUS	0365685C2		690	A	2644005R1	N/A	N/A
VE2A-FL	10	RS	FUS	0338892C2		690	A	2644054R1	N/A	N/A
VE2B-FL	10	RS	FUS	0338892C2		690	A	2644054R1	N/A	N/A
WX2A-FL	10	RS	FUS	0338892C2		690	A	2644054R1	N/A	N/A
WX2B-FL	10	RS	FUS	0338892C2		690	A	2644054R1	N/A	N/A
VF2A-FL	10	RS	FUS	0338892C2		690	A	2644054R1	N/A	N/A
VF2B-FL	10	RS	FUS	0338892C2		690	A	2644054R1	N/A	N/A
DL2-G	0	BK	SGR	0475968C1		690	A	2643308R1	N/A	N/A
K2-G	0	BK	SGX	0527859C1		690	A	N/A	N/A	N/A
K2-G	0	BK	SGX	0527859C1		690	A	N/A	N/A	N/A
VH2-G	1	BK	SGR	0475964C1		690	A	2643308R1	N/A	N/A
VM2-G	1	WH	SGX	0475965C1		690	A	2643308R1	N/A	N/A
VK17D	16	PK	GXL	3692844C1		690	A	2644038R1	N/A	N/A
WA10-GA	16	WH	GXL	3695859C1		690	A	2644005R1	N/A	N/A
WC10-GA	16	WH	GXL	3695859C1		690	A	2644005R1	N/A	N/A
WC10-GD	8	WH	GXL	0373756C2		690	A	2644054R1	N/A	N/A
K2-G	0	BK	SGR	0475968C1		690	A	2643308R1	N/A	N/A
LC2-G	1	BK	SGR	0475964C1		690	A	N/A	N/A	N/A
LD2-G	2	BK	SGR	0475962C1		690	A	2644004R1	N/A	N/A
VG2-G	2	BK	SGR	0475962C1		690	A	2644004R1	N/A	N/A
VM2-G	2	BK	SGR	0475962C1		690	A	2644004R1	N/A	N/A
KA41-GH	4	WH	SGX	0475961C1		690	A	3812582R1	N/A	N/A
YG116-GA	18	WH	TXL	3549254C1		690	A	2644005R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
NY65BD	16	OR	GXL	NONE		690	A	3544921C1	N/A	N/A
NY65-GB	16	WH	GXL	NONE		690	B	3544921C1	N/A	N/A
NY65BE	16	OR	GXL	NONE		690	A	3544921C1	N/A	N/A
NY65-GC	16	WH	GXL	NONE		690	B	3544921C1	N/A	N/A
1A	16	LTGN	GXL	0382181C1		690	-	2644000R1	N/A	N/A
2A	16	LTGN	GXL	0382181C1		690	-	2644000R1	N/A	N/A
4A	14	LTGN	GXL	0382181C1		691	-	2644000R1	N/A	N/A
1G	16	WH	GXL	0382181C1		691	-	2644000R1	N/A	N/A
2G	16	WH	GXL	0382181C1		1000	-	2644000R1	N/A	N/A
4G	14	WH	GXL	0382181C1		1000	-	2644000R1	N/A	N/A
AE62AS	16	DKBL	GXL	0239481R1		1000	-	2644000R1	N/A	N/A
AE62D	18	DKBL	GXL	0239481R1		1000	-	2644000R1	N/A	N/A
AE62J	18	DKBL	GXL	0239481R1		1000	-	2644000R1	N/A	N/A
AE62K	18	DKBL	GXL	0239481R1		1000	-	2644000R1	N/A	N/A
AD62AS	16	DKBL	GXL	0239481R1		1000	-	2644000R1	N/A	N/A
AD62B	18	DKBL	GXL	0239481R1		1000	-	2644000R1	N/A	N/A
AD62D	18	DKBL	GXL	0239481R1		1000	-	2644000R1	N/A	N/A
AM62AS	16	DKBL	GXL	0239481R1		1000	-	2644000R1	N/A	N/A
AM62B	18	DKBL	GXL	0239481R1		1000	-	2644000R1	N/A	N/A
AM62D	18	DKBL	GXL	0239481R1		1000	-	2644000R1	N/A	N/A
AP62AS	18	DKBL	GXL	0239481R1		1000	-	2644000R1	N/A	N/A
AP62D	18	DKBL	GXL	0239481R1		1000	-	2644000R1	N/A	N/A
AP62J	18	DKBL	GXL	0239481R1		1000	-	2644000R1	N/A	N/A
AP62K	18	DKBL	GXL	0239481R1		1000	-	2644000R1	N/A	N/A
B(+)	8	RD	GXL	0468358C1		1000	-	2644001R1	N/A	N/A
BATTA	10	RD	GXL	0468358C1		1000	-	2644001R1	N/A	N/A
BATTB	10	RD	GXL	0468358C1		1000	-	2644001R1	N/A	N/A
J63SB	18	DKBL	GXL	0239481R1		1000	-	2644000R1	N/A	N/A
J63SBA	18	DKBL	GXL	0239481R1		1000	-	2644000R1	N/A	N/A
J63SBB	18	DKBL	GXL	0239481R1		1000	-	2644000R1	N/A	N/A
K2	0	RD	SGX	0239481R1		1000	-	2644000R1	N/A	N/A
K2A-FL	10	RS	FUS	0239481R1		1000	-	2644000R1	N/A	N/A



Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
K2B-FL	10	RS	FUS	0239481R1		1001	-	2644000R1	N/A	N/A	
K2C-FL	10	RS	FUS	0239481R1		1001	-	2644000R1	N/A	N/A	
K2D-FL	10	RS	FUS	0239481R1		1001	-	2644000R1	N/A	N/A	
RN49-GA	18	WH	GXL	0239481R1		1001	-	2644000R1	N/A	N/A	
RN49-GB	18	WH	GXL	0239481R1		1001	-	2644000R1	N/A	N/A	
RN49-GC	18	WH	GXL	0239481R1		1001	-	2644000R1	N/A	N/A	
B(-)	8	WH	GXL	0468358C1		1001	-	2644001R1	N/A	N/A	
GRD-C	10	LTGN	GXL	0468358C1		1001	-	2644001R1	N/A	N/A	
GRD-D	10	LTGN	GXL	0468358C1		1001	-	2644001R1	N/A	N/A	
J63-GSD	18	WH	GXL	0239481R1		1001	-	2644000R1	N/A	N/A	
J63-GSDA	18	WH	GXL	0239481R1		1001	-	2644000R1	N/A	N/A	
J63-GSDB	18	WH	GXL	0239481R1		1001	-	2644000R1	N/A	N/A	
NK68T	10	BN	GXL	6102309C1		1001	-	2644000R1	N/A	N/A	
NK68U	10	BN	TXL	6102309C1		1001	-	2644000R1	N/A	N/A	
NK68W	10	BN	GXL	6102309C1		1001	-	2644000R1	N/A	N/A	
NK57T	10	LTGN	GXL	6102309C1		1001	-	2644000R1	N/A	N/A	
NK57U	10	LTGN	GXL	6102309C1		1001	-	2644000R1	N/A	N/A	
NK57W	10	LTGN	GXL	6102309C1		1001	-	2644000R1	N/A	N/A	
NY65BC	14	OR	GXL	0382181C1		1305	-	2644000R1	N/A	N/A	
NY65BD	16	OR	GXL	0382181C1		1305	-	2644000R1	N/A	N/A	
NY65BE	16	OR	GXL	0382181C1		1378	-	2644000R1	N/A	N/A	
V63HB	18	DKBL	GXL	0239481R1		1378	-	2644000R1	N/A	N/A	
V63HBD	18	DKBL	GXL	0239481R1		1378	-	2644000R1	N/A	N/A	
V63HBE	18	DKBL	GXL	0239481R1		1378	-	2644000R1	N/A	N/A	
V63-GA	18	WH	GXL	0239481R1		1378	-	2644000R1	N/A	N/A	
V63-GB	18	WH	GXL	0239481R1		1378	-	2644000R1	N/A	N/A	
V63-GBD	18	WH	GXL	0239481R1		1378	-	2644000R1	N/A	N/A	
V63-GBE	18	WH	GXL	0239481R1		1501	-	2644000R1	N/A	N/A	
D58-GD	18	WH	GXL	0468358C1		1501	-	2644002R1	N/A	N/A	
D58-GD	18	WH	GXL	0468358C1		1501	-	2644002R1	N/A	N/A	
D58-GE	18	WH	GXL	0468358C1		1501	-	2644002R1	N/A	N/A	
D58-GE	18	WH	GXL	0468358C1		1501	-	2644002R1	N/A	N/A	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
D58-GF	18	WH	GXL	0468358C1		1501	-	2644002R1	N/A	N/A
D58-GF	18	WH	GXL	0468358C1		1501	-	2644002R1	N/A	N/A
D58-GH	18	WH	GXL	0468358C1		1501	-	2644002R1	N/A	N/A
D58-GH	18	WH	GXL	0468358C1		1501	-	2644002R1	N/A	N/A
D58-GJ	18	WH	GXL	0468358C1		1501	-	2644002R1	N/A	N/A
D58-GJ	18	BN	GXL	0468358C1		1501	-	2644002R1	N/A	N/A
D58-GL	18	WH	GXL	0382181C1		1501	-	2644001R1	N/A	N/A
D63-GA	16	WH	GXL	0468358C1		1501	-	2644002R1	N/A	N/A
D63-GA	16	WH	GXL	0468358C1		1501	-	2644002R1	N/A	N/A
D63-GA	16	WH	GXL	0382181C1		1501	-	2644001R1	N/A	N/A
D63-GE	18	WH	GXL	0468358C1		1501	-	2644002R1	N/A	N/A
D63-GE	18	WH	GXL	0468358C1		1501	-	2644002R1	N/A	N/A
D63-GE	18	WH	GXL	0382181C1		1501	-	2644001R1	N/A	N/A
D63-GF	18	WH	GXL	0468358C1		1501	-	2644002R1	N/A	N/A
D63-GF	18	WH	GXL	0468358C1		1501	-	2644002R1	N/A	N/A
D63-GF	18	WH	GXL	0382181C1		1501	-	2644001R1	N/A	N/A
D63-GM	18	WH	GXL	0468358C1		1501	-	2644002R1	N/A	N/A
D63-GM	18	WH	GXL	0468358C1		1501	-	2644002R1	N/A	N/A
D63-GM	18	WH	GXL	0382181C1		1501	-	2644001R1	N/A	N/A
D86-GF	16	WH	GXL	0468358C1		1501	-	2644002R1	N/A	N/A
D86-GF	16	WH	GXL	0468358C1		1501	-	2644002R1	N/A	N/A
D86-GF	16	WH	GXL	0382181C1		1502	-	2644001R1	N/A	N/A
D63C	18	DKBL	GXL	0239481R1		1502	-	2644000R1	N/A	N/A
D63C	18	DKBL	GXL	0239481R1		1502	-	2644000R1	N/A	N/A
D63C	18	DKBL	GXL	0239481R1		1502	-	2644000R1	N/A	N/A
D63E	18	DKBL	GXL	0239481R1		1502	-	2644000R1	N/A	N/A
D63E	18	DKBL	GXL	0239481R1		1502	-	2644000R1	N/A	N/A
D63E	18	DKBL	GXL	0239481R1		1502	-	2644000R1	N/A	N/A
D63M	18	DKBL	GXL	0239481R1		1502	-	2644000R1	N/A	N/A
D63M	18	DKBL	GXL	0239481R1		1502	-	2644000R1	N/A	N/A
D63M	18	DKBL	GXL	0239481R1		1502	-	2644000R1	N/A	N/A
A14D	4	RD	SGX	1613947C1		1502	-	2644000R1	N/A	N/A

Circuit				Terminal Splice	Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
A14D-FL	8	LTBL	FUS	1613947C1		1502	-	2644000R1	N/A	N/A
MA11-G	10	WH	GXL	0382182C1		1502	-	2644001R1	N/A	N/A
MA11-GA	14	WH	GXL	0382182C1		1502	-	2644001R1	N/A	N/A
MA11-GB	14	WH	GXL	0382182C1		1502	-	2644001R1	N/A	N/A
MA11-GBB	16	WH	GXL	0382182C1		1502	-	2644001R1	N/A	N/A
MA11-GD	12	WH	GXL	0382182C1		1502	-	2644001R1	N/A	N/A
RH9A	18	GY	GXL	0239481R1		1502	-	2644000R1	N/A	N/A
RH9B	18	GY	GXL	0239481R1		1502	-	2644000R1	N/A	N/A
RH9C	18	GY	GXL	0239481R1		1502	-	2644000R1	N/A	N/A
TQ92#103	18	YL	TXL	0239481R1		1503	-	2644000R1	N/A	N/A
TQ92A103	18	YL	TXL	0239481R1		1503	-	2644000R1	N/A	N/A
TQ92B103	18	YL	TXL	0239481R1		1503	-	2644000R1	N/A	N/A
KA41-GB	18	WH	TXL	0239481R1		1503	-	2644000R1	N/A	N/A
KA41-GC	18	WH	TXL	0239481R1		1503	-	2644000R1	N/A	N/A
KA41-GD	12	WH	GXL	0239481R1		1503	-	2644000R1	N/A	N/A
TX92#103	18	YL	TXL	0239481R1		1503	-	2644000R1	N/A	N/A
TX92A103	18	YL	TXL	0239481R1		1503	-	2644000R1	N/A	N/A
TX92B103	18	YL	TXL	0239481R1		1503	-	2644000R1	N/A	N/A
TX92C103	18	YL	TXL	0239481R1		1503	-	2644000R1	N/A	N/A
NY65-GA	14	WH	GXL	0382181C1		1503	-	2644000R1	N/A	N/A
NY65-GB	16	WH	GXL	0382181C1		1503	-	2644000R1	N/A	N/A
NY65-GC	16	WH	GXL	0382181C1		1503	-	2644000R1	N/A	N/A
TW92#103	18	YL	TXL	0239481R1		1503	-	2644000R1	N/A	N/A
TW92A103	18	YL	TXL	0239481R1		1503	-	2644000R1	N/A	N/A
TW92B103	18	YL	TXL	0239481R1		1503	-	2644000R1	N/A	N/A
MA58	14	BN	GXL	0382181C1		1503	-	2644000R1	N/A	N/A
MA58A	16	BN	GXL	0382181C1		1503	-	2644000R1	N/A	N/A
MA58AB	16	BN	GXL	0382181C1		1503	-	2644000R1	N/A	N/A
MA58B	16	BN	GXL	0382181C1		1503	-	2644000R1	N/A	N/A
NX65BC	14	OR	GXL	0382181C1		1503	-	2644000R1	N/A	N/A
NX65BD	16	OR	GXL	0382181C1		1503	-	2644000R1	N/A	N/A
NX65BE	16	OR	GXL	0382181C1		1503	-	2644000R1	N/A	N/A

Circuit				Terminal Splice	Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
MA56	16	OR	GXL	0239481R1		1503	-	2644000R1	N/A	N/A
MA56AB	16	OR	GXL	0239481R1		1503	-	2644000R1	N/A	N/A
MA56AC	16	OR	GXL	0239481R1		1605	-	2644000R1	N/A	N/A
TT92#103	18	YL	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
TT92A103	18	YL	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
TT92B103	18	YL	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
TT92C103	18	YL	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
KF5R(+)	18	YL	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
KF5S(+)	20	YL	193	0239481R1		1702	-	2644000R1	N/A	N/A
KF5TB(+)	18	YL	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
NX65-GA	14	WH	GXL	0382181C1		1702	-	2644000R1	N/A	N/A
NX65-GB	16	WH	GXL	0382181C1		1702	-	2644000R1	N/A	N/A
NX65-GC	16	WH	GXL	0382181C1		1702	-	2644000R1	N/A	N/A
KF5R(-)	18	GN	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
KF5S(-)	20	GN	193	0239481R1		1702	-	2644000R1	N/A	N/A
KF5TB(-)	18	GN	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
KH5R(+)	18	YL	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
KH5S(+)	20	YL	193	0239481R1		1702	-	2644000R1	N/A	N/A
KH5TA(+)	18	YL	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
KH5R(-)	18	GN	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
KH5S(-)	20	GN	193	0239481R1		1702	-	2644000R1	N/A	N/A
KH5TA(-)	18	GN	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
TV92#131	18	YL	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
TV92A131	18	YL	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
TV92B131	18	YL	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
TV92C131	18	YL	GXL	0239481R1		1702	-	2644000R1	N/A	N/A
TT92#175	18	OR	TXL	0382181C1		1702	-	2644000R1	N/A	N/A
TT92A175	18	OR	GXL	0382181C1		1702	-	2644000R1	N/A	N/A
TX92#175	18	OR	TXL	0382181C1		1702	-	2644000R1	N/A	N/A
TX92A175	18	OR	GXL	0382181C1		1702	-	2644000R1	N/A	N/A
TX92#119	18	LTBL	TXL	0382181C1		1702	-	2644000R1	N/A	N/A
TX92A119	18	LTBL	GXL	0382181C1		1702	-	2644000R1	N/A	N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
TT92#119	18	LTBL	TXL	0382181C1		1702	-	2644000R1	N/A	N/A
TT92A119	18	LTBL	GXL	0382181C1		1702	-	2644000R1	N/A	N/A
TX92#112	18	TN	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
TX92A112	18	TN	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
TX92B112	18	TN	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
SC92#117	18	TN	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
SC92#142	18	TN	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
SC92A117	18	TN	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
TV92#158	18	LTGN	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
TV92A158	18	LTGN	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
TV92B158	18	LTGN	GXL	0239481R1		1702	-	2644000R1	N/A	N/A
TV92C158	18	LTGN	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
TD92#109	18	GY	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
TD92#169	18	TN	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
TD92-G	14	WH	GXL	0239481R1		1702	-	2644000R1	N/A	N/A
TD92#110	18	PK	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
TD92#170	18	TN	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
TD92A170	14	RD	GXL	0239481R1		1702	-	2644000R1	N/A	N/A
KH5TA(+)	18	YL	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
KH5TB(+)	18	YL	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
KH5V(+)	18	YL	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
KH5TA(-)	18	GN	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
KH5TB(-)	18	GN	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
KH5V(-)	18	GN	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
TT92#112	18	TN	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
TT92A112	18	TN	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
TT92B112	18	TN	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
SV5U(+)	18	YL	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
SV5UB(+)	18	YL	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
SV5UE(+)	20	YL	193	0239481R1		1702	-	2644000R1	N/A	N/A
TY92#158	18	LTGN	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
TY92A158	18	LTGN	TXL	0239481R1		1702	-	2644000R1	N/A	N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
TY92B158	18	LTGN	GXL	0239481R1		1702	-	2644000R1	N/A	N/A
TY92C158	18	LTGN	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
TY92#131	18	YL	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
TY92A131	18	YL	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
TY92B131	18	YL	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
TY92C131	18	YL	GXL	0239481R1		1702	-	2644000R1	N/A	N/A
TZ92#110	18	PK	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
TZ92#170	18	TN	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
TZ92A170	14	RD	GXL	0239481R1		1702	-	2644000R1	N/A	N/A
TZ92#109	18	GY	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
TZ92#169	18	TN	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
TZ92-G	14	WH	GXL	0239481R1		1702	-	2644000R1	N/A	N/A
AP9	20	TN	150	0239481R1		1702	-	2644000R1	N/A	N/A
AP9A	18	TN	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
AP9B	18	PL	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
KA14H	14	RD	TXL	0382181C1		1702	-	2644000R1	N/A	N/A
KA14KAA	14	RD	TXL	0382181C1		1702	-	2644000R1	N/A	N/A
KA14KB	14	RD	TXL	0382181C1		1702	-	2644000R1	N/A	N/A
NK56T	10	YL	GXL	6102309C1		1702	-	2644000R1	N/A	N/A
NK56U	10	YL	GXL	6102309C1		1702	-	2644000R1	N/A	N/A
NK56W	10	YL	GXL	6102309C1		1702	-	2644000R1	N/A	N/A
NK70T	10	RD	GXL	6102309C1		1702	-	2644000R1	N/A	N/A
NK70U	10	RD	TXL	6102309C1		1702	-	2644000R1	N/A	N/A
NK70W	10	RD	GXL	6102309C1		1702	-	2644000R1	N/A	N/A
NK94T	10	GY	GXL	6102309C1		1702	-	2644000R1	N/A	N/A
NK94U	10	GY	TXL	6102309C1		1702	-	2644000R1	N/A	N/A
NK94W	10	GY	GXL	6102309C1		1702	-	2644000R1	N/A	N/A
5(-)	18	GN	TXL	0382181C1		1702	-	2644005R1	N/A	N/A
5A(-)	18	GN	TXL	0382181C1		1702	-	2644005R1	N/A	N/A
5B(-)	18	GN	TXL	0382181C1		1702	-	2644005R1	N/A	N/A
5DA(+)	18	YL	TXL	6102309C1		1702	-	2644000R1	N/A	N/A
5DB(+)	20	YL	193	6102309C1		1702	-	2644000R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
5DC(+)	20	YL	193	6102309C1		1702	-	2644000R1	N/A	N/A
AT62AS	16	DKBL	GXL	0239481R1		1702	-	2644000R1	N/A	N/A
AT62B	18	DKBL	GXL	0239481R1		1702	-	2644000R1	N/A	N/A
AT62D	18	DKBL	GXL	0239481R1		1702	-	2644000R1	N/A	N/A
AY5A(+)	18	YL	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
AY5B(+)	18	YL	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
AY5C(+)	18	YL	150	0239481R1		1702	-	2644000R1	N/A	N/A
D58M	18	BN	GXL	0382181C1		1702	-	2644000R1	N/A	N/A
D58N	18	BN	GXL	0382181C1		1702	-	2644000R1	N/A	N/A
D58P	18	BN	GXL	0382181C1		1702	-	2644000R1	N/A	N/A
D58R	18	BN	GXL	0382181C1		1702	-	2644000R1	N/A	N/A
D58T	18	BN	GXL	0382181C1		1702	-	2644000R1	N/A	N/A
D58Z	18	BN	GXL	0382181C1		1702	-	2644000R1	N/A	N/A
DL2	0	RD	SGR	0239481R1		1702	-	2644000R1	N/A	N/A
DL2A-FL	10	RS	FUS	0239481R1		1702	-	2644000R1	N/A	N/A
DL2B-FL	10	RS	FUS	0239481R1		1702	-	2644000R1	N/A	N/A
DL2C-FL	10	RS	FUS	0239481R1		1702	-	2644000R1	N/A	N/A
DL2D-FL	10	RS	FUS	0239481R1		1702	-	2644000R1	N/A	N/A
K2	0	RD	SGR	0239481R1		1702	-	2644000R1	N/A	N/A
K2A-FL	10	RS	FUS	0239481R1		1702	-	2644000R1	N/A	N/A
K2B-FL	10	RS	FUS	0239481R1		1702	-	2644000R1	N/A	N/A
K2C-FL	10	RS	FUS	0239481R1		1702	-	2644000R1	N/A	N/A
K2D-FL	10	RS	FUS	0239481R1		1702	-	2644000R1	N/A	N/A
KA14A4	16	RD	TXL	0382181C1		1702	-	2644000R1	N/A	N/A
KA14A4A	10	RD	TXL	0382181C1		1702	-	2644000R1	N/A	N/A
KA14A5	16	RD	TXL	0382181C1		1702	-	2644000R1	N/A	N/A
KA14A6	16	RD	TXL	0382181C1		1702	-	2644000R1	N/A	N/A
LC2	1	RD	SGR	0239481R1		1702	-	2644055R1	N/A	N/A
LC2A-FL	10	RS	FUS	0239481R1		1702	-	2644055R1	N/A	N/A
LC2B-FL	10	RS	FUS	0239481R1		1702	-	2644055R1	N/A	N/A
LC2C-FL	10	RS	FUS	0239481R1		1702	-	2644055R1	N/A	N/A
LD2	2	RD	SGR	0239481R1		1702	-	2644000R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
LD2A-FL	10	RS	FUS	0239481R1		1702	-	2644000R1	N/A	N/A
LD2B-FL	10	RS	FUS	0239481R1		1702	-	2644000R1	N/A	N/A
NK58T	10	BK	GXL	6102309C1		1702	-	2644000R1	N/A	N/A
NK58U	10	BK	GXL	6102309C1		1702	-	2644000R1	N/A	N/A
NK58W	10	BK	GXL	6102309C1		1702	-	2644000R1	N/A	N/A
U11-GA	14	WH	GXL	0382181C1		1702	-	2644001R1	N/A	N/A
U11-GAA	14	WH	TXL	0382181C1		1702	-	2644001R1	N/A	N/A
U11-GAB	14	WH	TXL	0382181C1		1702	-	2644001R1	N/A	N/A
U11-GAC	16	WH	TXL	0382181C1		1702	-	2644001R1	N/A	N/A
U11-GAD	16	WH	TXL	0382181C1		1702	-	2644001R1	N/A	N/A
UC9A	18	GY	GXL	0239481R1		1702	-	2644000R1	N/A	N/A
UC9B	18	GY	GXL	0239481R1		1702	-	2644000R1	N/A	N/A
UC9C	18	GY	GXL	0239481R1		1702	-	2644000R1	N/A	N/A
V65	18	OR	GXL	0239481R1		1702	-	2644000R1	N/A	N/A
V65A	16	OR	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
V65B	16	OR	TXL	0239481R1		1702	-	2644000R1	N/A	N/A
VG2	2	RD	SGR	0239481R1		1702	-	2644000R1	N/A	N/A
VG2A-FL	10	RS	FUS	0239481R1		1702	-	2644000R1	N/A	N/A
VG2B-FL	10	RS	FUS	0239481R1		1702	-	2644000R1	N/A	N/A
VH2	1	RD	SGR	0239481R1		1702	-	2644055R1	N/A	N/A
VH2A-FL	10	RS	FUS	0239481R1		1702	-	2644055R1	N/A	N/A
VH2B-FL	10	RS	FUS	0239481R1		1702	-	2644055R1	N/A	N/A
VH2C-FL	10	RS	FUS	0239481R1		1702	-	2644055R1	N/A	N/A
VM2	2	RD	SGR	0239481R1		1702	-	2644000R1	N/A	N/A
VM2A-FL	10	RS	FUS	0239481R1		1702	-	2644000R1	N/A	N/A
VM2B-FL	10	RS	FUS	0239481R1		1801	-	2644000R1	N/A	N/A
WU67YA	20	PK	TXL	6102309C1		1801	-	2644000R1	N/A	N/A
WU67YB	20	PK	TXL	6102309C1		1801	-	2644000R1	N/A	N/A
WU67YC	20	PK	TXL	6102309C1		1801	-	2644000R1	N/A	N/A
5CB(-)	18	GN	TXL	0239481R1		1801	-	2644000R1	N/A	N/A
5CD(-)	18	GN	TXL	0239481R1		1801	-	2644000R1	N/A	N/A
5CE(-)	20	GN	193	0239481R1		1801	-	2644000R1	N/A	N/A



Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
AM10-AH	10	WH	TXL	0239481R1		1801	-	2644000R1	N/A	N/A
AM10-H	10	WH	TXL	0239481R1		1801	-	2644000R1	N/A	N/A
AM95-GB	16	BK	TXL	0239481R1		1801	-	2644000R1	N/A	N/A
AM95-GL	16	BK	TXL	0239481R1		1801	-	2644000R1	N/A	N/A
KA10-H	4	WH	SGX	0505040C1		1801	-	2644027R1	N/A	N/A
KA10H2	10	WH	TXL	0505040C1		1802	-	2644027R1	N/A	N/A
KA10H3	10	WH	TXL	0505040C1		1802	-	2644027R1	N/A	N/A
VH71BA	12	OR	TXL	0505040C1		1802	-	2644000R1	N/A	N/A
VH71BE	12	OR	TXL	0505040C1		1802	-	2644000R1	N/A	N/A
VH71BF	12	OR	GXL	0505040C1		1802	-	2644000R1	N/A	N/A
VH71BG	12	OR	TXL	0505040C1		1802	-	2644000R1	N/A	N/A
YT56T	10	YL	GXL	6102309C1		1803	-	2644000R1	N/A	N/A
YT56U	10	YL	GXL	6102309C1		1803	-	2644000R1	N/A	N/A
YT56W	10	YL	GXL	6102309C1		1803	-	2644000R1	N/A	N/A
AP5A(-)	18	GN	TXL	0239481R1		1803	-	2644000R1	N/A	N/A
AP5B(-)	18	GN	TXL	0239481R1		1804	-	2644000R1	N/A	N/A
AP5C(-)	18	GN	150	0239481R1		1804	-	2644000R1	N/A	N/A
KH5(+)	20	YL	193	0239481R1		1804	-	2644000R1	N/A	N/A
KH5A(+)	18	YL	TXL	0239481R1		1804	-	2644000R1	N/A	N/A
KH5R(+)	18	YL	TXL	0239481R1		1805	-	2644000R1	N/A	N/A
VJ71BA	12	OR	TXL	0468358C1		1805	-	2644000R1	N/A	N/A
VJ71BE	12	OR	TXL	0468358C1		1805	-	2644000R1	N/A	N/A
VJ71BG	12	OR	TXL	0468358C1		1805	-	2644000R1	N/A	N/A
YT57T	10	LTGN	GXL	6102309C1		1806	-	2644000R1	N/A	N/A
YT57U	10	LTGN	GXL	6102309C1		1806	-	2644000R1	N/A	N/A
YT57W	10	LTGN	GXL	6102309C1		1806	-	2644000R1	N/A	N/A
AS10-AH	10	WH	TXL	0239481R1		1807	-	2644000R1	N/A	N/A
AS10-H	10	WH	TXL	0239481R1		1807	-	2644000R1	N/A	N/A
AS95-GB	16	BK	TXL	0239481R1		1807	-	2644000R1	N/A	N/A
AS95-GL	18	BK	TXL	0239481R1		1807	-	2644000R1	N/A	N/A
TP34B	16	TN	TXL	0239481R1		1808	-	2644000R1	N/A	N/A
TP9	18	TN	150	0239481R1		1808	-	2644000R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice	Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
				Number	Part Numbers	Number	Cavity			
TP9A	20	TN	TXL	0239481R1		1808 -		2644000R1	N/A	N/A
VF10-G	12	WH	TXL	0505040C1		1809 -		2644000R1	N/A	N/A
VF10-GB	12	WH	TXL	0505040C1		1809 -		2644000R1	N/A	N/A
VF10-GC	12	WH	TXL	0505040C1		1809 -		2644000R1	N/A	N/A
VF10-GD	12	WH	TXL	0505040C1		1809 -		2644000R1	N/A	N/A
YT58T	10	BK	GXL	6102309C1		1809 -		2644000R1	N/A	N/A
YT58U	10	BK	GXL	6102309C1		1809 -		2644000R1	N/A	N/A
YT58W	10	BK	GXL	6102309C1		1811 -		2644000R1	N/A	N/A
KH5A(-)	18	GN	TXL	0239481R1		1811 -		2644000R1	N/A	N/A
KH5B(-)	18	GN	TXL	0239481R1		1811 -		2644000R1	N/A	N/A
KH5V(-)	18	GN	TXL	0239481R1		1811 -		2644000R1	N/A	N/A
VK10-G	12	WH	TXL	0468358C1		1811 -		2644000R1	N/A	N/A
VK10-GB	12	WH	TXL	0468358C1		1812 -		2644000R1	N/A	N/A
VK10-GC	12	WH	TXL	0468358C1		1812 -		2644000R1	N/A	N/A
XK92#117	18	TN	TXL	0239481R1		1814 -		2644000R1	N/A	N/A
XK92#142	18	TN	TXL	0239481R1		1814 -		2644000R1	N/A	N/A
XK92A117	18	TN	TXL	0239481R1		1820 -		2644000R1	N/A	N/A
YT68T	10	BN	GXL	6102309C1		1820 -		2644000R1	N/A	N/A
YT68U	10	BN	TXL	6102309C1		1820 -		2644000R1	N/A	N/A
YT68W	10	BN	GXL	6102309C1		1820 -		2644000R1	N/A	N/A
AN10-AH	10	WH	TXL	0239481R1		1821 -		2644000R1	N/A	N/A
AN10-H	10	WH	TXL	0239481R1		1821 -		2644000R1	N/A	N/A
AN95-GB	16	BK	TXL	0239481R1		1821 -		2644000R1	N/A	N/A
AN95-GL	16	BK	TXL	0239481R1		1821 -		2644000R1	N/A	N/A
D58M	18	BN	GXL	0382181C1		1822 -		2644000R1	N/A	N/A
D58N	18	BN	GXL	0382181C1		1822 -		2644000R1	N/A	N/A
D58P	18	BN	GXL	0382181C1		1822 -		2644000R1	N/A	N/A
D58R	18	BN	GXL	0382181C1		1823 -		2644000R1	N/A	N/A
D58T	18	BN	GXL	0382181C1		1823 -		2644000R1	N/A	N/A
D58Z	18	BN	GXL	0382181C1		1823 -		2644000R1	N/A	N/A
TY34B	16	TN	TXL	0239481R1		1824 -		2644000R1	N/A	N/A
TY9	18	TN	150	0239481R1		1824 -		2644000R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice	Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
				Number	Part Numbers	Number	Cavity			
TY9A	20	TN	TXL	0239481R1		1824	-	2644000R1	N/A	N/A
VE68A	14	BN	GXL	0382181C1		1861	-	2644000R1	N/A	N/A
VE68AA	14	BN	GXL	0382181C1		1861	-	2644000R1	N/A	N/A
VE68AB	14	BN	GXL	0382181C1		1874	-	2644000R1	N/A	N/A
YT70T	10	RD	GXL	6102309C1		1874	-	2644000R1	N/A	N/A
YT70U	10	RD	TXL	6102309C1		1874	-	2644000R1	N/A	N/A
YT70W	10	RD	GXL	6102309C1		1874	-	2644000R1	N/A	N/A
AL13AA	18	RD	TXL	0239481R1		1978	-	2644000R1	N/A	N/A
AL13AB	18	RD	TXL	0239481R1		1978	-	2644000R1	N/A	N/A
AL13R2	10	RD	TXL	0239481R1		1978	-	2644000R1	N/A	N/A
AL95KD	10	TN	TXL	0239481R1		1978	-	2644000R1	N/A	N/A
KF5(+)	20	YL	193	0239481R1		1978	-	2644000R1	N/A	N/A
KF5R(+)	18	YL	TXL	0239481R1		1978	-	2644000R1	N/A	N/A
KF5TB(+)	18	YL	TXL	0239481R1		1978	-	2644000R1	N/A	N/A
VF71BA	12	OR	TXL	0505040C1		1978	-	2644000R1	N/A	N/A
VF71BB	12	OR	TXL	0505040C1		1978	-	2644000R1	N/A	N/A
VF71BC	12	OR	TXL	0505040C1		1978	-	2644000R1	N/A	N/A
VF71BD	12	OR	TXL	0505040C1		1978	-	2644000R1	N/A	N/A
YT94T	10	GY	GXL	6102309C1		1978	-	2644000R1	N/A	N/A
YT94U	10	GY	TXL	6102309C1		1978	-	2644000R1	N/A	N/A
YT94W	10	GY	GXL	6102309C1		1978	-	2644000R1	N/A	N/A
AM13AA	18	RD	TXL	0239481R1		1978	-	2644000R1	N/A	N/A
AM13AB	18	RD	TXL	0239481R1		1978	-	2644000R1	N/A	N/A
AM13R2	10	RD	TXL	0239481R1		1978	-	2644000R1	N/A	N/A
AM95KD	10	RD	TXL	0239481R1		1978	-	2644000R1	N/A	N/A
TJ23-G	20	TN	TXL	6102309C1		1978	-	2644000R1	N/A	N/A
TJ95AA	20	TN	TXL	6102309C1		1978	-	2644000R1	N/A	N/A
TJ95AB	18	TN	TXL	6102309C1		1978	-	2644000R1	N/A	N/A
VK71BA	12	OR	TXL	0468358C1		1978	-	2644000R1	N/A	N/A
VK71BC	12	OR	TXL	0468358C1		1978	-	2644000R1	N/A	N/A
VK71BD	12	OR	TXL	0468358C1		1978	-	2644000R1	N/A	N/A
AS13AA	18	RD	TXL	0239481R1		1978	-	2644000R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
AS13AB	18	RD	TXL	0239481R1		1979 -		2644000R1	N/A	N/A
AS13R2	10	RD	TXL	0239481R1		1979 -		2644000R1	N/A	N/A
AS95KD	10	RD	TXL	0239481R1		1979 -		2644000R1	N/A	N/A
TK23-G	20	TN	TXL	6102309C1		1979 -		2644000R1	N/A	N/A
TK95AA	20	TN	TXL	6102309C1		1979 -		2644000R1	N/A	N/A
TK95AB	18	TN	TXL	6102309C1		1979 -		2644000R1	N/A	N/A
UJ94BQ	18	GY	GXL	6102309C1		1979 -		2644000R1	N/A	N/A
UJ94BQA	18	GY	TXL	6102309C1		1979 -		2644000R1	N/A	N/A
AN13AA	18	RD	TXL	0239481R1		1979 -		2644000R1	N/A	N/A
AN13AB	18	RD	TXL	0239481R1		1979 -		2644000R1	N/A	N/A
AN13R2	10	RD	TXL	0239481R1		1979 -		2644000R1	N/A	N/A
AN95KD	10	RD	TXL	0239481R1		1979 -		2644000R1	N/A	N/A
KH5(-)	20	GN	193	0239481R1		1979 -		2644000R1	N/A	N/A
KH5A(-)	18	GN	TXL	0239481R1		1979 -		2644000R1	N/A	N/A
KH5R(-)	18	GN	TXL	0239481R1		1979 -		2644000R1	N/A	N/A
US94BQ	18	GY	GXL	6102309C1		1979 -		2644000R1	N/A	N/A
US94BQA	18	GY	TXL	6102309C1		1979 -		2644000R1	N/A	N/A
95-G	16	TN	TXL	0382181C1		1979 -		2644000R1	N/A	N/A
95-GA	16	TN	TXL	0382181C1		1979 -		2644000R1	N/A	N/A
95-GB	16	TN	TXL	0382181C1		1979 -		2644000R1	N/A	N/A
95-GC	16	TN	TXL	0382181C1		1979 -		2644000R1	N/A	N/A
AJ95AS1	18	TN	TXL	0239481R1		1979 -		2644000R1	N/A	N/A
AJ95AS2	18	TN	TXL	0239481R1		1979 -		2644000R1	N/A	N/A
AJ95AS3	18	TN	TXL	0239481R1		1979 -		2644000R1	N/A	N/A
KF47A	18	GY	TXL	6102309C1		1979 -		2644000R1	N/A	N/A
KF47AA	20	GY	TXL	6102309C1		1979 -		2644000R1	N/A	N/A
VB94BQ	18	GY	GXL	6102309C1		1979 -		2644000R1	N/A	N/A
VB94BQA	18	GY	TXL	6102309C1		1979 -		2644000R1	N/A	N/A
5(+)	18	YL	TXL	0382181C1		1979 -		2644005R1	N/A	N/A
5A(+)	18	YL	TXL	0382181C1		1979 -		2644005R1	N/A	N/A
5B(+)	18	YL	TXL	0382181C1		1979 -		2644005R1	N/A	N/A
5CA(+)	18	YL	TXL	0239481R1		1979 -		2644000R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice	Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
				Number	Part Numbers	Number	Cavity			
5CA(+)	18	YL	TXL	0239481R1		1979	-	2644000R1	N/A	N/A
5CA(+)	18	YL	TXL	0239481R1		1979	-	2644000R1	N/A	N/A
5CB(+)	18	YL	TXL	0239481R1		1979	-	2644000R1	N/A	N/A
5CB(+)	18	YL	TXL	0239481R1		1979	-	2644000R1	N/A	N/A
5CC(+)	18	YL	TXL	0239481R1		1979	-	2644000R1	N/A	N/A
5CC(+)	20	YL	193	0239481R1		1979	-	2644000R1	N/A	N/A
5CC(+)	18	YL	TXL	0239481R1		1979	-	2644000R1	N/A	N/A
5CD(+)	18	YL	TXL	0239481R1		1979	-	2644000R1	N/A	N/A
AJ95AU1	18	TN	TXL	0239481R1		2010	-	2644000R1	N/A	N/A
AJ95AU2	18	TN	TXL	0239481R1		2010	-	2644000R1	N/A	N/A
AJ95AU3	18	TN	TXL	0239481R1		2010	-	2644000R1	N/A	N/A
AV62AS	16	DKBL	GXL	0239481R1		2010	-	2644000R1	N/A	N/A
AV62B	18	DKBL	GXL	0239481R1		2300	-	2644000R1	N/A	N/A
AV62D	18	DKBL	GXL	0239481R1		2300	-	2644000R1	N/A	N/A
K2	0	RD	SGX	0239481R1		2310	-	2644000R1	N/A	N/A
K2A-FL	10	RS	FUS	0239481R1		2310	-	2644000R1	N/A	N/A
K2B-FL	10	RS	FUS	0239481R1		2310	-	2644000R1	N/A	N/A
K2C-FL	10	RS	FUS	0239481R1		2311	-	2644000R1	N/A	N/A
K2D-FL	10	RS	FUS	0239481R1		2311	-	2644000R1	N/A	N/A
KC41E	20	TN	TXL	6102309C1		2311	-	2644000R1	N/A	N/A
KC41EA	18	TN	TXL	6102309C1		3000	-	2644000R1	N/A	N/A
RE39-G	18	WH	GXL	0239481R1		3000	-	2644000R1	N/A	N/A
RE39-GA	18	WH	GXL	0239481R1		3000	-	2644000R1	N/A	N/A
RE39-GB	18	WH	GXL	0239481R1		3000	-	2644000R1	N/A	N/A
SV5U(-)	18	GN	TXL	0239481R1		3000	-	2644000R1	N/A	N/A
SV5UB(-)	18	GN	TXL	0239481R1		3000	-	2644000R1	N/A	N/A
SV5UE(-)	20	GN	193	0239481R1		3000	-	2644000R1	N/A	N/A
U58A	16	BN	GXL	0239481R1		3000	-	2644000R1	N/A	N/A
U58AA	16	BN	TXL	0239481R1		3000	-	2644000R1	N/A	N/A
U58AB	16	BN	TXL	0239481R1		3000	-	2644000R1	N/A	N/A
V65-G	18	WH	GXL	0239481R1		3000	-	2644000R1	N/A	N/A
V65-GA	16	WH	TXL	0239481R1		3000	-	2644000R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice	Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
				Number	Part Numbers	Number	Cavity			
V65-GB	16	WH	TXL	0239481R1		3000	-	2644000R1	N/A	N/A
TS10-AG	10	WH	TXL	0239481R1		3000	-	2644000R1	N/A	N/A
TS10-G	10	WH	TXL	0239481R1		3400	-	2644000R1	N/A	N/A
TS10-GK	16	BK	TXL	0239481R1		3400	-	2644000R1	N/A	N/A
TS10-GL	18	WH	TXL	0239481R1		3400	-	2644000R1	N/A	N/A
UJ94BR	18	GY	GXL	6102309C1		3400	-	2644000R1	N/A	N/A
UJ94BRA	18	GY	TXL	6102309C1		3500	-	2644000R1	N/A	N/A
AK95AS1	18	TN	TXL	0239481R1		3501	-	2644000R1	N/A	N/A
AK95AS2	18	TN	TXL	0239481R1		4005	-	2644000R1	N/A	N/A
AK95AS3	18	TN	TXL	0239481R1		4006	-	2644000R1	N/A	N/A
KY95W	18	TN	GXL	6102309C1		4006	-	2644000R1	N/A	N/A
KY95WA	20	TN	TXL	6102309C1		4007	-	2644000R1	N/A	N/A
US94BR	18	GY	GXL	6102309C1		4007	-	2644000R1	N/A	N/A
US94BRA	18	GY	TXL	6102309C1		4328	-	2644000R1	N/A	N/A
AJ95AR1	18	TN	TXL	0239481R1		4328	-	2644000R1	N/A	N/A
AJ95AR2	18	RD	TXL	0239481R1		4705	-	2644000R1	N/A	N/A
AJ95AR3	18	TN	TXL	0239481R1		4705	-	2644000R1	N/A	N/A
KH5A(+)	18	YL	TXL	0239481R1		4705	-	2644000R1	N/A	N/A
KH5B(+)	18	YL	TXL	0239481R1		4705	-	2644000R1	N/A	N/A
KH5V(+)	18	YL	TXL	0239481R1		4705	-	2644000R1	N/A	N/A
VB94BR	18	GY	GXL	6102309C1		4705	-	2644000R1	N/A	N/A
VB94BRA	18	GY	TXL	6102309C1		4705	-	2644000R1	N/A	N/A
AK95AR1	18	TN	TXL	0239481R1		4705	-	2644000R1	N/A	N/A
AK95AR2	18	RD	TXL	0239481R1		4705	-	2644000R1	N/A	N/A
AK95AR3	18	BK	TXL	0239481R1		4705	-	2644000R1	N/A	N/A
KF5(-)	20	GN	193	0239481R1		4705	-	2644000R1	N/A	N/A
KF5R(-)	18	GN	TXL	0239481R1		4705	-	2644000R1	N/A	N/A
KF5TB(-)	18	GN	TXL	0239481R1		4706	-	2644000R1	N/A	N/A
UJ94BS	18	GY	GXL	6102309C1		4706	-	2644000R1	N/A	N/A
UJ94BSA	18	GY	TXL	6102309C1		4706	-	2644000R1	N/A	N/A
TM10-AG	10	WH	TXL	0239481R1		4706	-	2644000R1	N/A	N/A
TM10-G	10	WH	TXL	0239481R1		4706	-	2644000R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice	Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
				Number	Part Numbers	Number	Cavity			
TM10-GK	16	BK	TXL	0239481R1		4706	-	2644000R1	N/A	N/A
TM10-GL	18	WH	TXL	0239481R1		4706	-	2644000R1	N/A	N/A
US94BS	18	GY	GXL	6102309C1		4706	-	2644000R1	N/A	N/A
US94BSA	18	GY	TXL	6102309C1		4706	-	2644000R1	N/A	N/A
AP5A(+)	18	YL	TXL	0239481R1		4706	-	2644000R1	N/A	N/A
AP5B(+)	18	YL	TXL	0239481R1		4706	-	2644000R1	N/A	N/A
AP5C(+)	18	YL	150	0239481R1		4706	-	2644000R1	N/A	N/A
TL10-AG	10	WH	TXL	0239481R1		4706	-	2644000R1	N/A	N/A
TL10-G	10	WH	TXL	0239481R1		4706	-	2644000R1	N/A	N/A
TL10-GK	16	BK	TXL	0239481R1		5000	-	2644000R1	N/A	N/A
TL10-GL	18	WH	TXL	0239481R1		5000	-	2644000R1	N/A	N/A
VB94BS	18	GY	GXL	6102309C1		5000	-	2644000R1	N/A	N/A
VB94BSA	18	GY	TXL	6102309C1		5000	-	2644000R1	N/A	N/A
KA95GBC	16	TN	TXL	0239481R1		5000	-	2644000R1	N/A	N/A
KA95GBD	18	BK	TXL	0239481R1		5000	-	2644000R1	N/A	N/A
KA95GBE	18	TN	TXL	0239481R1		5000	-	2644000R1	N/A	N/A
UJ94BT	18	GY	GXL	6102309C1		5000	-	2644000R1	N/A	N/A
UJ94BTA	18	GY	TXL	6102309C1		5000	-	2644000R1	N/A	N/A
VE2	2	RD	SGX	1613947C1		5000	-	2644027R1	N/A	N/A
VE2A-FL	10	RS	FUS	1613947C1		5000	-	2644027R1	N/A	N/A
VE2B-FL	10	RS	FUS	1613947C1		5000	-	2644027R1	N/A	N/A
KA95H1	18	PK	TXL	0382181C1		5000	-	2644000R1	N/A	N/A
KA95H2	18	PK	TXL	0382181C1		5000	-	2644000R1	N/A	N/A
KA95H3	18	PK	TXL	0382181C1		5000	-	2644000R1	N/A	N/A
KA95H4	18	PK	TXL	0382181C1		5000	-	2644000R1	N/A	N/A
KA95H5	18	PK	TXL	0382181C1		5000	-	2644000R1	N/A	N/A
KA95H6	18	PK	TXL	0382181C1		5000	-	2644000R1	N/A	N/A
KA95H7	18	PK	TXL	0382181C1		5000	-	2644000R1	N/A	N/A
US94BT	18	GY	GXL	6102309C1		5000	-	2644000R1	N/A	N/A
US94BTA	18	GY	TXL	6102309C1		5000	-	2644000R1	N/A	N/A
VF2	2	RD	SGX	1613947C1		5000	-	2644027R1	N/A	N/A
VF2A-FL	10	RS	FUS	1613947C1		5000	-	2644027R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice	Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
				Number	Part Numbers	Number	Cavity			
VF2B-FL	10	RS	FUS	1613947C1		5000	-	2644027R1	N/A	N/A
KA14A	18	RD	TXL	0382181C1		5000	-	2644000R1	N/A	N/A
KA14B	18	RD	TXL	0382181C1		5000	-	2644000R1	N/A	N/A
KA14C	10	RD	TXL	0382181C1		5000	-	2644000R1	N/A	N/A
KA14D	12	RD	TXL	0382181C1		5000	-	2644000R1	N/A	N/A
KF47	20	GY	TXL	6102309C1		5000	-	2644000R1	N/A	N/A
KF47B	18	GY	TXL	6102309C1		5000	-	2644000R1	N/A	N/A
VB94BT	18	GY	GXL	6102309C1		5000	-	2644000R1	N/A	N/A
VB94BTA	18	GY	TXL	6102309C1		5000	-	2644000R1	N/A	N/A
KA95PA	10	PK	TXL	6102309C1		5000	-	2644000R1	N/A	N/A
KA95PB	10	PK	TXL	6102309C1		5000	-	2644000R1	N/A	N/A
KA95PC	18	PK	TXL	6102309C1		5000	-	2644000R1	N/A	N/A
TJ95AR1	18	TN	TXL	0239481R1		5000	-	2644000R1	N/A	N/A
TJ95AR2	18	RD	TXL	0239481R1		5000	-	2644000R1	N/A	N/A
TJ95AR3	18	TN	TXL	0239481R1		5000	-	2644000R1	N/A	N/A
UJ94BU	18	GY	GXL	6102309C1		5000	-	2644000R1	N/A	N/A
UJ94BUA	18	GY	TXL	6102309C1		5000	-	2644000R1	N/A	N/A
5CA(-)	18	GN	TXL	0239481R1		5000	-	2644000R1	N/A	N/A
5CA(-)	18	GN	TXL	0239481R1		5000	-	2644000R1	N/A	N/A
5CA(-)	18	GN	TXL	0239481R1		5000	-	2644000R1	N/A	N/A
5CB(-)	18	GN	TXL	0239481R1		5000	-	2644000R1	N/A	N/A
5CB(-)	18	GN	TXL	0239481R1		5000	-	2644000R1	N/A	N/A
5CC(-)	18	GN	TXL	0239481R1		5000	-	2644000R1	N/A	N/A
5CC(-)	20	GN	193	0239481R1		5000	-	2644000R1	N/A	N/A
5CC(-)	18	GN	TXL	0239481R1		5000	-	2644000R1	N/A	N/A
5CD(-)	18	GN	TXL	0239481R1		5000	-	2644000R1	N/A	N/A
AK95AU1	18	TN	TXL	0239481R1		5000	-	2644000R1	N/A	N/A
AK95AU2	18	TN	TXL	0239481R1		5000	-	2644000R1	N/A	N/A
AK95AU3	18	TN	TXL	0239481R1		5000	-	2644000R1	N/A	N/A
BB62AS	16	DKBL	GXL	0239481R1		5000	-	2644000R1	N/A	N/A
BB62B	18	DKBL	GXL	0239481R1		5000	-	2644000R1	N/A	N/A
BB62D	18	DKBL	GXL	0239481R1		5000	-	2644000R1	N/A	N/A



Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
KB2	2	RD	SGX	1613947C1		5001 -		2644027R1	N/A	N/A
KB2A-FL	10	RS	FUS	1613947C1		5001 -		2644027R1	N/A	N/A
KB2B-FL	10	RS	FUS	1613947C1		5001 -		2644027R1	N/A	N/A
RE39	18	GY	GXL	0239481R1		5001 -		2644000R1	N/A	N/A
RE39A	18	GY	GXL	0239481R1		5001 -		2644000R1	N/A	N/A
RE39B	18	GY	GXL	0239481R1		5001 -		2644000R1	N/A	N/A
RK5U(+)	18	YL	TXL	0239481R1		5001 -		2644000R1	N/A	N/A
RK5UF(+)	18	YL	TXL	0239481R1		5001 -		2644000R1	N/A	N/A
RK5UH(+)	18	YL	TXL	0239481R1		5001 -		2644000R1	N/A	N/A
KA95GBA	18	BK	TXL	0239481R1		5001 -		2644000R1	N/A	N/A
KA95GBB	18	BK	TXL	0239481R1		5001 -		2644000R1	N/A	N/A
KA95GBC	16	TN	TXL	0239481R1		5001 -		2644000R1	N/A	N/A
TK95AR1	18	TN	TXL	0239481R1		5001 -		2644000R1	N/A	N/A
TK95AR2	18	RD	TXL	0239481R1		5001 -		2644000R1	N/A	N/A
TK95AR3	18	TN	TXL	0239481R1		5001 -		2644000R1	N/A	N/A
US94BU	18	GY	GXL	6102309C1		5001 -		2644000R1	N/A	N/A
US94BUA	18	GY	TXL	6102309C1		5001 -		2644000R1	N/A	N/A
SJ92A18	18	TN	TXL	6102309C1		5001 -		2644000R1	N/A	N/A
SJ92A18A	16	TN	GXL	6102309C1		5001 -		2644000R1	N/A	N/A
TJ95AS1	18	TN	TXL	0239481R1		5001 -		2644000R1	N/A	N/A
TJ95AS2	20	TN	TXL	0239481R1		5001 -		2644000R1	N/A	N/A
TJ95AS3	18	TN	TXL	0239481R1		5001 -		2644000R1	N/A	N/A
VB94BU	18	GY	GXL	6102309C1		5001 -		2644000R1	N/A	N/A
VB94BUA	18	GY	TXL	6102309C1		5001 -		2644000R1	N/A	N/A
TK95AS1	18	TN	TXL	0239481R1		5001 -		2644000R1	N/A	N/A
TK95AS2	20	TN	TXL	0239481R1		5001 -		2644000R1	N/A	N/A
TK95AS3	18	TN	TXL	0239481R1		5001 -		2644000R1	N/A	N/A
UJ94BV	18	GY	GXL	6102309C1		5001 -		2644000R1	N/A	N/A
UJ94BVA	18	GY	TXL	6102309C1		5001 -		2644000R1	N/A	N/A
ZG92A4	18	TN	TXL	0239481R1		5001 -		2644000R1	N/A	N/A
ZG95DA	18	TN	TXL	0239481R1		5001 -		2644000R1	N/A	N/A
ZG95DB	20	TN	150	0239481R1		5001 -		2644000R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
AL13R	12	PK	150	0239481R1		5001 -		2644000R1	N/A	N/A
AL13R2	10	RD	TXL	0239481R1		5001 -		2644000R1	N/A	N/A
TL13AA	18	PK	TXL	0239481R1		5001 -		2644000R1	N/A	N/A
TL13AB	18	RD	TXL	0239481R1		5001 -		2644000R1	N/A	N/A
TL13R	10	RD	TXL	0239481R1		5001 -		2644000R1	N/A	N/A
TL95KD	10	RD	TXL	0239481R1		5001 -		2644000R1	N/A	N/A
US94BV	18	GY	GXL	6102309C1		5001 -		2644000R1	N/A	N/A
US94BVA	18	GY	TXL	6102309C1		5001 -		2644000R1	N/A	N/A
TS13R	10	RD	TXL	0239481R1		5002 -		2644000R1	N/A	N/A
TS13R2	12	PK	150	0239481R1		5003 -		2644000R1	N/A	N/A
VB94BV	18	GY	GXL	6102309C1		5003 -		2644000R1	N/A	N/A
VB94BVA	18	GY	TXL	6102309C1		5004 -		2644000R1	N/A	N/A
ZV92A4	18	TN	TXL	0239481R1		5004 -		2644000R1	N/A	N/A
ZV95DA	18	TN	TXL	0239481R1		5005 -		2644000R1	N/A	N/A
ZV95DB	20	TN	150	0239481R1		5005 -		2644000R1	N/A	N/A
AM13R	12	PK	150	0239481R1		5006 -		2644000R1	N/A	N/A
AM13R2	10	RD	TXL	0239481R1		5009 -		2644000R1	N/A	N/A
UJ94BW	18	GY	GXL	6102309C1		5009 -		2644000R1	N/A	N/A
UJ94BWA	18	GY	TXL	6102309C1		5010 -		2644000R1	N/A	N/A
VD2	1	RD	SGX	1613947C1		5010 -		2644027R1	N/A	N/A
VD2A-FL	10	RS	FUS	1613947C1		5010 -		2644027R1	N/A	N/A
VD2B-FL	10	RS	FUS	1613947C1		5010 -		2644027R1	N/A	N/A
VD2C-FL	10	RS	FUS	1613947C1		5010 -		2644027R1	N/A	N/A
US94BW	18	GY	GXL	6102309C1		5010 -		2644000R1	N/A	N/A
US94BWA	18	GY	TXL	6102309C1		5010 -		2644000R1	N/A	N/A
VM2	1	RD	SGX	1613947C1		5010 -		2644027R1	N/A	N/A
VM2A-FL	10	RS	FUS	1613947C1		5010 -		2644027R1	N/A	N/A
VM2B-FL	10	RS	FUS	1613947C1		5010 -		2644027R1	N/A	N/A
VM2C-FL	10	RS	FUS	1613947C1		5010 -		2644027R1	N/A	N/A
ZX92A4	18	TN	TXL	0239481R1		5010 -		2644000R1	N/A	N/A
ZX95DA	18	TN	TXL	0239481R1		5010 -		2644000R1	N/A	N/A
ZX95DB	20	TN	150	0239481R1		5010 -		2644000R1	N/A	N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
VB94BW	18	GY	GXL	6102309C1		5010	-	2644000R1	N/A	N/A
VB94BWA	18	GY	TXL	6102309C1		5010	-	2644000R1	N/A	N/A
WC10-GD	8	WH	GXL	0468358C1		5010	-	2644001R1	N/A	N/A
WC10-GE	12	WH	GXL	0468358C1		5010	-	2644001R1	N/A	N/A
WC11-G	10	WH	TXL	0468358C1		5010	-	2644001R1	N/A	N/A
WX2	2	RD	SGX	1613947C1		5010	-	2644027R1	N/A	N/A
WX2A-FL	10	RS	FUS	1613947C1		5010	-	2644027R1	N/A	N/A
WX2B-FL	10	RS	FUS	1613947C1		5010	-	2644027R1	N/A	N/A
AL10-AG	12	WH	150	0239481R1		5010	-	2644000R1	N/A	N/A
AL10-AH	10	WH	TXL	0239481R1		5010	-	2644000R1	N/A	N/A
TS10-AG	10	WH	TXL	0239481R1		5010	-	2644000R1	N/A	N/A
TS10-AH	12	WH	150	0239481R1		5010	-	2644000R1	N/A	N/A
UJ94BY	18	GY	GXL	6102309C1		5010	-	2644000R1	N/A	N/A
UJ94BYA	18	GY	TXL	6102309C1		5010	-	2644000R1	N/A	N/A
AM10-AG	12	WH	150	0239481R1		5010	-	2644000R1	N/A	N/A
AM10-AH	10	WH	TXL	0239481R1		5010	-	2644000R1	N/A	N/A
GA95W	20	TN	GXL	6102309C1		5010	-	2644000R1	N/A	N/A
GA95WA	20	TN	TXL	6102309C1		5010	-	2644000R1	N/A	N/A
US94BY	18	GY	GXL	6102309C1		5010	-	2644000R1	N/A	N/A
US94BYA	18	GY	TXL	6102309C1		5010	-	2644000R1	N/A	N/A
11COG	18	WH	TXL	0239481R1		5010	-	2644000R1	N/A	N/A
11COG	18	WH	TXL	0239481R1		5010	-	2644000R1	N/A	N/A
11COG1	18	WH	TXL	0239481R1		5010	-	2644000R1	N/A	N/A
11COG1	18	WH	TXL	0239481R1		5012	-	2644000R1	N/A	N/A
11COG2	20	WH	TXL	0239481R1		5012	-	2644000R1	N/A	N/A
11COG2	18	WH	TXL	0239481R1		5013	-	2644000R1	N/A	N/A
11COG3	20	WH	TXL	0239481R1		5013	-	2644000R1	N/A	N/A
AJ95AT1	18	TN	TXL	0239481R1		5015	-	2644000R1	N/A	N/A
AJ95AT2	18	TN	TXL	0239481R1		5015	-	2644000R1	N/A	N/A
AJ95AT3	18	TN	TXL	0239481R1		5020	-	2644000R1	N/A	N/A
RK5U(-)	18	GN	TXL	0239481R1		5020	-	2644000R1	N/A	N/A
RK5UF(-)	18	GN	TXL	0239481R1		5020	-	2644000R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
RK5UH(-)	18	GN	TXL	0239481R1		5020	-	2644000R1	N/A	N/A
TY6	18	TN	150	0239481R1		5100	-	2644000R1	N/A	N/A
TY6A	20	PL	TXL	0239481R1		5100	-	2644000R1	N/A	N/A
TY6B	20	VT	GXL	0239481R1		5101	-	2644000R1	N/A	N/A
TY99D	18	VT	GXL	0239481R1		5101	-	2644000R1	N/A	N/A
UY49-GA	18	WH	GXL	0239481R1		5102	-	2644000R1	N/A	N/A
UY49-GB	18	WH	GXL	0239481R1		5102	-	2644000R1	N/A	N/A
UY49-GC	18	WH	GXL	0239481R1		5102	-	2644000R1	N/A	N/A
YS94T	10	GY	GXL	6102309C1		5102	-	2644000R1	N/A	N/A
YS94U	10	GY	TXL	6102309C1		5102	-	2644000R1	N/A	N/A
YS94W	10	GY	GXL	6102309C1		5102	-	2644000R1	N/A	N/A
AN13R	12	PK	150	0239481R1		5102	-	2644000R1	N/A	N/A
AN13R2	10	RD	TXL	0239481R1		5102	-	2644000R1	N/A	N/A
TM13AA	18	PK	TXL	0239481R1		5102	-	2644000R1	N/A	N/A
TM13AB	18	RD	TXL	0239481R1		5102	-	2644000R1	N/A	N/A
TM13R	10	RD	TXL	0239481R1		5103	-	2644000R1	N/A	N/A
TM95KD	10	RD	TXL	0239481R1		5103	-	2644000R1	N/A	N/A
UJ94BZ	18	GY	GXL	6102309C1		5104	-	2644000R1	N/A	N/A
UJ94BZA	18	GY	TXL	6102309C1		5104	-	2644000R1	N/A	N/A
AS13R	12	PK	150	0239481R1		5107	-	2644000R1	N/A	N/A
AS13R2	10	RD	TXL	0239481R1		5107	-	2644000R1	N/A	N/A
KJ95W	20	TN	GXL	6102309C1		5107	-	2644000R1	N/A	N/A
KJ95WA	20	TN	TXL	6102309C1		5107	-	2644000R1	N/A	N/A
US94BZ	18	GY	GXL	6102309C1		5110	-	2644000R1	N/A	N/A
US94BZA	18	GY	TXL	6102309C1		5110	-	2644000R1	N/A	N/A
AN10-AG	12	WH	150	0239481R1		5110	-	2644000R1	N/A	N/A
AN10-AH	10	WH	TXL	0239481R1		5110	-	2644000R1	N/A	N/A
KA14A1	16	RD	TXL	0382181C1		5111	-	2644000R1	N/A	N/A
KA14A2	16	RD	TXL	0382181C1		5111	-	2644000R1	N/A	N/A
KA14A4B	10	RD	TXL	0382181C1		5112	-	2644000R1	N/A	N/A
VB94BP	18	GY	GXL	6102309C1		5112	-	2644000R1	N/A	N/A
VB94BPA	18	GY	TXL	6102309C1		5113	-	2644000R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice	Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
				Number	Part Numbers	Number	Cavity			
AY9	20	TN	150	0239481R1		5113	-	2644000R1	N/A	N/A
AY9A	18	TN	TXL	0239481R1		5114	-	2644000R1	N/A	N/A
AY9B	18	PL	TXL	0239481R1		5115	-	2644000R1	N/A	N/A
KH10-GK	12	WH	TXL	0239481R1		5117	-	2644000R1	N/A	N/A
KH11-G	10	WH	TXL	0239481R1		5117	-	2644000R1	N/A	N/A
KH11-GA	10	WH	TXL	0239481R1		5117	-	2644000R1	N/A	N/A
VB94BY	18	GY	GXL	6102309C1		5117	-	2644000R1	N/A	N/A
VB94BYA	18	GY	TXL	6102309C1		5118	-	2644000R1	N/A	N/A
AS10-AG	12	WH	150	0239481R1		5118	-	2644000R1	N/A	N/A
AS10-AH	10	WH	TXL	0239481R1		5118	-	2644000R1	N/A	N/A
TL13R	10	RD	TXL	0239481R1		5118	-	2644000R1	N/A	N/A
TL13R2	12	PK	150	0239481R1		5119	-	2644000R1	N/A	N/A
VB94BZ	18	GY	GXL	6102309C1		5119	-	2644000R1	N/A	N/A
VB94BZA	18	GY	TXL	6102309C1		5120	-	2644000R1	N/A	N/A
TS13AA	18	PK	TXL	0239481R1		5121	-	2644000R1	N/A	N/A
TS13AB	18	RD	TXL	0239481R1		5122	-	2644000R1	N/A	N/A
TS13R	10	RD	TXL	0239481R1		5123	-	2644000R1	N/A	N/A
TS95KD	10	RD	TXL	0239481R1		5124	-	2644000R1	N/A	N/A
TJ95AT1	18	TN	TXL	0239481R1		5124	-	2644000R1	N/A	N/A
TJ95AT2	20	TN	TXL	0239481R1		5124	-	2644000R1	N/A	N/A
TJ95AT3	18	TN	TXL	0239481R1		5124	-	2644000R1	N/A	N/A
TK95AT1	18	TN	TXL	0239481R1		5124	-	2644000R1	N/A	N/A
TK95AT2	20	TN	TXL	0239481R1		5124	-	2644000R1	N/A	N/A
TK95AT3	18	TN	TXL	0239481R1		5124	-	2644000R1	N/A	N/A
TJ95AU1	18	TN	TXL	0239481R1		5124	-	2644000R1	N/A	N/A
TJ95AU2	20	TN	TXL	0239481R1		5124	-	2644000R1	N/A	N/A
TJ95AU3	18	TN	TXL	0239481R1		5124	-	2644000R1	N/A	N/A
TK95AU1	18	TN	TXL	0239481R1		5124	-	2644000R1	N/A	N/A
TK95AU2	20	TN	TXL	0239481R1		5124	-	2644000R1	N/A	N/A
TK95AU3	18	TN	TXL	0239481R1		5124	-	2644000R1	N/A	N/A
5DA(-)	18	GN	TXL	6102309C1		5124	-	2644000R1	N/A	N/A
5DB(-)	20	GN	193	6102309C1		5124	-	2644000R1	N/A	N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
5DC(-)	20	GN	193	6102309C1		5124	-	2644000R1	N/A	N/A
AK95AT1	18	TN	TXL	0239481R1		5124	-	2644000R1	N/A	N/A
AK95AT2	18	TN	TXL	0239481R1		5124	-	2644000R1	N/A	N/A
AK95AT3	18	TN	TXL	0239481R1		5124	-	2644000R1	N/A	N/A
SK5UF(+)	20	YL	193	0239481R1		5124	-	2644000R1	N/A	N/A
SK5UH(+)	18	YL	TXL	0239481R1		5124	-	2644000R1	N/A	N/A
SK5UK(+)	18	YL	TXL	0239481R1		5124	-	2644000R1	N/A	N/A
UJ94BP	18	GY	GXL	6102309C1		5124	-	2644000R1	N/A	N/A
UJ94BPA	18	GY	TXL	6102309C1		5124	-	2644000R1	N/A	N/A
VG2	2	RD	SGX	1613947C1		5124	-	2644027R1	N/A	N/A
VG2A-FL	10	RS	FUS	1613947C1		5124	-	2644027R1	N/A	N/A
VG2B-FL	10	RS	FUS	1613947C1		5125	-	2644027R1	N/A	N/A
YS56T	10	YL	GXL	6102309C1		5125	-	2644000R1	N/A	N/A
YS56U	10	YL	GXL	6102309C1		5125	-	2644000R1	N/A	N/A
YS56W	10	YL	GXL	6102309C1		5125	-	2644000R1	N/A	N/A
KA95GBA	18	BK	TXL	0239481R1		5125	-	2644000R1	N/A	N/A
KA95GBB	18	BK	TXL	0239481R1		5125	-	2644000R1	N/A	N/A
KA95GBC	16	TN	TXL	0239481R1		5125	-	2644000R1	N/A	N/A
KA95PA	10	PK	TXL	0239481R1		5125	-	2644000R1	N/A	N/A
KA95PB	10	PK	TXL	0239481R1		5125	-	2644000R1	N/A	N/A
KA95PC	18	PK	TXL	0239481R1		5125	-	2644000R1	N/A	N/A
ZE92A4	18	TN	TXL	0239481R1		5125	-	2644000R1	N/A	N/A
ZE95DA	18	TN	TXL	0239481R1		5125	-	2644000R1	N/A	N/A
ZE95DB	20	TN	150	0239481R1		5125	-	2644000R1	N/A	N/A
KA14A	18	RD	TXL	0239481R1		5125	-	2644000R1	N/A	N/A
KA14B	18	RD	TXL	0239481R1		5125	-	2644000R1	N/A	N/A
KA14C	10	RD	TXL	0239481R1		5125	-	2644000R1	N/A	N/A
KA14D	12	RD	TXL	0239481R1		5125	-	2644000R1	N/A	N/A
KA95H1	18	PK	TXL	0382181C1		5125	-	2644000R1	N/A	N/A
KA95H2	18	PK	TXL	0382181C1		5125	-	2644000R1	N/A	N/A
KA95H3	18	PK	TXL	0382181C1		5125	-	2644000R1	N/A	N/A
KA95H4	18	PK	TXL	0382181C1		5125	-	2644000R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
KA95H5	18	PK	TXL	0382181C1		5125	-	2644000R1	N/A	N/A
KA95H6	18	PK	TXL	0382181C1		5125	-	2644000R1	N/A	N/A
KA95H7	18	PK	TXL	0382181C1		5125	-	2644000R1	N/A	N/A
KA95GBC	16	TN	TXL	0239481R1		5128	-	2644000R1	N/A	N/A
KA95GBD	18	BK	TXL	0239481R1		5128	-	2644000R1	N/A	N/A
KA95GBE	16	TN	TXL	0239481R1		5129	-	2644000R1	N/A	N/A
TM13R	10	RD	TXL	0239481R1		5129	-	2644000R1	N/A	N/A
TM13R2	12	PK	150	0239481R1		5130	-	2644000R1	N/A	N/A
TL10-AG	10	WH	TXL	0239481R1		5130	-	2644000R1	N/A	N/A
TL10-AH	12	WH	150	0239481R1		5130	-	2644000R1	N/A	N/A
ZC23A	18	TN	TXL	0239481R1		5130	-	2644000R1	N/A	N/A
ZC23A2	18	TN	TXL	0239481R1		5131	-	2644000R1	N/A	N/A
ZC92A15	18	TN	GXL	0239481R1		5131	-	2644000R1	N/A	N/A
TM10-AG	10	WH	TXL	0239481R1		5132	-	2644000R1	N/A	N/A
TM10-AH	12	WH	150	0239481R1		5132	-	2644000R1	N/A	N/A
KA14A4A	10	RD	TXL	0382181C1		5133	-	2644000R1	N/A	N/A
KA14A4B	10	RD	TXL	0382181C1		5134	-	2644000R1	N/A	N/A
KA14AF	10	RD	TXL	0382181C1		5134	-	2644000R1	N/A	N/A
ZS23A	18	TN	TXL	0239481R1		5136	-	2644000R1	N/A	N/A
ZS23B	18	TN	TXL	0239481R1		5136	-	2644000R1	N/A	N/A
ZS92A15	18	TN	GXL	0239481R1		5200	-	2644000R1	N/A	N/A
13COG	16	PK	TXL	0239481R1		5200	-	2644000R1	N/A	N/A
13COG2	20	PK	TXL	0239481R1		5200	-	2644000R1	N/A	N/A
13COG3	20	PK	TXL	0239481R1		5200	-	2644000R1	N/A	N/A
KA10-GA	10	WH	GXL	0382181C1		5200	-	2644000R1	N/A	N/A
KA10-GF	16	WH	TXL	0382181C1		5200	-	2644000R1	N/A	N/A
KA10-GG	16	WH	TXL	0382181C1		5200	-	2644000R1	N/A	N/A
KA10-GH	16	WH	TXL	0382181C1		5200	-	2644000R1	N/A	N/A
SH92A18	18	TN	TXL	6102309C1		5200	-	2644000R1	N/A	N/A
SH92A18A	16	TN	GXL	6102309C1		5200	-	2644000R1	N/A	N/A
SK5UF(-)	20	GN	193	0239481R1		5200	-	2644000R1	N/A	N/A
SK5UH(-)	18	GN	TXL	0239481R1		5200	-	2644000R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
SK5UK(-)	18	GN	TXL	0239481R1		5200	-	2644000R1	N/A	N/A
US94BP	18	GY	GXL	6102309C1		5200	-	2644000R1	N/A	N/A
US94BPA	18	GY	TXL	6102309C1		5200	-	2644000R1	N/A	N/A
YS70T	10	RD	GXL	6102309C1		5200	-	2644000R1	N/A	N/A
YS70U	10	RD	TXL	6102309C1		5200	-	2644000R1	N/A	N/A
YS70W	10	RD	GXL	6102309C1		5200	-	2644000R1	N/A	N/A
WA41D	18	WH	TXL	0239481R1		5201	-	2644000R1	N/A	N/A
WA92A20	18	WH	TXL	0239481R1		5201	-	2644000R1	N/A	N/A
WA92B20	18	TN	TXL	0239481R1		5201	-	2644000R1	N/A	N/A
WC41D	18	WH	TXL	0239481R1		5202	-	2644000R1	N/A	N/A
WC92A20	18	WH	TXL	0239481R1		5202	-	2644000R1	N/A	N/A
WC92B20	18	TN	TXL	0239481R1		5202	-	2644000R1	N/A	N/A
KA41-GE	10	WH	TXL	0505040C1		5205	-	2644027R1	N/A	N/A
KA41-GF	10	WH	TXL	0505040C1		5205	-	2644027R1	N/A	N/A
KA41-GH	4	WH	SGX	0505040C1		5205	-	2644027R1	N/A	N/A
KA14G	14	RD	TXL	0382182C1		5205	-	2644000R1	N/A	N/A
KA14HA	14	RD	TXL	0382182C1		5205	-	2644000R1	N/A	N/A
KA14HC	14	RD	TXL	0382182C1		5205	-	2644000R1	N/A	N/A
KA14K	14	RD	TXL	0382182C1		5205	-	2644000R1	N/A	N/A
CC95AC	20	TN	TXL	0239481R1		5205	-	2644000R1	N/A	N/A
CC95GC	18	VT	GXL	0239481R1		5205	-	2644000R1	N/A	N/A
CC95GE	18	TN	TXL	0239481R1		5205	-	2644000R1	N/A	N/A
CD95AC	20	TN	TXL	0239481R1		5205	-	2644000R1	N/A	N/A
CD95GC	18	VT	GXL	0239481R1		5205	-	2644000R1	N/A	N/A
CD95GE	18	TN	TXL	0239481R1		5205	-	2644000R1	N/A	N/A
KA92BB16	14	WH	TXL	0382181C1		5205	-	2644000R1	N/A	N/A
KA92E16	14	WH	TXL	0382181C1		5205	-	2644000R1	N/A	N/A
KA92G16	14	WH	TXL	0382181C1		5205	-	2644000R1	N/A	N/A
KA92B16	14	TN	TXL	0382181C1		5205	-	2644000R1	N/A	N/A
KA92F16	14	WH	TXL	0382181C1		5205	-	2644000R1	N/A	N/A
KA92G16	14	WH	TXL	0382181C1		5205	-	2644000R1	N/A	N/A
KA92B16	14	TN	TXL	0382182C1		5205	-	2644000R1	N/A	N/A



Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
KA92BA16	14	WH	TXL	0382182C1		5205 -		2644000R1	N/A	N/A
KA92C16	14	WH	TXL	0382182C1		5205 -		2644000R1	N/A	N/A
KA92D16	14	WH	TXL	0382182C1		5205 -		2644000R1	N/A	N/A
14CSB	16	RD	TXL	0239481R1		5205 -		2644000R1	N/A	N/A
14CSB2	20	RD	TXL	0239481R1		5205 -		2644000R1	N/A	N/A
14CSB3	20	RD	TXL	0239481R1		5205 -		2644000R1	N/A	N/A
AY5A(-)	18	GN	TXL	0239481R1		5205 -		2644000R1	N/A	N/A
AY5B(-)	18	GN	TXL	0239481R1		5205 -		2644000R1	N/A	N/A
AY5C(-)	18	GN	150	0239481R1		5205 -		2644000R1	N/A	N/A
KA10-GB	16	WH	TXL	0239481R1		5210 -		2644000R1	N/A	N/A
KA10-GE	16	WH	TXL	0239481R1		5210 -		2644000R1	N/A	N/A
KA10-GJ	10	WH	TXL	0239481R1		5210 -		2644000R1	N/A	N/A
VJ10-G	12	WH	TXL	0468358C1		5210 -		2644000R1	N/A	N/A
VJ10-GE	12	WH	TXL	0468358C1		5210 -		2644000R1	N/A	N/A
VJ10-GG	12	WH	TXL	0468358C1		5210 -		2644000R1	N/A	N/A
YS57T	10	LTGN	GXL	6102309C1		5210 -		2644000R1	N/A	N/A
YS57U	10	LTGN	GXL	6102309C1		5210 -		2644000R1	N/A	N/A
YS57W	10	LTGN	GXL	6102309C1		5210 -		2644000R1	N/A	N/A
XR5A127	18	GN	TXL	0239481R1		5210 -		2644000R1	N/A	N/A
XR5B127	18	GN	TXL	0239481R1		5210 -		2644000R1	N/A	N/A
XR5C127	18	GN	TXL	0239481R1		5210 -		2644000R1	N/A	N/A
XR5A106	18	YL	TXL	0239481R1		5210 -		2644000R1	N/A	N/A
XR5B106	18	YL	TXL	0239481R1		5210 -		2644000R1	N/A	N/A
XR5C106	18	YL	TXL	0239481R1		5210 -		2644000R1	N/A	N/A
XR5A127	18	GN	TXL	0239481R1		5210 -		2644000R1	N/A	N/A
XR5R127	18	GN	TXL	0239481R1		5210 -		2644000R1	N/A	N/A
XR5S127	20	GN	193	0239481R1		5210 -		2644000R1	N/A	N/A
XX5A127	18	GN	TXL	0239481R1		5210 -		2644000R1	N/A	N/A
XX5B127	18	GN	TXL	0239481R1		5210 -		2644000R1	N/A	N/A
XX5C127	18	GN	TXL	0239481R1		5210 -		2644000R1	N/A	N/A
XX5A106	18	YL	TXL	0239481R1		5210 -		2644000R1	N/A	N/A
XX5B106	18	YL	TXL	0239481R1		5210 -		2644000R1	N/A	N/A

Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
XX5C106	18	YL	TXL	0239481R1		5210	-	2644000R1	N/A	N/A	
XX5A106	18	YL	TXL	0239481R1		5210	-	2644000R1	N/A	N/A	
XX5R106	18	YL	TXL	0239481R1		5210	-	2644000R1	N/A	N/A	
XX5S106	20	YL	193	0239481R1		5210	-	2644000R1	N/A	N/A	
XX5A127	18	GN	TXL	0239481R1		5212	-	2644000R1	N/A	N/A	
XX5R127	18	GN	TXL	0239481R1		5212	-	2644000R1	N/A	N/A	
XX5S127	20	GN	193	0239481R1		5212	-	2644000R1	N/A	N/A	
KA10-G	8	WH	GXL	0468358C1		5212	-	2644001R1	N/A	N/A	
KA10-GA	10	WH	GXL	0468358C1		5212	-	2644001R1	N/A	N/A	
KA10-GJ	10	WH	TXL	0468358C1		5213	-	2644001R1	N/A	N/A	
KA14HA	14	RD	TXL	0382181C1		5213	-	2644000R1	N/A	N/A	
KA14J2	10	RD	GXL	0382181C1		5213	-	2644000R1	N/A	N/A	
KA14KB	14	RD	TXL	0382181C1		5213	-	2644000R1	N/A	N/A	
KA77-G	16	WH	TXL	0468358C1		5214	-	2644001R1	N/A	N/A	
VH10-G	12	WH	TXL	0505040C1		5214	-	2644000R1	N/A	N/A	
VH10-GE	12	WH	TXL	0505040C1		5214	-	2644000R1	N/A	N/A	
VH10-GF	12	WH	TXL	0505040C1		5219	-	2644000R1	N/A	N/A	
VH10-GG	12	WH	TXL	0505040C1		5219	-	2644000R1	N/A	N/A	
YELLOW	20	YL	TXL	0239481R1		5219	-	2644000R1	N/A	N/A	
YELLOWL	18	YL	GXL	0239481R1		5219	-	2644000R1	N/A	N/A	
YELLOWR	18	YL	GXL	0239481R1		5220	-	2644000R1	N/A	N/A	
YS58T	10	BK	GXL	6102309C1		5220	-	2644000R1	N/A	N/A	
YS58U	10	BK	GXL	6102309C1		5220	-	2644000R1	N/A	N/A	
YS58W	10	BK	GXL	6102309C1		5220	-	2644000R1	N/A	N/A	
XZ5A117	18	GN	TXL	0239481R1		5220	-	2644000R1	N/A	N/A	
XZ5B117	18	GN	TXL	0239481R1		5220	-	2644000R1	N/A	N/A	
XZ5S117	18	GN	TXL	0239481R1		5220	-	2644000R1	N/A	N/A	
XZ5A106	18	YL	TXL	0239481R1		5220	-	2644000R1	N/A	N/A	
XZ5B106	18	YL	TXL	0239481R1		5220	-	2644000R1	N/A	N/A	
XZ5S106	18	YL	TXL	0239481R1		5220	-	2644000R1	N/A	N/A	
XZ5C106	18	YL	TXL	0239481R1		5220	-	2644000R1	N/A	N/A	
XZ5R106	20	YL	193	0239481R1		5220	-	2644000R1	N/A	N/A	

Circuit Number	Gauge	Color	Insulation	Terminal Splice	Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
				Number	Part Numbers	Number	Cavity			
XZ5S106	18	YL	TXL	0239481R1		5220	-	2644000R1	N/A	N/A
XZ5C117	18	GN	TXL	0239481R1		5220	-	2644000R1	N/A	N/A
XZ5R117	20	GN	193	0239481R1		5220	-	2644000R1	N/A	N/A
XZ5S117	18	GN	TXL	0239481R1		5220	-	2644000R1	N/A	N/A
5CB(+)	18	YL	TXL	0239481R1		5222	-	2644000R1	N/A	N/A
5CD(+)	18	YL	TXL	0239481R1		5222	-	2644000R1	N/A	N/A
5CE(+)	20	YL	193	0239481R1		5222	-	2644000R1	N/A	N/A
AL10-AH	10	WH	TXL	0239481R1		5222	-	2644000R1	N/A	N/A
AL10-H	10	WH	TXL	0239481R1		5222	-	2644000R1	N/A	N/A
AL95-GB	16	BK	TXL	0239481R1		5222	-	2644000R1	N/A	N/A
AL95-GL	16	BK	TXL	0239481R1		5222	-	2644000R1	N/A	N/A
TP6	18	TN	150	0239481R1		5222	-	2644000R1	N/A	N/A
TP6A	20	PL	TXL	0239481R1		5222	-	2644000R1	N/A	N/A
TP6B	20	VT	GXL	0239481R1		5222	-	2644000R1	N/A	N/A
TP99D	18	VT	GXL	0239481R1		5222	-	2644000R1	N/A	N/A
VG68A	14	BN	GXL	0382181C1		5222	-	2644000R1	N/A	N/A
VG68AC	14	BN	GXL	0382181C1		5222	-	2644000R1	N/A	N/A
VG68AD	14	BN	GXL	0382181C1		5222	-	2644000R1	N/A	N/A
YS68T	10	BN	GXL	6102309C1		5222	-	2644000R1	N/A	N/A
YS68U	10	BN	TXL	6102309C1		5222	-	2644000R1	N/A	N/A
YS68W	10	BN	GXL	6102309C1		5222	-	2644000R1	N/A	N/A
XR5A106	18	YL	TXL	0239481R1		5222	-	2644000R1	N/A	N/A
XR5R106	18	YL	TXL	0239481R1		5222	-	2644000R1	N/A	N/A
XR5S106	20	YL	193	0239481R1		5222	-	2644000R1	N/A	N/A
HA109S	18	GY	GXL	0239481R1		5222	-	2644000R1	N/A	N/A
HA109SA	18	GY	GXL	0239481R1		5230	-	2644000R1	N/A	N/A
HA109SB	18	GY	GXL	0239481R1		5230	-	2644000R1	N/A	N/A
HA63E	18	DKBL	GXL	0239481R1		5230	-	2644000R1	N/A	N/A
HA63EA	18	DKBL	GXL	0239481R1		5230	-	2644000R1	N/A	N/A
HA63EB	18	DKBL	GXL	0239481R1		5230	-	2644000R1	N/A	N/A
HE65-GC	16	WH	GXL	0239481R1		5230	-	2644000R1	N/A	N/A
HE65-GD	16	WH	GXL	0239481R1		5230	-	2644000R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
HE65-GE	16	WH	TXL	0239481R1		5230	-	2644000R1	N/A	N/A	
HE65B	16	OR	TXL	0239481R1		5230	-	2644000R1	N/A	N/A	
HE65BA	16	OR	GXL	0239481R1		5230	-	2644000R1	N/A	N/A	
HE65BB	16	OR	GXL	0239481R1		5230	-	2644000R1	N/A	N/A	
J11GB	16	WH	GXL	0239481R1		5230	-	2644000R1	N/A	N/A	
J11GBA	16	WH	GXL	0239481R1		5230	-	2644000R1	N/A	N/A	
J11GBB	16	WH	GXL	0239481R1		5230	-	2644000R1	N/A	N/A	
J56A	16	OR	GXL	0239481R1		5230	-	2644000R1	N/A	N/A	
J56AA	16	OR	GXL	0239481R1		5230	-	2644000R1	N/A	N/A	
J56AB	16	OR	GXL	0239481R1		5230	-	2644000R1	N/A	N/A	
J58A	16	BN	GXL	0239481R1		5230	-	2644000R1	N/A	N/A	
J58AA	16	BN	GXL	0239481R1		5230	-	2644000R1	N/A	N/A	
J58AB	16	BN	GXL	0239481R1		5230	-	2644000R1	N/A	N/A	
14-FL	10	RS	FUS	0505040C1		5230	-	2644027R1	N/A	N/A	
14-FL	10	RS	FUS	0365684C2		5230	A	2644005R1	N/A	N/A	
14A	0	RD	SGX	0475968C1		5230	A	3812583R1	N/A	N/A	
14A	0	RD	SGX	0475968C1		5230	A	3812583R1	N/A	N/A	
14B	6	RD	SGX	3752567C1		5230	A	2644002R1	N/A	N/A	
14B	6	RD	SGX	0505040C1		5230	-	2644027R1	N/A	N/A	
	63	16	DKBL	GXL	0239805R1	0239808R1	5230	A	N/A	N/A	N/A
	9	16	GY	GXL	0239805R1	0239808R1	5230	A	N/A	N/A	N/A
MA11-GC	12	WH	GXL	1673747C1	0587566C91	5230	A	0589390C1	N/A	N/A	
KH92DP	18	TN	GXL	0587578C1	0587567C91	5230	A	1652325C1	N/A	N/A	
VY92DP	18	TN	GXL	0587578C1	0587567C91	5230	A	1652325C1	N/A	N/A	
KH92DR	18	TN	GXL	0587578C1	0587567C91	5230	B	1652325C1	N/A	N/A	
VY92DR	18	TN	GXL	0587578C1	0587567C91	5230	B	1652325C1	N/A	N/A	
ME64B	16	YL	GXL	0587577C1	0587567C91	5230	A	1652325C1	N/A	N/A	
ME64-GB	16	WH	GXL	0587577C1	0587567C91	5231	B	1652325C1	N/A	N/A	
ME64A	16	YL	GXL	0587577C1	0587567C91	5231	A	1652325C1	N/A	N/A	
ME64-GA	16	WH	GXL	0587577C1	0587567C91	5231	B	1652325C1	N/A	N/A	
MH19	14	GY	GXL	0587577C1	0587567C91	5231	A	0589391C1	N/A	N/A	
MH19-GA	14	WH	GXL	0587577C1	0587567C91	5231	B	0589391C1	N/A	N/A	

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
RN49A	18	GY	GXL	0587578C1	0587567C91	5231	A	1652325C1	N/A	N/A
RN49-GB	18	WH	GXL	0587578C1	0587567C91	5231	B	1652325C1	N/A	N/A
RM49	18	GY	GXL	0587578C1	0587567C91	5231	A	1652325C1	N/A	N/A
RN49-GA	18	WH	GXL	0587578C1	0587567C91	5231	B	1652325C1	N/A	N/A
RP49-G	18	WH	GXL	0587578C1	0587567C91	5231	B	1652325C1	N/A	N/A
RL49	18	GY	GXL	0587578C1	0587567C91	5231	A	1652325C1	N/A	N/A
RL49-G	18	WH	GXL	0587578C1	0587567C91	5231	B	1652325C1	N/A	N/A
U97H	18	VT	GXL	0587578C1	0587567C91	5231	A	1652325C1	N/A	N/A
U97J	18	VT	GXL	0587578C1	0587567C91	5231	B	1652325C1	N/A	N/A
MK19	14	GY	GXL	0587577C1	0587567C91	5231	A	0589391C1	N/A	N/A
MK19-GA	14	WH	GXL	0587577C1	0587567C91	5231	B	0589391C1	N/A	N/A
PV97H	18	VT	GXL	0587576C1	0587568C91	5233	A	1652325C1	N/A	N/A
PV97J	18	VT	GXL	0587576C1	0587568C91	5233	B	1652325C1	N/A	N/A
U97H	18	VT	GXL	0587576C1	0587568C91	5233	A	1652325C1	N/A	N/A
U97J	18	VT	GXL	0587576C1	0587568C91	5233	B	1652325C1	N/A	N/A
4G	14	WH	GXL	0188396R1	0872291R1	5233	A	N/A	N/A	N/A
4A	14	LTGN	GXL	0188396R1	0872291R1	5233	B	N/A	N/A	N/A
JM76	18	BK	GXL	0333732C1	0969541R1	5233	A	N/A	N/A	N/A
JM76-G	18	WH	GXL	0333732C1	0969541R1	5233	B	N/A	N/A	N/A
LD63SJ	18	DKBL	GXL	1661208C1	1661196C1	5233	A	N/A	N/A	N/A
LE63SJA	18	DKBL	GXL	1661208C1	1661196C1	5233	A	N/A	N/A	N/A
LD63-GSB	18	DKBL	GXL	1661208C1	1661196C1	5233	B	N/A	N/A	N/A
LE63-GSB	18	DKBL	GXL	1661208C1	1661196C1	5235	B	N/A	N/A	N/A
LE63SJB	18	DKBL	GXL	1661208C1	1661196C1	5235	A	N/A	N/A	N/A
LE63-GSC	18	DKBL	GXL	1661208C1	1661196C1	5235	B	N/A	N/A	N/A
JP63-GK	18	WH	GXL	1661208C1	1661196C1	5235	A	N/A	N/A	N/A
JP63K	18	DKBL	GXL	1661208C1	1661196C1	5236	B	N/A	N/A	N/A
JY14TRI	16	RD	GXL	1661209C1	1661196C1	5236	A	N/A	N/A	N/A
JY77SBY	16	LTGN	GXL	1661209C1	1661196C1	5236	B	N/A	N/A	N/A
AD86C	14	LTGN	TXL	3566715C1	1661196C1	5236	A	N/A	N/A	N/A
AE86C1	14	LTGN	TXL	3566715C1	1661196C1	5236	A	N/A	N/A	N/A
AD11-GCC	14	WH	TXL	3566715C1	1661196C1	5236	B	N/A	N/A	N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
AE11-GCD	14	WH	TXL	3566715C1	1661196C1	5236	B	N/A	N/A	N/A
1A	16	LTGN	GXL	1661209C1	1661196C1	5236	A	N/A	N/A	N/A
D86M	16	LTGN	GXL	1661209C1	1661196C1	5236	A	N/A	N/A	N/A
D86M	16	LTGN	GXL	1661209C1	1661196C1	5236	A	N/A	N/A	N/A
D86M	16	LTGN	GXL	1661209C1	1661196C1	5236	A	N/A	N/A	N/A
1G	16	WH	GXL	1661209C1	1661196C1	5236	B	N/A	N/A	N/A
D86-GG	16	WH	GXL	1661209C1	1661196C1	5236	B	N/A	N/A	N/A
D86-GG	16	WH	GXL	1661209C1	1661196C1	5236	B	N/A	N/A	N/A
D86-GG	16	WH	GXL	1661209C1	1661196C1	5236	B	N/A	N/A	N/A
JP63SB	18	DKBL	GXL	1661208C1	1661196C1	5236	A	N/A	N/A	N/A
JP63-GSD	18	WH	GXL	1661208C1	1661196C1	5236	B	N/A	N/A	N/A
JD11-GSP	14	WH	GXL	3534167C1	1661197C1	5237	B	N/A	N/A	N/A
CT86RCD	18	LTGN	TXL	1661212C1	1661197C1	5237	A	N/A	N/A	N/A
MB86RCD	18	LTGN	TXL	1661212C1	1661197C1	5237	A	N/A	N/A	N/A
CT86-GD2	18	WH	TXL	1661212C1	1661197C1	5237	B	N/A	N/A	N/A
MB86-GD2	18	WH	TXL	1661212C1	1661197C1	5237	B	N/A	N/A	N/A
DK14TRI	16	RD	GXL	1661212C1	1661197C1	5237	A	N/A	N/A	N/A
DK77SBY	16	LTGN	GXL	1661212C1	1661197C1	5237	B	N/A	N/A	N/A
WHITE	18	WH	GXL	1661212C1	1661197C1	5237	A	N/A	N/A	N/A
BLUE	18	DKBL	GXL	1661212C1	1661197C1	5237	B	N/A	N/A	N/A
A86N	14	LTGN	GXL	3534167C1	1661197C1	5237	A	N/A	N/A	N/A
A86-GB	14	WH	GXL	3534167C1	1661197C1	5237	B	N/A	N/A	N/A
2A	16	LTGN	GXL	1661212C1	1661197C1	5237	A	N/A	N/A	N/A
D86F	16	LTGN	GXL	1661212C1	1661197C1	5237	A	N/A	N/A	N/A
D86F	16	LTGN	GXL	1661212C1	1661197C1	5237	A	N/A	N/A	N/A
D86F	16	LTGN	GXL	1661212C1	1661197C1	5237	A	N/A	N/A	N/A
2G	16	WH	GXL	1661212C1	1661197C1	5237	B	N/A	N/A	N/A
D86-GF	16	WH	GXL	1661212C1	1661197C1	5237	B	N/A	N/A	N/A
D86-GF	16	WH	GXL	1661212C1	1661197C1	5237	B	N/A	N/A	N/A
D86-GF	16	WH	GXL	1661212C1	1661197C1	5237	B	N/A	N/A	N/A
GREENL	20	LTGN	TXL	3539945C1	1661197C1	5237	A	N/A	N/A	N/A
YELLOWL	18	YL	GXL	1661212C1	1661197C1	5237	B	N/A	N/A	N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
GREENR	20	LTGN	TXL	3539945C1	1661197C1	5237	A	N/A	N/A	N/A
YELLOWR	18	YL	GXL	1661212C1	1661197C1	5237	B	N/A	N/A	N/A
GREENL	18	LTGN	GXL	1661212C1	1661197C1	5238	A	N/A	N/A	N/A
GREENL	18	LTGN	GXL	1661212C1	1661197C1	5238	A	N/A	N/A	N/A
YELLOWL	18	YL	GXL	1661212C1	1661197C1	5238	B	N/A	N/A	N/A
YELLOWL	18	YL	GXL	1661212C1	1661197C1	5238	B	N/A	N/A	N/A
GREENR	18	LTGN	GXL	1661212C1	1661197C1	5238	A	N/A	N/A	N/A
GREENR	18	LTGN	GXL	1661212C1	1661197C1	5238	A	N/A	N/A	N/A
YELLOWR	18	YL	GXL	1661212C1	1661197C1	5238	B	N/A	N/A	N/A
YELLOWR	18	YL	GXL	1661212C1	1661197C1	5238	B	N/A	N/A	N/A
J63SB	18	DKBL	GXL	1661212C1	1661197C1	5238	A	N/A	N/A	N/A
J63-GSD	18	WH	GXL	1661212C1	1661197C1	5238	B	N/A	N/A	N/A
BD75-GAK	18	WH	GXL	1661208C1	1661198C1	5300	A	N/A	N/A	N/A
BF75-GAK	18	WH	GXL	1661208C1	1661198C1	5300	A	N/A	N/A	N/A
BA75AL	12	LTGN	GXL	3566715C1	1661198C1	5300	B	N/A	N/A	N/A
BA75AJA	18	LTGN	GXL	1661208C1	1661198C1	5300	C	N/A	N/A	N/A
V63-GBD	18	WH	GXL	1661208C1	1661198C1	5300	A	N/A	N/A	N/A
V63HBD	18	DKBL	GXL	1661208C1	1661198C1	5300	B	N/A	N/A	N/A
V63-GBE	18	WH	GXL	1661208C1	1661198C1	5300	A	N/A	N/A	N/A
V63HBE	18	DKBL	GXL	1661208C1	1661198C1	5300	B	N/A	N/A	N/A
WHITE	18	WH	GXL	1661208C1	1661198C1	5300	A	N/A	N/A	N/A
BLUE	18	DKBL	GXL	1661208C1	1661198C1	5300	B	N/A	N/A	N/A
63-GM	18	WH	GXL	1661208C1	1661198C1	5300	A	N/A	N/A	N/A
63L	18	OR	GXL	1661208C1	1661198C1	5300	B	N/A	N/A	N/A
63D	18	BL	GXL	1661208C1	1661198C1	5300	C	N/A	N/A	N/A
J63-GSDA	18	WH	GXL	1661208C1	1661198C1	5300	A	N/A	N/A	N/A
J63SBA	18	DKBL	GXL	1661208C1	1661198C1	5300	B	N/A	N/A	N/A
J63-GSDB	18	WH	GXL	1661208C1	1661198C1	5300	A	N/A	N/A	N/A
J63SBB	18	DKBL	GXL	1661208C1	1661198C1	5301	B	N/A	N/A	N/A
CT14ED	18	RD	TXL	1661212C1	1661199C1	5301	A	N/A	N/A	N/A
CT13EE	18	PK	TXL	1661212C1	1661199C1	5302	B	N/A	N/A	N/A
CT11-GBE	16	WH	TXL	1661212C1	1661199C1	5302	C	N/A	N/A	N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
MB14ED	16	RD	TXL	1661212C1	1661199C1	5303	A	N/A	N/A	N/A
MB13EE	16	PK	TXL	1661212C1	1661199C1	5303	B	N/A	N/A	N/A
MB11-GBE	16	WH	TXL	1661212C1	1661199C1	5303	C	N/A	N/A	N/A
KC14ED	16	RD	TXL	1661212C1	1661199C1	5303	A	N/A	N/A	N/A
KC13EE	16	PK	TXL	1661212C1	1661199C1	5303	B	N/A	N/A	N/A
KC11-GBE	16	WH	TXL	1661212C1	1661199C1	5303	C	N/A	N/A	N/A
BD77NE	18	LTGN	TXL	1661208C1	1661200C1	5312	A	N/A	N/A	N/A
BF77NE	18	LTGN	TXL	1661208C1	1661200C1	5312	A	N/A	N/A	N/A
GS75WC	18	LTGN	TXL	1661208C1	1661200C1	5312	A	N/A	N/A	N/A
GV75WC	18	LTGN	TXL	1661208C1	1661200C1	5312	A	N/A	N/A	N/A
BD77NF	18	LTGN	TXL	1661208C1	1661200C1	5312	B	N/A	N/A	N/A
BF77NF	18	LTGN	TXL	1661208C1	1661200C1	5312	B	N/A	N/A	N/A
GS75WD	18	LTGN	GXL	1661208C1	1661200C1	5312	B	N/A	N/A	N/A
GV75WD	18	LTGN	TXL	1661208C1	1661200C1	5312	B	N/A	N/A	N/A
GS75WE	18	LTGN	TXL	1661208C1	1661200C1	5312	C	N/A	N/A	N/A
GV75WE	18	LTGN	TXL	1661208C1	1661200C1	5313	C	N/A	N/A	N/A
GS75WF	18	LTGN	TXL	1661208C1	1661200C1	5313	D	N/A	N/A	N/A
GV75WF	18	LTGN	TXL	1661208C1	1661200C1	5313	D	N/A	N/A	N/A
GS75WH	18	LTGN	TXL	1661208C1	1661200C1	5313	E	N/A	N/A	N/A
MK75WJ	18	WH	TXL	1661208C1	1661200C1	5313	E	N/A	N/A	N/A
GV75WK	18	LTGN	TXL	1661208C1	1661200C1	5313	F	N/A	N/A	N/A
MJ75WJ	18	WH	TXL	1661208C1	1661200C1	5313	F	N/A	N/A	N/A
HH86DBA	18	LTGN	GXL	1661208C1	1661200C1	5313	A	N/A	N/A	N/A
HH86BBA	18	LTGN	GXL	1661208C1	1661200C1	5313	B	N/A	N/A	N/A
HH86CBA	18	LTGN	GXL	1661208C1	1661200C1	5313	E	N/A	N/A	N/A
HH86EBA	18	LTGN	GXL	1661208C1	1661200C1	5313	F	N/A	N/A	N/A
JP5BD(-)	18	LTGN	TXL	1661208C1	1661200C1	5313	A	N/A	N/A	N/A
JR5BD(-)	18	LTGN	TXL	1661208C1	1661200C1	5313	A	N/A	N/A	N/A
JP5BD(+)	18	YL	TXL	1661208C1	1661200C1	5313	B	N/A	N/A	N/A
JR5BD(+)	18	YL	TXL	1661208C1	1661200C1	5313	B	N/A	N/A	N/A
CV81B	12	RD	TXL	1661211C1	1661200C1	5313	C	N/A	N/A	N/A
DF78V	12	LTGN	TXL	1661211C1	1661200C1	5313	C	N/A	N/A	N/A



Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
CV81-GA	12	WH	TXL	1661211C1	1661200C1	5313	D	N/A	N/A	N/A
DD78-GA	16	WH	TXL	1661209C1	1661200C1	5313	D	N/A	N/A	N/A
HZ41D	18	TN	TXL	1661208C1	1661200C1	5313	E	N/A	N/A	N/A
HZ41E	18	GY	TXL	1661208C1	1661200C1	5313	F	N/A	N/A	N/A
JP5BK(-)	18	LTGN	TXL	1661208C1	1661200C1	5313	A	N/A	N/A	N/A
JR5BK(-)	18	LTGN	TXL	1661208C1	1661200C1	5313	A	N/A	N/A	N/A
JP5BK(+)	18	YL	TXL	1661208C1	1661200C1	5314	B	N/A	N/A	N/A
JR5BK(+)	18	YL	TXL	1661208C1	1661200C1	5314	B	N/A	N/A	N/A
CV81C	12	RD	TXL	1661211C1	1661200C1	5314	C	N/A	N/A	N/A
CV81-GB	12	WH	TXL	1661211C1	1661200C1	5314	D	N/A	N/A	N/A
DD78-GB	16	WH	TXL	1661209C1	1661200C1	5500	D	N/A	N/A	N/A
AA63	18	DKBL	GXL	1661208C1	1661200C1	5500	A	N/A	N/A	N/A
AA63-GSF	18	DKBL	GXL	1661208C1	1661200C1	5501	B	N/A	N/A	N/A
AA63HB	18	DKBL	GXL	1661208C1	1661200C1	5501	C	N/A	N/A	N/A
AD62B	18	DKBL	GXL	1661208C1	1661200C1	5510	D	N/A	N/A	N/A
AE62A	18	DKBL	GXL	1661208C1	1661200C1	5510	D	N/A	N/A	N/A
AM62B	18	DKBL	GXL	1661208C1	1661200C1	5530	D	N/A	N/A	N/A
AP62A	18	DKBL	GXL	1661208C1	1661200C1	5530	D	N/A	N/A	N/A
AT62B	18	DKBL	GXL	1661208C1	1661200C1	5530	D	N/A	N/A	N/A
AV62B	18	DKBL	GXL	1661208C1	1661200C1	5600	D	N/A	N/A	N/A
BB62B	18	DKBL	GXL	1661208C1	1661200C1	5600	D	N/A	N/A	N/A
AA62-GSA	18	DKBL	GXL	1661208C1	1661200C1	5600	F	N/A	N/A	N/A
AT75WC	18	LTGN	GXL	1661208C1	1661200C1	5600	A	N/A	N/A	N/A
BB75WC	18	LTGN	GXL	1661208C1	1661200C1	5600	A	N/A	N/A	N/A
AT75WD	18	LTGN	GXL	1661208C1	1661200C1	5600	B	N/A	N/A	N/A
BB75WD	18	LTGN	GXL	1661208C1	1661200C1	5600	B	N/A	N/A	N/A
AT75WE	18	LTGN	GXL	1661208C1	1661200C1	5600	C	N/A	N/A	N/A
BB75WE	18	LTGN	GXL	1661208C1	1661200C1	5600	C	N/A	N/A	N/A
AT75WF	18	LTGN	GXL	1661208C1	1661200C1	5600	D	N/A	N/A	N/A
BB75WF	18	LTGN	GXL	1661208C1	1661200C1	5600	D	N/A	N/A	N/A
AT75WJ	18	LTGN	GXL	1661208C1	1661200C1	5600	E	N/A	N/A	N/A
BB75WJ	18	LTGN	GXL	1661208C1	1661200C1	5600	E	N/A	N/A	N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
AT75WK	18	LTGN	GXL	1661208C1	1661200C1	5600	F	N/A	N/A	N/A
BB75WK	18	LTGN	GXL	1661208C1	1661200C1	5700	F	N/A	N/A	N/A
E56A	16	OR	TXL	1661209C1	1661200C1	5700	A	N/A	N/A	N/A
F56A	16	OR	TXL	1661209C1	1661200C1	5700	A	N/A	N/A	N/A
HZ13EE	18	PK	GXL	1661212C1	1661201C1	5700	A	N/A	N/A	N/A
HZ14ED	18	RD	GXL	1661212C1	1661201C1	5700	B	N/A	N/A	N/A
HZ98F	18	BK	GXL	1661212C1	1661201C1	5701	C	N/A	N/A	N/A
HZ11-GMB	18	WH	GXL	1661212C1	1661201C1	5701	D	N/A	N/A	N/A
HZ3BD(+)	18	DKBL	GXL	1661212C1	1661201C1	5701	E	N/A	N/A	N/A
HZ3BD(-)	18	GY	GXL	1661212C1	1661201C1	5701	F	N/A	N/A	N/A
2A58DA	18	BN	TXL	1661212C1	1661201C1	5701	A	N/A	N/A	N/A
2F56D	18	OR	TXL	1661212C1	1661201C1	5754	A	N/A	N/A	N/A
2G56D	18	OR	TXL	1661212C1	1661201C1	5754	A	N/A	N/A	N/A
3C58DA	18	BN	TXL	1661212C1	1661201C1	5755	A	N/A	N/A	N/A
NS56D	18	OR	TXL	1661212C1	1661201C1	5756	A	N/A	N/A	N/A
DD78A	16	LTGN	TXL	1661212C1	1661201C1	5900	B	N/A	N/A	N/A
DF78D	18	LTGN	TXL	1661212C1	1661201C1	5900	D	N/A	N/A	N/A
DF78E	18	LTGN	TXL	1661212C1	1661201C1	5900	E	N/A	N/A	N/A
DF78F	18	LTGN	TXL	1661212C1	1661201C1	5900	F	N/A	N/A	N/A
2A58DB	18	BN	TXL	1661212C1	1661201C1	5900	A	N/A	N/A	N/A
2C57B	18	OR	TXL	1661212C1	1661201C1	5900	A	N/A	N/A	N/A
2E57B	18	OR	TXL	1661212C1	1661201C1	5900	A	N/A	N/A	N/A
2F57B	18	OR	TXL	1661212C1	1661201C1	5900	A	N/A	N/A	N/A
2G57B	18	OR	TXL	1661212C1	1661201C1	5901	A	N/A	N/A	N/A
3C58DB	18	BN	TXL	1661212C1	1661201C1	5902	A	N/A	N/A	N/A
DD78B	16	LTGN	TXL	1661212C1	1661201C1	5902	B	N/A	N/A	N/A
DF62DD	18	DKBL	TXL	1661212C1	1661201C1	5902	C	N/A	N/A	N/A
DF78D	18	LTGN	TXL	1661212C1	1661201C1	5902	D	N/A	N/A	N/A
DF78E	18	LTGN	TXL	1661212C1	1661201C1	5902	E	N/A	N/A	N/A
DF78F	18	LTGN	TXL	1661212C1	1661201C1	5902	F	N/A	N/A	N/A
SJ14CE	16	RD	TXL	1661212C1	1661201C1	5903	A	N/A	N/A	N/A
SJ13CE	16	PK	TXL	1661212C1	1661201C1	5903	B	N/A	N/A	N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
SJ11-GBE	16	WH	TXL	1661212C1	1661201C1	5906	C	N/A	N/A	N/A
SJ3CE(+)	18	DKBL	TXL	1661212C1	1661201C1	5906	D	N/A	N/A	N/A
SJ3CE(-)	18	GY	TXL	1661212C1	1661201C1	5906	E	N/A	N/A	N/A
AM75WC	18	LTGN	GXL	1661212C1	1661201C1	5907	A	N/A	N/A	N/A
AR77NE	18	LTGN	GXL	1661212C1	1661201C1	5907	A	N/A	N/A	N/A
AT75WC	18	LTGN	GXL	1661212C1	1661201C1	5907	A	N/A	N/A	N/A
BB75WC	18	LTGN	GXL	1661212C1	1661201C1	5907	A	N/A	N/A	N/A
AM75WD	18	LTGN	GXL	1661212C1	1661201C1	5907	B	N/A	N/A	N/A
AR77NF	18	LTGN	GXL	1661212C1	1661201C1	5907	B	N/A	N/A	N/A
AT75WD	18	LTGN	GXL	1661212C1	1661201C1	5909	B	N/A	N/A	N/A
BB75WD	18	LTGN	GXL	1661212C1	1661201C1	5909	B	N/A	N/A	N/A
AM75WE	18	LTGN	GXL	1661212C1	1661201C1	5909	C	N/A	N/A	N/A
AT75WE	18	LTGN	GXL	1661212C1	1661201C1	5909	C	N/A	N/A	N/A
BB75WE	18	LTGN	GXL	1661212C1	1661201C1	5909	C	N/A	N/A	N/A
AM75WF	18	LTGN	GXL	1661212C1	1661201C1	5909	D	N/A	N/A	N/A
AT75WF	18	LTGN	GXL	1661212C1	1661201C1	5909	D	N/A	N/A	N/A
BB75WF	18	LTGN	GXL	1661212C1	1661201C1	5909	D	N/A	N/A	N/A
AT75WJ	18	LTGN	GXL	1661212C1	1661201C1	5909	E	N/A	N/A	N/A
BB75WJ	18	LTGN	GXL	1661212C1	1661201C1	5909	E	N/A	N/A	N/A
AT75WK	18	LTGN	GXL	1661212C1	1661201C1	5927	F	N/A	N/A	N/A
BB75WK	18	LTGN	GXL	1661212C1	1661201C1	5927	F	N/A	N/A	N/A
AB9RC	18	DKBL	GXL	1661212C1	1661201C1	5927	A	N/A	N/A	N/A
AB104AC	18	DKBL	GXL	1661212C1	1661201C1	5927	B	N/A	N/A	N/A
AB104ADA	18	DKBL	GXL	1661212C1	1661201C1	5927	C	N/A	N/A	N/A
AB104ABB	18	DKBL	GXL	1661212C1	1661201C1	5927	D	N/A	N/A	N/A
AB104-GB	18	DKBL	GXL	1661212C1	1661201C1	5927	E	N/A	N/A	N/A
E5W(-)	18	GN	TXL	1661212C1	1661201C1	5928	A	N/A	N/A	N/A
E5X(+)	18	YL	TXL	1661212C1	1661201C1	5929	B	N/A	N/A	N/A
E81D	12	LTGN	TXL	3534167C1	1661201C1	6000	C	N/A	N/A	N/A
E81-GB	12	WH	TXL	3534167C1	1661201C1	6000	D	N/A	N/A	N/A
E41A	18	TN	TXL	1661212C1	1661201C1	6000	E	N/A	N/A	N/A
E41B	18	TN	TXL	1661212C1	1661201C1	6000	F	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
F5W(-)	18	GN	TXL	1661212C1	1661201C1	6000	A	N/A	N/A	N/A
F5X(+)	18	YL	TXL	1661212C1	1661201C1	6000	B	N/A	N/A	N/A
F81D	12	LTGN	TXL	3534167C1	1661201C1	6000	C	N/A	N/A	N/A
F81-GB	12	WH	TXL	3534167C1	1661201C1	6000	D	N/A	N/A	N/A
BA77NE	18	LTGN	GXL	1661212C1	1661201C1	6000	A	N/A	N/A	N/A
BA77NF	18	LTGN	GXL	1661212C1	1661201C1	6000	B	N/A	N/A	N/A
GRD-C	10	LTGN	GXL	1661227C1	1661204C1	6000	A	N/A	N/A	N/A
GRD-D	10	LTGN	GXL	1661227C1	1661204C1	6000	B	N/A	N/A	N/A
BATTA	10	RD	GXL	1661227C1	1661204C1	6000	C	N/A	N/A	N/A
BATTB	10	RD	GXL	1661227C1	1661204C1	6000	D	N/A	N/A	N/A
BA75-GBA	12	WH	GXL	1661233C1	1661205C1	6000	A	N/A	N/A	N/A
BA75-GBB	12	WH	GXL	1661233C1	1661205C1	6000	B	N/A	N/A	N/A
BA14HA	12	RD	GXL	1661233C1	1661205C1	6000	C	N/A	N/A	N/A
BA14HB	12	RD	GXL	1661233C1	1661205C1	6000	D	N/A	N/A	N/A
ZA63JBA	18	DKBL	GXL	1661261C1	1661259C1	6000	A	N/A	1661263C1	N/A
ZA63-GJA	18	WH	GXL	1661261C1	1661259C1	6000	B	N/A	1661263C1	N/A
ZA63JBB	18	DKBL	GXL	1661261C1	1661259C1	6000	A	N/A	1661263C1	N/A
ZA63-GJB	18	WH	GXL	1661261C1	1661259C1	6000	B	N/A	1661263C1	N/A
MX86AT	18	LTGN	TXL	1661261C1	1661259C1	6000	A	N/A	1661263C1	N/A
MX86AU	18	LTGN	TXL	1661261C1	1661259C1	6000	B	N/A	1661263C1	N/A
MX86AR	18	LTGN	TXL	1661261C1	1661259C1	6000	A	N/A	1661263C1	N/A
MX86AS	18	LTGN	TXL	1661261C1	1661259C1	6000	B	N/A	1661263C1	N/A
AA50B	18	YL	TXL	1661261C1	1661259C1	6000	A	N/A	1661263C1	N/A
AA50A	18	YL	TXL	1661261C1	1661259C1	6000	B	N/A	1661263C1	N/A
EL63JA	18	DKBL	TXL	1661261C1	1661259C1	6000	A	N/A	1661263C1	N/A
MP63JA	18	DKBL	TXL	1661261C1	1661259C1	6000	A	N/A	1661263C1	N/A
BC63-GAJ	18	WH	TXL	1661261C1	1661259C1	6000	B	N/A	1661263C1	N/A
BX65AB	18	OR	TXL	1661261C1	1661259C1	6000	A	N/A	1661263C1	N/A
BX65-GFA	18	WH	TXL	1661261C1	1661259C1	6000	B	N/A	1661263C1	N/A
BX65AC	18	OR	TXL	1661261C1	1661259C1	6000	A	N/A	1661263C1	N/A
BX65-GFB	18	WH	TXL	1661261C1	1661259C1	6000	B	N/A	1661263C1	N/A
E63BB	18	DKBL	TXL	1661261C1	1661259C1	6000	A	N/A	1661263C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice	Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
				Number	Part Numbers	Number	Cavity			
F63BB	18	DKBL	TXL	1661261C1	1661259C1	6000	A	N/A	1661263C1	N/A
E63-G	18	WH	TXL	1661261C1	1661259C1	6000	B	N/A	1661263C1	N/A
F63-G	18	WH	TXL	1661261C1	1661259C1	6000	B	N/A	1661263C1	N/A
HE65BB	16	OR	GXL	1661261C1	1661259C1	6000	A	N/A	1661263C1	N/A
HE65-GD	16	WH	GXL	1661261C1	1661259C1	6000	B	N/A	1661263C1	N/A
HE65BA	16	OR	GXL	1661261C1	1661259C1	6000	A	N/A	1661263C1	N/A
HE65-GC	16	WH	GXL	1661261C1	1661259C1	6000	B	N/A	1661263C1	N/A
D58Z	18	BN	GXL	1661261C1	1661259C1	6000	A	N/A	1661263C1	N/A
D58Z	18	BN	GXL	1661261C1	1661259C1	6000	A	N/A	1661263C1	N/A
D58-GD	18	WH	GXL	1661261C1	1661259C1	6000	B	N/A	1661263C1	N/A
D58-GD	18	WH	GXL	1661261C1	1661259C1	6000	B	N/A	1661263C1	N/A
D58M	18	BN	GXL	1661261C1	1661259C1	6000	A	N/A	1661263C1	N/A
D58M	18	BN	GXL	1661261C1	1661259C1	6000	A	N/A	1661263C1	N/A
D58-GE	18	WH	GXL	1661261C1	1661259C1	6000	B	N/A	1661263C1	N/A
D58-GE	18	WH	GXL	1661261C1	1661259C1	6000	B	N/A	1661263C1	N/A
D58N	18	BN	GXL	1661261C1	1661259C1	6000	A	N/A	1661263C1	N/A
D58N	18	BN	GXL	1661261C1	1661259C1	6000	A	N/A	1661263C1	N/A
D58-GF	18	WH	GXL	1661261C1	1661259C1	6000	B	N/A	1661263C1	N/A
D58-GF	18	WH	GXL	1661261C1	1661259C1	6000	B	N/A	1661263C1	N/A
D58P	18	BN	GXL	1661261C1	1661259C1	6000	A	N/A	1661263C1	N/A
D58P	18	BN	GXL	1661261C1	1661259C1	6000	A	N/A	1661263C1	N/A
D58-GH	18	WH	GXL	1661261C1	1661259C1	6000	B	N/A	1661263C1	N/A
D58-GH	18	WH	GXL	1661261C1	1661259C1	6000	B	N/A	1661263C1	N/A
D58R	18	BN	GXL	1661261C1	1661259C1	6000	A	N/A	1661263C1	N/A
D58R	18	BN	GXL	1661261C1	1661259C1	6000	A	N/A	1661263C1	N/A
D58-GJ	18	WH	GXL	1661261C1	1661259C1	6000	B	N/A	1661263C1	N/A
D58-GJ	18	BN	GXL	1661261C1	1661259C1	6000	B	N/A	1661263C1	N/A
65F	18	OR	TXL	1661261C1	1661259C1	6018	A	N/A	1661263C1	N/A
65-GF	18	WH	TXL	1661261C1	1661259C1	6018	B	N/A	1661263C1	N/A
FU79B	18	GY	GXL	1661262C1	1661260C1	6018	A	N/A	1661264C1	N/A
JZ79A	18	GY	TXL	1661262C1	1661260C1	6018	A	N/A	1661264C1	N/A
FU9BC	18	GY	GXL	1661262C1	1661260C1	6018	B	N/A	1661264C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
JZ9BB	18	GY	TXL	1661262C1	1661260C1	6018	B	N/A	1661264C1	N/A
FU79C	18	GY	GXL	1661262C1	1661260C1	6018	A	N/A	1661264C1	N/A
FU9BD	18	GY	GXL	1661262C1	1661260C1	6018	B	N/A	1661264C1	N/A
ZY98-GBE	18	WH	TXL	1661262C1	1661260C1	6018	A	N/A	1661264C1	N/A
ZY98J	18	BK	TXL	1661262C1	1661260C1	6018	B	N/A	1661264C1	N/A
BLACK	16	BK	GXL	1661262C1	1661260C1	6018	A	N/A	1661264C1	N/A
WHITE	16	WH	GXL	1661262C1	1661260C1	6018	B	N/A	1661264C1	N/A
65F	18	OR	TXL	1661262C1	1661260C1	6018	A	N/A	1661264C1	N/A
65-GF	18	WH	TXL	1661262C1	1661260C1	6018	B	N/A	1661264C1	N/A
D58T	18	BN	GXL	1661262C1	1661260C1	6018	A	N/A	1661264C1	N/A
D58-GL	18	WH	GXL	1661262C1	1661260C1	6018	B	N/A	1661264C1	N/A
AA82DJ	16	GY	TXL	2033819C1	1661375C2	6018	A	N/A	1661376C1	N/A
AA82JJ	16	GY	TXL	2033819C1	1661375C2	6018	B	N/A	1661376C1	N/A
AA82-GJ	16	WH	TXL	2033819C1	1661375C2	6018	C	N/A	1661376C1	N/A
YG82KJ	16	GY	TXL	2033819C1	1661375C2	6018	D	N/A	1661376C1	N/A
YH82KAJ	16	GY	TXL	2033819C1	1661375C2	6018	D	N/A	1661376C1	N/A
AA82LJ	16	GY	TXL	2033819C1	1661375C2	6018	E	N/A	1661376C1	N/A
MA52B	14	YL	GXL	2033816C1	1661375C2	6018	A	0589391C1	1661376C1	N/A
MA11-GB	14	WH	GXL	2033816C1	1661375C2	6018	B	0589391C1	1661376C1	N/A
MA53B	14	YL	GXL	2033816C1	1661375C2	6018	C	0589391C1	1661376C1	N/A
MA57	16	OR	GXL	2033819C1	1661375C2	6018	D	1652325C1	1661376C1	N/A
MA58B	16	BN	GXL	2033819C1	1661375C2	6018	E	1652325C1	1661376C1	N/A
MA52A	14	YL	GXL	2033816C1	1661375C2	6018	A	0589391C1	1661376C1	N/A
MA11-GA	14	WH	GXL	2033816C1	1661375C2	6018	B	0589391C1	1661376C1	N/A
MA53A	14	YL	GXL	2033816C1	1661375C2	6018	C	0589391C1	1661376C1	N/A
MA56AC	16	OR	GXL	2033819C1	1661375C2	6018	D	1652325C1	1661376C1	N/A
MA58A	16	BN	GXL	2033819C1	1661375C2	6018	E	1652325C1	1661376C1	N/A
RA71BA	12	OR	TXL	2033816C1	1661375C2	6018	A	0589391C1	1661376C1	N/A
RA56A	14	OR	GXL	2033816C1	1661375C2	6018	B	0589391C1	1661376C1	N/A
RA57A	14	OR	GXL	2033816C1	1661375C2	6018	C	0589391C1	1661376C1	N/A
RA68A	14	BN	GXL	2033816C1	1661375C2	6018	D	0589391C1	1661376C1	N/A
RA10-G	12	WH	TXL	2033816C1	1661375C2	6018	E	0589391C1	1661376C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
CA59-G	14	WH	GXL	2033816C1	1661375C2	6018	A	0589391C1	1661376C1	N/A
CA59A	18	GY	GXL	2033819C1	1661375C2	6018	B	1652325C1	1661376C1	N/A
CA59B	18	GY	GXL	2033819C1	1661375C2	6018	C	1652325C1	1661376C1	N/A
CA59C	18	GY	GXL	2033819C1	1661375C2	6018	D	1652325C1	1661376C1	N/A
CA59D	18	GY	GXL	2033819C1	1661375C2	6018	E	1652325C1	1661376C1	N/A
SW59-GA	14	WH	GXL	2033816C1	1661375C2	6018	A	0589391C1	1661376C1	N/A
SW59E	18	GY	GXL	2033819C1	1661375C2	6018	B	1652325C1	1661376C1	N/A
SW59F	18	GY	GXL	2033819C1	1661375C2	6018	C	1652325C1	1661376C1	N/A
SW59H	18	GY	GXL	2033819C1	1661375C2	6018	D	1652325C1	1661376C1	N/A
SW59J	18	GY	GXL	2033819C1	1661375C2	6018	E	1652325C1	1661376C1	N/A
CC59-G	14	WH	GXL	2033816C1	1661375C2	6018	A	0589391C1	1661376C1	N/A
CC59A	16	GY	GXL	2033819C1	1661375C2	6018	B	1652325C1	1661376C1	N/A
CC59B	16	GY	GXL	2033819C1	1661375C2	6018	C	1652325C1	1661376C1	N/A
CC59C	16	GY	GXL	2033819C1	1661375C2	6018	D	1652325C1	1661376C1	N/A
CC59D	16	GY	GXL	2033819C1	1661375C2	6018	E	1652325C1	1661376C1	N/A
CB59-G	14	WH	GXL	2033816C1	1661375C2	6018	A	0589391C1	1661376C1	N/A
CB59A	16	GY	GXL	2033819C1	1661375C2	6018	B	1652325C1	1661376C1	N/A
CB59B	16	GY	GXL	2033819C1	1661375C2	6018	C	1652325C1	1661376C1	N/A
CB59C	16	GY	GXL	2033819C1	1661375C2	6018	D	1652325C1	1661376C1	N/A
CB59D	16	GY	GXL	2033819C1	1661375C2	6018	E	1652325C1	1661376C1	N/A
CD59-G	14	WH	GXL	2033816C1	1661375C2	6018	A	0589391C1	1661376C1	N/A
CD59A	18	GY	GXL	2033819C1	1661375C2	6018	B	1652325C1	1661376C1	N/A
CD59B	18	GY	GXL	2033819C1	1661375C2	6018	C	1652325C1	1661376C1	N/A
CD59C	18	GY	GXL	2033819C1	1661375C2	6018	D	1652325C1	1661376C1	N/A
CD59D	18	GY	GXL	2033819C1	1661375C2	6018	E	1652325C1	1661376C1	N/A
SA71BA	12	OR	TXL	2033816C1	1661375C2	6018	A	0589391C1	1661376C1	N/A
SA56A	14	OR	GXL	2033816C1	1661375C2	6018	B	0589391C1	1661376C1	N/A
SA57A	14	OR	GXL	2033816C1	1661375C2	6018	C	0589391C1	1661376C1	N/A
SA68A	14	BN	GXL	2033816C1	1661375C2	6018	D	0589391C1	1661376C1	N/A
SA10-G	12	WH	TXL	2033816C1	1661375C2	6018	E	0589391C1	1661376C1	N/A
VH71BE	12	OR	TXL	2033816C1	1661375C2	6018	A	0589391C1	1661376C1	N/A
VJ71BE	12	OR	TXL	2033816C1	1661375C2	6018	A	0589391C1	1661376C1	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
VG56A	14	OR	GXL	2033816C1	1661375C2	6018	B	0589391C1	1661376C1	N/A
VG68AC	14	BN	GXL	2033816C1	1661375C2	6018	D	0589391C1	1661376C1	N/A
VH10-GE	12	WH	TXL	2033816C1	1661375C2	6018	E	0589391C1	1661376C1	N/A
VJ10-GE	12	WH	TXL	2033816C1	1661375C2	6018	E	0589391C1	1661376C1	N/A
VH71BG	12	OR	TXL	2033816C1	1661375C2	6018	A	0589391C1	1661376C1	N/A
VJ71BG	12	OR	TXL	2033816C1	1661375C2	6018	A	0589391C1	1661376C1	N/A
VG57A	14	OR	GXL	2033816C1	1661375C2	6018	C	0589391C1	1661376C1	N/A
VG68AD	14	BN	GXL	2033816C1	1661375C2	6018	D	0589391C1	1661376C1	N/A
VH10-GG	12	WH	TXL	2033816C1	1661375C2	6018	E	0589391C1	1661376C1	N/A
VJ10-GG	12	WH	TXL	2033816C1	1661375C2	6018	E	0589391C1	1661376C1	N/A
VF71BC	12	OR	TXL	2033816C1	1661375C2	6018	A	0589391C1	1661376C1	N/A
VK71BC	12	OR	TXL	2033816C1	1661375C2	6018	A	0589391C1	1661376C1	N/A
VE56A	14	OR	GXL	2033816C1	1661375C2	6018	B	0589391C1	1661376C1	N/A
VE68AB	14	BN	GXL	2033816C1	1661375C2	6018	D	0589391C1	1661376C1	N/A
VF10-GC	12	WH	TXL	2033816C1	1661375C2	6018	E	0589391C1	1661376C1	N/A
VK10-GC	12	WH	TXL	2033816C1	1661375C2	6018	E	0589391C1	1661376C1	N/A
VF71BD	12	OR	TXL	2033816C1	1661375C2	6018	A	0589391C1	1661376C1	N/A
VK71BD	12	OR	TXL	2033816C1	1661375C2	6018	A	0589391C1	1661376C1	N/A
VE57A	14	OR	GXL	2033816C1	1661375C2	6018	C	0589391C1	1661376C1	N/A
VE68AA	14	BN	GXL	2033816C1	1661375C2	6018	D	0589391C1	1661376C1	N/A
VF10-GB	12	WH	TXL	2033816C1	1661375C2	6018	E	0589391C1	1661376C1	N/A
VK10-GB	12	WH	TXL	2033816C1	1661375C2	6018	E	0589391C1	1661376C1	N/A
SY59-GA	14	WH	GXL	2033816C1	1661375C2	6018	A	0589391C1	1661376C1	N/A
SY59E	16	GY	GXL	2033819C1	1661375C2	6018	B	1652325C1	1661376C1	N/A
SY59F	16	GY	GXL	2033819C1	1661375C2	6018	C	1652325C1	1661376C1	N/A
SY59H	16	GY	GXL	2033819C1	1661375C2	6018	D	1652325C1	1661376C1	N/A
SY59J	16	GY	GXL	2033819C1	1661375C2	6018	E	1652325C1	1661376C1	N/A
SX59-GA	16	GY	GXL	2033819C1	1661375C2	6018	A	1652325C1	1661376C1	N/A
SX59E	16	GY	GXL	2033819C1	1661375C2	6018	B	1652325C1	1661376C1	N/A
SX59F	16	GY	GXL	2033819C1	1661375C2	6018	C	1652325C1	1661376C1	N/A
SX59H	16	GY	GXL	2033819C1	1661375C2	6018	D	1652325C1	1661376C1	N/A
SX59J	16	GY	GXL	2033819C1	1661375C2	6018	E	1652325C1	1661376C1	N/A



Circuit Number	Gauge	Color	Insulation	Terminal Splice	Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
				Number	Part Numbers	Number	Cavity			
SZ59-G	14	WH	GXL	2033816C1	1661375C2	6019	A	0589391C1	1661376C1	N/A
SZ59E	18	GY	GXL	2033819C1	1661375C2	6019	B	1652325C1	1661376C1	N/A
SZ59F	18	GY	GXL	2033819C1	1661375C2	6019	C	1652325C1	1661376C1	N/A
SZ59H	18	GY	GXL	2033819C1	1661375C2	6019	D	1652325C1	1661376C1	N/A
SZ59J	18	GY	GXL	2033819C1	1661375C2	6019	E	1652325C1	1661376C1	N/A
TZ92#164	18	LTBL	TXL	3717171C1	1661603C1	6019		1 N/A	N/A	N/A
TZ92#165	18	TN	TXL	3717171C1	1661603C1	6019		2 N/A	N/A	N/A
TZ92#169	18	TN	TXL	3717171C1	1661603C1	6019		3 N/A	N/A	N/A
TZ92#170	18	TN	TXL	3717171C1	1661603C1	6019		4 N/A	N/A	N/A
TZ92#111	18	OR	TXL	3717171C1	1661603C1	6019		5 N/A	N/A	N/A
TQ92#112	18	TN	TXL	3717171C1	1661603C1	6019		6 N/A	N/A	N/A
TX92#112	18	TN	TXL	3717171C1	1661603C1	6019		6 N/A	N/A	N/A
TZ92#116	18	LTBL	TXL	3717171C1	1661603C1	6019		7 N/A	N/A	N/A
TZ92#177	18	LTGN	TXL	3717171C1	1661603C1	6019		8 N/A	N/A	N/A
TN92#131	18	YL	TXL	3717171C1	1661603C1	6019		9 N/A	N/A	N/A
TY92#131	18	YL	TXL	3717171C1	1661603C1	6019		9 N/A	N/A	N/A
TZ92#133	18	YL	TXL	3717171C1	1661603C1	6019		10 N/A	N/A	N/A
TZ92#136	18	OR	TXL	3717171C1	1661603C1	6033		11 N/A	N/A	N/A
TZ92#137	18	TN	TXL	3717171C1	1661603C1	6033		12 N/A	N/A	N/A
TN92#158	18	LTGN	TXL	3717171C1	1661603C1	6033		13 N/A	N/A	N/A
TY92#158	18	LTGN	TXL	3717171C1	1661603C1	6033		13 N/A	N/A	N/A
TZ92#171	18	TN	TXL	3717171C1	1661603C1	6033		14 N/A	N/A	N/A
TZ92#151	18	WH	TXL	3717171C1	1661603C1	6033		15 N/A	N/A	N/A
TZ92#152	18	LTGN	TXL	3717171C1	1661603C1	6033		16 N/A	N/A	N/A
TZ92#154	18	TN	TXL	3717171C1	1661603C1	6033		17 N/A	N/A	N/A
BA70	18	OR	GXL	1661875C1	1661777C1	6033	C	N/A	1661873C1	N/A
BH9K	18	GY	GXL	1661875C1	1661777C1	6033	D	N/A	1661873C1	N/A
BJ9K	18	GY	GXL	1661875C1	1661777C1	6033	D	N/A	1661873C1	N/A
BA44	18	GY	GXL	1661875C1	1661777C1	6033	C	N/A	1661873C1	N/A
BH9J	18	GY	GXL	1661875C1	1661777C1	6033	D	N/A	1661873C1	N/A
BJ9J	18	GY	GXL	1661875C1	1661777C1	6033	D	N/A	1661873C1	N/A
BB70E	18	OR	GXL	1661875C1	1661777C1	6101	C	N/A	1661873C1	N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
BB70D	18	GY	GXL	1661875C1	1661777C1	6101	D	N/A	1661873C1	N/A
GE44G	18	GY	TXL	1661875C1	1661777C1	6101	C	3568570C1	1661873C1	N/A
GE44A	20	GY	TXL	1661875C1	1661777C1	6101	D	3568570C1	1661873C1	N/A
NA72EA	16	OR	GXL	3594831C1	1661777C1	6101	C	1661872C1	1661873C1	N/A
NA72EB	16	OR	GXL	3594831C1	1661777C1	6101	D	1661872C1	1661873C1	N/A
DY54XAJ	16	BN	TXL	1661875C1	1661778C1	6101	A	N/A	1661874C1	N/A
DY54-GXAJ	16	WH	TXL	1661875C1	1661778C1	6104	B	N/A	1661874C1	N/A
MJ54X	16	OR	GXL	1661875C1	1661778C1	6104	A	1661872C1	1661874C1	N/A
MJ54-GA	16	WH	GXL	1661875C1	1661778C1	6104	B	1661872C1	1661874C1	N/A
MA85	16	GY	GXL	1661875C1	1661778C1	6104	A	1661872C1	1661874C1	N/A
MA85-GA	16	WH	GXL	1661875C1	1661778C1	6200	B	1661872C1	1661874C1	N/A
M85J	16	GY	GXL	1661875C1	1661778C1	6200	A	1661872C1	1661874C1	N/A
M85-GC	16	WH	GXL	1661875C1	1661778C1	6200	B	1661872C1	1661874C1	N/A
NV65	16	OR	GXL	1661875C1	1661778C1	6200	A	1661872C1	1661874C1	N/A
NV65-G	16	WH	GXL	1661875C1	1661778C1	6200	B	1661872C1	1661874C1	N/A
PF71A	16	OR	GXL	1661875C1	1661778C1	6201	A	1661872C1	1661874C1	N/A
PF71B	16	OR	GXL	1661875C1	1661778C1	6201	B	1661872C1	1661874C1	N/A
KW71A	16	OR	GXL	1661875C1	1661778C1	6201	A	1661872C1	1661874C1	N/A
KW71A	16	OR	GXL	1661875C1	1661778C1	6201	A	1661872C1	1661874C1	N/A
KW71B	16	OR	GXL	1661875C1	1661778C1	6301	B	1661872C1	1661874C1	N/A
KW71B	16	OR	GXL	1661875C1	1661778C1	6301	B	1661872C1	1661874C1	N/A
FA36A	18	TN	GXL	1661875C1	1661778C1	6302	A	1661872C1	1661874C1	N/A
FA9BE	18	GY	GXL	1661875C1	1661778C1	6303	B	1661872C1	1661874C1	N/A
FB36A	18	TN	GXL	1661875C1	1661778C1	6304	A	1661872C1	1661874C1	N/A
FB9BE	18	GY	GXL	1661875C1	1661778C1	6305	B	1661872C1	1661874C1	N/A
FC36A	18	TN	GXL	1661875C1	1661778C1	6306	A	1661872C1	1661874C1	N/A
FC9BE	18	GY	GXL	1661875C1	1661778C1	6307	B	1661872C1	1661874C1	N/A
FD36A	18	TN	GXL	1661875C1	1661778C1	6307	A	1661872C1	1661874C1	N/A
FD9BE	18	GY	GXL	1661875C1	1661778C1	6309	B	1661872C1	1661874C1	N/A
FE36A	18	TN	GXL	1661875C1	1661778C1	6309	A	1661872C1	1661874C1	N/A
FE9BE	18	GY	GXL	1661875C1	1661778C1	6310	B	1661872C1	1661874C1	N/A
FF36A	18	TN	GXL	1661875C1	1661778C1	6317	A	1661872C1	1661874C1	N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
FF9BE	18	GY	GXL	1661875C1	1661778C1	6400	B	1661872C1	1661874C1	N/A
BLACK	16	BK	GXL	1661261C1	1661889C1	6400	A	N/A	1661890C1	N/A
WHITE	16	WH	GXL	1661261C1	1661889C1	6400	B	N/A	1661890C1	N/A
11COG1	18	WH	TXL	1661261C1	1661889C1	6400	A	N/A	1661890C1	N/A
11COG1	18	WH	TXL	1661261C1	1661889C1	6400	A	N/A	1661890C1	N/A
232-TX	20	YL	TXL	3544254C1	1661889C1	6400	B	N/A	1661890C1	N/A
232-TX	18	YL	TXL	1661261C1	1661889C1	6400	B	N/A	1661890C1	N/A
232-RX	20	LTGN	TXL	3544254C1	1661889C1	6401	C	N/A	1661890C1	N/A
232-RX	18	GN	TXL	1661261C1	1661889C1	6401	C	N/A	1661890C1	N/A
58C	16	BN	TXL	1661261C1	1661889C1	6401	A	N/A	1661890C1	N/A
58-GC	16	WH	TXL	1661261C1	1661889C1	6401	B	N/A	1661890C1	N/A
CW58C	16	BN	TXL	1661262C1	1661891C1	6407	A	N/A	1661892C1	N/A
CW58-GBG	16	WH	TXL	1661262C1	1661891C1	6407	B	N/A	1661892C1	N/A
GN58BLT	18	BN	TXL	1661262C1	1661891C1	6550	A	N/A	1661892C1	N/A
GN13-GBR	18	WH	TXL	1661262C1	1661891C1	6550	B	N/A	1661892C1	N/A
HM58C	16	BK	TXL	1661262C1	1661891C1	6564	A	N/A	1661892C1	N/A
HM58-G	16	WH	TXL	1661262C1	1661891C1	6564	B	N/A	1661892C1	N/A
58C	16	BN	TXL	1661262C1	1661891C1	6564	A	N/A	1661892C1	N/A
58-GC	16	WH	TXL	1661262C1	1661891C1	6564	B	N/A	1661892C1	N/A
104-G	12	WH	GXL	2033816C1	1664531C1	6565	A	0589390C1	1675053C1	N/A
N104BB	12	RD	GXL	2033816C1	1664531C1	6565	A	0589390C1	1675053C1	N/A
XD94SNB	18	GY	TXL	1661261C1	1667305C1	6566	A	N/A	1661263C1	N/A
XZ94SA	18	GY	TXL	1661261C1	1667305C1	6566	A	N/A	1661263C1	N/A
XD94SPB	18	GY	TXL	1661261C1	1667305C1	6566	B	N/A	1661263C1	N/A
XZ94SB	18	GY	TXL	1661261C1	1667305C1	6566	B	N/A	1661263C1	N/A
XD94SRB	18	GY	TXL	1661261C1	1667305C1	6567	C	N/A	1661263C1	N/A
XZ94SC	18	GY	TXL	1661261C1	1667305C1	6567	C	N/A	1661263C1	N/A
XD94SSB	18	GY	TXL	1661261C1	1667305C1	6567	D	N/A	1661263C1	N/A
XZ94SD	18	GY	TXL	1661261C1	1667305C1	6567	D	N/A	1661263C1	N/A
XA14EA	16	RD	TXL	1661261C1	1667305C1	6567	A	N/A	1661263C1	N/A
ZP14EA	16	RD	TXL	1661261C1	1667305C1	6567	A	N/A	1661263C1	N/A
XA11-GBE	16	WH	TXL	1661261C1	1667305C1	6567	B	N/A	1661263C1	N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
ZP11-GBE	16	WH	TXL	1661261C1	1667305C1	6567	B	N/A	1661263C1	N/A
XA3BE(+)	18	DKBL	TXL	1661261C1	1667305C1	6702	C	N/A	1661263C1	N/A
ZP5BE(+)	18	YL	TXL	1661261C1	1667305C1	6702	C	N/A	1661263C1	N/A
XA3BE(-)	18	GY	TXL	1661261C1	1667305C1	6702	D	N/A	1661263C1	N/A
ZP5BE(-)	18	GN	TXL	1661261C1	1667305C1	6702	D	N/A	1661263C1	N/A
AA63BB	18	DKBL	TXL	1661261C1	1667305C1	6702	A	N/A	1661263C1	N/A
AA11-G	18	WH	TXL	1661261C1	1667305C1	6702	B	N/A	1661263C1	N/A
CT86HB	18	LTGN	TXL	1661261C1	1667305C1	6702	C	N/A	1661263C1	N/A
MB86HB	18	LTGN	TXL	1661261C1	1667305C1	6702	C	N/A	1661263C1	N/A
MV86H	18	LTGN	TXL	1661261C1	1667305C1	6702	C	N/A	1661263C1	N/A
MX86AH	18	LTGN	TXL	1661261C1	1667305C1	6702	C	N/A	1661263C1	N/A
CT86JB	18	LTGN	TXL	1661261C1	1667305C1	6702	D	N/A	1661263C1	N/A
MB86JB	18	LTGN	TXL	1661261C1	1667305C1	6702	D	N/A	1661263C1	N/A
MV86J	18	LTGN	TXL	1661261C1	1667305C1	6702	D	N/A	1661263C1	N/A
MX86AJ	18	LTGN	TXL	1661261C1	1667305C1	6702	D	N/A	1661263C1	N/A
AA63BC	18	DKBL	TXL	1661261C1	1667305C1	6702	A	N/A	1661263C1	N/A
AA11-GK	18	WH	TXL	1661261C1	1667305C1	6702	B	N/A	1661263C1	N/A
CT86K	18	LTGN	TXL	1661261C1	1667305C1	6702	C	N/A	1661263C1	N/A
MB86K	18	LTGN	TXL	1661261C1	1667305C1	6702	C	N/A	1661263C1	N/A
MV86K	18	LTGN	TXL	1661261C1	1667305C1	6703	C	N/A	1661263C1	N/A
MX86AK	18	LTGN	TXL	1661261C1	1667305C1	6703	C	N/A	1661263C1	N/A
CT86L	18	LTGN	TXL	1661261C1	1667305C1	6703	D	N/A	1661263C1	N/A
MB86L	18	LTGN	TXL	1661261C1	1667305C1	6703	D	N/A	1661263C1	N/A
MV86L	18	LTGN	TXL	1661261C1	1667305C1	6703	D	N/A	1661263C1	N/A
MX86AL	18	LTGN	TXL	1661261C1	1667305C1	6703	D	N/A	1661263C1	N/A
AC75AG	18	LTGN	GXL	1661261C1	1667305C1	6704	A	N/A	1661263C1	N/A
AC75AF	18	LTGN	GXL	1661261C1	1667305C1	6704	B	N/A	1661263C1	N/A
AH75AR	18	LTGN	GXL	1661261C1	1667305C1	6704	C	N/A	1661263C1	N/A
AR75AR	18	LTGN	GXL	1661261C1	1667305C1	6704	C	N/A	1661263C1	N/A
BA75AR	18	LTGN	GXL	1661261C1	1667305C1	6704	C	N/A	1661263C1	N/A
AH75-GAS	18	LTGN	GXL	1661261C1	1667305C1	6704	D	N/A	1661263C1	N/A
AR75-GAS	18	LTGN	GXL	1661261C1	1667305C1	6704	D	N/A	1661263C1	N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
BA75-GAS	18	LTGN	GXL	1661261C1	1667305C1	6704	D	N/A	1661263C1	N/A
BG94SN	20	GY	TXL	3534481C1	1667529C1	6704	A	N/A	1667530C1	N/A
BG94SP	20	GY	TXL	3534481C1	1667529C1	6704	B	N/A	1667530C1	N/A
BG94SR	20	GY	TXL	3534481C1	1667529C1	6704	C	N/A	1667530C1	N/A
BG94SS	20	GY	TXL	3534481C1	1667529C1	6704	D	N/A	1667530C1	N/A
BD75AG	18	LTGN	TXL	1661262C1	1667529C1	6704	A	N/A	1667530C1	N/A
BF75AG	18	LTGN	TXL	1661262C1	1667529C1	6704	A	N/A	1667530C1	N/A
BD75AF	18	LTGN	TXL	1661262C1	1667529C1	6704	B	N/A	1667530C1	N/A
BF75AF	18	LTGN	TXL	1661262C1	1667529C1	6704	B	N/A	1667530C1	N/A
BD75AR	18	LTGN	GXL	1661262C1	1667529C1	6704	C	N/A	1667530C1	N/A
BF75AR	18	LTGN	GXL	1661262C1	1667529C1	6704	C	N/A	1667530C1	N/A
BD75-GAS	18	WH	TXL	1661262C1	1667529C1	6704	D	N/A	1667530C1	N/A
BF75-GAS	18	WH	GXL	1661262C1	1667529C1	6748	D	N/A	1667530C1	N/A
BE94SA	20	GY	TXL	3534481C1	1667529C1	6748	A	N/A	1667530C1	N/A
BE94SB	20	GY	TXL	3534481C1	1667529C1	6748	B	N/A	1667530C1	N/A
BE94SC	20	GY	TXL	3534481C1	1667529C1	6748	C	N/A	1667530C1	N/A
BE94SD	20	GY	TXL	3534481C1	1667529C1	7000	D	N/A	1667530C1	N/A
AM75WF	18	LTGN	GXL	1661262C1	1667529C1	7000	A	N/A	1667530C1	N/A
AM75WE	18	LTGN	GXL	1661262C1	1667529C1	7100	B	N/A	1667530C1	N/A
AM75WC	18	LTGN	GXL	1661262C1	1667529C1	7100	C	N/A	1667530C1	N/A
AM75WD	18	LTGN	GXL	1661262C1	1667529C1	7105	D	N/A	1667530C1	N/A
E63BB	18	DKBL	TXL	1661262C1	1667529C1	7105	A	N/A	1667530C1	N/A
F63BB	18	DKBL	TXL	1661262C1	1667529C1	7105	A	N/A	1667530C1	N/A
E63-G	18	WH	TXL	1661262C1	1667529C1	7105	B	N/A	1667530C1	N/A
F63-G	18	WH	TXL	1661262C1	1667529C1	7105	B	N/A	1667530C1	N/A
E86S	18	LTGN	GXL	1661262C1	1667529C1	7105	C	N/A	1667530C1	N/A
F86S	18	LTGN	GXL	1661262C1	1667529C1	7105	C	N/A	1667530C1	N/A
E86T	18	LTGN	GXL	1661262C1	1667529C1	7105	D	N/A	1667530C1	N/A
F86T	18	LTGN	GXL	1661262C1	1667529C1	7105	D	N/A	1667530C1	N/A
YL58T	10	BK	GXL	2025425C1	1667732C1	7105	A	1667735C1	1667734C1	N/A
YL56T	10	YL	GXL	2025425C1	1667732C1	7105	B	1667735C1	1667734C1	N/A
YL57T	10	LTGN	GXL	2025425C1	1667732C1	7105	C	1667735C1	1667734C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice	Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
				Number	Part Numbers	Number	Cavity			
RR70W	10	RD	GXL	2025425C1	1667732C1	7105	A	1667735C1	1667734C1	N/A
RS70W	10	RD	GXL	2025425C1	1667732C1	7105	A	1667735C1	1667734C1	N/A
RR68W	10	BN	GXL	2025425C1	1667732C1	7110	B	1667735C1	1667734C1	N/A
RS68W	10	BN	GXL	2025425C1	1667732C1	7110	B	1667735C1	1667734C1	N/A
RR94W	10	DKBL	GXL	2025425C1	1667732C1	7110	C	1667735C1	1667734C1	N/A
RS94W	10	DKBL	GXL	2025425C1	1667732C1	7110	C	1667735C1	1667734C1	N/A
NK58W	10	BK	GXL	2025425C1	1667732C1	7110	A	1667735C1	1667734C1	N/A
YS58W	10	BK	GXL	2025425C1	1667732C1	7110	A	1667735C1	1667734C1	N/A
YT58W	10	BK	GXL	2025425C1	1667732C1	7110	A	1667735C1	1667734C1	N/A
NK56W	10	YL	GXL	2025425C1	1667732C1	7110	B	1667735C1	1667734C1	N/A
YS56W	10	YL	GXL	2025425C1	1667732C1	7110	B	1667735C1	1667734C1	N/A
YT56W	10	YL	GXL	2025425C1	1667732C1	7110	B	1667735C1	1667734C1	N/A
NK57W	10	LTGN	GXL	2025425C1	1667732C1	7110	C	1667735C1	1667734C1	N/A
YS57W	10	LTGN	GXL	2025425C1	1667732C1	7110	C	1667735C1	1667734C1	N/A
YT57W	10	LTGN	GXL	2025425C1	1667732C1	7150	C	1667735C1	1667734C1	N/A
NH58T	10	BK	GXL	2025425C1	1667732C1	7150	A	1667735C1	1667734C1	N/A
NK58U	10	BK	GXL	2025425C1	1667732C1	7150	A	1667735C1	1667734C1	N/A
SF58T	10	BK	GXL	2025425C1	1667732C1	7150	A	1667735C1	1667734C1	N/A
NH56T	10	YL	GXL	2025425C1	1667732C1	7150	B	1667735C1	1667734C1	N/A
NK56U	10	YL	GXL	2025425C1	1667732C1	7150	B	1667735C1	1667734C1	N/A
SF56T	10	YL	GXL	2025425C1	1667732C1	7150	B	1667735C1	1667734C1	N/A
NH57T	10	LTGN	GXL	2025425C1	1667732C1	7150	C	1667735C1	1667734C1	N/A
NK57U	10	LTGN	GXL	2025425C1	1667732C1	7150	C	1667735C1	1667734C1	N/A
SF57T	10	LTGN	GXL	2025425C1	1667732C1	7150	C	1667735C1	1667734C1	N/A
RZ58T	10	BK	GXL	2025425C1	1667732C1	7150	A	1667735C1	1667734C1	N/A
RZ56T	10	YL	GXL	2025425C1	1667732C1	7150	B	1667735C1	1667734C1	N/A
RZ57T	10	LTGN	GXL	2025425C1	1667732C1	7150	C	1667735C1	1667734C1	N/A
RG58T	10	BK	GXL	2025425C1	1667732C1	7150	A	1667735C1	1667734C1	N/A
YT58U	10	BK	GXL	2025425C1	1667732C1	7150	A	1667735C1	1667734C1	N/A
RG56T	10	YL	GXL	2025425C1	1667732C1	7150	B	1667735C1	1667734C1	N/A
YT56U	10	YL	GXL	2025425C1	1667732C1	7150	B	1667735C1	1667734C1	N/A
RG57T	10	LTGN	GXL	2025425C1	1667732C1	7150	C	1667735C1	1667734C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice	Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
				Number	Part Numbers	Number	Cavity			
YT57U	10	LTGN	GXL	2025425C1	1667732C1	7150	C	1667735C1	1667734C1	N/A
RF58T	10	BK	GXL	2025425C1	1667732C1	7150	A	1667735C1	1667734C1	N/A
YS58U	10	BK	GXL	2025425C1	1667732C1	7150	A	1667735C1	1667734C1	N/A
RF56T	10	YL	GXL	2025425C1	1667732C1	7150	B	1667735C1	1667734C1	N/A
YS56U	10	YL	GXL	2025425C1	1667732C1	7150	B	1667735C1	1667734C1	N/A
RF57T	10	LTGN	GXL	2025425C1	1667732C1	7150	C	1667735C1	1667734C1	N/A
YS57U	10	LTGN	GXL	2025425C1	1667732C1	7150	C	1667735C1	1667734C1	N/A
RR58W	10	BK	GXL	2025425C1	1667732C1	7150	A	1667735C1	1667734C1	N/A
RR56W	10	YL	GXL	2025425C1	1667732C1	7150	B	1667735C1	1667734C1	N/A
RR57W	10	LTGN	GXL	2025425C1	1667732C1	7150	C	1667735C1	1667734C1	N/A
RS58W	10	BK	GXL	2025425C1	1667732C1	7150	A	1667735C1	1667734C1	N/A
RS56W	10	YL	GXL	2025425C1	1667732C1	7150	B	1667735C1	1667734C1	N/A
RS57W	10	LTGN	GXL	2025425C1	1667732C1	7150	C	1667735C1	1667734C1	N/A
NK70W	10	RD	GXL	1667737C1	1667733C1	7150	A	1667735C1	1667734C1	N/A
YS70W	10	RD	GXL	1667737C1	1667733C1	7150	A	1667735C1	1667734C1	N/A
YT70W	10	RD	GXL	1667737C1	1667733C1	7150	A	1667735C1	1667734C1	N/A
NK68W	10	BN	GXL	1667737C1	1667733C1	7150	B	1667735C1	1667734C1	N/A
YS68W	10	BN	GXL	1667737C1	1667733C1	7150	B	1667735C1	1667734C1	N/A
YT68W	10	BN	GXL	1667737C1	1667733C1	7150	B	1667735C1	1667734C1	N/A
NK94W	10	GY	GXL	1667737C1	1667733C1	7150	C	1667735C1	1667734C1	N/A
YS94W	10	GY	GXL	1667737C1	1667733C1	7150	C	1667735C1	1667734C1	N/A
YT94W	10	GY	GXL	1667737C1	1667733C1	7150	C	1667735C1	1667734C1	N/A
RR58W	10	BK	GXL	1667737C1	1667733C1	7150	A	1667735C1	1667734C1	N/A
RS58W	10	BK	GXL	1667737C1	1667733C1	7150	A	1667735C1	1667734C1	N/A
RR56W	10	YL	GXL	1667737C1	1667733C1	7150	B	1667735C1	1667734C1	N/A
RS56W	10	YL	GXL	1667737C1	1667733C1	7150	B	1667735C1	1667734C1	N/A
RR57W	10	LTGN	GXL	1667737C1	1667733C1	7150	C	1667735C1	1667734C1	N/A
RS57W	10	LTGN	GXL	1667737C1	1667733C1	7150	C	1667735C1	1667734C1	N/A
RZ94T	10	GY	TXL	1667737C1	1667733C1	7150	A	1667735C1	1667734C1	N/A
RZ68T	10	BN	TXL	1667737C1	1667733C1	7150	B	1667735C1	1667734C1	N/A
RZ70T	10	RD	TXL	1667737C1	1667733C1	7150	C	1667735C1	1667734C1	N/A
RR70W	10	RD	GXL	1667737C1	1667733C1	7150	A	1667735C1	1667734C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice	Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
				Number	Part Numbers	Number	Cavity			
RR68W	10	BN	GXL	1667737C1	1667733C1	7150	B	1667735C1	1667734C1	N/A
RR94W	10	DKBL	GXL	1667737C1	1667733C1	7150	C	1667735C1	1667734C1	N/A
RS70W	10	RD	GXL	1667737C1	1667733C1	7150	A	1667735C1	1667734C1	N/A
RS68W	10	BN	GXL	1667737C1	1667733C1	7150	B	1667735C1	1667734C1	N/A
RS94W	10	DKBL	GXL	1667737C1	1667733C1	7150	C	1667735C1	1667734C1	N/A
RF5U(+)	18	YL	TXL	1667742C1	1667740C1	7150	A	N/A	1667771C1	N/A
RF5U(-)	18	GN	TXL	1667742C1	1667740C1	7150	C	N/A	1667771C1	N/A
SH94SZC	18	GY	GXL	1667742C1	1667740C1	7150	A	1661872C1	1667771C1	N/A
SJ94SZC	18	GY	GXL	1667742C1	1667740C1	7150	A	1661872C1	1667771C1	N/A
SH94SVC	18	GY	GXL	1667742C1	1667740C1	7150	B	1661872C1	1667771C1	N/A
SJ94SVC	18	GY	GXL	1667742C1	1667740C1	7150	B	1661872C1	1667771C1	N/A
SH94SH	18	GY	GXL	1667742C1	1667740C1	7150	C	1661872C1	1667771C1	N/A
SJ94SH	18	GY	GXL	1667742C1	1667740C1	7150	C	1661872C1	1667771C1	N/A
NP109B	18	GY	GXL	1667742C1	1667740C1	7150	A	1661872C1	1667771C1	N/A
NP106B	18	OR	GXL	1667742C1	1667740C1	7150	B	1661872C1	1667771C1	N/A
NP61B	18	GY	GXL	1667742C1	1667740C1	7150	C	1661872C1	1667771C1	N/A
J11GB	16	WH	GXL	1667742C1	1667740C1	7150	A	1661872C1	1667771C1	N/A
J56A	16	OR	GXL	1667742C1	1667740C1	7150	B	1661872C1	1667771C1	N/A
J58A	16	BN	GXL	1667742C1	1667740C1	7205	C	1661872C1	1667771C1	N/A
KS5BF(+)	18	YL	TXL	1661875C1	1667741C1	7205	A	N/A	1667771C1	N/A
KS5BF(-)	18	GN	TXL	1661875C1	1667741C1	7205	C	N/A	1667771C1	N/A
KR5BF(+)	18	YL	TXL	1661875C1	1667741C1	7205	A	N/A	1667771C1	N/A
RY5BF(+)	18	YL	TXL	1661875C1	1667741C1	7205	A	N/A	1667771C1	N/A
KR5BF(-)	18	GN	TXL	1661875C1	1667741C1	7205	C	N/A	1667771C1	N/A
RY5BF(-)	18	GN	TXL	1661875C1	1667741C1	7205	C	N/A	1667771C1	N/A
KB5U(+)	18	YL	TXL	1661875C1	1667741C1	7205	A	N/A	1667771C1	N/A
KD5U(+)	18	YL	TXL	1661875C1	1667741C1	7205	A	N/A	1667771C1	N/A
KB5U(-)	18	GN	TXL	1661875C1	1667741C1	7205	C	N/A	1667771C1	N/A
KD5U(-)	18	GN	TXL	1661875C1	1667741C1	7205	C	N/A	1667771C1	N/A
2A54-GXEJ	16	WH	TXL	1661875C1	1667741C1	7205	A	N/A	1667771C1	N/A
3C54-GXEJ	16	WH	TXL	1661875C1	1667741C1	7205	A	N/A	1667771C1	N/A
3E54-GXEJ	16	WH	TXL	1661875C1	1667741C1	7205	A	N/A	1667771C1	N/A



Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
HY54-GXEJ	16	WH	TXL	1661875C1	1667741C1	7205	A	N/A	1667771C1	N/A
2B57AJ	16	OR	TXL	1661875C1	1667741C1	7205	B	N/A	1667771C1	N/A
2C57AJ	16	OR	TXL	1661875C1	1667741C1	7205	B	N/A	1667771C1	N/A
2D57AJ	16	OR	TXL	1661875C1	1667741C1	7205	B	N/A	1667771C1	N/A
2E57AJ	16	OR	TXL	1661875C1	1667741C1	7206	B	N/A	1667771C1	N/A
2F57AJ	16	OR	TXL	1661875C1	1667741C1	7206	B	N/A	1667771C1	N/A
2G57AJ	16	OR	TXL	1661875C1	1667741C1	7206	B	N/A	1667771C1	N/A
2A54AJ	16	BN	TXL	1661875C1	1667741C1	7206	C	N/A	1667771C1	N/A
3C54AJ	16	BN	TXL	1661875C1	1667741C1	7206	C	N/A	1667771C1	N/A
3E54AJ	16	BN	TXL	1661875C1	1667741C1	7206	C	N/A	1667771C1	N/A
HY54AJ	16	BN	TXL	1661875C1	1667741C1	7206	C	N/A	1667771C1	N/A
MA11-GBB	16	WH	GXL	1661875C1	1667741C1	7206	A	1661872C1	1667771C1	N/A
MA56AB	16	OR	GXL	1661875C1	1667741C1	7206	B	1661872C1	1667771C1	N/A
MA58AB	16	BN	GXL	1661875C1	1667741C1	7206	C	1661872C1	1667771C1	N/A
PM94SZC	16	GY	GXL	1661875C1	1667741C1	7206	A	1661872C1	1667771C1	N/A
PM94SVC	16	GY	GXL	1661875C1	1667741C1	7206	B	1661872C1	1667771C1	N/A
PM94SH	16	GY	GXL	1661875C1	1667741C1	7206	C	1661872C1	1667771C1	N/A
RD109B	18	GY	GXL	1661875C1	1667741C1	7206	A	1661872C1	1667771C1	N/A
RE109B	18	GY	GXL	1661875C1	1667741C1	7206	A	1661872C1	1667771C1	N/A
RD106B	18	GY	GXL	1661875C1	1667741C1	7206	B	1661872C1	1667771C1	N/A
RE106B	18	GY	GXL	1661875C1	1667741C1	7206	B	1661872C1	1667771C1	N/A
RD61B	18	GY	GXL	1661875C1	1667741C1	7206	C	1661872C1	1667771C1	N/A
RE61B	18	GY	GXL	1661875C1	1667741C1	7206	C	1661872C1	1667771C1	N/A
J11GBA	16	WH	GXL	1661875C1	1667741C1	7206	A	1661872C1	1667771C1	N/A
J11GBB	16	WH	GXL	1661875C1	1667741C1	7206	A	1661872C1	1667771C1	N/A
J56AA	16	OR	GXL	1661875C1	1667741C1	7211	B	1661872C1	1667771C1	N/A
J56AB	16	OR	GXL	1661875C1	1667741C1	7211	B	1661872C1	1667771C1	N/A
J58AA	16	BN	GXL	1661875C1	1667741C1	7211	C	1661872C1	1667771C1	N/A
J58AB	16	BN	GXL	1661875C1	1667741C1	7211	C	1661872C1	1667771C1	N/A
104	12	RD	GXL	2033912C1	1669834C1	7212	A	0589390C1	1675053C1	N/A
N104-G	12	WH	GXL	2033912C1	1669834C1	7212	A	0589390C1	1675053C1	N/A
HA63SB	18	DKBL	GXL	3534164C1	1669972C1	7212	A	N/A	N/A	N/A

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
HA63-GSD	18	WH	GXL	3534164C1	1669972C1	7212	B	N/A	N/A	N/A
JA13EF	18	BK	GXL	3534164C1	1669972C1	7213	A	N/A	N/A	N/A
JA11-GMC	18	WH	GXL	3534164C1	1669972C1	7213	B	N/A	N/A	N/A
BH12A	18	LTBL	TXL	3534164C1	1669972C1	7213	A	N/A	N/A	N/A
BH11-GAL	18	WH	TXL	3534164C1	1669972C1	7213	B	N/A	N/A	N/A
JP63U	18	DKBL	GXL	1661208C1	1669972C1	7250	A	N/A	N/A	N/A
JP63-GU	18	WH	GXL	1661208C1	1669972C1	7250	B	N/A	N/A	N/A
D63D	18	DKBL	GXL	1661208C1	1669972C1	7250	A	N/A	N/A	N/A
D63D	18	DKBL	GXL	1661208C1	1669972C1	7250	A	N/A	N/A	N/A
D63D	18	DKBL	GXL	1661208C1	1669972C1	7250	A	N/A	N/A	N/A
D63-GM	18	WH	GXL	1661208C1	1669972C1	7250	B	N/A	N/A	N/A
D63-GM	18	WH	GXL	1661208C1	1669972C1	7250	B	N/A	N/A	N/A
D63-GM	18	WH	GXL	1661208C1	1669972C1	7250	B	N/A	N/A	N/A
D63M	18	DKBL	GXL	1661208C1	1669972C1	7250	A	N/A	N/A	N/A
D63M	18	DKBL	GXL	1661208C1	1669972C1	7250	A	N/A	N/A	N/A
D63M	18	DKBL	GXL	1661208C1	1669972C1	7250	A	N/A	N/A	N/A
D63M	18	DKBL	GXL	1661208C1	1669972C1	7250	A	N/A	N/A	N/A
D63-GE	18	WH	GXL	1661208C1	1669972C1	7250	B	N/A	N/A	N/A
D63-GF	18	WH	GXL	1661208C1	1669972C1	7250	B	N/A	N/A	N/A
D63-GF	18	WH	GXL	1661208C1	1669972C1	7250	B	N/A	N/A	N/A
D63-GF	18	WH	GXL	1661208C1	1669972C1	7250	B	N/A	N/A	N/A
D63C	18	DKBL	GXL	1661208C1	1669972C1	7250	A	N/A	N/A	N/A
D63C	18	DKBL	GXL	1661208C1	1669972C1	7250	A	N/A	N/A	N/A
D63C	18	DKBL	GXL	1661208C1	1669972C1	7250	A	N/A	N/A	N/A
D63-GE	18	WH	GXL	1661208C1	1669972C1	7250	B	N/A	N/A	N/A
D63-GE	18	WH	GXL	1661208C1	1669972C1	7250	B	N/A	N/A	N/A
D63-GE	18	WH	GXL	1661208C1	1669972C1	7250	B	N/A	N/A	N/A
63D	18	BL	GXL	1661213C1	1669973C1	7250	A	N/A	N/A	N/A
63L	18	OR	GXL	1661213C1	1669973C1	7250	A	N/A	N/A	N/A
63-GM	18	WH	GXL	1661212C1	1669973C1	7250	B	N/A	N/A	N/A
D63M	18	DKBL	GXL	1661212C1	1669973C1	7250	A	N/A	N/A	N/A
D63-GE	18	WH	GXL	1661212C1	1669973C1	7250	B	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice	Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
				Number	Part Numbers	Number	Cavity			
KA77-G	16	WH	TXL	2033819C1	1671610C1	7250	A	1652325C1	1671608C1	N/A
WA10-GA	16	WH	GXL	2033819C1	1671610C1	7250	A	1652325C1	1671608C1	N/A
WC10-GA	16	WH	GXL	2033819C1	1671610C1	7250	A	1652325C1	1671608C1	N/A
KA77	16	LTGN	GXL	2033819C1	1671610C1	7250	B	1652325C1	1671608C1	N/A
KA77	16	LTGN	TXL	2033819C1	1671610C1	7250	B	1652325C1	1671608C1	N/A
KA34	16	TN	TXL	2033819C1	1671610C1	7250	A	1652325C1	1671608C1	N/A
KA34A	16	TN	TXL	2033819C1	1671610C1	7250	B	1652325C1	1671608C1	N/A
KU21	16	TN	TXL	2033819C1	1671610C1	7250	A	1652325C1	1671608C1	N/A
KU21A	16	TN	TXL	2033819C1	1671610C1	7250	B	1652325C1	1671608C1	N/A
RE39A	18	GY	GXL	2033819C1	1671610C1	7250	A	1652325C1	1671608C1	N/A
RE39-GA	18	WH	GXL	2033819C1	1671610C1	7250	B	1652325C1	1671608C1	N/A
RE39B	18	GY	GXL	2033819C1	1671610C1	7250	A	1652325C1	1671608C1	N/A
RE39-GB	18	WH	GXL	2033819C1	1671610C1	7250	B	1652325C1	1671608C1	N/A
E81A	14	LTGN	TXL	2033816C1	1671610C1	7250	A	1652325C1	1671608C1	N/A
F81A	14	LTGN	TXL	2033816C1	1671610C1	7250	A	1652325C1	1671608C1	N/A
E81B	14	LTGN	TXL	2033816C1	1671610C1	7250	B	1652325C1	1671608C1	N/A
F81B	14	LTGN	TXL	2033816C1	1671610C1	7250	B	1652325C1	1671608C1	N/A
VH71BF	12	OR	GXL	2033816C1	1671610C1	7303	A	0589390C1	1671608C1	N/A
VH10-GF	12	WH	TXL	2033816C1	1671610C1	7303	B	0589391C1	1671608C1	N/A
VF71BB	12	OR	TXL	2033816C1	1671610C1	7350	A	0589391C1	1671608C1	N/A
VF10-GD	12	WH	TXL	2033816C1	1671610C1	7350	B	0589391C1	1671608C1	N/A
GB39	16	GY	GXL	2033819C1	1673790C1	7350	A	1652325C1	1673791C1	N/A
GB39-G	16	WH	GXL	2033819C1	1673790C1	7350	B	1652325C1	1673791C1	N/A
GA39	16	GY	GXL	2033819C1	1673790C1	7350	A	1652325C1	1673791C1	N/A
GA39-G	16	WH	GXL	2033819C1	1673790C1	7350	B	1652325C1	1673791C1	N/A
GF39A	16	GY	GXL	2033819C1	1673790C1	7350	A	1652325C1	1673791C1	N/A
GF39-GA	16	WH	GXL	2033819C1	1673790C1	7350	B	1652325C1	1673791C1	N/A
GD39A	16	GY	GXL	2033819C1	1673790C1	7350	A	1652325C1	1673791C1	N/A
GD39-GA	16	WH	GXL	2033819C1	1673790C1	7501	B	1652325C1	1673791C1	N/A
U52A	14	YL	TXL	2033912C1	1677851C1	7501	A	1652325C1	1677914C1	N/A
U11-GA	14	WH	GXL	2033912C1	1677851C1	7501	B	0589391C1	1677914C1	N/A
U53A	14	YL	TXL	2033912C1	1677851C1	7501	C	1652325C1	1677914C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice	Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
				Number	Part Numbers	Number	Cavity			
U56	16	OR	TXL	2033911C1	1677851C1	7502	D	1652325C1	1677914C1	N/A
U58A	16	BN	GXL	2033911C1	1677851C1	7502	E	1652325C1	1677914C1	N/A
BH9E	18	GY	GXL	1651943C1	1678137C1	7502	A	N/A	N/A	N/A
BJ9E	18	GY	GXL	1651943C1	1678137C1	7502	A	N/A	N/A	N/A
BA6A	18	GY	GXL	1651943C1	1678137C1	7600	B	N/A	N/A	N/A
BA40	18	GY	GXL	1651943C1	1678137C1	7600	C	N/A	N/A	N/A
BH9F	18	GY	GXL	1651943C1	1678137C1	7600	A	N/A	N/A	N/A
BJ9F	18	GY	GXL	1651943C1	1678137C1	7600	A	N/A	N/A	N/A
BA6B	18	GY	GXL	1651943C1	1678137C1	7603	B	N/A	N/A	N/A
BA40A	18	GY	GXL	1651943C1	1678137C1	7603	C	N/A	N/A	N/A
BH9H	18	GY	GXL	1651943C1	1678137C1	7603	A	N/A	N/A	N/A
BJ9H	18	GY	GXL	1651943C1	1678137C1	7603	A	N/A	N/A	N/A
BA6C	18	GY	GXL	1651943C1	1678137C1	7605	B	N/A	N/A	N/A
BA40B	18	GY	GXL	1651943C1	1678137C1	7605	C	N/A	N/A	N/A
BE94SZA	18	GY	GXL	1651943C1	1678137C1	7605	A	N/A	N/A	N/A
BE94SVA	18	GY	GXL	1651943C1	1678137C1	7605	B	N/A	N/A	N/A
BE94SE	18	GY	GXL	1651943C1	1678137C1	7615	C	N/A	N/A	N/A
BE94SZB	18	GY	GXL	1651943C1	1678137C1	7615	A	N/A	N/A	N/A
BE94SVB	18	GY	GXL	1651943C1	1678137C1	7615	B	N/A	N/A	N/A
BE94SF	18	GY	GXL	1651943C1	1678137C1	7615	C	N/A	N/A	N/A
SH94SZC	18	GY	GXL	1651943C1	1678137C1	7800	A	N/A	N/A	N/A
SH94SVC	18	GY	GXL	1651943C1	1678137C1	7800	B	N/A	N/A	N/A
SH94SH	18	GY	GXL	1651943C1	1678137C1	7801	C	N/A	N/A	N/A
RD109B	18	GY	GXL	1651943C1	1678137C1	7801	A	N/A	N/A	N/A
RD106B	18	GY	GXL	1651943C1	1678137C1	7802	B	N/A	N/A	N/A
RD61B	18	GY	GXL	1651943C1	1678137C1	7802	C	N/A	N/A	N/A
RE109B	18	GY	GXL	1651943C1	1678137C1	7802	A	N/A	N/A	N/A
RE106B	18	GY	GXL	1651943C1	1678137C1	7802	B	N/A	N/A	N/A
RE61B	18	GY	GXL	1651943C1	1678137C1	8000	C	N/A	N/A	N/A
SJ94SZC	18	GY	GXL	1651943C1	1678137C1	8000	A	N/A	N/A	N/A
SJ94SVC	18	GY	GXL	1651943C1	1678137C1	8000	B	N/A	N/A	N/A
SJ94SH	18	GY	GXL	1651943C1	1678137C1	8000	C	N/A	N/A	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
MB94	18	GY	GXL	2033819C1	1686834C1	8000	A	1652325C1	1664408C1	N/A
MB94A	18	GY	GXL	2033819C1	1686834C1	8001	B	1652325C1	1664408C1	N/A
MB94B	18	GY	GXL	2033819C1	1686834C1	8001	C	1652325C1	1664408C1	N/A
MB94H	18	GY	GXL	2033819C1	1686834C1	8001	A	1652325C1	1664408C1	N/A
MB94J	18	GY	GXL	2033819C1	1686834C1	8001	B	1652325C1	1664408C1	N/A
MB94K	18	GY	GXL	2033819C1	1686834C1	8001	C	1652325C1	1664408C1	N/A
RB94BA	16	GY	GXL	2033819C1	1686834C1	8050	A	1652325C1	1664408C1	N/A
RB94BB	16	GY	GXL	2033819C1	1686834C1	8050	B	1652325C1	1664408C1	N/A
RB94BC	16	GY	GXL	2033819C1	1686834C1	8100	C	1652325C1	1664408C1	N/A
RB94BJ	16	GY	GXL	2033819C1	1686834C1	8100	A	1652325C1	1664408C1	N/A
RB94BK	16	GY	GXL	2033819C1	1686834C1	8100	B	1652325C1	1664408C1	N/A
RB94BL	16	GY	GXL	2033819C1	1686834C1	8165	C	1652325C1	1664408C1	N/A
PM94SM	16	GY	GXL	2033819C1	1686834C1	8165	A	1652325C1	1664408C1	N/A
TF94BA	16	GY	GXL	2033819C1	1686834C1	8166	A	1652325C1	1664408C1	N/A
PM94SN	16	GY	GXL	2033819C1	1686834C1	8166	B	1652325C1	1664408C1	N/A
TF94BB	16	GY	GXL	2033819C1	1686834C1	8166	B	1652325C1	1664408C1	N/A
PM94SL	16	GY	GXL	2033819C1	1686834C1	8200	C	1652325C1	1664408C1	N/A
TF94BC	16	GY	GXL	2033819C1	1686834C1	8200	C	1652325C1	1664408C1	N/A
TF94BJ	16	GY	GXL	2033819C1	1686834C1	8201	A	1652325C1	1664408C1	N/A
TF94BK	16	GY	GXL	2033819C1	1686834C1	8201	B	1652325C1	1664408C1	N/A
TF94BL	16	GY	GXL	2033819C1	1686834C1	8202	C	1652325C1	1664408C1	N/A
VA94BA	16	GY	GXL	2033819C1	1686834C1	8202	A	1652325C1	1664408C1	N/A
VA94BB	16	GY	GXL	2033819C1	1686834C1	8203	B	1652325C1	1664408C1	N/A
VA94BC	16	GY	GXL	2033819C1	1686834C1	8203	C	1652325C1	1664408C1	N/A
VA94BY	16	GY	GXL	2033819C1	1686834C1	8303	A	1652325C1	1664408C1	N/A
VA94BZ	16	GY	GXL	2033819C1	1686834C1	8303	B	1652325C1	1664408C1	N/A
VA94BP	16	GY	GXL	2033819C1	1686834C1	8310	C	1652325C1	1664408C1	N/A
VA94BS	16	GY	GXL	2033819C1	1686834C1	8310	A	1652325C1	1664408C1	N/A
VA94BT	16	GY	GXL	2033819C1	1686834C1	8311	B	1652325C1	1664408C1	N/A
VA94BU	16	GY	GXL	2033819C1	1686834C1	8311	C	1652325C1	1664408C1	N/A
VA94BJ	16	GY	GXL	2033819C1	1686834C1	8350	A	1652325C1	1664408C1	N/A
VA94BK	16	GY	GXL	2033819C1	1686834C1	8350	B	1652325C1	1664408C1	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
VA94BL	16	GY	GXL	2033819C1	1686834C1	8351	C	1652325C1	1664408C1	N/A
SB94BA	16	GY	GXL	2033819C1	1686834C1	8351	A	1652325C1	1664408C1	N/A
UP94BA	16	GY	GXL	2033819C1	1686834C1	8410	A	1652325C1	1664408C1	N/A
SB94BB	16	GY	GXL	2033819C1	1686834C1	8410	B	1652325C1	1664408C1	N/A
UP94BB	16	GY	GXL	2033819C1	1686834C1	8410	B	1652325C1	1664408C1	N/A
SB94BC	16	GY	GXL	2033819C1	1686834C1	8410	C	1652325C1	1664408C1	N/A
UP94BC	16	GY	GXL	2033819C1	1686834C1	8410	C	1652325C1	1664408C1	N/A
SD94BA	16	GY	GXL	2033819C1	1686834C1	8410	A	1652325C1	1664408C1	N/A
SZ94BA	16	GY	GXL	2033819C1	1686834C1	8410	A	1652325C1	1664408C1	N/A
TF94BY	16	GY	GXL	2033819C1	1686834C1	8410	A	1652325C1	1664408C1	N/A
UP94BY	16	GY	GXL	2033819C1	1686834C1	8410	A	1652325C1	1664408C1	N/A
SD94BB	16	GY	GXL	2033819C1	1686834C1	8410	B	1652325C1	1664408C1	N/A
SZ94BB	16	GY	GXL	2033819C1	1686834C1	8410	B	1652325C1	1664408C1	N/A
TF94BZ	16	GY	GXL	2033819C1	1686834C1	8410	B	1652325C1	1664408C1	N/A
UP94BZ	16	GY	GXL	2033819C1	1686834C1	8454	B	1652325C1	1664408C1	N/A
SD94BC	16	GY	GXL	2033819C1	1686834C1	8454	C	1652325C1	1664408C1	N/A
SZ94BC	16	GY	GXL	2033819C1	1686834C1	8500	C	1652325C1	1664408C1	N/A
TF94BP	16	GY	GXL	2033819C1	1686834C1	8500	C	1652325C1	1664408C1	N/A
UP94BP	16	GY	GXL	2033819C1	1686834C1	8500	C	1652325C1	1664408C1	N/A
SD94BJ	16	GY	GXL	2033819C1	1686834C1	8500	A	1652325C1	1664408C1	N/A
SZ94BJ	16	GY	GXL	2033819C1	1686834C1	8500	A	1652325C1	1664408C1	N/A
TF94BS	16	GY	GXL	2033819C1	1686834C1	8500	A	1652325C1	1664408C1	N/A
UP94BS	16	GY	GXL	2033819C1	1686834C1	8500	A	1652325C1	1664408C1	N/A
SD94BK	16	GY	GXL	2033819C1	1686834C1	8500	B	1652325C1	1664408C1	N/A
SZ94BK	16	GY	GXL	2033819C1	1686834C1	8500	B	1652325C1	1664408C1	N/A
TF94BT	16	GY	GXL	2033819C1	1686834C1	8500	B	1652325C1	1664408C1	N/A
UP94BT	16	GY	GXL	2033819C1	1686834C1	8500	B	1652325C1	1664408C1	N/A
SD94BL	16	GY	GXL	2033819C1	1686834C1	8500	C	1652325C1	1664408C1	N/A
SZ94BL	16	GY	GXL	2033819C1	1686834C1	8500	C	1652325C1	1664408C1	N/A
TF94BU	16	GY	GXL	2033819C1	1686834C1	8500	C	1652325C1	1664408C1	N/A
UP94BU	16	GY	GXL	2033819C1	1686834C1	8500	C	1652325C1	1664408C1	N/A
SB94BJ	16	GY	GXL	2033819C1	1686834C1	8500	A	1652325C1	1664408C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
UP94BJ	16	GY	GXL	2033819C1	1686834C1	8500	A	1652325C1	1664408C1	N/A
SB94BK	16	GY	GXL	2033819C1	1686834C1	8500	B	1652325C1	1664408C1	N/A
UP94BK	16	GY	GXL	2033819C1	1686834C1	8501	B	1652325C1	1664408C1	N/A
SB94BL	16	GY	GXL	2033819C1	1686834C1	8501	C	1652325C1	1664408C1	N/A
UP94BL	16	GY	GXL	2033819C1	1686834C1	8501	C	1652325C1	1664408C1	N/A
TP6B	20	VT	GXL	2033819C1	1687789C1	8502	A	1652325C1	1661376C1	N/A
TY6B	20	VT	GXL	2033819C1	1687789C1	8502	A	1652325C1	1661376C1	N/A
KA34	16	TN	TXL	2033819C1	1687789C1	8503	B	1652325C1	1661376C1	N/A
KA34E	20	TN	TXL	2033819C1	1687789C1	8503	C	3517771C1	1661376C1	N/A
TP34B	16	TN	TXL	2033819C1	1687789C1	8504	D	1652325C1	1661376C1	N/A
TY34B	16	TN	TXL	2033819C1	1687789C1	8504	D	1652325C1	1661376C1	N/A
KA34A	16	TN	TXL	2033819C1	1687789C1	8504	E	1652325C1	1661376C1	N/A
BD99B	18	VT	GXL	1651943C1	1687790C1	8505	A	N/A	N/A	N/A
BD97B	18	VT	GXL	1651943C1	1687790C1	8505	B	N/A	N/A	N/A
BD97C	18	VT	GXL	1651943C1	1687790C1	8505	C	N/A	N/A	N/A
BD99D	18	VT	GXL	1651943C1	1687790C1	8506	D	N/A	N/A	N/A
BD97N	18	VT	GXL	1651943C1	1687790C1	8506	E	N/A	N/A	N/A
BD97M	18	VT	GXL	1651943C1	1687790C1	8507	F	N/A	N/A	N/A
HA63SA	16	DKBL	GXL	1661209C1	2005835C1	8507	A	N/A	2006503C1	N/A
HA63EA	18	DKBL	GXL	1661208C1	2005835C1	8550	B	N/A	2006503C1	N/A
HA62-GSD	18	WH	GXL	1661208C1	2005835C1	8550	C	N/A	2006503C1	N/A
BD62AS	18	DKBL	GXL	1661208C1	2005835C1	8600	D	N/A	2006503C1	N/A
BF62A	18	DKBL	GXL	1661208C1	2005835C1	8800	D	N/A	2006503C1	N/A
HG62AS	18	DKBL	GXL	1661208C1	2005835C1	8800	D	N/A	2006503C1	N/A
HA109SA	18	GY	GXL	1661208C1	2005835C1	8800	E	N/A	2006503C1	N/A
HA63F	18	DKBL	GXL	1661208C1	2005835C1	8800	F	N/A	2006503C1	N/A
HA63HB	16	DKBL	GXL	1661209C1	2005835C1	8800	G	N/A	2006503C1	N/A
HA63-GSF	18	WH	GXL	1661208C1	2005835C1	8800	H	N/A	2006503C1	N/A
GD14ED	18	RD	GXL	1661208C1	2005835C1	8800	A	N/A	2006503C1	N/A
GD11-GMB	18	WH	GXL	1661208C1	2005835C1	8800	C	N/A	2006503C1	N/A
GD13EE	18	PK	GXL	1661208C1	2005835C1	8800	E	N/A	2006503C1	N/A
GD3BD(+)	18	DKBL	GXL	1661208C1	2005835C1	8802	F	N/A	2006503C1	N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
GD3BD(-)	18	GY	GXL	1661208C1	2005835C1	8802	G	N/A	2006503C1	N/A
11-GMB	18	WH	GXL	1661208C1	2005835C1	8802	C	N/A	2006503C1	N/A
13EE	18	PK	GXL	1661208C1	2005835C1	8802	E	N/A	2006503C1	N/A
14ED	18	RD	GXL	1661208C1	2005835C1	8802	A	N/A	2006503C1	N/A
3BD(+)	18	DKBL	GXL	1661208C1	2005835C1	8802	F	N/A	2006503C1	N/A
3BD(-)	18	GY	GXL	1661208C1	2005835C1	8802	G	N/A	2006503C1	N/A
HT98A	18	BK	GXL	1661212C1	2005836C1	8802	A	N/A	2006504C1	N/A
HT98B	18	BK	GXL	1661212C1	2005836C1	8803	B	N/A	2006504C1	N/A
HT13SD	18	PK	GXL	1661212C1	2005836C1	8803	C	N/A	2006504C1	N/A
HT11-GSD	18	WH	GXL	1661212C1	2005836C1	8803	D	N/A	2006504C1	N/A
HT14SD	18	RD	GXL	1661212C1	2005836C1	8803	E	N/A	2006504C1	N/A
HT50S	18	YL	GXL	1661212C1	2005836C1	8803	F	N/A	2006504C1	N/A
HT70E	18	OR	GXL	1661212C1	2005836C1	8803	G	N/A	2006504C1	N/A
CT86H	18	LTGN	TXL	1661212C1	2005836C1	8803	A	N/A	2006504C1	N/A
MB86H	18	LTGN	TXL	1661212C1	2005836C1	8804	A	N/A	2006504C1	N/A
CT86J	18	LTGN	TXL	1661212C1	2005836C1	8804	B	N/A	2006504C1	N/A
MB86J	18	LTGN	TXL	1661212C1	2005836C1	8804	B	N/A	2006504C1	N/A
CT86HA	18	LTGN	TXL	1661212C1	2005836C1	8804	C	N/A	2006504C1	N/A
MB86HA	18	LTGN	TXL	1661212C1	2005836C1	8804	C	N/A	2006504C1	N/A
CT86JA	18	LTGN	TXL	1661212C1	2005836C1	8804	D	N/A	2006504C1	N/A
MB86JA	18	LTGN	TXL	1661212C1	2005836C1	8804	D	N/A	2006504C1	N/A
CT86-GD1	18	WH	TXL	1661212C1	2005836C1	8804	E	N/A	2006504C1	N/A
MB86-GD1	18	WH	TXL	1661212C1	2005836C1	8804	E	N/A	2006504C1	N/A
CT86HB	18	LTGN	TXL	1661212C1	2005836C1	8804	F	N/A	2006504C1	N/A
MB86HB	18	LTGN	TXL	1661212C1	2005836C1	8804	F	N/A	2006504C1	N/A
CT86JB	18	LTGN	TXL	1661212C1	2005836C1	8804	G	N/A	2006504C1	N/A
MB86JB	18	LTGN	TXL	1661212C1	2005836C1	8804	G	N/A	2006504C1	N/A
CT86RCD	18	LTGN	TXL	1661212C1	2005836C1	8903	A	N/A	2006504C1	N/A
CT11-GMW	20	WH	TXL	3539945C1	2005836C1	8903	B	N/A	2006504C1	N/A
CT3BD(+)	18	DKBL	TXL	1661212C1	2005836C1	8903	C	N/A	2006504C1	N/A
CT3BD(-)	18	GY	TXL	1661212C1	2005836C1	8903	D	N/A	2006504C1	N/A
CT86-GND	18	WH	TXL	1661212C1	2005836C1	8903	E	N/A	2006504C1	N/A



Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
CT86HA	18	LTGN	TXL	1661212C1	2005836C1	8903	F	N/A	2006504C1	N/A
CT86JA	18	LTGN	TXL	1661212C1	2005836C1	8904	G	N/A	2006504C1	N/A
MB86RCD	18	LTGN	TXL	1661212C1	2005836C1	8904	A	N/A	2006504C1	N/A
MB11-GMW	20	WH	TXL	3539945C1	2005836C1	8904	B	N/A	2006504C1	N/A
MB3BD(+)	18	DKBL	TXL	1661212C1	2005836C1	8904	C	N/A	2006504C1	N/A
MB3BD(-)	18	GY	TXL	1661212C1	2005836C1	8904	D	N/A	2006504C1	N/A
MB86-GND	18	WH	TXL	1661212C1	2005836C1	8956	E	N/A	2006504C1	N/A
MB86HA	18	LTGN	TXL	1661212C1	2005836C1	8956	F	N/A	2006504C1	N/A
MB86JA	18	LTGN	TXL	1661212C1	2005836C1	8956	G	N/A	2006504C1	N/A
KC3BD(+)	18	DKBL	TXL	1661212C1	2005836C1	8956	C	N/A	2006504C1	N/A
KC3BD(-)	18	GY	TXL	1661212C1	2005836C1	8956	D	N/A	2006504C1	N/A
AA63	18	DKBL	GXL	1661212C1	2005836C1	8956	A	N/A	2006504C1	N/A
AA63EA	18	DKBL	GXL	1661212C1	2005836C1	8958	B	N/A	2006504C1	N/A
AA62-GSD	18	DKBL	GXL	1661212C1	2005836C1	8958	C	N/A	2006504C1	N/A
AD62AS	16	DKBL	GXL	1661212C1	2005836C1	8958	D	N/A	2006504C1	N/A
AE62AS	16	DKBL	GXL	1661212C1	2005836C1	8958	D	N/A	2006504C1	N/A
AM62AS	16	DKBL	GXL	1661212C1	2005836C1	9250	D	N/A	2006504C1	N/A
AP62AS	18	DKBL	GXL	1661212C1	2005836C1	9250	D	N/A	2006504C1	N/A
AT62AS	16	DKBL	GXL	1661212C1	2005836C1	9250	D	N/A	2006504C1	N/A
AV62AS	16	DKBL	GXL	1661212C1	2005836C1	9251	D	N/A	2006504C1	N/A
BB62AS	16	DKBL	GXL	1661212C1	2005836C1	9251	D	N/A	2006504C1	N/A
AA109SA	18	GY	GXL	1661212C1	2005836C1	9255	E	N/A	2006504C1	N/A
AA63F	18	DKBL	GXL	1661212C1	2005836C1	9255	F	N/A	2006504C1	N/A
AA63HB	18	DKBL	GXL	1661212C1	2005836C1	9256	G	N/A	2006504C1	N/A
AA63-GSF	18	DKBL	GXL	1661212C1	2005836C1	9256	H	N/A	2006504C1	N/A
AA9Z	18	GY	TXL	1661208C1	2007315C1	9257	A	N/A	2007316C1	N/A
AK9CDC	20	GY	TXL	1661208C1	2007315C1	9260	B	N/A	2007316C1	N/A
FF109	18	GY	TXL	1661208C1	2007315C1	9303	C	N/A	2007316C1	N/A
DX109S	18	GY	TXL	1661208C1	2007315C1	9303	D	N/A	2007316C1	N/A
AN9BB	18	GY	TXL	1661208C1	2007315C1	9303	E	N/A	2007316C1	N/A
JL116UV	18	GY	TXL	1661208C1	2007315C1	9303	G	N/A	2007316C1	N/A
RE9A	20	GY	TXL	1661208C1	2007315C1	9303	H	N/A	2007316C1	N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
FU9BB	18	GY	TXL	1661208C1	2007315C1	9501	J	N/A	2007316C1	N/A
JZ9BB	18	GY	TXL	1661208C1	2007315C1	9501	J	N/A	2007316C1	N/A
RF14ED	18	RD	GXL	1661875C1	2011340C1	9502	C	N/A	2011364C1	N/A
RF11-GMB	18	WH	GXL	1661875C1	2011340C1	9502	D	N/A	2011364C1	N/A
RF13EE	18	PK	GXL	1661875C1	2011340C1	9502	E	N/A	2011364C1	N/A
HL3BD(+)	18	DKBL	GXL	1661875C1	2011340C1	9503	A	N/A	2011364C1	N/A
HL3BD(-)	18	GY	GXL	1661875C1	2011340C1	9503	B	N/A	2011364C1	N/A
HL14ED	18	RD	GXL	1661875C1	2011340C1	9504	C	N/A	2011364C1	N/A
JA11-GMB	18	WH	GXL	1661875C1	2011340C1	9504	D	N/A	2011364C1	N/A
JB11-GMB	18	WH	GXL	1661875C1	2011340C1	9504	D	N/A	2011364C1	N/A
JA13EH	18	PK	GXL	1661875C1	2011340C1	9505	E	N/A	2011364C1	N/A
JB13EE	18	PK	GXL	1661875C1	2011340C1	9505	E	N/A	2011364C1	N/A
HL98F	18	BK	GXL	1661875C1	2011340C1	9506	F	N/A	2011364C1	N/A
MJ3BD(+)	18	DKBL	TXL	1661875C1	2011340C1	9506	A	N/A	2011364C1	N/A
MJ3BD(-)	18	GY	TXL	1661875C1	2011340C1	9507	B	N/A	2011364C1	N/A
CK14ED	18	RD	TXL	1661875C1	2011340C1	9507	C	N/A	2011364C1	N/A
CK11-GBE	18	WH	TXL	1661875C1	2011340C1	9507	D	N/A	2011364C1	N/A
CK13EE	18	PK	TXL	1661875C1	2011340C1	9508	E	N/A	2011364C1	N/A
MJ11-GMW	20	WH	TXL	1661875C1	2011340C1	9508	F	N/A	2011364C1	N/A
DL14ED	18	RD	GXL	1661875C1	2011340C1	9509	C	N/A	2011364C1	N/A
DL11-GBH	18	WH	TXL	1661875C1	2011340C1	9509	D	N/A	2011364C1	N/A
DL13EE	18	PK	TXL	1661875C1	2011340C1	9509	E	N/A	2011364C1	N/A
JZ14EA	18	RD	GXL	2017535C1	2017533C1	9510	A	N/A	N/A	N/A
JZ14EB	18	RD	GXL	2017535C1	2017533C1	9510	B	N/A	N/A	N/A
JZ11-GMA	18	WH	GXL	2017535C1	2017533C1	9510	C	N/A	N/A	N/A
JZ11-GMC	18	WH	GXL	2017535C1	2017533C1	9511	D	N/A	N/A	N/A
JZ13EE	18	PK	GXL	2017535C1	2017533C1	9511	E	N/A	N/A	N/A
JZ98F	18	BK	GXL	2017535C1	2017533C1	9511	F	N/A	N/A	N/A
TZ92#101	18	LTBL	TXL	2018639C1	2018589C1	9511		1 N/A	N/A	N/A
TQ92#103	18	YL	TXL	2018639C1	2018589C1	9511		2 N/A	N/A	N/A
TX92#103	18	YL	TXL	2018639C1	2018589C1	9511		2 N/A	N/A	N/A
TZ92#105	18	TN	TXL	2018639C1	2018589C1	9511		3 N/A	N/A	N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
TZ92#109	18	GY	TXL	2018639C1	2018589C1	9511	4	N/A	N/A	N/A
TZ92#110	18	PK	TXL	2018639C1	2018589C1	9511	5	N/A	N/A	N/A
SB92#117	18	TN	TXL	2018639C1	2018589C1	9511	6	N/A	N/A	N/A
XJ92#117	18	TN	TXL	2018639C1	2018589C1	9512	6	N/A	N/A	N/A
XK92A117	18	TN	TXL	2018639C1	2018589C1	9512	6	N/A	N/A	N/A
XL92#117	18	TN	TXL	2018639C1	2018589C1	9512	6	N/A	N/A	N/A
TZ92#122	18	YL	TXL	2018639C1	2018589C1	9512	7	N/A	N/A	N/A
TZ92#123	18	LTBL	TXL	2018639C1	2018589C1	9512	8	N/A	N/A	N/A
TX92#115	18	WH	TXL	2018639C1	2018589C1	9512	9	N/A	N/A	N/A
TZ92#130	18	WH	TXL	2018639C1	2018589C1	9512	10	N/A	N/A	N/A
TZ92#134	18	TN	TXL	2018639C1	2018589C1	9512	11	N/A	N/A	N/A
TZ92#141	18	TN	TXL	2018639C1	2018589C1	9513	12	N/A	N/A	N/A
TZ92#143	18	LTBL	TXL	2018639C1	2018589C1	9513	13	N/A	N/A	N/A
SB92#145	18	OR	TXL	2018639C1	2018589C1	9513	14	N/A	N/A	N/A
XJ92#145	18	OR	TXL	2018639C1	2018589C1	9513	14	N/A	N/A	N/A
XK92#145	18	OR	TXL	2018639C1	2018589C1	9513	14	N/A	N/A	N/A
XL92#145	18	OR	TXL	2018639C1	2018589C1	9513	14	N/A	N/A	N/A
TX92#119	18	LTBL	TXL	2018639C1	2018589C1	9514	15	N/A	N/A	N/A
TQ92#124	18	TN	TXL	2018639C1	2018589C1	9514	16	N/A	N/A	N/A
TX92#124	18	TN	TXL	2018639C1	2018589C1	9514	16	N/A	N/A	N/A
TZ92#162	18	YL	TXL	2018639C1	2018589C1	9514	17	N/A	N/A	N/A
TZ92#163	18	TN	TXL	2018639C1	2018589C1	9514	18	N/A	N/A	N/A
JZ3BD(-)	20	GY	GXL	2028495C1	2028493C1	9515	5	N/A	N/A	N/A
JZ3BD(+)	20	DKBL	GXL	2028495C1	2028493C1	9515	6	N/A	N/A	N/A
GP94TT	20	GY	GXL	2028495C1	2028493C1	9515	37	N/A	N/A	N/A
BA75F	18	LTGN	GXL	2029980C1	2029979C1	9515	7	N/A	2038190C1	N/A
HD75F	18	LTGN	TXL	2029980C1	2029979C1	9516	7	N/A	2038190C1	N/A
BA75-GA	18	WH	GXL	2029980C1	2029979C1	9516	8	N/A	2038190C1	N/A
HD75-GA	18	WH	TXL	2029980C1	2029979C1	9516	8	N/A	2038190C1	N/A
BA75AB	18	LTGN	TXL	2029980C1	2029979C1	9516	9	N/A	2038190C1	N/A
HD75R	18	LTGN	TXL	2029980C1	2029979C1	9516	9	N/A	2038190C1	N/A
BA75AA	18	LTGN	TXL	2029980C1	2029979C1	9517	10	N/A	2038190C1	N/A

Circuit		Terminal Splice			Connector Body	Connector			Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve		
HD75H	18	LTGN	TXL	2029980C1	2029979C1	9517	10	N/A	2038190C1	N/A
BA75J	18	LTGN	TXL	2029980C1	2029979C1	9517	11	N/A	2038190C1	N/A
HD75J	18	LTGN	TXL	2029980C1	2029979C1	9517	11	N/A	2038190C1	N/A
BA75K	18	LTGN	TXL	2029980C1	2029979C1	9518	12	N/A	2038190C1	N/A
HD75K	18	LTGN	TXL	2029980C1	2029979C1	9518	12	N/A	2038190C1	N/A
BA75L	18	LTGN	TXL	2029980C1	2029979C1	9518	13	N/A	2038190C1	N/A
HD75L	18	LTGN	TXL	2029980C1	2029979C1	9518	13	N/A	2038190C1	N/A
BA75M	18	LTGN	TXL	2029980C1	2029979C1	9519	14	N/A	2038190C1	N/A
HD75M	18	LTGN	TXL	2029980C1	2029979C1	9519	14	N/A	2038190C1	N/A
BA75N	18	DKBL	GXL	2029980C1	2029979C1	9519	15	N/A	2038190C1	N/A
HD75N	18	LTGN	TXL	2029980C1	2029979C1	9520	15	N/A	2038190C1	N/A
HG75C	12	LTGN	GXL	2025422C1	2031520C1	9520 A		N/A	2033927C1	N/A
KK11-GSM	12	WH	GXL	2025422C1	2031520C1	9520 B		N/A	2033927C1	N/A
MF104	12	RD	GXL	2025422C1	2031520C1	9521 A		N/A	2033927C1	N/A
MF104-G	12	WH	GXL	2025422C1	2031520C1	9521 B		N/A	2033927C1	N/A
ZE75C	12	LTGN	TXL	2031531C1	2031522C1	9522 A		N/A	2033927C1	N/A
RB75-GC	10	WH	TXL	2031531C1	2031522C1	9522 B		N/A	2033927C1	N/A
104	12	RD	GXL	2031531C1	2031522C1	9522 A		2025428C1	2033927C1	N/A
104-G	12	WH	GXL	2031531C1	2031522C1	9523 B		2025428C1	2033927C1	N/A
MD94T	10	DKBL	TXL	2031531C1	2031522C1	9523 A		2025427C1	2033927C1	N/A
ME72V	10	OR	TXL	2031531C1	2031522C1	9524 A		2025427C1	2033927C1	N/A
MD94TA	12	YL	GXL	2031531C1	2031522C1	9524 B		2025428C1	2033927C1	N/A
HF86BB	18	LTGN	GXL	1661261C1	2031871C1	9524 A		N/A	2031873C1	N/A
HH86BBP	18	LTGN	GXL	1661261C1	2031871C1	9525 A		N/A	2031873C1	N/A
HF86CB	18	LTGN	GXL	1661261C1	2031871C1	9525 B		N/A	2031873C1	N/A
HH86CBP	18	LTGN	GXL	1661261C1	2031871C1	9526 B		N/A	2031873C1	N/A
HF86DB	18	LTGN	GXL	1661261C1	2031871C1	9526 C		N/A	2031873C1	N/A
HH86DBP	18	LTGN	GXL	1661261C1	2031871C1	9526 C		N/A	2031873C1	N/A
HF86EB	18	LTGN	GXL	1661261C1	2031871C1	9527 D		N/A	2031873C1	N/A
HH86EBP	18	LTGN	GXL	1661261C1	2031871C1	9527 D		N/A	2031873C1	N/A
HA65	16	OR	GXL	1661261C1	2031871C1	9528 E		N/A	2031873C1	N/A
HA65-G	16	WH	GXL	1661261C1	2031871C1	9528 F		N/A	2031873C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice	Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
				Number	Part Numbers	Number	Cavity			
HA63HB	16	DKBL	GXL	1661261C1	2031871C1	9528	A	N/A	2031873C1	N/A
HA63-GB	16	WH	GXL	1661261C1	2031871C1	9529	B	N/A	2031873C1	N/A
HA63D	18	DKBL	GXL	1661261C1	2031871C1	9529	C	N/A	2031873C1	N/A
HA109SB	18	GY	GXL	1661261C1	2031871C1	9530	E	N/A	2031873C1	N/A
HA63EB	18	DKBL	GXL	1661261C1	2031871C1	9530	F	N/A	2031873C1	N/A
V63HB	18	DKBL	GXL	1661262C1	2031872C1	9530	A	N/A	2031874C1	N/A
V63-GB	18	WH	GXL	1661262C1	2031872C1	9530	B	N/A	2031874C1	N/A
V63D	18	DKBL	GXL	1661262C1	2031872C1	9531	C	N/A	2031874C1	N/A
V9NCB	18	GY	GXL	1661262C1	2031872C1	9531	E	N/A	2031874C1	N/A
V63EB	18	DKBL	GXL	1661262C1	2031872C1	9532	F	N/A	2031874C1	N/A
V86BB	18	LTGN	GXL	1661262C1	2031872C1	9532	A	N/A	2031874C1	N/A
V86CB	18	LTGN	GXL	1661262C1	2031872C1	9532	B	N/A	2031874C1	N/A
V86DB	18	LTGN	GXL	1661262C1	2031872C1	9533	C	N/A	2031874C1	N/A
V86EB	18	LTGN	GXL	1661262C1	2031872C1	9533	D	N/A	2031874C1	N/A
V65	18	OR	GXL	1661262C1	2031872C1	9533	E	N/A	2031874C1	N/A
V65-G	18	WH	GXL	1661262C1	2031872C1	9534	F	N/A	2031874C1	N/A
LB17D	16	PK	GXL	2036586C1	2036583C1	9534	A	N/A	N/A	N/A
VK17D	16	PK	GXL	2036586C1	2036583C1	9534	A	N/A	N/A	N/A
LB17	16	PK	GXL	2036586C1	2036583C1	9535	B	N/A	N/A	N/A
VK17	16	PK	GXL	2036586C1	2036583C1	9535	B	N/A	N/A	N/A
WN30BC	16	TN	GXL	2036586C1	2036584C1	9536	A	N/A	N/A	N/A
WN30BC	16	TN	GXL	2036586C1	2036584C1	9536	A	N/A	N/A	N/A
KZ9AAC	18	GY	GXL	2036586C1	2036584C1	9536	B	N/A	N/A	N/A
WN9AA	18	GY	GXL	2036586C1	2036584C1	9537	B	N/A	N/A	N/A
LD63SD	16	DKBL	GXL	3535326C1	239808R1	9537	A	N/A	N/A	N/A
LE63SD	16	DKBL	GXL	3535326C1	239808R1	9538	A	N/A	N/A	N/A
LD63SDA	16	DKBL	GXL	3535326C1	239808R1	9538	A	N/A	N/A	N/A
LE63SDA	16	DKBL	GXL	3535326C1	239808R1	9718	A	N/A	N/A	N/A
LE63SE	16	DKBL	GXL	3535326C1	239808R1	9718	A	N/A	N/A	N/A
LE63SEA	16	DKBL	GXL	3535326C1	239808R1	9719	A	N/A	N/A	N/A
N104AZ	12	RD	GXL	1661708C1	3512967C1	9719	A	N/A	N/A	N/A
N104BB	12	RD	GXL	1661708C1	3512967C1	9719	B	N/A	N/A	N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
JK76	18	BK	GXL	1661261C1	3515762C1	9719	A	N/A	3515764C1	N/A
JM76	18	BK	GXL	1661261C1	3515762C1	9720	A	N/A	3515764C1	N/A
JK76-G	18	WH	GXL	1661261C1	3515762C1	9720	B	N/A	3515764C1	N/A
JM76-G	18	WH	GXL	1661261C1	3515762C1	9720	B	N/A	3515764C1	N/A
HE65B	16	OR	GXL	1661261C1	3515762C1	9720	C	N/A	3515764C1	N/A
HE65-GE	16	WH	GXL	1661261C1	3515762C1	9736	D	N/A	3515764C1	N/A
JP63SB	18	DKBL	GXL	1661261C1	3515762C1	9736	E	N/A	3515764C1	N/A
JP63-GSD	18	WH	GXL	1661261C1	3515762C1	9736	F	N/A	3515764C1	N/A
HM58C	16	BK	TXL	1661261C1	3515762C1	9736	G	N/A	3515764C1	N/A
HM58-G	16	WH	TXL	1661261C1	3515762C1	9736	H	N/A	3515764C1	N/A
BD75AGA	18	LTGN	TXL	1661261C1	3515762C1	9737	A	N/A	3515764C1	N/A
BD75AFA	18	LTGN	TXL	1661261C1	3515762C1	9737	B	N/A	3515764C1	N/A
BD75ARA	18	LTGN	TXL	1661261C1	3515762C1	9737	C	N/A	3515764C1	N/A
BD75-GASA	18	WH	GXL	1661261C1	3515762C1	9737	D	N/A	3515764C1	N/A
BD77NEA	18	LTGN	TXL	1661261C1	3515762C1	9737	E	N/A	3515764C1	N/A
BD77NFA	18	LTGN	TXL	1661261C1	3515762C1	9738	F	N/A	3515764C1	N/A
BD62J	18	DKBL	GXL	1661261C1	3515762C1	9738	G	N/A	3515764C1	N/A
HW86F	18	LTGN	GXL	1661262C1	3515763C1	9738	A	N/A	3515765C1	N/A
HW86R	18	LTGN	GXL	1661262C1	3515763C1	9738	B	N/A	3515765C1	N/A
HW86-GHW	18	LTGN	GXL	1661262C1	3515763C1	9738	C	N/A	3515765C1	N/A
BH5D(+)	18	YL	TXL	1661262C1	3515763C1	9739	D	N/A	3515765C1	N/A
BH5D(-)	18	GN	TXL	1661262C1	3515763C1	9739	E	N/A	3515765C1	N/A
HW86AE	18	LTGN	GXL	1661262C1	3515763C1	9739	F	N/A	3515765C1	N/A
HN75AG	18	LTGN	GXL	1661262C1	3515763C1	9739	A	N/A	3515765C1	N/A
HN75AF	18	LTGN	GXL	1661262C1	3515763C1	9739	B	N/A	3515765C1	N/A
HN75AR	18	LTGN	GXL	1661262C1	3515763C1	9740	C	N/A	3515765C1	N/A
HN75-GAS	18	WH	GXL	1661262C1	3515763C1	9740	D	N/A	3515765C1	N/A
HN77NE	18	LTGN	GXL	1661262C1	3515763C1	9740	E	N/A	3515765C1	N/A
HN77NF	18	LTGN	GXL	1661262C1	3515763C1	9740	F	N/A	3515765C1	N/A
HN62J	18	DKBL	TXL	1661262C1	3515763C1	9740	G	N/A	3515765C1	N/A
JM76	18	BK	GXL	1661262C1	3515763C1	9769	A	N/A	3515765C1	N/A
JM76-G	18	WH	GXL	1661262C1	3515763C1	9769	B	N/A	3515765C1	N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
HE65B	16	OR	TXL	1661262C1	3515763C1	9769	C	N/A	3515765C1	N/A
HE65-GE	16	WH	TXL	1661262C1	3515763C1	9769	D	N/A	3515765C1	N/A
JP63SB	18	DKBL	GXL	1661262C1	3515763C1	9769	E	N/A	3515765C1	N/A
JP63-GSD	18	WH	GXL	1661262C1	3515763C1	9771	F	N/A	3515765C1	N/A
HM58C	16	BK	TXL	1661262C1	3515763C1	9781	G	N/A	3515765C1	N/A
HM58-G	16	WH	TXL	1661262C1	3515763C1	9781	H	N/A	3515765C1	N/A
AV75WA	20	OR	GXL	3534481C1	3515763C1	9781	A	N/A	3515765C1	N/A
AV75WB	20	BK	GXL	3534481C1	3515763C1	9782	B	N/A	3515765C1	N/A
AV75WC	20	BN	GXL	3534481C1	3515763C1	9782	C	N/A	3515765C1	N/A
AV75WD	20	RD	GXL	3534481C1	3515763C1	9782	D	N/A	3515765C1	N/A
AV75WE	20	DKBL	GXL	3534481C1	3515763C1	9782	E	N/A	3515765C1	N/A
AV75WF	20	YL	GXL	3534481C1	3515763C1	9811	F	N/A	3515765C1	N/A
AV75WG	20	GY	GXL	3534481C1	3515763C1	9811	G	N/A	3515765C1	N/A
AV75WH	20	LTGN	GXL	3534481C1	3515763C1	9811	H	N/A	3515765C1	N/A
A86N	14	LTGN	GXL	3517476C1	3517473C1	9811	A	N/A	N/A	N/A
A86-GB	14	WH	GXL	3517476C1	3517473C1	9812	B	N/A	N/A	N/A
TT92#115	18	WH	TXL	2036586C1	3519587C1	9812	A	N/A	N/A	N/A
TX92#115	18	WH	TXL	2036586C1	3519587C1	9813	A	N/A	N/A	N/A
TV92B131	18	YL	TXL	2036586C1	3519587C1	9813	B	N/A	N/A	N/A
TY92B131	18	YL	TXL	2036586C1	3519587C1	9814	B	N/A	N/A	N/A
RV11COG1	18	WH	TXL	1661224C1	3520850C1	9814		1 N/A	N/A	N/A
RV11COG3	18	WH	TXL	1661224C1	3520850C1	9815		3 N/A	N/A	N/A
RV67EN	16	TN	TXL	1661226C1	3520850C1	9815		7 N/A	N/A	N/A
RV67NA	16	TN	TXL	1661226C1	3520850C1	9815		8 N/A	N/A	N/A
RV13COG1	16	PK	TXL	1661226C1	3520850C1	9816		9 N/A	N/A	N/A
RV13COG3	16	PK	TXL	1661226C1	3520850C1	9816		10 N/A	N/A	N/A
RV67COG	18	WH	TXL	1661224C1	3520850C1	9830	2B	N/A	N/A	N/A
AA63F	18	DKBL	GXL	1661224C1	3520850C1	9830		1 N/A	N/A	N/A
AA63EA	18	DKBL	GXL	1661224C1	3520850C1	9830		3 N/A	N/A	N/A
AD62AU	18	DKBL	GXL	3541250C1	3520850C1	9832		7 N/A	N/A	N/A
AD62D	18	DKBL	GXL	3541250C1	3520850C1	9832		7 N/A	N/A	N/A
AE62A	18	DKBL	GXL	3541250C1	3520850C1	9832		7 N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
AE62D	18	DKBL	GXL	3541250C1	3520850C1	9902		7 N/A	N/A	N/A
AM62AU	18	DKBL	GXL	3541250C1	3520850C1	9902		7 N/A	N/A	N/A
AM62D	18	DKBL	GXL	3541250C1	3520850C1	9903		7 N/A	N/A	N/A
AP62A	18	DKBL	GXL	3541250C1	3520850C1	9903		7 N/A	N/A	N/A
AP62D	18	DKBL	GXL	3541250C1	3520850C1	9904		7 N/A	N/A	N/A
AT62AU	18	DKBL	GXL	3541250C1	3520850C1	9904		7 N/A	N/A	N/A
AT62D	18	DKBL	GXL	3541250C1	3520850C1	9911		7 N/A	N/A	N/A
AV62AU	18	DKBL	GXL	3541250C1	3520850C1	9911		7 N/A	N/A	N/A
AV62D	18	DKBL	GXL	3541250C1	3520850C1	9912		7 N/A	N/A	N/A
BB62AU	18	DKBL	GXL	3541250C1	3520850C1	9912		7 N/A	N/A	N/A
BB62D	18	DKBL	GXL	3541250C1	3520850C1	9989		7 N/A	N/A	N/A
AD62AU	18	DKBL	GXL	1661224C1	3520850C1	9989		8 N/A	N/A	N/A
AE62K	18	DKBL	GXL	1661224C1	3520850C1	9989		8 N/A	N/A	N/A
AM62AU	18	DKBL	GXL	1661224C1	3520850C1	9989		8 N/A	N/A	N/A
AP62K	18	DKBL	GXL	1661224C1	3520850C1	0009_IP12		8 N/A	N/A	N/A
AT62AU	18	DKBL	GXL	1661224C1	3520850C1	0009_IP12		8 N/A	N/A	N/A
AV62AU	18	DKBL	GXL	1661224C1	3520850C1	0009_IP12		8 N/A	N/A	N/A
BB62AU	18	DKBL	GXL	1661224C1	3520850C1	0009_IP12		8 N/A	N/A	N/A
AA62-GSA	18	DKBL	GXL	3541250C1	3520850C1	0009_IP12		9 N/A	N/A	N/A
AA62-GSD	18	DKBL	GXL	3541250C1	3520850C1	0009_IP12		9 N/A	N/A	N/A
AA109SA	18	GY	GXL	1661224C1	3520850C1	0009_IP12	2B	N/A	N/A	N/A
AH75AT	18	LTGN	GXL	1661224C1	3520850C1	0009_IP12		3 N/A	N/A	N/A
AR75HB	18	LTGN	GXL	1661224C1	3520850C1	0009_IP12		3 N/A	N/A	N/A
BA75HB	18	LTGN	GXL	1661224C1	3520850C1	0009_IP12		3 N/A	N/A	N/A
AH75AR	18	LTGN	GXL	3541250C1	3520850C1	0009_IP12		7 N/A	N/A	N/A
AH75AT	18	LTGN	GXL	3541250C1	3520850C1	0009_IP12		7 N/A	N/A	N/A
AR75AR	18	LTGN	GXL	3541250C1	3520850C1	0009_IP12		7 N/A	N/A	N/A
AR75AT	18	LTGN	GXL	3541250C1	3520850C1	0009_IP12		7 N/A	N/A	N/A
BA75AR	18	LTGN	GXL	3541250C1	3520850C1	0009_IP12		7 N/A	N/A	N/A
BA75AT	18	LTGN	GXL	3541250C1	3520850C1	0009_IP12		7 N/A	N/A	N/A
AE62J	18	DKBL	GXL	1661224C1	3520850C1	0009_IP12		8 N/A	N/A	N/A
AP62AA	18	DKBL	GXL	3541250C1	3520850C1	1000A_IP12		8 N/A	N/A	N/A



Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
AP62J	18	DKBL	GXL	3541250C1	3520850C1	1000A_IP12		8 N/A	N/A	N/A
AC75AG	18	LTGN	GXL	1661224C1	3520850C1	1000A_IP12		9 N/A	N/A	N/A
AH75-GAS	18	LTGN	GXL	1661224C1	3520850C1	1000B		10 N/A	N/A	N/A
AR75-GAS	18	LTGN	GXL	3541250C1	3520850C1	1000B		10 N/A	N/A	N/A
AR75HA	18	LTGN	GXL	3541250C1	3520850C1	1000B		10 N/A	N/A	N/A
BA75-GAS	18	LTGN	GXL	3541250C1	3520850C1	1000C		10 N/A	N/A	N/A
BA75HA	18	LTGN	GXL	3541250C1	3520850C1	1000C		10 N/A	N/A	N/A
AC75AF	18	LTGN	GXL	1661224C1	3520850C1	1000C	2B	N/A	N/A	N/A
AR75AT	18	LTGN	GXL	3541250C1	3520850C1	1002_IP12		7 N/A	N/A	N/A
AR75HB	18	LTGN	GXL	3541250C1	3520850C1	1003_IP12		7 N/A	N/A	N/A
BA75AT	18	LTGN	GXL	3541250C1	3520850C1	1004_IP12		7 N/A	N/A	N/A
BA75HB	18	LTGN	GXL	3541250C1	3520850C1	1004A_IP12		7 N/A	N/A	N/A
AP62AA	18	DKBL	GXL	1661224C1	3520850C1	1004B_IP12		8 N/A	N/A	N/A
AR77NF	18	LTGN	GXL	1661224C1	3520850C1	1004B_IP12		9 N/A	N/A	N/A
BA77NF	18	LTGN	GXL	1661224C1	3520850C1	1005_IP12		9 N/A	N/A	N/A
AR75HA	18	LTGN	GXL	1661224C1	3520850C1	1005_IP12		10 N/A	N/A	N/A
BA75HA	18	LTGN	GXL	1661224C1	3520850C1	1005A_IP12		10 N/A	N/A	N/A
AR77NE	18	LTGN	GXL	1661224C1	3520850C1	1005A_IP12	2B	N/A	N/A	N/A
BA77NE	18	LTGN	GXL	1661224C1	3520850C1	1005B_IP12	2B	N/A	N/A	N/A
AB104-GB	18	DKBL	GXL	1661224C1	3520850C1	100A		3 N/A	N/A	N/A
AB9RC	18	DKBL	GXL	1661224C1	3520850C1	100A		6 N/A	N/A	N/A
AB104ADA	18	DKBL	GXL	1661224C1	3520850C1	100A		7 N/A	N/A	N/A
AB104ABB	18	DKBL	GXL	1661224C1	3520850C1	100A	2B	N/A	N/A	N/A
AB104AC	18	DKBL	GXL	1661224C1	3520850C1	100A	5B	N/A	N/A	N/A
V65B	16	OR	TXL	1661875C1	3522068C1	100B	A	1661872C1	1661874C1	N/A
V65-GA	16	WH	TXL	1661875C1	3522068C1	100B	B	1661872C1	1661874C1	N/A
V65A	16	OR	TXL	1661875C1	3522068C1	100C	A	1661872C1	1661874C1	N/A
V65-GB	16	WH	TXL	1661875C1	3522068C1	100C	B	1661872C1	1661874C1	N/A
TJ23	20	TN	TXL	1661875C1	3522068C1	100CN	A	3568570C1	1661874C1	N/A
TK23	20	TN	TXL	1661875C1	3522068C1	100CP	A	3568570C1	1661874C1	N/A
ZS23B	18	TN	TXL	1661875C1	3522068C1	100NB1	A	3568570C1	1661874C1	N/A
ZT23A	18	TN	TXL	1661875C1	3522068C1	100PB1	A	3568570C1	1661874C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
TJ23-G	20	TN	TXL	1661875C1	3522068C1	1010_IP12	B	3568570C1	1661874C1	N/A
TK23-G	20	TN	TXL	1661875C1	3522068C1	1010_IP12	B	3568570C1	1661874C1	N/A
ZR23-G	18	WH	TXL	1661875C1	3522068C1	1010_IP12	B	3568570C1	1661874C1	N/A
KE9AAB	18	GY	TXL	1661875C1	3522068C1	1010_IP12	A	3568570C1	1661874C1	N/A
KE28	18	TN	TXL	1661875C1	3522068C1	1010_IP12	B	3568570C1	1661874C1	N/A
ZB23A	18	TN	TXL	1661875C1	3522068C1	1010_IP12	A	3568570C1	1661874C1	N/A
ZC23A2	18	TN	TXL	1661875C1	3522068C1	1010_IP12	A	3568570C1	1661874C1	N/A
ZA23-G	18	WH	TXL	1661875C1	3522068C1	1010_IP12	B	3568570C1	1661874C1	N/A
JE9AAB	18	GY	GXL	1661875C1	3522068C1	1010_IP12	A	1661872C1	1661874C1	N/A
WW9AAB	18	GY	GXL	1661875C1	3522068C1	1010_IP12	A	1661872C1	1661874C1	N/A
JE28	18	TN	GXL	1661875C1	3522068C1	1010_IP12	B	1661872C1	1661874C1	N/A
WW28	18	TN	GXL	1661875C1	3522068C1	1010_IP12	B	1661872C1	1661874C1	N/A
KE9AAB	18	GY	TXL	1661875C1	3522068C1	1010_IP12	A	3568570C1	1661874C1	N/A
KE28	18	TN	GXL	1661875C1	3522068C1	1010_IP12	B	1661872C1	1661874C1	N/A
HG77TMA	18	LTGN	TXL	3522073C1	3522071C1	1010_IP12		5 N/A	N/A	N/A
HG77TMB	18	LTGN	TXL	3522073C1	3522071C1	1010_IP12		6 N/A	N/A	N/A
HG77TFB	18	LTGN	TXL	3522073C1	3522071C1	1010_IP12		7 N/A	N/A	N/A
HG77TF	18	LTGN	TXL	3522073C1	3522071C1	1010_IP12		9 N/A	N/A	N/A
HG77TFA	18	LTGN	TXL	3522073C1	3522071C1	1010_IP12		10 N/A	N/A	N/A
JN5BG(+)	18	YL	TXL	2029980C1	3522071C1	1010_IP12		5 N/A	N/A	N/A
JR5BG(+)	18	YL	TXL	2029980C1	3522071C1	1010_IP12		5 N/A	N/A	N/A
JN5BG(-)	18	LTGN	TXL	UNDEF	3522071C1	1010_IP12		6 N/A	N/A	N/A
JR5BG(-)	18	LTGN	TXL	UNDEF	3522071C1	1010_IP12		6 N/A	N/A	N/A
AA11-GKD	18	WH	TXL	UNDEF	3522071C1	1010_IP12		8 N/A	N/A	N/A
AA14MUX	18	RD	TXL	2029980C1	3522071C1	1010_IP12		10 N/A	N/A	N/A
TT92A175	18	OR	GXL	2036586C1	3524377C1	1010_IP12	A	N/A	N/A	N/A
TX92A175	18	OR	GXL	2036586C1	3524377C1	1010_IP12	A	N/A	N/A	N/A
TV92B158	18	LTGN	GXL	2036586C1	3524377C1	1010_IP12	B	N/A	N/A	N/A
TY92B158	18	LTGN	GXL	2036586C1	3524377C1	1010_IP12	B	N/A	N/A	N/A
TT92A119	18	LTBL	GXL	2036586C1	3524378C1	1010_IP12	A	N/A	N/A	N/A
TX92A119	18	LTBL	GXL	2036586C1	3524378C1	1010_IP12	A	N/A	N/A	N/A
TV92C131	18	YL	GXL	2036586C1	3524378C1	1010_IP12	B	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
TY92C131	18	YL	GXL	2036586C1	3524378C1	1010_IP12	B	N/A	N/A	N/A
TQ92B103	18	YL	TXL	1661875C1	3525872C1	1010_IP12	A	3568570C1	3525873C1	N/A
TT92B103	18	YL	TXL	1661875C1	3525872C1	1010_IP12	A	3568570C1	3525873C1	N/A
TW92B103	18	YL	TXL	1661875C1	3525872C1	1010_IP12	A	3568570C1	3525873C1	N/A
TX92B103	18	YL	TXL	1661875C1	3525872C1	1010_IP12	A	3568570C1	3525873C1	N/A
TQ92#161	18	TN	TXL	1661875C1	3525872C1	1010_IP12	B	3568570C1	3525873C1	N/A
TW92#161	18	TN	TXL	1661875C1	3525872C1	1010_IP12	B	3568570C1	3525873C1	N/A
TD92#157	18	WH	TXL	1661875C1	3525872C1	1010_IP12	C	3568570C1	3525873C1	N/A
TZ92#157	18	WH	TXL	1661875C1	3525872C1	1010_IP12	C	3568570C1	3525873C1	N/A
TQ92#124	18	TN	TXL	1661875C1	3525872C1	1010_IP12	D	3568570C1	3525873C1	N/A
TW92#124	18	TN	TXL	1661875C1	3525872C1	1010_IP12	D	3568570C1	3525873C1	N/A
TD92#122	18	YL	TXL	1661875C1	3525872C1	1010_IP12	E	3568570C1	3525873C1	N/A
TZ92#122	18	YL	TXL	1661875C1	3525872C1	1010_IP12	E	3568570C1	3525873C1	N/A
TD92#105	18	TN	TXL	1661875C1	3525872C1	1010_IP12	F	3568570C1	3525873C1	N/A
TZ92#105	18	TN	TXL	1661875C1	3525872C1	1010_IP12	F	3568570C1	3525873C1	N/A
TD92#164	18	LTBL	TXL	1661875C1	3525872C1	1011_IP12	G	3568570C1	3525873C1	N/A
TZ92#164	18	LTBL	TXL	1661875C1	3525872C1	1011_IP12	G	3568570C1	3525873C1	N/A
TD92#162	18	YL	TXL	1661875C1	3525872C1	1011_IP12	H	3568570C1	3525873C1	N/A
TZ92#162	18	YL	TXL	1661875C1	3525872C1	1011_IP12	H	3568570C1	3525873C1	N/A
TD92#101	18	LTBL	TXL	1667742C1	3525874C1	1011_IP12	A	3568570C1	3525875C1	N/A
TZ92#101	18	LTBL	TXL	1667742C1	3525874C1	1011_IP12	A	3568570C1	3525875C1	N/A
SA92#117	18	TN	TXL	1667742C1	3525874C1	1011_IP12	B	3568570C1	3525875C1	N/A
SB92#117	18	TN	TXL	1667742C1	3525874C1	1011_IP12	B	3568570C1	3525875C1	N/A
XJ92#117	18	TN	TXL	1667742C1	3525874C1	1011_IP12	B	3568570C1	3525875C1	N/A
TQ92A103	18	YL	TXL	1667742C1	3525874C1	1011_IP12	C	3568570C1	3525875C1	N/A
TT92A103	18	YL	TXL	1667742C1	3525874C1	1011_IP12	C	3568570C1	3525875C1	N/A
TW92A103	18	YL	TXL	1667742C1	3525874C1	1011_IP12	C	3568570C1	3525875C1	N/A
TX92A103	18	YL	TXL	1667742C1	3525874C1	1011_IP12	C	3568570C1	3525875C1	N/A
TD92#143	18	LTBL	TXL	1667742C1	3525874C1	1011_IP12	D	3568570C1	3525875C1	N/A
TZ92#143	18	LTBL	TXL	1667742C1	3525874C1	1011_IP12	D	3568570C1	3525875C1	N/A
VX92#142	18	WH	TXL	1667742C1	3525874C1	1011_IP12	E	3568570C1	3525875C1	N/A
XJ92#142	18	TN	TXL	1667742C1	3525874C1	1011_IP12	E	3568570C1	3525875C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
XL92#142	18	TN	TXL	1667742C1	3525874C1	1011_IP12	E	3568570C1	3525875C1	N/A	
SA92#145	18	OR	TXL	1667742C1	3525874C1	1011_IP12	F	3568570C1	3525875C1	N/A	
SB92#145	18	OR	TXL	1667742C1	3525874C1	1011_IP12	F	3568570C1	3525875C1	N/A	
XJ92#145	18	OR	TXL	1667742C1	3525874C1	1011_IP12	F	3568570C1	3525875C1	N/A	
TD92#130	18	WH	TXL	1667742C1	3525874C1	1011_IP12	G	3568570C1	3525875C1	N/A	
TZ92#130	18	WH	TXL	1667742C1	3525874C1	1011_IP12	G	3568570C1	3525875C1	N/A	
TD92#123	18	LTBL	TXL	1667742C1	3525874C1	1011_IP12	H	3568570C1	3525875C1	N/A	
TZ92#123	18	LTBL	TXL	1667742C1	3525874C1	1011_IP12	H	3568570C1	3525875C1	N/A	
AA63B	16	DKBL	TXL	3534165C1	3533975C1	1011_IP12	A	N/A	3534158C1	N/A	
AA9BAA	16	GY	TXL	3534165C1	3533975C1	1011_IP12	B	N/A	3534158C1	N/A	
MU86BA	18	LTGN	TXL	3534164C1	3533975C1	1011_IP12	C	N/A	3534158C1	N/A	
MU86CA	18	LTGN	TXL	3534164C1	3533975C1	1011_IP12	D	N/A	3534158C1	N/A	
AA63C	16	DKBL	TXL	3534165C1	3533975C1	1012_IP12	A	N/A	3534158C1	N/A	
AA9BAB	16	GY	TXL	3534165C1	3533975C1	1012_IP12	B	N/A	3534158C1	N/A	
MU86DA	18	LTGN	TXL	3534164C1	3533975C1	1012_IP12	C	N/A	3534158C1	N/A	
MU86EA	18	LTGN	TXL	3534164C1	3533975C1	1012_IP12	D	N/A	3534158C1	N/A	
	63	16	DKBL	GXL	1661212C1	3534156C1	1012_IP12	A	N/A	3534159C1	N/A
	9	16	GY	GXL	1661212C1	3534156C1	1012_IP12	B	N/A	3534159C1	N/A
86BDA	18	LTGN	TXL	1661212C1	3534156C1	1012_IP12	C	N/A	3534159C1	N/A	
86CEA	18	LTGN	TXL	1661212C1	3534156C1	1012_IP12	D	N/A	3534159C1	N/A	
YG116M	18	GY	TXL	2033911C1	3535481C1	1012_IP12	A	3517771C1	3535485C1	N/A	
YG116U	18	GY	GXL	2033911C1	3535481C1	1012_IP12	B	1652325C1	3535485C1	N/A	
YG116L	18	GY	GXL	2033911C1	3535481C1	1012_IP12	C	1652325C1	3535485C1	N/A	
YG116-GA	18	WH	TXL	2033911C1	3535481C1	1012_IP12	D	3517771C1	3535485C1	N/A	
YL94T	10	GY	TXL	1687847C1	3535482C1	1012_IP12	A	0589390C1	3535483C1	N/A	
YL68T	10	BN	TXL	1687847C1	3535482C1	1012_IP12	B	0589390C1	3535483C1	N/A	
YL70T	10	RD	TXL	1687847C1	3535482C1	1012_IP12	C	0589390C1	3535483C1	N/A	
YM72V	12	OR	GXL	2033816C1	3535482C1	1012_IP12	D	0589390C1	3535483C1	N/A	
MD72V	10	OR	TXL	1687847C1	3535482C1	1012_IP12	A	0589390C1	3535483C1	N/A	
ME94T	10	DKBL	TXL	1687847C1	3535482C1	1012_IP12	A	0589390C1	3535483C1	N/A	
NH94T	10	GY	TXL	1687847C1	3535482C1	1012_IP12	A	0589390C1	3535483C1	N/A	
NK94U	10	GY	TXL	1687847C1	3535482C1	1012_IP12	A	0589390C1	3535483C1	N/A	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
NH68T	10	BN	TXL	1687847C1	3535482C1	1012_IP12	B	0589390C1	3535483C1	N/A
NK68U	10	BN	TXL	1687847C1	3535482C1	1012_IP12	B	0589390C1	3535483C1	N/A
SF68T	10	BN	TXL	1687847C1	3535482C1	1012_IP12	B	0589390C1	3535483C1	N/A
NH70T	10	RD	TXL	1687847C1	3535482C1	1012_IP12	C	0589390C1	3535483C1	N/A
NK70U	10	RD	TXL	1687847C1	3535482C1	1012_IP12	C	0589390C1	3535483C1	N/A
SF70T	10	RD	TXL	1687847C1	3535482C1	1012_IP12	C	0589390C1	3535483C1	N/A
NJ72V	12	OR	GXL	2033816C1	3535482C1	1012_IP12	D	0589390C1	3535483C1	N/A
RG94T	10	GY	TXL	1687847C1	3535482C1	1012_IP12	A	0589390C1	3535483C1	N/A
YT94U	10	GY	TXL	1687847C1	3535482C1	1012_IP12	A	0589390C1	3535483C1	N/A
RG68T	10	BN	TXL	1687847C1	3535482C1	1012_IP12	B	0589390C1	3535483C1	N/A
YT68U	10	BN	TXL	1687847C1	3535482C1	1012_IP12	B	0589390C1	3535483C1	N/A
RG70T	10	RD	TXL	1687847C1	3535482C1	1012_IP12	C	0589390C1	3535483C1	N/A
YT70U	10	RD	TXL	1687847C1	3535482C1	1012_IP12	C	0589390C1	3535483C1	N/A
RJ72V	12	OR	GXL	2033816C1	3535482C1	1012_IP12	D	0589390C1	3535483C1	N/A
RF94T	10	DKBL	TXL	1687847C1	3535482C1	1012_IP12	A	0589390C1	3535483C1	N/A
YS94U	10	GY	TXL	1687847C1	3535482C1	1012_IP12	A	0589390C1	3535483C1	N/A
RF68T	10	BN	TXL	1687847C1	3535482C1	1012_IP12	B	0589390C1	3535483C1	N/A
YS68U	10	BN	TXL	1687847C1	3535482C1	1013_IP12	B	0589390C1	3535483C1	N/A
RF70T	10	RD	TXL	1687847C1	3535482C1	1013_IP12	C	0589390C1	3535483C1	N/A
YS70U	10	RD	TXL	1687847C1	3535482C1	1013_IP12	C	0589390C1	3535483C1	N/A
TA72V	12	OR	TXL	2033816C1	3535482C1	1013_IP12	D	0589391C1	3535483C1	N/A
86BDA	18	LTGN	TXL	1661261C1	3535769C1	1013_IP12	A	N/A	1661263C1	N/A
86CEA	18	LTGN	TXL	1661261C1	3535769C1	1013_IP12	B	N/A	1661263C1	N/A
V86BB	18	LTGN	GXL	1661261C1	3535769C1	1013_IP12	A	N/A	1661263C1	N/A
V86CB	18	LTGN	GXL	1661261C1	3535769C1	1013_IP12	B	N/A	1661263C1	N/A
V86DB	18	LTGN	GXL	1661261C1	3535769C1	1013_IP12	A	N/A	1661263C1	N/A
V86EB	18	LTGN	GXL	1661261C1	3535769C1	1013_IP12	B	N/A	1661263C1	N/A
E86S	18	LTGN	GXL	1661261C1	3535769C1	1013_IP12	A	N/A	1661263C1	N/A
F86S	18	LTGN	GXL	1661261C1	3535769C1	1013_IP12	A	N/A	1661263C1	N/A
E86T	18	LTGN	GXL	1661261C1	3535769C1	1013_IP12	B	N/A	1661263C1	N/A
F86T	18	LTGN	GXL	1661261C1	3535769C1	1013_IP12	B	N/A	1661263C1	N/A
HC77TVB	18	LTGN	GXL	1661261C1	3536187C1	1013_IP12	A	N/A	1661890C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
HC77TB	18	LTGN	TXL	1661261C1	3536187C1	1013_IP12	B	N/A	1661890C1	N/A
HC77TZB	18	LTGN	GXL	1661261C1	3536187C1	1013_IP12	C	N/A	1661890C1	N/A
MA87C	16	GY	GXL	3536865C1	3536864C1	1013_IP12		1 3536868C1	N/A	N/A
MA87D	16	GY	GXL	3536865C1	3536864C1	1013_IP12		2 3536868C1	N/A	N/A
RH32	18	TN	GXL	3536865C1	3536864C1	1013_IP12		1 3536868C1	N/A	N/A
TA32	18	TN	GXL	3536865C1	3536864C1	1013_IP12		1 3536868C1	N/A	N/A
RH9C	18	GY	GXL	3536865C1	3536864C1	1013_IP12		2 3536868C1	N/A	N/A
TA9C	18	GY	GXL	3536865C1	3536864C1	1013_IP12		2 3536868C1	N/A	N/A
RH32A	18	TN	GXL	3536865C1	3536864C1	1013_IP12		1 3536868C1	N/A	N/A
RH9B	18	GY	GXL	3536865C1	3536864C1	1013_IP12		2 3536868C1	N/A	N/A
RJ32A	18	TN	GXL	3536865C1	3536864C1	1013_IP12		1 3536868C1	N/A	N/A
RJ9	18	GY	GXL	3536865C1	3536864C1	1013_IP12		2 3536868C1	N/A	N/A
UC32	18	TN	GXL	3536865C1	3536864C1	1013_IP12		1 3536868C1	N/A	N/A
UC9C	18	GY	GXL	3536865C1	3536864C1	1013_IP12		2 3536868C1	N/A	N/A
UC32A	18	TN	GXL	3536865C1	3536864C1	1013_IP12		1 3536868C1	N/A	N/A
UC9B	18	GY	GXL	3536865C1	3536864C1	1013_IP12		2 3536868C1	N/A	N/A
KK31	18	TN	GXL	3561584C1	3536864C1	1013_IP12		1 3536868C1	N/A	N/A
KK31	18	TN	GXL	3536865C1	3536864C1	1014_IP12		1 3536868C1	N/A	N/A
KK9AAD	18	GY	GXL	3561584C1	3536864C1	1014_IP12		2 3536868C1	N/A	N/A
YG9AAD	18	GY	GXL	3536865C1	3536864C1	1014_IP12		2 3536868C1	N/A	N/A
WP31	18	TN	GXL	3561584C1	3536864C1	1014_IP12		1 3536868C1	N/A	N/A
WP9AAD	18	GY	GXL	3561584C1	3536864C1	1014_IP12		2 3536868C1	N/A	N/A
XA31	18	TN	GXL	3536865C1	3536864C1	1014_IP12		1 3536868C1	N/A	N/A
YC9AAD	18	GY	GXL	3536865C1	3536864C1	1014_IP12		2 3536868C1	N/A	N/A
PC31	18	TN	GXL	3536865C1	3536864C1	1014_IP12		1 3536868C1	N/A	N/A
TA31	18	TN	GXL	3536865C1	3536864C1	1014_IP12		1 3536868C1	N/A	N/A
PC9AAD	18	GY	TXL	3536865C1	3536864C1	1014_IP12		2 3536867C1	N/A	N/A
YE9AAD	18	GY	GXL	3536865C1	3536864C1	1014_IP12		2 3536868C1	N/A	N/A
AC11-G	8	WH	GXL	3700153C1	3537133C1	1014_IP12	A	N/A	N/A	N/A
GD14ED	18	RD	GXL	1667742C1	3538634C1	1014_IP12	A	N/A	3538636C1	N/A
HL14ED	18	RD	GXL	1667742C1	3538634C1	1014_IP12	A	N/A	3538636C1	N/A
HT14SD	18	RD	GXL	1667742C1	3538634C1	1014_IP12	A	N/A	3538636C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
HZ14ED	18	RD	GXL	1667742C1	3538634C1	1014_IP12	A	N/A	3538636C1	N/A
JZ14ED	18	RD	GXL	1667742C1	3538634C1	1014_IP12	A	N/A	3538636C1	N/A
RF14ED	18	RD	GXL	1667742C1	3538634C1	1014_IP12	A	N/A	3538636C1	N/A
GD13EE	18	PK	GXL	1667742C1	3538634C1	1014_IP12	B	N/A	3538636C1	N/A
HT13SD	18	PK	GXL	1667742C1	3538634C1	1014_IP12	B	N/A	3538636C1	N/A
HZ13EE	18	PK	GXL	1667742C1	3538634C1	1014_IP12	B	N/A	3538636C1	N/A
JA13EE	18	PK	GXL	1667742C1	3538634C1	1014_IP12	B	N/A	3538636C1	N/A
JB13EE	18	PK	GXL	1667742C1	3538634C1	1014_IP12	B	N/A	3538636C1	N/A
JZ13EE	18	PK	GXL	1667742C1	3538634C1	1014_IP12	B	N/A	3538636C1	N/A
RF13EE	18	PK	GXL	1667742C1	3538634C1	1014_IP12	B	N/A	3538636C1	N/A
GD3BD(-)	18	GY	GXL	1667742C1	3538634C1	1014_IP12	C	N/A	3538636C1	N/A
HL3BD(-)	18	GY	GXL	1667742C1	3538634C1	1014_IP12	C	N/A	3538636C1	N/A
HT98B	18	BK	GXL	1667742C1	3538634C1	1014_IP12	C	N/A	3538636C1	N/A
HZ3BD(-)	18	GY	GXL	1667742C1	3538634C1	1014_IP12	C	N/A	3538636C1	N/A
JZ3BD(-)	20	GY	GXL	1667742C1	3538634C1	1014_IP12	C	N/A	3538636C1	N/A
RF3BD(-)	18	GY	GXL	1667742C1	3538634C1	1014_IP12	C	N/A	3538636C1	N/A
GD3BD(+)	18	DKBL	GXL	1667742C1	3538634C1	1014_IP12	D	N/A	3538636C1	N/A
HL3BD(+)	18	DKBL	GXL	1667742C1	3538634C1	1014_IP12	D	N/A	3538636C1	N/A
HT98A	18	BK	GXL	1667742C1	3538634C1	1014_IP12	D	N/A	3538636C1	N/A
HZ3BD(+)	18	DKBL	GXL	1667742C1	3538634C1	1014_IP12	D	N/A	3538636C1	N/A
JZ3BD(+)	20	DKBL	GXL	1667742C1	3538634C1	1014_IP12	D	N/A	3538636C1	N/A
RF3BD(+)	18	DKBL	GXL	1667742C1	3538634C1	1014_IP12	D	N/A	3538636C1	N/A
HL98F	18	BK	GXL	1667742C1	3538634C1	1014_IP12	E	N/A	3538636C1	N/A
HZ98F	18	BK	GXL	1667742C1	3538634C1	1014_IP12	E	N/A	3538636C1	N/A
JZ98F	18	BK	GXL	1667742C1	3538634C1	1014_IP12	E	N/A	3538636C1	N/A
GD11-GMB	18	WH	GXL	1667742C1	3538634C1	1015_IP12	F	N/A	3538636C1	N/A
HY11-GSC	18	WH	GXL	1667742C1	3538634C1	1015_IP12	F	N/A	3538636C1	N/A
HT70E	18	OR	GXL	1667742C1	3538634C1	1015_IP12	J	N/A	3538636C1	N/A
HT50S	18	YL	GXL	1667742C1	3538634C1	1015_IP12	K	N/A	3538636C1	N/A
E78G	18	LTGN	GXL	1667742C1	3538634C1	1015_IP12	A	1661872C1	3538636C1	N/A
F78G	18	LTGN	GXL	1667742C1	3538634C1	1015_IP12	A	1661872C1	3538636C1	N/A
E78F	18	LTGN	GXL	1667742C1	3538634C1	1015_IP12	B	1661872C1	3538636C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
F78F	18	LTGN	GXL	1667742C1	3538634C1	1015_IP12	B	1661872C1	3538636C1	N/A
E41A	18	TN	TXL	1667742C1	3538634C1	1015_IP12	C	3568570C1	3538636C1	N/A
E41B	18	TN	TXL	1667742C1	3538634C1	1015_IP12	D	3568570C1	3538636C1	N/A
E56A	16	OR	TXL	1667742C1	3538634C1	1015_IP12	E	1661872C1	3538636C1	N/A
F56A	16	OR	TXL	1667742C1	3538634C1	1015_IP12	E	1661872C1	3538636C1	N/A
E78H	20	YL	TXL	1667742C1	3538634C1	1015_IP12	F	3568570C1	3538636C1	N/A
F78H	20	YL	TXL	1667742C1	3538634C1	1015_IP12	F	3568570C1	3538636C1	N/A
E78AA	16	LTGN	TXL	1667742C1	3538634C1	1015_IP12	G	1661872C1	3538636C1	N/A
F78AA	16	LTGN	TXL	1667742C1	3538634C1	1015_IP12	G	1661872C1	3538636C1	N/A
E78-GF	16	WH	TXL	1667742C1	3538634C1	1015_IP12	H	1661872C1	3538636C1	N/A
F78-GF	16	WH	TXL	1667742C1	3538634C1	1015_IP12	H	1661872C1	3538636C1	N/A
ZC92A15	18	TN	GXL	1667742C1	3538634C1	1015_IP12	A	1661872C1	3538636C1	N/A
ZS92A15	18	TN	GXL	1667742C1	3538634C1	1015_IP12	A	1661872C1	3538636C1	N/A
SG92A11	18	TN	TXL	1667742C1	3538634C1	1015_IP12	B	3568570C1	3538636C1	N/A
SH92A11	16	TN	GXL	1667742C1	3538634C1	1015_IP12	B	1661872C1	3538636C1	N/A
SJ92A11	16	TN	GXL	1667742C1	3538634C1	1015_IP12	B	1661872C1	3538636C1	N/A
KJ92A12	18	TN	TXL	1667742C1	3538634C1	1015_IP12	C	3568570C1	3538636C1	N/A
KJ92A13	18	TN	TXL	1667742C1	3538634C1	1015_IP12	D	3568570C1	3538636C1	N/A
KJ92A9	18	TN	TXL	1667742C1	3538634C1	1015_IP12	E	3568570C1	3538636C1	N/A
KJ92A10	18	TN	TXL	1667742C1	3538634C1	1015_IP12	F	3568570C1	3538636C1	N/A
KJ92A8	18	TN	TXL	1667742C1	3538634C1	1015_IP12	G	3568570C1	3538636C1	N/A
KJ92A16	18	TN	TXL	1667742C1	3538634C1	1015_IP12	H	3568570C1	3538636C1	N/A
KJ92A17	18	TN	TXL	1667742C1	3538634C1	1015_IP12	J	3568570C1	3538636C1	N/A
11-GMB	18	WH	GXL	1667742C1	3538634C1	1015_IP12	F	1661872C1	3538636C1	N/A
13EE	18	PK	GXL	1667742C1	3538634C1	1015_IP12	B	1661872C1	3538636C1	N/A
14ED	18	RD	GXL	1667742C1	3538634C1	1015_IP12	A	1661872C1	3538636C1	N/A
3BD(+)	18	DKBL	GXL	1667742C1	3538634C1	1016_IP12	D	1661872C1	3538636C1	N/A
3BD(-)	18	GY	GXL	1667742C1	3538634C1	1016_IP12	C	1661872C1	3538636C1	N/A
CG14SD	18	RD	TXL	1661875C1	3538635C1	1016_IP12	A	N/A	3538636C1	N/A
CP14ED	18	RD	TXL	1661875C1	3538635C1	1016_IP12	A	N/A	3538636C1	N/A
PH14ED	18	RD	TXL	1661875C1	3538635C1	1016_IP12	A	N/A	3538636C1	N/A
RH14ED	18	RD	GXL	1661875C1	3538635C1	1016_IP12	A	N/A	3538636C1	N/A



Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
CG13SD	18	PK	TXL	1661875C1	3538635C1	1016_IP12	B	N/A	3538636C1	N/A
CP13EE	18	PK	TXL	1661875C1	3538635C1	1016_IP12	B	N/A	3538636C1	N/A
PH13EE	18	PK	TXL	1661875C1	3538635C1	1016_IP12	B	N/A	3538636C1	N/A
RH13EE	18	PK	TXL	1661875C1	3538635C1	1016_IP12	B	N/A	3538636C1	N/A
CG98A(-)	18	DKBL	TXL	1661875C1	3538635C1	1016_IP12	C	N/A	3538636C1	N/A
CP3BD(-)	18	GY	TXL	1661875C1	3538635C1	1016_IP12	C	N/A	3538636C1	N/A
PH3BD(-)	18	GY	TXL	1661875C1	3538635C1	1016_IP12	C	N/A	3538636C1	N/A
RH3BD(-)	18	GY	TXL	1661875C1	3538635C1	1016_IP12	C	N/A	3538636C1	N/A
CG98A(+)	18	GY	TXL	1661875C1	3538635C1	1016_IP12	D	N/A	3538636C1	N/A
CP3BD(+)	18	DKBL	TXL	1661875C1	3538635C1	1016_IP12	D	N/A	3538636C1	N/A
PH3BD(+)	18	DKBL	TXL	1661875C1	3538635C1	1016_IP12	D	N/A	3538636C1	N/A
RH3BD(+)	18	DKBL	TXL	1661875C1	3538635C1	1016_IP12	D	N/A	3538636C1	N/A
CP11-GMW	20	WH	TXL	1661875C1	3538635C1	1016_IP12	E	N/A	3538636C1	N/A
CR98J	18	BK	TXL	1661875C1	3538635C1	1016_IP12	F	N/A	3538636C1	N/A
PH11-GBE	18	WH	TXL	1661875C1	3538635C1	1016_IP12	F	N/A	3538636C1	N/A
CG70E	18	OR	TXL	1661875C1	3538635C1	1016_IP12	J	N/A	3538636C1	N/A
CG50S	18	YL	TXL	1661875C1	3538635C1	1016_IP12	K	N/A	3538636C1	N/A
KJ92A5	18	TN	TXL	1661875C1	3538635C1	1017_IP12	A	3568570C1	3538636C1	N/A
ZE92A4	18	TN	TXL	1661875C1	3538635C1	1017_IP12	B	3568570C1	3538636C1	N/A
ZG92A4	18	TN	TXL	1661875C1	3538635C1	1017_IP12	B	3568570C1	3538636C1	N/A
ZV92A4	18	TN	TXL	1661875C1	3538635C1	1017_IP12	B	3568570C1	3538636C1	N/A
ZX92A4	18	TN	TXL	1661875C1	3538635C1	1017_IP12	B	3568570C1	3538636C1	N/A
SG92A3	18	TN	TXL	1661875C1	3538635C1	1017_IP12	C	3568570C1	3538636C1	N/A
SH92A3	18	TN	TXL	1661875C1	3538635C1	1017_IP12	C	3568570C1	3538636C1	N/A
SJ92A3	18	TN	TXL	1661875C1	3538635C1	1017_IP12	C	3568570C1	3538636C1	N/A
KJ92A14	18	TN	TXL	1661875C1	3538635C1	1017_IP12	D	3568570C1	3538636C1	N/A
KJ92A2	18	TN	TXL	1661875C1	3538635C1	1017_IP12	E	3568570C1	3538636C1	N/A
KJ92A6	18	TN	TXL	1661875C1	3538635C1	1017_IP12	F	3568570C1	3538636C1	N/A
KJ92A7	18	TN	TXL	1661875C1	3538635C1	1017_IP12	G	3568570C1	3538636C1	N/A
KJ92A1	18	TN	TXL	1661875C1	3538635C1	1017_IP12	H	3568570C1	3538636C1	N/A
KJ92A19	18	TN	TXL	1661875C1	3538635C1	1017_IP12	J	3568570C1	3538636C1	N/A
BA56B	18	OR	TXL	3571717C1	3539212C1	1017_IP12		1 N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
BA57B	18	OR	TXL	3571717C1	3539212C1	1017_IP12	2	N/A	N/A	N/A
BA52B	18	YL	TXL	3571717C1	3539212C1	1017_IP12	3	N/A	N/A	N/A
BA102A	18	YL	TXL	3571717C1	3539212C1	1017_IP12	4	N/A	N/A	N/A
BA82C	18	GY	TXL	3571717C1	3539212C1	1017_IP12	5	N/A	N/A	N/A
BH87-G	18	WH	TXL	3571717C1	3539212C1	1017_IP12	6	N/A	N/A	N/A
BJ87-G	18	WH	TXL	3571717C1	3539212C1	1017_IP12	6	N/A	N/A	N/A
BH9D	18	GY	TXL	3571717C1	3539212C1	1017_IP12	7	N/A	N/A	N/A
BJ9D	18	GY	TXL	3571717C1	3539212C1	1017_IP12	7	N/A	N/A	N/A
BA82A	18	GY	TXL	3571717C1	3539212C1	1017_IP12	8	N/A	N/A	N/A
BA82B	18	GY	TXL	3571717C1	3539212C1	1017_IP12	11	N/A	N/A	N/A
BA87E	18	GY	TXL	3571717C1	3539212C1	1017_IP12	12	N/A	N/A	N/A
RB94BD	16	GY	GXL	1680205C1	3539777C1	1017_IP12	1	N/A	3539784C1	N/A
RB94BE	16	GY	GXL	1680205C1	3539777C1	1017_IP12	2	N/A	3539784C1	N/A
RB94BF	16	GY	GXL	1680205C1	3539777C1	1018_IP12	1	N/A	3539784C1	N/A
RB94BH	16	GY	GXL	1680205C1	3539777C1	1018_IP12	2	N/A	3539784C1	N/A
SZ94BF	16	GY	GXL	1680205C1	3539777C1	1018_IP12	1	N/A	3539784C1	N/A
TF94BF	16	GY	GXL	1680205C1	3539777C1	1018_IP12	1	N/A	3539784C1	N/A
UP94BF	16	GY	GXL	1680205C1	3539777C1	1018_IP12	1	N/A	3539784C1	N/A
SZ94BH	16	GY	GXL	1680205C1	3539777C1	1018_IP12	2	N/A	3539784C1	N/A
TF94BH	16	GY	GXL	1680205C1	3539777C1	1018_IP12	2	N/A	3539784C1	N/A
UP94BH	16	GY	GXL	1680205C1	3539777C1	1018_IP12	2	N/A	3539784C1	N/A
SZ94BD	16	GY	GXL	1680205C1	3539777C1	1018_IP12	1	N/A	3539784C1	N/A
TF94BD	16	GY	GXL	1680205C1	3539777C1	1018_IP12	1	N/A	3539784C1	N/A
UP94BD	16	GY	GXL	1680205C1	3539777C1	1018_IP12	1	N/A	3539784C1	N/A
SZ94BE	16	GY	GXL	1680205C1	3539777C1	1018_IP12	2	N/A	3539784C1	N/A
TF94BE	16	GY	GXL	1680205C1	3539777C1	1018_IP12	2	N/A	3539784C1	N/A
UP94BE	16	GY	GXL	1680205C1	3539777C1	1018_IP12	2	N/A	3539784C1	N/A
VA94BD	16	GY	GXL	1680205C1	3539777C1	1018_IP12	1	N/A	3539784C1	N/A
VA94BE	16	GY	GXL	1680205C1	3539777C1	1018_IP12	2	N/A	3539784C1	N/A
VA94BQ	16	GY	GXL	1680205C1	3539777C1	1018_IP12	1	N/A	3539784C1	N/A
VA94BR	16	GY	GXL	1680205C1	3539777C1	1018_IP12	2	N/A	3539784C1	N/A
VA94BV	16	GY	GXL	1680205C1	3539777C1	1018_IP12	1	N/A	3539784C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
VA94BW	16	GY	GXL	1680205C1	3539777C1	1018_IP12		2 N/A	3539784C1	N/A
VA94BF	16	GY	GXL	1680205C1	3539777C1	1018_IP12		1 N/A	3539784C1	N/A
VA94BH	16	GY	GXL	1680205C1	3539777C1	1018_IP12		2 N/A	3539784C1	N/A
SB94BD	16	GY	GXL	1680205C1	3539777C1	1018_IP12		1 N/A	3539784C1	N/A
SD94BD	16	GY	GXL	1680205C1	3539777C1	1018_IP12		1 N/A	3539784C1	N/A
TF94BQ	16	GY	GXL	1680205C1	3539777C1	1018_IP12		1 N/A	3539784C1	N/A
UP94BQ	16	GY	GXL	1680205C1	3539777C1	1018_IP12		1 N/A	3539784C1	N/A
SB94BE	16	GY	GXL	1680205C1	3539777C1	1018_IP12		2 N/A	3539784C1	N/A
SD94BE	16	GY	GXL	1680205C1	3539777C1	1018_IP12		2 N/A	3539784C1	N/A
TF94BR	16	GY	GXL	1680205C1	3539777C1	1018_IP12		2 N/A	3539784C1	N/A
UP94BR	16	GY	GXL	1680205C1	3539777C1	1020_IP12		2 N/A	3539784C1	N/A
SB94BF	16	GY	GXL	1680205C1	3539777C1	1020_IP12		1 N/A	3539784C1	N/A
SD94BF	16	GY	GXL	1680205C1	3539777C1	1020_IP12		1 N/A	3539784C1	N/A
TF94BV	16	GY	GXL	1680205C1	3539777C1	1020_IP12		1 N/A	3539784C1	N/A
UP94BV	16	GY	GXL	1680205C1	3539777C1	1021_IP12		1 N/A	3539784C1	N/A
SB94BH	16	GY	GXL	1680205C1	3539777C1	1021_IP12		2 N/A	3539784C1	N/A
SD94BH	16	GY	GXL	1680205C1	3539777C1	1021_IP12		2 N/A	3539784C1	N/A
TF94BW	16	GY	GXL	1680205C1	3539777C1	1021_IP12		2 N/A	3539784C1	N/A
UP94BW	16	GY	GXL	1680205C1	3539777C1	1021_IP12		2 N/A	3539784C1	N/A
KY97J	18	VT	GXL	0587578C1	3540051C91	1021_IP12	A	1652325C1	N/A	N/A
WV97J	18	VT	GXL	0587578C1	3540051C91	1021_IP12	A	1652325C1	N/A	N/A
KY97S	18	VT	GXL	0587578C1	3540051C91	1021_IP12	B	1652325C1	N/A	N/A
WV97S	18	VT	GXL	0587578C1	3540051C91	1021_IP12	B	1652325C1	N/A	N/A
PY97J	18	VT	GXL	0587578C1	3540051C91	1021_IP12	A	1652325C1	N/A	N/A
PY97S	18	VT	GXL	0587578C1	3540051C91	1021_IP12	B	1652325C1	N/A	N/A
ZC75WFA	20	LTGN	GXL	3544254C1	3540612C1	1021_IP12	A	N/A	3540614C1	N/A
ZC75WDA	18	LTGN	TXL	1661261C1	3540612C1	1021_IP12	B	N/A	3540614C1	N/A
ZC75WC	20	BN	GXL	3544254C1	3540612C1	1021_IP12	C	N/A	3540614C1	N/A
ZC75WJ	20	RD	GXL	3544254C1	3540612C1	1021_IP12	D	N/A	3540614C1	N/A
ZC75WE	20	DKBL	GXL	3544254C1	3540612C1	1022_IP12	E	N/A	3540614C1	N/A
ZC75WK	18	LTGN	TXL	1661261C1	3540612C1	1022_IP12	F	N/A	3540614C1	N/A
ZC75WG	20	GY	GXL	3544254C1	3540612C1	1022_IP12	G	N/A	3540614C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
ZC75WF	20	YL	GXL	3544254C1	3540612C1	1022_IP12	H	N/A	3540614C1	N/A
MZ86R	18	LTGN	TXL	1661261C1	3540612C1	1022_IP12	A	N/A	3540614C1	N/A
MZ86AE	18	LTGN	TXL	1661261C1	3540612C1	1022_IP12	B	N/A	3540614C1	N/A
MZ86F	18	YL	TXL	1661261C1	3540612C1	1022_IP12	E	N/A	3540614C1	N/A
MX86AR	18	LTGN	TXL	1661261C1	3540612C1	1022_IP12	F	N/A	3540614C1	N/A
MX86AS	18	LTGN	TXL	1661261C1	3540612C1	1022_IP12	G	N/A	3540614C1	N/A
MX86AT	18	LTGN	TXL	1661261C1	3540612C1	1022_IP12	H	N/A	3540614C1	N/A
MX86AU	18	LTGN	TXL	1661261C1	3540612C1	1022_IP12	J	N/A	3540614C1	N/A
67EN	16	TN	TXL	1661261C1	3540612C1	1022_IP12	A	N/A	3540614C1	N/A
67EN	16	TN	TXL	1661261C1	3540612C1	1022_IP12	A	N/A	3540614C1	N/A
67NA	16	TN	TXL	1661261C1	3540612C1	1022_IP12	B	N/A	3540614C1	N/A
67NA	16	PL	TXL	1661261C1	3540612C1	1022_IP12	B	N/A	3540614C1	N/A
13COG	16	PK	TXL	1661261C1	3540612C1	1023_IP12	C	N/A	3540614C1	N/A
13COG	16	PK	TXL	1661261C1	3540612C1	1023_IP12	C	N/A	3540614C1	N/A
13COG	16	PK	TXL	1661261C1	3540612C1	1023_IP12	C	N/A	3540614C1	N/A
11COG	18	WH	TXL	1661261C1	3540612C1	1023_IP12	D	N/A	3540614C1	N/A
11COG	18	WH	TXL	1661261C1	3540612C1	1023_IP12	D	N/A	3540614C1	N/A
11COG	18	WH	TXL	1661261C1	3540612C1	1023_IP12	D	N/A	3540614C1	N/A
56A2	16	OR	TXL	1661261C1	3540612C1	1023_IP12	E	N/A	3540614C1	N/A
5DA(-)	18	GN	TXL	1661261C1	3540612C1	1023_IP12	E	N/A	3540614C1	N/A
57A4	16	OR	TXL	1661261C1	3540612C1	1023_IP12	F	N/A	3540614C1	N/A
5DA(+)	18	YL	TXL	1661261C1	3540612C1	1023_IP12	F	N/A	3540614C1	N/A
67COG	18	WH	TXL	1661261C1	3540612C1	1023_IP12	G	N/A	3540614C1	N/A
67COG	20	GY	TXL	3544254C1	3540612C1	1023_IP12	G	N/A	3540614C1	N/A
67COG	18	GY	TXL	1661261C1	3540612C1	1023_IP12	G	N/A	3540614C1	N/A
14CSB	16	RD	TXL	1661261C1	3540612C1	1023_IP12	H	N/A	3540614C1	N/A
14CSB	16	RD	TXL	1661261C1	3540612C1	1023_IP12	H	N/A	3540614C1	N/A
5CA(-)	18	GN	TXL	1661261C1	3540612C1	1023_IP12	J	N/A	3540614C1	N/A
5CA(-)	18	GN	TXL	1661261C1	3540612C1	1023_IP12	J	N/A	3540614C1	N/A
5CA(-)	18	GN	TXL	1661261C1	3540612C1	1023_IP12	J	N/A	3540614C1	N/A
5CA(+)	18	YL	TXL	1661261C1	3540612C1	1023_IP12	K	N/A	3540614C1	N/A
5CA(+)	18	YL	TXL	1661261C1	3540612C1	1023_IP12	K	N/A	3540614C1	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
5CA(+)	18	YL	TXL	1661261C1	3540612C1	1023_IP12	K	N/A	3540614C1	N/A
GS75WA	18	RD	GXL	1661262C1	3540613C1	1024_IP12	A	N/A	3540615C1	N/A
MJ75WG	18	WH	GXL	1661262C1	3540613C1	1024_IP12	B	N/A	3540615C1	N/A
GX75WB	18	RD	TXL	1661262C1	3540613C1	1024_IP12	C	N/A	3540615C1	N/A
GS75WP	18	LTGN	GXL	1661262C1	3540613C1	1024_IP12	D	N/A	3540615C1	N/A
GS75WC	18	LTGN	TXL	1661262C1	3540613C1	1024_IP12	E	N/A	3540615C1	N/A
GS75WDA	18	LTGN	TXL	1661262C1	3540613C1	1024_IP12	F	N/A	3540615C1	N/A
GS75WE	18	LTGN	TXL	1661262C1	3540613C1	1024_IP12	G	N/A	3540615C1	N/A
GS75WF	18	LTGN	TXL	1661262C1	3540613C1	1024_IP12	H	N/A	3540615C1	N/A
GS75WH	18	LTGN	TXL	1661262C1	3540613C1	1024_IP12	J	N/A	3540615C1	N/A
GV75WA	18	RD	GXL	1661262C1	3540613C1	1024_IP12	A	N/A	3540615C1	N/A
MK75WG	18	WH	GXL	1661262C1	3540613C1	1024_IP12	B	N/A	3540615C1	N/A
GV75WB	18	RD	TXL	1661262C1	3540613C1	1024_IP12	C	N/A	3540615C1	N/A
GV75WP	18	LTGN	TXL	1661262C1	3540613C1	1024_IP12	D	N/A	3540615C1	N/A
GV75WC	18	LTGN	TXL	1661262C1	3540613C1	1024_IP12	E	N/A	3540615C1	N/A
GV75WDA	18	LTGN	TXL	1661262C1	3540613C1	1025_IP12	F	N/A	3540615C1	N/A
GV75WE	18	LTGN	TXL	1661262C1	3540613C1	1025_IP12	G	N/A	3540615C1	N/A
GV75WF	18	LTGN	TXL	1661262C1	3540613C1	1025_IP12	H	N/A	3540615C1	N/A
MK75WJ	18	WH	TXL	1661262C1	3540613C1	1025_IP12	J	N/A	3540615C1	N/A
GV75WK	18	LTGN	TXL	1661262C1	3540613C1	1025_IP12	K	N/A	3540615C1	N/A
2V67EN	16	TN	TXL	1661262C1	3540613C1	1025_IP12	A	N/A	3540615C1	N/A
2Y67EN	16	TN	TXL	1661262C1	3540613C1	1025_IP12	A	N/A	3540615C1	N/A
RV67EN	16	TN	TXL	1661262C1	3540613C1	1025_IP12	A	N/A	3540615C1	N/A
2V67NA	16	PL	TXL	1661262C1	3540613C1	1025_IP12	B	N/A	3540615C1	N/A
2Y67NA	16	PL	TXL	1661262C1	3540613C1	1025_IP12	B	N/A	3540615C1	N/A
RV67NA	16	TN	TXL	1661262C1	3540613C1	1025_IP12	B	N/A	3540615C1	N/A
2V13COG	16	PK	TXL	1661262C1	3540613C1	1025_IP12	C	N/A	3540615C1	N/A
2Y13COG	16	PK	TXL	1661262C1	3540613C1	1025_IP12	C	N/A	3540615C1	N/A
CS13COG	16	PK	TXL	1661262C1	3540613C1	1025_IP12	C	N/A	3540615C1	N/A
RV13COG	16	PK	TXL	1661262C1	3540613C1	1025_IP12	C	N/A	3540615C1	N/A
2V11COG	18	WH	TXL	1661262C1	3540613C1	1025_IP12	D	N/A	3540615C1	N/A
2Y11COG	18	WH	TXL	1661262C1	3540613C1	1025_IP12	D	N/A	3540615C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
CS11COG	18	WH	TXL	1661262C1	3540613C1	1025_IP12	D	N/A	3540615C1	N/A
RV11COG	18	WH	TXL	1661262C1	3540613C1	1026_IP12	D	N/A	3540615C1	N/A
2Z56A2	16	OR	TXL	1661262C1	3540613C1	1026_IP12	E	N/A	3540615C1	N/A
CS5DA(-)	18	GN	TXL	1661262C1	3540613C1	1026_IP12	E	N/A	3540615C1	N/A
EA56A2	16	OR	TXL	1661262C1	3540613C1	1026_IP12	E	N/A	3540615C1	N/A
2Z57A4	16	OR	TXL	1661262C1	3540613C1	1026_IP12	F	N/A	3540615C1	N/A
CS5DA(+)	18	YL	TXL	1661262C1	3540613C1	1026_IP12	F	N/A	3540615C1	N/A
EA57A2	16	OR	TXL	1661262C1	3540613C1	1026_IP12	F	N/A	3540615C1	N/A
2V67COG	18	GY	TXL	1661262C1	3540613C1	1026_IP12	G	N/A	3540615C1	N/A
2Y67COG	18	GY	TXL	1661262C1	3540613C1	1026_IP12	G	N/A	3540615C1	N/A
CS67COG	18	GY	TXL	1661262C1	3540613C1	1026_IP12	G	N/A	3540615C1	N/A
RV67COG	18	WH	TXL	1661262C1	3540613C1	1026_IP12	G	N/A	3540615C1	N/A
2V14CSB	16	RD	TXL	1661262C1	3540613C1	1026_IP12	H	N/A	3540615C1	N/A
2Y14CSB	16	RD	TXL	1661262C1	3540613C1	1026_IP12	H	N/A	3540615C1	N/A
CS14CSB	16	RD	TXL	1661262C1	3540613C1	1026_IP12	H	N/A	3540615C1	N/A
2V5CA(-)	18	GN	TXL	1661262C1	3540613C1	1026_IP12	J	N/A	3540615C1	N/A
JB5E(-)	18	GN	TXL	1661262C1	3540613C1	1026_IP12	J	N/A	3540615C1	N/A
RV5CA(-)	18	GN	TXL	1661262C1	3540613C1	1026_IP12	J	N/A	3540615C1	N/A
2V5CA(+)	18	YL	TXL	1661262C1	3540613C1	1026_IP12	K	N/A	3540615C1	N/A
JB5E(+)	18	YL	TXL	1661262C1	3540613C1	1026_IP12	K	N/A	3540615C1	N/A
RV5CA(+)	18	YL	TXL	1661262C1	3540613C1	1026_IP12	K	N/A	3540615C1	N/A
HW86R	18	LTGN	GXL	1661262C1	3540613C1	1026_IP12	A	N/A	3540615C1	N/A
HW86AE	18	LTGN	GXL	1661262C1	3540613C1	1026_IP12	B	N/A	3540615C1	N/A
HW86F	18	LTGN	GXL	1661262C1	3540613C1	1026_IP12	E	N/A	3540615C1	N/A
JT86AR	18	LTGN	GXL	1661262C1	3540613C1	1026_IP12	F	N/A	3540615C1	N/A
JT86AS	18	LTGN	GXL	1661262C1	3540613C1	1026_IP12	G	N/A	3540615C1	N/A
JT86AT	18	LTGN	GXL	1661262C1	3540613C1	1026_IP12	H	N/A	3540615C1	N/A
JT86AU	18	LTGN	GXL	1661262C1	3540613C1	1027_IP12	J	N/A	3540615C1	N/A
AV75WA	20	OR	GXL	3534481C1	3540613C1	1027_IP12	A	N/A	3540615C1	N/A
AV75WB	20	BK	GXL	3534481C1	3540613C1	1027_IP12	B	N/A	3540615C1	N/A
AV75WC	20	BN	GXL	3534481C1	3540613C1	1027_IP12	C	N/A	3540615C1	N/A
AV75WD	20	RD	GXL	3534481C1	3540613C1	1027_IP12	D	N/A	3540615C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
AV75WE	20	DKBL	GXL	3534481C1	3540613C1	1027_IP12	E	N/A	3540615C1	N/A
AV75WF	20	YL	GXL	3534481C1	3540613C1	1027_IP12	F	N/A	3540615C1	N/A
AV75WG	20	GY	GXL	3534481C1	3540613C1	1027_IP12	G	N/A	3540615C1	N/A
AV75WH	20	LTGN	GXL	3534481C1	3540613C1	1027_IP12	H	N/A	3540615C1	N/A
BA17A	18	PK	GXL	1667742C1	3540757C1	1027_IP12	A	N/A	3540758C1	N/A
BA17AA	18	PK	GXL	1667742C1	3540757C1	1027_IP12	B	N/A	3540758C1	N/A
BA97A	18	VT	GXL	1667742C1	3540757C1	1027_IP12	C	N/A	3540758C1	N/A
BH9M	18	GY	GXL	1667742C1	3540757C1	1027_IP12	D	N/A	3540758C1	N/A
BJ9M	18	GY	GXL	1667742C1	3540757C1	1027_IP12	D	N/A	3540758C1	N/A
V63D	18	DKBL	GXL	1661261C1	3541785C1	1027_IP12	A	N/A	3534506C1	N/A
V63-GA	18	WH	GXL	1661261C1	3541785C1	1027_IP12	B	N/A	3534506C1	N/A
V63EB	18	DKBL	GXL	1661261C1	3541785C1	1050_IP12	C	N/A	3534506C1	N/A
V9NCB	18	GY	GXL	1661261C1	3541785C1	1050_IP12	D	N/A	3534506C1	N/A
YA9AA	16	GY	TXL	3535303C1	3543729C1	1051_IP12	A	3535424C1	3543731C1	N/A
YK9AA	16	GY	TXL	3535303C1	3543729C1	1051_IP12	A	3535424C1	3543731C1	N/A
YB9AB	20	GY	TXL	3535302C1	3543729C1	1052_IP12	B	3535423C1	3543731C1	N/A
YL9AB	20	GY	TXL	3535302C1	3543729C1	1052_IP12	B	3535423C1	3543731C1	N/A
YM9AB	20	GY	TXL	3535302C1	3543729C1	10F	B	3535423C1	3543731C1	N/A
YN9AB	20	GY	TXL	3535302C1	3543729C1	10F	B	3535423C1	3543731C1	N/A
KK9AAD	18	GY	GXL	3535303C1	3543729C1	1100_IP12	C	3535424C1	3543731C1	N/A
PC9AAD	18	GY	TXL	3535303C1	3543729C1	1100_IP12	C	3535424C1	3543731C1	N/A
WP9AAD	18	GY	GXL	3535303C1	3543729C1	1100_IP12	C	3535424C1	3543731C1	N/A
YC9AAD	18	GY	GXL	3535303C1	3543729C1	1100_IP12	C	3535424C1	3543731C1	N/A
YE9AAD	18	GY	GXL	3535303C1	3543729C1	1100_IP12	C	3535424C1	3543731C1	N/A
YG9AAD	18	GY	GXL	3535303C1	3543729C1	1101F_IP12	C	3535424C1	3543731C1	N/A
JE9AAB	18	GY	GXL	3535303C1	3543729C1	1101F_IP12	D	3535424C1	3543731C1	N/A
KE9AAB	18	GY	TXL	3535303C1	3543729C1	1101F_IP12	D	3535424C1	3543731C1	N/A
KE9AAB	18	GY	TXL	3535303C1	3543729C1	1101F_IP12	D	3535424C1	3543731C1	N/A
WW9AAB	18	GY	GXL	3535303C1	3543729C1	1101M_IP12	D	3535424C1	3543731C1	N/A
KZ9AAC	18	GY	GXL	3535303C1	3543729C1	1101M_IP12	E	3535424C1	3543731C1	N/A
WN9AA	18	GY	GXL	3535303C1	3543729C1	1101M_IP12	E	3535424C1	3543731C1	N/A
KA95G	20	WH	TXL	3535302C1	3543729C1	1101M_IP12	A	3535423C1	3543731C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
KC41D	20	WH	TXL	3535302C1	3543729C1	1101M_IP12	B	3535423C1	3543731C1	N/A
GA95-GF	20	WH	GXL	3535302C1	3543729C1	1101M_IP12	C	3535424C1	3543731C1	N/A
KJ95-GF	20	WH	GXL	3535302C1	3543729C1	1110M_IP12	C	3535424C1	3543731C1	N/A
KY95-GG	18	WH	GXL	3535303C1	3543729C1	1110M_IP12	C	3535424C1	3543731C1	N/A
GE44G	18	GY	TXL	3535303C1	3543729C1	1110M_IP12	D	3535424C1	3543731C1	N/A
M85J	16	GY	GXL	1667742C1	3543888C1	1110M_IP12	A	1661872C1	1661874C1	N/A
M85-GC	16	WH	GXL	1667742C1	3543888C1	1110M_IP12	B	1661872C1	1661874C1	N/A
J65	16	BK	GXL	1667742C1	3543888C1	1110M_IP12	A	1661872C1	1661874C1	N/A
J11-GK	16	WH	GXL	1667742C1	3543888C1	1111M_IP12	B	1661872C1	1661874C1	N/A
J65	16	BK	GXL	1667742C1	3543888C1	1111M_IP12	A	1661872C1	1661874C1	N/A
J11-GK	16	WH	GXL	1667742C1	3543888C1	1111M_IP12	B	1661872C1	1661874C1	N/A
D58T	18	BN	GXL	3544691C1	3544687C1	1111M_IP12		1 N/A	N/A	N/A
D58T	18	BN	GXL	3544691C1	3544687C1	1111M_IP12		1 N/A	N/A	N/A
D58T	18	BN	GXL	3544691C1	3544687C1	1111M_IP12		1 N/A	N/A	N/A
D86F	16	LTGN	GXL	3544693C1	3544687C1	1111M_IP12		2 N/A	N/A	N/A
D86F	16	LTGN	GXL	3544693C1	3544687C1	1111M_IP12		2 N/A	N/A	N/A
D86F	16	LTGN	GXL	3544693C1	3544687C1	1111M_IP12		2 N/A	N/A	N/A
D63-GA	16	WH	GXL	3544693C1	3544687C1	1111M_IP12		3 N/A	N/A	N/A
D63-GA	16	WH	GXL	3544693C1	3544687C1	1111M_IP12		3 N/A	N/A	N/A
D63-GA	16	WH	GXL	3544693C1	3544687C1	1111M_IP12		3 N/A	N/A	N/A
D63D	18	DKBL	GXL	3544691C1	3544687C1	1112_IP12		4 N/A	N/A	N/A
D63D	18	DKBL	GXL	3544691C1	3544687C1	1112_IP12		4 N/A	N/A	N/A
D63D	18	DKBL	GXL	3544691C1	3544687C1	1112_IP12		4 N/A	N/A	N/A
D63E	18	DKBL	GXL	3544691C1	3544687C1	1112_IP12		5 N/A	N/A	N/A
D63E	18	DKBL	GXL	3544691C1	3544687C1	1112M_IP12		5 N/A	N/A	N/A
D63E	18	DKBL	GXL	3544691C1	3544687C1	1112M_IP12		5 N/A	N/A	N/A
5CB(-)	18	GN	TXL	3544691C1	3544687C1	1112M_IP12		9 N/A	N/A	N/A
5CB(-)	18	GN	TXL	3544691C1	3544687C1	1112M_IP12		9 N/A	N/A	N/A
5CB(-)	18	GN	TXL	3544691C1	3544687C1	1112M_IP12		9 N/A	N/A	N/A
5CB(+)	18	YL	TXL	3544691C1	3544687C1	1112M_IP12		10 N/A	N/A	N/A
5CB(+)	18	YL	TXL	3544691C1	3544687C1	1112M_IP12		10 N/A	N/A	N/A
5CB(+)	18	YL	TXL	3544691C1	3544687C1	1112M_IP12		10 N/A	N/A	N/A



Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
2A58T	18	BN	TXL	3544692C1	3544688C1	1112M_IP12		1 N/A	N/A	N/A
3C58T	18	BN	TXL	3544692C1	3544688C1	1112M_IP12		1 N/A	N/A	N/A
3E58T	18	BN	TXL	3544692C1	3544688C1	1112M_IP12		1 N/A	N/A	N/A
HY58T	18	BN	TXL	3544692C1	3544688C1	1112M_IP12		1 N/A	N/A	N/A
MR86F	18	LTGN	TXL	3544692C1	3544688C1	1113_IP12		2 N/A	N/A	N/A
MZ86P	18	LTGN	TXL	3544692C1	3544688C1	1113_IP12		2 N/A	N/A	N/A
AA63-GA	16	WH	TXL	3544694C1	3544688C1	1113M_IP12		3 N/A	N/A	N/A
AA63D	18	DKBL	TXL	3544692C1	3544688C1	1113M_IP12		4 N/A	N/A	N/A
AA63BD	18	GY	TXL	3544692C1	3544688C1	1113M_IP12		5 N/A	N/A	N/A
JC5F(-)	18	GN	TXL	3544692C1	3544688C1	1113M_IP12		9 N/A	N/A	N/A
JD5F(-)	18	GN	TXL	3544692C1	3544688C1	1113M_IP12		9 N/A	N/A	N/A
JF5F(-)	18	GN	TXL	3544692C1	3544688C1	1113M_IP12		9 N/A	N/A	N/A
JG5F(-)	18	GN	TXL	3544692C1	3544688C1	1114M_IP12		9 N/A	N/A	N/A
JC5F(+)	18	YL	TXL	3544692C1	3544688C1	1114M_IP12		10 N/A	N/A	N/A
JD5F(+)	18	YL	TXL	3544692C1	3544688C1	1114M_IP12		10 N/A	N/A	N/A
JF5F(+)	18	YL	TXL	3544692C1	3544688C1	1114M_IP12		10 N/A	N/A	N/A
JG5F(+)	18	YL	TXL	3544692C1	3544688C1	1114M_IP12		10 N/A	N/A	N/A
BD75ARB	18	LTGN	GXL	3544884C1	3544870C1	1114M_IP12	A1	N/A	3544871C1	N/A
BF75AR	18	LTGN	GXL	3544884C1	3544870C1	1114M_IP12	A1	N/A	3544871C1	N/A
BA75F	18	LTGN	GXL	3544884C1	3544870C1	1114M_IP12	A11	N/A	3544871C1	N/A
BA75N	18	DKBL	GXL	3544884C1	3544870C1	1114M_IP12	A12	N/A	3544871C1	N/A
BA75-GA	18	WH	GXL	3544884C1	3544870C1	1116M_IP12	A2	N/A	3544871C1	N/A
BA75AJ	18	LTGN	GXL	3544884C1	3544870C1	1116M_IP12	A3	N/A	3544871C1	N/A
BA75X	18	LTGN	GXL	3544884C1	3544870C1	1116M_IP12	A4	N/A	3544871C1	N/A
BN5E(+)	18	YL	TXL	3544884C1	3544870C1	1116M_IP12	A5	N/A	3544871C1	N/A
BN5E(-)	18	GN	TXL	3544884C1	3544870C1	1116M_IP12	A6	N/A	3544871C1	N/A
BA14HA	12	RD	GXL	3544877C1	3544870C1	1117M_IP12	A7	N/A	3544871C1	N/A
BA14HB	12	RD	GXL	3544877C1	3544870C1	1117M_IP12	A8	N/A	3544871C1	N/A
MF104	12	RD	GXL	3544877C1	3544870C1	1117M_IP12	A9	N/A	3544871C1	N/A
BA75AB	18	LTGN	TXL	3544884C1	3544870C1	1117M_IP12	B1	N/A	3544871C1	N/A
BD77NFB	18	LTGN	TXL	3544884C1	3544870C1	1117M_IP12	B12	N/A	3544871C1	N/A
BF77NF	18	LTGN	TXL	3544884C1	3544870C1	1117M_IP12	B12	N/A	3544871C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
BD77NEB	18	LTGN	TXL	3544884C1	3544870C1	1117M_IP12	B13	N/A	3544871C1	N/A
BF77NE	18	LTGN	TXL	3544884C1	3544870C1	1117M_IP12	B13	N/A	3544871C1	N/A
BD75AGB	18	LTGN	TXL	3544884C1	3544870C1	1117M_IP12	B14	N/A	3544871C1	N/A
BF75AG	18	LTGN	TXL	3544884C1	3544870C1	1117M_IP12	B14	N/A	3544871C1	N/A
BD75AFB	18	LTGN	TXL	3544884C1	3544870C1	1117M_IP12	B15	N/A	3544871C1	N/A
BF75AF	18	LTGN	TXL	3544884C1	3544870C1	1117M_IP12	B15	N/A	3544871C1	N/A
BA75AA	18	LTGN	TXL	3544884C1	3544870C1	1118M_IP12	B2	N/A	3544871C1	N/A
BA75J	18	LTGN	TXL	3544884C1	3544870C1	1118M_IP12	B3	N/A	3544871C1	N/A
BA75K	18	LTGN	TXL	3544884C1	3544870C1	1118M_IP12	B4	N/A	3544871C1	N/A
BA75L	18	LTGN	TXL	3544884C1	3544870C1	1118M_IP12	B5	N/A	3544871C1	N/A
BA75M	18	LTGN	TXL	3544884C1	3544870C1	1118M_IP12	B6	N/A	3544871C1	N/A
BA75-GBA	12	WH	GXL	3544877C1	3544870C1	1118M_IP12	B7	N/A	3544871C1	N/A
BA75-GBB	12	WH	GXL	3544877C1	3544870C1	1118M_IP12	B8	N/A	3544871C1	N/A
MF104-G	12	WH	GXL	3544877C1	3544870C1	1119M_IP12	B9	N/A	3544871C1	N/A
AA15	18	RD	TXL	1661208C1	3546518C1	1119M_IP12	A	N/A	3546519C1	N/A
ND17HA	16	PK	TXL	1661209C1	3546518C1	1119M_IP12	B	N/A	3546519C1	N/A
NE17HA	16	PK	TXL	1661209C1	3546518C1	1119M_IP12	B	N/A	3546519C1	N/A
AA149	18	GY	TXL	1661208C1	3546518C1	1119M_IP12	C	N/A	3546519C1	N/A
AA149F	18	GY	TXL	1661208C1	3546518C1	1119M_IP12	D	N/A	3546519C1	N/A
[BDCORE]	18	-	TXL	UNDEF	3547279C93	1119M_IP12		1 N/A	N/A	N/A
[BDSHLD]	18	-	TXL	UNDEF	3547279C93	1119M_IP12		2 N/A	N/A	N/A
[BDCORE]	18	-	TXL	UNDEF	3547279C9X	1119M_IP12		1 N/A	N/A	N/A
[BDSHLD]	18	-	TXL	UNDEF	3547279C9X	1119M_IP12		2 N/A	N/A	N/A
BJ97	20	GY	TXL	3544254C1	3547870C1	1119M_IP12	A	N/A	3515764C1	N/A
BJ85A	20	GY	TXL	3544254C1	3547870C1	1119M_IP12	B	N/A	3515764C1	N/A
BJ62DD	20	DKBL	TXL	3544254C1	3547870C1	1119M_IP12	C	N/A	3515764C1	N/A
BJ9C	18	GY	TXL	1661261C1	3547870C1	1119M_IP12	D	N/A	3515764C1	N/A
HA12B	18	PL	TXL	3517243C1	3548957C91	1124M_IP12		3 N/A	N/A	N/A
LD75-GBB	18	LTGN	TXL	3517243C1	3548957C91	1124M_IP12		4 N/A	N/A	N/A
LE75-GBB	18	LTGN	TXL	3517243C1	3548957C91	1124M_IP12		4 N/A	N/A	N/A
HG75CB	18	LTGN	TXL	3517243C1	3548957C91	1124M_IP12		5 N/A	N/A	N/A
HG77TFA	18	LTGN	TXL	3517243C1	3548957C91	1124M_IP12		7 N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
HG77TF	18	LTGN	TXL	3517243C1	3548957C91	1124M_IP12	8	N/A	N/A	N/A
HG77TFB	18	LTGN	TXL	3517243C1	3548957C91	1124M_IP12	9	N/A	N/A	N/A
HG77TMB	18	LTGN	TXL	3517243C1	3548957C91	1124M_IP12	10	N/A	N/A	N/A
HG77TMA	18	LTGN	TXL	3517243C1	3548957C91	1124M_IP12	11	N/A	N/A	N/A
HG77TSB	20	LTGN	TXL	3533507C1	3548957C91	1125M_IP12	12	N/A	N/A	N/A
HG77TSA	20	LTGN	TXL	3533507C1	3548957C91	1125M_IP12	13	N/A	N/A	N/A
BL5SA(+)	18	YL	TXL	3517243C1	3548957C91	1125M_IP12	15	N/A	N/A	N/A
BL5SA(-)	18	GN	TXL	3517243C1	3548957C91	1125M_IP12	16	N/A	N/A	N/A
HG62AH	18	DKBL	TXL	3517243C1	3548957C91	1125M_IP12	17	N/A	N/A	N/A
HC77TV	18	LTGN	TXL	3517243C1	3548957C91	1125M_IP12	18	N/A	N/A	N/A
HC77TZ	18	LTGN	TXL	3517243C1	3548957C91	1126M_IP12	19	N/A	N/A	N/A
HC77TT	18	LTGN	TXL	3517243C1	3548957C91	1126M_IP12	21	N/A	N/A	N/A
HC77TB	18	LTGN	TXL	3517243C1	3548957C91	1126M_IP12	23	N/A	N/A	N/A
HD75F	18	LTGN	TXL	3517243C1	3548957C91	1126M_IP12	24	N/A	N/A	N/A
HD75-GA	18	WH	TXL	3517243C1	3548957C91	1126M_IP12	25	N/A	N/A	N/A
HD75R	18	LTGN	TXL	3517243C1	3548957C91	1126M_IP12	26	N/A	N/A	N/A
HD75H	18	LTGN	TXL	3517243C1	3548957C91	1200A_IP12	27	N/A	N/A	N/A
HD75J	18	LTGN	TXL	3517243C1	3548957C91	1200A_IP12	28	N/A	N/A	N/A
HD75K	18	LTGN	TXL	3517243C1	3548957C91	1200A_IP12	29	N/A	N/A	N/A
HD75L	18	LTGN	TXL	3517243C1	3548957C91	1200A_IP12	30	N/A	N/A	N/A
HD75M	18	LTGN	TXL	3517243C1	3548957C91	1200A_IP12	31	N/A	N/A	N/A
HD75N	18	LTGN	TXL	3517243C1	3548957C91	1200A_IP12	32	N/A	N/A	N/A
XF94BR	18	GY	TXL	3548971C1	3548978C1	1200A_IP12	2	N/A	3549120C1	N/A
XF94BP	18	GY	TXL	3548971C1	3548978C1	1200A_IP12	3	N/A	3549120C1	N/A
XF94BQ	18	GY	TXL	3548971C1	3548978C1	1200A_IP12	5	N/A	3549120C1	N/A
XF94BY	18	GY	TXL	3548971C1	3548978C1	1200A_IP12	6	N/A	3549120C1	N/A
XG94SJ	18	GY	TXL	3548971C1	3548978C1	1200A_IP12	8	N/A	3549120C1	N/A
XF94BV	18	GY	TXL	3548971C1	3548978C1	1200A_IP12	11	N/A	3549120C1	N/A
XF94BU	18	GY	TXL	3548971C1	3548978C1	1200A_IP12	12	N/A	3549120C1	N/A
XG94SK	18	GY	TXL	3548971C1	3548978C1	1200A_IP12	13	N/A	3549120C1	N/A
XF94BW	18	GY	TXL	3548971C1	3548978C1	1200A_IP12	14	N/A	3549120C1	N/A
XF94BS	18	GY	TXL	3548971C1	3548978C1	1200A_IP12	15	N/A	3549120C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
KA10H2	10	WH	TXL	1687847C1	3551896C1	1200A_IP12	A	0589390C1	3551897C1	N/A
KA92F16	14	WH	TXL	2033816C1	3551896C1	1200A_IP12	A	1652325C1	3551897C1	N/A
AL10-H	10	WH	TXL	1687847C1	3551896C1	1200A_IP12	B	0589390C1	3551897C1	N/A
AM10-H	10	WH	TXL	1687847C1	3551896C1	1200A_IP12	B	0589390C1	3551897C1	N/A
AN10-H	10	WH	TXL	1687847C1	3551896C1	1200A_IP12	B	0589390C1	3551897C1	N/A
AS10-H	10	WH	TXL	1687847C1	3551896C1	1200B_IP12	B	0589390C1	3551897C1	N/A
TJ95-GB	16	BK	TXL	2033819C1	3551896C1	1200B_IP12	B	1652325C1	3551897C1	N/A
TK95-GB	16	BK	TXL	2033819C1	3551896C1	1200B_IP12	B	1652325C1	3551897C1	N/A
KA41-GD	12	WH	GXL	2033816C1	3551896C1	1200B_IP12	C	0589390C1	3551897C1	N/A
KA95-GC	18	BK	TXL	2033819C1	3551896C1	1200B_IP12	C	3517771C1	3551897C1	N/A
TD92-G	14	WH	GXL	2033816C1	3551896C1	1200B_IP12	D	0589391C1	3551897C1	N/A
TL10-G	10	WH	TXL	1687847C1	3551896C1	1200B_IP12	D	0589390C1	3551897C1	N/A
TM10-G	10	WH	TXL	1687847C1	3551896C1	1200B_IP12	D	0589390C1	3551897C1	N/A
TS10-G	10	WH	TXL	1687847C1	3551896C1	1200B_IP12	D	0589390C1	3551897C1	N/A
TZ92-G	14	WH	GXL	2033816C1	3551896C1	1200B_IP12	D	0589391C1	3551897C1	N/A
XV92-G	12	WH	TXL	2033816C1	3551896C1	1200B_IP12	D	0589391C1	3551897C1	N/A
KA10H3	10	WH	TXL	1687847C1	3551896C1	1200B_IP12	E	0589390C1	3551897C1	N/A
KA41-GE	10	WH	TXL	1687847C1	3551896C1	1200B_IP12	E	0589390C1	3551897C1	N/A
KA41-GF	10	WH	TXL	1687847C1	3551896C1	1200B_IP12	F	0589390C1	3551897C1	N/A
MA11-GD	12	WH	GXL	2033816C1	3551896C1	1200B_IP12	A	0589390C1	3551897C1	N/A
MD64-GA	16	WH	TXL	2033819C1	3551896C1	1200B_IP12	B	1652325C1	3551897C1	N/A
ME64-GA	16	WH	GXL	2033819C1	3551896C1	1200B_IP12	B	1652325C1	3551897C1	N/A
MD64-GB	16	WH	TXL	2033819C1	3551896C1	1200B_IP12	C	1652325C1	3551897C1	N/A
ME64-GB	16	WH	GXL	2033819C1	3551896C1	1200C_IP12	C	1652325C1	3551897C1	N/A
MH19-GA	14	WH	GXL	2033816C1	3551896C1	1200C_IP12	D	0589391C1	3551897C1	N/A
MK19-GA	14	WH	GXL	2033816C1	3551896C1	1200C_IP12	D	0589391C1	3551897C1	N/A
MJ54-GA	16	WH	GXL	2033819C1	3551896C1	1200C_IP12	E	1652325C1	3551897C1	N/A
MA85-GA	16	WH	GXL	2033819C1	3551896C1	1200C_IP12	F	1652325C1	3551897C1	N/A
NA9BC	18	GY	GXL	2033819C1	3551896C1	1200C_IP12	A	1652325C1	3551897C1	N/A
FA9BE	18	GY	GXL	2033819C1	3551896C1	1200C_IP12	C	1652325C1	3551897C1	N/A
FB9BE	18	GY	GXL	2033819C1	3551896C1	1200C_IP12	C	1652325C1	3551897C1	N/A
FC9BE	18	GY	GXL	2033819C1	3551896C1	1200C_IP12	C	1652325C1	3551897C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
FD9BE	18	GY	GXL	2033819C1	3551896C1	1200C_IP12	C	1652325C1	3551897C1	N/A
FE9BE	18	GY	GXL	2033819C1	3551896C1	1200C_IP12	C	1652325C1	3551897C1	N/A
FF9BE	18	GY	GXL	2033819C1	3551896C1	1200C_IP12	C	1652325C1	3551897C1	N/A
NR9BF	18	GY	GXL	2033819C1	3551896C1	1200C_IP12	D	1652325C1	3551897C1	N/A
NA11-GA	10	WH	TXL	1687847C1	3551896C1	1200C_IP12	A	0589390C1	3551897C1	N/A
NA10-G	12	WH	TXL	2033816C1	3551896C1	1200C_IP12	B	0589391C1	3551897C1	N/A
GD39-GA	16	WH	GXL	2033819C1	3551896C1	1200D_IP12	D	1652325C1	3551897C1	N/A
GF39-GA	16	WH	GXL	2033819C1	3551896C1	1200D_IP12	D	1652325C1	3551897C1	N/A
GA39-G	16	WH	GXL	2033819C1	3551896C1	1200E_IP12	E	1652325C1	3551897C1	N/A
GB39-G	16	WH	GXL	2033819C1	3551896C1	1200E_IP12	E	1652325C1	3551897C1	N/A
RE39-G	18	WH	GXL	2033819C1	3551896C1	1200E_IP12	F	1652325C1	3551897C1	N/A
NA11-GB	10	WH	TXL	1687847C1	3551896C1	1200E_IP12	A	0589390C1	3551897C1	N/A
CA59-G	14	WH	GXL	2033816C1	3551896C1	1200E_IP12	B	0589391C1	3551897C1	N/A
CB59-G	14	WH	GXL	2033816C1	3551896C1	1200E_IP12	B	0589391C1	3551897C1	N/A
CC59-G	14	WH	GXL	2033816C1	3551896C1	1200E_IP12	B	0589391C1	3551897C1	N/A
CD59-G	14	WH	GXL	2033816C1	3551896C1	1200E_IP12	B	0589391C1	3551897C1	N/A
SW59-GA	14	WH	GXL	2033816C1	3551896C1	1200E_IP12	C	0589391C1	3551897C1	N/A
SX59-GA	16	GY	GXL	2033819C1	3551896C1	1200E_IP12	C	1652325C1	3551897C1	N/A
SY59-GA	14	WH	GXL	2033816C1	3551896C1	1200E_IP12	C	0589391C1	3551897C1	N/A
SZ59-G	14	WH	GXL	2033816C1	3551896C1	1200E_IP12	C	0589391C1	3551897C1	N/A
NT49-G	18	WH	GXL	2033819C1	3551896C1	1200E_IP12	D	1652325C1	3551897C1	N/A
NV65-G	16	WH	GXL	2033819C1	3551896C1	1200E_IP12	E	1652325C1	3551897C1	N/A
NX65-GA	14	WH	GXL	2033816C1	3551896C1	1202_IP12	F	0589391C1	3551897C1	N/A
NY65-GA	14	WH	GXL	2033816C1	3551896C1	1202_IP12	F	0589391C1	3551897C1	N/A
AP9B	18	PL	TXL	2033819C1	3551896C1	1202_IP12	A	3517771C1	3551897C1	N/A
AY9B	18	PL	TXL	2033819C1	3551896C1	1202_IP12	A	3517771C1	3551897C1	N/A
WA92B20	18	TN	TXL	2033819C1	3551896C1	1215_IP12	B	3517771C1	3551897C1	N/A
WC92B20	18	TN	TXL	2033819C1	3551896C1	1215_IP12	B	3517771C1	3551897C1	N/A
SG92A3	18	TN	TXL	2033819C1	3551896C1	1300_IP12	C	3517771C1	3551897C1	N/A
VA95W	18	TN	TXL	2033819C1	3551896C1	1300_IP12	D	3517771C1	3551897C1	N/A
VB95W	18	TN	TXL	2033819C1	3551896C1	1300_IP12	D	3517771C1	3551897C1	N/A
VE95W	18	TN	TXL	2033819C1	3551896C1	1300_IP12	D	3517771C1	3551897C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
KB34B	18	TN	TXL	2033819C1	3551896C1	1300_IP12	F	3517771C1	3551897C1	N/A
KC34B	18	TN	TXL	2033819C1	3551896C1	1300_IP12	F	3517771C1	3551897C1	N/A
RF3BD(+)	18	DKBL	GXL	3518963C1	3553404C1	1300_IP12		4 N/A	3553460C1	N/A
RF3BD(-)	18	GY	GXL	3518963C1	3553404C1	1300_IP12		5 N/A	3553460C1	N/A
RF5U(-)	18	GN	TXL	3727971C1	3553404C1	1300_IP12		11 N/A	3553460C1	N/A
RF5U(+)	18	YL	TXL	3727971C1	3553404C1	1300_IP12		12 N/A	3553460C1	N/A
DL3BD(+)	18	DKBL	TXL	3727971C1	3553404C1	1300_IP12		4 N/A	3553460C1	N/A
DL3BD(-)	18	GY	TXL	3727971C1	3553404C1	1300_IP12		5 N/A	3553460C1	N/A
LP5BF(-)	18	GN	TXL	3727971C1	3553404C1	1300_IP12		11 N/A	3553460C1	N/A
LP5BF(+)	18	YL	TXL	3727971C1	3553404C1	1300_IP12		12 N/A	3553460C1	N/A
AA56B	20	OR	TXL	3544883C1	3553649C1	1300_IP12	A1	N/A	3553650C1	N/A
AA57B	20	OR	TXL	3544883C1	3553649C1	1300_IP12	A2	N/A	3553650C1	N/A
AA87-GA	18	WH	TXL	3544876C1	3553649C1	1300_IP12	A3	N/A	3553650C1	N/A
AA9	18	GY	GXL	3544876C1	3553649C1	1300_IP12	A4	N/A	3553650C1	N/A
AA87E	18	GY	TXL	3544876C1	3553649C1	1300_IP12	A5	N/A	3553650C1	N/A
GX94MN	18	GY	TXL	3544876C1	3553649C1	1300_IP12	A6	N/A	3553650C1	N/A
AA52D	20	YL	TXL	3544883C1	3553649C1	1300_IP12	A7	N/A	3553650C1	N/A
AA102A	20	YL	TXL	3544883C1	3553649C1	1300_IP12	A8	N/A	3553650C1	N/A
AA82C	20	GY	TXL	3544883C1	3553649C1	1300_IP12	B1	N/A	3553650C1	N/A
AA85A	20	GY	TXL	3544883C1	3553649C1	1300_IP12	B10	N/A	3553650C1	N/A
AA100	18	LTGN	TXL	3544884C1	3553649C1	1300_IP12	B11	N/A	3553650C1	N/A
MS86A	20	GY	GXL	3544883C1	3553649C1	1300_IP12	B12	N/A	3553650C1	N/A
AA40A	20	GY	TXL	3544883C1	3553649C1	1300_IP12	B2	N/A	3553650C1	N/A
AA6	20	GY	TXL	3544883C1	3553649C1	1300_IP12	B3	N/A	3553650C1	N/A
AA97B	18	PL	TXL	3544884C1	3553649C1	1300_IP12	B4	N/A	3553650C1	N/A
AA99D	18	PL	TXL	3544884C1	3553649C1	1300_IP12	B5	N/A	3553650C1	N/A
AA97N	18	PL	TXL	3544884C1	3553649C1	1300_IP12	B6	N/A	3553650C1	N/A
AA44	20	GY	TXL	3544883C1	3553649C1	1300_IP12	B7	N/A	3553650C1	N/A
AA70	20	OR	TXL	3544883C1	3553649C1	1300_IP12	B9	N/A	3553650C1	N/A
AA82B	20	GY	TXL	3544883C1	3553649C1	1300_IP12	C1	N/A	3553650C1	N/A
XZ94SZ	16	GY	TXL	3544884C1	3553649C1	1300_IP12	C10	N/A	3553650C1	N/A
DT97A	18	PL	TXL	3544884C1	3553649C1	1300_IP12	C11	N/A	3553650C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
AA40	20	GY	TXL	3544883C1	3553649C1	1300_IP12	C12	N/A	3553650C1	N/A
DV40B	18	GY	TXL	3544884C1	3553649C1	1300_IP12	C2	N/A	3553650C1	N/A
XZ94SV	16	GY	TXL	3544884C1	3553649C1	1300_IP12	C3	N/A	3553650C1	N/A
AA99B	18	PL	TXL	3544884C1	3553649C1	1301_IP12	C4	N/A	3553650C1	N/A
AA97C	18	PL	TXL	3544884C1	3553649C1	1301_IP12	C5	N/A	3553650C1	N/A
AA97M	18	PL	TXL	3544884C1	3553649C1	1301_IP12	C6	N/A	3553650C1	N/A
AA82A	20	GY	TXL	3544883C1	3553649C1	1301_IP12	C9	N/A	3553650C1	N/A
CF70E	18	OR	TXL	3544884C1	3553649C1	1301_IP12	D1	N/A	3553650C1	N/A
CG70E	18	OR	TXL	3544884C1	3553649C1	1301_IP12	D1	N/A	3553650C1	N/A
CF70D	18	GY	TXL	3544884C1	3553649C1	1301_IP12	D2	N/A	3553650C1	N/A
CG70D	18	OR	TXL	3544884C1	3553649C1	1400_IP12	D2	N/A	3553650C1	N/A
AA62DD	18	DKBL	TXL	3544876C1	3553649C1	1400_IP12	D3	N/A	3553650C1	N/A
GX94-GCC	18	WH	TXL	3544876C1	3553649C1	1400_IP12	D5	N/A	3553650C1	N/A
XZ94SE	18	GY	TXL	3544876C1	3553649C1	1400_IP12	D5	N/A	3553650C1	N/A
GX94BY	18	GY	TXL	3544876C1	3553649C1	1400_IP12	D6	N/A	3553650C1	N/A
XZ94SF	16	GY	TXL	3544876C1	3553649C1	1400_IP12	D6	N/A	3553650C1	N/A
NE17A	18	PK	TXL	3544884C1	3553649C1	1400_IP12	D7	N/A	3553650C1	N/A
DT17B	18	PK	TXL	3544884C1	3553649C1	1400_IP12	D8	N/A	3553650C1	N/A
AA99D	18	PL	TXL	3544884C1	3553649C1	1400_IP12	A1	N/A	3553650C1	N/A
BP71A	16	OR	TXL	3544884C1	3553649C1	1400_IP12	A2	N/A	3553650C1	N/A
EY71A	18	OR	TXL	3544884C1	3553649C1	1400_IP12	A2	N/A	3553650C1	N/A
AU28	18	TN	TXL	3544876C1	3553649C1	1400_IP12	A3	N/A	3553650C1	N/A
MN9ZA	18	GY	TXL	3544876C1	3553649C1	1400_IP12	A4	N/A	3553650C1	N/A
AA99B	18	PL	TXL	3544876C1	3553649C1	1400_IP12	A5	N/A	3553650C1	N/A
3H77BA	20	LTGN	TXL	3544875C1	3553649C1	1400_IP12	A6	N/A	3553650C1	N/A
2A54A	16	BN	TXL	3544884C1	3553649C1	1400_IP12	A7	N/A	3553650C1	N/A
3C54A	16	BN	TXL	3544884C1	3553649C1	1400_IP12	A7	N/A	3553650C1	N/A
3E54A	16	BN	TXL	3544884C1	3553649C1	1400_IP12	A7	N/A	3553650C1	N/A
HY54A	16	BN	TXL	3544884C1	3553649C1	1400_IP12	A7	N/A	3553650C1	N/A
3T92#165	18	OR	TXL	3544884C1	3553649C1	1400_IP12	A8	N/A	3553650C1	N/A
GM92#165	18	OR	TXL	3544884C1	3553649C1	1400_IP12	A8	N/A	3553650C1	N/A
2B57A	16	OR	TXL	3544884C1	3553649C1	1400_IP12	B1	N/A	3553650C1	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
2C57A	16	OR	TXL	3544884C1	3553649C1	1400_IP12	B1	N/A	3553650C1	N/A
2D57A	16	OR	TXL	3544884C1	3553649C1	1401_IP12	B1	N/A	3553650C1	N/A
2E57A	16	OR	TXL	3544884C1	3553649C1	1401_IP12	B1	N/A	3553650C1	N/A
2F57A	16	OR	TXL	3544884C1	3553649C1	1401_IP12	B1	N/A	3553650C1	N/A
2G57A	16	OR	TXL	3544884C1	3553649C1	1401_IP12	B1	N/A	3553650C1	N/A
AA97N	18	PL	TXL	3544884C1	3553649C1	1401_IP12	B11	N/A	3553650C1	N/A
AA77	18	LTGN	TXL	3544884C1	3553649C1	1401_IP12	B12	N/A	3553650C1	N/A
AF17	16	PK	TXL	3544884C1	3553649C1	1401_IP12	B2	N/A	3553650C1	N/A
GP17	16	PK	TXL	3544884C1	3553649C1	1401_IP12	B2	N/A	3553650C1	N/A
AZ92-GC	18	WH	TXL	3544884C1	3553649C1	1401_IP12	B3	N/A	3553650C1	N/A
BP71B	16	OR	TXL	3544884C1	3553649C1	1401_IP12	B4	N/A	3553650C1	N/A
EY71B	16	OR	TXL	3544884C1	3553649C1	1401_IP12	B4	N/A	3553650C1	N/A
EH97F	16	PL	TXL	3544884C1	3553649C1	1401_IP12	B5	N/A	3553650C1	N/A
AZ13A	16	PK	GXL	3544884C1	3553649C1	1401_IP12	B6	N/A	3553650C1	N/A
GY92#163	16	PK	TXL	3544884C1	3553649C1	1401_IP12	B6	N/A	3553650C1	N/A
AA97C	18	PL	TXL	3544884C1	3553649C1	1401_IP12	B7	N/A	3553650C1	N/A
3H77B	20	GY	TXL	3544883C1	3553649C1	1401_IP12	B9	N/A	3553650C1	N/A
MN92	18	TN	TXL	3544884C1	3553649C1	1401_IP12	C1	N/A	3553650C1	N/A
GY92#141	18	TN	TXL	3544884C1	3553649C1	1401_IP12	C11	N/A	3553650C1	N/A
AA97B	18	PL	TXL	3544884C1	3553649C1	1402_IP12	C12	N/A	3553650C1	N/A
AZ92B	18	TN	TXL	3544884C1	3553649C1	1402_IP12	C2	N/A	3553650C1	N/A
AA9AA	18	GY	TXL	3544884C1	3553649C1	1402_IP12	C3	N/A	3553650C1	N/A
AA82L	16	GY	TXL	3544884C1	3553649C1	1402_IP12	C4	N/A	3553650C1	N/A
YG82K	16	GY	TXL	3544884C1	3553649C1	1402_IP12	C5	N/A	3553650C1	N/A
YH82KA	16	GY	TXL	3544884C1	3553649C1	1402_IP12	C5	N/A	3553650C1	N/A
AA97M	18	PL	TXL	3544884C1	3553649C1	1402_IP12	C6	N/A	3553650C1	N/A
HZ41D	18	TN	TXL	3544884C1	3553649C1	1402_IP12	C7	N/A	3553650C1	N/A
FD88	18	LTGN	TXL	3544884C1	3553649C1	1402_IP12	D1	N/A	3553650C1	N/A
AA82-G	16	WH	TXL	3544884C1	3553649C1	1402_IP12	D2	N/A	3553650C1	N/A
DT104AL	16	DKBL	TXL	3544876C1	3553649C1	1402_IP12	D3	N/A	3553650C1	N/A
DT104-GA	16	WH	TXL	3544876C1	3553649C1	1402_IP12	D4	N/A	3553650C1	N/A
FE88A	18	LTGN	TXL	3544876C1	3553649C1	1402_IP12	D5	N/A	3553650C1	N/A



Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
AA74	18	LTGN	TXL	3544876C1	3553649C1	1402_IP12	D6	N/A	3553650C1	N/A	
2A54-GXEJ	16	WH	TXL	3544884C1	3553649C1	1402_IP12	A1	N/A	3553650C1	N/A	
3C54-GXEJ	16	WH	TXL	3544884C1	3553649C1	1402_IP12	A1	N/A	3553650C1	N/A	
3E54-GXEJ	16	WH	TXL	3544884C1	3553649C1	1403_IP12	A1	N/A	3553650C1	N/A	
HY54-GXEJ	16	WH	TXL	3544884C1	3553649C1	1403_IP12	A1	N/A	3553650C1	N/A	
DS31J	18	TN	TXL	3544876C1	3553649C1	1403_IP12	A3	N/A	3553650C1	N/A	
AA82DJ	16	GY	TXL	3544884C1	3553649C1	1403_IP12	A7	N/A	3553650C1	N/A	
DY54XAJ	16	BN	TXL	3544884C1	3553649C1	1403_IP12	B1	N/A	3553650C1	N/A	
AA82JJ	16	GY	TXL	3544884C1	3553649C1	1403_IP12	B12	N/A	3553650C1	N/A	
DY54-GXAJ	16	WH	TXL	3544884C1	3553649C1	1403_IP12	B2	N/A	3553650C1	N/A	
GY92#134J	18	TN	TXL	3544884C1	3553649C1	1403_IP12	B3	N/A	3553650C1	N/A	
HZ41EJ	18	TN	TXL	3544884C1	3553649C1	1403_IP12	B4	N/A	3553650C1	N/A	
3D5PJ(+)	18	YL	TXL	3544884C1	3553649C1	1403_IP12	C6	N/A	3553650C1	N/A	
3M5PJ(+)	18	YL	TXL	3544884C1	3553649C1	1403_IP12	C6	N/A	3553650C1	N/A	
9K5PJ(+)	18	YL	TXL	3544884C1	3553649C1	1403_IP12	C6	N/A	3553650C1	N/A	
9L5PJ(+)	18	YL	TXL	3544884C1	3553649C1	1410_IP12	C6	N/A	3553650C1	N/A	
9U5PJ(+)	18	YL	TXL	3544884C1	3553649C1	1410_IP12	C6	N/A	3553650C1	N/A	
9V5PJ(+)	18	YL	TXL	3544884C1	3553649C1	1410_IP12	C6	N/A	3553650C1	N/A	
JC5PJ(+)	18	YL	TXL	3544884C1	3553649C1	1410_IP12	C6	N/A	3553650C1	N/A	
JD5PJ(+)	18	YL	TXL	3544884C1	3553649C1	1410_IP12	C6	N/A	3553650C1	N/A	
JF5PJ(+)	18	YL	TXL	3544884C1	3553649C1	1410_IP12	C6	N/A	3553650C1	N/A	
JG5PJ(+)	18	YL	TXL	3544884C1	3553649C1	1410_IP12	C6	N/A	3553650C1	N/A	
SN5PJ(+)	18	YL	TXL	3544884C1	3553649C1	1410_IP12	C6	N/A	3553650C1	N/A	
SP5PJ(+)	18	YL	TXL	3544884C1	3553649C1	1410_IP12	C6	N/A	3553650C1	N/A	
3D5PJ(-)	18	GN	TXL	3544884C1	3553649C1	1410_IP12	C7	N/A	3553650C1	N/A	
3M5PJ(-)	18	GN	TXL	3544884C1	3553649C1	1410_IP12	C7	N/A	3553650C1	N/A	
9K5PJ(-)	18	GN	TXL	3544884C1	3553649C1	1410_IP12	C7	N/A	3553650C1	N/A	
9L5PJ(-)	18	GN	TXL	3544884C1	3553649C1	1410_IP12	C7	N/A	3553650C1	N/A	
9U5PJ(-)	18	GN	TXL	3544884C1	3553649C1	1410_IP12	C7	N/A	3553650C1	N/A	
9V5PJ(-)	18	GN	TXL	3544884C1	3553649C1	1410_IP12	C7	N/A	3553650C1	N/A	
JC5PJ(-)	18	GN	TXL	3544884C1	3553649C1	1410_IP12	C7	N/A	3553650C1	N/A	
JD5PJ(-)	18	GN	TXL	3544884C1	3553649C1	1410_IP12	C7	N/A	3553650C1	N/A	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
JF5PJ(-)	18	GN	TXL	3544884C1	3553649C1	1410_IP12	C7	N/A	3553650C1	N/A
JG5PJ(-)	18	GN	TXL	3544884C1	3553649C1	1410_IP12	C7	N/A	3553650C1	N/A
SN5PJ(-)	18	GN	TXL	3544884C1	3553649C1	1410_IP12	C7	N/A	3553650C1	N/A
SP5PJ(-)	18	GN	TXL	3544884C1	3553649C1	1410_IP12	C7	N/A	3553650C1	N/A
3H6DBJ	20	GY	TXL	3544883C1	3553649C1	1410_IP12	D1	N/A	3553650C1	N/A
HA30BA	16	TN	TXL	3544876C1	3553649C1	1410_IP12	D3	N/A	3553650C1	N/A
WW87A	18	GY	TXL	3554322C1	3554317C1	1410_IP12		1 3554318C1	N/A	N/A
WW9BB	18	GY	TXL	3554322C1	3554317C1	1420_IP12		2 3554318C1	N/A	N/A
[BF94BY]	14	BK	TXL	UNDEF	3554539C1	1420_IP12		1 N/A	N/A	N/A
[BF94-G]	14	BK	TXL	UNDEF	3554539C1	1420_IP12		2 N/A	N/A	N/A
[BF94MN]	14	BK	TXL	UNDEF	3554539C1	1420_IP12		3 N/A	N/A	N/A
[L-CB]	4	BK	GXL	ASSY	3554596C91	1420_IP12		1 N/A	N/A	N/A
[L-CB]	4	BK	GXL	ASSY	3554596C91	1420_IP12		1 N/A	N/A	N/A
[L-CB]	4	BK	GXL	ASSY	3554596C91	1420_IP12		1 N/A	N/A	N/A
[R-CB]	4	BK	GXL	ASSY	3554596C91	1420_IP12		1 N/A	N/A	N/A
[R-CB]	4	BK	GXL	ASSY	3554596C91	1420_IP12		1 N/A	N/A	N/A
[R-CB]	4	BK	GXL	ASSY	3554596C91	1420_IP12		1 N/A	N/A	N/A
[R-CB]	4	BK	GXL	ASSY	3554596C91	1420_IP12		1 N/A	N/A	N/A
[R-CB]	4	BK	GXL	ASSY	3554596C91	1420_IP12		1 N/A	N/A	N/A
[R-CB]	4	BK	GXL	ASSY	3554596C91	1420_IP12		1 N/A	N/A	N/A
[R-CB]	4	BK	GXL	ASSY	3554596C91	1421_IP12		1 N/A	N/A	N/A
[L-CB]	4	BK	GXL	ASSY	3554596C91	1421_IP12		1 N/A	N/A	N/A
[L-CB]	4	BK	GXL	ASSY	3554596C91	1421_IP12		1 N/A	N/A	N/A
[L-CB]	4	BK	GXL	ASSY	3554596C91	1421_IP12		1 N/A	N/A	N/A
RH11-GBE	14	WH	TXL	3534167C1	3554818C1	1421_IP12	A	N/A	3554821C1	N/A
RH14EA	14	RD	GXL	3534167C1	3554818C1	1421_IP12	B	N/A	3554821C1	N/A
DL11-GBE	14	WH	TXL	3534167C1	3554818C1	1421_IP12	A	N/A	3554821C1	N/A
DL14EA	14	RD	GXL	3534167C1	3554818C1	1421_IP12	B	N/A	3554821C1	N/A
GS94MK	18	GY	TXL	3548971C1	3557921C1	1421_IP12		1 N/A	3562309C1	N/A
GS94BC	18	GY	TXL	3548971C1	3557921C1	1421_IP12		2 N/A	3562309C1	N/A
GS94MB	18	GY	TXL	3548971C1	3557921C1	1421_IP12		3 N/A	3562309C1	N/A
GS94MH	18	GY	TXL	3548971C1	3557921C1	1421_IP12		4 N/A	3562309C1	N/A
GS94BA	18	GY	TXL	3548971C1	3557921C1	1421_IP12		5 N/A	3562309C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
GS94M	18	GY	TXL	3548971C1	3557921C1	1421_IP12	6	N/A	3562309C1	N/A
GT94BN	18	GY	TXL	3548971C1	3557921C1	1421_IP12	7	N/A	3562309C1	N/A
GS94BL	14	GY	TXL	UNDEF	3557921C1	1421_IP12	8	N/A	3562309C1	N/A
GS94BJ	14	GY	TXL	UNDEF	3557921C1	1421_IP12	9	N/A	3562309C1	N/A
GS94ME	18	GY	TXL	3548971C1	3557921C1	1421_IP12	10	N/A	3562309C1	N/A
GS94BD	18	GY	TXL	3548971C1	3557921C1	1422_IP12	11	N/A	3562309C1	N/A
GS94MC	18	GY	TXL	3548971C1	3557921C1	1422_IP12	12	N/A	3562309C1	N/A
GS94MF	18	GY	TXL	3548971C1	3557921C1	1422_IP12	13	N/A	3562309C1	N/A
GS94BE	18	GY	TXL	3548971C1	3557921C1	1422_IP12	14	N/A	3562309C1	N/A
GS94MD	18	GY	TXL	3548971C1	3557921C1	1422_IP12	15	N/A	3562309C1	N/A
GT94BM	18	GY	TXL	3548971C1	3557921C1	1422_IP12	16	N/A	3562309C1	N/A
GS94BH	18	GY	TXL	3548971C1	3557921C1	1422_IP12	17	N/A	3562309C1	N/A
GS94BF	18	GY	TXL	3548971C1	3557921C1	1422_IP12	18	N/A	3562309C1	N/A
3M5N(-)	18	GN	TXL	3548971C1	3557922C1	1422_IP12	1	N/A	3549120C1	N/A
9U5N(-)	18	GN	TXL	3548971C1	3557922C1	1422_IP12	1	N/A	3549120C1	N/A
9V5N(-)	18	GN	TXL	3548971C1	3557922C1	1423_IP12	1	N/A	3549120C1	N/A
SP5N(-)	18	GN	TXL	3548971C1	3557922C1	1423_IP12	1	N/A	3549120C1	N/A
3M5N(+)	18	YL	TXL	3548971C1	3557922C1	1423_IP12	3	N/A	3549120C1	N/A
9U5N(+)	18	YL	TXL	3548971C1	3557922C1	1423_IP12	3	N/A	3549120C1	N/A
9V5N(+)	18	YL	TXL	3548971C1	3557922C1	1423_IP12	3	N/A	3549120C1	N/A
SP5N(+)	18	YL	TXL	3548971C1	3557922C1	1423_IP12	3	N/A	3549120C1	N/A
GS94-GB	18	WH	TXL	3548971C1	3557922C1	1423_IP12	4	N/A	3549120C1	N/A
GS94V	14	GY	GXL	3548972C1	3557922C1	1423_IP12	7	N/A	3549120C1	N/A
GS94AY	14	GY	GXL	3548972C1	3557922C1	1423_IP12	8	N/A	3549120C1	N/A
GS94-GA	18	WH	TXL	3548969C1	3557922C1	1500A_IP12	9	N/A	3549120C1	N/A
RA71BA	12	OR	TXL	3559037C1	3558022C1	1500A_IP12	1	3575783C1	3558056C1	N/A
SA71BA	12	OR	TXL	3559037C1	3558022C1	1500A_IP12	1	3575783C1	3558056C1	N/A
VF71BA	12	OR	TXL	3559037C1	3558022C1	1500A_IP12	1	3575783C1	3558056C1	N/A
VH71BA	12	OR	TXL	3559037C1	3558022C1	1500A_IP12	1	3575783C1	3558056C1	N/A
VJ71BA	12	OR	TXL	3559037C1	3558022C1	1500A_IP12	1	3575783C1	3558056C1	N/A
VK71BA	12	OR	TXL	3559037C1	3558022C1	1500A_IP12	1	3575783C1	3558056C1	N/A
RA56A	14	OR	GXL	3559037C1	3558022C1	1500A_IP12	2	3575783C1	3558056C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
SA56A	14	OR	GXL	3559037C1	3558022C1	1500A_IP12	2	3575783C1	3558056C1	N/A
VE56A	14	OR	GXL	3559037C1	3558022C1	1500A_IP12	2	3575783C1	3558056C1	N/A
VG56A	14	OR	GXL	3559037C1	3558022C1	1500A_IP12	2	3575783C1	3558056C1	N/A
RA57A	14	OR	GXL	3559037C1	3558022C1	1500A_IP12	3	3575783C1	3558056C1	N/A
SA57A	14	OR	GXL	3559037C1	3558022C1	1500A_IP12	3	3575783C1	3558056C1	N/A
VE57A	14	OR	GXL	3559037C1	3558022C1	1500A_IP12	3	3575783C1	3558056C1	N/A
VG57A	14	OR	GXL	3559037C1	3558022C1	1500A_IP12	3	3575783C1	3558056C1	N/A
RA68A	14	BN	GXL	3559037C1	3558022C1	1500A_IP12	4	3575783C1	3558056C1	N/A
SA68A	14	BN	GXL	3559037C1	3558022C1	1500A_IP12	4	3575783C1	3558056C1	N/A
VE68A	14	BN	GXL	3559037C1	3558022C1	1500A_IP12	4	3575783C1	3558056C1	N/A
VG68A	14	BN	GXL	3559037C1	3558022C1	1500A_IP12	4	3575783C1	3558056C1	N/A
RA10-G	12	WH	TXL	3559037C1	3558022C1	1500A_IP12	5	3575783C1	3558056C1	N/A
SA10-G	12	WH	TXL	3559037C1	3558022C1	1500A_IP12	5	3575783C1	3558056C1	N/A
VF10-G	12	WH	TXL	3559037C1	3558022C1	1500A_IP12	5	3575783C1	3558056C1	N/A
VH10-G	12	WH	TXL	3559037C1	3558022C1	1500A_IP12	5	3575783C1	3558056C1	N/A
VJ10-G	12	WH	TXL	3559037C1	3558022C1	1500A_IP12	5	3575783C1	3558056C1	N/A
VK10-G	12	WH	TXL	3559037C1	3558022C1	1500A_IP12	5	3575783C1	3558056C1	N/A
RH32A	18	TN	GXL	3559036C1	3558022C1	1500A_IP12	6	3509903C1	3558056C1	N/A
RJ32A	18	TN	GXL	3559036C1	3558022C1	1500A_IP12	6	3509903C1	3558056C1	N/A
TA32	18	TN	GXL	3559036C1	3558022C1	1500A_IP12	6	3509903C1	3558056C1	N/A
UC32A	18	TN	GXL	3559036C1	3558022C1	1500A_IP12	6	3509903C1	3558056C1	N/A
RH9A	18	GY	GXL	3559036C1	3558022C1	1500A_IP12	7	3509903C1	3558056C1	N/A
RJ9	18	GY	GXL	3559036C1	3558022C1	1500A_IP12	7	3509903C1	3558056C1	N/A
TA9C	18	GY	GXL	3559036C1	3558022C1	1500A_IP12	7	3509903C1	3558056C1	N/A
UC9A	18	GY	GXL	3559036C1	3558022C1	1500A_IP12	7	3509903C1	3558056C1	N/A
RH32	18	TN	GXL	3559036C1	3558022C1	1500A_IP12	8	3509903C1	3558056C1	N/A
UC32	18	TN	GXL	3559036C1	3558022C1	1500A_IP12	8	3509903C1	3558056C1	N/A
RL49	18	GY	GXL	3559036C1	3558022C1	1500A_IP12	9	3509903C1	3558056C1	N/A
RM49	18	GY	GXL	3559036C1	3558022C1	1500A_IP12	9	3509903C1	3558056C1	N/A
TB49	18	GY	GXL	3559036C1	3558022C1	1500A_IP12	9	3509903C1	3558056C1	N/A
UV49	18	GY	GXL	3559036C1	3558022C1	1500A_IP12	9	3509903C1	3558056C1	N/A
UW49	18	GY	GXL	3559036C1	3558022C1	1500A_IP12	9	3509903C1	3558056C1	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
RL49-G	18	WH	GXL	3559036C1	3558022C1	1559_IP12	10	3509903C1	3558056C1	N/A
RN49-GC	18	WH	GXL	3559036C1	3558022C1	1559_IP12	10	3509903C1	3558056C1	N/A
RP49-G	18	WH	GXL	3559036C1	3558022C1	1559_IP12	10	3509903C1	3558056C1	N/A
TB49-G	18	WH	GXL	3559036C1	3558022C1	1559_IP12	10	3509903C1	3558056C1	N/A
UV49-G	18	WH	GXL	3559036C1	3558022C1	1600_IP12	10	3509903C1	3558056C1	N/A
UX49-G	18	WH	GXL	3559036C1	3558022C1	1600_IP12	10	3509903C1	3558056C1	N/A
UY49-GC	18	WH	GXL	3559036C1	3558022C1	1600_IP12	10	3509903C1	3558056C1	N/A
RN49A	18	GY	GXL	3559036C1	3558022C1	1600_IP12	11	3509903C1	3558056C1	N/A
UY49A	18	GY	GXL	3559036C1	3558022C1	1600_IP12	11	3509903C1	3558056C1	N/A
RB94BA	16	GY	GXL	3559037C1	3558022C1	1600_IP12	13	3509903C1	3558056C1	N/A
SB94BA	16	GY	GXL	3559037C1	3558022C1	1600_IP12	13	3509903C1	3558056C1	N/A
SD94BA	16	GY	GXL	3559037C1	3558022C1	1600_IP12	13	3509903C1	3558056C1	N/A
SR94MA	18	GY	TXL	3559036C1	3558022C1	1600_IP12	13	3532128C1	3558056C1	N/A
SS94MA	18	GY	TXL	3559036C1	3558022C1	1600_IP12	13	3532128C1	3558056C1	N/A
ST94MA	18	GY	TXL	3559036C1	3558022C1	1600_IP12	13	3532128C1	3558056C1	N/A
SZ94BA	16	GY	GXL	3559037C1	3558022C1	1600_IP12	13	3509903C1	3558056C1	N/A
TF94BA	16	GY	GXL	3559037C1	3558022C1	1600_IP12	13	3509903C1	3558056C1	N/A
UJ94MA	18	GY	TXL	3559036C1	3558022C1	1600_IP12	13	3532128C1	3558056C1	N/A
UP94BA	16	GY	GXL	3559037C1	3558022C1	1600_IP12	13	3509903C1	3558056C1	N/A
US94MA	18	GY	TXL	3559036C1	3558022C1	1600_IP12	13	3532128C1	3558056C1	N/A
VA94BA	16	GY	GXL	3559037C1	3558022C1	1600_IP12	13	3509903C1	3558056C1	N/A
VB94MA	18	GY	TXL	3559036C1	3558022C1	1600_IP12	13	3532128C1	3558056C1	N/A
VT94MA	18	GY	TXL	3559036C1	3558022C1	1600_IP12	13	3532128C1	3558056C1	N/A
RB94BB	16	GY	GXL	3559037C1	3558022C1	1600_IP12	14	3509903C1	3558056C1	N/A
SB94BB	16	GY	GXL	3559037C1	3558022C1	1600_IP12	14	3509903C1	3558056C1	N/A
SD94BB	16	GY	GXL	3559037C1	3558022C1	1600_IP12	14	3509903C1	3558056C1	N/A
SR94MB	18	GY	TXL	3559036C1	3558022C1	1600_IP12	14	3532128C1	3558056C1	N/A
SS94MB	18	GY	TXL	3559036C1	3558022C1	1600_IP12	14	3532128C1	3558056C1	N/A
ST94MB	18	GY	TXL	3559036C1	3558022C1	1600_IP12	14	3532128C1	3558056C1	N/A
SZ94BB	16	GY	GXL	3559037C1	3558022C1	1600_IP12	14	3509903C1	3558056C1	N/A
TF94BB	16	GY	GXL	3559037C1	3558022C1	1600_IP12	14	3509903C1	3558056C1	N/A
UJ94MB	18	GY	TXL	3559036C1	3558022C1	1600_IP12	14	3532128C1	3558056C1	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
UP94BB	16	GY	GXL	3559037C1	3558022C1	1600_IP12	14	3509903C1	3558056C1	N/A
US94MB	18	GY	TXL	3559036C1	3558022C1	1600_IP12	14	3532128C1	3558056C1	N/A
VA94BB	16	GY	GXL	3559037C1	3558022C1	1600_IP12	14	3509903C1	3558056C1	N/A
VB94MB	18	GY	TXL	3559036C1	3558022C1	1601_IP12	14	3532128C1	3558056C1	N/A
VT94MB	18	GY	TXL	3559036C1	3558022C1	1601_IP12	14	3532128C1	3558056C1	N/A
RB94BC	16	GY	GXL	3559037C1	3558022C1	1601_IP12	15	3509903C1	3558056C1	N/A
SB94BC	16	GY	GXL	3559037C1	3558022C1	1601_IP12	15	3509903C1	3558056C1	N/A
SD94BC	16	GY	GXL	3559037C1	3558022C1	1601_IP12	15	3509903C1	3558056C1	N/A
SR94MC	18	GY	TXL	3559036C1	3558022C1	1601_IP12	15	3532128C1	3558056C1	N/A
SS94MC	18	GY	TXL	3559036C1	3558022C1	1601_IP12	15	3532128C1	3558056C1	N/A
ST94MC	18	GY	TXL	3559036C1	3558022C1	1601_IP12	15	3532128C1	3558056C1	N/A
SZ94BC	16	GY	GXL	3559037C1	3558022C1	1601_IP12	15	3509903C1	3558056C1	N/A
TF94BC	16	GY	GXL	3559037C1	3558022C1	1601_IP12	15	3509903C1	3558056C1	N/A
UJ94MC	18	GY	TXL	3559036C1	3558022C1	1601_IP12	15	3532128C1	3558056C1	N/A
UP94BC	16	GY	GXL	3559037C1	3558022C1	1601_IP12	15	3509903C1	3558056C1	N/A
US94MC	18	GY	TXL	3559036C1	3558022C1	1601_IP12	15	3532128C1	3558056C1	N/A
VA94BC	16	GY	GXL	3559037C1	3558022C1	1601_IP12	15	3509903C1	3558056C1	N/A
VB94MC	18	GY	TXL	3559036C1	3558022C1	1601_IP12	15	3532128C1	3558056C1	N/A
VT94MC	18	GY	TXL	3559036C1	3558022C1	1601_IP12	15	3532128C1	3558056C1	N/A
RB94BD	16	GY	GXL	3559037C1	3558022C1	1601_IP12	16	3509903C1	3558056C1	N/A
SB94BD	16	GY	GXL	3559037C1	3558022C1	1601_IP12	16	3509903C1	3558056C1	N/A
SD94BD	16	GY	GXL	3559037C1	3558022C1	1601_IP12	16	3509903C1	3558056C1	N/A
SR94MD	18	GY	TXL	3559036C1	3558022C1	1601_IP12	16	3532128C1	3558056C1	N/A
SS94MD	18	GY	TXL	3559036C1	3558022C1	1601_IP12	16	3532128C1	3558056C1	N/A
ST94MD	18	GY	TXL	3559036C1	3558022C1	1602_IP12	16	3532128C1	3558056C1	N/A
SZ94BD	16	GY	GXL	3559037C1	3558022C1	1602_IP12	16	3509903C1	3558056C1	N/A
TF94BD	16	GY	GXL	3559037C1	3558022C1	1602_IP12	16	3509903C1	3558056C1	N/A
UJ94MD	18	GY	TXL	3559036C1	3558022C1	1602_IP12	16	3532128C1	3558056C1	N/A
UP94BD	16	GY	GXL	3559037C1	3558022C1	1602_IP12	16	3509903C1	3558056C1	N/A
US94MD	18	GY	TXL	3559036C1	3558022C1	1602_IP12	16	3532128C1	3558056C1	N/A
VA94BD	16	GY	GXL	3559037C1	3558022C1	1602_IP12	16	3509903C1	3558056C1	N/A
VB94MD	18	GY	TXL	3559036C1	3558022C1	1602_IP12	16	3532128C1	3558056C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
VT94MD	18	GY	TXL	3559036C1	3558022C1	1602_IP12	16	3532128C1	3558056C1	N/A
RB94BE	16	GY	GXL	3559037C1	3558022C1	1602_IP12	17	3509903C1	3558056C1	N/A
SB94BE	16	GY	GXL	3559037C1	3558022C1	1602_IP12	17	3509903C1	3558056C1	N/A
SD94BE	16	GY	GXL	3559037C1	3558022C1	1602_IP12	17	3509903C1	3558056C1	N/A
SR94ME	18	GY	TXL	3559036C1	3558022C1	1602_IP12	17	3532128C1	3558056C1	N/A
SS94ME	18	GY	TXL	3559036C1	3558022C1	1602_IP12	17	3532128C1	3558056C1	N/A
ST94ME	18	GY	TXL	3559036C1	3558022C1	1602_IP12	17	3532128C1	3558056C1	N/A
SZ94BE	16	GY	GXL	3559037C1	3558022C1	1602_IP12	17	3509903C1	3558056C1	N/A
TF94BE	16	GY	GXL	3559037C1	3558022C1	1602_IP12	17	3509903C1	3558056C1	N/A
UJ94ME	18	GY	TXL	3559036C1	3558022C1	1602_IP12	17	3532128C1	3558056C1	N/A
UP94BE	16	GY	GXL	3559037C1	3558022C1	1602_IP12	17	3509903C1	3558056C1	N/A
US94ME	18	GY	TXL	3559036C1	3558022C1	1602_IP12	17	3532128C1	3558056C1	N/A
VA94BE	16	GY	GXL	3559037C1	3558022C1	1602_IP12	17	3509903C1	3558056C1	N/A
VB94ME	18	GY	TXL	3559036C1	3558022C1	1602_IP12	17	3532128C1	3558056C1	N/A
VT94ME	18	GY	TXL	3559036C1	3558022C1	1602_IP12	17	3532128C1	3558056C1	N/A
RB94BF	16	GY	GXL	3559037C1	3558022C1	1602_IP12	18	3509903C1	3558056C1	N/A
SB94BF	16	GY	GXL	3559037C1	3558022C1	1602_IP12	18	3509903C1	3558056C1	N/A
SD94BF	16	GY	GXL	3559037C1	3558022C1	1602_IP12	18	3509903C1	3558056C1	N/A
SR94MF	18	GY	TXL	3559036C1	3558022C1	1602_IP12	18	3532128C1	3558056C1	N/A
SS94MF	18	GY	TXL	3559036C1	3558022C1	1602_IP12	18	3532128C1	3558056C1	N/A
ST94MF	18	GY	TXL	3559036C1	3558022C1	1602_IP12	18	3532128C1	3558056C1	N/A
SZ94BF	16	GY	GXL	3559037C1	3558022C1	1602_IP12	18	3509903C1	3558056C1	N/A
TF94BF	16	GY	GXL	3559037C1	3558022C1	1602_IP12	18	3509903C1	3558056C1	N/A
UJ94MF	18	GY	TXL	3559036C1	3558022C1	1602_IP12	18	3532128C1	3558056C1	N/A
UP94BF	16	GY	GXL	3559037C1	3558022C1	1602_IP12	18	3509903C1	3558056C1	N/A
US94MF	18	GY	TXL	3559036C1	3558022C1	1602_IP12	18	3532128C1	3558056C1	N/A
VA94BF	16	GY	GXL	3559037C1	3558022C1	1602_IP12	18	3509903C1	3558056C1	N/A
VB94MF	18	GY	TXL	3559036C1	3558022C1	1602_IP12	18	3532128C1	3558056C1	N/A
VT94MF	18	GY	TXL	3559036C1	3558022C1	1602_IP12	18	3532128C1	3558056C1	N/A
RB94BH	16	GY	GXL	3559037C1	3558022C1	1602_IP12	19	3509903C1	3558056C1	N/A
SB94BH	16	GY	GXL	3559037C1	3558022C1	1602_IP12	19	3509903C1	3558056C1	N/A
SD94BH	16	GY	GXL	3559037C1	3558022C1	1602_IP12	19	3509903C1	3558056C1	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
SR94MH	18	GY	TXL	3559036C1	3558022C1	1602_IP12	19	3532128C1	3558056C1	N/A
SS94MH	18	GY	TXL	3559036C1	3558022C1	1602_IP12	19	3532128C1	3558056C1	N/A
ST94MH	18	GY	TXL	3559036C1	3558022C1	1602_IP12	19	3532128C1	3558056C1	N/A
SZ94BH	16	GY	GXL	3559037C1	3558022C1	1602_IP12	19	3509903C1	3558056C1	N/A
TF94BH	16	GY	GXL	3559037C1	3558022C1	1602_IP12	19	3509903C1	3558056C1	N/A
UJ94MH	18	GY	TXL	3559036C1	3558022C1	1602_IP12	19	3532128C1	3558056C1	N/A
UP94BH	16	GY	GXL	3559037C1	3558022C1	1603_IP12	19	3509903C1	3558056C1	N/A
US94MH	18	GY	TXL	3559036C1	3558022C1	1603_IP12	19	3532128C1	3558056C1	N/A
VA94BH	16	GY	GXL	3559037C1	3558022C1	1603_IP12	19	3509903C1	3558056C1	N/A
VB94MH	18	GY	TXL	3559036C1	3558022C1	1603_IP12	19	3532128C1	3558056C1	N/A
VT94MH	18	GY	TXL	3559036C1	3558022C1	1603_IP12	19	3532128C1	3558056C1	N/A
RB94BJ	16	GY	GXL	3559037C1	3558022C1	1603_IP12	20	3509903C1	3558056C1	N/A
SB94BJ	16	GY	GXL	3559037C1	3558022C1	1603_IP12	20	3509903C1	3558056C1	N/A
SD94BJ	16	GY	GXL	3559037C1	3558022C1	1603_IP12	20	3509903C1	3558056C1	N/A
SR94MJ	18	GY	TXL	3559036C1	3558022C1	1603_IP12	20	3532128C1	3558056C1	N/A
SS94MJ	18	GY	TXL	3559036C1	3558022C1	1603_IP12	20	3532128C1	3558056C1	N/A
ST94MJ	18	GY	TXL	3559036C1	3558022C1	1603_IP12	20	3532128C1	3558056C1	N/A
SZ94BJ	16	GY	GXL	3559037C1	3558022C1	1603_IP12	20	3509903C1	3558056C1	N/A
TF94BJ	16	GY	GXL	3559037C1	3558022C1	1603_IP12	20	3509903C1	3558056C1	N/A
UJ94MJ	18	GY	TXL	3559036C1	3558022C1	1603_IP12	20	3532128C1	3558056C1	N/A
UP94BJ	16	GY	GXL	3559037C1	3558022C1	1603_IP12	20	3509903C1	3558056C1	N/A
US94MJ	18	GY	TXL	3559036C1	3558022C1	1603_IP12	20	3532128C1	3558056C1	N/A
VA94BJ	16	GY	GXL	3559037C1	3558022C1	1603_IP12	20	3509903C1	3558056C1	N/A
VB94MJ	18	GY	TXL	3559036C1	3558022C1	1603_IP12	20	3532128C1	3558056C1	N/A
VT94MJ	18	GY	TXL	3559036C1	3558022C1	1603_IP12	20	3532128C1	3558056C1	N/A
RB94BK	16	GY	GXL	3559037C1	3558022C1	1603_IP12	21	3509903C1	3558056C1	N/A
SB94BK	16	GY	GXL	3559037C1	3558022C1	1603_IP12	21	3509903C1	3558056C1	N/A
SD94BK	16	GY	GXL	3559037C1	3558022C1	1603_IP12	21	3509903C1	3558056C1	N/A
SR94MK	18	GY	TXL	3559036C1	3558022C1	1603_IP12	21	3532128C1	3558056C1	N/A
SS94MK	18	GY	TXL	3559036C1	3558022C1	1603_IP12	21	3532128C1	3558056C1	N/A
ST94MK	18	GY	TXL	3559036C1	3558022C1	1603_IP12	21	3532128C1	3558056C1	N/A
SZ94BK	16	GY	GXL	3559037C1	3558022C1	1603_IP12	21	3509903C1	3558056C1	N/A



<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
TF94BK	16	GY	GXL	3559037C1	3558022C1	1604_IP12	21	3509903C1	3558056C1	N/A
UJ94MK	18	GY	TXL	3559036C1	3558022C1	1604_IP12	21	3532128C1	3558056C1	N/A
UP94BK	16	GY	GXL	3559037C1	3558022C1	1604_IP12	21	3509903C1	3558056C1	N/A
US94MK	18	GY	TXL	3559036C1	3558022C1	1604_IP12	21	3532128C1	3558056C1	N/A
VA94BK	16	GY	GXL	3559037C1	3558022C1	1604_IP12	21	3509903C1	3558056C1	N/A
VB94MK	18	GY	TXL	3559036C1	3558022C1	1604_IP12	21	3532128C1	3558056C1	N/A
VT94MK	18	GY	TXL	3559036C1	3558022C1	1604_IP12	21	3532128C1	3558056C1	N/A
RB94BL	16	GY	GXL	3559037C1	3558022C1	1604_IP12	22	3509903C1	3558056C1	N/A
SB94BL	16	GY	GXL	3559037C1	3558022C1	1604_IP12	22	3509903C1	3558056C1	N/A
SD94BL	16	GY	GXL	3559037C1	3558022C1	1604_IP12	22	3509903C1	3558056C1	N/A
SR94ML	18	GY	TXL	3559036C1	3558022C1	1604_IP12	22	3532128C1	3558056C1	N/A
SS94ML	18	GY	TXL	3559036C1	3558022C1	1604_IP12	22	3532128C1	3558056C1	N/A
ST94ML	18	GY	TXL	3559036C1	3558022C1	1604_IP12	22	3532128C1	3558056C1	N/A
SZ94BL	16	GY	GXL	3559037C1	3558022C1	1604_IP12	22	3509903C1	3558056C1	N/A
TF94BL	16	GY	GXL	3559037C1	3558022C1	1604_IP12	22	3509903C1	3558056C1	N/A
UJ94ML	18	GY	TXL	3559036C1	3558022C1	1604_IP12	22	3532128C1	3558056C1	N/A
UP94BL	16	GY	GXL	3559037C1	3558022C1	1604_IP12	22	3509903C1	3558056C1	N/A
US94ML	18	GY	TXL	3559036C1	3558022C1	1604_IP12	22	3532128C1	3558056C1	N/A
VA94BL	16	GY	GXL	3559037C1	3558022C1	1604_IP12	22	3509903C1	3558056C1	N/A
VB94ML	18	GY	TXL	3559036C1	3558022C1	1604_IP12	22	3532128C1	3558056C1	N/A
VT94ML	18	GY	TXL	3559036C1	3558022C1	1604_IP12	22	3532128C1	3558056C1	N/A
[SU94MM]	18	GY	GXL	3559036C1	3558022C1	1604_IP12	23	3509903C1	3558056C1	N/A
[SV94MM]	18	GY	GXL	3559036C1	3558022C1	1604_IP12	23	3509903C1	3558056C1	N/A
[SW94MM]	18	GY	GXL	3559036C1	3558022C1	1604_IP12	23	3509903C1	3558056C1	N/A
RC94BM	16	GY	GXL	3559037C1	3558022C1	1604_IP12	23	3509903C1	3558056C1	N/A
SC94BM	16	GY	GXL	3559037C1	3558022C1	1604_IP12	23	3509903C1	3558056C1	N/A
SE94BM	16	GY	GXL	3559037C1	3558022C1	1606_IP12	23	3509903C1	3558056C1	N/A
[SU94MN]	18	GY	GXL	3559036C1	3558022C1	1606_IP12	24	3509903C1	3558056C1	N/A
[SV94MN]	18	GY	GXL	3559036C1	3558022C1	1606_IP12	24	3509903C1	3558056C1	N/A
[SW94MN]	18	GY	GXL	3559036C1	3558022C1	1606_IP12	24	3509903C1	3558056C1	N/A
RC94BN	16	GY	GXL	3559037C1	3558022C1	1606_IP12	24	3509903C1	3558056C1	N/A
SC94BN	16	GY	GXL	3559037C1	3558022C1	1606_IP12	24	3509903C1	3558056C1	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
SE94BN	16	GY	GXL	3559037C1	3558022C1	1606_IP12	24	3509903C1	3558056C1	N/A
NA71BA	14	OR	GXL	3559035C1	3558026C1	1606_IP12	1	3575783C1	3558056C1	N/A
NA56A	14	OR	GXL	3559035C1	3558026C1	1606_IP12	2	3575783C1	3558056C1	N/A
NA57A	14	OR	GXL	3559035C1	3558026C1	1606_IP12	3	3575783C1	3558056C1	N/A
NA68A	14	BN	GXL	3559035C1	3558026C1	1606_IP12	4	3575783C1	3558056C1	N/A
NA10-G	12	WH	TXL	3559035C1	3558026C1	1606_IP12	5	3575783C1	3558056C1	N/A
NR32A	18	TN	GXL	3509874C1	3558026C1	1606_IP12	6	3509903C1	3558056C1	N/A
NR9BF	18	GY	GXL	3509874C1	3558026C1	1606_IP12	7	3509903C1	3558056C1	N/A
NS32	18	TN	GXL	3509874C1	3558026C1	1606_IP12	8	3509903C1	3558056C1	N/A
NT49	18	GY	GXL	3509874C1	3558026C1	1606_IP12	9	3509903C1	3558056C1	N/A
NT49-G	18	WH	GXL	3509874C1	3558026C1	1606_IP12	10	3509903C1	3558056C1	N/A
NU49A	18	GY	GXL	3509874C1	3558026C1	1606_IP12	11	3509903C1	3558056C1	N/A
BB94BA	16	GY	GXL	3559035C1	3558026C1	1606_IP12	13	3509903C1	3558056C1	N/A
NB94BA	16	GY	GXL	3559035C1	3558026C1	1606_IP12	13	3509903C1	3558056C1	N/A
BB94BB	16	GY	GXL	3559035C1	3558026C1	1606_IP12	14	3509903C1	3558056C1	N/A
NB94BB	16	GY	GXL	3559035C1	3558026C1	1606_IP12	14	3509903C1	3558056C1	N/A
BB94BC	16	GY	GXL	3559035C1	3558026C1	1606_IP12	15	3509903C1	3558056C1	N/A
NB94BC	16	GY	GXL	3559035C1	3558026C1	1606_IP12	15	3509903C1	3558056C1	N/A
BB94BD	16	GY	GXL	3559035C1	3558026C1	1606_IP12	16	3509903C1	3558056C1	N/A
NB94BD	16	GY	GXL	3559035C1	3558026C1	1606_IP12	16	3509903C1	3558056C1	N/A
BB94BE	16	GY	GXL	3559035C1	3558026C1	1606_IP12	17	3509903C1	3558056C1	N/A
NB94BE	16	GY	GXL	3559035C1	3558026C1	1606_IP12	17	3509903C1	3558056C1	N/A
BB94BF	16	GY	GXL	3559035C1	3558026C1	1606_IP12	18	3509903C1	3558056C1	N/A
NB94BF	16	GY	GXL	3559035C1	3558026C1	1606_IP12	18	3509903C1	3558056C1	N/A
BB94BH	16	GY	GXL	3559035C1	3558026C1	1606_IP12	19	3509903C1	3558056C1	N/A
NB94BH	16	GY	GXL	3559035C1	3558026C1	1606_IP12	19	3509903C1	3558056C1	N/A
BB94BJ	14	GY	GXL	3559035C1	3558026C1	1606_IP12	20	3575783C1	3558056C1	N/A
NB94BJ	14	GY	GXL	3559035C1	3558026C1	1606_IP12	20	3575783C1	3558056C1	N/A
BB94BK	16	GY	GXL	3559035C1	3558026C1	1606_IP12	21	3509903C1	3558056C1	N/A
NB94BK	16	GY	GXL	3559035C1	3558026C1	1606_IP12	21	3509903C1	3558056C1	N/A
BB94BL	14	GY	GXL	3559035C1	3558026C1	1606_IP12	22	3575783C1	3558056C1	N/A
NB94BL	14	GY	GXL	3559035C1	3558026C1	1606_IP12	22	3575783C1	3558056C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
BC94BM	16	GY	GXL	3559035C1	3558026C1	1606_IP12		23 3509903C1	3558056C1	N/A
NC94BM	16	GY	GXL	3559035C1	3558026C1	1606_IP12		23 3509903C1	3558056C1	N/A
BC94BN	16	GY	GXL	3559035C1	3558026C1	1606_IP12		24 3509903C1	3558056C1	N/A
NC94BN	16	GY	GXL	3559035C1	3558026C1	1606_IP12		24 3509903C1	3558056C1	N/A
JS1B	14	TN	GXL	3895713C1	3565207C1	1606_IP12	A	N/A	N/A	N/A
JS1B	16	RD	TXL	1661707C1	3565207C1	1606_IP12	A	N/A	N/A	N/A
JS1A	14	LTBL	GXL	3895713C1	3565207C1	1606_IP12	B	N/A	N/A	N/A
JS1A	16	RD	TXL	1661707C1	3565207C1	1607_IP12	B	N/A	N/A	N/A
RG22B	18	PK	TXL	1680205C1	3572899C1	1607_IP12		1 N/A	2005242C1	N/A
RG22-GBN	18	WH	TXL	1680205C1	3572899C1	1607_IP12		2 N/A	2005242C1	N/A
SG5L(+)	18	YL	TXL	1680205C1	3572899C1	1607_IP12		4 N/A	2005242C1	N/A
SG5L(-)	18	GN	TXL	1680205C1	3572899C1	1607_IP12		5 N/A	2005242C1	N/A
EW11-GR	14	WH	TXL	2034787C1	3572899C1	1607_IP12		2 N/A	2005242C1	N/A
EW5E(+)	18	YL	TXL	1680205C1	3572899C1	1607_IP12		3 N/A	2005242C1	N/A
EW5E(-)	18	GN	TXL	1680205C1	3572899C1	1607_IP12		4 N/A	2005242C1	N/A
EW20	16	LTGN	GXL	1680205C1	3572899C1	1607_IP12		6 N/A	2005242C1	N/A
AP95DVL	20	TN	150	3573077C1	3573078C1	1607_IP12		1 N/A	N/A	N/A
TP95DVL	20	TN	150	3573077C1	3573078C1	1607_IP12		1 N/A	N/A	N/A
AP95DVH	20	TN	150	3573077C1	3573078C1	1607_IP12		2 N/A	N/A	N/A
TP95DVH	20	TN	150	3573077C1	3573078C1	1607_IP12		2 N/A	N/A	N/A
AP95BA	18	TN	150	3573077C1	3573078C1	1607_IP12		3 N/A	N/A	N/A
TP95BA	20	TN	150	3573077C1	3573078C1	1607_IP12		3 N/A	N/A	N/A
AP95BC	18	TN	150	3573077C1	3573078C1	1620_IP12		4 N/A	N/A	N/A
TP95BC	20	TN	150	3573077C1	3573078C1	1620_IP12		4 N/A	N/A	N/A
TP6	18	TN	150	3573077C1	3573078C1	1620_IP12		5 N/A	N/A	N/A
ZD95DA	18	TN	150	3573077C1	3573078C1	1620_IP12		5 N/A	N/A	N/A
ZE95DB	20	TN	150	3573077C1	3573078C1	1620_IP12		5 N/A	N/A	N/A
ZU95DA	18	TN	150	3573077C1	3573078C1	1620_IP12		5 N/A	N/A	N/A
ZV95DB	20	TN	150	3573077C1	3573078C1	1620_IP12		5 N/A	N/A	N/A
AP9	20	TN	150	3573077C1	3573078C1	1620_IP12		7 N/A	N/A	N/A
TP9	18	TN	150	3573077C1	3573078C1	1620_IP12		7 N/A	N/A	N/A
AP95K	18	TN	150	3573077C1	3573078C1	1650_IP12		8 N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
TP95K	20	TN	150	3573077C1	3573078C1	1650_IP12	8	N/A	N/A	N/A
AP5C(+)	18	YL	150	3573077C1	3573078C1	1650_IP12	9	N/A	N/A	N/A
TP5A(+)	18	YL	150	3573077C1	3573078C1	1650_IP12	9	N/A	N/A	N/A
AP5C(-)	18	GN	150	3573077C1	3573078C1	1650_IP12	10	N/A	N/A	N/A
TP5A(-)	18	GN	150	3573077C1	3573078C1	1650_IP12	10	N/A	N/A	N/A
AL10-AG	12	WH	150	3753255C1	3573078C1	1650_IP12	11	N/A	N/A	N/A
AM10-AG	12	WH	150	3753255C1	3573078C1	1650_IP12	11	N/A	N/A	N/A
TL10-AH	12	WH	150	3753255C1	3573078C1	1650_IP12	11	N/A	N/A	N/A
TM10-AH	12	WH	150	3753255C1	3573078C1	1650_IP12	11	N/A	N/A	N/A
AL13R	12	PK	150	3753255C1	3573078C1	1650_IP12	12	N/A	N/A	N/A
AM13R	12	PK	150	3753255C1	3573078C1	1650_IP12	12	N/A	N/A	N/A
TL13R2	12	PK	150	3753255C1	3573078C1	1650_IP12	12	N/A	N/A	N/A
TM13R2	12	PK	150	3753255C1	3573078C1	1650_IP12	12	N/A	N/A	N/A
AL5(+)	18	YL	150	3573077C1	3573078C1	1650_IP12	13	N/A	N/A	N/A
AM5(+)	18	YL	150	3573077C1	3573078C1	1650_IP12	13	N/A	N/A	N/A
TL5(+)	18	YL	150	3573077C1	3573078C1	1650_IP12	13	N/A	N/A	N/A
TM5(+)	18	YL	150	3573077C1	3573078C1	1650_IP12	13	N/A	N/A	N/A
AL5(-)	18	GN	150	3573077C1	3573078C1	1650_IP12	14	N/A	N/A	N/A
AM5(-)	18	GN	150	3573077C1	3573078C1	1650_IP12	14	N/A	N/A	N/A
TL5(-)	18	GN	150	3573077C1	3573078C1	1650_IP12	14	N/A	N/A	N/A
TM5(-)	18	GN	150	3573077C1	3573078C1	1650_IP12	14	N/A	N/A	N/A
AY95DVL	20	TN	150	3573077C1	3573078C1	1650_IP12	1	N/A	N/A	N/A
TY95DVL	20	TN	150	3573077C1	3573078C1	1650_IP12	1	N/A	N/A	N/A
AY95DVH	20	TN	150	3573077C1	3573078C1	1650_IP12	2	N/A	N/A	N/A
TY95DVH	20	TN	150	3573077C1	3573078C1	1650_IP12	2	N/A	N/A	N/A
AY95BA	18	TN	150	3573077C1	3573078C1	1650_IP12	3	N/A	N/A	N/A
TY95BA	20	TN	150	3573077C1	3573078C1	1650_IP12	3	N/A	N/A	N/A
AY95BC	18	TN	150	3573077C1	3573078C1	166M	4	N/A	N/A	N/A
TY95BC	20	TN	150	3573077C1	3573078C1	166M	4	N/A	N/A	N/A
TY6	18	TN	150	3573077C1	3573078C1	166M	5	N/A	N/A	N/A
ZF95DA	18	TN	150	3573077C1	3573078C1	166M	5	N/A	N/A	N/A
ZG95DB	20	TN	150	3573077C1	3573078C1	166M	5	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
ZW95DA	18	TN	150	3573077C1	3573078C1	166M		5 N/A	N/A	N/A
ZX95DB	20	TN	150	3573077C1	3573078C1	16B_IP12		5 N/A	N/A	N/A
AY9	20	TN	150	3573077C1	3573078C1	16B_IP12		7 N/A	N/A	N/A
TY9	18	TN	150	3573077C1	3573078C1	16B_IP12		7 N/A	N/A	N/A
AY95K	18	TN	150	3573077C1	3573078C1	16B_IP12		8 N/A	N/A	N/A
TY95K	20	TN	150	3573077C1	3573078C1	16B_IP12		8 N/A	N/A	N/A
AY5C(+)	18	YL	150	3573077C1	3573078C1	16B_IP12		9 N/A	N/A	N/A
TY5A(+)	18	YL	150	3573077C1	3573078C1	16B_IP12		9 N/A	N/A	N/A
AY5C(-)	18	GN	150	3573077C1	3573078C1	16B_IP12		10 N/A	N/A	N/A
TY5A(-)	18	GN	150	3573077C1	3573078C1	16B_IP12		10 N/A	N/A	N/A
AN10-AG	12	WH	150	3753255C1	3573078C1	16B_IP12		11 N/A	N/A	N/A
AS10-AG	12	WH	150	3753255C1	3573078C1	16B_IP12		11 N/A	N/A	N/A
TS10-AH	12	WH	150	3753255C1	3573078C1	16B_IP12		11 N/A	N/A	N/A
AN13R	12	PK	150	3753255C1	3573078C1	16B_IP12		12 N/A	N/A	N/A
AS13R	12	PK	150	3753255C1	3573078C1	16B_IP12		12 N/A	N/A	N/A
TS13R2	12	PK	150	3753255C1	3573078C1	16B_IP12		12 N/A	N/A	N/A
AN5(+)	18	YL	150	3573077C1	3573078C1	16B_IP12		13 N/A	N/A	N/A
AS5(+)	18	YL	150	3573077C1	3573078C1	16B_IP12		13 N/A	N/A	N/A
TS5(+)	18	YL	150	3573077C1	3573078C1	16B_IP12		13 N/A	N/A	N/A
AN5(-)	18	GN	150	3573077C1	3573078C1	16B_IP12		14 N/A	N/A	N/A
AS5(-)	18	GN	150	3573077C1	3573078C1	16B_IP12		14 N/A	N/A	N/A
TS5(-)	18	GN	150	3573077C1	3573078C1	16B_IP12		14 N/A	N/A	N/A
KH11-G	10	WH	TXL	3841700C1	3577412C1	16B_IP12		1 N/A	3577413C1	N/A
WC11-G	10	WH	TXL	3841700C1	3577412C1	16B_IP12		1 N/A	3577413C1	N/A
KH14K	10	RD	TXL	3841700C1	3577412C1	16B_IP12		2 N/A	3577413C1	N/A
VV14N	10	RD	GXL	3841700C1	3577412C1	16B_IP12		2 N/A	3577413C1	N/A
AA9AE	18	GY	TXL	1661875C1	3590299C1	16B_IP12	A	N/A	1661874C1	N/A
AA74J	18	LTGN	TXL	1661875C1	3590299C1	16B_IP12	B	N/A	1661874C1	N/A
KJ95W	20	TN	GXL	3536865C1	3590390C1	16B_IP12		1 3536867C1	N/A	N/A
VA95W	18	TN	TXL	3561584C1	3590390C1	16B_IP12		1 3536867C1	N/A	N/A
KJ95-GF	20	WH	GXL	3536865C1	3590390C1	16B_IP12		2 3536867C1	N/A	N/A
VA95-GF	18	WH	TXL	3561584C1	3590390C1	16B_IP12		2 3536867C1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
GA95W	20	TN	GXL	3561584C1	3590390C1	16B_IP12		1 3536867C1	N/A	N/A
GA95-GF	20	WH	GXL	3561584C1	3590390C1	16B_IP12		2 3536867C1	N/A	N/A
VE95W	18	TN	TXL	3561584C1	3590390C1	1700_IP12		1 3536867C1	N/A	N/A
VE95-GF	18	WH	TXL	3561584C1	3590390C1	1700_IP12		2 3536867C1	N/A	N/A
TB49	18	GY	GXL	0587578C1	3593684C91	1700_IP12	A	1652325C1	N/A	N/A
UY49A	18	GY	GXL	0587578C1	3593684C91	1700_IP12	A	1652325C1	N/A	N/A
TB49-G	18	WH	GXL	0587578C1	3593684C91	1700_IP12	B	1652325C1	N/A	N/A
UY49-GB	18	WH	GXL	0587578C1	3593684C91	1700_IP12	B	1652325C1	N/A	N/A
UV49	18	GY	GXL	0587578C1	3593684C91	1700_IP12	A	1652325C1	N/A	N/A
UV49-G	18	WH	GXL	0587578C1	3593684C91	1700_IP12	B	1652325C1	N/A	N/A
UW49	18	GY	GXL	0587578C1	3593684C91	1700_IP12	A	1652325C1	N/A	N/A
UX49-G	18	WH	GXL	0587578C1	3593684C91	1700_IP12	B	1652325C1	N/A	N/A
UY49-GA	18	WH	GXL	0587578C1	3593684C91	1700_IP12	B	1652325C1	N/A	N/A
HA14VA	10	RD	GXL	3549415C1	3595620C1	1700_IP12		1 N/A	3598916C1	3598917C1
HF86BB	18	LTGN	GXL	3549418C1	3595620C1	1700_IP12		3 N/A	3598916C1	3598917C1
HH86BB	18	LTGN	GXL	3549418C1	3595620C1	1700_IP12		3 N/A	3598916C1	3598917C1
HF86CB	18	LTGN	GXL	3549418C1	3595620C1	1700_IP12		4 N/A	3598916C1	3598917C1
HH86CB	18	LTGN	GXL	3549418C1	3595620C1	1700_IP12		4 N/A	3598916C1	3598917C1
HF86DB	18	LTGN	GXL	3549418C1	3595620C1	1700_IP12		5 N/A	3598916C1	3598917C1
HH86DB	18	LTGN	GXL	3549418C1	3595620C1	1700_IP12		5 N/A	3598916C1	3598917C1
HF86EB	18	LTGN	GXL	3549418C1	3595620C1	1700_IP12		6 N/A	3598916C1	3598917C1
HH86EB	18	LTGN	GXL	3549418C1	3595620C1	1700_IP12		6 N/A	3598916C1	3598917C1
ZA63JB	18	DKBL	GXL	3549418C1	3595620C1	1700_IP12		7 N/A	3598916C1	3598917C1
HH86AA	18	LTGN	GXL	3549418C1	3595620C1	1700_IP12		8 N/A	3598916C1	3598917C1
HH86AC	18	LTGN	GXL	3549418C1	3595620C1	1700_IP12		10 N/A	3598916C1	3598917C1
HH86K	18	LTGN	GXL	3549418C1	3595620C1	1700_IP12		11 N/A	3598916C1	3598917C1
HH86L	18	LTGN	GXL	3549418C1	3595620C1	1700_IP12		12 N/A	3598916C1	3598917C1
HH86AK	18	LTGN	GXL	3549418C1	3595620C1	1700_IP12		13 N/A	3598916C1	3598917C1
HH86AL	18	LTGN	GXL	3549418C1	3595620C1	1700_IP12		14 N/A	3598916C1	3598917C1
HH86AH	18	LTGN	GXL	3549418C1	3595620C1	1700_IP12		15 N/A	3598916C1	3598917C1
HH86AJ	18	LTGN	GXL	3549418C1	3595620C1	1700_IP12		16 N/A	3598916C1	3598917C1
HA12B	18	PL	TXL	3549418C1	3595620C1	1700_IP12		17 N/A	3598916C1	3598917C1

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
LD63AW	18	DKBL	GXL	3549418C1	3595620C1	1700_IP12	18	N/A	3598916C1	3598917C1
LE63AW	18	DKBL	GXL	3549418C1	3595620C1	1700_IP12	18	N/A	3598916C1	3598917C1
HM58C	16	BK	TXL	3549417C1	3595620C1	1700_IP12	19	N/A	3598916C1	3598917C1
HA65	16	OR	GXL	3549417C1	3595620C1	1700_IP12	20	N/A	3598916C1	3598917C1
HE65B	16	OR	GXL	3549417C1	3595620C1	1700_IP12	21	N/A	3598916C1	3598917C1
HA109S	18	GY	GXL	3549418C1	3595620C1	1700_IP12	22	N/A	3598916C1	3598917C1
HH86H	18	LTGN	GXL	3549418C1	3595620C1	1700_IP12	23	N/A	3598916C1	3598917C1
HH86J	18	LTGN	GXL	3549418C1	3595620C1	1700_IP12	24	N/A	3598916C1	3598917C1
GS75WA	18	RD	GXL	3549418C1	3595620C1	1700_IP12	25	N/A	3598916C1	3598917C1
GV75WA	18	RD	GXL	3549418C1	3595620C1	1700_IP12	25	N/A	3598916C1	3598917C1
ZC75WA	18	RD	GXL	3549418C1	3595620C1	1700_IP12	25	N/A	3598916C1	3598917C1
GS75WP	18	LTGN	GXL	3549418C1	3595620C1	1700_IP12	26	N/A	3598916C1	3598917C1
GV75WP	18	LTGN	TXL	3549418C1	3595620C1	1700_IP12	26	N/A	3598916C1	3598917C1
ZC75WP	18	LTGN	GXL	3549418C1	3595620C1	1700_IP12	26	N/A	3598916C1	3598917C1
BA75AJB	18	LTGN	GXL	3549418C1	3595620C1	1700_IP12	27	N/A	3598916C1	3598917C1
GS75WDB	18	LTGN	TXL	3549418C1	3595620C1	1700_IP12	27	N/A	3598916C1	3598917C1
GV75WDB	18	LTGN	TXL	3549418C1	3595620C1	1700_IP12	27	N/A	3598916C1	3598917C1
ZC75WDB	18	LTGN	TXL	3549418C1	3595620C1	1700_IP12	27	N/A	3598916C1	3598917C1
ZF77A	20	LTGN	TXL	3549418C1	3595620C1	1700_IP12	28	N/A	3598916C1	3598917C1
BA75X	18	LTGN	GXL	3549418C1	3595620C1	1700_IP12	29	N/A	3598916C1	3598917C1
ZF77B	20	LTGN	TXL	3549418C1	3595620C1	1700_IP12	29	N/A	3598916C1	3598917C1
BD62A	18	DKBL	GXL	3549418C1	3595620C1	1700_IP12	31	N/A	3598916C1	3598917C1
BF62A	18	DKBL	GXL	3549418C1	3595620C1	1700_IP12	31	N/A	3598916C1	3598917C1
HG62A	18	DKBL	GXL	3549418C1	3595620C1	1700_IP12	31	N/A	3598916C1	3598917C1
HA63E	18	DKBL	GXL	3549418C1	3595620C1	1700_IP12	32	N/A	3598916C1	3598917C1
HA63F	18	DKBL	GXL	3549418C1	3595620C1	1700_IP12	33	N/A	3598916C1	3598917C1
BA14AC	10	RD	GXL	3549415C1	3595620C1	1700_IP12	34	N/A	3598916C1	3598917C1
BL5S(+)	18	YL	TXL	3549418C1	3595620C1	1700_IP12	35	N/A	3598916C1	3598917C1
BM5S(+)	18	YL	TXL	3549418C1	3595620C1	1700_IP12	35	N/A	3598916C1	3598917C1
BL5S(-)	18	GN	TXL	3549418C1	3595620C1	1700_IP12	36	N/A	3598916C1	3598917C1
BM5S(-)	18	GN	TXL	3549418C1	3595620C1	1700_IP12	36	N/A	3598916C1	3598917C1
HA63C	18	DKBL	GXL	3549418C1	3595620C1	1700_IP12	37	N/A	3598916C1	3598917C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
BD77CR	18	LTGN	TXL	3549418C1	3595620C1	1700_IP12	41	N/A	3598916C1	3598917C1
GV75WB	18	RD	TXL	3549418C1	3595620C1	1700_IP12	41	N/A	3598916C1	3598917C1
GX75WB	18	RD	TXL	3549418C1	3595620C1	1700_IP12	41	N/A	3598916C1	3598917C1
HA14VB	10	RD	GXL	3549415C1	3595620C1	1700_IP12	42	N/A	3598916C1	3598917C1
WA92A20	18	WH	TXL	3574277C1	3595620C1	1700_IP12	1	N/A	3598916C1	3598917C1
WC92A20	18	WH	TXL	3574277C1	3595620C1	1700_IP12	1	N/A	3598916C1	3598917C1
YA9AA	16	GY	TXL	3549417C1	3595620C1	1700_IP12	2	N/A	3598916C1	3598917C1
YK9AA	16	GY	TXL	3549417C1	3595620C1	1700_IP12	2	N/A	3598916C1	3598917C1
YB6DB	20	GY	TXL	3549418C1	3595620C1	1700_IP12	3	N/A	3598916C1	3598917C1
YL6DB	20	GY	TXL	3549418C1	3595620C1	1700_IP12	3	N/A	3598916C1	3598917C1
YM6DB	20	GY	TXL	3549418C1	3595620C1	1700_IP12	3	N/A	3598916C1	3598917C1
YN6DB	20	GY	TXL	3549418C1	3595620C1	1700_IP12	3	N/A	3598916C1	3598917C1
YB77B	20	LTGN	TXL	3549418C1	3595620C1	1700_IP12	4	N/A	3598916C1	3598917C1
YL77B	20	LTGN	TXL	3549418C1	3595620C1	1700_IP12	4	N/A	3598916C1	3598917C1
YM77B	20	LTGN	TXL	3549418C1	3595620C1	1700_IP12	4	N/A	3598916C1	3598917C1
YN77B	20	LTGN	TXL	3549418C1	3595620C1	1700_IP12	4	N/A	3598916C1	3598917C1
JE28	18	TN	GXL	3549418C1	3595620C1	1700_IP12	5	N/A	3598916C1	3598917C1
KE28	18	TN	GXL	3549418C1	3595620C1	1700_IP12	5	N/A	3598916C1	3598917C1
KE28	18	TN	TXL	3549418C1	3595620C1	1700_IP12	5	N/A	3598916C1	3598917C1
KW71A	16	OR	GXL	3549417C1	3595620C1	1700_IP12	6	N/A	3598916C1	3598917C1
KW71A	16	OR	GXL	3549417C1	3595620C1	1700_IP12	6	N/A	3598916C1	3598917C1
PF71A	16	OR	GXL	3549417C1	3595620C1	1700_IP12	6	N/A	3598916C1	3598917C1
SC92#145	18	OR	TXL	3549418C1	3595620C1	1700_IP12	6	N/A	3598916C1	3598917C1
SD92#145	18	OR	TXL	3549418C1	3595620C1	1700_IP12	6	N/A	3598916C1	3598917C1
XK92#145	18	OR	TXL	3549418C1	3595620C1	1700_IP12	6	N/A	3598916C1	3598917C1
XL92#145	18	OR	TXL	3549418C1	3595620C1	1700_IP12	6	N/A	3598916C1	3598917C1
KW71B	16	OR	GXL	3549417C1	3595620C1	1700_IP12	7	N/A	3598916C1	3598917C1
KW71B	16	OR	GXL	3549417C1	3595620C1	1700_IP12	7	N/A	3598916C1	3598917C1
PF71B	16	OR	GXL	3549417C1	3595620C1	1700F	7	N/A	3598916C1	3598917C1
TD92#165	18	TN	TXL	3549418C1	3595620C1	1700F	7	N/A	3598916C1	3598917C1
TZ92#165	18	TN	TXL	3549418C1	3595620C1	1700F	7	N/A	3598916C1	3598917C1
XV92#165	18	TN	TXL	3549418C1	3595620C1	1700F	7	N/A	3598916C1	3598917C1



Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
KH13A	14	PK	GXL	3549417C1	3595620C1	1700F	8	N/A	3598916C1	3598917C1
KH13A	14	PK	GXL	3549417C1	3595620C1	1700F	8	N/A	3598916C1	3598917C1
TD92#163	18	TN	TXL	3549418C1	3595620C1	1700F	8	N/A	3598916C1	3598917C1
TZ92#163	18	TN	TXL	3549418C1	3595620C1	1700F	8	N/A	3598916C1	3598917C1
XV92#163	18	TN	TXL	3549418C1	3595620C1	1700F	8	N/A	3598916C1	3598917C1
SK14HC	14	RD	TXL	3549416C1	3595620C1	1700F	9	N/A	3598916C1	3598917C1
KA77	16	LTGN	GXL	3549417C1	3595620C1	1700F	10	N/A	3598916C1	3598917C1
KA77	16	LTGN	TXL	3549417C1	3595620C1	1700F	10	N/A	3598916C1	3598917C1
KF5R(+)	18	YL	TXL	3549418C1	3595620C1	1700F	11	N/A	3598916C1	3598917C1
KF5R(+)	18	YL	TXL	3549418C1	3595620C1	1700F	11	N/A	3598916C1	3598917C1
KH5R(+)	18	YL	TXL	3549418C1	3595620C1	1700F	11	N/A	3598916C1	3598917C1
KH5R(+)	18	YL	TXL	3549418C1	3595620C1	1700F	11	N/A	3598916C1	3598917C1
XR5R106	18	YL	TXL	3549418C1	3595620C1	1700F	11	N/A	3598916C1	3598917C1
XX5R106	18	YL	TXL	3549418C1	3595620C1	1700F	11	N/A	3598916C1	3598917C1
XZ5C106	18	YL	TXL	3549418C1	3595620C1	1700F	11	N/A	3598916C1	3598917C1
KH92A	18	TN	GXL	3549418C1	3595620C1	1700F	12	N/A	3598916C1	3598917C1
TG92A	18	TN	GXL	3549418C1	3595620C1	1700F	12	N/A	3598916C1	3598917C1
WW28	18	TN	GXL	3549418C1	3595620C1	1700F	12	N/A	3598916C1	3598917C1
KK31	18	TN	GXL	3549418C1	3595620C1	1700F	13	N/A	3598916C1	3598917C1
KK31	18	TN	GXL	3549418C1	3595620C1	1700F	13	N/A	3598916C1	3598917C1
PC31	18	TN	GXL	3549418C1	3595620C1	1700F	13	N/A	3598916C1	3598917C1
TA31	18	TN	GXL	3549418C1	3595620C1	1700F	13	N/A	3598916C1	3598917C1
WP31	18	TN	GXL	3549418C1	3595620C1	1700F	13	N/A	3598916C1	3598917C1
XA31	18	TN	GXL	3549418C1	3595620C1	1700F	13	N/A	3598916C1	3598917C1
KM88	16	LTGN	GXL	3549417C1	3595620C1	1700F	14	N/A	3598916C1	3598917C1
KM88	16	LTGN	GXL	3549417C1	3595620C1	1700F	14	N/A	3598916C1	3598917C1
KC41D	20	WH	TXL	3549418C1	3595620C1	1700F	15	N/A	3598916C1	3598917C1
WA41D	18	WH	TXL	3549418C1	3595620C1	1700F	15	N/A	3598916C1	3598917C1
WC41D	18	WH	TXL	3549418C1	3595620C1	1700F	15	N/A	3598916C1	3598917C1
KR17	16	PK	GXL	3549417C1	3595620C1	1700F	16	N/A	3598916C1	3598917C1
LB17	16	PK	GXL	3549417C1	3595620C1	1700F	16	N/A	3598916C1	3598917C1
VK17	16	PK	GXL	3549417C1	3595620C1	1700F	16	N/A	3598916C1	3598917C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
VS17	16	PK	GXL	3549417C1	3595620C1	1700F	16	N/A	3598916C1	3598917C1
VT17	16	PK	GXL	3549417C1	3595620C1	1700F	16	N/A	3598916C1	3598917C1
KF5R(-)	18	GN	TXL	3549418C1	3595620C1	1700F	17	N/A	3598916C1	3598917C1
KF5R(-)	18	GN	TXL	3549418C1	3595620C1	1700F	17	N/A	3598916C1	3598917C1
KH5R(-)	18	GN	TXL	3549418C1	3595620C1	1700F	17	N/A	3598916C1	3598917C1
KH5R(-)	18	GN	TXL	3549418C1	3595620C1	1700F	17	N/A	3598916C1	3598917C1
XR5R127	18	GN	TXL	3549418C1	3595620C1	1700F	17	N/A	3598916C1	3598917C1
XX5R127	18	GN	TXL	3549418C1	3595620C1	1700F	17	N/A	3598916C1	3598917C1
XZ5C117	18	GN	TXL	3549418C1	3595620C1	1700F	17	N/A	3598916C1	3598917C1
KC41EA	18	TN	TXL	3549418C1	3595620C1	1700F	18	N/A	3598916C1	3598917C1
VL41E	18	TN	TXL	3549418C1	3595620C1	1700F	18	N/A	3598916C1	3598917C1
KH17-GC	18	PK	GXL	3549418C1	3595620C1	1700F	19	N/A	3598916C1	3598917C1
KH17-GC	18	WH	GXL	3549418C1	3595620C1	1700F	19	N/A	3598916C1	3598917C1
TD92#134	18	TN	TXL	3549418C1	3595620C1	1700F	19	N/A	3598916C1	3598917C1
TZ92#134	18	TN	TXL	3549418C1	3595620C1	1700F	19	N/A	3598916C1	3598917C1
XV92#134	18	TN	TXL	3549418C1	3595620C1	1700F	19	N/A	3598916C1	3598917C1
KH17B	18	PK	GXL	3549418C1	3595620C1	1700F	20	N/A	3598916C1	3598917C1
KH17B	18	PK	GXL	3549418C1	3595620C1	1700F	20	N/A	3598916C1	3598917C1
TD92#141	18	TN	TXL	3549418C1	3595620C1	1700F	20	N/A	3598916C1	3598917C1
TZ92#141	18	TN	TXL	3549418C1	3595620C1	1700F	20	N/A	3598916C1	3598917C1
XV92#141	18	TN	TXL	3549418C1	3595620C1	1700F	20	N/A	3598916C1	3598917C1
KH17C	16	PK	TXL	3549417C1	3595620C1	1700F	21	N/A	3598916C1	3598917C1
KH17C	18	PK	GXL	3549418C1	3595620C1	1700F	21	N/A	3598916C1	3598917C1
TT92C103	18	YL	TXL	3549418C1	3595620C1	1700F	21	N/A	3598916C1	3598917C1
TX92C103	18	YL	TXL	3549418C1	3595620C1	1700F	21	N/A	3598916C1	3598917C1
KA97C	18	PL	TXL	3549418C1	3595620C1	1701_IP12	22	N/A	3598916C1	3598917C1
TJ97C	20	PL	TXL	3549418C1	3595620C1	1701_IP12	22	N/A	3598916C1	3598917C1
KA97B	18	PL	TXL	3549418C1	3595620C1	1701_IP12	23	N/A	3598916C1	3598917C1
TJ97B	20	PL	TXL	3549418C1	3595620C1	1701_IP12	23	N/A	3598916C1	3598917C1
KA97M	18	PL	TXL	3549418C1	3595620C1	1701_IP12	24	N/A	3598916C1	3598917C1
KA97M	20	PL	TXL	3549418C1	3595620C1	1701_IP12	24	N/A	3598916C1	3598917C1
KZ92E	16	TN	TXL	3549417C1	3595620C1	1701_IP12	25	N/A	3598916C1	3598917C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
SC92#117	18	TN	TXL	3549418C1	3595620C1	1701_IP12	25	N/A	3598916C1	3598917C1
SD92#117	18	TN	TXL	3549418C1	3595620C1	1701_IP12	25	N/A	3598916C1	3598917C1
SH92DN	18	TN	GXL	3549418C1	3595620C1	1701_IP12	25	N/A	3598916C1	3598917C1
SJ92DN	18	TN	GXL	3549418C1	3595620C1	1701_IP12	25	N/A	3598916C1	3598917C1
XK92#117	18	TN	TXL	3549418C1	3595620C1	1701_IP12	25	N/A	3598916C1	3598917C1
XL92#117	18	TN	TXL	3549418C1	3595620C1	1701_IP12	25	N/A	3598916C1	3598917C1
KZ92F	18	TN	GXL	3549418C1	3595620C1	1701_IP12	26	N/A	3598916C1	3598917C1
SH92A3	18	TN	TXL	3549418C1	3595620C1	1701_IP12	26	N/A	3598916C1	3598917C1
SJ92A3	18	TN	TXL	3549418C1	3595620C1	1701_IP12	26	N/A	3598916C1	3598917C1
TV92C158	18	LTGN	TXL	3549418C1	3595620C1	1701_IP12	26	N/A	3598916C1	3598917C1
TY92C158	18	LTGN	TXL	3549418C1	3595620C1	1701_IP12	26	N/A	3598916C1	3598917C1
KZ92H	18	TN	GXL	3549418C1	3595620C1	1701_IP12	27	N/A	3598916C1	3598917C1
SH92A11	16	TN	GXL	3549417C1	3595620C1	1701_IP12	27	N/A	3598916C1	3598917C1
SJ92A11	16	TN	GXL	3549417C1	3595620C1	1701_IP12	27	N/A	3598916C1	3598917C1
TT92#124	18	TN	TXL	3549418C1	3595620C1	1701_IP12	27	N/A	3598916C1	3598917C1
TX92#124	18	TN	TXL	3549418C1	3595620C1	1701_IP12	27	N/A	3598916C1	3598917C1
KA99B	18	PL	TXL	3549418C1	3595620C1	1701_IP12	28	N/A	3598916C1	3598917C1
TJ99B	20	PL	TXL	3549418C1	3595620C1	1701_IP12	28	N/A	3598916C1	3598917C1
KA97N	18	PL	TXL	3549418C1	3595620C1	1701_IP12	29	N/A	3598916C1	3598917C1
KA97N	20	PL	TXL	3549418C1	3595620C1	1701_IP12	29	N/A	3598916C1	3598917C1
KA97P	18	TN	TXL	3549418C1	3595620C1	1701_IP12	30	N/A	3598916C1	3598917C1
TP99D	18	VT	GXL	3549418C1	3595620C1	1701_IP12	30	N/A	3598916C1	3598917C1
TY99D	18	VT	GXL	3549418C1	3595620C1	1701_IP12	30	N/A	3598916C1	3598917C1
TH92ER	18	TN	GXL	3549418C1	3595620C1	1701_IP12	31	N/A	3598916C1	3598917C1
TT92#156	18	TN	TXL	3549418C1	3595620C1	1701_IP12	31	N/A	3598916C1	3598917C1
TX92#156	18	TN	TXL	3549418C1	3595620C1	1701_IP12	31	N/A	3598916C1	3598917C1
KY97S	18	VT	GXL	3549418C1	3595620C1	1701_IP12	32	N/A	3598916C1	3598917C1
PY97S	18	VT	GXL	3549418C1	3595620C1	1701_IP12	32	N/A	3598916C1	3598917C1
WV97S	18	VT	GXL	3549418C1	3595620C1	1701_IP12	32	N/A	3598916C1	3598917C1
KY97J	18	VT	GXL	3549418C1	3595620C1	1701_IP12	33	N/A	3598916C1	3598917C1
PY97J	18	VT	GXL	3549418C1	3595620C1	1701_IP12	33	N/A	3598916C1	3598917C1
WV97J	18	VT	GXL	3549418C1	3595620C1	1701_IP12	33	N/A	3598916C1	3598917C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
SH92A18A	16	TN	GXL	3549416C1	3595620C1	1701_IP12	34	N/A	3598916C1	3598917C1
WN30BC	16	TN	GXL	3549416C1	3595620C1	1701_IP12	34	N/A	3598916C1	3598917C1
WN30BC	16	TN	GXL	3549416C1	3595620C1	1701_IP12	34	N/A	3598916C1	3598917C1
KH3BA(+)	18	DKBL	GXL	3549418C1	3595620C1	1701_IP12	35	N/A	3598916C1	3598917C1
KH3BC(+)	18	DKBL	GXL	3549418C1	3595620C1	1701_IP12	35	N/A	3598916C1	3598917C1
KH3BA(-)	18	GY	GXL	3549418C1	3595620C1	1701_IP12	36	N/A	3598916C1	3598917C1
KH3BC(-)	18	GY	GXL	3549418C1	3595620C1	1701_IP12	36	N/A	3598916C1	3598917C1
KA13	18	PK	TXL	3549418C1	3595620C1	1701_IP12	37	N/A	3598916C1	3598917C1
KA13B	18	PK	TXL	3549418C1	3595620C1	1701_IP12	37	N/A	3598916C1	3598917C1
KL47T	18	GY	TXL	3549418C1	3595620C1	1701_IP12	38	N/A	3598916C1	3598917C1
TH92J	18	TN	GXL	3549418C1	3595620C1	1701_IP12	39	N/A	3598916C1	3598917C1
TT92#161	18	TN	TXL	3549418C1	3595620C1	1701_IP12	39	N/A	3598916C1	3598917C1
TX92#161	18	TN	TXL	3549418C1	3595620C1	1701_IP12	39	N/A	3598916C1	3598917C1
KH92B	18	TN	GXL	3549418C1	3595620C1	1701_IP12	40	N/A	3598916C1	3598917C1
TG92B	18	TN	GXL	3549418C1	3595620C1	1701_IP12	40	N/A	3598916C1	3598917C1
TH98GN	18	GN	TXL	3549418C1	3595620C1	1701_IP12	40	N/A	3598916C1	3598917C1
KN88A	16	LTGN	GXL	3549417C1	3595620C1	1701_IP12	41	N/A	3598916C1	3598917C1
KN88A	18	VT	GXL	3549418C1	3595620C1	1701_IP12	41	N/A	3598916C1	3598917C1
SJ92A18A	16	TN	GXL	3549417C1	3595620C1	1701_IP12	41	N/A	3598916C1	3598917C1
TH98YL	18	YL	TXL	3549418C1	3595620C1	1701_IP12	41	N/A	3598916C1	3598917C1
TT92B112	18	TN	TXL	3549418C1	3595620C1	1701_IP12	41	N/A	3598916C1	3598917C1
TX92B112	18	TN	TXL	3549418C1	3595620C1	1701_IP12	41	N/A	3598916C1	3598917C1
YB77C	20	LTGN	TXL	3574277C1	3595620C1	1701_IP12	42	N/A	3598916C1	3598917C1
YL77C	20	LTGN	TXL	3574277C1	3595620C1	1701_IP12	42	N/A	3598916C1	3598917C1
YM77C	20	LTGN	TXL	3574277C1	3595620C1	1701_IP12	42	N/A	3598916C1	3598917C1
YN77C	20	LTGN	TXL	3574277C1	3595620C1	1701_IP12	42	N/A	3598916C1	3598917C1
AA9AAJ1	18	GY	TXL	2003343C1	3595621C1	1701_IP12	2	UNDEF	3598918C1	3598919C1
3H6DBJ	20	GY	TXL	2003343C1	3595621C1	1701_IP12	3	UNDEF	3598918C1	3598919C1
3H77BJ	20	LTGN	TXL	2003343C1	3595621C1	1701_IP12	4	UNDEF	3598918C1	3598919C1
AU28J	18	TN	TXL	2003343C1	3595621C1	1701_IP12	5	UNDEF	3598918C1	3598919C1
BP71AJ	16	OR	TXL	3574285C1	3595621C1	1701_IP12	6	UNDEF	3598918C1	3598919C1
EY71AJ	18	OR	TXL	2003343C1	3595621C1	1701_IP12	6	UNDEF	3598918C1	3598919C1

Circuit				Terminal Splice	Connector Body	Connector			Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve		
3T92J#165	18	OR	TXL	2003343C1	3595621C1	1701_IP12	7	UNDEF	3598918C1	3598919C1
BP71BJ	16	OR	TXL	3574285C1	3595621C1	1701_IP12	7	UNDEF	3598918C1	3598919C1
EY71BJ	16	OR	TXL	3574285C1	3595621C1	1701_IP12	7	UNDEF	3598918C1	3598919C1
GM92J#165	18	OR	TXL	2003343C1	3595621C1	1701_IP12	7	UNDEF	3598918C1	3598919C1
AZ13AJ	16	PK	GXL	3574285C1	3595621C1	1701_IP12	8	UNDEF	3598918C1	3598919C1
GY92J#163	16	PK	TXL	3574285C1	3595621C1	1701_IP12	8	UNDEF	3598918C1	3598919C1
AA77J	16	LTGN	GXL	3574285C1	3595621C1	1701_IP12	10	UNDEF	3598918C1	3598919C1
3D5PJ(+)	18	YL	TXL	2003343C1	3595621C1	1701_IP12	11	UNDEF	3598918C1	3598919C1
3M5PJ(+)	18	YL	TXL	2003343C1	3595621C1	1701_IP12	11	UNDEF	3598918C1	3598919C1
9K5PJ(+)	18	YL	TXL	2003343C1	3595621C1	1701_IP12	11	UNDEF	3598918C1	3598919C1
9L5PJ(+)	18	YL	TXL	2003343C1	3595621C1	1701_IP12	11	UNDEF	3598918C1	3598919C1
9U5PJ(+)	18	YL	TXL	2003343C1	3595621C1	1701_IP12	11	UNDEF	3598918C1	3598919C1
9V5PJ(+)	18	YL	TXL	2003343C1	3595621C1	1701_IP12	11	UNDEF	3598918C1	3598919C1
JC5PJ(+)	18	YL	TXL	2003343C1	3595621C1	1701_IP12	11	UNDEF	3598918C1	3598919C1
JD5PJ(+)	18	YL	TXL	2003343C1	3595621C1	1701_IP12	11	UNDEF	3598918C1	3598919C1
JF5PJ(+)	18	YL	TXL	2003343C1	3595621C1	1701_IP12	11	UNDEF	3598918C1	3598919C1
JG5PJ(+)	18	YL	TXL	2003343C1	3595621C1	1701_IP12	11	UNDEF	3598918C1	3598919C1
SN5PJ(+)	18	YL	TXL	2003343C1	3595621C1	1701_IP12	11	UNDEF	3598918C1	3598919C1
SP5PJ(+)	18	YL	TXL	2003343C1	3595621C1	1701_IP12	11	UNDEF	3598918C1	3598919C1
MN92J	18	TN	TXL	2003343C1	3595621C1	1701_IP12	12	UNDEF	3598918C1	3598919C1
DS31J	18	TN	TXL	2003343C1	3595621C1	1701_IP12	13	UNDEF	3598918C1	3598919C1
FD88J	18	LTGN	TXL	2003343C1	3595621C1	1701_IP12	14	UNDEF	3598918C1	3598919C1
HZ41EJ	18	TN	TXL	2003343C1	3595621C1	1701_IP12	15	UNDEF	3598918C1	3598919C1
AF17J	16	PK	GXL	3574285C1	3595621C1	1701_IP12	16	UNDEF	3598918C1	3598919C1
GP17J	16	PK	TXL	3574285C1	3595621C1	1701_IP12	16	UNDEF	3598918C1	3598919C1
3D5PJ(-)	18	GN	TXL	2003343C1	3595621C1	1701_IP12	17	UNDEF	3598918C1	3598919C1
3M5PJ(-)	18	GN	TXL	2003343C1	3595621C1	1701_IP12	17	UNDEF	3598918C1	3598919C1
9K5PJ(-)	18	GN	TXL	2003343C1	3595621C1	1701_IP12	17	UNDEF	3598918C1	3598919C1
9L5PJ(-)	18	GN	TXL	2003343C1	3595621C1	1701_IP12	17	UNDEF	3598918C1	3598919C1
9U5PJ(-)	18	GN	TXL	2003343C1	3595621C1	1701_IP12	17	UNDEF	3598918C1	3598919C1
9V5PJ(-)	18	GN	TXL	2003343C1	3595621C1	1701_IP12	17	UNDEF	3598918C1	3598919C1
JC5PJ(-)	18	GN	TXL	2003343C1	3595621C1	1701_IP12	17	UNDEF	3598918C1	3598919C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
JD5PJ(-)	18	GN	TXL	2003343C1	3595621C1	1701_IP12	17	UNDEF	3598918C1	3598919C1
JF5PJ(-)	18	GN	TXL	2003343C1	3595621C1	1701_IP12	17	UNDEF	3598918C1	3598919C1
JG5PJ(-)	18	GN	TXL	2003343C1	3595621C1	1701_IP12	17	UNDEF	3598918C1	3598919C1
SN5PJ(-)	18	GN	TXL	2003343C1	3595621C1	1701_IP12	17	UNDEF	3598918C1	3598919C1
SP5PJ(-)	18	GN	TXL	2003343C1	3595621C1	1701_IP12	17	UNDEF	3598918C1	3598919C1
HZ41DJ	18	TN	TXL	2003343C1	3595621C1	1701_IP12	18	UNDEF	3598918C1	3598919C1
AZ92-GCJ	18	WH	TXL	2003343C1	3595621C1	1701_IP12	19	UNDEF	3598918C1	3598919C1
GY92#134J	18	TN	TXL	2003343C1	3595621C1	1701_IP12	19	UNDEF	3598918C1	3598919C1
AZ92BJ	18	TN	TXL	2003343C1	3595621C1	1701_IP12	20	UNDEF	3598918C1	3598919C1
GY92J#141	18	TN	TXL	2003343C1	3595621C1	1701_IP12	20	UNDEF	3598918C1	3598919C1
AA97CJ	18	PL	TXL	2003343C1	3595621C1	1701_IP12	22	UNDEF	3598918C1	3598919C1
AA97BJ	18	PL	TXL	2003343C1	3595621C1	1701_IP12	23	UNDEF	3598918C1	3598919C1
AA97MJ	18	PL	TXL	2003343C1	3595621C1	1701_IP12	24	UNDEF	3598918C1	3598919C1
AA99BJ	18	PL	TXL	2003343C1	3595621C1	1701_IP12	28	UNDEF	3598918C1	3598919C1
AA97NJ	18	PL	TXL	2003343C1	3595621C1	1701_IP12	29	UNDEF	3598918C1	3598919C1
AA99DJ	18	PL	TXL	2003343C1	3595621C1	1701_IP12	30	UNDEF	3598918C1	3598919C1
DT104ALJ	16	DKBL	TXL	3574285C1	3595621C1	1701_IP12	32	UNDEF	3598918C1	3598919C1
DT104-GAJ	16	WH	TXL	3574285C1	3595621C1	1701_IP12	33	UNDEF	3598918C1	3598919C1
HA30BA	16	TN	TXL	3574288C1	3595621C1	1701_IP12	34	UNDEF	3598918C1	3598919C1
EH97FJ	16	PL	TXL	3574285C1	3595621C1	1701_IP12	37	UNDEF	3598918C1	3598919C1
MN9ZAJ	18	GY	TXL	2003343C1	3595621C1	1701_IP12	40	UNDEF	3598918C1	3598919C1
FE88AJ	18	LTGN	TXL	2003343C1	3595621C1	1701_IP12	41	UNDEF	3598918C1	3598919C1
3H77BAJ	20	LTGN	TXL	3574289C1	3595621C1	1701_IP12	42	UNDEF	3598918C1	3598919C1
DX14VA	12	RD	TXL	3574287C1	3595621C1	1701_IP12	1	N/A	3598918C1	3598919C1
MW86BB	18	LTGN	TXL	2003343C1	3595621C1	1701_IP12	3	N/A	3598918C1	3598919C1
MW86CB	18	LTGN	TXL	2003343C1	3595621C1	1701_IP12	4	N/A	3598918C1	3598919C1
MW86DB	18	LTGN	TXL	2003343C1	3595621C1	1701_IP12	5	N/A	3598918C1	3598919C1
MW86EB	18	LTGN	TXL	2003343C1	3595621C1	1701_IP12	6	N/A	3598918C1	3598919C1
EL63JB	18	DKBL	TXL	2003343C1	3595621C1	1701_IP12	7	N/A	3598918C1	3598919C1
MY66AA	18	LTGN	TXL	2003343C1	3595621C1	1701_IP12	8	N/A	3598918C1	3598919C1
MY86AC	18	LTGN	TXL	2003343C1	3595621C1	1701_IP12	10	N/A	3598918C1	3598919C1
MX86K	18	LTGN	TXL	2003343C1	3595621C1	1701F	11	N/A	3598918C1	3598919C1

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
MX86L	18	LTGN	TXL	2003343C1	3595621C1	1701F	12	N/A	3598918C1	3598919C1
MX86AK	18	LTGN	TXL	2003343C1	3595621C1	1701F	13	N/A	3598918C1	3598919C1
MX86AL	18	LTGN	TXL	2003343C1	3595621C1	1701F	14	N/A	3598918C1	3598919C1
MX86AH	18	LTGN	TXL	2003343C1	3595621C1	1701F	15	N/A	3598918C1	3598919C1
MX86AJ	18	LTGN	TXL	2003343C1	3595621C1	1701F	16	N/A	3598918C1	3598919C1
AC12B	18	LTBL	TXL	2003343C1	3595621C1	1701F	17	N/A	3598918C1	3598919C1
DX63AW	20	DKBL	TXL	2003343C1	3595621C1	1701F	18	N/A	3598918C1	3598919C1
CX58C	16	BN	TXL	3574285C1	3595621C1	1701F	19	N/A	3598918C1	3598919C1
EM58BLT	14	BN	TXL	3574285C1	3595621C1	1701F	19	N/A	3598918C1	3598919C1
BT65	18	OR	TXL	2003343C1	3595621C1	1701F	20	N/A	3598918C1	3598919C1
BU65AA	18	OR	TXL	2003343C1	3595621C1	1701F	20	N/A	3598918C1	3598919C1
BY65AA	16	OR	TXL	3574285C1	3595621C1	1701F	20	N/A	3598918C1	3598919C1
BY65AB	16	OR	TXL	3574285C1	3595621C1	1701F	21	N/A	3598918C1	3598919C1
DX109S	18	GY	TXL	2003343C1	3595621C1	1701F	22	N/A	3598918C1	3598919C1
MX86H	18	LTGN	TXL	2003343C1	3595621C1	1701F	23	N/A	3598918C1	3598919C1
MX86J	18	LTGN	TXL	2003343C1	3595621C1	1701F	24	N/A	3598918C1	3598919C1
YE75WA	14	RD	TXL	3574285C1	3595621C1	1701F	25	N/A	3598918C1	3598919C1
YE75WP	18	LTGN	TXL	2003343C1	3595621C1	1701F	26	N/A	3598918C1	3598919C1
AP75WC	18	LTGN	TXL	2003343C1	3595621C1	1701F	27	N/A	3598918C1	3598919C1
2J62A	18	DKBL	TXL	2003343C1	3595621C1	1701F	31	N/A	3598918C1	3598919C1
DX63E	18	DKBL	TXL	2003343C1	3595621C1	1701F	32	N/A	3598918C1	3598919C1
EL63F	18	DKBL	TXL	2003343C1	3595621C1	1701F	33	N/A	3598918C1	3598919C1
RP14XX	12	RD	TXL	3574287C1	3595621C1	1701F	34	N/A	3598918C1	3598919C1
KU5AG(+)	18	YL	TXL	2003343C1	3595621C1	1701F	35	N/A	3598918C1	3598919C1
LN5AG(+)	18	YL	TXL	2003343C1	3595621C1	1701F	35	N/A	3598918C1	3598919C1
KU5AG(-)	18	GN	TXL	2003343C1	3595621C1	1701F	36	N/A	3598918C1	3598919C1
LN5AG(-)	18	GN	TXL	2003343C1	3595621C1	1701F	36	N/A	3598918C1	3598919C1
DX63C	18	DKBL	TXL	2003343C1	3595621C1	1701F	37	N/A	3598918C1	3598919C1
YE75WB	18	RD	TXL	2003343C1	3595621C1	1701F	41	N/A	3598918C1	3598919C1
DX14VB	12	RD	TXL	3574287C1	3595621C1	1701F	42	N/A	3598918C1	3598919C1
NA71BA	14	OR	GXL	3549416C1	3595622C1	1701F	1	N/A	N/A	N/A
NA56A	14	OR	GXL	3549416C1	3595622C1	1701F	2	N/A	N/A	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
NA57A	14	OR	GXL	3549416C1	3595622C1	1701F	3	N/A	N/A	N/A
NA68A	14	BN	GXL	3549416C1	3595622C1	1701F	4	N/A	N/A	N/A
NH56T	10	YL	GXL	3549415C1	3595622C1	1701F	5	N/A	N/A	N/A
NK56T	10	YL	GXL	3549415C1	3595622C1	1701F	5	N/A	N/A	N/A
RF56T	10	YL	GXL	3549415C1	3595622C1	1701F	5	N/A	N/A	N/A
RG56T	10	YL	GXL	3549415C1	3595622C1	1701F	5	N/A	N/A	N/A
RZ56T	10	YL	GXL	3549415C1	3595622C1	1701F	5	N/A	N/A	N/A
SF56T	10	YL	GXL	3549415C1	3595622C1	1701F	5	N/A	N/A	N/A
YL56T	10	YL	GXL	3549415C1	3595622C1	1701F	5	N/A	N/A	N/A
YS56T	10	YL	GXL	3549415C1	3595622C1	1701F	5	N/A	N/A	N/A
YT56T	10	YL	GXL	3549415C1	3595622C1	1701F	5	N/A	N/A	N/A
NH57T	10	LTGN	GXL	3549415C1	3595622C1	1701F	6	N/A	N/A	N/A
NK57T	10	LTGN	GXL	3549415C1	3595622C1	1701F	6	N/A	N/A	N/A
RF57T	10	LTGN	GXL	3549415C1	3595622C1	1701F	6	N/A	N/A	N/A
RG57T	10	LTGN	GXL	3549415C1	3595622C1	1701F	6	N/A	N/A	N/A
RZ57T	10	LTGN	GXL	3549415C1	3595622C1	1701F	6	N/A	N/A	N/A
SF57T	10	LTGN	GXL	3549415C1	3595622C1	1701F	6	N/A	N/A	N/A
YL57T	10	LTGN	GXL	3549415C1	3595622C1	1701F	6	N/A	N/A	N/A
YS57T	10	LTGN	GXL	3549415C1	3595622C1	1701F	6	N/A	N/A	N/A
YT57T	10	LTGN	GXL	3549415C1	3595622C1	1701F	6	N/A	N/A	N/A
NH58T	10	BK	GXL	3549415C1	3595622C1	1701F	7	N/A	N/A	N/A
NK58T	10	BK	GXL	3549415C1	3595622C1	1701F	7	N/A	N/A	N/A
RF58T	10	BK	GXL	3549415C1	3595622C1	1701F	7	N/A	N/A	N/A
RG58T	10	BK	GXL	3549415C1	3595622C1	1701F	7	N/A	N/A	N/A
RZ58T	10	BK	GXL	3549415C1	3595622C1	1701F	7	N/A	N/A	N/A
SF58T	10	BK	GXL	3549415C1	3595622C1	1701F	7	N/A	N/A	N/A
YL58T	10	BK	GXL	3549415C1	3595622C1	1701F	7	N/A	N/A	N/A
YS58T	10	BK	GXL	3549415C1	3595622C1	1701F	7	N/A	N/A	N/A
YT58T	10	BK	GXL	3549415C1	3595622C1	1701F	7	N/A	N/A	N/A
NH68T	10	BN	TXL	3549415C1	3595622C1	1701F	8	N/A	N/A	N/A
NK68T	10	BN	GXL	3549415C1	3595622C1	1701F	8	N/A	N/A	N/A
RF68T	10	BN	TXL	3549415C1	3595622C1	1701F	8	N/A	N/A	N/A



Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
RG68T	10	BN	TXL	3549415C1	3595622C1	1701F	8	N/A	N/A	N/A
RZ68T	10	BN	TXL	3549415C1	3595622C1	1701F	8	N/A	N/A	N/A
SF68T	10	BN	TXL	3549415C1	3595622C1	1701F	8	N/A	N/A	N/A
YL68T	10	BN	TXL	3549415C1	3595622C1	1701F	8	N/A	N/A	N/A
YS68T	10	BN	GXL	3549415C1	3595622C1	1701F	8	N/A	N/A	N/A
YT68T	10	BN	GXL	3549415C1	3595622C1	1701F	8	N/A	N/A	N/A
NH70T	10	RD	TXL	3549415C1	3595622C1	1701F	9	N/A	N/A	N/A
NK70T	10	RD	GXL	3549415C1	3595622C1	1701F	9	N/A	N/A	N/A
RF70T	10	RD	TXL	3549415C1	3595622C1	1701F	9	N/A	N/A	N/A
RG70T	10	RD	TXL	3549415C1	3595622C1	1701F	9	N/A	N/A	N/A
RZ70T	10	RD	TXL	3549415C1	3595622C1	1701F	9	N/A	N/A	N/A
SF70T	10	RD	TXL	3549415C1	3595622C1	1701F	9	N/A	N/A	N/A
YL70T	10	RD	TXL	3549415C1	3595622C1	1701F	9	N/A	N/A	N/A
YS70T	10	RD	GXL	3549415C1	3595622C1	1701F	9	N/A	N/A	N/A
YT70T	10	RD	GXL	3549415C1	3595622C1	1701F	9	N/A	N/A	N/A
MD94T	10	DKBL	TXL	3549415C1	3595622C1	1701F	10	N/A	N/A	N/A
ME94T	10	DKBL	TXL	3549415C1	3595622C1	1701F	10	N/A	N/A	N/A
NH94T	10	GY	TXL	3549415C1	3595622C1	1701F	10	N/A	N/A	N/A
NK94T	10	GY	GXL	3549415C1	3595622C1	1701F	10	N/A	N/A	N/A
RF94T	10	DKBL	TXL	3549415C1	3595622C1	1701F	10	N/A	N/A	N/A
RG94T	10	GY	TXL	3549415C1	3595622C1	1701F	10	N/A	N/A	N/A
RZ94T	10	GY	TXL	3549415C1	3595622C1	1701F	10	N/A	N/A	N/A
YL94T	10	GY	TXL	3549415C1	3595622C1	1701F	10	N/A	N/A	N/A
YS94T	10	GY	GXL	3549415C1	3595622C1	1701F	10	N/A	N/A	N/A
YT94T	10	GY	GXL	3549415C1	3595622C1	1701F	10	N/A	N/A	N/A
MD72V	10	OR	TXL	3549415C1	3595622C1	1701F	11	N/A	N/A	N/A
ME72V	10	OR	TXL	3549415C1	3595622C1	1701F	11	N/A	N/A	N/A
NJ72V	12	OR	GXL	3549415C1	3595622C1	1701F	11	N/A	N/A	N/A
RJ72V	12	OR	GXL	3549415C1	3595622C1	1701F	11	N/A	N/A	N/A
TA72V	12	OR	TXL	3549415C1	3595622C1	1701F	11	N/A	N/A	N/A
YM72V	12	OR	GXL	3549415C1	3595622C1	1701F	11	N/A	N/A	N/A
UB67TA	16	GY	GXL	3549416C1	3595622C1	1701F	12	N/A	N/A	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
[PP94SJ]	16	GY	GXL	3549416C1	3595622C1	1701F	13	N/A	N/A	N/A
PM94SJ	16	GY	GXL	3549416C1	3595622C1	1701F	13	N/A	N/A	N/A
BC94BM	16	GY	GXL	3549417C1	3595622C1	1701F	14	N/A	N/A	N/A
NC94BM	16	GY	GXL	3549417C1	3595622C1	1701F	14	N/A	N/A	N/A
BC94BN	16	GY	GXL	3549417C1	3595622C1	1701F	15	N/A	N/A	N/A
NC94BN	16	GY	GXL	3549417C1	3595622C1	1701F	15	N/A	N/A	N/A
BB94BE	16	GY	GXL	3549417C1	3595622C1	1701F	16	N/A	N/A	N/A
NB94BE	16	GY	GXL	3549417C1	3595622C1	1701F	16	N/A	N/A	N/A
BB94BD	16	GY	GXL	3549417C1	3595622C1	1701F	17	N/A	N/A	N/A
NB94BD	16	GY	GXL	3549417C1	3595622C1	1701F	17	N/A	N/A	N/A
BB94BH	16	GY	GXL	3549417C1	3595622C1	1701F	18	N/A	N/A	N/A
NB94BH	16	GY	GXL	3549417C1	3595622C1	1701F	18	N/A	N/A	N/A
BB94BF	16	GY	GXL	3549417C1	3595622C1	1701F	19	N/A	N/A	N/A
NB94BF	16	GY	GXL	3549417C1	3595622C1	1701F	19	N/A	N/A	N/A
BB94BL	14	GY	GXL	3549417C1	3595622C1	1701F	20	N/A	N/A	N/A
NB94BL	14	GY	GXL	3549417C1	3595622C1	1701F	20	N/A	N/A	N/A
BB94BJ	14	GY	GXL	3549417C1	3595622C1	1701F	21	N/A	N/A	N/A
NB94BJ	14	GY	GXL	3549417C1	3595622C1	1701F	21	N/A	N/A	N/A
BB94BK	16	GY	GXL	3549417C1	3595622C1	1701F	22	N/A	N/A	N/A
NB94BK	16	GY	GXL	3549417C1	3595622C1	1701F	22	N/A	N/A	N/A
BB94BA	16	GY	GXL	3549417C1	3595622C1	1701F	23	N/A	N/A	N/A
NB94BA	16	GY	GXL	3549417C1	3595622C1	1701F	23	N/A	N/A	N/A
BB94BB	16	GY	GXL	3549417C1	3595622C1	1701F	24	N/A	N/A	N/A
NB94BB	16	GY	GXL	3549417C1	3595622C1	1701F	24	N/A	N/A	N/A
BB94BC	16	GY	GXL	3549417C1	3595622C1	1701F	25	N/A	N/A	N/A
NB94BC	16	GY	GXL	3549417C1	3595622C1	1701F	25	N/A	N/A	N/A
MD94TA	12	YL	GXL	3549415C1	3595622C1	1701F	26	N/A	N/A	N/A
FA36A	18	TN	GXL	3549418C1	3595622C1	1701F	27	N/A	N/A	N/A
FB36A	18	TN	GXL	3549418C1	3595622C1	1701F	27	N/A	N/A	N/A
FC36A	18	TN	GXL	3549418C1	3595622C1	1701F	27	N/A	N/A	N/A
FD36A	18	TN	GXL	3549418C1	3595622C1	1701F	27	N/A	N/A	N/A
FE36A	18	TN	GXL	3549418C1	3595622C1	1701F	27	N/A	N/A	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
FF36A	18	TN	GXL	3549418C1	3595622C1	1701F	27	N/A	N/A	N/A
NA9BC	18	GY	GXL	3549418C1	3595622C1	1701F	28	N/A	N/A	N/A
GD39A	16	GY	GXL	3549417C1	3595622C1	1701F	30	N/A	N/A	N/A
GF39A	16	GY	GXL	3549417C1	3595622C1	1701F	30	N/A	N/A	N/A
RE39	18	GY	GXL	3549418C1	3595622C1	1701F	30	N/A	N/A	N/A
GA39	16	GY	GXL	3549417C1	3595622C1	1701F	31	N/A	N/A	N/A
GB39	16	GY	GXL	3549417C1	3595622C1	1701F	31	N/A	N/A	N/A
CA59A	18	GY	GXL	3549418C1	3595622C1	1701F	32	N/A	N/A	N/A
CB59A	16	GY	GXL	3549417C1	3595622C1	1701F	32	N/A	N/A	N/A
CC59A	16	GY	GXL	3549417C1	3595622C1	1701F	32	N/A	N/A	N/A
CD59A	18	GY	GXL	3549418C1	3595622C1	1701F	32	N/A	N/A	N/A
CA59B	18	GY	GXL	3549418C1	3595622C1	1701F	33	N/A	N/A	N/A
CB59B	16	GY	GXL	3549417C1	3595622C1	1701F	33	N/A	N/A	N/A
CC59B	16	GY	GXL	3549417C1	3595622C1	1701F	33	N/A	N/A	N/A
CD59B	18	GY	GXL	3549418C1	3595622C1	1701F	33	N/A	N/A	N/A
CA59C	18	GY	GXL	3549418C1	3595622C1	1701F	34	N/A	N/A	N/A
CB59C	16	GY	GXL	3549417C1	3595622C1	1701F	34	N/A	N/A	N/A
CC59C	16	GY	GXL	3549417C1	3595622C1	1701F	34	N/A	N/A	N/A
CD59C	18	GY	GXL	3549418C1	3595622C1	1701F	34	N/A	N/A	N/A
CA59D	18	GY	GXL	3549418C1	3595622C1	1701F	35	N/A	N/A	N/A
CB59D	16	GY	GXL	3549417C1	3595622C1	1701F	35	N/A	N/A	N/A
CC59D	16	GY	GXL	3549417C1	3595622C1	1701F	35	N/A	N/A	N/A
CD59D	18	GY	GXL	3549418C1	3595622C1	1701F	35	N/A	N/A	N/A
SW59E	18	GY	GXL	3549418C1	3595622C1	1701F	36	N/A	N/A	N/A
SX59E	16	GY	GXL	3549417C1	3595622C1	1701F	36	N/A	N/A	N/A
SY59E	16	GY	GXL	3549417C1	3595622C1	1701F	36	N/A	N/A	N/A
SZ59E	18	GY	GXL	3549418C1	3595622C1	1701F	36	N/A	N/A	N/A
SW59F	18	GY	GXL	3549418C1	3595622C1	1701F	37	N/A	N/A	N/A
SX59F	16	GY	GXL	3549417C1	3595622C1	1701F	37	N/A	N/A	N/A
SY59F	16	GY	GXL	3549417C1	3595622C1	1701F	37	N/A	N/A	N/A
SZ59F	18	GY	GXL	3549418C1	3595622C1	1701F	37	N/A	N/A	N/A
SW59H	18	GY	GXL	3549418C1	3595622C1	1701F	38	N/A	N/A	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
SX59H	16	GY	GXL	3549417C1	3595622C1	1701F	38	N/A	N/A	N/A
SY59H	16	GY	GXL	3549417C1	3595622C1	1701F	38	N/A	N/A	N/A
SZ59H	18	GY	GXL	3549418C1	3595622C1	1701F	38	N/A	N/A	N/A
SW59J	18	GY	GXL	3549418C1	3595622C1	1701F	39	N/A	N/A	N/A
SX59J	16	GY	GXL	3549417C1	3595622C1	1701F	39	N/A	N/A	N/A
SY59J	16	GY	GXL	3549417C1	3595622C1	1701F	39	N/A	N/A	N/A
SZ59J	18	GY	GXL	3549418C1	3595622C1	1701F	39	N/A	N/A	N/A
NP61B	18	GY	GXL	3549418C1	3595622C1	1701F	40	N/A	N/A	N/A
NP106B	18	OR	GXL	3549418C1	3595622C1	1701F	41	N/A	N/A	N/A
NP109B	18	GY	GXL	3549418C1	3595622C1	1701F	42	N/A	N/A	N/A
NR32A	18	TN	GXL	3549418C1	3595622C1	1701F	43	N/A	N/A	N/A
NS32	18	TN	GXL	3549418C1	3595622C1	1701F	44	N/A	N/A	N/A
NT49	18	GY	GXL	3549418C1	3595622C1	1701F	45	N/A	N/A	N/A
[YJ94SN]	18	GY	GXL	3549418C1	3595622C1	1701F	46	N/A	N/A	N/A
[YK94SN]	18	GY	GXL	3549418C1	3595622C1	1701F	46	N/A	N/A	N/A
PR94SAB	18	GY	GXL	3549418C1	3595622C1	1701F	46	N/A	N/A	N/A
PS94SAB	18	GY	GXL	3549418C1	3595622C1	1701F	46	N/A	N/A	N/A
[YJ94SP]	18	GY	GXL	3549418C1	3595622C1	1701F	47	N/A	N/A	N/A
[YK94SP]	18	GY	GXL	3549418C1	3595622C1	1701F	47	N/A	N/A	N/A
PR94SBB	18	GY	GXL	3549418C1	3595622C1	1701F	47	N/A	N/A	N/A
PS94SBB	18	GY	GXL	3549418C1	3595622C1	1701F	47	N/A	N/A	N/A
[YJ94SR]	18	GY	GXL	3549418C1	3595622C1	1701F	48	N/A	N/A	N/A
[YK94SR]	18	GY	GXL	3549418C1	3595622C1	1701F	48	N/A	N/A	N/A
PR94SCB	18	GY	GXL	3549418C1	3595622C1	1701F	48	N/A	N/A	N/A
PS94SCB	18	GY	GXL	3549418C1	3595622C1	1701F	48	N/A	N/A	N/A
[YJ94SS]	18	GY	GXL	3549418C1	3595622C1	1701F	49	N/A	N/A	N/A
[YK94SS]	18	GY	GXL	3549418C1	3595622C1	1701F	49	N/A	N/A	N/A
PR94SDB	18	GY	GXL	3549418C1	3595622C1	1701F	49	N/A	N/A	N/A
PS94SDB	18	GY	GXL	3549418C1	3595622C1	1701F	49	N/A	N/A	N/A
NU49A	18	GY	GXL	3549418C1	3595622C1	1701F	50	N/A	N/A	N/A
NX65BC	14	OR	GXL	3549416C1	3595622C1	1701F	51	N/A	N/A	N/A
NY65BC	14	OR	GXL	3549416C1	3595622C1	1701F	51	N/A	N/A	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
BA94BY	16	GY	GXL	3549417C1	3595622C1	1701F	52	N/A	N/A	N/A
SA94BY	16	GY	GXL	3549417C1	3595622C1	1701F	52	N/A	N/A	N/A
BA94BZ	16	GY	GXL	3549417C1	3595622C1	1701F	53	N/A	N/A	N/A
SA94BZ	16	GY	GXL	3549417C1	3595622C1	1701F	53	N/A	N/A	N/A
BA94BP	16	GY	GXL	3549417C1	3595622C1	1701F	54	N/A	N/A	N/A
SA94BP	16	GY	GXL	3549417C1	3595622C1	1701F	54	N/A	N/A	N/A
BA94BQ	16	GY	GXL	3549417C1	3595622C1	1701F	55	N/A	N/A	N/A
SA94BQ	16	GY	GXL	3549417C1	3595622C1	1701F	55	N/A	N/A	N/A
BA94BR	16	GY	GXL	3549417C1	3595622C1	1701F	56	N/A	N/A	N/A
SA94BR	16	GY	GXL	3549417C1	3595622C1	1701F	56	N/A	N/A	N/A
BA94BS	16	GY	GXL	3549417C1	3595622C1	1701F	57	N/A	N/A	N/A
SA94BS	16	GY	GXL	3549417C1	3595622C1	1701F	57	N/A	N/A	N/A
BA94BT	16	GY	GXL	3549417C1	3595622C1	1702_IP12	58	N/A	N/A	N/A
SA94BT	16	GY	GXL	3549417C1	3595622C1	1702_IP12	58	N/A	N/A	N/A
YG116L	18	GY	GXL	3549418C1	3595622C1	1702_IP12	58	N/A	N/A	N/A
BA94BU	16	GY	GXL	3549417C1	3595622C1	1702_IP12	59	N/A	N/A	N/A
SA94BU	16	GY	GXL	3549417C1	3595622C1	1702_IP12	59	N/A	N/A	N/A
YG116U	18	GY	GXL	3549418C1	3595622C1	1702_IP12	59	N/A	N/A	N/A
BA94BV	16	GY	GXL	3549417C1	3595622C1	1702_IP12	60	N/A	N/A	N/A
SA94BV	16	GY	GXL	3549417C1	3595622C1	1702_IP12	60	N/A	N/A	N/A
YG116M	18	GY	TXL	3549418C1	3595622C1	1702_IP12	60	N/A	N/A	N/A
[YH94SL]	16	GY	GXL	3549417C1	3595622C1	1702_IP12	63	N/A	N/A	N/A
PM94SZC	16	GY	GXL	3549417C1	3595622C1	1702_IP12	63	N/A	N/A	N/A
BA94BW	16	GY	GXL	3549416C1	3595622C1	1702_IP12	64	N/A	N/A	N/A
SA94BW	16	GY	GXL	3549416C1	3595622C1	1702_IP12	64	N/A	N/A	N/A
HA94A	16	GY	GXL	3549416C1	3595622C1	1702_IP12	65	N/A	N/A	N/A
HB94A	16	GY	GXL	3549416C1	3595622C1	1702_IP12	65	N/A	N/A	N/A
HC94A	16	GY	GXL	3549416C1	3595622C1	1702_IP12	65	N/A	N/A	N/A
HA94B	16	GY	GXL	3549416C1	3595622C1	1702_IP12	66	N/A	N/A	N/A
HB94B	16	GY	GXL	3549416C1	3595622C1	1702_IP12	66	N/A	N/A	N/A
HC94B	16	GY	GXL	3549416C1	3595622C1	1702_IP12	66	N/A	N/A	N/A
[PP94SK]	16	GY	GXL	3549416C1	3595622C1	1702_IP12	67	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
PM94SK	16	GY	GXL	3549416C1	3595622C1	1702_IP12	67	N/A	N/A	N/A
NV65	16	OR	GXL	3549416C1	3595622C1	1702_IP12	68	N/A	N/A	N/A
UB67U	16	GY	GXL	3549416C1	3595622C1	1702_IP12	69	N/A	N/A	N/A
UB67W	16	GY	GXL	3549416C1	3595622C1	1702_IP12	70	N/A	N/A	N/A
UB67V	16	GY	GXL	3549416C1	3595622C1	1702_IP12	71	N/A	N/A	N/A
PM94SM	16	GY	GXL	3549416C1	3595622C1	1702_IP12	72	N/A	N/A	N/A
PM94SN	16	GY	GXL	3549416C1	3595622C1	1702_IP12	73	N/A	N/A	N/A
PM94SL	16	GY	GXL	3549416C1	3595622C1	1702_IP12	74	N/A	N/A	N/A
[YH94SM]	16	GY	GXL	3549416C1	3595622C1	1702_IP12	75	N/A	N/A	N/A
PM94SVC	16	GY	GXL	3549416C1	3595622C1	1702_IP12	75	N/A	N/A	N/A
PM94SH	16	GY	GXL	3549416C1	3595622C1	1702_IP12	76	N/A	N/A	N/A
3T71BA	16	OR	TXL	3574288C1	3595623C1	1702_IP12	1	N/A	N/A	N/A
BP71B	16	OR	TXL	3574288C1	3595623C1	1702_IP12	1	N/A	N/A	N/A
EY71BA	16	OR	TXL	3574288C1	3595623C1	1702_IP12	1	N/A	N/A	N/A
GM71BA	16	OR	TXL	3574288C1	3595623C1	1702_IP12	1	N/A	N/A	N/A
2Z56A3	16	OR	TXL	3574288C1	3595623C1	1702_IP12	2	N/A	N/A	N/A
EA56A3	16	OR	TXL	3574288C1	3595623C1	1702_IP12	2	N/A	N/A	N/A
EC56A3	16	OR	TXL	3574288C1	3595623C1	1702_IP12	2	N/A	N/A	N/A
NC56A	14	OR	TXL	3574288C1	3595623C1	1702_IP12	2	N/A	N/A	N/A
NS56A	14	OR	TXL	3574288C1	3595623C1	1702_IP12	2	N/A	N/A	N/A
2Z57A3	16	OR	TXL	3574288C1	3595623C1	1702_IP12	3	N/A	N/A	N/A
EA57A3	16	OR	TXL	3574288C1	3595623C1	1702_IP12	3	N/A	N/A	N/A
EC57A3	16	OR	TXL	3574288C1	3595623C1	1702_IP12	3	N/A	N/A	N/A
NC57AA	14	OR	TXL	3574288C1	3595623C1	1702_IP12	3	N/A	N/A	N/A
NS57E	14	OR	TXL	3574288C1	3595623C1	1702_IP12	3	N/A	N/A	N/A
2A68A	18	BN	TXL	3574289C1	3595623C1	1702_IP12	4	N/A	N/A	N/A
3C68A	18	BN	TXL	3574289C1	3595623C1	1702_IP12	4	N/A	N/A	N/A
3E68A	18	BN	TXL	3574289C1	3595623C1	1702_IP12	4	N/A	N/A	N/A
HY68A	18	BN	TXL	3574289C1	3595623C1	1702_IP12	4	N/A	N/A	N/A
BM56T	12	OR	TXL	3574287C1	3595623C1	1702_IP12	5	N/A	N/A	N/A
BM57T	12	OR	TXL	3574287C1	3595623C1	1702_IP12	6	N/A	N/A	N/A
BM58T	12	BN	TXL	3574287C1	3595623C1	1702_IP12	7	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
BM68T	12	BN	TXL	3574287C1	3595623C1	1702_IP12	8	N/A	N/A	N/A
BM70T	12	OR	TXL	3574287C1	3595623C1	1702_IP12	9	N/A	N/A	N/A
BN94T	12	GY	TXL	3574287C1	3595623C1	1702_IP12	10	N/A	N/A	N/A
ER94T	12	GY	TXL	3574287C1	3595623C1	1702_IP12	10	N/A	N/A	N/A
FR94T	12	GY	TXL	3574287C1	3595623C1	1702_IP12	10	N/A	N/A	N/A
HF94T	12	GY	TXL	3574287C1	3595623C1	1702_IP12	10	N/A	N/A	N/A
HG94T	12	GY	TXL	3574287C1	3595623C1	1702_IP12	10	N/A	N/A	N/A
CC72A	12	OR	TXL	3574287C1	3595623C1	1702_IP12	11	N/A	N/A	N/A
YD67TA	18	PK	TXL	3574289C1	3595623C1	1702_IP12	12	N/A	N/A	N/A
XG94SJ	18	GY	TXL	3574289C1	3595623C1	1776_IP12	13	N/A	N/A	N/A
XZ94SJ	18	GY	TXL	3574289C1	3595623C1	1776_IP12	13	N/A	N/A	N/A
GT94BM	18	GY	TXL	2003343C1	3595623C1	1776_IP12	14	N/A	N/A	N/A
XX94BM	18	GY	TXL	2003343C1	3595623C1	1776_IP12	14	N/A	N/A	N/A
GT94BN	18	GY	TXL	2003343C1	3595623C1	1776_IP12	15	N/A	N/A	N/A
XX94BN	18	GY	TXL	2003343C1	3595623C1	1776_IP12	15	N/A	N/A	N/A
GS94BE	18	GY	TXL	2003343C1	3595623C1	1776_IP12	16	N/A	N/A	N/A
XY94BE	16	GY	TXL	3574285C1	3595623C1	1776_IP12	16	N/A	N/A	N/A
GS94BD	18	GY	TXL	2003343C1	3595623C1	1776_IP12	17	N/A	N/A	N/A
XY94BD	16	GY	TXL	3574285C1	3595623C1	1776_IP12	17	N/A	N/A	N/A
GS94BH	18	GY	TXL	2003343C1	3595623C1	1776_IP12	18	N/A	N/A	N/A
XY94BH	16	GY	TXL	3574285C1	3595623C1	1776_IP12	18	N/A	N/A	N/A
GS94BF	18	GY	TXL	2003343C1	3595623C1	1776_IP12	19	N/A	N/A	N/A
XY94BF	16	GY	TXL	3574285C1	3595623C1	1776_IP12	19	N/A	N/A	N/A
GS94BL	14	GY	TXL	3574285C1	3595623C1	1776_IP12	20	N/A	N/A	N/A
XY94BL	18	GY	TXL	2003343C1	3595623C1	1777_IP12	20	N/A	N/A	N/A
GS94BJ	14	GY	TXL	3574285C1	3595623C1	1778_IP12	21	N/A	N/A	N/A
XY94BJ	18	GY	TXL	2003343C1	3595623C1	1800_IP12	21	N/A	N/A	N/A
GS94BK	18	GY	TXL	2003343C1	3595623C1	1800_IP12	22	N/A	N/A	N/A
XY94BK	18	GY	TXL	2003343C1	3595623C1	1800_IP12	22	N/A	N/A	N/A
GS94BA	18	GY	TXL	2003343C1	3595623C1	1800_IP12	23	N/A	N/A	N/A
XY94BA	18	GY	TXL	2003343C1	3595623C1	1800_IP12	23	N/A	N/A	N/A
GS94BB	18	GY	TXL	2003343C1	3595623C1	1800_IP12	24	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
XY94BB	18	GY	TXL	2003343C1	3595623C1	1800_IP12	24	N/A	N/A	N/A
GS94BC	18	GY	TXL	2003343C1	3595623C1	1800_IP12	25	N/A	N/A	N/A
XY94BC	18	GY	TXL	2003343C1	3595623C1	1800_IP12	25	N/A	N/A	N/A
AA36B	18	TN	TXL	2003343C1	3595623C1	1800_IP12	27	N/A	N/A	N/A
AA9BC	18	GY	TXL	2003343C1	3595623C1	1800_IP12	28	N/A	N/A	N/A
RT39A	16	GY	TXL	3574285C1	3595623C1	1800_IP12	30	N/A	N/A	N/A
BZ39	16	GY	TXL	3574285C1	3595623C1	1800_IP12	31	N/A	N/A	N/A
RT39	16	GY	TXL	3574285C1	3595623C1	1800_IP12	31	N/A	N/A	N/A
AA59A	18	GY	TXL	2003343C1	3595623C1	1800_IP12	32	N/A	N/A	N/A
AA59B	18	GY	TXL	2003343C1	3595623C1	1800_IP12	33	N/A	N/A	N/A
AA59C	18	GY	TXL	2003343C1	3595623C1	1800_IP12	34	N/A	N/A	N/A
RL59D	18	GY	TXL	2003343C1	3595623C1	1800_IP12	35	N/A	N/A	N/A
SF59DB	18	GY	TXL	2003343C1	3595623C1	1800_IP12	35	N/A	N/A	N/A
RK59EB	18	GY	TXL	2003343C1	3595623C1	1800_IP12	36	N/A	N/A	N/A
RL59E	18	GY	TXL	2003343C1	3595623C1	1800_IP12	36	N/A	N/A	N/A
AA59F	18	GY	TXL	2003343C1	3595623C1	1800_IP12	37	N/A	N/A	N/A
AA59H	18	GY	TXL	2003343C1	3595623C1	1800_IP12	38	N/A	N/A	N/A
AA59J	18	GY	TXL	2003343C1	3595623C1	1800_IP12	39	N/A	N/A	N/A
FF61B	18	GY	TXL	2003343C1	3595623C1	1800_IP12	40	N/A	N/A	N/A
FF106	18	GY	TXL	2003343C1	3595623C1	1800_IP12	41	N/A	N/A	N/A
FF109	18	GY	TXL	2003343C1	3595623C1	1800_IP12	42	N/A	N/A	N/A
DN32A	18	TN	TXL	2003343C1	3595623C1	1800_IP12	43	N/A	N/A	N/A
DP32A	18	OR	TXL	2003343C1	3595623C1	1800_IP12	43	N/A	N/A	N/A
DP32	18	OR	TXL	2003343C1	3595623C1	1800_IP12	44	N/A	N/A	N/A
CY49	18	GY	TXL	2003343C1	3595623C1	1800_IP12	45	N/A	N/A	N/A
CZ49	18	GY	TXL	2003343C1	3595623C1	1800_IP12	45	N/A	N/A	N/A
XD94SNA	18	GY	TXL	2003343C1	3595623C1	1800_IP12	46	N/A	N/A	N/A
XZ94SAB	18	GY	TXL	2003343C1	3595623C1	1800_IP12	46	N/A	N/A	N/A
XD94SPA	18	GY	TXL	2003343C1	3595623C1	1800_IP12	47	N/A	N/A	N/A
XZ94SBB	18	GY	TXL	2003343C1	3595623C1	1800_IP12	47	N/A	N/A	N/A
XD94SRA	18	GY	TXL	2003343C1	3595623C1	1800_IP12	48	N/A	N/A	N/A
XZ94SCB	18	GY	TXL	2003343C1	3595623C1	1800_IP12	48	N/A	N/A	N/A



Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
XD94SSA	18	GY	TXL	2003343C1	3595623C1	1800_IP12	49	N/A	N/A	N/A
XZ94SDB	18	GY	TXL	2003343C1	3595623C1	1800_IP12	49	N/A	N/A	N/A
CZ49A	18	GY	TXL	2003343C1	3595623C1	1800F	50	N/A	N/A	N/A
BU65AB	16	OR	TXL	3574288C1	3595623C1	1800F	51	N/A	N/A	N/A
BW65AB	16	OR	TXL	3574288C1	3595623C1	1800F	51	N/A	N/A	N/A
PJ94BMM	16	GY	TXL	3574285C1	3595623C1	1800F	52	N/A	N/A	N/A
XF94BY	18	GY	TXL	2003343C1	3595623C1	1800F	52	N/A	N/A	N/A
PJ94BNN	16	GY	TXL	3574285C1	3595623C1	1800F	53	N/A	N/A	N/A
XF94BZ	18	GY	TXL	2003343C1	3595623C1	1800F	53	N/A	N/A	N/A
PJ94BP	16	GY	TXL	3574285C1	3595623C1	1800F	54	N/A	N/A	N/A
XF94BP	18	GY	TXL	2003343C1	3595623C1	1800F	54	N/A	N/A	N/A
PJ94BQ	16	GY	TXL	3574285C1	3595623C1	1800F	55	N/A	N/A	N/A
XF94BQ	18	GY	TXL	2003343C1	3595623C1	1800F	55	N/A	N/A	N/A
PJ94BR	16	GY	TXL	3574285C1	3595623C1	1800F	56	N/A	N/A	N/A
XF94BR	18	GY	TXL	2003343C1	3595623C1	1800F	56	N/A	N/A	N/A
PJ94BS	16	GY	GXL	3574285C1	3595623C1	1800F	57	N/A	N/A	N/A
XF94BS	18	GY	TXL	2003343C1	3595623C1	1800F	57	N/A	N/A	N/A
JL116L	18	GY	TXL	2003343C1	3595623C1	1800F	58	N/A	N/A	N/A
PJ94BT	16	GY	GXL	3574285C1	3595623C1	1800F	58	N/A	N/A	N/A
XF94BT	18	GY	TXL	2003343C1	3595623C1	1800F	58	N/A	N/A	N/A
JL116U	18	GY	TXL	2003343C1	3595623C1	1800F	59	N/A	N/A	N/A
PJ94BU	16	GY	GXL	3574285C1	3595623C1	1800F	59	N/A	N/A	N/A
XF94BU	18	GY	TXL	2003343C1	3595623C1	1800F	59	N/A	N/A	N/A
JL116M	18	GY	TXL	2003343C1	3595623C1	1800F	60	N/A	N/A	N/A
PJ94BV	16	GY	TXL	3574285C1	3595623C1	1800F	60	N/A	N/A	N/A
XF94BV	18	GY	TXL	2003343C1	3595623C1	1800F	60	N/A	N/A	N/A
XD94SL	18	GY	TXL	2003343C1	3595623C1	1800F	63	N/A	N/A	N/A
XZ94SZC	16	GY	TXL	3574285C1	3595623C1	1800F	63	N/A	N/A	N/A
PJ94BW	16	GY	TXL	3574288C1	3595623C1	1800F	64	N/A	N/A	N/A
XF94BW	18	GY	TXL	3574289C1	3595623C1	1800F	64	N/A	N/A	N/A
ZA94HA	18	GY	TXL	3574289C1	3595623C1	1800F	65	N/A	N/A	N/A
ZB94HA	18	GY	TXL	3574289C1	3595623C1	1800F	65	N/A	N/A	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
ZA94SKB	18	GY	TXL	3574289C1	3595623C1	1800F	66	N/A	N/A	N/A
ZB94SK	18	GY	TXL	3574289C1	3595623C1	1800F	66	N/A	N/A	N/A
XG94SK	18	GY	TXL	3574289C1	3595623C1	1800F	67	N/A	N/A	N/A
ZA94SKA	18	GY	TXL	3574289C1	3595623C1	1800F	67	N/A	N/A	N/A
ZC94SK	18	GY	TXL	3574289C1	3595623C1	1800F	67	N/A	N/A	N/A
BS65	18	OR	TXL	3574289C1	3595623C1	1800F	68	N/A	N/A	N/A
BW65AA	18	OR	TXL	3574289C1	3595623C1	1800F	68	N/A	N/A	N/A
BX65AA	18	OR	TXL	3574289C1	3595623C1	1800F	68	N/A	N/A	N/A
YD67U	18	GY	GXL	3574289C1	3595623C1	1800F	69	N/A	N/A	N/A
YD67W	18	GY	GXL	3574289C1	3595623C1	1800F	70	N/A	N/A	N/A
YD67V	18	GY	GXL	3574289C1	3595623C1	1800F	71	N/A	N/A	N/A
XZ94SM	18	GY	TXL	3574289C1	3595623C1	1800F	72	N/A	N/A	N/A
XZ94SN	18	GY	TXL	3574289C1	3595623C1	1800F	73	N/A	N/A	N/A
XZ94SL	18	GY	TXL	3574289C1	3595623C1	1820F	74	N/A	N/A	N/A
XD94SM	18	GY	TXL	3574289C1	3595623C1	1820F	75	N/A	N/A	N/A
XZ94SVC	16	GY	TXL	3574288C1	3595623C1	1820F	75	N/A	N/A	N/A
XZ94SH	16	GY	TXL	3574288C1	3595623C1	1820F	76	N/A	N/A	N/A
MA52A	14	YL	GXL	3549416C1	3595624C1	1820M_IP12	1	N/A	N/A	N/A
MA53A	14	YL	GXL	3549416C1	3595624C1	1820M_IP12	2	N/A	N/A	N/A
MA52B	14	YL	GXL	3549416C1	3595624C1	1820M_IP12	3	N/A	N/A	N/A
MA53B	14	YL	GXL	3549416C1	3595624C1	1820M_IP12	4	N/A	N/A	N/A
MA58	14	BN	GXL	3549416C1	3595624C1	1820M_IP12	5	N/A	N/A	N/A
MH19	14	GY	GXL	3549416C1	3595624C1	1820M_IP12	6	N/A	N/A	N/A
MK19	14	GY	GXL	3549416C1	3595624C1	1820M_IP12	6	N/A	N/A	N/A
MA56	16	OR	GXL	3549417C1	3595624C1	1820M_IP12	14	N/A	N/A	N/A
MA57	16	OR	GXL	3549417C1	3595624C1	1821A	15	N/A	N/A	N/A
WW87A	18	GY	TXL	3549418C1	3595624C1	1821A	17	N/A	N/A	N/A
WW9BB	18	GY	TXL	3549418C1	3595624C1	1821A	18	N/A	N/A	N/A
MA87C	16	GY	GXL	3549417C1	3595624C1	1821A	19	N/A	N/A	N/A
MA87D	16	GY	GXL	3549417C1	3595624C1	1821A	20	N/A	N/A	N/A
MA85	16	GY	GXL	3549417C1	3595624C1	1821A	21	N/A	N/A	N/A
MD64A	16	YL	TXL	3549417C1	3595624C1	1825F	22	N/A	N/A	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
ME64A	16	YL	GXL	3549417C1	3595624C1	1825F	22	N/A	N/A	N/A
MD64B	16	YL	TXL	3549417C1	3595624C1	1825F	23	N/A	N/A	N/A
ME64B	16	YL	GXL	3549417C1	3595624C1	1825F	23	N/A	N/A	N/A
MJ54X	16	OR	GXL	3549417C1	3595624C1	1825F	24	N/A	N/A	N/A
MB94	18	GY	GXL	3549418C1	3595624C1	1825F	27	N/A	N/A	N/A
MX94M	18	GY	TXL	3549418C1	3595624C1	1825F	27	N/A	N/A	N/A
MB94A	18	GY	GXL	3549418C1	3595624C1	1874A	28	N/A	N/A	N/A
MX94MA	18	GY	TXL	3549418C1	3595624C1	1874A	28	N/A	N/A	N/A
MB94B	18	GY	GXL	3549418C1	3595624C1	1874B	29	N/A	N/A	N/A
MX94MB	18	GY	TXL	3549418C1	3595624C1	1874B	29	N/A	N/A	N/A
NB94C	18	GY	GXL	3549418C1	3595624C1	1874B	30	N/A	N/A	N/A
NC94MC	18	GY	TXL	3549418C1	3595624C1	1874B	30	N/A	N/A	N/A
NB94D	18	GY	GXL	3549418C1	3595624C1	1874C	31	N/A	N/A	N/A
NC94MD	18	GY	TXL	3549418C1	3595624C1	1874C	31	N/A	N/A	N/A
NB94E	18	GY	GXL	3549418C1	3595624C1	1901_IP12	32	N/A	N/A	N/A
PC94ME	18	GY	TXL	3549418C1	3595624C1	1901_IP12	32	N/A	N/A	N/A
NB94F	18	GY	GXL	3549418C1	3595624C1	1901A_IP12	33	N/A	N/A	N/A
PC94MF	18	GY	TXL	3549418C1	3595624C1	1901A_IP12	33	N/A	N/A	N/A
MB94H	18	GY	GXL	3549418C1	3595624C1	1901A_IP12	34	N/A	N/A	N/A
MZ94MH	18	GY	TXL	3549418C1	3595624C1	1901A_IP12	34	N/A	N/A	N/A
MB94J	18	GY	GXL	3549418C1	3595624C1	1902_IP12	35	N/A	N/A	N/A
MZ94MJ	18	GY	TXL	3549418C1	3595624C1	1902_IP12	35	N/A	N/A	N/A
MB94K	18	GY	GXL	3549418C1	3595624C1	1902_IP12	36	N/A	N/A	N/A
MZ94MK	18	GY	TXL	3549418C1	3595624C1	1902_IP12	36	N/A	N/A	N/A
NW67-GG	20	WH	TXL	3549418C1	3595624C1	1903_IP12	37	N/A	N/A	N/A
WU67-G	20	WH	TXL	3549418C1	3595624C1	1903_IP12	37	N/A	N/A	N/A
NW67Y	20	PK	TXL	3549418C1	3595624C1	1903_IP12	38	N/A	N/A	N/A
WU67YA	20	PK	TXL	3549418C1	3595624C1	1903_IP12	38	N/A	N/A	N/A
PV97H	18	VT	GXL	3549418C1	3595624C1	1903_IP12	43	N/A	N/A	N/A
PV97J	18	VT	GXL	3549418C1	3595624C1	1903_IP12	44	N/A	N/A	N/A
WX5UE(+)	18	YL	TXL	3549418C1	3595624C1	1904_IP12	45	N/A	N/A	N/A
WX5UE(-)	18	GN	TXL	3549418C1	3595624C1	1904_IP12	46	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
NS22AA	18	PK	TXL	3549418C1	3595624C1	1904_IP12	47	N/A	N/A	N/A
NS22AG	18	WH	TXL	3549418C1	3595624C1	1904_IP12	48	N/A	N/A	N/A
NA72EA	16	OR	GXL	3549416C1	3595624C1	1904_IP12	51	N/A	N/A	N/A
NA72EB	16	OR	GXL	3549417C1	3595624C1	1904_IP12	52	N/A	N/A	N/A
RK5U(+)	18	YL	TXL	3549418C1	3595624C1	1905_IP12	61	N/A	N/A	N/A
RS5U(+)	18	YL	TXL	3549418C1	3595624C1	1905_IP12	61	N/A	N/A	N/A
RK5U(-)	18	GN	TXL	3549418C1	3595624C1	1905A_IP12	62	N/A	N/A	N/A
RS5U(-)	18	GN	TXL	3549418C1	3595624C1	1905A_IP12	62	N/A	N/A	N/A
SK5UK(+)	18	YL	TXL	3574277C1	3595624C1	1906_IP12	65	N/A	N/A	N/A
SR5U(+)	18	YL	TXL	3574277C1	3595624C1	1906_IP12	65	N/A	N/A	N/A
SV5U(+)	18	YL	TXL	3574277C1	3595624C1	1906F	65	N/A	N/A	N/A
SK5UK(-)	18	GN	TXL	3574277C1	3595624C1	1906F	66	N/A	N/A	N/A
SR5U(-)	18	GN	TXL	3574277C1	3595624C1	1906M	66	N/A	N/A	N/A
SV5U(-)	18	GN	TXL	3574277C1	3595624C1	1906M	66	N/A	N/A	N/A
BB52A	14	YL	TXL	3574288C1	3595625C1	1907_IP12	1	N/A	N/A	N/A
DE52A	14	YL	TXL	3574288C1	3595625C1	1907_IP12	1	N/A	N/A	N/A
BB53A	14	YL	TXL	3574288C1	3595625C1	1907_IP12	2	N/A	N/A	N/A
DE53A	14	YL	TXL	3574288C1	3595625C1	1910A_IP12	2	N/A	N/A	N/A
BB52B	14	YL	TXL	3574288C1	3595625C1	1910A_IP12	3	N/A	N/A	N/A
DE52B	14	YL	TXL	3574288C1	3595625C1	1910A_IP12	3	N/A	N/A	N/A
BB53B	14	YL	TXL	3574288C1	3595625C1	1910A_IP12	4	N/A	N/A	N/A
DE53B	14	YL	TXL	3574288C1	3595625C1	1910A_IP12	4	N/A	N/A	N/A
2A58	16	BN	TXL	3574288C1	3595625C1	1910A_IP12	5	N/A	N/A	N/A
3C58	16	BN	TXL	3574288C1	3595625C1	1910A_IP12	5	N/A	N/A	N/A
3E58T	16	BN	TXL	3574288C1	3595625C1	1910A_IP12	5	N/A	N/A	N/A
HY58	16	BN	TXL	3574288C1	3595625C1	1910G_IP12	5	N/A	N/A	N/A
DR19	16	GY	TXL	3574288C1	3595625C1	1910G_IP12	6	N/A	N/A	N/A
2F56	16	OR	TXL	3574285C1	3595625C1	1916_IP12	14	N/A	N/A	N/A
2G56	16	OR	TXL	3574285C1	3595625C1	1916_IP12	14	N/A	N/A	N/A
2Z56	16	OR	TXL	3574285C1	3595625C1	1916_IP12	14	N/A	N/A	N/A
NC56	16	OR	TXL	3574285C1	3595625C1	1916_IP12	14	N/A	N/A	N/A
NS56	16	OR	TXL	3574285C1	3595625C1	1916_IP12	14	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
2B57	16	OR	TXL	3574285C1	3595625C1	1916_IP12	15	N/A	N/A	N/A
2C57	16	OR	TXL	3574285C1	3595625C1	1916_IP12	15	N/A	N/A	N/A
2D57	16	OR	TXL	3574285C1	3595625C1	1916_IP12	15	N/A	N/A	N/A
2.00E+57	16	OR	TXL	3574285C1	3595625C1	1916_IP12	15	N/A	N/A	N/A
2F57	16	OR	TXL	3574285C1	3595625C1	1916_IP12	15	N/A	N/A	N/A
2G57	16	OR	TXL	3574285C1	3595625C1	1916_IP12	15	N/A	N/A	N/A
AN87A	18	GY	TXL	2003343C1	3595625C1	1916_IP12	17	N/A	N/A	N/A
AN9BB	18	GY	TXL	2003343C1	3595625C1	1916_IP12	18	N/A	N/A	N/A
AA87C	18	GY	TXL	2003343C1	3595625C1	1916_IP12	19	N/A	N/A	N/A
AA87D	18	GY	TXL	2003343C1	3595625C1	1917_IP12	20	N/A	N/A	N/A
AA85	16	GY	TXL	3574285C1	3595625C1	1917_IP12	21	N/A	N/A	N/A
CU64A	16	YL	TXL	3574285C1	3595625C1	1917_IP12	22	N/A	N/A	N/A
CU64B	16	YL	TXL	3574285C1	3595625C1	1917_IP12	23	N/A	N/A	N/A
DY54X	16	BN	TXL	3574285C1	3595625C1	1918_IP12	24	N/A	N/A	N/A
GS94M	18	GY	TXL	2003343C1	3595625C1	1918_IP12	27	N/A	N/A	N/A
XY94	18	GY	TXL	2003343C1	3595625C1	1918_IP12	27	N/A	N/A	N/A
GS94MA	18	GY	TXL	2003343C1	3595625C1	1918A_IP12	28	N/A	N/A	N/A
XY94A	18	GY	TXL	2003343C1	3595625C1	1918A_IP12	28	N/A	N/A	N/A
GS94MB	18	GY	TXL	2003343C1	3595625C1	1918A_IP12	29	N/A	N/A	N/A
XY94B	18	GY	TXL	2003343C1	3595625C1	1918B_IP12	29	N/A	N/A	N/A
GS94MC	18	GY	TXL	2003343C1	3595625C1	1918B_IP12	30	N/A	N/A	N/A
XY94C	16	GY	TXL	3574285C1	3595625C1	1918B_IP12	30	N/A	N/A	N/A
GS94MD	18	GY	TXL	2003343C1	3595625C1	1919_IP12	31	N/A	N/A	N/A
XY94D	16	GY	TXL	3574285C1	3595625C1	1919_IP12	31	N/A	N/A	N/A
GS94ME	18	GY	TXL	2003343C1	3595625C1	1919_IP12	32	N/A	N/A	N/A
XY94E	16	GY	TXL	3574285C1	3595625C1	1919_IP12	32	N/A	N/A	N/A
GS94MF	18	GY	TXL	2003343C1	3595625C1	1919_IP12	33	N/A	N/A	N/A
XY94F	16	GY	TXL	3574285C1	3595625C1	1919_IP12	33	N/A	N/A	N/A
GS94MH	18	GY	TXL	2003343C1	3595625C1	1919_IP12	34	N/A	N/A	N/A
XY94H	18	GY	TXL	2003343C1	3595625C1	1919A_IP12	34	N/A	N/A	N/A
GS94MJ	18	GY	TXL	2003343C1	3595625C1	1919A_IP12	35	N/A	N/A	N/A
XY94J	18	GY	TXL	2003343C1	3595625C1	1919A_IP12	35	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
GS94MK	18	GY	TXL	2003343C1	3595625C1	1919A_IP12	36	N/A	N/A	N/A
XY94K	18	GY	TXL	2003343C1	3595625C1	1919A_IP12	36	N/A	N/A	N/A
2Y67-G	18	WH	TXL	2003343C1	3595625C1	1919A_IP12	37	N/A	N/A	N/A
CS67-G	18	WH	TXL	2003343C1	3595625C1	1919A_IP12	37	N/A	N/A	N/A
YC67-G	18	WH	TXL	2003343C1	3595625C1	1919B_IP12	37	N/A	N/A	N/A
2Y67A	18	PK	TXL	2003343C1	3595625C1	1919B_IP12	38	N/A	N/A	N/A
CS67Y	18	PK	TXL	2003343C1	3595625C1	1920_IP12	38	N/A	N/A	N/A
YC67A	18	PK	TXL	2003343C1	3595625C1	1920_IP12	38	N/A	N/A	N/A
HV17-G	16	WH	TXL	3574285C1	3595625C1	1920_IP12	43	N/A	N/A	N/A
HV104C	16	DKBL	TXL	3574285C1	3595625C1	1920_IP12	44	N/A	N/A	N/A
CS5DA(+)	18	YL	TXL	2003343C1	3595625C1	1920_IP12	45	N/A	N/A	N/A
CS5DA(-)	18	GN	TXL	2003343C1	3595625C1	1920_IP12	46	N/A	N/A	N/A
RG22A	16	PK	TXL	3574285C1	3595625C1	1921_IP12	47	N/A	N/A	N/A
RW22AA	16	PK	TXL	3574285C1	3595625C1	1924_IP12	47	N/A	N/A	N/A
RG22-GAN	18	WH	TXL	2003343C1	3595625C1	1924_IP12	48	N/A	N/A	N/A
RW22-GAN	18	WH	TXL	2003343C1	3595625C1	1925_IP12	48	N/A	N/A	N/A
FR72E	18	OR	TXL	3574289C1	3595625C1	1925_IP12	51	N/A	N/A	N/A
FR72EB	18	OR	TXL	2003343C1	3595625C1	1930_IP12	52	N/A	N/A	N/A
AR5BA(+)	18	YL	TXL	2003343C1	3595625C1	1930_IP12	61	N/A	N/A	N/A
AS5BA(+)	18	YL	TXL	2003343C1	3595625C1	1930_IP12	61	N/A	N/A	N/A
AR5BA(-)	18	GN	TXL	2003343C1	3595625C1	1930_IP12	62	N/A	N/A	N/A
AS5BA(-)	18	GN	TXL	2003343C1	3595625C1	1934M_IP12	62	N/A	N/A	N/A
3D5A(+)	18	YL	TXL	3574289C1	3595625C1	1934M_IP12	65	N/A	N/A	N/A
3M5A(+)	18	YL	TXL	3574289C1	3595625C1	1935M_IP12	65	N/A	N/A	N/A
9K5A(+)	18	YL	TXL	3574289C1	3595625C1	1935M_IP12	65	N/A	N/A	N/A
9L5A(+)	18	YL	TXL	3574289C1	3595625C1	1935N_IP12	65	N/A	N/A	N/A
9U5A(+)	18	YL	TXL	3574289C1	3595625C1	1935N_IP12	65	N/A	N/A	N/A
9V5A(+)	18	YL	TXL	3574289C1	3595625C1	1936M_IP12	65	N/A	N/A	N/A
JB5A(+)	18	YL	TXL	3574289C1	3595625C1	1936M_IP12	65	N/A	N/A	N/A
SN5A(+)	18	YL	TXL	3574289C1	3595625C1	1937M_IP12	65	N/A	N/A	N/A
SP5A(+)	18	YL	TXL	3574289C1	3595625C1	1937M_IP12	65	N/A	N/A	N/A
3D5A(-)	18	GN	TXL	3574289C1	3595625C1	1937N_IP12	66	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
3M5A(-)	18	GN	TXL	3574289C1	3595625C1	1937N_IP12	66	N/A	N/A	N/A
9K5A(-)	18	GN	TXL	3574289C1	3595625C1	1937N_IP12	66	N/A	N/A	N/A
9L5A(-)	18	GN	TXL	3574289C1	3595625C1	1937N_IP12	66	N/A	N/A	N/A
9U5A(-)	18	GN	TXL	3574289C1	3595625C1	1937P_IP12	66	N/A	N/A	N/A
9V5A(-)	18	GN	TXL	3574289C1	3595625C1	1937P_IP12	66	N/A	N/A	N/A
JB5A(-)	18	GN	TXL	3574289C1	3595625C1	1937P_IP12	66	N/A	N/A	N/A
SN5A(-)	18	GN	TXL	3574289C1	3595625C1	1937P_IP12	66	N/A	N/A	N/A
SP5A(-)	18	GN	TXL	3574289C1	3595625C1	1938M_IP12	66	N/A	N/A	N/A
XY94-GA	12	WH	TXL	3597157C1	3596926C1	1938M_IP12	1	N/A	3562309C1	N/A
XY94V	18	GY	TXL	3598072C1	3596926C1	1939_IP12	3	N/A	3562309C1	N/A
XX94BN	18	GY	TXL	3598072C1	3596926C1	1939_IP12	4	N/A	3562309C1	N/A
XX94BM	18	GY	TXL	3598072C1	3596926C1	1939_IP12	5	N/A	3562309C1	N/A
3D5N(-)	18	GN	TXL	3598072C1	3596926C1	1939-125A_	7	N/A	3562309C1	N/A
9K5N(-)	18	GN	TXL	3598072C1	3596926C1	1939-125A_	7	N/A	3562309C1	N/A
9L5N(-)	18	GN	TXL	3598072C1	3596926C1	1939-125A_	7	N/A	3562309C1	N/A
JC5N(-)	18	GN	TXL	3598072C1	3596926C1	1939-125A_	7	N/A	3562309C1	N/A
JD5N(-)	18	GN	TXL	3598072C1	3596926C1	1939-125A_	7	N/A	3562309C1	N/A
JF5N(-)	18	GN	TXL	3598072C1	3596926C1	1939-125A_	7	N/A	3562309C1	N/A
JG5N(-)	18	GN	TXL	3598072C1	3596926C1	1939-125A_	7	N/A	3562309C1	N/A
SN5N(-)	18	GN	TXL	3598072C1	3596926C1	1939-125A_	7	N/A	3562309C1	N/A
3D5N(+)	18	YL	TXL	3598072C1	3596926C1	1939-125B_	8	N/A	3562309C1	N/A
9K5N(+)	18	YL	TXL	3598072C1	3596926C1	1939-125B_	8	N/A	3562309C1	N/A
9L5N(+)	18	YL	TXL	3598072C1	3596926C1	1939-125B_	8	N/A	3562309C1	N/A
JC5N(+)	18	YL	TXL	3598072C1	3596926C1	1939-125B_	8	N/A	3562309C1	N/A
JD5N(+)	18	YL	TXL	3598072C1	3596926C1	1939-125B_	8	N/A	3562309C1	N/A
JF5N(+)	18	YL	TXL	3598072C1	3596926C1	1939-125B_	8	N/A	3562309C1	N/A
JG5N(+)	18	YL	TXL	3598072C1	3596926C1	1939-125B_	8	N/A	3562309C1	N/A
SN5N(+)	18	YL	TXL	3598072C1	3596926C1	1939-125B_	8	N/A	3562309C1	N/A
XY94BH	16	GY	TXL	3598073C1	3596926C1	1939-250A_	10	N/A	3562309C1	N/A
XY94BF	16	GY	TXL	3598073C1	3596926C1	1939-250A_	11	N/A	3562309C1	N/A
XY94AY	12	GY	TXL	3597157C1	3596926C1	1939-250A_	16	N/A	3562309C1	N/A
XZ94SZD	16	GY	TXL	3598073C1	3596927C1	1939-250A_	1	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
XZ94SE	18	GY	TXL	3598072C1	3596927C1	1939-250A_	2	N/A	N/A	N/A
XZ94SH	16	GY	TXL	3598073C1	3596927C1	1939-250A_	3	N/A	N/A	N/A
XZ94SVD	16	GY	TXL	3598073C1	3596927C1	1939-250A_	4	N/A	N/A	N/A
XZ94SF	16	GY	TXL	3598073C1	3596927C1	1939-250A_	5	N/A	N/A	N/A
XZ94SL	18	GY	TXL	3598072C1	3596927C1	1939-250B_	6	N/A	N/A	N/A
XZ94SDA	18	LTGN	TXL	3598072C1	3596927C1	1939-250B_	7	N/A	N/A	N/A
XZ94SBA	18	GY	TXL	3598072C1	3596927C1	1939-250B_	8	N/A	N/A	N/A
XZ94SM	18	GY	TXL	3598072C1	3596927C1	1939-250B_	9	N/A	N/A	N/A
XZ94SCA	18	GY	TXL	3598072C1	3596927C1	1939M_IP12	10	N/A	N/A	N/A
XZ94SAA	18	GY	TXL	3598072C1	3596927C1	1939M_IP12	11	N/A	N/A	N/A
XZ94SN	18	GY	TXL	3598072C1	3596927C1	1939M_IP12	12	N/A	N/A	N/A
ZA94HA	18	GY	TXL	3598072C1	3596928C1	1939M_IP12	2	N/A	N/A	N/A
ZB94HA	18	GY	TXL	3598072C1	3596928C1	1940_IP12	2	N/A	N/A	N/A
ZA94SK	18	GY	TXL	3598072C1	3596928C1	1940_IP12	3	N/A	N/A	N/A
ZB94SK	18	GY	TXL	3598072C1	3596928C1	1941_IP12	3	N/A	N/A	N/A
ZC94SK	18	GY	TXL	3598072C1	3596928C1	1942F_IP12	3	N/A	N/A	N/A
PJ94BP	16	GY	TXL	3598073C1	3596928C1	1942F_IP12	4	N/A	N/A	N/A
XZ94SJ	18	GY	TXL	3598072C1	3596928C1	1942F_IP12	5	N/A	N/A	N/A
PJ94BNN	16	GY	TXL	3598073C1	3596928C1	1942F_IP12	6	N/A	N/A	N/A
PJ94BMM	16	GY	TXL	3598073C1	3596928C1	1942F_IP12	7	N/A	N/A	N/A
PJ94BT	16	GY	GXL	3598073C1	3596928C1	1942F_IP12	9	N/A	N/A	N/A
PJ94BU	16	GY	GXL	3598073C1	3596928C1	1946F_IP12	10	N/A	N/A	N/A
PJ94BR	16	GY	TXL	3598073C1	3596928C1	1946F_IP12	11	N/A	N/A	N/A
PJ94BW	16	GY	TXL	3598073C1	3596928C1	1946F_IP12	12	N/A	N/A	N/A
PJ94BS	16	GY	GXL	3598073C1	3596928C1	1946F_IP12	13	N/A	N/A	N/A
PJ94BQ	16	GY	TXL	3598073C1	3596928C1	1946F_IP12	14	N/A	N/A	N/A
PJ94BV	16	GY	TXL	3598073C1	3596928C1	1946F_IP12	15	N/A	N/A	N/A
XY94B	18	GY	TXL	3598072C1	3596929C1	1946F_IP12	1	N/A	N/A	N/A
XY94	18	GY	TXL	3598072C1	3596929C1	1946M	2	N/A	N/A	N/A
XY94A	18	GY	TXL	3598072C1	3596929C1	1946M	3	N/A	N/A	N/A
XY94K	18	GY	TXL	3598072C1	3596929C1	1946M	4	N/A	N/A	N/A
XY94C	16	GY	TXL	3598073C1	3596929C1	1946M	5	N/A	N/A	N/A



Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
XY94J	18	GY	TXL	3598072C1	3596929C1	1946M	6	N/A	N/A	N/A
XY94H	18	GY	TXL	3598072C1	3596929C1	1946M	7	N/A	N/A	N/A
XY94D	16	GY	TXL	3598073C1	3596929C1	1946M	8	N/A	N/A	N/A
XY94BK	18	GY	TXL	3598072C1	3596929C1	1970_IP12	9	N/A	N/A	N/A
XY94BL	18	GY	TXL	3598072C1	3596929C1	1970_IP12	10	N/A	N/A	N/A
XY94E	16	GY	TXL	3598073C1	3596929C1	1970_IP12	11	N/A	N/A	N/A
XY94BB	18	GY	TXL	3598072C1	3596929C1	1970_IP12	12	N/A	N/A	N/A
XY94BJ	18	GY	TXL	3598072C1	3596929C1	1970_IP12	13	N/A	N/A	N/A
XY94F	16	GY	TXL	3598073C1	3596929C1	1970_IP12	14	N/A	N/A	N/A
XY94BE	16	GY	TXL	3598073C1	3596929C1	1970_IP12	15	N/A	N/A	N/A
XY94BC	18	GY	TXL	3598072C1	3596929C1	1970_IP12	16	N/A	N/A	N/A
XY94BA	18	GY	TXL	3598072C1	3596929C1	1970_IP12	17	N/A	N/A	N/A
XY94BD	16	GY	TXL	3598073C1	3596929C1	1970_IP12	18	N/A	N/A	N/A
GZ5AH(+)	18	YL	TXL	3597102C1	3597143C1	1970_IP12	1	N/A	N/A	N/A
JK5AH(+)	18	YL	TXL	3597102C1	3597143C1	1970_IP12	1	N/A	N/A	N/A
KU5AH(+)	18	YL	TXL	3597102C1	3597143C1	1970_IP12	1	N/A	N/A	N/A
LN5AH(+)	18	YL	TXL	3597102C1	3597143C1	1970_IP12	1	N/A	N/A	N/A
GZ5AH(-)	18	GN	TXL	3597102C1	3597143C1	1970_IP12	2	N/A	N/A	N/A
JK5AH(-)	18	GN	TXL	3597102C1	3597143C1	1970_IP12	2	N/A	N/A	N/A
KU5AH(-)	18	GN	TXL	3597102C1	3597143C1	1970_IP12	2	N/A	N/A	N/A
LN5AH(-)	18	GN	TXL	3597102C1	3597143C1	1970_IP12	2	N/A	N/A	N/A
MR86AE	18	LTGN	TXL	3597102C1	3597143C1	1970_IP12	4	N/A	N/A	N/A
MZ86FF	18	LTGN	TXL	3597102C1	3597143C1	1970_IP12	4	N/A	N/A	N/A
MY66AA	18	LTGN	TXL	3597102C1	3597143C1	1970_IP12	5	N/A	N/A	N/A
MR86P	18	LTGN	TXL	3597102C1	3597143C1	1979A	7	N/A	N/A	N/A
MZ86AF	18	LTGN	TXL	3597102C1	3597143C1	1979A	7	N/A	N/A	N/A
MR86-G	18	WH	TXL	3597102C1	3597143C1	1979A	8	N/A	N/A	N/A
MZ86-G	18	WH	TXL	3597102C1	3597143C1	1979A	8	N/A	N/A	N/A
MU86DA	18	LTGN	TXL	3597102C1	3597143C1	1979A	9	N/A	N/A	N/A
MW86DB	18	LTGN	TXL	3597102C1	3597143C1	1979A	9	N/A	N/A	N/A
MU86EA	18	LTGN	TXL	3597102C1	3597143C1	1979A	10	N/A	N/A	N/A
MW86EB	18	LTGN	TXL	3597102C1	3597143C1	1A_IP12	10	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
CT86K	18	LTGN	TXL	3597102C1	3597143C1	1A_IP12	11	N/A	N/A	N/A
MB86K	18	LTGN	TXL	3597102C1	3597143C1	1F	11	N/A	N/A	N/A
MV86K	18	LTGN	TXL	3597102C1	3597143C1	1F	11	N/A	N/A	N/A
MX86K	18	LTGN	TXL	3597102C1	3597143C1	1F	11	N/A	N/A	N/A
CT86L	18	LTGN	TXL	3597102C1	3597143C1	1F	12	N/A	N/A	N/A
MB86L	18	LTGN	TXL	3597102C1	3597143C1	1F_IP12	12	N/A	N/A	N/A
MV86L	18	LTGN	TXL	3597102C1	3597143C1	1F_IP12	12	N/A	N/A	N/A
MX86L	18	LTGN	TXL	3597102C1	3597143C1	1F_IP12	12	N/A	N/A	N/A
CT86H	18	LTGN	TXL	3597102C1	3597143C1	1F_IP12	13	N/A	N/A	N/A
MB86H	18	LTGN	TXL	3597102C1	3597143C1	1F_IP12	13	N/A	N/A	N/A
MV86H	18	LTGN	TXL	3597102C1	3597143C1	1F_IP12	13	N/A	N/A	N/A
MX86H	18	LTGN	TXL	3597102C1	3597143C1	1F_IP12	13	N/A	N/A	N/A
CT86J	18	LTGN	TXL	3597102C1	3597143C1	1F_IP12	14	N/A	N/A	N/A
MB86J	18	LTGN	TXL	3597102C1	3597143C1	1F_IP12	14	N/A	N/A	N/A
MV86J	18	LTGN	TXL	3597102C1	3597143C1	1F_IP12	14	N/A	N/A	N/A
MX86J	18	LTGN	TXL	3597102C1	3597143C1	1F_IP12	14	N/A	N/A	N/A
MU86BA	18	LTGN	TXL	3597102C1	3597143C1	1F_IP12	15	N/A	N/A	N/A
MW86BB	18	LTGN	TXL	3597102C1	3597143C1	1F_IP12	15	N/A	N/A	N/A
MU86CA	18	LTGN	TXL	3597102C1	3597143C1	1F_IP12	16	N/A	N/A	N/A
MW86CB	18	LTGN	TXL	3597102C1	3597143C1	1F_IP12	16	N/A	N/A	N/A
CF98A(-)	18	GY	TXL	UNDEF	3598705C1	1F_IP12	E1	N/A	1618846C1	1618847C1
CG98A(-)	18	DKBL	TXL	UNDEF	3598705C1	1F_IP12	E1	N/A	1618846C1	1618847C1
CP3BD(-)	18	GY	TXL	UNDEF	3598705C1	1F_IP12	E1	N/A	1618846C1	1618847C1
CT3BD(-)	18	GY	TXL	UNDEF	3598705C1	1F_IP12	E1	N/A	1618846C1	1618847C1
DL3BD(-)	18	GY	TXL	UNDEF	3598705C1	1F_IP12	E1	N/A	1618846C1	1618847C1
KC3BD(-)	18	GY	TXL	UNDEF	3598705C1	1F_IP12	E1	N/A	1618846C1	1618847C1
MB3BD(-)	18	GY	TXL	UNDEF	3598705C1	1F_IP12	E1	N/A	1618846C1	1618847C1
MJ3BD(-)	18	GY	TXL	UNDEF	3598705C1	1F_IP12	E1	N/A	1618846C1	1618847C1
PH3BD(-)	18	GY	TXL	UNDEF	3598705C1	1F_IP12	E1	N/A	1618846C1	1618847C1
RH3BD(-)	18	GY	TXL	UNDEF	3598705C1	1F_IP12	E1	N/A	1618846C1	1618847C1
SJ3CE(-)	18	GY	TXL	UNDEF	3598705C1	1F_IP12	E1	N/A	1618846C1	1618847C1
XA3BE(-)	18	GY	TXL	UNDEF	3598705C1	1F_IP12	E1	N/A	1618846C1	1618847C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
AA50	18	YL	TXL	UNDEF	3598705C1	1F_IP12	E11	N/A	1618846C1	1618847C1
AA59A	18	GY	TXL	UNDEF	3598705C1	1F_IP12	E12	N/A	1618846C1	1618847C1
AA70	20	OR	TXL	3534303C1	3598705C1	1F_IP12	E14	N/A	1618846C1	1618847C1
AA11-GL	18	WH	TXL	3522073C1	3598705C1	1F_IP12	E16	N/A	1618846C1	1618847C1
CF98A(+)	18	DKBL	TXL	UNDEF	3598705C1	1F_IP12	E2	N/A	1618846C1	1618847C1
CG98A(+)	18	GY	TXL	UNDEF	3598705C1	1F_IP12	E2	N/A	1618846C1	1618847C1
CP3BD(+)	18	DKBL	TXL	UNDEF	3598705C1	1F_IP12	E2	N/A	1618846C1	1618847C1
CT3BD(+)	18	DKBL	TXL	UNDEF	3598705C1	1F_IP12	E2	N/A	1618846C1	1618847C1
DL3BD(+)	18	DKBL	TXL	UNDEF	3598705C1	1F_IP12	E2	N/A	1618846C1	1618847C1
KC3BD(+)	18	DKBL	TXL	UNDEF	3598705C1	1F_IP12	E2	N/A	1618846C1	1618847C1
MB3BD(+)	18	DKBL	TXL	UNDEF	3598705C1	1F_IP12	E2	N/A	1618846C1	1618847C1
MJ3BD(+)	18	DKBL	TXL	UNDEF	3598705C1	1F_IP12	E2	N/A	1618846C1	1618847C1
PH3BD(+)	18	DKBL	TXL	UNDEF	3598705C1	1F_IP12	E2	N/A	1618846C1	1618847C1
RH3BD(+)	18	DKBL	TXL	UNDEF	3598705C1	1F_IP12	E2	N/A	1618846C1	1618847C1
SJ3CE(+)	18	DKBL	TXL	UNDEF	3598705C1	1F_IP12	E2	N/A	1618846C1	1618847C1
XA3BE(+)	18	DKBL	TXL	UNDEF	3598705C1	1F_IP12	E2	N/A	1618846C1	1618847C1
AA9Z	18	GY	TXL	UNDEF	3598705C1	1F_IP12	E3	N/A	1618846C1	1618847C1
AA6	20	GY	TXL	3534303C1	3598705C1	1F_IP12	E4	N/A	1618846C1	1618847C1
AA9A	18	GY	TXL	UNDEF	3598705C1	1F_IP12	E5	N/A	1618846C1	1618847C1
3H6DB	20	GY	TXL	3534303C1	3598705C1	1F_IP12	E6	N/A	1618846C1	1618847C1
AA9B	18	GY	TXL	UNDEF	3598705C1	1M_IP12	E7	N/A	1618846C1	1618847C1
FF106	18	GY	TXL	UNDEF	3598705C1	1M_IP12	E8	N/A	1618846C1	1618847C1
EY71BB	18	OR	TXL	UNDEF	3598705C1	1M_IP12	F10	N/A	1618846C1	1618847C1
GM71BC	18	OR	TXL	UNDEF	3598705C1	1M_IP12	F10	N/A	1618846C1	1618847C1
JL116LB	18	GY	GXL	UNDEF	3598705C1	1M_IP12	F11	N/A	1618846C1	1618847C1
FD88	18	LTGN	TXL	UNDEF	3598705C1	1M_IP12	F14	N/A	1618846C1	1618847C1
FE88A	18	LTGN	TXL	UNDEF	3598705C1	1M_IP12	F15	N/A	1618846C1	1618847C1
JL116UB	18	GY	TXL	UNDEF	3598705C1	1M_IP12	F16	N/A	1618846C1	1618847C1
AR5BB(-)	18	GN	TXL	UNDEF	3598705C1	1M_IP12	F5	N/A	1618846C1	1618847C1
AS5BB(-)	18	GN	TXL	UNDEF	3598705C1	1M_IP12	F5	N/A	1618846C1	1618847C1
AR5BB(+)	18	YL	TXL	UNDEF	3598705C1	1M_IP12	F6	N/A	1618846C1	1618847C1
AS5BB(+)	18	YL	TXL	UNDEF	3598705C1	1M_IP12	F6	N/A	1618846C1	1618847C1

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
FF61B	18	GY	TXL	UNDEF	3598705C1	1M_IP12	F7	N/A	1618846C1	1618847C1
AU28	18	TN	TXL	UNDEF	3598705C1	1M_IP12	F9	N/A	1618846C1	1618847C1
AA149	18	GY	TXL	UNDEF	3598706C1	1M_IP12	A1	N/A	1618846C1	1618847C1
AA82B	20	GY	TXL	3534303C1	3598706C1	1M_IP12	A10	N/A	1618846C1	1618847C1
AA82C	20	GY	TXL	3534303C1	3598706C1	1M_IP12	A11	N/A	1618846C1	1618847C1
AA44	20	GY	TXL	3534303C1	3598706C1	1M_IP12	A12	N/A	1618846C1	1618847C1
AA63A	16	DKBL	TXL	UNDEF	3598706C1	1M_IP12	A13	N/A	1618846C1	1618847C1
AA102A	20	YL	TXL	3534303C1	3598706C1	1M_IP12	A14	N/A	1618846C1	1618847C1
AA87B	20	GY	TXL	3534303C1	3598706C1	1M_IP12	A15	N/A	1618846C1	1618847C1
AA149F	18	GY	TXL	3522073C1	3598706C1	1M_IP12	A16	N/A	1618846C1	1618847C1
FU79A	18	GY	TXL	UNDEF	3598706C1	1M_IP12	A2	N/A	1618846C1	1618847C1
JZ79A	18	GY	TXL	UNDEF	3598706C1	1M_IP12	A2	N/A	1618846C1	1618847C1
AA52D	20	YL	TXL	3534303C1	3598706C1	1M_IP12	A4	N/A	1618846C1	1618847C1
AA85A	20	GY	TXL	3534303C1	3598706C1	1M_IP12	A5	N/A	1618846C1	1618847C1
AA57B	20	OR	TXL	3534303C1	3598706C1	1M_IP12	A6	N/A	1618846C1	1618847C1
AA56B	20	OR	TXL	3534303C1	3598706C1	1M_IP12	A7	N/A	1618846C1	1618847C1
AN87A	18	GY	TXL	UNDEF	3598706C1	1M_IP12	A8	N/A	1618846C1	1618847C1
AA82A	20	GY	TXL	3534303C1	3598706C1	1M_IP12	A9	N/A	1618846C1	1618847C1
MS86A	20	GY	GXL	3534303C1	3598706C1	1M_IP12	B1	N/A	1618846C1	1618847C1
DP32	18	OR	TXL	UNDEF	3598706C1	1M_IP12	B10	N/A	1618846C1	1618847C1
DN32A	18	TN	TXL	UNDEF	3598706C1	1M_IP12	B11	N/A	1618846C1	1618847C1
DP32A	18	OR	TXL	UNDEF	3598706C1	1M_IP12	B11	N/A	1618846C1	1618847C1
3H77B	20	GY	TXL	3534303C1	3598706C1	1M_IP12	B12	N/A	1618846C1	1618847C1
DV40B	18	GY	TXL	UNDEF	3598706C1	1M_IP12	B14	N/A	1618846C1	1618847C1
DH75AA	18	LTGN	TXL	UNDEF	3598706C1	1M_IP12	B15	N/A	1618846C1	1618847C1
AA100	18	LTGN	TXL	UNDEF	3598706C1	1M_IP12	B16	N/A	1618846C1	1618847C1
AA40	20	GY	TXL	3534303C1	3598706C1	1M_IP12	B2	N/A	1618846C1	1618847C1
AA40A	20	GY	TXL	3534303C1	3598706C1	1M_IP12	B3	N/A	1618846C1	1618847C1
DT97A	18	PL	TXL	UNDEF	3598706C1	1M_IP12	B4	N/A	1618846C1	1618847C1
AA74	18	LTGN	TXL	UNDEF	3598706C1	1M_IP12	B5	N/A	1618846C1	1618847C1
HA30B	16	TN	TXL	UNDEF	3598706C1	1M_IP12	B6	N/A	1618846C1	1618847C1
DS31	18	TN	TXL	UNDEF	3598706C1	1M_IP12	B7	N/A	1618846C1	1618847C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
AA36B	18	TN	TXL	UNDEF	3598706C1	1M_IP12	B8	N/A	1618846C1	1618847C1
CC72	18	OR	TXL	UNDEF	3598707C1	1M_IP12	E11	N/A	1618846C1	1618847C1
AA59C	18	GY	TXL	UNDEF	3598707C1	1M_IP12	E12	N/A	1618846C1	1618847C1
RK59E	18	GY	TXL	UNDEF	3598707C1	1TB1	E13	N/A	1618846C1	1618847C1
RL59E	18	GY	TXL	UNDEF	3598707C1	1TB2	E13	N/A	1618846C1	1618847C1
EE14DA	18	RD	TXL	UNDEF	3598707C1	2000_IP12	E14	N/A	1618846C1	1618847C1
BC63J	18	DKBL	TXL	UNDEF	3598707C1	2000_IP12	E5	N/A	1618846C1	1618847C1
AA82H	18	GY	TXL	UNDEF	3598707C1	2000_IP12	E6	N/A	1618846C1	1618847C1
AA82F	18	GY	TXL	UNDEF	3598707C1	2000_IP12	E7	N/A	1618846C1	1618847C1
AA59H	18	GY	TXL	UNDEF	3598707C1	2000_IP12	E9	N/A	1618846C1	1618847C1
HA104BC	18	DKBL	TXL	3522073C1	3598707C1	2000_IP12	F1	N/A	1618846C1	1618847C1
AA59B	18	GY	TXL	UNDEF	3598707C1	2000_IP12	F10	N/A	1618846C1	1618847C1
YE75WP	18	LTGN	TXL	UNDEF	3598707C1	2000_IP12	F11	N/A	1618846C1	1618847C1
DR19A	18	GY	TXL	UNDEF	3598707C1	2000_IP12	F12	N/A	1618846C1	1618847C1
DD78RC	18	LTGN	TXL	UNDEF	3598707C1	2000_IP12	F13	N/A	1618846C1	1618847C1
BM70C	18	OR	TXL	UNDEF	3598707C1	2000_IP12	F15	N/A	1618846C1	1618847C1
DY54XD	16	BN	TXL	UNDEF	3598707C1	2000_IP12	F16	N/A	1618846C1	1618847C1
DX63C	18	DKBL	TXL	UNDEF	3598707C1	2000_IP12	F2	N/A	1618846C1	1618847C1
AA59F	18	GY	TXL	UNDEF	3598707C1	2000_IP12	F4	N/A	1618846C1	1618847C1
AA59J	18	GY	TXL	UNDEF	3598707C1	2000_IP12	F5	N/A	1618846C1	1618847C1
RL59D	18	GY	TXL	UNDEF	3598707C1	2000_IP12	F8	N/A	1618846C1	1618847C1
SF59D	18	GY	TXL	UNDEF	3598707C1	2000_IP12	F8	N/A	1618846C1	1618847C1
AA82	16	GY	TXL	3544876C1	3598710C1	2000F	A	N/A	N/A	N/A
BB53AA	14	YL	TXL	3544877C1	3598710C1	2000F	B	N/A	N/A	N/A
DE53A	14	YL	TXL	3544877C1	3598710C1	2000F	B	N/A	N/A	N/A
2F56N	16	OR	TXL	3544876C1	3598710C1	2000F	C	N/A	N/A	N/A
2G56N	16	OR	TXL	3544876C1	3598710C1	2000F	C	N/A	N/A	N/A
2Z56	16	OR	TXL	3544876C1	3598710C1	2000F	C	N/A	N/A	N/A
NC56	16	OR	TXL	3544876C1	3598710C1	2000F	C	N/A	N/A	N/A
NS56N	16	OR	TXL	3544876C1	3598710C1	2000F	C	N/A	N/A	N/A
BM68T	12	BN	TXL	3544877C1	3598710C1	2000F	D	N/A	N/A	N/A
AA11-GKC	12	WH	TXL	3544877C1	3598710C1	2000F	E	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
BM58T	12	BN	TXL	3544877C1	3598710C1	2000F	F	N/A	N/A	N/A
CW58C	16	BN	TXL	3544876C1	3598710C1	2000F	F	N/A	N/A	N/A
CX58C	16	BN	TXL	3544876C1	3598710C1	2000F	F	N/A	N/A	N/A
2A54	16	BN	TXL	3544876C1	3598710C1	2000F	G	N/A	N/A	N/A
3C54	16	BN	TXL	3544876C1	3598710C1	2000F	G	N/A	N/A	N/A
3.00E+54	16	BN	TXL	3544876C1	3598710C1	2000F	G	N/A	N/A	N/A
HY54	16	BN	TXL	3544876C1	3598710C1	2000F	G	N/A	N/A	N/A
BB53B	14	YL	TXL	3544877C1	3598710C1	2000F	H	N/A	N/A	N/A
DE53B	14	YL	TXL	3544877C1	3598710C1	2000F	H	N/A	N/A	N/A
AA63	18	DKBL	TXL	3544876C1	3598710C1	2000F	J	N/A	N/A	N/A
2B57BC	16	OR	TXL	3544876C1	3598710C1	2000F	K	N/A	N/A	N/A
2C57BC	16	OR	TXL	3544876C1	3598710C1	2002M	K	N/A	N/A	N/A
2D57BC	16	OR	TXL	3544876C1	3598710C1	2002M	K	N/A	N/A	N/A
2E57BC	16	OR	TXL	3544876C1	3598710C1	2002M	K	N/A	N/A	N/A
2F57BC	16	OR	TXL	3544876C1	3598710C1	2002M	K	N/A	N/A	N/A
2G57BC	16	OR	TXL	3544876C1	3598710C1	2003M	K	N/A	N/A	N/A
ZC75WA	18	RD	GXL	3544876C1	3598711C1	2003M	A	N/A	N/A	N/A
ZC75-GA	16	WH	GXL	3544876C1	3598711C1	2003M	B	N/A	N/A	N/A
ZC75WK	18	LTGN	TXL	3544876C1	3598711C1	2003M	C	N/A	N/A	N/A
ZC75WP	18	LTGN	GXL	3544876C1	3598711C1	2004M	D	N/A	N/A	N/A
ZC75WFA	20	LTGN	GXL	3544875C1	3598711C1	2004M	E	N/A	N/A	N/A
ZC75WD	20	RD	GXL	3544875C1	3598711C1	2004M	F	N/A	N/A	N/A
ZC75WC	20	BN	GXL	3544875C1	3598711C1	2004M	G	N/A	N/A	N/A
ZC75WE	20	DKBL	GXL	3544875C1	3598711C1	2005M	H	N/A	N/A	N/A
ZC75WG	20	GY	GXL	3544875C1	3598711C1	2005M	J	N/A	N/A	N/A
ZC75WJ	20	RD	GXL	3544875C1	3598711C1	2005M	K	N/A	N/A	N/A
ZC75WF	20	YL	GXL	3544875C1	3598711C1	2005M	L	N/A	N/A	N/A
BM57T	12	OR	TXL	3544877C1	3598711C1	2006M	A	N/A	N/A	N/A
BM56T	12	OR	TXL	3544877C1	3598711C1	2006M	B	N/A	N/A	N/A
AA77	18	LTGN	TXL	3544876C1	3598711C1	2006M	C	N/A	N/A	N/A
2Z56A4	16	OR	TXL	3544876C1	3598711C1	2006M	D	N/A	N/A	N/A
EA56A1	16	OR	TXL	3544876C1	3598711C1	20A_IP12	D	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
EC56A3	16	OR	TXL	3544876C1	3598711C1	20A_IP12	D	N/A	N/A	N/A
NC56A	14	OR	TXL	3544877C1	3598711C1	20A_IP12	D	N/A	N/A	N/A
NS56A	14	OR	TXL	3544877C1	3598711C1	20A_IP12	D	N/A	N/A	N/A
AA85	16	GY	TXL	3544876C1	3598711C1	20A_IP12	E	N/A	N/A	N/A
CU64A	16	YL	TXL	3544876C1	3598711C1	20A_IP12	F	N/A	N/A	N/A
BS65	18	OR	TXL	3544876C1	3598711C1	2100M	G	N/A	N/A	N/A
BT65	18	OR	TXL	3544876C1	3598711C1	2100M	G	N/A	N/A	N/A
BU65	16	OR	TXL	3544876C1	3598711C1	2100M	G	N/A	N/A	N/A
BW65	16	OR	TXL	3544876C1	3598711C1	2101F	G	N/A	N/A	N/A
BX65	16	OR	TXL	3544876C1	3598711C1	2101F	G	N/A	N/A	N/A
BY65	16	OR	TXL	3544876C1	3598711C1	2101F	G	N/A	N/A	N/A
BB52AA	14	YL	TXL	3544877C1	3598711C1	2101M	H	N/A	N/A	N/A
DE52A	14	YL	TXL	3544877C1	3598711C1	2101M	H	N/A	N/A	N/A
CU64B	16	YL	TXL	3544876C1	3598711C1	2101M	K	N/A	N/A	N/A
BB52B	14	YL	TXL	3544877C1	3598711C1	2101M	L	N/A	N/A	N/A
DE52B	14	YL	TXL	3544877C1	3598711C1	2101M	L	N/A	N/A	N/A
2Z57A5	16	OR	TXL	3544876C1	3598711C1	2101M	M	N/A	N/A	N/A
EA57A1	16	OR	TXL	3544876C1	3598711C1	2102F	M	N/A	N/A	N/A
EC57A3	16	OR	TXL	3544876C1	3598711C1	2102F	M	N/A	N/A	N/A
NC57AA	14	OR	TXL	3544877C1	3598711C1	2102M	M	N/A	N/A	N/A
NS57E	14	OR	TXL	3544877C1	3598711C1	2102M	M	N/A	N/A	N/A
HC77TVT	18	LTGN	GXL	3534164C1	3599251C1	2102M	A	N/A	3599255C1	N/A
HC77TT	18	LTGN	TXL	3534164C1	3599251C1	2102M	B	N/A	3599255C1	N/A
HC77TZT	18	LTGN	GXL	3534164C1	3599251C1	2102M	C	N/A	3599255C1	N/A
KH5V(-)	18	GN	TXL	3518963C1	3599542C1	2102M		2 N/A	N/A	N/A
KH5V(+)	18	YL	TXL	3518963C1	3599542C1	2102M		3 N/A	N/A	N/A
KH17-GC	18	WH	GXL	3555249C1	3599542C1	2102M		4 N/A	N/A	N/A
KH3BC(+)	18	DKBL	GXL	3555249C1	3599542C1	2103M		10 N/A	N/A	N/A
KH3BC(-)	18	GY	GXL	3555249C1	3599542C1	2103M		11 N/A	N/A	N/A
KH92A	18	TN	GXL	3555249C1	3599542C1	2103M		16 N/A	N/A	N/A
KH92B	18	TN	GXL	3555249C1	3599542C1	2103M		17 N/A	N/A	N/A
KH92DP	18	TN	GXL	3555249C1	3599542C1	2103M		18 N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
KH17C	18	PK	GXL	3555249C1	3599542C1	2103M	26	N/A	N/A	N/A
KH17B	18	PK	GXL	3555249C1	3599542C1	21A_IP12	32	N/A	N/A	N/A
KH92DR	18	TN	GXL	3555249C1	3599542C1	21A_IP12	34	N/A	N/A	N/A
KH13A	14	PK	GXL	3557534C1	3599542C1	21A_IP12	35	N/A	N/A	N/A
KH10-GK	12	WH	TXL	3557534C1	3599542C1	21A_IP12	36	N/A	N/A	N/A
KH14A	12	RD	TXL	3557534C1	3599542C1	21A_IP12	38	N/A	N/A	N/A
KH5V(-)	18	GN	TXL	3555249C1	3599542C1	21A_IP12	2	N/A	N/A	N/A
KH5V(+)	18	YL	TXL	3555249C1	3599542C1	2200_IP12	3	N/A	N/A	N/A
KH17-GC	18	PK	GXL	3555249C1	3599542C1	2200_IP12	4	N/A	N/A	N/A
KH3BA(+)	18	DKBL	GXL	3555249C1	3599542C1	2201_IP12	10	N/A	N/A	N/A
KH3BA(-)	18	GY	GXL	3555249C1	3599542C1	2201_IP12	11	N/A	N/A	N/A
TG92A	18	TN	GXL	3555249C1	3599542C1	220XF	16	N/A	N/A	N/A
TG92B	18	TN	GXL	3555249C1	3599542C1	220XF	17	N/A	N/A	N/A
VY92DP	18	TN	GXL	3555249C1	3599542C1	220XM	18	N/A	N/A	N/A
KZ92E	16	TN	TXL	3555249C1	3599542C1	220XM	20	N/A	N/A	N/A
KZ92F	18	TN	GXL	3555249C1	3599542C1	2223_IP12	21	N/A	N/A	N/A
KZ92H	18	TN	GXL	3555249C1	3599542C1	2223_IP12	22	N/A	N/A	N/A
SH92DN	18	TN	GXL	3518963C1	3599542C1	2224_IP12	24	N/A	N/A	N/A
SJ92DN	18	TN	GXL	3518963C1	3599542C1	2224_IP12	24	N/A	N/A	N/A
TH92J	18	TN	GXL	3555249C1	3599542C1	2224_IP12	25	N/A	N/A	N/A
KH17C	16	PK	TXL	3555249C1	3599542C1	2224_IP12	26	N/A	N/A	N/A
TH98GN	18	GN	TXL	3555249C1	3599542C1	2225_IP12	27	N/A	N/A	N/A
TH98YL	18	YL	TXL	3555249C1	3599542C1	2225_IP12	28	N/A	N/A	N/A
TH92ER	18	TN	GXL	3555249C1	3599542C1	2225_IP12	31	N/A	N/A	N/A
KH17B	18	PK	GXL	3555249C1	3599542C1	2225_IP12	32	N/A	N/A	N/A
VY92DR	18	TN	GXL	3555249C1	3599542C1	2225_IP12	34	N/A	N/A	N/A
KH13A	14	PK	GXL	3557534C1	3599542C1	2225_IP12	35	N/A	N/A	N/A
WC10-GE	12	WH	GXL	3557534C1	3599542C1	2225_IP12	36	N/A	N/A	N/A
LJ14A	12	RD	TXL	3557534C1	3599542C1	2225_IP12	38	N/A	N/A	N/A
MY86AC	18	LTGN	TXL	3600062C1	3600061C1	2225_IP12	2	N/A	N/A	N/A
RF86AA	20	LTGN	TXL	3600062C1	3600061C1	2303F	7	N/A	N/A	N/A
RF86AC	20	LTGN	TXL	3600062C1	3600061C1	2303F	9	N/A	N/A	N/A



Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
RF86AB	20	LTGN	TXL	3600062C1	3600061C1	2303F		10 N/A	N/A	N/A
RF86AD	20	LTGN	TXL	3600062C1	3600061C1	2303F		11 N/A	N/A	N/A
YW86A(+)	20	LTGN	TXL	3600062C1	3600061C1	2303F		15 N/A	N/A	N/A
YW86A(-)	20	LTGN	TXL	3600062C1	3600061C1	2303F		16 N/A	N/A	N/A
YB9AB	20	GY	TXL	3600325C1	3600324C1	2303F		1 3600327C1	N/A	N/A
YB77B	20	LTGN	TXL	3600325C1	3600324C1	2303F		2 3600327C1	N/A	N/A
YB77C	20	LTGN	TXL	3600325C1	3600324C1	2303M		3 3600327C1	N/A	N/A
YB6DB	20	GY	TXL	3600325C1	3600324C1	2303M		4 3600327C1	N/A	N/A
YM9AB	20	GY	TXL	3600325C1	3600324C1	2303M		1 3600327C1	N/A	N/A
YM77B	20	LTGN	TXL	3600325C1	3600324C1	2303M		2 3600327C1	N/A	N/A
YM77C	20	LTGN	TXL	3600325C1	3600324C1	2303M		3 3600327C1	N/A	N/A
YM6DB	20	GY	TXL	3600325C1	3600324C1	2303M		4 3600327C1	N/A	N/A
YN9AB	20	GY	TXL	3702881C1	3600324C1	2303M		1 3600327C1	N/A	N/A
YN77B	20	LTGN	TXL	3702881C1	3600324C1	2303M		2 3600327C1	N/A	N/A
YN77C	20	LTGN	TXL	3702881C1	3600324C1	2306M		3 3600327C1	N/A	N/A
YN6DB	20	GY	TXL	3702881C1	3600324C1	2306M		4 3600327C1	N/A	N/A
YL9AB	20	GY	TXL	3702881C1	3600324C1	2306M		1 3600327C1	N/A	N/A
YL77B	20	LTGN	TXL	3702881C1	3600324C1	2306M		2 3600327C1	N/A	N/A
YL77C	20	LTGN	TXL	3600325C1	3600324C1	2306M		3 3600327C1	N/A	N/A
YL6DB	20	GY	TXL	3702881C1	3600324C1	2306M		4 3600327C1	N/A	N/A
HB86AG	18	LTGN	GXL	3577500C1	3600905C1	2307F	H1-A4	N/A	N/A	N/A
LF86AG	18	LTGN	GXL	3577500C1	3600905C1	2307F	H1-A4	N/A	N/A	N/A
HA14VAA	16	RD	GXL	3584674C1	3600905C1	2307F	H1-B1	N/A	N/A	N/A
HA14VAD	18	RD	GXL	3577500C1	3600905C1	2308F	H1-B3	N/A	N/A	N/A
HA14CC	18	RD	GXL	3577500C1	3600905C1	2308F	H1-B4	N/A	N/A	N/A
HA14CD	18	RD	GXL	3577500C1	3600905C1	2308F	H1-B5	N/A	N/A	N/A
HA75AM	18	LTGN	GXL	3577500C1	3600905C1	2312_IP12	H1-B6	N/A	N/A	N/A
HA14VAB	16	RD	GXL	3584674C1	3600905C1	2312_IP12	H1-C1	N/A	N/A	N/A
JL86SBB	16	LTGN	GXL	3584674C1	3600905C1	2312_IP12	H1-C3	N/A	N/A	N/A
JN86SBB	16	LTGN	GXL	3584674C1	3600905C1	2312_IP12	H1-C3	N/A	N/A	N/A
HR63U	18	DKBL	GXL	3577500C1	3600905C1	2313_IP12	H1-C5	N/A	N/A	N/A
JH76	18	BK	GXL	3577500C1	3600905C1	2313_IP12	H2-A4	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
JK76	18	BK	GXL	3577500C1	3600905C1	2313_IP12	H2-A4	N/A	N/A	N/A
JM76	18	BK	GXL	3577500C1	3600905C1	2313_IP12	H2-A4	N/A	N/A	N/A
JP86M	16	LTGN	GXL	3584674C1	3600905C1	23XX	H2-A6	N/A	N/A	N/A
HA14VBA	14	RD	GXL	3584674C1	3600905C1	23XX	H2-B1	N/A	N/A	N/A
HA14VBB	16	RD	GXL	3584674C1	3600905C1	23XX	H2-B2	N/A	N/A	N/A
HA14VBC	16	RD	GXL	3584674C1	3600905C1	23XX	H2-B3	N/A	N/A	N/A
HA14VBD	12	RD	GXL	3584673C1	3600905C1	2505_IP12	H2-B4	N/A	N/A	N/A
HA75AN	18	LTGN	GXL	3577500C1	3600905C1	2505_IP12	H2-B5	N/A	N/A	N/A
HA14VBE	14	RD	GXL	3584674C1	3600905C1	2505M	H2-B6	N/A	N/A	N/A
HA86SB	14	LTGN	GXL	3584674C1	3600905C1	2505M	H2-C1	N/A	N/A	N/A
HH86AP	16	LTGN	GXL	3584674C1	3600905C1	2A_IP12	H2-C3	N/A	N/A	N/A
LD14VAF	16	RD	GXL	3584674C1	3600905C1	2A_IP12	H2-C5	N/A	N/A	N/A
LE14VAF	16	RD	GXL	3584674C1	3600905C1	2F_IP12	H2-C5	N/A	N/A	N/A
HA63C	18	DKBL	GXL	3577500C1	3600905C1	2F_IP12	H3-A3	N/A	N/A	N/A
HA63D	18	DKBL	GXL	3577500C1	3600905C1	2F_IP12	H3-A4	N/A	N/A	N/A
LD63-GSA	18	WH	GXL	3577500C1	3600905C1	2F_IP12	H3-A5	N/A	N/A	N/A
LE63-GSA	18	DKBL	GXL	3577500C1	3600905C1	2F_IP12	H3-A5	N/A	N/A	N/A
LD63SF	18	DKBL	GXL	3577500C1	3600905C1	2F_IP12	H3-A6	N/A	N/A	N/A
LE63SF	18	DKBL	GXL	3577500C1	3600905C1	2F_IP12	H3-A6	N/A	N/A	N/A
LA63SCA	18	DKBL	GXL	3577500C1	3600905C1	2F_IP12	H3-B6	N/A	N/A	N/A
HA63DV	18	DKBL	GXL	3577500C1	3600905C1	2F_IP12	H3-C3	N/A	N/A	N/A
HA63-GD	18	WH	GXL	3577500C1	3600905C1	2F_IP12	H3-C4	N/A	N/A	N/A
LD63SJ	18	DKBL	GXL	3577500C1	3600905C1	2F_IP12	H3-C5	N/A	N/A	N/A
LE63SJ	18	DKBL	GXL	3577500C1	3600905C1	2F_IP12	H3-C5	N/A	N/A	N/A
LD63SH	18	DKBL	GXL	3577500C1	3600905C1	2F_IP12	H3-C6	N/A	N/A	N/A
LE63SH	18	DKBL	GXL	3577500C1	3600905C1	2F_IP12	H3-C6	N/A	N/A	N/A
BA75AL	12	LTGN	GXL	3584673C1	3600905C1	2F_IP12	H4-A2	N/A	N/A	N/A
BA14AC	10	RD	GXL	3584673C1	3600905C1	2F_IP12	H4-B2	N/A	N/A	N/A
PS94SAB	18	GY	GXL	3601686C1	3601685C1	2F_IP12		1 3601687C1	N/A	N/A
PS94SCB	18	GY	GXL	3601686C1	3601685C1	2F_IP12		2 3601687C1	N/A	N/A
PS94SBB	18	GY	GXL	3601686C1	3601685C1	2F_IP12		3 3601687C1	N/A	N/A
PS94SDB	18	GY	GXL	3601686C1	3601685C1	2F_IP12		4 3601687C1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
PR94SAB	18	GY	GXL	3601686C1	3601685C1	2F_IP12		1 3601687C1	N/A	N/A
PR94SCB	18	GY	GXL	3601686C1	3601685C1	2F_IP12		2 3601687C1	N/A	N/A
PR94SBB	18	GY	GXL	3601686C1	3601685C1	2F_IP12		3 3601687C1	N/A	N/A
PR94SDB	18	GY	GXL	3601686C1	3601685C1	2F_IP12		4 3601687C1	N/A	N/A
BE94SC	20	GY	TXL	3601801C1	3601800C1	2F_IP12		1 N/A	N/A	N/A
BE94SA	20	GY	TXL	3601801C1	3601800C1	2F_IP12		2 N/A	N/A	N/A
BE94SB	20	GY	TXL	3601801C1	3601800C1	2F_IP12		3 N/A	N/A	N/A
BE94SD	20	GY	TXL	3601801C1	3601800C1	2F_IP12		4 N/A	N/A	N/A
HA5T(-)	18	GN	TXL	3534164C1	3601838C1	2F_IP12	A	N/A	3601839C1	N/A
BN5E(-)	18	GN	TXL	3534164C1	3601838C1	2F_IP12	B	N/A	3601839C1	N/A
HA5(-)	18	GN	TXL	3534164C1	3601838C1	2F_IP12	C	N/A	3601839C1	N/A
HA5(-)	18	GN	TXL	3534164C1	3601838C1	2F_IP12	D	N/A	3601839C1	N/A
BH5D(-)	18	GN	TXL	3534164C1	3601838C1	2F_IP12	E	N/A	3601839C1	N/A
BL5SB(-)	18	GN	TXL	3534164C1	3601838C1	2F_IP12	F	N/A	3601839C1	N/A
BM5S(-)	18	GN	TXL	3534164C1	3601838C1	2F_IP12	F	N/A	3601839C1	N/A
BL5SB(+)	18	YL	TXL	3534164C1	3601838C1	2F_IP12	G	N/A	3601839C1	N/A
BM5S(+)	18	YL	TXL	3534164C1	3601838C1	2F_IP12	G	N/A	3601839C1	N/A
BH5D(+)	18	YL	TXL	3534164C1	3601838C1	2M_IP12	H	N/A	3601839C1	N/A
HA5(+)	18	YL	TXL	3534164C1	3601838C1	2M_IP12	J	N/A	3601839C1	N/A
HA5(+)	18	YL	TXL	3534164C1	3601838C1	2M_IP12	K	N/A	3601839C1	N/A
BN5E(+)	18	YL	TXL	3534164C1	3601838C1	2M_IP12	L	N/A	3601839C1	N/A
HA5T(+)	18	YL	TXL	3534164C1	3601838C1	2M_IP12	M	N/A	3601839C1	N/A
AS5BC(-)	18	GN	TXL	3534164C1	3601838C1	2M_IP12	A	N/A	3601839C1	N/A
AS5BD(-)	18	GN	TXL	3534164C1	3601838C1	2M_IP12	C	N/A	3601839C1	N/A
AS5BD(-)	18	GN	TXL	3534164C1	3601838C1	2M_IP12	D	N/A	3601839C1	N/A
KD5U(-)	18	GN	TXL	3534164C1	3601838C1	2M_IP12	E	N/A	3601839C1	N/A
KR5BF(-)	18	GN	TXL	3534164C1	3601838C1	2M_IP12	E	N/A	3601839C1	N/A
KS5BF(-)	18	GN	TXL	3534164C1	3601838C1	2M_IP12	E	N/A	3601839C1	N/A
AS5BE(-)	18	GN	TXL	3534164C1	3601838C1	2M_IP12	F	N/A	3601839C1	N/A
AS5BE(+)	18	YL	TXL	3534164C1	3601838C1	2M_IP12	G	N/A	3601839C1	N/A
KD5U(+)	18	YL	TXL	3534164C1	3601838C1	2M_IP12	H	N/A	3601839C1	N/A
KR5BF(+)	18	YL	TXL	3534164C1	3601838C1	2M_IP12	H	N/A	3601839C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
KS5BF(+)	18	YL	TXL	3534164C1	3601838C1	2M_IP12	H	N/A	3601839C1	N/A
AS5BD(+)	18	YL	TXL	3534164C1	3601838C1	2M_IP12	J	N/A	3601839C1	N/A
AS5BD(+)	18	YL	TXL	3534164C1	3601838C1	2M_IP12	K	N/A	3601839C1	N/A
AS5BC(+)	18	YL	TXL	3534164C1	3601838C1	2M_IP12	M	N/A	3601839C1	N/A
AR5BC(-)	18	GN	TXL	3534164C1	3601838C1	2M_IP12	A	N/A	3601839C1	N/A
EW5E(-)	18	GN	TXL	3534164C1	3601838C1	2M_IP12	B	N/A	3601839C1	N/A
AR5BD(-)	18	GN	TXL	3534164C1	3601838C1	2M_IP12	C	N/A	3601839C1	N/A
AR5BD(-)	18	GN	TXL	3534164C1	3601838C1	2M_IP12	D	N/A	3601839C1	N/A
KB5U(-)	18	GN	TXL	3534164C1	3601838C1	2M_IP12	E	N/A	3601839C1	N/A
LP5BF(-)	18	GN	TXL	3534164C1	3601838C1	2M_IP12	E	N/A	3601839C1	N/A
RY5BF(-)	18	GN	TXL	3534164C1	3601838C1	2M_IP12	E	N/A	3601839C1	N/A
ZP5BE(-)	18	GN	TXL	3534164C1	3601838C1	2M_IP12	E	N/A	3601839C1	N/A
AR5BE(-)	18	GN	TXL	3534164C1	3601838C1	2M_IP12	F	N/A	3601839C1	N/A
AR5BE(+)	18	YL	TXL	3534164C1	3601838C1	2M_IP12	G	N/A	3601839C1	N/A
KB5U(+)	18	YL	TXL	3534164C1	3601838C1	2M_IP12	H	N/A	3601839C1	N/A
LP5BF(+)	18	YL	TXL	3534164C1	3601838C1	2M_IP12	H	N/A	3601839C1	N/A
RY5BF(+)	18	YL	TXL	3534164C1	3601838C1	2M_IP12	H	N/A	3601839C1	N/A
ZP5BE(+)	18	YL	TXL	3534164C1	3601838C1	2M_IP12	H	N/A	3601839C1	N/A
AR5BD(+)	18	YL	TXL	3534164C1	3601838C1	2M_IP12	J	N/A	3601839C1	N/A
AR5BD(+)	18	YL	TXL	3534164C1	3601838C1	2M_IP12	K	N/A	3601839C1	N/A
EW5E(+)	18	YL	TXL	3534164C1	3601838C1	2M_IP12	L	N/A	3601839C1	N/A
AR5BC(+)	18	YL	TXL	3534164C1	3601838C1	2M_IP12	M	N/A	3601839C1	N/A
JK5AJ(-)	18	GN	TXL	3534164C1	3601838C1	2TB1	A	N/A	3601839C1	N/A
LN5AJ(-)	18	GN	TXL	3534164C1	3601838C1	2TB2	A	N/A	3601839C1	N/A
2V5CA(-)	18	GN	TXL	3534164C1	3601838C1	3000M	B	N/A	3601839C1	N/A
RV5CA(-)	18	GN	TXL	3534164C1	3601838C1	3001M	B	N/A	3601839C1	N/A
YH5A(-)	18	GN	TXL	3534164C1	3601838C1	3003M	B	N/A	3601839C1	N/A
JK5AK(-)	18	GN	TXL	3534164C1	3601838C1	3003M	C	N/A	3601839C1	N/A
LN5AK(-)	18	GN	TXL	3534164C1	3601838C1	3003M	C	N/A	3601839C1	N/A
JK5AK(-)	18	GN	TXL	3534164C1	3601838C1	3003M	D	N/A	3601839C1	N/A
LN5AK(-)	18	GN	TXL	3534164C1	3601838C1	3100M	D	N/A	3601839C1	N/A
RN5L(-)	20	GN	1939	3535484C1	3601838C1	3100M	E	N/A	3601839C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
SG5L(-)	18	GN	TXL	3534164C1	3601838C1	3100M	E	N/A	3601839C1	N/A
JK5AL(-)	18	GN	TXL	3534164C1	3601838C1	3100M	F	N/A	3601839C1	N/A
LN5AL(-)	18	GN	TXL	3534164C1	3601838C1	3200F	F	N/A	3601839C1	N/A
JK5AL(+)	18	YL	TXL	3534164C1	3601838C1	3200F	G	N/A	3601839C1	N/A
LN5AL(+)	18	YL	TXL	3534164C1	3601838C1	3200F	G	N/A	3601839C1	N/A
RN5L(+)	20	YL	1939	3535484C1	3601838C1	3200F	H	N/A	3601839C1	N/A
SG5L(+)	18	YL	TXL	3534164C1	3601838C1	3200F	H	N/A	3601839C1	N/A
JK5AK(+)	18	YL	TXL	3534164C1	3601838C1	3200F	J	N/A	3601839C1	N/A
LN5AK(+)	18	YL	TXL	3534164C1	3601838C1	3200F_IP12	J	N/A	3601839C1	N/A
JK5AK(+)	18	YL	TXL	3534164C1	3601838C1	3200F_IP12	K	N/A	3601839C1	N/A
LN5AK(+)	18	YL	TXL	3534164C1	3601838C1	3200F_IP12	K	N/A	3601839C1	N/A
2V5CA(+)	18	YL	TXL	3534164C1	3601838C1	3200F_IP12	L	N/A	3601839C1	N/A
RV5CA(+)	18	YL	TXL	3534164C1	3601838C1	3200F_IP12	L	N/A	3601839C1	N/A
YH5A(+)	18	YL	TXL	3534164C1	3601838C1	3200F_IP12	L	N/A	3601839C1	N/A
JK5AJ(+)	18	YL	TXL	3534164C1	3601838C1	3200F_IP12	M	N/A	3601839C1	N/A
LN5AJ(+)	18	YL	TXL	3534164C1	3601838C1	3200F_IP12	M	N/A	3601839C1	N/A
XD94SN	18	GY	TXL	3534164C1	3601838C1	3200F_IP12	A	N/A	3601839C1	N/A
XZ94SAA	18	GY	TXL	3534164C1	3601838C1	3200M_IP12	A	N/A	3601839C1	N/A
XD94SNA	18	GY	TXL	3534164C1	3601838C1	3200M_IP12	B	N/A	3601839C1	N/A
XZ94SAB	18	GY	TXL	3534164C1	3601838C1	3200M_IP12	B	N/A	3601839C1	N/A
XD94SNB	18	GY	TXL	3534164C1	3601838C1	3200M_IP12	C	N/A	3601839C1	N/A
XZ94SA	18	GY	TXL	3534164C1	3601838C1	3200M_IP12	C	N/A	3601839C1	N/A
XD94SP	18	GY	TXL	3534164C1	3601838C1	3200M_IP12	D	N/A	3601839C1	N/A
XZ94SCA	18	GY	TXL	3534164C1	3601838C1	3200M_IP12	D	N/A	3601839C1	N/A
XD94SPA	18	GY	TXL	3534164C1	3601838C1	3200M_IP12	E	N/A	3601839C1	N/A
XZ94SCB	18	GY	TXL	3534164C1	3601838C1	3200M_IP12	E	N/A	3601839C1	N/A
XD94SPB	18	GY	TXL	3534164C1	3601838C1	3200M_IP12	F	N/A	3601839C1	N/A
XZ94SC	18	GY	TXL	3534164C1	3601838C1	3201M	F	N/A	3601839C1	N/A
XD94SR	18	GY	TXL	3534164C1	3601838C1	3201M	G	N/A	3601839C1	N/A
XZ94SBA	18	GY	TXL	3534164C1	3601838C1	3201M	G	N/A	3601839C1	N/A
XD94SRA	18	GY	TXL	3534164C1	3601838C1	3201M	H	N/A	3601839C1	N/A
XZ94SBB	18	GY	TXL	3534164C1	3601838C1	3201M	H	N/A	3601839C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
XD94SRB	18	GY	TXL	3534164C1	3601838C1	3201M	J	N/A	3601839C1	N/A
XZ94SB	18	GY	TXL	3534164C1	3601838C1	3201M	J	N/A	3601839C1	N/A
XD94SS	18	GY	TXL	3534164C1	3601838C1	3201M	K	N/A	3601839C1	N/A
XZ94SDA	18	LTGN	TXL	3534164C1	3601838C1	3202M	K	N/A	3601839C1	N/A
XD94SSA	18	GY	TXL	3534164C1	3601838C1	3202M	L	N/A	3601839C1	N/A
XZ94SDB	18	GY	TXL	3534164C1	3601838C1	3202M	L	N/A	3601839C1	N/A
XD94SSB	18	GY	TXL	3534164C1	3601838C1	3202M	M	N/A	3601839C1	N/A
XZ94SD	18	GY	TXL	3534164C1	3601838C1	3202M	M	N/A	3601839C1	N/A
KA98YL	20	YL	193	3755838C1	3602454C1	3202M	A	N/A	1655705C1	N/A
KA98GN	20	GN	193	3755838C1	3602454C1	3202M	B	N/A	1655705C1	N/A
AP5B(-)	18	GN	TXL	1680206C1	3602454C1	3202M	A	N/A	1655705C1	N/A
AY5B(-)	18	GN	TXL	1680206C1	3602454C1	3203M	A	N/A	1655705C1	N/A
AP5B(+)	18	YL	TXL	1680206C1	3602454C1	3203M	B	N/A	1655705C1	N/A
AY5B(+)	18	YL	TXL	1680206C1	3602454C1	3203M	B	N/A	1655705C1	N/A
HG77TSA	20	LTGN	TXL	3602660C1	3602659C1	3203M		1 N/A	N/A	N/A
ZF77A	20	LTGN	TXL	3602660C1	3602659C1	3203M		1 N/A	N/A	N/A
HG77TSB	20	LTGN	TXL	3602660C1	3602659C1	3203M		2 N/A	N/A	N/A
ZF77B	20	LTGN	TXL	3602660C1	3602659C1	3203M		2 N/A	N/A	N/A
VB95W	18	TN	TXL	3757932C1	3602747C1	3203M		1 N/A	3539784C1	N/A
VB95-GF	18	WH	TXL	3757932C1	3602747C1	3203M		2 N/A	3539784C1	N/A
TD92#101	18	LTBL	TXL	3686945C1	3605713C1	3203M		1 N/A	3606525C1	N/A
TT92#103	18	YL	TXL	3686945C1	3605713C1	3204F		3 N/A	3606525C1	N/A
TW92#103	18	YL	TXL	3686945C1	3605713C1	3204F		3 N/A	3606525C1	N/A
TD92#105	18	TN	TXL	3686945C1	3605713C1	3204F		5 N/A	3606525C1	N/A
XR5B106	18	YL	TXL	3686945C1	3605713C1	3204F		6 N/A	3606525C1	N/A
TD92#109	18	GY	TXL	3686945C1	3605713C1	3204F_IP12		9 N/A	3606525C1	N/A
TD92#110	18	PK	TXL	3686945C1	3605713C1	3204F_IP12		10 N/A	3606525C1	N/A
TD92#111	18	OR	TXL	3686945C1	3605713C1	3204F_IP12		11 N/A	3606525C1	N/A
TT92#112	18	TN	TXL	3686945C1	3605713C1	3204F_IP12		12 N/A	3606525C1	N/A
TW92#112	18	TN	TXL	3686945C1	3605713C1	3204F_IP12		12 N/A	3606525C1	N/A
TT92#115	18	WH	TXL	3686945C1	3605713C1	3204F_IP12		15 N/A	3606525C1	N/A
TD92#116	18	LTBL	TXL	3686945C1	3605713C1	3204F_IP12		16 N/A	3606525C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
SA92#117	18	TN	TXL	3686945C1	3605713C1	3204F_IP12	17	N/A	3606525C1	N/A
SC92A117	18	TN	TXL	3686945C1	3605713C1	3204F_IP12	17	N/A	3606525C1	N/A
SD92#117	18	TN	TXL	3686945C1	3605713C1	3204F_IP12	17	N/A	3606525C1	N/A
TD92#118	18	TN	TXL	3686945C1	3605713C1	3204F_IP12	18	N/A	3606525C1	N/A
TT92#119	18	LTBL	TXL	3686945C1	3605713C1	3204M_IP12	19	N/A	3606525C1	N/A
TE92#120	18	DKBL	TXL	3686945C1	3605713C1	3204M_IP12	20	N/A	3606525C1	N/A
TP92#120	18	LTBL	TXL	3686945C1	3605713C1	3204M_IP12	20	N/A	3606525C1	N/A
TD92#122	18	YL	TXL	3686945C1	3605713C1	3204M_IP12	22	N/A	3606525C1	N/A
TD92#123	18	LTBL	TXL	3686945C1	3605713C1	3204M_IP12	23	N/A	3606525C1	N/A
TT92#124	18	TN	TXL	3686945C1	3605713C1	3204M_IP12	24	N/A	3606525C1	N/A
TW92#124	18	TN	TXL	3686945C1	3605713C1	3204M_IP12	24	N/A	3606525C1	N/A
XP47A125	18	TN	TXL	3686945C1	3605713C1	3205F	25	N/A	3606525C1	N/A
XR5B127	18	GN	TXL	3686945C1	3605713C1	3205F	27	N/A	3606525C1	N/A
TD92#130	18	WH	TXL	3686945C1	3605713C1	3205F	30	N/A	3606525C1	N/A
TU92#131	18	YL	TXL	3686945C1	3605713C1	3205F	31	N/A	3606525C1	N/A
TV92#131	18	YL	TXL	3686945C1	3605713C1	3205F	31	N/A	3606525C1	N/A
TD92#133	18	YL	TXL	3686945C1	3605713C1	3205F	33	N/A	3606525C1	N/A
TD92#134	18	TN	TXL	3686945C1	3605713C1	3205F	34	N/A	3606525C1	N/A
TD92#136	18	OR	TXL	3686945C1	3605713C1	3205F	36	N/A	3606525C1	N/A
TD92#137	18	TN	TXL	3686945C1	3605713C1	3205M_IP12	37	N/A	3606525C1	N/A
TE48#139	18	OR	TXL	3686945C1	3605713C1	3205M_IP12	39	N/A	3606525C1	N/A
TP48#139	18	OR	TXL	3686945C1	3605713C1	3205M_IP12	39	N/A	3606525C1	N/A
TD47#140	18	LTGN	TXL	3686945C1	3605713C1	3205M_IP12	40	N/A	3606525C1	N/A
TD92#141	18	TN	TXL	3686945C1	3605713C1	3205M_IP12	41	N/A	3606525C1	N/A
SC92#142	18	TN	TXL	3686945C1	3605713C1	3205M_IP12	42	N/A	3606525C1	N/A
VX92#142	18	WH	TXL	3686945C1	3605713C1	3205M_IP12	42	N/A	3606525C1	N/A
TD92#143	18	LTBL	TXL	3686945C1	3605713C1	3205M_IP12	43	N/A	3606525C1	N/A
SA92#145	18	OR	TXL	3686945C1	3605713C1	3205M_IP12	45	N/A	3606525C1	N/A
SC92#145	18	OR	TXL	3686945C1	3605713C1	3205M_IP12	45	N/A	3606525C1	N/A
SD92#145	18	OR	TXL	3686945C1	3605713C1	3206M_IP12	45	N/A	3606525C1	N/A
TD92#151	18	WH	TXL	3686945C1	3605713C1	3206M_IP12	51	N/A	3606525C1	N/A
TD92#152	18	LTGN	TXL	3686945C1	3605713C1	3206M_IP12	52	N/A	3606525C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
TD92#154	18	TN	TXL	3686945C1	3605713C1	3206M_IP12	54	N/A	3606525C1	N/A
TD92#155	18	TN	TXL	3686945C1	3605713C1	3206M_IP12	55	N/A	3606525C1	N/A
TT92#156	18	TN	TXL	3686945C1	3605713C1	3206M_IP12	56	N/A	3606525C1	N/A
TD92#157	18	WH	TXL	3686945C1	3605713C1	3206M_IP12	57	N/A	3606525C1	N/A
TU92#158	18	LTGN	TXL	3686945C1	3605713C1	3206M_IP12	58	N/A	3606525C1	N/A
TV92#158	18	LTGN	TXL	3686945C1	3605713C1	3206M_IP12	58	N/A	3606525C1	N/A
TE48#159	18	TN	TXL	3686945C1	3605713C1	3206M_IP12	59	N/A	3606525C1	N/A
TP48#159	18	TN	TXL	3686945C1	3605713C1	3300M	59	N/A	3606525C1	N/A
TD47#160	18	YL	TXL	3686945C1	3605713C1	3300M	60	N/A	3606525C1	N/A
TT92#161	18	TN	TXL	3686945C1	3605713C1	3300M	61	N/A	3606525C1	N/A
TW92#161	18	TN	TXL	3686945C1	3605713C1	3300M	61	N/A	3606525C1	N/A
TD92#162	18	YL	TXL	3686945C1	3605713C1	344F	62	N/A	3606525C1	N/A
TD92#163	18	TN	TXL	3686945C1	3605713C1	344F	63	N/A	3606525C1	N/A
TD92#164	18	LTBL	TXL	3686945C1	3605713C1	344F	64	N/A	3606525C1	N/A
TD92#165	18	TN	TXL	3686945C1	3605713C1	344F	65	N/A	3606525C1	N/A
TD92#169	18	TN	TXL	3686945C1	3605713C1	344F	69	N/A	3606525C1	N/A
TD92#170	18	TN	TXL	3686945C1	3605713C1	344F	70	N/A	3606525C1	N/A
TD92#171	18	TN	TXL	3686945C1	3605713C1	344M	71	N/A	3606525C1	N/A
TD92#174	18	TN	TXL	3686945C1	3605713C1	344M	74	N/A	3606525C1	N/A
TT92#175	18	OR	TXL	3686945C1	3605713C1	344M	75	N/A	3606525C1	N/A
TD92#176	18	YL	TXL	3686945C1	3605713C1	344M	76	N/A	3606525C1	N/A
TD92#177	18	LTGN	TXL	3686945C1	3605713C1	344M	77	N/A	3606525C1	N/A
TE92#180	18	OR	TXL	3686945C1	3605713C1	344M	80	N/A	3606525C1	N/A
TP92#180	18	TN	TXL	3686945C1	3605713C1	345F	80	N/A	3606525C1	N/A
TD92#111	18	OR	TXL	3686945C1	3605715C1	345F	1	N/A	3606532C1	N/A
TZ92#111	18	OR	TXL	3686945C1	3605715C1	346F	1	N/A	3606532C1	N/A
TD92#155	18	TN	TXL	3686945C1	3605715C1	346F	2	N/A	3606532C1	N/A
TZ92#155	18	TN	TXL	3686945C1	3605715C1	347F	2	N/A	3606532C1	N/A
TD92#177	18	LTGN	TXL	3686945C1	3605715C1	347F	3	N/A	3606532C1	N/A
TZ92#177	18	LTGN	TXL	3686945C1	3605715C1	348F	3	N/A	3606532C1	N/A
TD92#136	18	OR	TXL	3686945C1	3605715C1	348F	4	N/A	3606532C1	N/A
TZ92#136	18	OR	TXL	3686945C1	3605715C1	348F	4	N/A	3606532C1	N/A



Circuit				Terminal Splice	Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
TD92#152	18	LTGN	TXL	3686945C1	3605715C1	348F	5	N/A	3606532C1	N/A
TZ92#152	18	LTGN	TXL	3686945C1	3605715C1	349F	5	N/A	3606532C1	N/A
TD92#171	18	TN	TXL	3686945C1	3605715C1	349F	6	N/A	3606532C1	N/A
TZ92#171	18	TN	TXL	3686945C1	3605715C1	349F	6	N/A	3606532C1	N/A
TD92#174	18	TN	TXL	3686945C1	3605715C1	349F	8	N/A	3606532C1	N/A
TZ92#174	18	TN	TXL	3686945C1	3605715C1	380_IP12	8	N/A	3606532C1	N/A
TD92#133	18	YL	TXL	3686945C1	3605715C1	380_IP12	9	N/A	3606532C1	N/A
TZ92#133	18	YL	TXL	3686945C1	3605715C1	381_IP12	9	N/A	3606532C1	N/A
TD92#151	18	WH	TXL	3686945C1	3605715C1	381_IP12	10	N/A	3606532C1	N/A
TZ92#151	18	WH	TXL	3686945C1	3605715C1	382_IP12	10	N/A	3606532C1	N/A
TN92#131	18	YL	TXL	3686945C1	3605715C1	382_IP12	11	N/A	3606532C1	N/A
TU92#131	18	YL	TXL	3686945C1	3605715C1	3A_IP12	11	N/A	3606532C1	N/A
TV92A131	18	YL	TXL	3686945C1	3605715C1	3A_IP12	11	N/A	3606532C1	N/A
TY92A131	18	YL	TXL	3686945C1	3605715C1	4005B	11	N/A	3606532C1	N/A
TD92#137	18	TN	TXL	3686945C1	3605715C1	4081_IP12	12	N/A	3606532C1	N/A
TZ92#137	18	TN	TXL	3686945C1	3605715C1	4081_IP12	12	N/A	3606532C1	N/A
TL92#180	18	TN	TXL	3686945C1	3605715C1	4081A_IP12	13	N/A	3606532C1	N/A
TP92#180	18	TN	TXL	3686945C1	3605715C1	4500_IP12	13	N/A	3606532C1	N/A
TL92#120	18	LTBL	TXL	3686945C1	3605715C1	4500_IP12	14	N/A	3606532C1	N/A
TP92#120	18	LTBL	TXL	3686945C1	3605715C1	4500_IP12	14	N/A	3606532C1	N/A
TD92#116	18	LTBL	TXL	3686945C1	3605715C1	4500_IP12	15	N/A	3606532C1	N/A
TZ92#116	18	LTBL	TXL	3686945C1	3605715C1	4500_IP12	15	N/A	3606532C1	N/A
TQ92#112	18	TN	TXL	3686945C1	3605715C1	4500_IP12	16	N/A	3606532C1	N/A
TT92A112	18	TN	TXL	3686945C1	3605715C1	4A_IP12	16	N/A	3606532C1	N/A
TW92#112	18	TN	TXL	3686945C1	3605715C1	4A_IP12	16	N/A	3606532C1	N/A
TX92A112	18	TN	TXL	3686945C1	3605715C1	4TB1	16	N/A	3606532C1	N/A
TD92#118	18	TN	TXL	3686945C1	3605715C1	5000A_IP12	17	N/A	3606532C1	N/A
TZ92#118	18	TN	TXL	3686945C1	3605715C1	5000A_IP12	17	N/A	3606532C1	N/A
TD92#154	18	TN	TXL	3686945C1	3605715C1	5000A_IP12	18	N/A	3606532C1	N/A
TZ92#154	18	TN	TXL	3686945C1	3605715C1	5000A_IP12	18	N/A	3606532C1	N/A
TN92#158	18	LTGN	TXL	3686945C1	3605715C1	5000A_IP12	19	N/A	3606532C1	N/A
TU92#158	18	LTGN	TXL	3686945C1	3605715C1	5000A_IP12	19	N/A	3606532C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
TV92A158	18	LTGN	TXL	3686945C1	3605715C1	5000A_IP12	19	N/A	3606532C1	N/A
TY92A158	18	LTGN	TXL	3686945C1	3605715C1	5000A_IP12	19	N/A	3606532C1	N/A
TD92#176	18	YL	TXL	3686945C1	3605715C1	5000A_IP12	20	N/A	3606532C1	N/A
TZ92#176	18	YL	TXL	3686945C1	3605715C1	5000A_IP12	20	N/A	3606532C1	N/A
BH97	20	GY	TXL	3608497C1	3608496C1	5000A_IP12	1	N/A	N/A	N/A
BH100	20	GY	TXL	3608497C1	3608496C1	5000A_IP12	2	N/A	N/A	N/A
BH85A	20	GY	TXL	3608497C1	3608496C1	5000A_IP12	3	N/A	N/A	N/A
BH9C	18	GY	TXL	3608497C1	3608496C1	5000A_IP12	4	N/A	N/A	N/A
BH62DD	20	DKBL	TXL	3608497C1	3608496C1	5000A_IP12	5	N/A	N/A	N/A
BH62-GDD	18	WH	TXL	3608497C1	3608496C1	5000A_IP12	6	N/A	N/A	N/A
TL48#159	18	TN	TXL	3554322C1	3610533C1	5000A_IP12	A	3554318C1	3610532C1	N/A
TP48#159	18	TN	TXL	3554322C1	3610533C1	5000A_IP12	A	3554318C1	3610532C1	N/A
TL48#139	18	OR	TXL	3554322C1	3610533C1	5000A_IP12	B	3554318C1	3610532C1	N/A
TP48#139	18	OR	TXL	3554322C1	3610533C1	5000A_IP12	B	3554318C1	3610532C1	N/A
TD47#160	18	YL	TXL	3554322C1	3610533C1	5000A_IP12	A	3554318C1	3610532C1	N/A
TZ47#160	18	YL	TXL	3554322C1	3610533C1	5000A_IP12	A	3554318C1	3610532C1	N/A
TD47#140	18	LTGN	TXL	3554322C1	3610533C1	5000A_IP12	B	3554318C1	3610532C1	N/A
TZ47#140	18	LTGN	TXL	3554322C1	3610533C1	5000A_IP12	B	3554318C1	3610532C1	N/A
TE92#180	18	OR	TXL	3554322C1	3610533C1	5000A_IP12	A	3554318C1	3610532C1	N/A
TS92#180	18	OR	TXL	3554322C1	3610533C1	5000A_IP12	A	3554318C1	3610532C1	N/A
TE92#120	18	DKBL	TXL	3554322C1	3610533C1	5000A_IP12	B	3554318C1	3610532C1	N/A
TS92#120	18	LTBL	TXL	3554322C1	3610533C1	5000A_IP12	B	3554318C1	3610532C1	N/A
TE48#139	18	OR	TXL	3554322C1	3610533C1	5000A_IP12	A	3554318C1	3610532C1	N/A
TS48#139	18	OR	TXL	3554322C1	3610533C1	5000A_IP12	A	3554318C1	3610532C1	N/A
TE48#159	18	TN	TXL	3554322C1	3610533C1	5000A_IP12	B	3554318C1	3610532C1	N/A
TS48#159	18	TN	TXL	3554322C1	3610533C1	5000A_IP12	B	3554318C1	3610532C1	N/A
BA56B	18	OR	TXL	3544886C1	3612512C1	5000A_IP12	A1	N/A	3553652C1	3553654C1
BA57B	18	OR	TXL	3544886C1	3612512C1	5000A_IP12	A2	N/A	3553652C1	3553654C1
BH11-GA	18	WH	GXL	3544880C1	3612512C1	5000A_IP12	A3	N/A	3553652C1	3553654C1
BJ11-GA	18	WH	GXL	3544880C1	3612512C1	5000A_IP12	A3	N/A	3553652C1	3553654C1
BH9	18	GY	GXL	3544880C1	3612512C1	5000A_IP12	A4	N/A	3553652C1	3553654C1
BJ9	18	GY	GXL	3544880C1	3612512C1	5000A_IP12	A4	N/A	3553652C1	3553654C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
BA87E	18	GY	TXL	3544880C1	3612512C1	5000A_IP12	A5	N/A	3553652C1	3553654C1
[BF94MN]	14	BK	TXL	3544881C1	3612512C1	5002_IP12	A6	N/A	3553652C1	3553654C1
BA52B	18	YL	TXL	3544886C1	3612512C1	5004A	A7	N/A	3553652C1	3553654C1
BA102A	18	YL	TXL	3544886C1	3612512C1	5004A	A8	N/A	3553652C1	3553654C1
BA82C	18	GY	TXL	3544886C1	3612512C1	5004B	B1	N/A	3553652C1	3553654C1
BH85A	20	GY	TXL	3544885C1	3612512C1	5007A	B10	N/A	3553652C1	3553654C1
BJ85A	20	GY	TXL	3544885C1	3612512C1	5007A	B10	N/A	3553652C1	3553654C1
BH100	20	GY	TXL	3544885C1	3612512C1	5007A	B11	N/A	3553652C1	3553654C1
BH97	20	GY	TXL	3544885C1	3612512C1	5007A	B12	N/A	3553652C1	3553654C1
BJ97	20	GY	TXL	3544885C1	3612512C1	5007A	B12	N/A	3553652C1	3553654C1
BA40A	18	GY	GXL	3544886C1	3612512C1	5007A	B2	N/A	3553652C1	3553654C1
BA6	18	GY	GXL	3544886C1	3612512C1	5007A	B3	N/A	3553652C1	3553654C1
BD97B	18	VT	GXL	3544886C1	3612512C1	5007A	B4	N/A	3553652C1	3553654C1
BD99D	18	VT	GXL	3544886C1	3612512C1	5007A	B5	N/A	3553652C1	3553654C1
BD97N	18	VT	GXL	3544886C1	3612512C1	5007A	B6	N/A	3553652C1	3553654C1
BA44	18	GY	GXL	3544886C1	3612512C1	5007A	B7	N/A	3553652C1	3553654C1
BA70	18	OR	GXL	3544886C1	3612512C1	5007A	B9	N/A	3553652C1	3553654C1
BA82B	18	GY	TXL	3544886C1	3612512C1	5007A	C1	N/A	3553652C1	3553654C1
BE94SZ	18	GY	GXL	3544886C1	3612512C1	5007A	C10	N/A	3553652C1	3553654C1
BA97A	18	VT	GXL	3544886C1	3612512C1	5007A	C11	N/A	3553652C1	3553654C1
BA40	18	GY	GXL	3544886C1	3612512C1	5007A	C12	N/A	3553652C1	3553654C1
BA40B	18	GY	GXL	3544886C1	3612512C1	5007A	C2	N/A	3553652C1	3553654C1
BE94SV	18	GY	GXL	3544886C1	3612512C1	5007A	C3	N/A	3553652C1	3553654C1
BD99B	18	VT	GXL	3544886C1	3612512C1	5007A	C4	N/A	3553652C1	3553654C1
BD97C	18	VT	GXL	3544886C1	3612512C1	5007A	C5	N/A	3553652C1	3553654C1
BD97M	18	VT	GXL	3544886C1	3612512C1	5007A	C6	N/A	3553652C1	3553654C1
BA82A	18	GY	TXL	3544886C1	3612512C1	5007A	C9	N/A	3553652C1	3553654C1
BB70E	18	OR	GXL	3544886C1	3612512C1	5007A	D1	N/A	3553652C1	3553654C1
BB70D	18	GY	GXL	3544886C1	3612512C1	5007A	D2	N/A	3553652C1	3553654C1
BH62DD	20	DKBL	TXL	3544879C1	3612512C1	5007A	D3	N/A	3553652C1	3553654C1
BJ62DD	20	DKBL	TXL	3544879C1	3612512C1	5007A	D3	N/A	3553652C1	3553654C1
[BF94-G]	14	BK	TXL	3544881C1	3612512C1	5007B	D5	N/A	3553652C1	3553654C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
BE94SE	18	GY	GXL	3544880C1	3612512C1	5007B	D5	N/A	3553652C1	3553654C1
[BF94BY]	14	BK	TXL	3544881C1	3612512C1	5007B	D6	N/A	3553652C1	3553654C1
BE94SF	18	GY	GXL	3544880C1	3612512C1	5011F	D6	N/A	3553652C1	3553654C1
BA17A	18	PK	GXL	3544886C1	3612512C1	5011F	D7	N/A	3553652C1	3553654C1
BA17AA	18	PK	GXL	3544886C1	3612512C1	5011F	D8	N/A	3553652C1	3553654C1
AA99DJ	18	PL	TXL	3544886C1	3612512C1	5011F	A1	N/A	3553652C1	3553654C1
BP71AJ	16	OR	TXL	3544886C1	3612512C1	5011F	A2	N/A	3553652C1	3553654C1
EY71AJ	18	OR	TXL	3544886C1	3612512C1	5011F	A2	N/A	3553652C1	3553654C1
AU28J	18	TN	TXL	3544880C1	3612512C1	5011F	A3	N/A	3553652C1	3553654C1
MN9ZAJ	18	GY	TXL	3544880C1	3612512C1	5011M_IP12	A4	N/A	3553652C1	3553654C1
AA99BJ	18	PL	TXL	3544880C1	3612512C1	5011M_IP12	A5	N/A	3553652C1	3553654C1
3H77BAJ	20	LTGN	TXL	3544879C1	3612512C1	5011M_IP12	A6	N/A	3553652C1	3553654C1
2A54AJ	16	BN	TXL	UNDEF	3612512C1	5011M_IP12	A7	N/A	3553652C1	3553654C1
3C54AJ	16	BN	TXL	3544886C1	3612512C1	5011M_IP12	A7	N/A	3553652C1	3553654C1
3E54AJ	16	BN	TXL	3544886C1	3612512C1	5011M_IP12	A7	N/A	3553652C1	3553654C1
HY54AJ	16	BN	TXL	3544886C1	3612512C1	5011M_IP12	A7	N/A	3553652C1	3553654C1
3T92J#165	18	OR	TXL	3544886C1	3612512C1	5118_IP12	A8	N/A	3553652C1	3553654C1
GM92J#165	18	OR	TXL	3544886C1	3612512C1	5118_IP12	A8	N/A	3553652C1	3553654C1
2B57AJ	16	OR	TXL	3544886C1	3612512C1	5135A	B1	N/A	3553652C1	3553654C1
2C57AJ	16	OR	TXL	3544886C1	3612512C1	5135A	B1	N/A	3553652C1	3553654C1
2D57AJ	16	OR	TXL	3544886C1	3612512C1	5135B	B1	N/A	3553652C1	3553654C1
2E57AJ	16	OR	TXL	3544886C1	3612512C1	5135B	B1	N/A	3553652C1	3553654C1
2F57AJ	16	OR	TXL	3544886C1	3612512C1	5135F	B1	N/A	3553652C1	3553654C1
2G57AJ	16	OR	TXL	3544886C1	3612512C1	5135F	B1	N/A	3553652C1	3553654C1
AA97NJ	18	PL	TXL	3544886C1	3612512C1	5135M	B11	N/A	3553652C1	3553654C1
AA77J	16	LTGN	GXL	3544886C1	3612512C1	5135M	B12	N/A	3553652C1	3553654C1
AF17J	16	PK	GXL	3544886C1	3612512C1	5230A	B2	N/A	3553652C1	3553654C1
GP17J	16	PK	TXL	3544886C1	3612512C1	5230A	B2	N/A	3553652C1	3553654C1
AZ92-GCJ	18	WH	TXL	3544886C1	3612512C1	5754_IP12	B3	N/A	3553652C1	3553654C1
BP71BJ	16	OR	TXL	3544886C1	3612512C1	5754_IP12	B4	N/A	3553652C1	3553654C1
EY71BJ	16	OR	TXL	3544886C1	3612512C1	5757_IP12	B4	N/A	3553652C1	3553654C1
EH97FJ	16	PL	TXL	3544886C1	3612512C1	5757_IP12	B5	N/A	3553652C1	3553654C1

Circuit		Terminal Splice			Connector Body	Connector		Seal / Sleeve	Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity			
AZ13AJ	16	PK	GXL	3544886C1	3612512C1	5758F	B6	N/A	3553652C1	3553654C1
GY92J#163	16	PK	TXL	3544886C1	3612512C1	5758F_IP12	B6	N/A	3553652C1	3553654C1
AA97CJ	18	PL	TXL	3544886C1	3612512C1	5758M	B7	N/A	3553652C1	3553654C1
3H77BJ	20	LTGN	TXL	3544885C1	3612512C1	5758M	B9	N/A	3553652C1	3553654C1
MN92J	18	TN	TXL	3544886C1	3612512C1	5758M	C1	N/A	3553652C1	3553654C1
GY92J#141	18	TN	TXL	3544886C1	3612512C1	5759F	C11	N/A	3553652C1	3553654C1
AA97BJ	18	PL	TXL	3544886C1	3612512C1	5759F_IP12	C12	N/A	3553652C1	3553654C1
AZ92BJ	18	TN	TXL	3544886C1	3612512C1	5930M	C2	N/A	3553652C1	3553654C1
AA9AAJ	18	GY	TXL	3544886C1	3612512C1	5930M	C3	N/A	3553652C1	3553654C1
AA82LJ	16	GY	TXL	3544886C1	3612512C1	6100A	C4	N/A	3553652C1	3553654C1
YG82KJ	16	GY	TXL	3544886C1	3612512C1	6100B	C5	N/A	3553652C1	3553654C1
YH82KAJ	16	GY	TXL	3544886C1	3612512C1	6100D	C5	N/A	3553652C1	3553654C1
AA97MJ	18	PL	TXL	3544886C1	3612512C1	6100D	C6	N/A	3553652C1	3553654C1
HZ41DJ	18	TN	TXL	3544886C1	3612512C1	6100D	C7	N/A	3553652C1	3553654C1
FD88J	18	LTGN	TXL	3544886C1	3612512C1	6100E	D1	N/A	3553652C1	3553654C1
AA82-GJ	16	WH	TXL	3544886C1	3612512C1	6100F	D2	N/A	3553652C1	3553654C1
DT104ALJ	16	DKBL	TXL	3544880C1	3612512C1	6100G	D3	N/A	3553652C1	3553654C1
DT104-GAJ	16	WH	TXL	3544880C1	3612512C1	6100H	D4	N/A	3553652C1	3553654C1
FE88AJ	18	LTGN	TXL	3544880C1	3612512C1	6101A	D5	N/A	3553652C1	3553654C1
AA74J	18	LTGN	TXL	3544880C1	3612512C1	6101B	D6	N/A	3553652C1	3553654C1
2A54-GXE	16	WH	TXL	3544886C1	3612512C1	6101D	A1	N/A	3553652C1	3553654C1
3C54-GXE	16	WH	TXL	3544886C1	3612512C1	6101D	A1	N/A	3553652C1	3553654C1
3E54-GXE	16	WH	TXL	3544886C1	3612512C1	6101D	A1	N/A	3553652C1	3553654C1
HY54-GXE	16	WH	TXL	3544886C1	3612512C1	6101D	A1	N/A	3553652C1	3553654C1
DS31	18	TN	TXL	3544880C1	3612512C1	6101D	A3	N/A	3553652C1	3553654C1
AA82D	16	GY	TXL	3544886C1	3612512C1	6101D	A7	N/A	3553652C1	3553654C1
DY54XA	16	BN	TXL	3544886C1	3612512C1	6101D	B1	N/A	3553652C1	3553654C1
AA82J	16	GY	TXL	3544886C1	3612512C1	6101D	B12	N/A	3553652C1	3553654C1
DY54-GXA	16	WH	TXL	3544886C1	3612512C1	6101D	B2	N/A	3553652C1	3553654C1
GY92#134	18	TN	TXL	3544886C1	3612512C1	6101D	B3	N/A	3553652C1	3553654C1
HZ41E	18	GY	TXL	3544886C1	3612512C1	6101E	B4	N/A	3553652C1	3553654C1
3D5P(+)	18	YL	TXL	3544886C1	3612512C1	6101F	C6	N/A	3553652C1	3553654C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
3M5P(+)	18	YL	TXL	3544886C1	3612512C1	6101G	C6	N/A	3553652C1	3553654C1
9K5P(+)	18	YL	TXL	3544886C1	3612512C1	6101H	C6	N/A	3553652C1	3553654C1
9L5P(+)	18	YL	TXL	3544886C1	3612512C1	6201A	C6	N/A	3553652C1	3553654C1
9U5P(+)	18	YL	TXL	3544886C1	3612512C1	6201A	C6	N/A	3553652C1	3553654C1
9V5P(+)	18	YL	TXL	3544886C1	3612512C1	6201A	C6	N/A	3553652C1	3553654C1
JC5P(+)	18	YL	TXL	3544886C1	3612512C1	6201A	C6	N/A	3553652C1	3553654C1
JD5P(+)	18	YL	TXL	3544886C1	3612512C1	6201B	C6	N/A	3553652C1	3553654C1
JF5P(+)	18	YL	TXL	3544886C1	3612512C1	6201B	C6	N/A	3553652C1	3553654C1
JG5P(+)	18	YL	TXL	3544886C1	3612512C1	6201B	C6	N/A	3553652C1	3553654C1
SN5P(+)	18	YL	TXL	3544886C1	3612512C1	6201B	C6	N/A	3553652C1	3553654C1
SP5P(+)	18	YL	TXL	3544886C1	3612512C1	6201P	C6	N/A	3553652C1	3553654C1
3D5P(-)	18	GN	TXL	3544886C1	3612512C1	6201P	C7	N/A	3553652C1	3553654C1
3M5P(-)	18	GN	TXL	3544886C1	3612512C1	6201P	C7	N/A	3553652C1	3553654C1
9K5P(-)	18	GN	TXL	3544886C1	3612512C1	6201P	C7	N/A	3553652C1	3553654C1
9L5P(-)	18	GN	TXL	3544886C1	3612512C1	6202_IP12	C7	N/A	3553652C1	3553654C1
9U5P(-)	18	GN	TXL	3544886C1	3612512C1	6202_IP12	C7	N/A	3553652C1	3553654C1
9V5P(-)	18	GN	TXL	3544886C1	3612512C1	6301C	C7	N/A	3553652C1	3553654C1
JC5P(-)	18	GN	TXL	3544886C1	3612512C1	6301D	C7	N/A	3553652C1	3553654C1
JD5P(-)	18	GN	TXL	3544886C1	3612512C1	6301D	C7	N/A	3553652C1	3553654C1
JF5P(-)	18	GN	TXL	3544886C1	3612512C1	6301E	C7	N/A	3553652C1	3553654C1
JG5P(-)	18	GN	TXL	3544886C1	3612512C1	6301E	C7	N/A	3553652C1	3553654C1
SN5P(-)	18	GN	TXL	3544886C1	3612512C1	6301E	C7	N/A	3553652C1	3553654C1
SP5P(-)	18	GN	TXL	3544886C1	3612512C1	6301E	C7	N/A	3553652C1	3553654C1
3H6DB	20	GY	TXL	3544885C1	3612512C1	6301E	D1	N/A	3553652C1	3553654C1
HA30B	16	TN	TXL	3544880C1	3612512C1	6301E	D3	N/A	3553652C1	3553654C1
HA86SBA	16	LTBL	GXL	3534165C1	3613000C1	6301E	A	N/A	3557682C1	N/A
HA86-GSA	16	WH	GXL	3534165C1	3613000C1	6301E	C	N/A	3557682C1	N/A
CB84A	14	LTGN	TXL	3534165C1	3613000C1	6301E	A	N/A	3557682C1	N/A
CB84-GBB	14	WH	TXL	3534165C1	3613000C1	6301E	C	N/A	3557682C1	N/A
AE86C2	14	LTGN	TXL	3534165C1	3613000C1	6301E	A	N/A	3557682C1	N/A
CL84B	14	LTGN	TXL	3534165C1	3613000C1	6301E	A	N/A	3557682C1	N/A
AE11-GCE	14	WH	TXL	3534165C1	3613000C1	6301E	C	N/A	3557682C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
CL84-GAB	14	WH	TXL	3534165C1	3613000C1	6301E	C	N/A	3557682C1	N/A
CA84	14	LTGN	TXL	3534165C1	3613000C1	6301E	A	N/A	3557682C1	N/A
CB84	14	LTGN	TXL	3534165C1	3613000C1	6301E	A	N/A	3557682C1	N/A
CL84A	14	LTGN	TXL	3534165C1	3613000C1	6301E	A	N/A	3557682C1	N/A
CA84-GAF	14	WH	TXL	3534165C1	3613000C1	6301E	C	N/A	3557682C1	N/A
CB84-GAF	14	WH	TXL	3534165C1	3613000C1	6301E	C	N/A	3557682C1	N/A
CL84-GAF	14	WH	TXL	3534165C1	3613000C1	6301E	C	N/A	3557682C1	N/A
JP86M	16	LTGN	GXL	3534165C1	3613000C1	6301E	A	N/A	3557682C1	N/A
JP86-GJJ	16	WH	GXL	3534165C1	3613000C1	6301E	C	N/A	3557682C1	N/A
DA62DA	16	DKBL	TXL	3613770C1	3613769C1	6301F		1 N/A	N/A	N/A
CD62DJ	18	DKBL	TXL	3613771C1	3613769C1	6301F		3 N/A	N/A	N/A
CE62DJ	18	DKBL	TXL	3613771C1	3613769C1	6301F		3 N/A	N/A	N/A
CS62A	18	DKBL	TXL	3613771C1	3613769C1	6301F		4 N/A	N/A	N/A
CE62DK	18	DKBL	TXL	3613771C1	3613769C1	6301F		5 N/A	N/A	N/A
HA62DF	18	DKBL	TXL	3613771C1	3613769C1	6301F		6 N/A	N/A	N/A
XW62DG	18	DKBL	TXL	3613771C1	3613769C1	6301F		7 N/A	N/A	N/A
CN62DH	18	DKBL	TXL	3613771C1	3613769C1	6301F		8 N/A	N/A	N/A
CR62DH	18	DKBL	TXL	3613771C1	3613769C1	6301F		8 N/A	N/A	N/A
ZY62DH	18	DKBL	TXL	3613771C1	3613769C1	6301F		8 N/A	N/A	N/A
EM62DK	18	DKBL	TXL	3613771C1	3613769C1	6301F		9 N/A	N/A	N/A
GN62DK	18	DKBL	TXL	3613771C1	3613769C1	6301G		9 N/A	N/A	N/A
DF62DD	18	DKBL	TXL	3613771C1	3613769C1	6301G		10 N/A	N/A	N/A
DK62DF	18	DKBL	TXL	3613771C1	3613769C1	6301G		11 N/A	N/A	N/A
AK62F	20	DKBL	TXL	3613771C1	3613769C1	6301G		14 N/A	N/A	N/A
RA11-GBA	14	WH	TXL	3613770C1	3613769C1	6301H		1 N/A	N/A	N/A
RB11-GBA	14	WH	TXL	3613770C1	3613769C1	6301H		1 N/A	N/A	N/A
YH11-GC	14	WH	TXL	3613770C1	3613769C1	6302B		2 N/A	N/A	N/A
YC67-G	18	WH	TXL	3613771C1	3613769C1	6302B		3 N/A	N/A	N/A
DD78-GA	16	WH	TXL	3613770C1	3613769C1	6302B		4 N/A	N/A	N/A
DD78-RG	18	WH	TXL	3613771C1	3613769C1	6302B		5 N/A	N/A	N/A
2Y67-G	18	WH	TXL	3613771C1	3613769C1	6302B		6 N/A	N/A	N/A
CS67-G	18	WH	TXL	3613771C1	3613769C1	6305M		6 N/A	N/A	N/A

Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
CC72-GA	18	WH	TXL	3613771C1	3613769C1	6314A	7	N/A	N/A	N/A	
HV17-G	16	WH	TXL	3613770C1	3613769C1	6314A	8	N/A	N/A	N/A	
BM70-GT	18	WH	TXL	3613771C1	3613769C1	6314B	9	N/A	N/A	N/A	
2V11-GBP	18	WH	TXL	3613771C1	3613769C1	6316M	10	N/A	N/A	N/A	
2Y11-GBP	18	WH	TXL	3613771C1	3613769C1	6316M	10	N/A	N/A	N/A	
CS11-GBP	18	WH	TXL	3613771C1	3613769C1	6316M	10	N/A	N/A	N/A	
RV11-GBP	18	WH	TXL	3613771C1	3613769C1	6316M	10	N/A	N/A	N/A	
RA11-GCB	14	WH	TXL	3613770C1	3613769C1	6362B	1	N/A	N/A	N/A	
RB11-GCB	14	WH	TXL	3613770C1	3613769C1	6362B	1	N/A	N/A	N/A	
AD11-GCC	14	WH	TXL	3613770C1	3613769C1	6362B	2	N/A	N/A	N/A	
AE11-GCC	14	WH	TXL	3613770C1	3613769C1	6362B	2	N/A	N/A	N/A	
MM92-GAH	18	WH	TXL	3613771C1	3613769C1	6362B	3	N/A	N/A	N/A	
FR11-GB	18	WH	TXL	3613771C1	3613769C1	6400A	4	N/A	N/A	N/A	
CN11-GBF	18	WH	TXL	3613771C1	3613769C1	6400A	5	N/A	N/A	N/A	
CR11-GBF	18	WH	TXL	3613771C1	3613769C1	6400A	5	N/A	N/A	N/A	
ZY11-GBF	18	WH	TXL	3613771C1	3613769C1	6703A	5	N/A	N/A	N/A	
CF11-GBE	18	WH	TXL	3613771C1	3613769C1	6703A	6	N/A	N/A	N/A	
CG53-G	18	WH	TXL	3613771C1	3613769C1	6703A	6	N/A	N/A	N/A	
CK11-GBE	18	WH	TXL	3613771C1	3613769C1	6703A	6	N/A	N/A	N/A	
KC11-GBE	16	WH	TXL	3613770C1	3613769C1	6703B	6	N/A	N/A	N/A	
MB11-GBE	16	WH	TXL	3613770C1	3613769C1	6703B	6	N/A	N/A	N/A	
PH11-GBE	18	WH	TXL	3613771C1	3613769C1	6704B	6	N/A	N/A	N/A	
SJ11-GBE	16	WH	TXL	3613770C1	3613769C1	6704B	6	N/A	N/A	N/A	
XA11-GBE	16	WH	TXL	3613770C1	3613769C1	6704B	6	N/A	N/A	N/A	
ZP11-GBE	16	WH	TXL	3613770C1	3613769C1	6704B	6	N/A	N/A	N/A	
AK11-GKF	20	WH	TXL	3613771C1	3613769C1	6704B	7	N/A	N/A	N/A	
LM97-G	20	WH	TXL	3613771C1	3613769C1	6704B	8	N/A	N/A	N/A	
DR19-GB	18	WH	TXL	3613771C1	3613769C1	6704B	9	N/A	N/A	N/A	
RA11-GCC	14	WH	TXL	3613770C1	3613769C1	6704B	1	N/A	N/A	N/A	
RB11-GCC	14	WH	TXL	3613770C1	3613769C1	6704B	1	N/A	N/A	N/A	
CW58-GBG	16	WH	TXL	3613770C1	3613769C1	6704B	2	N/A	N/A	N/A	
CT11-GBE	16	WH	TXL	3613770C1	3613769C1	6704H	3	N/A	N/A	N/A	



Circuit					Terminal Splice	Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
DL11-GBE	14	WH	TXL	3613770C1	3613769C1	670A	3	N/A	N/A	N/A	
RH11-GBE	14	WH	TXL	3613770C1	3613769C1	670A	3	N/A	N/A	N/A	
DL11-GBH	18	WH	TXL	3613771C1	3613769C1	670A	4	N/A	N/A	N/A	
DD78-GB	16	WH	TXL	3613770C1	3613769C1	670A	5	N/A	N/A	N/A	
DY54-GX	16	WH	TXL	3613770C1	3613769C1	670A	6	N/A	N/A	N/A	
EW11-GR	14	WH	TXL	3613770C1	3613769C1	670A	7	N/A	N/A	N/A	
2A54-GXE	16	WH	TXL	3613770C1	3613769C1	670A	8	N/A	N/A	N/A	
3C54-GXE	16	WH	TXL	3613770C1	3613769C1	670A	8	N/A	N/A	N/A	
3E54-GXE	16	WH	TXL	3613770C1	3613769C1	670A	8	N/A	N/A	N/A	
HY54-GXE	16	WH	TXL	3613770C1	3613769C1	670A	8	N/A	N/A	N/A	
EM13-GBP	18	WH	TXL	3613771C1	3613769C1	670A	9	N/A	N/A	N/A	
GN13-GBP	18	WH	TXL	3613771C1	3613769C1	670A	9	N/A	N/A	N/A	
HA11-GM1	10	WH	TXL	3612307C1	3613769C1	670A	1	N/A	N/A	N/A	
HM58-G	16	WH	TXL	3613770C1	3613769C1	670A	2	N/A	N/A	N/A	
HH86-GH	16	LTGN	GXL	3613770C1	3613769C1	670A	3	N/A	N/A	N/A	
HE65-GE	16	WH	GXL	3613770C1	3613769C1	670A	4	N/A	N/A	N/A	
HW86-GHW	18	LTGN	GXL	3613771C1	3613769C1	670A	5	N/A	N/A	N/A	
HB86-GK	18	WH	GXL	3613771C1	3613769C1	670A	6	N/A	N/A	N/A	
LF86-GK	18	WH	GXL	3613771C1	3613769C1	670A	6	N/A	N/A	N/A	
JD11-GSP	14	WH	GXL	3613770C1	3613769C1	670A	7	N/A	N/A	N/A	
HR63-GU	18	WH	GXL	3613771C1	3613769C1	670A	8	N/A	N/A	N/A	
JP11-GT	14	WH	GXL	3613770C1	3613769C1	670A	10	N/A	N/A	N/A	
HT11-GSD	18	WH	GXL	3613771C1	3613769C1	670A	11	N/A	N/A	N/A	
HZ11-GMB	18	WH	GXL	3613771C1	3613769C1	670A	11	N/A	N/A	N/A	
JA11-GME	18	WH	GXL	3613771C1	3613769C1	670A	11	N/A	N/A	N/A	
JB11-GMB	18	WH	GXL	3613771C1	3613769C1	670A	11	N/A	N/A	N/A	
JZ11-GMB	18	WH	GXL	3613771C1	3613769C1	670A	11	N/A	N/A	N/A	
RF11-GMB	18	WH	GXL	3613771C1	3613769C1	670A	11	N/A	N/A	N/A	
JH76-G	18	WH	GXL	3613771C1	3613769C1	670A	12	N/A	N/A	N/A	
JK76-G	18	WH	GXL	3613771C1	3613769C1	670A	12	N/A	N/A	N/A	
JM76-G	18	WH	GXL	3613771C1	3613769C1	670A	12	N/A	N/A	N/A	
BD75-GSX	14	WH	GXL	3613770C1	3613769C1	670A	13	N/A	N/A	N/A	

Circuit				Terminal Splice	Connector Body	Connector					
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2	
BF75-GSX	14	WH	GXL	3613770C1	3613769C1	670A	13	N/A	N/A	N/A	
MJ75WK	16	WH	GXL	3613770C1	3613769C1	670A	13	N/A	N/A	N/A	
MK75WG	18	WH	GXL	3613771C1	3613769C1	670A	13	N/A	N/A	N/A	
ZC75-GA	16	WH	GXL	3613770C1	3613769C1	670A	13	N/A	N/A	N/A	
JL86-GSB	16	WH	GXL	3613770C1	3613769C1	670A	14	N/A	N/A	N/A	
JN86-GSB	16	WH	GXL	3613770C1	3613769C1	670B	14	N/A	N/A	N/A	
HA11-GM2	10	WH	TXL	3612307C1	3613769C1	670B	1	N/A	N/A	N/A	
LD63-GSE	18	DKBL	GXL	3613771C1	3613769C1	670B	2	N/A	N/A	N/A	
LE63-GSE	18	DKBL	GXL	3613771C1	3613769C1	670B	3	N/A	N/A	N/A	
[BECORE]	18	-	TXL	UNDEF	3624343C1	670B	1	N/A	N/A	N/A	
[BESHL D]	18	-	TXL	UNDEF	3624343C1	670B	2	N/A	N/A	N/A	
[BECORE]	18	-	TXL	UNDEF	3624343CX	670B	1	N/A	N/A	N/A	
[BESHL D]	18	-	TXL	UNDEF	3624343CX	670B	2	N/A	N/A	N/A	
U11-GAC	16	WH	TXL	3600050C1	3625557C1	670B	1	3600058C1	N/A	N/A	
U58AB	16	BN	TXL	3600050C1	3625557C1	670B	2	3600058C1	N/A	N/A	
U56	16	OR	TXL	3600050C1	3625557C1	670B	3	3600058C1	N/A	N/A	
TL48#139	18	OR	TXL	3627612C1	3627615C1	670B	1	N/A	N/A	N/A	
TS48#139	18	OR	TXL	3627612C1	3627615C1	670B	1	N/A	N/A	N/A	
TZ47#140	18	LTGN	TXL	3627612C1	3627615C1	670B	2	N/A	N/A	N/A	
TL92#120	18	LTBL	TXL	3627612C1	3627615C1	670B	3	N/A	N/A	N/A	
TS92#120	18	LTBL	TXL	3627612C1	3627615C1	670B	3	N/A	N/A	N/A	
XX5B127	18	GN	TXL	3627612C1	3627615C1	670B	4	N/A	N/A	N/A	
TZ92#155	18	TN	TXL	3627612C1	3627615C1	670B	5	N/A	N/A	N/A	
TZ92#174	18	TN	TXL	3627612C1	3627615C1	670B	6	N/A	N/A	N/A	
TZ92#176	18	YL	TXL	3627612C1	3627615C1	670B	7	N/A	N/A	N/A	
XQ47A125	18	TN	TXL	3627612C1	3627615C1	670B	8	N/A	N/A	N/A	
TL48#159	18	TN	TXL	3627612C1	3627615C1	670B	9	N/A	N/A	N/A	
TS48#159	18	TN	TXL	3627612C1	3627615C1	670B	9	N/A	N/A	N/A	
TZ47#160	18	YL	TXL	3627612C1	3627615C1	670B	10	N/A	N/A	N/A	
TL92#180	18	TN	TXL	3627612C1	3627615C1	670B	11	N/A	N/A	N/A	
TS92#180	18	OR	TXL	3627612C1	3627615C1	670B	11	N/A	N/A	N/A	
XX5B106	18	YL	TXL	3627612C1	3627615C1	670B	12	N/A	N/A	N/A	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
XJ92#142	18	TN	TXL	3627612C1	3627615C1	670B		13 N/A	N/A	N/A
XK92#142	18	TN	TXL	3627612C1	3627615C1	670B		13 N/A	N/A	N/A
XL92#142	18	TN	TXL	3627612C1	3627615C1	670B		13 N/A	N/A	N/A
TX92#156	18	TN	TXL	3627612C1	3627615C1	670B		14 N/A	N/A	N/A
TQ92#161	18	TN	TXL	3627612C1	3627615C1	670B		15 N/A	N/A	N/A
TX92#161	18	TN	TXL	3627612C1	3627615C1	670B		15 N/A	N/A	N/A
TX92#175	18	OR	TXL	3627612C1	3627615C1	674B		16 N/A	N/A	N/A
TZ92#157	18	WH	TXL	3627612C1	3627615C1	674B		17 N/A	N/A	N/A
TZ92#118	18	TN	TXL	3627612C1	3627615C1	674B		18 N/A	N/A	N/A
HG75CB	18	LTGN	TXL	3544884C1	3627940C1	674B		3 N/A	N/A	N/A
KK11-GSM	12	WH	GXL	3605694C1	3627940C1	674B		5 N/A	N/A	N/A
HG75C	12	LTGN	GXL	3605694C1	3627940C1	674B		6 N/A	N/A	N/A
KB34D	18	TN	TXL	3554322C1	3662425C1	674B		1 3554318C1	3662518C1	N/A
KB34B	18	TN	TXL	3554322C1	3662425C1	674B		2 3554318C1	3662518C1	N/A
KC34D	18	TN	TXL	3554322C1	3662425C1	674B		1 3554318C1	3662518C1	N/A
KC34B	18	TN	TXL	3554322C1	3662425C1	674B		2 3554318C1	3662518C1	N/A
KF47A	18	GY	TXL	3554322C1	3662425C1	674B	A	3554318C1	3662518C1	N/A
XN47	18	GY	TXL	3554322C1	3662425C1	674B	A	3554318C1	3662518C1	N/A
KF47B	18	GY	TXL	3554322C1	3662425C1	674B	B	3554318C1	3662518C1	N/A
XN47A	18	GY	TXL	3554322C1	3662425C1	674B	B	3554318C1	3662518C1	N/A
PL47	18	GY	TXL	3554322C1	3662425C1	674B	A	3554318C1	3662518C1	N/A
PL47A	18	GY	TXL	3554322C1	3662425C1	674B	B	3554318C1	3662518C1	N/A
HH86DBA	18	LTGN	GXL	3577373C1	3663000C1	674B		1 N/A	N/A	N/A
HH86BBA	18	LTGN	GXL	3577373C1	3663000C1	674B		2 N/A	N/A	N/A
JT86AR	18	LTGN	GXL	3577376C1	3663000C1	674B		3 N/A	N/A	N/A
JT86AT	18	LTGN	GXL	3577376C1	3663000C1	674B		4 N/A	N/A	N/A
HH86AA	18	LTGN	GXL	3577376C1	3663000C1	674B		6 N/A	N/A	N/A
HH86DB	18	LTGN	GXL	3577376C1	3663000C1	674B		7 N/A	N/A	N/A
HH86BB	18	LTGN	GXL	3577376C1	3663000C1	674B		8 N/A	N/A	N/A
HH86K	18	LTGN	GXL	3577376C1	3663000C1	674B		9 N/A	N/A	N/A
HH86H	18	LTGN	GXL	3577376C1	3663000C1	674B		10 N/A	N/A	N/A
HH86APX	18	LTGN	GXL	3577373C1	3663000C1	674B		11 N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
HH86APY	18	LTGN	GXL	3577373C1	3663000C1	674B		12 N/A	N/A	N/A
HH86APZ	18	LTGN	GXL	3577373C1	3663000C1	674B		13 N/A	N/A	N/A
HH86CBA	18	LTGN	GXL	3577375C2	3663000C1	674B		14 N/A	N/A	N/A
HH86EBA	18	LTGN	GXL	3577373C1	3663000C1	674B		15 N/A	N/A	N/A
JT86AS	18	LTGN	GXL	3577376C1	3663000C1	674B		16 N/A	N/A	N/A
JT86AU	18	LTGN	GXL	3577376C1	3663000C1	674B		17 N/A	N/A	N/A
HH86EB	18	LTGN	GXL	3577376C1	3663000C1	674B		20 N/A	N/A	N/A
HH86CB	18	LTGN	GXL	3577376C1	3663000C1	674B		21 N/A	N/A	N/A
HH86L	18	LTGN	GXL	3577376C1	3663000C1	6TB1		22 N/A	N/A	N/A
HH86J	18	LTGN	GXL	3577376C1	3663000C1	7105A		23 N/A	N/A	N/A
HH86-GHX	18	LTGN	GXL	3577373C1	3663000C1	7105A		24 N/A	N/A	N/A
HH86-GHY	18	LTGN	GXL	3577373C1	3663000C1	7105A		25 N/A	N/A	N/A
HH86-GHZ	18	LTGN	GXL	3577375C2	3663000C1	7105A		26 N/A	N/A	N/A
HH86AH	18	LTGN	GXL	3577376C1	3663001C1	7105A		1 N/A	N/A	N/A
HH86AK	18	LTGN	GXL	3577376C1	3663001C1	7105A		2 N/A	N/A	N/A
HH86AC	18	LTGN	GXL	3577376C1	3663001C1	7105A		4 N/A	N/A	N/A
HH86BBP	18	LTGN	GXL	3577376C1	3663001C1	7105A		5 N/A	N/A	N/A
HH86DBP	18	LTGN	GXL	3577376C1	3663001C1	7105A		6 N/A	N/A	N/A
HH86AJ	18	LTGN	GXL	3577376C1	3663001C1	7105A		9 N/A	N/A	N/A
HH86AL	18	LTGN	GXL	3577376C1	3663001C1	7105A		10 N/A	N/A	N/A
HH86CBP	18	LTGN	GXL	3577376C1	3663001C1	7105A		13 N/A	N/A	N/A
HH86EBP	18	LTGN	GXL	3577376C1	3663001C1	7105A		14 N/A	N/A	N/A
[GREEN]	16	GN	GXL	ASSY	3664969C91	7105A	A	N/A	N/A	N/A
[GREEN]	16	GN	GXL	ASSY	3664969C91	7105A	A	N/A	N/A	N/A
[GREEN]	16	GN	GXL	ASSY	3664969C91	7105A	A	N/A	N/A	N/A
[YELLOW]	16	YL	GXL	ASSY	3664969C91	7105A	B	N/A	N/A	N/A
[YELLOW]	16	YL	GXL	ASSY	3664969C91	7105A	B	N/A	N/A	N/A
[YELLOW]	16	YL	GXL	ASSY	3664969C91	7105A	B	N/A	N/A	N/A
[YELLOW]	16	YL	GXL	ASSY	3664969C91	7105A	NEG	N/A	N/A	N/A
[YELLOW]	16	YL	GXL	ASSY	3664969C91	7105A	NEG	N/A	N/A	N/A
[YELLOW]	16	YL	GXL	ASSY	3664969C91	7105A	NEG	N/A	N/A	N/A
[GREEN]	16	GN	GXL	ASSY	3664969C91	7105A	POS	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
[GREEN]	16	GN	GXL	ASSY	3664969C91	7110A	POS	N/A	N/A	N/A
[GREEN]	16	GN	GXL	ASSY	3664969C91	7110A	POS	N/A	N/A	N/A
CC21A1	12	TN	GXL	3664983C1	3664985C1	745A		1 3664987C1	N/A	N/A
CD21A1	12	TN	GXL	3664983C1	3664985C1	745A		1 3664987C1	N/A	N/A
CC21A2	12	TN	GXL	3664983C1	3664985C1	7500T		2 3664987C1	N/A	N/A
CD21A2	12	TN	GXL	3664983C1	3664985C1	7500T		2 3664987C1	N/A	N/A
CC14A	8	RD	TXL	3664982C1	3664985C1	7500W		3 3664986C1	N/A	N/A
CD14A	8	RD	TXL	3664982C1	3664985C1	7500W		3 3664986C1	N/A	N/A
CC21B1	18	TN	TXL	3664984C1	3664985C1	7500W		6 3664988C1	N/A	N/A
CD21B1	18	TN	TXL	3664984C1	3664985C1	7500W		6 3664988C1	N/A	N/A
CC21B2	18	TN	TXL	3664984C1	3664985C1	7600T		7 3664988C1	N/A	N/A
CD21B2	18	TN	TXL	3664984C1	3664985C1	7600T		7 3664988C1	N/A	N/A
CC21B3	18	TN	TXL	3664984C1	3664985C1	7603M		8 3664988C1	N/A	N/A
CD21B3	18	TN	TXL	3664984C1	3664985C1	7603M		8 3664988C1	N/A	N/A
U52A	14	YL	TXL	4073022C1	3668886C1	7603M	A	1652325C1	3668940C1	N/A
U11-GAA	14	WH	TXL	4073022C1	3668886C1	7603M	B	1652325C1	3668940C1	N/A
U53A	14	YL	TXL	4073022C1	3668886C1	7700K	A	1652325C1	3668940C1	N/A
U11-GAB	14	WH	TXL	4073022C1	3668886C1	7700K	B	1652325C1	3668940C1	N/A
YD67V	18	GY	GXL	3754236C1	3673259C1	7700K		1 N/A	3503599C1	N/A
YD67W	18	GY	GXL	3754236C1	3673259C1	7700K		2 N/A	3503599C1	N/A
YD67U	18	GY	GXL	3754236C1	3673259C1	7700L		3 N/A	3503599C1	N/A
2D57C	18	OR	TXL	3754236C1	3673259C1	7700L		4 N/A	3503599C1	N/A
2E57C	18	OR	TXL	3754236C1	3673259C1	7700M		4 N/A	3503599C1	N/A
2G57C	18	OR	TXL	3754236C1	3673259C1	7700M		4 N/A	3503599C1	N/A
UB67TA	16	GY	GXL	3572626C1	3673640C1	7700T		1 N/A	2005243C1	N/A
UB67-G	16	WH	GXL	3572626C1	3673640C1	7700T		2 N/A	2005243C1	N/A
UB67U	16	GY	GXL	3572626C1	3673640C1	7700T		3 N/A	2005243C1	N/A
UB67V	16	GY	GXL	3572626C1	3673640C1	7700T		4 N/A	2005243C1	N/A
UB67W	16	GY	GXL	3572626C1	3673640C1	7802T		5 N/A	2005243C1	N/A
RC94BM	16	GY	GXL	3679224C1	3678796C1	7802T		1 3601687C1	N/A	N/A
RC94BN	16	GY	GXL	3679224C1	3678796C1	7900F_IP12		2 3601687C1	N/A	N/A
PM94SJ	16	GY	GXL	3679224C1	3678796C1	7900F_IP12		1 3601687C1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
PM94SK	16	GY	GXL	3679224C1	3678796C1	7900F_IP12		2 3601687C1	N/A	N/A
HA94A	16	GY	GXL	3679224C1	3678796C1	7900F_IP12		1 3601687C1	N/A	N/A
HA94B	16	GY	GXL	3679224C1	3678796C1	7900F_IP12		2 3601687C1	N/A	N/A
HB94A	16	GY	GXL	3679224C1	3678796C1	7900F_IP12		1 3601687C1	N/A	N/A
HB94B	16	GY	GXL	3679224C1	3678796C1	7900F_IP12		2 3601687C1	N/A	N/A
SC94BM	16	GY	GXL	3679224C1	3678796C1	7900F_IP12		1 3601687C1	N/A	N/A
SE94BM	16	GY	GXL	3679224C1	3678796C1	7900F_IP12		1 3601687C1	N/A	N/A
SC94BN	16	GY	GXL	3679224C1	3678796C1	7900F_IP12		2 3601687C1	N/A	N/A
SE94BN	16	GY	GXL	3679224C1	3678796C1	7900F_IP12		2 3601687C1	N/A	N/A
HC94A	16	GY	GXL	3679224C1	3678796C1	7900F_IP12		1 3601687C1	N/A	N/A
HC94B	16	GY	GXL	3679224C1	3678796C1	7900F_IP12		2 3601687C1	N/A	N/A
AS5BE(+)	18	YL	TXL	3535303C1	3683465C1	7900F_IP12	A	N/A	3683466C1	N/A
AS5BE(-)	18	GN	TXL	3535303C1	3683465C1	7900F_IP12	B	N/A	3683466C1	N/A
AR5BE(+)	18	YL	TXL	3535303C1	3683465C1	7900F_IP12	A	N/A	3683466C1	N/A
AR5BE(-)	18	GN	TXL	3535303C1	3683465C1	7900F_IP12	B	N/A	3683466C1	N/A
JM5BB(+)	18	YL	TXL	3683464C1	3683465C1	7900M	A	N/A	3683466C1	N/A
JN5BB(+)	18	YL	TXL	3683464C1	3683465C1	7900M	A	N/A	3683466C1	N/A
JP5BB(+)	18	YL	TXL	3683464C1	3683465C1	7900M	A	N/A	3683466C1	N/A
JR5BB(+)	18	YL	TXL	3683464C1	3683465C1	7900M	A	N/A	3683466C1	N/A
JM5BB(-)	18	LTGN	TXL	3683464C1	3683465C1	7900M	B	N/A	3683466C1	N/A
JN5BB(-)	18	LTGN	TXL	3683464C1	3683465C1	7900M	B	N/A	3683466C1	N/A
JP5BB(-)	18	LTGN	TXL	3683464C1	3683465C1	7900M	B	N/A	3683466C1	N/A
JR5BB(-)	18	LTGN	TXL	3683464C1	3683465C1	7TB1	B	N/A	3683466C1	N/A
JM5BG(+)	18	YL	TXL	3683464C1	3683465C1	8000F	A	N/A	3683466C1	N/A
JN5BH(+)	18	YL	TXL	3683464C1	3683465C1	8000F	A	N/A	3683466C1	N/A
JP5BJ(+)	18	YL	TXL	3683464C1	3683465C1	8000F	A	N/A	3683466C1	N/A
JR5BJ(+)	18	YL	TXL	3683464C1	3683465C1	8000F	A	N/A	3683466C1	N/A
JM5BG(-)	18	LTGN	TXL	3683464C1	3683465C1	8000F	B	N/A	3683466C1	N/A
JN5BH(-)	18	LTGN	TXL	3683464C1	3683465C1	8006R	B	N/A	3683466C1	N/A
JP5BJ(-)	18	LTGN	TXL	3683464C1	3683465C1	8006R	B	N/A	3683466C1	N/A
JR5BJ(-)	18	LTGN	TXL	3683464C1	3683465C1	8006T	B	N/A	3683466C1	N/A
GZ5AB(+)	18	YL	TXL	3683464C1	3683465C1	8006T	A	N/A	3683466C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
JK5AB(+)	18	YL	TXL	3683464C1	3683465C1	8051_IP12	A	N/A	3683466C1	N/A
KU5AB(+)	18	YL	TXL	3683464C1	3683465C1	8051_IP12	A	N/A	3683466C1	N/A
LN5AB(+)	18	YL	TXL	3683464C1	3683465C1	8054_IP12	A	N/A	3683466C1	N/A
GZ5AB(-)	18	GN	TXL	3683464C1	3683465C1	8054_IP12	B	N/A	3683466C1	N/A
JK5AB(-)	18	GN	TXL	3683464C1	3683465C1	8054_IP12	B	N/A	3683466C1	N/A
KU5AB(-)	18	GN	TXL	3683464C1	3683465C1	8054_IP12	B	N/A	3683466C1	N/A
LN5AB(-)	18	GN	TXL	3683464C1	3683465C1	8054_IP12	B	N/A	3683466C1	N/A
GZ5AG(+)	18	YL	TXL	3683464C1	3683465C1	8054_IP12	A	N/A	3683466C1	N/A
JK5AG(+)	18	YL	TXL	3683464C1	3683465C1	8054_IP12	A	N/A	3683466C1	N/A
GZ5AG(-)	18	GN	TXL	3683464C1	3683465C1	8054_IP12	B	N/A	3683466C1	N/A
JK5AG(-)	18	GN	TXL	3683464C1	3683465C1	8054_IP12	B	N/A	3683466C1	N/A
HA5T(+)	18	YL	TXL	3535303C1	3683465C1	8054_IP12	A	N/A	3683466C1	N/A
HA5T(-)	18	GN	TXL	3535303C1	3683465C1	8054_IP12	B	N/A	3683466C1	N/A
5B(-)	18	GN	TXL	3683464C1	3683465C1	8054_IP12	A	3535424C1	3683466C1	N/A
5B(+)	18	YL	TXL	3683464C1	3683465C1	8054_IP12	B	3535424C1	3683466C1	N/A
KF5TB(-)	18	GN	TXL	3683464C1	3683465C1	8054_IP12	A	3535424C1	3683466C1	N/A
KF5TB(+)	18	YL	TXL	3683464C1	3683465C1	8100A	A	3535424C1	3683466C1	N/A
KH5TB(-)	18	GN	TXL	3683464C1	3683465C1	8100A	A	3535424C1	3683466C1	N/A
XR5C127	18	GN	TXL	3683464C1	3683465C1	8100A	A	3535424C1	3683466C1	N/A
XX5C127	18	GN	TXL	3683464C1	3683465C1	8100B	A	3535424C1	3683466C1	N/A
XZ5A117	18	GN	TXL	3683464C1	3683465C1	8100B	A	3535424C1	3683466C1	N/A
KF5TB(-)	18	GN	TXL	3683464C1	3683465C1	8100B	B	3535424C1	3683466C1	N/A
KF5TB(+)	18	YL	TXL	3683464C1	3683465C1	8100F	B	3535424C1	3683466C1	N/A
KH5TB(+)	18	YL	TXL	3683464C1	3683465C1	8100F	B	3535424C1	3683466C1	N/A
XR5C106	18	YL	TXL	3683464C1	3683465C1	8100F	B	3535424C1	3683466C1	N/A
XX5C106	18	YL	TXL	3683464C1	3683465C1	830_IP12	B	3535424C1	3683466C1	N/A
XZ5A106	18	YL	TXL	3683464C1	3683465C1	830_IP12	B	3535424C1	3683466C1	N/A
SK5UH(+)	18	YL	TXL	3683464C1	3683465C1	830_IP12	A	3535424C1	3683466C1	N/A
SR5U(+)	18	YL	TXL	3683464C1	3683465C1	830_IP12	A	3535424C1	3683466C1	N/A
SV5UB(+)	18	YL	TXL	3683464C1	3683465C1	830_IP12	A	3535424C1	3683466C1	N/A
SK5UH(-)	18	GN	TXL	3683464C1	3683465C1	8450A	B	3535424C1	3683466C1	N/A
SR5U(-)	18	GN	TXL	3683464C1	3683465C1	8450A	B	3535424C1	3683466C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
SV5UB(-)	18	GN	TXL	3683464C1	3683465C1	8450A	B	3535424C1	3683466C1	N/A
RK5UH(+)	18	YL	TXL	3683464C1	3683465C1	8450A	A	3535424C1	3683466C1	N/A
RS5U(+)	18	YL	TXL	3683464C1	3683465C1	8450B	A	3535424C1	3683466C1	N/A
RK5UH(-)	18	GN	TXL	3683464C1	3683465C1	8450B	B	3535424C1	3683466C1	N/A
RS5U(-)	18	GN	TXL	3683464C1	3683465C1	8550B	B	3535424C1	3683466C1	N/A
KH5B(+)	18	YL	TXL	3683464C1	3683465C1	8550B	A	3535424C1	3683466C1	N/A
KH5B(-)	18	GN	TXL	3683464C1	3683465C1	8993F	B	3535424C1	3683466C1	N/A
BA94BY	16	GY	GXL	3613770C1	3690369C1	8993F		1 N/A	N/A	N/A
SA94BY	16	GY	GXL	3613770C1	3690369C1	8993F		1 N/A	N/A	N/A
BA94BZ	16	GY	GXL	3613770C1	3690369C1	8993F		2 N/A	N/A	N/A
SA94BZ	16	GY	GXL	3613770C1	3690369C1	9100A		2 N/A	N/A	N/A
BA94BP	16	GY	GXL	3613770C1	3690369C1	9100A		3 N/A	N/A	N/A
SA94BP	16	GY	GXL	3613770C1	3690369C1	9100B		3 N/A	N/A	N/A
BA94BQ	16	GY	GXL	3613770C1	3690369C1	9100B		4 N/A	N/A	N/A
SA94BQ	16	GY	GXL	3613770C1	3690369C1	9100C		4 N/A	N/A	N/A
BA94BR	16	GY	GXL	3613770C1	3690369C1	9100C		5 N/A	N/A	N/A
SA94BR	16	GY	GXL	3613770C1	3690369C1	9100D		5 N/A	N/A	N/A
BA94BS	16	GY	GXL	3613770C1	3690369C1	9100D		6 N/A	N/A	N/A
SA94BS	16	GY	GXL	3613770C1	3690369C1	9100E		6 N/A	N/A	N/A
BA94BT	16	GY	GXL	3613770C1	3690369C1	9100E		7 N/A	N/A	N/A
SA94BT	16	GY	GXL	3613770C1	3690369C1	9100F		7 N/A	N/A	N/A
BA94BU	16	GY	GXL	3613770C1	3690369C1	9100F		8 N/A	N/A	N/A
SA94BU	16	GY	GXL	3613770C1	3690369C1	9303A		8 N/A	N/A	N/A
BA94BV	16	GY	GXL	3613770C1	3690369C1	9303A		9 N/A	N/A	N/A
SA94BV	16	GY	GXL	3613770C1	3690369C1	9303A		9 N/A	N/A	N/A
BA94BW	16	GY	GXL	3613770C1	3690369C1	9303A		10 N/A	N/A	N/A
SA94BW	16	GY	GXL	3613770C1	3690369C1	9303A		10 N/A	N/A	N/A
HA11-G	8	WH	GXL	3700154C1	3700151C1	9303K	A	N/A	N/A	N/A
[ZQWHT]	22	-	TXL	UNDEF	3704881C9X	9303K		1 N/A	N/A	N/A
[ZQBRN]	22	-	TXL	UNDEF	3704881C9X	9303K		2 N/A	N/A	N/A
[ZQGRN]	22	-	TXL	UNDEF	3704881C9X	9303K		3 N/A	N/A	N/A
[ZQYEL]	22	-	TXL	UNDEF	3704881C9X	9303K		4 N/A	N/A	N/A



Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
[ZQGRY]	22	-	TXL	UNDEF	3704881C9X	9303K		5 N/A	N/A	N/A
[ZQRED]	22	-	TXL	UNDEF	3704881C9X	9303L		8 N/A	N/A	N/A
[ZQWHT]	22	-	TXL	UNDEF	3704881C9X	9303L		1 N/A	N/A	N/A
[ZQBRN]	22	-	TXL	UNDEF	3704881C9X	9303L		2 N/A	N/A	N/A
[ZQGRN]	22	-	TXL	UNDEF	3704881C9X	9303L		3 N/A	N/A	N/A
[ZQYEL]	22	-	TXL	UNDEF	3704881C9X	9303L		4 N/A	N/A	N/A
[ZQGRY]	22	-	TXL	UNDEF	3704881C9X	9303L		5 N/A	N/A	N/A
[ZQRED]	22	-	TXL	UNDEF	3704881C9X	9303M		8 N/A	N/A	N/A
E83A	14	LTGN	TXL	3613770C1	3709437C1	9303M		1 N/A	N/A	N/A
F83A	14	LTGN	TXL	3613770C1	3709437C1	9303M		1 N/A	N/A	N/A
E83B	14	LTGN	TXL	3613770C1	3709437C1	9303M		2 N/A	N/A	N/A
F83B	14	LTGN	TXL	3613770C1	3709437C1	9303M		2 N/A	N/A	N/A
E81A	14	LTGN	TXL	3613770C1	3709437C1	9303M		3 N/A	N/A	N/A
F81A	14	LTGN	TXL	3613770C1	3709437C1	9303N		3 N/A	N/A	N/A
E81B	14	LTGN	TXL	3613770C1	3709437C1	9303N		4 N/A	N/A	N/A
F81B	14	LTGN	TXL	3613770C1	3709437C1	9303N		4 N/A	N/A	N/A
E78AA	16	LTGN	TXL	3686944C1	3709924C1	9303N		1 N/A	N/A	N/A
F78AA	16	LTGN	TXL	3686944C1	3709924C1	9303N		1 N/A	N/A	N/A
E78F	18	LTGN	GXL	3686943C1	3709924C1	9303N		4 N/A	N/A	N/A
F78F	18	LTGN	GXL	3686943C1	3709924C1	9305B		4 N/A	N/A	N/A
E78G	18	LTGN	GXL	3686943C1	3709924C1	9305B		5 N/A	N/A	N/A
F78G	18	LTGN	GXL	3686943C1	3709924C1	9305C		5 N/A	N/A	N/A
E78H	20	YL	TXL	3686943C1	3709924C1	9305C		6 N/A	N/A	N/A
F78H	20	YL	TXL	3686943C1	3709924C1	9414A		6 N/A	N/A	N/A
E78-GF	16	WH	TXL	3686944C1	3709924C1	9414A		8 N/A	N/A	N/A
F78-GF	16	WH	TXL	3686944C1	3709924C1	9501D		8 N/A	N/A	N/A
3D5G(-)	18	GN	TXL	UNDEF	3710061C1	9501D	A10	N/A	3539892C1	3539893C1
3M5G(-)	18	GN	TXL	UNDEF	3710061C1	9501D	A10	N/A	3539892C1	3539893C1
9K5G(-)	18	GN	TXL	UNDEF	3710061C1	9501D	A10	N/A	3539892C1	3539893C1
9L5G(-)	18	GN	TXL	UNDEF	3710061C1	9501D	A10	N/A	3539892C1	3539893C1
9U5G(-)	18	GN	TXL	UNDEF	3710061C1	9501D	A10	N/A	3539892C1	3539893C1
9V5G(-)	18	GN	TXL	UNDEF	3710061C1	9501D	A10	N/A	3539892C1	3539893C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
JC5G(-)	18	GN	TXL	UNDEF	3710061C1	9501D	A10	N/A	3539892C1	3539893C1
JD5G(-)	18	GN	TXL	UNDEF	3710061C1	9502A	A10	N/A	3539892C1	3539893C1
JF5G(-)	18	GN	TXL	UNDEF	3710061C1	9502A	A10	N/A	3539892C1	3539893C1
JG5G(-)	18	GN	TXL	UNDEF	3710061C1	9502A	A10	N/A	3539892C1	3539893C1
SN5G(-)	18	GN	TXL	3522073C1	3710061C1	9502A	A10	N/A	3539892C1	3539893C1
SP5G(-)	18	GN	TXL	UNDEF	3710061C1	9502A	A10	N/A	3539892C1	3539893C1
AA14EE	16	RD	TXL	UNDEF	3710061C1	9502A	A2	N/A	3539892C1	3539893C1
AA13EA	18	PK	TXL	UNDEF	3710061C1	9502B	A3	N/A	3539892C1	3539893C1
3D5G(+)	18	YL	TXL	UNDEF	3710061C1	9502B	A9	N/A	3539892C1	3539893C1
3M5G(+)	18	YL	TXL	UNDEF	3710061C1	9502B	A9	N/A	3539892C1	3539893C1
9K5G(+)	18	YL	TXL	UNDEF	3710061C1	9502B	A9	N/A	3539892C1	3539893C1
9L5G(+)	18	YL	TXL	UNDEF	3710061C1	9502B	A9	N/A	3539892C1	3539893C1
9U5G(+)	18	YL	TXL	UNDEF	3710061C1	9502B	A9	N/A	3539892C1	3539893C1
9V5G(+)	18	YL	TXL	UNDEF	3710061C1	9502B	A9	N/A	3539892C1	3539893C1
JC5G(+)	18	YL	TXL	UNDEF	3710061C1	9502B	A9	N/A	3539892C1	3539893C1
JD5G(+)	18	YL	TXL	UNDEF	3710061C1	9502B	A9	N/A	3539892C1	3539893C1
JF5G(+)	18	YL	TXL	UNDEF	3710061C1	9502B	A9	N/A	3539892C1	3539893C1
JG5G(+)	18	YL	TXL	UNDEF	3710061C1	9502B	A9	N/A	3539892C1	3539893C1
SN5G(+)	18	YL	TXL	UNDEF	3710061C1	9502B	A9	N/A	3539892C1	3539893C1
SP5G(+)	18	YL	TXL	UNDEF	3710061C1	9503D	A9	N/A	3539892C1	3539893C1
AT28B	20	TN	TXL	3534303C1	3710061C1	9503D	B10	N/A	3539892C1	3539893C1
AA11-GKE	16	WH	TXL	UNDEF	3710061C1	9503D	B3	N/A	3539892C1	3539893C1
CP98F	20	TN	TXL	3534303C1	3710061C1	9503D	B4	N/A	3539892C1	3539893C1
CT98F	20	TN	TXL	3534303C1	3710061C1	9503D	B4	N/A	3539892C1	3539893C1
MB98F	20	TN	TXL	3534303C1	3710061C1	9503D	B4	N/A	3539892C1	3539893C1
MJ98F	20	TN	TXL	3534303C1	3710061C1	9503D	B4	N/A	3539892C1	3539893C1
CP11-GMW	20	WH	TXL	3534303C1	3710061C1	9503D	B5	N/A	3539892C1	3539893C1
CT11-GMW	20	WH	TXL	3534303C1	3710061C1	9504A	B5	N/A	3539892C1	3539893C1
MB11-GMW	20	WH	TXL	3534303C1	3710061C1	9504A	B5	N/A	3539892C1	3539893C1
MJ11-GMW	20	WH	TXL	3534303C1	3710061C1	9504A	B5	N/A	3539892C1	3539893C1
DX63AW	20	DKBL	TXL	3534303C1	3710061C1	9504A	B6	N/A	3539892C1	3539893C1
DX11-GLD	20	WH	TXL	3534303C1	3710061C1	9504A	B7	N/A	3539892C1	3539893C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
AT28C	20	TN	TXL	3534303C1	3710061C1	9504A	B8	N/A	3539892C1	3539893C1
AT28A	20	TN	TXL	3534303C1	3710061C1	9504A	B9	N/A	3539892C1	3539893C1
HA104SP	18	DKBL	TXL	UNDEF	3710061C1	9504A	A1	N/A	3539892C1	3539893C1
AA77D	20	LTGN	TXL	3534303C1	3710061C1	9504A	A10	N/A	3539892C1	3539893C1
3H77BA	20	LTGN	TXL	3534303C1	3710061C1	9504A	A12	N/A	3539892C1	3539893C1
HA104SS	18	DKBL	TXL	UNDEF	3710061C1	9504A	A2	N/A	3539892C1	3539893C1
CY49	18	GY	TXL	UNDEF	3710061C1	9504A	A3	N/A	3539892C1	3539893C1
CZ49	18	GY	TXL	UNDEF	3710061C1	9504B	A3	N/A	3539892C1	3539893C1
CZ49A	18	GY	TXL	UNDEF	3710061C1	9504B	A4	N/A	3539892C1	3539893C1
AA60A	18	OR	TXL	UNDEF	3710061C1	9504B	A6	N/A	3539892C1	3539893C1
AK28A	20	TN	TXL	3534303C1	3710061C1	9504B	A9	N/A	3539892C1	3539893C1
AA6AM	20	GY	TXL	3534303C1	3710061C1	9504B	B10	N/A	3539892C1	3539893C1
DT17B	18	PK	TXL	UNDEF	3710061C1	9504B	B2	N/A	3539892C1	3539893C1
GY92#141	18	TN	TXL	UNDEF	3710061C1	9505A	B2	N/A	3539892C1	3539893C1
EL63F	18	DKBL	TXL	UNDEF	3710061C1	9505A	B4	N/A	3539892C1	3539893C1
HV104C	16	DKBL	TXL	UNDEF	3710061C1	9505A	B5	N/A	3539892C1	3539893C1
DX63E	18	DKBL	TXL	UNDEF	3710061C1	9505A	B6	N/A	3539892C1	3539893C1
GREENL	18	LTGN	GXL	3522073C1	3710061C1	9506D	A1	N/A	3539892C1	3539893C1
GREENL	18	LTGN	GXL	3522073C1	3710061C1	9506D	A1	N/A	3539892C1	3539893C1
232-TX	18	YL	TXL	3522073C1	3710061C1	9506D	A10	N/A	3539892C1	3539893C1
14CSB	16	RD	TXL	3522073C1	3710061C1	9506D	A11	N/A	3539892C1	3539893C1
5CC(+)	18	YL	TXL	3522073C1	3710061C1	9506D	A12	N/A	3539892C1	3539893C1
5CC(+)	18	YL	TXL	3522073C1	3710061C1	9506D	A12	N/A	3539892C1	3539893C1
GREENR	18	LTGN	GXL	3522073C1	3710061C1	9506E	A2	N/A	3539892C1	3539893C1
GREENR	18	LTGN	GXL	3522073C1	3710061C1	9506E	A2	N/A	3539892C1	3539893C1
56A2	16	OR	TXL	3522073C1	3710061C1	9506E	A4	N/A	3539892C1	3539893C1
67NA	16	TN	TXL	3522073C1	3710061C1	9506E	A7	N/A	3539892C1	3539893C1
67NA	16	PL	TXL	3522073C1	3710061C1	9507A	A7	N/A	3539892C1	3539893C1
13COG	16	PK	TXL	3522073C1	3710061C1	9507A	A9	N/A	3539892C1	3539893C1
13COG	16	PK	TXL	3522073C1	3710061C1	9507A	A9	N/A	3539892C1	3539893C1
YELLOWL	18	YL	GXL	3522073C1	3710061C1	9507A	B1	N/A	3539892C1	3539893C1
YELLOWL	18	YL	GXL	3522073C1	3710061C1	9507A	B1	N/A	3539892C1	3539893C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
232-RX	18	GN	TXL	3522073C1	3710061C1	9507A	B11	N/A	3539892C1	3539893C1
5CC(-)	18	GN	TXL	3522073C1	3710061C1	9507B	B12	N/A	3539892C1	3539893C1
5CC(-)	18	GN	TXL	3522073C1	3710061C1	9507B	B12	N/A	3539892C1	3539893C1
YELLOWR	18	YL	GXL	3522073C1	3710061C1	9507B	B2	N/A	3539892C1	3539893C1
YELLOWR	18	YL	GXL	3522073C1	3710061C1	9507B	B2	N/A	3539892C1	3539893C1
57A4	16	OR	TXL	3522073C1	3710061C1	9507B	B4	N/A	3539892C1	3539893C1
67EN	16	TN	TXL	3522073C1	3710061C1	9507B	B7	N/A	3539892C1	3539893C1
67EN	16	TN	TXL	3522073C1	3710061C1	9507B	B7	N/A	3539892C1	3539893C1
67COG	18	WH	TXL	3522073C1	3710061C1	9507B	B8	N/A	3539892C1	3539893C1
67COG	18	GY	TXL	3522073C1	3710061C1	9507B	B8	N/A	3539892C1	3539893C1
11COG	18	WH	TXL	3522073C1	3710061C1	9507B	B9	N/A	3539892C1	3539893C1
11COG2	18	WH	TXL	3522073C1	3710061C1	9507B	B9	N/A	3539892C1	3539893C1
[SU94MM]	18	GY	GXL	ASSY	3710092C1	9507B		1 N/A	N/A	N/A
[SU94MN]	18	GY	GXL	ASSY	3710092C1	9508D		2 N/A	N/A	N/A
[PP94SJ]	16	GY	GXL	ASSY	3710093C1	9508D		1 N/A	N/A	N/A
[PP94SK]	16	GY	GXL	ASSY	3710093C1	9508D		2 N/A	N/A	N/A
[YH94SL]	16	GY	GXL	ASSY	3710093C1	9508D		1 N/A	N/A	N/A
[YH94SM]	16	GY	GXL	ASSY	3710093C1	9508D		2 N/A	N/A	N/A
[SV94MM]	18	GY	GXL	ASSY	3710093C1	9508D		1 N/A	N/A	N/A
[SV94MN]	18	GY	GXL	ASSY	3710093C1	9508E		2 N/A	N/A	N/A
[SW94MM]	18	GY	GXL	ASSY	3710093C1	9508E		1 N/A	N/A	N/A
[SW94MN]	18	GY	GXL	ASSY	3710093C1	9508E		2 N/A	N/A	N/A
95AC	18	TN	TXL	3601686C1	3714731C1	9508E		1 3733609C1	N/A	N/A
95AB	18	PL	TXL	3601686C1	3714731C1	9509A		4 3733609C1	N/A	N/A
XV92-G	12	WH	TXL	3755757C1	3755755C1	9509A		3 N/A	N/A	N/A
XV92#165	18	TN	TXL	3733188C1	3755755C1	9509A		4 N/A	N/A	N/A
XZ5B106	18	YL	TXL	3733188C1	3755755C1	9509A		6 N/A	N/A	N/A
XY47A125	18	TN	TXL	3733188C1	3755755C1	9509A		10 N/A	N/A	N/A
XV92#163	18	TN	TXL	3733188C1	3755755C1	9509A		16 N/A	N/A	N/A
XZ5B117	18	GN	TXL	3733188C1	3755755C1	9509A		17 N/A	N/A	N/A
XV92#134	18	TN	TXL	3733188C1	3755755C1	9509A		19 N/A	N/A	N/A
XV92#141	18	TN	TXL	3733188C1	3755755C1	9509A		20 N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
XV92#110	12	RD	TXL	3755757C1	3755755C1	9509A	22	N/A	N/A	N/A
B(-)	8	WH	GXL	3756749C1	3756780C1	9509A	1	3756745C1	3756746C1	N/A
[RG1]	8	BK	GXL	V-TERM	3757368C1	9509A	1	N/A	N/A	N/A
[RG1]	8	BK	GXL	V-TERM	3757368C1	9509B	1	N/A	N/A	N/A
AA98-G	18	WH	TXL	3754236C1	3757649C1	9509B	Connector	N/A	N/A	N/A
AA98H	18	RD	TXL	3754236C1	3757649C1	9509B	Connector	N/A	N/A	N/A
3D5D(+)	18	YL	TXL	3754236C1	3757649C1	9509B	Connector	N/A	N/A	N/A
3M5D(+)	18	YL	TXL	3754236C1	3757649C1	9509B	Connector	N/A	N/A	N/A
9K5D(+)	18	YL	TXL	3754236C1	3757649C1	9509B	Connector	N/A	N/A	N/A
9L5D(+)	18	YL	TXL	3754236C1	3757649C1	9510A	Connector	N/A	N/A	N/A
9U5D(+)	18	YL	TXL	3754236C1	3757649C1	9510A	Connector	N/A	N/A	N/A
9V5D(+)	18	YL	TXL	3754236C1	3757649C1	9510A	Connector	N/A	N/A	N/A
JB5D(+)	18	YL	TXL	3754236C1	3757649C1	9510F	Connector	N/A	N/A	N/A
SN5D(+)	18	YL	TXL	3754236C1	3757649C1	9510F	Connector	N/A	N/A	N/A
SP5D(+)	18	YL	TXL	3754236C1	3757649C1	9510F	Connector	N/A	N/A	N/A
3D5D(-)	18	GN	TXL	3754236C1	3757649C1	9510M	Connector	N/A	N/A	N/A
3M5D(-)	18	GN	TXL	3754236C1	3757649C1	9510M	Connector	N/A	N/A	N/A
9K5D(-)	18	GN	TXL	3754236C1	3757649C1	9510M	Connector	N/A	N/A	N/A
9L5D(-)	18	GN	TXL	3754236C1	3757649C1	9510M	Connector	N/A	N/A	N/A
9U5D(-)	18	GN	TXL	3754236C1	3757649C1	9510M	Connector	N/A	N/A	N/A
9V5D(-)	18	GN	TXL	3754236C1	3757649C1	9510M	Connector	N/A	N/A	N/A
JB5D(-)	18	GN	TXL	3754236C1	3757649C1	9511A	Connector	N/A	N/A	N/A
SN5D(-)	18	GN	TXL	3754236C1	3757649C1	9511A	Connector	N/A	N/A	N/A
SP5D(-)	18	GN	TXL	3754236C1	3757649C1	9511A	Connector	N/A	N/A	N/A
GZ5AD(+)	18	YL	TXL	3754236C1	3757649C1	9511A	Connector	N/A	N/A	N/A
JK5AD(+)	18	YL	TXL	3754236C1	3757649C1	9511B	Connector	N/A	N/A	N/A
KU5AD(+)	18	YL	TXL	3754236C1	3757649C1	9511B	Connector	N/A	N/A	N/A
LN5AD(+)	18	YL	TXL	3754236C1	3757649C1	9511B	Connector	N/A	N/A	N/A
GZ5AD(-)	18	GN	TXL	3754236C1	3757649C1	9511B	Connector	N/A	N/A	N/A
JK5AD(-)	18	GN	TXL	3754236C1	3757649C1	9511D	Connector	N/A	N/A	N/A
KU5AD(-)	18	GN	TXL	3754236C1	3757649C1	9511D	Connector	N/A	N/A	N/A
LN5AD(-)	18	GN	TXL	3754236C1	3757649C1	9511D	Connector	N/A	N/A	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
AH12H	18	LTBL	TXL	3544876C1	3759005C1	9511D	A	N/A	N/A	N/A
AH13H	18	PK	TXL	3544884C1	3759005C1	9515A	B	N/A	N/A	N/A
GZ5AA(-)	18	GN	TXL	3544884C1	3759005C1	9515A	D	N/A	N/A	N/A
JK5AA(-)	18	GN	TXL	3544884C1	3759005C1	9515B	D	N/A	N/A	N/A
KU5AA(-)	18	GN	TXL	3544884C1	3759005C1	9515B	D	N/A	N/A	N/A
LN5AA(-)	18	GN	TXL	3544884C1	3759005C1	9516B	D	N/A	N/A	N/A
GZ5AA(+)	18	YL	TXL	3544884C1	3759005C1	9516B	E	N/A	N/A	N/A
JK5AA(+)	18	YL	TXL	3544884C1	3759005C1	9516M	E	N/A	N/A	N/A
KU5AA(+)	18	YL	TXL	3544884C1	3759005C1	9516M	E	N/A	N/A	N/A
LN5AA(+)	18	YL	TXL	3544884C1	3759005C1	9516M	E	N/A	N/A	N/A
3D5B(-)	18	GN	TXL	3544884C1	3759005C1	9516M	G	N/A	N/A	N/A
3M5B(-)	18	GN	TXL	3544884C1	3759005C1	9516M	G	N/A	N/A	N/A
9K5B(-)	18	GN	TXL	3544884C1	3759005C1	9516M	G	N/A	N/A	N/A
9L5B(-)	18	GN	TXL	3544884C1	3759005C1	9516M	G	N/A	N/A	N/A
9U5B(-)	18	GN	TXL	3544884C1	3759005C1	9516M	G	N/A	N/A	N/A
9V5B(-)	18	GN	TXL	3544884C1	3759005C1	9516M	G	N/A	N/A	N/A
JB5B(-)	18	GN	TXL	3544884C1	3759005C1	9516M	G	N/A	N/A	N/A
SN5B(-)	18	GN	TXL	3544884C1	3759005C1	9516M	G	N/A	N/A	N/A
SP5B(-)	18	GN	TXL	3544884C1	3759005C1	9516M	G	N/A	N/A	N/A
3D5B(+)	18	YL	TXL	3544884C1	3759005C1	9516M	H	N/A	N/A	N/A
3M5B(+)	18	YL	TXL	3544884C1	3759005C1	9516M	H	N/A	N/A	N/A
9K5B(+)	18	YL	TXL	3544884C1	3759005C1	9516M	H	N/A	N/A	N/A
9L5B(+)	18	YL	TXL	3544884C1	3759005C1	9516M	H	N/A	N/A	N/A
9U5B(+)	18	YL	TXL	3544884C1	3759005C1	9516M	H	N/A	N/A	N/A
9V5B(+)	18	YL	TXL	3544884C1	3759005C1	9516M	H	N/A	N/A	N/A
JB5B(+)	18	YL	TXL	3544884C1	3759005C1	9516M	H	N/A	N/A	N/A
SN5B(+)	18	YL	TXL	3544884C1	3759005C1	9516M	H	N/A	N/A	N/A
SP5B(+)	18	YL	TXL	3544884C1	3759005C1	9516M	H	N/A	N/A	N/A
3C58	16	BN	TXL	3544876C1	3759005C1	9516M	J	N/A	N/A	N/A
3E58T	16	BN	TXL	3544876C1	3759005C1	9516M	J	N/A	N/A	N/A
AP75WC	18	LTGN	TXL	3544884C1	3759005C1	9516M	L	N/A	N/A	N/A
AZ17B	18	PK	TXL	3544884C1	3759005C1	9516M	M	N/A	N/A	N/A

<b>Circuit</b>				<b>Terminal Splice</b>	<b>Connector Body</b>	<b>Connector</b>					
<b>Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Number</b>	<b>Part Numbers</b>	<b>Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>	
DT104-GA	16	WH	TXL	3544884C1	3759005C1	9516M	M	N/A	N/A	N/A	
JM5BA(-)	18	LTGN	TXL	3544884C1	3759005C1	9516M	N	N/A	N/A	N/A	
JN5BA(-)	18	LTGN	TXL	3544884C1	3759005C1	9516M	N	N/A	N/A	N/A	
JP5BA(-)	18	LTGN	TXL	3544884C1	3759005C1	9516M	N	N/A	N/A	N/A	
JR5BA(-)	18	LTGN	TXL	3544884C1	3759005C1	9516M	N	N/A	N/A	N/A	
JM5BA(+)	18	YL	TXL	3544884C1	3759005C1	9516M	P	N/A	N/A	N/A	
JN5BA(+)	18	YL	TXL	3544884C1	3759005C1	9516M	P	N/A	N/A	N/A	
JP5BA(+)	18	YL	TXL	3544884C1	3759005C1	9516M	P	N/A	N/A	N/A	
JR5BA(+)	18	YL	TXL	3544884C1	3759005C1	9516M	P	N/A	N/A	N/A	
ND17HA	16	PK	TXL	3544884C1	3759005C1	9516M	S	N/A	N/A	N/A	
NE17H	18	PK	TXL	3544884C1	3759005C1	9516M	S	N/A	N/A	N/A	
AF17	16	PK	TXL	3544884C1	3759005C1	9516M	T	N/A	N/A	N/A	
GP17	16	PK	TXL	3544884C1	3759005C1	9516M	T	N/A	N/A	N/A	
KA95H1	18	PK	TXL	2033819C1	3765646C91	9516M	A1	3517771C1	N/A	N/A	
KA95H1	18	PK	TXL	2033819C1	3765646C91	9516M	A1	3517771C1	N/A	N/A	
KA95P	18	RD	TXL	2033819C1	3765646C91	9516M	A10	3517771C1	N/A	N/A	
KA95P	18	RD	TXL	2033819C1	3765646C91	9516M	A10	3517771C1	N/A	N/A	
KA95SB	20	TN	TXL	2033819C1	3765646C91	9516M	A12	3517771C1	N/A	N/A	
KA95SB	20	TN	TXL	2033819C1	3765646C91	9516M	A12	3517771C1	N/A	N/A	
KA95H2	18	PK	TXL	2033819C1	3765646C91	9516M	A3	3517771C1	N/A	N/A	
KA95H2	18	PK	TXL	2033819C1	3765646C91	9516M	A3	3517771C1	N/A	N/A	
KA95H3	18	PK	TXL	2033819C1	3765646C91	9516M	A4	3517771C1	N/A	N/A	
KA95H3	18	PK	TXL	2033819C1	3765646C91	9516M	A4	3517771C1	N/A	N/A	
KA95H4	18	PK	TXL	2033819C1	3765646C91	9516M	A6	3517771C1	N/A	N/A	
KA95H4	18	PK	TXL	2033819C1	3765646C91	9516M	A6	3517771C1	N/A	N/A	
KA95H5	18	PK	TXL	2033819C1	3765646C91	9516M	A7	3517771C1	N/A	N/A	
KA95H5	18	PK	TXL	2033819C1	3765646C91	9516M	A7	3517771C1	N/A	N/A	
KA95H6	18	PK	TXL	2033819C1	3765646C91	9516M	A9	3517771C1	N/A	N/A	
KA95H6	18	PK	TXL	2033819C1	3765646C91	9516M	A9	3517771C1	N/A	N/A	
KA95GBA	18	BK	TXL	2033819C1	3765646C91	9516M	B1	3517771C1	N/A	N/A	
KA95GBA	18	BK	TXL	2033819C1	3765646C91	9516M	B1	3517771C1	N/A	N/A	
KA95-GC	18	BK	TXL	2033819C1	3765646C91	9516M	B10	3517771C1	N/A	N/A	

<b>Circuit</b>				<b>Terminal Splice</b>	<b>Connector Body</b>	<b>Connector</b>					
<b>Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Number</b>	<b>Part Numbers</b>	<b>Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>	
KA95-GC	18	BK	TXL	2033819C1	3765646C91	9516M	B10	3517771C1	N/A	N/A	
AJ95AR3	18	TN	TXL	2033819C1	3765646C91	9516M	B12	3517771C1	N/A	N/A	
AK95AR3	18	BK	TXL	2033819C1	3765646C91	9516M	B12	3517771C1	N/A	N/A	
TJ95AR3	18	TN	TXL	2033819C1	3765646C91	9516M	B12	3517771C1	N/A	N/A	
TK95AR3	18	TN	TXL	2033819C1	3765646C91	9516M	B12	3517771C1	N/A	N/A	
AJ95AS3	18	TN	TXL	2033819C1	3765646C91	9516M	B3	3517771C1	N/A	N/A	
AK95AS3	18	TN	TXL	2033819C1	3765646C91	9516M	B3	3517771C1	N/A	N/A	
TJ95AS3	18	TN	TXL	2033819C1	3765646C91	9516M	B3	3517771C1	N/A	N/A	
TK95AS3	18	TN	TXL	2033819C1	3765646C91	9516M	B3	3517771C1	N/A	N/A	
KA95GBB	18	BK	TXL	2033819C1	3765646C91	9516M	B4	3517771C1	N/A	N/A	
KA95GBB	18	BK	TXL	2033819C1	3765646C91	9516M	B4	3517771C1	N/A	N/A	
AJ95AT3	18	TN	TXL	2033819C1	3765646C91	9516M	B6	3517771C1	N/A	N/A	
AK95AT3	18	TN	TXL	2033819C1	3765646C91	9516M	B6	3517771C1	N/A	N/A	
TJ95AT3	18	TN	TXL	2033819C1	3765646C91	9516M	B6	3517771C1	N/A	N/A	
TK95AT3	18	TN	TXL	2033819C1	3765646C91	9516M	B6	3517771C1	N/A	N/A	
KA95GBD	18	BK	TXL	2033819C1	3765646C91	9516M	B7	3517771C1	N/A	N/A	
KA95GBD	18	BK	TXL	2033819C1	3765646C91	9516M	B7	3517771C1	N/A	N/A	
AJ95AU3	18	TN	TXL	2033819C1	3765646C91	9516M	B9	3517771C1	N/A	N/A	
AK95AU3	18	TN	TXL	2033819C1	3765646C91	9516M	B9	3517771C1	N/A	N/A	
TJ95AU3	18	TN	TXL	2033819C1	3765646C91	9516M	B9	3517771C1	N/A	N/A	
TK95AU3	18	TN	TXL	2033819C1	3765646C91	9516M	B9	3517771C1	N/A	N/A	
KA95PA	10	PK	TXL	1687847C1	3765646C91	9516M	D10	0589390C1	N/A	N/A	
KA95PA	10	PK	TXL	1687847C1	3765646C91	9516M	D10	0589390C1	N/A	N/A	
KA95PC	18	PK	TXL	2033819C1	3765646C91	9715F	D12	3517771C1	N/A	N/A	
KA95PC	18	PK	TXL	2033819C1	3765646C91	9715F	D12	3517771C1	N/A	N/A	
KA95H7	18	PK	TXL	2033819C1	3765646C91	9715F	E1	3517771C1	N/A	N/A	
KA95H7	18	PK	TXL	2033819C1	3765646C91	9715F	E1	3517771C1	N/A	N/A	
KA95TB	18	GY	TXL	2033819C1	3765646C91	9715F	E10	3517771C1	N/A	N/A	
KA95TB	18	GY	TXL	2033819C1	3765646C91	9715F	E10	3517771C1	N/A	N/A	
AL95KD	10	TN	TXL	1687847C1	3765646C91	9715M	E12	0589390C1	N/A	N/A	
AM95KD	10	RD	TXL	1687847C1	3765646C91	9715M	E12	0589390C1	N/A	N/A	
AN95KD	10	RD	TXL	1687847C1	3765646C91	9715M	E12	0589390C1	N/A	N/A	



Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
AS95KD	10	RD	TXL	1687847C1	3765646C91	9715M	E12	0589390C1	N/A	N/A
TL95KD	10	RD	TXL	1687847C1	3765646C91	9715M	E12	0589390C1	N/A	N/A
TM95KD	10	RD	TXL	1687847C1	3765646C91	9715M	E12	0589390C1	N/A	N/A
TS95KD	10	RD	TXL	1687847C1	3765646C91	9715M	E12	0589390C1	N/A	N/A
KA14A	18	RD	TXL	2033819C1	3765646C91	9715M	E2	3517771C1	N/A	N/A
KA14A	18	RD	TXL	2033819C1	3765646C91	9715M	E2	3517771C1	N/A	N/A
KA95P	18	RD	TXL	2033819C1	3765646C91	9716F	E3	3517771C1	N/A	N/A
KA95P	18	RD	TXL	2033819C1	3765646C91	9716F	E3	3517771C1	N/A	N/A
KA14B	18	RD	TXL	2033819C1	3765646C91	9716F	E4	3517771C1	N/A	N/A
KA14B	18	RD	TXL	2033819C1	3765646C91	9716F	E4	3517771C1	N/A	N/A
KA95PB	10	PK	TXL	1687847C1	3765646C91	9716F	E5	0589390C1	N/A	N/A
KA95PB	10	PK	TXL	1687847C1	3765646C91	9716F	E5	0589390C1	N/A	N/A
KA14C	10	RD	TXL	1687847C1	3765646C91	9716F	E6	0589390C1	N/A	N/A
KA14C	10	RD	TXL	1687847C1	3765646C91	9716F	E6	0589390C1	N/A	N/A
E83B	14	LTGN	TXL	3768210C1	3767181C1	9716F		1 3664988C1	N/A	N/A
F83B	14	LTGN	TXL	3768210C1	3767181C1	9716M		1 3664988C1	N/A	N/A
E83A	14	LTGN	TXL	3768210C1	3767181C1	9716M		2 3664988C1	N/A	N/A
F83A	14	LTGN	TXL	3768210C1	3767181C1	9716M		2 3664988C1	N/A	N/A
AA60-G	18	WH	TXL	1661261C1	3767197C1	9716M	A	N/A	N/A	N/A
AA60C	18	OR	TXL	1661261C1	3767197C1	9716M	B	N/A	N/A	N/A
AA60A	18	OR	TXL	1661261C1	3767197C1	9716M	C	N/A	N/A	N/A
AA60B	18	OR	TXL	1661261C1	3767197C1	9717F	D	N/A	N/A	N/A
86A(+)	20	LTGN	TXL	3673333C1	3767577C1	9719A		2 N/A	N/A	N/A
86A(-)	20	LTGN	TXL	3673333C1	3767577C1	9719A		3 N/A	N/A	N/A
CA11-GUA	20	WH	TXL	4081932C1	3768147C1	9720A		1 N/A	N/A	N/A
CB11-GUA	20	WH	TXL	4081932C1	3768147C1	9720A		1 N/A	N/A	N/A
CL11-GUA	20	WH	TXL	4081932C1	3768147C1	9738B		1 N/A	N/A	N/A
CA13UA	20	PK	TXL	4081932C1	3768147C1	9738B		2 N/A	N/A	N/A
CB13UA	20	PK	TXL	4081932C1	3768147C1	9738B		2 N/A	N/A	N/A
CL13UA	20	PK	TXL	4081932C1	3768147C1	9738B		2 N/A	N/A	N/A
CB11-GUB	20	WH	TXL	4081932C1	3768147C1	9738B		1 N/A	N/A	N/A
CB13UB	20	PK	TXL	4081932C1	3768147C1	9739B		2 N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
CL11-GUB	20	WH	TXL	4081932C1	3768147C1	9739B	1	N/A	N/A	N/A
CL13UB	20	PK	TXL	4081932C1	3768147C1	9739B	2	N/A	N/A	N/A
AA73A	20	LTGN	TXL	3673333C1	3768152C1	9739B	1	N/A	N/A	N/A
AA74-G	20	WH	TXL	3673333C1	3768152C1	9739B	2	N/A	N/A	N/A
AA75B	20	LTGN	TXL	3673333C1	3768152C1	9740A	5	N/A	N/A	N/A
DH75A	20	LTGN	TXL	3673333C1	3768152C1	9740A	6	N/A	N/A	N/A
GZ5AF(+)	20	YL	1939	3673333C1	3768152C1	9740A	7	N/A	N/A	N/A
JK5AF(+)	20	YL	1939	3673333C1	3768152C1	9740A	7	N/A	N/A	N/A
KU5AF(+)	20	YL	1939	3673333C1	3768152C1	9740A	7	N/A	N/A	N/A
LN5AF(+)	20	YL	1939	3673333C1	3768152C1	9779F	7	N/A	N/A	N/A
GZ5AF(-)	20	GN	1939	3673333C1	3768152C1	9779F	8	N/A	N/A	N/A
JK5AF(-)	20	GN	1939	3673333C1	3768152C1	9779F	8	N/A	N/A	N/A
KU5AF(-)	20	GN	1939	3673333C1	3768152C1	9779F	8	N/A	N/A	N/A
LN5AF(-)	20	GN	1939	3673333C1	3768152C1	9779F	8	N/A	N/A	N/A
AA74A2	20	LTGN	TXL	3673333C1	3768152C1	9779F	9	N/A	N/A	N/A
AA74B2	20	LTGN	TXL	3673333C1	3768152C1	9779F	10	N/A	N/A	N/A
AA74D5	20	LTGN	TXL	3673333C1	3768152C1	9779F	11	N/A	N/A	N/A
AA73B	20	LTGN	TXL	3673333C1	3768152C1	9779F	12	N/A	N/A	N/A
AA74-GA	20	WH	TXL	3673333C1	3768152C1	9779F1	13	N/A	N/A	N/A
AA74C2	20	LTGN	TXL	3673333C1	3768152C1	9779F1	18	N/A	N/A	N/A
AA74E2	20	LTGN	TXL	3673333C1	3768152C1	9779F1	19	N/A	N/A	N/A
AA74D2	20	LTGN	TXL	3673333C1	3768152C1	9780M	21	N/A	N/A	N/A
AA74D4	20	LTGN	TXL	3673333C1	3768152C1	9780M	22	N/A	N/A	N/A
AA74B1	20	LTGN	TXL	3673333C1	3768153C1	9780M	1	N/A	N/A	N/A
AA74B3	20	LTGN	TXL	3673333C1	3768153C1	9780M	2	N/A	N/A	N/A
AA74B4	20	LTGN	TXL	3673333C1	3768153C1	9780M	3	N/A	N/A	N/A
AA74C1	20	LTGN	TXL	3673333C1	3768153C1	9780M	4	N/A	N/A	N/A
AA74C3	20	LTGN	TXL	3673333C1	3768153C1	9780M	5	N/A	N/A	N/A
AA74C4	20	LTGN	TXL	3673333C1	3768153C1	9780M	6	N/A	N/A	N/A
AA74C5	20	LTGN	TXL	3673333C1	3768153C1	9780M	7	N/A	N/A	N/A
AA74E1	20	LTGN	TXL	3673333C1	3768153C1	9780M	8	N/A	N/A	N/A
AA74E3	20	LTGN	TXL	3673333C1	3768153C1	9780M	9	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
AA74E4	20	LTGN	TXL	3673333C1	3768153C1	9780M1	10	N/A	N/A	N/A
AA74E5	20	LTGN	TXL	3673333C1	3768153C1	9780M1	11	N/A	N/A	N/A
AA74B5	20	LTGN	TXL	3673333C1	3768153C1	9780M1	12	N/A	N/A	N/A
AA74A1	20	LTGN	TXL	3673333C1	3768153C1	9781F	13	N/A	N/A	N/A
AA74A3	20	LTGN	TXL	3673333C1	3768153C1	9781F	14	N/A	N/A	N/A
AA74A4	20	LTGN	TXL	3673333C1	3768153C1	9781F	15	N/A	N/A	N/A
AA74A5	20	LTGN	TXL	3673333C1	3768153C1	9781F	16	N/A	N/A	N/A
AA74D1	20	LTGN	TXL	3673333C1	3768153C1	9781F	21	N/A	N/A	N/A
AA74D3	20	LTGN	TXL	3673333C1	3768153C1	9781F	22	N/A	N/A	N/A
JN5BH(+)	18	YL	TXL	2035086C1	3768593C1	9782M	5	N/A	N/A	N/A
JR5BH(+)	18	YL	TXL	2035086C1	3768593C1	9782M	5	N/A	N/A	N/A
JN5BH(-)	18	LTGN	TXL	2035086C1	3768593C1	9782M	6	N/A	N/A	N/A
JR5BH(-)	18	LTGN	TXL	2035086C1	3768593C1	9782M	6	N/A	N/A	N/A
86A(-)	20	LTGN	TXL	3602409C1	3811181C1	9782M	1	3665870C1	N/A	N/A
86A(+)	20	LTGN	TXL	3602409C1	3811181C1	9782M	2	3665870C1	N/A	N/A
YW86A(-)	20	LTGN	TXL	3834457C1	3811207C1	9782M	1	N/A	N/A	N/A
YW86A(+)	20	LTGN	TXL	3834457C1	3811207C1	9783F	2	N/A	N/A	N/A
E81D	12	LTGN	TXL	3612307C1	3820176C1	9783F	1	N/A	N/A	N/A
F81D	12	LTGN	TXL	3612307C1	3820176C1	9783F	1	N/A	N/A	N/A
E5X(+)	18	YL	TXL	3613771C1	3820176C1	9783F	2	N/A	N/A	N/A
F5X(+)	18	YL	TXL	3613771C1	3820176C1	9783F	2	N/A	N/A	N/A
E5W(-)	18	GN	TXL	3613771C1	3820176C1	9783F	3	N/A	N/A	N/A
F5W(-)	18	GN	TXL	3613771C1	3820176C1	9783M	3	N/A	N/A	N/A
E81-GB	12	WH	TXL	3612307C1	3820176C1	9783M	4	N/A	N/A	N/A
F81-GB	12	WH	TXL	3612307C1	3820176C1	9783M	4	N/A	N/A	N/A
NS22AG	18	WH	TXL	3672054C1	3823761C1	9784M	1	N/A	N/A	N/A
NS22AA	18	PK	TXL	3672054C1	3823761C1	9784M	2	N/A	N/A	N/A
RK5UF(+)	18	YL	TXL	3672054C1	3823761C1	9784M	11	N/A	N/A	N/A
RK5UF(-)	18	GN	TXL	3672054C1	3823761C1	9784M	12	N/A	N/A	N/A
HA63HB	16	DKBL	GXL	3593251C1	3825184C1	9784M	1	N/A	N/A	N/A
HA63-GB	16	WH	GXL	3593251C1	3825184C1	9784M	2	N/A	N/A	N/A
HA63D	18	DKBL	GXL	3593251C1	3825184C1	9784M	3	N/A	N/A	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
HA109S	18	GY	GXL	3593251C1	3825184C1	9789F	4	N/A	N/A	N/A
HA109SA	18	GY	GXL	3593251C1	3825184C1	9789F	5	N/A	N/A	N/A
HA63E	18	DKBL	GXL	3593251C1	3825184C1	9789F	6	N/A	N/A	N/A
HA63EA	18	DKBL	GXL	3593251C1	3825184C1	9789FA	7	N/A	N/A	N/A
JP63U	18	DKBL	GXL	3593251C1	3825184C1	9789FA	8	N/A	N/A	N/A
JP63-GU	18	WH	GXL	3593251C1	3825184C1	9789FA	9	N/A	N/A	N/A
JP86M	16	LTGN	GXL	3593251C1	3825184C1	9790M	10	N/A	N/A	N/A
JP86-GJJ	16	WH	GXL	3593251C1	3825184C1	9790M	11	N/A	N/A	N/A
HA63HB	16	DKBL	GXL	3571717C1	3825185C1	9790M	1	N/A	N/A	N/A
HA63-GB	16	WH	GXL	3571717C1	3825185C1	9790MA	2	N/A	N/A	N/A
HA63D	18	DKBL	GXL	3571717C1	3825185C1	9790MA	3	N/A	N/A	N/A
HA109S	18	GY	GXL	3571717C1	3825185C1	9790MA	4	N/A	N/A	N/A
HA109SA	18	GY	GXL	3571717C1	3825185C1	9800F	5	N/A	N/A	N/A
HA63E	18	DKBL	GXL	3571717C1	3825185C1	9800F	6	N/A	N/A	N/A
HA63EA	18	DKBL	GXL	3571717C1	3825185C1	9800F	7	N/A	N/A	N/A
HR63U	18	DKBL	GXL	3571717C1	3825185C1	9800F	8	N/A	N/A	N/A
JP63U	18	DKBL	GXL	3571717C1	3825185C1	9800F	8	N/A	N/A	N/A
HR63-GU	18	WH	GXL	3571717C1	3825185C1	9800F	9	N/A	N/A	N/A
JP63-GU	18	WH	GXL	3571717C1	3825185C1	9800F	9	N/A	N/A	N/A
JP86MA	16	LTGN	GXL	3571717C1	3825185C1	9800F	10	N/A	N/A	N/A
JP86-GJJ	16	WH	GXL	3571717C1	3825185C1	9800F	11	N/A	N/A	N/A
14CSB3	20	RD	TXL	3535805C1	3831401C1	9800F	1	N/A	N/A	N/A
YELLOW	20	YL	TXL	3535805C1	3831401C1	9800F	2	N/A	N/A	N/A
232-TX	20	YL	TXL	3535805C1	3831401C1	9800F	3	N/A	N/A	N/A
232-RX	20	LTGN	TXL	3535805C1	3831401C1	9800F	4	N/A	N/A	N/A
5CC(+)	20	YL	193	3535805C1	3831401C1	9800F	5	N/A	N/A	N/A
5CC(-)	20	GN	193	3535805C1	3831401C1	9800F	6	N/A	N/A	N/A
67COG	20	GY	TXL	3535805C1	3831401C1	9800F	7	N/A	N/A	N/A
13COG3	20	PK	TXL	3535805C1	3831401C1	9800F	9	N/A	N/A	N/A
GREENL	20	LTGN	TXL	3535805C1	3831401C1	9800F	10	N/A	N/A	N/A
GREENR	20	LTGN	TXL	3535805C1	3831401C1	9800F	11	N/A	N/A	N/A
5DC(+)	20	YL	193	3535805C1	3831401C1	9800F	12	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
5DC(-)	20	GN	193	3535805C1	3831401C1	9800F	13	N/A	N/A	N/A
11COG3	20	WH	TXL	3535805C1	3831401C1	9800F	16	N/A	N/A	N/A
RF14A	20	PK	TXL	3535805C1	3833917C1	9800F	1	N/A	N/A	N/A
RE10AA	20	WH	TXL	3535805C1	3833917C1	9800F	2	N/A	N/A	N/A
RC12B	20	LTBL	TXL	3535805C1	3833917C1	9800F	3	N/A	N/A	N/A
RE10AB	20	WH	TXL	3535805C1	3833917C1	9800F	5	N/A	N/A	N/A
RE9A	20	GY	TXL	3867325C1	3834322C1	9800F	1	N/A	N/A	N/A
RN5L(+)	20	YL	1939	UNDEF	3834322C1	9800F	8	N/A	N/A	N/A
RE10AC	20	WH	TXL	3867325C1	3834322C1	9800F	10	N/A	N/A	N/A
RF86AA	20	LTGN	TXL	3867325C1	3834322C1	9800F	11	N/A	N/A	N/A
RF86AB	20	LTGN	TXL	3867325C1	3834322C1	9800F	12	N/A	N/A	N/A
RF86AC	20	LTGN	TXL	3867325C1	3834322C1	9800F	13	N/A	N/A	N/A
RF86AD	20	LTGN	TXL	3867325C1	3834322C1	9800F	14	N/A	N/A	N/A
RE10AD	20	WH	TXL	3867325C1	3834322C1	9800F	15	N/A	N/A	N/A
RN5L(-)	20	GN	1939	UNDEF	3834322C1	9800F	16	N/A	N/A	N/A
XD94SS	18	GY	TXL	3548971C1	3846885C1	9800M	1	N/A	3562309C1	N/A
XD94SR	18	GY	TXL	3548971C1	3846885C1	9800M	3	N/A	3562309C1	N/A
XD94SN	18	GY	TXL	3548971C1	3846885C1	9800M	7	N/A	3562309C1	N/A
GX94BY	18	GY	TXL	3548971C1	3846885C1	9800M	8	N/A	3562309C1	N/A
XD94SP	18	GY	TXL	3548971C1	3846885C1	9800M	10	N/A	3562309C1	N/A
GX94-GCC	18	WH	TXL	3548971C1	3846885C1	9800M	11	N/A	3562309C1	N/A
XD94SL	18	GY	TXL	3548971C1	3846885C1	9800M	13	N/A	3562309C1	N/A
GX94MN	18	GY	TXL	3548971C1	3846885C1	9800M	14	N/A	3562309C1	N/A
XD94SM	18	GY	TXL	3548971C1	3846885C1	9800M	16	N/A	3562309C1	N/A
WU67YB	20	PK	TXL	3702881C1	3852527C1	9800M	1	3600327C1	N/A	N/A
WU67YC	20	PK	TXL	3702881C1	3852527C1	9800M	2	3600327C1	N/A	N/A
SK5UF(+)	20	YL	193	3702881C1	3852527C1	9800M	3	3600327C1	N/A	N/A
SK5UF(-)	20	GN	193	3702881C1	3852527C1	9800M	6	3600327C1	N/A	N/A
WU67-G	20	WH	TXL	3702881C1	3852527C1	9800M	8	3600327C1	N/A	N/A
95AU	18	TN	TXL	1680205C1	3854645C91	9800M	1	N/A	N/A	N/A
95-GC	16	TN	TXL	1680205C1	3854645C91	9800M	2	N/A	N/A	N/A
95AS	18	TN	TXL	3755839C1	3854665C91	9800M	1	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
95-GA	16	TN	TXL	3572625C1	3854665C91	9800M		2 N/A	N/A	N/A
95AT	18	TN	TXL	1680205C1	3854666C91	9800M		1 N/A	N/A	N/A
95-GB	16	TN	TXL	1680205C1	3854666C91	9800M		2 N/A	N/A	N/A
NB94C	18	GY	GXL	1680205C1	3866308C1	9800M		1 N/A	1684263C1	N/A
NB94D	18	GY	GXL	1680205C1	3866308C1	9800M		2 N/A	1684263C1	N/A
NB94E	18	GY	GXL	1680205C1	3866308C1	9800M		1 N/A	1684263C1	N/A
NB94F	18	GY	GXL	1680205C1	3866308C1	9800M		2 N/A	1684263C1	N/A
[YJ94SN]	18	GY	GXL	ASSY	3887649C1	9800M		1 N/A	N/A	N/A
[YJ94SP]	18	GY	GXL	ASSY	3887649C1	9800M		2 N/A	N/A	N/A
[YJ94SR]	18	GY	GXL	ASSY	3887649C1	9800M		3 N/A	N/A	N/A
[YJ94SS]	18	GY	GXL	ASSY	3887649C1	9800M		4 N/A	N/A	N/A
[YK94SN]	18	GY	GXL	ASSY	3887654C1	9800M		1 N/A	N/A	N/A
[YK94SP]	18	GY	GXL	ASSY	3887654C1	9800M		2 N/A	N/A	N/A
[YK94SR]	18	GY	GXL	ASSY	3887654C1	9800M		3 N/A	N/A	N/A
[YK94SS]	18	GY	GXL	ASSY	3887654C1	9800M		4 N/A	N/A	N/A
BG94SS	20	GY	TXL	3602660C1	3889458C1	9800M		1 N/A	N/A	N/A
BG94ST	20	GY	TXL	3602660C1	3889458C1	9800M		2 N/A	N/A	N/A
BG94ST	20	GY	TXL	3602660C1	3889458C1	9800M		3 N/A	N/A	N/A
BG94SR	20	GY	TXL	3602660C1	3889458C1	9800M		4 N/A	N/A	N/A
BG94SN	20	GY	TXL	3602660C1	3889458C1	9800M		5 N/A	N/A	N/A
BG94SP	20	GY	TXL	3602660C1	3889458C1	9800M		6 N/A	N/A	N/A
CC21B2	18	TN	TXL	3535303C1	3917967C1	9800M	A	3535424C1	3573833C1	3919239C1
CD21B2	18	TN	TXL	3535303C1	3917967C1	9800M	A	3535424C1	3573833C1	3919239C1
CC21B1	18	TN	TXL	3535303C1	3917967C1	9800M	B	3535424C1	3573833C1	3919239C1
CD21B1	18	TN	TXL	3535303C1	3917967C1	9800M	B	3535424C1	3573833C1	3919239C1
CC21B3	18	TN	TXL	3535303C1	3917967C1	9800M	C	3535424C1	3573833C1	3919239C1
CD21B3	18	TN	TXL	3535303C1	3917967C1	9800M	C	3535424C1	3573833C1	3919239C1
AL13AB	18	RD	TXL	3535303C1	3917967C1	9800M	D	3535424C1	3573833C1	3919239C1
AM13AB	18	RD	TXL	3535303C1	3917967C1	9800M	D	3535424C1	3573833C1	3919239C1
AN13AB	18	RD	TXL	3535303C1	3917967C1	9800M	D	3535424C1	3573833C1	3919239C1
AS13AB	18	RD	TXL	3535303C1	3917967C1	9800M	D	3535424C1	3573833C1	3919239C1
KA41A	18	TN	TXL	3535303C1	3917967C1	9800M	E	3535424C1	3573833C1	3919239C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
KA41-GA	18	WH	TXL	3535303C1	3917967C1	9800M	F	3535424C1	3573833C1	3919239C1
KA41-GB	18	WH	TXL	3683464C1	3917967C1	9800M	G	3535424C1	3573833C1	3919239C1
KA41-GC	18	WH	TXL	3683464C1	3917967C1	9800M	H	3535424C1	3573833C1	3919239C1
MX94M	18	GY	TXL	3601686C1	3919376C1	9800M		1 3733609C1	N/A	N/A
MX94MA	18	GY	TXL	3601686C1	3919376C1	9800M		2 3733609C1	N/A	N/A
MX94MB	18	GY	TXL	3601686C1	3919376C1	9800M		3 3733609C1	N/A	N/A
MZ94MH	18	GY	TXL	3601686C1	3919376C1	9800M		1 3733609C1	N/A	N/A
MZ94MJ	18	GY	TXL	3601686C1	3919376C1	9800M		2 3733609C1	N/A	N/A
MZ94MK	18	GY	TXL	3601686C1	3919376C1	9800M		3 3733609C1	N/A	N/A
ST94MA	18	GY	TXL	3601686C1	3919376C1	9800M		1 3733609C1	N/A	N/A
ST94MB	18	GY	TXL	3601686C1	3919376C1	9800M		2 3733609C1	N/A	N/A
ST94MC	18	GY	TXL	3601686C1	3919376C1	9800M		3 3733609C1	N/A	N/A
ST94MJ	18	GY	TXL	3601686C1	3919376C1	9800M		1 3733609C1	N/A	N/A
ST94MK	18	GY	TXL	3601686C1	3919376C1	9800M		2 3733609C1	N/A	N/A
ST94ML	18	GY	TXL	3601686C1	3919376C1	9800M		3 3733609C1	N/A	N/A
UJ94MJ	18	GY	TXL	3601686C1	3919376C1	9800M		1 3733609C1	N/A	N/A
UJ94MK	18	GY	TXL	3601686C1	3919376C1	9800M		2 3733609C1	N/A	N/A
UJ94ML	18	GY	TXL	3601686C1	3919376C1	9800M		3 3733609C1	N/A	N/A
UJ94MA	18	GY	TXL	3601686C1	3919376C1	9800M		1 3733609C1	N/A	N/A
UJ94MB	18	GY	TXL	3601686C1	3919376C1	9800M		2 3733609C1	N/A	N/A
UJ94MC	18	GY	TXL	3601686C1	3919376C1	9800M		3 3733609C1	N/A	N/A
VB94MA	18	GY	TXL	3601686C1	3919376C1	9800M		1 3733609C1	N/A	N/A
VB94MB	18	GY	TXL	3601686C1	3919376C1	9800M		2 3733609C1	N/A	N/A
VB94MC	18	GY	TXL	3601686C1	3919376C1	9800M		3 3733609C1	N/A	N/A
VB94BSA	18	GY	TXL	3601686C1	3919376C1	9800M		1 3733609C1	N/A	N/A
VB94BTA	18	GY	TXL	3601686C1	3919376C1	9800M		2 3733609C1	N/A	N/A
VB94BUA	18	GY	TXL	3601686C1	3919376C1	9800M		3 3733609C1	N/A	N/A
VB94MJ	18	GY	TXL	3601686C1	3919376C1	9800M		1 3733609C1	N/A	N/A
VB94MK	18	GY	TXL	3601686C1	3919376C1	9800M		2 3733609C1	N/A	N/A
VB94ML	18	GY	TXL	3601686C1	3919376C1	9800M		3 3733609C1	N/A	N/A
VB94BYA	18	GY	TXL	3601686C1	3919376C1	9800M		1 3733609C1	N/A	N/A
VB94BZA	18	GY	TXL	3601686C1	3919376C1	9800M		2 3733609C1	N/A	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
VB94BPA	18	GY	TXL	3601686C1	3919376C1	9800M	3	3733609C1	N/A	N/A
SR94MA	18	GY	TXL	3601686C1	3919376C1	9800M	1	3733609C1	N/A	N/A
US94MA	18	GY	TXL	3601686C1	3919376C1	9800M	1	3733609C1	N/A	N/A
SR94MB	18	GY	TXL	3601686C1	3919376C1	9800M	2	3733609C1	N/A	N/A
US94MB	18	GY	TXL	3601686C1	3919376C1	9800M	2	3733609C1	N/A	N/A
SR94MC	18	GY	TXL	3601686C1	3919376C1	9800M	3	3733609C1	N/A	N/A
US94MC	18	GY	TXL	3601686C1	3919376C1	9800M	3	3733609C1	N/A	N/A
SS94MA	18	GY	TXL	3601686C1	3919376C1	9800M	1	3733609C1	N/A	N/A
UJ94BYA	18	GY	TXL	3601686C1	3919376C1	9800M	1	3733609C1	N/A	N/A
US94BYA	18	GY	TXL	3601686C1	3919376C1	9800M	1	3733609C1	N/A	N/A
VT94MA	18	GY	TXL	3601686C1	3919376C1	9800M	1	3733609C1	N/A	N/A
SS94MB	18	GY	TXL	3601686C1	3919376C1	9800M	2	3733609C1	N/A	N/A
UJ94BZA	18	GY	TXL	3601686C1	3919376C1	9800M	2	3733609C1	N/A	N/A
US94BZA	18	GY	TXL	3601686C1	3919376C1	9800M	2	3733609C1	N/A	N/A
VT94MB	18	GY	TXL	3601686C1	3919376C1	9800M	2	3733609C1	N/A	N/A
SS94MC	18	GY	TXL	3601686C1	3919376C1	9800M	3	3733609C1	N/A	N/A
UJ94BPA	18	GY	TXL	3601686C1	3919376C1	9800M	3	3733609C1	N/A	N/A
US94BPA	18	GY	TXL	3601686C1	3919376C1	9800M	3	3733609C1	N/A	N/A
VT94MC	18	GY	TXL	3601686C1	3919376C1	9800M	3	3733609C1	N/A	N/A
SS94MJ	18	GY	TXL	3601686C1	3919376C1	9800M	1	3733609C1	N/A	N/A
UJ94BSA	18	GY	TXL	3601686C1	3919376C1	9800M	1	3733609C1	N/A	N/A
US94BSA	18	GY	TXL	3601686C1	3919376C1	9800M	1	3733609C1	N/A	N/A
VT94MJ	18	GY	TXL	3601686C1	3919376C1	9800M	1	3733609C1	N/A	N/A
SS94MK	18	GY	TXL	3601686C1	3919376C1	9800M	2	3733609C1	N/A	N/A
UJ94BTA	18	GY	TXL	3601686C1	3919376C1	9800M	2	3733609C1	N/A	N/A
US94BTA	18	GY	TXL	3601686C1	3919376C1	9800M	2	3733609C1	N/A	N/A
VT94MK	18	GY	TXL	3601686C1	3919376C1	9800M	2	3733609C1	N/A	N/A
SS94ML	18	GY	TXL	3601686C1	3919376C1	9800M	3	3733609C1	N/A	N/A
UJ94BUA	18	GY	TXL	3601686C1	3919376C1	9800M	3	3733609C1	N/A	N/A
US94BUA	18	GY	TXL	3601686C1	3919376C1	9800M	3	3733609C1	N/A	N/A
VT94ML	18	GY	TXL	3601686C1	3919376C1	9800M	3	3733609C1	N/A	N/A
SR94MJ	18	GY	TXL	3601686C1	3919376C1	9800M	1	3733609C1	N/A	N/A



<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
US94MJ	18	GY	TXL	3601686C1	3919376C1	9800M	1	3733609C1	N/A	N/A
SR94MK	18	GY	TXL	3601686C1	3919376C1	9800M	2	3733609C1	N/A	N/A
US94MK	18	GY	TXL	3601686C1	3919376C1	9800M	2	3733609C1	N/A	N/A
SR94ML	18	GY	TXL	3601686C1	3919376C1	9800M	3	3733609C1	N/A	N/A
US94ML	18	GY	TXL	3601686C1	3919376C1	9800M	3	3733609C1	N/A	N/A
FR72EC	18	OR	TXL	1661224C1	3928059C1	9800M	1	N/A	N/A	N/A
FR72EB	18	OR	TXL	1661224C1	3928059C1	9800M	2	N/A	N/A	N/A
FR72-GB1	18	WH	TXL	1661224C1	3928059C1	9800M	9	N/A	N/A	N/A
FR72ED	18	OR	TXL	1661224C1	3928059C1	9800M	10	N/A	N/A	N/A
FR72-GB2	18	WH	TXL	1661224C1	3928059C1	9800M	11	N/A	N/A	N/A
XW62DG	18	DKBL	TXL	1661224C1	3928059C1	9800M	12	N/A	N/A	N/A
CN11-GBC	18	WH	TXL	1661224C1	3928059C1	9800M	2	N/A	N/A	N/A
CR11-GBC	18	WH	TXL	1661224C1	3928059C1	9800M	2	N/A	N/A	N/A
ZY11-GBC	18	WH	TXL	1661224C1	3928059C1	9800M	2	N/A	N/A	N/A
CN98J	18	BK	TXL	1661224C1	3928059C1	9800M	4	N/A	N/A	N/A
CR98J	18	BK	TXL	1661224C1	3928059C1	9800M	4	N/A	N/A	N/A
ZY98J	18	BK	TXL	1661224C1	3928059C1	9800M	4	N/A	N/A	N/A
CN11-GBD	18	WH	TXL	1661224C1	3928059C1	9800M	11	N/A	N/A	N/A
CR11-GBD	18	WH	TXL	1661224C1	3928059C1	9800M	11	N/A	N/A	N/A
ZY11-GBD	18	WH	TXL	1661224C1	3928059C1	9800M	11	N/A	N/A	N/A
CN62DH	18	DKBL	TXL	1661224C1	3928059C1	9800M	12	N/A	N/A	N/A
CR62DH	18	DKBL	TXL	1661224C1	3928059C1	9800M	12	N/A	N/A	N/A
ZY62DH	18	DKBL	TXL	1661224C1	3928059C1	9800M	12	N/A	N/A	N/A
CD14SAA	18	RD	TXL	3541250C1	3928059C1	9800M	1	N/A	N/A	N/A
CD14SAB	18	RD	TXL	3541250C1	3928059C1	9800M	1	N/A	N/A	N/A
CE14SAA	18	RD	TXL	3541250C1	3928059C1	9800M	1	N/A	N/A	N/A
CE14SAB	18	RD	TXL	3541250C1	3928059C1	9800M	1	N/A	N/A	N/A
CD14SA	18	RD	TXL	1661224C1	3928059C1	9800M	2	N/A	N/A	N/A
CE14SA	18	RD	TXL	1661224C1	3928059C1	9800M	2	N/A	N/A	N/A
CD14-GSA	18	WH	TXL	1661224C1	3928059C1	9800M	9	N/A	N/A	N/A
CE14-GSA	18	WH	TXL	1661224C1	3928059C1	9800M	9	N/A	N/A	N/A
CD14SAA	18	RD	TXL	1661224C1	3928059C1	9800M	10	N/A	N/A	N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
CE14SAA	18	RD	TXL	1661224C1	3928059C1	9800M	10	N/A	N/A	N/A
CD62DJ	18	DKBL	TXL	1661224C1	3928059C1	9800M	12	N/A	N/A	N/A
CE62DJ	18	DKBL	TXL	1661224C1	3928059C1	9800M	12	N/A	N/A	N/A
CE14SBA	18	RD	TXL	3541250C1	3928059C1	9800M	1	N/A	N/A	N/A
CE14SBB	18	RD	TXL	3541250C1	3928059C1	9800M	1	N/A	N/A	N/A
CE14SB	18	RD	TXL	1661224C1	3928059C1	9800M	2	N/A	N/A	N/A
CE14-GSC	18	WH	TXL	1661224C1	3928059C1	9800M	9	N/A	N/A	N/A
CE14SBA	18	RD	TXL	1661224C1	3928059C1	9800M	10	N/A	N/A	N/A
CE62DK	18	DKBL	TXL	1661224C1	3928059C1	9800M	12	N/A	N/A	N/A
HA104SS	18	DKBL	TXL	1661224C1	3928059C1	9800M	1	N/A	N/A	N/A
HA11-GAM	18	WH	TXL	3541250C1	3928059C1	9800M	2	N/A	N/A	N/A
HA11-GT	18	WH	TXL	3541250C1	3928059C1	9800M	2	N/A	N/A	N/A
HA104SP	18	DKBL	TXL	1661224C1	3928059C1	9800M	4	N/A	N/A	N/A
HA11-GAM	18	WH	TXL	1661224C1	3928059C1	9800M	9	N/A	N/A	N/A
HA104BC	18	DKBL	TXL	1661224C1	3928059C1	9800M	10	N/A	N/A	N/A
HA11-GAT	18	WH	TXL	3541250C1	3928059C1	9800M	11	N/A	N/A	N/A
HA11-GT	18	WH	TXL	3541250C1	3928059C1	9800M	11	N/A	N/A	N/A
HA62DF	18	DKBL	TXL	1661224C1	3928059C1	9800M	12	N/A	N/A	N/A
DK13TRIA	16	PK	GXL	239805R1	3928059C1	9800M	1	N/A	N/A	N/A
DK77SBY	16	LTGN	GXL	239805R1	3928059C1	9800M	2	N/A	N/A	N/A
DK14TRIA	16	RD	TXL	1661226C1	3928059C1	9800M	4	N/A	N/A	N/A
DK62-GBN	18	WH	TXL	1661224C1	3928059C1	9800M	11	N/A	N/A	N/A
DK62DF	18	DKBL	TXL	1661224C1	3928059C1	9800M	12	N/A	N/A	N/A
EM13BL1	18	PK	TXL	1661224C1	3928059C1	9800M	2	N/A	N/A	N/A
GN13BL1	18	PK	TXL	1661224C1	3928059C1	9800M	2	N/A	N/A	N/A
EM13BL2	18	PK	TXL	3541250C1	3928059C1	9800M	3	N/A	N/A	N/A
EM13BLT	18	PK	TXL	3541250C1	3928059C1	9800M	3	N/A	N/A	N/A
GN13BL2	18	PK	TXL	3541250C1	3928059C1	9800M	3	N/A	N/A	N/A
GN13BLT	18	PK	TXL	3541250C1	3928059C1	9800M	3	N/A	N/A	N/A
EM13BL2	18	PK	TXL	1661224C1	3928059C1	9800M	7	N/A	N/A	N/A
GN13BL2	18	PK	TXL	1661224C1	3928059C1	9800M	7	N/A	N/A	N/A
EM62DK	18	DKBL	TXL	1661224C1	3928059C1	9800M	8	N/A	N/A	N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
GN62DK	18	DKBL	TXL	1661224C1	3928059C1	9800M	8	N/A	N/A	N/A
EM13-GBL	18	WH	TXL	1661224C1	3928059C1	9800M	9	N/A	N/A	N/A
GN13-GBL	18	WH	TXL	1661224C1	3928059C1	9800M	9	N/A	N/A	N/A
2V67COG1	18	GY	TXL	1661224C1	3928059C1	9800M	1	N/A	N/A	N/A
2Y67COG1	18	GY	TXL	1661224C1	3928059C1	9800M	1	N/A	N/A	N/A
2V11COG1	18	WH	TXL	1661224C1	3928059C1	9800M	2	N/A	N/A	N/A
2Y11COG1	18	WH	TXL	1661224C1	3928059C1	9800M	2	N/A	N/A	N/A
2V67COG2	18	GY	TXL	1661224C1	3928059C1	9800M	4	N/A	N/A	N/A
2Y67COG2	18	GY	TXL	1661224C1	3928059C1	9800M	4	N/A	N/A	N/A
2V67EN	16	TN	TXL	1661226C1	3928059C1	9800M	9	N/A	N/A	N/A
2Y67EN	16	TN	TXL	1661226C1	3928059C1	9800M	9	N/A	N/A	N/A
2V13COG3	16	PK	TXL	1661226C1	3928059C1	9800M	10	N/A	N/A	N/A
2Y13COG3	16	PK	TXL	1661226C1	3928059C1	9800M	10	N/A	N/A	N/A
2V67NA	16	PL	TXL	1661226C1	3928059C1	9800M	11	N/A	N/A	N/A
2Y67NA	16	PL	TXL	1661226C1	3928059C1	9800M	11	N/A	N/A	N/A
2V13COG1	16	PK	TXL	1661226C1	3928059C1	9800M	12	N/A	N/A	N/A
2Y13COG1	16	PK	TXL	1661226C1	3928059C1	9800M	12	N/A	N/A	N/A
HN75AF	18	LTGN	GXL	1661224C1	3928059C1	9800M	2	N/A	N/A	N/A
HN75HB	18	LTGN	GXL	1661224C1	3928059C1	9800M	4	N/A	N/A	N/A
HN75AG	18	LTGN	GXL	1661224C1	3928059C1	9800M	9	N/A	N/A	N/A
HN75AR	18	LTGN	GXL	3541250C1	3928059C1	9800M	10	N/A	N/A	N/A
HN75AT	18	LTGN	GXL	3541250C1	3928059C1	9800M	10	N/A	N/A	N/A
HN75-GAS	18	WH	GXL	3541250C1	3928059C1	9800M	11	N/A	N/A	N/A
HN75HA	18	LTGN	GXL	3541250C1	3928059C1	9865F	11	N/A	N/A	N/A
HN62AA	18	DKBL	TXL	3541250C1	3928059C1	9865F	12	N/A	N/A	N/A
HN62J	18	DKBL	TXL	3541250C1	3928059C1	9865F	12	N/A	N/A	N/A
HN77NE	18	LTGN	GXL	1661224C1	3928059C1	9865M	2	N/A	N/A	N/A
HN77NF	18	LTGN	GXL	1661224C1	3928059C1	9865M	9	N/A	N/A	N/A
HN75AT	18	LTGN	GXL	3541250C1	3928059C1	9865M	10	N/A	N/A	N/A
HN75HB	18	LTGN	GXL	3541250C1	3928059C1	9865M	10	N/A	N/A	N/A
HN75HA	18	LTGN	GXL	1661224C1	3928059C1	9865M	11	N/A	N/A	N/A
HN62AA	18	DKBL	TXL	1661224C1	3928059C1	9865M	12	N/A	N/A	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
CS11COG1	18	WH	TXL	1661224C1	3928059C1	9901A	1	N/A	N/A	N/A
CS67COG	18	GY	TXL	1661224C1	3928059C1	9901A	2	N/A	N/A	N/A
CS62AA	18	DKBL	TXL	1661224C1	3928059C1	9901B	7	N/A	N/A	N/A
CS62AB	18	DKBL	TXL	1661224C1	3928059C1	9901B	8	N/A	N/A	N/A
CS67NA	16	PL	TXL	1661226C1	3928059C1	9902A	9	N/A	N/A	N/A
CS67NB	16	PL	TXL	1661226C1	3928059C1	9902A	10	N/A	N/A	N/A
KA14A6	16	RD	TXL	3743666C1	3945694C1	AS1	1	N/A	3743662C1	N/A
KA95GBE	16	TN	TXL	3743666C1	3945694C1	AS1	3	N/A	3743662C1	N/A
KA13B	18	PK	TXL	3743666C1	3945694C1	AS1	5	N/A	3743662C1	N/A
TJ95F	20	TN	TXL	3743668C1	3945694C1	AS1	6	N/A	3743662C1	N/A
TK95F	20	TN	TXL	3743668C1	3945694C1	AS1	6	N/A	3743662C1	N/A
TP6A	20	PL	TXL	3743668C1	3945694C1	AS1	8	N/A	3743662C1	N/A
TY6A	20	PL	TXL	3743668C1	3945694C1	AS1	8	N/A	3743662C1	N/A
TJ97C	20	PL	TXL	3743668C1	3945694C1	AS1	9	N/A	3743662C1	N/A
TJ99B	20	PL	TXL	3743668C1	3945694C1	AS1	10	N/A	3743662C1	N/A
GA95WA	20	TN	TXL	3743668C1	3945694C1	AS1	13	N/A	3743662C1	N/A
KJ95WA	20	TN	TXL	3743668C1	3945694C1	AS1	13	N/A	3743662C1	N/A
KY95WA	20	TN	TXL	3743668C1	3945694C1	AS1	13	N/A	3743662C1	N/A
TP95K	20	TN	150	3743668C1	3945694C1	AS1	16	N/A	3743662C1	N/A
TY95K	20	TN	150	3743668C1	3945694C1	AS1	16	N/A	3743662C1	N/A
KF5(+)	20	YL	193	3743668C1	3945694C1	AS1	22	N/A	3743662C1	N/A
KH5(+)	20	YL	193	3743668C1	3945694C1	AS1	22	N/A	3743662C1	N/A
KA14A5	16	RD	TXL	3743666C1	3945694C1	AS1	25	N/A	3743662C1	N/A
KA14A4	16	RD	TXL	3743666C1	3945694C1	AS1	26	N/A	3743662C1	N/A
KA14A2	16	RD	TXL	3743666C1	3945694C1	AS1	27	N/A	3743662C1	N/A
KA14A1	16	RD	TXL	3743666C1	3945694C1	AS1	28	N/A	3743662C1	N/A
TP9A	20	TN	TXL	3743668C1	3945694C1	AS1	32	N/A	3743662C1	N/A
TY9A	20	TN	TXL	3743668C1	3945694C1	AS1	32	N/A	3743662C1	N/A
TJ97B	20	PL	TXL	3743668C1	3945694C1	AS1	33	N/A	3743662C1	N/A
KA34E	20	TN	TXL	3743668C1	3945694C1	AS1	35	N/A	3743662C1	N/A
TJ95AT2	20	TN	TXL	3743668C1	3945694C1	AS1	38	N/A	3743662C1	N/A
TK95AT2	20	TN	TXL	3743668C1	3945694C1	AS1	38	N/A	3743662C1	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
TJ95AS2	20	TN	TXL	3743668C1	3945694C1	AS1	39	N/A	3743662C1	N/A
TK95AS2	20	TN	TXL	3743668C1	3945694C1	AS1	39	N/A	3743662C1	N/A
TJ95AU2	20	TN	TXL	3743668C1	3945694C1	AS10	40	N/A	3743662C1	N/A
TK95AU2	20	TN	TXL	3743668C1	3945694C1	AS10	40	N/A	3743662C1	N/A
TP95BA	20	TN	150	3743668C1	3945694C1	AS10	41	N/A	3743662C1	N/A
TY95BA	20	TN	150	3743668C1	3945694C1	AS11	41	N/A	3743662C1	N/A
TP95BC	20	TN	150	3743668C1	3945694C1	AS11	42	N/A	3743662C1	N/A
TY95BC	20	TN	150	3743668C1	3945694C1	AS11	42	N/A	3743662C1	N/A
KF5(-)	20	GN	193	3743668C1	3945694C1	AS12	46	N/A	3743662C1	N/A
KH5(-)	20	GN	193	3743668C1	3945694C1	AS12	46	N/A	3743662C1	N/A
KA10-GH	16	WH	TXL	3743666C1	3945694C1	AS12	49	N/A	3743662C1	N/A
KA10-GG	16	WH	TXL	3743666C1	3945694C1	AS12	50	N/A	3743662C1	N/A
KA10-GF	16	WH	TXL	3743666C1	3945694C1	AS13	51	N/A	3743662C1	N/A
KA10-GE	16	WH	TXL	3743666C1	3945694C1	AS13	52	N/A	3743662C1	N/A
TP95DVL	20	TN	150	3743668C1	3945694C1	AS13	53	N/A	3743662C1	N/A
TY95DVL	20	TN	150	3743668C1	3945694C1	AS13	53	N/A	3743662C1	N/A
TJ95E	20	TN	TXL	3743668C1	3945694C1	AS13	54	N/A	3743662C1	N/A
TK95E	20	TN	TXL	3743668C1	3945694C1	AS13	54	N/A	3743662C1	N/A
TJ95AA	20	TN	TXL	3743668C1	3945694C1	AS13	57	N/A	3743662C1	N/A
TK95AA	20	TN	TXL	3743668C1	3945694C1	AS13	57	N/A	3743662C1	N/A
KF47AA	20	GY	TXL	3743668C1	3945694C1	AS13	59	N/A	3743662C1	N/A
KF47	20	GY	TXL	3743668C1	3945694C1	AS13	60	N/A	3743662C1	N/A
KA97N	20	PL	TXL	3743668C1	3945694C1	AS13	61	N/A	3743662C1	N/A
KA95G	20	WH	TXL	3743668C1	3945694C1	AS13	62	N/A	3743662C1	N/A
KA97M	20	PL	TXL	3743668C1	3945694C1	AS14	64	N/A	3743662C1	N/A
KC41E	20	TN	TXL	3743668C1	3945694C1	AS14	65	N/A	3743662C1	N/A
KA10-GB	16	WH	TXL	3743666C1	3945694C1	AS14	73	N/A	3743662C1	N/A
KU21	16	TN	TXL	3743666C1	3945694C1	AS14	75	N/A	3743662C1	N/A
KU21A	16	TN	TXL	3743666C1	3945694C1	AS14	76	N/A	3743662C1	N/A
TP95DVH	20	TN	150	3743668C1	3945694C1	AS14	77	N/A	3743662C1	N/A
TY95DVH	20	TN	150	3743668C1	3945694C1	AS14	77	N/A	3743662C1	N/A
TJ23	20	TN	TXL	3743668C1	3945694C1	AS14	78	N/A	3743662C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
TK23	20	TN	TXL	3743668C1	3945694C1	AS14	78	N/A	3743662C1	N/A
KA95SB	20	TN	TXL	3743668C1	3945694C1	AS14	79	N/A	3743662C1	N/A
TJ95AC	20	TN	TXL	3743668C1	3945694C1	AS14	82	N/A	3743662C1	N/A
TK95AC	20	TN	TXL	3743668C1	3945694C1	AS14	82	N/A	3743662C1	N/A
GE44A	20	GY	TXL	3743668C1	3945694C1	AS15	93	N/A	3743662C1	N/A
CA95GE	18	TN	TXL	4078605C1	3952655C1	AS15	1	N/A	3978364C1	N/A
CB95GE	18	TN	TXL	4078605C1	3952655C1	AS15	1	N/A	3978364C1	N/A
CC95GE	18	TN	TXL	4078605C1	3952655C1	AS16	1	N/A	3978364C1	N/A
CD95GE	18	TN	TXL	4078605C1	3952655C1	AS16	1	N/A	3978364C1	N/A
KA97B	18	PL	TXL	4078605C1	3952655C1	AS16	2	N/A	3978364C1	N/A
AJ95F	18	TN	TXL	4078605C1	3952655C1	AS16	4	N/A	3978364C1	N/A
AK95F	18	TN	TXL	4078605C1	3952655C1	AS17	4	N/A	3978364C1	N/A
KA95-GC	18	BK	TXL	4078605C1	3952655C1	AS17	5	N/A	3978364C1	N/A
KA97C	18	PL	TXL	4078605C1	3952655C1	AS17	6	N/A	3978364C1	N/A
AP95BC	18	TN	150	4078605C1	3952655C1	AS17	7	N/A	3978364C1	N/A
AY95BC	18	TN	150	4078605C1	3952655C1	AS18	7	N/A	3978364C1	N/A
KB34D	18	TN	TXL	4078605C1	3952655C1	AS18	8	N/A	3978364C1	N/A
KC34D	18	TN	TXL	4078605C1	3952655C1	AS18	8	N/A	3978364C1	N/A
VL41E	18	TN	TXL	4078605C1	3952655C1	AS19	9	N/A	3978364C1	N/A
AP95BA	18	TN	150	4078605C1	3952655C1	AS19	10	N/A	3978364C1	N/A
AY95BA	18	TN	150	4078605C1	3952655C1	AS19	10	N/A	3978364C1	N/A
KA41-GA	18	WH	TXL	4078605C1	3952655C1	AS2	11	N/A	3978364C1	N/A
KA97P	18	TN	TXL	4078605C1	3952655C1	AS2	12	N/A	3978364C1	N/A
KJ92A19	18	TN	TXL	4078605C1	3952655C1	AS2	14	N/A	3978364C1	N/A
KJ92A13	18	TN	TXL	4078605C1	3952655C1	AS2	16	N/A	3978364C1	N/A
KA13	18	PK	TXL	4078605C1	3952655C1	AS2	17	N/A	3978364C1	N/A
KJ92A2	18	TN	TXL	4078605C1	3952655C1	AS2	20	N/A	3978364C1	N/A
KJ92A17	18	TN	TXL	4078605C1	3952655C1	AS2	21	N/A	3978364C1	N/A
KJ92A14	18	TN	TXL	4078605C1	3952655C1	AS2	22	N/A	3978364C1	N/A
KJ92A6	18	TN	TXL	4078605C1	3952655C1	AS2	23	N/A	3978364C1	N/A
KA95GBE	18	TN	TXL	4078605C1	3952655C1	AS2	24	N/A	3978364C1	N/A
ZB23A	18	TN	TXL	4078605C1	3952655C1	AS2	25	N/A	3978364C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
ZC23A	18	TN	TXL	4078605C1	3952655C1	AS2	25	N/A	3978364C1	N/A
ZS23A	18	TN	TXL	4078605C1	3952655C1	AS2	25	N/A	3978364C1	N/A
ZT23A	18	TN	TXL	4078605C1	3952655C1	AS2	25	N/A	3978364C1	N/A
AJ95AB	18	TN	TXL	4078605C1	3952655C1	AS2	28	N/A	3978364C1	N/A
AK95AB	18	TN	TXL	4078605C1	3952655C1	AS2	28	N/A	3978364C1	N/A
KA97N	18	PL	TXL	4078605C1	3952655C1	AS2	29	N/A	3978364C1	N/A
KA41A	18	TN	TXL	4078605C1	3952655C1	AS2	31	N/A	3978364C1	N/A
KA99B	18	PL	TXL	4078605C1	3952655C1	AS2	33	N/A	3978364C1	N/A
AP95K	18	TN	150	4078605C1	3952655C1	AS2	34	N/A	3978364C1	N/A
AY95K	18	TN	150	4078605C1	3952655C1	AS2	34	N/A	3978364C1	N/A
ZD95DA	18	TN	150	4078605C1	3952655C1	AS2	36	N/A	3978364C1	N/A
ZE95DA	18	TN	TXL	4078605C1	3952655C1	AS2	36	N/A	3978364C1	N/A
ZF95DA	18	TN	150	4078605C1	3952655C1	AS2	36	N/A	3978364C1	N/A
ZG95DA	18	TN	TXL	4078605C1	3952655C1	AS2	36	N/A	3978364C1	N/A
ZU95DA	18	TN	150	4078605C1	3952655C1	AS2	36	N/A	3978364C1	N/A
ZV95DA	18	TN	TXL	4078605C1	3952655C1	AS2	36	N/A	3978364C1	N/A
ZW95DA	18	TN	150	4078605C1	3952655C1	AS3	36	N/A	3978364C1	N/A
ZX95DA	18	TN	TXL	4078605C1	3952655C1	AS3	36	N/A	3978364C1	N/A
KJ92A1	18	TN	TXL	4078605C1	3952655C1	AS3	39	N/A	3978364C1	N/A
KJ92A9	18	TN	TXL	4078605C1	3952655C1	AS3	40	N/A	3978364C1	N/A
KJ92A16	18	TN	TXL	4078605C1	3952655C1	AS3	46	N/A	3978364C1	N/A
CC99D	18	PL	TXL	4078605C1	3952655C1	AS3	50	N/A	3978364C1	N/A
CD99D	18	PL	TXL	4078605C1	3952655C1	AS3	50	N/A	3978364C1	N/A
VA95-GF	18	WH	TXL	4078605C1	3952655C1	AS3	55	N/A	3978364C1	N/A
VB95-GF	18	WH	TXL	4078605C1	3952655C1	AS3	55	N/A	3978364C1	N/A
VE95-GF	18	WH	TXL	4078605C1	3952655C1	AS3	55	N/A	3978364C1	N/A
KJ92A5	18	TN	TXL	4078605C1	3952655C1	AS3	56	N/A	3978364C1	N/A
KA97M	18	PL	TXL	4078605C1	3952655C1	AS3	57	N/A	3978364C1	N/A
AJ95H	18	TN	TXL	4078605C1	3952655C1	AS3	58	N/A	3978364C1	N/A
AK95H	18	TN	TXL	4078605C1	3952655C1	AS3	58	N/A	3978364C1	N/A
KF5S(-)	20	GN	193	4078604C1	3952655C1	AS3	59	N/A	3978364C1	N/A
KH5S(-)	20	GN	193	4078604C1	3952655C1	AS3	59	N/A	3978364C1	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
XR5S127	20	GN	193	4078604C1	3952655C1	AS3	59	N/A	3978364C1	N/A
XX5S127	20	GN	193	4078604C1	3952655C1	AS3	59	N/A	3978364C1	N/A
XZ5R117	20	GN	193	4078604C1	3952655C1	AS3	59	N/A	3978364C1	N/A
AP5A(-)	18	GN	TXL	4078605C1	3952655C1	AS3	60	N/A	3978364C1	N/A
AY5A(-)	18	GN	TXL	4078605C1	3952655C1	AS3	60	N/A	3978364C1	N/A
KA98GN	20	GN	193	4078604C1	3952655C1	AS3	61	N/A	3978364C1	N/A
AP9A	18	TN	TXL	4078605C1	3952655C1	AS3	63	N/A	3978364C1	N/A
AY9A	18	TN	TXL	4078605C1	3952655C1	AS3	63	N/A	3978364C1	N/A
AJ95AT2	18	TN	TXL	4078605C1	3952655C1	AS3	64	N/A	3978364C1	N/A
AK95AT2	18	TN	TXL	4078605C1	3952655C1	AS3	64	N/A	3978364C1	N/A
KJ92A7	18	TN	TXL	4078605C1	3952655C1	AS3	65	N/A	3978364C1	N/A
SG92A11	18	TN	TXL	4078605C1	3952655C1	AS4	66	N/A	3978364C1	N/A
SH92A18	18	TN	TXL	4078605C1	3952655C1	AS4	66	N/A	3978364C1	N/A
SJ92A18	18	TN	TXL	4078605C1	3952655C1	AS4	66	N/A	3978364C1	N/A
AJ95AR2	18	RD	TXL	4078605C1	3952655C1	AS4	67	N/A	3978364C1	N/A
AK95AR2	18	RD	TXL	4078605C1	3952655C1	AS4	67	N/A	3978364C1	N/A
AJ95AU2	18	TN	TXL	4078605C1	3952655C1	AS4	69	N/A	3978364C1	N/A
AK95AU2	18	TN	TXL	4078605C1	3952655C1	AS4	69	N/A	3978364C1	N/A
KA95TB	18	GY	TXL	4078605C1	3952655C1	AS4	72	N/A	3978364C1	N/A
ZA23-G	18	WH	TXL	4078605C1	3952655C1	AS4	76	N/A	3978364C1	N/A
ZR23-G	18	WH	TXL	4078605C1	3952655C1	AS4	76	N/A	3978364C1	N/A
KJ92A8	18	TN	TXL	4078605C1	3952655C1	AS4	77	N/A	3978364C1	N/A
KJ92A10	18	TN	TXL	4078605C1	3952655C1	AS4	78	N/A	3978364C1	N/A
KL47T	18	GY	TXL	4078605C1	3952655C1	AS5	78	N/A	3978364C1	N/A
KF5S(+)	20	YL	193	4078604C1	3952655C1	AS5	83	N/A	3978364C1	N/A
KH5S(+)	20	YL	193	4078604C1	3952655C1	AS5	83	N/A	3978364C1	N/A
XR5S106	20	YL	193	4078604C1	3952655C1	AS5	83	N/A	3978364C1	N/A
XX5S106	20	YL	193	4078604C1	3952655C1	AS5	83	N/A	3978364C1	N/A
XZ5R106	20	YL	193	4078604C1	3952655C1	AS5	83	N/A	3978364C1	N/A
AP5A(+)	18	YL	TXL	4078605C1	3952655C1	AS5	84	N/A	3978364C1	N/A
AY5A(+)	18	YL	TXL	4078605C1	3952655C1	AS5	84	N/A	3978364C1	N/A
KA98YL	20	YL	193	4078604C1	3952655C1	AS5	85	N/A	3978364C1	N/A



Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
AJ95AS2	18	TN	TXL	4078605C1	3952655C1	AS5		87 N/A	3978364C1	N/A
AK95AS2	18	TN	TXL	4078605C1	3952655C1	AS5		87 N/A	3978364C1	N/A
KJ92A12	18	TN	TXL	4078605C1	3952655C1	AS5		90 N/A	3978364C1	N/A
PL47	18	GY	TXL	4078605C1	3952655C1	AS8		91 N/A	3978364C1	N/A
XN47	18	GY	TXL	4078605C1	3952655C1	AS8		91 N/A	3978364C1	N/A
XP47A125	18	TN	TXL	4078605C1	3952655C1	AS8		91 N/A	3978364C1	N/A
XQ47A125	18	TN	TXL	4078605C1	3952655C1	AS9		91 N/A	3978364C1	N/A
XY47A125	18	TN	TXL	4078605C1	3952655C1	AS9		91 N/A	3978364C1	N/A
PL47A	18	GY	TXL	4078605C1	3952655C1	AS9		92 N/A	3978364C1	N/A
XN47A	18	GY	TXL	4078605C1	3952655C1	BS1		92 N/A	3978364C1	N/A
AP95DVH	20	TN	150	3689959C1	3952656C1	BS1		1 3623615C1	N/A	N/A
AY95DVH	20	TN	150	3689959C1	3952656C1	BS1		1 3623615C1	N/A	N/A
AJ95E	20	TN	TXL	3689959C1	3952656C1	BS1		2 3623615C1	N/A	N/A
AK95E	20	TN	TXL	3689959C1	3952656C1	BS1		2 3623615C1	N/A	N/A
KA14G	14	RD	TXL	3687802C1	3952656C1	BS1		3 3624233C1	N/A	N/A
KA92D16	14	WH	TXL	3687802C1	3952656C1	BS1		4 3624233C1	N/A	N/A
AP95DVL	20	TN	150	3689959C1	3952656C1	BS1		6 3623615C1	N/A	N/A
AY95DVL	20	TN	150	3689959C1	3952656C1	BS1		6 3623615C1	N/A	N/A
KA92BA16	14	WH	TXL	3687802C1	3952656C1	BS1		7 3624233C1	N/A	N/A
KA14HC	14	RD	TXL	3687802C1	3952656C1	BS1		8 3624233C1	N/A	N/A
KA14K	14	RD	TXL	3687802C1	3952656C1	BS1		9 3624233C1	N/A	N/A
KA92C16	14	WH	TXL	3687802C1	3952656C1	BS1		10 3624233C1	N/A	N/A
KA95SB	20	TN	TXL	3689959C1	3952656C1	BS1		11 3623615C1	N/A	N/A
KA92BB16	14	WH	TXL	3687802C1	3952656C1	BS1		13 3624233C1	N/A	N/A
KA14KAA	14	RD	TXL	3687802C1	3952656C1	BS1		14 3624233C1	N/A	N/A
KA14H	14	RD	TXL	3687802C1	3952656C1	BS1		15 3624233C1	N/A	N/A
KA92E16	14	WH	TXL	3687802C1	3952656C1	BS1		16 3624233C1	N/A	N/A
KY95W	18	TN	GXL	3526966C1	3977821C1	BS1		1 N/A	N/A	N/A
KY95-GG	18	WH	GXL	3526966C1	3977821C1	BS1		2 N/A	N/A	N/A
5A(-)	18	GN	TXL	1680205C1	3991593C1	BS1		1 N/A	3545579C1	N/A
5A(+)	18	YL	TXL	1680205C1	3991593C1	BS1		2 N/A	3545579C1	N/A
10-GL	18	WH	TXL	1680205C1	3991593C1	BS1		3 N/A	3545579C1	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
13A	18	PK	TXL	1680205C1	3991593C1	BS1		4 N/A	3545579C1	N/A
95H	18	TN	TXL	3612255C1	3993814C1	BS1		1 3532128C1	N/A	N/A
95AR	18	TN	TXL	3765669C1	3993814C1	BS1		2 3532128C1	N/A	N/A
95F	18	TN	TXL	3612255C1	3993814C1	BS1		3 3532128C1	N/A	N/A
95E	18	TN	TXL	3612255C1	3993814C1	BS1		4 3532128C1	N/A	N/A
AA74C1	20	LTGN	TXL	3544883C1	4057474C1	BS1	A	N/A	N/A	N/A
AA74C2	20	LTGN	TXL	3544883C1	4057474C1	BS1	B	N/A	N/A	N/A
AA74C3	20	LTGN	TXL	3544883C1	4057474C1	BS10	C	N/A	N/A	N/A
AA74C4	20	LTGN	TXL	3544883C1	4057474C1	BS10	D	N/A	N/A	N/A
AA74C5	20	LTGN	TXL	3544883C1	4057474C1	BS10	E	N/A	N/A	N/A
AA74D1	20	LTGN	TXL	3544883C1	4057474C1	BS10	F	N/A	N/A	N/A
AA74D2	20	LTGN	TXL	3544883C1	4057474C1	BS10	G	N/A	N/A	N/A
AA74D3	20	LTGN	TXL	3544883C1	4057474C1	BS10	H	N/A	N/A	N/A
AA74D4	20	LTGN	TXL	3544883C1	4057474C1	BS11	J	N/A	N/A	N/A
AA74D5	20	LTGN	TXL	3544883C1	4057474C1	BS11	K	N/A	N/A	N/A
AA74E1	20	LTGN	TXL	3544883C1	4057474C1	BS11	L	N/A	N/A	N/A
AA74E2	20	LTGN	TXL	3544883C1	4057474C1	BS12	M	N/A	N/A	N/A
AA74E3	20	LTGN	TXL	3544883C1	4057474C1	BS12	N	N/A	N/A	N/A
AA74E4	20	LTGN	TXL	3544883C1	4057474C1	BS12	P	N/A	N/A	N/A
AA74E5	20	LTGN	TXL	3544883C1	4057474C1	BS12	S	N/A	N/A	N/A
AA74A1	20	LTGN	TXL	3544883C1	4057658C1	BS13	A	N/A	N/A	N/A
AA74A2	20	LTGN	TXL	3544883C1	4057658C1	BS13	B	N/A	N/A	N/A
AA74A3	20	LTGN	TXL	3544883C1	4057658C1	BS13	C	N/A	N/A	N/A
AA74A4	20	LTGN	TXL	3544883C1	4057658C1	BS13	D	N/A	N/A	N/A
AA74A5	20	LTGN	TXL	3544883C1	4057658C1	BS13	E	N/A	N/A	N/A
AA74B1	20	LTGN	TXL	3544883C1	4057658C1	BS13	F	N/A	N/A	N/A
AA74B2	20	LTGN	TXL	3544883C1	4057658C1	BS13	G	N/A	N/A	N/A
AA74B3	20	LTGN	TXL	3544883C1	4057658C1	BS13	H	N/A	N/A	N/A
AA74B4	20	LTGN	TXL	3544883C1	4057658C1	BS13	J	N/A	N/A	N/A
AA74B5	20	LTGN	TXL	3544883C1	4057658C1	BS13	K	N/A	N/A	N/A
AA77D	20	LTGN	TXL	3544883C1	4057658C1	BS13	L	N/A	N/A	N/A
AA6AM	20	GY	TXL	3544883C1	4057658C1	BS13	M	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
DH75AB	18	LTGN	TXL	3544884C1	4057658C1	BS14	N	N/A	N/A	N/A
AA75B	20	LTGN	TXL	3544883C1	4057658C1	BS14	P	N/A	N/A	N/A
14CSB2	20	RD	TXL	6127313C1	4061584C1	BS14		1 N/A	N/A	N/A
5CE(-)	20	GN	193	6127313C1	4061584C1	BS14		3 N/A	N/A	N/A
5CE(+)	20	YL	193	6127313C1	4061584C1	BS14		4 N/A	N/A	N/A
5DB(-)	20	GN	193	6127313C1	4061584C1	BS14		6 N/A	N/A	N/A
5DB(+)	20	YL	193	6127313C1	4061584C1	BS14		7 N/A	N/A	N/A
11COG2	20	WH	TXL	6127313C1	4061584C1	BS14		8 N/A	N/A	N/A
13COG2	20	PK	TXL	6127313C1	4061584C1	BS14		9 N/A	N/A	N/A
DH75	12	RD	GXL	1661227C1	4061870C1	BS14	A	N/A	N/A	N/A
AA75-G	12	WH	TXL	1661227C1	4061870C1	BS14	B	N/A	N/A	N/A
3D5L(-)	20	GN	1939	4062808C1	4062806C1	BS14		7 N/A	4062807C1	N/A
3M5L(-)	20	GN	1939	4062808C1	4062806C1	BS15		7 N/A	4062807C1	N/A
9L5L(-)	20	GN	1939	4062808C1	4062806C1	BS15		7 N/A	4062807C1	N/A
9V5L(-)	20	GN	1939	4062808C1	4062806C1	BS15		7 N/A	4062807C1	N/A
JC5L(-)	20	GN	1939	4062808C1	4062806C1	BS16		7 N/A	4062807C1	N/A
JD5L(-)	20	GN	1939	4062808C1	4062806C1	BS16		7 N/A	4062807C1	N/A
LM971G	20	PK	TXL	4062808C1	4062806C1	BS16		8 N/A	4062807C1	N/A
LM97-G	20	WH	TXL	4062808C1	4062806C1	BS16		9 N/A	4062807C1	N/A
3D5L(+)	20	YL	1939	4062808C1	4062806C1	BS16		15 N/A	4062807C1	N/A
3M5L(+)	20	YL	1939	4062808C1	4062806C1	BS16		15 N/A	4062807C1	N/A
9L5L(+)	20	YL	1939	4062808C1	4062806C1	BS16		15 N/A	4062807C1	N/A
9V5L(+)	20	YL	1939	4062808C1	4062806C1	BS16		15 N/A	4062807C1	N/A
JC5L(+)	20	YL	1939	4062808C1	4062806C1	BS16		15 N/A	4062807C1	N/A
JD5L(+)	20	YL	1939	4062808C1	4062806C1	BS16		15 N/A	4062807C1	N/A
LM97B	20	RD	TXL	4062808C1	4062806C1	BS2		18 N/A	4062807C1	N/A
U58AA	16	BN	TXL	3600050C1	4062974C1	BS2		1 3665870C1	N/A	N/A
U11-GAD	16	WH	TXL	3600050C1	4062974C1	BS2		2 3665870C1	N/A	N/A
AK28A	20	TN	TXL	4062808C1	4063041C1	BS2		1 N/A	N/A	N/A
AK9CDC	20	GY	TXL	4062808C1	4063041C1	BS2		2 N/A	N/A	N/A
AK62F	20	DKBL	TXL	4062808C1	4063041C1	BS2		3 N/A	N/A	N/A
AK11-GKF	20	WH	TXL	4062808C1	4063041C1	BS2		4 N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
AA13D	18	PK	TXL	3544876C1	4063156C1	BS2	A	N/A	N/A	N/A
JM5BF(+)	18	YL	TXL	3544884C1	4063156C1	BS2	B	N/A	N/A	N/A
JN5BF(+)	18	YL	TXL	3544884C1	4063156C1	BS2	B	N/A	N/A	N/A
JP5BF(+)	18	YL	TXL	3544884C1	4063156C1	BS2	B	N/A	N/A	N/A
JR5BF(+)	18	YL	TXL	3544884C1	4063156C1	BS2	B	N/A	N/A	N/A
JM5BF(-)	18	LTGN	TXL	3544884C1	4063156C1	BS2	C	N/A	N/A	N/A
JN5BF(-)	18	LTGN	TXL	3544884C1	4063156C1	BS2	C	N/A	N/A	N/A
JP5BF(-)	18	LTGN	TXL	3544884C1	4063156C1	BS2	C	N/A	N/A	N/A
JR5BF(-)	18	LTGN	TXL	3544884C1	4063156C1	BS2	C	N/A	N/A	N/A
AA50B	18	YL	TXL	3544884C1	4063156C1	BS2	E	N/A	N/A	N/A
AA50A	18	YL	TXL	3544876C1	4063156C1	BS2	H	N/A	N/A	N/A
AA11-GN	18	WH	TXL	3544876C1	4063156C1	BS2	J	N/A	N/A	N/A
AA62	18	DKBL	TXL	3544884C1	4063156C1	BS2	L	N/A	N/A	N/A
DA62DA	16	DKBL	TXL	3544884C1	4063156C1	BS2	M	N/A	N/A	N/A
2J62A	18	DKBL	TXL	3544884C1	4063156C1	BS2	N	N/A	N/A	N/A
AA50	18	YL	TXL	3544884C1	4063156C1	BS2	P	N/A	N/A	N/A
AA14D	18	RD	TXL	3544876C1	4063156C1	BS2	S	N/A	N/A	N/A
AT28A	20	TN	TXL	3702881C1	4063415C1	BS2		1 N/A	N/A	N/A
AT28B	20	TN	TXL	3702881C1	4063415C1	BS2		3 N/A	N/A	N/A
AT28C	20	TN	TXL	3702881C1	4063415C1	BS2		4 N/A	N/A	N/A
AuxGaugeST	18	TN	GXL	3702881C1	4063415C1	BS3		1 N/A	N/A	N/A
AuxGaugeG†	18	TN	GXL	3702881C1	4063415C1	BS3		3 N/A	N/A	N/A
AuxGaugePv	18	TN	GXL	3702881C1	4063415C1	BS3		4 N/A	N/A	N/A
AuxGaugeST	18	TN	GXL	3702881C1	4063415C1	BS3		1 N/A	N/A	N/A
AuxGaugeG†	18	TN	GXL	3702881C1	4063415C1	BS3		3 N/A	N/A	N/A
AuxGaugePv	18	TN	GXL	3702881C1	4063415C1	BS3		4 N/A	N/A	N/A
BK92#134	18	TN	TXL	3544884C1	4064551C1	BS4	B	N/A	N/A	N/A
XX92	18	TN	TXL	3544884C1	4064551C1	BS4	C	N/A	N/A	N/A
XX9ZA	18	GY	TXL	3544884C1	4064551C1	BS4	D	N/A	N/A	N/A
BK5FA(+)	18	YL	TXL	3544884C1	4064551C1	BS4	E	N/A	N/A	N/A
BK5FA(-)	18	GN	TXL	3544884C1	4064551C1	BS4	F	N/A	N/A	N/A
BK62DC	18	DKBL	TXL	3544884C1	4064551C1	BS4	G	N/A	N/A	N/A

<b>Circuit</b>				<b>Terminal Splice</b>	<b>Connector Body</b>	<b>Connector</b>					
<b>Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Number</b>	<b>Part Numbers</b>	<b>Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>	
BK92-GAH	18	WH	TXL	3544884C1	4064551C1	BS5	H	N/A	N/A	N/A	
GY92#134	18	TN	TXL	3544884C1	4064551C1	BS5	B	N/A	N/A	N/A	
MN92	18	TN	TXL	3544884C1	4064551C1	BS5	C	N/A	N/A	N/A	
MN9ZA	18	GY	TXL	3544884C1	4064551C1	BS5	D	N/A	N/A	N/A	
3D5J(+)	18	YL	TXL	3544884C1	4064551C1	BS5	E	N/A	N/A	N/A	
3M5J(+)	18	YL	TXL	3544884C1	4064551C1	BS5	E	N/A	N/A	N/A	
JD5J(+)	18	YL	TXL	3544884C1	4064551C1	BS6	E	N/A	N/A	N/A	
JG5J(+)	18	YL	TXL	3544884C1	4064551C1	BS6	E	N/A	N/A	N/A	
SN5J(+)	18	YL	TXL	3544884C1	4064551C1	BS6	E	N/A	N/A	N/A	
SP5J(+)	18	YL	TXL	3544884C1	4064551C1	BS6	E	N/A	N/A	N/A	
3D5J(-)	18	GN	TXL	3544884C1	4064551C1	BS6	F	N/A	N/A	N/A	
3M5J(-)	18	GN	TXL	3544884C1	4064551C1	BS6	F	N/A	N/A	N/A	
JD5J(-)	18	GN	TXL	3544884C1	4064551C1	BS7	F	N/A	N/A	N/A	
JG5J(-)	18	GN	TXL	3544884C1	4064551C1	BS7	F	N/A	N/A	N/A	
SN5J(-)	18	GN	TXL	3544884C1	4064551C1	BS7	F	N/A	N/A	N/A	
SP5J(-)	18	GN	TXL	3544884C1	4064551C1	BS7	F	N/A	N/A	N/A	
MM92DC	18	TN	TXL	3544884C1	4064551C1	BS7	G	N/A	N/A	N/A	
MM92-GAH	18	WH	TXL	3544884C1	4064551C1	BS7	H	N/A	N/A	N/A	
BK92#134	18	TN	TXL	3544886C1	4064552C1	BS7	B	N/A	N/A	N/A	
XX92	18	TN	TXL	3544886C1	4064552C1	BS7	C	N/A	N/A	N/A	
XX9ZA	18	GY	TXL	3544886C1	4064552C1	BS7	D	N/A	N/A	N/A	
BK5FA(+)	18	YL	TXL	3544886C1	4064552C1	BS7	E	N/A	N/A	N/A	
BK5FA(-)	18	GN	TXL	3544886C1	4064552C1	BS7	F	N/A	N/A	N/A	
BK62DC	18	DKBL	TXL	3544886C1	4064552C1	BS7	G	N/A	N/A	N/A	
BK92-GAH	18	WH	TXL	3544886C1	4064552C1	BS7	H	N/A	N/A	N/A	
LD63SC	18	DKBL	GXL	4092976C1	4092975C1	BS7	A	N/A	N/A	N/A	
LE63SC	18	DKBL	GXL	4092976C1	4092975C1	BS7	A	N/A	N/A	N/A	
LA63SCA	18	DKBL	GXL	4092976C1	4092975C1	BS7	A	N/A	N/A	N/A	
HY11-GSC	18	WH	GXL	587578C1	587565C91	BS7	A	N/A	N/A	N/A	
CN98J	18	BK	TXL	587578C1	587565C91	BS7	A	N/A	N/A	N/A	
HC105-GAP	18	WH	TXL	587578C1	587567C91	BS7	A	N/A	N/A	N/A	
HC105	18	LTGN	TXL	587578C1	587567C91	BS7	B	N/A	N/A	N/A	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
JV94TT	14	GY	GXL	587577C1	587567C91	BS7	A	N/A	N/A	N/A
HF94TT	14	GY	TXL	587577C1	587567C91	BS7	A	N/A	N/A	N/A
GT94TT	14	GY	GXL	587577C1	587567C91	BS7	A	N/A	N/A	N/A
HG94TT	14	GY	TXL	587577C1	587567C91	BS7	A	N/A	N/A	N/A
SF59DA	18	GY	TXL	587576C1	587568C91	BS7	A	N/A	N/A	N/A
RK59EA	18	GY	TXL	587576C1	587568C91	BS8	B	N/A	N/A	N/A
GP94TT	20	GY	GXL	587576C1	587568C91	BS8	A	N/A	N/A	N/A
GT94TT	14	GY	GXL	587575C1	587568C91	BS8	A	N/A	N/A	N/A
JV94TT	14	GY	GXL	587575C1	587568C91	BS8	A	N/A	N/A	N/A
SV5UE(+)	20	YL	193	3987168C1	6111813C1	BS8		1 3987169C1	N/A	N/A
WX5UE(+)	18	YL	TXL	3987168C1	6111813C1	BS8		2 4062195C1	N/A	N/A
NW67-GG	20	WH	TXL	3987168C1	6111813C1	BS8		5 3987169C1	N/A	N/A
SV5UE(-)	20	GN	193	3987168C1	6111813C1	BS8		6 3987169C1	N/A	N/A
WX5UE(-)	18	GN	TXL	3987168C1	6111813C1	BS8		7 4062195C1	N/A	N/A
NW67Y	20	PK	TXL	3987168C1	6111813C1	BS9		8 3987169C1	N/A	N/A
NC94MC	18	GY	TXL	6111842C1	6111844C1	BS9		1 6111843C1	N/A	N/A
NC94MD	18	GY	TXL	6111842C1	6111844C1	BS9		2 6111843C1	N/A	N/A
PC94ME	18	GY	TXL	6111842C1	6111844C1	BS9		1 6111843C1	N/A	N/A
PC94MF	18	GY	TXL	6111842C1	6111844C1	BS9		2 6111843C1	N/A	N/A
ST94MD	18	GY	TXL	6111842C1	6111844C1	BS9		1 6111843C1	N/A	N/A
ST94ME	18	GY	TXL	6111842C1	6111844C1	CS1		2 6111843C1	N/A	N/A
ST94MF	18	GY	TXL	6111842C1	6111844C1	CS1		1 6111843C1	N/A	N/A
ST94MH	18	GY	TXL	6111842C1	6111844C1	CS1		2 6111843C1	N/A	N/A
UJ94MF	18	GY	TXL	6111842C1	6111844C1	CS1		1 6111843C1	N/A	N/A
US94MF	18	GY	TXL	6111842C1	6111844C1	CS1		1 6111843C1	N/A	N/A
UJ94MH	18	GY	TXL	6111842C1	6111844C1	CS1		2 6111843C1	N/A	N/A
US94MH	18	GY	TXL	6111842C1	6111844C1	CS1		2 6111843C1	N/A	N/A
UJ94MD	18	GY	TXL	6111842C1	6111844C1	CS1		1 6111843C1	N/A	N/A
US94MD	18	GY	TXL	6111842C1	6111844C1	CS1		1 6111843C1	N/A	N/A
UJ94ME	18	GY	TXL	6111842C1	6111844C1	CS1		2 6111843C1	N/A	N/A
US94ME	18	GY	TXL	6111842C1	6111844C1	CS2		2 6111843C1	N/A	N/A
VB94MD	18	GY	TXL	6111842C1	6111844C1	CS2		1 6111843C1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
VB94ME	18	GY	TXL	6111842C1	6111844C1	CS2		2 6111843C1	N/A	N/A
VB94MF	18	GY	TXL	6111842C1	6111844C1	CS2		1 6111843C1	N/A	N/A
VB94MH	18	GY	TXL	6111842C1	6111844C1	CS2		2 6111843C1	N/A	N/A
VB94BQA	18	GY	TXL	6111842C1	6111844C1	CS2		1 6111843C1	N/A	N/A
VB94BRA	18	GY	TXL	6111842C1	6111844C1	CS3		2 6111843C1	N/A	N/A
VB94BVA	18	GY	TXL	6111842C1	6111844C1	CS3		1 6111843C1	N/A	N/A
VB94BWA	18	GY	TXL	6111842C1	6111844C1	CS3		2 6111843C1	N/A	N/A
SR94MD	18	GY	TXL	6111842C1	6111844C1	CS3		1 6111843C1	N/A	N/A
US94BQA	18	GY	TXL	6111842C1	6111844C1	CS3		1 6111843C1	N/A	N/A
VT94MD	18	GY	TXL	6111842C1	6111844C1	CS3		1 6111843C1	N/A	N/A
SR94ME	18	GY	TXL	6111842C1	6111844C1	CS3		2 6111843C1	N/A	N/A
US94BRA	18	GY	TXL	6111842C1	6111844C1	CS3		2 6111843C1	N/A	N/A
VT94ME	18	GY	TXL	6111842C1	6111844C1	CS4		2 6111843C1	N/A	N/A
SS94MD	18	GY	TXL	6111842C1	6111844C1	CS4		1 6111843C1	N/A	N/A
UJ94BQA	18	GY	TXL	6111842C1	6111844C1	CS4		1 6111843C1	N/A	N/A
SS94ME	18	GY	TXL	6111842C1	6111844C1	DS1		2 6111843C1	N/A	N/A
UJ94BRA	18	GY	TXL	6111842C1	6111844C1	DS1		2 6111843C1	N/A	N/A
SR94MF	18	GY	TXL	6111842C1	6111844C1	DS1		1 6111843C1	N/A	N/A
US94BVA	18	GY	TXL	6111842C1	6111844C1	DS1		1 6111843C1	N/A	N/A
VT94MF	18	GY	TXL	6111842C1	6111844C1	DS1		1 6111843C1	N/A	N/A
SR94MH	18	GY	TXL	6111842C1	6111844C1	DS1		2 6111843C1	N/A	N/A
US94BWA	18	GY	TXL	6111842C1	6111844C1	DS1		2 6111843C1	N/A	N/A
VT94MH	18	GY	TXL	6111842C1	6111844C1	DS1		2 6111843C1	N/A	N/A
SS94MF	18	GY	TXL	6111842C1	6111844C1	DS1		1 6111843C1	N/A	N/A
UJ94BVA	18	GY	TXL	6111842C1	6111844C1	DS1		1 6111843C1	N/A	N/A
SS94MH	18	GY	TXL	6111842C1	6111844C1	DS1		2 6111843C1	N/A	N/A
UJ94BWA	18	GY	TXL	6111842C1	6111844C1	DS1		2 6111843C1	N/A	N/A
TF94BY	16	GY	GXL	3618273C1	6112506C1	DS1		1 N/A	N/A	N/A
UJ94BY	18	GY	GXL	3618272C1	6112506C1	DS1		1 N/A	N/A	N/A
UP94BY	16	GY	GXL	3618273C1	6112506C1	DS1		1 N/A	N/A	N/A
US94BY	18	GY	GXL	3618272C1	6112506C1	DS2		1 N/A	N/A	N/A
VA94BY	16	GY	GXL	3618273C1	6112506C1	DS2		1 N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
VB94BY	18	GY	GXL	3618272C1	6112506C1	DS2	1	N/A	N/A	N/A
TF94BZ	16	GY	GXL	3618273C1	6112506C1	DS2	2	N/A	N/A	N/A
UJ94BZ	18	GY	GXL	3618272C1	6112506C1	DS2	2	N/A	N/A	N/A
UP94BZ	16	GY	GXL	3618273C1	6112506C1	DS2	2	N/A	N/A	N/A
US94BZ	18	GY	GXL	3618272C1	6112506C1	DS2	2	N/A	N/A	N/A
VA94BZ	16	GY	GXL	3618273C1	6112506C1	DS2	2	N/A	N/A	N/A
VB94BZ	18	GY	GXL	3618272C1	6112506C1	DS2	2	N/A	N/A	N/A
TF94BP	16	GY	GXL	3618273C1	6112506C1	DS2	3	N/A	N/A	N/A
UJ94BP	18	GY	GXL	3618272C1	6112506C1	DS2	3	N/A	N/A	N/A
UP94BP	16	GY	GXL	3618273C1	6112506C1	DS2	3	N/A	N/A	N/A
US94BP	18	GY	GXL	3618272C1	6112506C1	DS2	3	N/A	N/A	N/A
VA94BP	16	GY	GXL	3618273C1	6112506C1	DS2	3	N/A	N/A	N/A
VB94BP	18	GY	GXL	3618272C1	6112506C1	DS2	3	N/A	N/A	N/A
TF94BQ	16	GY	GXL	3618273C1	6112506C1	DS3	4	N/A	N/A	N/A
UJ94BQ	18	GY	GXL	3618272C1	6112506C1	DS3	4	N/A	N/A	N/A
UP94BQ	16	GY	GXL	3618273C1	6112506C1	DS3	4	N/A	N/A	N/A
US94BQ	18	GY	GXL	3618272C1	6112506C1	DS3	4	N/A	N/A	N/A
VA94BQ	16	GY	GXL	3618273C1	6112506C1	DS3	4	N/A	N/A	N/A
VB94BQ	18	GY	GXL	3618272C1	6112506C1	DS3	4	N/A	N/A	N/A
TF94BR	16	GY	GXL	3618273C1	6112506C1	DS3	5	N/A	N/A	N/A
UJ94BR	18	GY	GXL	3618272C1	6112506C1	DS3	5	N/A	N/A	N/A
UP94BR	16	GY	GXL	3618273C1	6112506C1	DS3	5	N/A	N/A	N/A
US94BR	18	GY	GXL	3618272C1	6112506C1	DS4	5	N/A	N/A	N/A
VA94BR	16	GY	GXL	3618273C1	6112506C1	DS4	5	N/A	N/A	N/A
VB94BR	18	GY	GXL	3618272C1	6112506C1	DS4	5	N/A	N/A	N/A
TF94BS	16	GY	GXL	3618273C1	6112506C1	ES1	6	N/A	N/A	N/A
UJ94BS	18	GY	GXL	3618272C1	6112506C1	ES1	6	N/A	N/A	N/A
UP94BS	16	GY	GXL	3618273C1	6112506C1	ES1	6	N/A	N/A	N/A
US94BS	18	GY	GXL	3618272C1	6112506C1	ES1	6	N/A	N/A	N/A
VA94BS	16	GY	GXL	3618273C1	6112506C1	ES1	6	N/A	N/A	N/A
VB94BS	18	GY	GXL	3618272C1	6112506C1	ES1	6	N/A	N/A	N/A
TF94BT	16	GY	GXL	3618273C1	6112506C1	ES1	7	N/A	N/A	N/A



Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
UJ94BT	18	GY	GXL	3618272C1	6112506C1	ES1	7	N/A	N/A	N/A
UP94BT	16	GY	GXL	3618273C1	6112506C1	ES1	7	N/A	N/A	N/A
US94BT	18	GY	GXL	3618272C1	6112506C1	ES1	7	N/A	N/A	N/A
VA94BT	16	GY	GXL	3618273C1	6112506C1	ES1	7	N/A	N/A	N/A
VB94BT	18	GY	GXL	3618272C1	6112506C1	ES1	7	N/A	N/A	N/A
TF94BU	16	GY	GXL	3618273C1	6112506C1	ES1	8	N/A	N/A	N/A
UJ94BU	18	GY	GXL	3618272C1	6112506C1	ES1	8	N/A	N/A	N/A
UP94BU	16	GY	GXL	3618273C1	6112506C1	ES1	8	N/A	N/A	N/A
US94BU	18	GY	GXL	3618272C1	6112506C1	ES1	8	N/A	N/A	N/A
VA94BU	16	GY	GXL	3618273C1	6112506C1	ES1	8	N/A	N/A	N/A
VB94BU	18	GY	GXL	3618272C1	6112506C1	ES1	8	N/A	N/A	N/A
TF94BV	16	GY	GXL	3618273C1	6112506C1	ES1	9	N/A	N/A	N/A
UJ94BV	18	GY	GXL	3618272C1	6112506C1	ES1	9	N/A	N/A	N/A
UP94BV	16	GY	GXL	3618273C1	6112506C1	ES1	9	N/A	N/A	N/A
US94BV	18	GY	GXL	3618272C1	6112506C1	ES1	9	N/A	N/A	N/A
VA94BV	16	GY	GXL	3618273C1	6112506C1	ES1	9	N/A	N/A	N/A
VB94BV	18	GY	GXL	3618272C1	6112506C1	ES1	9	N/A	N/A	N/A
TF94BW	16	GY	GXL	3618273C1	6112506C1	ES1	10	N/A	N/A	N/A
UJ94BW	18	GY	GXL	3618272C1	6112506C1	ES1	10	N/A	N/A	N/A
UP94BW	16	GY	GXL	3618273C1	6112506C1	ES1	10	N/A	N/A	N/A
US94BW	18	GY	GXL	3618272C1	6112506C1	ES1	10	N/A	N/A	N/A
VA94BW	16	GY	GXL	3618273C1	6112506C1	ES1	10	N/A	N/A	N/A
VB94BW	18	GY	GXL	3618272C1	6112506C1	ES1	10	N/A	N/A	N/A
CC99D	18	PL	TXL	3601686C1	6113104C1	ES1	1	3733609C1	N/A	N/A
CD99D	18	PL	TXL	3601686C1	6113104C1	ES1	1	3733609C1	N/A	N/A
CC95GC	18	VT	GXL	3601686C1	6113104C1	ES1	2	3601687C1	N/A	N/A
CD95GC	18	VT	GXL	3601686C1	6113104C1	ES1	2	3601687C1	N/A	N/A
KA14AF	10	RD	TXL	3752553C1	6113338C1	ES1	1	6113347C1	N/A	N/A
KA14J2	10	RD	GXL	3752553C1	6113338C1	ES1	1	6113347C1	N/A	N/A
KH14K	10	RD	TXL	3752553C1	6113338C1	ES2	3	6113347C1	N/A	N/A
VV14N	10	RD	GXL	3752553C1	6113338C1	ES2	3	6113347C1	N/A	N/A
KH14A	12	RD	TXL	3830799C1	6113341C1	ES2	7	3509903C1	N/A	N/A

Circuit		Terminal Splice			Connector Body	Connector				
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
LJ14A	12	RD	TXL	3830799C1	6113341C1	ES2		7 3509903C1	N/A	N/A
TD92A170	14	RD	GXL	3830798C1	6113341C1	ES2		7 3509903C1	N/A	N/A
TZ92A170	14	RD	GXL	3830798C1	6113341C1	ES2		7 3509903C1	N/A	N/A
XV92#110	12	RD	TXL	3830799C1	6113341C1	ES2		7 3509903C1	N/A	N/A
SK14HC	14	RD	TXL	3830798C1	6113341C1	ES2		10 3509903C1	N/A	N/A
KA14D	12	RD	TXL	3830799C1	6113341C1	ES2		13 3509903C1	N/A	N/A
KA14D	12	RD	TXL	3830799C1	6113341C1	ES2		13 3509903C1	N/A	N/A
95E	18	TN	TXL	3573077C1	6114576C1	ES2		1 N/A	N/A	N/A
95F	18	TN	TXL	3573077C1	6114576C1	ES2		2 N/A	N/A	N/A
95H	18	TN	TXL	3573077C1	6114576C1	ES2		3 N/A	N/A	N/A
95AR	18	TN	TXL	3573077C1	6114576C1	ES2		4 N/A	N/A	N/A
95AC	18	TN	TXL	3573077C1	6114576C1	ES2		5 N/A	N/A	N/A
95AB	18	PL	TXL	3573077C1	6114576C1	ES2		6 N/A	N/A	N/A
95AS	18	TN	TXL	3573077C1	6114576C1	ES2		7 N/A	N/A	N/A
95AT	18	TN	TXL	3573077C1	6114576C1	ES2		8 N/A	N/A	N/A
95AU	18	TN	TXL	3573077C1	6114576C1	ES2		9 N/A	N/A	N/A
95-G	16	TN	TXL	3989901C1	6114576C1	ES2		10 N/A	N/A	N/A
10-GL	18	WH	TXL	3573077C1	6114576C1	ES2		11 N/A	N/A	N/A
13A	18	PK	TXL	3573077C1	6114576C1	ES2		12 N/A	N/A	N/A
5(+)	18	YL	TXL	3573077C1	6114576C1	ES2		13 N/A	N/A	N/A
5(-)	18	GN	TXL	3573077C1	6114576C1	ES2		14 N/A	N/A	N/A
TJ95H	18	TN	TXL	3573077C1	6114576C1	ES2		1 N/A	N/A	N/A
TK95H	18	TN	TXL	3573077C1	6114576C1	ES2		1 N/A	N/A	N/A
TP5A(+)	18	YL	150	3573077C1	6114576C1	ES2		2 N/A	N/A	N/A
TY5A(+)	18	YL	150	3573077C1	6114576C1	ES2		2 N/A	N/A	N/A
KA95TB	18	GY	TXL	3573077C1	6114576C1	ES2		5 N/A	N/A	N/A
TL13AB	18	RD	TXL	3573077C1	6114576C1	ES2		6 N/A	N/A	N/A
TM13AB	18	RD	TXL	3573077C1	6114576C1	ES2		6 N/A	N/A	N/A
TS13AB	18	RD	TXL	3573077C1	6114576C1	ES2		6 N/A	N/A	N/A
TJ95AR2	18	RD	TXL	3573077C1	6114576C1	ES2		8 N/A	N/A	N/A
TK95AR2	18	RD	TXL	3573077C1	6114576C1	ES2		8 N/A	N/A	N/A
TP5A(-)	18	GN	150	3573077C1	6114576C1	ES2		9 N/A	N/A	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
TY5A(-)	18	GN	150	3573077C1	6114576C1	ES2	9	N/A	N/A	N/A
TL10-GK	16	BK	TXL	3989901C1	6114576C1	ES3	13	N/A	N/A	N/A
TM10-GK	16	BK	TXL	3989901C1	6114576C1	ES3	13	N/A	N/A	N/A
TS10-GK	16	BK	TXL	3989901C1	6114576C1	ES3	13	N/A	N/A	N/A
AJ95E	20	TN	TXL	3626441C1	6114577C1	FS1	1	N/A	N/A	N/A
TJ95E	20	TN	TXL	3626441C1	6114577C1	FS1	1	N/A	N/A	N/A
AJ95F	18	TN	TXL	3626441C1	6114577C1	FS1	2	N/A	N/A	N/A
TJ95F	20	TN	TXL	3626441C1	6114577C1	FS1	2	N/A	N/A	N/A
AJ95H	18	TN	TXL	3626441C1	6114577C1	FS1	3	N/A	N/A	N/A
TJ95H	18	TN	TXL	3626441C1	6114577C1	FS1	3	N/A	N/A	N/A
AJ95AR1	18	TN	TXL	3626441C1	6114577C1	FS1	4	N/A	N/A	N/A
TJ95AR1	18	TN	TXL	3626441C1	6114577C1	FS1	4	N/A	N/A	N/A
CA95GE	18	TN	TXL	3626441C1	6114577C1	FS1	5	N/A	N/A	N/A
CC95AC	20	TN	TXL	3626441C1	6114577C1	FS1	5	N/A	N/A	N/A
TJ95AC	20	TN	TXL	3626441C1	6114577C1	FS1	5	N/A	N/A	N/A
AJ95AB	18	TN	TXL	3626441C1	6114577C1	FS1	6	N/A	N/A	N/A
TJ95AB	18	TN	TXL	3626441C1	6114577C1	FS1	6	N/A	N/A	N/A
AJ95AS1	18	TN	TXL	3626441C1	6114577C1	FS1	7	N/A	N/A	N/A
TJ95AS1	18	TN	TXL	3626441C1	6114577C1	FS1	7	N/A	N/A	N/A
AJ95AT1	18	TN	TXL	3626441C1	6114577C1	FS1	8	N/A	N/A	N/A
TJ95AT1	18	TN	TXL	3626441C1	6114577C1	FS1	8	N/A	N/A	N/A
AJ95AU1	18	TN	TXL	3626441C1	6114577C1	FS1	9	N/A	N/A	N/A
TJ95AU1	18	TN	TXL	3626441C1	6114577C1	FS2	9	N/A	N/A	N/A
AL95-GB	16	BK	TXL	3627568C1	6114577C1	FS2	10	N/A	N/A	N/A
AS95-GB	16	BK	TXL	3627568C1	6114577C1	FS2	10	N/A	N/A	N/A
TJ95-GB	16	BK	TXL	3627568C1	6114577C1	FS3	10	N/A	N/A	N/A
AL95-GL	16	BK	TXL	3627568C1	6114577C1	FS3	11	N/A	N/A	N/A
AS95-GL	18	BK	TXL	3626441C1	6114577C1	FS3	11	N/A	N/A	N/A
TL10-GL	18	WH	TXL	3626441C1	6114577C1	GS1	11	N/A	N/A	N/A
TS10-GL	18	WH	TXL	3626441C1	6114577C1	GS1	11	N/A	N/A	N/A
AL13AA	18	RD	TXL	3626441C1	6114577C1	GS1	12	N/A	N/A	N/A
AS13AA	18	RD	TXL	3626441C1	6114577C1	GS1	12	N/A	N/A	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
TL13AA	18	PK	TXL	3626441C1	6114577C1	GS1	12	N/A	N/A	N/A
TS13AA	18	PK	TXL	3626441C1	6114577C1	GS1	12	N/A	N/A	N/A
AL5(+)	18	YL	150	3626441C1	6114577C1	GS1	13	N/A	N/A	N/A
AS5(+)	18	YL	150	3626441C1	6114577C1	GS1	13	N/A	N/A	N/A
TL5(+)	18	YL	150	3626441C1	6114577C1	GS1	13	N/A	N/A	N/A
TS5(+)	18	YL	150	3626441C1	6114577C1	GS1	13	N/A	N/A	N/A
AL5(-)	18	GN	150	3626441C1	6114577C1	GS1	14	N/A	N/A	N/A
AS5(-)	18	GN	150	3626441C1	6114577C1	GS10	14	N/A	N/A	N/A
TL5(-)	18	GN	150	3626441C1	6114577C1	GS10	14	N/A	N/A	N/A
TS5(-)	18	GN	150	3626441C1	6114577C1	GS10	14	N/A	N/A	N/A
AK95E	20	TN	TXL	3626441C1	6114577C1	GS10	1	N/A	N/A	N/A
TK95E	20	TN	TXL	3626441C1	6114577C1	GS10	1	N/A	N/A	N/A
AK95F	18	TN	TXL	3626441C1	6114577C1	GS10	2	N/A	N/A	N/A
TK95F	20	TN	TXL	3626441C1	6114577C1	GS10	2	N/A	N/A	N/A
AK95H	18	TN	TXL	3626441C1	6114577C1	GS10	3	N/A	N/A	N/A
TK95H	18	TN	TXL	3626441C1	6114577C1	GS10	3	N/A	N/A	N/A
AK95AR1	18	TN	TXL	3626441C1	6114577C1	GS10	4	N/A	N/A	N/A
TK95AR1	18	TN	TXL	3626441C1	6114577C1	GS10	4	N/A	N/A	N/A
CB95GE	18	TN	TXL	3626441C1	6114577C1	GS10	5	N/A	N/A	N/A
CD95AC	20	TN	TXL	3626441C1	6114577C1	GS11	5	N/A	N/A	N/A
TK95AC	20	TN	TXL	3626441C1	6114577C1	GS11	5	N/A	N/A	N/A
AK95AB	18	TN	TXL	3626441C1	6114577C1	GS11	6	N/A	N/A	N/A
TK95AB	18	TN	TXL	3626441C1	6114577C1	GS11	6	N/A	N/A	N/A
AK95AS1	18	TN	TXL	3626441C1	6114577C1	GS11	7	N/A	N/A	N/A
TK95AS1	18	TN	TXL	3626441C1	6114577C1	GS11	7	N/A	N/A	N/A
AK95AT1	18	TN	TXL	3626441C1	6114577C1	GS12	8	N/A	N/A	N/A
TK95AT1	18	TN	TXL	3626441C1	6114577C1	GS12	8	N/A	N/A	N/A
AK95AU1	18	TN	TXL	3626441C1	6114577C1	GS12	9	N/A	N/A	N/A
TK95AU1	18	TN	TXL	3626441C1	6114577C1	GS13	9	N/A	N/A	N/A
AM95-GB	16	BK	TXL	3627568C1	6114577C1	GS13	10	N/A	N/A	N/A
AN95-GB	16	BK	TXL	3627568C1	6114577C1	GS13	10	N/A	N/A	N/A
TK95-GB	16	BK	TXL	3627568C1	6114577C1	GS14	10	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
AM95-GL	16	BK	TXL	3627568C1	6114577C1	GS14		11 N/A	N/A	N/A
AN95-GL	16	BK	TXL	3627568C1	6114577C1	GS14		11 N/A	N/A	N/A
TM10-GL	18	WH	TXL	3626441C1	6114577C1	GS15		11 N/A	N/A	N/A
AM13AA	18	RD	TXL	3626441C1	6114577C1	GS15		12 N/A	N/A	N/A
AN13AA	18	RD	TXL	3626441C1	6114577C1	GS15		12 N/A	N/A	N/A
TM13AA	18	PK	TXL	3626441C1	6114577C1	GS16		12 N/A	N/A	N/A
AM5(+)	18	YL	150	3626441C1	6114577C1	GS16		13 N/A	N/A	N/A
AN5(+)	18	YL	150	3626441C1	6114577C1	GS16		13 N/A	N/A	N/A
TM5(+)	18	YL	150	3626441C1	6114577C1	GS17		13 N/A	N/A	N/A
AM5(-)	18	GN	150	3626441C1	6114577C1	GS17		14 N/A	N/A	N/A
AN5(-)	18	GN	150	3626441C1	6114577C1	GS17		14 N/A	N/A	N/A
TM5(-)	18	GN	150	3626441C1	6114577C1	GS18		14 N/A	N/A	N/A
MD64B	16	YL	TXL	4080004C1	6131286C1	GS18		1 4080000C1	N/A	N/A
MD64-GB	16	WH	TXL	4080004C1	6131286C1	GS18		2 4080000C1	N/A	N/A
MD64A	16	YL	TXL	4080004C1	6131286C1	GS18		1 4080000C1	N/A	N/A
MD64-GA	16	WH	TXL	4080004C1	6131286C1	GS18		2 4080000C1	N/A	N/A
HA86-GSC	16	WH	GXL	333733C1	872291R1	GS18	A	N/A	N/A	N/A
HA86SA	16	LTGN	GXL	333733C1	872291R1	GS18	B	N/A	N/A	N/A
JL86-GSB	16	WH	GXL	333733C1	872291R1	GS18	A	N/A	N/A	N/A
JL86SBB	16	LTGN	GXL	333733C1	872291R1	GS19	B	N/A	N/A	N/A
JN86-GSB	16	WH	GXL	333733C1	872291R1	GS19	A	N/A	N/A	N/A
JN86SBB	16	LTGN	GXL	333733C1	872291R1	GS19	B	N/A	N/A	N/A
HB86-GK	18	WH	GXL	879630R1	872291R1	GS2	A	N/A	N/A	N/A
HB86AG	18	LTGN	GXL	879630R1	872291R1	GS2	B	N/A	N/A	N/A
LF86-GK	18	WH	GXL	879630R1	872291R1	GS2	A	N/A	N/A	N/A
LF86AG	18	LTGN	GXL	879630R1	872291R1	GS20	B	N/A	N/A	N/A
DK13TRIB	16	PK	GXL	333733C1	872291R1	GS20	A	N/A	N/A	N/A
DK13TRIA	16	PK	GXL	333733C1	872291R1	GS20	B	N/A	N/A	N/A
JH76	18	BK	GXL	879630R1	969541R1	GS21	A	N/A	N/A	N/A
JH76-G	18	WH	GXL	879630R1	969541R1	GS21	B	N/A	N/A	N/A
CD14SAD	12	LTGN	TXL	N/A	BLUNT_SL_VC	GS21	A	N/A	N/A	N/A
CE14SAD	12	LTGN	TXL	N/A	BLUNT_SL_VC	GS22	A	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
CE14SBD	12	LTGN	TXL	N/A	BLUNT_SL_VC	GS22	A	N/A	N/A	N/A
YH5A(+)	18	YL	TXL	N/A	BLUNT_SL_VC	GS22	A	N/A	N/A	N/A
YH5A(-)	18	GN	TXL	N/A	BLUNT_SL_VC	GS23	B	N/A	N/A	N/A
YH11-GC	14	WH	TXL	N/A	BLUNT_SL_VC	GS23	A	N/A	N/A	N/A
YH82KB	16	GY	TXL	N/A	BLUNT_SL_VC	GS23	B	N/A	N/A	N/A
YH13A	16	PK	TXL	N/A	BLUNT_SL_VC	GS24	A	N/A	N/A	N/A
YH14A	18	RD	TXL	N/A	BLUNT_SL_VC	GS24	B	N/A	N/A	N/A
[LM97A]	18	-	GXL	UNDEF	PAS1(1)	GS24		1 N/A	N/A	N/A
[LM97A]	18	-	GXL	UNDEF	PAS1(1)	GS24		1 N/A	N/A	N/A
BM70J	12	OR	TXL	3768009C1	VC-3768010C1-A2-E	GS25	R1-30	N/A	N/A	N/A
BM70-GT	18	WH	TXL	3768003C1	VC-3768010C1-A2-E	GS25	R1-85	N/A	N/A	N/A
BM70C	18	OR	TXL	3768003C1	VC-3768010C1-A2-E	GS25	R1-86	N/A	N/A	N/A
BM70T	12	OR	TXL	3768009C1	VC-3768010C1-A2-E	GS25	R1-87	N/A	N/A	N/A
AA82P	16	GY	TXL	3768007C1	VC-3768010C1-A2-E	GS25	R2-30	N/A	N/A	N/A
AA82M	18	GY	TXL	3768003C1	VC-3768010C1-A2-E	GS25	R2-85	N/A	N/A	N/A
AA82F	18	GY	TXL	3768003C1	VC-3768010C1-A2-E	GS26	R2-86	N/A	N/A	N/A
AA82E	16	GY	TXL	3768007C1	VC-3768010C1-A2-E	GS26	R2-87	N/A	N/A	N/A
AA82J	16	GY	TXL	3768004C1	VC-3768010C1-A2-E	GS26	R2-87A	N/A	N/A	N/A
AL14AB	12	RD	TXL	3768009C1	VC-3768010C1-A2-E	GS27	R3-30	N/A	N/A	N/A
AL14AS	18	RD	TXL	3768003C1	VC-3768010C1-A2-E	GS27	R3-85	N/A	N/A	N/A
EE11-GDB	18	WH	TXL	3768003C1	VC-3768010C1-A2-E	GS27	R3-86	N/A	N/A	N/A
GJ11-GDB	18	WH	TXL	3768003C1	VC-3768010C1-A2-E	GS27	R3-86	N/A	N/A	N/A
AL14N	12	RD	TXL	3768009C1	VC-3768010C1-A2-E	GS27	R3-87	N/A	N/A	N/A
DR19	16	GY	TXL	3768007C1	VC-3768010C1-A2-E	GS27	R4-30	N/A	N/A	N/A
DR19A	18	GY	TXL	3768003C1	VC-3768010C1-A2-E	GS28	R4-85	N/A	N/A	N/A
DR19-GB	18	WH	TXL	3768003C1	VC-3768010C1-A2-E	GS28	R4-86	N/A	N/A	N/A
DR19V	16	GY	TXL	3768007C1	VC-3768010C1-A2-E	GS28	R4-87	N/A	N/A	N/A
AA82P	16	GY	TXL	3768007C1	VC-3768010C1-A2-E	GS28	R5-30	N/A	N/A	N/A
AA82N	18	GY	TXL	3768003C1	VC-3768010C1-A2-E	GS28	R5-85	N/A	N/A	N/A
AA82H	18	GY	TXL	3768003C1	VC-3768010C1-A2-E	GS29	R5-86	N/A	N/A	N/A
YG82K	16	GY	TXL	3768007C1	VC-3768010C1-A2-E	GS29	R5-87	N/A	N/A	N/A
YH82K	16	GY	TXL	3768007C1	VC-3768010C1-A2-E	GS29	R5-87	N/A	N/A	N/A

Circuit		Terminal Splice			Connector Body	Connector			Lock 1	Lock 2
Number	Gauge	Color	Insulation	Number	Part Numbers	Number	Cavity	Seal / Sleeve		
AA82L	16	GY	TXL	3768004C1	VC-3768010C1-A2-E GS29		R5-87A	N/A	N/A	N/A
AL14AH	12	RD	TXL	3768009C1	VC-3768010C1-A2-E GS3		R6-30	N/A	N/A	N/A
AH12L	18	LTBL	TXL	3768003C1	VC-3768010C1-A2-E GS3		R6-85	N/A	N/A	N/A
EE11-GDD	18	WH	TXL	3768003C1	VC-3768010C1-A2-E GS3		R6-86	N/A	N/A	N/A
GJ11-GDD	18	WH	TXL	3768003C1	VC-3768010C1-A2-E GS3		R6-86	N/A	N/A	N/A
AB12M	12	LTBL	TXL	3768009C1	VC-3768010C1-A2-E GS3		R6-87	N/A	N/A	N/A
ER94TV	12	GY	GXL	3768009C1	VC-3768010C1-A2-E GS3		R1-30	N/A	N/A	N/A
FR94TV1	16	GY	TXL	3768007C1	VC-3768010C1-A2-E GS3		R1-30	N/A	N/A	N/A
HF94TV	12	GY	TXL	3768009C1	VC-3768010C1-A2-E GS3		R1-30	N/A	N/A	N/A
HG94TV	12	GY	TXL	3768009C1	VC-3768010C1-A2-E GS3		R1-30	N/A	N/A	N/A
YY13-GFF	18	WH	TXL	3768003C1	VC-3768010C1-A2-E GS3		R1-85	N/A	N/A	N/A
YY13FF	18	PK	TXL	3768003C1	VC-3768010C1-A2-E GS3		R1-86	N/A	N/A	N/A
ER94T	12	GY	TXL	3768009C1	VC-3768010C1-A2-E GS3		R1-87	N/A	N/A	N/A
FR94TB	12	GY	TXL	3768009C1	VC-3768010C1-A2-E GS3		R1-87	N/A	N/A	N/A
HF94TT1	12	GY	TXL	3768009C1	VC-3768010C1-A2-E GS3		R1-87	N/A	N/A	N/A
HG94TT1	12	GY	TXL	3768009C1	VC-3768010C1-A2-E GS3		R1-87	N/A	N/A	N/A
3T71A	16	OR	TXL	3768007C1	VC-3768010C1-A2-E GS3		R2-30	N/A	N/A	N/A
GM71A	16	OR	TXL	3768007C1	VC-3768010C1-A2-E GS3		R2-30	N/A	N/A	N/A
3T71B	18	OR	TXL	3768003C1	VC-3768010C1-A2-E GS3		R2-85	N/A	N/A	N/A
GM71B	18	OR	TXL	3768003C1	VC-3768010C1-A2-E GS30		R2-85	N/A	N/A	N/A
3T92#165	18	OR	TXL	3768003C1	VC-3768010C1-A2-E GS30		R2-86	N/A	N/A	N/A
GM92#165	18	OR	TXL	3768003C1	VC-3768010C1-A2-E GS30		R2-86	N/A	N/A	N/A
3T71BA	16	OR	TXL	3768007C1	VC-3768010C1-A2-E GS30		R2-87	N/A	N/A	N/A
GM71BD	16	OR	TXL	3768007C1	VC-3768010C1-A2-E GS31		R2-87	N/A	N/A	N/A
AL14AD	12	RD	TXL	3768009C1	VC-3768010C1-A2-E GS31		R3-30	N/A	N/A	N/A
AH13K	18	PK	TXL	3768003C1	VC-3768010C1-A2-E GS31		R3-85	N/A	N/A	N/A
AA11-GV	18	WH	TXL	3768003C1	VC-3768010C1-A2-E GS31		R3-86	N/A	N/A	N/A
YY13R	12	PK	TXL	3768009C1	VC-3768010C1-A2-E GS31		R3-87	N/A	N/A	N/A
CC14SC	12	RD	TXL	3768009C1	VC-3768010C1-A2-E GS31		R4-30	N/A	N/A	N/A
FR94TV2	16	GY	TXL	3768007C1	VC-3768010C1-A2-E GS32		R4-30	N/A	N/A	N/A
CC72	18	OR	TXL	3768003C1	VC-3768010C1-A2-E GS32		R4-85	N/A	N/A	N/A
CC72-GA	18	WH	TXL	3768003C1	VC-3768010C1-A2-E GS32		R4-86	N/A	N/A	N/A

<b>Circuit</b>				<b>Terminal Splice</b>	<b>Connector Body</b>	<b>Connector</b>				
<b>Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Number</b>	<b>Part Numbers</b>	<b>Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
FR72EE	18	OR	TXL	3768003C1	VC-3768010C1-A2-E GS32		R4-86	N/A	N/A	N/A
CC72A	12	OR	TXL	3768009C1	VC-3768010C1-A2-E GS32		R4-87	N/A	N/A	N/A
FR94TA	12	GY	TXL	3768009C1	VC-3768010C1-A2-E GS32		R4-87	N/A	N/A	N/A
EE11-GDE	18	WH	TXL	3768007C1	VC-3768010C1-A2-E GS32		R5-30	N/A	N/A	N/A
EE14DA	18	RD	TXL	3768003C1	VC-3768010C1-A2-E GS32		R5-85	N/A	N/A	N/A
EE11-GDF	18	WH	TXL	3768003C1	VC-3768010C1-A2-E GS33		R5-86	N/A	N/A	N/A
EE11-GDA	18	GY	TXL	3768007C1	VC-3768010C1-A2-E GS33		R5-87	N/A	N/A	N/A
AL14AC	12	RD	TXL	3768009C1	VC-3768010C1-A2-E GS33		R6-30	N/A	N/A	N/A
AH13M	18	PK	TXL	3768003C1	VC-3768010C1-A2-E GS33		R6-85	N/A	N/A	N/A
AA11-GU	18	WH	TXL	3768003C1	VC-3768010C1-A2-E GS33		R6-86	N/A	N/A	N/A
YY13U	12	PK	TXL	3768009C1	VC-3768010C1-A2-E GS34		R6-87	N/A	N/A	N/A
EM14BLT	14	RD	TXL	3768008C1	VC-3768010C1-A2-E GS34		R1-30	N/A	N/A	N/A
GN14BLT	14	RD	TXL	3768008C1	VC-3768010C1-A2-E GS34		R1-30	N/A	N/A	N/A
EM13BLT	18	PK	TXL	3768003C1	VC-3768010C1-A2-E GS34		R1-85	N/A	N/A	N/A
GN13BLT	18	PK	TXL	3768003C1	VC-3768010C1-A2-E GS34		R1-85	N/A	N/A	N/A
EM13-GBM	18	WH	TXL	3768003C1	VC-3768010C1-A2-E GS35		R1-86	N/A	N/A	N/A
GN13-GBM	18	WH	TXL	3768003C1	VC-3768010C1-A2-E GS35		R1-86	N/A	N/A	N/A
EM58BLT	14	BN	TXL	3768008C1	VC-3768010C1-A2-E GS35		R1-87	N/A	N/A	N/A
GN58BLT	18	BN	TXL	3768007C1	VC-3768010C1-A2-E GS36		R1-87	N/A	N/A	N/A
AZ14A	18	RD	TXL	3768007C1	VC-3768010C1-A2-E GS36		R2-30	N/A	N/A	N/A
AZ92B	18	TN	TXL	3768003C1	VC-3768010C1-A2-E GS36		R2-85	N/A	N/A	N/A
AZ92-GC	18	WH	TXL	3768003C1	VC-3768010C1-A2-E GS37		R2-86	N/A	N/A	N/A
AZ17B	18	PK	TXL	3768007C1	VC-3768010C1-A2-E GS37		R2-87	N/A	N/A	N/A
AL14AE	12	RD	TXL	3768009C1	VC-3768010C1-A2-E GS37		R3-30	N/A	N/A	N/A
AH13L	18	PK	TXL	3768003C1	VC-3768010C1-A2-E GS38		R3-85	N/A	N/A	N/A
EE11-GDC	18	WH	TXL	3768003C1	VC-3768010C1-A2-E GS38		R3-86	N/A	N/A	N/A
GJ11-GDC	18	WH	TXL	3768003C1	VC-3768010C1-A2-E GS38		R3-86	N/A	N/A	N/A
YY13N	12	PK	TXL	3768009C1	VC-3768010C1-A2-E GS39		R3-87	N/A	N/A	N/A
DY54XV	16	BN	TXL	3768007C1	VC-3768010C1-A2-E GS39		R4-30	N/A	N/A	N/A
DY54-GXB	18	WH	TXL	3768003C1	VC-3768010C1-A2-E GS39		R4-85	N/A	N/A	N/A
DY54XD	16	BN	TXL	3768004C1	VC-3768010C1-A2-E GS39		R4-86	N/A	N/A	N/A
DY54XB	16	BN	TXL	3768007C1	VC-3768010C1-A2-E GS39		R4-87	N/A	N/A	N/A



<b>Circuit</b>				<b>Terminal Splice</b>	<b>Connector Body</b>	<b>Connector</b>				
<b>Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Number</b>	<b>Part Numbers</b>	<b>Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
CD14SAC	12	RD	TXL	3768009C1	VC-3768010C1-A2-E GS39		R5-30	N/A	N/A	N/A
CE14SAC	12	RD	TXL	3768009C1	VC-3768010C1-A2-E GS4		R5-30	N/A	N/A	N/A
CD14SAB	18	RD	TXL	3768003C1	VC-3768010C1-A2-E GS4		R5-85	N/A	N/A	N/A
CE14SAB	18	RD	TXL	3768003C1	VC-3768010C1-A2-E GS4		R5-85	N/A	N/A	N/A
CD14-GSB	18	WH	TXL	3768003C1	VC-3768010C1-A2-E GS4		R5-86	N/A	N/A	N/A
CE14-GSB	18	WH	TXL	3768003C1	VC-3768010C1-A2-E GS4		R5-86	N/A	N/A	N/A
CD14SAD	12	LTGN	TXL	3768009C1	VC-3768010C1-A2-E GS4		R5-87	N/A	N/A	N/A
CE14SAD	12	LTGN	TXL	3768009C1	VC-3768010C1-A2-E GS4		R5-87	N/A	N/A	N/A
AL14AF	12	RD	TXL	3768009C1	VC-3768010C1-A2-E GS4		R6-30	N/A	N/A	N/A
AH12K	18	LTBL	TXL	3768003C1	VC-3768010C1-A2-E GS4		R6-85	N/A	N/A	N/A
AA11-GW	18	WH	TXL	3768003C1	VC-3768010C1-A2-E GS4		R6-86	N/A	N/A	N/A
AB12P	12	LTBL	TXL	3768009C1	VC-3768010C1-A2-E GS4		R6-87	N/A	N/A	N/A
DD78	16	LTGN	TXL	3768007C1	VC-3768010C1-A2-E GS4		R1-30	N/A	N/A	N/A
JL116UB	18	GY	TXL	3768007C1	VC-3768010C1-A2-E GS4		R1-30	N/A	N/A	N/A
DD78RC	18	LTGN	TXL	3768003C1	VC-3768010C1-A2-E GS4		R1-85	N/A	N/A	N/A
JL116U-G	18	WH	TXL	3768003C1	VC-3768010C1-A2-E GS4		R1-85	N/A	N/A	N/A
DD78-RG	18	WH	TXL	3768003C1	VC-3768010C1-A2-E GS4		R1-86	N/A	N/A	N/A
JL116U	18	GY	TXL	3768003C1	VC-3768010C1-A2-E GS4		R1-86	N/A	N/A	N/A
DD78RP	16	LTGN	TXL	3768007C1	VC-3768010C1-A2-E GS4		R1-87	N/A	N/A	N/A
JL116UZ	18	GY	TXL	3768007C1	VC-3768010C1-A2-E GS41		R1-87	N/A	N/A	N/A
JL116LB	18	GY	GXL	3768007C1	VC-3768010C1-A2-E GS41		R2-30	N/A	N/A	N/A
JL116L-G	18	WH	TXL	3768003C1	VC-3768010C1-A2-E GS41		R2-85	N/A	N/A	N/A
JL116L	18	GY	TXL	3768003C1	VC-3768010C1-A2-E GS42		R2-86	N/A	N/A	N/A
JL116LZ	18	GY	TXL	3768007C1	VC-3768010C1-A2-E GS42		R2-87	N/A	N/A	N/A
CF50S	18	YL	TXL	3768007C1	VC-3768010C1-A2-E GS42		R3-30	N/A	N/A	N/A
CG50S	18	YL	TXL	3768007C1	VC-3768010C1-A2-E GS43		R3-30	N/A	N/A	N/A
BB53AB	18	YL	TXL	3768003C1	VC-3768010C1-A2-E GS43		R3-85	N/A	N/A	N/A
CF53-G	18	WH	TXL	3768003C1	VC-3768010C1-A2-E GS43		R3-86	N/A	N/A	N/A
CG53-G	18	WH	TXL	3768003C1	VC-3768010C1-A2-E GS43		R3-86	N/A	N/A	N/A
BB53AC	18	YL	TXL	3768007C1	VC-3768010C1-A2-E GS43		R3-87	N/A	N/A	N/A
BB52AB	18	YL	TXL	3768003C1	VC-3768010C1-A2-E GS43		R3-87A	N/A	N/A	N/A
BC63JV	18	GY	GXL	3768007C1	VC-3768010C1-A2-E GS44		R5-30	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
BC63J	18	DKBL	TXL	3768003C1	VC-3768010C1-A2-E GS44		R5-85	N/A	N/A	N/A
BC63JJ	18	GY	GXL	3768003C1	VC-3768010C1-A2-E GS44		R5-86	N/A	N/A	N/A
EL63JA	18	DKBL	TXL	UNDEF	VC-3768010C1-A2-E GS45		R5-87	N/A	N/A	N/A
EL63JB	18	DKBL	TXL	UNDEF	VC-3768010C1-A2-E GS45		R5-87	N/A	N/A	N/A
MP63JA	18	DKBL	TXL	3768007C1	VC-3768010C1-A2-E GS45		R5-87	N/A	N/A	N/A
CE14SBC	12	RD	TXL	3768009C1	VC-3768010C1-A2-E GS45		R6-30	N/A	N/A	N/A
CE14SBB	18	RD	TXL	3768003C1	VC-3768010C1-A2-E GS45		R6-85	N/A	N/A	N/A
CE14-GSD	18	WH	TXL	3768003C1	VC-3768010C1-A2-E GS45		R6-86	N/A	N/A	N/A
CE14SBD	12	LTGN	TXL	3768009C1	VC-3768010C1-A2-E GS5		R6-87	N/A	N/A	N/A
AL14AJ	12	RD	TXL	3768157C1	VC-3768015C1-A2-E GS5			1 N/A	N/A	N/A
AA14EE	16	RD	TXL	3768013C1	VC-3768015C1-A2-E GS5			5 N/A	N/A	N/A
BM70J	12	OR	TXL	3768014C1	VC-3768015C1-A2-E GS5			6 N/A	N/A	N/A
AA14D	18	RD	TXL	3768012C1	VC-3768015C1-A2-E GS5			7 N/A	N/A	N/A
AA98H	18	RD	TXL	3768012C1	VC-3768015C1-A2-E GS5			8 N/A	N/A	N/A
AL14AK	12	RD	TXL	3768157C1	VC-3768015C1-A2-E GS5			9 N/A	N/A	N/A
AA14MUX	18	RD	TXL	3768012C1	VC-3768015C1-A2-E GS5			13 N/A	N/A	N/A
BN94T	12	GY	TXL	3768014C1	VC-3768015C1-A2-E GS5			14 N/A	N/A	N/A
ER94TV	12	GY	GXL	3768014C1	VC-3768015C1-A2-E GS5			14 N/A	N/A	N/A
FR94TV	12	GY	TXL	3768014C1	VC-3768015C1-A2-E GS5			14 N/A	N/A	N/A
HF94TV	12	GY	TXL	3768014C1	VC-3768015C1-A2-E GS5			14 N/A	N/A	N/A
HG94TV	12	GY	TXL	3768014C1	VC-3768015C1-A2-E GS5			14 N/A	N/A	N/A
MR86P	18	LTGN	TXL	3768012C1	VC-3768015C1-A2-E GS5			15 N/A	N/A	N/A
MZ86AA	18	LTGN	TXL	3768012C1	VC-3768015C1-A2-E GS5			15 N/A	N/A	N/A
DH75	12	RD	GXL	3768014C1	VC-3768015C1-A2-E GS5			16 N/A	N/A	N/A
AL14AL	12	RD	TXL	3768157C1	VC-3768015C1-A2-E GS5			17 N/A	N/A	N/A
MM92DC	18	TN	TXL	3768012C1	VC-3768015C1-A2-E GS5			21 N/A	N/A	N/A
2V14CSB	16	RD	TXL	3768013C1	VC-3768015C1-A2-E GS6			22 N/A	N/A	N/A
2Y14CSB	16	RD	TXL	3768013C1	VC-3768015C1-A2-E GS6			22 N/A	N/A	N/A
CS14CSB	16	RD	TXL	3768013C1	VC-3768015C1-A2-E GS6			22 N/A	N/A	N/A
YH14A	18	RD	TXL	3768012C1	VC-3768015C1-A2-E GS6			22 N/A	N/A	N/A
LM97B	20	RD	TXL	3768012C1	VC-3768015C1-A2-E GS6			23 N/A	N/A	N/A
DL14EA	14	RD	GXL	3768014C1	VC-3768015C1-A2-E GS6			24 N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice	Connector Body	Connector	Cavity	Seal / Sleeve	Lock 1	Lock 2
				Number	Part Numbers	Number				
RH14EA	14	RD	GXL	3768014C1	VC-3768015C1-A2-E GS6		24	N/A	N/A	N/A
AL14AT	12	RD	TXL	3768157C1	VC-3768015C1-A2-E GS6		25	N/A	N/A	N/A
YE75WA	14	RD	TXL	3768014C1	VC-3768015C1-A2-E GS6		30	N/A	N/A	N/A
YE75WB	18	RD	TXL	3768012C1	VC-3768015C1-A2-E GS6		31	N/A	N/A	N/A
EW20	16	LTGN	GXL	3768013C1	VC-3768015C1-A2-E GS6		32	N/A	N/A	N/A
AL14AM	12	RD	TXL	3768157C1	VC-3768015C1-A2-E GS6		33	N/A	N/A	N/A
GS94AY	14	GY	GXL	3768014C1	VC-3768015C1-A2-E GS6		37	N/A	N/A	N/A
XY94AY	12	GY	TXL	3768014C1	VC-3768015C1-A2-E GS6		37	N/A	N/A	N/A
CF14SD	18	RD	TXL	3768012C1	VC-3768015C1-A2-E GS6		38	N/A	N/A	N/A
CG14SD	18	RD	TXL	3768012C1	VC-3768015C1-A2-E GS6		38	N/A	N/A	N/A
CK14ED	18	RD	TXL	3768012C1	VC-3768015C1-A2-E GS6		38	N/A	N/A	N/A
CP14ED	18	RD	TXL	3768012C1	VC-3768015C1-A2-E GS6		38	N/A	N/A	N/A
CT14ED	18	RD	TXL	3768012C1	VC-3768015C1-A2-E GS7		38	N/A	N/A	N/A
DL14ED	18	RD	GXL	3768012C1	VC-3768015C1-A2-E GS7		38	N/A	N/A	N/A
KC14ED	16	RD	TXL	3768013C1	VC-3768015C1-A2-E GS7		38	N/A	N/A	N/A
MB14ED	16	RD	TXL	3768013C1	VC-3768015C1-A2-E GS7		38	N/A	N/A	N/A
PH14ED	18	RD	TXL	3768012C1	VC-3768015C1-A2-E GS7		38	N/A	N/A	N/A
RH14ED	18	RD	GXL	3768012C1	VC-3768015C1-A2-E GS7		38	N/A	N/A	N/A
SJ14CE	16	RD	TXL	3768013C1	VC-3768015C1-A2-E GS7		38	N/A	N/A	N/A
XA14EA	16	RD	TXL	3768013C1	VC-3768015C1-A2-E GS7		38	N/A	N/A	N/A
ZP14EA	16	RD	TXL	3768013C1	VC-3768015C1-A2-E GS7		38	N/A	N/A	N/A
CV81C	12	RD	TXL	3768014C1	VC-3768015C1-A2-E GS7		39	N/A	N/A	N/A
CV81B	12	RD	TXL	3768014C1	VC-3768015C1-A2-E GS7		40	N/A	N/A	N/A
DF78V	12	LTGN	TXL	3768014C1	VC-3768015C1-A2-E GS7		40	N/A	N/A	N/A
YY13R	12	PK	TXL	3768157C1	VC-3768015C1-A2-E GS7		1	N/A	N/A	N/A
YY13S	12	PK	TXL	3768157C1	VC-3768015C1-A2-E GS7		4	N/A	N/A	N/A
AA87C	18	GY	TXL	3768012C1	VC-3768015C1-A2-E GS7		5	N/A	N/A	N/A
YY13FF	18	PK	TXL	3768012C1	VC-3768015C1-A2-E GS7		7	N/A	N/A	N/A
CP98F	20	TN	TXL	3768012C1	VC-3768015C1-A2-E GS7		8	N/A	N/A	N/A
CT98F	20	TN	TXL	3768012C1	VC-3768015C1-A2-E GS7		8	N/A	N/A	N/A
MB98F	20	TN	TXL	3768012C1	VC-3768015C1-A2-E GS7		8	N/A	N/A	N/A
MJ98F	20	TN	TXL	3768012C1	VC-3768015C1-A2-E GS7		8	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
YY13T	12	PK	TXL	3768157C1	VC-3768015C1-A2-E GS7		9	N/A	N/A	N/A
YY13S	12	PK	TXL	3768157C1	VC-3768015C1-A2-E GS7		12	N/A	N/A	N/A
LM971G	20	PK	TXL	3768012C1	VC-3768015C1-A2-E GS7		13	N/A	N/A	N/A
AA13D	18	PK	TXL	3768012C1	VC-3768015C1-A2-E GS7		14	N/A	N/A	N/A
3T71	16	OR	TXL	3768013C1	VC-3768015C1-A2-E GS7		15	N/A	N/A	N/A
BP71A	16	OR	TXL	3768013C1	VC-3768015C1-A2-E GS7		15	N/A	N/A	N/A
EY71A	18	OR	TXL	3768012C1	VC-3768015C1-A2-E GS7		15	N/A	N/A	N/A
GM71	16	OR	TXL	3768013C1	VC-3768015C1-A2-E GS7		15	N/A	N/A	N/A
HC105	18	LTGN	TXL	3768012C1	VC-3768015C1-A2-E GS7		16	N/A	N/A	N/A
YY13T	12	PK	TXL	3768157C1	VC-3768015C1-A2-E GS7		17	N/A	N/A	N/A
AA13EA	18	PK	TXL	3768012C1	VC-3768015C1-A2-E GS7		22	N/A	N/A	N/A
DD78RP	16	LTGN	TXL	3768013C1	VC-3768015C1-A2-E GS7		23	N/A	N/A	N/A
YY13V	12	PK	TXL	3768157C1	VC-3768015C1-A2-E GS8		25	N/A	N/A	N/A
YY13X	12	PK	TXL	3768157C1	VC-3768015C1-A2-E GS8		28	N/A	N/A	N/A
JL116M	18	GY	TXL	3768012C1	VC-3768015C1-A2-E GS8		31	N/A	N/A	N/A
YY13X	12	PK	TXL	3768157C1	VC-3768015C1-A2-E GS9		36	N/A	N/A	N/A
GS94V	14	GY	GXL	3768014C1	VC-3768015C1-A2-E GS9		37	N/A	N/A	N/A
XY94V	18	GY	TXL	3768012C1	VC-3768015C1-A2-E GS9		37	N/A	N/A	N/A
YD67TA	18	PK	TXL	3768012C1	VC-3768015C1-A2-E GS9		39	N/A	N/A	N/A
2V13COG2	16	PK	TXL	3768013C1	VC-3768015C1-A2-E GS9		40	N/A	N/A	N/A
2Y13COG2	16	PK	TXL	3768013C1	VC-3768015C1-A2-E GS9		40	N/A	N/A	N/A
CS67A	16	PK	TXL	3768013C1	VC-3768015C1-A2-E GS9		40	N/A	N/A	N/A
RV13COG2	16	PK	TXL	3768013C1	VC-3768015C1-A2-E GS9		40	N/A	N/A	N/A
YH13A	16	PK	TXL	3768013C1	VC-3768015C1-A2-E GS9		40	N/A	N/A	N/A
AL14AR	18	RD	TXL	3768012C1	VC-3768015C1-A2-E GS9		1	N/A	N/A	N/A
AH12J	18	LTBL	TXL	3768012C1	VC-3768015C1-A2-E GS9		2	N/A	N/A	N/A
AH13J	18	PK	TXL	3768012C1	VC-3768015C1-A2-E GS9		3	N/A	N/A	N/A
GJ11-GDE	18	WH	TXL	3768012C1	VC-3768015C1-A2-E GS9		4	N/A	N/A	N/A
DT104AL	16	DKBL	TXL	3768013C1	VC-3768015C1-A2-E GS9		5	N/A	N/A	N/A
AH12L	18	LTBL	TXL	3768012C1	VC-3768015C1-A2-E GS9		6	N/A	N/A	N/A
AH13L	18	PK	TXL	3768012C1	VC-3768015C1-A2-E HS1		7	N/A	N/A	N/A
GJ11-GDA	18	WH	TXL	3768012C1	VC-3768015C1-A2-E HS1		8	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
YY13P	12	PK	TXL	3768157C1	VC-3768015C1-A2-EHS1		9	N/A	N/A	N/A
YY13N	12	PK	TXL	3768157C1	VC-3768015C1-A2-EHS1		12	N/A	N/A	N/A
DK13TRIB	16	PK	GXL	3768013C1	VC-3768015C1-A2-EHS1		13	N/A	N/A	N/A
RG22AA	12	PK	TXL	3768014C1	VC-3768015C1-A2-EHS1		15	N/A	N/A	N/A
RW22AA	16	PK	TXL	3768013C1	VC-3768015C1-A2-EHS1		15	N/A	N/A	N/A
CA13UA	20	PK	TXL	3768012C1	VC-3768015C1-A2-EHS1		16	N/A	N/A	N/A
CB13U	18	PK	TXL	3768012C1	VC-3768015C1-A2-EHS2		16	N/A	N/A	N/A
CL13U	18	PK	TXL	3768012C1	VC-3768015C1-A2-EHS2		16	N/A	N/A	N/A
YY13P	12	PK	TXL	3768157C1	VC-3768015C1-A2-EHS2		17	N/A	N/A	N/A
YY13W	12	PK	TXL	3768157C1	VC-3768015C1-A2-EHS2		25	N/A	N/A	N/A
YY13Y	12	PK	TXL	3768157C1	VC-3768015C1-A2-EHS2		28	N/A	N/A	N/A
BZ39	16	GY	TXL	3768013C1	VC-3768015C1-A2-EHS2		29	N/A	N/A	N/A
RT39	16	GY	TXL	3768013C1	VC-3768015C1-A2-EHS2		29	N/A	N/A	N/A
RT39A	16	GY	TXL	3768013C1	VC-3768015C1-A2-EHS2		30	N/A	N/A	N/A
2Y67A	18	PK	TXL	3768012C1	VC-3768015C1-A2-EHS2		31	N/A	N/A	N/A
YC67A	18	PK	TXL	3768012C1	VC-3768015C1-A2-EHS2		31	N/A	N/A	N/A
CF13SD1	18	PK	TXL	3768012C1	VC-3768015C1-A2-EHS2		32	N/A	N/A	N/A
CG13SD1	18	PK	TXL	3768012C1	VC-3768015C1-A2-EHS2		32	N/A	N/A	N/A
CK13EE	18	PK	TXL	3768012C1	VC-3768015C1-A2-EHS2		32	N/A	N/A	N/A
CP13EE	18	PK	TXL	3768012C1	VC-3768015C1-A2-EHS2		32	N/A	N/A	N/A
CT13EE	18	PK	TXL	3768012C1	VC-3768015C1-A2-EHS2		32	N/A	N/A	N/A
DL13EE	18	PK	TXL	3768012C1	VC-3768015C1-A2-EHS3		32	N/A	N/A	N/A
KC13EE	16	PK	TXL	3768013C1	VC-3768015C1-A2-EHS3		32	N/A	N/A	N/A
MB13EE	16	PK	TXL	3768013C1	VC-3768015C1-A2-EHS3		32	N/A	N/A	N/A
PH13EE	18	PK	TXL	3768012C1	VC-3768015C1-A2-EHS3		32	N/A	N/A	N/A
RH13EE	18	PK	TXL	3768012C1	VC-3768015C1-A2-EHS3		32	N/A	N/A	N/A
SJ13CE	16	PK	TXL	3768013C1	VC-3768015C1-A2-EHS3		32	N/A	N/A	N/A
YY13Y	12	PK	TXL	3768157C1	VC-3768015C1-A2-EHS3		36	N/A	N/A	N/A
AZ13A	16	PK	GXL	3768013C1	VC-3768015C1-A2-EHS3		37	N/A	N/A	N/A
GY92#163	16	PK	TXL	3768013C1	VC-3768015C1-A2-EHS3		37	N/A	N/A	N/A
AA73C	20	LTGN	TXL	3768012C1	VC-3768015C1-A2-EHS3		38	N/A	N/A	N/A
EH97F	16	PL	TXL	3768013C1	VC-3768015C1-A2-EHS3		40	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
HF94TT2	14	GY	TXL	3768014C1	VC-3768015C1-A2-EHS3			3 N/A	N/A	N/A
HG94TT2	14	GY	TXL	3768014C1	VC-3768015C1-A2-EIS1			3 N/A	N/A	N/A
DK14TRIA	16	RD	TXL	3768013C1	VC-3768015C1-A2-EIS1			4 N/A	N/A	N/A
HF94TT	14	GY	TXL	3768014C1	VC-3768015C1-A2-EIS1			7 N/A	N/A	N/A
HG94TT	14	GY	TXL	3768014C1	VC-3768015C1-A2-EIS1			7 N/A	N/A	N/A
DK14TRI	16	RD	GXL	3768013C1	VC-3768015C1-A2-EIS2			8 N/A	N/A	N/A
AL14AN	12	RD	TXL	3768157C1	VC-3768015C1-A2-EIS2			9 N/A	N/A	N/A
FR72E	18	OR	TXL	3768012C1	VC-3768015C1-A2-EIS2			15 N/A	N/A	N/A
AZ14A	18	RD	TXL	3768012C1	VC-3768015C1-A2-EIS2			16 N/A	N/A	N/A
AL14AP	12	RD	TXL	3768157C1	VC-3768015C1-A2-EIS3			17 N/A	N/A	N/A
AA15	18	RD	TXL	3768012C1	VC-3768015C1-A2-EIS3			21 N/A	N/A	N/A
CE14SBC	12	RD	TXL	3768014C1	VC-3768015C1-A2-EIS3			22 N/A	N/A	N/A
CD14SAC	12	RD	TXL	3768014C1	VC-3768015C1-A2-EJS1			23 N/A	N/A	N/A
CE14SAC	12	RD	TXL	3768014C1	VC-3768015C1-A2-EJS1			23 N/A	N/A	N/A
CD14SA	18	RD	TXL	3768012C1	VC-3768015C1-A2-EJS1			24 N/A	N/A	N/A
CE14S	18	RD	TXL	3768012C1	VC-3768015C1-A2-EJS1			24 N/A	N/A	N/A
AB12R	12	LTBL	TXL	3768157C1	VC-3768015C1-A2-EJS10			25 N/A	N/A	N/A
AB12P	12	LTBL	TXL	3768157C1	VC-3768015C1-A2-EJS10			28 N/A	N/A	N/A
MR86AE	18	LTGN	TXL	3768012C1	VC-3768015C1-A2-EJS10			29 N/A	N/A	N/A
MZ86FE	18	LTGN	TXL	3768012C1	VC-3768015C1-A2-EJS11			29 N/A	N/A	N/A
CC14SC	12	RD	TXL	3768014C1	VC-3768015C1-A2-EJS11			31 N/A	N/A	N/A
AB12R	12	LTBL	TXL	3768157C1	VC-3768015C1-A2-EJS11			33 N/A	N/A	N/A
AC12B	18	LTBL	TXL	3768012C1	VC-3768015C1-A2-EJS12			39 N/A	N/A	N/A
AL14R	12	RD	TXL	3768157C1	VC-3768015C1-A2-EJS12			1 N/A	N/A	N/A
DX14VA	12	RD	TXL	3768014C1	VC-3768015C1-A2-EJS12			5 N/A	N/A	N/A
RF14A	20	PK	TXL	3768012C1	VC-3768015C1-A2-EJS12			6 N/A	N/A	N/A
AA63BD	18	GY	TXL	3768012C1	VC-3768015C1-A2-EJS12			7 N/A	N/A	N/A
BC63JK	18	DKBL	TXL	3768012C1	VC-3768015C1-A2-EJS12			8 N/A	N/A	N/A
AL14X	12	RD	TXL	3768157C1	VC-3768015C1-A2-EJS13			9 N/A	N/A	N/A
DR19V	16	GY	TXL	3768013C1	VC-3768015C1-A2-EJS13			13 N/A	N/A	N/A
DX14VB	12	RD	TXL	3768014C1	VC-3768015C1-A2-EJS13			15 N/A	N/A	N/A
AL14Y	12	RD	TXL	3768157C1	VC-3768015C1-A2-EJS2			17 N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
CA84	14	LTGN	TXL	3768014C1	VC-3768015C1-A2-EJS2		21	N/A	N/A	N/A
CB84B	14	LTGN	TXL	3768014C1	VC-3768015C1-A2-EJS2		21	N/A	N/A	N/A
CL84	14	LTGN	TXL	3768014C1	VC-3768015C1-A2-EJS3		21	N/A	N/A	N/A
AD86C	14	LTGN	TXL	3768014C1	VC-3768015C1-A2-EJS3		22	N/A	N/A	N/A
AE86C	14	LTGN	TXL	3768014C1	VC-3768015C1-A2-EJS3		22	N/A	N/A	N/A
ZE75C	12	LTGN	TXL	3768014C1	VC-3768015C1-A2-EJS4		23	N/A	N/A	N/A
EM14BLT	14	RD	TXL	3768014C1	VC-3768015C1-A2-EJS4		24	N/A	N/A	N/A
GN14BLT	14	RD	TXL	3768014C1	VC-3768015C1-A2-EJS4		24	N/A	N/A	N/A
AB12N	12	LTBL	TXL	3768157C1	VC-3768015C1-A2-EJS4		25	N/A	N/A	N/A
AB12M	12	LTBL	TXL	3768157C1	VC-3768015C1-A2-EJS4		28	N/A	N/A	N/A
DY54XV	16	BN	TXL	3768013C1	VC-3768015C1-A2-EJS5		31	N/A	N/A	N/A
EM13BL1	18	PK	TXL	3768012C1	VC-3768015C1-A2-EJS5		32	N/A	N/A	N/A
GN13BL1	18	PK	TXL	3768012C1	VC-3768015C1-A2-EJS5		32	N/A	N/A	N/A
AB12N	12	LTBL	TXL	3768157C1	VC-3768015C1-A2-EJS6		33	N/A	N/A	N/A
MR86F	18	LTGN	TXL	3768012C1	VC-3768015C1-A2-EJS6		38	N/A	N/A	N/A
MZ86P	18	LTGN	TXL	3768012C1	VC-3768015C1-A2-EJS6		38	N/A	N/A	N/A
BH12A	18	LTBL	TXL	3768012C1	VC-3768015C1-A2-EJS6		39	N/A	N/A	N/A
RC12B	20	LTBL	TXL	3768012C1	VC-3768015C1-A2-EJS7		39	N/A	N/A	N/A
MZ86R	18	LTGN	TXL	3768012C1	VC-3768015C1-A2-EJS7		40	N/A	N/A	N/A
HA11-G	8	WH	GXL	373756C2		JS7	1	2644054R1	N/A	N/A
HA11-GM	10	WH	TXL	373756C2		JS8	1	2644054R1	N/A	N/A
JY14TRI	16	RD	GXL	3616095C1		JS8	1	2644005R1	N/A	N/A
JY77SBY	16	LTGN	GXL	366817C2		JS8	1	2644038R1	N/A	N/A
AL14	6	RD	SGX	3752569C1		JS8	1	N/A	N/A	N/A
AL14W	6	RD	SGX	3752569C1		JS9	1	N/A	N/A	N/A
DB11-GAA	14	WH	TXL	3581768C1		JS9	1	N/A	N/A	N/A
CV81-G	10	WH	TXL	2020632C1		JS9	1	N/A	N/A	N/A
AA11-GCA	12	WH	TXL	3710088C1		JS9	1	N/A	N/A	N/A
AA11-GKC	12	WH	TXL	3710088C1		JS9	1	N/A	N/A	N/A
XA11-G	8	WH	GXL	3710088C1		KS1	1	N/A	N/A	N/A
ZP11-G	8	WH	GXL	3710088C1		KS1	1	N/A	N/A	N/A
RA11-GKJ	6	WH	SGX	2015884C1		KS1	1	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
RB11-GKJ	6	WH	SGX	2015884C1		KS2		1 N/A	N/A	N/A
AC11-G	8	WH	GXL	3710088C1		KS2		1 N/A	N/A	N/A
XA11-G	8	WH	GXL	373759C2		KS2		1 N/A	N/A	N/A
ZP11-G	8	WH	GXL	373759C2		KS2		1 N/A	N/A	N/A
CF14SD	18	RD	TXL	3722128C1		KS2		1 N/A	N/A	N/A
CF70E	18	OR	TXL	3722128C1		KS2		1 N/A	N/A	N/A
CF11-GSD	18	WH	TXL	3722128C1		KS2		1 N/A	N/A	N/A
CF50S	18	YL	TXL	3722128C1		KS3		1 N/A	N/A	N/A
GS94-GC	16	WH	TXL	3549254C1		KS3		1 N/A	N/A	N/A
XY94-GA	12	WH	TXL	3549254C1		KS3		1 N/A	N/A	N/A
XF94-GD	16	WH	TXL	3549254C1		KS3		1 N/A	N/A	N/A
CF13SD	18	PK	TXL	3722128C1		KS3		1 N/A	N/A	N/A
HA11-GSK	10	WH	GXL	373756C2		KS3		1 2644054R1	N/A	N/A
HA11-GSN	10	WH	GXL	373756C2		KS4		1 2644054R1	N/A	N/A
ZA63-GJ	10	WH	GXL	373756C2		KS4		1 2644054R1	N/A	N/A
CF98A(+)	18	DKBL	TXL	3722128C1		KS4		1 N/A	N/A	N/A
CF98A(-)	18	GY	TXL	3722128C1		KS4		1 N/A	N/A	N/A
2A54	16	BN	TXL			KS4	-	N/A	N/A	N/A
2A54A	16	BN	TXL			KS4	-	N/A	N/A	N/A
2A58	16	BN	TXL			KS4	-	N/A	N/A	N/A
2A58DA	18	BN	TXL			KS4	-	N/A	N/A	N/A
2A58DB	18	BN	TXL			KS4	-	N/A	N/A	N/A
2A58T	18	BN	TXL			LS1	-	N/A	N/A	N/A
2A68A	18	BN	TXL			LS1	-	N/A	N/A	N/A
3C54	16	BN	TXL			LS1	-	N/A	N/A	N/A
3C54A	16	BN	TXL			LS1	-	N/A	N/A	N/A
3C58DA	18	BN	TXL			LS1	-	N/A	N/A	N/A
3C58DB	18	BN	TXL			LS2	-	N/A	N/A	N/A
3C58T	18	BN	TXL			LS2	-	N/A	N/A	N/A
3C68A	18	BN	TXL			LS2	-	N/A	N/A	N/A
3.00E+54	16	BN	TXL			LS3	-	N/A	N/A	N/A
3E54A	16	BN	TXL			LS3	-	N/A	N/A	N/A



Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
3E58T	18	BN	TXL			LS3	-	N/A	N/A	N/A
3E68A	18	BN	TXL			LS4	-	N/A	N/A	N/A
HY54	16	BN	TXL			LS4	-	N/A	N/A	N/A
HY54A	16	BN	TXL			LS4	-	N/A	N/A	N/A
HY58	16	BN	TXL			LS5	-	N/A	N/A	N/A
HY58T	18	BN	TXL			LS5	-	N/A	N/A	N/A
HY68A	18	BN	TXL			LS5	-	N/A	N/A	N/A
JA13EE	18	PK	GXL	239481R1		LS5	-	2644000R1	N/A	N/A
JA13EF	18	BK	GXL	239481R1		LS6	-	2644000R1	N/A	N/A
JA13EH	18	PK	GXL	239481R1		LS6	-	2644000R1	N/A	N/A
FU9BB	18	GY	TXL			LS6	-	N/A	N/A	N/A
FU9BC	18	GY	GXL			LS6	-	N/A	N/A	N/A
FU9BD	18	GY	GXL			LS7	-	N/A	N/A	N/A
FU79A	18	GY	TXL			LS7	-	N/A	N/A	N/A
FU79B	18	GY	GXL			LS7	-	N/A	N/A	N/A
FU79C	18	GY	GXL			MS1	-	N/A	N/A	N/A
AA60B	18	OR	TXL			MS1	-	N/A	N/A	N/A
AA9	18	GY	GXL			MS1	-	N/A	N/A	N/A
AA9A	18	GY	TXL			MS1	-	N/A	N/A	N/A
AA9AA	18	GY	TXL			MS1	-	N/A	N/A	N/A
GZ5AA(-)	18	GN	TXL			MS1	-	N/A	N/A	N/A
GZ5AB(-)	18	GN	TXL			MS1	-	N/A	N/A	N/A
GZ5AC(-)	18	GN	TXL			MS1	-	N/A	N/A	N/A
JK5AA(-)	18	GN	TXL			MS1	-	N/A	N/A	N/A
JK5AB(-)	18	GN	TXL			MS1	-	N/A	N/A	N/A
JK5AC(-)	18	GN	TXL			NS1	-	N/A	N/A	N/A
KU5AA(-)	18	GN	TXL			NS1	-	N/A	N/A	N/A
KU5AB(-)	18	GN	TXL			NS1	-	N/A	N/A	N/A
KU5AC(-)	18	GN	TXL			NS1	-	N/A	N/A	N/A
LN5AA(-)	18	GN	TXL			NS1	-	N/A	N/A	N/A
LN5AB(-)	18	GN	TXL			NS1	-	N/A	N/A	N/A
LN5AC(-)	18	GN	TXL			NS10	-	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
GZ5AA(+)	18	YL	TXL			NS10	-	N/A	N/A	N/A
GZ5AB(+)	18	YL	TXL			NS10	-	N/A	N/A	N/A
GZ5AC(+)	18	YL	TXL			NS2	-	N/A	N/A	N/A
JK5AA(+)	18	YL	TXL			NS2	-	N/A	N/A	N/A
JK5AB(+)	18	YL	TXL			NS2	-	N/A	N/A	N/A
JK5AC(+)	18	YL	TXL			NS2	-	N/A	N/A	N/A
KU5AA(+)	18	YL	TXL			NS2	-	N/A	N/A	N/A
KU5AB(+)	18	YL	TXL			NS2	-	N/A	N/A	N/A
KU5AC(+)	18	YL	TXL			NS3	-	N/A	N/A	N/A
LN5AA(+)	18	YL	TXL			NS3	-	N/A	N/A	N/A
LN5AB(+)	18	YL	TXL			NS3	-	N/A	N/A	N/A
LN5AC(+)	18	YL	TXL			NS4	-	N/A	N/A	N/A
AA63A	16	DKBL	TXL			NS4	-	N/A	N/A	N/A
AA63B	16	DKBL	TXL			NS4	-	N/A	N/A	N/A
AA63C	16	DKBL	TXL			NS4	-	N/A	N/A	N/A
AA9B	18	GY	TXL			NS4	-	N/A	N/A	N/A
AA9BAA	16	GY	TXL			NS4	-	N/A	N/A	N/A
AA9BAB	16	GY	TXL			NS4	-	N/A	N/A	N/A
AA9BC	18	GY	TXL			NS5	-	N/A	N/A	N/A
AA63	18	DKBL	TXL			NS5	-	N/A	N/A	N/A
AA63BB	18	DKBL	TXL			NS5	-	N/A	N/A	N/A
AA63BC	18	DKBL	TXL			NS5	-	N/A	N/A	N/A
AA63D	18	DKBL	TXL			NS5	-	N/A	N/A	N/A
BY65	16	OR	TXL			NS5	-	N/A	N/A	N/A
BY65AA	16	OR	TXL			NS5	-	N/A	N/A	N/A
BY65AB	16	OR	TXL			NS5	-	N/A	N/A	N/A
CT86-GD1	18	WH	TXL			NS5	-	N/A	N/A	N/A
CT86-GD2	18	WH	TXL			NS5	-	N/A	N/A	N/A
CT86-GND	18	WH	TXL			NS5	-	N/A	N/A	N/A
3D5A(+)	18	YL	TXL			NS5	-	N/A	N/A	N/A
3D5B(+)	18	YL	TXL			NS6	-	N/A	N/A	N/A
3D5C(+)	18	YL	TXL			NS6	-	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
3M5A(+)	18	YL	TXL			NS6	-	N/A	N/A	N/A
3M5B(+)	18	YL	TXL			NS6	-	N/A	N/A	N/A
3M5C(+)	18	YL	TXL			NS6	-	N/A	N/A	N/A
9K5A(+)	18	YL	TXL			NS6	-	N/A	N/A	N/A
9K5B(+)	18	YL	TXL			NS6	-	N/A	N/A	N/A
9K5C(+)	18	YL	TXL			NS6	-	N/A	N/A	N/A
9L5A(+)	18	YL	TXL			NS6	-	N/A	N/A	N/A
9L5B(+)	18	YL	TXL			NS6	-	N/A	N/A	N/A
9L5C(+)	18	YL	TXL			NS6	-	N/A	N/A	N/A
9U5A(+)	18	YL	TXL			NS6	-	N/A	N/A	N/A
9U5B(+)	18	YL	TXL			NS7	-	N/A	N/A	N/A
9U5C(+)	18	YL	TXL			NS7	-	N/A	N/A	N/A
9V5A(+)	18	YL	TXL			NS7	-	N/A	N/A	N/A
9V5B(+)	18	YL	TXL			NS9	-	N/A	N/A	N/A
9V5C(+)	18	YL	TXL			NS9	-	N/A	N/A	N/A
JB5A(+)	18	YL	TXL			NS9	-	N/A	N/A	N/A
JB5B(+)	18	YL	TXL			PS1	-	N/A	N/A	N/A
JB5C(+)	18	YL	TXL			PS1	-	N/A	N/A	N/A
SN5A(+)	18	YL	TXL			PS1	-	N/A	N/A	N/A
SN5B(+)	18	YL	TXL			PS1	-	N/A	N/A	N/A
SN5C(+)	18	YL	TXL			PS1	-	N/A	N/A	N/A
SP5A(+)	18	YL	TXL			PS1	-	N/A	N/A	N/A
SP5B(+)	18	YL	TXL			PS1	-	N/A	N/A	N/A
SP5C(+)	18	YL	TXL			PS1	-	N/A	N/A	N/A
3D5A(-)	18	GN	TXL			PS1	-	N/A	N/A	N/A
3D5B(-)	18	GN	TXL			PS1	-	N/A	N/A	N/A
3D5C(-)	18	GN	TXL			PS1	-	N/A	N/A	N/A
3M5A(-)	18	GN	TXL			PS1	-	N/A	N/A	N/A
3M5B(-)	18	GN	TXL			PS1	-	N/A	N/A	N/A
3M5C(-)	18	GN	TXL			PS1	-	N/A	N/A	N/A
9K5A(-)	18	GN	TXL			PS1	-	N/A	N/A	N/A
9K5B(-)	18	GN	TXL			PS1	-	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
9K5C(-)	18	GN	TXL			PS1	-	N/A	N/A	N/A
9L5A(-)	18	GN	TXL			PS1	-	N/A	N/A	N/A
9L5B(-)	18	GN	TXL			PS1	-	N/A	N/A	N/A
9L5C(-)	18	GN	TXL			PS1	-	N/A	N/A	N/A
9U5A(-)	18	GN	TXL			PS1	-	N/A	N/A	N/A
9U5B(-)	18	GN	TXL			PS1	-	N/A	N/A	N/A
9U5C(-)	18	GN	TXL			PS1	-	N/A	N/A	N/A
9V5A(-)	18	GN	TXL			PS1	-	N/A	N/A	N/A
9V5B(-)	18	GN	TXL			PS1	-	N/A	N/A	N/A
9V5C(-)	18	GN	TXL			PS1	-	N/A	N/A	N/A
JB5A(-)	18	GN	TXL			PS1	-	N/A	N/A	N/A
JB5B(-)	18	GN	TXL			PS1	-	N/A	N/A	N/A
JB5C(-)	18	GN	TXL			PS1	-	N/A	N/A	N/A
SN5A(-)	18	GN	TXL			PS1	-	N/A	N/A	N/A
SN5B(-)	18	GN	TXL			PS1	-	N/A	N/A	N/A
SN5C(-)	18	GN	TXL			PS1	-	N/A	N/A	N/A
SP5A(-)	18	GN	TXL			PS1	-	N/A	N/A	N/A
SP5B(-)	18	GN	TXL			PS1	-	N/A	N/A	N/A
SP5C(-)	18	GN	TXL			PS1	-	N/A	N/A	N/A
JM5BA(-)	18	LTGN	TXL			PS1	-	N/A	N/A	N/A
JM5BB(-)	18	LTGN	TXL			PS2	-	N/A	N/A	N/A
JM5BC(-)	18	LTGN	TXL			PS2	-	N/A	N/A	N/A
JN5BA(-)	18	LTGN	TXL			PS2	-	N/A	N/A	N/A
JN5BB(-)	18	LTGN	TXL			PS2	-	N/A	N/A	N/A
JN5BC(-)	18	LTGN	TXL			PS2	-	N/A	N/A	N/A
JP5BA(-)	18	LTGN	TXL			PS2	-	N/A	N/A	N/A
JP5BB(-)	18	LTGN	TXL			PS2	-	N/A	N/A	N/A
JP5BC(-)	18	LTGN	TXL			PS2	-	N/A	N/A	N/A
JR5BA(-)	18	LTGN	TXL			PS2	-	N/A	N/A	N/A
JR5BB(-)	18	LTGN	TXL			PS2	-	N/A	N/A	N/A
JR5BC(-)	18	LTGN	TXL			PS2	-	N/A	N/A	N/A
JM5BA(+)	18	YL	TXL			PS2	-	N/A	N/A	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
JM5BB(+)	18	YL	TXL			PS2	-	N/A	N/A	N/A
JM5BC(+)	18	YL	TXL			PS2	-	N/A	N/A	N/A
JN5BA(+)	18	YL	TXL			PS2	-	N/A	N/A	N/A
JN5BB(+)	18	YL	TXL			PS2	-	N/A	N/A	N/A
JN5BC(+)	18	YL	TXL			PS2	-	N/A	N/A	N/A
JP5BA(+)	18	YL	TXL			PS2	-	N/A	N/A	N/A
JP5BB(+)	18	YL	TXL			PS2	-	N/A	N/A	N/A
JP5BC(+)	18	YL	TXL			PS2	-	N/A	N/A	N/A
JR5BA(+)	18	YL	TXL			PS2	-	N/A	N/A	N/A
JR5BB(+)	18	YL	TXL			PS2	-	N/A	N/A	N/A
JR5BC(+)	18	YL	TXL			PS2	-	N/A	N/A	N/A
SF59D	18	GY	TXL			PS2	-	N/A	N/A	N/A
SF59DA	18	GY	TXL			PS2	-	N/A	N/A	N/A
SF59DB	18	GY	TXL			PS2	-	N/A	N/A	N/A
RK59E	18	GY	TXL			PS2	-	N/A	N/A	N/A
RK59EA	18	GY	TXL			PS2	-	N/A	N/A	N/A
RK59EB	18	GY	TXL			PS2	-	N/A	N/A	N/A
3D5C(-)	18	GN	TXL			PS2	-	N/A	N/A	N/A
3D5D(-)	18	GN	TXL			PS2	-	N/A	N/A	N/A
3D5E(-)	18	GN	TXL			PS2	-	N/A	N/A	N/A
3M5C(-)	18	GN	TXL			PS2	-	N/A	N/A	N/A
3M5D(-)	18	GN	TXL			PS2	-	N/A	N/A	N/A
3M5E(-)	18	GN	TXL			PS2	-	N/A	N/A	N/A
9K5C(-)	18	GN	TXL			PS2	-	N/A	N/A	N/A
9K5D(-)	18	GN	TXL			PS3	-	N/A	N/A	N/A
9K5E(-)	18	GN	TXL			PS3	-	N/A	N/A	N/A
9L5C(-)	18	GN	TXL			PS3	-	N/A	N/A	N/A
9L5D(-)	18	GN	TXL			RS1	-	N/A	N/A	N/A
9L5E(-)	18	GN	TXL			RS1	-	N/A	N/A	N/A
9U5C(-)	18	GN	TXL			RS1	-	N/A	N/A	N/A
9U5D(-)	18	GN	TXL			RS2	-	N/A	N/A	N/A
9U5E(-)	18	GN	TXL			RS2	-	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
9V5C(-)	18	GN	TXL			RS2	-	N/A	N/A	N/A
9V5D(-)	18	GN	TXL			SAS1	-	N/A	N/A	N/A
9V5E(-)	18	GN	TXL			SAS1	-	N/A	N/A	N/A
JB5C(-)	18	GN	TXL			SAS1	-	N/A	N/A	N/A
JB5D(-)	18	GN	TXL			SAS1	-	N/A	N/A	N/A
JB5E(-)	18	GN	TXL			SAS1	-	N/A	N/A	N/A
SN5C(-)	18	GN	TXL			SAS1	-	N/A	N/A	N/A
SN5D(-)	18	GN	TXL			SAS1	-	N/A	N/A	N/A
SN5E(-)	18	GN	TXL			SAS2	-	N/A	N/A	N/A
SP5C(-)	18	GN	TXL			SAS2	-	N/A	N/A	N/A
SP5D(-)	18	GN	TXL			SAS2	-	N/A	N/A	N/A
SP5E(-)	18	GN	TXL			SAS3	-	N/A	N/A	N/A
2Z57A3	16	OR	TXL			SAS3	-	N/A	N/A	N/A
2Z57A4	16	OR	TXL			SAS3	-	N/A	N/A	N/A
2Z57A5	16	OR	TXL			SAS3	-	N/A	N/A	N/A
EA57A1	16	OR	TXL			SAS3	-	N/A	N/A	N/A
EA57A2	16	OR	TXL			SAS3	-	N/A	N/A	N/A
EA57A3	16	OR	TXL			SAS4	-	N/A	N/A	N/A
BB52A	14	YL	TXL			SAS4	-	N/A	N/A	N/A
BB52AA	14	YL	TXL			SAS4	-	N/A	N/A	N/A
BB52AB	18	YL	TXL			SAS5	-	N/A	N/A	N/A
BB53A	14	YL	TXL			SAS5	-	N/A	N/A	N/A
BB53AA	14	YL	TXL			SAS5	-	N/A	N/A	N/A
BB53AB	18	YL	TXL			SAS5	-	N/A	N/A	N/A
BB53AC	18	YL	TXL			SBS1	-	N/A	N/A	N/A
GZ5AC(+)	18	YL	TXL			SBS1	-	N/A	N/A	N/A
GZ5AD(+)	18	YL	TXL			SBS1	-	N/A	N/A	N/A
GZ5AE(+)	18	YL	TXL			SBS1	-	N/A	N/A	N/A
JK5AC(+)	18	YL	TXL			SBS1	-	N/A	N/A	N/A
JK5AD(+)	18	YL	TXL			SBS1	-	N/A	N/A	N/A
JK5AE(+)	18	YL	TXL			SBS1	-	N/A	N/A	N/A
KU5AC(+)	18	YL	TXL			SBS1	-	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
KU5AD(+)	18	YL	TXL			SBS1	-	N/A	N/A	N/A
KU5AE(+)	18	YL	TXL			SBS1	-	N/A	N/A	N/A
LN5AC(+)	18	YL	TXL			SBS1	-	N/A	N/A	N/A
LN5AD(+)	18	YL	TXL			SBS1	-	N/A	N/A	N/A
LN5AE(+)	18	YL	TXL			SBS1	-	N/A	N/A	N/A
GZ5AC(-)	18	GN	TXL			SBS1	-	N/A	N/A	N/A
GZ5AD(-)	18	GN	TXL			SBS2	-	N/A	N/A	N/A
GZ5AE(-)	18	GN	TXL			SBS2	-	N/A	N/A	N/A
JK5AC(-)	18	GN	TXL			SBS2	-	N/A	N/A	N/A
JK5AD(-)	18	GN	TXL			SBS2	-	N/A	N/A	N/A
JK5AE(-)	18	GN	TXL			SBS2	-	N/A	N/A	N/A
KU5AC(-)	18	GN	TXL			SBS2	-	N/A	N/A	N/A
KU5AD(-)	18	GN	TXL			SBS2	-	N/A	N/A	N/A
KU5AE(-)	18	GN	TXL			SBS2	-	N/A	N/A	N/A
LN5AC(-)	18	GN	TXL			SBS2	-	N/A	N/A	N/A
LN5AD(-)	18	GN	TXL			SBS5	-	N/A	N/A	N/A
LN5AE(-)	18	GN	TXL			SBS5	-	N/A	N/A	N/A
ZA94SK	18	GY	TXL			SBS5	-	N/A	N/A	N/A
ZA94SKA	18	GY	TXL			SBS6	-	N/A	N/A	N/A
ZA94SKB	18	GY	TXL			SBS6	-	N/A	N/A	N/A
BU65	16	OR	TXL			SBS6	-	N/A	N/A	N/A
BU65AA	18	OR	TXL			SCS1	-	N/A	N/A	N/A
BU65AB	16	OR	TXL			SCS1	-	N/A	N/A	N/A
BW65	16	OR	TXL			SCS1	-	N/A	N/A	N/A
BW65AA	18	OR	TXL			SCS1	-	N/A	N/A	N/A
BW65AB	16	OR	TXL			SCS1	-	N/A	N/A	N/A
BX65	16	OR	TXL			SCS1	-	N/A	N/A	N/A
BX65AA	18	OR	TXL			SCS1	-	N/A	N/A	N/A
BX65AB	18	OR	TXL			SCS2	-	N/A	N/A	N/A
BX65AC	18	OR	TXL			SCS2	-	N/A	N/A	N/A
3D5C(+)	18	YL	TXL			SCS2	-	N/A	N/A	N/A
3D5D(+)	18	YL	TXL			SCS2	-	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
3D5E(+)	18	YL	TXL			SCS2	-	N/A	N/A	N/A
3M5C(+)	18	YL	TXL			SCS2	-	N/A	N/A	N/A
3M5D(+)	18	YL	TXL			SCS2	-	N/A	N/A	N/A
3M5E(+)	18	YL	TXL			SCS2	-	N/A	N/A	N/A
9K5C(+)	18	YL	TXL			SCS2	-	N/A	N/A	N/A
9K5D(+)	18	YL	TXL			SCS2	-	N/A	N/A	N/A
9K5E(+)	18	YL	TXL			SCS2	-	N/A	N/A	N/A
9L5C(+)	18	YL	TXL			SCS2	-	N/A	N/A	N/A
9L5D(+)	18	YL	TXL			SCS2	-	N/A	N/A	N/A
9L5E(+)	18	YL	TXL			SCS2	-	N/A	N/A	N/A
9U5C(+)	18	YL	TXL			SCS2	-	N/A	N/A	N/A
9U5D(+)	18	YL	TXL			SCS2	-	N/A	N/A	N/A
9U5E(+)	18	YL	TXL			SCS2	-	N/A	N/A	N/A
9V5C(+)	18	YL	TXL			SCS2	-	N/A	N/A	N/A
9V5D(+)	18	YL	TXL			SCS2	-	N/A	N/A	N/A
9V5E(+)	18	YL	TXL			SCS2	-	N/A	N/A	N/A
JB5C(+)	18	YL	TXL			SCS2	-	N/A	N/A	N/A
JB5D(+)	18	YL	TXL			SCS2	-	N/A	N/A	N/A
JB5E(+)	18	YL	TXL			SCS3	-	N/A	N/A	N/A
SN5C(+)	18	YL	TXL			SCS3	-	N/A	N/A	N/A
SN5D(+)	18	YL	TXL			SCS3	-	N/A	N/A	N/A
SN5E(+)	18	YL	TXL			SCS3	-	N/A	N/A	N/A
SP5C(+)	18	YL	TXL			SCS3	-	N/A	N/A	N/A
SP5D(+)	18	YL	TXL			SCS3	-	N/A	N/A	N/A
SP5E(+)	18	YL	TXL			SCS3	-	N/A	N/A	N/A
JP5BC(+)	18	YL	TXL			SCS3	-	N/A	N/A	N/A
JP5BD(+)	18	YL	TXL			SCS3	-	N/A	N/A	N/A
JP5BE(+)	18	YL	TXL			SCS3	-	N/A	N/A	N/A
JR5BC(+)	18	YL	TXL			SCS3	-	N/A	N/A	N/A
JR5BD(+)	18	YL	TXL			SCS3	-	N/A	N/A	N/A
JR5BE(+)	18	YL	TXL			SCS3	-	N/A	N/A	N/A
JP5BC(-)	18	LTGN	TXL			SCS3	-	N/A	N/A	N/A



Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
JP5BD(-)	18	LTGN	TXL			SCS3	-	N/A	N/A	N/A
JP5BE(-)	18	LTGN	TXL			SCS3	-	N/A	N/A	N/A
JR5BC(-)	18	LTGN	TXL			SCS3	-	N/A	N/A	N/A
JR5BD(-)	18	LTGN	TXL			SCS3	-	N/A	N/A	N/A
JR5BE(-)	18	LTGN	TXL			SCS3	-	N/A	N/A	N/A
AR5BA(+)	18	YL	TXL			SCS3	-	N/A	N/A	N/A
AR5BB(+)	18	YL	TXL			SCS3	-	N/A	N/A	N/A
AR5BC(+)	18	YL	TXL			SCS3	-	N/A	N/A	N/A
AS5BA(+)	18	YL	TXL			SCS3	-	N/A	N/A	N/A
AS5BB(+)	18	YL	TXL			SCS3	-	N/A	N/A	N/A
AS5BC(+)	18	YL	TXL			SCS3	-	N/A	N/A	N/A
AR5BA(-)	18	GN	TXL			SCS3	-	N/A	N/A	N/A
AR5BB(-)	18	GN	TXL			SCS3	-	N/A	N/A	N/A
AR5BC(-)	18	GN	TXL			SCS3	-	N/A	N/A	N/A
AS5BA(-)	18	GN	TXL			SCS3	-	N/A	N/A	N/A
AS5BB(-)	18	GN	TXL			SCS4	-	N/A	N/A	N/A
AS5BC(-)	18	GN	TXL			SCS4	-	N/A	N/A	N/A
2B57	16	OR	TXL			SCS4	-	N/A	N/A	N/A
2B57A	16	OR	TXL			SCS4	-	N/A	N/A	N/A
2B57BC	16	OR	TXL			SCS4	-	N/A	N/A	N/A
2C57	16	OR	TXL			SCS4	-	N/A	N/A	N/A
2C57A	16	OR	TXL			SCS4	-	N/A	N/A	N/A
2C57B	18	OR	TXL			SCS4	-	N/A	N/A	N/A
2C57BC	16	OR	TXL			SCS4	-	N/A	N/A	N/A
2D57	16	OR	TXL			SCS4	-	N/A	N/A	N/A
2D57A	16	OR	TXL			SCS4	-	N/A	N/A	N/A
2D57BC	16	OR	TXL			SCS4	-	N/A	N/A	N/A
2D57C	18	OR	TXL			SDS1	-	N/A	N/A	N/A
2.00E+57	16	OR	TXL			SDS1	-	N/A	N/A	N/A
2E57A	16	OR	TXL			SDS1	-	N/A	N/A	N/A
2E57B	18	OR	TXL			SDS1	-	N/A	N/A	N/A
2E57BC	16	OR	TXL			SDS1	-	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
2E57C	18	OR	TXL			SDS1	-	N/A	N/A	N/A
2F57	16	OR	TXL			SDS1	-	N/A	N/A	N/A
2F57A	16	OR	TXL			SDS1	-	N/A	N/A	N/A
2F57B	18	OR	TXL			SDS1	-	N/A	N/A	N/A
2F57BC	16	OR	TXL			SDS1	-	N/A	N/A	N/A
2G57	16	OR	TXL			SDS1	-	N/A	N/A	N/A
2G57A	16	OR	TXL			SDS1	-	N/A	N/A	N/A
2G57B	18	OR	TXL			SDS1	-	N/A	N/A	N/A
2G57BC	16	OR	TXL			SDS1	-	N/A	N/A	N/A
2G57C	18	OR	TXL			SDS1	-	N/A	N/A	N/A
2F56	16	OR	TXL			SDS13	-	N/A	N/A	N/A
2F56D	18	OR	TXL			SDS13	-	N/A	N/A	N/A
2F56N	16	OR	TXL			SDS13	-	N/A	N/A	N/A
2G56	16	OR	TXL			SDS2	-	N/A	N/A	N/A
2G56D	18	OR	TXL			SDS2	-	N/A	N/A	N/A
2G56N	16	OR	TXL			SDS2	-	N/A	N/A	N/A
NS56	16	OR	TXL			SDS3	-	N/A	N/A	N/A
NS56D	18	OR	TXL			SDS3	-	N/A	N/A	N/A
NS56N	16	OR	TXL			SDS3	-	N/A	N/A	N/A
2Z56A2	16	OR	TXL			SDS3	-	N/A	N/A	N/A
2Z56A3	16	OR	TXL			SDS7	-	N/A	N/A	N/A
2Z56A4	16	OR	TXL			SDS7	-	N/A	N/A	N/A
EA56A1	16	OR	TXL			SDS7	-	N/A	N/A	N/A
EA56A2	16	OR	TXL			SDS8	-	N/A	N/A	N/A
EA56A3	16	OR	TXL			SDS8	-	N/A	N/A	N/A
BD75-GAK	18	WH	GXL	239481R1		SDS8	-	2644000R1	N/A	N/A
BD75-GAS	18	WH	TXL	239481R1		SES2	-	2644000R1	N/A	N/A
BD75-GASA	18	WH	GXL	239481R1		SES2	-	2644000R1	N/A	N/A
BD75-GSX	14	WH	GXL	239481R1		SES2	-	2644000R1	N/A	N/A
BF75-GAK	18	WH	GXL	239481R1		SES2	-	2644000R1	N/A	N/A
BF75-GAS	18	WH	GXL	239481R1		SES2	-	2644000R1	N/A	N/A
BF75-GSX	14	WH	GXL	239481R1		SES2	-	2644000R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
CV81-G	10	WH	TXL			SES2	-	N/A	N/A	N/A
CV81-GA	12	WH	TXL			SES3	-	N/A	N/A	N/A
CV81-GB	12	WH	TXL			SES3	-	N/A	N/A	N/A
HA11-GM	10	WH	TXL	382181C1		SES3	-	2644000R1	N/A	N/A
HA11-GM1	10	WH	TXL	382181C1		SES3	-	2644000R1	N/A	N/A
HA11-GM2	10	WH	TXL	382181C1		SES3	-	2644000R1	N/A	N/A
XF94BT	18	GY	TXL			SES3	-	N/A	N/A	N/A
XF94BZ	18	GY	TXL			SES3	-	N/A	N/A	N/A
XF94-GD	16	WH	TXL			SES5	-	N/A	N/A	N/A
AL14K	8	RD	TXL			SES5	-	N/A	N/A	N/A
AL14M	8	RD	TXL			SES5	-	N/A	N/A	N/A
AL14W	6	RD	SGX			SES5	-	N/A	N/A	N/A
JP11-GT	14	WH	GXL	239481R1		SES5	-	2644000R1	N/A	N/A
JP63-GK	18	WH	GXL	239481R1		SES5	-	2644000R1	N/A	N/A
JP63-GSD	18	WH	GXL	239481R1		SES6	-	2644000R1	N/A	N/A
JP63-GU	18	WH	GXL	239481R1		SES6	-	2644000R1	N/A	N/A
JP86-GJJ	16	WH	GXL	239481R1		SES6	-	2644000R1	N/A	N/A
AL14	6	RD	SGX			SES7	-	N/A	N/A	N/A
AL14F	8	RD	TXL			SES7	-	N/A	N/A	N/A
AL14H	8	RD	TXL			SES7	-	N/A	N/A	N/A
HG62A	18	DKBL	GXL	239481R1		SES8	-	2644000R1	N/A	N/A
HG62AH	18	DKBL	TXL	239481R1		SES8	-	2644000R1	N/A	N/A
HG62AS	18	DKBL	GXL	239481R1		SES8	-	2644000R1	N/A	N/A
JM5BC(+)	18	YL	TXL			SGS1	-	N/A	N/A	N/A
JM5BF(+)	18	YL	TXL			SGS1	-	N/A	N/A	N/A
JM5BG(+)	18	YL	TXL			SGS1	-	N/A	N/A	N/A
JN5BC(+)	18	YL	TXL			SGS1	-	N/A	N/A	N/A
JN5BF(+)	18	YL	TXL			SGS10	-	N/A	N/A	N/A
JN5BG(+)	18	YL	TXL			SGS10	-	N/A	N/A	N/A
JP5BE(+)	18	YL	TXL			SGS11	-	N/A	N/A	N/A
JP5BF(+)	18	YL	TXL			SGS11	-	N/A	N/A	N/A
JP5BG(+)	18	YL	TXL			SGS12	-	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
JR5BE(+)	18	YL	TXL			SGS12	-	N/A	N/A	N/A
JR5BF(+)	18	YL	TXL			SGS13	-	N/A	N/A	N/A
JR5BG(+)	18	YL	TXL			SGS13	-	N/A	N/A	N/A
BA75AJ	18	LTGN	GXL	239481R1		SGS16	-	2644000R1	N/A	N/A
BA75AJA	18	LTGN	GXL	239481R1		SGS16	-	2644000R1	N/A	N/A
BA75AJB	18	LTGN	GXL	239481R1		SGS16	-	2644000R1	N/A	N/A
JM5BC(-)	18	LTGN	TXL			SGS17	-	N/A	N/A	N/A
JM5BF(-)	18	LTGN	TXL			SGS17	-	N/A	N/A	N/A
JM5BG(-)	18	LTGN	TXL			SGS17	-	N/A	N/A	N/A
JN5BC(-)	18	LTGN	TXL			SGS2	-	N/A	N/A	N/A
JN5BF(-)	18	LTGN	TXL			SGS2	-	N/A	N/A	N/A
JN5BG(-)	18	LTGN	TXL			SGS2	-	N/A	N/A	N/A
JP5BE(-)	18	LTGN	TXL			SGS2	-	N/A	N/A	N/A
JP5BF(-)	18	LTGN	TXL			SGS3	-	N/A	N/A	N/A
JP5BG(-)	18	LTGN	TXL			SGS3	-	N/A	N/A	N/A
JR5BE(-)	18	LTGN	TXL			SGS3	-	N/A	N/A	N/A
JR5BF(-)	18	LTGN	TXL			SGS4	-	N/A	N/A	N/A
JR5BG(-)	18	LTGN	TXL			SGS4	-	N/A	N/A	N/A
RA11-GBA	14	WH	TXL			SGS4	-	N/A	N/A	N/A
RA11-GCB	14	WH	TXL			SGS7	-	N/A	N/A	N/A
RA11-GCC	14	WH	TXL			SGS7	-	N/A	N/A	N/A
RA11-GKJ	6	WH	SGX			SGS7	-	N/A	N/A	N/A
RB11-GBA	14	WH	TXL			SGS8	-	N/A	N/A	N/A
RB11-GCB	14	WH	TXL			SGS8	-	N/A	N/A	N/A
RB11-GCC	14	WH	TXL			SGS8	-	N/A	N/A	N/A
RB11-GKJ	6	WH	SGX			SGS9	-	N/A	N/A	N/A
RB75-GC	10	WH	TXL			SGS9	-	N/A	N/A	N/A
AA60C	18	OR	TXL			SGS9	-	N/A	N/A	N/A
AA62	18	DKBL	TXL			SHS9	-	N/A	N/A	N/A
AA62DD	18	DKBL	TXL			SHS9	-	N/A	N/A	N/A
3D5E(+)	18	YL	TXL			SHS9	-	N/A	N/A	N/A
3D5G(+)	18	YL	TXL			SJS1	-	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
3D5H(+)	18	YL	TXL			SJS1	-	N/A	N/A	N/A
3M5E(+)	18	YL	TXL			SJS1	-	N/A	N/A	N/A
3M5G(+)	18	YL	TXL			SJS1	-	N/A	N/A	N/A
3M5H(+)	18	YL	TXL			SJS2	-	N/A	N/A	N/A
9K5E(+)	18	YL	TXL			SJS2	-	N/A	N/A	N/A
9K5G(+)	18	YL	TXL			SJS2	-	N/A	N/A	N/A
9K5H(+)	18	YL	TXL			SJS2	-	N/A	N/A	N/A
9L5E(+)	18	YL	TXL			SJS3	-	N/A	N/A	N/A
9L5G(+)	18	YL	TXL			SJS3	-	N/A	N/A	N/A
9L5H(+)	18	YL	TXL			SJS3	-	N/A	N/A	N/A
9U5E(+)	18	YL	TXL			SJS4	-	N/A	N/A	N/A
9U5G(+)	18	YL	TXL			SJS4	-	N/A	N/A	N/A
9U5H(+)	18	YL	TXL			SJS4	-	N/A	N/A	N/A
9V5E(+)	18	YL	TXL			SMS1	-	N/A	N/A	N/A
9V5G(+)	18	YL	TXL			SMS1	-	N/A	N/A	N/A
9V5H(+)	18	YL	TXL			SMS1	-	N/A	N/A	N/A
JC5F(+)	18	YL	TXL			SMS4	-	N/A	N/A	N/A
JC5G(+)	18	YL	TXL			SMS4	-	N/A	N/A	N/A
JC5H(+)	18	YL	TXL			SMS4	-	N/A	N/A	N/A
JD5F(+)	18	YL	TXL			SNS2	-	N/A	N/A	N/A
JD5G(+)	18	YL	TXL			SNS2	-	N/A	N/A	N/A
JD5H(+)	18	YL	TXL			SNS2	-	N/A	N/A	N/A
JF5F(+)	18	YL	TXL			SNS5	-	N/A	N/A	N/A
JF5G(+)	18	YL	TXL			SNS5	-	N/A	N/A	N/A
JF5H(+)	18	YL	TXL			SNS5	-	N/A	N/A	N/A
JG5F(+)	18	YL	TXL			SNS6	-	N/A	N/A	N/A
JG5G(+)	18	YL	TXL			SNS6	-	N/A	N/A	N/A
JG5H(+)	18	YL	TXL			SNS6	-	N/A	N/A	N/A
SN5E(+)	18	YL	TXL			SS1	-	N/A	N/A	N/A
SN5G(+)	18	YL	TXL			SS1	-	N/A	N/A	N/A
SN5H(+)	18	YL	TXL			SS1	-	N/A	N/A	N/A
SP5E(+)	18	YL	TXL			SS1	-	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
SP5G(+)	18	YL	TXL			SS1	-	N/A	N/A	N/A
SP5H(+)	18	YL	TXL			SS1	-	N/A	N/A	N/A
3D5E(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
3D5G(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
3D5H(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
3M5E(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
3M5G(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
3M5H(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
9K5E(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
9K5G(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
9K5H(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
9L5E(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
9L5G(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
9L5H(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
9U5E(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
9U5G(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
9U5H(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
9V5E(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
9V5G(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
9V5H(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
JC5F(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
JC5G(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
JC5H(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
JD5F(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
JD5G(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
JD5H(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
JF5F(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
JF5G(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
JF5H(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
JG5F(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
JG5G(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
JG5H(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
SN5E(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
SN5G(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
SN5H(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
SP5E(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
SP5G(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
SP5H(-)	18	GN	TXL			SS1	-	N/A	N/A	N/A
MB86-GD1	18	WH	TXL			SS1	-	N/A	N/A	N/A
MB86-GD2	18	WH	TXL			SS1	-	N/A	N/A	N/A
MB86-GND	18	WH	TXL			SS1	-	N/A	N/A	N/A
AA11-G	18	WH	TXL			SS1	-	N/A	N/A	N/A
AA11-GCA	12	WH	TXL			SS1	-	N/A	N/A	N/A
AA11-GK	18	WH	TXL			SS1	-	N/A	N/A	N/A
AA11-GKD	18	WH	TXL			SS1	-	N/A	N/A	N/A
AA11-GKE	16	WH	TXL			SS1	-	N/A	N/A	N/A
AA11-GL	18	WH	TXL			SS1	-	N/A	N/A	N/A
AA11-GN	18	WH	TXL			SS1	-	N/A	N/A	N/A
AA11-GU	18	WH	TXL			SS1	-	N/A	N/A	N/A
AA11-GV	18	WH	TXL			SS1	-	N/A	N/A	N/A
AA11-GW	18	WH	TXL			SS1	-	N/A	N/A	N/A
AA60-G	18	WH	TXL			SS1	-	N/A	N/A	N/A
AA63-GA	16	WH	TXL			SS1	-	N/A	N/A	N/A
AA74-G	20	WH	TXL			SS1	-	N/A	N/A	N/A
AA74-GA	20	WH	TXL			SS1	-	N/A	N/A	N/A
AA75-G	12	WH	TXL			SS1	-	N/A	N/A	N/A
AA82-G	16	WH	TXL			SS1	-	N/A	N/A	N/A
AA87-GA	18	WH	TXL			SS1	-	N/A	N/A	N/A
AA98-G	18	WH	TXL			SS1	-	N/A	N/A	N/A
NE17A	18	PK	TXL			SS1	-	N/A	N/A	N/A
NE17H	18	PK	TXL			SS1	-	N/A	N/A	N/A
NE17HA	16	PK	TXL			SS1	-	N/A	N/A	N/A
AA87B	20	GY	TXL			SS1	-	N/A	N/A	N/A
AA87D	18	GY	TXL			SS1	-	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
AA87E	18	GY	TXL			SS10	-	N/A	N/A	N/A
EM13-GBL	18	WH	TXL			SS10	-	N/A	N/A	N/A
EM13-GBM	18	WH	TXL			SS10	-	N/A	N/A	N/A
EM13-GBP	18	WH	TXL			SS10	-	N/A	N/A	N/A
GN13-GBL	18	WH	TXL			SS10	-	N/A	N/A	N/A
GN13-GBM	18	WH	TXL			SS10	-	N/A	N/A	N/A
GN13-GBP	18	WH	TXL			SS10	-	N/A	N/A	N/A
GN13-GBR	18	WH	TXL			SS10	-	N/A	N/A	N/A
HA11-GSK	10	WH	GXL	239481R1		SS10	-	2644000R1	N/A	N/A
HA63-GD	18	WH	GXL	239481R1		SS10	-	2644000R1	N/A	N/A
HA63-GSD	18	WH	GXL	239481R1		SS10	-	2644000R1	N/A	N/A
HA86-GSC	16	WH	GXL	239481R1		SS10	-	2644000R1	N/A	N/A
2V13COG	16	PK	TXL			SS10	-	N/A	N/A	N/A
2V13COG1	16	PK	TXL			SS10	-	N/A	N/A	N/A
2V13COG2	16	PK	TXL			SS10	-	N/A	N/A	N/A
2V13COG3	16	PK	TXL			SS10	-	N/A	N/A	N/A
2Y13COG	16	PK	TXL			SS10	-	N/A	N/A	N/A
2Y13COG1	16	PK	TXL			SS11	-	N/A	N/A	N/A
2Y13COG2	16	PK	TXL			SS11	-	N/A	N/A	N/A
2Y13COG3	16	PK	TXL			SS11	-	N/A	N/A	N/A
RV13COG	16	PK	TXL			SS11	-	N/A	N/A	N/A
RV13COG1	16	PK	TXL			SS11	-	N/A	N/A	N/A
RV13COG2	16	PK	TXL			SS11	-	N/A	N/A	N/A
RV13COG3	16	PK	TXL			SS11	-	N/A	N/A	N/A
2V67COG	18	GY	TXL			SS11	-	N/A	N/A	N/A
2V67COG1	18	GY	TXL			SS11	-	N/A	N/A	N/A
2V67COG2	18	GY	TXL			SS11	-	N/A	N/A	N/A
2Y67COG	18	GY	TXL			SS11	-	N/A	N/A	N/A
2Y67COG1	18	GY	TXL			SS11	-	N/A	N/A	N/A
2Y67COG2	18	GY	TXL			SS12	-	N/A	N/A	N/A
YH82K	16	GY	TXL			SS12	-	N/A	N/A	N/A
YH82KA	16	GY	TXL			SS12	-	N/A	N/A	N/A



Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
YH82KB	16	GY	TXL			SS12	-	N/A	N/A	N/A
RG22A	16	PK	TXL			SS12	-	N/A	N/A	N/A
RG22AA	12	PK	TXL			SS12	-	N/A	N/A	N/A
RG22B	18	PK	TXL			SS12	-	N/A	N/A	N/A
DY54X	16	BN	TXL			SS12	-	N/A	N/A	N/A
DY54XA	16	BN	TXL			SS12	-	N/A	N/A	N/A
DY54XB	16	BN	TXL			SS12	-	N/A	N/A	N/A
CS13COG	16	PK	TXL			SS12	-	N/A	N/A	N/A
CS67A	16	PK	TXL			SS12	-	N/A	N/A	N/A
CS67Y	18	PK	TXL			SS12	-	N/A	N/A	N/A
CS62A	18	DKBL	TXL			SS12	-	N/A	N/A	N/A
CS62AA	18	DKBL	TXL			SS13	-	N/A	N/A	N/A
CS62AB	18	DKBL	TXL			SS13	-	N/A	N/A	N/A
DD78	16	LTGN	TXL			SS13	-	N/A	N/A	N/A
DD78A	16	LTGN	TXL			SS13	-	N/A	N/A	N/A
DD78B	16	LTGN	TXL			SS13	-	N/A	N/A	N/A
CD14-GAG	18	WH	TXL			SS13	-	N/A	N/A	N/A
CD14-GSA	18	WH	TXL			SS13	-	N/A	N/A	N/A
CD14-GSB	18	WH	TXL			SS13	-	N/A	N/A	N/A
CE14-GAG	18	WH	TXL			SS13	-	N/A	N/A	N/A
CE14-GSA	18	WH	TXL			SS13	-	N/A	N/A	N/A
CE14-GSB	18	WH	TXL			SS13	-	N/A	N/A	N/A
CE14-GSC	18	WH	TXL			SS13	-	N/A	N/A	N/A
CE14-GSD	18	WH	TXL			SS14	-	N/A	N/A	N/A
CE14S	18	RD	TXL			SS14	-	N/A	N/A	N/A
CE14SA	18	RD	TXL			SS14	-	N/A	N/A	N/A
CE14SB	18	RD	TXL			SS14	-	N/A	N/A	N/A
JL116LZ	18	GY	TXL			SS14	-	N/A	N/A	N/A
JL116UV	18	GY	TXL			SS14	-	N/A	N/A	N/A
JL116UZ	18	GY	TXL			SS14	-	N/A	N/A	N/A
MZ86AE	18	LTGN	TXL			SS14	-	N/A	N/A	N/A
MZ86FE	18	LTGN	TXL			SS14	-	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
MZ86FF	18	LTGN	TXL			SS14	-	N/A	N/A	N/A
MZ86AA	18	LTGN	TXL			SS14	-	N/A	N/A	N/A
MZ86AF	18	LTGN	TXL			SS14	-	N/A	N/A	N/A
MZ86F	18	YL	TXL			SS14	-	N/A	N/A	N/A
BC63JJ	18	GY	GXL			SS14	-	N/A	N/A	N/A
BC63JK	18	DKBL	TXL			SS14	-	N/A	N/A	N/A
BC63JV	18	GY	GXL			SS14	-	N/A	N/A	N/A
AH12H	18	LTBL	TXL			SS14	-	N/A	N/A	N/A
AH12J	18	LTBL	TXL			SS14	-	N/A	N/A	N/A
AH12K	18	LTBL	TXL			SS14	-	N/A	N/A	N/A
AH13H	18	PK	TXL			SS15	-	N/A	N/A	N/A
AH13J	18	PK	TXL			SS15	-	N/A	N/A	N/A
AH13K	18	PK	TXL			SS15	-	N/A	N/A	N/A
AH13M	18	PK	TXL			SS15	-	N/A	N/A	N/A
CB84	14	LTGN	TXL			SS15	-	N/A	N/A	N/A
CB84A	14	LTGN	TXL			SS15	-	N/A	N/A	N/A
CB84B	14	LTGN	TXL			SS15	-	N/A	N/A	N/A
CL84	14	LTGN	TXL			SS15	-	N/A	N/A	N/A
CL84A	14	LTGN	TXL			SS15	-	N/A	N/A	N/A
CL84B	14	LTGN	TXL			SS15	-	N/A	N/A	N/A
YY13U	12	PK	TXL			SS15	-	N/A	N/A	N/A
YY13V	12	PK	TXL			SS15	-	N/A	N/A	N/A
YY13W	12	PK	TXL			SS15	-	N/A	N/A	N/A
CB13U	18	PK	TXL			SS15	-	N/A	N/A	N/A
CB13UA	20	PK	TXL			SS16	-	N/A	N/A	N/A
CB13UB	20	PK	TXL			SS16	-	N/A	N/A	N/A
CL13U	18	PK	TXL			SS16	-	N/A	N/A	N/A
CL13UA	20	PK	TXL			SS16	-	N/A	N/A	N/A
CL13UB	20	PK	TXL			SS16	-	N/A	N/A	N/A
AL14AB	12	RD	TXL			SS16	-	N/A	N/A	N/A
AL14AD	12	RD	TXL			SS16	-	N/A	N/A	N/A
AL14AF	12	RD	TXL			SS16	-	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
AL14AS	18	RD	TXL			SS16	-	N/A	N/A	N/A
AL14F	8	RD	TXL			SS16	-	N/A	N/A	N/A
AL14AN	12	RD	TXL			SS17	-	N/A	N/A	N/A
AL14AP	12	RD	TXL			SS17	-	N/A	N/A	N/A
AL14AR	18	RD	TXL			SS17	-	N/A	N/A	N/A
AL14H	8	RD	TXL			SS17	-	N/A	N/A	N/A
3D5K(+)	18	YL	TXL			SS17	-	N/A	N/A	N/A
3D5L(+)	20	YL	1939			SS17	-	N/A	N/A	N/A
3D5M(+)	18	YL	TXL			SS17	-	N/A	N/A	N/A
3M5K(+)	18	YL	TXL			SS17	-	N/A	N/A	N/A
3M5L(+)	20	YL	1939			SS17	-	N/A	N/A	N/A
3M5M(+)	18	YL	TXL			SS18	-	N/A	N/A	N/A
9L5H(+)	18	YL	TXL			SS18	-	N/A	N/A	N/A
9L5L(+)	20	YL	1939			SS18	-	N/A	N/A	N/A
9L5M(+)	18	YL	TXL			SS18	-	N/A	N/A	N/A
9V5H(+)	18	YL	TXL			SS18	-	N/A	N/A	N/A
9V5L(+)	20	YL	1939			SS18	-	N/A	N/A	N/A
9V5M(+)	18	YL	TXL			SS18	-	N/A	N/A	N/A
JC5H(+)	18	YL	TXL			SS18	-	N/A	N/A	N/A
JC5L(+)	20	YL	1939			SS18	-	N/A	N/A	N/A
JC5M(+)	18	YL	TXL			SS19	-	N/A	N/A	N/A
JD5K(+)	18	YL	TXL			SS19	-	N/A	N/A	N/A
JD5L(+)	20	YL	1939			SS19	-	N/A	N/A	N/A
JD5M(+)	18	YL	TXL			SS19	-	N/A	N/A	N/A
AL14AC	12	RD	TXL			SS19	-	N/A	N/A	N/A
AL14AE	12	RD	TXL			SS19	-	N/A	N/A	N/A
AL14AH	12	RD	TXL			SS19	-	N/A	N/A	N/A
AL14K	8	RD	TXL			SS19	-	N/A	N/A	N/A
AL14AJ	12	RD	TXL			SS19	-	N/A	N/A	N/A
AL14AK	12	RD	TXL			SS19	-	N/A	N/A	N/A
AL14AL	12	RD	TXL			SS19	-	N/A	N/A	N/A
AL14AM	12	RD	TXL			SS2	-	N/A	N/A	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
AL14AT	12	RD	TXL			SS2	-	N/A	N/A	N/A
AL14M	8	RD	TXL			SS2	-	N/A	N/A	N/A
EE11-GDA	18	GY	TXL			SS2	-	N/A	N/A	N/A
EE11-GDB	18	WH	TXL			SS2	-	N/A	N/A	N/A
EE11-GDC	18	WH	TXL			SS2	-	N/A	N/A	N/A
EE11-GDD	18	WH	TXL			SS2	-	N/A	N/A	N/A
GJ11-GDA	18	WH	TXL			SS2	-	N/A	N/A	N/A
GJ11-GDB	18	WH	TXL			SS2	-	N/A	N/A	N/A
GJ11-GDC	18	WH	TXL			SS2	-	N/A	N/A	N/A
GJ11-GDD	18	WH	TXL			SS2	-	N/A	N/A	N/A
AL14N	12	RD	TXL			SS2	-	N/A	N/A	N/A
AL14R	12	RD	TXL			SS2	-	N/A	N/A	N/A
AL14X	12	RD	TXL			SS2	-	N/A	N/A	N/A
AL14Y	12	RD	TXL			SS2	-	N/A	N/A	N/A
RP14XX	12	RD	TXL			SS2	-	N/A	N/A	N/A
AA82	16	GY	TXL			SS2	-	N/A	N/A	N/A
AA82D	16	GY	TXL			SS2	-	N/A	N/A	N/A
AA82E	16	GY	TXL			SS2	-	N/A	N/A	N/A
AA82M	18	GY	TXL			SS2	-	N/A	N/A	N/A
AA82N	18	GY	TXL			SS2	-	N/A	N/A	N/A
FR94TV	12	GY	TXL			SS2	-	N/A	N/A	N/A
FR94TV1	16	GY	TXL			SS2	-	N/A	N/A	N/A
FR94TV2	16	GY	TXL			SS2	-	N/A	N/A	N/A
FR72EC	18	OR	TXL			SS2	-	N/A	N/A	N/A
FR72ED	18	OR	TXL			SS2	-	N/A	N/A	N/A
FR72EE	18	OR	TXL			SS2	-	N/A	N/A	N/A
FR11-GB	18	WH	TXL			SS2	-	N/A	N/A	N/A
FR72-GB1	18	WH	TXL			SS2	-	N/A	N/A	N/A
FR72-GB2	18	WH	TXL			SS2	-	N/A	N/A	N/A
FR94T	12	GY	TXL			SS2	-	N/A	N/A	N/A
FR94TA	12	GY	TXL			SS2	-	N/A	N/A	N/A
FR94TB	12	GY	TXL			SS2	-	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
HF94T	12	GY	TXL			SS2	-	N/A	N/A	N/A
HF94TT1	12	GY	TXL			SS2	-	N/A	N/A	N/A
HF94TT2	14	GY	TXL			SS2	-	N/A	N/A	N/A
HG94T	12	GY	TXL			SS2	-	N/A	N/A	N/A
HG94TT1	12	GY	TXL			SS20	-	N/A	N/A	N/A
HG94TT2	14	GY	TXL			SS20	-	N/A	N/A	N/A
3D5K(-)	18	GN	TXL			SS20	-	N/A	N/A	N/A
3D5L(-)	20	GN	1939			SS20	-	N/A	N/A	N/A
3D5M(-)	18	GN	TXL			SS20	-	N/A	N/A	N/A
3M5K(-)	18	GN	TXL			SS20	-	N/A	N/A	N/A
3M5L(-)	20	GN	1939			SS21	-	N/A	N/A	N/A
3M5M(-)	18	GN	TXL			SS21	-	N/A	N/A	N/A
9L5H(-)	18	GN	TXL			SS21	-	N/A	N/A	N/A
9L5L(-)	20	GN	1939			SS21	-	N/A	N/A	N/A
9L5M(-)	18	GN	TXL			SS21	-	N/A	N/A	N/A
9V5H(-)	18	GN	TXL			SS21	-	N/A	N/A	N/A
9V5L(-)	20	GN	1939			SS21	-	N/A	N/A	N/A
9V5M(-)	18	GN	TXL			SS22	-	N/A	N/A	N/A
JC5H(-)	18	GN	TXL			SS22	-	N/A	N/A	N/A
JC5L(-)	20	GN	1939			SS22	-	N/A	N/A	N/A
JC5M(-)	18	GN	TXL			SS22	-	N/A	N/A	N/A
JD5K(-)	18	GN	TXL			SS22	-	N/A	N/A	N/A
JD5L(-)	20	GN	1939			SS22	-	N/A	N/A	N/A
JD5M(-)	18	GN	TXL			SS22	-	N/A	N/A	N/A
AE11-GCC	14	WH	TXL			SS22	-	N/A	N/A	N/A
AE11-GCD	14	WH	TXL			SS23	-	N/A	N/A	N/A
AE11-GCE	14	WH	TXL			SS23	-	N/A	N/A	N/A
AE86C	14	LTGN	TXL			SS23	-	N/A	N/A	N/A
AE86C1	14	LTGN	TXL			SS23	-	N/A	N/A	N/A
AE86C2	14	LTGN	TXL			SS23	-	N/A	N/A	N/A
3T71	16	OR	TXL			SS23	-	N/A	N/A	N/A
3T71A	16	OR	TXL			SS23	-	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
3T71B	18	OR	TXL			SS23	-	N/A	N/A	N/A
GM71	16	OR	TXL			SS24	-	N/A	N/A	N/A
GM71A	16	OR	TXL			SS24	-	N/A	N/A	N/A
GM71B	18	OR	TXL			SS24	-	N/A	N/A	N/A
GM71BA	16	OR	TXL			SS24	-	N/A	N/A	N/A
GM71BC	18	OR	TXL			SS24	-	N/A	N/A	N/A
GM71BD	16	OR	TXL			SS24	-	N/A	N/A	N/A
CF13SD	18	PK	TXL			SS25	-	N/A	N/A	N/A
CF13SD1	18	PK	TXL			SS25	-	N/A	N/A	N/A
CF70D	18	GY	TXL			SS25	-	N/A	N/A	N/A
CG13SD	18	PK	TXL			SS25	-	N/A	N/A	N/A
CG13SD1	18	PK	TXL			SS25	-	N/A	N/A	N/A
CG70D	18	OR	TXL			SS25	-	N/A	N/A	N/A
3D5H(+)	18	YL	TXL			SS25	-	N/A	N/A	N/A
3D5J(+)	18	YL	TXL			SS25	-	N/A	N/A	N/A
3D5K(+)	18	YL	TXL			SS25	-	N/A	N/A	N/A
3M5H(+)	18	YL	TXL			SS26	-	N/A	N/A	N/A
3M5J(+)	18	YL	TXL			SS26	-	N/A	N/A	N/A
3M5K(+)	18	YL	TXL			SS26	-	N/A	N/A	N/A
JD5H(+)	18	YL	TXL			SS26	-	N/A	N/A	N/A
JD5J(+)	18	YL	TXL			SS26	-	N/A	N/A	N/A
JD5K(+)	18	YL	TXL			SS26	-	N/A	N/A	N/A
JG5H(+)	18	YL	TXL			SS26	-	N/A	N/A	N/A
JG5J(+)	18	YL	TXL			SS26	-	N/A	N/A	N/A
JG5K(+)	18	YL	TXL			SS27	-	N/A	N/A	N/A
SN5H(+)	18	YL	TXL			SS27	-	N/A	N/A	N/A
SN5J(+)	18	YL	TXL			SS27	-	N/A	N/A	N/A
SN5K(+)	18	YL	TXL			SS27	-	N/A	N/A	N/A
SP5H(+)	18	YL	TXL			SS27	-	N/A	N/A	N/A
SP5J(+)	18	YL	TXL			SS27	-	N/A	N/A	N/A
SP5K(+)	18	YL	TXL			SS27	-	N/A	N/A	N/A
3D5H(-)	18	GN	TXL			SS27	-	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
3D5J(-)	18	GN	TXL			SS27	-	N/A	N/A	N/A
3D5K(-)	18	GN	TXL			SS27	-	N/A	N/A	N/A
3M5H(-)	18	GN	TXL			SS27	-	N/A	N/A	N/A
3M5J(-)	18	GN	TXL			SS27	-	N/A	N/A	N/A
3M5K(-)	18	GN	TXL			SS28	-	N/A	N/A	N/A
JD5H(-)	18	GN	TXL			SS28	-	N/A	N/A	N/A
JD5J(-)	18	GN	TXL			SS28	-	N/A	N/A	N/A
JD5K(-)	18	GN	TXL			SS28	-	N/A	N/A	N/A
JG5H(-)	18	GN	TXL			SS28	-	N/A	N/A	N/A
JG5J(-)	18	GN	TXL			SS28	-	N/A	N/A	N/A
JG5K(-)	18	GN	TXL			SS28	-	N/A	N/A	N/A
SN5H(-)	18	GN	TXL			SS28	-	N/A	N/A	N/A
SN5J(-)	18	GN	TXL			SS29	-	N/A	N/A	N/A
SN5K(-)	18	GN	TXL			SS29	-	N/A	N/A	N/A
SP5H(-)	18	GN	TXL			SS29	-	N/A	N/A	N/A
SP5J(-)	18	GN	TXL			SS29	-	N/A	N/A	N/A
SP5K(-)	18	GN	TXL			SS29	-	N/A	N/A	N/A
BC63-GAJ	18	WH	TXL			SS29	-	N/A	N/A	N/A
BH11-GAL	18	WH	TXL			SS29	-	N/A	N/A	N/A
BX65-GFA	18	WH	TXL			SS29	-	N/A	N/A	N/A
BX65-GFB	18	WH	TXL			SS3	-	N/A	N/A	N/A
CA11-GUA	20	WH	TXL			SS3	-	N/A	N/A	N/A
CA84-GAF	14	WH	TXL			SS3	-	N/A	N/A	N/A
CB11-GUA	20	WH	TXL			SS3	-	N/A	N/A	N/A
CB11-GUB	20	WH	TXL			SS3	-	N/A	N/A	N/A
CB84-GAF	14	WH	TXL			SS3	-	N/A	N/A	N/A
CB84-GBB	14	WH	TXL			SS3	-	N/A	N/A	N/A
CD14-GAG	18	WH	TXL			SS3	-	N/A	N/A	N/A
CE14-GAG	18	WH	TXL			SS3	-	N/A	N/A	N/A
CL11-GUA	20	WH	TXL			SS3	-	N/A	N/A	N/A
CL11-GUB	20	WH	TXL			SS3	-	N/A	N/A	N/A
CL84-GAB	14	WH	TXL			SS3	-	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
CL84-GAF	14	WH	TXL			SS3	-	N/A	N/A	N/A
DB11-GAA	14	WH	TXL			SS3	-	N/A	N/A	N/A
DK62-GBN	18	WH	TXL			SS3	-	N/A	N/A	N/A
DX11-GLD	20	WH	TXL			SS3	-	N/A	N/A	N/A
EE11-GDE	18	WH	TXL			SS3	-	N/A	N/A	N/A
EE11-GDF	18	WH	TXL			SS3	-	N/A	N/A	N/A
GJ11-GDE	18	WH	TXL			SS3	-	N/A	N/A	N/A
HA11-GAT	18	WH	TXL			SS3	-	N/A	N/A	N/A
HC105-GAP	18	WH	TXL			SS3	-	N/A	N/A	N/A
JL116GAG	18	WH	TXL			SS3	-	N/A	N/A	N/A
MR86-G	18	WH	TXL			SS3	-	N/A	N/A	N/A
MZ86-G	18	WH	TXL			SS3	-	N/A	N/A	N/A
RE11-GAL	20	WH	TXL			SS30	-	N/A	N/A	N/A
RG22-GAN	18	WH	TXL			SS30	-	N/A	N/A	N/A
RG22-GBN	18	WH	TXL			SS30	-	N/A	N/A	N/A
RW22-GAN	18	WH	TXL			SS30	-	N/A	N/A	N/A
YY13-GFF	18	WH	TXL			SS30	-	N/A	N/A	N/A
JL116GAG	18	WH	TXL			SS30	-	N/A	N/A	N/A
JL116L-G	18	WH	TXL			SS30	-	N/A	N/A	N/A
JL116U-G	18	WH	TXL			SS30	-	N/A	N/A	N/A
2V11COG	18	WH	TXL			SS31	-	N/A	N/A	N/A
2V11COG1	18	WH	TXL			SS31	-	N/A	N/A	N/A
2V11-GBP	18	WH	TXL			SS31	-	N/A	N/A	N/A
2Y11COG	18	WH	TXL			SS31	-	N/A	N/A	N/A
2Y11COG1	18	WH	TXL			SS31	-	N/A	N/A	N/A
2Y11-GBP	18	WH	TXL			SS31	-	N/A	N/A	N/A
CS11COG	18	WH	TXL			SS31	-	N/A	N/A	N/A
CS11COG1	18	WH	TXL			SS32	-	N/A	N/A	N/A
CS11-GBP	18	WH	TXL			SS32	-	N/A	N/A	N/A
CS67NA	16	PL	TXL			SS32	-	N/A	N/A	N/A
CS67NB	16	PL	TXL			SS32	-	N/A	N/A	N/A
RV11COG	18	WH	TXL			SS32	-	N/A	N/A	N/A



Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
RV11COG1	18	WH	TXL			SS32	-	N/A	N/A	N/A
RV11COG3	18	WH	TXL			SS32	-	N/A	N/A	N/A
RV11-GBP	18	WH	TXL			SS32	-	N/A	N/A	N/A
RE10AA	20	WH	TXL			SS33	-	N/A	N/A	N/A
RE10AB	20	WH	TXL			SS33	-	N/A	N/A	N/A
RE10AC	20	WH	TXL			SS33	-	N/A	N/A	N/A
RE10AD	20	WH	TXL			SS33	-	N/A	N/A	N/A
RE11-GAL	20	WH	TXL			SS33	-	N/A	N/A	N/A
ZA63JB	18	DKBL	GXL	239481R1		SS33	-	2644000R1	N/A	N/A
ZA63JBA	18	DKBL	GXL	239481R1		SS33	-	2644000R1	N/A	N/A
ZA63JBB	18	DKBL	GXL	239481R1		SS33	-	2644000R1	N/A	N/A
GZ5AE(+)	18	YL	TXL			SS34	-	N/A	N/A	N/A
GZ5AH(+)	18	YL	TXL			SS34	-	N/A	N/A	N/A
GZ5AJ(+)	18	YL	TXL			SS34	-	N/A	N/A	N/A
JK5AE(+)	18	YL	TXL			SS34	-	N/A	N/A	N/A
JK5AH(+)	18	YL	TXL			SS34	-	N/A	N/A	N/A
JK5AJ(+)	18	YL	TXL			SS34	-	N/A	N/A	N/A
KU5AE(+)	18	YL	TXL			SS34	-	N/A	N/A	N/A
KU5AH(+)	18	YL	TXL			SS35	-	N/A	N/A	N/A
KU5AJ(+)	18	YL	TXL			SS35	-	N/A	N/A	N/A
LN5AE(+)	18	YL	TXL			SS35	-	N/A	N/A	N/A
LN5AH(+)	18	YL	TXL			SS35	-	N/A	N/A	N/A
LN5AJ(+)	18	YL	TXL			SS35	-	N/A	N/A	N/A
ZA63-GJ	10	WH	GXL	239481R1		SS35	-	2644000R1	N/A	N/A
ZA63-GJA	18	WH	GXL	239481R1		SS35	-	2644000R1	N/A	N/A
ZA63-GJB	18	WH	GXL	239481R1		SS35	-	2644000R1	N/A	N/A
GZ5AE(-)	18	GN	TXL			SS36	-	N/A	N/A	N/A
GZ5AH(-)	18	GN	TXL			SS36	-	N/A	N/A	N/A
GZ5AJ(-)	18	GN	TXL			SS36	-	N/A	N/A	N/A
JK5AE(-)	18	GN	TXL			SS36	-	N/A	N/A	N/A
JK5AH(-)	18	GN	TXL			SS36	-	N/A	N/A	N/A
JK5AJ(-)	18	GN	TXL			SS36	-	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
KU5AE(-)	18	GN	TXL			SS36	-	N/A	N/A	N/A
KU5AH(-)	18	GN	TXL			SS36	-	N/A	N/A	N/A
KU5AJ(-)	18	GN	TXL			SS36	-	N/A	N/A	N/A
LN5AE(-)	18	GN	TXL			SS37	-	N/A	N/A	N/A
LN5AH(-)	18	GN	TXL			SS37	-	N/A	N/A	N/A
LN5AJ(-)	18	GN	TXL			SS37	-	N/A	N/A	N/A
HH86AP	16	LTGN	GXL	239481R1		SS37	-	2644000R1	N/A	N/A
HH86APX	18	LTGN	GXL	239481R1		SS37	-	2644000R1	N/A	N/A
HH86APY	18	LTGN	GXL	239481R1		SS37	-	2644000R1	N/A	N/A
HH86APZ	18	LTGN	GXL	239481R1		SS37	-	2644000R1	N/A	N/A
HH86-GH	16	LTGN	GXL	239481R1		SS37	-	2644000R1	N/A	N/A
HH86-GHX	18	LTGN	GXL	239481R1		SS38	-	2644000R1	N/A	N/A
HH86-GHY	18	LTGN	GXL	239481R1		SS38	-	2644000R1	N/A	N/A
HH86-GHZ	18	LTGN	GXL	239481R1		SS38	-	2644000R1	N/A	N/A
MJ75WG	18	WH	GXL	239481R1		SS38	-	2644000R1	N/A	N/A
MJ75WJ	18	WH	TXL	239481R1		SS38	-	2644000R1	N/A	N/A
MJ75WK	16	WH	GXL	239481R1		SS38	-	2644000R1	N/A	N/A
HA14VAB	16	RD	GXL	239481R1		SS39	-	2644000R1	N/A	N/A
HA63DV	18	DKBL	GXL	239481R1		SS39	-	2644000R1	N/A	N/A
HA63SA	16	DKBL	GXL	239481R1		SS39	-	2644000R1	N/A	N/A
HA63SB	18	DKBL	GXL	239481R1		SS39	-	2644000R1	N/A	N/A
LE63SJ	18	DKBL	GXL	239481R1		SS39	-	2644000R1	N/A	N/A
LE63SJA	18	DKBL	GXL	239481R1		SS39	-	2644000R1	N/A	N/A
LE63SJB	18	DKBL	GXL	239481R1		SS4	-	2644000R1	N/A	N/A
HC77TZ	18	LTGN	TXL	239481R1		SS4	-	2644000R1	N/A	N/A
HC77TZB	18	LTGN	GXL	239481R1		SS4	-	2644000R1	N/A	N/A
HC77TZT	18	LTGN	GXL	239481R1		SS4	-	2644000R1	N/A	N/A
HA11-GSN	10	WH	GXL	239481R1		SS4	-	2644000R1	N/A	N/A
HA62-GSD	18	WH	GXL	239481R1		SS4	-	2644000R1	N/A	N/A
HA63-GB	16	WH	GXL	239481R1		SS4	-	2644000R1	N/A	N/A
HA63-GSF	18	WH	GXL	239481R1		SS4	-	2644000R1	N/A	N/A
HA65-G	16	WH	GXL	239481R1		SS4	-	2644000R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
HA86-GSA	16	WH	GXL	239481R1		SS4	-	2644000R1	N/A	N/A
HC77TV	18	LTGN	TXL	239481R1		SS4	-	2644000R1	N/A	N/A
HC77TVB	18	LTGN	GXL	239481R1		SS4	-	2644000R1	N/A	N/A
HC77TVT	18	LTGN	GXL	239481R1		SS4	-	2644000R1	N/A	N/A
BD75AF	18	LTGN	TXL	239481R1		SS4	-	2644000R1	N/A	N/A
BD75AFA	18	LTGN	TXL	239481R1		SS4	-	2644000R1	N/A	N/A
BD75AFB	18	LTGN	TXL	239481R1		SS4	-	2644000R1	N/A	N/A
BD75AG	18	LTGN	TXL	239481R1		SS4	-	2644000R1	N/A	N/A
BD75AGA	18	LTGN	TXL	239481R1		SS4	-	2644000R1	N/A	N/A
BD75AGB	18	LTGN	TXL	239481R1		SS4	-	2644000R1	N/A	N/A
JP63K	18	DKBL	GXL	239481R1		SS4	-	2644000R1	N/A	N/A
JP63SB	18	DKBL	GXL	239481R1		SS4	-	2644000R1	N/A	N/A
JP63U	18	DKBL	GXL	239481R1		SS4	-	2644000R1	N/A	N/A
JP86M	16	LTGN	GXL	239481R1		SS4	-	2644000R1	N/A	N/A
JP86MA	16	LTGN	GXL	239481R1		SS40	-	2644000R1	N/A	N/A
BD75AR	18	LTGN	GXL	239481R1		SS40	-	2644000R1	N/A	N/A
BD75ARA	18	LTGN	TXL	239481R1		SS40	-	2644000R1	N/A	N/A
BD75ARB	18	LTGN	GXL	239481R1		SS40	-	2644000R1	N/A	N/A
BD77CR	18	LTGN	TXL	239481R1		SS40	-	2644000R1	N/A	N/A
BD77NE	18	LTGN	TXL	239481R1		SS40	-	2644000R1	N/A	N/A
BD77NEA	18	LTGN	TXL	239481R1		SS40	-	2644000R1	N/A	N/A
BD77NEB	18	LTGN	TXL	239481R1		SS40	-	2644000R1	N/A	N/A
BD77NF	18	LTGN	TXL	239481R1		SS41	-	2644000R1	N/A	N/A
BD77NFA	18	LTGN	TXL	239481R1		SS41	-	2644000R1	N/A	N/A
BD77NFB	18	LTGN	TXL	239481R1		SS41	-	2644000R1	N/A	N/A
LD63-GSA	18	WH	GXL	239481R1		SS41	-	2644000R1	N/A	N/A
LD63-GSB	18	DKBL	GXL	239481R1		SS41	-	2644000R1	N/A	N/A
LD63-GSE	18	DKBL	GXL	239481R1		SS41	-	2644000R1	N/A	N/A
LD75-GBB	18	LTGN	TXL	239481R1		SS42	-	2644000R1	N/A	N/A
LE63-GSA	18	DKBL	GXL	239481R1		SS42	-	2644000R1	N/A	N/A
LE63-GSB	18	DKBL	GXL	239481R1		SS42	-	2644000R1	N/A	N/A
LE63-GSC	18	DKBL	GXL	239481R1		SS42	-	2644000R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
LE63-GSE	18	DKBL	GXL	239481R1		SS42	-	2644000R1	N/A	N/A
LE75-GBB	18	LTGN	TXL	239481R1		SS42	-	2644000R1	N/A	N/A
HA86SA	16	LTGN	GXL	239481R1		SS42	-	2644000R1	N/A	N/A
HA86SB	14	LTGN	GXL	239481R1		SS43	-	2644000R1	N/A	N/A
HA86SBA	16	LTBL	GXL	239481R1		SS43	-	2644000R1	N/A	N/A
HA14VB	10	RD	GXL	239481R1		SS43	-	2644000R1	N/A	N/A
HA14VBA	14	RD	GXL	239481R1		SS43	-	2644000R1	N/A	N/A
HA14VBB	16	RD	GXL	239481R1		SS43	-	2644000R1	N/A	N/A
HA14VBC	16	RD	GXL	239481R1		SS43	-	2644000R1	N/A	N/A
HA14VBD	12	RD	GXL	239481R1		SS43	-	2644000R1	N/A	N/A
HA14VBE	14	RD	GXL	239481R1		SS43	-	2644000R1	N/A	N/A
HA75AN	18	LTGN	GXL	239481R1		SS44	-	2644000R1	N/A	N/A
HA14CC	18	RD	GXL	239481R1		SS44	-	2644000R1	N/A	N/A
HA14CD	18	RD	GXL	239481R1		SS44	-	2644000R1	N/A	N/A
HA14VA	10	RD	GXL	239481R1		SS44	-	2644000R1	N/A	N/A
HA14VAA	16	RD	GXL	239481R1		SS44	-	2644000R1	N/A	N/A
HA14VAD	18	RD	GXL	239481R1		SS44	-	2644000R1	N/A	N/A
HA75AM	18	LTGN	GXL	239481R1		SS45	-	2644000R1	N/A	N/A
GS75WD	18	LTGN	GXL	239481R1		SS45	-	2644000R1	N/A	N/A
GS75WDA	18	LTGN	TXL	239481R1		SS45	-	2644000R1	N/A	N/A
GS75WDB	18	LTGN	TXL	239481R1		SS45	-	2644000R1	N/A	N/A
GV75WD	18	LTGN	TXL	239481R1		SS46	-	2644000R1	N/A	N/A
GV75WDA	18	LTGN	TXL	239481R1		SS46	-	2644000R1	N/A	N/A
GV75WDB	18	LTGN	TXL	239481R1		SS46	-	2644000R1	N/A	N/A
ZC75WD	20	RD	GXL	239481R1		SS47	-	2644000R1	N/A	N/A
ZC75WDA	18	LTGN	TXL	239481R1		SS47	-	2644000R1	N/A	N/A
ZC75WDB	18	LTGN	TXL	239481R1		SS47	-	2644000R1	N/A	N/A
LE63AW	18	DKBL	GXL	239481R1		SS48	-	2644000R1	N/A	N/A
LE63SDA	16	DKBL	GXL	239481R1		SS48	-	2644000R1	N/A	N/A
LE63SEA	16	DKBL	GXL	239481R1		SS48	-	2644000R1	N/A	N/A
LE63SF	18	DKBL	GXL	239481R1		SS49	-	2644000R1	N/A	N/A
LE63SH	18	DKBL	GXL	239481R1		SS49	-	2644000R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
BD62A	18	DKBL	GXL	239481R1		SS49	-	2644000R1	N/A	N/A
BD62AS	18	DKBL	GXL	239481R1		SS5	-	2644000R1	N/A	N/A
BD62J	18	DKBL	GXL	239481R1		SS5	-	2644000R1	N/A	N/A
BL5S(+)	18	YL	TXL	239481R1		SS5	-	2644000R1	N/A	N/A
BL5SA(+)	18	YL	TXL	239481R1		SS5	-	2644000R1	N/A	N/A
BL5SB(+)	18	YL	TXL	239481R1		SS5	-	2644000R1	N/A	N/A
BL5S(-)	18	GN	TXL	239481R1		SS5	-	2644000R1	N/A	N/A
BL5SA(-)	18	GN	TXL	239481R1		SS5	-	2644000R1	N/A	N/A
BL5SB(-)	18	GN	TXL	239481R1		SS5	-	2644000R1	N/A	N/A
LD63AW	18	DKBL	GXL	239481R1		SS5	-	2644000R1	N/A	N/A
LD63SDA	16	DKBL	GXL	239481R1		SS5	-	2644000R1	N/A	N/A
LD63SF	18	DKBL	GXL	239481R1		SS5	-	2644000R1	N/A	N/A
LD63SH	18	DKBL	GXL	239481R1		SS5	-	2644000R1	N/A	N/A
LE14VAF	16	RD	GXL	239481R1		SS5	-	2644000R1	N/A	N/A
LE63SC	18	DKBL	GXL	239481R1		SS5	-	2644000R1	N/A	N/A
LE63SD	16	DKBL	GXL	239481R1		SS5	-	2644000R1	N/A	N/A
LE63SE	16	DKBL	GXL	239481R1		SS5	-	2644000R1	N/A	N/A
LD14VAF	16	RD	GXL	239481R1		SS5	-	2644000R1	N/A	N/A
LD63SC	18	DKBL	GXL	239481R1		SS50	-	2644000R1	N/A	N/A
LD63SD	16	DKBL	GXL	239481R1		SS50	-	2644000R1	N/A	N/A
CN11-GBC	18	WH	TXL			SS50	-	N/A	N/A	N/A
CN11-GBD	18	WH	TXL			SS51	-	N/A	N/A	N/A
CN11-GBF	18	WH	TXL			SS51	-	N/A	N/A	N/A
CR11-GBC	18	WH	TXL			SS51	-	N/A	N/A	N/A
CR11-GBD	18	WH	TXL			SS51	-	N/A	N/A	N/A
CR11-GBF	18	WH	TXL			SS51	-	N/A	N/A	N/A
ZY11-GBC	18	WH	TXL			SS51	-	N/A	N/A	N/A
ZY11-GBD	18	WH	TXL			SS52	-	N/A	N/A	N/A
ZY11-GBF	18	WH	TXL			SS52	-	N/A	N/A	N/A
ZY98-GBE	18	WH	TXL			SS52	-	N/A	N/A	N/A
JP5BG(+)	18	YL	TXL			SS52	-	N/A	N/A	N/A
JP5BJ(+)	18	YL	TXL			SS53	-	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
JP5BK(+)	18	YL	TXL			SS53	-	N/A	N/A	N/A
JR5BH(+)	18	YL	TXL			SS53	-	N/A	N/A	N/A
JR5BJ(+)	18	YL	TXL			SS53	-	N/A	N/A	N/A
JR5BK(+)	18	YL	TXL			SS53	-	N/A	N/A	N/A
AA73A	20	LTGN	TXL			SS53	-	N/A	N/A	N/A
AA73B	20	LTGN	TXL			SS53	-	N/A	N/A	N/A
AA73C	20	LTGN	TXL			SS54	-	N/A	N/A	N/A
JP5BG(-)	18	LTGN	TXL			SS54	-	N/A	N/A	N/A
JP5BJ(-)	18	LTGN	TXL			SS54	-	N/A	N/A	N/A
JP5BK(-)	18	LTGN	TXL			SS55	-	N/A	N/A	N/A
JR5BH(-)	18	LTGN	TXL			SS55	-	N/A	N/A	N/A
JR5BJ(-)	18	LTGN	TXL			SS56	-	N/A	N/A	N/A
JR5BK(-)	18	LTGN	TXL			SS56	-	N/A	N/A	N/A
DH75A	20	LTGN	TXL			SS56	-	N/A	N/A	N/A
DH75AA	18	LTGN	TXL			SS56	-	N/A	N/A	N/A
DH75AB	18	LTGN	TXL			SS56	-	N/A	N/A	N/A
GS94BB	18	GY	TXL			SS57	-	N/A	N/A	N/A
GS94BK	18	GY	TXL			SS57	-	N/A	N/A	N/A
GS94-GA	18	WH	TXL			SS58	-	N/A	N/A	N/A
GS94-GB	18	WH	TXL			SS58	-	N/A	N/A	N/A
GS94-GC	16	WH	TXL			SS58	-	N/A	N/A	N/A
GS94MA	18	GY	TXL			SS59	-	N/A	N/A	N/A
GS94MJ	18	GY	TXL			SS59	-	N/A	N/A	N/A
GZ5AF(+)	20	YL	1939			SS59	-	N/A	N/A	N/A
GZ5AG(+)	18	YL	TXL			SS6	-	N/A	N/A	N/A
GZ5AJ(+)	18	YL	TXL			SS6	-	N/A	N/A	N/A
JK5AF(+)	20	YL	1939			SS6	-	N/A	N/A	N/A
JK5AG(+)	18	YL	TXL			SS6	-	N/A	N/A	N/A
JK5AL(+)	18	YL	TXL			SS6	-	N/A	N/A	N/A
KU5AF(+)	20	YL	1939			SS6	-	N/A	N/A	N/A
KU5AG(+)	18	YL	TXL			SS6	-	N/A	N/A	N/A
KU5AJ(+)	18	YL	TXL			SS6	-	N/A	N/A	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
LN5AF(+)	20	YL	1939			SS6	-	N/A	N/A	N/A
LN5AG(+)	18	YL	TXL			SS6	-	N/A	N/A	N/A
LN5AL(+)	18	YL	TXL			SS6	-	N/A	N/A	N/A
GZ5AF(-)	20	GN	1939			SS6	-	N/A	N/A	N/A
GZ5AG(-)	18	GN	TXL			SS6	-	N/A	N/A	N/A
GZ5AJ(-)	18	GN	TXL			SS6	-	N/A	N/A	N/A
JK5AF(-)	20	GN	1939			SS6	-	N/A	N/A	N/A
JK5AG(-)	18	GN	TXL			SS6	-	N/A	N/A	N/A
JK5AL(-)	18	GN	TXL			SS6	-	N/A	N/A	N/A
KU5AF(-)	20	GN	1939			SS60	-	N/A	N/A	N/A
KU5AG(-)	18	GN	TXL			SS60	-	N/A	N/A	N/A
KU5AJ(-)	18	GN	TXL			SS60	-	N/A	N/A	N/A
LN5AF(-)	20	GN	1939			SS62	-	N/A	N/A	N/A
LN5AG(-)	18	GN	TXL			SS62	-	N/A	N/A	N/A
LN5AL(-)	18	GN	TXL			SS62	-	N/A	N/A	N/A
EY71B	16	OR	TXL			SS63	-	N/A	N/A	N/A
EY71BA	16	OR	TXL			SS63	-	N/A	N/A	N/A
EY71BB	18	OR	TXL			SS63	-	N/A	N/A	N/A
CF11-GBE	18	WH	TXL			SS64	-	N/A	N/A	N/A
CF11-GSD	18	WH	TXL			SS64	-	N/A	N/A	N/A
CF53-G	18	WH	TXL			SS64	-	N/A	N/A	N/A
3D5M(-)	18	GN	TXL			SS64	-	N/A	N/A	N/A
3D5N(-)	18	GN	TXL			SS65	-	N/A	N/A	N/A
3D5P(-)	18	GN	TXL			SS65	-	N/A	N/A	N/A
3M5M(-)	18	GN	TXL			SS65	-	N/A	N/A	N/A
3M5N(-)	18	GN	TXL			SS66	-	N/A	N/A	N/A
3M5P(-)	18	GN	TXL			SS66	-	N/A	N/A	N/A
9K5H(-)	18	GN	TXL			SS66	-	N/A	N/A	N/A
9K5N(-)	18	GN	TXL			SS67	-	N/A	N/A	N/A
9K5P(-)	18	GN	TXL			SS67	-	N/A	N/A	N/A
9L5M(-)	18	GN	TXL			SS67	-	N/A	N/A	N/A
9L5N(-)	18	GN	TXL			SS68	-	N/A	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
9L5P(-)	18	GN	TXL			SS68	-	N/A	N/A	N/A
9U5H(-)	18	GN	TXL			SS68	-	N/A	N/A	N/A
9U5N(-)	18	GN	TXL			SS69	-	N/A	N/A	N/A
9U5P(-)	18	GN	TXL			SS69	-	N/A	N/A	N/A
9V5M(-)	18	GN	TXL			SS69	-	N/A	N/A	N/A
9V5N(-)	18	GN	TXL			SS69	-	N/A	N/A	N/A
9V5P(-)	18	GN	TXL			SS7	-	N/A	N/A	N/A
JC5M(-)	18	GN	TXL			SS7	-	N/A	N/A	N/A
JC5N(-)	18	GN	TXL			SS7	-	N/A	N/A	N/A
JC5P(-)	18	GN	TXL			SS7	-	N/A	N/A	N/A
JD5M(-)	18	GN	TXL			SS7	-	N/A	N/A	N/A
JD5N(-)	18	GN	TXL			SS7	-	N/A	N/A	N/A
JD5P(-)	18	GN	TXL			SS7	-	N/A	N/A	N/A
JF5H(-)	18	GN	TXL			SS7	-	N/A	N/A	N/A
JF5N(-)	18	GN	TXL			SS7	-	N/A	N/A	N/A
JF5P(-)	18	GN	TXL			SS7	-	N/A	N/A	N/A
JG5K(-)	18	GN	TXL			SS7	-	N/A	N/A	N/A
JG5N(-)	18	GN	TXL			SS7	-	N/A	N/A	N/A
JG5P(-)	18	GN	TXL			SS7	-	N/A	N/A	N/A
SN5K(-)	18	GN	TXL			SS7	-	N/A	N/A	N/A
SN5N(-)	18	GN	TXL			SS7	-	N/A	N/A	N/A
SN5P(-)	18	GN	TXL			SS73	-	N/A	N/A	N/A
SP5K(-)	18	GN	TXL			SS73	-	N/A	N/A	N/A
SP5N(-)	18	GN	TXL			SS73	-	N/A	N/A	N/A
SP5P(-)	18	GN	TXL			SS74	-	N/A	N/A	N/A
3D5M(+)	18	YL	TXL			SS74	-	N/A	N/A	N/A
3D5N(+)	18	YL	TXL			SS74	-	N/A	N/A	N/A
3D5P(+)	18	YL	TXL			SS75	-	N/A	N/A	N/A
3M5M(+)	18	YL	TXL			SS75	-	N/A	N/A	N/A
3M5N(+)	18	YL	TXL			SS75	-	N/A	N/A	N/A
3M5P(+)	18	YL	TXL			SS76	-	N/A	N/A	N/A
9K5H(+)	18	YL	TXL			SS76	-	N/A	N/A	N/A



Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
9K5N(+)	18	YL	TXL			SS76	-	N/A	N/A	N/A
9K5P(+)	18	YL	TXL			SS77	-	N/A	N/A	N/A
9L5M(+)	18	YL	TXL			SS77	-	N/A	N/A	N/A
9L5N(+)	18	YL	TXL			SS77	-	N/A	N/A	N/A
9L5P(+)	18	YL	TXL			SS78	-	N/A	N/A	N/A
9U5H(+)	18	YL	TXL			SS78	-	N/A	N/A	N/A
9U5N(+)	18	YL	TXL			SS78	-	N/A	N/A	N/A
9U5P(+)	18	YL	TXL			SS79	-	N/A	N/A	N/A
9V5M(+)	18	YL	TXL			SS79	-	N/A	N/A	N/A
9V5N(+)	18	YL	TXL			SS79	-	N/A	N/A	N/A
9V5P(+)	18	YL	TXL			SS8	-	N/A	N/A	N/A
JC5M(+)	18	YL	TXL			SS8	-	N/A	N/A	N/A
JC5N(+)	18	YL	TXL			SS8	-	N/A	N/A	N/A
JC5P(+)	18	YL	TXL			SS8	-	N/A	N/A	N/A
JD5M(+)	18	YL	TXL			SS8	-	N/A	N/A	N/A
JD5N(+)	18	YL	TXL			SS8	-	N/A	N/A	N/A
JD5P(+)	18	YL	TXL			SS8	-	N/A	N/A	N/A
JF5H(+)	18	YL	TXL			SS8	-	N/A	N/A	N/A
JF5N(+)	18	YL	TXL			SS8	-	N/A	N/A	N/A
JF5P(+)	18	YL	TXL			SS8	-	N/A	N/A	N/A
JG5K(+)	18	YL	TXL			SS8	-	N/A	N/A	N/A
JG5N(+)	18	YL	TXL			SS8	-	N/A	N/A	N/A
JG5P(+)	18	YL	TXL			SS8	-	N/A	N/A	N/A
SN5K(+)	18	YL	TXL			SS8	-	N/A	N/A	N/A
SN5N(+)	18	YL	TXL			SS8	-	N/A	N/A	N/A
SN5P(+)	18	YL	TXL			SS8	-	N/A	N/A	N/A
SP5K(+)	18	YL	TXL			SS8	-	N/A	N/A	N/A
SP5N(+)	18	YL	TXL			SS84	-	N/A	N/A	N/A
SP5P(+)	18	YL	TXL			SS84	-	N/A	N/A	N/A
DY54-GX	16	WH	TXL			SS84	-	N/A	N/A	N/A
DY54-GXA	16	WH	TXL			SS85	-	N/A	N/A	N/A
DY54-GXB	18	WH	TXL			SS85	-	N/A	N/A	N/A

<b>Circuit Number</b>	<b>Gauge</b>	<b>Color</b>	<b>Insulation</b>	<b>Terminal Splice Number</b>	<b>Connector Body Part Numbers</b>	<b>Connector Number</b>	<b>Cavity</b>	<b>Seal / Sleeve</b>	<b>Lock 1</b>	<b>Lock 2</b>
XZ94SV	16	GY	TXL			SS85	-	N/A	N/A	N/A
XZ94SVC	16	GY	TXL			SS86	-	N/A	N/A	N/A
XZ94SVD	16	GY	TXL			SS86	-	N/A	N/A	N/A
XZ94SZ	16	GY	TXL			SS86	-	N/A	N/A	N/A
XZ94SZC	16	GY	TXL			SS87	-	N/A	N/A	N/A
XZ94SZD	16	GY	TXL			SS87	-	N/A	N/A	N/A
BA6	18	GY	GXL			SS87	-	UNDEF	N/A	N/A
BA6A	18	GY	GXL			SS9	-	UNDEF	N/A	N/A
BA6B	18	GY	GXL			SS9	-	UNDEF	N/A	N/A
BA6C	18	GY	GXL			SS9	-	UNDEF	N/A	N/A
BH9	18	GY	GXL			SS9	-	UNDEF	N/A	N/A
BH9C	18	GY	TXL			SS9	-	UNDEF	N/A	N/A
BH9D	18	GY	TXL			SS9	-	UNDEF	N/A	N/A
BH9E	18	GY	GXL			SS9	-	UNDEF	N/A	N/A
BH9F	18	GY	GXL			SS9	-	UNDEF	N/A	N/A
BH9H	18	GY	GXL			SS9	-	UNDEF	N/A	N/A
BH9J	18	GY	GXL			SS9	-	UNDEF	N/A	N/A
BH9K	18	GY	GXL			SS9	-	UNDEF	N/A	N/A
BH9M	18	GY	GXL			SS9	-	UNDEF	N/A	N/A
BJ9	18	GY	GXL			SS9	-	UNDEF	N/A	N/A
BJ9C	18	GY	TXL			SS9	-	UNDEF	N/A	N/A
BJ9D	18	GY	TXL			SS9	-	UNDEF	N/A	N/A
BJ9E	18	GY	GXL			SS9	-	UNDEF	N/A	N/A
BJ9F	18	GY	GXL			SS9	-	UNDEF	N/A	N/A
BJ9H	18	GY	GXL			SS91	-	UNDEF	N/A	N/A
BJ9J	18	GY	GXL			SS91	-	UNDEF	N/A	N/A
BJ9K	18	GY	GXL			SS91	-	UNDEF	N/A	N/A
BJ9M	18	GY	GXL			STS1	-	UNDEF	N/A	N/A
BE94SV	18	GY	GXL			STS1	-	2644000R1	N/A	N/A
BE94SVA	18	GY	GXL			STS1	-	2644000R1	N/A	N/A
BE94SVB	18	GY	GXL			STS2	-	2644000R1	N/A	N/A
BE94SZ	18	GY	GXL			STS2	-	2644000R1	N/A	N/A

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	Seal / Sleeve	Lock 1	Lock 2
BE94SZA	18	GY	GXL			STS2	-	2644000R1	N/A	N/A
BE94SZB	18	GY	GXL			STS3	-	2644000R1	N/A	N/A
BH11-GA	18	WH	GXL			STS3	-	UNDEF	N/A	N/A
BH62-GDD	18	WH	TXL			STS3	-	UNDEF	N/A	N/A
BH87-G	18	WH	TXL			SUS1	-	UNDEF	N/A	N/A
BJ11-GA	18	WH	GXL			SUS1	-	UNDEF	N/A	N/A
BJ87-G	18	WH	TXL			SUS1	-	UNDEF	N/A	N/A
AA9AAJ	18	GY	TXL			TS1	-	N/A	N/A	N/A
AA9AAJ1	18	GY	TXL			TS1	-	N/A	N/A	N/A
AA9AE	18	GY	TXL			TS1	-	N/A	N/A	N/A
JA11-GMB	18	WH	GXL	239481R1		XS1	-	2644000R1	N/A	N/A
JA11-GMC	18	WH	GXL	239481R1		XS1	-	2644000R1	N/A	N/A
JA11-GME	18	WH	GXL	239481R1		XS1	-	2644000R1	N/A	N/A
JZ14EA	18	RD	GXL	239481R1		YS1	-	2644000R1	N/A	N/A
JZ14EB	18	RD	GXL	239481R1		YS1	-	2644000R1	N/A	N/A
JZ14ED	18	RD	GXL	239481R1		YS1	-	2644000R1	N/A	N/A
JZ11-GMA	18	WH	GXL	239481R1		YS2	-	2644000R1	N/A	N/A
JZ11-GMB	18	WH	GXL	239481R1		YS2	-	2644000R1	N/A	N/A
JZ11-GMC	18	WH	GXL	239481R1		YS2	-	2644000R1	N/A	N/A

<b>A</b>	
A01-1916:2005836C1	572
A01-1917:1661197C1	574
A01-1918A:1661199C1	575
A01-1919A:2005836C1	577
A01-1932:4105318C1	579
A01-1939A:3616085C1	580
A26 - Air Flow Restriction Monitoring Design	445
A26 - Ambient Air Temperature Design	406
A26 - Back-Up Alarm (Manual) (W/ Tail Light Bar Assy) Design	227
A26 - Back-Up Alarm (Manual) and UltraShift+ Design	223
A26 - Backup Light (Endurant) Design	342
A26 - Backup Lights (Dual Reverse Light) Eaton/Manual Trans Design	334
A26 - Backup Lights (Single Reverse Light) Eaton/Manual Trans Design	338
A26 - Battery Feed 1 Design	66
A26 - Battery Feed 2 Design	64
A26 - Battery International (4) 12V 3700CCA Design	523
A26 - Body Builder Powertrain Design	247
A26 - Bosch LH160 LH200 Alternator Design	528
A26 - Bosch LIL165 LIL200 Alternator Design	529
A26 - Coolant Level Monitoring Design	447
A26 - Cooling Fan Control Two-Speed Design	298
A26 - Cranking (Starter) W/ Thermal Overcrank - External Switch Design	544
A26 - Delco Remy 28SI Alternator Design	530
A26 - Delco Remy 36SI Alternator Design	531
A26 - Delco Remy 40SI Alternator Design	532
A26 - Engine Control Module Design	25
A26 - Exhaust Gas Temperature – Pyrometer AUX Gauge Design	457
A26 - Exhaust Gas Temperature – Pyrometer Cluster Design	458
A26 - Fuel Heater (Vehicle Powered)(Davco) Design	86
A26 - Ground Splice Packs Design	33
A26 - Heating Ventilation & Air Conditioning (HVAC) Design	388
A26 - Interface Connector Design	299

A26 - Key Switch Accessory 1 Design	73
A26 - Key Switch Accessory 2 Design	71
A26 - Key Switch Ignition 1 Design	77
A26 - Key Switch Ignition 2 Design	75
A26 - Leece-Neville - LN 325A Alternator Design	537
A26 - Leece-Neville 320PAH Alternator Design	536
A26 - Leece-Neville AVI160 Alternator Design	534
A26 - Leece-Neville AVI160-210A/240A Alternator Design	535
A26 - Powertrain Aftertreatment PDM Design	59
A26 - Powertrain Ground Splice Packs Design	47
A26 - Powertrain ZVR Splice Packs Design	48
A26 - Starter Interlock (BCM HSD controlled W/ Clutch Switch W/ Auto Start Stop) Design	551
A26 - Starting Aid (Flame Start) Design	300
A26 - Transmission Control Module (TC10 Series A65) Design	508
A26 - Transmission I/O (Endurant Pressure Sensor) Design	509
A26 - Transmission Oil Temperature-Manual Trans Design	436
A26 - Transmission Power Take Off Design	254
A26 - Transmission Power Take Off Dual Solenoid Design	255
A26 - Transmission Power Take Off W/ Clutch Interlock Design	256
A26 - Transmission Shifter (Eaton Endurant and Eaton Procision) Design	510
A26 - Ultrashift+ and FAS Design	511
A26 - Underhood PDM Design	83
A26 - Vehicle Speedometer System Design	407
A26 -Transmission Power Take Off Dual PTO with Clutch Interlock Design	253
A26 Endurant - Ground Splice Packs Design	46
A26 Endurant - Starter Interlocks (Service Brake Interlock) Design	543
ABS Private J1939 Design	11
ABS Splice Packs Design	32
Accelerator - Interlock Design	296
Adaptive Cruise Control w/o Display (Wabco) Design	164
Adaptive Cruise Control w/o Display(Bendix) Design	165
Add On:Bluetooth Design	103

Adjustable Engine Speed Control PTO - W/OMNIVISION - W/J1939 - 1 SW Design . . . . . 251

Adjustable Engine Speed Control PTO - W/OMNIVISION - W/J1939 - 2 SW Design . . . . . 252

Adjustable Engine Speed Control PTO 4-pin Design . . . . . 250

Adjustable Engine Speed Control PTO 10-pin Design . . . . . 249

Adjustable Engine Speed Control PTO 10-pin n/Marker interrupt Design . . . . . 297

Air Application Pressure Monitoring Design . . . . . 405

Air Flow Restriction Monitoring GEN IV BCM Design . . . . . 443

Air Shield Lighting Design . . . . . 315

Antilock Brake System (ABS) [Bendix 6 Channel Implementation] Design . . . . . 266

Antilock Brake System (ABS)-BENDIX 4 Channel Implementation Design . . . . . 269

Antilock Brake System (ABS)-Wabco 4 Channel Implementation Design . . . . . 280

Antilock Brake System (ABS)-Wabco 6 Channel Implementation Design . . . . . 284

Auto Neutral J1939 Based for Allison TC10/ Eaton Ultrashift Design . . . . . 444

Auto Start Stop Battery & Oil Temp Design . . . . . 542

Automatic Lighting Design . . . . . 325

Auxiliary Gauges (Secondary) Design . . . . . 28

Auxiliary Air Solenoids 4-pack (1 pack/4 solenoids) Design . . . . . 95

Auxiliary Air Solenoids 4-pack (2 packs/8 solenoids) Design . . . . . 99

Auxiliary Gauges (Primary) Design . . . . . 29

Auxiliary Trailer Power Cavity D Design . . . . . 482

Axle Loading (Weight) Rear Design . . . . . 478

**B**

Back-Up Alarm (Automatic) (W/ Tail Light Bar Assy) Design . . . . . 237

Back-Up Alarm (Automatic) TC10 Design . . . . . 235

Backup Light (Dual Reverse Light)Allison/ZF Trans Design . . . . . 347

Backup Light (Single Reverse Light)Allison/ZF Trans Design . . . . . 349

Backup Lights (Dual Reverse Light) Eaton/Manual Trans Design . . . . . 343

Backup Lights (Single Reverse Light) Eaton/Manual Trans Design . . . . . 345

Banana Plugs Receptacle Design . . . . . 136

Beacon/Strobe Light Design . . . . . 317

Bendix Stability Control For Tractor or Tractors with Trailer Tow Design . . . . . 273

Bendix Stability Control With Rear Air Suspension No Lift Axle Design . . . . . 275

Body Control module (BCM) Design . . . . . 2

Body J1939 (250Kbps) Design . . . . . 12

**C**

C1-6018:3952655C1 . . . . . 581

C2-6019:3952656C1 . . . . . 599

Cab Dome Light (Sleeper Cab) Design . . . . . 464

Cab J1939 (250Kbps) Design . . . . . 13

Cab Mirror Turn Lights Design . . . . . 351

Cab Mounted Heated Mirrors (Door Pod Control) Design . . . . . 176

Cabinet Refrigerator N/Relay Design . . . . . 178

Cabinet Refrigerator Omit Design . . . . . 179

CB Radio Power Only (Single Antenna) Design . . . . . 138

CB Radio Power Only Design . . . . . 137

CB Radio with Audio Jack for Speakers Design . . . . . 139

Center Chassis Ground Splice Packs Design . . . . . 54

Center Chassis ZVR Splice Packs Design . . . . . 55

Cigar Lighter- Aux APO- Rear Std APO- Rear APO W/Cover- 12V Panel Design . . . . . 144

Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover- 12V Panel- Overhead APO Design . . . . . 148

Cigar Lighter- Aux APO- Rear Std APO- Rear APO w/Cover- 12V Panel- Upr Bnk APO- Rear Overhead APO Design . . . . . 152

Cigar Lighter- Aux APO-Rear Std APO- Rear APO w/Cover- 12V Panel- Upr Bnk APO Design . . . . . 140

Cigar Lighter- Rear Std APO- APO W/Cover- 12V Panel Design . . . . . 156

Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel- Overhead APO Design . . . . . 158

Cigar Lighter- Rear Std APO- Rear APO W/Cover- 12V Panel- Upr Bnk APO Design . . . . . 160

# INDEX

Cigar Lighter- Rear Std APO- Rear APO w/Cover- 12V Panel- Upr Bnk APO- Rear Overhead APO Design .....	162
City Horn (N/ Radio Steering Wheel Controls) Design .....	172
City Horn (W/ Radio Steering Wheel Controls) Design .....	173
Clearance and Identification Lights (N/ Sunshade) Design .....	352
Clutch Monitoring (High and Low Switch to BCM) Design .....	553
Collision Avoidance System Warning Design .....	292
Connector Assembly List .....	2101
Coolant Temperature Monitoring Design .....	408
Courtesy Light Cab Design .....	465
Crank Inhibit (with ECM --> BCM ONLY) Design .....	565
Crank Inhibit (with Hood Switch) with new BCM Pin Design .....	566
Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch Design .....	555
Cranking (Starter) W/O Thermal Overcrank Wiring (A26) Design .....	558
Cranking Request (w/ Key Switch w/ BCM) Design .....	554

## D

Day Time Running Lights (Halogen) Design .....	326
Day Time Running Lights (LED) Design .....	327
DC/AC Inverter Design .....	524
Diagnostic Private J1939 A26 Design .....	14
Door Ajar Reminder (Entry/Exit) Design .....	174
Drain Valve Heater Design .....	261
Driver Controlled Locking Differential -FR & RR Axle Design .....	169
Driver Controlled Locking Differential -RR Axle Design .....	170
Driver Information Display (DID) Design .....	403
Driver Reward Design .....	448
Dual Air Dryers Design .....	262

## E

Eaton Ulltrashift Design .....	21
Electrical Load Control W/ Fuse Design .....	525

Electrical Load Control W/ Relay Design .....	526
Endurant - Battery Grid 1 (Non-Loadshed) Design .....	68
Endurant - Center Chassis Ground Splice Packs Design .....	56
Endurant Design .....	22
Engine Brake Manual Trans MUX Switch Design .....	301
Engine Oil Fuel and Block Heaters Design .....	88
Engine Oil Level Monitoring (ECM) Design .....	449
Engine Oil Pressure Design .....	409
Engine Oil Temperature Design .....	410
Engine Private J1939 A26 Design .....	15
Engine Private J1939 X15 Design .....	16
Engine Speed (Tachometer) Design .....	411
Engine Usage Monitoring (Base) Design .....	423
Engine Usage Monitoring (VID Option) Design .....	424
Engine Warning Design .....	450
Engine/Exhaust Brake Design .....	302
Exterior Lamp Reminder Design .....	319

## F

Fan - Sleeper/Bunk Design .....	89
Fifth Wheel Slide Design .....	385
Floor/Search Lights DayCab Design .....	466
Floor/Search Lights SLPR Design .....	467
Forward Chassis Ground Splice Packs Design .....	57
Front Turn Lights W/ Halogen Design .....	353
Front Turn Lights W/ LED Design .....	354
Fuel Idle Usage (W/ Cluster Feedback) Design .....	412
Fuel Level (Single Tank - Left Side) Design .....	413
Fusion Private J1939 Design .....	17

## G

Grid Management CA2 Design .....	61
----------------------------------	----

**H**

H01-5530:2011340C1 ..... 603

H01-5900:2011340C1 ..... 604

H01-5903:1669973C1 ..... 605

Hazard Warning Lt N/Trlr Socket Design ..... 355

Headlights (Halogen) N/ Headlamp Interrupt W/ 125BBC Design ..... 328

Headlights (Halogen) W/ Headlamp Interrupt W/ 125BBC Design ..... 329

Headlights (LED) N/ Headlamp Interrupt W/ 125BBC Design ..... 330

Headlights (LED) W/ Headlamp Interrupt W/ 125BBC Design ..... 331

Height Control Design ..... 480

Hill Start Aid (Bendix) Design ..... 200

Hill Start Aid (WABCO) Design ..... 203

HVAC Assembly Actuators Design ..... 392

**I**

Instrument Cluster (Premium) Design ..... 30

Instrument Cluster (Standard) Design ..... 31

Intake Manifold Pressure (IMP) (MX1) Design ..... 425

Interior PDM Chart Design ..... 62

Interior Task Lights (Flood) - DayCab Design ..... 469

Interior Task Lights (Flood) W/Upper& Lower Reading LT - Sleeper Cab Design ..... 468

**J**

J1-1603:3598711C1 ..... 606

J1:1667639C1 ..... 616

J1:1667639C1 ..... 618

J1:RING-M-12\_0 ..... 614

J2-1604:3598710C1 ..... 619

J2:1667305C1 ..... 629

J2:RING-E-1-2\_0 ..... 628

J3-1600:3598706C1 ..... 630

J3-1600:3598706C1 ..... 638

J3-1600:3598706C1 ..... 639

J3-1600:3598706C1 ..... 640

J3-1600:3598706C1 ..... 641

J3-1600:3598706C1 ..... 642

J3-1600:3598706C1 ..... 643

J3-1600:3598706C1 ..... 644

J3-1600:3598706C1 ..... 645

J3-1600:3598706C1 ..... 646

J3-1600:3598706C1 ..... 647

J3-1600:3598706C1 ..... 648

J3-1600:3598706C1 ..... 649

J3-1600:3598706C1 ..... 650

J3-1600:3598706C1 ..... 651

J3-1600:3598706C1 ..... 652

J3-1600:3598706C1 ..... 653

J3-1600:3598706C1 ..... 654

J3-1600:3598706C1 ..... 655

J3-1600:3598706C1 ..... 656

J3-1600:3598706C1 ..... 657

J3:373759C2 ..... 658

J4-1601:3598707C1 ..... 659

J5-1602:3598705C1 ..... 666

J5:RING-M-5\_0 ..... 676

J6-1606:3759005C1 ..... 677

J6-1606:3759005C1 ..... 682

J7-1607:3710061C1 ..... 683

Jaw Monitoring Design ..... 386

Jaw Unlock Control Design ..... 387

**K**

K01-7106:3765544C1 ..... 688

K01-7107:3765545C1 ..... 690

# INDEX

K01-7135:4104389C1 .....	691
K02-7106-ISX:3765544C1 .....	692
K02-7107-ISX:3765545C1 .....	695
K02-7135:4104389C1 .....	697

## L

Lane Departure Warning (Mobileye Per-Wire) Design .....	293
Lane Departure Warning - (Bendix - AutoVue W/ Qualcomm Safety Direct) Design .....	294
Lane Departure Warning - (Wabco OnLane) Design .....	295
Left Side Air Dryer-Bendix Design .....	264
License Plate Light (Tail Light Bar Assy.) Design .....	356
License Plate Light(Weldon LED) Design .....	358
Lighting - Cabinet Lights Design .....	471
Lighting Control Module Design .....	58
Lighting Sleeper Dome Design .....	470
Low Speed J1939 (125Kbps) Design .....	18
LT - Fog Lights (Halogen White Rear) Design .....	321
LT - Fog Lights (LED White Rear) Design .....	322
Luggage Compartment Lights - N/ No Idle HVAC Design .....	472
Luggage Compartment Lights - W/ No Idle HVAC Design .....	473

## M

Manual Transmission Design .....	23
Mirrors (Power) (Door Pod Actuated) Design .....	177
Modesty Lighting W/ Sleeper Design .....	332
Multiplexed Switch Pack (Primary Switch) Design .....	10

## O

Odometer (via BCM/EGC) Design .....	451
-------------------------------------	-----

## P

Panel Dimmer Splice Packs Design .....	38
Park Brake (Monitoring)(US & Canada) Design .....	452
Park Lights (Halogen/MRKR INT-STRNGWHL) Design .....	360
Park Lights (LED) Design .....	361
Power Divider Lock Control and Monitoring Design .....	91
Power Door Locks Design .....	175
Power Windows Design .....	92
Powertrain J1939 (500Kbps) X15 Design .....	19
Predictive Cruise Control Design .....	166
Primary/Secondary Air Gauge Design .....	419
PTO (Fuel and Hours) Design .....	420

## R

Radio N/ Wired Remote Design .....	104
Radio W/ Wired Remote Design .....	105
Rear Axle Load Distribution Design .....	481
Rear HVAC (No Idle Heater) (Espar) Design .....	395
Rear HVAC (No Idle Heater) (Webasto Smartemp) Design .....	396
Rear HVAC (No Idle Heater) (Webasto Std N/Swift) N/ Heat Swtich Design ..	397
Rear HVAC (No Idle Heater) (Webasto Std W/Swift) N/ Heat Switch Design ..	398
Rear HVAC (Sleeper W/ Deluxe) Design .....	399
Rear HVAC (Sleeper W/ Premium) Design .....	401
Rear Interior Dimming (Accent Light) Design .....	474
Rear Interior Dimming (Accent/Mood) Design .....	475
Rear Light (Tail Light) (Light Bar ASSY) Design .....	366
Rear Light (Tail Light) (Light Bar ASSY/MRKR INT-STRNGWHL) Design .....	368
Rear Light (Tail Light) (Weldon LED) Design .....	370
Rear Light (Tail Light) (Weldon LED/MRKR INT-STRNGWHL) Design .....	372
Rear Lights Stop - Dual Assembly Design .....	362
Rear Lights Stop - Single Assembly Design .....	364
Rear Turn Lights W/ Dual Tail Light Assembly Design .....	374
Rear Turn Lights W/ Single Rear Light Assembly Design .....	376
Remote Keyless Entry Design .....	93



RH - Fog Lights (Halogen White) Design . . . . .	323
RH - Fog Lights (LED White) Design . . . . .	324
Road Speed Limiter Design . . . . .	303

**S**

Seatbelt Reminder (Warning)(Driver & Passenger in parallel) Design . . . . .	477
Seatbelt Reminder (Warning)(Driver only) Design . . . . .	476
Service Brake Switch Design . . . . .	320
Single Axle Temperature Monitoring Design . . . . .	428
Single Axle Temperature Monitoring w/Aux Gauge Design . . . . .	430
Skirt Light- Customer Supplied Design . . . . .	333
Sleeper Ground Splice Packs Design . . . . .	44
Sleeper PDM Design . . . . .	82
Speakers:Four Speakers - Daycab Design . . . . .	106
Speakers:Four Speakers - Sleeper Design . . . . .	107
Speakers:Speakers W/ Amplifier Design . . . . .	108
Speakers:Two Speakers Design . . . . .	109
Special Power Distribution Design . . . . .	63
Starter Interlock (BCM HSD controlled W/ Clutch Switch N/ Auto Start Stop) Design . . . . .	568
Starter Interlock (BCM LSD Controlled w/ Relay)_EATON XMSN Design . . . . .	569
Starter Interlocks (BCM controlled with input from Allison TCM) Design . . . . .	567
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V Panel Design . . . . .	110
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V Panel-Overhead APO Design . . . . .	114
Std APO-Aux APO-Rear Std APO-Rear APO W/Cover-12V Panel-Upr Bnk APO Design . . . . .	118
Std APO-Aux APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk APO- Rear Overhead APO Design . . . . .	122
Std APO-Rear Std APO-Rear APO W/Cover-12V Panel Design . . . . .	126
Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Rear Overhead APO Design . . . . .	128
Std APO-Rear Std APO-Rear APO W/Cover-12V Panel-Upr Bnk APO Design .	130

Std APO-Rear Std APO-Rear APO w/Cover-12V Panel-Upr Bnk APO-Rear Overhead APO Design . . . . .	132
---	-----

**T**

Tandem Axle Temperature Monitoring Design . . . . .	432
Tandem Axle Temperature Monitoring w/Aux Gauge Design . . . . .	434
TC10 Series Design . . . . .	24
Telematics (DRIVERTECH SLEEPER W/ J1939) Design . . . . .	186
Telematics (OMNIVISION MD) Design . . . . .	188
Telematics (PEOPLE NET DAYCAB) Design . . . . .	190
Telematics (PMG w/ DVR) Design . . . . .	192
Telematics (QUALCOMM IMCT DAYCAB W/ MVPC) Design . . . . .	193
Telematics (QUALCOMM MCP50) Design . . . . .	194
Telematics (QUALCOMM MCT w/o Tracs) Design . . . . .	195
Telematics (QUALCOMM MCT) Design . . . . .	196
Telematics (QUALCOMM TMCT) Design . . . . .	197
Telematics (TRIPMASTER DAYCAB) Design . . . . .	198
Telematics (TRIPMASTER SLEEPER) Design . . . . .	199
Telematics J1708 Design . . . . .	20
Telematics PEOPLE NET MD Design . . . . .	183
Telematics Peoplenet PMG Design . . . . .	181
Telematics XATANET W/J1939 Design . . . . .	185
Theft Deterrent (Without additional relay) Design . . . . .	94
Tire Pressure (TPMS) (US & Canada) Design . . . . .	453
Traction Control (Bendix Controller) Design . . . . .	287
Traction Control (Wabco Controller) Design . . . . .	289
Trailer Interface (ABS) - BOC & EOF_NA Design . . . . .	486
Trailer Interface (ABS) - BOC_NA Design . . . . .	494
Trailer Interface (Lighting) – BOC & EOF Design . . . . .	498
Trailer Interface (Lighting) – BOC_NA Design . . . . .	504
Trailer Interface (Lighting) – TRAMEC_NA Design . . . . .	507
Transmission Oil Temperature-Automatic Trans Design . . . . .	439
Transmission Oil Temperature-Manual Trans Design . . . . .	440

# INDEX

Transmission Shifter Allison Design .....	512
Transmission Shifter Universal Shifter - Ultrashift+ & FAS Design .....	513
Transmission Ultrashift+ w/Body Builder Design .....	514
Trip Odometer w/ECM & TCM Design .....	462
Trip Odometer w/ECM Design .....	461
Trip Odometer W/VID Design .....	463
Two USB Design .....	204

## U

Underbunk Refrigerator N/Relay Design .....	180
Up Shift Indicator Design .....	454
USB Design .....	206

## V

Vehicle Speed Control (Cruise Control) 4 - PIN Design .....	168
Vehicle Speed Control (Cruise Control) 10 - Pin Design .....	167
Vehicle Speed Limit Override new Datalink Design .....	304
Voltage Monitoring (Voltmeter) Design .....	421

## W

Wabco Full Stability Control Design .....	278
Water In Fuel (WIF) W/ Heater(Davco) Design .....	305
Windshield Washer Low Fluid Sensor Design .....	520
Windshield Washer Pump Design .....	521
Windshield Wipers Design .....	522
Work Lights (Customer Supplied) W/ Sw Pack Design .....	383
Work Lights LED (Customer Supplied) W/ Sw Pack - Sleeper Design .....	381
Work Lights LED W/ Sw Pack - Day Cab Design .....	379
Work Lights LED W/ Sw Pack - Sleeper Design .....	380

## X

X15 - Acceleration Pedal Design .....	307
---------------------------------------	-----

X15 - Accelerator Interlock W/ Park Brake Engagement Design .....	308
X15 - Back-Up Alarm Manual and UltraShift+ Design .....	241
X15 - Back-Up Alarm Manual W Tail Light Bar Assy Design .....	243
X15 - Battery Feed 1 - Part 1 Design .....	69
X15 - Battery Feed 1 - Part 2 Design .....	70
X15 - Battery Feed 2 Design .....	65
X15 - Battery International (4) 12V 3700CCA Design .....	527
X15 - Bosch LH160_LH200 Alternator1 Design .....	538
X15 - Coolant Level Monitoring Design .....	455
X15 - Cooling Fan Control ON/OFF Design .....	309
X15 - Engine Control Module Design .....	27
X15 - Exhaust Gas Temperature – Pyrometer AUX Gauge Design .....	459
X15 - Exhaust Gas Temperature – Pyrometer Cluster Design .....	460
X15 - Ground Splice Packs 1/4 Design .....	50
X15 - Ground Splice Packs 2/4 Design .....	42
X15 - Heating Ventilation Air Conditioning (HVAC) Design .....	393
X15 - High Exhaust System Temperature (HEST) Monitoring Design .....	456
X15 - Intake Manifold Pressure (IMP) Design .....	426
X15 - Intake Manifold Pressure (IMP) W/AUX gauge Design .....	427
X15 - Key Switch Accessory 1 Design .....	74
X15 - Key Switch Accessory 2 Design .....	72
X15 - Key Switch Ignition 1 Design .....	80
X15 - Key Switch Ignition 2 Design .....	76
X15 - Leece-Neville 320PAH Alternator Design .....	541
X15 - Leece-Neville AVI160 Alternator Design .....	539
X15 - Leece-Neville AVI160-210A/240A Alternator Design .....	540
X15 - Outside temperature monitor Design .....	422
X15 - Powertrain Aftertreatment PDM Design .....	60
X15 - Powertrain Ground Splice Pack 1 OF 2 Design .....	51
X15 - Powertrain Ground Splice Pack 2 OF 2 Design .....	52
X15 - Powertrain ZVR Splice Packs Design .....	53
X15 - Selective Catalytic Reduction (SCR) Design .....	215
X15 - Selective Catalytic Reduction SCR ICT Design .....	207

INDEX

X15 - Starter Interlock (BCM HSD controlled W/ Clutch Switch W/ Auto Start Stop) Design . . . . . 571  
X15 - Starting Aid Ether Start Design . . . . . 310  
X15 - Transmission Power Take Off Design . . . . . 257  
X15 - Transmission Power Take Off Dual PTO with Clutch Interlock Design . . . 258  
X15 - Transmission Power Take Off Dual Solenoid Design . . . . . 259  
X15 - Transmission Power Take Off W/ Clutch Interlock Design . . . . . 260  
X15 - Transmission Shifter (Eaton Endurant and Eaton Procision) Design . . . 518  
X15 - Ultrashift+ and FAS Design . . . . . 519  
X15 - Underhood PDM Design . . . . . 85  
X15 - Water In Fuel (WIF) N/ Heater Design . . . . . 314  
X15 - Water In Fuel N/ Heater Design . . . . . 311  
X15 - Water In Fuel W Heater Design . . . . . 312  
X15 Backup Light (Endurant) Design . . . . . 378  
X15 Endurant - Ground Splice Packs Design . . . . . 49  
X15 Endurant - Starter Interlocks (Service Brake Interlock) Design . . . . . 570  
X15 Endurant - Underhood PDM Design . . . . . 84  
X15 Endurant Transmission Design . . . . . 516  
X15 Ground Splice Packs 3/4 Design . . . . . 39  
X15 Ground Splice Packs 4/4 Design . . . . . 41  
X15 Transmission I/O (Endurant Pressure Sensor) Design . . . . . 517

**Z**  
ZVR Splice Packs Design . . . . . 43

**0**  
0009:4063156C1 . . . . . 698  
0009:4063156C1 . . . . . 701

**1**  
1F:1667639C1 . . . . . 702  
1F:3553649C1 . . . . . 703

1F:3553649C1 . . . . . 705  
1F\_IP12:3553649C1 . . . . . 710  
1M:3612512C1 . . . . . 717  
1M:3612512C1 . . . . . 719  
1M\_IP12:3612512C1 . . . . . 724  
1TB1:3722128C1 . . . . . 731  
1TB2:3722128C1 . . . . . 732  
16B:3540613C1 . . . . . 939  
16B:3540613C1 . . . . . 940  
166M\_1:1661889C1 . . . . . 950  
1000:3825184C1 . . . . . 742  
1000:3825184C1 . . . . . 744  
1000:3825185C1 . . . . . 745  
1000A:4063415C1 . . . . . 733  
1000A\_1:4063415C1 . . . . . 734  
1000B:4063415C1 . . . . . 735  
1000F:3825184C1 . . . . . 736  
1000M:3825185C1 . . . . . 739  
1001:3515762C1 . . . . . 751  
1001:3515763C1 . . . . . 752  
1001F:3515763C1 . . . . . 747  
1001M:3515762C1 . . . . . 749  
1010:VC-3768015C1-A2-B1 . . . . . 753  
1010\_IP12:3768015C1 . . . . . 762  
1011\_IP12:VC-3768010C1-A2-B2 . . . . . 770  
1012\_IP12:VC-3768010C1-A2-B3 . . . . . 774  
1013\_IP12:VC-3768015C1-A2-B5 . . . . . 781  
1014:VC-3768015C1-A2-B5 . . . . . 787  
1014\_IP12:VC-3768015C1-A2-B5 . . . . . 788  
1014\_IP12:VC-3768015C1-A2-B5 . . . . . 795  
1015\_IP12:VC-3768010C1-A2-B6 . . . . . 796  
1016:VC-3768015C1-A2-B7 . . . . . 801  
1016\_IP12:3768015C1 . . . . . 804

INDEX

1017_IP12:3768015C1	808	1215_IP12:2031522C1	881
1018_IP12:VC-3768010C1-A2-B9	813	1215_IP12:2031522C1	882
1020:4063041C1	817	1240:373759C2	883
1021:3613769C1	818	1300:3597143C1	884
1022:3613769C1	821	1301:3600061C1	888
1023:3613769C1	825	1305:969541R1	890
1024/1025:3601838C1	831	1378:1687789C1	891
1026:3601838C1	833	1400:3596926C1	893
1027:3613769C1	835	1400:3596926C1	895
1032:3543888C1	838	1400:3596926C1	897
1050:1661259C1	839	1400:3596926C1	899
1051:1661259C1	840	1401:3596929C1	900
1052:1661259C1	841	1401:3596929C1	903
1100:3546518C1	842	1402:3596928C1	906
1101F:3768593C1	844	1402:3596928C1	908
1101M:3507395C1	845	1403:3596927C1	910
1110M_IP12:3928059C1	846	1410:3601838C1	913
1112:1661260C1	849	1420:3557922C1	919
1112M:3928059C1	847	1421:3557921C1	921
1113:1661260C1	852	1422:3548978C1	924
1113M:3928059C1	850	1423:3846885C1	926
1114M:3520850C1	853	1500:3710061C1	929
1116M:3928059C1	855	1500A:3710061C1	928
1116M_IP12:3928059C1	857	1501:2018589C1	933
1117M:3530407C1	858	1501:2018589C1	934
1118M:3520850C1	860	1502:1661603C1	936
1119M:3928059C1	862	1503:3627615C1	937
1200A:3768152C1	864	1559_IP12:3572899C1	938
1200B:3768153C1	867	1605:373759C2	943
1200C:4057474C1	870	1620:2007315C1	944
1200D:4061870C1	875	1650:3757649C1	947
1200E:4057658C1	876	1650MA:3544066C1	946
1202:3767197C1	880	1651:3757649C1	949

INDEX

1700:3595625C1	970	1807:3547870C1	1116
1700F:3595624C1	951	1808:1661777C1	1117
1700F:3595624C1	959	1809:1687790C1	1118
1700F:3595624C1	960	1811:3540757C1	1120
1700M:3595625C1	962	1812:1661777C1	1121
1700_IP12:3595625C1	971	1814:1661777C1	1122
1701F:3595622C1	973	1820F:1667529C1	1123
1701F:3595622C1	978	1820M:1667305C1	1125
1701F:3595622C1	1004	1821:3601800C1	1129
1701M:3595623C1	1010	1821A:3889458C1	1127
1701M:3595623C1	1015	1822:1678137C1	1131
1701_IP12:3595623C1	1032	1823:1678137C1	1132
1702:3595620C1	1050	1824:3554539C1-C	1133
1702:3595620C1	1052	1825F:4064551C1	1134
1702:3595621C1	1066	1861:3517473C1	1136
1702F:3595621C1	1038	1874:3590390C1	1141
1702M:3595620C1	1044	1874A:3977821C1	1137
1702_IP12:3595621C1	1067	1874B:3590390C1	1138
1703F:3595624C1	1077	1874B:3602747C1	1139
1703F:3595624C1	1081	1874C:3590390C1	1140
1703M:3595624C1	1083	1874_1:3590390C1	1142
1703M:3595625C1	1085	1901:3590298C1	1146
1776:4062806C1	1089	1901:3590298C1	1148
1800F:3612512C1	1090	1901A:3590298C1	1143
1800F:3612512C1	1097	1901A:3590298C1	1145
1800M:3553649C1	1099	1903:3590298C1	1149
1800_IP12:3553649C1	1106	1904:3768147C1	1153
1801:3539212C1	1108	1905:3768147C1	1155
1802:3608496C1	1110	1905A:3768147C1	1154
1803:1678137C1	1112	1906F:1661891C1	1156
1804_1:1678137C1	1113	1906F:1661891C1	1157
1805:1678137C1	1114	1906M:1661889C1	1158
1806:1661777C1	1115	1906M:1661889C1	1159

# INDEX

1906M:1661889C1	1160
1906_IP12:1661891C1	1161
1907:1661259C1	1162
1910A:1667305C1	1163
1918B:1661199C1	1164
1919/1919A:2005836C1	1166
1919B:2005836C1	1165
1920:2011340C1	1167
1925_IP12:587567C91	1168
1931A:4110679C1	1169
1934M:3554818C1	1170
1934M_IP12:3554818C1	1171
1935M/1935N:3683465C1	1172
1936M:BLUNT_SL_VC	1173
1937M:1667741C1	1174
1937N:1667741C1	1175
1937P:1667741C1	1176
1938:3554818C1	1177
1939-125A:3683465C1	1182
1939-125B:3683465C1	1183
1939-250A:3683465C1	1184
1939-250B:3683465C1	1185
1939:2011340C1	1186
1939A:3616085C1	1178
1939D:3554818C1	1179
1939E:3554818C1	1180
1939M:3553404C1	1181
1940:BLUNT_SL_VC	1188
1941:BLUNT_SL_VC	1189
1942:3673259C1	1190
1944:6114576C1	1191
1970:3538635C1	1192
1970:3538635C1	1193

1970_IP12:3538635C1	1194
1970_IP12:3538635C1	1197
1978:3540612C1	1199
1978:3540612C1	1200
1979:3831401C1	1204
1979A:4061584C1	1203
1979_1:3710061C1	1205
1979_2:3710061C1	1207

## 2

2F:3553649C1	1210
2F:3553649C1	1211
2F_IP12:3553649C1	1213
2M:3612512C1	1215
2M:3612512C1	1216
2M_IP12:3612512C1	1218
2TB1:3722128C1	1220
2TB2:3722128C1	1221
23XX:3534156C1	1256
23XX:3534156C1	1258
220XF:1661260C1	1247
220XF:1661260C1	1248
220XM:1661259C1	1249
2000:3544688C1	1230
2000F:3544687C1	1222
2000F:3544687C1	1223
2000F:3544687C1	1224
2000M:3544688C1	1227
2000_IP12:3544688C1	1231
2002M:1661259C1	1232
2003M:1661259C1	1233
2004M:1661259C1	1234
2005M:1661259C1	1235

INDEX

2006M:1661259C1 .....	1236	348F:1661197C1 .....	1331
2101F:1669973C1 .....	1237	348F_1:1661197C1 .....	1332
2101M:1669972C1 .....	1238	349F:1661197C1 .....	1333
2101M:1669972C1 .....	1239	349F_1:1661197C1 .....	1334
2102F:1669973C1 .....	1240	380:BLUNT_SL_VC .....	1339
2102M:1669972C1 .....	1242	381:BLUNT_SL_VC .....	1340
2102M_1:1669972C1 .....	1243	382:BLUNT_SL_VC .....	1341
2102M_2:1669972C1 .....	1244	3000:3538634C1 .....	1278
2103M:1669972C1 .....	1245	3000M:1661200C1 .....	1277
2103M:1669972C1 .....	1246	3000_1:3538634C1 .....	1280
2200_IP12:1661259C1 .....	1250	3000_1:3538634C1 .....	1282
2201_IP12:1661259C1 .....	1251	3001M:1661200C1 .....	1283
2223:1669972C1 .....	1252	3001M:1661200C1 .....	1284
2224:3833917C1 .....	1253	3003M:1671610C1 .....	1285
2225:3834322C1 .....	1254	3003M_1:1671610C1 .....	1286
2300:3535769C1 .....	1260	3100M:3767181C1 .....	1287
2300_1:3535769C1 .....	1261	3100M_1:3767181C1 .....	1288
2303F:1661197C1 .....	1262	3200F:1661201C1 .....	1289
2303M:1661197C1 .....	1264	3200F:1661201C1 .....	1290
2303M:1661197C1 .....	1265	3200F:1661201C1 .....	1291
2306M:PAS1(1) .....	1268	3200M:1661200C1 .....	1292
2307F:RING-E-3-8_0 .....	1269	3200M_IP12:1661200C1 .....	1294
2308F:RING-E-3-8_0 .....	1270	3201M:3709437C1 .....	1296
2310:BLUNT_SL_VC .....	1271	3201M_1:3709437C1 .....	1298
2311:BLUNT_SL_VC .....	1272	3202M:3820176C1 .....	1299
2312_IP12:3533975C1 .....	1273	3202M_1:3820176C1 .....	1301
2313_IP12:3533975C1 .....	1274	3203M:3709924C1 .....	1302
2505F:3811207C1 .....	1275	3203M_1:3709924C1 .....	1304
2505M:3811181C1 .....	1276	3204F:1661201C1 .....	1306
		3204F:1661201C1 .....	1307
		3204F:1661201C1 .....	1308
		3204F_IP12:1661201C1 .....	1309
		3204M:1661200C1 .....	1310
<b>3</b>			
344F:PAS2(A,B) .....	1329		
344M:PAS2(A,B) .....	1330		

INDEX

3204M\_IP12:1661200C1 ..... 1312  
3205F:1667529C1 ..... 1314  
3205F:1667529C1 ..... 1316  
3205F:1667529C1 ..... 1317  
3205F:1667529C1 ..... 1318  
3205M:1667305C1 ..... 1319  
3205M\_IP12:1667305C1 ..... 1321  
3206M:1667305C1 ..... 1322  
3206M\_IP12:1667305C1 ..... 1324  
3300M:3535769C1 ..... 1325  
3300M\_1:3535769C1 ..... 1326  
3400:1661259C1 ..... 1327  
3400\_1:1661259C1 ..... 1328  
3500:239808R1 ..... 1335  
3500\_1:239808R1 ..... 1336  
3501:239808R1 ..... 1337  
3501\_1:239808R1 ..... 1338

**4**

4TB1:3722128C1 ..... 1342  
4005B:RING-E-3-8\_0 ..... 1343  
4007:3866817C1 ..... 1344  
4328:3602454C1 ..... 1345  
4500:1661375C2 ..... 1346  
4705:3538634C1 ..... 1348  
4706:3538635C1 ..... 1350

**5**

512:1661200C1 ..... 1475  
5000:3595620C1 ..... 1372  
5000:3595620C1 ..... 1375  
5000:3595621C1 ..... 1377  
5000A:3595620C1 ..... 1352

5000A:3595621C1 ..... 1353  
5000A\_IP12:3595621C1 ..... 1354  
5000F:3595620C1 ..... 1357  
5000F:3595621C1 ..... 1363  
5000M:3595620C1 ..... 1365  
5000M:3595621C1 ..... 1367  
5001:3600905C1 ..... 1378  
5002:3700151C1 ..... 1386  
5002F:3700151C1 ..... 1384  
5002M:3537133C1 ..... 1385  
5002\_IP12:3537133C1 ..... 1387  
5003:3613000C1 ..... 1388  
5005:872291R1 ..... 1391  
5006:1661197C1 ..... 1394  
5007A:3613769C1 ..... 1395  
5007B:3613769C1 ..... 1399  
5009:2031520C1 ..... 1400  
5009:2031520C1 ..... 1401  
5010:3538634C1 ..... 1402  
5010:3538634C1 ..... 1404  
5010:3538634C1 ..... 1406  
5011F:3540613C1 ..... 1407  
5011F:3540613C1 ..... 1408  
5011F:3540613C1 ..... 1409  
5011M:3540612C1 ..... 1411  
5011M:3540612C1 ..... 1412  
5011M\_IP12:3540612C1 ..... 1414  
5012:872291R1 ..... 1415  
5013:872291R1 ..... 1417  
5015:3613000C1 ..... 1419  
5015:3613000C1 ..... 1421  
5015:3613000C1 ..... 1422  
5015:3613000C1 ..... 1423



INDEX

5015:3613000C1	1424	5122_L:BLUNT_SL_VC	1460
5020:3553404C1	1425	5122_R1:BLUNT_SL_VC	1461
5100:3522068C1	1426	5122_R:BLUNT_SL_VC	1462
5101:3522068C1	1427	5123_L1:BLUNT_SL_VC	1463
5102:2031871C1	1428	5123_L:BLUNT_SL_VC	1464
5102:2031872C1	1430	5123_R1:BLUNT_SL_VC	1465
5103:1661198C1	1432	5123_R:BLUNT_SL_VC	1466
5104:1661198C1	1433	5124:3520850C1	1467
5107:3541785C1	1434	5125:2005835C1	1469
5110:1661196C1	1435	5125:2005836C1	1471
5111:1661196C1	1436	5128:1661259C1	1473
5112:239808R1	1437	5129:1661259C1	1474
5113:239808R1	1438	5130:1669972C1	1477
5114:239808R1	1439	5131:1661197C1	1478
5115:239808R1	1440	5132:225822R1	1479
5117:1661889C1	1443	5133:225822R1	1480
5117:1661889C1	1445	5134:1661196C1	1481
5117:1661891C1	1446	5135A:1661198C1	1482
5117F:1661889C1	1441	5135B:1661198C1	1483
5117M:1661891C1	1442	5135F:1661197C1	1484
5118:1661260C1	1449	5135M:1661196C1	1485
5118:1661260C1	1450	5136:1669972C1	1486
5118F:1661260C1	1447	5200:2029979C1	1487
5118M:1661259C1	1448	5201:3536187C1	1489
5118_IP12:1661891C1	1451	5202:3599251C1	1490
5119:1661259C1	1452	5205:3544870C1	1491
5120:BLUNT_SL_VC	1453	5210:3548957C91	1492
5120_1:BLUNT_SL_VC	1454	5212:3522071C1	1496
5120_4:BLUNT_SL_VC	1455	5213:3602659C1	1498
5121:BLUNT_SL_VC	1456	5214:3627940C1	1499
5121_1:BLUNT_SL_VC	1457	5218A:3602659C1	1500
5121_4:BLUNT_SL_VC	1458	5219:1661198C1	1501
5122_L1:BLUNT_SL_VC	1459	5222:969541R1	1502

# INDEX

5222_1:969541R1 .....	1503
5230F:1661201C1 .....	1504
5230M:1661200C1 .....	1506
5231F:3540613C1 .....	1508
5231M:3540612C1 .....	1510
5235:1667529C1 .....	1512
5236:3540613C1 .....	1513
5237:3598711C1 .....	1516
5238:3540613C1 .....	1519
5300:2031871C1 .....	1526
5300:2031872C1 .....	1527
5300F:2031871C1 .....	1521
5300F:2031872C1 .....	1522
5300M:2031871C1 .....	1523
5300M:2031872C1 .....	1525
5301:3535769C1 .....	1528
5302:3535769C1 .....	1529
5303:3515763C1 .....	1530
5303:3515763C1 .....	1531
5312:3663001C1 .....	1532
5313:3663000C1 .....	1534
5314:1661200C1 .....	1537
5500:872291R1 .....	1538
5501:872291R1 .....	1539
5530:2011340C1 .....	1540
5600:3601838C1 .....	1541
5754F:1661196C1 .....	1543
5754M:1661197C1 .....	1544
5755:3616095C1 .....	1545
5756:366817C2 .....	1546
5757:872291R1 .....	1547
5757_IP12:872291R1 .....	1548
5758F:587567C91 .....	1549

5758M:587568C91 .....	1550
5900:2011340C1 .....	1551
5901:587565C91 .....	1553
5902:1661201C1 .....	1554
5903:1669972C1 .....	1556
5906:2028493C1 .....	1557
5907:2017533C1 .....	1558
5909:2005835C1 .....	1560
5927:2005836C1 .....	1562
5930M:3683465C1 .....	1564

## 6

6TB1:3722128C1 .....	1565
670A/670B:3573078C1 .....	1657
670A:3573078C1 .....	1658
670A_1:3573078C1 .....	1660
670B_1:3573078C1 .....	1662
674:6114576C1 .....	1690
674:6114576C1 .....	1692
674:6114577C1 .....	1694
674B:6114577C1 .....	1677
674F:6114576C1 .....	1680
674F:6114577C1 .....	1682
674M:6114576C1 .....	1684
674M:6114577C1 .....	1686
675:3854665C91 .....	1697
675_1:3854665C91 .....	1698
675_2:3854665C91 .....	1699
675_3:3854665C91 .....	1700
676:3854666C91 .....	1701
676_1:3854666C91 .....	1702
676_2:3854666C91 .....	1703
676_3:3854666C91 .....	1704

INDEX

677:3854645C91	1705	6051:RING-E-3-8_0	1594
677_1:3854645C91	1706	6051:RING-E-3-8_0	1595
677_2:3854645C91	1707	6051_A:3866817C1	1597
677_3:3854645C91	1708	6051_B:3866817C1	1599
678:3991593C1	1709	6051_C:3866817C1	1600
678_1:3991593C1	1710	6051_D:3866817C1	1601
678_2:3991593C1	1711	6100A:RING-M-8_0	1602
678_3:3991593C1	1712	6100B:RING-M-8_0	1603
680_1:3993814C1	1713	6100D:RING-M-8_0	1604
680_2:3993814C1	1715	6100D:RING-M-8_0	1605
680_3:3993814C1	1716	6100D_1:RING-M-8_0	1606
681:3683465C1	1717	6100D_2:RING-E-5-16_0	1607
690:3765646C91	1718	6100D_3:RING-M-8_0	1608
690_1:3765646C91	1727	6100E:RING-M-8_0	1609
691:3714731C1	1728	6100G:RING-M-8_0	1610
691_1:3714731C1	1729	6100H:RING-M-8_0	1611
691_2:3714731C1	1730	6100J:RING-E-1-4_0	1612
691_3:3714731C1	1731	6101A:RING-M-8_0	1613
6000:3945694C1	1566	6101B:RING-M-6_0	1614
6018:3952655C1	1579	6101D:RING-M-8_0	1616
6018:3952655C1	1580	6101D:RING-M-10_0	1615
6033:3917967C1	1581	6101D_1:RING-M-10_0	1617
6049:3866817C1	1583	6101D_2:RING-E-5-16_0	1618
6049_A:3866817C1	1584	6101D_3:RING-M-8_0	1619
6049_B:3866817C1	1586	6101D_4:RING-M-8_0	1620
6049_C:3866817C1	1587	6101D_5:RING-E-5-16_0	1621
6049_D:3866817C1	1588	6101D_6:RING-E-5-16_0	1622
6051:3866817C1	1596	6101D_7:RING-M-8_0	1623
6051:RING-E-3-8_0	1589	6101E:RING-M-8_0	1624
6051:RING-E-3-8_0	1590	6101G:RING-M-6_0	1625
6051:RING-E-3-8_0	1591	6101H:RING-M-6_0	1626
6051:RING-E-3-8_0	1592	6101J:RING-E-1-4_0	1627
6051:RING-E-3-8_0	1593	6101_4:RING-M-8_0	1628

INDEX

6101\_5:RING-E-5-16\_0 ..... 1629  
6101\_6:RING-E-5-16\_0 ..... 1630  
6101\_7:RING-M-8\_0 ..... 1631  
6104:6113104C1 ..... 1632  
6200:1671610C1 ..... 1633  
6201:3600324C1 ..... 1637  
6201A:3600324C1 ..... 1634  
6201B:3600324C1 ..... 1635  
6201P:3600324C1 ..... 1636  
6202:3590299C1 ..... 1638  
6301:RING-M-12\_0 ..... 1639  
6305:RING-M-12\_0 ..... 1641  
6305M:RING-M-5\_0 ..... 1640  
6306/6307:2036583C1 ..... 1644  
6306/6307:RING-M-6\_0 ..... 1643  
6316M:2036583C1 ..... 1645  
6317:RING-M-5\_0 ..... 1646  
6400:3522068C1 ..... 1648  
6400A:3522068C1 ..... 1647  
6401:1671610C1 ..... 1649  
6401\_1:3662425C1 ..... 1650  
6407:3662425C1 ..... 1651  
6550:1671610C1 ..... 1652  
6564:374377C2 ..... 1653  
6565:3752570C1 ..... 1654  
6567:6113341C1 ..... 1655  
6702:3551896C1 ..... 1664  
6702\_1:3551896C1 ..... 1666  
6703/A:3522068C1 ..... 1668  
6703:3551896C1 ..... 1669  
6704:3551896C1 ..... 1673  
6704B:3551896C1 ..... 1671  
6704\_1:3551896C1 ..... 1675

6748:3602454C1 ..... 1689

**7**

7TB1:3722128C1 ..... 1732  
745A:872291R1 ..... 1756  
7000:RING-M-5\_0 ..... 1733  
7000\_1:RING-M-5\_0 ..... 1734  
7000\_2:RING-10\_0 ..... 1735  
7000\_3:RING-M-5\_0 ..... 1736  
7105:3599542C1 ..... 1738  
7105A:3599542C1 ..... 1737  
7110/7110A:3683465C1 ..... 1742  
7110:3683465C1 ..... 1743  
7111:3683465C1 ..... 1744  
7150:3605713C1 ..... 1745  
7205:3525872C1 ..... 1747  
7206:3525874C1 ..... 1749  
7303:3522068C1 ..... 1752  
7350:3755755C1 ..... 1753  
7350\_:3755755C1 ..... 1755  
7500T:1661778C1 ..... 1758  
7500W:1661778C1 ..... 1759  
7500W:1661778C1 ..... 1760  
7500W\_1:1661778C1 ..... 1761  
7501:3577412C1 ..... 1762  
7501\_1:3577412C1 ..... 1763  
7502:587567C91 ..... 1764  
7502\_1:587567C91 ..... 1765  
7600:3662425C1 ..... 1767  
7600T:3662425C1 ..... 1766  
7700K:3536864C1 ..... 1768  
7700K\_1:3536864C1 ..... 1769  
7700L\_1:3536864C1 ..... 1770

# INDEX

7700M:3536864C1	1771
7700T:3536864C1	1772
7700T_1:3536864C1	1773
7800:BLUNT_SL_VC	1774
7800_1:BLUNT_SL_VC	1775
7801:BLUNT_SL_VC	1776
7801_1:BLUNT_SL_VC	1777
7802:3540051C91	1779
7802T:3540051C91	1778
7900F:4064551C1	1780
7900F_IP12:4064551C1	1781
7900M:4064552C1	1783
7900M:4064552C1	1784

## 8

8WRM TRI-PAC No Idle Design	248
8XBM Single Aux Switch Design	134
8XBN Dual Aux Switch Design	135
830:1661201C1	1822
830F:1661200C1	1819
830M:1661201C1	1820
8000:1661375C2	1788
8000F:1677851C1	1786
8001F:1677851C1	1790
8001M:1661375C2	1792
8006R:4062272C1	1794
8006R_R:4062272C1	1795
8006T:3668886C1	1796
8006T_R:3668886C1	1797
8050:1661778C1	1798
8051:1661778C1	1799
8054:1667741C1	1804
8054B:1667741C1	1800

8054F:1667740C1	1801
8054F:1667740C1	1802
8054M:1667741C1	1803
8054_IP12:1667741C1	1805
8100A:1667741C1	1806
8100B:1667741C1	1807
8100F:1667740C1	1808
8100M:1667741C1	1809
8166:3625557C1	1810
8166_R:3625557C1	1812
8166_R:3625557C1	1814
8200:587567C91	1815
8201:587567C91	1816
8202:6131286C1	1817
8203:6131286C1	1818
8303:1661778C1	1821
8310:3543888C1	1823
8311:1661778C1	1824
8350:3536864C1	1825
8351:3536864C1	1826
8410:3664985C1	1827
8450A:587567C91	1829
8450A:587568C91	1830
8450B:587568C91	1831
8454:1661777C1	1832
8500:1686834C1	1833
8500:6114576C1	1834
8501:1686834C1	1837
8501:1686834C1	1838
8502:3866308C1	1839
8502:3866308C1	1840
8503:3866308C1	1841
8503:3866308C1	1842

# INDEX

8504:3919376C1 .....	1843
8505:3919376C1 .....	1844
8506:6111844C1 .....	1845
8507:6111844C1 .....	1846
8550:587567C91 .....	1848
8550B:587567C91 .....	1847
8600:587566C91 .....	1849
8800:3551896C1 .....	1850
8802:3551896C1 .....	1852
8803:3551896C1 .....	1854
8804:3551896C1 .....	1856
8903:6111813C1 .....	1859
8904:3852527C1 .....	1861
8956:3683465C1 .....	1862
8958:3683465C1 .....	1863
8993F:3823761C1 .....	1864

## 9

9 Pin Diagnostic Connector 500K Design .....	1
9100A:1661778C1 .....	1865
9100B:1661778C1 .....	1866
9100C:1661778C1 .....	1867
9100D:1661778C1 .....	1868
9100E:1661778C1 .....	1869
9100F:1661778C1 .....	1870
9260:475961C1 .....	1871
9303:1661375C2 .....	1886
9303:1661375C2 .....	1887
9303:1661375C2 .....	1888
9303:1661375C2 .....	1889
9303:1661375C2 .....	1891
9303A:1661375C2 .....	1872
9303A:1661375C2 .....	1874

9303A:1661375C2 .....	1875
9303A:1661375C2 .....	1876
9303A:1661375C2 .....	1877
9303K:1661375C2 .....	1878
9303L:1661375C2 .....	1880
9303M:1661375C2 .....	1882
9303N:1661375C2 .....	1884
9305B:1671610C1 .....	1892
9305C:1671610C1 .....	1893
9414A:3678796C1 .....	1894
9501:3866308C1 .....	1897
9501D:3866308C1 .....	1895
9501D:3866308C1 .....	1896
9502:1686834C1 .....	1903
9502A:1686834C1 .....	1898
9502A:1686834C1 .....	1899
9502B:1686834C1 .....	1900
9502B:1686834C1 .....	1902
9503:3866308C1 .....	1906
9503D:3866308C1 .....	1904
9503D:3866308C1 .....	1905
9504:1686834C1 .....	1912
9504A:1686834C1 .....	1907
9504A:1686834C1 .....	1909
9504B:1686834C1 .....	1910
9504B:1686834C1 .....	1911
9505:3678796C1 .....	1914
9505A:3678796C1 .....	1913
9506:6111844C1 .....	1918
9506D:6111844C1 .....	1915
9506E:6111844C1 .....	1917
9507:3919376C1 .....	1923
9507A:3919376C1 .....	1919

INDEX

9507B:3919376C1	1921	9521:3866308C1	1972
9508:6111844C1	1927	9522:1686834C1	1973
9508D:6111844C1	1924	9523:3866308C1	1974
9508E:6111844C1	1926	9524:1686834C1	1975
9509:3919376C1	1932	9525:3866308C1	1976
9509A:3919376C1	1928	9526:1686834C1	1977
9509B:3919376C1	1930	9527:3866308C1	1978
9510:1678137C1	1937	9528:3919376C1	1979
9510A:1678137C1	1933	9529:6111844C1	1980
9510F:1667741C1	1934	9532:3919376C1	1981
9510M:1667740C1	1935	9534:3919376C1	1982
9511/9511A:3601685C1	1942	9535:6111844C1	1983
9511:3866308C1	1943	9536:3919376C1	1984
9511:3866308C1	1944	9537:6111844C1	1985
9511A:3601685C1	1938	9538:6111844C1	1986
9511B/9511D:3601685C1	1939	9715F:1667732C1	1987
9511B:3601685C1	1940	9715M:1667733C1	1989
9511D:3601685C1	1941	9716F:1667732C1	1991
9512:3866308C1	1945	9716M:1667733C1	1993
9513:1686834C1	1947	9718:1661778C1	1995
9513_1:1686834C1	1948	9719:3543888C1	1998
9514:1686834C1	1949	9719:BLUNT_SL_VC	1997
9514_1:PAS2(1,2)	1950	9719A:BLUNT_SL_VC	1996
9515:3678796C1	1951	9720:BLUNT_SL_VC	2000
9516:3919376C1	1966	9720A:BLUNT_SL_VC	1999
9516B:3678796C1	1952	9736:1661375C2	2001
9516M:3690369C1	1953	9737:1661375C2	2003
9516M:6112506C1	1956	9738:1661375C2	2007
9516_1:3678796C1	1967	9738B:1661375C2	2005
9517:6111844C1	1968	9739:1661375C2	2011
9518:6111844C1	1969	9739B:1661375C2	2009
9519:3919376C1	1970	9740:1661375C2	2015
9520:1686834C1	1971	9740A:1661375C2	2013

INDEX

9769:3673640C1 .....	2017	9904:1671610C1 .....	2091
9779F1:1667732C1 .....	2019	9911:3536864C1 .....	2092
9779F:1667732C1 .....	2020	9912:3536864C1 .....	2093
9780M1:1667733C1 .....	2022	9989:3535481C1 .....	2094
9780M:3535482C1 .....	2023		
9781:1667732C1 .....	2027	(	
9781F:1667732C1 .....	2025	(1000):3825185C1 .....	2095
9782:3535482C1 .....	2029	(5007A):3613769C1 .....	2096
9782M:3535482C1 .....	2028	(5010):3538634C1 .....	2097
9784M:3535482C1 .....	2030	(Rand Mcnally) GPS Display Design .....	404
9789F:1667732C1 .....	2032		
9789FA:1667732C1 .....	2031		
9790M:1667733C1 .....	2035		
9790MA:1667733C1 .....	2034		
9800F:3558026C1 .....	2037		
9800F:3558026C1 .....	2045		
9800M:3558022C1 .....	2047		
9800M:3558022C1 .....	2070		
9811:3536864C1 .....	2075		
9812:3536864C1 .....	2076		
9813:3536864C1 .....	2077		
9814:587567C91 .....	2078		
9815:587567C91 .....	2079		
9816:587567C91 .....	2080		
9830:1678137C1 .....	2081		
9832:1678137C1 .....	2082		
9865F:1667740C1 .....	2083		
9865M:1667741C1 .....	2084		
9901A:1673790C1 .....	2086		
9901B:1673790C1 .....	2087		
9902:1673790C1 .....	2089		
9902A:1673790C1 .....	2088		
9903:1671610C1 .....	2090		