

International® eMV Series Interactive Schematics

Navistar, Inc.

2701 Navistar Drive, Lisle, 60532 USA

TABLE OF CONTENTS

Body Control Module (BCM)

Body Control Module (BCM) Design1

CAN Network

CAN Network Design9

GEN IV Cluster (Monitor)

GEN IV Cluster (Monitor) Design15

Instrument Cluster (Premium)

Instrument Cluster (Premium) Design16

Instrument Cluster (Standard)

Instrument Cluster (Standard) Design18

Instrument Cluster - Bulb Check

Instrument Cluster - Bulb Check Design19

Instrument Cluster - Request and Status

Instrument Cluster - Request and Status Design20

Vehicle Control Unit (VCU)

Vehicle Control Unit (VCU) Design21

Ground Splice Packs 1022 & 1023

Ground Splice Packs 1022 & 1023 Design23

Ground Splice Pack 1027

Ground Splice Pack 1027 Design24

Interior Dual Post Ground Stud-Cowl Wall

Interior Dual Post Ground Stud-Cowl Wall Design25

ZVR Splice Packs 1620

ZVR Splice Packs 1620 Design26

Center Chassis Ground Splice Packs

8802/8805/8807/8809

Center Chassis Ground Splice Packs 8802/8805/8807/8809 Design27

Forward Chassis Ground Splice Pack 8800

Forward Chassis Ground Splice Pack 8800 Design28

Lighting Control Module

Lighting Control Module Design29

Auxiliary Power Fuse

Auxiliary Power Fuse Design31

Chassis PDM

Chassis PDM Design32

Battery Feed

Battery Feed Design33

Interior PDM Chart

Interior PDM Chart Design34

Key Switch Accessory

Key Switch Accessory Design35

TABLE OF CONTENTS

Key Switch Ignition

Key Switch Ignition Design36

Relays - Grid Management

Relays - Grid Management Design37

ABS CAN Splice Pack - 1410

ABS CAN Splice Pack - 1410 Design38

Panel Light Dimmer Splice Pack - 1021

Panel Light Dimmer Splice Pack - 1021 Design39

Park / Turn Lights Splice Packs 1623/1625/400

Park / Turn Lights Splice Packs 1623/1625/400 Design40

VCU PDM and Underhood PDM

VCU PDM and Underhood PDM Design41

Air Governor Control

Air Governor Control Design42

Radio w/Bluetooth

Radio w/Bluetooth Design43

Speakers:Four Speakers Daycab BT n/QC

Speakers:Four Speakers Daycab BT n/QC Design45

Speakers:Four Speakers Daycab n/BT n/QC

Speakers:Four Speakers Daycab n/BT n/QC Design46

Speakers:Four Speakers Daycab n/BT w/QC

Speakers:Four Speakers Daycab n/BT w/QC Design47

Speakers:Four Speakers Daycab w/BT w/QC

Speakers:Four Speakers Daycab w/BT w/QC Design48

CB Radio Power Only

CB Radio Power Only Design49

Cigar Lighter Aux APO

Cigar Lighter Aux APO Design50

Standard APO

Standard APO Design53

Standard APO and Aux APO

Standard APO and Aux APO Design54

Cruise Control (W/ One Telltale 10 Pin)

Cruise Control (W/ One Telltale 10 Pin) Design57

Vehicle Speed Control (Cruise Control) 10 Pin

Vehicle Speed Control (Cruise Control) 10 Pin Design59

Door Ajar Reminder (Entry/Exit) 2 Door

Door Ajar Reminder (Entry/Exit) 2 Door Design60

Door Pod Module (4 Door)

Door Pod Module (4 Door) Design61

Mirrors (Heated) (Door Pod Actuated 2 Cab and 1 Hood Mirror Left Side Only)
 Mirrors (Heated) (Door Pod Actuated 2 Cab and 1 Hood Mirror Left Side Only) Design..... 62

Mirrors (Heated) (MUX Switch 2 Cab and 1 Hood Mirror Left Side Only)
 Mirrors (Heated) (MUX Switch 2 Cab and 1 Hood Mirror Left Side Only) Design 63

Mirrors (Power) Control Switch Actuated
 Mirrors (Power) Control Switch Actuated Design..... 64

City Horn (W/ 10PIN CLK & P. Brake)
 City Horn (W/ 10PIN CLK & P. Brake) Design..... 66

City Horn (W/ 10PIN CLK)
 City Horn (W/ 10PIN CLK) Design..... 67

City Horn (W/ 4PIN CLK & P. Brake)
 City Horn (W/ 4PIN CLK & P. Brake) Design..... 68

City Horn (W/ 4PIN CLK)
 City Horn (W/ 4PIN CLK) Design..... 70

Multiplexed Switch Pack (Primary Switch)
 Multiplexed Switch Pack (Primary Switch) Design..... 72

Real Time Clock
 Real Time Clock Design..... 73

Remote Keyless Access
 Remote Keyless Access Design..... 74

Telematics (PEOPLE NET MD)
 Telematics (PEOPLE NET MD) Design..... 75

Over The Air Electrical I/O (OnCommand Link / N2 Module)
 Over The Air Electrical I/O (OnCommand Link / N2 Module Design..... 76

Over the Air Programming (OnCommand Link / N2 Module)
 Over the Air Programming (OnCommand Link / N2 Module) Design..... 77

Theft Deterrent (Standard, J1939 Mux SW, W/VCU)
 Theft Deterrent (Standard, J1939 Mux SW, W/VCU) Design..... 78

Two USB
 Two USB Design..... 79

Vehicle Alarm System
 Vehicle Alarm System Design..... 81

Vehicle Sleep Mode
 Vehicle Sleep Mode Design..... 82

Vehicle Sound Generator
 Vehicle Sound Generator Design..... 83

Camera (LYTX Prewire) W/Event Recording Button
 Camera (LYTX Prewire) W/Event Recording Button Design84

Battery Management System
 Battery Management System Design86

Battery Thermal Management (W/VCU) BTMS
 Battery Thermal Management (W/VCU) BTMS Design88

Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut)
 Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Design89

Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option2
 Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option2 Design90

Power Lift Gate
 Power Lift Gate Design91

RIGHTSIDE AIR DRYER
 RIGHTSIDE AIR DRYER Design92

Antilock Brake System (ABS) - BENDIX 4 Channel Implemenation
 Antilock Brake System (ABS) - BENDIX 4 Channel Implemenation Design99

Park Brake Controls (W/VCU)

Park Brake Controls (W/VCU) Design 100

Service Brake Switch (2 SLS/ 1 Transducer/ 2 RDS to VCU)
 Service Brake Switch (2 SLS/ 1 Transducer/ 2 RDS to VCU) Design 101

Bendix; Tractor or Towing Truck; N/ Air SUSP; J1939 Driven Lamp
 Bendix; Tractor or Towing Truck; N/ Air SUSP; J1939 Driven Lamp Design . . . 102

Bendix; Tractor or Towing Truck; W/ Air SUSP; J1939 Driven Lamp
 Bendix; Tractor or Towing Truck; W/ Air SUSP; J1939 Driven Lamp Design . . . 103

Stability Control (Bendix Straight Truck J1939 Driven Lamp)
 Stability Control (Bendix Straight Truck J1939 Driven Lamp) Design 104

Traction Control (Bendix, VCU)
 Traction Control (Bendix, VCU) Design 105

Adaptive Cruise Control w/o Display (Bendix)
 Adaptive Cruise Control w/o Display (Bendix) Design 106

Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 1
 Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 1 Design 107

Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 2
 Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 2 Design 108

Collision Avoidance System (Warning)
 Collision Avoidance System (Warning) Design 109

Lane Departure Warning - (Bendix Fusion N/ Safety Direct)
 Lane Departure Warning - (Bendix Fusion N/ Safety Direct) Design 110

Drive Mode Selector I/O (W/VCU)
 Drive Mode Selector I/O (W/VCU) Design 112

Regenerative Braking (W/VCU)
 Regenerative Braking (W/VCU) Design 113

Vehicle Acceleration (Wired to VCU)
 Vehicle Acceleration (Wired to VCU) Design 114

Coolant Level Monitoring (W/VCU)
 Coolant Level Monitoring (W/VCU) Design 115

Coolant Temperature Monitoring (J1939 Comm, W/VCU)
 Coolant Temperature Monitoring (J1939 Comm, W/VCU) Design 116

Power Electronics Coolant Temperature Monitoring

Power Electronics Coolant Temperature Monitoring Design 117

Propulsion Coolant Temperature Monitoring (W/VCU)
 Propulsion Coolant Temperature Monitoring (W/VCU) Design 118

Hybrid Auxiliary Power Generator for HEV (DC/AC Inverter)
 Hybrid Auxiliary Power Generator for HEV (DC/AC Inverter) Design 119

Alternate Flashing (Wig Wag) - Park Brake disables High Beams
 Alternate Flashing (Wig Wag) - Park Brake disables High Beams Design 120

Alternate Flashing (Wig Wag) - Park Brake disables Wig Wag
 Alternate Flashing (Wig Wag) - Park Brake disables Wig Wag Design 121

Automatic Lighting
 Automatic Lighting Design 122

Automatic Lighting - Dual Sensor Twilight/Solar
 Automatic Lighting - Dual Sensor Twilight/Solar Design 124

Backup Light (W/VCU) Dual Daisy Reverse Light
 Backup Light (W/VCU) Dual Daisy Reverse Light Design 126

Rear Lights (Stop) (W/VCU) W/Daisy Chain
 Rear Lights (Stop) (W/VCU) W/Daisy Chain Design 127

Clearance and Identification Lights

Clearance and Identification Lights Design 128

Daytime Running Lights (Output to Plow Lights)

Daytime Running Lights (Output to Plow Lights) Design 129

Directional Signal (Turn) W/ DAISY CHAIN BOX LAMPS

Directional Signal (Turn) W/ DAISY CHAIN BOX LAMPS Design 130

Directional Signal (Turn) W/ Daisy Chain Box Lamps W/Plow Lights

Directional Signal (Turn) W/ Daisy Chain Box Lamps W/Plow Lights Design . . . 131

Directional Signal (Turn) W/ LED BOX LAMPS

Directional Signal (Turn) W/ LED BOX LAMPS Design 132

Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights

Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights Design 133

Directional Signal (Turn) W/ Single Tail Board W/Hazard SW

Directional Signal (Turn) W/ Single Tail Board W/Hazard SW Design 134

Directional Signal (Turn) W/ Single Tail Board W/Plow Lights

Directional Signal (Turn) W/ Single Tail Board W/Plow Lights Design 135

Exterior Lamp Reminder

Exterior Lamp Reminder Design 136

Exterior Lamp Check

Exterior Lamp Check Design 137

Fog Lights (Halogen White TOP MTG)

Fog Lights (Halogen White TOP MTG) Design 138

Fog Lights (LED White TOP MTG)

Fog Lights (LED White TOP MTG) Design 139

Front Fog Lamps

Front Fog Lamps Design 140

Front Fog Lights W CONNECTOR

Front Fog Lights W CONNECTOR Design 141

Front Marker Lights N/ PLow Lights

Front Marker Lights N/ PLow Lights Design 142

Front Marker Lights W/ Plow Lights

Front Marker Lights W/ Plow Lights Design 143

Hazard Warning Light N/Trlr Socket

Hazard Warning Light N/Trlr Socket Design 144

Headlights W 10PIN CLK W/LOWW W/Interrupt

Headlights W 10PIN CLK W/LOWW W/Interrupt Design 146

Headlights W 10PIN CLK W/LOWW W/O Interrupt
 Headlights W 10PIN CLK W/LOWW W/O Interrupt Design148

Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt
 Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt Design150

Headlights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt
 Headlights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt Design152

Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW W/Interrupt
 Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW W/Interrupt Design154

Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt
 Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt Design156

Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt
 Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt Design158

Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK
 Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK Design160

License Plate Light (LED BOX LAMP Daisy Chain Tail Light)
 License Plate Light (LED BOX LAMP Daisy Chain Tail Light) Design162

License Plate Light (LED BOX LAMP Tail Light)
 License Plate Light (LED BOX LAMP Tail Light) Design163

License Plate Light (Tail Light Single Assy)
 License Plate Light (Tail Light Single Assy) Design164

License Plate Light (Tail Light Single Assy) Option2
 License Plate Light (Tail Light Single Assy) Option2 Design165

License Plate Light (Tail Light Single Assy) Option3
 License Plate Light (Tail Light Single Assy) Option3 Design166

License Plate Light (Tail Light Single Assy) W/Less Power Module
 License Plate Light (Tail Light Single Assy) W/Less Power Module Design ...167

PARK LIGHTS - N/Marker Interrupt
 PARK LIGHTS - N/Marker Interrupt Design168

**PARK LIGHTS - W/Marker Interrupt 10pin
CLCKSPRING**

PARK LIGHTS - W/Marker Interrupt 10pin CLCKSPRING Design 170

PARK LIGHTS - W/Marker Interrupt 4 pin clockspring

PARK LIGHTS - W/Marker Interrupt 4 pin clockspring Design 172

Snow Plow Lights Switch

Snow Plow Lights Switch Design 174

Rear Light (LED BOX LAMP Tail Light)

Rear Light (LED BOX LAMP Tail Light) Design 175

Rear Light (Tail Light)

Rear Light (Tail Light) Design 176

**Rear Light (Tail Light) W/Daisy Chain pair of Box
Lamps**

Rear Light (Tail Light) W/Daisy Chain pair of Box Lamps Design 177

End of Frame Aux Work Light (One Light N/Relay)

End of Frame Aux Work Light (One Light N/Relay) Design 178

Work Lights LED With Switch Pack - Day Cab

Work Lights LED With Switch Pack - Day Cab Design 179

WORK LIGHT With BackUP Alarm - 1 BULB

WORK LIGHT With BackUP Alarm - 1 BULB Design 181

WORK LIGHT With RKE 1 BULB

WORK LIGHT With RKE 1 BULB Design 183

WORK LIGHT - 1 BULB

WORK LIGHT - 1 BULB Design 185

**Heating Ventilation & Air Conditioning (HVAC)
(W/VCU)**

Heating Ventilation & Air Conditioning (HVAC) (W/VCU) Design 187

High-Voltage Interlock

High-Voltage Interlock Design 191

Charge Port Monitoring OCI System

Charge Port Monitoring OCI System Design 192

Charging System (W/VCU) Dual DC/DC Converter

Charging System (W/VCU) Dual DC/DC Converter Design 193

**eVehicle Charging (W/VCU) Onboard Charging
Modules**

eVehicle Charging (W/VCU) Onboard Charging Modules Design 194

High-Voltage Battery System

High-Voltage Battery System Design 195

High-Voltage Distribution Module (HVDM)

High-Voltage Distribution Module (HVDM) Design 196

High-Voltage Distribution Unit (HVDU)

High-Voltage Distribution Unit (HVDU) Design 197

High-Voltage Monitor

High-Voltage Monitor Design 198

Hig-Voltage Power Distribution System

Hig-Voltage Power Distribution System Design 199

Engine Speed (Tachometer, W/VCU)

Engine Speed (Tachometer, W/VCU) Design 200

Ambient Temperature (No Display, Mirror Sensor, VCU)

Ambient Temperature (No Display, Mirror Sensor, VCU) Design 201

Auxiliary Gauges (Secondary)

Auxiliary Gauges (Secondary) Design 202

Auxiliary Gauges (Primary)

Auxiliary Gauges (Primary) Design 203

Auxiliary Guage

Auxiliary Guage Design 204

Brake Pressure (Auxiliary Gauge)

Brake Pressure (Auxiliary Gauge) Design 205

Brake Pressure (Virtual Gauge)

Brake Pressure (Virtual Gauge) Design 206

Compressed Air Supply (Primary & Secondary Guage)(W/2 in 1 Inverter)

Compressed Air Supply (Primary & Secondary Guage)(W/2 in 1 Inverter) Design 207

Odometer (W/VCU)

Odometer (W/VCU) Design 208

Trip Odometer (W/VCU)

Trip Odometer (W/VCU) Design 209

Vehicle Speed Limit Override

Vehicle Speed Limit Override Design 210

Voltage Monitoring Voltmeter

Voltage Monitoring Voltmeter Design 211

Voltage Monitoring (Voltmeter) (with Aux gauge)

Voltage Monitoring (Voltmeter) (with Aux gauge) Design 212

Vehicle Speed Control (Cruise Control) (Steering Wheel Controls, W/VCU)

Vehicle Speed Control (Cruise Control) (Steering Wheel Controls, W/VCU) Design 213

Vehicle Information Display Premium w/ Wi-Fi VID

Vehicle Information Display Premium w/ Wi-Fi VID Design 214

Vehicle Information Display W/O BT

Vehicle Information Display W/O BT Design 215

Vehicle Information Display (W/ BT)

Vehicle Information Display (W/ BT) Design 216

Cab Dome Light W/Classic Trim

Cab Dome Light W/Classic Trim Design 217

Cab Dome Light W/ Combo in Diamond Trim

Cab Dome Light W/ Combo in Diamond Trim Design 218

Courtesy Light Crew Cab

Courtesy Light Crew Cab Design 219

Courtesy Light Day Cab

Courtesy Light Day Cab Design 220

Interior Task Lights (Map) - Dome Combo

Interior Task Lights (Map) - Dome Combo Design 221

Panel Backlighting (Cabin Dimmer)

Panel Backlighting (Cabin Dimmer) Design 222

Axle Loading (Weight) Rear

Axle Loading (Weight) Rear Design 223

Driver Controlled Locking Differential - FR and RR Axles (Meritor w/ two sw)

Driver Controlled Locking Differential - FR and RR Axles (Meritor w/ two sw) Design 225

Driver Controlled Locking Differential - FR & RR Axle (Dana w/ one switch)

Driver Controlled Locking Differential - FR & RR Axle (Dana w/ one switch) Design 226

Driver Controlled Locking Differential - FR & RR Axle (Meritor w/ one sw)

Driver Controlled Locking Differential - FR & RR Axle (Meritor w/ one sw) Design 227

Driver Controlled Locking Differential - RR Axle (Dana w/ one sw)

Driver Controlled Locking Differential - RR Axle (Dana w/ one sw) Design . . . 228

Driver Controlled Locking Differential - RR Axle (Meritor w/ one sw)

Driver Controlled Locking Differential - RR Axle (Meritor w/ one sw) Design . . . 229

Height Control (W/VCU)

Height Control (W/VCU) Design 230

Power Divider Lock Control and Monitoring

Power Divider Lock Control and Monitoring Design 231

Rear Axle Load Distribution

Rear Axle Load Distribution Design 232

Axle Temperature Monitoring (Single Rear Aux Gauge)

Axle Temperature Monitoring (Single Rear Aux Gauge) Design 233

Axle Temperature Monitoring (Single Rear Virtual Gauge)
 Axle Temperature Monitoring (Single Rear Virtual Gauge) Design 234

Axle Temperature Monitoring (Tandem Rear Aux Gauge)
 Axle Temperature Monitoring (Tandem Rear Aux Gauge) Design 235

Axle Temperature Monitoring (Tandem Rear Virtual Gauge)
 Axle Temperature Monitoring (Tandem Rear Virtual Gauge) Design 236

Rear Suspension Pressure Monitoring (Auxiliary Gauge)
 Rear Suspension Pressure Monitoring (Auxiliary Gauge) Design 237

Rear Suspension Pressure Monitoring (Virtual Gauge)
 Rear Suspension Pressure Monitoring (Virtual Gauge) Design 239

Driver and Passenger Seats - RollTek (Hard Wired)
 Driver and Passenger Seats - RollTek (Hard Wired) Design 241

Seats (RollTek) Drivers Seat Only (Hard Wired) - Leather
 Seats (RollTek) Drivers Seat Only (Hard Wired) - Leather Design 242

Seats (RollTek) Drivers Seat Only (Hard Wired) - Mordular
 Seats (RollTek) Drivers Seat Only (Hard Wired) - Mordular Design 243

Seats (RollTek) Drivers Seat Only (Hard Wired) - Vinyl
 Seats (RollTek) Drivers Seat Only (Hard Wired) - Vinyl Design 244

Seatbelt Reminder (Warning)(Driver only)
 Seatbelt Reminder (Warning)(Driver only) Design 245

Seatbelt Reminder (Warning)(Driver & Passenger in parallel)
 Seatbelt Reminder (Warning)(Driver & Passenger in parallel) Design 246

Vehicle Data Recorder (No Display)
 Vehicle Data Recorder (No Display) Design 247

Vehicle Data Recorder (W/ Display)
 Vehicle Data Recorder (W/ Display) Design 249


Auxiliary Trailer Power
 Auxiliary Trailer Power Design 251

TEM _Electric Trailer Brake Controller Activated Stop LT
 TEM _Electric Trailer Brake Controller Activated Stop LT Design 252

Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes)
 Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Design 253

Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option2	Index1247
Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option2 Design.....	254
Windshield Washer Pump	
Windshield Washer Pump Design.....	255
Windshield Washer Pump & Low Fluid Sensor	
Windshield Washer Pump & Low Fluid Sensor Design.....	257
Windshield Wipers	
Windshield Wipers Design.....	259
Cranking Request (w/ Key Switch w/ BCM)	
Cranking Request (w/ Key Switch w/ BCM) Design.....	260
Cranking (W/VCU)	
Cranking (W/VCU) Design.....	262
Operator Input	
Operator Input Design.....	263
12V Battery Disconnect (Switch Only)	
12V Battery Disconnect (Switch Only) Design.....	265
Connectors	266
Part Assembly List	
Connector Assembly List MV.....	1054

Connector J1-1603



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES



Body Control Module (BCM)

DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES


DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Connector J6-1606



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Connector J8-1605 (Power Feed)



Physical Description:
This design contains the Generation IV Body Control Module (BCM).

Functional Description:
This implementation of the BCM should ONLY contain connections that will ALWAYS be used (e.g. Power, Ground, and core datalinks).



NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

UNLESS SPECIFIED, DIM TOLERANCES ARE		FINISH (Cp)	ROUGH (Cp)
X	Z254.5	.X	Z25.00
X.X	Z254.8	.XX	Z25.03
X.XX	Z254.25	.00X	Z25.019
	ANGLES	Z25.1224	


APPROVED	DATE
APPROVED	24JULY12
CHECKED	24JULY12
DESIGNER	24JUL12

FORM	REV	DATE	BY
FORM 100	1	07/12	CHS

RELEASE NO.	PART NO.	REV	DATE	BY
NAV 0712	Body Control Module (BCM)	-		CHS

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES

INSTRUMENT PANEL HARNESS






DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES





DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES










*NOTE - All wires shown are part of a jacketed J1939 twisted pair. This drawing shall be used for reference only and depicts a physical representation of the J1939 network with all features available for the MV series model, which may not be a buildable combination.

Diagram1



DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES










Diagram1



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1


DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES








DESIGN DESCRIPTION

FEATURE CODES





SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1



Note: Ground studs are located in the Interior Dual Post Ground Stud-Cowl Wall.

DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES





SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES





SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES

Diagram1

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1




DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES

NAVSTAR
NAVSTAR OF CONSTRUCTION EQUIPMENT



- NOTES
1. 5A W/Base Cluster
15A W/Premium Cluster
 2. 30A W/Bendix / Hydromax
15A W/Wabco
 3. 25A Heated Windshield 1
30A AUX Power
 4. 10A W/Driver Display
5A W/Rand Mcnally GPS
 5. 30A W/Power Window/Door/Mirror
20A W/Power Mirror
 6. 20A Driver
30A Driver & Passenger
 7. 5A PeopleNet, Qualcomm MCP
10A Qualcomm IMCT/TMCT/MCT/MVPC
 8. 5A Driver Display
10A Emergency Pump
 9. 15A Heated Windshield
20A Body Builder ACC
 10. 25A AUX Trailer Socket
20A Body Builder ACC
 11. 10A Data Recorder
20A Heated Seats
 12. 10A Standard IGN
30A AUX Trailer IGN
 13. 5A XMSN Neutral SW
10A Mirror Switch



Batt2 Loadshed - Battery LoadShed
 Conv2 Loadshed - Acc 2 LoadShed
 Conv1 Non-Loadshed - Acc LoadShed
 Oper1A Non-Loadshed - IGN Non-LoadShed
 Oper2A Non-Loadshed - IGN Non-LoadShed
 Oper2 Loadshed - IGN LoadShed
 N2 Module - Navistar Telematics

LOCATION	AMP	FEED	STD/OPT	DESCRIPTION	LOCATION	AMP	FEED	STD/OPT	DESCRIPTION	LOCATION	AMP	FEED	STD/OPT	DESCRIPTION	LOCATION	AMP	FEED	STD/OPT	DESCRIPTION
B1-A	5	BTRY	OPT	START RELAY ENABLE PWR	B6-A	NOTE 5	IGN	STD	SATELLITE COMMUNICATION	B8-A	5	NOTE 3	OPT	VIDEO CAMERA/FLUID SPRING	B9-A				NOT FOR USE
B1-B	15	BTRY	STD	TRAILER STOP LT/MIL STILL STOP	B6-B	10	IGN	STD	WINDSHIELD WASHER PUMP	B8-B	NOTE 4	BTRY	OPT	SELF CONTAINED SEATS	B9-B	20	BTRY	OPT	AUX POWER SOURCE OPT
B1-C	15	BTRY	STD	3-PIN DIAGNOSTIC	B6-C	NOTE 10	IGN	STD	TRAILER ABS	B8-C	5	ACC	OPT	AIR HORN	B9-C	15	BTRY	OPT	OWNER OPERATOR
B1-D	5	BTRY	STD	LT CONTROL MODULE/MVLS BTRY	B6-D	10	IGN	OPT	AIR PARK BRAKE	B8-D	30	BTRY	OPT	ELECTRIC TRLR BRK/FLUID SPRING	B9-D	20	BTRY	OPT	ABS HYD-HYDROMAX
B1-E	NOTE 1	BTRY	STD	INSTRUMENT CLUSTER	B6-E	5	IGN	OPT	LIFT AXLE/FLUID SPRING	B8-E	NOTE 6	BTRY	OPT	DRIVER DISPLAY/EMERGENCY PUMP	B9-E	-	-	-	NOT FOR USE
B1-F	30	BTRY	STD	CAB HVAC BLOWER MOTOR	B6-F	5	IGN	OPT	ROLLTEK/ELEC FAN & TSTAT	B8-F	NOTE 14	BTRY	OPT	AUX POWER SOURCE/OPT APO/USB	B9-F	20	BTRY	OPT	BODY BLDR STOP/MIL STILL STOP
B1-G	10	BTRY	STD	KEYSWITCH	B6-G	10	IGN	STD	BACK-UP LIGHTS	B8-G	10	BTRY	STD	CAB DOME MAP LIGHTS	B9-G	30	BTRY	OPT	POWER DOOR/WINDOW-RHT R
B1-H	5	BTRY	OPT	LANE DEPARTURE SYSTEM	B6-H	5	IGN	STD	LIGHTING CONTROL MODULE	B8-H	NOTE 7	BTRY	OPT	WINDSHIELD HEATED/JAMMETER	B9-H	30	BTRY	OPT	POWER DOOR/WINDOW-LEFT R
B1-I	5	BTRY	OPT	TRANSMISSION SHIFTER	B6-I	5	IGN	OPT	2 WAY RADIO	B8-I	20	BTRY	OPT	FUEL WATER SEPARATOR	B9-I	10	BTRY	OPT	CAB HVAC CONTROLLER
B1-K	30	BTRY	STD	TRAILER ABS ECU	B6-K	20	IGN	OPT	HEATED MIRRORS	B8-K	NOTE 8	BTRY	OPT	AUX TRAILER SOCKET/BB ACC	B9-K	NOTE 3	BTRY	OPT	HEATED WINDSHIELD 1/AUX PWR
B1-L	10	BTRY	OPT	PEOPLENET DVR	B6-L	10	IGN	STD	INSTRUMENT CLUSTER	B8-L	10	BTRY	STD	CIGAR LIGHTER	B9-L	5	BTRY	OPT	SUNLOAD/TWILIGHT SENSOR
B1-M	10	BTRY	OPT	SATELLITE COMMUNICATION	B6-M	10	IGN	OPT	TRANSMISSION CONTROL UNIT	B8-M	20	BTRY	OPT	AUX ACC ROOF LOAD	B9-M	20	BTRY	OPT	CIGAR/AUX POWER OPT
B1-N	10	BTRY	OPT	ENTERTAINMENT RADIO	B6-N	10	IGN	OPT	COLLISION MITIGATION-FRONT	B8-N	5	ACC	OPT	AUX ACC ROOF LOAD/ELEC FAN&TSTAT	B9-N	10	IGN	STD	AUX POWER
B1-P	30	BTRY	OPT	DRIVER SIDE WINDOW/DOOR/MIRROR	B6-P	10	IGN	OPT	HEATED DRAIN VALVE	B8-P	10	ACC	OPT	ENTERTAINMENT RADIO	B9-P	NOTE 9	IGN	OPT	DATA RECORDER/HEATED SEAT
B1-R	10	BTRY	STD	SWITCH PACK	B6-R	10	IGN	OPT	OWNER OPERATOR	B8-R	20	ACC	OPT	CB RADIO	B9-R	5	IGN	OPT	DRIVE CAM PREWIRE
B1-T	5	BTRY	OPT	REMOTE POWER MODULE	B6-T	5	IGN	STD	ENGINE ECM	B8-T	10	ACC	OPT	DRIVER DISPLAY/POWER MIRROR SW	B9-T	NOTE 12	IGN	OPT	USBAPO OPT
B1-U	10	BTRY	OPT	SATELLITE COMMUNICATION	B6-U	10	IGN	STD	BENDIX/WARCO/HYD ABS	B8-U	5	IGN	OPT	ENG BODY BUILDER	B9-U	5	IGN	OPT	TPMS/2 ADDITIONAL USB
B1-V	30	BTRY	OPT	PASSENGER SIDE WINDOW/DOOR	B6-V	10	IGN	STD	AIR DRYER	B8-V	10	IGN	STD	HOOD MIRROR	B9-V	5	IGN	OPT	AUX POWER USB
B1-W	NOTE 2	BTRY	STD	BENDIX/WARCO/HYD ABS	B6-W	10	IGN	OPT	COLLISION MITIGATION SIDE	B8-W	10	IGN	OPT	AUX POWER/USB OPT	B9-W	10	IGN	OPT	TRANSMISSION SHIFTER
B1-X	NOTE 1	BTRY	OPT	XMSN NEUTRAL SW/MIRROR SW	B6-X	5	IGN	OPT	LANE DEPARTURE SYSTEM	B8-X	10/5	IGN	OPT	AFTERTREATMENT/FILTER RESTR	B9-X	10	IGN	OPT	QUALCOMM SAT/PEOPLENET DVR

DESIGN DESCRIPTION


FEATURE CODES


SOFTWARE FEATURE CODES



NOTES

1. 5A W/Base Cluster
15A W/Premium Cluster
2. 30A W/Bendix / Hydromax
15A W/Wabco
3. 25A Heated Windshield 1
30A AUX Powe
4. 10A W/Driver Display
5A W/Rand McNally GPS
5. 30A W/Power Window/Door/Mirror
20A W/Power Mirror
6. 20A Driver
30A Driver & Passenger
7. 5A PeopleNet, Qualcomm MCP
10A Qualcomm IMCT/TMCT/MCT/MVPC
8. 5A Driver Display
10A Emergency Pump
9. 15A Heated Windshield
20A Body Builder ACC
10. 25A AUX Trailer Socket
20A Body Builder ACC
11. 10A Data Recorder
20A Heated Seats
12. 10A Standard IGN
30A AUX Trailer IGN
13. 5A XMSN Neutral SW
10A Mirror Switch






- NOTES
- 5A W/Base Cluster
15A W/Premium Cluster
 - 30A W/Bendix / Hydromax
15A W/Wabco
 - 25A Heated Windshield 1
30A AUX Powe
 - 10A W/Driver Display
5A W/Rand Mcnally GPS
 - 30A W/Power Window/Door/Mirror
20A W/Power Mirror
 - 20A Driver
30A Driver & Passenger
 - 5A PeopleNet, Qualcomm MCP
10A Qualcomm IMCT/TMCT/MCT/MVPC
 - 5A Driver Display
10A Emergency Pump
 - 15A Heated Windshield
20A Body Builder ACC
 - 25A AUX Trailer Socket
20A Body Builder ACC
 - 10A Data Recorder
20A Heated Seats
 - 10A Standard IGN
30A AUX Trailer IGN
 - 5A XMSN Neutral SW
10A Mirror Switch


DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES











DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1

DESIGN DESCRIPTION

FEATURE CODES





SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES





SOFTWARE FEATURE CODES

Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES





SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1-Combination2



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES






DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES





DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES


DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES

Diagram1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination1



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES

Diagram1-Combination1



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES

* NOTE - The device depicted below is a multiplexed switch pack that includes a pigtail harness that is utilized for "daisy-chaining" with other multiplexed switch packs or to connect back to the Instrument Panel harness for continuation of the HMI Standard (125kbps) J1939 backbone. The below diagram only shows the battery and ground feeds since only those are required to correctly drive the wiring needed in the harnesses.



SOFTWARE FEATURE CODES

Diagram1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES

Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES

Diagram1

DESIGN DESCRIPTION

FEATURE CODES





SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES







Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES





Diagram1



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES




DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES








DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES

DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES

DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES


DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES






DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES

Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES








DESIGN DESCRIPTION


FEATURE CODES


SOFTWARE FEATURE CODES












DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES





Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES






Diagram1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1


DESIGN DESCRIPTION


FEATURE CODES




SOFTWARE FEATURE CODES













Diagram1





DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES








DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES







Diagram 1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1




DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES





DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination1



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram 1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination2



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram 1-Combination2



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES





Diagram1-Combination2





DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES







DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






Diagram1-Combination2

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES









Diagram1



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination2

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES





Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination2

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES

Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES





DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram2 - Actuators

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram3 - Sensors

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES


DESIGN DESCRIPTION


FEATURE CODES




SOFTWARE FEATURE CODES









DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES




SOFTWARE FEATURE CODES

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES



DESIGN DESCRIPTION
FEATURE CODES
SOFTWARE FEATURE CODES

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES

Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES

Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES

Diagram1

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

Diagram1-Combination1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1-Combination2

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES

Diagram1

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES









Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination2

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES




Diagram1

DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES

Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1 - Seats

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES





Diagram1

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram 1-Combination2

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination2

DESIGN DESCRIPTION

FEATURE CODES





SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES

Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination2

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




Connector Name A01-1126M
 Part Number 3928059C1
 Instances Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 1:Diagram1
 Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 2:Diagram1
 Mates SW-LDW_DISABLE_BEDIX_FUSIO N-3020-02-1A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	YD67COG1	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	560.0	-	X	-
2	-	-	YD11COG1	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	320.0	-	X	-
4	-	-	YD67COG2	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	560.0	-	X	-
11	-	-	YD67NB	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	VIOLET	320.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
12	-	-	YD62A	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1345.0	-	-	-

Connector Name A01-1127R
 Part Number 1667741C1
 Instances Driver and Passenger Seats - RollTek (Hard Wired):Diagram1
 Seats (RollTek) Drivers Seat Only (Hard Wired) -
 Leather:Diagram1
 Seats (RollTek) Drivers Seat Only (Hard Wired) -
 Mordular:Diagram1
 Seats (RollTek) Drivers Seat Only (Hard Wired) - Vinyl:Diagram1
 Mates DEV-RESISTOR_390_OHM_2W-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	DL13BD	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	0.0	-	X	-
C	-	-	DL179B	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	0.0	-	X	-

Connector Name A01-1500A
 Part Number 3710061C1
 Instances Driver and Passenger Seats - RollTek (Hard Wired):Diagram1
 Seats (RollTek) Drivers Seat Only (Hard Wired) -
 Leather:Diagram1
 Seats (RollTek) Drivers Seat Only (Hard Wired) -
 Mordular:Diagram1
 Seats (RollTek) Drivers Seat Only (Hard Wired) - Vinyl:Diagram1
 Mates MODU-EGC-A003-10-00




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A6	-	-	DL13BB	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	820.0	-	X	-
A7	-	-	DL179A	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	0.0	-	X	-

Connector Name A01-1926
 Part Number 3544677C1
 Instances Driver and Passenger Seats - RollTek (Hard Wired):Diagram1
 Seats (RollTek) Drivers Seat Only (Hard Wired) -
 Leather:Diagram1
 Seats (RollTek) Drivers Seat Only (Hard Wired) -
 Mordular:Diagram1
 Seats (RollTek) Drivers Seat Only (Hard Wired) - Vinyl:Diagram1
 Mates DEV-DRIVER_SEAT_ROLTEK-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	DL13BA	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	3110.0	-	X	-
B	-	-	DL11-GAR	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	3470.0	-	-	-
C	-	-	-	-	-	-	-	-	-	-	-	-
D	-	-	-	-	-	-	-	-	-	-	-	-
E	-	-	DL179	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2740.0	-	X	-

Connector Name A01-8881
 Part Number 3553404C1
 Instances Vehicle Data Recorder (No Display):Diagram2 - Recorder W/
 Display
 Vehicle Data Recorder (W/ Display):Diagram2 - Recorder W/
 Display
 Mates VDR-Recorder-2037-02-01



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
6	-	-	QL5A	-	0.0	-	-	-	705.0	-	A	8883
7	-	-	QL5B	-	0.0	-	-	-	705.0	-	B	8883
10	-	-	QL13AA	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1020.0	-	X	-
12	-	-	QL11-AB	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	525.0	-	X	-


Connector Name A01-8882
 Part Number 3586750C1
 Instances Vehicle Data Recorder (No Display):Diagram1 - Seats
 Vehicle Data Recorder (W/ Display):Diagram1 - Seats
 Mates VDR-Recorder-2037-02-01



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	QN11-GD	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2210.0	-	2	A01-8997
4	-	-	QP11-GF	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2210.0	-	10	A01-8997
5	-	-	QQ11-GE	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2210.0	-	6	A01-8997
8	-	-	QQ11-GL	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2210.0	-	8	A01-8997

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
9	-	-	QP11-GM	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2210.0	-	12	A01-8997
10	-	-	QN11-GK	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2210.0	-	4	A01-8997


Connector Name A01-8995
 Part Number 3613769C1
 Instances Vehicle Data Recorder (No Display):Diagram1 - Seats
 Vehicle Data Recorder (No Display):Diagram2 - Recorder W/
 Display
 Vehicle Data Recorder (W/ Display):Diagram1 - Seats
 Vehicle Data Recorder (W/ Display):Diagram2 - Recorder W/
 Display
 Mates VDR Splice Pack



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	QK11-GAN	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	615.0	-	X	-
2	-	-	QL11-A	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	730.0	-	X	-
6	-	-	QN11-GDA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2678.0	-	1	A01-8997
7	-	-	QQ11-GEA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2678.0	-	5	A01-8997

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
8	-	-	QP11-GFA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2678.0	-	9	A01-8997
12	-	-	QN11-GKA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2678.0	-	3	A01-8997
13	-	-	QN11-GLA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2678.0	-	7	A01-8997
14	-	-	QP11-GMA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2678.0	-	11	A01-8997


Connector Name A01-8997
 Part Number 2018590C1
 Instances Vehicle Data Recorder (No Display):Diagram1 - Seats
 Vehicle Data Recorder (W/ Display):Diagram1 - Seats
 Mates W40-8997



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	QN11-GDA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2678.0	-	6	A01-8995
2	-	-	QN11-GD	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2210.0	-	3	A01-8882
3	-	-	QN11-GKA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2678.0	-	12	A01-8995
4	-	-	QN11-GK	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2210.0	-	10	A01-8882


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	QQ11-GEA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2678.0	-	7	A01-8995
6	-	-	QQ11-GE	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2210.0	-	5	A01-8882
7	-	-	QN11-GLA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2678.0	-	13	A01-8995
8	-	-	QQ11-GL	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2210.0	-	8	A01-8882
9	-	-	QP11-GFA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2678.0	-	8	A01-8995
10	-	-	QP11-GF	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2210.0	-	4	A01-8882
11	-	-	QP11-GMA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2678.0	-	14	A01-8995
12	-	-	QP11-GM	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2210.0	-	9	A01-8882

Connector Name A01_250M
 Part Number 4064551C1
 Instances CAN Network:Body Standard J1939 (250Kbps)
 Mates D49_250F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE775 838	-	0.0	-	-	-	0.0	-	F	1024
B	-	-	WIRE775 839	-	0.0	-	-	-	0.0	-	G	1024
E	-	-	WIRE775 840	-	0.0	-	-	-	0.0	-	38	A31_1700
F	-	-	WIRE775 841	-	0.0	-	-	-	0.0	-	37	A31_1700

Connector Name A01_250M
 Part Number 4064551C1
 Instances Over The Air Electrical I/O (OnCommand Link / N2
 Module:Diagram1
 Mates D49_250F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	EN14KBB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2783.0	-	-	-


Connector Name A01_4500
 Part Number 1661375C2
 Instances Windshield Wipers:Diagram1
 Mates MOT-WIPER-1031-03-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AA82DJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2080.0	-	74	1703F
B	-	-	AA82JJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2080.0	-	72	1703F
C	-	-	AA82-GJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2080.0	-	8	1703F
D	-	-	AA82KJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2080.0	-	69	1703F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	AA82LJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2080.0	-	70	1703F

Connector Name A31_1005
 Part Number 3710088C1
 Instances Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU):Diagram1 - HVAC




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AD11-GT	2643788 R1	4.81	10.0	Std. Wall XLPE Primary Cable	WHITE	270.0	-	X	-

Connector Name A31_1012
 Part Number 3768010C1
 Instances Backup Light (W/VCU) Dual Daisy Reverse Light:Diagram1
 Mates RLY-REVERSE_ALARM/LIGHT-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R2-30	-	-	ZL71C	-	0.0	18.0	-	ORANGE	0.0	-	PIN1	-
R2-85	-	-	ZL71AD	-	0.0	18.0	-	PINK	0.0	-	3	A31_170 3M
R2-86	-	-	ZL71B	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	3505.0	-	PIN1	-
R2-87	-	-	ZL71AC	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1805.0	-	-	-

Connector Name A31_1013
 Part Number 3768010C1
 Instances Mirrors (Heated) (MUX Switch 2 Cab and 1 Hood Mirror Left Side Only):Diagram1
 Mates RLY-HEATED_MIRROR-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R1-30	-	-	RF78RP	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	490.0	-	-	-
R1-85	-	-	RF78RR	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2045.0	-	-	-
R1-86	-	-	RN78RK	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	215.0	-	X	-
R1-87	-	-	RF78	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2150.0	-	X	-

Connector Name A31_1014
 Part Number 3768010C1
 Instances Mirrors (Heated) (Door Pod Actuated 2 Cab and 1 Hood Mirror Left Side Only):Diagram1
 Mirrors (Heated) (MUX Switch 2 Cab and 1 Hood Mirror Left Side Only):Diagram1
 Mates RLY-HEATED_MIRROR-02




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R6-30	-	-	RM78AA	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	490.0	-	-	-
R6-85	-	-	RM78RM	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2060.0	-	-	-
R6-86	-	-	RN78RD	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	230.0	-	X	-
R6-87	-	-	RM78AB	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1350.0	-	X	-

Connector Name A31_1053
 Part Number 4116776C1
 Instances Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU):Diagram3 - Sensors
 Mates DEV-SENSOR_SUN_LOAD_TWILIG HT-02




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	ZF75D	2645643 R1	0.35	22.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2730.0	-	4	A31_120 0A
5	-	-	ZF75D-G	2645643 R1	0.35	22.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2730.0	-	3	A31_120 0A

Connector Name A31_1101M
 Part Number 3522071C1
 Instances
 CAN Network:Low Speed J1939 (125Kbps)
 End of Frame Aux Work Light (One Light N/Relay):Diagram1
 Height Control (W/VCU):Diagram1
 Mirrors (Heated) (MUX Switch 2 Cab and 1 Hood Mirror Left Side Only):Diagram1
 Regenerative Braking (W/VCU):Diagram1
 Theft Deterrent (Standard, J1939 Mux SW, W/VCU):Diagram1
 Traction Control (Bendix, VCU):Diagram1
 WORK LIGHT With BackUP Alarm - 1 BULB:Diagram1-Combination1
 Mates SW-J1939_PACK-0009-00-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	-	-	-	-	-	-	-	-	-	-
5	-	-	WIRE1649	-	0.0	-	-	-	0.0	-	PIN1	-
6	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	WIRE1650	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name A31_1102
 Part Number 4243370C1
 Instances Hybrid Auxiliary Power Generator for HEV (DC/AC Inverter):Diagram1
 Vehicle Control Unit (VCU):Diagram1
 Mates RLY-QX-INVERTER-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
30	-	-	AA14AEJ	-	0.0	18.0	-	RED	0.0	-	31	A31_170 3M
85	-	-	AA97AFJ	-	0.0	16.0	-	RED	0.0	-	32	A31_170 3M
85	-	-	AA97AFJ	-	0.0	16.0	-	RED	0.0	-	36	A31_170 3M
86	-	-	-	-	-	-	-	-	-	-	-	-
86	-	-	AA13VJ	-	0.0	18.0	-	PINK	0.0	-	33	A31_170 3M
87	-	-	-	-	-	-	-	-	-	-	-	-
87	-	-	AA13WJ	-	0.0	18.0	-	PINK	0.0	-	34	A31_170 3M

Connector Name A31_1103
 Part Number 4243370C1
 Instances Battery Thermal Management (W/VCU) BTMS:Diagram1
 Charging System (W/VCU) Dual DC/DC Converter:Diagram1
 eVehicle Charging (W/VCU) Onboard Charging
 Modules:Diagram1
 Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU):Diagram1 - HVAC
 Power Electronics Coolant Temperature Monitoring:Diagram1
 Mates RLY-GLOBAL_SWITCHED_POWER_ B-01



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
30	-	-	AA14AFJ	-	0.0	16.0	-	RED	0.0	-	35	A31_170 3M
85	-	-	AA97AGJ	-	0.0	16.0	-	VIOLET	0.0	-	36	A31_170 3M
86	-	-	AA13XJ	-	0.0	18.0	-	PINK	0.0	-	37	A31_170 3M
87	-	-	AA13YJ	-	0.0	16.0	-	PINK	0.0	-	38	A31_170 3M
87	-	-	AA13YJ	-	0.0	16.0	-	PINK	0.0	-	38	1703M

Connector Name A31_1200A
 Part Number 3768152C1
 Instances CAN Network: Cab Standard J1939 (250Kbps)
 Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU):Diagram1 - HVAC
 Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU):Diagram2 - Actuators
 Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU):Diagram3 - Sensors
 Mates DEV-HVAC_CTRL_HEAD_AUTO-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AA73A	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	PIN1	-
2	-	-	AD74-G	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	1180.0	-	X	-
3	-	-	ZF75D-G	2645643 R1	0.35	22.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2730.0	-	5	A31_1053
4	-	-	ZF75D	2645643 R1	0.35	22.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2730.0	-	1	A31_1053

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
5	-	-	AA75B	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	P	A31_120 0E
6	-	-	TA75A	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1390.0	-	X	-
7	-	-	-	-	-	-	-	-	-	-	-	-
7	-	-	WIRE720 031	-	0.0	-	-	-	0.0	-	PIN1	-
8	-	-	-	-	-	-	-	-	-	-	-	-
8	-	-	WIRE720 033	-	0.0	-	-	-	0.0	-	PIN1	-
9	-	-	AA74A2	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	B	A31_120 0E
10	-	-	AA74B2	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	G	A31_120 0E
11	-	-	AA74D5	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	K	A31_120 0C
12	-	-	AA73B	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	PIN1	-
13	-	-	AD74-GA	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	1180.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
14	-	-	ZF75TS1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1790.0	-	2	A31_120 0F
15	-	-	ZF75TS2	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1790.0	-	1	A31_120 0F
16	-	-	ZF75TS3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1790.0	-	4	A31_120 0F
17	-	-	ZF75TS4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1790.0	-	3	A31_120 0F
18	-	-	AA74C2	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	B	A31_120 0C
19	-	-	AA74E2	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	M	A31_120 0C
21	-	-	AA74D2	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	G	A31_120 0C
22	-	-	AA74D4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	J	A31_120 0C

Connector Name A31_1200B
 Part Number 3768153C1
 Instances Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU):Diagram2 - Actuators
 Mates DEV-HVAC_CTRL_HEAD_AUTO-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AA74B1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	F	A31_1200E
2	-	-	AA74B3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	H	A31_1200E
3	-	-	AA74B4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	J	A31_1200E
4	-	-	AA74C1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	A	A31_1200C

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	AA74C3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	C	A31_120 0C
6	-	-	AA74C4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	D	A31_120 0C
7	-	-	AA74C5	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	E	A31_120 0C
8	-	-	AA74E1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	L	A31_120 0C
9	-	-	AA74E3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	N	A31_120 0C
10	-	-	AA74E4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	P	A31_120 0C
11	-	-	AA74E5	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	S	A31_120 0C
12	-	-	AA74B5	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	K	A31_120 0E

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
13	-	-	AA74A1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	A	A31_120 0E
14	-	-	AA74A3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	C	A31_120 0E
15	-	-	AA74A4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	D	A31_120 0E
16	-	-	AA74A5	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	E	A31_120 0E
21	-	-	AA74D1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	F	A31_120 0C
22	-	-	AA74D3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	H	A31_120 0C

Connector Name A31_1200C
 Part Number 4057474C1
 Instances Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU):Diagram2 - Actuators
 Mates DEV-HEAT/EVAP-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AA74C1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	4	A31_120 0B
B	-	-	AA74C2	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	18	A31_120 0A
C	-	-	AA74C3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	5	A31_120 0B
D	-	-	AA74C4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	6	A31_120 0B

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	AA74C5	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	7	A31_120 0B
F	-	-	AA74D1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	21	A31_120 0B
G	-	-	AA74D2	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	21	A31_120 0A
H	-	-	AA74D3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	22	A31_120 0B
J	-	-	AA74D4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	22	A31_120 0A
K	-	-	AA74D5	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	11	A31_120 0A
L	-	-	AA74E1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	8	A31_120 0B
M	-	-	AA74E2	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	19	A31_120 0A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
N	-	-	AA74E3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	9	A31_120 0B
P	-	-	AA74E4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	10	A31_120 0B
S	-	-	AA74E5	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	11	A31_120 0B

Connector Name A31_1200E
 Part Number 4057658C1
 Instances Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU):Diagram1 - HVAC
 Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU):Diagram2 - Actuators
 Mates DEV-HEAT/EVAP-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AA74A1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	13	A31_120 0B
B	-	-	AA74A2	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	9	A31_120 0A
C	-	-	AA74A3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	14	A31_120 0B
D	-	-	AA74A4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	15	A31_120 0B

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	AA74A5	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	16	A31_120 0B
F	-	-	AA74B1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	1	A31_120 0B
G	-	-	AA74B2	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	10	A31_120 0A
H	-	-	AA74B3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	2	A31_120 0B
J	-	-	AA74B4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	3	A31_120 0B
K	-	-	AA74B5	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	12	A31_120 0B
L	-	-	SA77D	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2945.0	-	5	1700
M	-	-	AA75-GA	-	0.0	20.0	-	WHITE	0.0	-	7	1700
N	-	-	TA75AB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2000.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
P	-	-	AA75B	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	5	A31_120 0A

Connector Name A31_1200F
 Part Number 4116508C1
 Instances Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU):Diagram3 - Sensors
 Mates DEV-ITOS_SNSR-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	ZF75TS2	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1790.0	-	15	A31_1200A
2	-	-	ZF75TS1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1790.0	-	14	A31_1200A
3	-	-	ZF75TS4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1790.0	-	17	A31_1200A
4	-	-	ZF75TS3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1790.0	-	16	A31_1200A

Connector Name A31_1400
 Part Number 3596926C1
 Instances CAN Network:Powertrain Standard J1939 (500Kbps)
 Rear Lights (Stop) (W/VCU) W/Daisy Chain:Diagram1
 Traction Control (Bendix, VCU):Diagram1
 Mates DEV-ABS-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	XB94BN	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2550.0	-	15	1701
5	-	-	XB94BM	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2550.0	-	14	1701
7	-	-	-	-	-	-	-	-	-	-	-	-
7	-	-	WIRE775 582	-	0.0	-	-	-	0.0	-	PIN1	-
8	-	-	-	-	-	-	-	-	-	-	-	-
8	-	-	WIRE775 583	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name A31_1500A
 Part Number 4275140C1
 Instances CAN Network:Powertrain Standard J1939 (500Kbps)




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
11	-	-	WIRE775550	-	0.0	-	-	-	0.0	-	PIN1	-
12	-	-	WIRE775549	-	0.0	-	-	-	0.0	-	PIN1	-
28	-	-	WIRE775571	-	0.0	-	-	-	0.0	-	PIN1	-
29	-	-	WIRE775570	-	0.0	-	-	-	0.0	-	PIN1	-
38	-	-	WIRE775576	-	0.0	-	-	-	0.0	-	PIN1	-
39	-	-	WIRE775577	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name A31_1652
 Part Number 4278598C1
 Instances CAN Network:HV Controls J1939 (500Kbps)
 CAN Network:HV Power J1939 (500Kbps)




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE775720	-	0.0	-	-	-	0.0	-	10	A31_1703M
B	-	-	WIRE775601	-	0.0	-	-	-	0.0	-	12	A31_1703M
C	-	-	WIRE775908	-	0.0	-	-	-	0.0	-	7	A31_1703M
F	-	-	WIRE775719	-	0.0	-	-	-	0.0	-	11	A31_1703M
G	-	-	WIRE775599	-	0.0	-	-	-	0.0	-	13	A31_1703M
H	-	-	WIRE775904	-	0.0	-	-	-	0.0	-	8	A31_1703M

Connector Name A31_1700
 Part Number 3595625C1
 Instances CAN Network:Body Standard J1939 (250Kbps)
 Mates M01_1700




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
37	-	-	WIRE775841	-	0.0	-	-	-	0.0	-	F	A01_250M
38	-	-	WIRE775840	-	0.0	-	-	-	0.0	-	E	A01_250M

Connector Name A31_1700
 Part Number 3595625C1
 Instances CAN Network:Powertrain Standard J1939 (500Kbps)
 Mates M01_1700




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
61	-	-	WIRE775539	-	0.0	-	-	-	0.0	-	PIN1	-
62	-	-	WIRE775540	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name A31_1700
 Part Number 3595625C1
 Instances CAN Network: Cab Standard J1939 (250Kbps)
 Mates M01_1700




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
39	-	-	WIRE775505	-	0.0	-	-	-	0.0	-	PIN1	-
40	-	-	WIRE775504	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name A31_1700
 Part Number 3595625C1
 Instances Mirrors (Heated) (Door Pod Actuated 2 Cab and 1 Hood Mirror Left Side Only):Diagram1
 Mirrors (Heated) (MUX Switch 2 Cab and 1 Hood Mirror Left Side Only):Diagram1
 Vehicle Sound Generator:Diagram1
 Mates M01_1700




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
24	-	-	AA86AX	-	0.0	18.0	-	LIGHT GREEN	0.0	-	9	A31_6500
25	-	-	AA86B	-	0.0	18.0	-	WHITE	0.0	-	3	A31_6500
64	-	-	RM78AD	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1010.0	-	X	-

Connector Name A31_1701
 Part Number 3595623C1
 Instances Backup Light (W/VCU) Dual Daisy Reverse Light:Diagram1
 End of Frame Aux Work Light (One Light N/Relay):Diagram1
 Rear Lights (Stop) (W/VCU) W/Daisy Chain:Diagram1
 Mates N03_1701F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	ZA71A	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	805.0	-	-	-
2	-	-	YL56CA	-	0.0	16.0	-	ORANGE	0.0	-	-	-
3	-	-	YL57AA	-	0.0	16.0	-	ORANGE	0.0	-	-	-
68	-	-	ZT65	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	G	J1-1603

Connector Name A31_1702
 Part Number 3595621C1
 Instances CAN Network:HV Controls J1939 (500Kbps)
 Mates K03_1702




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
12	-	-	WIRE775618	-	0.0	-	-	-	0.0	-	12	A31_1703F
13	-	-	WIRE775617	-	0.0	-	-	-	0.0	-	13	A31_1703F

Connector Name A31_1702
 Part Number 3595621C1
 Instances CAN Network:HV Power J1939 (500Kbps)
 Mates K03_1702




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	WIRE775 909	-	0.0	-	-	-	0.0	-	7	A31_170 3F
8	-	-	WIRE775 905	-	0.0	-	-	-	0.0	-	8	A31_170 3F
10	-	-	WIRE775 718	-	0.0	-	-	-	0.0	-	10	A31_170 3F
11	-	-	WIRE775 717	-	0.0	-	-	-	0.0	-	11	A31_170 3F

Connector Name A31_1702
 Part Number 3595621C1
 Instances CAN Network: Cab Standard J1939 (250Kbps)
 Mates K03_1702




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
6	-	-	WIRE775514	-	0.0	-	-	-	0.0	-	6	A31_1703F
21	-	-	WIRE775515	-	0.0	-	-	-	0.0	-	21	A31_1703F

Connector Name A31_1702
 Part Number 3595621C1
 Instances CAN Network:Powertrain Standard J1939 (500Kbps)
 Mates K03_1702



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
14	-	-	WIRE775560	-	0.0	-	-	-	0.0	-	14	A31_1703F
15	-	-	WIRE775559	-	0.0	-	-	-	0.0	-	15	A31_1703F


Connector Name A31_1702
 Part Number 3595621C1
 Instances Backup Light (W/VCU) Dual Daisy Reverse Light:Diagram1
 Battery Thermal Management (W/VCU) BTMS:Diagram1
 Hybrid Auxiliary Power Generator for HEV (DC/AC Inverter):Diagram1
 Power Electronics Coolant Temperature Monitoring:Diagram1
 Service Brake Switch (2 SLS/ 1 Transducer/ 2 RDS to VCU):Diagram1
 Vehicle Control Unit (VCU):Diagram1
 Mates K03_1702



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	ZL71AE	-	0.0	18.0	-	PINK	0.0	-	3	A31_170 3F
4	-	-	AA101BB	-	0.0	18.0	-	TAN	0.0	-	4	A31_170 3F
23	-	-	AA10E	-	0.0	18.0	-	WHITE	0.0	-	23	A31_170 3F
28	-	-	WA101AA	-	0.0	18.0	-	GREY	0.0	-	28	A31_170 3F
31	-	-	AA14AP	-	0.0	18.0	-	RED	0.0	-	31	A31_170 3F
33	-	-	AA13V	-	0.0	18.0	-	PINK	0.0	-	33	A31_170 3F
34	-	-	AA13W	-	0.0	18.0	-	PINK	0.0	-	34	A31_170 3F
35	-	-	AA14AR	-	0.0	18.0	-	PINK	0.0	-	35	A31_170 3F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
36	-	-	AA97AGG	-	0.0	16.0	-	VIOLET	0.0	-	36	A31_1703F
37	-	-	AA13X	-	0.0	18.0	-	PINK	0.0	-	37	A31_1703F
38	-	-	AA13Y	-	0.0	16.0	-	PINK	0.0	-	38	A31_1703F

Connector Name A31_1702
 Part Number 3595621C1
 Instances Charging System (W/VCU) Dual DC/DC Converter:Diagram1
 eVehicle Charging (W/VCU) Onboard Charging
 Modules:Diagram1
 High-Voltage Distribution Module (HVDM):Diagram1
 Vehicle Control Unit (VCU):Diagram1
 Mates K03_1702




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
19	-	-	-	-	-	-	-	-	-	-	-	-
32	-	-	AA97AFF	-	0.0	16.0	-	RED	0.0	-	32	A31_170 3F
34	-	-	AA13W	-	0.0	18.0	-	PINK	0.0	-	34	A31_170 3F
38	-	-	AA13Y	-	0.0	16.0	-	PINK	0.0	-	38	A31_170 3F

Connector Name A31_1703F
 Part Number 3595624C1
 Instances CAN Network: Cab Standard J1939 (250Kbps)
 Mates A31_1703M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
6	-	-	WIRE775 514	-	0.0	-	-	-	0.0	-	6	A31_1702
21	-	-	WIRE775 515	-	0.0	-	-	-	0.0	-	21	A31_1702

Connector Name A31_1703F
 Part Number 3595624C1
 Instances CAN Network:HV Power J1939 (500Kbps)
 Mates A31_1703M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	WIRE775 909	-	0.0	-	-	-	0.0	-	7	A31_1702
8	-	-	WIRE775 905	-	0.0	-	-	-	0.0	-	8	A31_1702
10	-	-	WIRE775 718	-	0.0	-	-	-	0.0	-	10	A31_1702
11	-	-	WIRE775 717	-	0.0	-	-	-	0.0	-	11	A31_1702

Connector Name A31_1703F
 Part Number 3595624C1
 Instances CAN Network:HV Controls J1939 (500Kbps)
 Mates A31_1703M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
12	-	-	WIRE775618	-	0.0	-	-	-	0.0	-	12	A31_1702
13	-	-	WIRE775617	-	0.0	-	-	-	0.0	-	13	A31_1702

Connector Name A31_1703F
 Part Number 3595624C1
 Instances CAN Network:Powertrain Standard J1939 (500Kbps)
 Mates A31_1703M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
14	-	-	WIRE775560	-	0.0	-	-	-	0.0	-	14	A31_1702
15	-	-	WIRE775559	-	0.0	-	-	-	0.0	-	15	A31_1702

Connector Name A31_1703F
 Part Number 3595624C1
 Instances Backup Light (W/VCU) Dual Daisy Reverse Light:Diagram1
 Battery Thermal Management (W/VCU) BTMS:Diagram1
 Hybrid Auxiliary Power Generator for HEV (DC/AC Inverter):Diagram1
 Power Electronics Coolant Temperature Monitoring:Diagram1
 Service Brake Switch (2 SLS/ 1 Transducer/ 2 RDS to VCU):Diagram1
 Vehicle Control Unit (VCU):Diagram1
 Mates A31_1703M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	ZL71AE	-	0.0	18.0	-	PINK	0.0	-	3	A31_1702
4	-	-	AA101BB	-	0.0	18.0	-	TAN	0.0	-	4	A31_1702
23	-	-	AA10E	-	0.0	18.0	-	WHITE	0.0	-	23	A31_1702
28	-	-	WA101AA	-	0.0	18.0	-	GREY	0.0	-	28	A31_1702
31	-	-	AA14AP	-	0.0	18.0	-	RED	0.0	-	31	A31_1702
33	-	-	AA13V	-	0.0	18.0	-	PINK	0.0	-	33	A31_1702
34	-	-	AA13W	-	0.0	18.0	-	PINK	0.0	-	34	A31_1702
35	-	-	AA14AR	-	0.0	18.0	-	PINK	0.0	-	35	A31_1702
36	-	-	AA97AGG	-	0.0	16.0	-	VIOLET	0.0	-	36	A31_1702
37	-	-	AA13X	-	0.0	18.0	-	PINK	0.0	-	37	A31_1702
38	-	-	AA13Y	-	0.0	16.0	-	PINK	0.0	-	38	A31_1702

Connector Name A31_1703F
 Part Number 3595624C1
 Instances Charging System (W/VCU) Dual DC/DC Converter:Diagram1
 eVehicle Charging (W/VCU) Onboard Charging
 Modules:Diagram1
 High-Voltage Distribution Module (HVDM):Diagram1
 Vehicle Control Unit (VCU):Diagram1
 Mates A31_1703M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
32	-	-	AA97AFF	-	0.0	16.0	-	RED	0.0	-	32	A31_1702
34	-	-	AA13W	-	0.0	18.0	-	PINK	0.0	-	34	A31_1702
38	-	-	AA13Y	-	0.0	16.0	-	PINK	0.0	-	38	A31_1702

Connector Name A31_1703M
 Part Number 3595625C1
 Instances CAN Network:HV Power J1939 (500Kbps)
 Mates A31_1703F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	WIRE775908	-	0.0	-	-	-	0.0	-	C	A31_1652
8	-	-	WIRE775904	-	0.0	-	-	-	0.0	-	H	A31_1652
10	-	-	WIRE775720	-	0.0	-	-	-	0.0	-	A	A31_1652
11	-	-	WIRE775719	-	0.0	-	-	-	0.0	-	F	A31_1652

Connector Name A31_1703M
 Part Number 3595625C1
 Instances CAN Network:Powertrain Standard J1939 (500Kbps)
 Mates A31_1703F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
14	-	-	WIRE775585	-	0.0	-	-	-	0.0	-	PIN1	-
15	-	-	WIRE775584	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name A31_1703M
 Part Number 3595625C1
 Instances CAN Network: Cab Standard J1939 (250Kbps)
 Mates A31_1703F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
6	-	-	WIRE775 512	-	0.0	-	-	-	0.0	-	PIN1	-
21	-	-	WIRE775 513	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name A31_1703M
 Part Number 3595625C1
 Instances CAN Network:HV Controls J1939 (500Kbps)
 Mates A31_1703F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
12	-	-	WIRE775601	-	0.0	-	-	-	0.0	-	B	A31_1652
13	-	-	WIRE775599	-	0.0	-	-	-	0.0	-	G	A31_1652

Connector Name A31_1703M
 Part Number 3595625C1
 Instances Charging System (W/VCU) Dual DC/DC Converter:Diagram1
 eVehicle Charging (W/VCU) Onboard Charging
 Modules:Diagram1
 High-Voltage Distribution Module (HVDM):Diagram1
 Vehicle Control Unit (VCU):Diagram1
 Mates A31_1703F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
32	-	-	AA97AFJ	-	0.0	16.0	-	RED	0.0	-	85	A31_1102
34	-	-	AA13WJ	-	0.0	18.0	-	PINK	0.0	-	-	-
38	-	-	AA13YJ	-	0.0	16.0	-	PINK	0.0	-	87	A31_1103

Connector Name A31_1703M
 Part Number 3595625C1
 Instances Backup Light (W/VCU) Dual Daisy Reverse Light:Diagram1
 Battery Thermal Management (W/VCU) BTMS:Diagram1
 Hybrid Auxiliary Power Generator for HEV (DC/AC Inverter):Diagram1
 Power Electronics Coolant Temperature Monitoring:Diagram1
 Service Brake Switch (2 SLS/ 1 Transducer/ 2 RDS to VCU):Diagram1
 Vehicle Control Unit (VCU):Diagram1
 Mates A31_1703F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	ZL71AD	-	0.0	18.0	-	PINK	0.0	-	R2-85	A31_1012
4	-	-	AA101BJ	-	0.0	18.0	-	TAN	0.0	-	D1	1800
23	-	-	AA10EJ	-	0.0	18.0	-	WHITE	0.0	-	D2	1800
28	-	-	WA101BA	-	0.0	18.0	-	WHITE	0.0	-	D4	1800
31	-	-	AA14AEJ	-	0.0	18.0	-	RED	0.0	-	30	A31_1102
33	-	-	AA13VJ	-	0.0	18.0	-	PINK	0.0	-	86	A31_1102
34	-	-	AA13WJ	-	0.0	18.0	-	PINK	0.0	-	87	A31_1102
35	-	-	AA14AFJ	-	0.0	16.0	-	RED	0.0	-	30	A31_1103
36	-	-	AA97AGJ	-	0.0	16.0	-	VIOLET	0.0	-	85	A31_1103
36	-	-	AA97AFJ	-	0.0	16.0	-	RED	0.0	-	85	A31_1102
37	-	-	AA13XJ	-	0.0	18.0	-	PINK	0.0	-	86	A31_1103
38	-	-	AA13YJ	-	0.0	16.0	-	PINK	0.0	-	87	A31_1103


Connector Name A31_1852
 Part Number 3599009C1
 Instances CAN Network:Powertrain Standard J1939 (500Kbps)
 Drive Mode Selector I/O (W/VCU):Diagram1
 Mates DEV-PUSH_BUTTON_SHIFTER-03



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	WIRE775580	-	0.0	-	-	-	0.0	-	PIN1	-
2	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	WIRE775581	-	0.0	-	-	-	0.0	-	PIN1	-
4	-	-	UL92AB	-	0.0	18.0	-	TAN	0.0	-	20	1703M
5	-	-	UL62Z	-	0.0	18.0	-	DARK BLUE	0.0	-	-	-
9	-	-	UL92-GAH	3510359R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	715.0	-	-	-
17	-	-	UL92#163	3510329R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2435.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
21	-	-	UL92BT	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2195.0	-	-	-

Connector Name A31_1939A
 Part Number 3683465C1
 Instances CAN Network:Low Speed J1939 (125Kbps)
 Mates TERMINATING RESISTOR




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE1637	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE1638	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name A31_1939B
 Part Number 3683465C1
 Instances CAN Network:Low Speed J1939 (125Kbps)
 Mates TERMINATING RESISTOR




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE1655	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE1656	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name A31_1939C
 Part Number 3683465C1
 Instances CAN Network:Body Standard J1939 (250Kbps)
 Mates Terminating Resistor




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE722863	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE720005	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name A31_1971
 Part Number 3704144C1
 Instances Camera (LYTX Prewire) W/Event Recording Button:Diagram1
 Mates SW-VIDEO_CAMERA_CONTROL-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	LR13DCB	-	0.0	20.0	-	PINK	0.0	-	3	A31_1972
2	-	-	LR12L	-	0.0	20.0	-	LIGHT BLUE	0.0	-	6	A31_1972
3	-	-	LR14DCA	-	0.0	20.0	-	RED	0.0	-	2	A31_1972
4	-	-	LR11-GB AA	-	0.0	20.0	-	WHITE	0.0	-	1	A31_1972

Connector Name A31_1972
 Part Number 4198359C1
 Instances Camera (LYTX Prewire) W/Event Recording Button:Diagram1
 Mates DEV-LYTX_AVM_ADAPTER-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	LR11-GB AA	-	0.0	20.0	-	WHITE	0.0	-	4	A31_1971
2	-	-	LR14DCA	-	0.0	20.0	-	RED	0.0	-	3	A31_1971
3	-	-	LR13DCB	-	0.0	20.0	-	PINK	0.0	-	1	A31_1971
6	-	-	LR12L	-	0.0	20.0	-	LIGHT BLUE	0.0	-	2	A31_1971

Connector Name A31_2505
 Part Number 3811207C1
 Instances CAN Network:Cab Standard J1939 (250Kbps)
 Mates D80_2505M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	WIRE775900	-	0.0	-	-	-	0.0	-	16	1301
2	-	-	WIRE775901	-	0.0	-	-	-	0.0	-	15	1301

Connector Name A31_3000F
 Part Number 1661201C1
 Instances Mirrors (Heated) (MUX Switch 2 Cab and 1 Hood Mirror Left Side Only):Diagram1
 Mates E01_3000M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	RF78RJ	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1415.0	-	X	-

Connector Name A31_3200F
 Part Number 1661201C1
 Instances CAN Network:Low Speed J1939 (125Kbps)
 Mates A31_3200M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE196493	-	0.0	-	-	-	0.0	-	3	E01_3202M
B	-	-	WIRE196492	-	0.0	-	-	-	0.0	-	2	E01_3202M

Connector Name A31_3200M
 Part Number 1661200C1
 Instances CAN Network:Low Speed J1939 (125Kbps)
 Mates A31_3200F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE1644	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE1643	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name A31_3200M
 Part Number 1661200C1
 Instances Mirrors (Heated) (MUX Switch 2 Cab and 1 Hood Mirror Left Side Only):Diagram1
 Mates E01_3200F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	RF78-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2125.0	-	-	-

Connector Name A31_3204M
 Part Number 1661200C1
 Instances CAN Network:Low Speed J1939 (125Kbps)
 Mates E01_3200F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE1654	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE1653	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name A31_6042
 Part Number 3677559C1
 Instances eVehicle Charging (W/VCU) Onboard Charging
 Modules:Diagram1
 Mates DEV-OBC2_TOP-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	K13N	-	0.0	18.0	-	PINK	0.0	-	PIN1	-
7	-	-	K13S	-	0.0	18.0	-	PINK	0.0	-	PIN1	-
8	-	-	K11M	-	0.0	18.0	-	WHITE	0.0	-	PIN1	-
11	-	-	K98D	-	0.0	18.0	-	BLACK	0.0	-	12	A31_6042
12	-	-	K98D	-	0.0	18.0	-	BLACK	0.0	-	11	A31_6042
13	-	-	K11J	-	0.0	18.0	-	WHITE	0.0	-	PIN1	-
14	-	-	K11K	-	0.0	18.0	-	WHITE	0.0	-	PIN1	-
15	-	-	K11L	-	0.0	18.0	-	WHITE	0.0	-	PIN1	-
22	-	-	-	-	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-	-	-	-	-

Connector Name A31_6202
 Part Number 3590299C1
 Instances Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU):Diagram1 - HVAC
 Mates DEV-LOW_PRESSURE_SWITCH-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TC9AE	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1350.0	-	48	1703F
B	-	-	TB74J	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1675.0	-	47	1703F

Connector Name A31_6500
 Part Number 4276424C1
 Instances CAN Network:Powertrain Standard J1939 (500Kbps)
 Vehicle Sound Generator:Diagram1
 Mates DEV-SOUND_GENERATOR-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	WIRE775529	-	0.0	-	-	-	0.0	-	X	-
3	-	-	AA86B	-	0.0	18.0	-	WHITE	0.0	-	25	A31_1700
4	-	-	AA86D	-	0.0	18.0	-	WHITE	0.0	-	31	1701
6	-	-	AA11GA	-	0.0	18.0	-	WHITE	0.0	-	1	-
7	-	-	WIRE775558	-	0.0	-	-	-	0.0	-	X	-
9	-	-	AA86AX	-	0.0	18.0	-	LIGHT GREEN	0.0	-	24	A31_1700
10	-	-	AA86C	-	0.0	18.0	-	LIGHT GREEN	0.0	-	30	1701
12	-	-	AA14A	2645255R1	18.94	4.0	SGX FLEX 125C	RED	550.0	-	-	-

Connector Name B03_1801
 Part Number 1673744C1
 Instances Vehicle Acceleration (Wired to VCU):Diagram1
 Mates DEV-ACCEL_PEDAL-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AA99V	-	0.0	18.0	-	VIOLET/WHITE	0.0	-	C4	1800F
B	-	-	AA99Y	-	0.0	18.0	-	VIOLET	0.0	-	B4	1800F
C	-	-	AA99P	-	0.0	18.0	-	VIOLET/BLACK	0.0	-	C5	1800F
D	-	-	AA99U	-	0.0	18.0	-	VIOLET/WHITE	0.0	-	B5	1800F
E	-	-	AA99W	-	0.0	18.0	-	VIOLET	0.0	-	B6	1800F
F	-	-	AA99E	-	0.0	18.0	-	VIOLET/BLACK	0.0	-	C6	1800F

Connector Name B03_1811
 Part Number 4196881C1
 Instances Compressed Air Supply (Primary & Secondary Guage)(W/2 in 1 Inverter):Diagram1
 Service Brake Switch (2 SLS/ 1 Transducer/ 2 RDS to VCU):Diagram1
 Mates DEV-BRAKE_APPLICATION-02




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AM40	-	0.0	18.0	-	GREY	0.0	-	C12	1800F
2	-	-	AC9VC	-	0.0	18.0	-	GREY	0.0	-	X	-
3	-	-	AM6HB	-	0.0	18.0	-	GREY	0.0	-	X	-

Connector Name B03_1812
 Part Number 4196881C1
 Instances Compressed Air Supply (Primary & Secondary Guage)(W/2 in 1 Inverter):Diagram1
 Mates DEV-AIR_PRESSURE_SECONDARY_SNSR-02




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AB40A	-	0.0	18.0	-	GREY	0.0	-	B2	1800F
2	-	-	AC9VE	-	0.0	18.0	-	GREY	0.0	-	X	-
3	-	-	AB6HA	-	0.0	18.0	-	GREY	0.0	-	X	-

Connector Name B03_1813
 Part Number 1661777C1
 Instances Park Brake Controls (W/VCU):Diagram1
 Mates DEV-PARK_BRAKE_SW-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	AM44BB	-	0.0	18.0	-	GREY	0.0	-	B3	1800F
D	-	-	AC9VD	-	0.0	18.0	-	GREY	0.0	-	X	-

Connector Name B03_1823
 Part Number 1661777C1
 Instances Service Brake Switch (2 SLS/ 1 Transducer/ 2 RDS to VCU):Diagram1
 Mates DEV-SERVICE_BRAKE-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	AB70A	-	0.0	18.0	-	ORANGE	0.0	-	A6	1800F
D	-	-	AC9VG	-	0.0	18.0	-	GREY	0.0	-	X	-

Connector Name B03_1824
 Part Number 1661777C1
 Instances Service Brake Switch (2 SLS/ 1 Transducer/ 2 RDS to VCU):Diagram1
 Mates DEV-SERVICE_BRAKE-02




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	AB70	-	0.0	18.0	-	ORANGE	0.0	-	B9	1800F
D	-	-	AC9VH	-	0.0	18.0	-	GREY	0.0	-	X	-

Connector Name B03_1829
 Part Number 1661777C1
 Instances Service Brake Switch (2 SLS/ 1 Transducer/ 2 RDS to VCU):Diagram1
 Mates DEV-REDUNDANT_SERVICE_BRAK E-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	AK70BB	-	0.0	18.0	-	GREY	0.0	-	D1	1800F
D	-	-	AK70AA	-	0.0	18.0	-	GREY	0.0	-	X	-

Connector Name B03_1831
 Part Number 1661777C1
 Instances Service Brake Switch (2 SLS/ 1 Transducer/ 2 RDS to VCU):Diagram1
 Mates DEV-SECOND_REDUNDANT_SERVI CE_BRAKE-01



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	AK70A	-	0.0	18.0	-	GREY	0.0	-	D4	1800F
D	-	-	AK70AB	-	0.0	18.0	-	GREY	0.0	-	X	-

Connector Name D17-2000N
 Part Number 3579124C1
 Instances Vehicle Data Recorder (W/ Display):Diagram2 - Recorder W/
 Display
 Mates VDR-Display-2037-02-01



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	D5B	-	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	0.0	-	B	2000M
2	-	-	D5A	-	0.79	18.0	Thin Wall XLPE Primary Cable	GREEN	0.0	-	A	2000M
3	-	-	D11AA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	0.0	-	C	2000M
4	-	-	D14AA	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	0.0	-	D	2000M

Connector Name D38_2002M
 Part Number 1661259C1
 Instances Clearance and Identification Lights:Diagram1
 Mates LT-LEFT_CLEAR-1006-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	D58Z	2643672 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BROWN	860.0	-	X	-
B	-	-	D58-GD	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	810.0	-	-	-

Connector Name D38_2003M
 Part Number 1661259C1
 Instances Clearance and Identification Lights:Diagram1
 Mates LT-LEFT_IDENT-1006-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	D58M	2643672 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BROWN	360.0	-	X	-
B	-	-	D58-GE	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	310.0	-	-	-

Connector Name D38_2004M
 Part Number 1661259C1
 Instances Clearance and Identification Lights:Diagram1
 Mates LT-MID_IDENT-1006-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	D58N	2643672 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BROWN	475.0	-	X	-
B	-	-	D58-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	525.0	-	-	-

Connector Name D38_2005M
 Part Number 1661259C1
 Instances Clearance and Identification Lights:Diagram1
 Mates LT-RIGHT_IDENT-1006-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	D58P	2643672 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BROWN	625.0	-	X	-
B	-	-	D58-GH	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	675.0	-	-	-

Connector Name D38_2006M
 Part Number 1661259C1
 Instances Clearance and Identification Lights:Diagram1
 Mates LT-RIGHT_CLEAR-1006-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	D58R	2643672 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BROWN	1195.0	-	X	-
B	-	-	D58-GJ	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1245.0	-	-	-

Connector Name D38_2100M
 Part Number 1661889C1
 Instances Cab Dome Light W/Classic Trim:Diagram1
 Cab Dome Light W/ Combo in Diamond Trim:Diagram1
 Interior Task Lights (Map) - Dome Combo:Diagram1
 Mates LT-Map_Dome_Combo-2003-01- 06A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	C63E	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1150.0	-	D	2500M
B	-	-	C63-GE	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	980.0	-	X	-
C	-	-	C63D	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1150.0	-	C	2500M

Connector Name D49-166M
 Part Number 1661889C1
 Instances Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 1:Diagram1
 Mates DEV-BENDIX_FUSION_RS232_CO NN-01



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ED11COG1	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2345.0	-	X	-
B	-	-	ED232-TX	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	2745.0	-	3	D49-1979
C	-	-	ED232-RX	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2745.0	-	4	D49-1979

Connector Name D49-1979
 Part Number 3831401C1
 Instances Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 1:Diagram1
 Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 2:Diagram1
 Mates MODU-BENDIX_FUSION_SAFETY_DIRECT-3020-02-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	EB14CSB3	3510364 R1	0.53	20.0	Thin Wall XLPE Primary Cable	RED	754.0	-	X	-
2	-	-	EBYELLOW	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	450.0	-	X	-
3	-	-	ED232-TX	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	2745.0	-	B	D49-166M
4	-	-	ED232-RX	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2745.0	-	C	D49-166M
5	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	-	-	-	-	-	-	-	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
7	-	-	EB67COG	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2606.0	-	G	16A
9	-	-	EB13COG3	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	729.0	-	1	-
9	-	-	EB13COG3	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	729.0	-	X	-
10	-	-	EBGREENL	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	0.0	-	E	2500F
11	-	-	EBGREENR	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1160.0	-	G	2500F
16	-	-	EB11COG3	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	603.0	-	X	-

Connector Name D49_1972
 Part Number 4166862C1
 Instances Camera (LYTX Prewire) W/Event Recording Button:Diagram2
 Mates DEV-LYTX_AVM_ADAPTER-01



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	ER98C	-	0.0	22.0	-	LIGHT GREEN	0.0	-	3	D49_1980
2	-	-	ER98D	-	0.0	22.0	-	LIGHT BLUE	0.0	-	4	D49_1980
3	-	-	ER98A	-	0.0	22.0	-	TAN	0.0	-	1	D49_1980
4	-	-	ER98B	-	0.0	22.0	-	ORANGE	0.0	-	2	D49_1980
10	-	-	ER124A	-	0.0	22.0	-	BLACK	0.0	-	10	D49_1980
11	-	-	ER124B	-	0.0	22.0	-	BLACK	0.0	-	11	D49_1980
12	-	-	ER124C	-	0.0	22.0	-	BLACK	0.0	-	12	D49_1980
13	-	-	ER124F	-	0.0	22.0	-	GREY	0.0	-	9	D49_1980
14	-	-	ER13E	-	0.0	22.0	-	PINK	0.0	-	1	-
15	-	-	ER14G	-	0.0	22.0	-	RED	0.0	-	PIN1	-
16	-	-	ER14H	-	0.0	22.0	-	RED	0.0	-	PIN1	-
17	-	-	ER11-GLE	-	0.0	22.0	-	WHITE	0.0	-	X	-
18	-	-	ER11-GLF	-	0.0	22.0	-	WHITE	0.0	-	X	-


Connector Name D49_1980
 Part Number 4166862C1
 Instances Camera (LYTX Prewire) W/Event Recording Button:Diagram2
 Mates DEV-LYTX_ERSF_PREWIRE-02



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	ER98A	-	0.0	22.0	-	TAN	0.0	-	3	D49_1972
2	-	-	ER98B	-	0.0	22.0	-	ORANGE	0.0	-	4	D49_1972
3	-	-	ER98C	-	0.0	22.0	-	LIGHT GREEN	0.0	-	1	D49_1972
4	-	-	ER98D	-	0.0	22.0	-	LIGHT BLUE	0.0	-	2	D49_1972
7	-	-	-	-	-	-	-	-	-	-	-	-
8	-	-	-	-	-	-	-	-	-	-	-	-
9	-	-	ER124F	-	0.0	22.0	-	GREY	0.0	-	13	D49_1972
10	-	-	ER124A	-	0.0	22.0	-	BLACK	0.0	-	10	D49_1972
11	-	-	ER124B	-	0.0	22.0	-	BLACK	0.0	-	11	D49_1972
12	-	-	ER124C	-	0.0	22.0	-	BLACK	0.0	-	12	D49_1972
14	-	-	ER13D	-	0.0	22.0	-	PINK	0.0	-	1	-
15	-	-	ER14E	-	0.0	22.0	-	RED	0.0	-	X	-
16	-	-	ER14D	-	0.0	22.0	-	RED	0.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
17	-	-	ER11-GLB	-	0.0	22.0	-	WHITE	0.0	-	X	-
18	-	-	ER11-GLC	-	0.0	22.0	-	WHITE	0.0	-	X	-

Connector Name D49_2000F
 Part Number 3544687C1
 Instances Over The Air Electrical I/O (OnCommand Link / N2
 Module:Diagram1
 Mates P16400




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	EC63-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1965.0	-	1	-

Connector Name D49_240
 Part Number 3709924C1
 Instances CAN Network:Body Standard J1939 (250Kbps)
 Over The Air Electrical I/O (OnCommand Link / N2
 Module:Diagram1
 Mates DEV-ONCOMMAND_LINK_N2-01:: HV A26




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	EL180G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1365.0	-	1	-
2	-	-	WIRE728 832	-	0.0	-	-	-	0.0	-	1	-
5	-	-	EL14KBB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2716.0	-	C	D49_250F
6	-	-	WIRE728 829	-	0.0	-	-	-	0.0	-	X	-

Connector Name D49_240
 Part Number 3709924C1
 Instances Over the Air Programming (OnCommand Link / N2 Module):Diagram1
 Mates DEV-ONCOMMAND_LINK_N2-01:: HV A26




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	-	-	-	-	-	-	-	-	-	-

Connector Name D49_250F
 Part Number 4064552C1
 Instances CAN Network:Body Standard J1939 (250Kbps)
 Mates A01_250M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE728831	-	0.0	-	-	-	0.0	-	1	-
B	-	-	WIRE728830	-	0.0	-	-	-	0.0	-	X	-
E	-	-	WIRE728833	-	0.0	-	-	-	0.0	-	1	-
F	-	-	WIRE728834	-	0.0	-	-	-	0.0	-	X	-

Connector Name D49_250F
 Part Number 4064552C1
 Instances Over The Air Electrical I/O (OnCommand Link / N2
 Module:Diagram1
 Mates A01_250M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	EL14KBB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2716.0	-	5	D49_240

Connector Name D63-344F
 Part Number 1661197C1
 Instances Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 1:Diagram1
 Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 2:Diagram1
 Mates SPKR-LEFT_BENDIX_FUSION-30 20-02-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	GREENL	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1060.0	-	E	2500M
B	-	-	YELLOWL	2643801 R1	0.79	18.0	Std. Wall XLPE Primary Cable	YELLOW 2	1060.0	-	F	2500M

Connector Name D63-345F
 Part Number 1661197C1
 Instances Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 1:Diagram1
 Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 2:Diagram1
 Mates SPKR-RIGHT_BENDIX_FUSION-3 020-02-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	GREENR	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1650.0	-	G	2500M
B	-	-	YELLOWR	2643801 R1	0.79	18.0	Std. Wall XLPE Primary Cable	YELLOW 2	853.0	-	H	2500M

Connector Name D80_100
 Part Number 3767577C1
 Instances CAN Network: Cab Standard J1939 (250Kbps)
 Radio w/Bluetooth: Diagram1-Combination1
 Radio w/Bluetooth: Diagram1-Combination2
 Mates DEV-BT__MICROPHONE-01_2008 -04-04:A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	86A(+)	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1200.0	-	2	2505M
2	-	-	WIRE775 903	-	0.0	-	-	-	0.0	-	2	D80_250 5M
3	-	-	86A(-)	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1200.0	-	1	2505M
3	-	-	WIRE775 902	-	0.0	-	-	-	0.0	-	1	D80_250 5M

Connector Name D80_2505M
 Part Number 3920483C1
 Instances CAN Network: Cab Standard J1939 (250Kbps)
 Mates A31_2505




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	WIRE775902	-	0.0	-	-	-	0.0	-	3	D80_100
2	-	-	WIRE775903	-	0.0	-	-	-	0.0	-	2	D80_100

Connector Name E01_DS_3000
 Part Number 3538634C1
 Instances Mirrors (Heated) (Door Pod Actuated 2 Cab and 1 Hood Mirror Left Side Only):Diagram1
 Mirrors (Heated) (MUX Switch 2 Cab and 1 Hood Mirror Left Side Only):Diagram1
 Mates DEV-DS_MIRROR-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
G	-	-	EJ78A	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	B	E01_3000M
G	-	-	EA78AA	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	G	E01_PS_3000
H	-	-	EK78GH	-	0.0	16.0	-	WHITE	0.0	-	X	-
H	-	-	EN78-GB	-	0.0	16.0	-	WHITE	0.0	-	X	-
H	-	-	EA78-GF	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1130.0	-	H	E01_PS_3000

Connector Name E01_DS_3203M
 Part Number 3709924C1
 Instances Mirrors (Heated) (Door Pod Actuated 2 Cab and 1 Hood Mirror
 Left Side Only):Diagram1
 Mates DEV-FRONT_DS_DOOR_POD-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	EA78AA	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-
8	-	-	EM78-GF	-	0.0	16.0	-	WHITE	0.0	-	X	-
8	-	-	EA78-GF	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1130.0	-	-	-

Connector Name E01_PS_3000
 Part Number 3538634C1
 Instances Mirrors (Heated) (Door Pod Actuated 2 Cab and 1 Hood Mirror Left Side Only):Diagram1
 Mirrors (Heated) (MUX Switch 2 Cab and 1 Hood Mirror Left Side Only):Diagram1
 Mates DEV-PS_MIRROR-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
G	-	-	FH78A	-	0.0	18.0	-	LIGHT GREEN	0.0	-	B	E01_3000M
G	-	-	EA78AA	3510300R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	G	E01_DS_3000
H	-	-	FG78-GB	-	0.0	16.0	-	WHITE	0.0	-	1	-
H	-	-	EN78-GB	-	0.0	16.0	-	WHITE	0.0	-	-	-
H	-	-	EA78-GF	3510360R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1130.0	-	H	E01_DS_3000

Connector Name E01_PS_3203M
 Part Number 3709924C1
 Instances Mirrors (Heated) (Door Pod Actuated 2 Cab and 1 Hood Mirror
 Left Side Only):Diagram1
 Mates DEV-FRONT_PS_DOOR_POD-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	EA78AA	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-
8	-	-	EM78-GF	-	0.0	16.0	-	WHITE	0.0	-	-	-
8	-	-	EA78-GF	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1130.0	-	-	-

Connector Name E01_3000M
 Part Number 1661200C1
 Instances Mirrors (Heated) (MUX Switch 2 Cab and 1 Hood Mirror Left Side Only):Diagram1
 Mates A31_3000F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	EJ78A	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	G	E01_DS_3000
B	-	-	FH78A	-	0.0	18.0	-	LIGHT GREEN	0.0	-	G	E01_PS_3000

Connector Name E01_3000
 Part Number 3538634C1
 Instances Ambient Temperature (No Display, Mirror Sensor, VCU):Diagram1
 Mates DEV-DS_MIRROR-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	ET41D	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	E	3200F
D	-	-	ET41E	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	F	3200F

Connector Name E01_3200F
 Part Number 1661201C1
 Instances CAN Network:Low Speed J1939 (125Kbps)
 Mates A31_3204M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE196495	-	0.0	-	-	-	0.0	-	3	3202M
B	-	-	WIRE196494	-	0.0	-	-	-	0.0	-	2	3202M

Connector Name E01_3200F
 Part Number 1661201C1
 Instances Mirrors (Heated) (MUX Switch 2 Cab and 1 Hood Mirror Left Side Only):Diagram1
 Mates A31_3200M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	EK78-GJ	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	235.0	-	X	-
D	-	-	FG78-GC	-	0.0	16.0	-	WHITE	0.0	-	1	-

Connector Name E01_3202M
 Part Number 3820176C1
 Instances CAN Network:Low Speed J1939 (125Kbps)
 Mates DEV-FRONT_DS_DOOR_POD-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	WIRE196492	-	0.0	-	-	-	0.0	-	B	A31_3200F
3	-	-	WIRE196493	-	0.0	-	-	-	0.0	-	A	A31_3200F

Connector Name E01_3300MR
 Part Number 3535769C1
 Instances Speakers:Four Speakers Daycab BT n/QC:Diagram1
 Speakers:Four Speakers Daycab n/BT n/QC:Diagram1
 Speakers:Four Speakers Daycab n/BT w/QC:Diagram1
 Speakers:Four Speakers Daycab w/BT w/QC:Diagram1
 Mates SPKR-RF-2058-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	FS86K	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	C	3205F
B	-	-	FS86L	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	D	3205F

Connector Name E01_3300M
 Part Number 3535769C1
 Instances Speakers:Four Speakers Daycab BT n/QC:Diagram1
 Speakers:Four Speakers Daycab n/BT n/QC:Diagram1
 Speakers:Four Speakers Daycab n/BT w/QC:Diagram1
 Speakers:Four Speakers Daycab w/BT w/QC:Diagram1
 Mates SPKR-LF-2058-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ES86H	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	C	3205F
B	-	-	ES86J	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	D	3205F


Connector Name F03_3202M
 Part Number 3820176C1
 Instances Vehicle Alarm System:Diagram1
 Mates MODU-FRONT-PS_DOOR_POD-201 6-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	FC81A	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1245.0	-	C	3200F
2	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	FC81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1245.0	-	D	3200F

Connector Name J1-1603
 Part Number 3598711C1
 Instances

- Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut):Diagram1
- Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option2:Diagram1
- Body Control Module (BCM):Connector J1-1603
- City Horn (W/ 4PIN CLK & P. Brake):Diagram1-Combination1
- City Horn (W/ 4PIN CLK & P. Brake):Diagram1-Combination2
- City Horn (W/ 4PIN CLK):Diagram1-Combination1
- City Horn (W/ 4PIN CLK):Diagram1-Combination2
- City Horn (W/ 10PIN CLK & P. Brake):Diagram1
- City Horn (W/ 10PIN CLK):Diagram1
- Directional Signal (Turn) W/ DAISY CHAIN BOX LAMPS:Diagram1
- Directional Signal (Turn) W/ Daisy Chain Box Lamps W/Plow Lights:Diagram1
- Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1
- Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1
- Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1
- Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1
- End of Frame Aux Work Light (One Light N/Relay):Diagram1
- Fog Lights (Halogen White TOP MTG):Diagram1
- Fog Lights (LED White TOP MTG):Diagram1
- Front Fog Lamps:Diagram1
- Front Fog Lights W CONNECTOR:Diagram1
- Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1
- Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination2
- Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination1
- Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination2
- Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination1
- Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination2
- Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination1



Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination2
Headlights W/O Lights ON with wipers (LOWW) W/ Headlights
Interrupt:Diagram1-Combination1
Headlights W/O Lights ON with wipers (LOWW) W/ Headlights
Interrupt:Diagram1-Combination2
Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/
LOWW W/Interrupt:Diagram1-Combination1
Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/
LOWW W/Interrupt:Diagram1-Combination2
Headlights W/PlowLights W/O Lights ON with wipers (LOWW)
W/ Headlights Interrupt:Diagram1-Combination1
Headlights W/PlowLights W/O Lights ON with wipers (LOWW)
W/ Headlights Interrupt:Diagram1-Combination2
Headlights W/Plowlights W/O Lights ON With Wipers (LOWW)
W/O Headlights Interrupt:Diagram1-Combination1
Headlights W/Plowlights W/O Lights ON With Wipers (LOWW)
W/O Headlights Interrupt:Diagram1-Combination2
Power Lift Gate:Diagram1
Rear Lights (Stop) (W/VCU) W/Daisy Chain:Diagram1
Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer
Brakes):Diagram1
Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer
Brakes) Option2:Diagram1
WORK LIGHT - 1 BULB:Diagram1-Combination1
WORK LIGHT - 1 BULB:Diagram1-Combination2
WORK LIGHT With BackUP Alarm - 1 BULB:Diagram1-
Combination1
WORK LIGHT With BackUP Alarm - 1 BULB:Diagram1-
Combination2
WORK LIGHT With RKE 1 BULB:Diagram1-Combination1
WORK LIGHT With RKE 1 BULB:Diagram1-Combination2
Work Lights LED With Switch Pack - Day Cab:Diagram1-
Combination1
Work Lights LED With Switch Pack - Day Cab:Diagram1-
Combination2
MODU-BCM-A000-10-00

Mates

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	VG57T	3510303 R1	4.81	10.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	720.0	-	6	1701
A	-	-	ZT65	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	68	1701
B	-	-	VG56T	3510339 R1	4.81	10.0	Thin Wall XLPE Primary Cable	YELLOW 2	720.0	-	5	1701
B	-	-	XV56AA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	815.0	-	-	-
C	-	-	SA77	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2865.0	-	-	-
D	-	-	YL56A	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1180.0	-	-	-
D	-	-	YN56A	3510319 R1	1.91	14.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	2	1701
D	-	-	YL56CB	-	0.0	16.0	-	ORANGE	0.0	-	-	-
E	-	-	AA85	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	640.0	-	21	1700


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
E	-	-	AA85	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	640.0	-	-	-
F	-	-	YJ64A	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	640.0	-	22	1700
F	-	-	YJ64A	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	640.0	-	-	-
G	-	-	ZT65	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	68	A31_1701
G	-	-	ZT65	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	-	-
G	-	-	ZT65	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	68	1701
H	-	-	YG52A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1440.0	-	1	1873D
H	-	-	YF52A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	640.0	-	1	1700

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
H	-	-	YG52A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1440.0	-	-	-
H	-	-	YF52A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	640.0	-	-	-
J	-	-	KP112	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	720.0	-	-	-
J	-	-	KP112	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	720.0	-	66	1701
K	-	-	YJ64B	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	640.0	-	23	1700
K	-	-	YJ64B	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	640.0	-	-	-
L	-	-	YG52B	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1480.0	-	1	1873E
L	-	-	YF52B	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	640.0	-	3	1700

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
L	-	-	YF52B	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	640.0	-	-	-
L	-	-	YG52B	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1480.0	-	-	-
M	-	-	YN57A	3510319 R1	1.91	14.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	3	1701
M	-	-	YL57C	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1180.0	-	-	-
M	-	-	YL57E	-	0.0	16.0	-	ORANGE	0.0	-	-	-

Connector Name J2-1604
Part Number 3598710C1
Instances

- Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut):Diagram1
- Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option2:Diagram1
- Body Control Module (BCM):Connector J2-1604
- Cab Dome Light W/Classic Trim:Diagram1
- Cab Dome Light W/ Combo in Diamond Trim:Diagram1
- Clearance and Identification Lights:Diagram1
- Collision Avoidance System (Warning):Diagram1
- Courtesy Light Crew Cab:Diagram1
- Courtesy Light Day Cab:Diagram1
- Directional Signal (Turn) W/ DAISY CHAIN BOX LAMPS:Diagram1
- Directional Signal (Turn) W/ Daisy Chain Box Lamps W/Plow Lights:Diagram1
- Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1
- Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1
- Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1
- Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1
- Front Marker Lights N/ PLow Lights:Diagram1
- Front Marker Lights W/ Plow Lights:Diagram1
- Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1
- Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination2
- Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination1
- Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination2
- Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination1
- Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination2
- Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination1
- Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination2



Headlights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination1
 Headlights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination2
 Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/ LOWW W/Interrupt:Diagram1-Combination1
 Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/ LOWW W/Interrupt:Diagram1-Combination2
 Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination1
 Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination2
 Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination1
 Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination2
 License Plate Light (LED BOX LAMP Daisy Chain Tail Light):Diagram1
 License Plate Light (LED BOX LAMP Tail Light):Diagram1
 License Plate Light (Tail Light Single Assy):Diagram1
 License Plate Light (Tail Light Single Assy) Option2:Diagram1
 License Plate Light (Tail Light Single Assy) Option3:Diagram1
 License Plate Light (Tail Light Single Assy) W/Less Power Module:Diagram1
 Rear Light (LED BOX LAMP Tail Light):Diagram1
 Rear Light (Tail Light):Diagram1
 Rear Light (Tail Light) W/Daisy Chain pair of Box Lamps:Diagram1
 Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes):Diagram1
 Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option2:Diagram1
 Windshield Wipers:Diagram1

Mates

MODU-BCM-A000-10-00

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
A	-	-	AA82	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2135.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	YG53A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1555.0	-	1	1873F
B	-	-	YF53A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	675.0	-	2	1700
B	-	-	YG53A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1555.0	-	-	-
B	-	-	YF53A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	675.0	-	-	-
C	-	-	YT57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	15	1700
C	-	-	YR57	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	15	1700
C	-	-	YK57	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	430.0	-	X	-
C	-	-	YM56	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	14	1700

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	XZ56	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	375.0	-	X	-
C	-	-	YT56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	14	1700
C	-	-	YN56	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	375.0	-	X	-
C	-	-	YT56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	-	-
C	-	-	XZ56	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	375.0	-	-	-
C	-	-	YM56	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	-	-
C	-	-	YN56	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	375.0	-	-	-
D	-	-	VG68T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	755.0	-	8	1701

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	VL68T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	485.0	-	X	-
D	-	-	VP68	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	485.0	-	X	-
D	-	-	VT68TA	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	485.0	-	X	-
E	-	-	AA11-GKC	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	855.0	-	-	-
F	-	-	VG58T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	755.0	-	7	1701
F	-	-	VP58	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	455.0	-	X	-
F	-	-	VR58T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	455.0	-	X	-
G	-	-	YP54	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1205.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
H	-	-	YG53B	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1595.0	-	1	1873G
H	-	-	YF53B	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	675.0	-	4	1700
H	-	-	YG53B	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1595.0	-	-	-
H	-	-	YF53B	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	675.0	-	-	-
J	-	-	WF63	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	680.0	-	4	2000
J	-	-	WJ63	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	490.0	-	X	-
J	-	-	WJ63	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	490.0	-	-	-
J	-	-	WG63	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	490.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
J	-	-	WF63	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	680.0	-	-	-
K	-	-	YT56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	14	1700
K	-	-	YM56	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	14	1700
K	-	-	XZ56	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	375.0	-	X	-
K	-	-	YN56	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	375.0	-	X	-
K	-	-	YT57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	15	1700
K	-	-	YR57	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	15	1700
K	-	-	YK57	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	430.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
K	-	-	YK57	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	430.0	-	-	-
K	-	-	YR57	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	-	-
K	-	-	YT57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	-	-

Connector Name J3-1600
 Part Number 3598706C1
 Instances

- Axle Temperature Monitoring (Single Rear Aux Gauge):Diagram1
- Axle Temperature Monitoring (Single Rear Virtual Gauge):Diagram1
- Axle Temperature Monitoring (Tandem Rear Aux Gauge):Diagram1
- Axle Temperature Monitoring (Tandem Rear Virtual Gauge):Diagram1
- Body Control Module (BCM):Connector J3-1600
- Brake Pressure (Auxiliary Gauge):Diagram1
- Brake Pressure (Virtual Gauge):Diagram1
- City Horn (W/ 4PIN CLK & P. Brake):Diagram1-Combination1
- City Horn (W/ 4PIN CLK & P. Brake):Diagram1-Combination2
- City Horn (W/ 4PIN CLK):Diagram1-Combination1
- City Horn (W/ 4PIN CLK):Diagram1-Combination2
- City Horn (W/ 10PIN CLK & P. Brake):Diagram1
- City Horn (W/ 10PIN CLK):Diagram1
- Compressed Air Supply (Primary & Secondary Guage)(W/2 in 1 Inverter):Diagram1
- Cranking Request (w/ Key Switch w/ BCM):Diagram1-Combination1
- Cranking Request (w/ Key Switch w/ BCM):Diagram1-Combination2
- Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination1
- Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination2
- Directional Signal (Turn) W/ DAISY CHAIN BOX LAMPS:Diagram1
- Directional Signal (Turn) W/ Daisy Chain Box Lamps W/Plow Lights:Diagram1
- Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1
- Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1
- Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1
- Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1
- Door Ajar Reminder (Entry/Exit) 2 Door:Diagram1
- Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1
- Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination2



Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination1
Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination2
Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination1
Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination2
Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination1
Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination2
Headlights W/O Lights ON with wipers (LOWW) W/ Headlights
Interrupt:Diagram1-Combination1
Headlights W/O Lights ON with wipers (LOWW) W/ Headlights
Interrupt:Diagram1-Combination2
Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/
LOWW W/Interrupt:Diagram1-Combination1
Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/
LOWW W/Interrupt:Diagram1-Combination2
Headlights W/PlowLights W/O Lights ON with wipers (LOWW)
W/ Headlights Interrupt:Diagram1-Combination1
Headlights W/PlowLights W/O Lights ON with wipers (LOWW)
W/ Headlights Interrupt:Diagram1-Combination2
Headlights W/Plowlights W/O Lights ON With Wipers (LOWW)
W/O Headlights Interrupt:Diagram1-Combination1
Headlights W/Plowlights W/O Lights ON With Wipers (LOWW)
W/O Headlights Interrupt:Diagram1-Combination2
Heating Ventilation & Air Conditioning (HVAC) (W/
VCU):Diagram1 - HVAC
Operator Input:Diagram1-Combination1
Operator Input:Diagram1-Combination2
PARK LIGHTS - W/Marker Interrupt 4 pin clockspring:Diagram1-Combination1
PARK LIGHTS - W/Marker Interrupt 4 pin clockspring:Diagram1-Combination2
PARK LIGHTS - W/Marker Interrupt 10pin
CLCKSPRING:Diagram1-Combination1
PARK LIGHTS - W/Marker Interrupt 10pin
CLCKSPRING:Diagram1-Combination2
Radio w/Bluetooth:Diagram1-Combination1
Radio w/Bluetooth:Diagram1-Combination2
Seatbelt Reminder (Warning)(Driver & Passenger in parallel):Diagram1

Seatbelt Reminder (Warning)(Driver only):Diagram1
 Service Brake Switch (2 SLS/ 1 Transducer/ 2 RDS to VCU):Diagram1
 Vehicle Speed Control (Cruise Control) 10 Pin:Diagram1
 Windshield Washer Pump:Diagram1-Combination1
 Windshield Washer Pump:Diagram1-Combination2
 Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination1
 Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination2
 Windshield Wipers:Diagram1

Mates

MODU-BCM-A000-10-00

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A1	-	-	EC149	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1475.0	-	C	1100
A1	-	-	ED149	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2105.0	-	C	1100MA
A1	-	-	WC44D	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	F16	J5-1602
A1	-	-	EC149	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1475.0	-	-	-
A2	-	-	QW79A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	904.0	-	X	-
A2	-	-	QI79A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3110.0	-	A	1112

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A2	-	-	QI79A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3110.0	-	-	-
A4	-	-	AA52D	2643768 R1	0.53	20.0	Std. Wall XLPE Primary Cable	YELLOW 2	1365.0	-	A7	1800
A4	-	-	AA52D	2643768 R1	0.53	20.0	Std. Wall XLPE Primary Cable	YELLOW 2	1365.0	-	-	-
A5	-	-	AA85A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	B10	1800
A5	-	-	AA85A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	-	-
A6	-	-	AA57B	3510316 R1	0.53	20.0	Thin Wall XLPE Primary Cable	ORANGE	1365.0	-	A2	1800
A6	-	-	AA57B	3510316 R1	0.53	20.0	Thin Wall XLPE Primary Cable	ORANGE	1365.0	-	-	-
A7	-	-	AA56B	3510316 R1	0.53	20.0	Thin Wall XLPE Primary Cable	ORANGE	1365.0	-	A1	1800

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A7	-	-	AA56B	3510316 R1	0.53	20.0	Thin Wall XLPE Primary Cable	ORANGE	1365.0	-	-	-
A8	-	-	HK87C	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	980.0	-	17	1700
A8	-	-	HE87EA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1060.0	-	-	-
A8	-	-	HK87C	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	980.0	-	-	-
A9	-	-	AA82A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	C9	1800
A9	-	-	AA82A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	-	-
A10	-	-	AA82B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	C1	1800
A10	-	-	AA82B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A11	-	-	AA82C	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	B1	1800
A11	-	-	AA82C	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	-	-
A12	-	-	WA44	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	-	-
A12	-	-	WE44AB	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1460.0	-	X	-
A13	-	-	AA63A	3510342 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	814.0	-	X	-
A14	-	-	AA102A	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	1365.0	-	A8	1800
A14	-	-	AA102A	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	1365.0	-	-	-
A15	-	-	HJ87B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	860.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A15	-	-	HE87B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	880.0	-	X	-
A16	-	-	DC149A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2105.0	-	D	1100MA
A16	-	-	DB149A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1475.0	-	D	1100
A16	-	-	DB149A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1475.0	-	-	-
A16	-	-	DC149A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2105.0	-	-	-
A16	-	-	DD13FAM	3510305 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BROWN	385.0	-	X	-
A16	-	-	DH13C	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	385.0	-	X	-
B1	-	-	SN86A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	B12	1800

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B1	-	-	SN86A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	-	-
B2	-	-	NK40	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1365.0	-	C12	1800
B2	-	-	WC40	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	-	-
B2	-	-	NL40	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	980.0	-	-	-
B3	-	-	NK40A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1365.0	-	B2	1800
B3	-	-	NK40A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1365.0	-	-	-
B4	-	-	UA97A	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1365.0	-	-	-
B5	-	-	TB74	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3205.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B5	-	-	TB74	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3205.0	-	47	1703M
B7	-	-	NJ31J	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3205.0	-	-	-
B8	-	-	AA36B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1060.0	-	-	-
B9	-	-	AA36A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1060.0	-	-	-
B10	-	-	NN32B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1060.0	-	43	1701
B10	-	-	NN32B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1060.0	-	-	-
B11	-	-	NM32A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	1060.0	-	44	1701
B11	-	-	NM32A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	1060.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B12	-	-	SA77B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	3205.0	-	-	-
B14	-	-	NK40BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	C2	1800
B14	-	-	NK40BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	-	-
B15	-	-	TA75AA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1260.0	-	X	-
B16	-	-	AA150	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	B11	1800
B16	-	-	AA150	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	-	-

Connector Name J4-1601
 Part Number 3598707C1
 Instances Auxiliary Trailer Power:Diagram1
 Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut):Diagram1
 Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option2:Diagram1
 Body Control Module (BCM):Connector J4-1601
 Mirrors (Heated) (Door Pod Actuated 2 Cab and 1 Hood Mirror Left Side Only):Diagram1
 Mirrors (Heated) (MUX Switch 2 Cab and 1 Hood Mirror Left Side Only):Diagram1
 Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes):Diagram1
 Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option2:Diagram1
 Windshield Wipers:Diagram1
 Mates MODU-BCM-A000-10-00




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E1	-	-	VU103D	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	790.0	-	-	-
E2	-	-	VU103C	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	790.0	-	-	-
E6	-	-	AA82H	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	R5 - 86	1011
E7	-	-	AA82F	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	R2 - 86	1011

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E8	-	-	UN92D	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1820.0	-	-	-
E9	-	-	LY59J	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-
E10	-	-	LZ59S	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-
E11	-	-	TH72	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2445.0	-	R4 - 85	1012
E12	-	-	LT59D	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-
E13	-	-	LY59G	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-
E14	-	-	HU103AA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1395.0	-	-	-
E15	-	-	LZ59T	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F2	-	-	LX59P	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-
F3	-	-	LX59Q	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-
F3	-	-	LW59Q	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-
F4	-	-	LY59H	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-
F5	-	-	LY59K	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-
F6	-	-	LX59M	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-
F7	-	-	LW59N	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-
F8	-	-	LU59E	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F9	-	-	LZ59W	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-
F10	-	-	LT59C	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-
F13	-	-	RN78RC	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2245.0	-	X	-
F14	-	-	LZ59V	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-
F15	-	-	VG70D	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2350.0	-	R1 - 86	1011
F15	-	-	VJ70D	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1985.0	-	X	-

Connector Name J5-1602
 Part Number 3598705C1
 Instances Axle Loading (Weight) Rear:Diagram1-Combination1
 Axle Loading (Weight) Rear:Diagram1-Combination2
 Axle Temperature Monitoring (Single Rear Aux Gauge):Diagram1
 Axle Temperature Monitoring (Single Rear Virtual Gauge):Diagram1
 Axle Temperature Monitoring (Tandem Rear Aux Gauge):Diagram1
 Axle Temperature Monitoring (Tandem Rear Virtual Gauge):Diagram1
 Body Control Module (BCM):Connector J5-1602
 Brake Pressure (Auxiliary Gauge):Diagram1
 Brake Pressure (Virtual Gauge):Diagram1
 CAN Network:Body Standard J1939 (250Kbps)
 City Horn (W/ 4PIN CLK & P. Brake):Diagram1-Combination1
 City Horn (W/ 4PIN CLK & P. Brake):Diagram1-Combination2
 City Horn (W/ 4PIN CLK):Diagram1-Combination1
 City Horn (W/ 4PIN CLK):Diagram1-Combination2
 City Horn (W/ 10PIN CLK & P. Brake):Diagram1
 City Horn (W/ 10PIN CLK):Diagram1
 Compressed Air Supply (Primary & Secondary Guage)(W/2 in 1 Inverter):Diagram1
 Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination1
 Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination2
 Directional Signal (Turn) W/ DAISY CHAIN BOX LAMPS:Diagram1
 Directional Signal (Turn) W/ Daisy Chain Box Lamps W/Plow Lights:Diagram1
 Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1
 Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1
 Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1
 Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1
 Door Ajar Reminder (Entry/Exit) 2 Door:Diagram1
 Driver and Passenger Seats - RollTek (Hard Wired):Diagram1
 Hazard Warning Light N/Trlr Socket:Diagram1-Combination1
 Hazard Warning Light N/Trlr Socket:Diagram1-Combination2
 Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1



Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10
PIN CLK:Diagram1-Combination2
Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination1
Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination2
Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-
Combination1
Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-
Combination2
Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination1
Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination2
Headlights W/O Lights ON with wipers (LOWW) W/ Headlights
Interrupt:Diagram1-Combination1
Headlights W/O Lights ON with wipers (LOWW) W/ Headlights
Interrupt:Diagram1-Combination2
Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/
LOWW W/Interrupt:Diagram1-Combination1
Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/
LOWW W/Interrupt:Diagram1-Combination2
Headlights W/PlowLights W/O Lights ON with wipers (LOWW)
W/ Headlights Interrupt:Diagram1-Combination1
Headlights W/PlowLights W/O Lights ON with wipers (LOWW)
W/ Headlights Interrupt:Diagram1-Combination2
Headlights W/Plowlights W/O Lights ON With Wipers (LOWW)
W/O Headlights Interrupt:Diagram1-Combination1
Headlights W/Plowlights W/O Lights ON With Wipers (LOWW)
W/O Headlights Interrupt:Diagram1-Combination2
Heating Ventilation & Air Conditioning (HVAC) (W/
VCU):Diagram1 - HVAC
Instrument Cluster (Premium):Diagram1-Combination1
Instrument Cluster (Premium):Diagram1-Combination2
Over the Air Programming (OnCommand Link / N2
Module):Diagram1
Park Brake Controls (W/VCU):Diagram1
PARK LIGHTS - N/Marker Interrupt:Diagram1-Combination1
PARK LIGHTS - N/Marker Interrupt:Diagram1-Combination2
PARK LIGHTS - W/Marker Interrupt 4 pin clockspring:Diagram1-
Combination1
PARK LIGHTS - W/Marker Interrupt 4 pin clockspring:Diagram1-
Combination2

PARK LIGHTS - W/Marker Interrupt 10pin
CLCKSPRING:Diagram1-Combination1
PARK LIGHTS - W/Marker Interrupt 10pin
CLCKSPRING:Diagram1-Combination2
Radio w/Bluetooth:Diagram1-Combination1
Radio w/Bluetooth:Diagram1-Combination2
Rear Suspension Pressure Monitoring (Auxiliary
Gauge):Diagram1-Combination1
Rear Suspension Pressure Monitoring (Auxiliary
Gauge):Diagram1-Combination2
Rear Suspension Pressure Monitoring (Virtual
Gauge):Diagram1-Combination1
Rear Suspension Pressure Monitoring (Virtual
Gauge):Diagram1-Combination2
Seatbelt Reminder (Warning)(Driver & Passenger in
parallel):Diagram1
Seatbelt Reminder (Warning)(Driver only):Diagram1
Seats (RollTek) Drivers Seat Only (Hard Wired) -
Leather:Diagram1
Seats (RollTek) Drivers Seat Only (Hard Wired) -
Mordular:Diagram1
Seats (RollTek) Drivers Seat Only (Hard Wired) - Vinyl:Diagram1
Service Brake Switch (2 SLS/ 1 Transducer/ 2 RDS to
VCU):Diagram1
Vehicle Data Recorder (No Display):Diagram2 - Recorder W/
Display
Vehicle Data Recorder (W/ Display):Diagram2 - Recorder W/
Display
Vehicle Information Display (W/ BT):Diagram1
Vehicle Information Display Premium w/ Wi-Fi VID:Diagram1
Vehicle Information Display W/O BT:Diagram1
Vehicle Sleep Mode:Diagram1
Vehicle Speed Control (Cruise Control) 10 Pin:Diagram1
Windshield Washer Pump & Low Fluid Sensor:Diagram1-
Combination1
Windshield Washer Pump & Low Fluid Sensor:Diagram1-
Combination2
Windshield Wipers:Diagram1
WORK LIGHT With BackUP Alarm - 1 BULB:Diagram1-
Combination1
WORK LIGHT With BackUP Alarm - 1 BULB:Diagram1-
Combination2
MODU-BCM-A000-10-00

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E1	-	-	AA9Z	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1360.0	-	E3	J5-1602
E1	-	-	-	-	-	-	-	-	-	-	-	-
E2	-	-	ME106B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	-	-
E2	-	-	-	-	-	-	-	-	-	-	-	-
E3	-	-	AA9Z	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1360.0	-	-	-
E3	-	-	AA9Z	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1360.0	-	E1	J5-1602
E4	-	-	NK6	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1385.0	-	B3	1800
E4	-	-	ME61B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	-	-
E4	-	-	WC6	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1385.0	-	B3	1800
E4	-	-	NK6	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1385.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E4	-	-	WC6	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1385.0	-	-	-
E5	-	-	KA9A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1310.0	-	X	-
E5	-	-	KA9H	-	0.0	18.0	-	GREY	0.0	-	X	-
E6	-	-	SA6DB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	3225.0	-	-	-
E7	-	-	AA9B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	744.0	-	X	-
E8	-	-	ME106B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	56	1701
E8	-	-	ME106B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	-	-
E9	-	-	LP88	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3225.0	-	-	-
E11	-	-	AC50	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2220.0	-	P	0009B

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E11	-	-	AB50	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1125.0	-	P	0009
E11	-	-	AB50	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1125.0	-	-	-
E11	-	-	AC50	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2220.0	-	-	-
E12	-	-	LS59A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	-	-
E13	-	-	YG96A	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1575.0	-	X	-
E14	-	-	WB70	3510364 R1	0.53	20.0	Thin Wall XLPE Primary Cable	RED	1385.0	-	B9	1800
E15	-	-	WB70A	3510364 R1	0.53	20.0	Thin Wall XLPE Primary Cable	RED	1385.0	-	A6	1800
E16	-	-	AE11-GAC	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	940.0	-	-	-
F1	-	-	-	-	-	-	-	-	-	-	-	-
F2	-	-	-	-	-	-	-	-	-	-	-	-
F3	-	-	-	-	-	-	-	-	-	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
F4	-	-	-	-	-	-	-	-	-	-	-	-
F5	-	-	-	-	-	-	-	-	-	-	-	-
F5	-	-	WIRE722 732	-	0.0	-	-	-	0.0	-	PIN1	-
F6	-	-	-	-	-	-	-	-	-	-	-	-
F6	-	-	WIRE722 731	-	0.0	-	-	-	0.0	-	PIN1	-
F7	-	-	ME61B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	55	1701
F7	-	-	ME61B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	-	-
F8	-	-	LF104D	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1080.0	-	-	-
F9	-	-	RA28BA	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3225.0	-	-	-
F10	-	-	ZU71D	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1175.0	-	-	-
F11	-	-	UJ93A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3225.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F12	-	-	VU103B	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1125.0	-	-	-
F14	-	-	VU103A	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1125.0	-	-	-
F16	-	-	WC44D	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	A1	J3-1600

Connector Name J6-1606
 Part Number 3759005C1
 Instances Adaptive Cruise Control w/o Display (Bendix):Diagram1
 Alternate Flashing (Wig Wag) - Park Brake disables High Beams:Diagram1
 Alternate Flashing (Wig Wag) - Park Brake disables Wig Wag:Diagram1
 Automatic Lighting:Diagram1
 Automatic Lighting:Diagram2
 Automatic Lighting - Dual Sensor Twilight/Solar:Diagram1
 Automatic Lighting - Dual Sensor Twilight/Solar:Diagram2
 Auxiliary Gauge:Diagram1
 Auxiliary Trailer Power:Diagram1
 Axle Loading (Weight) Rear:Diagram1-Combination1
 Axle Loading (Weight) Rear:Diagram1-Combination2
 Axle Temperature Monitoring (Single Rear Virtual Gauge):Diagram1
 Axle Temperature Monitoring (Tandem Rear Aux Gauge):Diagram1
 Axle Temperature Monitoring (Tandem Rear Virtual Gauge):Diagram1
 Bendix; Tractor or Towing Truck; N/ Air SUSP; J1939 Driven Lamp:Diagram1
 Bendix; Tractor or Towing Truck; W/ Air SUSP; J1939 Driven Lamp:Diagram1
 Body Control Module (BCM):Connector J6-1606
 Brake Pressure (Auxiliary Gauge):Diagram1
 Brake Pressure (Virtual Gauge):Diagram1
 CAN Network: Cab Standard J1939 (250Kbps)
 CAN Network: Low Speed J1939 (125Kbps)
 CAN Network: Powertrain Standard J1939 (500Kbps)
 Compressed Air Supply (Primary & Secondary Gauge)(W/2 in 1 Inverter):Diagram1
 Coolant Temperature Monitoring (J1939 Comm, W/ VCU):Diagram1
 Cranking (W/VCU):Diagram1
 Cranking Request (w/ Key Switch w/ BCM):Diagram1-Combination1
 Cranking Request (w/ Key Switch w/ BCM):Diagram1-Combination2
 Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination1
 Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination2



Directional Signal (Turn) W/ DAISY CHAIN BOX
LAMPS:Diagram1
Directional Signal (Turn) W/ Daisy Chain Box Lamps W/Plow
Lights:Diagram1
Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1
Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
Lights:Diagram1
Directional Signal (Turn) W/ Single Tail Board W/Hazard
SW:Diagram1
Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1
Door Ajar Reminder (Entry/Exit) 2 Door:Diagram1
Door Pod Module (4 Door):Diagram1
Drive Mode Selector I/O (W/VCU):Diagram1
Driver Controlled Locking Differential - FR and RR Axles
(Meritor w/ two sw):Diagram1
Driver Controlled Locking Differential - FR & RR Axle (Dana w/
one switch):Diagram1
Driver Controlled Locking Differential - FR & RR Axle (Meritor w/
one sw):Diagram1
Driver Controlled Locking Differential - RR Axle (Dana w/ one
sw):Diagram1
Driver Controlled Locking Differential - RR Axle (Meritor w/ one
sw):Diagram1
End of Frame Aux Work Light (One Light N/Relay):Diagram1
Exterior Lamp Check:Diagram1
Exterior Lamp Reminder:Diagram1
Fog Lights (Halogen White TOP MTG):Diagram1
Fog Lights (LED White TOP MTG):Diagram1
Front Fog Lamps:Diagram1
Front Fog Lights W CONNECTOR:Diagram1
GEN IV Cluster (Monitor):Diagram1
Hazard Warning Light N/Trlr Socket:Diagram1-Combination1
Hazard Warning Light N/Trlr Socket:Diagram1-Combination2
Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10
PIN CLK:Diagram1-Combination1
Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10
PIN CLK:Diagram1-Combination2
Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination1
Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination2
Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-
Combination1

Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination2
Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination1
Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination2
Headlights W/O Lights ON with wipers (LOWW) W/ Headlights
Interrupt:Diagram1-Combination1
Headlights W/O Lights ON with wipers (LOWW) W/ Headlights
Interrupt:Diagram1-Combination2
Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/
LOWW W/Interrupt:Diagram1-Combination1
Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/
LOWW W/Interrupt:Diagram1-Combination2
Headlights W/PlowLights W/O Lights ON with wipers (LOWW)
W/ Headlights Interrupt:Diagram1-Combination1
Headlights W/PlowLights W/O Lights ON with wipers (LOWW)
W/ Headlights Interrupt:Diagram1-Combination2
Headlights W/Plowlights W/O Lights ON With Wipers (LOWW)
W/O Headlights Interrupt:Diagram1-Combination1
Headlights W/Plowlights W/O Lights ON With Wipers (LOWW)
W/O Headlights Interrupt:Diagram1-Combination2
Height Control (W/VCU):Diagram1
High-Voltage Monitor:Diagram1
Instrument Cluster - Bulb Check:Diagram1
Instrument Cluster - Request and Status:Diagram1
License Plate Light (LED BOX LAMP Daisy Chain Tail
Light):Diagram1
License Plate Light (LED BOX LAMP Tail Light):Diagram1
License Plate Light (Tail Light Single Assy):Diagram1
License Plate Light (Tail Light Single Assy) Option2:Diagram1
License Plate Light (Tail Light Single Assy) Option3:Diagram1
License Plate Light (Tail Light Single Assy) W/Less Power
Module:Diagram1
Mirrors (Heated) (Door Pod Actuated 2 Cab and 1 Hood Mirror
Left Side Only):Diagram1
Odometer (W/VCU):Diagram1
Operator Input:Diagram1-Combination1
Operator Input:Diagram1-Combination2
Over the Air Programming (OnCommand Link / N2
Module):Diagram1
Park Brake Controls (W/VCU):Diagram1
PARK LIGHTS - N/Marker Interrupt:Diagram1-Combination1
PARK LIGHTS - N/Marker Interrupt:Diagram1-Combination2

PARK LIGHTS - W/Marker Interrupt 4 pin clockspring:Diagram1-Combination1
PARK LIGHTS - W/Marker Interrupt 4 pin clockspring:Diagram1-Combination2
PARK LIGHTS - W/Marker Interrupt 10pin
CLCKSPRING:Diagram1-Combination1
PARK LIGHTS - W/Marker Interrupt 10pin
CLCKSPRING:Diagram1-Combination2
Power Divider Lock Control and Monitoring:Diagram1
Power Lift Gate:Diagram1
Real Time Clock:Diagram1
Rear Axle Load Distribution:Diagram1
Rear Light (LED BOX LAMP Tail Light):Diagram1
Rear Light (Tail Light):Diagram1
Rear Light (Tail Light) W/Daisy Chain pair of Box Lamps:Diagram1
Rear Lights (Stop) (W/VCU) W/Daisy Chain:Diagram1
Rear Suspension Pressure Monitoring (Auxiliary Gauge):Diagram1-Combination1
Rear Suspension Pressure Monitoring (Auxiliary Gauge):Diagram1-Combination2
Rear Suspension Pressure Monitoring (Virtual Gauge):Diagram1-Combination1
Rear Suspension Pressure Monitoring (Virtual Gauge):Diagram1-Combination2
Regenerative Braking (W/VCU):Diagram1
Relays - Grid Management:Diagram1
Remote Keyless Access:Diagram1
Seatbelt Reminder (Warning)(Driver only):Diagram1
Service Brake Switch (2 SLS/ 1 Transducer/ 2 RDS to VCU):Diagram1
Snow Plow Lights Switch:Diagram1
Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1
TEM _Electric Trailer Brake Controller Activated Stop LT:Diagram1
Theft Deterrent (Standard, J1939 Mux SW, W/VCU):Diagram1
Traction Control (Bendix, VCU):Diagram1
Vehicle Alarm System:Diagram1
Vehicle Data Recorder (No Display):Diagram2 - Recorder W/ Display
Vehicle Data Recorder (W/ Display):Diagram2 - Recorder W/ Display
Vehicle Information Display (W/ BT):Diagram1

Vehicle Information Display Premium w/ Wi-Fi VID:Diagram1
 Vehicle Information Display W/O BT:Diagram1
 Vehicle Sleep Mode:Diagram1
 Vehicle Speed Control (Cruise Control) 10 Pin:Diagram1
 Voltage Monitoring (Voltmeter) (with Aux gauge):Diagram1
 Voltage Monitoring Voltmeter:Diagram1
 Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination1
 Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination2
 WORK LIGHT - 1 BULB:Diagram1-Combination1
 WORK LIGHT - 1 BULB:Diagram1-Combination2
 WORK LIGHT With BackUP Alarm - 1 BULB:Diagram1-Combination1
 WORK LIGHT With BackUP Alarm - 1 BULB:Diagram1-Combination2
 WORK LIGHT With RKE 1 BULB:Diagram1-Combination1
 WORK LIGHT With RKE 1 BULB:Diagram1-Combination2
 Work Lights LED With Switch Pack - Day Cab:Diagram1-Combination1
 Work Lights LED With Switch Pack - Day Cab:Diagram1-Combination2

Mates

MODU-BCM-A000-10-00


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	EH12C	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2825.0	-	R4 - 86	1011
A	-	-	EJ12C	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2570.0	-	X	-
B	-	-	DJ13DD	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2530.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	DF13DD	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2530.0	-	-	-
B	-	-	DE13DD	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2530.0	-	-	-
C	-	-	-	-	-	-	-	-	-	-	-	-
D	-	-	-	-	-	-	-	-	-	-	-	-
D	-	-	WIRE720 026	-	0.0	-	-	-	0.0	-	PIN1	-
E	-	-	-	-	-	-	-	-	-	-	-	-
E	-	-	WIRE720 025	-	0.0	-	-	-	0.0	-	PIN1	-
F	-	-	-	-	-	-	-	-	-	-	-	-
G	-	-	-	-	-	-	-	-	-	-	-	-
G	-	-	WIRE775 541	-	0.0	-	-	-	0.0	-	PIN1	-
H	-	-	-	-	-	-	-	-	-	-	-	-
H	-	-	WIRE775 543	-	0.0	-	-	-	0.0	-	PIN1	-
L	-	-	TJ70ER	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1630.0	-	X	-
M	-	-	UB92#14 1A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2890.0	-	-	-
N	-	-	-	-	-	-	-	-	-	-	-	-
N	-	-	WIRE1640	-	0.0	-	-	-	0.0	-	PIN1	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
P	-	-	-	-	-	-	-	-	-	-	-	-
P	-	-	WIRE1639	-	0.0	-	-	-	0.0	-	PIN1	-
R	-	-	LQ88A	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3365.0	-	-	-
S	-	-	LB17H	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1635.0	-	B	1100
S	-	-	LH149B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2265.0	-	B	1100MA
S	-	-	LC17HA	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1635.0	-	B	1100
S	-	-	LE149AA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1650.0	-	X	-
S	-	-	LB17H	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1635.0	-	-	-
S	-	-	LH149B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2265.0	-	-	-
S	-	-	LC17HA	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1635.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
S	-	-	LE149AA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1650.0	-	-	-
T	-	-	LG17	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	3365.0	-	-	-

Connector Name J6-1606
 Part Number 3759005C1
 Instances Mirrors (Heated) (MUX Switch 2 Cab and 1 Hood Mirror Left Side Only):Diagram1
 Mates MODU-BCM-A000-10-00




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
N	-	-	-	-	-	-	-	-	-	-	-	-
P	-	-	-	-	-	-	-	-	-	-	-	-

Connector Name J6-1606
 Part Number 3759005C1
 Instances Power Electronics Coolant Temperature Monitoring:Diagram1
 Mates MODU-BCM-A000-10-00




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
G	-	-	-	-	-	-	-	-	-	-	-	-
H	-	-	-	-	-	-	-	-	-	-	-	-

Connector Name J6-1606
 Part Number 3759005C1
 Instances Trip Odometer (W/VCU):Diagram1
 Mates MODU-BCM-A000-10-00




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
G	-	-	-	-	-	-	-	-	-	-	-	-
H	-	-	-	-	-	-	-	-	-	-	-	-

Connector Name J6-1606
 Part Number 3759005C1
 Instances Vehicle Speed Control (Cruise Control) (Steering Wheel Controls, W/VCU):Diagram1
 Mates MODU-BCM-A000-10-00



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
G	-	-	-	-	-	-	-	-	-	-	-	-
H	-	-	-	-	-	-	-	-	-	-	-	-

Connector Name J7-1607
 Part Number 3710061C1
 Instances Body Control Module (BCM):Connector J7-1607
 Driver Controlled Locking Differential - FR and RR Axles (Meritor w/ two sw):Diagram1
 Driver Controlled Locking Differential - FR & RR Axle (Dana w/ one switch):Diagram1
 Driver Controlled Locking Differential - FR & RR Axle (Meritor w/ one sw):Diagram1
 Driver Controlled Locking Differential - RR Axle (Dana w/ one sw):Diagram1
 Driver Controlled Locking Differential - RR Axle (Meritor w/ one sw):Diagram1
 Hazard Warning Light N/Trlr Socket:Diagram1-Combination1
 Hazard Warning Light N/Trlr Socket:Diagram1-Combination2
 Instrument Cluster (Premium):Diagram1-Combination1
 Instrument Cluster (Premium):Diagram1-Combination2
 Mates MODU-BCM-A000-10-00




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A3	-	-	KN49	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	45	1701
A3	-	-	KN49	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-
A4	-	-	KN49A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	50	1701
A4	-	-	KN49A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A6	-	-	AA60A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1475.0	-	2	P464
A6	-	-	AA60A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1475.0	-	-	-
A9	-	-	NA28D	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1160.0	-	-	-
A9	-	-	NA28D	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1160.0	-	1	1020
A10	-	-	SA77D	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2945.0	-	-	-
A12	-	-	SA77BA	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2890.0	-	-	-
B2	-	-	UA17B	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1050.0	-	-	-
B5	-	-	LF104CB	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	665.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B9	-	-	LF104CC	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	665.0	-	-	-
B10	-	-	AA6AM	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2945.0	-	-	-

Connector Name K03_PDM2
 Part Number 2241627C1
 Instances VCU PDM and Underhood PDM:VCU Mounted PDM (PDM 1)
 and Underhood PDM (PDM 2)
 Mates CP-B2-K03-1A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	K14A	2645964 R1	61.89	0.0	Std. Wall 125C Battery Cable	RED	0.0	-	-	-

Connector Name K03_1702
 Part Number 3595620C1
 Instances CAN Network: Cab Standard J1939 (250Kbps)
 Mates A31_1702




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
6	-	-	WIRE775516	-	0.0	-	-	-	0.0	-	PIN1	-
21	-	-	WIRE775517	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name K03_1702
 Part Number 3595620C1
 Instances CAN Network:HV Controls J1939 (500Kbps)
 Mates A31_1702




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
12	-	-	WIRE775610	-	0.0	-	-	-	0.0	-	PIN1	-
13	-	-	WIRE775609	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name K03_1702
 Part Number 3595620C1
 Instances CAN Network:Powertrain Standard J1939 (500Kbps)
 Mates A31_1702




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
14	-	-	WIRE775552	-	0.0	-	-	-	0.0	-	PIN1	-
15	-	-	WIRE775551	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name K03_1702
 Part Number 3595620C1
 Instances CAN Network:HV Power J1939 (500Kbps)
 Mates A31_1702




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	WIRE775 907	-	0.0	-	-	-	0.0	-	PIN1	-
8	-	-	WIRE775 906	-	0.0	-	-	-	0.0	-	PIN1	-
10	-	-	WIRE775 738	-	0.0	-	-	-	0.0	-	PIN1	-
11	-	-	WIRE775 737	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name K03_1702
 Part Number 3595620C1
 Instances Charging System (W/VCU) Dual DC/DC Converter:Diagram1
 eVehicle Charging (W/VCU) Onboard Charging
 Modules:Diagram1
 High-Voltage Distribution Module (HVDM):Diagram1
 Vehicle Control Unit (VCU):Diagram1
 Mates A31_1702




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
19	-	-	K19AA	-	0.0	18.0	-	ORANGE	0.0	-	PIN1	-
32	-	-	K97AFF	-	0.0	16.0	-	VIOLET	0.0	-	PIN1	-
34	-	-	K13W	-	0.0	18.0	-	PINK	0.0	-	PIN1	-
38	-	-	K13Y	-	0.0	16.0	-	PINK	0.0	-	PIN1	-

Connector Name K03_1702
 Part Number 3595620C1
 Instances Backup Light (W/VCU) Dual Daisy Reverse Light:Diagram1
 Battery Thermal Management (W/VCU) BTMS:Diagram1
 Hybrid Auxiliary Power Generator for HEV (DC/AC Inverter):Diagram1
 Power Electronics Coolant Temperature Monitoring:Diagram1
 Service Brake Switch (2 SLS/ 1 Transducer/ 2 RDS to VCU):Diagram1
 Vehicle Control Unit (VCU):Diagram1
 Mates A31_1702




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	K71AA	-	0.0	18.0	-	PINK	0.0	-	PIN1	-
4	-	-	K101AA	-	0.0	18.0	-	GREY	0.0	-	PIN1	-
23	-	-	K9A	-	0.0	18.0	-	PINK	0.0	-	PIN1	-
28	-	-	K101BB	-	0.0	18.0	-	GREY	0.0	-	PIN1	-
31	-	-	K14AE	-	0.0	18.0	-	RED	0.0	-	PIN1	-
33	-	-	K13V	-	0.0	18.0	-	PINK	0.0	-	PIN1	-
34	-	-	K13W	-	0.0	18.0	-	PINK	0.0	-	PIN1	-
35	-	-	K14AF	-	0.0	16.0	-	RED	0.0	-	PIN1	-
36	-	-	K97AGG	-	0.0	16.0	-	VIOLET	0.0	-	PIN1	-
37	-	-	K13X	-	0.0	18.0	-	PINK	0.0	-	PIN1	-
38	-	-	K13Y	-	0.0	16.0	-	PINK	0.0	-	PIN1	-

Connector Name K03_1703
 Part Number 2206588C1
 Instances High-Voltage Interlock:Diagram1
 Mates SW-CAB_HV_DISCONNECT-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	K14B	-	0.0	16.0	-	RED	0.0	-	PIN1	-
2	-	-	K14C	-	0.0	16.0	-	RED	0.0	-	G	K03_6091

Connector Name K03_2G
 Part Number 2241342C1
 Instances Battery Management System:Diagram2




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	K11	-	0.0	2.0	-	WHITE	0.0	-	-	-

Connector Name K03_2G
 Part Number 2241342C1
 Instances Battery Management System:Diagram2




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	K11	-	0.0	2.0	-	WHITE	0.0	-	-	-

Connector Name K03_2G
 Part Number 2241342C1
 Instances Battery Management System:Diagram1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	K11	-	0.0	2.0	-	WHITE	0.0	-	PIN1	-

Connector Name K03_2G
 Part Number 2241342C1
 Instances Charging System (W/VCU) Dual DC/DC Converter:Diagram1
 eVehicle Charging (W/VCU) Onboard Charging
 Modules:Diagram1
 Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU):Diagram1 - HVAC
 Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU):Diagram4 - EV Components
 High-Voltage Distribution Module (HVDM):Diagram1
 High-Voltage Distribution Unit (HVDU):Diagram1
 Hybrid Auxiliary Power Generator for HEV (DC/AC
 Inverter):Diagram1
 Power Electronics Coolant Temperature Monitoring:Diagram1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	K11	-	0.0	2.0	-	WHITE	0.0	-	PIN1	-

Connector Name K03_3G
 Part Number 2241337C1
 Instances Battery Thermal Management (W/VCU) BTMS:Diagram1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	K11A	-	0.0	4.0	-	WHITE	0.0	-	A	K03_6059B

Connector Name K03_6020
 Part Number 1673746C1
 Instances Coolant Level Monitoring (W/VCU):Diagram1
 Mates DEV-CABIN_HEAT_COOLANT_SEN SOR-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	K34A	-	0.0	18.0	-	TAN	0.0	-	-	-
B	-	-	K9G	-	0.0	18.0	-	GREY	0.0	-	PIN1	-
C	-	-	K13M	-	0.0	18.0	-	PINK	0.0	-	PIN1	-
D	-	-	K34B	-	0.0	18.0	-	TAN	0.0	-	PIN1	-

Connector Name K03_6023A
 Part Number 4173578C1
 Instances Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU):Diagram4 - EV Components
 Mates DEV-HEAT_PUMP_RESISTOR_A-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	K97Y	-	0.0	18.0	-	PINK	0.0	-	PIN1	-
B	-	-	K11AA	-	0.0	18.0	-	WHITE	0.0	-	PIN1	-

Connector Name K03_6023B
 Part Number 4173578C1
 Instances Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU):Diagram4 - EV Components
 Mates DEV-HEAT_PUMP_RESISTOR_B-01



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	K97Z	-	0.0	18.0	-	PINK	0.0	-	PIN1	-
B	-	-	K11AB	-	0.0	18.0	-	WHITE	0.0	-	PIN1	-

Connector Name K03_6023
 Part Number 4241464C1
 Instances Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU):Diagram4 - EV Components
 Rear Lights (Stop) (W/VCU) W/Daisy Chain:Diagram1
 Mates MODU-VCU-A006-10-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
9	-	-	K97V	-	0.0	22.0	-	VIOLET	0.0	-	PIN1	-
67	-	-	-	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-	-	-	-

Connector Name K03_6025
Part Number 4241464C1
Instances

- Air Governor Control:Diagram1
- Ambient Temperature (No Display, Mirror Sensor, VCU):Diagram1
- Backup Light (W/VCU) Dual Daisy Reverse Light:Diagram1
- Battery Management System:Diagram1
- Battery Thermal Management (W/VCU) BTMS:Diagram1
- CAN Network:HV Controls J1939 (500Kbps)
- CAN Network:HV Power J1939 (500Kbps)
- CAN Network:Powertrain Standard J1939 (500Kbps)
- Charging System (W/VCU) Dual DC/DC Converter:Diagram1
- Coolant Level Monitoring (W/VCU):Diagram1
- Coolant Temperature Monitoring (J1939 Comm, W/VCU):Diagram1
- Cranking (W/VCU):Diagram1
- Drive Mode Selector I/O (W/VCU):Diagram1
- Engine Speed (Tachometer, W/VCU):Diagram1
- eVehicle Charging (W/VCU) Onboard Charging Modules:Diagram1
- Height Control (W/VCU):Diagram1
- High-Voltage Interlock:Diagram1
- High-Voltage Monitor:Diagram1
- Hybrid Auxiliary Power Generator for HEV (DC/AC Inverter):Diagram1
- Odometer (W/VCU):Diagram1
- Park Brake Controls (W/VCU):Diagram1
- Power Electronics Coolant Temperature Monitoring:Diagram1
- Propulsion Coolant Temperature Monitoring (W/VCU):Diagram1
- Regenerative Braking (W/VCU):Diagram1
- Service Brake Switch (2 SLS/ 1 Transducer/ 2 RDS to VCU):Diagram1
- Theft Deterrent (Standard, J1939 Mux SW, W/VCU):Diagram1
- Traction Control (Bendix, VCU):Diagram1
- Trip Odometer (W/VCU):Diagram1
- Vehicle Acceleration (Wired to VCU):Diagram1
- Vehicle Control Unit (VCU):Diagram1
- Vehicle Control Unit (VCU):Diagram2
- Vehicle Sound Generator:Diagram1

Mates MODU-VCU-A006-10-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	K14E	-	0.0	16.0	-	RED	0.0	-	PIN1	-
2	-	-	K10F	-	0.0	16.0	-	WHITE	0.0	-	PIN1	-
3	-	-	K14F	-	0.0	16.0	-	RED	0.0	-	PIN1	-
4	-	-	K10G	-	0.0	16.0	-	WHITE	0.0	-	PIN1	-
5	-	-	K14G	-	0.0	16.0	-	RED	0.0	-	PIN1	-
6	-	-	K10H	-	0.0	16.0	-	WHITE	0.0	-	PIN1	-
7	-	-	K97W	-	0.0	18.0	-	VIOLET	0.0	-	G	K03_6090
7	-	-	K97W	-	0.0	18.0	-	VIOLET	0.0	-	-	-
8	-	-	K97AE	-	0.0	22.0	-	VIOLET	0.0	-	-	-
8	-	-	K97AE	-	0.0	22.0	-	VIOLET	0.0	-	K	K03_6090
9	-	-	K6G	-	0.0	22.0	-	GREY	0.0	-	-	-
18	-	-	K97E	2645627 R1	0.35	22.0	Thin Wall XLPE Primary Cable	VIOLET	0.0	-	-	-
18	-	-	K97E	2645627 R1	0.35	22.0	Thin Wall XLPE Primary Cable	VIOLET	0.0	-	PIN1	-
19	-	-	K6G	-	0.0	22.0	-	GREY	0.0	-	PIN1	-
19	-	-	K97V	-	0.0	22.0	-	VIOLET	0.0	-	-	-
23	-	-	K9FF	-	0.0	22.0	-	GREY	0.0	-	PIN1	-
23	-	-	K9FF	-	0.0	22.0	-	GREY	0.0	-	-	-
24	-	-	K13H	-	0.0	22.0	-	PINK	0.0	-	PIN1	-
29	-	-	K97AJ	-	0.0	18.0	-	VIOLET	0.0	-	PIN1	-
29	-	-	K97AJ	-	0.0	18.0	-	VIOLET	0.0	-	-	-
31	-	-	K39E	-	0.0	22.0	-	GREY	0.0	-	-	-
31	-	-	K39E	-	0.0	22.0	-	GREY	0.0	-	PIN1	-
35	-	-	K101A	-	0.0	22.0	-	GREY	0.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
35	-	-	K101A	-	0.0	22.0	-	GREY	0.0	-	PIN1	-
36	-	-	K19B	-	0.0	22.0	-	GREY	0.0	-	PIN1	-
36	-	-	K19B	-	0.0	22.0	-	GREY	0.0	-	-	-
38	-	-	K41A	2645624 R1	0.35	22.0	Thin Wall XLPE Primary Cable	TAN	0.0	-	PIN1	-
38	-	-	K41A	2645624 R1	0.35	22.0	Thin Wall XLPE Primary Cable	TAN	0.0	-	-	-
40	-	-	K32A	-	0.0	22.0	-	TAN	0.0	-	D	K03_6090
42	-	-	K36BB	-	0.0	22.0	-	TAN	0.0	-	PIN1	-
42	-	-	K36BB	-	0.0	22.0	-	TAN	0.0	-	-	-
43	-	-	K34AA	-	0.0	22.0	-	GREY	0.0	-	PIN1	-
45	-	-	K36AA	-	0.0	22.0	-	TAN	0.0	-	PIN1	-
46	-	-	K9GG	-	0.0	22.0	-	GREY	0.0	-	PIN1	-
46	-	-	K9GG	-	0.0	22.0	-	GREY	0.0	-	-	-
47	-	-	K97C	-	0.0	22.0	-	VIOLET	0.0	-	-	-
47	-	-	K97C	-	0.0	22.0	-	VIOLET	0.0	-	PIN1	-
51	-	-	K97AF	-	0.0	18.0	-	VIOLET	0.0	-	PIN1	-
52	-	-	K19C	-	0.0	22.0	-	GREY	0.0	-	N	K03_6090
52	-	-	K19C	-	0.0	22.0	-	GREY	0.0	-	-	-
53	-	-	K6N	-	0.0	22.0	-	ORANGE	0.0	-	PIN1	-
53	-	-	K6N	-	0.0	22.0	-	ORANGE	0.0	-	-	-
57	-	-	K19D	-	0.0	22.0	-	GREY	0.0	-	PIN1	-
57	-	-	K19D	-	0.0	22.0	-	GREY	0.0	-	-	-
58	-	-	K19A	-	0.0	22.0	-	ORANGE	0.0	-	PIN1	-
60	-	-	K19E	-	0.0	22.0	-	GREY	0.0	-	P	K03_6090

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
63	-	-	K34BB	-	0.0	22.0	-	TAN	0.0	-	PIN1	-
63	-	-	K34BB	-	0.0	22.0	-	TAN	0.0	-	-	-
64	-	-	K29B	-	0.0	22.0	-	TAN	0.0	-	PIN1	-
64	-	-	K29B	-	0.0	22.0	-	TAN	0.0	-	-	-
65	-	-	K101B	-	0.0	22.0	-	GREY	0.0	-	-	-
65	-	-	K101B	-	0.0	22.0	-	GREY	0.0	-	PIN1	-
66	-	-	-	-	-	-	-	-	-	-	-	-
66	-	-	WIRE775 761	-	0.0	-	-	-	0.0	-	PIN1	-
67	-	-	-	-	-	-	-	-	-	-	-	-
67	-	-	WIRE775 651	-	0.0	-	-	-	0.0	-	PIN1	-
68	-	-	-	-	-	-	-	-	-	-	-	-
68	-	-	WIRE775 910	-	0.0	-	-	-	0.0	-	PIN1	-
69	-	-	-	-	-	-	-	-	-	-	-	-
69	-	-	WIRE775 564	-	0.0	-	-	-	0.0	-	PIN1	-
70	-	-	K193J	-	0.0	22.0	-	GREY	0.0	-	PIN1	-
70	-	-	K193J	-	0.0	22.0	-	GREY	0.0	-	-	-
72	-	-	K97B	-	0.0	22.0	-	VIOLET	0.0	-	-	-
72	-	-	K97B	-	0.0	22.0	-	VIOLET	0.0	-	PIN1	-
73	-	-	K97U	-	0.0	20.0	-	VIOLET	0.0	-	PIN1	-
73	-	-	K97U	-	0.0	20.0	-	VIOLET	0.0	-	-	-
76	-	-	K92A	-	0.0	22.0	-	TAN	0.0	-	-	-
76	-	-	K92A	-	0.0	22.0	-	TAN	0.0	-	PIN1	-
77	-	-	K99B	2645627 R1	0.35	22.0	Thin Wall XLPE Primary Cable	VIOLET	0.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
77	-	-	K99B	2645627 R1	0.35	22.0	Thin Wall XLPE Primary Cable	VIOLET	0.0	-	PIN1	-
78	-	-	K99A	-	0.0	22.0	-	VIOLET	0.0	-	-	-
78	-	-	K99A	-	0.0	22.0	-	VIOLET	0.0	-	PIN1	-
79	-	-	K9D	-	0.0	22.0	-	GREY	0.0	-	-	-
79	-	-	K9D	-	0.0	22.0	-	GREY	0.0	-	PIN1	-
81	-	-	K97AG	-	0.0	22.0	-	VIOLET	0.0	-	PIN1	-
81	-	-	K97AG	-	0.0	22.0	-	VIOLET	0.0	-	-	-
86	-	-	K71A	-	0.0	22.0	-	PINK	0.0	-	-	-
86	-	-	K71A	-	0.0	22.0	-	PINK	0.0	-	PIN1	-
88	-	-	-	-	-	-	-	-	-	-	-	-
88	-	-	WIRE775 762	-	0.0	-	-	-	0.0	-	PIN1	-
89	-	-	-	-	-	-	-	-	-	-	-	-
89	-	-	WIRE775 652	-	0.0	-	-	-	0.0	-	PIN1	-
90	-	-	-	-	-	-	-	-	-	-	-	-
90	-	-	WIRE775 911	-	0.0	-	-	-	0.0	-	PIN1	-
91	-	-	-	-	-	-	-	-	-	-	-	-
91	-	-	WIRE775 567	-	0.0	-	-	-	0.0	-	PIN1	-
94	-	-	K97D	2645627 R1	0.35	22.0	Thin Wall XLPE Primary Cable	VIOLET	0.0	-	-	-
94	-	-	K97D	2645627 R1	0.35	22.0	Thin Wall XLPE Primary Cable	VIOLET	0.0	-	PIN1	-

Connector Name K03_6025
 Part Number 4241464C1
 Instances Vehicle Speed Control (Cruise Control) (Steering Wheel Controls, W/VCU):Diagram1
 Mates MODU-VCU-A006-10-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
67	-	-	-	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-	-	-	-

Connector Name K03_6026
 Part Number 4173578C1
 Instances CAN Network:HV Controls J1939 (500Kbps)
 Mates Terminatin Resistor




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE775646	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE775645	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name K03_6027
 Part Number 4173578C1
 Instances CAN Network:HV Power J1939 (500Kbps)
 Mates TERMINATING RESISTOR




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE775769	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE775770	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name K03_6028
 Part Number 4173578C1
 Instances CAN Network:Powertrain Standard J1939 (500Kbps)
 Mates Terminating Resistor



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE775553	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE775562	-	0.0	-	-	-	0.0	-	PIN1	-


Connector Name K03_6030
 Part Number 4243360C1
 Instances Battery Management System:Diagram1
 Battery Management System:Diagram2
 CAN Network:HV Power J1939 (500Kbps)
 Mates DEV-SCU-01



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A1	-	-	K97T	-	0.0	0.5A	-	VIOLET	0.0	-	PIN1	-
B2	-	-	K97L	-	0.0	0.5A	-	PINK	0.0	-	PIN1	-
C1	-	-	-	-	-	-	-	-	-	-	-	-
C1	-	-	WIRE775 848	-	0.0	-	-	-	0.0	-	PIN1	-
C2	-	-	-	-	-	-	-	-	-	-	-	-
C2	-	-	WIRE775 774	-	0.0	-	-	-	0.0	-	PIN1	-
D1	-	-	-	-	-	-	-	-	-	-	-	-
D1	-	-	WIRE775 849	-	0.0	-	-	-	0.0	-	PIN1	-
D2	-	-	-	-	-	-	-	-	-	-	-	-
D2	-	-	WIRE775 773	-	0.0	-	-	-	0.0	-	PIN1	-
J1	-	-	K10S	-	0.0	0.5A	-	WHITE	0.0	-	PIN1	-
J2	-	-	K10J	-	0.0	0.5A	-	WHITE	0.0	-	PIN1	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
K1	-	-	K14H	-	0.0	0.5A	-	PINK	0.0	-	PIN1	-
K2	-	-	K14K	-	0.0	0.5A	-	PINK	0.0	-	PIN1	-
K4	-	-	K97F	-	0.0	0.5A	-	VIOLET	0.0	-	PIN1	-
L1	-	-	K14J	-	0.0	0.5A	-	PINK	0.0	-	PIN1	-
L2	-	-	K14L	-	0.0	0.5A	-	PINK	0.0	-	PIN1	-
L4	-	-	K97GG	-	0.0	0.5A	-	VIOLET	0.0	-	PIN1	-
M2	-	-	K10P	-	0.0	0.5A	-	WHITE	0.0	-	PIN1	-
M3	-	-	K10K	-	0.0	0.5A	-	WHITE	0.0	-	PIN1	-
M4	-	-	K10M	-	0.0	0.5A	-	WHITE	0.0	-	PIN1	-
P2	-	-	K97J	-	0.0	16.0	-	VIOLET	0.0	-	B	K03_6091
P3	-	-	K10L	-	0.0	16.0	-	WHITE	0.0	-	PIN1	-
P4	-	-	K10N	-	0.0	16.0	-	WHITE	0.0	-	PIN1	-
Q1	-	-	K97R	-	0.0	16.0	-	PINK	0.0	-	7	K03_6050
Q2	-	-	K97K	-	0.0	16.0	-	PINK	0.0	-	M	K03_6090

Connector Name K03_6031
 Part Number 4173578C1
 Instances CAN Network: Cab Standard J1939 (250Kbps)
 Mates Terminating Resistor




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE775525	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE775524	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name K03_6035
 Part Number 3572899C1
 Instances CAN Network:HV Controls J1939 (500Kbps)
 Hybrid Auxiliary Power Generator for HEV (DC/AC
 Inverter):Diagram1
 Mates DEV-QX_INVERTER-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	WIRE775640	-	0.0	-	-	-	0.0	-	PIN1	-
1	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	WIRE775639	-	0.0	-	-	-	0.0	-	PIN1	-
2	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	K13AC	-	0.0	18.0	-	PINK	0.0	-	PIN1	-
4	-	-	K11T	-	0.0	18.0	-	WHITE	0.0	-	PIN1	-

Connector Name K03_6036
 Part Number 3539140C1
 Instances Charge Port Monitoring OCI System:Diagram1
 Mates DEV-VCU_IGN_DIODE-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	K13D	-	0.0	18.0	-	PINK	0.0	-	4	K03_6055
4	-	-	K13HH	-	0.0	18.0	-	PINK	0.0	-	-	-

Connector Name K03_6037
 Part Number 4173578C1
 Instances Battery Management System:Diagram2
 Mates DEV-AC_POS_RESISTOR-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	K97M	-	0.0	18.0	-	VIOLET	0.0	-	PIN1	-
B	-	-	K11C	-	0.0	18.0	-	WHITE	0.0	-	PIN1	-

Connector Name K03_6038
 Part Number 4173578C1
 Instances Battery Management System:Diagram2
 Mates DEV-AC_NEG_RESISTOR-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	K97N	-	0.0	18.0	-	VIOLET	0.0	-	PIN1	-
B	-	-	K11B	-	0.0	18.0	-	WHITE	0.0	-	PIN1	-

Connector Name K03_6041
 Part Number 3677559C1
 Instances CAN Network:HV Power J1939 (500Kbps)
 eVehicle Charging (W/VCU) Onboard Charging
 Modules:Diagram1
 Mates DEV-OBC1_BOTTOM-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	K13P	-	0.0	18.0	-	PINK	0.0	-	PIN1	-
7	-	-	K13Q	-	0.0	18.0	-	PINK	0.0	-	PIN1	-
8	-	-	K11E	-	0.0	18.0	-	WHITE	0.0	-	PIN1	-
11	-	-	K98C	-	0.0	18.0	-	BLACK	0.0	-	12	K03_6041
12	-	-	K98C	-	0.0	18.0	-	BLACK	0.0	-	11	K03_6041
13	-	-	K11F	-	0.0	18.0	-	WHITE	0.0	-	PIN1	-
14	-	-	K11G	-	0.0	18.0	-	WHITE	0.0	-	PIN1	-
15	-	-	K11H	-	0.0	18.0	-	WHITE	0.0	-	PIN1	-
22	-	-	-	-	-	-	-	-	-	-	-	-
22	-	-	WIRE775758	-	0.0	-	-	-	0.0	-	PIN1	-
23	-	-	-	-	-	-	-	-	-	-	-	-
23	-	-	WIRE775755	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name K03_6042
 Part Number 3677559C1
 Instances CAN Network:HV Power J1939 (500Kbps)
 Mates DEV-OBC2_TOP-01



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
22	-	-	WIRE775757	-	0.0	-	-	-	0.0	-	PIN1	-
23	-	-	WIRE775756	-	0.0	-	-	-	0.0	-	PIN1	-


Connector Name K03_6050
 Part Number 3601923C1
 Instances Battery Management System:Diagram2
 Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU):Diagram4 - EV Components
 High-Voltage Distribution Unit (HVDU):Diagram1
 High-Voltage Interlock:Diagram1
 Mates DEV-HVDU-01



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	K193D	-	0.0	18.0	-	GREY	0.0	-	PIN1	-
1	-	-	K193D	-	0.0	18.0	-	GREY	0.0	-	-	-
2	-	-	K11D	-	0.0	16.0	-	WHITE	0.0	-	PIN1	-
3	-	-	K19DD	-	0.0	18.0	-	GREY	0.0	-	PIN1	-
3	-	-	K19DD	-	0.0	18.0	-	GREY	0.0	-	-	-
4	-	-	K19BB	-	0.0	18.0	-	GREY	0.0	-	PIN1	-
4	-	-	K19BB	-	0.0	18.0	-	GREY	0.0	-	-	-
5	-	-	K14Z	-	0.0	18.0	-	RED	0.0	-	PIN1	-
6	-	-	K14Y	-	0.0	18.0	-	RED	0.0	-	PIN1	-
7	-	-	K97R	-	0.0	16.0	-	PINK	0.0	-	Q1	K03_6030
7	-	-	K97R	-	0.0	16.0	-	PINK	0.0	-	-	-
8	-	-	K13E	-	0.0	18.0	-	GREY	0.0	-	9	K03_6050
9	-	-	K13E	-	0.0	18.0	-	GREY	0.0	-	8	K03_6050
10	-	-	K14M	-	0.0	18.0	-	RED	0.0	-	PIN1	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
10	-	-	K14M	-	0.0	18.0	-	RED	0.0	-	-	-
11	-	-	K97Q	-	0.0	18.0	-	VIOLET	0.0	-	PIN1	-
11	-	-	K97Q	-	0.0	18.0	-	VIOLET	0.0	-	-	-
12	-	-	K97P	-	0.0	18.0	-	VIOLET	0.0	-	PIN1	-
12	-	-	K97P	-	0.0	18.0	-	VIOLET	0.0	-	-	-

Connector Name K03_6055
 Part Number 3539139C1
 Instances CAN Network:HV Power J1939 (500Kbps)
 Mates P03_6055




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	WIRE775754	-	0.0	-	-	-	0.0	-	PIN1	-
2	-	-	WIRE775753	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name K03_6055
 Part Number 3989894C1
 Instances Charge Port Monitoring OCI System:Diagram1
 Mates P03_6055




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	K13D	-	0.0	18.0	-	PINK	0.0	-	2	K03_6036
5	-	-	K14P	-	0.0	16.0	-	RED	0.0	-	PIN1	-

Connector Name K03_6057
 Part Number 6132203C1
 Instances CAN Network:HV Controls J1939 (500Kbps)
 Mates DEV-RADIATOR_MODULE-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	WIRE775644	-	0.0	-	-	-	0.0	-	PIN1	-
2	-	-	WIRE775643	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name K03_6057
 Part Number 6132203C1
 Instances CAN Network: Cab Standard J1939 (250Kbps)
 Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU): Diagram1 - HVAC
 Mates DEV-RADIATOR_MODULE-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	K13AB	-	0.0	18.0	-	PINK	0.0	-	PIN1	-
5	-	-	-	-	-	-	-	-	-	-	-	-
5	-	-	WIRE775 527	-	0.0	-	-	-	0.0	-	PIN1	-
6	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	WIRE775 526	-	0.0	-	-	-	0.0	-	PIN1	-
7	-	-	K10R	-	0.0	18.0	-	WHITE	0.0	-	PIN1	-
8	-	-	K11S	-	0.0	18.0	-	WHITE	0.0	-	PIN1	-

Connector Name K03_6058
 Part Number 6132203C1
 Instances Battery Thermal Management (W/VCU) BTMS:Diagram1
 CAN Network:HV Power J1939 (500Kbps)
 Mates DEV-BTMS-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	K13A	-	0.0	18.0	-	PINK	0.0	-	PIN1	-
3	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	WIRE775752	-	0.0	-	-	-	0.0	-	PIN1	-
4	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	WIRE775751	-	0.0	-	-	-	0.0	-	PIN1	-
6	-	-	K10A	-	0.0	18.0	-	WHITE	0.0	-	PIN1	-

Connector Name K03_6059A
 Part Number 2241628C1
 Instances Battery Thermal Management (W/VCU) BTMS:Diagram1
 Mates DEV-BTMS-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	K14A	2645964 R1	61.89	0.0	Std. Wall 125C Battery Cable	RED	0.0	-	-	-

Connector Name K03_6059B
 Part Number 2241627C1
 Instances Battery Thermal Management (W/VCU) BTMS:Diagram1
 Mates DEV-BTMS-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	K11A	-	0.0	4.0	-	WHITE	0.0	-	A	K03_3G

Connector Name K03_6060
 Part Number 4110039C1
 Instances High-Voltage Interlock:Diagram1
 Mates DEV-MSD1_HVIL-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	K193A	-	0.0	18.0	-	GREY	0.0	-	PIN1	-
2	-	-	K193B	-	0.0	18.0	-	GREY	0.0	-	1	K03_6070

Connector Name K03_6070
 Part Number 4110039C1
 Instances High-Voltage Interlock:Diagram1
 Mates DEV-MSD2_HVIL-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	K193B	-	0.0	18.0	-	GREY	0.0	-	2	K03_6060
2	-	-	K193C	-	0.0	18.0	-	GREY	0.0	-	PIN1	-

Connector Name K03_6071
 Part Number 3601743C1
 Instances Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU):Diagram4 - EV Components
 Mates DEV-CABIN_HEATER_PUMP-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	K98A	-	0.0	14.0	-	BLACK	0.0	-	PIN1	-
2	-	-	K74A-G	-	0.0	12.0	-	WHITE	0.0	-	PIN1	-
3	-	-	K74B	-	0.0	12.0	-	RED	0.0	-	-	-
4	-	-	K47A	-	0.0	14.0	-	PINK	0.0	-	PIN1	-

Connector Name K03_6072
 Part Number 3579124C1
 Instances CAN Network:HV Controls J1939 (500Kbps)
 Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU):Diagram4 - EV Components
 Mates DEV-CABIN_HEATER_PUMP-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	WIRE775612	-	0.0	-	-	-	0.0	-	PIN1	-
3	-	-	K98AB	-	0.0	18.0	-	BLACK	0.0	-	PIN1	-
6	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	WIRE775621	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name K03_6073
 Part Number 3557533C1
 Instances Power Electronics Coolant Temperature Monitoring:Diagram1
 Mates DEV-MEDIUM_TEMP_PUMP-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	K74B-G	-	0.0	12.0	-	WHITE	0.0	-	PIN1	-
3	-	-	K74C	-	0.0	12.0	-	LIGHT GREEN	0.0	-	-	-
4	-	-	K74D	-	0.0	12.0	-	LIGHT GREEN	0.0	-	PIN1	-

Connector Name K03_6074
 Part Number 3579124C1
 Instances CAN Network:HV Controls J1939 (500Kbps)
 Power Electronics Coolant Temperature Monitoring:Diagram1
 Mates DEV-MEDIUM_TEMP_PUMP-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	WIRE775 634	-	0.0	-	-	-	0.0	-	PIN1	-
6	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	WIRE775 633	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name K03_6076
 Part Number 1673746C1
 Instances Coolant Level Monitoring (W/VCU):Diagram1
 Mates DEV-MEDIUM_TEMP_COOLANT_SE NSOR-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	K36A	-	0.0	18.0	-	TAN	0.0	-	-	-
B	-	-	K9F	-	0.0	18.0	-	GREY	0.0	-	PIN1	-
C	-	-	K13L	-	0.0	18.0	-	PINK	0.0	-	PIN1	-
D	-	-	K36B	-	0.0	18.0	-	TAN	0.0	-	PIN1	-

Connector Name K03_6078
 Part Number 4243365C1
 Instances Propulsion Coolant Temperature Monitoring (W/VCU):Diagram1
 Mates DEV-MT_TEMP_SENSOR-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	K6C	-	0.0	18.0	-	GREY	0.0	-	PIN1	-
2	-	-	K29BB	-	0.0	18.0	-	TAN	0.0	-	PIN1	-

Connector Name K03_6081
 Part Number 6113341C1
 Instances VCU PDM and Underhood PDM:VCU Mounted PDM (PDM 1)
 and Underhood PDM (PDM 2)
 Mates CP-B1-K03-3D




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	K23T	-	0.0	14.0	-	ORANGE	0.0	-	-	-
4	-	-	K14W	-	0.0	16.0	-	RED	0.0	-	-	-
7	-	-	K14X	-	0.0	16.0	-	RED	0.0	-	-	-

Connector Name K03_6082
 Part Number 6113338C1
 Instances VCU PDM and Underhood PDM:VCU Mounted PDM (PDM 1)
 and Underhood PDM (PDM 2)
 Mates CP-B1-K03-2E




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	K74B	-	0.0	12.0	-	RED	0.0	-	-	-

Connector Name K03_6083
 Part Number 6113341C1
 Instances VCU PDM and Underhood PDM:VCU Mounted PDM (PDM 1)
 and Underhood PDM (PDM 2)
 Mates CP-B2-K03-3F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	K14Q	-	0.0	16.0	-	RED	0.0	-	-	-
4	-	-	K14R	-	0.0	16.0	-	RED	0.0	-	-	-
7	-	-	K14S	-	0.0	16.0	-	RED	0.0	-	-	-

Connector Name K03_6084
 Part Number 6113338C1
 Instances VCU PDM and Underhood PDM:VCU Mounted PDM (PDM 1)
 and Underhood PDM (PDM 2)
 Mates CP-B2-K03-2C




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	K14U	-	0.0	10.0	-	RED	0.0	-	-	-
3	-	-	K74C	-	0.0	12.0	-	LIGHT GREEN	0.0	-	-	-

Connector Name K03_6084
 Part Number 6113338C1
 Instances VCU PDM and Underhood PDM:VCU Mounted PDM (PDM 1)
 and Underhood PDM (PDM 2)
 Mates CP-B2-K03-2E




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	K14T	-	0.0	10.0	-	RED	0.0	-	-	-

Connector Name K03_6090
 Part Number 3580539C1
 Instances CAN Network:HV Controls J1939 (500Kbps)
 Mates P02_6090




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE775638	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE775637	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name K03_6090
 Part Number 3580539C1
 Instances CAN Network:HV Power J1939 (500Kbps)
 Mates P02_6090




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	WIRE775 845	-	0.0	-	-	-	0.0	-	PIN1	-
F	-	-	WIRE775 846	-	0.0	-	-	-	0.0	-	PIN1	-
R	-	-	WIRE775 763	-	0.0	-	-	-	0.0	-	PIN1	-
S	-	-	WIRE775 764	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name K03_6090
 Part Number 3580539C1
 Instances Battery Management System:Diagram2
 Hybrid Auxiliary Power Generator for HEV (DC/AC
 Inverter):Diagram1
 Vehicle Control Unit (VCU):Diagram1
 Mates P02_6090




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	K32A	-	0.0	22.0	-	TAN	0.0	-	40	K03_6025
K	-	-	K97AE	-	0.0	22.0	-	VIOLET	0.0	-	8	K03_6025
M	-	-	K97K	-	0.0	16.0	-	PINK	0.0	-	Q2	K03_6030
P	-	-	K19E	-	0.0	22.0	-	GREY	0.0	-	60	K03_6025

Connector Name K03_6090
 Part Number 3580539C1
 Instances Battery Management System:Diagram1
 Charging System (W/VCU) Dual DC/DC Converter:Diagram1
 High-Voltage Distribution Module (HVDM):Diagram1
 High-Voltage Interlock:Diagram1
 Mates P02_6090




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	K193H	-	0.0	18.0	-	GREY	0.0	-	PIN1	-
G	-	-	K97W	-	0.0	18.0	-	VIOLET	0.0	-	7	K03_6025
H	-	-	K13K	-	0.0	18.0	-	PINK	0.0	-	PIN1	-
J	-	-	K97S	-	0.0	18.0	-	VIOLET	0.0	-	PIN1	-
L	-	-	K13J	-	0.0	18.0	-	PINK	0.0	-	PIN1	-
N	-	-	K19C	-	0.0	22.0	-	GREY	0.0	-	52	K03_6025

Connector Name K03_6091
 Part Number 3580540C1
 Instances Battery Management System:Diagram2
 Charging System (W/VCU) Dual DC/DC Converter:Diagram1
 High-Voltage Distribution Module (HVDM):Diagram1
 Hybrid Auxiliary Power Generator for HEV (DC/AC
 Inverter):Diagram1
 Mates P02_6091




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	K97J	-	0.0	16.0	-	VIOLET	0.0	-	P2	K03_6030
E	-	-	K14AA	-	0.0	12.0	-	RED	0.0	-	PIN1	-
H	-	-	K97G	-	0.0	20.0	-	VIOLET	0.0	-	PIN1	-
R	-	-	K11P	-	0.0	12.0	-	WHITE	0.0	-	PIN1	-
S	-	-	K11Q	-	0.0	12.0	-	WHITE	0.0	-	PIN1	-
S	-	-	K11Q	-	0.0	12.0	-	WHITE	0.0	-	-	-

Connector Name K03_6091
 Part Number 3580540C1
 Instances Battery Management System:Diagram1
 High-Voltage Interlock:Diagram1
 Mates P02_6091




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F	-	-	K14W	-	0.0	16.0	-	RED	0.0	-	-	-
G	-	-	K14C	-	0.0	16.0	-	RED	0.0	-	2	K03_1703
R	-	-	K11P	-	0.0	12.0	-	WHITE	0.0	-	PIN1	-
S	-	-	K11Q	-	0.0	12.0	-	WHITE	0.0	-	PIN1	-

Connector Name K03_7000
 Part Number 3685466C1
 Instances CAN Network: Cab Standard J1939 (250Kbps)
 Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU): Diagram4 - EV Components
 Mates DEV-A/C_VFD_DRIVE-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
6	-	-	K23D	-	0.0	18.0	-	WHITE	0.0	-	PIN1	-
7	-	-	K23F	-	0.0	18.0	-	ORANGE	0.0	-	PIN1	-
8	-	-	K23E	-	0.0	18.0	-	WHITE	0.0	-	PIN1	-
9	-	-	K23H	-	0.0	18.0	-	ORANGE	0.0	-	PIN1	-
10	-	-	K23C	-	0.0	18.0	-	YELLOW 2	0.0	-	C	K03_7002
11	-	-	K23A	-	0.0	18.0	-	RED	0.0	-	A	K03_7002
12	-	-	K23B	-	0.0	18.0	-	BLACK	0.0	-	B	K03_7002
26	-	-	-	-	-	-	-	-	-	-	-	-
26	-	-	WIRE775 519	-	0.0	-	-	-	0.0	-	PIN1	-
27	-	-	-	-	-	-	-	-	-	-	-	-
27	-	-	WIRE775 518	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name K03_7001
 Part Number 4243345C1
 Instances CAN Network:HV Controls J1939 (500Kbps)
 Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU):Diagram4 - EV Components
 High-Voltage Interlock:Diagram1
 Mates DEV-HVDC_COOLANT_HEATER-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	K10V	-	0.0	18.0	-	RED	0.0	-	9	1702
2	-	-	K193L	-	0.0	18.0	-	RED	0.0	-	PIN1	-
3	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	WIRE775 627	-	0.0	-	-	-	0.0	-	PIN1	-
4	-	-	K6M	-	0.0	18.0	-	ORANGE	0.0	-	PIN1	-
5	-	-	-	-	-	-	-	-	-	-	-	-
5	-	-	WIRE775 619	-	0.0	-	-	-	0.0	-	PIN1	-
8	-	-	K10T	-	0.0	18.0	-	BLACK	0.0	-	PIN1	-

Connector Name K03_7002
 Part Number 4223352C1
 Instances Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU):Diagram4 - EV Components
 Mates DEV-A/C_VFD_DRIVE-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	K23A	-	0.0	18.0	-	RED	0.0	-	11	K03_7000
B	-	-	K23B	-	0.0	18.0	-	BLACK	0.0	-	12	K03_7000
C	-	-	K23C	-	0.0	18.0	-	YELLOW 2	0.0	-	10	K03_7000

Connector Name K03_7004
 Part Number 1661778C1
 Instances Air Governor Control:Diagram1
 Mates M01_9700




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	K9B	-	0.0	18.0	-	GREY	0.0	-	PIN1	-
B	-	-	K39EE	-	0.0	18.0	-	GREY	0.0	-	PIN1	-

Connector Name K03_7005
 Part Number 3572899C1
 Instances Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU):Diagram4 - EV Components
 Mates DEV-DCDC_24V_CONVERTER-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	K23R	-	0.0	16.0	-	ORANGE	0.0	-	PIN1	-
2	-	-	K23M	-	0.0	14.0	-	RED	0.0	-	1	1702
3	-	-	K23N	-	0.0	14.0	-	WHITE	0.0	-	PIN1	-
4	-	-	K23L	-	0.0	14.0	-	ORANGE	0.0	-	PIN1	-
5	-	-	K23S	-	0.0	16.0	-	ORANGE	0.0	-	PIN1	-
6	-	-	K23P	-	0.0	16.0	-	WHITE	0.0	-	PIN1	-

Connector Name K03_9300A
 Part Number 3762701C1
 Instances Battery Management System:Diagram1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	K10C	-	0.0	10.0	-	WHITE	0.0	-	PIN1	-

Connector Name K03_9300B
 Part Number 3762701C1
 Instances Battery Thermal Management (W/VCU) BTMS:Diagram1
 Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU):Diagram1 - HVAC
 Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU):Diagram4 - EV Components




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	K10D	-	0.0	10.0	-	WHITE	0.0	-	PIN1	-

Connector Name K03_9300
 Part Number 3762701C1
 Instances Vehicle Control Unit (VCU):Diagram1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	K10C	-	0.0	10.0	-	WHITE	0.0	-	PIN1	-

Connector Name M01_1657M
 Part Number 3683465C1
 Instances CAN Network:Powertrain Standard J1939 (500Kbps)
 Mates Terminating Resistor




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE775535	-	0.0	-	-	-	0.0	-	62	M01_1700
B	-	-	WIRE775547	-	0.0	-	-	-	0.0	-	61	M01_1700

Connector Name M01_1657
 Part Number 3683465C1
 Instances CAN Network: Cab Standard J1939 (250Kbps)
 Mates TERMINATING RESISTOR




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE720028	-	0.0	-	-	-	0.0	-	X	-
B	-	-	WIRE720030	-	0.0	-	-	-	0.0	-	X	-

Connector Name M01_1700
 Part Number 3595624C1
 Instances CAN Network:Body Standard J1939 (250Kbps)
 Mates A31_1700




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
37	-	-	-	-	-	-	-	-	-	-	-	-
38	-	-	-	-	-	-	-	-	-	-	-	-

Connector Name M01_1700
 Part Number 3595624C1
 Instances CAN Network: Cab Standard J1939 (250Kbps)
 Mates A31_1700




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
39	-	-	WIRE720038	-	0.0	-	-	-	0.0	-	X	-
40	-	-	WIRE720036	-	0.0	-	-	-	0.0	-	1	-

Connector Name M01_1700
 Part Number 3595624C1
 Instances CAN Network:Powertrain Standard J1939 (500Kbps)
 Mates A31_1700




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
61	-	-	WIRE775547	-	0.0	-	-	-	0.0	-	B	M01_1657M
62	-	-	WIRE775535	-	0.0	-	-	-	0.0	-	A	M01_1657M

Connector Name M01_1700
 Part Number 3595624C1
 Instances Mirrors (Heated) (Door Pod Actuated 2 Cab and 1 Hood Mirror Left Side Only):Diagram1
 Mirrors (Heated) (MUX Switch 2 Cab and 1 Hood Mirror Left Side Only):Diagram1
 Vehicle Sound Generator:Diagram1
 Mates A31_1700




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
24	-	-	86CA	-	0.0	18.0	-	LIGHT GREEN	0.0	-	A	M01_9555F
25	-	-	86DA	-	0.0	18.0	-	LIGHT GREEN	0.0	-	B	M01_9555F
64	-	-	78AC	-	0.0	16.0	-	LIGHT GREEN	0.0	-	A	M01_8701

Connector Name M01_8000
 Part Number 3612306C1
 Instances CAN Network: Cab Standard J1939 (250Kbps)




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	WIRE775501	-	0.0	-	-	-	0.0	-	X	-
5	-	-	WIRE775500	-	0.0	-	-	-	0.0	-	X	-

Connector Name M01_8001
 Part Number 3612306C1
 Instances CAN Network: Cab Standard J1939 (250Kbps)




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	WIRE775503	-	0.0	-	-	-	0.0	-	X	-
5	-	-	WIRE775502	-	0.0	-	-	-	0.0	-	1	-

Connector Name M01_8701
 Part Number 587567C91
 Instances Mirrors (Heated) (Door Pod Actuated 2 Cab and 1 Hood Mirror Left Side Only):Diagram1
 Mirrors (Heated) (MUX Switch 2 Cab and 1 Hood Mirror Left Side Only):Diagram1
 Mates DEV-DS_HOOD_MIRROR-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	78AC	-	0.0	16.0	-	LIGHT GREEN	0.0	-	64	M01_1700
B	-	-	78-GA	-	0.0	16.0	-	WHITE	0.0	-	-	-

Connector Name M01_8900
 Part Number 1661778C1
 Instances Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU):Diagram1 - HVAC
 Mates P04_9003



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	77	-	0.0	16.0	-	LIGHT GREEN	0.0	-	5	1700
B	-	-	75-G	-	0.0	16.0	-	WHITE	0.0	-	7	1700

Connector Name M01_9000
 Part Number 1661777C1
 Instances Air Governor Control:Diagram1
 Mates DEV-AIR_GOVERNOR-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	39A	-	0.0	18.0	-	GREY	0.0	-	A	M01_9700
D	-	-	97F	-	0.0	18.0	-	GREY	0.0	-	B	M01_9700

Connector Name M01_9555F
 Part Number 1661259C1
 Instances Vehicle Sound Generator:Diagram1
 Mates DEV-SOUND_GEN_FRONT_SPEAKE R-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	86CA	-	0.0	18.0	-	LIGHT GREEN	0.0	-	24	M01_1700
B	-	-	86DA	-	0.0	18.0	-	LIGHT GREEN	0.0	-	25	M01_1700

Connector Name M01_9700
 Part Number 3543888C1
 Instances Air Governor Control:Diagram1
 Mates K03_7004




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	39A	-	0.0	18.0	-	GREY	0.0	-	C	M01_9000
B	-	-	97F	-	0.0	18.0	-	GREY	0.0	-	D	M01_9000

Connector Name M02-8903
 Part Number 6111813C1
 Instances Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 1:Diagram1
 Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 2:Diagram1
 Mates DEV-FUSION_FLR-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	-	-	-	-	-	-	-	-	-	-
5	-	-	MU67-GA	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	2900.0	-	47	1700
6	-	-	-	-	-	-	-	-	-	-	-	-
8	-	-	MU67AA	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	2900.0	-	24	1700

Connector Name M02_8903
 Part Number 6111813C1
 Instances Lane Departure Warning - (Bendix Fusion N/ Safety Direct):Diagram1-Combination1
 Lane Departure Warning - (Bendix Fusion N/ Safety Direct):Diagram1-Combination2
 Mates SNSR-BENDIX_FUSION_FLR_21- 3020-02-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	-	-	-	-	-	-	-	-	-	-
5	-	-	MU67-GA	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	2900.0	-	47	1700
6	-	-	-	-	-	-	-	-	-	-	-	-
8	-	-	MU67AA	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	2900.0	-	24	1700

Connector Name M02_9501
 Part Number 3539777C1
 Instances Antilock Brake System (ABS) - BENDIX 4 Channel
 Implementation:Diagram1
 Mates SNSR-WS-3003-01-03B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	RC94A	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	965.0	-	13	9800
2	-	-	RC94B	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	965.0	-	14	9800

Connector Name M02_9503
 Part Number 3539777C1
 Instances Antilock Brake System (ABS) - BENDIX 4 Channel
 Implementation:Diagram1
 Mates SNSR-WS-3003-01-03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	RC94C	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	1500.0	-	15	9800
2	-	-	RC94D	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	1500.0	-	16	9800

Connector Name M04_4004
 Part Number 3525613C1
 Instances Auxiliary Power Fuse:Diagram1
 Mates CP-PTO_MAXI_FUSE



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	MG14L	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	350.0	-	-	-
2	-	-	MG103C	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	470.0	-	-	-

Connector Name M04_8000
Part Number 1677851C1
Instances Directional Signal (Turn) W/ DAISY CHAIN BOX LAMPS:Diagram1
Directional Signal (Turn) W/ Daisy Chain Box Lamps W/Plow Lights:Diagram1
Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1
Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1
Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1
Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1
Front Marker Lights N/ PLow Lights:Diagram1
Front Marker Lights W/ Plow Lights:Diagram1
Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1
Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination2
Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination1
Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination2
Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination1
Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination2
Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination1
Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination2
Headlights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination1
Headlights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination2
Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/ LOWW W/Interrupt:Diagram1-Combination1
Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/ LOWW W/Interrupt:Diagram1-Combination2
Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination1
Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination2



Headlights W/Plowlights W/O Lights ON With Wipers (LOWW)
W/O Headlights Interrupt:Diagram1-Combination1
Headlights W/Plowlights W/O Lights ON With Wipers (LOWW)
W/O Headlights Interrupt:Diagram1-Combination2


Mates

LT-RS_HEADLIGHT_HAL-1016-1 0-03A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MC52D	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3750.0	-	3	1700
A	-	-	MW52D	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3750.0	-	3	1700
B	-	-	MY11-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	3410.0	-	-	-
C	-	-	MC53B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3750.0	-	4	1700
C	-	-	MW53B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3750.0	-	4	1700
C	-	-	MB53B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	4095.0	-	4	1700
D	-	-	MA57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	4095.0	-	15	1700

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
D	-	-	MC57C	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2195.0	-	X	-
D	-	-	MW57C	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2195.0	-	X	-
E	-	-	MA54D	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2170.0	-	X	-
E	-	-	MW54D	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2045.0	-	X	-

Connector Name M04_8001
 Part Number 1677851C1
 Instances Directional Signal (Turn) W/ DAISY CHAIN BOX
 LAMPS:Diagram1
 Directional Signal (Turn) W/ Daisy Chain Box Lamps W/Plow
 Lights:Diagram1
 Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1
 Directional Signal (Turn) W/ Single Tail Board W/Hazard
 SW:Diagram1
 Directional Signal (Turn) W/ Single Tail Board W/Plow
 Lights:Diagram1
 Front Marker Lights N/ PLow Lights:Diagram1
 Front Marker Lights W/ Plow Lights:Diagram1
 Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10
 PIN CLK:Diagram1-Combination1
 Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10
 PIN CLK:Diagram1-Combination2
 Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
 Combination1
 Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
 Combination2
 Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-
 Combination1
 Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-
 Combination2
 Headlights W/O Lights ON With Wipers (LOWW) W/O
 Headlights Interrupt:Diagram1-Combination1
 Headlights W/O Lights ON With Wipers (LOWW) W/O
 Headlights Interrupt:Diagram1-Combination2
 Headlights W/O Lights ON with wipers (LOWW) W/ Headlights
 Interrupt:Diagram1-Combination1
 Headlights W/O Lights ON with wipers (LOWW) W/ Headlights
 Interrupt:Diagram1-Combination2
 Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/
 LOWW W/Interrupt:Diagram1-Combination1
 Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/
 LOWW W/Interrupt:Diagram1-Combination2
 Headlights W/PlowLights W/O Lights ON with wipers (LOWW)
 W/ Headlights Interrupt:Diagram1-Combination1
 Headlights W/PlowLights W/O Lights ON with wipers (LOWW)
 W/ Headlights Interrupt:Diagram1-Combination2
 Headlights W/Plowlights W/O Lights ON With Wipers (LOWW)
 W/O Headlights Interrupt:Diagram1-Combination1



Headlights W/Plowlights W/O Lights ON With Wipers (LOWW)
W/O Headlights Interrupt:Diagram1-Combination2


Mates

LT-LS_HEADLIGHT_HAL-1016-1 0-03A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MC52	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2790.0	-	1	1700
A	-	-	MA52	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2790.0	-	1	1700
B	-	-	MY11-GB	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2450.0	-	-	-
C	-	-	MC53	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2790.0	-	2	1700
D	-	-	MA56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2790.0	-	14	1700
D	-	-	MC56C	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	1585.0	-	X	-
D	-	-	MW56C	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	985.0	-	X	-
E	-	-	MA54C	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	975.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	MW54C	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1085.0	-	X	-

Connector Name M04_8102
 Part Number 2039311C91
 Instances Directional Signal (Turn) W/ Daisy Chain Box Lamps W/Plow Lights:Diagram1
 Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1
 Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1
 Front Marker Lights W/ Plow Lights:Diagram1
 Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1
 Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination2
 Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/ LOWW W/Interrupt:Diagram1-Combination1
 Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/ LOWW W/Interrupt:Diagram1-Combination2
 Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination1
 Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination2
 Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination1
 Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination2




Mates VD-SNOW_PLOW_LT-1016-12-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MC64HI	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	1690.0	-	X	-
B	-	-	MC11-GE	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1990.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	MC64LO	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	1790.0	-	X	-
D	-	-	MW56D	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	630.0	-	X	-
D	-	-	MC56D	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	1150.0	-	X	-
E	-	-	MW54F	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	650.0	-	X	-
F	-	-	MC57D	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	800.0	-	X	-
F	-	-	MW57D	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	765.0	-	X	-

Connector Name M04_8200A
 Part Number 6131286C1
 Instances Fog Lights (Halogen White TOP MTG):Diagram1
 Mates LT-RS_FOG_FRT-1012-03-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	SM64B	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	3290.0	-	23	1700
2	-	-	SM64-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2070.0	-	-	-

Connector Name M04_8201A
 Part Number 6131286C1
 Instances Fog Lights (Halogen White TOP MTG):Diagram1
 Mates LT-LS_FOG_FRT-1012-03-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	SM64A	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	2550.0	-	22	1700
2	-	-	SM64-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1330.0	-	-	-

Connector Name M04_8301
 Part Number 1661778C1
 Instances City Horn (W/ 4PIN CLK & P. Brake):Diagram1-Combination1
 City Horn (W/ 4PIN CLK & P. Brake):Diagram1-Combination2
 City Horn (W/ 4PIN CLK):Diagram1-Combination1
 City Horn (W/ 4PIN CLK):Diagram1-Combination2
 City Horn (W/ 10PIN CLK & P. Brake):Diagram1
 City Horn (W/ 10PIN CLK):Diagram1
 Mates HORN-CITYHORN-1005-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MR85E	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1830.0	-	21	1700
B	-	-	MY85-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1490.0	-	-	-

Connector Name M04_8500
 Part Number 1686834C1
 Instances Antilock Brake System (ABS) - BENDIX 4 Channel
 Implementation:Diagram1
 Mates MDL-ABS-3003-01-03C




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ME94	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1270.0	-	27	1700
B	-	-	ME94A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1170.0	-	28	1700
C	-	-	ME94B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1270.0	-	29	1700

Connector Name M04_8501
 Part Number 1686834C1
 Instances Antilock Brake System (ABS) - BENDIX 4 Channel
 Implementation:Diagram1
 Mates MDL-ABS-3003-01-03D




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ME94H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4680.0	-	34	1700
B	-	-	ME94J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4580.0	-	35	1700
C	-	-	ME94K	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4680.0	-	36	1700

Connector Name M04_8502
 Part Number 3539777C1
 Instances Antilock Brake System (ABS) - BENDIX 4 Channel
 Implementation:Diagram1
 Mates SNSR-WS-3003-01-03D_




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	ME94C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1215.0	-	30	1700
2	-	-	ME94D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1215.0	-	31	1700

Connector Name M04_8503A
 Part Number 3539777C1
 Instances Antilock Brake System (ABS) - BENDIX 4 Channel
 Implementation:Diagram1
 Mates SNSR-WS-3003-01-03C_



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	ME94E	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4205.0	-	32	1700
2	-	-	ME94F	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4205.0	-	33	1700


Connector Name M04_8800
 Part Number 3551896C1
 Instances Forward Chassis Ground Splice Pack 8800:Diagram1
 Mates SP-0003-00-10-M0A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MY11-GD	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	225.0	-	X	-
B	-	-	SM64-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1330.0	-	-	-
B	-	-	MD64-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2035.0	-	-	-
C	-	-	SM64-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2070.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	MD64-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2020.0	-	-	-
D	-	-	MC11-GE	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1990.0	-	-	-
E	-	-	MS78-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	4270.0	-	-	-

Connector Name M04_8903
 Part Number 6111813C1
 Instances Adaptive Cruise Control w/o Display (Bendix):Diagram1
 Mates SNSR-BENDIX_RADR-3000-03-0 1A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	-	-	-	-	-	-	-	-	-	-
5	-	-	SP67-GA	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	3020.0	-	47	1700
6	-	-	-	-	-	-	-	-	-	-	-	-
8	-	-	SP67AA	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	3020.0	-	24	1700

Connector Name M8 B
 Part Number RING-M-8_0
 Instances Chassis PDM:Diagram1
 Mates Chassis PDM



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	14	2645248 R1	49.99	0.0	SGX FLEX 125C	RED	360.0	-	A	6305


Connector Name N02_9769
 Part Number 3673640C1
 Instances Collision Avoidance System (Warning):Diagram1
 Mates SNSR-SIDE_RADAR-3011-03-02



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	UC67TA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4605.0	-	5	1701F
2	-	-	UC67-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	4955.0	-	-	-
3	-	-	UC67U	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4605.0	-	6	1701F
4	-	-	UC67V	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4605.0	-	9	1701F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	UC67W	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4605.0	-	10	1701F

Connector Name N03_1701F
 Part Number 3595622C1
 Instances Backup Light (W/VCU) Dual Daisy Reverse Light:Diagram1
 End of Frame Aux Work Light (One Light N/Relay):Diagram1
 Rear Lights (Stop) (W/VCU) W/Daisy Chain:Diagram1
 Mates A31_1701



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	71A	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	550.0	-	1	N03_9800
2	-	-	56	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	740.0	-	2	N03_9800
3	-	-	57	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	1390.0	-	-	-
68	-	-	65	-	0.0	16.0	-	ORANGE	0.0	-	7	9800


Connector Name N03_9800
 Part Number 3558026C1
 Instances Backup Light (W/VCU) Dual Daisy Reverse Light:Diagram1
 Rear Lights (Stop) (W/VCU) W/Daisy Chain:Diagram1
 Mates R01_9800



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	71A	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	550.0	-	1	N03_170 1F
2	-	-	56	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	740.0	-	2	N03_170 1F
3	-	-	57	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	1390.0	-	-	-
12	-	-	10-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	190.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
12	-	-	10-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	190.0	-	12	R01_9800

Connector Name N05_7803
 Part Number 3950690C1
 Instances Power Lift Gate:Diagram1
 Mates RLY-Power_Lift_Gate_Relay- 2038-02-01B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	YL112	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3255.0	-	66	1701F
2	-	-	YJ112-GD	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1465.0	-	X	-


Connector Name N05_8802
 Part Number 3551896C1
 Instances Center Chassis Ground Splice Packs
 8802/8805/8807/8809:Diagram1
 Mates SP-0003-00-10-N0B-8802



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	SL9	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2130.0	-	13	1701F
B	-	-	RE9A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	950.0	-	-	-
B	-	-	DC9A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2455.0	-	-	-
C	-	-	SP9B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2325.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F	-	-	MF9F	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2500.0	-	-	-
F	-	-	MG9H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2500.0	-	-	-

Connector Name N05_8805
 Part Number 3551896C1
 Instances Center Chassis Ground Splice Packs
 8802/8805/8807/8809:Diagram1
 Mates SP-0003-00-10-N0D-8805




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	XM59-G	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	1700.0	-	F	N05_8809
B	-	-	NG59A-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1705.0	-	-	-
C	-	-	NX59X-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1225.0	-	-	-
C	-	-	NU59F-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2320.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	NZ59X-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2920.0	-	-	-
D	-	-	NW59L-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1725.0	-	-	-
E	-	-	TM19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2055.0	-	-	-
E	-	-	TK19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1625.0	-	-	-
E	-	-	PX19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	4375.0	-	-	-
E	-	-	PM19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2295.0	-	-	-
E	-	-	TB19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2555.0	-	-	-
E	-	-	PN19-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1645.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	TP19-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1795.0	-	-	-
E	-	-	TL19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	845.0	-	-	-
E	-	-	TG19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1725.0	-	-	-
E	-	-	TN19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1995.0	-	-	-
E	-	-	TH19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	895.0	-	-	-


Connector Name N05_8807
 Part Number 3551896C1
 Instances Center Chassis Ground Splice Packs
 8802/8805/8807/8809:Diagram1
 Mates SP-0003-00-10-N0C-8807



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	SL11-GA	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	3010.0	-	1	9717B
B	-	-	SL10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1920.0	-	-	-
C	-	-	TA39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1920.0	-	-	-
C	-	-	NH39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	800.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	PF39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1295.0	-	-	-
C	-	-	UB39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2710.0	-	-	-
D	-	-	NP39-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	875.0	-	-	-
D	-	-	PK39-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1810.0	-	-	-
D	-	-	PH39-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1200.0	-	-	-
D	-	-	NN39-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1925.0	-	-	-
F	-	-	ND11-GD	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	250.0	-	-	-
F	-	-	PV11-GBB	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	2450.0	-	-	-


Connector Name N05_8809
 Part Number 3551896C1
 Instances Center Chassis Ground Splice Packs
 8802/8805/8807/8809:Diagram1
 Mates SP-0003-00-10-N0A-8809



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	SL11-GB	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	2060.0	-	1	9717B
C	-	-	NT10-GS	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2895.0	-	-	-
C	-	-	ZE10-GR	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	3020.0	-	-	-
C	-	-	RA10-GR	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2250.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	YN65-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2895.0	-	-	-
D	-	-	YK11-GD	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	215.0	-	-	-
D	-	-	YH112-GD	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1645.0	-	-	-
D	-	-	YJ11-GD	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	180.0	-	-	-
D	-	-	YM65-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1125.0	-	-	-
E	-	-	RL49-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2870.0	-	-	-
F	-	-	XM59-G	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	1700.0	-	A	N05_8805

Connector Name N05_9512A
 Part Number 3678796C1
 Instances Bendix; Tractor or Towing Truck; N/ Air SUSP; J1939 Driven Lamp:Diagram1
 Bendix; Tractor or Towing Truck; W/ Air SUSP; J1939 Driven Lamp:Diagram1
 Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1
 Mates SOL-TCV_BENDIX-3026-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	VP94SJ	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2710.0	-	49	1701F
2	-	-	VP94SK	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2710.0	-	69	1701F

Connector Name N05_9513A
 Part Number 1686834C1
 Instances Bendix; Tractor or Towing Truck; N/ Air SUSP; J1939 Driven
 Lamp:Diagram1
 Bendix; Tractor or Towing Truck; W/ Air SUSP; J1939 Driven
 Lamp:Diagram1
 Mates MDL-TRAILER-3026-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	VS94SM	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2905.0	-	47	1701F
B	-	-	VS94SN	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2905.0	-	48	1701F
C	-	-	VS94SL	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2905.0	-	46	1701F

Connector Name N05_9514F
 Part Number 3601685C1
 Instances Bendix; Tractor or Towing Truck; N/ Air SUSP; J1939 Driven Lamp:Diagram1
 Bendix; Tractor or Towing Truck; W/ Air SUSP; J1939 Driven Lamp:Diagram1
 Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1
 Mates SNSR-YAW_RATE-3026-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	TF94SAB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4355.0	-	54	1701F
2	-	-	TF94SCB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4355.0	-	55	1701F
3	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-

Connector Name P01_9000
 Part Number 2206587C1
 Instances Compressed Air Supply (Primary & Secondary Guage)(W/2 in 1 Inverter):Diagram1
 Mates DEV-QX_INVERTER-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	M77	-	0.0	18.0	-	RED	0.0	-	1	P01_9001
2	-	-	M77-G	-	0.0	18.0	-	RED	0.0	-	2	P01_9001

Connector Name P01_9001
 Part Number 2206588C1
 Instances Compressed Air Supply (Primary & Secondary Guage)(W/2 in 1 Inverter):Diagram1
 Mates DEV-AIR_COMPRESSOR-01



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	M77	-	0.0	18.0	-	RED	0.0	-	1	P01_9000
2	-	-	M77-G	-	0.0	18.0	-	RED	0.0	-	2	P01_9000


Connector Name P02_6081
 Part Number 6132204C1
 Instances Battery Management System:Diagram1
 CAN Network:HV Power J1939 (500Kbps)
 Mates DEV-SWITCH_BOX-01



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	N14D	-	0.0	18.0	-	RED	0.0	-	PIN1	-
2	-	-	N14E	-	0.0	18.0	-	RED	0.0	-	PIN1	-
4	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	WIRE775 729	-	0.0	-	-	-	0.0	-	PIN1	-
5	-	-	-	-	-	-	-	-	-	-	-	-
5	-	-	WIRE775 721	-	0.0	-	-	-	0.0	-	PIN1	-
7	-	-	-	-	-	-	-	-	-	-	-	-
7	-	-	WIRE775 844	-	0.0	-	-	-	0.0	-	E	P02_6090
8	-	-	-	-	-	-	-	-	-	-	-	-
8	-	-	WIRE775 847	-	0.0	-	-	-	0.0	-	F	P02_6090
10	-	-	N11D	-	0.0	18.0	-	BLACK	0.0	-	PIN1	-
11	-	-	N11E	-	0.0	18.0	-	BLACK	0.0	-	PIN1	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
13	-	-	N97H	-	0.0	18.0	-	PINK	0.0	-	PIN1	-

Connector Name P02_6084
 Part Number 4243345C1
 Instances CAN Network:HV Controls J1939 (500Kbps)
 Charging System (W/VCU) Dual DC/DC Converter:Diagram1
 Mates DEV-DC/DC_CONVERTER_2-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	N13C	-	0.0	18.0	-	PINK	0.0	-	PIN1	-
2	-	-	N11B	-	0.0	18.0	-	WHITE	0.0	-	PIN1	-
3	-	-	N11C	-	0.0	18.0	-	WHITE	0.0	-	PIN1	-
5	-	-	-	-	-	-	-	-	-	-	-	-
5	-	-	WIRE775 654	-	0.0	-	-	-	0.0	-	PIN1	-
6	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	WIRE775 655	-	0.0	-	-	-	0.0	-	PIN1	-
7	-	-	N27A	-	0.0	18.0	-	TAN	0.0	-	PIN1	-
8	-	-	N27A-G	-	0.0	18.0	-	WHITE	0.0	-	PIN1	-

Connector Name P02_6085
 Part Number 4243345C1
 Instances CAN Network:HV Controls J1939 (500Kbps)
 Charging System (W/VCU) Dual DC/DC Converter:Diagram1
 Mates DEV-DC/DC_CONVERTER_1-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	N13D	-	0.0	18.0	-	PINK	0.0	-	PIN1	-
5	-	-	-	-	-	-	-	-	-	-	-	-
5	-	-	WIRE775 660	-	0.0	-	-	-	0.0	-	PIN1	-
6	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	WIRE775 658	-	0.0	-	-	-	0.0	-	PIN1	-
7	-	-	N27B	-	0.0	18.0	-	TAN	0.0	-	PIN1	-
8	-	-	N278-G	-	0.0	18.0	-	WHITE	0.0	-	PIN1	-

Connector Name P02_6086
 Part Number 4173578C1
 Instances CAN Network:HV Controls J1939 (500Kbps)
 Mates Terminating Resistor




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE775664	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE775663	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name P02_6090
 Part Number 3580540C1
 Instances CAN Network:HV Power J1939 (500Kbps)
 Mates K03_6090




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	WIRE775844	-	0.0	-	-	-	0.0	-	7	P02_6081
F	-	-	WIRE775847	-	0.0	-	-	-	0.0	-	8	P02_6081
R	-	-	WIRE775728	-	0.0	-	-	-	0.0	-	PIN1	-
S	-	-	WIRE775722	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name P02_6090
 Part Number 3580540C1
 Instances CAN Network:HV Controls J1939 (500Kbps)
 Mates K03_6090




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE775653	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE775656	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name P02_6090
 Part Number 3580540C1
 Instances Battery Management System:Diagram2
 Hybrid Auxiliary Power Generator for HEV (DC/AC
 Inverter):Diagram1
 Vehicle Control Unit (VCU):Diagram1
 Mates K03_6090




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	N32A	-	0.0	18.0	-	TAN	0.0	-	-	-
K	-	-	N97C	-	0.0	18.0	-	VIOLET	0.0	-	PIN1	-
M	-	-	N97D	-	0.0	18.0	-	VIOLET	0.0	-	6	P02_6092
P	-	-	N19B	-	0.0	18.0	-	GREY	0.0	-	-	-

Connector Name P02_6090
 Part Number 3580540C1
 Instances Battery Management System:Diagram1
 Charging System (W/VCU) Dual DC/DC Converter:Diagram1
 High-Voltage Distribution Module (HVDM):Diagram1
 High-Voltage Interlock:Diagram1
 Mates K03_6090




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	N6A	-	0.0	18.0	-	GREY	0.0	-	PIN1	-
G	-	-	N97A	-	0.0	18.0	-	VIOLET	0.0	-	PIN1	-
H	-	-	N13A	-	0.0	18.0	-	PINK	0.0	-	7	P02_6092
J	-	-	N97B	-	0.0	18.0	-	VIOLET	0.0	-	PIN1	-
L	-	-	N13B	-	0.0	18.0	-	PINK	0.0	-	PIN1	-
N	-	-	N19A	-	0.0	18.0	-	GREY	0.0	-	3	P02_6092

Connector Name P02_6091
 Part Number 3580539C1
 Instances Battery Management System:Diagram2
 Charging System (W/VCU) Dual DC/DC Converter:Diagram1
 High-Voltage Distribution Module (HVDM):Diagram1
 Hybrid Auxiliary Power Generator for HEV (DC/AC Inverter):Diagram1
 Mates K03_6091




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	N97E	-	0.0	18.0	-	VIOLET	0.0	-	5	P02_6092
E	-	-	N14A	-	0.0	16.0	-	RED	0.0	-	PIN1	-
H	-	-	N97G	-	0.0	18.0	-	VIOLET	0.0	-	4	P02_6092
R	-	-	N11M	-	0.0	14.0	-	WHITE	0.0	-	PIN1	-
S	-	-	N11A	-	0.0	14.0	-	WHITE	0.0	-	PIN1	-
S	-	-	N11A	-	0.0	14.0	-	WHITE	0.0	-	-	-

Connector Name P02_6091
 Part Number 3580539C1
 Instances Battery Management System:Diagram1
 High-Voltage Interlock:Diagram1
 Mates K03_6091



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F	-	-	N14B	-	0.0	16.0	-	RED	0.0	-	PIN1	-
G	-	-	N14C	-	0.0	16.0	-	RED	0.0	-	1	P02_6092
R	-	-	N11M	-	0.0	14.0	-	WHITE	0.0	-	PIN1	-
S	-	-	N11A	-	0.0	14.0	-	WHITE	0.0	-	PIN1	-


Connector Name P02_6092
 Part Number 3601923C1
 Instances Battery Management System:Diagram2
 CAN Network:HV Power J1939 (500Kbps)
 High-Voltage Distribution Module (HVDM):Diagram1
 High-Voltage Interlock:Diagram1
 Mates DEV-HVDM-01



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	N14C	-	0.0	16.0	-	RED	0.0	-	G	P02_6091
1	-	-	N14C	-	0.0	16.0	-	RED	0.0	-	-	-
2	-	-	N11F	-	0.0	18.0	-	WHITE	0.0	-	PIN1	-
3	-	-	N19A	-	0.0	18.0	-	GREY	0.0	-	N	P02_6090
3	-	-	N19A	-	0.0	18.0	-	GREY	0.0	-	-	-
4	-	-	N97G	-	0.0	18.0	-	VIOLET	0.0	-	H	P02_6091
4	-	-	N97G	-	0.0	18.0	-	VIOLET	0.0	-	-	-
5	-	-	N97E	-	0.0	18.0	-	VIOLET	0.0	-	B	P02_6091
5	-	-	N97E	-	0.0	18.0	-	VIOLET	0.0	-	-	-
6	-	-	N97D	-	0.0	18.0	-	VIOLET	0.0	-	M	P02_6090
6	-	-	N97D	-	0.0	18.0	-	VIOLET	0.0	-	-	-
7	-	-	N13A	-	0.0	18.0	-	PINK	0.0	-	H	P02_6090
8	-	-	N97M	-	0.0	18.0	-	VIOLET	0.0	-	PIN1	-
8	-	-	N97M	-	0.0	18.0	-	VIOLET	0.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
10	-	-	-	-	-	-	-	-	-	-	-	-
10	-	-	WIRE775731	-	0.0	-	-	-	0.0	-	PIN1	-
11	-	-	-	-	-	-	-	-	-	-	-	-
11	-	-	WIRE775724	-	0.0	-	-	-	0.0	-	PIN1	-
12	-	-	N6C	-	0.0	18.0	-	GREY	0.0	-	PIN1	-
12	-	-	N6C	-	0.0	18.0	-	GREY	0.0	-	-	-

Connector Name P02_6094
 Part Number 4283563C1
 Instances CAN Network:HV Controls J1939 (500Kbps)
 Hybrid Auxiliary Power Generator for HEV (DC/AC
 Inverter):Diagram1
 Mates DEV-TPIM-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	WIRE775665	-	0.0	-	-	-	0.0	-	PIN1	-
C	-	-	-	-	-	-	-	-	-	-	-	-
D	-	-	WIRE775666	-	0.0	-	-	-	0.0	-	PIN1	-
D	-	-	-	-	-	-	-	-	-	-	-	-
E	-	-	N14F	-	0.0	18.0	-	RED	0.0	-	PIN1	-
F	-	-	N14G	-	0.0	18.0	-	RED	0.0	-	PIN1	-
G	-	-	N97J	-	0.0	18.0	-	VIOLET	0.0	-	PIN1	-
K	-	-	N19B	-	0.0	18.0	-	GREY	0.0	-	-	-
L	-	-	N11G	-	0.0	18.0	-	WHITE	0.0	-	PIN1	-
M	-	-	N11H	-	0.0	18.0	-	WHITE	0.0	-	PIN1	-

Connector Name P02_6097A
 Part Number 4173578C1
 Instances Hybrid Auxiliary Power Generator for HEV (DC/AC Inverter):Diagram1
 Mates DEV-TPIM_RESISTOR_A-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	N97L	-	0.0	18.0	-	VIOLET	0.0	-	PIN1	-
B	-	-	N11L	-	0.0	18.0	-	WHITE	0.0	-	PIN1	-

Connector Name P02_6097B
 Part Number 4173578C1
 Instances Hybrid Auxiliary Power Generator for HEV (DC/AC Inverter):Diagram1
 Mates DEV-TPIM_RESISTOR_B-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	N97P	-	0.0	18.0	-	VIOLET	0.0	-	PIN1	-
B	-	-	N11P	-	0.0	18.0	-	WHITE	0.0	-	PIN1	-

Connector Name P02_6098
 Part Number 4173578C1
 Instances Battery Management System:Diagram1
 Mates DEV-BMS_RESISTOR-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	N97K	-	0.0	18.0	-	VIOLET	0.0	-	PIN1	-
B	-	-	N11K	-	0.0	18.0	-	WHITE	0.0	-	PIN1	-

Connector Name P02_6100
 Part Number 3863609C1
 Instances Charging System (W/VCU) Dual DC/DC Converter:Diagram1
 Mates 12 Volt




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	N27C	-	0.0	18.0	-	TAN	0.0	-	PIN1	-

Connector Name P02_6101
 Part Number 3863609C1
 Instances Charging System (W/VCU) Dual DC/DC Converter:Diagram1
 Mates 12 Volt




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	N27C-G	-	0.0	18.0	-	WHITE	0.0	-	PIN1	-

Connector Name P02_8000
 Part Number 4173578C1
 Instances CAN Network:HV Power J1939 (500Kbps)
 Mates TERMINATING RESISTOR




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE775732	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE775725	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name P03_6055
 Part Number 3539140C1
 Instances CAN Network:HV Power J1939 (500Kbps)
 Mates K03_6055




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	WIRE775843	-	0.0	-	-	-	0.0	-	E2	P03_7875
2	-	-	WIRE775842	-	0.0	-	-	-	0.0	-	F2	P03_7875

Connector Name P03_6055
 Part Number 3539140C1
 Instances Charge Port Monitoring OCI System:Diagram1
 Mates K03_6055




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	P13	-	0.0	18.0	-	PINK	0.0	-	J3	P03_7875
5	-	-	P14	-	0.0	18.0	-	RED	0.0	-	M4	P03_7875

Connector Name P03_7850
 Part Number 3589991C1
 Instances Charge Port Monitoring OCI System:Diagram1
 Mates DEV-CCS_INLET_SIGNAL-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	P97A	-	0.0	18.0	-	VIOLET	0.0	-	A2	P03_7875
2	-	-	P97B	-	0.0	18.0	-	VIOLET	0.0	-	J2	P03_7875
3	-	-	P97C	-	0.0	18.0	-	VIOLET	0.0	-	K2	P03_7875
4	-	-	P97D	-	0.0	18.0	-	VIOLET	0.0	-	A3	P03_7875
5	-	-	P9A	-	0.0	18.0	-	GREY	0.0	-	PIN1	-
6	-	-	P97E	-	0.0	18.0	-	VIOLET	0.0	-	L3	P03_7875
7	-	-	P97F	-	0.0	18.0	-	VIOLET	0.0	-	M3	P03_7875
8	-	-	P97H	-	0.0	18.0	-	VIOLET	0.0	-	B4	P03_7875
9	-	-	P9B	-	0.0	18.0	-	GREY	0.0	-	PIN1	-
10	-	-	P9C	-	0.0	18.0	-	GREY	0.0	-	PIN1	-
11	-	-	P11	-	0.0	16.0	-	WHITE	0.0	-	L2	P03_7875
12	-	-	P10	-	0.0	18.0	-	WHITE	0.0	-	M2	P03_7875

Connector Name P03_7852
 Part Number 4088967C1
 Instances Charge Port Monitoring OCI System:Diagram1
 Mates DEV-LED_CHARGING_BUTTON-01



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	P9E	-	0.0	18.0	-	GREY	0.0	-	C4	P03_7875
2	-	-	P9F	-	0.0	18.0	-	GREY	0.0	-	D4	P03_7875
3	-	-	P97J	-	0.0	18.0	-	VIOLET	0.0	-	F4	P03_7875
4	-	-	P97K	-	0.0	18.0	-	VIOLET	0.0	-	G4	P03_7875
5	-	-	P97L	-	0.0	18.0	-	VIOLET	0.0	-	H4	P03_7875
6	-	-	P9G	-	0.0	18.0	-	GREY	0.0	-	E4	P03_7875


Connector Name P03_7875
 Part Number 4258263C1
 Instances CAN Network:HV Power J1939 (500Kbps)
 Charge Port Monitoring OCI System:Diagram1
 Mates DEV-OCI-01



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A2	-	-	P97A	-	0.0	18.0	-	VIOLET	0.0	-	1	P03_7850
A3	-	-	P97D	-	0.0	18.0	-	VIOLET	0.0	-	4	P03_7850
B3	-	-	P9D	-	0.0	18.0	-	GREY	0.0	-	PIN1	-
B4	-	-	P97H	-	0.0	18.0	-	VIOLET	0.0	-	8	P03_7850
C4	-	-	P9E	-	0.0	18.0	-	GREY	0.0	-	1	P03_7852
D4	-	-	P9F	-	0.0	18.0	-	GREY	0.0	-	2	P03_7852
E2	-	-	WIRE775 843	-	0.0	-	-	-	0.0	-	1	P03_6055
E4	-	-	P9G	-	0.0	18.0	-	GREY	0.0	-	6	P03_7852
F2	-	-	WIRE775 842	-	0.0	-	-	-	0.0	-	2	P03_6055
F4	-	-	P97J	-	0.0	18.0	-	VIOLET	0.0	-	3	P03_7852
G4	-	-	P97K	-	0.0	18.0	-	VIOLET	0.0	-	4	P03_7852
H4	-	-	P97L	-	0.0	18.0	-	VIOLET	0.0	-	5	P03_7852
J2	-	-	P97B	-	0.0	18.0	-	VIOLET	0.0	-	2	P03_7850


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
J3	-	-	P13	-	0.0	18.0	-	PINK	0.0	-	4	P03_6055
K2	-	-	P97C	-	0.0	18.0	-	VIOLET	0.0	-	3	P03_7850
L2	-	-	P11	-	0.0	16.0	-	WHITE	0.0	-	11	P03_7850
L3	-	-	P97E	-	0.0	18.0	-	VIOLET	0.0	-	6	P03_7850
M2	-	-	P10	-	0.0	18.0	-	WHITE	0.0	-	12	P03_7850
M3	-	-	P97F	-	0.0	18.0	-	VIOLET	0.0	-	7	P03_7850
M4	-	-	P14	-	0.0	18.0	-	RED	0.0	-	5	P03_6055

Connector Name P04_9000
 Part Number 3850730C1
 Instances Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU):Diagram1 - HVAC
 Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU):Diagram3 - Sensors
 Mates DEV-RADIATOR_MODULE-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	K6B	-	0.0	18.0	-	GREY	0.0	-	4	P04_9001
2	-	-	K40B	-	0.0	20.0	-	WHITE	0.0	-	2	P04_9001
3	-	-	K41B	-	0.0	20.0	-	BROWN	0.0	-	3	P04_9001
4	-	-	K9-GB	-	0.0	20.0	-	BLACK	0.0	-	1	P04_9001
5	-	-	K6A	-	0.0	20.0	-	RED	0.0	-	4	P04_9002
6	-	-	K40A	-	0.0	20.0	-	WHITE	0.0	-	2	P04_9002
7	-	-	K41A	2645624 R1	0.35	22.0	Thin Wall XLPE Primary Cable	TAN	0.0	-	3	P04_9002
8	-	-	K9-GA	-	0.0	20.0	-	BLACK	0.0	-	1	P04_9002
10	-	-	K77A	-	0.0	20.0	-	DARK BLUE	0.0	-	A	P04_9003
11	-	-	K75-G	-	0.0	18.0	-	WHITE	0.0	-	B	P04_9003

Connector Name P04_9001
 Part Number 3600324C1
 Instances Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU):Diagram3 - Sensors
 Mates DEV-COND_P/T_SENSOR-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	K9-GB	-	0.0	20.0	-	BLACK	0.0	-	4	P04_9000
2	-	-	K40B	-	0.0	20.0	-	WHITE	0.0	-	2	P04_9000
3	-	-	K41B	-	0.0	20.0	-	BROWN	0.0	-	3	P04_9000
4	-	-	K6B	-	0.0	18.0	-	GREY	0.0	-	1	P04_9000

Connector Name P04_9002
 Part Number 3600324C1
 Instances Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU):Diagram3 - Sensors
 Mates DEV-EVAP_P/T_SENSOR-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	K9-GA	-	0.0	20.0	-	BLACK	0.0	-	8	P04_9000
2	-	-	K40A	-	0.0	20.0	-	WHITE	0.0	-	6	P04_9000
3	-	-	K41A	2645624 R1	0.35	22.0	Thin Wall XLPE Primary Cable	TAN	0.0	-	7	P04_9000
4	-	-	K6A	-	0.0	20.0	-	RED	0.0	-	5	P04_9000

Connector Name P04_9003
 Part Number 3543888C1
 Instances Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU):Diagram1 - HVAC
 Mates M01_8900




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	K77A	-	0.0	20.0	-	DARK BLUE	0.0	-	10	P04_9000
B	-	-	K75-G	-	0.0	18.0	-	WHITE	0.0	-	11	P04_9000

Connector Name P13721
 Part Number 3867402C1
 Instances Hig-Voltage Power Distribution System:Diagram1
 Mates DEV-A/C_VFD_DRIVE-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	4275232 C91	-	0.0	-	-	-	0.0	-	1	P13724

Connector Name P13723
 Part Number 3867402C1
 Instances Hig-Voltage Power Distribution System:Diagram1
 Mates DEV-A/C_VFD_DRIVE-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	4275232 C91	-	0.0	-	-	-	0.0	-	2	P13724

Connector Name P16400
 Part Number 3544688C1
 Instances Over The Air Electrical I/O (OnCommand Link / N2
 Module:Diagram1
 Mates D49_2000F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	AD63-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	510.0	-	-	-

Connector Name P4X_1
 Part Number RING-M-8_0
 Instances Chassis PDM:Diagram1
 Mates Chassis PDM




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	14B	2645970 R1	101.95	0.0	SGR 125	RED	300.0	-	-	-

Connector Name P4X_2
 Part Number RING-M-8_0
 Instances Power Lift Gate:Diagram1
 Mates RLY-Power_Lift_Gate_Relay- 2038-02-01B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	14B	2645970 R1	101.95	0.0	SGR 125	RED	300.0	-	-	-

Connector Name P4Y_1
 Part Number RING-M-8_0
 Instances Power Lift Gate:Diagram1
 Mates RLY-Power_Lift_Gate_Relay- 2038-02-01B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	14A	2645964 R1	61.89	0.0	SGR 125	RED	8840.0	-	A	P4Y_2

Connector Name P4Y_2
 Part Number BLUNT_SL_VC
 Instances Power Lift Gate:Diagram1
 Mates BLNT-Lift_Gate_PWR-2038-02 -01B

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	14A	2645964 R1	61.89	0.0	SGR 125	RED	8840.0	-	A	P4Y_1


Connector Name P464
 Part Number 3767197C1
 Instances Hazard Warning Light N/Trlr Socket:Diagram1-Combination1
 Hazard Warning Light N/Trlr Socket:Diagram1-Combination2
 Mates SW-HAZARD-1014-04-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AD60-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	740.0	-	-	-
2	-	-	AA60A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1475.0	-	A6	J7-1607
3	-	-	AC60C	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1310.0	-	X	-
3	-	-	AB60C	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1310.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	KA60B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	500.0	-	X	-

Connector Name P5D_4028C
 Part Number RING-M-10_0
 Instances Chassis PDM:Diagram1
 Mates Chassis PDM




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	M14A-FL	2643473 R1	4.81	10.0	FUSEABLE LINK	RUST	150.0	-	X	-
1	-	-	N14X-FL	2643473 R1	4.81	10.0	FUSEABLE LINK	RUST	150.0	-	-	-
1	-	-	N14Y-FL	2643116 R1	3.01	12.0	FUSEABLE LINK	BLUE	150.0	-	X	-

Connector Name P7S_72
 Part Number 1661375C2
 Instances Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1
 Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
 Lights:Diagram1
 License Plate Light (LED BOX LAMP Tail Light):Diagram1
 Rear Light (LED BOX LAMP Tail Light):Diagram1
 Mates LT-RS_TAIL_ASSY-1002-02-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	57	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	1390.0	-	C	71
D	-	-	68B	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1200.0	-	X	-
E	-	-	10-GB	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1200.0	-	X	-

Connector Name P7S_73
 Part Number 1661375C2
 Instances Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1
 Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
 Lights:Diagram1
 License Plate Light (LED BOX LAMP Tail Light):Diagram1
 Rear Light (LED BOX LAMP Tail Light):Diagram1
 Mates LT-LS_TAIL_ASSY-1002-02-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	56	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	740.0	-	B	71
D	-	-	68A	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	550.0	-	X	-
E	-	-	10-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	550.0	-	X	-


Connector Name P80_71
 Part Number 1661375C2
 Instances Backup Light (W/VCU) Dual Daisy Reverse Light:Diagram1
 Directional Signal (Turn) W/ DAISY CHAIN BOX
 LAMPS:Diagram1
 Directional Signal (Turn) W/ Daisy Chain Box Lamps W/Plow
 Lights:Diagram1
 License Plate Light (LED BOX LAMP Daisy Chain Tail
 Light):Diagram1
 Rear Light (Tail Light) W/Daisy Chain pair of Box
 Lamps:Diagram1
 Rear Lights (Stop) (W/VCU) W/Daisy Chain:Diagram1
 Mates DEV-DAISY_CHAIN_TAIL_LEFT_LAMP-02



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	S71C	2643694 R1	1.91	14.0	Std. Wall XLPE Primary Cable	LIGHT BLUE	1385.0	-	A	P80_72
B	-	-	S68C	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1385.0	-	B	P80_72
C	-	-	S57B	2643687 R1	1.91	14.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1385.0	-	C	R80_72
C	-	-	S57B	2643687 R1	1.91	14.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1385.0	-	C	P80_72


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	S10-GC	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1385.0	-	E	P80_72
E	-	-	S10-GC	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1385.0	-	E	R80_72

Connector Name P80_72
 Part Number 1661375C2
 Instances Backup Light (W/VCU) Dual Daisy Reverse Light:Diagram1
 Directional Signal (Turn) W/ DAISY CHAIN BOX
 LAMPS:Diagram1
 Directional Signal (Turn) W/ Daisy Chain Box Lamps W/Plow
 Lights:Diagram1
 License Plate Light (LED BOX LAMP Daisy Chain Tail
 Light):Diagram1
 Rear Light (Tail Light) W/Daisy Chain pair of Box
 Lamps:Diagram1
 Mates DEV-DAISY_CHAIN_TAIL_RIGHT_LAMP-02




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	S71C	2643694 R1	1.91	14.0	Std. Wall XLPE Primary Cable	LIGHT BLUE	1385.0	-	A	P80_71
B	-	-	S68C	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1385.0	-	B	P80_71
C	-	-	S57B	2643687 R1	1.91	14.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1385.0	-	C	P80_71
E	-	-	S10-GC	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1385.0	-	E	P80_71

Connector Name Ring Terminal
 Part Number 2241314C1
 Instances 12V Battery Disconnect (Switch Only):Diagram1
 Mates 12V Battery




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	R2H29R5042	2645964R1	61.89	0.0	Std. Wall 125C Battery Cable	RED	0.0	-	A	Ring Terminal

Connector Name Ring Terminal
 Part Number 2241344C1
 Instances VCU PDM and Underhood PDM:VCU Mounted PDM (PDM 1)
 and Underhood PDM (PDM 2)
 Mates CP-B1-K03-1C




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	4253477 C93	2645961 R1	49.99	0.0	Std. Wall 125C Battery Cable	RED	0.0	-	-	-

Connector Name Ring Terminal
 Part Number 2241345C1
 Instances VCU PDM and Underhood PDM:VCU Mounted PDM (PDM 1)
 and Underhood PDM (PDM 2)
 Mates BUS BAR_4154823C91




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	R2N22R1 266	2645965 R1	61.89	0.0	SGX NFLEX 125	RED	0.0	-	A	Ring Terminal

Connector Name Ring Terminal
 Part Number 2241345C1
 Instances VCU PDM and Underhood PDM:VCU Mounted PDM (PDM 1)
 and Underhood PDM (PDM 2)
 Mates 12V BATTERY




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	R2N22R1 266	2645965 R1	61.89	0.0	SGX NFLEX 125	RED	0.0	-	A	Ring Terminal

Connector Name Ring Terminal
 Part Number 2241345C1
 Instances 12V Battery Disconnect (Switch Only):Diagram1
 Mates DEV-Battery_Disconnect_Switch-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	R2H29R5042	2645964R1	61.89	0.0	Std. Wall 125C Battery Cable	RED	0.0	-	A	Ring Terminal

Connector Name Ring Terminal
 Part Number 2241345C1
 Instances 12V Battery Disconnect (Switch Only):Diagram1
 Mates DEV-Battery_Disconnect_Switch-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	R2N22R1266	2645965R1	61.89	0.0	SGX NFLEX 125	RED	0.0	-	A	Ring Terminal

Connector Name Ring Terminal
 Part Number 2241345C1
 Instances 12V Battery Disconnect (Switch Only):Diagram1
 Mates BUS BAR_4154823C91




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	R2N22R1 266	2645965 R1	61.89	0.0	SGX NFLEX 125	RED	0.0	-	A	Ring Terminal

Connector Name Ring Terminal
 Part Number 2241346C1
 Instances VCU PDM and Underhood PDM:VCU Mounted PDM (PDM 1)
 and Underhood PDM (PDM 2)




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	R2H33R1030	2645964R1	61.89	0.0	Std. Wall 125C Battery Cable	RED	0.0	-	A	Ring Terminal

Connector Name Ring Terminal
 Part Number 2241346C1
 Instances VCU PDM and Underhood PDM:VCU Mounted PDM (PDM 1)
 and Underhood PDM (PDM 2)
 Mates BUS BAR_4154823C91




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	R2H33R1030	2645964R1	61.89	0.0	Std. Wall 125C Battery Cable	RED	0.0	-	A	Ring Terminal

Connector Name Ring Terminal
 Part Number 2241346C1
 Instances VCU PDM and Underhood PDM:VCU Mounted PDM (PDM 1)
 and Underhood PDM (PDM 2)
 Mates BUS-PDM 1_VCU_PDM_DIRTY




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	R233R1083	2645965R1	61.89	0.0	SGX NFLEX 125	RED	0.0	-	A	Ring Terminal

Connector Name Ring Terminal
 Part Number 2241346C1
 Instances VCU PDM and Underhood PDM:VCU Mounted PDM (PDM 1)
 and Underhood PDM (PDM 2)
 Mates BUS-PDM 2_UNDERHOOD_PDM_DIRTY




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	R233R1083	2645965R1	61.89	0.0	SGX NFLEX 125	RED	0.0	-	A	Ring Terminal

Connector Name Ring Terminal
 Part Number 2241346C1
 Instances 12V Battery Disconnect (Switch Only):Diagram1
 Mates BUS BAR_4154823C91




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	R2H33R1030	2645964R1	61.89	0.0	Std. Wall 125C Battery Cable	RED	0.0	-	A	Ring Terminal

Connector Name Ring Terminal
 Part Number 2241346C1
 Instances 12V Battery Disconnect (Switch Only):Diagram1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	R2H33R1030	2645964R1	61.89	0.0	Std. Wall 125C Battery Cable	RED	0.0	-	A	Ring Terminal

Connector Name Ring Terminal
 Part Number 2241358C1
 Instances VCU PDM and Underhood PDM:VCU Mounted PDM (PDM 1)
 and Underhood PDM (PDM 2)
 Mates BUS-PDM 2_UNDERHOOD_PDM_CLEAN




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	4252908 C93	2645950 R1	12.52	6.0	SGX NFLEX 125	RED	0.0	-	-	-

Connector Name Ring Terminal
 Part Number 2241358C1
 Instances VCU PDM and Underhood PDM:VCU Mounted PDM (PDM 1)
 and Underhood PDM (PDM 2)
 Mates BUS-PDM 1_VCU_PDM_DIRTY




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	4252908 C93	2645950 R1	12.52	6.0	SGX NFLEX 125	RED	0.0	-	A	Ring Terminal

Connector Name Ring Terminal
 Part Number 2241358C1
 Instances VCU PDM and Underhood PDM:VCU Mounted PDM (PDM 1)
 and Underhood PDM (PDM 2)
 Mates BUS-PDM 1_VCU_PDM_CLEAN




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	4252908 C93	2645950 R1	12.52	6.0	SGX NFLEX 125	RED	0.0	-	A	Ring Terminal

Connector Name Ring Terminal
 Part Number 2241358C1
 Instances VCU PDM and Underhood PDM:VCU Mounted PDM (PDM 1)
 and Underhood PDM (PDM 2)
 Mates BUS-PDM 2_UNDERHOOD_PDM_DIRTY




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	4252908 C93	2645950 R1	12.52	6.0	SGX NFLEX 125	RED	0.0	-	-	-

Connector Name Ring Terminal
 Part Number 2241361C1
 Instances Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU):Diagram1 - HVAC
 Mates DEV-RADIATOR_MODULE-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	4253477 C93	2645961 R1	49.99	0.0	Std. Wall 125C Battery Cable	RED	0.0	-	-	-

Connector Name R01_4950
 Part Number 3678796C1
 Instances Traction Control (Bendix, VCU):Diagram1
 Mates DEV-TRACTION_SOL-01



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	94BD	-	0.0	16.0	-	BROWN	0.0	-	1	9800
2	-	-	94BE	-	0.0	16.0	-	GREY	0.0	-	-	-

Connector Name R01_9303A
 Part Number 1661375C2
 Instances Backup Light (W/VCU) Dual Daisy Reverse Light:Diagram1
 Rear Lights (Stop) (W/VCU) W/Daisy Chain:Diagram1
 Mates DEV-DAISY_CHAIN_TAIL_LEFT_LAMP-02



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	71	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	190.0	-	1	R01_9800
B	-	-	56	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	740.0	-	-	-
C	-	-	57	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	1390.0	-	3	R01_9800
E	-	-	10-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	190.0	-	12	R01_9800


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	10-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	190.0	-	-	-

Connector Name R01_9555R
 Part Number 1661259C1
 Instances Vehicle Sound Generator:Diagram1
 Mates DEV-SOUND_GEN_REAR_SPEAKER -01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	86CB	-	0.0	18.0	-	LIGHT GREEN	0.0	-	-	-
B	-	-	86DB	-	0.0	18.0	-	LIGHT GREEN	0.0	-	-	-

Connector Name R01_9767
 Part Number 1661778C1
 Instances End of Frame Aux Work Light (One Light N/Relay):Diagram1
 Mates W01_9719



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	65	-	0.0	16.0	-	ORANGE	0.0	-	-	-
B	-	-	65-G	-	0.0	16.0	-	WHITE	0.0	-	8	9800


Connector Name R01_9800
 Part Number 3558022C1
 Instances Backup Light (W/VCU) Dual Daisy Reverse Light:Diagram1
 Rear Lights (Stop) (W/VCU) W/Daisy Chain:Diagram1
 Mates N03_9800



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	71	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	190.0	-	A	R01_930 3A
2	-	-	56	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	740.0	-	-	-
3	-	-	57	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	1390.0	-	C	R01_930 3A
12	-	-	10-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	190.0	-	E	R01_930 3A


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
12	-	-	10-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	190.0	-	12	N03_9800

Connector Name R80_72
 Part Number 1661375C2
 Instances Rear Lights (Stop) (W/VCU) W/Daisy Chain:Diagram1
 Mates DEV-DAISY_CHAIN_TAIL_RIGHT_LAMP-02




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	S57B	2643687 R1	1.91	14.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1385.0	-	C	P80_71
E	-	-	S10-GC	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1385.0	-	E	P80_71

Connector Name Termianl 2
 Part Number 527859C1
 Instances Chassis PDM:Diagram1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	K14A	2645964 R1	61.89	0.0	Std. Wall 125C Battery Cable	RED	0.0	-	-	-

Connector Name W01_9719
 Part Number 3543888C1
 Instances End of Frame Aux Work Light (One Light N/Relay):Diagram1
 Mates R01_9767



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	J65	-	1.16	16.0	Std. Wall XLPE Primary Cable	BLACK	2800.0	-	A	W01_9720
B	-	-	J11-GK	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2800.0	-	B	W01_9720

Connector Name W01_9720
 Part Number 3543888C1
 Instances End of Frame Aux Work Light (One Light N/Relay):Diagram1
 Mates DEV-WORK_LIGHT_EOF-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	J65	-	1.16	16.0	Std. Wall XLPE Primary Cable	BLACK	2800.0	-	A	W01_9719
B	-	-	J11-GK	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2800.0	-	B	W01_9719

Connector Name W40-2990
 Part Number 1661259C1
 Instances Vehicle Data Recorder (No Display):Diagram1 - Seats
 Vehicle Data Recorder (W/ Display):Diagram1 - Seats
 Mates SW-REAR_PS_SEAT-2037-02-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	W11-GFA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2912.0	-	9	W40-8997
B	-	-	W11-GF	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2912.0	-	10	W40-8997

Connector Name W40-2991
 Part Number 1661260C1
 Instances Vehicle Data Recorder (No Display):Diagram1 - Seats
 Vehicle Data Recorder (W/ Display):Diagram1 - Seats
 Mates SW-REAR_PS_BELT-2037-02-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	W11-GMA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2912.0	-	11	W40-8997
B	-	-	W11-GM	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2912.0	-	12	W40-8997

Connector Name W40-2992
 Part Number 1661259C1
 Instances Vehicle Data Recorder (No Display):Diagram1 - Seats
 Vehicle Data Recorder (W/ Display):Diagram1 - Seats
 Mates SW-REAR_CTR_SEAT-2037-02-0 1A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	W11-GLA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2912.0	-	7	W40-8997
B	-	-	W11-GL	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2912.0	-	8	W40-8997

Connector Name W40-2993
 Part Number 1661260C1
 Instances Vehicle Data Recorder (No Display):Diagram1 - Seats
 Vehicle Data Recorder (W/ Display):Diagram1 - Seats
 Mates SW-REAR_CTR_BELT-2037-02-0 1A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	W11-GEA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2912.0	-	5	W40-8997
B	-	-	W11-GE	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2912.0	-	6	W40-8997

Connector Name W40-2994
 Part Number 1661259C1
 Instances Vehicle Data Recorder (No Display):Diagram1 - Seats
 Vehicle Data Recorder (W/ Display):Diagram1 - Seats
 Mates SW-REAR_DS_SEAT-2037-02-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	W11-GKA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2419.0	-	3	W40-8997
B	-	-	W11-GK	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2419.0	-	4	W40-8997

Connector Name W40-2995
 Part Number 1661260C1
 Instances Vehicle Data Recorder (No Display):Diagram1 - Seats
 Vehicle Data Recorder (W/ Display):Diagram1 - Seats
 Mates SW-REAR_DS_BELT-2037-02-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	W11-GDA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2419.0	-	1	W40-8997
B	-	-	W11-GD	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2419.0	-	2	W40-8997


Connector Name W40-8997
 Part Number 3627614C1
 Instances Vehicle Data Recorder (No Display):Diagram1 - Seats
 Vehicle Data Recorder (W/ Display):Diagram1 - Seats
 Mates A01-8997



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	W11-GDA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2419.0	-	A	W40-2995
2	-	-	W11-GD	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2419.0	-	B	W40-2995
3	-	-	W11-GKA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2419.0	-	A	W40-2994
4	-	-	W11-GK	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2419.0	-	B	W40-2994


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	W11-GEA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2912.0	-	A	W40-2993
6	-	-	W11-GE	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2912.0	-	B	W40-2993
7	-	-	W11-GLA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2912.0	-	A	W40-2992
8	-	-	W11-GL	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2912.0	-	B	W40-2992
9	-	-	W11-GFA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2912.0	-	A	W40-2990
10	-	-	W11-GF	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2912.0	-	B	W40-2990
11	-	-	W11-GMA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2912.0	-	A	W40-2991
12	-	-	W11-GM	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2912.0	-	B	W40-2991

Connector Name W43-100
 Part Number 4124472C1
 Instances Driver and Passenger Seats - RollTek (Hard Wired):Diagram1
 Mates DEV-DRIVER_SEAT_ROLTEK-01



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	179S4(+)	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	VIOLET	1600.0	-	1	W43-101
2	-	-	179S4(-)	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	VIOLET	1600.0	-	2	W43-101
3	-	-	179SRA(+)	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	VIOLET	1600.0	-	3	W43-101
4	-	-	179SRA(-)	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	VIOLET	1600.0	-	4	W43-101

Connector Name W43-101
 Part Number 4124471C1
 Instances Driver and Passenger Seats - RollTek (Hard Wired):Diagram1
 Mates ROLLTEK_ECU_PASSENGER-2056 -02-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	179S4(+)	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	VIOLET	1600.0	-	1	W43-100
2	-	-	179S4(-)	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	VIOLET	1600.0	-	2	W43-100
3	-	-	179SRA(+)	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	VIOLET	1600.0	-	3	W43-100
4	-	-	179SRA(-)	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	VIOLET	1600.0	-	4	W43-100

Connector Name W43-200
 Part Number 1661259C1
 Instances Driver and Passenger Seats - RollTek (Hard Wired):Diagram1
 Mates DEV-DRIVER_SEAT_ROLTEK-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	179SWCOM	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	VIOLET	1600.0	-	A	W43-201
B	-	-	179SW(N O)	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	VIOLET	1600.0	-	B	W43-201

Connector Name W43-201
 Part Number 1661260C1
 Instances Driver and Passenger Seats - RollTek (Hard Wired):Diagram1
 Mates ROLLTEK_ECU_PASSENGER-2056 -02-01



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	179SWCOM	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	VIOLET	1600.0	-	A	W43-200
B	-	-	179SW(N O)	3510346 R1	0.53	20.0	Thin Wall XLPE Primary Cable	VIOLET	1600.0	-	B	W43-200


Connector Name 0009B
 Part Number 4063156C1
 Instances Automatic Lighting:Diagram2
 Automatic Lighting - Dual Sensor Twilight/Solar:Diagram2
 City Horn (W/ 4PIN CLK & P. Brake):Diagram1-Combination2
 City Horn (W/ 4PIN CLK):Diagram1-Combination2
 Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination2
 Hazard Warning Light N/Trlr Socket:Diagram1-Combination2
 Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10
 PIN CLK:Diagram1-Combination2
 Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
 Combination2
 Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-
 Combination2
 Headlights W/O Lights ON With Wipers (LOWW) W/O
 Headlights Interrupt:Diagram1-Combination2
 Headlights W/O Lights ON with wipers (LOWW) W/ Headlights
 Interrupt:Diagram1-Combination2
 Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/
 LOWW W/Interrupt:Diagram1-Combination2
 Headlights W/PlowLights W/O Lights ON with wipers (LOWW)
 W/ Headlights Interrupt:Diagram1-Combination2
 Headlights W/Plowlights W/O Lights ON With Wipers (LOWW)
 W/O Headlights Interrupt:Diagram1-Combination2
 Instrument Cluster (Premium):Diagram1-Combination2
 Lane Departure Warning - (Bendix Fusion N/ Safety
 Direct):Diagram1-Combination2
 Lighting Control Module:Diagram2
 PARK LIGHTS - N/Marker Interrupt:Diagram1-Combination2
 PARK LIGHTS - W/Marker Interrupt 4 pin clockspring:Diagram1-
 Combination2
 PARK LIGHTS - W/Marker Interrupt 10pin
 CLCKSPRING:Diagram1-Combination2
 Radio w/Bluetooth:Diagram1-Combination2



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
A	-	-	AC13D	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1115.0	-	-	-
B	-	-	-	-	-	-	-	-	-	-	-	-
C	-	-	-	-	-	-	-	-	-	-	-	-
E	-	-	ZD50B	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2340.0	-	-	-
E	-	-	ZS50B	2645625 R1	0.35	22.0	Thin Wall XLPE Primary Cable	YELLOW 2	2340.0	-	-	-
E	-	-	ZS50B	2645625 R1	0.35	22.0	Thin Wall XLPE Primary Cable	YELLOW 2	2340.0	-	2	1053
E	-	-	ZD50A	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2340.0	-	B	1052
H	-	-	ZD50A	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2340.0	-	-	-
H	-	-	ZD50B	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2340.0	-	A	1052
J	-	-	AC11-GN	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1470.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
L	-	-	AC62	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1720.0	-	X	-
M	-	-	AC62DA	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	1065.0	-	-	-
P	-	-	AC50	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2220.0	-	E11	J5-1602
P	-	-	AC50	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2220.0	-	-	-
R	-	-	AC9	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	-	-
S	-	-	AC14D	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	895.0	-	-	-

Connector Name 0009
 Part Number 4063156C1
 Instances Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 1:Diagram1
 Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 2:Diagram1
 Automatic Lighting:Diagram1
 Automatic Lighting - Dual Sensor Twilight/Solar:Diagram1
 Auxiliary Trailer Power:Diagram1
 CAN Network:Low Speed J1939 (125Kbps)
 City Horn (W/ 4PIN CLK & P. Brake):Diagram1-Combination1
 City Horn (W/ 4PIN CLK):Diagram1-Combination1
 Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination1
 Door Pod Module (4 Door):Diagram1
 Exterior Lamp Check:Diagram1
 Fog Lights (Halogen White TOP MTG):Diagram1
 Fog Lights (LED White TOP MTG):Diagram1
 Front Fog Lamps:Diagram1
 Front Fog Lights W CONNECTOR:Diagram1
 Hazard Warning Light N/Trlr Socket:Diagram1-Combination1
 Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1
 Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination1
 Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination1
 Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination1
 Headlights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination1
 Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination1
 Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination1
 Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination1
 Instrument Cluster (Premium):Diagram1-Combination1
 Lane Departure Warning - (Bendix Fusion N/ Safety Direct):Diagram1-Combination1
 License Plate Light (LED BOX LAMP Daisy Chain Tail Light):Diagram1
 License Plate Light (LED BOX LAMP Tail Light):Diagram1
 License Plate Light (Tail Light Single Assy):Diagram1



License Plate Light (Tail Light Single Assy) Option2:Diagram1
 License Plate Light (Tail Light Single Assy) Option3:Diagram1
 License Plate Light (Tail Light Single Assy) W/Less Power
 Module:Diagram1
 Lighting Control Module:Diagram1
 Panel Backlighting (Cabin Dimmer):Diagram1
 PARK LIGHTS - N/Marker Interrupt:Diagram1-Combination1
 PARK LIGHTS - W/Marker Interrupt 4 pin clockspring:Diagram1-
 Combination1
 PARK LIGHTS - W/Marker Interrupt 10pin
 CLCKSPRING:Diagram1-Combination1
 Radio w/Bluetooth:Diagram1-Combination1
 Rear Light (LED BOX LAMP Tail Light):Diagram1
 Rear Light (Tail Light):Diagram1
 Rear Light (Tail Light) W/Daisy Chain pair of Box
 Lamps:Diagram1

Mates


MODU-LCM-A004-00-01

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AB13D	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2570.0	-	-	-
B	-	-	-	-	-	-	-	-	-	-	-	-
B	-	-	WIRE1647	-	0.0	-	-	-	0.0	-	PIN1	-
C	-	-	-	-	-	-	-	-	-	-	-	-
C	-	-	WIRE1648	-	0.0	-	-	-	0.0	-	PIN1	-
E	-	-	ZB50B	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1495.0	-	-	-
E	-	-	ZM50B	2645625 R1	0.35	22.0	Thin Wall XLPE Primary Cable	YELLOW 2	1495.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	ZM50B	2645625 R1	0.35	22.0	Thin Wall XLPE Primary Cable	YELLOW 2	1495.0	-	2	1053
E	-	-	ZB50A	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1495.0	-	B	1052
H	-	-	ZB50A	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1495.0	-	-	-
H	-	-	ZB50B	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1495.0	-	A	1052
J	-	-	AB11-GN	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	625.0	-	-	-
L	-	-	AB62	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	175.0	-	X	-
M	-	-	AB62DC	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	857.0	-	-	-
M	-	-	AB62DA	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	1020.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
P	-	-	AB50	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1125.0	-	E11	J5-1602
P	-	-	AB50	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1125.0	-	-	-
R	-	-	AB9	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1035.0	-	-	-
S	-	-	AB14D	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2350.0	-	-	-

Connector Name 1000A
 Part Number 4063415C1
 Instances Auxiliary Gauges (Secondary):Diagram1
 Auxiliary Gauges (Primary):Diagram1
 Mates MODU-AUX-0004-00-04A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	BG28A	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1095.0	-	B9	1500A
3	-	-	BG28B	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1095.0	-	B10	1500A
4	-	-	BG28C	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1095.0	-	B8	1500A

Connector Name 1000B
 Part Number 4063415C1
 Instances Auxiliary Gauges (Secondary):Diagram1
 Mates MODU-AUX-0004-00-04A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	Aux Gauge STS OUTC	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	210.0	-	1	1000C
3	-	-	Aux Gauge GND OUTA	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	210.0	-	3	1000C
4	-	-	Aux Gauge PWR OUTB	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	210.0	-	4	1000C

Connector Name 1000C
 Part Number 4063415C1
 Instances Auxiliary Gauges (Secondary):Diagram1
 Mates MODU-AUX-0004-00-04B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	Aux Gauge STS OUTC	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	210.0	-	1	1000B
3	-	-	Aux Gauge GND OUTA	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	210.0	-	3	1000B
4	-	-	Aux Gauge PWR OUTB	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	210.0	-	4	1000B

Connector Name 1004
 Part Number 2015884C1
 Instances Vehicle Sound Generator:Diagram1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	FA11-GAH	-	0.0	10.0	-	WHITE	0.0	-	1	-


Connector Name 100
 Part Number 3510243C1
 Instances Mirrors (Power) Control Switch Actuated:Diagram1-Combination2



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A1	-	-	EJ62D	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	420.0	-	X	-
A2	-	-	EJ78VA	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	370.0	-	X	-
A3	-	-	EJ78FA	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	470.0	-	X	-
A4	-	-	EJ78-GC	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	710.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B1	-	-	EJ78J	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1120.0	-	B	5010
B2	-	-	EJ78DA	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	320.0	-	X	-
B3	-	-	EJ78R	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1120.0	-	A	5010
B4	-	-	EJ78EA	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	270.0	-	X	-

Connector Name 1010
 Part Number 3768015C1
 Short Description B1
 Instances Battery Feed:Diagram 1
 Mates POWER DISTRIBUTION BOX



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	CD14AB	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	75.0	-	X	-
5	-	-	UL92BT	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2195.0	-	-	-
6	-	-	VJ70J	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	320.0	-	-	-
6	-	-	VG70J	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	320.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	AE98H	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2240.0	-	-	-
7	-	-	AD98H	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2240.0	-	-	-
8	-	-	AC14D	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	895.0	-	-	-
8	-	-	AB14D	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2350.0	-	-	-
10	-	-	CD14AC	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	75.0	-	X	-
13	-	-	AA14EE	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	1745.0	-	-	-
14	-	-	TA75AC	2643695 R1	3.01	12.0	Std. Wall XLPE Primary Cable	RED	3415.0	-	-	-
15	-	-	EB15	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1830.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
15	-	-	EE15	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2300.0	-	-	-
16	-	-	YD14CSB	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	2230.0	-	-	-
18	-	-	CD14AD	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	75.0	-	X	-
21	-	-	UC92DC	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1845.0	-	-	-
23	-	-	EN14KBB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2783.0	-	-	-
24	-	-	VW14ED	2643686 R1	1.91	14.0	Std. Wall XLPE Primary Cable	RED	3205.0	-	-	-
24	-	-	AN39	-	0.0	16.0	-	RED	0.0	-	-	-
26	-	-	CD14AE	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	75.0	-	X	-
29	-	-	SM86P	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1855.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
30	-	-	RD81B	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	2235.0	-	-	-
30	-	-	RG78V	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2235.0	-	-	-
31	-	-	AA14MUX	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1545.0	-	-	-
32	-	-	HN20	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2305.0	-	-	-
34	-	-	CD14AF	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	75.0	-	X	-
37	-	-	MK14TS	3510364 R1	0.53	20.0	Thin Wall XLPE Primary Cable	RED	1950.0	-	-	-
37	-	-	MQ14ED	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	4735.0	-	-	-
37	-	-	VW14EA	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	4785.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
37	-	-	MM14EB	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	385.0	-	-	-
37	-	-	MP14EA	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	4735.0	-	-	-
38	-	-	RC81A	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3045.0	-	-	-
39	-	-	XA94AY	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	3095.0	-	-	-
39	-	-	XE94AY	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	3210.0	-	-	-
40	-	-	LB17BA	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1720.0	-	-	-

Connector Name 1011
 Part Number 3768010C1
 Instances Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut):Diagram1
 Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option2:Diagram1
 Relays - Grid Management:Diagram1
 TEM _Electric Trailer Brake Controller Activated Stop LT:Diagram1
 Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes):Diagram1
 Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option2:Diagram1
 Windshield Wipers:Diagram1
 Mates POWER DISTRIBUTION BOX




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R1 - 30	-	-	VG70J	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	320.0	-	-	-
R1 - 30	-	-	VJ70J	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	320.0	-	-	-
R1 - 85	-	-	VG70-GT	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1935.0	-	-	-
R1 - 86	-	-	VG70D	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2350.0	-	F15	J4-1601

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R1 - 86	-	-	VJ70DA	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	365.0	-	X	-
R1 - 87	-	-	TJ70ET	3510369 R1	4.81	10.0	Thin Wall XLPE Primary Cable	RED	1195.0	-	X	-
R1 - 87	-	-	TK70T	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	2315.0	-	9	1701
R2 - 30	-	-	AA82P	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	0.0	-	R5 - 30	1011
R2 - 85	-	-	AA82M	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	225.0	-	X	-
R2 - 86	-	-	AA82F	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	E7	J4-1601
R2 - 87	-	-	AA82E	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	225.0	-	X	-
R2 - 87A	-	-	AA82J	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	3410.0	-	72	1703M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R4 - 30	-	-	CD14DA	3510369 R1	4.81	10.0	Thin Wall XLPE Primary Cable	RED	575.0	-	X	-
R4 - 85	-	-	AE11-GR	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1255.0	-	-	-
R4 - 86	-	-	EJ12S	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	255.0	-	X	-
R4 - 86	-	-	EH12C	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2825.0	-	A	J6-1606
R4 - 87	-	-	EH12D	3510344 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	245.0	-	-	-
R5 - 30	-	-	AA82P	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	0.0	-	R2 - 30	1011
R5 - 85	-	-	AA82N	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	225.0	-	X	-
R5 - 86	-	-	AA82H	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	E6	J4-1601

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R5 - 87	-	-	AA82K	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	3410.0	-	69	1703M
R5 - 87A	-	-	AA82L	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	3410.0	-	70	1703M


Connector Name 1012
 Part Number 3768010C1
 Instances Auxiliary Trailer Power:Diagram1
 WORK LIGHT With BackUP Alarm - 1 BULB:Diagram1-
 Combination1
 WORK LIGHT With BackUP Alarm - 1 BULB:Diagram1-
 Combination2
 Mates RLY-REV_ALARM/LT-3009-01-0 1A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R2 - 87	-	-	ZL71AC	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1805.0	-	-	-
R2 - 87	-	-	ZC71BA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2410.0	-	-	-
R2 - 87	-	-	ZJ71AB	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1805.0	-	-	-
R4 - 30	-	-	TH14SC	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	460.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
R4 - 85	-	-	TH72	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2445.0	-	E11	J4-1601
R4 - 86	-	-	TH72-GA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2030.0	-	-	-
R4 - 87	-	-	TH72A	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	2410.0	-	11	1701

Connector Name 1014
 Part Number 3768010C1
 Instances Relays - Grid Management:Diagram1
 Mates POWER DISTRIBUTION BOX




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R4 - 30	-	-	CD14DB	3510369 R1	4.81	10.0	Thin Wall XLPE Primary Cable	RED	580.0	-	X	-
R4 - 85	-	-	AE11-GY	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1380.0	-	-	-
R4 - 86	-	-	DJ13DF	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	420.0	-	X	-
R4 - 87	-	-	DJ13DG	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	525.0	-	-	-

Connector Name 1015
 Part Number 3768015C1
 Instances Key Switch Ignition:Diagram 1
 Mates POWER DISTRIBUTION BOX



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
14	-	-	DL13AB	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1000.0	-	-	-

Connector Name 1015
 Part Number 3768015C1
 Instances Key Switch Ignition:Diagram 1
 Mates POWER DISTRIBUTION BOX



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	DJ13DJ	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	230.0	-	X	-
5	-	-	MQ13EE	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	4955.0	-	-	-
5	-	-	MM13EE	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	4955.0	-	-	-
5	-	-	MK13TS	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	2170.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	VW13EE	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	5005.0	-	-	-
5	-	-	AA14A	2645255 R1	18.94	4.0	SGX FLEX 125C	RED	550.0	-	-	-
6	-	-	HJ87KA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2445.0	-	-	-
8	-	-	WD44Y	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2445.0	-	-	-
10	-	-	DJ13DK	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	230.0	-	X	-
13	-	-	KR59J	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2840.0	-	-	-
13	-	-	KT59JB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	290.0	-	-	-
13	-	-	KS59JB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	290.0	-	-	-
13	-	-	KU59JB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	290.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
15	-	-	ZL71AB	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3505.0	-	-	-
16	-	-	AB13D	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2570.0	-	-	-
16	-	-	AC13D	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1115.0	-	-	-
18	-	-	DJ13DL	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	230.0	-	X	-
21	-	-	SJ86P	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2455.0	-	-	-
21	-	-	SH86P	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	5440.0	-	-	-
22	-	-	RF78RP	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	490.0	-	-	-
23	-	-	AA13EA	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1965.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
24	-	-	UN92YD	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	1470.0	-	-	-
24	-	-	AA23M	-	0.0	12.0	-	RED	0.0	-	-	-
26	-	-	DJ13DM	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	230.0	-	X	-
29	-	-	YD67A	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	2200.0	-	-	-
29	-	-	YA67A	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	2445.0	-	-	-
30	-	-	KH39A	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2525.0	-	-	-
31	-	-	LL13B	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	375.0	-	-	-
32	-	-	MA97F	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	VIOLET	3620.0	-	-	-
34	-	-	DJ13DN	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	230.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
37	-	-	XA94V	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3315.0	-	-	-
37	-	-	XE94V	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	3430.0	-	-	-
38	-	-	KH39	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2525.0	-	-	-
39	-	-	YB67TA	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2525.0	-	-	-


Connector Name 1016
 Part Number 4100070C1
 Instances Relays - Grid Management:Diagram1
 Mates POWER DISTRIBUTION BOX



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R1 - 30	-	-	CD14C	3525611 R1	7.48	8.0	Thin Wall XLPE Primary Cable	RED	685.0	-	X	-
R1 - 87	-	-	CD14CA	3525611 R1	7.48	8.0	Thin Wall XLPE Primary Cable	RED	455.0	-	-	-
R2 - 30	-	-	CD14DC	3525611 R1	7.48	8.0	Thin Wall XLPE Primary Cable	RED	685.0	-	X	-
R2 - 85	-	-	AE11-GZ	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1485.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R2 - 86	-	-	DJ13DE	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	525.0	-	X	-
R2 - 87	-	-	DJ13DH	3525611 R1	7.48	8.0	Thin Wall XLPE Primary Cable	RED	170.0	-	-	-

Connector Name 1017
 Part Number 3768015C1
 Instances Battery Feed:Diagram 1
 Key Switch Accessory:Diagram 1
 Key Switch Ignition:Diagram 1
 Mates POWER DISTRIBUTION BOX



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	CD14CG	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	140.0	-	X	-
2	-	-	CD14CH	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	140.0	-	X	-
3	-	-	EH12J	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	120.0	-	X	-
4	-	-	CD14AG	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	280.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	NP14DCE	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	810.0	-	-	-
6	-	-	QF14A	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	4870.0	-	-	-
6	-	-	QE14A	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	3556.0	-	-	-
8	-	-	TJ14NS	3510296 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BLACK	2050.0	-	-	-
10	-	-	CD14CB	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	140.0	-	X	-
13	-	-	NE14A	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	2030.0	-	-	-
13	-	-	LJ104DA	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	460.0	-	-	-
14	-	-	JB86C	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1270.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
15	-	-	AA63BD	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2275.0	-	-	-
16	-	-	MH26D	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3445.0	-	-	-
16	-	-	MJ26D	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3445.0	-	-	-
17	-	-	CD14CC	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	140.0	-	X	-
18	-	-	CD14CD	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	140.0	-	X	-
19	-	-	CD14CE	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	140.0	-	X	-
20	-	-	CD14CF	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	140.0	-	X	-
21	-	-	KL18V	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	365.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
21	-	-	KK18V	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	365.0	-	-	-
22	-	-	TH14SC	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	460.0	-	-	-
22	-	-	VK14BA	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	460.0	-	-	-
23	-	-	JA84	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1420.0	-	-	-
25	-	-	EJ12H	3510342 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	120.0	-	X	-
26	-	-	EJ12E	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	120.0	-	X	-
27	-	-	EH12F	3510344 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	120.0	-	X	-
28	-	-	EJ12G	3510342 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	120.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
29	-	-	ZR12ZA	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	1220.0	-	-	-
30	-	-	SM86AE	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1900.0	-	-	-
31	-	-	SM86F	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2275.0	-	-	-
32	-	-	NC12B	3510340 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2030.0	-	-	-
34	-	-	DJ13DT	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	425.0	-	X	-
37	-	-	PB97DF	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	3445.0	-	-	-
37	-	-	AA10VA	-	0.0	18.0	-	RED	0.0	-	-	-
38	-	-	RM78AA	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	490.0	-	-	-
39	-	-	JE13U	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	1270.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
39	-	-	JC13UC	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	1520.0	-	-	-

Connector Name 1018
 Part Number 3768015C1
 Instances Battery Feed:Diagram 1
 Key Switch Ignition:Diagram 1
 Vehicle Data Recorder (No Display):Diagram2 - Recorder W/
 Display
 Vehicle Data Recorder (W/ Display):Diagram2 - Recorder W/
 Display
 Mates POWER DISTRIBUTION BOX



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	CD14BG	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	150.0	-	X	-
3	-	-	CD14BD	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	150.0	-	X	-
4	-	-	CD14BE	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	150.0	-	X	-
6	-	-	JD86C2	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1395.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	LL14G	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	290.0	-	-	-
8	-	-	XT40A	3510313 R1	1.91	14.0	Thin Wall XLPE Primary Cable	GREY	2235.0	-	-	-
10	-	-	CD14CJ	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	455.0	-	X	-
11	-	-	CD14BB	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	150.0	-	X	-
12	-	-	CD14BC	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	150.0	-	X	-
14	-	-	VN70JA	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	495.0	-	-	-
15	-	-	RD81D	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	3945.0	-	-	-
16	-	-	RD81DA	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	3945.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
18	-	-	CD14BA	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	150.0	-	X	-
21	-	-	AA73C	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1285.0	-	-	-
22	-	-	RK78E	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	525.0	-	-	-
23	-	-	ZF14SUN	2645629 R1	0.35	22.0	Thin Wall XLPE Primary Cable	RED	2890.0	-	-	-
24	-	-	JC84C	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1715.0	-	-	-
24	-	-	JE14UA	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1465.0	-	-	-
24	-	-	JC84	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1715.0	-	-	-
26	-	-	DJ13DP	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	250.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
26	-	-	DJ13DP	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	250.0	-	-	-
29	-	-	HR13X	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	2175.0	-	-	-
30	-	-	QU14R	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1575.0	-	-	-
30	-	-	QD105C	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3810.0	-	-	-
30	-	-	QZ13R3	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2320.0	-	-	-
30	-	-	QL13A	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1575.0	-	X	-
31	-	-	NP13DCG	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1035.0	-	-	-
32	-	-	QA13A	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	425.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
34	-	-	DJ13DG	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	525.0	-	-	-
37	-	-	AN22AA	-	0.0	16.0	-	PINK	0.0	-	-	-
38	-	-	JA13UA	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	1615.0	-	-	-
39	-	-	UL92#163	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2435.0	-	-	-
40	-	-	MQ98F	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1985.0	-	-	-

Connector Name 1018
 Part Number 3768015C1
 Instances Vehicle Data Recorder (No Display):Diagram2 - Recorder W/
 Display
 Vehicle Data Recorder (W/ Display):Diagram2 - Recorder W/
 Display
 Mates FUSE-A2-B9-P




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
26	-	-	DJ13DP	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	250.0	-	-	-
30	-	-	QL13A	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1575.0	-	X	-

Connector Name 1020
 Part Number 4063041C1
 Short Description PAGINATION CONTROL
 Instances Instrument Cluster (Premium):Diagram1-Combination1
 Instrument Cluster (Premium):Diagram1-Combination2
 Mates MODU-CDC-0004-00-04A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	NA28D	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1160.0	-	A9	J7-1607
2	-	-	NA9CDC	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	515.0	-	-	-
3	-	-	NA62F	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	500.0	-	-	-
4	-	-	NA11-GKF	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	1720.0	-	-	-


Connector Name 1021
 Part Number 3613769C1
 Instances Panel Light Dimmer Splice Pack - 1021:Diagram1
 Mates SP-Panel_Dimmer-B003-10-AA



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AC62DA	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	1065.0	-	-	-
1	-	-	AB62DA	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	1020.0	-	-	-
1	-	-	AB62DC	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	857.0	-	-	-
2	-	-	NA62F	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	500.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	YD62A	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1345.0	-	-	-
5	-	-	UL62Z	-	0.0	18.0	-	DARK BLUE	0.0	-	-	-
10	-	-	RG62DD	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	905.0	-	-	-
14	-	-	UF62A	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1080.0	-	-	-
14	-	-	UN62A	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1000.0	-	-	-

Connector Name 1022
 Part Number 3613769C1
 Instances Ground Splice Packs 1022 & 1023:Diagram1
 Mates SP-Ground_1-0003-00-10-A0




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	FB11-GBA	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	170.0	-	-	-
2	-	-	AC11-GN	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1470.0	-	-	-
2	-	-	AB11-GN	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	625.0	-	-	-
3	-	-	RL78RN	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2060.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	RM78RM	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2060.0	-	-	-
4	-	-	KK18-GB	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1935.0	-	-	-
4	-	-	KL18-GB	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1935.0	-	-	-
5	-	-	VK12-GCL	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2060.0	-	-	-
6	-	-	YC67-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	500.0	-	-	-
6	-	-	YD67-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	500.0	-	-	-
7	-	-	VJ70-GV	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2030.0	-	-	-
8	-	-	RF78RR	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2045.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
9	-	-	TH72-GA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2030.0	-	-	-
11	-	-	VG70-GT	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1935.0	-	-	-
11	-	-	VJ70-GT	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1935.0	-	-	-
14	-	-	TJ11-GAM	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	920.0	-	-	-

Connector Name 1023
 Part Number 3613769C1
 Instances Ground Splice Packs 1022 & 1023:Diagram1
 Mates SP-GROUND_2-0003-00-10-A0




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	FB11-GCB	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	1175.0	-	-	-
2	-	-	YG96-GE	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	330.0	-	-	-
3	-	-	UC92-GAH	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1265.0	-	-	-
3	-	-	UL92-GAH	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	715.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	JB11-GCC	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	2145.0	-	-	-
5	-	-	MJ11-GAD	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1330.0	-	-	-
5	-	-	MH11-GBD	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1330.0	-	-	-
6	-	-	VW11-GBE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2715.0	-	-	-
6	-	-	MQ11-GBE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2665.0	-	-	-
6	-	-	MP11-GBE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2665.0	-	-	-
7	-	-	RF78-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	975.0	-	-	-
8	-	-	AN22-GAN	-	0.0	16.0	-	WHITE	0.0	-	-	-
10	-	-	YD11-GBP	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1775.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
12	-	-	DL11-GAR	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	3470.0	-	-	-
13	-	-	UF92-GAH	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1830.0	-	-	-
13	-	-	UN92-GAH	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1750.0	-	-	-
14	-	-	VW11-GEF	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	1135.0	-	-	-


Connector Name 1024
 Part Number 3601838C1
 Instances CAN Network:Body Standard J1939 (250Kbps)
 Mates SP-IP-B001-00-10-A1-1024



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE722 734	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	-	-	-	-	-	-	-	-	-	-
C	-	-	WIRE722 741	-	0.0	-	-	-	0.0	-	D	1024
D	-	-	WIRE722 741	-	0.0	-	-	-	0.0	-	C	1024
E	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	WIRE775 838	-	0.0	-	-	-	0.0	-	A	A01_250M
G	-	-	WIRE775 839	-	0.0	-	-	-	0.0	-	B	A01_250M
H	-	-	-	-	-	-	-	-	-	-	-	-
J	-	-	WIRE722 740	-	0.0	-	-	-	0.0	-	K	1024

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
K	-	-	WIRE722 740	-	0.0	-	-	-	0.0	-	J	1024
L	-	-	-	-	-	-	-	-	-	-	-	-
M	-	-	WIRE722 733	-	0.0	-	-	-	0.0	-	PIN1	-


Connector Name 1027
 Part Number 3613769C1
 Instances Ground Splice Pack 1027:Diagram1
 Mates SP-GROUND_3-0003-00-10-A0



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	FB11-GCC	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	1645.0	-	-	-
2	-	-	NA11-GKF	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	1720.0	-	-	-
3	-	-	MM11-GBE	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	685.0	-	-	-
4	-	-	MM11-GBH	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2215.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
6	-	-	VA92#117B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2750.0	-	-	-
8	-	-	HU103BA	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1375.0	-	-	-
10	-	-	ZM50A	2645625 R1	0.35	22.0	Thin Wall XLPE Primary Cable	YELLOW 2	2685.0	-	-	-
10	-	-	ZS50A	2645625 R1	0.35	22.0	Thin Wall XLPE Primary Cable	YELLOW 2	2685.0	-	-	-
12	-	-	RF78-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2125.0	-	-	-
13	-	-	RK78-GC	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2875.0	-	-	-
14	-	-	RK78-GD	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2875.0	-	-	-

Connector Name 1032E
 Part Number 3820176C1
 Instances Remote Keyless Access:Diagram1
 WORK LIGHT With RKE 1 BULB:Diagram1-Combination1
 WORK LIGHT With RKE 1 BULB:Diagram1-Combination2
 Work Lights LED With Switch Pack - Day Cab:Diagram1-Combination1
 Work Lights LED With Switch Pack - Day Cab:Diagram1-Combination2
 Mates MODU-FRONT-PS_DOOR_POD-201 6-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	FC81A	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1245.0	-	C	3200F
2	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	FC81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1245.0	-	D	3200F

Connector Name 1032F
 Part Number 3709924C1
 Instances Door Pod Module (4 Door):Diagram1
 Mates MODU-REAR-PS_DOOR_POD-2016 -02-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	F11-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	0.0	-	7	1032F
7	-	-	F11-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	0.0	-	3	1032F

Connector Name 1052
 Part Number 1661259C1
 Instances Automatic Lighting:Diagram1
 Automatic Lighting:Diagram2
 Mates SNSR-AMB_LT-1018-03-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ZD50B	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2340.0	-	H	0009B
A	-	-	ZB50B	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1495.0	-	H	0009
B	-	-	ZB50A	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1495.0	-	E	0009
B	-	-	ZD50A	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2340.0	-	E	0009B


Connector Name 1053
 Part Number 4116776C1
 Instances Automatic Lighting - Dual Sensor Twilight/Solar:Diagram1
 Automatic Lighting - Dual Sensor Twilight/Solar:Diagram2
 Mates DEV-SENSOR_SUN_LOAD_TWILIG HT-01



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	ZM50B	2645625 R1	0.35	22.0	Thin Wall XLPE Primary Cable	YELLOW 2	1495.0	-	E	0009
2	-	-	ZS50B	2645625 R1	0.35	22.0	Thin Wall XLPE Primary Cable	YELLOW 2	2340.0	-	E	0009B
3	-	-	ZF14SUN	2645629 R1	0.35	22.0	Thin Wall XLPE Primary Cable	RED	2890.0	-	-	-
4	-	-	ZM50A	2645625 R1	0.35	22.0	Thin Wall XLPE Primary Cable	YELLOW 2	2685.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	ZS50A	2645625 R1	0.35	22.0	Thin Wall XLPE Primary Cable	YELLOW 2	2685.0	-	-	-

Connector Name 1100MA
 Part Number 3546518C1
 Instances Cranking Request (w/ Key Switch w/ BCM):Diagram1-Combination2
 Operator Input:Diagram1-Combination2



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	EE15	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2300.0	-	-	-
B	-	-	LH149B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2265.0	-	S	J6-1606
C	-	-	ED149	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2105.0	-	A1	J3-1600
D	-	-	DC149A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2105.0	-	A16	J3-1600


Connector Name 1100
 Part Number 3546518C1
 Instances Cranking Request (w/ Key Switch w/ BCM):Diagram1-Combination1
 Operator Input:Diagram1-Combination1
 Mates SW-KEY-5039-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	EB15	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1830.0	-	-	-
B	-	-	LB17H	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1635.0	-	S	J6-1606
B	-	-	LC17HA	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1635.0	-	S	J6-1606
B	-	-	LD149B	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	665.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	EC149	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1475.0	-	A1	J3-1600
D	-	-	DB149A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1475.0	-	A16	J3-1600

Connector Name 1101F
 Part Number 3768593C1
 Instances CAN Network:Low Speed J1939 (125Kbps)
 Mates SW-J1939_PACK-0009-00-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	WIRE1651	-	0.0	-	-	-	0.0	-	PIN1	-
6	-	-	WIRE1652	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 1101M
 Part Number 3522071C1
 Instances Multiplexed Switch Pack (Primary Switch):Diagram1
 Mates SW-J1939_PACK-0009-00-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	-	-	-	-	-	-	-	-	-	-
8	-	-	AE11-GKD	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1140.0	-	-	-
10	-	-	AA14MUX	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1545.0	-	-	-

Connector Name 1112
 Part Number 1661260C1
 Instances Seatbelt Reminder (Warning)(Driver & Passenger in parallel):Diagram1
 Seatbelt Reminder (Warning)(Driver only):Diagram1
 Mates SW-SEATBELT-2017-03-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	QW79B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2206.0	-	X	-
A	-	-	QI79A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3110.0	-	A2	J3-1600
B	-	-	QW9BC	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2176.0	-	X	-

Connector Name 1113
 Part Number 1661260C1
 Instances Seatbelt Reminder (Warning)(Driver & Passenger in parallel):Diagram1
 Mates SW-SEATBELT-2017-03-01B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	QW79C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2906.0	-	X	-
B	-	-	QW9BD	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2876.0	-	X	-


Connector Name 1126M
 Part Number 3928059C1
 Instances Lane Departure Warning - (Bendix Fusion N/ Safety Direct):Diagram1-Combination1
 Lane Departure Warning - (Bendix Fusion N/ Safety Direct):Diagram1-Combination2
 Mates SW-LDW_DISABLE_BEDIX_FUSIO N-3020-02-1A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	YD67COG1	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	560.0	-	X	-
2	-	-	YD11COG1	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	320.0	-	X	-
4	-	-	YD67COG2	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	560.0	-	X	-
11	-	-	YD67NB	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	VIOLET	320.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
12	-	-	YD62A	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1345.0	-	-	-

Connector Name 1200D
 Part Number 4061870C1
 Instances Heating Ventilation & Air Conditioning (HVAC) (W/
 VCU):Diagram1 - HVAC
 Mates DEV-HEAT/EVAP-01



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TA75AC	2643695 R1	3.01	12.0	Std. Wall XLPE Primary Cable	RED	3415.0	-	-	-
B	-	-	AD75-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2170.0	-	X	-

Connector Name 1300
 Part Number 3597143C1
 Instances CAN Network: Cab Standard J1939 (250Kbps)
 Radio w/Bluetooth: Diagram1-Combination1
 Radio w/Bluetooth: Diagram1-Combination2
 Speakers: Four Speakers Daycab BT n/QC: Diagram1
 Speakers: Four Speakers Daycab n/BT n/QC: Diagram1
 Speakers: Four Speakers Daycab n/BT w/QC: Diagram1
 Speakers: Four Speakers Daycab w/BT w/QC: Diagram1
 Vehicle Information Display (W/ BT): Diagram1
 Vehicle Information Display Premium w/ Wi-Fi VID: Diagram1
 Vehicle Information Display W/O BT: Diagram1
 Mates MODU-Radio-2008-04-04A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
1	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	WIRE720043	-	0.0	-	-	-	0.0	-	PIN1	-
2	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	WIRE720045	-	0.0	-	-	-	0.0	-	PIN1	-
4	-	-	SM86AE	3510299R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1900.0	-	-	-
7	-	-	SM86P	3510299R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1855.0	-	-	-
8	-	-	SM86-G	3510359R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	720.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
9	-	-	SP86DA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3320.0	-	C	2313
9	-	-	SP86DA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3320.0	-	C	2312
10	-	-	SP86EA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3320.0	-	D	2313
10	-	-	SP86EA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3320.0	-	D	2312
11	-	-	MQ86K	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1650.0	-	C	3206M
11	-	-	SQ86K	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1650.0	-	C	3206M
12	-	-	MQ86L	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1650.0	-	D	3206M
12	-	-	SQ86L	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1650.0	-	D	3206M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
13	-	-	MQ86H	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1265.0	-	A	1916A
13	-	-	SQ86H	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1235.0	-	C	3205M
14	-	-	MQ86J	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1265.0	-	B	1916A
14	-	-	SQ86J	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1235.0	-	D	3205M
15	-	-	SP86BA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2730.0	-	C	2312
16	-	-	SP86CA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2730.0	-	D	2312


Connector Name 1301
 Part Number 3600061C1
 Instances CAN Network: Cab Standard J1939 (250Kbps)
 Radio w/Bluetooth: Diagram1-Combination1
 Radio w/Bluetooth: Diagram1-Combination2
 Vehicle Information Display (W/ BT): Diagram1
 Vehicle Information Display Premium w/ Wi-Fi VID: Diagram1
 Vehicle Information Display W/O BT: Diagram1
 Mates MODU-Radio-2008-04-04A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	NE86AA	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	570.0	-	11	2225
9	-	-	NE86AC	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	570.0	-	13	2225
10	-	-	NE86AB	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	570.0	-	12	2225
11	-	-	NE86AD	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	570.0	-	14	2225
15	-	-	SR86A(+)	-	0.53	20.0	J1939 .46 WAL	YELLOW 2	1265.0	-	2	2505

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
15	-	-	WIRE775901	-	0.0	-	-	-	0.0	-	2	A31_2505
16	-	-	SR86A(-)	-	0.53	20.0	J1939 .46 WAL	GREEN	1265.0	-	1	2505
16	-	-	WIRE775900	-	0.0	-	-	-	0.0	-	1	A31_2505

Connector Name 1400
 Part Number 3596926C1
 Instances Adaptive Cruise Control w/o Display (Bendix):Diagram1
 Antilock Brake System (ABS) - BENDIX 4 Channel
 Implementation:Diagram1
 Bendix; Tractor or Towing Truck; N/ Air SUSP; J1939 Driven
 Lamp:Diagram1
 Bendix; Tractor or Towing Truck; W/ Air SUSP; J1939 Driven
 Lamp:Diagram1
 Rear Axle Load Distribution:Diagram1
 Stability Control (Bendix Straight Truck J1939 Driven
 Lamp):Diagram1
 Vehicle Data Recorder (No Display):Diagram2 - Recorder W/
 Display
 Vehicle Data Recorder (W/ Display):Diagram2 - Recorder W/
 Display




Mates MODU-ABS-3003-01-02B

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	XA94-GA	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2400.0	-	-	-
3	-	-	XA94V	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3315.0	-	-	-
7	-	-	-	-	-	-	-	-	-	-	-	-
8	-	-	-	-	-	-	-	-	-	-	-	-
10	-	-	XA94BH	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2550.0	-	18	1701
11	-	-	XA94BF	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2550.0	-	19	1701

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
16	-	-	XA94AY	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	3095.0	-	-	-

Connector Name 1401
 Part Number 3596929C1
 Instances Antilock Brake System (ABS) - BENDIX 4 Channel
 Implementation:Diagram1
 Mates MODU-ABS-3003-01-02B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	XA94B	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	29	1700
2	-	-	XA94	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	27	1700
3	-	-	XA94A	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	28	1700
4	-	-	XA94K	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	36	1700

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	XA94C	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	30	1700
6	-	-	XA94J	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	35	1700
7	-	-	XA94H	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	34	1700
8	-	-	XA94D	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	31	1700
9	-	-	XA94BK	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	22	1701
10	-	-	XA94BL	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	20	1701
11	-	-	XA94E	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	32	1700
12	-	-	XA94BB	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	24	1701


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
13	-	-	XA94BJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	21	1701
14	-	-	XA94F	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	33	1700
15	-	-	XA94BE	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	16	1701
16	-	-	XA94BC	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	25	1701
17	-	-	XA94BA	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	23	1701
18	-	-	XA94BD	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	17	1701

Connector Name 1402
 Part Number 3596928C1
 Instances Bendix; Tractor or Towing Truck; N/ Air SUSP; J1939 Driven Lamp:Diagram1
 Bendix; Tractor or Towing Truck; W/ Air SUSP; J1939 Driven Lamp:Diagram1
 Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1
 Mates MODU-ABS-3003-01-02B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	XM94SK	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2520.0	-	69	1701
5	-	-	XL94SJ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2520.0	-	49	1701


Connector Name 1403
 Part Number 3596927C1
 Instances Bendix; Tractor or Towing Truck; N/ Air SUSP; J1939 Driven Lamp:Diagram1
 Bendix; Tractor or Towing Truck; W/ Air SUSP; J1939 Driven Lamp:Diagram1
 Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1
 Mates MODU-ABS-3003-01-02B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	XH94SZ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2065.0	-	C10	1800
1	-	-	XK94SZD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	190.0	-	X	-
2	-	-	XL94SE	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2065.0	-	D5	1800
3	-	-	XK94SH	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2650.0	-	62	1701

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	XH94SV	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2065.0	-	C3	1800
4	-	-	XK94SVD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	210.0	-	X	-
5	-	-	XL94SF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2065.0	-	D6	1800
6	-	-	XG94SL	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2650.0	-	46	1701
9	-	-	XG94SM	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2650.0	-	47	1701
10	-	-	XL94SCA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1395.0	-	-	-
11	-	-	XL94SAA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1395.0	-	-	-
12	-	-	XG94SN	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2650.0	-	48	1701

Connector Name 1410
 Part Number 3601838C1
 Instances ABS CAN Splice Pack - 1410:Diagram1
 Mates SP-ABS_SPLICE-B002-00-10-A1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	XL94SAA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1395.0	-	-	-
B	-	-	XL94SAB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	870.0	-	-	-
C	-	-	XL94SA	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1405.0	-	-	-
C	-	-	XF94SA	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	870.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	XL94SCA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1395.0	-	-	-
E	-	-	XL94SCB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	870.0	-	-	-
F	-	-	XF94SC	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	870.0	-	-	-
F	-	-	XL94SC	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1405.0	-	-	-
G	-	-	XF94SBA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1395.0	-	-	-
G	-	-	XL94SBA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1395.0	-	-	-
H	-	-	XF94SBB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1325.0	-	-	-
H	-	-	XL94SBB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	870.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
J	-	-	XF94SB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	870.0	-	-	-
J	-	-	XL94SB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1405.0	-	-	-
K	-	-	XF94SDA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1395.0	-	-	-
K	-	-	XL94SDA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1395.0	-	-	-
L	-	-	XF94SDB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1325.0	-	-	-
L	-	-	XL94SDB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	870.0	-	-	-
M	-	-	XL94SD	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1405.0	-	-	-
M	-	-	XF94SD	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	870.0	-	-	-

Connector Name 1420
 Part Number 3557922C1
 Instances Rear Axle Load Distribution:Diagram1
 Vehicle Data Recorder (No Display):Diagram2 - Recorder W/
 Display
 Vehicle Data Recorder (W/ Display):Diagram2 - Recorder W/
 Display
 Mates MODU-ABS-3003-02-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-

Connector Name 1500A
Part Number 3710061C1
Instances Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 1:Diagram1
Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 2:Diagram1
Adaptive Cruise Control w/o Display (Bendix):Diagram1
Antilock Brake System (ABS) - BENDIX 4 Channel Implemenation:Diagram1
Auxiliary Gauges (Secondary):Diagram1
Auxiliary Gauges (Primary):Diagram1
Auxiliary Guage:Diagram1
Axle Loading (Weight) Rear:Diagram1-Combination1
Axle Loading (Weight) Rear:Diagram1-Combination2
Axle Temperature Monitoring (Single Rear Aux Gauge):Diagram1
Axle Temperature Monitoring (Single Rear Virtual Gauge):Diagram1
Axle Temperature Monitoring (Tandem Rear Aux Gauge):Diagram1
Axle Temperature Monitoring (Tandem Rear Virtual Gauge):Diagram1
Bendix; Tractor or Towing Truck; N/ Air SUSP; J1939 Driven Lamp:Diagram1
Bendix; Tractor or Towing Truck; W/ Air SUSP; J1939 Driven Lamp:Diagram1
Brake Pressure (Auxiliary Gauge):Diagram1
Brake Pressure (Virtual Gauge):Diagram1
Compressed Air Supply (Primary & Secondary Guage)(W/2 in 1 Inverter):Diagram1
Coolant Level Monitoring (W/VCU):Diagram1
Coolant Temperature Monitoring (J1939 Comm, W/ VCU):Diagram1
Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination1
Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination2
Door Ajar Reminder (Entry/Exit) 2 Door:Diagram1
Driver Controlled Locking Differential - FR and RR Axles (Meritor w/ two sw):Diagram1
Driver Controlled Locking Differential - FR & RR Axle (Dana w/ one switch):Diagram1
Driver Controlled Locking Differential - FR & RR Axle (Meritor w/ one sw):Diagram1



Driver Controlled Locking Differential - RR Axle (Dana w/ one sw):Diagram1
Driver Controlled Locking Differential - RR Axle (Meritor w/ one sw):Diagram1
Engine Speed (Tachometer, W/VCU):Diagram1
Exterior Lamp Reminder:Diagram1
GEN IV Cluster (Monitor):Diagram1
Hazard Warning Light N/Trlr Socket:Diagram1-Combination1
Hazard Warning Light N/Trlr Socket:Diagram1-Combination2
High-Voltage Monitor:Diagram1
Instrument Cluster (Premium):Diagram1-Combination1
Instrument Cluster (Premium):Diagram1-Combination2
Instrument Cluster (Standard):Diagram1
Instrument Cluster - Bulb Check:Diagram1
Instrument Cluster - Request and Status:Diagram1
Lane Departure Warning - (Bendix Fusion N/ Safety Direct):Diagram1-Combination1
Lane Departure Warning - (Bendix Fusion N/ Safety Direct):Diagram1-Combination2
Odometer (W/VCU):Diagram1
Over the Air Programming (OnCommand Link / N2 Module):Diagram1
Park Brake Controls (W/VCU):Diagram1
Power Divider Lock Control and Monitoring:Diagram1
Power Lift Gate:Diagram1
Rear Suspension Pressure Monitoring (Auxiliary Gauge):Diagram1-Combination1
Rear Suspension Pressure Monitoring (Auxiliary Gauge):Diagram1-Combination2
Rear Suspension Pressure Monitoring (Virtual Gauge):Diagram1-Combination1
Rear Suspension Pressure Monitoring (Virtual Gauge):Diagram1-Combination2
Regenerative Braking (W/VCU):Diagram1
Seatbelt Reminder (Warning)(Driver only):Diagram1
Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1
Theft Deterrent (Standard, J1939 Mux SW, W/VCU):Diagram1
Traction Control (Bendix, VCU):Diagram1
Vehicle Speed Control (Cruise Control) 10 Pin:Diagram1
Vehicle Speed Limit Override:Diagram1
Voltage Monitoring (Voltmeter) (with Aux gauge):Diagram1
Voltage Monitoring Voltmeter:Diagram1

Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination1
 Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination2


Mates

MODU-EGC-A003-10-00

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A2	-	-	AA14EE	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	1745.0	-	-	-
A3	-	-	AA13EA	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1965.0	-	-	-
A7	-	-	QA23-GT	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	590.0	-	X	-
A9	-	-	-	-	-	-	-	-	-	-	-	-
A10	-	-	-	-	-	-	-	-	-	-	-	-
B3	-	-	AE11-GKE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	470.0	-	-	-
B4	-	-	MQ98F	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1985.0	-	-	-
B5	-	-	MQ11-GMW	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	3630.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B8	-	-	BG28C	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1095.0	-	4	1000A
B8	-	-	BG28C	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1095.0	-	-	-
B9	-	-	BG28A	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1095.0	-	1	1000A
B9	-	-	BG28A	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1095.0	-	-	-
B10	-	-	BG28B	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1095.0	-	3	1000A
B10	-	-	BG28B	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1095.0	-	-	-

Connector Name 1500A
 Part Number 3710061C1
 Instances Trip Odometer (W/VCU):Diagram1
 Mates MODU-EGC-A003-10-00




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A9	-	-	-	-	-	-	-	-	-	-	-	-
A10	-	-	-	-	-	-	-	-	-	-	-	-

Connector Name 1500A
 Part Number 3710061C1
 Instances Vehicle Speed Control (Cruise Control) (Steering Wheel Controls, W/VCU):Diagram1
 Mates MODU-EGC-A003-10-00



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A9	-	-	-	-	-	-	-	-	-	-	-	-
A10	-	-	-	-	-	-	-	-	-	-	-	-


Connector Name 16A
 Part Number 3540612C1
 Instances Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 1:Diagram1
 Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 2:Diagram1
 Mates 16B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	EB13COG	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	1877.0	-	1	-
C	-	-	EB13COG	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	1877.0	-	X	-
D	-	-	EB11COG	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2206.0	-	X	-
G	-	-	EB67COG	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2606.0	-	7	D49-1979


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
H	-	-	EB14CSB	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	1852.0	-	X	-

Connector Name 16A
 Part Number 3540612C1
 Short Description BENDIX/TAKATA LDW
 Instances Lane Departure Warning - (Bendix Fusion N/ Safety Direct):Diagram1-Combination1
 Lane Departure Warning - (Bendix Fusion N/ Safety Direct):Diagram1-Combination2
 Mates 16B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	13COG	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	1865.0	-	1	-
D	-	-	11COG	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2590.0	-	X	-
G	-	-	67COG	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2740.0	-	7	1979

Connector Name 16B
 Part Number 3540613C1
 Instances Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 1:Diagram1
 Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 2:Diagram1
 Mates 16A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	YD13COG	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	250.0	-	X	-
D	-	-	YD11COG	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1735.0	-	X	-
G	-	-	YD67COG	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1495.0	-	X	-
H	-	-	YD14CSB	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	2230.0	-	-	-

Connector Name 16B
 Part Number 3540613C1
 Short Description BENDIX/TAKATA LDW ROOF CONN
 Instances Lane Departure Warning - (Bendix Fusion N/ Safety Direct):Diagram1-Combination1
 Lane Departure Warning - (Bendix Fusion N/ Safety Direct):Diagram1-Combination2
 Mates 16A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	YD13COG	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	250.0	-	X	-
D	-	-	YD11COG	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1735.0	-	X	-
G	-	-	YD67COG	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1495.0	-	X	-

Connector Name 1605
 Part Number 373759C2
 Instances Body Control Module (BCM):Connector J8-1605 (Power Feed)
 Mates MODU-BCM-A000-10-00



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	HZ14BC	2644026 R1	18.94	4.0	Std. Wall XLPE Battery Cable	RED	795.0	-	X	-


Connector Name 1620
 Part Number 2007315C1
 Instances ZVR Splice Packs 1620:Diagram1
 Mates SP-ZVR_SPLICE_PACK-B000-10 -A1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AA9Z	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1360.0	-	-	-
B	-	-	NA9CDC	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	515.0	-	-	-
C	-	-	XS9AC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2085.0	-	-	-
D	-	-	ME110B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	990.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F	-	-	AB9	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1035.0	-	-	-
F	-	-	AC9	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	-	-
G	-	-	KA9B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	220.0	-	-	-
H	-	-	ND9A	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	670.0	-	-	-
J	-	-	QW9BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1914.0	-	-	-
K	-	-	VU9ZF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1035.0	-	-	-


Connector Name 1623
 Part Number 2007315C1
 Instances Park / Turn Lights Splice Packs 1623/1625/400:Diagram1
 Mates SP-MARKER_LT_SPLICE_PACK-B 000-10-A1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	YP54	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1205.0	-	-	-
C	-	-	YS54B	3510305 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BROWN	1080.0	-	-	-
D	-	-	YS58T	3510305 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BROWN	1085.0	-	1	2000
F	-	-	YP58T	3510305 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BROWN	1085.0	-	1	2000

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
G	-	-	ZQ68	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	290.0	-	-	-
G	-	-	ZN68	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1160.0	-	-	-
G	-	-	ZP68	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	320.0	-	-	-


Connector Name 1625
 Part Number 3543733C1
 Instances Park / Turn Lights Splice Packs 1623/1625/400:Diagram1
 Mates SP-REAR_TURN_SIGNAL_SPLICE_PACK-B000-10-A1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	YL57C	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1180.0	-	-	-
A	-	-	YL57E	-	0.0	16.0	-	ORANGE	0.0	-	-	-
B	-	-	YL57	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1170.0	-	-	-
B	-	-	YL57AA	-	0.0	16.0	-	ORANGE	0.0	-	-	-
C	-	-	YV57BB	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	1170.0	-	-	-
C	-	-	YX57BB	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1170.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	YL56CB	-	0.0	16.0	-	ORANGE	0.0	-	-	-
E	-	-	YL56A	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1180.0	-	-	-
F	-	-	YL56	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1170.0	-	-	-
F	-	-	YL56CA	-	0.0	16.0	-	ORANGE	0.0	-	-	-
G	-	-	YX56BB	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	1170.0	-	-	-

Connector Name 1650
 Part Number 3757649C1
 Instances CAN Network: Cab Standard J1939 (250Kbps)
 CAN Network: Powertrain Standard J1939 (500Kbps)
 Mates DEV-9PinDiag-0008-00-10-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	WIRE775545	-	0.0	-	-	-	0.0	-	PIN1	-
D	-	-	WIRE775546	-	0.0	-	-	-	0.0	-	PIN1	-
H	-	-	WIRE720027	-	0.0	-	-	-	0.0	-	PIN1	-
J	-	-	WIRE720029	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 1700
 Part Number 3595624C1
 Short Description DASH HARNESS CONNECTOR
 Instances Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 1:Diagram1
 Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 2:Diagram1
 Adaptive Cruise Control w/o Display (Bendix):Diagram1
 Antilock Brake System (ABS) - BENDIX 4 Channel Implemenation:Diagram1
 City Horn (W/ 4PIN CLK & P. Brake):Diagram1-Combination1
 City Horn (W/ 4PIN CLK & P. Brake):Diagram1-Combination2
 City Horn (W/ 4PIN CLK):Diagram1-Combination1
 City Horn (W/ 4PIN CLK):Diagram1-Combination2
 City Horn (W/ 10PIN CLK & P. Brake):Diagram1
 City Horn (W/ 10PIN CLK):Diagram1
 Directional Signal (Turn) W/ DAISY CHAIN BOX LAMPS:Diagram1
 Directional Signal (Turn) W/ Daisy Chain Box Lamps W/Plow Lights:Diagram1
 Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1
 Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1
 Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1
 Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1
 Fog Lights (Halogen White TOP MTG):Diagram1
 Fog Lights (LED White TOP MTG):Diagram1
 Front Fog Lamps:Diagram1
 Front Fog Lights W CONNECTOR:Diagram1
 Front Marker Lights N/ PLow Lights:Diagram1
 Front Marker Lights W/ Plow Lights:Diagram1
 Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1
 Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination2
 Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination1
 Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination2
 Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination1



Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination2
Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination1
Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination2
Headlights W/O Lights ON with wipers (LOWW) W/ Headlights
Interrupt:Diagram1-Combination1
Headlights W/O Lights ON with wipers (LOWW) W/ Headlights
Interrupt:Diagram1-Combination2
Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/
LOWW W/Interrupt:Diagram1-Combination1
Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/
LOWW W/Interrupt:Diagram1-Combination2
Headlights W/PlowLights W/O Lights ON with wipers (LOWW)
W/ Headlights Interrupt:Diagram1-Combination1
Headlights W/PlowLights W/O Lights ON with wipers (LOWW)
W/ Headlights Interrupt:Diagram1-Combination2
Headlights W/Plowlights W/O Lights ON With Wipers (LOWW)
W/O Headlights Interrupt:Diagram1-Combination1
Headlights W/Plowlights W/O Lights ON With Wipers (LOWW)
W/O Headlights Interrupt:Diagram1-Combination2
Heating Ventilation & Air Conditioning (HVAC) (W/
VCU):Diagram1 - HVAC
Lane Departure Warning - (Bendix Fusion N/ Safety
Direct):Diagram1-Combination1
Lane Departure Warning - (Bendix Fusion N/ Safety
Direct):Diagram1-Combination2
Windshield Washer Pump:Diagram1-Combination1
Windshield Washer Pump:Diagram1-Combination2
Windshield Washer Pump & Low Fluid Sensor:Diagram1-
Combination1
Windshield Washer Pump & Low Fluid Sensor:Diagram1-
Combination2

Mates

1700

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	MC52	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2790.0	-	A	M04_8001
1	-	-	MA52	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2790.0	-	A	M04_8001
2	-	-	MC53	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2790.0	-	C	M04_8001
3	-	-	MC52D	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3750.0	-	A	M04_8000
3	-	-	MW52D	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3750.0	-	A	M04_8000
4	-	-	MC53B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3750.0	-	C	M04_8000
4	-	-	MW53B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3750.0	-	C	M04_8000
4	-	-	MB53B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	4095.0	-	C	M04_8000

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	MA54B	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1925.0	-	X	-
5	-	-	MW54B	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1705.0	-	X	-
5	-	-	77	-	0.0	16.0	-	LIGHT GREEN	0.0	-	A	M01_8900
7	-	-	75-G	-	0.0	16.0	-	WHITE	0.0	-	B	M01_8900
8	-	-	MC53E	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	665.0	-	X	-
9	-	-	MC53F	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	665.0	-	X	-
10	-	-	MC52B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	765.0	-	X	-
11	-	-	MC52E	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	765.0	-	X	-
14	-	-	MA56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2790.0	-	D	M04_8001
14	-	-	MC56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1205.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
14	-	-	MW56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1825.0	-	X	-
14	-	-	YM56	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	C	J2-1604
14	-	-	YY56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	300.0	-	X	-
14	-	-	YT56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	C	J2-1604
15	-	-	MA57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	4095.0	-	D	M04_8000
15	-	-	MW57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1555.0	-	X	-
15	-	-	MC57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1555.0	-	X	-
15	-	-	YK57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	305.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
15	-	-	YT57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	K	J2-1604
15	-	-	YR57	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	K	J2-1604
17	-	-	NX87C	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3905.0	-	1	4022A
17	-	-	SC87C	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1165.0	-	1	4022B
18	-	-	SC9BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1165.0	-	2	4022B
18	-	-	NX9BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3905.0	-	2	4022A
19	-	-	NY87KA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3820.0	-	1	4021A
19	-	-	SA87KA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2400.0	-	1	4021B

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
20	-	-	NY87BA	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3820.0	-	2	4021A
20	-	-	SA87BA	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2400.0	-	2	4021B
21	-	-	MR85E	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1830.0	-	A	M04_8301
22	-	-	SM64A	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	2550.0	-	1	8201A
22	-	-	MD64A	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	2400.0	-	A	8201
22	-	-	SM64A	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	2550.0	-	1	M04_8201A
23	-	-	SM64B	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	3290.0	-	1	8200A
23	-	-	MD64B	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	3240.0	-	A	8200

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
23	-	-	SM64B	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	3290.0	-	1	M04_820 0A
24	-	-	SP67AA	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	3020.0	-	8	M04_8903
24	-	-	YD67Y	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	305.0	-	X	-
24	-	-	MU67AA	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	2900.0	-	8	M02_8903
27	-	-	ME94	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1270.0	-	A	M04_8500
28	-	-	ME94A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1170.0	-	B	M04_8500
29	-	-	ME94B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1270.0	-	C	M04_8500
30	-	-	ME94C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1215.0	-	1	M04_8502

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
31	-	-	ME94D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1215.0	-	2	M04_8502
32	-	-	ME94E	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4205.0	-	1	M04_8503A
33	-	-	ME94F	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4205.0	-	2	M04_8503A
34	-	-	ME94H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4680.0	-	A	M04_8501
35	-	-	ME94J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4580.0	-	B	M04_8501
36	-	-	ME94K	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4680.0	-	C	M04_8501
47	-	-	SP67-GA	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	3020.0	-	5	M04_8903
47	-	-	YD67-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	500.0	-	-	-
47	-	-	MU67-GA	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	2900.0	-	5	M02_8903

Connector Name 1700
 Part Number 3595625C1
 Short Description FORWARD CHASSIS
 Instances Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 1:Diagram1
 Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 2:Diagram1
 Adaptive Cruise Control w/o Display (Bendix):Diagram1
 Antilock Brake System (ABS) - BENDIX 4 Channel Implemenation:Diagram1
 City Horn (W/ 4PIN CLK & P. Brake):Diagram1-Combination1
 City Horn (W/ 4PIN CLK & P. Brake):Diagram1-Combination2
 City Horn (W/ 4PIN CLK):Diagram1-Combination1
 City Horn (W/ 4PIN CLK):Diagram1-Combination2
 City Horn (W/ 10PIN CLK & P. Brake):Diagram1
 City Horn (W/ 10PIN CLK):Diagram1
 Directional Signal (Turn) W/ DAISY CHAIN BOX LAMPS:Diagram1
 Directional Signal (Turn) W/ Daisy Chain Box Lamps W/Plow Lights:Diagram1
 Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1
 Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1
 Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1
 Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1
 Fog Lights (Halogen White TOP MTG):Diagram1
 Fog Lights (LED White TOP MTG):Diagram1
 Front Fog Lamps:Diagram1
 Front Fog Lights W CONNECTOR:Diagram1
 Front Marker Lights N/ PLow Lights:Diagram1
 Front Marker Lights W/ Plow Lights:Diagram1
 Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1
 Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination2
 Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination1
 Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination2
 Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination1



Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination2
Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination1
Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination2
Headlights W/O Lights ON with wipers (LOWW) W/ Headlights
Interrupt:Diagram1-Combination1
Headlights W/O Lights ON with wipers (LOWW) W/ Headlights
Interrupt:Diagram1-Combination2
Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/
LOWW W/Interrupt:Diagram1-Combination1
Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/
LOWW W/Interrupt:Diagram1-Combination2
Headlights W/PlowLights W/O Lights ON with wipers (LOWW)
W/ Headlights Interrupt:Diagram1-Combination1
Headlights W/PlowLights W/O Lights ON with wipers (LOWW)
W/ Headlights Interrupt:Diagram1-Combination2
Headlights W/Plowlights W/O Lights ON With Wipers (LOWW)
W/O Headlights Interrupt:Diagram1-Combination1
Headlights W/Plowlights W/O Lights ON With Wipers (LOWW)
W/O Headlights Interrupt:Diagram1-Combination2
Heating Ventilation & Air Conditioning (HVAC) (W/
VCU):Diagram1 - HVAC
Lane Departure Warning - (Bendix Fusion N/ Safety
Direct):Diagram1-Combination1
Lane Departure Warning - (Bendix Fusion N/ Safety
Direct):Diagram1-Combination2
Windshield Washer Pump:Diagram1-Combination1
Windshield Washer Pump:Diagram1-Combination2
Windshield Washer Pump & Low Fluid Sensor:Diagram1-
Combination1
Windshield Washer Pump & Low Fluid Sensor:Diagram1-
Combination2

Mates

1700

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	YG52AA	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1350.0	-	5	1873D
1	-	-	YF52A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	640.0	-	H	J1-1603
2	-	-	YG53AA	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1430.0	-	5	1873F
2	-	-	YF53A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	675.0	-	B	J2-1604
3	-	-	YG52BA	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1390.0	-	5	1873E
3	-	-	YF52B	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	640.0	-	L	J1-1603
4	-	-	YG53BA	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1470.0	-	5	1873G
4	-	-	YF53B	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	675.0	-	H	J2-1604

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	YS54B	3510305 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BROWN	1080.0	-	-	-
5	-	-	SA77D	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2945.0	-	L	A31_120 0E
7	-	-	AA75-GA	-	0.0	20.0	-	WHITE	0.0	-	M	A31_120 0E
8	-	-	YG53AC	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1430.0	-	4	1873F
9	-	-	YG53BC	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1470.0	-	4	1873G
10	-	-	YG52AC	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1350.0	-	4	1873D
11	-	-	YG52BC	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1390.0	-	4	1873E
14	-	-	YT56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	K	J2-1604
14	-	-	YY56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	300.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
14	-	-	YM56	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	K	J2-1604
14	-	-	YM56	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	C	J2-1604
14	-	-	YT56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	C	J2-1604
14	-	-	MW56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1825.0	-	X	-
14	-	-	MC56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1205.0	-	X	-
14	-	-	MA56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2790.0	-	D	M04_8001
15	-	-	YT57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	C	J2-1604
15	-	-	YR57	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	C	J2-1604


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
15	-	-	YK57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	305.0	-	X	-
15	-	-	YT57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	K	J2-1604
15	-	-	YR57	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	K	J2-1604
15	-	-	MW57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1555.0	-	X	-
15	-	-	MC57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1555.0	-	X	-
15	-	-	MA57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	4095.0	-	D	M04_8000
17	-	-	HK87C	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	980.0	-	A8	J3-1600
18	-	-	KA9BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	690.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
19	-	-	HJ87KA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2445.0	-	-	-
20	-	-	HJ87BA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	430.0	-	X	-
21	-	-	AA85	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	640.0	-	E	J1-1603
22	-	-	YJ64A	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	640.0	-	F	J1-1603
23	-	-	YJ64B	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	640.0	-	K	J1-1603
24	-	-	YD67Y	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	305.0	-	X	-
24	-	-	YA67A	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	2445.0	-	-	-
24	-	-	MU67AA	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	2900.0	-	8	M02-8903

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
27	-	-	XA94	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	2	1401
28	-	-	XA94A	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	3	1401
29	-	-	XA94B	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	1	1401
30	-	-	XA94C	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	5	1401
31	-	-	XA94D	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	8	1401
32	-	-	XA94E	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	11	1401
33	-	-	XA94F	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	14	1401
34	-	-	XA94H	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	7	1401

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
35	-	-	XA94J	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	6	1401
36	-	-	XA94K	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	4	1401
47	-	-	YD67-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	500.0	-	-	-
47	-	-	YC67-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	500.0	-	-	-
47	-	-	MU67-GA	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	2900.0	-	5	M02-8903

Connector Name 1701F
 Part Number 3595622C1
 Short Description CONNECTOR TO DASH HARNESS
 Instances Antilock Brake System (ABS) - BENDIX 4 Channel
 Implemenation:Diagram1
 Auxiliary Trailer Power:Diagram1
 Axle Loading (Weight) Rear:Diagram1-Combination1
 Axle Loading (Weight) Rear:Diagram1-Combination2
 Axle Temperature Monitoring (Single Rear Aux
 Gauge):Diagram1
 Axle Temperature Monitoring (Single Rear Virtual
 Gauge):Diagram1
 Axle Temperature Monitoring (Tandem Rear Aux
 Gauge):Diagram1
 Axle Temperature Monitoring (Tandem Rear Virtual
 Gauge):Diagram1
 Bendix; Tractor or Towing Truck; N/ Air SUSP; J1939 Driven
 Lamp:Diagram1
 Bendix; Tractor or Towing Truck; W/ Air SUSP; J1939 Driven
 Lamp:Diagram1
 Body Builder Lighting - Separate Turn and Stop Lamps (Blunt
 Cut):Diagram1
 Body Builder Lighting - Separate Turn and Stop Lamps (Blunt
 Cut) Option2:Diagram1
 Center Chassis Ground Splice Packs
 8802/8805/8807/8809:Diagram1
 Collision Avoidance System (Warning):Diagram1
 Directional Signal (Turn) W/ DAISY CHAIN BOX
 LAMPS:Diagram1
 Directional Signal (Turn) W/ Daisy Chain Box Lamps W/Plow
 Lights:Diagram1
 Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1
 Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
 Lights:Diagram1
 Directional Signal (Turn) W/ Single Tail Board W/Hazard
 SW:Diagram1
 Directional Signal (Turn) W/ Single Tail Board W/Plow
 Lights:Diagram1
 Driver Controlled Locking Differential - FR and RR Axles
 (Meritor w/ two sw):Diagram1
 Driver Controlled Locking Differential - FR & RR Axle (Dana w/
 one switch):Diagram1



Driver Controlled Locking Differential - FR & RR Axle (Meritor w/
one sw):Diagram1
Driver Controlled Locking Differential - RR Axle (Dana w/ one
sw):Diagram1
Driver Controlled Locking Differential - RR Axle (Meritor w/ one
sw):Diagram1
License Plate Light (LED BOX LAMP Daisy Chain Tail
Light):Diagram1
License Plate Light (LED BOX LAMP Tail Light):Diagram1
License Plate Light (Tail Light Single Assy):Diagram1
License Plate Light (Tail Light Single Assy) Option2:Diagram1
License Plate Light (Tail Light Single Assy) Option3:Diagram1
License Plate Light (Tail Light Single Assy) W/Less Power
Module:Diagram1
Power Lift Gate:Diagram1
Rear Light (LED BOX LAMP Tail Light):Diagram1
Rear Light (Tail Light):Diagram1
Rear Light (Tail Light) W/Daisy Chain pair of Box
Lamps:Diagram1
Rear Suspension Pressure Monitoring (Auxiliary
Gauge):Diagram1-Combination1
Rear Suspension Pressure Monitoring (Auxiliary
Gauge):Diagram1-Combination2
Rear Suspension Pressure Monitoring (Virtual
Gauge):Diagram1-Combination1
Rear Suspension Pressure Monitoring (Virtual
Gauge):Diagram1-Combination2
RIGHTSIDE AIR DRYER:Diagram1-Combination1
RIGHTSIDE AIR DRYER:Diagram1-Combination2
RIGHTSIDE AIR DRYER:Diagram1-Combination3
RIGHTSIDE AIR DRYER:Diagram1-Combination4
RIGHTSIDE AIR DRYER:Diagram1-Combination5
RIGHTSIDE AIR DRYER:Diagram1-Combination6
RIGHTSIDE AIR DRYER:Diagram1-Combination7
Stability Control (Bendix Straight Truck J1939 Driven
Lamp):Diagram1
TEM _Electric Trailer Brake Controller Activated Stop
LT:Diagram1
Traction Control (Bendix, VCU):Diagram1
Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer
Brakes):Diagram1
Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer
Brakes) Option2:Diagram1
Vehicle Sound Generator:Diagram1

WORK LIGHT - 1 BULB:Diagram1-Combination1
 WORK LIGHT - 1 BULB:Diagram1-Combination2
 WORK LIGHT With BackUP Alarm - 1 BULB:Diagram1-Combination1
 WORK LIGHT With BackUP Alarm - 1 BULB:Diagram1-Combination2
 WORK LIGHT With RKE 1 BULB:Diagram1-Combination1
 WORK LIGHT With RKE 1 BULB:Diagram1-Combination2
 Work Lights LED With Switch Pack - Day Cab:Diagram1-Combination1
 Work Lights LED With Switch Pack - Day Cab:Diagram1-Combination2

Mates 1701

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	RK56	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	4580.0	-	2	9800
3	-	-	RK57	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	4580.0	-	3	9800
4	-	-	RK68	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	4580.0	-	4	9800
5	-	-	NC56T	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	4630.0	-	B	9716
5	-	-	NE56T	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	2270.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	UC67TA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4605.0	-	1	N02_9769
6	-	-	NC57T	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4630.0	-	C	9716
6	-	-	NE57T	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2330.0	-	X	-
6	-	-	UC67U	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4605.0	-	3	N02_9769
7	-	-	NE54T	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2205.0	-	X	-
7	-	-	NC54T	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	4630.0	-	A	9716
8	-	-	NC68T	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	4655.0	-	B	9715
8	-	-	NE68T	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2155.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
9	-	-	NE70T	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	2105.0	-	X	-
9	-	-	NC70T	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	4555.0	-	A	9715
9	-	-	UC67V	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4605.0	-	4	N02_9769
10	-	-	NC94T	2643784 R1	4.81	10.0	Std. Wall XLPE Primary Cable	GREY	4555.0	-	C	9715
10	-	-	NE94T	2643784 R1	4.81	10.0	Std. Wall XLPE Primary Cable	GREY	2105.0	-	X	-
10	-	-	UC67W	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4605.0	-	5	N02_9769
11	-	-	NB72	2643755 R1	3.01	12.0	Std. Wall XLPE Primary Cable	ORANGE	2655.0	-	C	9781M
13	-	-	SL9	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2130.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
13	-	-	SL9	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2130.0	-	A	N05_8802
14	-	-	94BE	-	0.0	16.0	-	GREY	0.0	-	2	9800
15	-	-	94BD	-	0.0	16.0	-	BROWN	0.0	-	-	-
16	-	-	MD94BE	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4580.0	-	13	9800
17	-	-	MD94BD	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4580.0	-	14	9800
18	-	-	MD94BH	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4580.0	-	15	9800
19	-	-	MD94BF	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4580.0	-	16	9800
20	-	-	MD94BL	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4580.0	-	22	9800
21	-	-	MD94BJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4580.0	-	20	9800
22	-	-	MD94BK	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4580.0	-	21	9800


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
23	-	-	MD94BA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4580.0	-	17	9800
24	-	-	MD94BB	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4580.0	-	18	9800
25	-	-	MD94BC	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4580.0	-	19	9800
30	-	-	86CB	-	0.0	18.0	-	LIGHT GREEN	0.0	-	5	9800
31	-	-	TA39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4480.0	-	A	9900D
31	-	-	PF39B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3855.0	-	A	9900C
31	-	-	NH39B	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	3360.0	-	A	9900A
31	-	-	UB39B	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	200.0	-	1	9300
31	-	-	86DB	-	0.0	18.0	-	LIGHT GREEN	0.0	-	6	9800

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
43	-	-	MG32A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	4580.0	-	5	9800
44	-	-	RH32	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	4580.0	-	6	9800
45	-	-	RL49A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	4480.0	-	8	9800
46	-	-	VS94SL	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2905.0	-	C	N05_951 3A
47	-	-	VS94SM	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2905.0	-	A	N05_951 3A
48	-	-	VS94SN	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2905.0	-	B	N05_951 3A
49	-	-	VP94SJ	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2710.0	-	1	N05_951 2A
50	-	-	MJ49	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4580.0	-	7	9800

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
54	-	-	TF94SAB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4355.0	-	1	N05_951 4F
55	-	-	TF94SCB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4355.0	-	2	N05_951 4F
55	-	-	PD61B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4505.0	-	-	-
55	-	-	PD61B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4505.0	-	C	9865M
56	-	-	PD106B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4505.0	-	-	-
56	-	-	PD106B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4505.0	-	B	9865M
57	-	-	PD110B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4505.0	-	-	-
57	-	-	PD110B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4505.0	-	A	9865M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
60	-	-	XA94SZC	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4680.0	-	A	9510H
61	-	-	XA94SVC	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4680.0	-	B	9510H
62	-	-	XA94SH	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4680.0	-	C	9510H
66	-	-	YL112	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3255.0	-	1	N05_7803
68	-	-	NF65	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2735.0	-	A	9718
68	-	-	UA65	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	4505.0	-	A	9766
69	-	-	VP94SK	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2710.0	-	2	N05_951 2A

Connector Name 1701
 Part Number 3595623C1
 Short Description CENTER CHASSIS
 Instances Antilock Brake System (ABS) - BENDIX 4 Channel
 Implemenation:Diagram1
 Auxiliary Trailer Power:Diagram1
 Axle Loading (Weight) Rear:Diagram1-Combination1
 Axle Loading (Weight) Rear:Diagram1-Combination2
 Axle Temperature Monitoring (Single Rear Aux
 Gauge):Diagram1
 Axle Temperature Monitoring (Single Rear Virtual
 Gauge):Diagram1
 Axle Temperature Monitoring (Tandem Rear Aux
 Gauge):Diagram1
 Axle Temperature Monitoring (Tandem Rear Virtual
 Gauge):Diagram1
 Bendix; Tractor or Towing Truck; N/ Air SUSP; J1939 Driven
 Lamp:Diagram1
 Bendix; Tractor or Towing Truck; W/ Air SUSP; J1939 Driven
 Lamp:Diagram1
 Body Builder Lighting - Separate Turn and Stop Lamps (Blunt
 Cut):Diagram1
 Body Builder Lighting - Separate Turn and Stop Lamps (Blunt
 Cut) Option2:Diagram1
 Center Chassis Ground Splice Packs
 8802/8805/8807/8809:Diagram1
 Collision Avoidance System (Warning):Diagram1
 Directional Signal (Turn) W/ DAISY CHAIN BOX
 LAMPS:Diagram1
 Directional Signal (Turn) W/ Daisy Chain Box Lamps W/Plow
 Lights:Diagram1
 Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1
 Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
 Lights:Diagram1
 Directional Signal (Turn) W/ Single Tail Board W/Hazard
 SW:Diagram1
 Directional Signal (Turn) W/ Single Tail Board W/Plow
 Lights:Diagram1
 Driver Controlled Locking Differential - FR and RR Axles
 (Meritor w/ two sw):Diagram1
 Driver Controlled Locking Differential - FR & RR Axle (Dana w/
 one switch):Diagram1



Driver Controlled Locking Differential - FR & RR Axle (Meritor w/
one sw):Diagram1
Driver Controlled Locking Differential - RR Axle (Dana w/ one
sw):Diagram1
Driver Controlled Locking Differential - RR Axle (Meritor w/ one
sw):Diagram1
License Plate Light (LED BOX LAMP Daisy Chain Tail
Light):Diagram1
License Plate Light (LED BOX LAMP Tail Light):Diagram1
License Plate Light (Tail Light Single Assy):Diagram1
License Plate Light (Tail Light Single Assy) Option2:Diagram1
License Plate Light (Tail Light Single Assy) Option3:Diagram1
License Plate Light (Tail Light Single Assy) W/Less Power
Module:Diagram1
Power Lift Gate:Diagram1
Rear Light (LED BOX LAMP Tail Light):Diagram1
Rear Light (Tail Light):Diagram1
Rear Light (Tail Light) W/Daisy Chain pair of Box
Lamps:Diagram1
Rear Suspension Pressure Monitoring (Auxiliary
Gauge):Diagram1-Combination1
Rear Suspension Pressure Monitoring (Auxiliary
Gauge):Diagram1-Combination2
Rear Suspension Pressure Monitoring (Virtual
Gauge):Diagram1-Combination1
Rear Suspension Pressure Monitoring (Virtual
Gauge):Diagram1-Combination2
RIGHTSIDE AIR DRYER:Diagram1-Combination1
RIGHTSIDE AIR DRYER:Diagram1-Combination2
RIGHTSIDE AIR DRYER:Diagram1-Combination3
RIGHTSIDE AIR DRYER:Diagram1-Combination4
RIGHTSIDE AIR DRYER:Diagram1-Combination5
RIGHTSIDE AIR DRYER:Diagram1-Combination6
RIGHTSIDE AIR DRYER:Diagram1-Combination7
Stability Control (Bendix Straight Truck J1939 Driven
Lamp):Diagram1
TEM _Electric Trailer Brake Controller Activated Stop
LT:Diagram1
Traction Control (Bendix, VCU):Diagram1
Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer
Brakes):Diagram1
Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer
Brakes) Option2:Diagram1
Vehicle Sound Generator:Diagram1

WORK LIGHT - 1 BULB:Diagram1-Combination1
 WORK LIGHT - 1 BULB:Diagram1-Combination2
 WORK LIGHT With BackUP Alarm - 1 BULB:Diagram1-Combination1
 WORK LIGHT With BackUP Alarm - 1 BULB:Diagram1-Combination2
 WORK LIGHT With RKE 1 BULB:Diagram1-Combination1
 WORK LIGHT With RKE 1 BULB:Diagram1-Combination2
 Work Lights LED With Switch Pack - Day Cab:Diagram1-Combination1
 Work Lights LED With Switch Pack - Day Cab:Diagram1-Combination2

Mates

1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	YL56	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1170.0	-	-	-
2	-	-	YN56A	3510319 R1	1.91	14.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	D	J1-1603
3	-	-	YN57A	3510319 R1	1.91	14.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	M	J1-1603
3	-	-	YL57	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1170.0	-	-	-
4	-	-	ZQ68A	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1310.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	ZN68	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1160.0	-	-	-
4	-	-	ZP68A	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	840.0	-	X	-
5	-	-	VG56T	3510339 R1	4.81	10.0	Thin Wall XLPE Primary Cable	YELLOW 2	720.0	-	B	J1-1603
5	-	-	YT56T	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	805.0	-	-	-
5	-	-	YB67TA	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2525.0	-	-	-
6	-	-	VG57T	3510303 R1	4.81	10.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	720.0	-	A	J1-1603
6	-	-	YB67U	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2475.0	-	3	1942F
7	-	-	VG58T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	755.0	-	F	J2-1604

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	VP58T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	300.0	-	X	-
7	-	-	VL58TA	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	300.0	-	X	-
8	-	-	VG68T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	755.0	-	D	J2-1604
8	-	-	VT68T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	270.0	-	X	-
8	-	-	VP68T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	270.0	-	X	-
8	-	-	VL68TA	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	270.0	-	X	-
9	-	-	TJ70T	3510369 R1	4.81	10.0	Thin Wall XLPE Primary Cable	RED	1120.0	-	X	-
9	-	-	TK70T	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	2315.0	-	R1 - 87	1011

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
9	-	-	YB67V	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2475.0	-	1	1942F
10	-	-	TJ94T	3510357 R1	4.81	10.0	Thin Wall XLPE Primary Cable	DARK BLUE	1300.0	-	C	1923
10	-	-	YB67W	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2475.0	-	2	1942F
11	-	-	TH72A	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	2410.0	-	R4 - 87	1012
13	-	-	KA9	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	770.0	-	X	-
14	-	-	XB94BM	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2550.0	-	5	A31_1400
15	-	-	XB94BN	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2550.0	-	4	A31_1400
16	-	-	XA94BE	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	15	1401


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
17	-	-	XA94BD	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	18	1401
18	-	-	XA94BH	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2550.0	-	10	1400
19	-	-	XA94BF	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2550.0	-	11	1400
20	-	-	XA94BL	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	10	1401
21	-	-	XA94BJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	13	1401
22	-	-	XA94BK	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	9	1401
23	-	-	XA94BA	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	17	1401
24	-	-	XA94BB	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	12	1401

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
25	-	-	XA94BC	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	16	1401
30	-	-	AA86C	-	0.0	18.0	-	LIGHT GREEN	0.0	-	10	A31_6500
31	-	-	KH39	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2525.0	-	-	-
31	-	-	AA86D	-	0.0	18.0	-	WHITE	0.0	-	4	A31_6500
43	-	-	NN32B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1060.0	-	B10	J3-1600
44	-	-	NM32A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	1060.0	-	B11	J3-1600
45	-	-	KN49	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	A3	J7-1607
46	-	-	XG94SL	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2650.0	-	6	1403
47	-	-	XG94SM	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2650.0	-	9	1403
48	-	-	XG94SN	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2650.0	-	12	1403

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
49	-	-	XL94SJ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2520.0	-	5	1402
50	-	-	KN49A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	A4	J7-1607
54	-	-	XL94SA	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1405.0	-	-	-
55	-	-	XL94SC	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1405.0	-	-	-
55	-	-	ME61B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	F7	J5-1602
56	-	-	ME106B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	E8	J5-1602
57	-	-	ME110B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	990.0	-	-	-
60	-	-	XK94SZC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2460.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
61	-	-	XK94SVC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2440.0	-	X	-
62	-	-	XK94SH	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2650.0	-	3	1403
66	-	-	KP112	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	720.0	-	J	J1-1603
68	-	-	ZT65	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	G	J1-1603
68	-	-	ZT65	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	A	J1-1603
69	-	-	XM94SK	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2520.0	-	3	1402

Connector Name 1702
 Part Number 3595620C1
 Short Description IP/ENGINE
 Instances Ambient Temperature (No Display, Mirror Sensor, VCU):Diagram1
 Drive Mode Selector I/O (W/VCU):Diagram1
 Mates 1702




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	K6B	-	0.0	18.0	-	GREY	0.0	-	PIN1	-
2	-	-	K41AA	-	0.0	18.0	-	TAN	0.0	-	PIN1	-
20	-	-	K92AA	-	0.0	18.0	-	TAN	0.0	-	PIN1	-

Connector Name 1702
 Part Number 3595620C1
 Short Description IP/ENGINE
 Instances Heating Ventilation & Air Conditioning (HVAC) (W/ VCU):Diagram1 - HVAC
 Heating Ventilation & Air Conditioning (HVAC) (W/ VCU):Diagram4 - EV Components
 Vehicle Acceleration (Wired to VCU):Diagram1
 Mates 1702




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	K23M	-	0.0	14.0	-	RED	0.0	-	2	K03_7005
9	-	-	K10V	-	0.0	18.0	-	RED	0.0	-	1	K03_7001
16	-	-	K97CC	-	0.0	18.0	-	VIOLET	0.0	-	PIN1	-
17	-	-	K97BB	-	0.0	18.0	-	VIOLET	0.0	-	PIN1	-
18	-	-	K99AA	-	0.0	18.0	-	VIOLET	0.0	-	PIN1	-
24	-	-	K97EE	-	0.0	18.0	-	VIOLET	0.0	-	PIN1	-
26	-	-	K97DD	-	0.0	18.0	-	VIOLET	0.0	-	PIN1	-
27	-	-	K99BB	-	0.0	18.0	-	VIOLET	0.0	-	PIN1	-
38	-	-	K13Y	-	0.0	16.0	-	PINK	0.0	-	PIN1	-

Connector Name 1702
 Part Number 3595621C1
 Short Description IP / ENGINE INTERCONNECT
 Instances Ambient Temperature (No Display, Mirror Sensor, VCU):Diagram1
 Drive Mode Selector I/O (W/VCU):Diagram1
 Mates 1702



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	MB41D	-	0.0	18.0	-	TAN	0.0	-	29	1703F
2	-	-	MB41E	-	0.0	18.0	-	TAN	0.0	-	30	1703F
20	-	-	UL92AA	-	0.0	18.0	-	TAN	0.0	-	20	1703F


Connector Name 1702
 Part Number 3595621C1
 Short Description IP / ENGINE INTERCONNECT
 Instances Heating Ventilation & Air Conditioning (HVAC) (W/ VCU):Diagram1 - HVAC
 Heating Ventilation & Air Conditioning (HVAC) (W/ VCU):Diagram4 - EV Components
 Vehicle Acceleration (Wired to VCU):Diagram1
 Mates 1702



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	UL23MA	-	0.0	12.0	-	RED	0.0	-	1	1703F
9	-	-	AA10V	-	0.0	18.0	-	RED	0.0	-	9	1703F
16	-	-	BE97BJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1960.0	-	16	1703F
17	-	-	BE97CJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1960.0	-	17	1703F
18	-	-	BE99BJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1960.0	-	18	1703F
24	-	-	BE97NJ	-	0.0	18.0	-	VIOLET	0.0	-	24	1703F
26	-	-	BE97MJ	-	0.0	18.0	-	VIOLET	0.0	-	26	1703F
27	-	-	BE99DJ	-	0.0	18.0	-	VIOLET	0.0	-	27	1703F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
38	-	-	AA13Y	-	0.0	16.0	-	PINK	0.0	-	38	1703F


Connector Name 1703F
 Part Number 3595624C1
 Short Description ENGINE/IP
 Instances Ambient Temperature (No Display, Mirror Sensor, VCU):Diagram1
 Drive Mode Selector I/O (W/VCU):Diagram1
 Windshield Wipers:Diagram1
 Mates 1703M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
8	-	-	AA82-GJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2080.0	-	C	A01_4500
20	-	-	UL92AA	-	0.0	18.0	-	TAN	0.0	-	20	1702
29	-	-	MB41D	-	0.0	18.0	-	TAN	0.0	-	1	1702
30	-	-	MB41E	-	0.0	18.0	-	TAN	0.0	-	2	1702
69	-	-	AA82KJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2080.0	-	D	A01_4500
70	-	-	AA82LJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2080.0	-	E	A01_4500

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
72	-	-	AA82JJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2080.0	-	B	A01_4500
74	-	-	AA82DJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2080.0	-	A	A01_4500


Connector Name 1703F
 Part Number 3595624C1
 Short Description ENGINE/IP
 Instances Heating Ventilation & Air Conditioning (HVAC) (W/ VCU):Diagram1 - HVAC
 Heating Ventilation & Air Conditioning (HVAC) (W/ VCU):Diagram4 - EV Components
 Vehicle Acceleration (Wired to VCU):Diagram1
 Mates 1703M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	UL23MA	-	0.0	12.0	-	RED	0.0	-	1	1702
9	-	-	AA10V	-	0.0	18.0	-	RED	0.0	-	9	1702
16	-	-	BE97BJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1960.0	-	16	1702
17	-	-	BE97CJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1960.0	-	17	1702
18	-	-	BE99BJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1960.0	-	18	1702
24	-	-	BE97NJ	-	0.0	18.0	-	VIOLET	0.0	-	24	1702
26	-	-	BE97MJ	-	0.0	18.0	-	VIOLET	0.0	-	26	1702
27	-	-	BE99DJ	-	0.0	18.0	-	VIOLET	0.0	-	27	1702

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
38	-	-	AA13Y	-	0.0	16.0	-	PINK	0.0	-	38	1702
47	-	-	TB74J	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1675.0	-	B	A31_6202
48	-	-	TC9AE	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1350.0	-	A	A31_6202


Connector Name 1703M
 Part Number 3595625C1
 Short Description IP/ENGINE
 Instances Ambient Temperature (No Display, Mirror Sensor, VCU):Diagram1
 Drive Mode Selector I/O (W/VCU):Diagram1
 Windshield Wipers:Diagram1
 Mates 1703F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
8	-	-	AE82-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2155.0	-	-	-
20	-	-	UL92AB	-	0.0	18.0	-	TAN	0.0	-	4	A31_1852
29	-	-	MB41DJ	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2785.0	-	E	3200M
30	-	-	MB41EJ	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2785.0	-	F	3200M
69	-	-	AA82K	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	3410.0	-	R5 - 87	1011

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
70	-	-	AA82L	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	3410.0	-	R5 - 87A	1011
72	-	-	AA82J	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	3410.0	-	R2 - 87A	1011
74	-	-	AA82D	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	3185.0	-	X	-


Connector Name 1703M
 Part Number 3595625C1
 Short Description IP/ENGINE
 Instances Heating Ventilation & Air Conditioning (HVAC) (W/ VCU):Diagram1 - HVAC
 Heating Ventilation & Air Conditioning (HVAC) (W/ VCU):Diagram4 - EV Components
 Vehicle Acceleration (Wired to VCU):Diagram1
 Mates 1703F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AA23M	-	0.0	12.0	-	RED	0.0	-	-	-
9	-	-	AA10VA	-	0.0	18.0	-	RED	0.0	-	-	-
16	-	-	BE97B	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	B4	1800
17	-	-	BE97C	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	C5	1800
18	-	-	BE99B	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	C4	1800
24	-	-	BE97NA	-	0.0	18.0	-	VIOLET	0.0	-	B6	1800

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
26	-	-	BE97MA	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	B5	1800
27	-	-	BE99DA	-	0.0	18.0	-	VIOLET	0.0	-	C6	1800
38	-	-	AA13YJ	-	0.0	16.0	-	PINK	0.0	-	87	A31_1103
47	-	-	TB74	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3205.0	-	B5	J3-1600
48	-	-	KA9AA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1915.0	-	X	-

Connector Name 1800F
 Part Number 3612512C1
 Short Description CAB HARNESS CONNECTOR
 Instances Bendix; Tractor or Towing Truck; N/ Air SUSP; J1939 Driven Lamp:Diagram1
 Bendix; Tractor or Towing Truck; W/ Air SUSP; J1939 Driven Lamp:Diagram1
 Brake Pressure (Auxiliary Gauge):Diagram1
 Brake Pressure (Virtual Gauge):Diagram1
 City Horn (W/ 4PIN CLK & P. Brake):Diagram1-Combination1
 City Horn (W/ 4PIN CLK & P. Brake):Diagram1-Combination2
 City Horn (W/ 4PIN CLK):Diagram1-Combination1
 City Horn (W/ 4PIN CLK):Diagram1-Combination2
 City Horn (W/ 10PIN CLK & P. Brake):Diagram1
 City Horn (W/ 10PIN CLK):Diagram1
 Directional Signal (Turn) W/ DAISY CHAIN BOX LAMPS:Diagram1
 Directional Signal (Turn) W/ Daisy Chain Box Lamps W/Plow Lights:Diagram1
 Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1
 Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1
 Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1
 Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination2
 Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination1
 Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination2
 Headlights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination1
 Headlights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination2
 Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/ LOWW W/Interrupt:Diagram1-Combination1
 Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/ LOWW W/Interrupt:Diagram1-Combination2
 Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination1
 Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination2



Headlights W/Plowlights W/O Lights ON With Wipers (LOWW)
W/O Headlights Interrupt:Diagram1-Combination1
Headlights W/Plowlights W/O Lights ON With Wipers (LOWW)
W/O Headlights Interrupt:Diagram1-Combination2
Radio w/Bluetooth:Diagram1-Combination1
Radio w/Bluetooth:Diagram1-Combination2
Service Brake Switch (2 SLS/ 1 Transducer/ 2 RDS to
VCU):Diagram1
Stability Control (Bendix Straight Truck J1939 Driven
Lamp):Diagram1

Mates

1800


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A1	-	-	BB56A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1065.0	-	1	1810
A2	-	-	BB57A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1065.0	-	2	1810
A3	-	-	BL11-GAA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	550.0	-	X	-
A4	-	-	CE9V	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	450.0	-	X	-
A4	-	-	AC9V	-	0.0	18.0	-	GREY	0.0	-	X	-
A6	-	-	AB70A	-	0.0	18.0	-	ORANGE	0.0	-	C	B03_1823
A7	-	-	BB52A	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1065.0	-	3	1810

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A8	-	-	BB102A	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1065.0	-	4	1810
B3	-	-	CB6H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	550.0	-	X	-
B3	-	-	AB6H	-	0.0	18.0	-	GREY	0.0	-	X	-
B9	-	-	AB70	-	0.0	18.0	-	ORANGE	0.0	-	C	B03_1824
B10	-	-	BL85A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	3	1802
B10	-	-	BF85B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B	1809
B11	-	-	BZ100	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	2	1802
C2	-	-	CB40F	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	775.0	-	C	1822
C3	-	-	BN94SV	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	425.0	-	X	-
C10	-	-	BN94SZ	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	475.0	-	X	-
C12	-	-	AM40	-	0.0	18.0	-	GREY	0.0	-	1	B03_1811

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D1	-	-	AK70BB	-	0.0	18.0	-	GREY	0.0	-	C	B03_1829
D2	-	-	AK70AC	-	0.0	18.0	-	GREY	0.0	-	X	-
D3	-	-	BL62DD	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	1125.0	-	5	1802
D3	-	-	BF62DD	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	1125.0	-	C	1809
D4	-	-	AK70A	-	0.0	18.0	-	GREY	0.0	-	C	B03_1831
D5	-	-	BN94SE	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	700.0	-	C	1826
D6	-	-	BN94SF	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	600.0	-	C	1828

Connector Name 1800F
 Part Number 3612512C1
 Short Description CAB HARNESS CONNECTOR
 Instances Compressed Air Supply (Primary & Secondary Guage)(W/2 in 1 Inverter):Diagram1
 Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination1
 Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination2
 Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1
 Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
 Lights:Diagram1
 Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination1
 Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination2
 Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination1
 Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination2
 Park Brake Controls (W/VCU):Diagram1
 PARK LIGHTS - W/Marker Interrupt 4 pin clockspring:Diagram1-Combination1
 PARK LIGHTS - W/Marker Interrupt 4 pin clockspring:Diagram1-Combination2
 PARK LIGHTS - W/Marker Interrupt 10pin
 CLCKSPRING:Diagram1-Combination1
 PARK LIGHTS - W/Marker Interrupt 10pin
 CLCKSPRING:Diagram1-Combination2
 Vehicle Acceleration (Wired to VCU):Diagram1
 Vehicle Speed Control (Cruise Control) 10 Pin:Diagram1
 Windshield Washer Pump:Diagram1-Combination1
 Windshield Washer Pump:Diagram1-Combination2
 Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination1
 Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination2
 Windshield Wipers:Diagram1

Mates 1800




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
A1	-	-	BB56A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1065.0	-	1	1810
A2	-	-	BB57A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1065.0	-	2	1810
A3	-	-	BL11-GAA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	550.0	-	X	-
A3	-	-	BF11-GAA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1065.0	-	6	1810
A3	-	-	BG11-GAA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1065.0	-	6	1810
A4	-	-	CE9V	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	450.0	-	X	-
A4	-	-	AC9V	-	0.0	18.0	-	GREY	0.0	-	X	-
A5	-	-	BB87A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1065.0	-	12	1810
A7	-	-	BB52A	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1065.0	-	3	1810

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A8	-	-	BB102A	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1065.0	-	4	1810
B1	-	-	BB82B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1065.0	-	5	1810
B2	-	-	AB40A	-	0.0	18.0	-	GREY	0.0	-	1	B03_1812
B3	-	-	AM44BB	-	0.0	18.0	-	GREY	0.0	-	C	B03_1813
B3	-	-	AB6H	-	0.0	18.0	-	GREY	0.0	-	X	-
B4	-	-	AA99Y	-	0.0	18.0	-	VIOLET	0.0	-	B	B03_1801
B5	-	-	AA99U	-	0.0	18.0	-	VIOLET/WHITE	0.0	-	D	B03_1801
B6	-	-	AA99W	-	0.0	18.0	-	VIOLET	0.0	-	E	B03_1801
B11	-	-	BZ100	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	2	1802
B12	-	-	BZ97	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	1	1802
B12	-	-	CB97	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	A	1809
C1	-	-	BB82A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1065.0	-	11	1810
C4	-	-	AA99V	-	0.0	18.0	-	VIOLET/WHITE	0.0	-	A	B03_1801

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
C5	-	-	AA99P	-	0.0	18.0	-	VIOLET/ BLACK	0.0	-	C	B03_1801
C6	-	-	AA99E	-	0.0	18.0	-	VIOLET/ BLACK	0.0	-	F	B03_1801
C9	-	-	BB82	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1065.0	-	8	1810
C12	-	-	AM40	-	0.0	18.0	-	GREY	0.0	-	1	B03_1811
D3	-	-	BL62DD	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	1125.0	-	5	1802
D3	-	-	BF62DD	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	1125.0	-	C	1809

Connector Name 1800
 Part Number 3553649C1
 Short Description DCM CONNECTOR
 Instances Bendix; Tractor or Towing Truck; N/ Air SUSP; J1939 Driven Lamp:Diagram1
 Bendix; Tractor or Towing Truck; W/ Air SUSP; J1939 Driven Lamp:Diagram1
 Brake Pressure (Auxiliary Gauge):Diagram1
 Brake Pressure (Virtual Gauge):Diagram1
 City Horn (W/ 4PIN CLK & P. Brake):Diagram1-Combination1
 City Horn (W/ 4PIN CLK & P. Brake):Diagram1-Combination2
 City Horn (W/ 4PIN CLK):Diagram1-Combination1
 City Horn (W/ 4PIN CLK):Diagram1-Combination2
 City Horn (W/ 10PIN CLK & P. Brake):Diagram1
 City Horn (W/ 10PIN CLK):Diagram1
 Directional Signal (Turn) W/ DAISY CHAIN BOX LAMPS:Diagram1
 Directional Signal (Turn) W/ Daisy Chain Box Lamps W/Plow Lights:Diagram1
 Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1
 Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1
 Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1
 Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination2
 Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination1
 Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination2
 Headlights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination1
 Headlights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination2
 Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/ LOWW W/Interrupt:Diagram1-Combination1
 Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/ LOWW W/Interrupt:Diagram1-Combination2
 Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination1
 Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination2



Headlights W/Plowlights W/O Lights ON With Wipers (LOWW)
W/O Headlights Interrupt:Diagram1-Combination1
Headlights W/Plowlights W/O Lights ON With Wipers (LOWW)
W/O Headlights Interrupt:Diagram1-Combination2
Radio w/Bluetooth:Diagram1-Combination1
Radio w/Bluetooth:Diagram1-Combination2
Service Brake Switch (2 SLS/ 1 Transducer/ 2 RDS to
VCU):Diagram1
Stability Control (Bendix Straight Truck J1939 Driven
Lamp):Diagram1

Mates

1800F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A1	-	-	AA56B	3510316 R1	0.53	20.0	Thin Wall XLPE Primary Cable	ORANGE	1365.0	-	A7	J3-1600
A2	-	-	AA57B	3510316 R1	0.53	20.0	Thin Wall XLPE Primary Cable	ORANGE	1365.0	-	A6	J3-1600
A3	-	-	AD87-GA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	430.0	-	-	-
A4	-	-	KA9C	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	355.0	-	X	-
A6	-	-	WB70A	3510364 R1	0.53	20.0	Thin Wall XLPE Primary Cable	RED	1385.0	-	E15	J5-1602
A7	-	-	AA52D	2643768 R1	0.53	20.0	Std. Wall XLPE Primary Cable	YELLOW 2	1365.0	-	A4	J3-1600


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
A8	-	-	AA102A	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	1365.0	-	A14	J3-1600
B3	-	-	WC6	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1385.0	-	E4	J5-1602
B3	-	-	NK6	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1385.0	-	E4	J5-1602
B9	-	-	WB70	3510364 R1	0.53	20.0	Thin Wall XLPE Primary Cable	RED	1385.0	-	E14	J5-1602
B10	-	-	AA85A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	A5	J3-1600
B11	-	-	AA150	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	B16	J3-1600
C2	-	-	NK40BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	B14	J3-1600
C3	-	-	XK94SVE	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1855.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C3	-	-	XH94SV	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2065.0	-	4	1403
C3	-	-	XF94SV	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1855.0	-	X	-
C10	-	-	XH94SZ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2065.0	-	1	1403
C10	-	-	XK94SZE	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1875.0	-	X	-
C12	-	-	NK40	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1365.0	-	B2	J3-1600
D1	-	-	AA101BJ	-	0.0	18.0	-	TAN	0.0	-	4	A31_170 3M
D2	-	-	AA10EJ	-	0.0	18.0	-	WHITE	0.0	-	23	A31_170 3M
D3	-	-	AB62DD	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	885.0	-	X	-
D3	-	-	AC62DD	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	885.0	-	X	-
D4	-	-	WA101BA	-	0.0	18.0	-	WHITE	0.0	-	28	A31_170 3M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D5	-	-	XL94SE	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2065.0	-	2	1403
D6	-	-	XL94SF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2065.0	-	5	1403

Connector Name 1800
 Part Number 3553649C1
 Short Description DCM CONNECTOR
 Instances Compressed Air Supply (Primary & Secondary Guage)(W/2 in 1 Inverter):Diagram1
 Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination1
 Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination2
 Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1
 Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
 Lights:Diagram1
 Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination1
 Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination2
 Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination1
 Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination2
 Park Brake Controls (W/VCU):Diagram1
 PARK LIGHTS - W/Marker Interrupt 4 pin clockspring:Diagram1-Combination1
 PARK LIGHTS - W/Marker Interrupt 4 pin clockspring:Diagram1-Combination2
 PARK LIGHTS - W/Marker Interrupt 10pin
 CLCKSPRING:Diagram1-Combination1
 PARK LIGHTS - W/Marker Interrupt 10pin
 CLCKSPRING:Diagram1-Combination2
 Vehicle Acceleration (Wired to VCU):Diagram1
 Vehicle Speed Control (Cruise Control) 10 Pin:Diagram1
 Windshield Washer Pump:Diagram1-Combination1
 Windshield Washer Pump:Diagram1-Combination2
 Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination1
 Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination2
 Windshield Wipers:Diagram1

Mates 1800F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A1	-	-	AA56B	3510316 R1	0.53	20.0	Thin Wall XLPE Primary Cable	ORANGE	1365.0	-	A7	J3-1600
A2	-	-	AA57B	3510316 R1	0.53	20.0	Thin Wall XLPE Primary Cable	ORANGE	1365.0	-	A6	J3-1600
A3	-	-	AD87-GA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	430.0	-	-	-
A4	-	-	KA9C	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	355.0	-	X	-
A5	-	-	HJ87A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	505.0	-	X	-
A5	-	-	HE87A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	485.0	-	X	-
A7	-	-	AA52D	2643768 R1	0.53	20.0	Std. Wall XLPE Primary Cable	YELLOW 2	1365.0	-	A4	J3-1600
A8	-	-	AA102A	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	1365.0	-	A14	J3-1600

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B1	-	-	AA82C	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	A11	J3-1600
B2	-	-	NK40A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1365.0	-	B3	J3-1600
B3	-	-	NK6	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1385.0	-	E4	J5-1602
B4	-	-	BE97B	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	16	1703M
B5	-	-	BE97MA	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	26	1703M
B6	-	-	BE97NA	-	0.0	18.0	-	VIOLET	0.0	-	24	1703M
B11	-	-	AA150	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	B16	J3-1600
B12	-	-	SN86A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	B1	J3-1600
C1	-	-	AA82B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	A10	J3-1600

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C4	-	-	BE99B	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	18	1703M
C5	-	-	BE97C	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	17	1703M
C6	-	-	BE99DA	-	0.0	18.0	-	VIOLET	0.0	-	27	1703M
C9	-	-	AA82A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	A9	J3-1600
C12	-	-	NK40	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1365.0	-	B2	J3-1600
D3	-	-	AB62DD	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	885.0	-	X	-
D3	-	-	AC62DD	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	885.0	-	X	-

Connector Name 1802
 Part Number 3608496C1
 Instances City Horn (W/ 10PIN CLK & P. Brake):Diagram1
 City Horn (W/ 10PIN CLK):Diagram1
 Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination1
 Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination2
 Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination1
 Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination2
 Headlights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination1
 Headlights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination2
 Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/ LOWW W/Interrupt:Diagram1-Combination1
 Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/ LOWW W/Interrupt:Diagram1-Combination2
 Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination1
 Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination2
 PARK LIGHTS - W/Marker Interrupt 10pin CLCKSPRING:Diagram1-Combination1
 PARK LIGHTS - W/Marker Interrupt 10pin CLCKSPRING:Diagram1-Combination2
 Radio w/Bluetooth:Diagram1-Combination1
 Radio w/Bluetooth:Diagram1-Combination2
 Vehicle Speed Control (Cruise Control) 10 Pin:Diagram1




Mates DEV-10PIN_CLKSPRING-1005-0 1-03

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	BZ97	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B12	1800F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	BZ100	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B11	1800F
3	-	-	BL85A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B10	1800F
4	-	-	BX9VA	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	875.0	-	X	-
5	-	-	BL62DD	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	1125.0	-	D3	1800F
6	-	-	BL62-GDD	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	575.0	-	X	-

Connector Name 1809
 Part Number 3547870C1
 Instances City Horn (W/ 4PIN CLK & P. Brake):Diagram1-Combination1
 City Horn (W/ 4PIN CLK & P. Brake):Diagram1-Combination2
 City Horn (W/ 4PIN CLK):Diagram1-Combination1
 City Horn (W/ 4PIN CLK):Diagram1-Combination2
 PARK LIGHTS - W/Marker Interrupt 4 pin clockspring:Diagram1-Combination1
 PARK LIGHTS - W/Marker Interrupt 4 pin clockspring:Diagram1-Combination2
 Mates DEV-4PIN_CLCKSPRING-1005-0 1-04A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CB97	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B12	1800F
B	-	-	BF85B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B10	1800F
C	-	-	BF62DD	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	1125.0	-	D3	1800F
D	-	-	BV9R	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	875.0	-	X	-

Connector Name 1810
 Part Number 3539212C1
 Instances Directional Signal (Turn) W/ DAISY CHAIN BOX LAMPS:Diagram1
 Directional Signal (Turn) W/ Daisy Chain Box Lamps W/Plow Lights:Diagram1
 Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1
 Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1
 Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1
 Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1
 Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1
 Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination2
 Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination1
 Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination2
 Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination1
 Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination2
 Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination1
 Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination2
 Headlights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination1
 Headlights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination2
 Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/ LOWW W/Interrupt:Diagram1-Combination1
 Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/ LOWW W/Interrupt:Diagram1-Combination2
 Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination1
 Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination2
 Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination1



Headlights W/Plowlights W/O Lights ON With Wipers (LOWW)
W/O Headlights Interrupt:Diagram1-Combination2
Windshield Washer Pump:Diagram1-Combination1
Windshield Washer Pump:Diagram1-Combination2
Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination1
Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination2
Windshield Wipers:Diagram1


Mates

SW-MULTIFUNCTION-1016-01-0 4B

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	BB56A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1065.0	-	A1	1800F
2	-	-	BB57A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1065.0	-	A2	1800F
3	-	-	BB52A	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1065.0	-	A7	1800F
4	-	-	BB102A	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1065.0	-	A8	1800F
5	-	-	BB82B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1065.0	-	B1	1800F
6	-	-	BL87-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	515.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
6	-	-	BF11-GAA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1065.0	-	A3	1800F
6	-	-	BG11-GAA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1065.0	-	A3	1800F
7	-	-	CB9S	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	815.0	-	X	-
7	-	-	CE9S	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	815.0	-	X	-
7	-	-	CA9S	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	815.0	-	X	-
8	-	-	BB82	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1065.0	-	C9	1800F
11	-	-	BB82A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1065.0	-	C1	1800F
12	-	-	BB87A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1065.0	-	A5	1800F

Connector Name 1820F
 Part Number 1667529C1
 Short Description CAB HARNESS STEERING WHEEL SENSOR
 Instances Bendix; Tractor or Towing Truck; N/ Air SUSP; J1939 Driven
 Lamp:Diagram1
 Bendix; Tractor or Towing Truck; W/ Air SUSP; J1939 Driven
 Lamp:Diagram1
 Stability Control (Bendix Straight Truck J1939 Driven
 Lamp):Diagram1
 Mates 1820M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BN94SA	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1195.0	-	2	1821
C	-	-	BN94SC	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1195.0	-	1	1821

Connector Name 1820M
 Part Number 1667305C1
 Short Description RSP / ESP SWS
 Instances Bendix; Tractor or Towing Truck; N/ Air SUSP; J1939 Driven
 Lamp:Diagram1
 Bendix; Tractor or Towing Truck; W/ Air SUSP; J1939 Driven
 Lamp:Diagram1
 Stability Control (Bendix Straight Truck J1939 Driven
 Lamp):Diagram1
 Mates 1820F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	XF94SA	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	870.0	-	-	-
C	-	-	XF94SC	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	870.0	-	-	-

Connector Name 1821
 Part Number 3601800C1
 Instances Bendix; Tractor or Towing Truck; N/ Air SUSP; J1939 Driven Lamp:Diagram1
 Bendix; Tractor or Towing Truck; W/ Air SUSP; J1939 Driven Lamp:Diagram1
 Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1
 Mates SNSR-STEERING_ANGLE-3026-0 1-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	BN94SC	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1195.0	-	C	1820F
2	-	-	BN94SA	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1195.0	-	A	1820F
3	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-

Connector Name 1822
 Part Number 1678137C1
 Instances Brake Pressure (Auxiliary Gauge):Diagram1
 Brake Pressure (Virtual Gauge):Diagram1
 Mates SNSR-BRAKE-3027-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CA9VF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	525.0	-	X	-
B	-	-	CB6HC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	625.0	-	X	-
C	-	-	CB40F	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	775.0	-	C2	1800F

Connector Name 1826
 Part Number 1678137C1
 Instances Bendix; Tractor or Towing Truck; N/ Air SUSP; J1939 Driven Lamp:Diagram1
 Bendix; Tractor or Towing Truck; W/ Air SUSP; J1939 Driven Lamp:Diagram1
 Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1
 Mates SNSR-PRIMARY_PT-3026-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BN94SZA	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	475.0	-	X	-
B	-	-	BN94SVA	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	425.0	-	X	-
C	-	-	BN94SE	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	700.0	-	D5	1800F

Connector Name 1828
 Part Number 1678137C1
 Instances Bendix; Tractor or Towing Truck; N/ Air SUSP; J1939 Driven Lamp:Diagram1
 Bendix; Tractor or Towing Truck; W/ Air SUSP; J1939 Driven Lamp:Diagram1
 Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1
 Mates SNSR-SECONDARY_PT-3026-01- 01B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BN94SZB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	125.0	-	X	-
B	-	-	BN94SVB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	175.0	-	X	-
C	-	-	BN94SF	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	600.0	-	D6	1800F

Connector Name 1873D
 Part Number 593385C1
 Instances
 Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10
 PIN CLK:Diagram1-Combination1
 Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10
 PIN CLK:Diagram1-Combination2
 Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/
 LOWW W/Interrupt:Diagram1-Combination1
 Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/
 LOWW W/Interrupt:Diagram1-Combination2
 Headlights W/PlowLights W/O Lights ON with wipers (LOWW)
 W/ Headlights Interrupt:Diagram1-Combination1
 Headlights W/PlowLights W/O Lights ON with wipers (LOWW)
 W/ Headlights Interrupt:Diagram1-Combination2
 Headlights W/Plowlights W/O Lights ON With Wipers (LOWW)
 W/O Headlights Interrupt:Diagram1-Combination1
 Headlights W/Plowlights W/O Lights ON With Wipers (LOWW)
 W/O Headlights Interrupt:Diagram1-Combination2




Mates RLY-L_HB-1034-01-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	YG52A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1440.0	-	H	J1-1603
2	-	-	YG96-GD	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	645.0	-	X	-
3	-	-	YG96E	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	225.0	-	X	-
4	-	-	YG52AC	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1350.0	-	10	1700

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	YG52AA	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1350.0	-	1	1700

Connector Name 1873E
 Part Number 593385C1
 Instances
 Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10
 PIN CLK:Diagram1-Combination1
 Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10
 PIN CLK:Diagram1-Combination2
 Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/
 LOWW W/Interrupt:Diagram1-Combination1
 Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/
 LOWW W/Interrupt:Diagram1-Combination2
 Headlights W/PlowLights W/O Lights ON with wipers (LOWW)
 W/ Headlights Interrupt:Diagram1-Combination1
 Headlights W/PlowLights W/O Lights ON with wipers (LOWW)
 W/ Headlights Interrupt:Diagram1-Combination2
 Headlights W/Plowlights W/O Lights ON With Wipers (LOWW)
 W/O Headlights Interrupt:Diagram1-Combination1
 Headlights W/Plowlights W/O Lights ON With Wipers (LOWW)
 W/O Headlights Interrupt:Diagram1-Combination2




Mates RLY-R_HB-1034-01-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	YG52B	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1480.0	-	L	J1-1603
2	-	-	YG96-GC	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	685.0	-	X	-
3	-	-	YG96D	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	265.0	-	X	-
4	-	-	YG52BC	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1390.0	-	11	1700

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	YG52BA	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1390.0	-	3	1700


Connector Name 1873F
 Part Number 593385C1
 Instances
 Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10
 PIN CLK:Diagram1-Combination1
 Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10
 PIN CLK:Diagram1-Combination2
 Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/
 LOWW W/Interrupt:Diagram1-Combination1
 Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/
 LOWW W/Interrupt:Diagram1-Combination2
 Headlights W/PlowLights W/O Lights ON with wipers (LOWW)
 W/ Headlights Interrupt:Diagram1-Combination1
 Headlights W/PlowLights W/O Lights ON with wipers (LOWW)
 W/ Headlights Interrupt:Diagram1-Combination2
 Headlights W/Plowlights W/O Lights ON With Wipers (LOWW)
 W/O Headlights Interrupt:Diagram1-Combination1
 Headlights W/Plowlights W/O Lights ON With Wipers (LOWW)
 W/O Headlights Interrupt:Diagram1-Combination2



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	YG53A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1555.0	-	B	J2-1604
2	-	-	YG96-GB	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	725.0	-	X	-
3	-	-	YG96C	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	305.0	-	X	-
4	-	-	YG53AC	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1430.0	-	8	1700

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	YG53AA	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1430.0	-	2	1700

Connector Name 1873G
 Part Number 593385C1
 Instances
 Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10
 PIN CLK:Diagram1-Combination1
 Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10
 PIN CLK:Diagram1-Combination2
 Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/
 LOWW W/Interrupt:Diagram1-Combination1
 Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/
 LOWW W/Interrupt:Diagram1-Combination2
 Headlights W/PlowLights W/O Lights ON with wipers (LOWW)
 W/ Headlights Interrupt:Diagram1-Combination1
 Headlights W/PlowLights W/O Lights ON with wipers (LOWW)
 W/ Headlights Interrupt:Diagram1-Combination2
 Headlights W/Plowlights W/O Lights ON With Wipers (LOWW)
 W/O Headlights Interrupt:Diagram1-Combination1
 Headlights W/Plowlights W/O Lights ON With Wipers (LOWW)
 W/O Headlights Interrupt:Diagram1-Combination2




Mates RLY-R_LB-1034-01-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	YG53B	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1595.0	-	H	J2-1604
2	-	-	YG96-GA	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	765.0	-	X	-
3	-	-	YG96B	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	345.0	-	X	-
4	-	-	YG53BC	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1470.0	-	9	1700


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	YG53BA	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1470.0	-	4	1700

Connector Name 1901A
 Part Number 3590298C1
 Instances Standard APO and Aux APO:Diagram1-Combination2




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JE14UA	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1465.0	-	-	-
C	-	-	JE11-GUA	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	1760.0	-	-	-

Connector Name 1901A
 Part Number 4094648C1
 Instances Cigar Lighter Aux APO:Diagram1-Combination2
 Mates DEV-APO-2002-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JE14UA	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1465.0	-	-	-
C	-	-	JE11-GUD	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	1590.0	-	-	-

Connector Name 1901
 Part Number 3590298C1
 Instances Standard APO and Aux APO:Diagram1-Combination1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JC84	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1715.0	-	-	-
C	-	-	JC11-GAF	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	1210.0	-	-	-

Connector Name 1901
 Part Number 4094648C1
 Instances Cigar Lighter Aux APO:Diagram1-Combination1
 Mates DEV-APO-2002-01-03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JC84C	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1715.0	-	-	-
C	-	-	JC11-GAC	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	1040.0	-	-	-

Connector Name 1903B
 Part Number 3590298C1
 Instances Standard APO and Aux APO:Diagram1-Combination3
 Mates DEV-APO-2002-01-03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JD86C2	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1395.0	-	-	-
C	-	-	JD11-GCE	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	1270.0	-	-	-

Connector Name 1903B
 Part Number 4094648C1
 Instances Cigar Lighter Aux APO:Diagram1-Combination3




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JD86C2	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1395.0	-	-	-
C	-	-	JD11-GCE	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	1270.0	-	-	-

Connector Name 1903
 Part Number 3590298C1
 Instances Standard APO:Diagram1
 Standard APO and Aux APO:Diagram1-Combination1
 Standard APO and Aux APO:Diagram1-Combination2
 Standard APO and Aux APO:Diagram1-Combination3
 Mates DEV-APO-2002-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JA84	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1420.0	-	-	-
C	-	-	JA11-GAF	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	1910.0	-	-	-

Connector Name 1903
 Part Number 4094648C1
 Instances Cigar Lighter Aux APO:Diagram1-Combination1
 Cigar Lighter Aux APO:Diagram1-Combination2
 Cigar Lighter Aux APO:Diagram1-Combination3
 Mates DEV-Cigar_Lighter-2002-01- 02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JA84	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1420.0	-	-	-
C	-	-	JA11-GAF	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	1910.0	-	-	-

Connector Name 1904
 Part Number 3768147C1
 Instances Two USB:Diagram1-Combination1
 Two USB:Diagram1-Combination2
 Mates DEV-USB-2060-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	JA11-GUA	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	1910.0	-	-	-
2	-	-	JA13UA	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	1615.0	-	-	-

Connector Name 1905
 Part Number 3768147C1
 Instances Two USB:Diagram1-Combination1
 Two USB:Diagram1-Combination2
 Mates DEV-USB-2060-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	JE11-GUB	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	1760.0	-	-	-
1	-	-	JC11-GUB	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	1040.0	-	-	-
2	-	-	JE13U	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	1270.0	-	-	-
2	-	-	JC13UC	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	1520.0	-	-	-

Connector Name 1916A
 Part Number 2005836C1
 Instances Speakers:Four Speakers Daycab n/BT w/QC:Diagram1
 Speakers:Four Speakers Daycab w/BT w/QC:Diagram1
 Mates SW-SPKR-2033-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MQ86H	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1265.0	-	13	1300
B	-	-	MQ86J	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1265.0	-	14	1300
F	-	-	MQ86HB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	270.0	-	C	3205M
G	-	-	MQ86JB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	270.0	-	D	3205M

Connector Name 1923
 Part Number BLUNT_SL_VC
 Instances TEM_Electric Trailer Brake Controller Activated Stop
 LT:Diagram1
 Mates BLUNT_CUST_ETB CONTROLLER_MODULE_3043-01- 01A


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TJ14NS	3510296 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BLACK	2050.0	-	-	-
B	-	-	TJ70E	3510369 R1	4.81	10.0	Thin Wall XLPE Primary Cable	RED	820.0	-	X	-
C	-	-	TJ94T	3510357 R1	4.81	10.0	Thin Wall XLPE Primary Cable	DARK BLUE	1300.0	-	10	1701
D	-	-	TJ11-GAM	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	920.0	-	-	-

Connector Name 1938M
 Part Number 3554818C1
 Instances Telematics (PEOPLE NET MD):Diagram1
 Mates MODU-PEOPLENET_CONN-2035-0 5-05A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MM11-GBE	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	685.0	-	-	-
B	-	-	MM14EA	2643686 R1	1.91	14.0	Std. Wall XLPE Primary Cable	RED	2820.0	-	X	-

Connector Name 1939M
 Part Number 3553404C1
 Instances Telematics (PEOPLE NET MD):Diagram1
 Mates MODU-PEOPLENET_VID-2035-05 -05A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	-	-	-	-	-	-	-	-	-	-
5	-	-	-	-	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	-	-	-	-	-
12	-	-	-	-	-	-	-	-	-	-	-	-

Connector Name 1939
 Part Number 2011340C1
 Instances Telematics (PEOPLE NET MD):Diagram1
 Mates MODU-PEOPLENET_COMM-2035-0 5-05A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	MM14ED	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	4350.0	-	X	-
D	-	-	MM11-GBH	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2215.0	-	-	-
E	-	-	MM13EE	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	4955.0	-	-	-

Connector Name 1942F
 Part Number 3673259C1
 Instances Collision Avoidance System (Warning):Diagram1
 Mates MODU-SIDE_DISPLAY-3011-02- 02



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	YB67V	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2475.0	-	9	1701
2	-	-	YB67W	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2475.0	-	10	1701
3	-	-	YB67U	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2475.0	-	6	1701
4	-	-	XV57C	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2090.0	-	X	-


Connector Name 1979A
 Part Number 4061584C1
 Instances Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 1:Diagram1
 Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 2:Diagram1
 Lane Departure Warning - (Bendix Fusion N/ Safety Direct):Diagram1-Combination1
 Lane Departure Warning - (Bendix Fusion N/ Safety Direct):Diagram1-Combination2
 Mates DEV-BENDIX_FUSION_FLC_20-3 020-02-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	EB14CSB2	3510364 R1	0.53	20.0	Thin Wall XLPE Primary Cable	RED	754.0	-	X	-
1	-	-	14CSB2	3510364 R1	0.53	20.0	Thin Wall XLPE Primary Cable	RED	900.0	-	1	-
3	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-
8	-	-	EB11COG2	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	400.0	-	X	-
8	-	-	11COG2	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	850.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
9	-	-	EB13COG2	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	729.0	-	1	-
9	-	-	13COG2	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	875.0	-	1	-
9	-	-	EB13COG2	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	729.0	-	X	-


Connector Name 1979
 Part Number 3831401C1
 Instances Lane Departure Warning - (Bendix Fusion N/ Safety Direct):Diagram1-Combination1
 Lane Departure Warning - (Bendix Fusion N/ Safety Direct):Diagram1-Combination2
 Mates MODU-BENDIX_FUSION_SAFETY_DIRECT-3020-02-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	14CSB3	3510364 R1	0.53	20.0	Thin Wall XLPE Primary Cable	RED	900.0	-	1	-
2	-	-	YELLOW	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	450.0	-	X	-
5	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	-	-	-	-	-	-	-	-	-	-
7	-	-	67COG	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2740.0	-	G	16A
9	-	-	13COG3	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	875.0	-	1	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
10	-	-	GREENL	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1060.0	-	-	-
11	-	-	GREENR	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1650.0	-	G	2500M
16	-	-	11COG3	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	150.0	-	X	-

Connector Name 2000F
 Part Number 3544687C1
 Instances Interior Dual Post Ground Stud-Cowl Wall:Diagram1
 Mates 2000




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	D63-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1950.0	-	X	-

Connector Name 2000F
 Part Number 3544687C1
 Short Description ROOF/IP CONNECTION
 Instances Cab Dome Light W/Classic Trim:Diagram1
 Cab Dome Light W/ Combo in Diamond Trim:Diagram1
 CB Radio Power Only:Diagram1
 Interior Task Lights (Map) - Dome Combo:Diagram1
 Park / Turn Lights Splice Packs 1623/1625/400:Diagram1
 Mates 2000




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	D58T	2643672 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BROWN	2000.0	-	-	-
2	-	-	D86F	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1717.0	-	A	2500F
4	-	-	D63D	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	710.0	-	X	-
5	-	-	D63E	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	740.0	-	X	-

Connector Name 2000M
 Part Number 1661201C1
 Instances Vehicle Data Recorder (W/ Display):Diagram2 - Recorder W/
 Display
 Mates 8883




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	D5A	-	0.79	18.0	Thin Wall XLPE Primary Cable	GREEN	0.0	-	2	D17-2000N
B	-	-	D5B	-	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	0.0	-	1	D17-2000N
C	-	-	D11AA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	0.0	-	3	D17-2000N
D	-	-	D14AA	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	0.0	-	4	D17-2000N

Connector Name 2000
 Part Number 3544688C1
 Instances Interior Dual Post Ground Stud-Cowl Wall:Diagram1
 Mates 2000F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	AE63-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	495.0	-	X	-


Connector Name 2000
 Part Number 3544688C1
 Short Description IP/ROOF CONNECTION
 Instances Cab Dome Light W/Classic Trim:Diagram1
 Cab Dome Light W/ Combo in Diamond Trim:Diagram1
 CB Radio Power Only:Diagram1
 Interior Task Lights (Map) - Dome Combo:Diagram1
 Park / Turn Lights Splice Packs 1623/1625/400:Diagram1
 Mates 2000F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	YP58T	3510305 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BROWN	1085.0	-	F	1623
1	-	-	YS58T	3510305 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BROWN	1085.0	-	D	1623
2	-	-	SM86F	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2275.0	-	-	-
4	-	-	WF63	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	680.0	-	J	J2-1604


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	AA63BD	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2275.0	-	-	-

Connector Name 2224
 Part Number 3833917C1
 Instances Vehicle Information Display (W/ BT):Diagram1
 Vehicle Information Display Premium w/ Wi-Fi VID:Diagram1
 Vehicle Information Display W/O BT:Diagram1
 Mates MODU-VID-2025-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	NE14A	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	2030.0	-	-	-
2	-	-	ND10AA	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	125.0	-	-	-
3	-	-	NC12B	3510340 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2030.0	-	-	-
5	-	-	ND10AB	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	125.0	-	-	-


Connector Name 2225
 Part Number 3834322C1
 Instances Vehicle Information Display (W/ BT):Diagram1
 Vehicle Information Display Premium w/ Wi-Fi VID:Diagram1
 Vehicle Information Display W/O BT:Diagram1
 Mates MODU-VID-2025-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	ND9A	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	670.0	-	-	-
8	-	-	-	-	-	-	-	-	-	-	-	-
10	-	-	ND10AC	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	125.0	-	-	-
11	-	-	NE86AA	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	570.0	-	7	1301
12	-	-	NE86AB	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	570.0	-	10	1301

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
13	-	-	NE86AC	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	570.0	-	9	1301
14	-	-	NE86AD	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	570.0	-	11	1301
15	-	-	ND10AD	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	125.0	-	-	-
16	-	-	-	-	-	-	-	-	-	-	-	-


Connector Name 23XX
 Part Number 3534156C1
 Short Description DOOR SW/SPEAKER JUMPER
 Instances Door Ajar Reminder (Entry/Exit) 2 Door:Diagram1
 Speakers:Four Speakers Daycab BT n/QC:Diagram1
 Speakers:Four Speakers Daycab n/BT n/QC:Diagram1
 Speakers:Four Speakers Daycab n/BT w/QC:Diagram1
 Speakers:Four Speakers Daycab w/BT w/QC:Diagram1
 Mates 2312



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	63	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	130.0	-	X	-
B	-	-	9	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	150.0	-	X	-
C	-	-	86BDA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2250.0	-	-	-
C	-	-	86BDA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2250.0	-	A	2300


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	86BDA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2250.0	-	A	2300_R
D	-	-	86CEA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2250.0	-	-	-
D	-	-	86CEA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2250.0	-	B	2300_R

Connector Name 23XX
 Part Number 3534156C1
 Instances Speakers:Four Speakers Daycab n/BT w/QC:Diagram1
 Speakers:Four Speakers Daycab w/BT w/QC:Diagram1
 Mates 2313



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	86BDA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2250.0	-	-	-
D	-	-	86CEA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2250.0	-	-	-


Connector Name 2300
 Part Number 3535769C1
 Instances Speakers:Four Speakers Daycab BT n/QC:Diagram1
 Speakers:Four Speakers Daycab n/BT n/QC:Diagram1
 Speakers:Four Speakers Daycab n/BT w/QC:Diagram1
 Speakers:Four Speakers Daycab w/BT w/QC:Diagram1
 Mates SPKR-LR-2058-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	86BDA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2250.0	-	A	2300_R
A	-	-	86BDA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2250.0	-	C	23XX
A	-	-	86BDA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2250.0	-	-	-
B	-	-	86CEA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2250.0	-	B	2300_R

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	86CEA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2250.0	-	-	-

Connector Name 2300_R
 Part Number 3535769C1
 Instances Speakers:Four Speakers Daycab BT n/QC:Diagram1
 Speakers:Four Speakers Daycab n/BT n/QC:Diagram1
 Speakers:Four Speakers Daycab n/BT w/QC:Diagram1
 Speakers:Four Speakers Daycab w/BT w/QC:Diagram1
 Mates SPKR-RR-2058-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	86BDA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2250.0	-	A	2300
A	-	-	86BDA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2250.0	-	-	-
A	-	-	86BDA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2250.0	-	C	23XX
B	-	-	86CEA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2250.0	-	B	2300


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	86CEA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2250.0	-	D	23XX

Connector Name 2303F
 Part Number 1661196C1
 Short Description CB RADIO POWER
 Instances CB Radio Power Only:Diagram1
 Mates 2303M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	C86M	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	160.0	-	A	2310
B	-	-	C86-GG	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	160.0	-	A	2311

Connector Name 2303M
 Part Number 1661197C1
 Short Description CB RADIO POWER
 Instances CB Radio Power Only:Diagram1
 Mates 2303F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	C86F	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	930.0	-	A	2500M
B	-	-	C86-GF	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	760.0	-	X	-


Connector Name 2310
 Part Number BLUNT_SL_VC
 Instances CB Radio Power Only:Diagram1
 Mates BLNT-CB+VE-2033-01-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	C86M	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	160.0	-	A	2303F

Connector Name 2311
 Part Number BLUNT_SL_VC
 Instances CB Radio Power Only:Diagram1
 Mates BLNT-CB-VE-2033-01-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	C86-GG	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	160.0	-	B	2303F


Connector Name 2312
 Part Number 3533975C1
 Short Description DOOR SWITCH SPEAKER JUMPER
 Instances Door Ajar Reminder (Entry/Exit) 2 Door:Diagram1
 Speakers:Four Speakers Daycab BT n/QC:Diagram1
 Speakers:Four Speakers Daycab n/BT n/QC:Diagram1
 Speakers:Four Speakers Daycab n/BT w/QC:Diagram1
 Speakers:Four Speakers Daycab w/BT w/QC:Diagram1
 Mates 23XX



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AA63C	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	4994.0	-	X	-
A	-	-	AA63B	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	616.0	-	X	-
B	-	-	AA9BAA	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	586.0	-	X	-
B	-	-	AA9BAB	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	5024.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	SP86BA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2730.0	-	15	1300
C	-	-	SP86DA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3320.0	-	9	1300
D	-	-	SP86CA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2730.0	-	16	1300
D	-	-	SP86EA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3320.0	-	10	1300


Connector Name 2313
 Part Number 3533975C1
 Instances Speakers:Four Speakers Daycab n/BT w/QC:Diagram1
 Speakers:Four Speakers Daycab w/BT w/QC:Diagram1
 Mates 23XX



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	SP86DA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3320.0	-	9	1300
D	-	-	SP86EA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3320.0	-	10	1300

Connector Name 2500F
 Part Number 3515763C1
 Short Description ROOF/CONSOLE CONNECTION
 Instances Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 1:Diagram1
 Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 2:Diagram1
 Cab Dome Light W/Classic Trim:Diagram1
 Cab Dome Light W/ Combo in Diamond Trim:Diagram1
 CB Radio Power Only:Diagram1
 Interior Task Lights (Map) - Dome Combo:Diagram1
 Lane Departure Warning - (Bendix Fusion N/ Safety Direct):Diagram1-Combination1
 Lane Departure Warning - (Bendix Fusion N/ Safety Direct):Diagram1-Combination2

Mates 2500M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	D86F	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1717.0	-	2	2000F
B	-	-	D63-GL	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	533.0	-	-	-
C	-	-	D63DA	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1007.0	-	X	-
D	-	-	D63EA	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	977.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
E	-	-	EBGREENL	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	0.0	-	10	D49-1979
E	-	-	GREENL	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1060.0	-	-	-
F	-	-	EBYELLOW WL	2643801 R1	0.79	18.0	Std. Wall XLPE Primary Cable	YELLOW 2	710.0	-	X	-
F	-	-	YELLOWL	2643801 R1	0.79	18.0	Std. Wall XLPE Primary Cable	YELLOW 2	1060.0	-	-	-
G	-	-	EBGREENR	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1160.0	-	11	D49-1979
G	-	-	GREENR	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1650.0	-	-	-
H	-	-	EBYELLOW WR	2643801 R1	0.79	18.0	Std. Wall XLPE Primary Cable	YELLOW 2	710.0	-	X	-
H	-	-	YELLOWR	2643801 R1	0.79	18.0	Std. Wall XLPE Primary Cable	YELLOW 2	853.0	-	X	-

Connector Name 2500M
 Part Number 3515762C1
 Short Description CONSOLE/ROOF STANDARD
 Instances Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 1:Diagram1
 Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 2:Diagram1
 Cab Dome Light W/Classic Trim:Diagram1
 Cab Dome Light W/ Combo in Diamond Trim:Diagram1
 CB Radio Power Only:Diagram1
 Interior Task Lights (Map) - Dome Combo:Diagram1
 Lane Departure Warning - (Bendix Fusion N/ Safety Direct):Diagram1-Combination1
 Lane Departure Warning - (Bendix Fusion N/ Safety Direct):Diagram1-Combination2


Mates 2500F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	C86F	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	930.0	-	A	2303M
B	-	-	C63-GL	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	170.0	-	X	-
C	-	-	C63D	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1150.0	-	C	D38_210 0M
D	-	-	C63E	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1150.0	-	A	D38_210 0M


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	GREENL	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1060.0	-	A	D63-344F
E	-	-	GREENL	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1060.0	-	A	344F
F	-	-	YELLOWL	2643801 R1	0.79	18.0	Std. Wall XLPE Primary Cable	YELLOW 2	1060.0	-	B	D63-344F
F	-	-	YELLOWL	2643801 R1	0.79	18.0	Std. Wall XLPE Primary Cable	YELLOW 2	1060.0	-	B	344F
G	-	-	GREENR	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1650.0	-	A	D63-345F
G	-	-	GREENR	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1650.0	-	11	1979
H	-	-	YELLOWR	2643801 R1	0.79	18.0	Std. Wall XLPE Primary Cable	YELLOW 2	853.0	-	B	D63-345F
H	-	-	YELLOWR	2643801 R1	0.79	18.0	Std. Wall XLPE Primary Cable	YELLOW 2	853.0	-	-	-

Connector Name 2505M
 Part Number 3811181C1
 Short Description BLUETOOTH MIC/IP
 Instances Radio w/Bluetooth:Diagram1-Combination1
 Radio w/Bluetooth:Diagram1-Combination2
 Mates 2505




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	86A(-)	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1200.0	-	3	D80_100
2	-	-	86A(+)	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1200.0	-	2	D80_100

Connector Name 2505
 Part Number 3811207C1
 Short Description BLUETOOTH MIC/IP ROOF CONNECTOR
 Instances Radio w/Bluetooth:Diagram1-Combination1
 Radio w/Bluetooth:Diagram1-Combination2
 Mates 2505M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	SR86A(-)	-	0.53	20.0	J1939 .46 WAL	GREEN	1265.0	-	16	1301
2	-	-	SR86A(+)	-	0.53	20.0	J1939 .46 WAL	YELLOW 2	1265.0	-	15	1301


Connector Name 254F
 Part Number 3662108C1
 Short Description MIRROR SWITCH CONN
 Instances Mirrors (Power) Control Switch Actuated:Diagram1-Combination1
 Mates 254M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A1	-	-	RH62D	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	1660.0	-	A1	254
A2	-	-	RH78L	3510364 R1	0.53	20.0	Thin Wall XLPE Primary Cable	RED	1660.0	-	A2	254
A3	-	-	RH78K	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1660.0	-	A3	254
A4	-	-	RH78-GD	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	1660.0	-	A4	254

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B1	-	-	RH78A	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1660.0	-	B1	254
B2	-	-	RH78D	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1660.0	-	B2	254
B3	-	-	RH78C	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1660.0	-	B3	254
B4	-	-	RH78F	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1660.0	-	B4	254


Connector Name 254M
 Part Number 3510243C1
 Short Description MIRROR CONTROL SWITCH
 Instances Mirrors (Power) Control Switch Actuated:Diagram1-Combination1
 Mates 254F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A1	-	-	EK62D	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	195.0	-	C	3000M
A2	-	-	EK78VB	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	240.0	-	C	3200F
A3	-	-	EK78K	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	175.0	-	X	-
A4	-	-	EK78-GD	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	225.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B1	-	-	EK78JA	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1015.0	-	B	5010
B2	-	-	EK78DB	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	195.0	-	D	3000M
B3	-	-	EK78CA	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1015.0	-	A	5010
B4	-	-	EK78EF	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	195.0	-	E	3000M


Connector Name 254
 Part Number 3510243C1
 Instances Mirrors (Power) Control Switch Actuated:Diagram1-Combination1
 Mates SW-MIRRORCTRL-1019-02-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A1	-	-	RH62D	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	1660.0	-	A1	254F
A2	-	-	RH78L	3510364 R1	0.53	20.0	Thin Wall XLPE Primary Cable	RED	1660.0	-	A2	254F
A3	-	-	RH78K	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1660.0	-	A3	254F
A4	-	-	RH78-GD	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	1660.0	-	A4	254F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B1	-	-	RH78A	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1660.0	-	B1	254F
B2	-	-	RH78D	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1660.0	-	B2	254F
B3	-	-	RH78C	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1660.0	-	B3	254F
B4	-	-	RH78F	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1660.0	-	B4	254F


Connector Name 2600
 Part Number 2005835C1
 Short Description IP INTERCONNECT
 Instances Courtesy Light Crew Cab:Diagram1
 Door Pod Module (4 Door):Diagram1
 Mates 2600



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	81D	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	950.0	-	C	3202L
D	-	-	81DA	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4900.0	-	C	3200M
E	-	-	81-GD	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	950.0	-	D	3202L
F	-	-	81-GDA	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	4900.0	-	D	3200M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
G	-	-	W63CA	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	330.0	-	X	-
H	-	-	W63-GC	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	360.0	-	X	-


Connector Name 2600
 Part Number 2005836C1
 Short Description DOOR / IP CREW
 Instances Courtesy Light Crew Cab:Diagram1
 Door Pod Module (4 Door):Diagram1
 Mates 2600



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	RD81D	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	3945.0	-	-	-
D	-	-	RD81DA	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	3945.0	-	-	-
E	-	-	RD81-GD	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1895.0	-	-	-
F	-	-	RD81-GDA	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1895.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
G	-	-	WJ63BE	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1845.0	-	X	-
H	-	-	WJ63-GC	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1940.0	-	-	-

Connector Name 3000F
 Part Number 1661201C1
 Short Description IP/DOOR INTERCONNECT 1
 Instances Mirrors (Power) Control Switch Actuated:Diagram1-Combination1
 Mirrors (Power) Control Switch Actuated:Diagram1-Combination2
 Mates 3000M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	RG62DD	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	905.0	-	-	-
D	-	-	RG78D	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2465.0	-	D	3100F
E	-	-	RG78E	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2465.0	-	E	3100F
F	-	-	RG78F	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2465.0	-	F	3100F

Connector Name 3000M
 Part Number 1661200C1
 Short Description DOOR/IP INTERCONNECT
 Instances Mirrors (Power) Control Switch Actuated:Diagram1-Combination1
 Mirrors (Power) Control Switch Actuated:Diagram1-Combination2
 Mates 3100F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	FJ78D	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	B	5010
D	-	-	FK78D	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	B	5010
E	-	-	FK78E	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	A	5010
F	-	-	FK78F	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	F	5010


Connector Name 3000M
 Part Number 1661200C1
 Short Description DOOR/IP INTERCONNECT
 Instances Mirrors (Power) Control Switch Actuated:Diagram1-Combination1
 Mirrors (Power) Control Switch Actuated:Diagram1-Combination2
 Mates 3000F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	EJ62DD	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	780.0	-	X	-
C	-	-	EK62D	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	195.0	-	A1	254M
D	-	-	EK78DB	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	195.0	-	B2	254M
D	-	-	EJ78D	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	880.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	EK78EF	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	195.0	-	B4	254M
E	-	-	EJ78E	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	930.0	-	X	-
F	-	-	EJ78F	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	730.0	-	X	-
F	-	-	EK78FK	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	140.0	-	X	-

Connector Name 3000M
 Part Number 3538634C1
 Instances Door Pod Module (4 Door):Diagram1
 Mates MODU-DS-MIRROR-1019-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
G	-	-	EA78AA	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	1	3203M
H	-	-	EA78-GF	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1130.0	-	8	3203M

Connector Name 3000M
 Part Number 3538634C1
 Instances Door Pod Module (4 Door):Diagram1
 Mates MODU-DS-MIRROR-1019-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	EB78G	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	5	3203M
B	-	-	EB78C	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	4	3203M
F	-	-	EB78H	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	1130.0	-	6	3203M

Connector Name 3000M
 Part Number 3538634C1
 Instances Door Pod Module (4 Door):Diagram1
 Mates MODU-PS-MIRROR-1019-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	FB78G	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	5	3203M
B	-	-	FB78C	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	4	3203M
F	-	-	FB78H	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	1130.0	-	6	3203M

Connector Name 3000M
 Part Number 3538634C1
 Instances Door Pod Module (4 Door):Diagram1
 Mates MODU-PS-MIRROR-1019-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
G	-	-	FA78AA	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	1	3203M
H	-	-	FA78-GF	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1130.0	-	8	3203M

Connector Name 3002M
 Part Number 3767181C1
 Instances Door Pod Module (4 Door):Diagram1
 Mates MOT-DS_WINDOW-2013-01-01B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	F83B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	705.0	-	2	3201M
1	-	-	E83B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	705.0	-	2	3209M
2	-	-	F83A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	705.0	-	1	3201M
2	-	-	E83A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	705.0	-	1	3209M

Connector Name 3100F
 Part Number 1661201C1
 Short Description IP/DOOR INTERCONNECT 2
 Instances Mirrors (Power) Control Switch Actuated:Diagram1-Combination1
 Mirrors (Power) Control Switch Actuated:Diagram1-Combination2
 Mates 3000M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	RG78D	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2465.0	-	D	3000F
E	-	-	RG78E	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2465.0	-	E	3000F
F	-	-	RG78F	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2465.0	-	F	3000F

Connector Name 3100M
 Part Number 3767181C1
 Instances Door Pod Module (4 Door):Diagram1
 Mates MOT-PS_WINDOW-2013-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	EC83B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1300.0	-	2	3201M
1	-	-	FC83B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1300.0	-	2	3201M
2	-	-	EC83A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1300.0	-	1	3201M
2	-	-	FC83A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1300.0	-	1	3201M

Connector Name 3112M
 Part Number 1671610C1
 Instances Door Pod Module (4 Door):Diagram1
 Mates MOT-RR_DS_LOCK-2016-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	F81A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	3	3201M
B	-	-	F81B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	4	3201M


Connector Name 3200F
 Part Number 1661201C1
 Short Description DOOR/IP INTERCONNECT
 Instances Door Pod Module (4 Door):Diagram1
 Remote Keyless Access:Diagram1
 Vehicle Alarm System:Diagram1
 Mates 3204M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	FC81A	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1245.0	-	1	3202M
C	-	-	FC81A	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1245.0	-	1	1032E
C	-	-	FC81A	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1245.0	-	1	F03_3202M
D	-	-	FC81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1245.0	-	4	3202M


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	FC81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1245.0	-	4	1032E
D	-	-	FC81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1245.0	-	4	F03_320 2M

Connector Name 3200F
 Part Number 1661201C1
 Short Description DOOR/IP INTERCONNECT
 Instances Door Pod Module (4 Door):Diagram1
 Mates 3200M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	EC81B	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1245.0	-	1	3202M
D	-	-	EC81-GA	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1245.0	-	4	3202M


Connector Name 3200F
 Part Number 1661201C1
 Short Description DOOR/IP INTERCONNECT
 Instances Ambient Temperature (No Display, Mirror Sensor, VCU):Diagram1
 Door Pod Module (4 Door):Diagram1
 Mirrors (Power) Control Switch Actuated:Diagram1-Combination1
 Mirrors (Power) Control Switch Actuated:Diagram1-Combination2
 Mates 3200M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	F81D	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1175.0	-	1	3202M
C	-	-	EK78VB	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	240.0	-	A2	254M
C	-	-	EJ78V	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	875.0	-	X	-
D	-	-	F81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1175.0	-	4	3202M


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	EJ78-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	535.0	-	X	-
D	-	-	EK78-GJ	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	235.0	-	X	-
E	-	-	ET41D	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	C	E01_3000
F	-	-	ET41E	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	D	E01_3000

Connector Name 3200F
 Part Number 1661201C1
 Instances Door Pod Module (4 Door):Diagram1
 Mates 3202L




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	E81D	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1175.0	-	1	3210M
D	-	-	E81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1175.0	-	4	3210M

Connector Name 3200M
 Part Number 1661200C1
 Short Description IP/DOOR INTERCONNECT 2
 Instances Door Pod Module (4 Door):Diagram1
 Mates 3200F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	RD81B	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	2235.0	-	-	-
C	-	-	RG78V	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2235.0	-	-	-
D	-	-	RC81-GA	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	425.0	-	-	-
D	-	-	RF78-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2125.0	-	-	-


Connector Name 3200M
 Part Number 1661200C1
 Short Description IP/DOOR INTERCONNECT 2
 Instances Ambient Temperature (No Display, Mirror Sensor, VCU):Diagram1
 Door Pod Module (4 Door):Diagram1
 Mirrors (Power) Control Switch Actuated:Diagram1-Combination1
 Mirrors (Power) Control Switch Actuated:Diagram1-Combination2
 Mates 3200F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	81DA	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4900.0	-	D	2600
C	-	-	RD81B	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	2235.0	-	-	-
D	-	-	81-GDA	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	4900.0	-	F	2600
D	-	-	RF78-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2125.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	RC81-GA	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	425.0	-	-	-
E	-	-	MB41DJ	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2785.0	-	29	1703M
F	-	-	MB41EJ	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2785.0	-	30	1703M

Connector Name 3201F
 Part Number 1667529C1
 Short Description DOOR/ IP COURTESY LIGHT
 Instances Courtesy Light Crew Cab:Diagram1
 Mates 3400L




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	E63C	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1500.0	-	A	3400
B	-	-	E63-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1500.0	-	B	3400

Connector Name 3201F
 Part Number 1667529C1
 Short Description DOOR/ IP COURTESY LIGHT
 Instances Courtesy Light Crew Cab:Diagram1
 Mates 3400R



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	F63C	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1500.0	-	A	3400
B	-	-	F63-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1500.0	-	B	3400


Connector Name 3201M
 Part Number 3709437C1
 Instances Door Pod Module (4 Door):Diagram1
 Mates MODU-FRONT-DS_DOOR_POD-201 6-02-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	EC83A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1300.0	-	2	3100M
1	-	-	FC83A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1300.0	-	2	3100M
2	-	-	EC83B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1300.0	-	1	3100M
2	-	-	FC83B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1300.0	-	1	3100M


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	FC81RA	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1760.0	-	A	4101
3	-	-	EC81LA	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1760.0	-	A	4101
4	-	-	EC81LB	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1760.0	-	B	4101
4	-	-	FC81RB	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1760.0	-	B	4101

Connector Name 3201M
 Part Number 3709437C1
 Instances Door Pod Module (4 Door):Diagram1
 Mates MODU-REAR-PS_DOOR_POD-2016 -02-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	F83A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	705.0	-	2	3002M
2	-	-	F83B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	705.0	-	1	3002M
3	-	-	F81A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	A	3112M
4	-	-	F81B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	B	3112M

Connector Name 3202L
 Part Number 1661200C1
 Instances Door Pod Module (4 Door):Diagram1
 Mates 3200F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	81D	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	950.0	-	C	2600
D	-	-	81-GD	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	950.0	-	E	2600

Connector Name 3202M
 Part Number 3820176C1
 Instances CAN Network:Low Speed J1939 (125Kbps)
 Mates DEV-FRONT_PS_DOOR_POD-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	WIRE196494	-	0.0	-	-	-	0.0	-	B	E01_3200F
3	-	-	WIRE196495	-	0.0	-	-	-	0.0	-	A	E01_3200F

Connector Name 3202M
 Part Number 3820176C1
 Instances Door Pod Module (4 Door):Diagram1
 Mates MODU-FRONT-PS_DOOR_POD-201 6-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	F81D	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1175.0	-	C	3200F
1	-	-	FC81A	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1245.0	-	C	3200F
2	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	FC81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1245.0	-	D	3200F
4	-	-	F81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1175.0	-	D	3200F

Connector Name 3202M
 Part Number 3820176C1
 Instances Door Pod Module (4 Door):Diagram1
 Mates MODU-FRONT-DS_DOOR_POD-201 6-02-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	EC81B	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1245.0	-	C	3200F
2	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	EC81-GA	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1245.0	-	D	3200F


Connector Name 3203M
 Part Number 3709924C1
 Instances Door Pod Module (4 Door):Diagram1
 Mates MODU-FRONT-PS_DOOR_POD-201 6-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	FA78AA	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	G	3000M
4	-	-	FB78C	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	B	3000M
5	-	-	FB78G	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	A	3000M
6	-	-	FB78H	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	1130.0	-	F	3000M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
8	-	-	FA78-GF	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1130.0	-	H	3000M


Connector Name 3203M
 Part Number 3709924C1
 Instances Door Pod Module (4 Door):Diagram1
 Mates MODU-FRONT-DS_DOOR_POD-201 6-02-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	EA78AA	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	G	3000M
4	-	-	EB78C	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	B	3000M
5	-	-	EB78G	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	A	3000M
6	-	-	EB78H	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	1130.0	-	F	3000M


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
8	-	-	EA78-GF	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1130.0	-	H	3000M

Connector Name 3204M
 Part Number 1661200C1
 Short Description IP/DOOR INTERCONNECT 1
 Instances Door Pod Module (4 Door):Diagram1
 Remote Keyless Access:Diagram1
 Vehicle Alarm System:Diagram1
 Mates 3200F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	RC81A	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3045.0	-	-	-
D	-	-	RC81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2005.0	-	-	-
D	-	-	RF78-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	975.0	-	-	-

Connector Name 3205F
 Part Number 1667529C1
 Short Description DOOR/ IP COURTESY LIGHT AND SPEAKER
 Instances Courtesy Light Crew Cab:Diagram1
 Courtesy Light Day Cab:Diagram1
 Speakers:Four Speakers Daycab BT n/QC:Diagram1
 Speakers:Four Speakers Daycab n/BT n/QC:Diagram1
 Speakers:Four Speakers Daycab n/BT w/QC:Diagram1
 Speakers:Four Speakers Daycab w/BT w/QC:Diagram1
 Mates 3206M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WJ63BC	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2255.0	-	X	-
B	-	-	AE11-GK	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1935.0	-	-	-
C	-	-	FS86K	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	A	E01_330 OMR
D	-	-	FS86L	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	B	E01_330 OMR

Connector Name 3205F
 Part Number 1667529C1
 Instances Courtesy Light Crew Cab:Diagram1
 Courtesy Light Day Cab:Diagram1
 Speakers:Four Speakers Daycab BT n/QC:Diagram1
 Speakers:Four Speakers Daycab n/BT n/QC:Diagram1
 Speakers:Four Speakers Daycab n/BT w/QC:Diagram1
 Speakers:Four Speakers Daycab w/BT w/QC:Diagram1
 Mates 3205M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ED63BB	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1200.0	-	A	3400
B	-	-	ED63-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1200.0	-	B	3400
C	-	-	ES86H	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	A	E01_330 OM
D	-	-	ES86J	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	B	E01_330 OM


Connector Name 3205M
 Part Number 1667305C1
 Instances Courtesy Light Crew Cab:Diagram1
 Courtesy Light Day Cab:Diagram1
 Speakers:Four Speakers Daycab BT n/QC:Diagram1
 Speakers:Four Speakers Daycab n/BT n/QC:Diagram1
 Speakers:Four Speakers Daycab n/BT w/QC:Diagram1
 Speakers:Four Speakers Daycab w/BT w/QC:Diagram1
 Mates 3205F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WJ63BB	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	190.0	-	X	-
A	-	-	WG63BB	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	190.0	-	X	-
B	-	-	AE11-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	510.0	-	-	-
B	-	-	AD11-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	510.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	MQ86HB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	270.0	-	F	1916A
C	-	-	SQ86H	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1235.0	-	13	1300
D	-	-	MQ86JB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	270.0	-	G	1916A
D	-	-	SQ86J	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1235.0	-	14	1300


Connector Name 3206M
 Part Number 1667305C1
 Short Description I/P DOOR COURTESY LIGHT & SPEAKER
 Instances Courtesy Light Crew Cab:Diagram1
 Courtesy Light Day Cab:Diagram1
 Speakers:Four Speakers Daycab BT n/QC:Diagram1
 Speakers:Four Speakers Daycab n/BT n/QC:Diagram1
 Speakers:Four Speakers Daycab n/BT w/QC:Diagram1
 Speakers:Four Speakers Daycab w/BT w/QC:Diagram1
 Mates 3205F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	FD63BC	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1200.0	-	A	3400
B	-	-	FD63-GK	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1200.0	-	B	3400
C	-	-	MQ86K	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1650.0	-	11	1300
C	-	-	SQ86K	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1650.0	-	11	1300


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	MQ86L	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1650.0	-	12	1300
D	-	-	SQ86L	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1650.0	-	12	1300

Connector Name 3209M
 Part Number 3709437C1
 Instances Door Pod Module (4 Door):Diagram1
 Mates MODU-REAR-DS_DOOR_POD-2016 -02-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	E83A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	705.0	-	2	3002M
2	-	-	E83B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	705.0	-	1	3002M
3	-	-	E81A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	A	4101
4	-	-	E81B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	B	4101

Connector Name 3210M
 Part Number 3820176C1
 Instances Door Pod Module (4 Door):Diagram1
 Mates MODU-REAR-DS_DOOR_POD-2016 -02-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	E81D	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1175.0	-	C	3200F
2	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	E81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1175.0	-	D	3200F

Connector Name 3211M
 Part Number 3709924C1
 Instances Door Pod Module (4 Door):Diagram1
 Mates MODU-REAR-DS_DOOR_POD-2016 -02-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	E11-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	0.0	-	7	3211M
7	-	-	E11-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	0.0	-	2	3211M

Connector Name 3400L
 Part Number 1667305C1
 Short Description REAR LEFT DOOR #2
 Instances Courtesy Light Crew Cab:Diagram1
 Mates 3201F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	W63CB	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	620.0	-	X	-
B	-	-	W63-GD	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	590.0	-	X	-

Connector Name 3400R
 Part Number 1667305C1
 Short Description REAR RIGHT DOOR #2
 Instances Courtesy Light Crew Cab:Diagram1
 Mates 3201F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	W63CC	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	4570.0	-	X	-
B	-	-	W63-GE	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	4540.0	-	X	-


Connector Name 3400
 Part Number 1661259C1
 Instances Courtesy Light Crew Cab:Diagram1
 Courtesy Light Day Cab:Diagram1
 Mates LT-LR_COURTESY-2006-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ED63BB	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1200.0	-	A	3205F
A	-	-	FD63BC	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1200.0	-	A	3206M
A	-	-	F63C	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1500.0	-	A	3201F
A	-	-	E63C	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1500.0	-	A	3201F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
B	-	-	FD63-GK	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1200.0	-	B	3206M
B	-	-	ED63-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1200.0	-	B	3205F
B	-	-	F63-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1500.0	-	B	3201F
B	-	-	E63-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1500.0	-	B	3201F

Connector Name 344F
 Part Number 1661197C1
 Instances Lane Departure Warning - (Bendix Fusion N/ Safety Direct):Diagram1-Combination1
 Lane Departure Warning - (Bendix Fusion N/ Safety Direct):Diagram1-Combination2
 Mates SPKR-LEFT_BENDIX_FUSION-30 20-02-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	GREENL	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1060.0	-	E	2500M
B	-	-	YELLOWL	2643801 R1	0.79	18.0	Std. Wall XLPE Primary Cable	YELLOW 2	1060.0	-	F	2500M

Connector Name 345F
 Part Number 1661197C1
 Instances Lane Departure Warning - (Bendix Fusion N/ Safety Direct):Diagram1-Combination1
 Lane Departure Warning - (Bendix Fusion N/ Safety Direct):Diagram1-Combination2
 Mates SPKR-RIGHT_BENDIX_FUSION-3 020-02-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	GREENR	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1650.0	-	-	-
B	-	-	YELLOWR	2643801 R1	0.79	18.0	Std. Wall XLPE Primary Cable	YELLOW 2	853.0	-	-	-

Connector Name 3502B
 Part Number 239808R1
 Instances Door Ajar Reminder (Entry/Exit) 2 Door:Diagram1
 Mates SW-LF_DOOR-2030-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	9B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1200.0	-	X	-

Connector Name 3502
 Part Number 239808R1
 Instances Door Ajar Reminder (Entry/Exit) 2 Door:Diagram1
 Mates SW-RF_DOOR-2030-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	9B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1200.0	-	-	-

Connector Name 3503B
 Part Number 239808R1
 Instances Door Ajar Reminder (Entry/Exit) 2 Door:Diagram1
 Mates SW-LF_DOOR-2030-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	63B	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	1180.0	-	-	-

Connector Name 3503
 Part Number 239808R1
 Instances Door Ajar Reminder (Entry/Exit) 2 Door:Diagram1
 Mates SW-RF_DOOR-2030-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	63B	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	1180.0	-	X	-

Connector Name 400
 Part Number 3543733C1
 Instances Park / Turn Lights Splice Packs 1623/1625/400:Diagram1
 Mates SP-TURN_SIGNAL_SPLICE_PACK -B000-10-A1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	YU57A	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	815.0	-	-	-
C	-	-	YX57BC	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	805.0	-	-	-
E	-	-	XV56AA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	815.0	-	-	-
F	-	-	YT56T	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	805.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
H	-	-	YX56BC	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	805.0	-	-	-
J	-	-	ZC71BA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2410.0	-	-	-
J	-	-	ZJ71AB	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1805.0	-	-	-
J	-	-	ZL71AC	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1805.0	-	-	-
J	-	-	ZH71AC	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2250.0	-	-	-
J	-	-	ZA71BK	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2855.0	-	-	-
K	-	-	ZG71BC	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	175.0	-	-	-
K	-	-	ZK71CB	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	175.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
K	-	-	ZA71A	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	805.0	-	-	-
K	-	-	ZC71BK	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	805.0	-	-	-
K	-	-	ZE71AD	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	805.0	-	-	-
M	-	-	ZU71D	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1175.0	-	-	-

Connector Name 4021A
 Part Number 3536864C1
 Instances Windshield Washer Pump:Diagram1-Combination1
 Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination1
 Mates MOT-WASHERPUMP-1029-03-06A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	NY87KA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3820.0	-	19	1700
2	-	-	NY87BA	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3820.0	-	20	1700

Connector Name 4021B
 Part Number 3536864C1
 Instances Windshield Washer Pump:Diagram1-Combination2
 Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination2




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	SA87KA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2400.0	-	19	1700
2	-	-	SA87BA	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2400.0	-	20	1700

Connector Name 4022A
 Part Number 3554317C1
 Instances Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	NX87C	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3905.0	-	17	1700
2	-	-	NX9BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3905.0	-	18	1700

Connector Name 4022B
 Part Number 3554317C1
 Instances Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination2
 Mates DEV-Low_Washer_Fluid_Senso r-1029-05-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	SC87C	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1165.0	-	17	1700
2	-	-	SC9BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1165.0	-	18	1700


Connector Name 4101
 Part Number 1671610C1
 Instances Door Pod Module (4 Door):Diagram1
 Mates MOT-PS_LOCK-2016-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	E81A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	3	3209M
A	-	-	FC81RA	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1760.0	-	3	3201M
A	-	-	EC81LA	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1760.0	-	3	3201M
B	-	-	E81B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	4	3209M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	EC81LB	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1760.0	-	4	3201M
B	-	-	FC81RB	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1760.0	-	4	3201M


Connector Name 5010
 Part Number 3538634C1
 Instances Mirrors (Power) Control Switch Actuated:Diagram1-Combination1
 Mirrors (Power) Control Switch Actuated:Diagram1-Combination2
 Mates MODU-PS-MIRROR-1019-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	FK78E	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	E	3000M
A	-	-	EJ78R	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1120.0	-	B3	100
A	-	-	EK78CA	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1015.0	-	B3	254M
B	-	-	FJ78D	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	D	3000M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	FK78D	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	D	3000M
B	-	-	EJ78J	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1120.0	-	B1	100
B	-	-	EK78JA	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1015.0	-	B1	254M
F	-	-	FK78F	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	F	3000M
F	-	-	EJ78FB	2643761 R1	0.53	20.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	650.0	-	X	-
F	-	-	EK78MK	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	840.0	-	X	-


Connector Name 6000
 Part Number 3945694C1
 Instances Adaptive Cruise Control w/o Display (Bendix):Diagram1
 Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination1
 Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination2
 Driver and Passenger Seats - RollTek (Hard Wired):Diagram1
 GEN IV Cluster (Monitor):Diagram1
 Power Divider Lock Control and Monitoring:Diagram1
 Power Lift Gate:Diagram1
 Rear Axle Load Distribution:Diagram1
 Seats (RollTek) Drivers Seat Only (Hard Wired) -
 Leather:Diagram1
 Seats (RollTek) Drivers Seat Only (Hard Wired) -
 Mordular:Diagram1
 Seats (RollTek) Drivers Seat Only (Hard Wired) - Vinyl:Diagram1
 Vehicle Data Recorder (No Display):Diagram2 - Recorder W/
 Display
 Vehicle Data Recorder (W/ Display):Diagram2 - Recorder W/
 Display
 Vehicle Speed Control (Cruise Control) 10 Pin:Diagram1
 Vehicle Speed Limit Override:Diagram1



Mates MODU-ECM-A001-10-01A


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
22	-	-	-	-	-	-	-	-	-	-	-	-
46	-	-	-	-	-	-	-	-	-	-	-	-

Connector Name 6000
 Part Number 3945694C1
 Instances Door Pod Module (4 Door):Diagram1
 Mates MODU-ECM-A001-10-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
22	-	-	-	-	-	-	-	-	-	-	-	-
46	-	-	-	-	-	-	-	-	-	-	-	-

Connector Name 6305
 Part Number RING-M-12_0
 Instances Chassis PDM:Diagram1
 Mates MOT-STARTER-5024-01-04




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	14	2645248 R1	49.99	0.0	SGX FLEX 125C	RED	360.0	-	A	M8 B

Connector Name 71
 Part Number 1677851C1
 Short Description CHASSIS TAIL LIGHT
 Instances Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1
 Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
 Lights:Diagram1
 License Plate Light (LED BOX LAMP Tail Light):Diagram1
 Rear Light (LED BOX LAMP Tail Light):Diagram1
 Mates 9303A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	56	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	740.0	-	B	P7S_73
C	-	-	57	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	1390.0	-	C	P7S_72
D	-	-	68	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	190.0	-	X	-
E	-	-	10-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	190.0	-	X	-

Connector Name 8001
 Part Number 1677851C1
 Instances Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
 Lights:Diagram1
 Mates LT-LS_HEADLIGHT_HAL-1016-1 0-03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	MY11-GB	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2450.0	-	-	-
D	-	-	MC56C	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	1585.0	-	X	-
D	-	-	MW56C	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	985.0	-	X	-

Connector Name 8200A
 Part Number 6131286C1
 Instances Fog Lights (LED White TOP MTG):Diagram1
 Front Fog Lamps:Diagram1
 Mates LT-RS_FOG_FRT-1012-03-03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	SM64B	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	3290.0	-	23	1700
2	-	-	SM64-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2070.0	-	-	-

Connector Name 8200
 Part Number 587567C91
 Instances Front Fog Lights W CONNECTOR:Diagram1
 Mates LT-RS_FOG_FRT-1012-03-07A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MD64B	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	3240.0	-	23	1700
B	-	-	MD64-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2020.0	-	-	-

Connector Name 8201A
 Part Number 6131286C1
 Instances Fog Lights (LED White TOP MTG):Diagram1
 Front Fog Lamps:Diagram1
 Mates LT-LS_FOG_FRT-1012-03-03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	SM64A	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	2550.0	-	22	1700
2	-	-	SM64-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1330.0	-	-	-

Connector Name 8201
 Part Number 587567C91
 Instances Front Fog Lights W CONNECTOR:Diagram1
 Mates LT-LS_FOG_FRT-1012-03-07A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MD64A	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	2400.0	-	22	1700
B	-	-	MD64-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2035.0	-	-	-

Connector Name 8883
 Part Number 1661200C1
 Instances Vehicle Data Recorder (W/ Display):Diagram2 - Recorder W/
 Display
 Mates 2000M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	QL5A	-	0.0	-	-	-	705.0	-	6	A01-8881
B	-	-	QL5B	-	0.0	-	-	-	705.0	-	7	A01-8881
C	-	-	QL11-AA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	420.0	-	X	-
D	-	-	QL13RB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	915.0	-	X	-


Connector Name 9300
 Part Number 3626436C1
 Instances RIGHTSIDE AIR DRYER:Diagram1-Combination1
 RIGHTSIDE AIR DRYER:Diagram1-Combination2
 RIGHTSIDE AIR DRYER:Diagram1-Combination3
 RIGHTSIDE AIR DRYER:Diagram1-Combination4
 Mates 9300



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	PD39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3880.0	-	A	9900E
1	-	-	PJ39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3950.0	-	A	9900H
1	-	-	PK39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4000.0	-	A	9900J
1	-	-	PH39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3900.0	-	A	9900G


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	PD39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	3880.0	-	B	9900E
2	-	-	PK39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	4000.0	-	B	9900J
2	-	-	PH39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	3900.0	-	B	9900G
2	-	-	PJ39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	3950.0	-	B	9900H

Connector Name 9300
 Part Number 3756499C1
 Instances RIGHTSIDE AIR DRYER:Diagram1-Combination1
 RIGHTSIDE AIR DRYER:Diagram1-Combination2
 RIGHTSIDE AIR DRYER:Diagram1-Combination3
 RIGHTSIDE AIR DRYER:Diagram1-Combination4
 Mates 9300




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	UB39B	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	200.0	-	31	1701F
2	-	-	UB39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2710.0	-	-	-

Connector Name 9303A
 Part Number 1661375C2
 Instances Directional Signal (Turn) W/ DAISY CHAIN BOX
 LAMPS:Diagram1
 Directional Signal (Turn) W/ Daisy Chain Box Lamps W/Plow
 Lights:Diagram1
 Directional Signal (Turn) W/ Single Tail Board W/Plow
 Lights:Diagram1
 License Plate Light (LED BOX LAMP Daisy Chain Tail
 Light):Diagram1
 License Plate Light (Tail Light Single Assy):Diagram1
 License Plate Light (Tail Light Single Assy) Option2:Diagram1
 License Plate Light (Tail Light Single Assy) Option3:Diagram1
 License Plate Light (Tail Light Single Assy) W/Less Power
 Module:Diagram1
 Rear Light (Tail Light):Diagram1
 Rear Light (Tail Light) W/Daisy Chain pair of Box
 Lamps:Diagram1
 Mates LT-LS_DAISSY_10PIN_TAIL_ASS Y-1002-02-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	RB56	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2875.0	-	2	9800
C	-	-	RB57	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2875.0	-	3	9800
D	-	-	RB68	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2875.0	-	4	9800
E	-	-	RB10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2875.0	-	12	9800

Connector Name 9303A
 Part Number 1661375C2
 Short Description STOP TAIL AND TURN
 Instances Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1
 Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
 Lights:Diagram1
 License Plate Light (LED BOX LAMP Tail Light):Diagram1
 Rear Light (LED BOX LAMP Tail Light):Diagram1
 Mates 71




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	RB56	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2875.0	-	2	9800
C	-	-	RB57	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2875.0	-	3	9800
D	-	-	RB68	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2875.0	-	4	9800
E	-	-	RB10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2875.0	-	12	9800

Connector Name 9303
 Part Number 1661375C2
 Instances Directional Signal (Turn) W/ Single Tail Board W/Hazard
 SW:Diagram1
 Mates LT-TAIL-ASSY-1002-01-05A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	RB56	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2875.0	-	2	9800
C	-	-	RB57	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2875.0	-	3	9800
E	-	-	RB10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2875.0	-	12	9800

Connector Name 9502
 Part Number 1686834C1
 Instances Antilock Brake System (ABS) - BENDIX 4 Channel
 Implementation:Diagram1
 Mates MDL-ABS-3003-01-03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RC94E	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	965.0	-	17	9800
B	-	-	RC94F	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	965.0	-	18	9800
C	-	-	RC94H	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	965.0	-	19	9800

Connector Name 9504
 Part Number 1686834C1
 Instances Antilock Brake System (ABS) - BENDIX 4 Channel
 Implementation:Diagram1
 Mates MDL-ABS-3003-01-03B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RC94J	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	VIOLET	1400.0	-	20	9800
B	-	-	RC94K	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1400.0	-	21	9800
C	-	-	RC94L	3510342 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	1400.0	-	22	9800

Connector Name 9510B
 Part Number 1678137C1
 Instances Bendix; Tractor or Towing Truck; W/ Air SUSP; J1939 Driven Lamp:Diagram1
 Mates SNSR-SUSPENSION_PT-3026-01 -03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TD94SZC	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1935.0	-	A	9510M
B	-	-	TD94SH	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1935.0	-	C	9510M
C	-	-	TD94SVC	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1935.0	-	B	9510M

Connector Name 9510H
 Part Number 1667740C1
 Short Description MD ABS ADV 3RD TRANSDUCER
 Instances Bendix; Tractor or Towing Truck; W/ Air SUSP; J1939 Driven Lamp:Diagram1
 Mates 9510M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	XA94SZC	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4680.0	-	60	1701F
B	-	-	XA94SVC	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4680.0	-	61	1701F
C	-	-	XA94SH	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4680.0	-	62	1701F

Connector Name 9510M
 Part Number 1667741C1
 Short Description RSP TRANSDUCER
 Instances Bendix; Tractor or Towing Truck; W/ Air SUSP; J1939 Driven Lamp:Diagram1
 Mates 9510H



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TD94SZC	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1935.0	-	A	9510B
B	-	-	TD94SVC	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1935.0	-	C	9510B
C	-	-	TD94SH	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1935.0	-	B	9510B


Connector Name 9715F1
 Part Number 1667732C1
 Short Description TRAILER SOCKET 1
 Instances Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option2:Diagram1
 TEM _Electric Trailer Brake Controller Activated Stop
 LT:Diagram1
 Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes):Diagram1
 Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option2:Diagram1
 Mates 9715



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TW70	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	2306.0	-	E	9724A
A	-	-	RG70	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	2306.0	-	E	9724
B	-	-	TW68	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2306.0	-	F	9724A
B	-	-	RG68	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2306.0	-	F	9724


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	TW94	2643784 R1	4.81	10.0	Std. Wall XLPE Primary Cable	GREY	2306.0	-	G	9724A

Connector Name 9715F
 Part Number 1667732C1
 Short Description TRAILER SOCKET 1
 Instances Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut):Diagram1
 Mates 9715




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RG70	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	2306.0	-	E	9724
B	-	-	RG68	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2306.0	-	F	9724

Connector Name 9715
 Part Number 1667733C1
 Short Description TRAILER SOCKET 1
 Instances Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut):Diagram1
 Mates 9715F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NE70F	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	2450.0	-	X	-
A	-	-	NC70T	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	4555.0	-	9	1701F
B	-	-	NC68T	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	4655.0	-	8	1701F
B	-	-	NE68F	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2400.0	-	X	-


Connector Name 9715
 Part Number 1667733C1
 Short Description TRAILER SOCKET 1
 Instances Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option2:Diagram1
 TEM _Electric Trailer Brake Controller Activated Stop
 LT:Diagram1
 Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes):Diagram1
 Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option2:Diagram1
 Mates 9715F1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NE70F	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	2450.0	-	X	-
A	-	-	NC70T	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	4555.0	-	9	1701F
B	-	-	NC68T	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	4655.0	-	8	1701F
B	-	-	NE68F	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2400.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	NC94T	2643784 R1	4.81	10.0	Std. Wall XLPE Primary Cable	GREY	4555.0	-	10	1701F
C	-	-	NE94F	2643784 R1	4.81	10.0	Std. Wall XLPE Primary Cable	GREY	2550.0	-	X	-


Connector Name 9716M1
 Part Number 1667733C1
 Short Description TRAILER SOCKET 2
 Instances Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut):Diagram1
 Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option2:Diagram1
 Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes):Diagram1
 Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option2:Diagram1
 Mates 9716



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TW58	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2331.0	-	B	9724A
A	-	-	RG58	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2331.0	-	B	9724
B	-	-	TW56	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	2331.0	-	C	9724A
B	-	-	RG56	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	2331.0	-	C	9724

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	TW57	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2331.0	-	D	9724A
C	-	-	RG57	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2331.0	-	D	9724


Connector Name 9716
 Part Number 1667732C1
 Short Description TRAILER SOCKET 2
 Instances
 Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut):Diagram1
 Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option2:Diagram1
 Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes):Diagram1
 Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option2:Diagram1
 Mates 9716M1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NE54F	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2325.0	-	X	-
A	-	-	NC54T	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	4630.0	-	7	1701F
B	-	-	NE56F	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	2260.0	-	X	-
B	-	-	NC56T	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	4630.0	-	5	1701F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	NE57F	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2200.0	-	X	-
C	-	-	NC57T	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4630.0	-	6	1701F

Connector Name 9717F1
 Part Number 3537133C1
 Short Description TRAILER GROUND
 Instances Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut):Diagram1
 Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option2:Diagram1
 Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes):Diagram1
 Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option2:Diagram1
 Mates 9717




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TW10	2643789 R1	7.48	8.0	Std. Wall XLPE Primary Cable	WHITE	2356.0	-	A	9724A
A	-	-	RG10	2643789 R1	7.48	8.0	Std. Wall XLPE Primary Cable	WHITE	2356.0	-	A	9724

Connector Name 9717
 Part Number 3700151C1
 Short Description TRAILER GROUND 1
 Instances Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut):Diagram1
 Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option2:Diagram1
 Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes):Diagram1
 Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option2:Diagram1
 Mates 9717F1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NE10F	2643789 R1	7.48	8.0	Std. Wall XLPE Primary Cable	WHITE	2150.0	-	-	-
A	-	-	NC10D	2643789 R1	7.48	8.0	Std. Wall XLPE Primary Cable	WHITE	4880.0	-	-	-
A	-	-	NE10F	2643789 R1	7.48	8.0	Std. Wall XLPE Primary Cable	WHITE	2150.0	-	X	-


Connector Name 9718
 Part Number 1661778C1
 Short Description DAYCAB WORK LIGHT
 Instances
 WORK LIGHT - 1 BULB:Diagram1-Combination1
 WORK LIGHT - 1 BULB:Diagram1-Combination2
 WORK LIGHT With BackUP Alarm - 1 BULB:Diagram1-Combination1
 WORK LIGHT With BackUP Alarm - 1 BULB:Diagram1-Combination2
 WORK LIGHT With RKE 1 BULB:Diagram1-Combination1
 WORK LIGHT With RKE 1 BULB:Diagram1-Combination2
 Work Lights LED With Switch Pack - Day Cab:Diagram1-Combination1
 Work Lights LED With Switch Pack - Day Cab:Diagram1-Combination2



Mates 9719

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	SZ65	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2625.0	-	A	9766
A	-	-	NF65	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2735.0	-	68	1701F
B	-	-	SZ65-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2625.0	-	B	9766
B	-	-	YM65-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1125.0	-	-	-


Connector Name 9719
 Part Number 3543888C1
 Short Description WORK LIGHT
 Instances
 WORK LIGHT - 1 BULB:Diagram1-Combination1
 WORK LIGHT - 1 BULB:Diagram1-Combination2
 WORK LIGHT With BackUP Alarm - 1 BULB:Diagram1-Combination1
 WORK LIGHT With BackUP Alarm - 1 BULB:Diagram1-Combination2
 WORK LIGHT With RKE 1 BULB:Diagram1-Combination1
 WORK LIGHT With RKE 1 BULB:Diagram1-Combination2
 Work Lights LED With Switch Pack - Day Cab:Diagram1-Combination1
 Work Lights LED With Switch Pack - Day Cab:Diagram1-Combination2



Mates 9718


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	J65	-	1.16	16.0	Std. Wall XLPE Primary Cable	BLACK	2800.0	-	A	9720
A	-	-	J65	-	1.16	16.0	Std. Wall XLPE Primary Cable	BLACK	2800.0	-	-	-
B	-	-	J11-GK	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2800.0	-	-	-
B	-	-	J11-GK	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2800.0	-	B	9720

Connector Name 9720A
 Part Number 3543888C1
 Instances WORK LIGHT - 1 BULB:Diagram1-Combination2
 WORK LIGHT With BackUP Alarm - 1 BULB:Diagram1-Combination2
 WORK LIGHT With RKE 1 BULB:Diagram1-Combination2
 Work Lights LED With Switch Pack - Day Cab:Diagram1-Combination2
 Mates LT-LED-WORK_DAY-1032-01-05 A-9720A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	J65	-	1.16	16.0	Std. Wall XLPE Primary Cable	BLACK	2800.0	-	-	-
A	-	-	J65	-	1.16	16.0	Std. Wall XLPE Primary Cable	BLACK	2800.0	-	A	9720
B	-	-	J11-GK	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2800.0	-	B	9720
B	-	-	J11-GK	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2800.0	-	-	-

Connector Name 9720
 Part Number 3543888C1
 Instances WORK LIGHT - 1 BULB:Diagram1-Combination1
 WORK LIGHT With BackUP Alarm - 1 BULB:Diagram1-Combination1
 WORK LIGHT With RKE 1 BULB:Diagram1-Combination1
 Work Lights LED With Switch Pack - Day Cab:Diagram1-Combination1
 Mates LT-LED-WORK_DAY-1032-01-05 A-9720



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	J65	-	1.16	16.0	Std. Wall XLPE Primary Cable	BLACK	2800.0	-	A	9719
A	-	-	J65	-	1.16	16.0	Std. Wall XLPE Primary Cable	BLACK	2800.0	-	A	9720A
B	-	-	J11-GK	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2800.0	-	B	9720A
B	-	-	J11-GK	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2800.0	-	B	9719

Connector Name 9724A
 Part Number BLUNT_SL_VC
 Instances Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option2:Diagram1
 TEM _Electric Trailer Brake Controller Activated Stop
 LT:Diagram1
 Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option2:Diagram1
 Mates BLNT-EOF_BODY_CIRCUIT-1036 -04-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TW10	2643789 R1	7.48	8.0	Std. Wall XLPE Primary Cable	WHITE	2356.0	-	A	9717F1
B	-	-	TW58	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2331.0	-	A	9716M1
C	-	-	TW56	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	2331.0	-	B	9716M1
D	-	-	TW57	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2331.0	-	C	9716M1
E	-	-	TW70	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	2306.0	-	A	9715F1
F	-	-	TW68	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2306.0	-	B	9715F1


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
G	-	-	TW94	2643784 R1	4.81	10.0	Std. Wall XLPE Primary Cable	GREY	2306.0	-	C	9715F1

Connector Name 9724
 Part Number BLUNT_SL_VC
 Instances Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut):Diagram1
 Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes):Diagram1
 Mates BLNT-EOF_BODY_CIRCUIT-1036 -04-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RG10	2643789 R1	7.48	8.0	Std. Wall XLPE Primary Cable	WHITE	2356.0	-	A	9717F1
B	-	-	RG58	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2331.0	-	A	9716M1
C	-	-	RG56	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	2331.0	-	B	9716M1
D	-	-	RG57	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2331.0	-	C	9716M1
E	-	-	RG70	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	2306.0	-	A	9715F
E	-	-	RG70	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	2306.0	-	A	9715F1
F	-	-	RG68	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2306.0	-	B	9715F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F	-	-	RG68	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2306.0	-	B	9715F1

Connector Name 9766
 Part Number 1661778C1
 Short Description WORKLIGHT
 Instances WORK LIGHT - 1 BULB:Diagram1-Combination2
 WORK LIGHT With BackUP Alarm - 1 BULB:Diagram1-Combination2
 WORK LIGHT With RKE 1 BULB:Diagram1-Combination2
 Work Lights LED With Switch Pack - Day Cab:Diagram1-Combination2
 Mates 9766




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	UA65	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	4505.0	-	68	1701F
B	-	-	YN65-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2895.0	-	-	-

Connector Name 9766
 Part Number 3543888C1
 Short Description WORK LIGHT
 Instances WORK LIGHT - 1 BULB:Diagram1-Combination2
 WORK LIGHT With BackUP Alarm - 1 BULB:Diagram1-Combination2
 WORK LIGHT With RKE 1 BULB:Diagram1-Combination2
 Work Lights LED With Switch Pack - Day Cab:Diagram1-Combination2
 Mates 9766



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	SZ65	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2625.0	-	A	9718
B	-	-	SZ65-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2625.0	-	B	9718


Connector Name 9775F
 Part Number 1667740C1
 Short Description LOAD INDICATOR TO CENTER CHASSIS
 Instances Axle Loading (Weight) Rear:Diagram1-Combination1
 Axle Loading (Weight) Rear:Diagram1-Combination2
 Rear Suspension Pressure Monitoring (Auxiliary Gauge):Diagram1-Combination1
 Rear Suspension Pressure Monitoring (Virtual Gauge):Diagram1-Combination1
 Rear Suspension Pressure Monitoring (Virtual Gauge):Diagram1-Combination2
 Mates 9865M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RT9M	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2960.0	-	A	9830
A	-	-	RU9N	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1960.0	-	A	9832
B	-	-	RT6H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2960.0	-	B	9830
B	-	-	RU6J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1960.0	-	B	9832


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	RT61C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2960.0	-	C	9830
C	-	-	RU61D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1960.0	-	C	9832

Connector Name 9775F
 Part Number 1667740C1
 Short Description LOAD INDICATOR TO CENTER CHASSIS
 Instances Rear Suspension Pressure Monitoring (Auxiliary Gauge):Diagram1-Combination2
 Mates 9865M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RU9N	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1960.0	-	A	9832
B	-	-	RU6J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1960.0	-	B	9832
C	-	-	RU61D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1960.0	-	C	9832

Connector Name 9781M
 Part Number 1667733C1
 Instances Auxiliary Trailer Power:Diagram1
 Mates CONN-AUX_TRAILER-3005-01-0 1A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	NB72	2643755 R1	3.01	12.0	Std. Wall XLPE Primary Cable	ORANGE	2655.0	-	11	1701F

Connector Name 9800
 Part Number 3558022C1
 Short Description CONNECTION TO CENTER HARNESS
 Instances End of Frame Aux Work Light (One Light N/Relay):Diagram1
 Vehicle Sound Generator:Diagram1
 Mates 9800



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	86CB	-	0.0	18.0	-	LIGHT GREEN	0.0	-	-	-
6	-	-	86DB	-	0.0	18.0	-	LIGHT GREEN	0.0	-	-	-
7	-	-	65	-	0.0	16.0	-	ORANGE	0.0	-	-	-
8	-	-	65-G	-	0.0	16.0	-	WHITE	0.0	-	B	R01_9767

Connector Name 9800
 Part Number 3558022C1
 Short Description CONNECTION TO CENTER HARNESS
 Instances Antilock Brake System (ABS) - BENDIX 4 Channel
 Implemenation:Diagram1
 Axle Temperature Monitoring (Single Rear Aux Gauge):Diagram1
 Axle Temperature Monitoring (Single Rear Virtual Gauge):Diagram1
 Axle Temperature Monitoring (Tandem Rear Aux Gauge):Diagram1
 Axle Temperature Monitoring (Tandem Rear Virtual Gauge):Diagram1
 Directional Signal (Turn) W/ DAISY CHAIN BOX LAMPS:Diagram1
 Directional Signal (Turn) W/ Daisy Chain Box Lamps W/Plow Lights:Diagram1
 Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1
 Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1
 Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1
 Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1
 Driver Controlled Locking Differential - FR and RR Axles (Meritor w/ two sw):Diagram1
 Driver Controlled Locking Differential - FR & RR Axle (Dana w/ one switch):Diagram1
 Driver Controlled Locking Differential - FR & RR Axle (Meritor w/ one sw):Diagram1
 Driver Controlled Locking Differential - RR Axle (Dana w/ one sw):Diagram1
 Driver Controlled Locking Differential - RR Axle (Meritor w/ one sw):Diagram1
 License Plate Light (LED BOX LAMP Daisy Chain Tail Light):Diagram1
 License Plate Light (LED BOX LAMP Tail Light):Diagram1
 License Plate Light (Tail Light Single Assy):Diagram1
 License Plate Light (Tail Light Single Assy) Option2:Diagram1
 License Plate Light (Tail Light Single Assy) Option3:Diagram1
 License Plate Light (Tail Light Single Assy) W/Less Power Module:Diagram1
 Rear Light (LED BOX LAMP Tail Light):Diagram1



Rear Light (Tail Light):Diagram1
Rear Light (Tail Light) W/Daisy Chain pair of Box
Lamps:Diagram1

Mates 9800

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	RB56	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2875.0	-	B	9303
2	-	-	RB56	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2875.0	-	B	9303A
2	-	-	RK56	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	4580.0	-	2	1701F
3	-	-	RB57	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2875.0	-	C	9303
3	-	-	RB57	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2875.0	-	C	9303A
3	-	-	RK57	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	4580.0	-	3	1701F
4	-	-	RB68	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2875.0	-	D	9303A


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	RK68	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	4580.0	-	4	1701F
5	-	-	RM32A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	1860.0	-	1	9811
6	-	-	RL32	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2510.0	-	1	9812
6	-	-	RM32	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2510.0	-	1	9812
7	-	-	AJ49	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2660.0	-	A	9814A
7	-	-	RO49	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2260.0	-	A	9814
8	-	-	AJ49A	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2560.0	-	A	9815A
8	-	-	RN49A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2130.0	-	A	9815

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
9	-	-	AP49-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2560.0	-	B	9815A
9	-	-	AJ10-GB	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	360.0	-	1	-
9	-	-	RN49-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2130.0	-	B	9815
9	-	-	RO10-GB	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	510.0	-	1	-
9	-	-	RO10-GB	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	510.0	-	X	-
11	-	-	RL9C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2510.0	-	2	9812
11	-	-	RM9B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	635.0	-	1	-
12	-	-	RB10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2875.0	-	E	9303

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
12	-	-	RB10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2875.0	-	E	9303A
12	-	-	SL10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1920.0	-	-	-
13	-	-	RC94A	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	965.0	-	1	M02_9501
14	-	-	RC94B	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	965.0	-	2	M02_9501
15	-	-	RC94C	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	1500.0	-	1	M02_9503
16	-	-	RC94D	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	1500.0	-	2	M02_9503
17	-	-	RC94E	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	965.0	-	A	9502
18	-	-	RC94F	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	965.0	-	B	9502


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
19	-	-	RC94H	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	965.0	-	C	9502
20	-	-	RC94J	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	VIOLET	1400.0	-	A	9504
21	-	-	RC94K	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1400.0	-	B	9504
22	-	-	RC94L	3510342 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	1400.0	-	C	9504

Connector Name 9800
 Part Number 3558022C1
 Short Description CONNECTION TO CENTER HARNESS
 Instances Traction Control (Bendix, VCU):Diagram1
 Mates 9800




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	94BD	-	0.0	16.0	-	BROWN	0.0	-	1	R01_4950
2	-	-	94BE	-	0.0	16.0	-	GREY	0.0	-	-	-

Connector Name 9800
 Part Number 3558026C1
 Short Description CONNECTION TO REAR CHASSIS HARNESS
 Instances End of Frame Aux Work Light (One Light N/Relay):Diagram1
 Vehicle Sound Generator:Diagram1
 Mates 9800



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	86CB	-	0.0	18.0	-	LIGHT GREEN	0.0	-	30	1701F
6	-	-	86DB	-	0.0	18.0	-	LIGHT GREEN	0.0	-	31	1701F
7	-	-	65	-	0.0	16.0	-	ORANGE	0.0	-	68	N03_1701F
8	-	-	65-G	-	0.0	16.0	-	WHITE	0.0	-	-	-

Connector Name 9800
 Part Number 3558026C1
 Short Description CONNECTION TO REAR CHASSIS HARNESS
 Instances Antilock Brake System (ABS) - BENDIX 4 Channel
 Implemenation:Diagram1
 Axle Temperature Monitoring (Single Rear Aux Gauge):Diagram1
 Axle Temperature Monitoring (Single Rear Virtual Gauge):Diagram1
 Axle Temperature Monitoring (Tandem Rear Aux Gauge):Diagram1
 Axle Temperature Monitoring (Tandem Rear Virtual Gauge):Diagram1
 Directional Signal (Turn) W/ DAISY CHAIN BOX LAMPS:Diagram1
 Directional Signal (Turn) W/ Daisy Chain Box Lamps W/Plow Lights:Diagram1
 Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1
 Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1
 Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1
 Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1
 Driver Controlled Locking Differential - FR and RR Axles (Meritor w/ two sw):Diagram1
 Driver Controlled Locking Differential - FR & RR Axle (Dana w/ one switch):Diagram1
 Driver Controlled Locking Differential - FR & RR Axle (Meritor w/ one sw):Diagram1
 Driver Controlled Locking Differential - RR Axle (Dana w/ one sw):Diagram1
 Driver Controlled Locking Differential - RR Axle (Meritor w/ one sw):Diagram1
 License Plate Light (LED BOX LAMP Daisy Chain Tail Light):Diagram1
 License Plate Light (LED BOX LAMP Tail Light):Diagram1
 License Plate Light (Tail Light Single Assy):Diagram1
 License Plate Light (Tail Light Single Assy) Option2:Diagram1
 License Plate Light (Tail Light Single Assy) Option3:Diagram1
 License Plate Light (Tail Light Single Assy) W/Less Power Module:Diagram1
 Rear Light (LED BOX LAMP Tail Light):Diagram1



Rear Light (Tail Light):Diagram1
Rear Light (Tail Light) W/Daisy Chain pair of Box
Lamps:Diagram1

Mates 9800


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	RK56	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	4580.0	-	2	1701F
2	-	-	RB56	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2875.0	-	B	9303A
3	-	-	RK57	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	4580.0	-	3	1701F
3	-	-	RB57	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2875.0	-	C	9303A
4	-	-	RK68	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	4580.0	-	4	1701F
4	-	-	RB68	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2875.0	-	D	9303A
5	-	-	MG32A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	4580.0	-	43	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
6	-	-	RH32	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	4580.0	-	44	1701F
7	-	-	MJ49	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4580.0	-	50	1701F
8	-	-	RL49A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	4480.0	-	45	1701F
9	-	-	RL49-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2870.0	-	-	-
11	-	-	MF9F	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2500.0	-	-	-
11	-	-	MG9H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2500.0	-	-	-
12	-	-	SL10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1920.0	-	-	-
12	-	-	RB10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2875.0	-	E	9303A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
13	-	-	MD94BE	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4580.0	-	16	1701F
14	-	-	MD94BD	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4580.0	-	17	1701F
15	-	-	MD94BH	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4580.0	-	18	1701F
16	-	-	MD94BF	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4580.0	-	19	1701F
17	-	-	MD94BA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4580.0	-	23	1701F
18	-	-	MD94BB	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4580.0	-	24	1701F
19	-	-	MD94BC	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4580.0	-	25	1701F
20	-	-	MD94BJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4580.0	-	21	1701F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
21	-	-	MD94BK	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4580.0	-	22	1701F
22	-	-	MD94BL	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4580.0	-	20	1701F

Connector Name 9800
 Part Number 3558026C1
 Short Description CONNECTION TO REAR CHASSIS HARNESS
 Instances Traction Control (Bendix, VCU):Diagram1
 Mates 9800




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	94BD	-	0.0	16.0	-	BROWN	0.0	-	-	-
2	-	-	94BE	-	0.0	16.0	-	GREY	0.0	-	14	1701F

Connector Name 9811
 Part Number 3536864C1
 Instances Axle Temperature Monitoring (Tandem Rear Aux Gauge):Diagram1
 Axle Temperature Monitoring (Tandem Rear Virtual Gauge):Diagram1
 Mates SNSR-FR_Axl_Temp-3008-01-0 1A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	RM32A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	1860.0	-	5	9800
2	-	-	RM9A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1575.0	-	1	-

Connector Name 9812
 Part Number 3536864C1
 Instances Axle Temperature Monitoring (Single Rear Aux Gauge):Diagram1
 Axle Temperature Monitoring (Single Rear Virtual Gauge):Diagram1
 Axle Temperature Monitoring (Tandem Rear Aux Gauge):Diagram1
 Axle Temperature Monitoring (Tandem Rear Virtual Gauge):Diagram1
 Mates SNSR-RR_Axl_Temp-3008-02-0 1A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	RL32	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2510.0	-	6	9800
1	-	-	RM32	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2510.0	-	6	9800
2	-	-	RL9C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2510.0	-	11	9800
2	-	-	RM9	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1875.0	-	1	-

Connector Name 9814A
 Part Number 3593684C91
 Instances Driver Controlled Locking Differential - FR and RR Axles
 (Meritor w/ two sw):Diagram1
 Driver Controlled Locking Differential - FR & RR Axle (Meritor w/
 one sw):Diagram1
 Mates SW-RR_Diff_Lock-3012-03-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AJ49	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2660.0	-	7	9800
B	-	-	AJ49-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2300.0	-	1	-

Connector Name 9814
 Part Number 587567C91
 Instances Driver Controlled Locking Differential - FR & RR Axle (Dana w/
 one switch):Diagram1
 Mates SW-RR_DIFF_LOCK-3012-05-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RO49	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2260.0	-	7	9800
B	-	-	RO49-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1750.0	-	X	-

Connector Name 9815A
 Part Number 3593684C91
 Instances Driver Controlled Locking Differential - FR and RR Axles (Meritor w/ two sw):Diagram1
 Driver Controlled Locking Differential - FR & RR Axle (Meritor w/ one sw):Diagram1
 Driver Controlled Locking Differential - RR Axle (Meritor w/ one sw):Diagram1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AJ49A	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2560.0	-	8	9800
B	-	-	AJ49-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2200.0	-	1	-
B	-	-	AP49-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2560.0	-	9	9800

Connector Name 9815
 Part Number 587567C91
 Instances Driver Controlled Locking Differential - FR & RR Axle (Dana w/
 one switch):Diagram1
 Driver Controlled Locking Differential - RR Axle (Dana w/ one
 sw):Diagram1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RN49A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2130.0	-	8	9800
B	-	-	RO49-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1620.0	-	1	-
B	-	-	RN49-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2130.0	-	9	9800
B	-	-	RO49-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1620.0	-	X	-

Connector Name 9830
 Part Number 1678137C1
 Instances Axle Loading (Weight) Rear:Diagram1-Combination1
 Rear Suspension Pressure Monitoring (Auxiliary Gauge):Diagram1-Combination1
 Rear Suspension Pressure Monitoring (Virtual Gauge):Diagram1-Combination1
 Mates SNSR-RRAXLE-3007-03-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RT9M	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2960.0	-	A	9775F
B	-	-	RT6H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2960.0	-	B	9775F
C	-	-	RT61C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2960.0	-	C	9775F

Connector Name 9832
 Part Number 1678137C1
 Instances Axle Loading (Weight) Rear:Diagram1-Combination2
 Rear Suspension Pressure Monitoring (Auxiliary Gauge):Diagram1-Combination2
 Rear Suspension Pressure Monitoring (Virtual Gauge):Diagram1-Combination2



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RU9N	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1960.0	-	A	9775F
B	-	-	RU6J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1960.0	-	B	9775F
C	-	-	RU61D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1960.0	-	C	9775F


Connector Name 9865M
 Part Number 1667741C1
 Short Description LOAD INDICATOR
 Instances Axle Loading (Weight) Rear:Diagram1-Combination1
 Axle Loading (Weight) Rear:Diagram1-Combination2
 Rear Suspension Pressure Monitoring (Auxiliary Gauge):Diagram1-Combination1
 Rear Suspension Pressure Monitoring (Virtual Gauge):Diagram1-Combination1
 Rear Suspension Pressure Monitoring (Virtual Gauge):Diagram1-Combination2
 Mates 9775F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	PD110B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4505.0	-	A	9865M
A	-	-	PD110B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4505.0	-	57	1701F
B	-	-	PD106B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4505.0	-	B	9865M
B	-	-	PD106B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4505.0	-	56	1701F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	PD61B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4505.0	-	C	9865M
C	-	-	PD61B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4505.0	-	55	1701F

Connector Name 9865M
 Part Number 1667741C1
 Short Description LOAD INDICATOR
 Instances Rear Suspension Pressure Monitoring (Auxiliary Gauge):Diagram1-Combination2
 Mates 9775F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	PD110B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4505.0	-	A	9865M
B	-	-	PD106B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4505.0	-	B	9865M
C	-	-	PD61B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4505.0	-	C	9865M

Connector Name 9900A
 Part Number 1673790C1
 Instances RIGHTSIDE AIR DRYER:Diagram1-Combination5
 Mates HTR-AIR_DRYER-3002-02-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NH39B	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	3360.0	-	31	1701F
B	-	-	NH39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	800.0	-	-	-

Connector Name 9900C
 Part Number 1673790C1
 Instances RIGHTSIDE AIR DRYER:Diagram1-Combination6




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	PF39B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3855.0	-	31	1701F
B	-	-	PF39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1295.0	-	-	-

Connector Name 9900D
 Part Number 1673790C1
 Instances RIGHTSIDE AIR DRYER:Diagram1-Combination7




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TA39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4480.0	-	31	1701F
B	-	-	TA39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1920.0	-	-	-

Connector Name 9900E
 Part Number 1673790C1
 Instances RIGHTSIDE AIR DRYER:Diagram1-Combination1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	PD39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3880.0	-	1	9300
B	-	-	PD39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	3880.0	-	2	9300

Connector Name 9900G
 Part Number 1673790C1
 Instances RIGHTSIDE AIR DRYER:Diagram1-Combination2




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	PH39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3900.0	-	1	9300
B	-	-	PH39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	3900.0	-	2	9300

Connector Name 9900H
 Part Number 1673790C1
 Instances RIGHTSIDE AIR DRYER:Diagram1-Combination3



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	PJ39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3950.0	-	1	9300
B	-	-	PJ39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	3950.0	-	2	9300

Connector Name 9900J
 Part Number 1673790C1
 Instances RIGHTSIDE AIR DRYER:Diagram1-Combination4



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	PK39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4000.0	-	1	9300
B	-	-	PK39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	4000.0	-	2	9300

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
HGTEM1	16	GY	TXL	3522073C1	3598707C1	1	E1	N/A		
HGTEM2	16	GY	TXL	3522073C1	3598707C1	1	E2	N/A		
HGTEM3	16	GY	TXL	3522073C1	3598707C1	1	E3	N/A		
HGTEM4	16	GY	TXL	3522073C1	3598707C1	1	E4	N/A		
HGTEM5	16	GY	TXL	3522073C1	3598707C1	1	E5	N/A		
HGTEM6	16	GY	TXL	3522073C1	3598707C1	1	E6	N/A		
HGTEM7	16	GY	TXL	3522073C1	3598707C1	1	E7	N/A		
HGTEM8	16	GY	TXL	3522073C1	3598707C1	1	E8	N/A		
AB13D	18	PK	TXL	3544876C1	4063156C1	9	A	N/A		
9H5BF(+)	18	YL	TXL	3544884C1	4063156C1	9	B	N/A		
9L5BF(+)	18	YL	TXL	3544884C1	4063156C1	9	B	N/A		
9V5BF(+)	18	YL	TXL	3544884C1	4063156C1	9	B	N/A		
9H5BF(-)	18	GN	TXL	3544884C1	4063156C1	9	C	N/A		
9L5BF(-)	18	GN	TXL	3544884C1	4063156C1	9	C	N/A		
9V5BF(-)	18	GN	TXL	3544884C1	4063156C1	9	C	N/A		
ZB50B	18	YL	TXL	3544884C1	4063156C1	9	E	N/A		
ZB50A	18	YL	TXL	3544876C1	4063156C1	9	H	N/A		
AB11-GN	18	WH	TXL	3544876C1	4063156C1	9	J	N/A		
AB62	18	DKBL	TXL	3544884C1	4063156C1	9	L	N/A		
AB62DA	16	DKBL	TXL	3544884C1	4063156C1	9	M	N/A		
AB50	18	YL	TXL	3544884C1	4063156C1	9	P	N/A		
AB9	18	GY	TXL	3544884C1	4063156C1	9	R	N/A		
AB14D	18	RD	TXL	3544876C1	4063156C1	9	S	N/A		
VC2	1	RD	SGX	3870430C1		300	1	2643308R1		
VD2	1	RD	SGX	3870430C1		300	1	2643308R1		
VH2	1	RD	SGX	3870430C1		300	1	2643308R1		
VM2	1	RD	SGX	3870430C1		300	1	2643308R1		
VC2-FLA	6	TN	FUS	338892C2		301	1	2644054R1		
VE2-FLA	6	TN	FUS	338892C2		301	1	2644054R1		
VH2-FLA	6	TN	FUS	338892C2		301	1	2644054R1		
VF2	2	RD	SGX	571717C1		310	1	3812582R1		
VL2	2	RD	SGX	571717C1		310	1	3812582R1		
BD2-FLA	10	RS	FUS	338892C2		311	1	2644054R1		
BD2-FLB	10	RS	FUS	338892C2		311	1	2644054R1		
VF2-FLA	10	RS	FUS	338892C2		311	1	2644054R1		
VF2-FLB	10	RS	FUS	338892C2		311	1	2644054R1		
BD2	2	RD	SGX	2012973C1		320	1	2644004R1		
BE2	2	RD	SGX	2012973C1		320	1	2644004R1		
VE2	1	RD	SGX	3870430C1		330	1	2643308R1		
VK2	1	RD	SGX	3870430C1		330	1	2643308R1		
VC2-G	1	WH	SGX	3870430C1		400	1	2643308R1		
VD2-G	1	WH	SGX	3870430C1		400	1	2643308R1		
ZJ71AB	16	OR	TXL	3535303C	3543733C1	400	J	3535424C		
KS71P	18	GY	TXL	3535303C	3543733C1	400	L	3535424C		
KT71P	18	GY	TXL	3535303C	3543733C1	400	L	3535424C		
KU71P	18	GY	TXL	3535303C	3543733C1	400	L	3535424C		
YU57A	16	OR	TXL	3535303C1	3543733C1	400	A	3535424C1		
XV57T	16	OR	TXL	3535303C1	3543733C1	400	B	3535424C1		
XZ57T	16	OR	TXL	3535303C1	3543733C1	400	B	3535424C1		
YT57T	16	OR	TXL	3535303C1	3543733C1	400	B	3535424C1		
YY57T	16	OR	TXL	3535303C1	3543733C1	400	B	3535424C1		
YV57BC	16	LTGN	TXL	3535303C1	3543733C1	400	C	3535424C1		
YW57BC	16	LTGN	TXL	3535303C1	3543733C1	400	C	3535424C1		
YX57BC	16	LTGN	TXL	3535303C1	3543733C1	400	C	3535424C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
YZ57BC	16	LTGN	TXL	3535303C1	3543733C1	400	C	3535424C1		
XV56AA	16	OR	TXL	3535303C1	3543733C1	400	E	3535424C1		
XZ56AA	16	OR	TXL	3535303C1	3543733C1	400	E	3535424C1		
YT56AA	16	OR	TXL	3535303C1	3543733C1	400	E	3535424C1		
YY56AA	16	OR	TXL	3535303C1	3543733C1	400	E	3535424C1		
XV56T	16	OR	TXL	3535303C1	3543733C1	400	F	3535424C1		
XZ56T	16	OR	TXL	3535303C1	3543733C1	400	F	3535424C1		
YT56T	16	OR	TXL	3535303C1	3543733C1	400	F	3535424C1		
YY56T	16	OR	TXL	3535303C1	3543733C1	400	F	3535424C1		
YW56BC	16	YL	TXL	3535303C1	3543733C1	400	G	3535424C1		
YZ56BC	16	YL	TXL	3535303C1	3543733C1	400	G	3535424C1		
YV56BC	16	YL	TXL	3535303C1	3543733C1	400	H	3535424C1		
YX56BC	16	YL	TXL	3535303C1	3543733C1	400	H	3535424C1		
ZA71BK	16	OR	TXL	3535303C1	3543733C1	400	J	3535424C1		
ZC71BA	16	OR	TXL	3535303C1	3543733C1	400	J	3535424C1		
ZH71AC	16	OR	TXL	3535303C1	3543733C1	400	J	3535424C1		
ZL71AC	16	OR	TXL	3535303C1	3543733C1	400	J	3535424C1		
ZA71A	16	OR	TXL	3535303C1	3543733C1	400	K	3535424C1		
ZC71BK	16	OR	TXL	3535303C1	3543733C1	400	K	3535424C1		
ZE71AD	16	OR	TXL	3535303C1	3543733C1	400	K	3535424C1		
ZG71BC	16	OR	TXL	3535303C1	3543733C1	400	K	3535424C1		
ZK71CB	16	OR	TXL	3535303C1	3543733C1	400	K	3535424C1		
KQ71N	16	OR	TXL	3535303C1	3543733C1	400	L	3535424C1		
ZU71D	18	OR	TXL	3535303C1	3543733C1	400	M	3535424C1		
VC2-G	1	WH	SGX	475965C1		401	1	2643308R1		
VE2-G	1	WH	SGX	475965C1		401	1	2643308R1		
VH2-G	1	WH	SGX	475965C1		401	1	2643308R1		
VF2-G	2	WH	SGX	571717C1		410	1	3812582R1		
VL2-G	2	WH	SGX	571717C1		410	1	3812582R1		
BD2-G	2	WH	SGX	475963C1		411	1	2644004R1		
VF2-G	2	WH	SGX	475963C1		411	1	2644004R1		
BD2-G	2	WH	SGX	2241339C1		420	1	3812582R1		
BE2-G	2	WH	SGX	2241339C1		420	1	3812582R1	1661874C1	
VB92RE	18	TN	TXL	587578C1	587571C91	421	A	3517771C1		
VB92RH	18	TN	TXL	587578C1	587571C91	421	C	3517771C1		
VB92RJ	18	TN	TXL	587578C1	587571C91	421	D	3517771C1		
VB92#158A	18	TN	TXL	587578C1	3519221C91	422	A	3517771C1		
VB92#156A	18	TN	TXL	587578C1	3519221C91	422	B	3517771C1		
VB92#112A	18	TN	TXL	587578C1	3519221C91	422	C	3517771C1		
GY92#103A	18	TN	TXL	1661224C1	3928059C1	423	2	N/A		
GZ92#103A	18	TN	TXL	1661224C1	3928059C1	423	2	N/A		
VB92#161A	18	TN	TXL	1661224C1	3928059C1	423	4	N/A		
VB92-GAP	18	WH	TXL	1661224C1	3928059C1	423	11	N/A		
VB62RB	18	TN	TXL	1661224C1	3928059C1	423	12	N/A		
VB92RF	18	TN	TXL	1661224C1	3928059C1	424	2	N/A		
VB92RJ	18	TN	TXL	1661224C1	3928059C1	424	4	N/A		
VB92-GAL	18	WH	TXL	1661224C1	3928059C1	424	11	N/A		
VB62RC	18	TN	TXL	1661224C1	3928059C1	424	12	N/A		
UH91-GAH	18	WH	TXL	1661875C1	1667741C1	425	A	3568570C1		
UH44L	18	GY	TXL	1661875C1	1667741C1	425	B	3568570C1		
UH44J	18	GY	TXL	1661875C1	1667741C1	425	C	3568570C1		
VE2-G	1	WH	SGX	2241335C1		430	1	3812582R1		
VK2-G	1	WH	SGX	2241335C1		430	1	3812582R1		
KS10-G1	10	WH	TXL	2025425C1	1667732C1	500	A	1667735C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
KD10-G5	10	WH	TXL	2025425C1	1667732C1	500	A	1667735C1		
KE10A	10	BK	GXL	2025425C1	1667732C1	500	B	1667735C1		
KG10A	10	BK	GXL	2025425C1	1667732C1	500	B	1667735C1		
KJ10A	10	BK	GXL	2025425C1	1667732C1	500	B	1667735C1		
LA10-GG	10	WH	GXL	2025425C1	1667732C1	500	B	1667735C1		
LB10-GG	10	WH	GXL	2025425C1	1667732C1	500	B	1667735C1		
LC10-GG	10	WH	GXL	2025425C1	1667732C1	500	B	1667735C1		
LD10-GG	10	WH	GXL	2025425C1	1667732C1	500	B	1667735C1		
LE10-GG	10	WH	GXL	2025425C1	1667732C1	500	B	1667735C1		
LF10-GG	10	WH	GXL	2025425C1	1667732C1	500	B	1667735C1		
NU11-GAM	10	WH	TXL	2025425C1	1667732C1	500	B	1667735C1		
PR10H	16	WH	TXL	1667736C1	1667732C1	500	B	1664232C1		
RU10A	10	BK	GXL	2025425C1	1667732C1	500	B	1667735C1		
RV10A	10	BK	GXL	2025425C1	1667732C1	500	B	1667735C1		
RW10A	10	BK	GXL	2025425C1	1667732C1	500	B	1667735C1		
KS10-G6	10	WH	TXL	2025425C1	1667732C1	500	B	1667735C1		
PR10B	16	WH	TXL	1667736C1	1667732C1	500	C	1664232C1		
AE26A	10	WH	TXL	2025425C1	1667732C1	500	C	1667735C1		
AC23	20	TN	TXL	1661875C1	3522068C1	600	A	3568570C1		
AC23	20	TN	TXL	1661875C1	3522068C1	600	A	3568570C1		
AC23-G	20	TN	TXL	1661875C1	3522068C1	600	B	3568570C1		
AC23-G	20	TN	TXL	1661875C1	3522068C1	600	B	3568570C1		
VJ95N	20	TN	TXL	3626441C1	6114577C1	674	1	N/A		
VL95E	20	TN	TXL	3626441C1	6114577C1	674	1	N/A		
VJ95F	20	TN	TXL	3626441C1	6114577C1	674	2	N/A		
VL95F	20	TN	TXL	3626441C1	6114577C1	674	2	N/A		
VJ95MC	20	TN	TXL	3626441C1	6114577C1	674	3	N/A		
VL95H	18	TN	TXL	3626441C1	6114577C1	674	3	N/A		
VJ95AR1	18	TN	TXL	3626441C1	6114577C1	674	4	N/A		
VL95AR1	18	TN	TXL	3626441C1	6114577C1	674	4	N/A		
VJ95AB	20	TN	TXL	3626441C1	6114577C1	674	5	N/A		
VL95AC	20	TN	TXL	3626441C1	6114577C1	674	5	N/A		
VJ95AC	18	TN	TXL	3626441C1	6114577C1	674	6	N/A		
AA95AA	20	TN	TXL	3626441C1	6114577C1	674	6	N/A		
AC95AB	20	TN	TXL	3626441C1	6114577C1	674	6	N/A		
VJ95AS1	18	TN	TXL	3626441C1	6114577C1	674	7	N/A		
VL95AS1	18	TN	TXL	3626441C1	6114577C1	674	7	N/A		
VJ95AT1	18	TN	TXL	3626441C1	6114577C1	674	8	N/A		
VL95AT1	18	TN	TXL	3626441C1	6114577C1	674	8	N/A		
VJ95C	18	TN	TXL	3626441C1	6114577C1	674	9	N/A		
VL95AU1	18	TN	TXL	3626441C1	6114577C1	674	9	N/A		
VJ10-G5	16	WH	GXL	3627568C1	6114577C1	674	10	N/A		
VJ10-G4	16	WH	GXL	3627568C1	6114577C1	674	10	N/A		
VJ10-G1	16	WH	150	3627568C1	6114577C1	674	11	N/A		
VJ10-G1	16	WH	GXL	3627568C1	6114577C1	674	11	N/A		
VJ13R	16	PK	150	3627568C1	6114577C1	674	12	N/A		
VJ13AA	18	PK	TXL	3626441C1	6114577C1	674	12	N/A		
VJ5B(+)	18	YL	193	3626441C1	6114577C1	674	13	N/A		
VJ5(+)	18	YL	193	3626441C1	6114577C1	674	13	N/A		
VJ5B(-)	18	GN	193	3626441C1	6114577C1	674	14	N/A		
VJ5(-)	18	GN	193	3626441C1	6114577C1	674	14	N/A		
KA95H1	16	PK	TXL	2033819C1	3765646C91	679	A1	1652325C1		
KA95P	16	PK	TXL	2033819C1	3765646C91	679	A10	1652325C1		
VJ10-G4	16	WH	GXL	2033819C1	3765646C91	679	A12	1652325C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
KA95H2	16	PK	TXL	2033819C1	3765646C91	679	A3	1652325C1		
KA95H3	16	PK	TXL	2033819C1	3765646C91	679	A4	1652325C1		
KA95H4	16	PK	TXL	2033819C1	3765646C91	679	A6	1652325C1		
KA95H5	16	PK	TXL	2033819C1	3765646C91	679	A7	1652325C1		
KA95H6	16	PK	TXL	2033819C1	3765646C91	679	A9	1652325C1		
KA95G8BA	16	BK	TXL	2033819C1	3765646C91	679	B1	1652325C1		
KA95A	20	TN	TXL	2033819C1	3765646C91	679	B10	3517771C1		
VJ95AR3	16	TN	TXL	2033819C1	3765646C91	679	B12	1652325C1		
VJ95AS3	16	TN	TXL	2033819C1	3765646C91	679	B3	1652325C1		
KA95G8BB	16	BK	TXL	2033819C1	3765646C91	679	B4	1652325C1		
VJ95AT3	16	TN	TXL	2033819C1	3765646C91	679	B6	1652325C1		
KA95G8BD	16	BK	TXL	2033819C1	3765646C91	679	B7	1652325C1		
VJ95AU3	16	TN	TXL	2033819C1	3765646C91	679	B9	1652325C1		
KA95PA	14	PK	TXL	2033816C1	3765646C91	679	D10	1652325C1		
KA95PC	16	PK	TXL	2033819C1	3765646C91	679	D12	1652325C1		
KA95H7	16	PK	TXL	2033819C1	3765646C91	679	E1	1652325C1		
KA95TB	18	GY	TXL	2033819C1	3765646C91	679	E10	3517771C1		
VJ95KD	14	RD	TXL	2033816C1	3765646C91	679	E12	1652325C1		
VJ14	16	RD	TXL	2033819C1	3765646C91	679	E2	1652325C1		
KA95P	16	PK	TXL	2033819C1	3765646C91	679	E3	1652325C1		
VJ14B	16	RD	TXL	2033819C1	3765646C91	679	E4	1652325C1		
KA95PB	14	PK	TXL	2033816C1	3765646C91	679	E5	1652325C1		
VJ14C	14	RD	TXL	2033816C1	3765646C91	679	E6	1652325C1		
KA95H1	18	PK	TXL	2033819C1	3765646C92	690	A1	3517771C1		
KA95P	18	RD	TXL	2033819C1	3765646C92	690	A10	3517771C1		
KA95S8	20	TN	TXL	2033819C1	3765646C92	690	A12	3517771C1		
KA95H2	18	PK	TXL	2033819C1	3765646C92	690	A3	3517771C1		
KA95H3	18	PK	TXL	2033819C1	3765646C92	690	A4	3517771C1		
KA95H4	18	PK	TXL	2033819C1	3765646C92	690	A6	3517771C1		
KA95H5	18	PK	TXL	2033819C1	3765646C92	690	A7	3517771C1		
KA95H6	18	PK	TXL	2033819C1	3765646C92	690	A9	3517771C1		
KA95G8BA	18	BK	TXL	2033819C1	3765646C92	690	B1	3517771C1		
VJ10-G3	16	WH	GXL	2033819C1	3765646C92	690	B10	1652325C1		
VL95AR3	18	TN	TXL	2033819C1	3765646C92	690	B12	3517771C1		
VL95AS3	18	TN	TXL	2033819C1	3765646C92	690	B3	3517771C1		
KA95G8BB	18	BK	TXL	2033819C1	3765646C92	690	B4	3517771C1		
VL95AT3	18	TN	TXL	2033819C1	3765646C92	690	B6	3517771C1		
KA95G8BD	18	BK	TXL	2033819C1	3765646C92	690	B7	3517771C1		
VL95AU3	18	TN	TXL	2033819C1	3765646C92	690	B9	3517771C1		
KA95PA	10	PK	TXL	1687847C1	3765646C92	690	D10	589390C1		
KA95PC	10	PK	TXL	1687847C1	3765646C92	690	D12	589390C1		
KA95H7	18	PK	TXL	2033819C1	3765646C92	690	E1	3517771C1		
KA95TB	18	GY	TXL	2033819C1	3765646C92	690	E10	3517771C1		
VJ95KD	10	TN	TXL	1687847C1	3765646C92	690	E12	589390C1		
KA14AA	18	RD	TXL	2033819C1	3765646C92	690	E2	3517771C1		
KA95P	18	RD	TXL	2033819C1	3765646C92	690	E3	3517771C1		
KA14B	16	RD	TXL	2033819C1	3765646C92	690	E4	1652325C1		
KA95PB	10	PK	TXL	1687847C1	3765646C92	690	E5	589390C1		
KA14C	10	RD	TXL	1687847C1	3765646C92	690	E6	589390C1		
WA2-G	2	WH	SGX	2241332C1		1000	1	3812582R1		
WA2	2	RD	SGX	2241332C1		1001	1	3812582R1		
CD14	4	RD	SGX	2015884C1		1002	1	2644002R1		
CD14D	4	RD	SGX	2015884C1		1003	1	2644002R1		
FA11-GAA	6	WH	SGX	2015884C1		1004	1	2644002R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
AD11-GT	10	WH	GXL	3710088C1		1005	1	2644005R1		
AE11-GT	10	WH	GXL	3710088C1		1005	1	2644005R1		
WB2-G	1	WH	SGX	3870430C1		1010	1	2643308R1		
CD14AB	12	RD	TXL	3768014C1	3768015C1	1010	2	N/A		
UD14A	18	RD	TXL	3768012C1	3768015C1	1010	5	N/A		
UL92BT	18	TN	TXL	3768012C1	3768015C1	1010	5	N/A		
VG70J	12	OR	TXL	3768014C	3768015C1	1010	6	N/A		
VJ70J	12	OR	TXL	3768014C	3768015C1	1010	6	N/A		
AD98H	18	RD	TXL	1 3768012	3768015C	1010	7	N/A		
AE98H	18	RD	TXL	3768012C1	3768015C1	1010	7	N/A		
AB14D	18	RD	TXL	3768012C1	3768015C1	1010	8	N/A		
AC14D	18	RD	TXL	3768012C1	3768015C1	1010	8	N/A		
CD14AC	12	RD	TXL	3768014C1	3768015C1	1010	10	N/A		
AA14EE	16	RD	TXL	3768013C1	3768015C1	1010	13	N/A		
TA75AC	12	RD	GXL	3768014C1	3768015C1	1010	14	N/A		
EB15	18	RD	TXL	3768012C1	3768015C1	1010	15	N/A		
EE15	18	RD	TXL	3768012C1	3768015C1	1010	15	N/A		
YD14CSB	16	RD	TXL	3768013C1	3768015C1	1010	16	N/A		
CD14AD	12	RD	TXL	3768014C1	3768015C1	1010	18	N/A		
UC92DC	18	TN	TXL	3768012C1	3768015C1	1010	21	N/A		
VH94TV	12	GY	GXL	3768014C	3768015C1	1010	22	N/A		
VW14ED	14	RD	GXL	3768014C1	3768015C1	1010	24	N/A		
CD14AE	12	RD	TXL	3768014C1	3768015C1	1010	26	N/A		
SM86P	18	LTGN	TXL	3768012C1	3768015C1	1010	29	N/A		
RC81B	12	RD	TXL	3768014C1	3768015C1	1010	30	N/A		
RD81B	12	RD	TXL	3768014C1	3768015C1	1010	30	N/A		
RG78V	12	LTGN	TXL	3768014C1	3768015C1	1010	30	N/A		
AA14MUX	18	RD	TXL	3768012C1	3768015C1	1010	31	N/A		
HN20	16	LTGN	TXL	3768013C1	3768015C1	1010	32	N/A		
CD14AF	12	RD	TXL	3768014C1	3768015C1	1010	34	N/A		
MK14TS	20	RD	TXL	3768012C1	3768015C1	1010	37	N/A		
ML14EA	16	RD	TXL	3768013C1	3768015C1	1010	37	N/A		
MM14EB	18	RD	GXL	3768012C1	3768015C1	1010	37	N/A		
MP14EA	16	RD	TXL	3768013C1	3768015C1	1010	37	N/A		
MQ14ED	16	RD	TXL	3768013C1	3768015C1	1010	37	N/A		
VW14EA	16	RD	GXL	3768013C1	3768015C1	1010	37	N/A		
RC81A	12	LTGN	TXL	3768014C1	3768015C1	1010	38	N/A		
RD81A	12	LTGN	TXL	3768014C1	3768015C1	1010	38	N/A		
XA94AY	12	GY	TXL	3768014C1	3768015C1	1010	39	N/A		
XE94AY	14	GY	GXL	3768014C1	3768015C1	1010	39	N/A		
XS94L	12	GY	TXL	3768014C1	3768015C1	1010	39	N/A		
LB17BA	18	PK	TXL	3768012C1	3768015C1	1010	40	N/A		
WB2	1	RD	SGX	3870430C1		1011	1	2643308R1		
AA82P	16	GY	TXL	3768007C	3768010C1	1011	R2 -	30 N/A		
TJ70ET	10	RD	TXL	3768009C1	3768010C1	1011	R1 -	7 N/A		
TK70T	12	OR	TXL	3768009C1	3768010C1	1011	R1 -	7 N/A		
VG70-GT	18	WH	TXL	3768003C1	3768010C1	1011	R1 -	5 N/A		
VG70D	18	OR	TXL	3768003C1	3768010C1	1011	R1 -	6 N/A		
VG70J	12	OR	TXL	3768009C1	3768010C1	1011	R1 -	0 N/A		
VJ70-GT	18	WH	TXL	3768003C1	3768010C1	1011	R1 -	5 N/A		
VJ70DA	18	OR	TXL	3768003C1	3768010C1	1011	R1 -	6 N/A		
VJ70J	12	OR	TXL	3768009C1	3768010C1	1011	R1 -	0 N/A		
AA82E	16	GY	TXL	3768007C1	3768010C1	1011	R2 -	7 N/A		
AA82F	18	GY	TXL	3768003C1	3768010C1	1011	R2 -	6 N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
AA82J	16	GY	TXL	3768004C1	3768010C1	1011	R2 -	7A N/A		
AA82M	16	GY	TXL	3768004C1	3768010C1	1011	R2 -	5 N/A		
GX92#103B	18	TN	TXL	3768007C1	3768010C1	1011	R3 -	0 N/A		
GZ92#103B	18	TN	TXL	3768007C1	3768010C1	1011	R3 -	0 N/A		
VA92#117A	18	TN	TXL	3768003C1	3768010C1	1011	R3 -	6 N/A		
VA92#117B	18	TN	TXL	3768003C1	3768010C1	1011	R3 -	5 N/A		
VA92#117C	18	TN	TXL	3768007C1	3768010C1	1011	R3 -	7 N/A		
AD11-GR	18	WH	TXL	3768003C1	3768010C1	1011	R4 -	5 N/A		
AE11-GR	18	WH	TXL	3768003C1	3768010C1	1011	R4 -	5 N/A		
CD14DA	10	RD	TXL	3768009C1	3768010C1	1011	R4 -	0 N/A		
EH12C	18	LTBL	TXL	3768003C1	3768010C1	1011	R4 -	6 N/A		
EH12D	12	LTBL	TXL	3768009C1	3768010C1	1011	R4 -	7 N/A		
EJ12D	12	LTBL	TXL	3768009C1	3768010C1	1011	R4 -	7 N/A		
EJ12S	18	LTBL	TXL	3768003C1	3768010C1	1011	R4 -	6 N/A		
AA82H	18	GY	TXL	3768003C1	3768010C1	1011	R5 -	6 N/A		
AA82K	16	GY	TXL	3768007C1	3768010C1	1011	R5 -	7 N/A		
AA82L	16	GY	TXL	3768004C1	3768010C1	1011	R5 -	7A N/A		
AA82N	18	GY	TXL	3768003C1	3768010C1	1011	R5 -	5 N/A		
AA82P	16	GY	TXL	3768007C1	3768010C1	1011	R5 -	0 N/A		
KK18	16	GY	TXL	3768007C1	3768010C1	1011	R6 -	0 N/A		
KK18-GB	18	WH	TXL	3768003C1	3768010C1	1011	R6 -	6 N/A		
KK18A	18	GY	TXL	3768003C1	3768010C1	1011	R6 -	5 N/A		
KK18V	16	GY	TXL	3768007C1	3768010C1	1011	R6 -	7 N/A		
KL18-GB	18	WH	TXL	3768003C1	3768010C1	1011	R6 -	6 N/A		
KL18C	16	GY	TXL	3768007C1	3768010C1	1011	R6 -	0 N/A		
KL18D	18	GY	TXL	3768003C1	3768010C1	1011	R6 -	5 N/A		
KL18V	16	GY	TXL	3768007C1	3768010C1	1011	R6 -	7 N/A		
KM18	16	GY	TXL	3768007C1	3768010C1	1011	R6 -	0 N/A		
KM18-GB	18	WH	TXL	3768003C1	3768010C1	1011	R6 -	6 N/A		
KM18E	18	GY	TXL	3768003C1	3768010C1	1011	R6 -	5 N/A		
KM18V	16	GY	TXL	3768007C1	3768010C1	1011	R6 -	7 N/A		
DJ13-GFF	18	WH	TXL	3768003C1	3768010C1	1012	R1 -	5 N/A		
DJ13DR	18	PK	TXL	3768003C1	3768010C1	1012	R1 -	6 N/A		
TE94T	12	GY	TXL	3768009C1	3768010C1	1012	R1 -	7 N/A		
TF72V	12	GY	TXL	3768009C1	3768010C1	1012	R1 -	7 N/A		
VH94TV	12	GY	GXL	3768009C1	3768010C1	1012	R1 -	0 N/A		
ZC71A	18	OR	TXL	3768007C1	3768010C1	1012	R2 -	0 N/A		
ZC71B	18	WH	TXL	3768003C1	3768010C1	1012	R2 -	6 N/A		
ZC71BA	16	OR	TXL	3768007C1	3768010C1	1012	R2 -	7 N/A		
ZC92#165A	18	TN	TXL	3768003C1	3768010C1	1012	R2 -	5 N/A		
ZJ71A	18	OR	TXL	3768007C1	3768010C1	1012	R2 -	0 N/A		
ZJ71AB	16	OR	TXL	3768007C1	3768010C1	1012	R2 -	7 N/A		
ZJ71B	18	WH	TXL	3768003C1	3768010C1	1012	R2 -	6 N/A		
ZJ92#165A	18	TN	TXL	3768003C1	3768010C1	1012	R2 -	5 N/A		
ZL71	16	OR	TXL	3768007C1	3768010C1	1012	R2 -	0 N/A		
ZL71AB	18	TN	TXL	3768003C1	3768010C1	1012	R2 -	6 N/A		
ZL71AC	16	OR	TXL	3768007C1	3768010C1	1012	R2 -	7 N/A		
ZL71B	18	WH	TXL	3768003C1	3768010C1	1012	R2 -	5 N/A		
PC92-GAJ	18	WH	TXL	3768003C1	3768010C1	1012	R3 -	5 N/A		
PC92A1	18	TN	TXL	3768007C1	3768010C1	1012	R3 -	7 N/A		
PC92A18	16	TN	GXL	3768007C1	3768010C1	1012	R3 -	0 N/A		
PC92DN	18	TN	GXL	3768003C1	3768010C1	1012	R3 -	6 N/A		
EJ12T	18	LTBL	TXL	3768003C1	3768010C1	1012	R4 -	6 N/A		
TH14SC	12	RD	TXL	3768009C1	3768010C1	1012	R4 -	0 N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
TH72	18	OR	TXL	3768003C1	3768010C1	1012	R4 -	5 N/A		
TH72-GA	18	WH	TXL	3768003C1	3768010C1	1012	R4 -	6 N/A		
TH72A	12	OR	TXL	3768009C1	3768010C1	1012	R4 -	7 N/A		
VK12-GCL	18	WH	TXL	3768003C1	3768010C1	1012	R4 -	5 N/A		
VK14BA	16	RD	TXL	3768007C1	3768010C1	1012	R4 -	0 N/A		
VL12BB	16	LTBL	TXL	3768007C1	3768010C1	1012	R4 -	7 N/A		
VM12BB	16	LTBL	TXL	3768007C1	3768010C1	1012	R4 -	7 N/A		
VP12BB	16	LTBL	TXL	3768007C1	3768010C1	1012	R4 -	7 N/A		
VR12BB	16	LTBL	TXL	3768007C1	3768010C1	1012	R4 -	7 N/A		
VT12BB	16	LTBL	TXL	3768007C1	3768010C1	1012	R4 -	7 N/A		
VJ70-GV	18	WH	TXL	3768003C1	3768010C1	1012	R5 -	5 N/A		
VJ70DB	18	OR	TXL	3768003C1	3768010C1	1012	R5 -	6 N/A		
VJ70JA	12	OR	TXL	3768009C1	3768010C1	1012	R5 -	0 N/A		
VL70TA	12	OR	TXL	3768009C1	3768010C1	1012	R5 -	7 N/A		
VM70TA	12	OR	TXL	3768009C1	3768010C1	1012	R5 -	7 N/A		
VN70-GV	18	WH	TXL	3768003C1	3768010C1	1012	R5 -	5 N/A		
VN70D	18	OR	TXL	3768003C1	3768010C1	1012	R5 -	6 N/A		
VN70JA	12	OR	TXL	3768009C1	3768010C1	1012	R5 -	0 N/A		
VQ70TA	12	OR	TXL	3768009C1	3768010C1	1012	R5 -	7 N/A		
VS70TA	12	OR	TXL	3768009C1	3768010C1	1012	R5 -	7 N/A		
DF13DU	18	GY	TXL	3768003C1	3768010C1	1012	R6 -	6 N/A		
LJ104DA	16	DKBL	TXL	3768007C1	3768010C1	1012	R6 -	0 N/A		
LJ104DB	16	DKBL	TXL	3768007C1	3768010C1	1012	R6 -	7 N/A		
LJ104DC	18	DKBL	TXL	3768003C1	3768010C1	1012	R6 -	5 N/A		
WX2	2	RD	SGX	2241353C1		1013	1	3812582R1		
QA23H	18	TN	TXL	2 3768003	3768010C	1013	R6	85 N/A		
QA23DA	18	TN	TXL	3768003C	3768010C1	1013	R5 -	85 N/A		
RF78	16	LTGN	TXL	3768007C1	3768010C1	1013	R1 -	7 N/A		
RF78RP	16	LTGN	TXL	3768007C1	3768010C1	1013	R1 -	0 N/A		
RF78RR	18	WH	TXL	3768003C1	3768010C1	1013	R1 -	5 N/A		
RN78RK	18	LTGN	TXL	3768003C1	3768010C1	1013	R1 -	6 N/A		
RP78RC	18	LTGN	TXL	3768003C1	3768010C1	1013	R1 -	6 N/A		
QA11-GM	18	WH	TXL	3768003C1	3768010C1	1013	R2 -	6 N/A		
QA13B	18	PK	TXL	3768007C1	3768010C1	1013	R2 -	0 N/A		
QA23DA	18	TN	TXL	3768007C1	3768010C1	1013	R2 -	7 N/A		
QA23F	18	TN	TXL	3768003C1	3768010C1	1013	R2 -	5 N/A		
QA23H	18	TN	TXL	3768003C1	3768010C1	1013	R2 -	7A N/A		
KS59-GCA	18	WH	TXL	3768003C1	3768010C1	1013	R3 -	5 N/A		
KS59KB	18	GY	TXL	3768003C1	3768010C1	1013	R3 -	7A N/A		
KS59KD	18	GY	TXL	3768007C1	3768010C1	1013	R3 -	0 N/A		
KS71P	18	GY	TXL	3768003C1	3768010C1	1013	R3 -	6 N/A		
KT59-GM	18	WH	TXL	3768003C1	3768010C1	1013	R3 -	5 N/A		
KT59KA	18	GY	TXL	3768003C1	3768010C1	1013	R3 -	7A N/A		
KT59KD	18	GY	TXL	3768007C1	3768010C1	1013	R3 -	0 N/A		
KT71P	18	GY	TXL	3768003C1	3768010C1	1013	R3 -	6 N/A		
KU59-GM	18	WH	TXL	3768003C1	3768010C1	1013	R3 -	5 N/A		
KU59KA	18	GY	TXL	3768003C1	3768010C1	1013	R3 -	7A N/A		
KU59KD	18	GY	TXL	3768007C1	3768010C1	1013	R3 -	0 N/A		
KU71P	18	GY	TXL	3768003C1	3768010C1	1013	R3 -	6 N/A		
KS59-GC	18	WH	TXL	3768003C1	3768010C1	1013	R4 -	5 N/A		
KS59JC	18	GY	TXL	3768007C1	3768010C1	1013	R4 -	0 N/A		
KS59KC	18	GY	TXL	3768007C1	3768010C1	1013	R4 -	7 N/A		
KS59KF	18	GY	TXL	3768003C1	3768010C1	1013	R4 -	6 N/A		
KT59-GMA	18	WH	TXL	3768003C1	3768010C1	1013	R4 -	5 N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
KT59JC	18	GY	TXL	3768007C1	3768010C1	1013	R4 -	0 N/A		
KT59KC	18	GY	TXL	3768007C1	3768010C1	1013	R4 -	7 N/A		
KT59KF	18	GY	TXL	3768003C1	3768010C1	1013	R4 -	6 N/A		
KU59-GMA	18	WH	TXL	3768003C1	3768010C1	1013	R4 -	5 N/A		
KU59JC	18	GY	TXL	3768007C1	3768010C1	1013	R4 -	0 N/A		
KU59KC	18	GY	TXL	3768007C1	3768010C1	1013	R4 -	7 N/A		
KU59KF	18	GY	TXL	3768003C1	3768010C1	1013	R4 -	6 N/A		
QA11-GCH	18	WH	TXL	3768003C1	3768010C1	1013	R5 -	7A N/A		
QA13C	18	PK	TXL	3768007C1	3768010C1	1013	R5 -	7 N/A		
QA23BC	18	TN	TXL	3768007C1	3768010C1	1013	R5 -	0 N/A		
QA23CA	18	TN	TXL	3768003C1	3768010C1	1013	R5 -	6 N/A		
QA11-GCJ	18	WH	TXL	3768003C1	3768010C1	1013	R6 -	7A N/A		
QA13DA	18	PK	TXL	3768007C1	3768010C1	1013	R6 -	7 N/A		
QA23DB	18	TN	TXL	3768007C1	3768010C1	1013	R6 -	0 N/A		
QA23EB	18	TN	TXL	3768003C1	3768010C1	1013	R6 -	6 N/A		
RK78-GC	18	WH	TXL	3768003C1	3768010C1	1014	R1 -	5 N/A		
RK78BC	16	LTGN	TXL	3768004C1	3768010C1	1014	R1 -	6 N/A		
RK78G	16	LTGN	TXL	3768007C1	3768010C1	1014	R1 -	0 N/A		
RK78H	14	BK	TXL	3768008C1	3768010C1	1014	R1 -	7 N/A		
UD14A	18	RD	TXL	3768007C1	3768010C1	1014	R2 -	0 N/A		
UD17B	18	PK	TXL	3768007C1	3768010C1	1014	R2 -	7 N/A		
UD92-GC	18	WH	TXL	3768003C1	3768010C1	1014	R2 -	5 N/A		
UD92B	18	TN	TXL	3768003C1	3768010C1	1014	R2 -	6 N/A		
ZR12-GD	16	WH	TXL	3768004C1	3768010C1	1014	R3 -	5 N/A		
ZR12U	12	LTBL	TXL	3768009C1	3768010C1	1014	R3 -	7 N/A		
ZR12Z	12	LTBL	TXL	3768009C1	3768010C1	1014	R3 -	0 N/A		
ZR12ZB	18	LTBL	TXL	3768003C1	3768010C1	1014	R3 -	6 N/A		
AD11-GY	18	WH	TXL	3768003C1	3768010C1	1014	R4 -	5 N/A		
AE11-GY	18	WH	TXL	3768003C1	3768010C1	1014	R4 -	5 N/A		
CD14DB	10	RD	TXL	3768009C1	3768010C1	1014	R4 -	0 N/A		
DE13DF	18	PK	TXL	3768003C1	3768010C1	1014	R4 -	6 N/A		
DF13DF	18	PK	TXL	3768003C1	3768010C1	1014	R4 -	6 N/A		
DJ13DG	12	PK	TXL	3768009C1	3768010C1	1014	R4 -	7 N/A		
RK78-GD	18	WH	TXL	3768003C1	3768010C1	1014	R5 -	5 N/A		
RK78D	14	BK	TXL	3768008C1	3768010C1	1014	R5 -	7 N/A		
RK78E	14	LTGN	TXL	3768008C1	3768010C1	1014	R5 -	0 N/A		
RK78F	18	LTGN	TXL	3768003C1	3768010C1	1014	R5 -	6 N/A		
RL78AA	16	LTGN	TXL	3768007C1	3768010C1	1014	R6 -	0 N/A		
RL78AB	16	LTGN	TXL	3768007C1	3768010C1	1014	R6 -	7 N/A		
RL78RN	18	WH	TXL	3768003C1	3768010C1	1014	R6 -	5 N/A		
RM78AA	16	LTGN	TXL	3768007C1	3768010C1	1014	R6 -	0 N/A		
RM78AB	16	LTGN	TXL	3768007C1	3768010C1	1014	R6 -	7 N/A		
RM78RM	18	WH	TXL	3768003C1	3768010C1	1014	R6 -	5 N/A		
RN78RD	18	LTGN	TXL	3768003C1	3768010C1	1014	R6 -	6 N/A		
RR78RC	18	LTGN	TXL	3768003C1	3768010C1	1014	R6 -	6 N/A		
DJ13DJ	12	PK	TXL	3768014C1	3768015C1	1015	2	N/A		
MK13TS	20	PK	TXL	3768012C1	3768015C1	1015	5	N/A		
MM13EE	18	PK	TXL	3768012C1	3768015C1	1015	5	N/A		
MQ13EE	16	PK	TXL	3768013C1	3768015C1	1015	5	N/A		
VW13EE	16	PK	TXL	3768013C1	3768015C1	1015	5	N/A		
HE87MB	18	GY	TXL	3768012C1	3768015C1	1015	6	N/A		
HJ87KA	18	GY	TXL	3768012C1	3768015C1	1015	6	N/A		
DJ13DR	18	PK	TXL	3768012C1	3768015C1	1015	7	N/A		
WD44Y	16	GY	TXL	3768013C1	3768015C1	1015	8	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
DJ13DK	12	PK	TXL	3768014C1	3768015C1	1015	10	N/A		
KR59J	18	GY	TXL	3768012C1	3768015C1	1015	13	N/A		
K559JB	18	GY	TXL	3768012C1	3768015C1	1015	13	N/A		
KT59JB	18	GY	TXL	3768012C1	3768015C1	1015	13	N/A		
KU59JB	18	GY	TXL	3768012C1	3768015C1	1015	13	N/A		
DL13AB	18	PK	TXL	3768012C1	3768015C1	1015	14	N/A		
ZA71BB	16	OR	TXL	3768013C1	3768015C1	1015	15	N/A		
ZC71	16	OR	TXL	3768013C1	3768015C1	1015	15	N/A		
ZH71AA	16	OR	TXL	3768013C1	3768015C1	1015	15	N/A		
ZJ71	16	OR	TXL	3768013C1	3768015C1	1015	15	N/A		
ZL71	16	OR	TXL	3768013C1	3768015C1	1015	15	N/A		
AB13D	18	PK	TXL	3768012C1	3768015C1	1015	16	N/A		
AC13D	18	PK	TXL	3768012C1	3768015C1	1015	16	N/A		
DJ13DL	12	PK	TXL	3768014C1	3768015C1	1015	18	N/A		
SH86P	16	LTGN	TXL	3768013C1	3768015C1	1015	21	N/A		
SJ86P	16	LTGN	TXL	3768013C1	3768015C1	1015	21	N/A		
SK86P	16	LTGN	TXL	3768013C1	3768015C1	1015	21	N/A		
SL86P	16	LTGN	TXL	3768013C1	3768015C1	1015	21	N/A		
RF78RP	16	LTGN	TXL	3768013C	3768015C1	1015	22	N/A		
AA13EA	18	PK	TXL	3768012C1	3768015C1	1015	23	N/A		
UL92#163A	16	PK	TXL	3768013C1	3768015C1	1015	24	N/A		
UN92YD	16	TN	TXL	3768013C1	3768015C1	1015	24	N/A		
DJ13DM	12	PK	TXL	3768014C1	3768015C1	1015	26	N/A		
YA67A	16	PK	TXL	3768013C1	3768015C1	1015	29	N/A		
YC67A	16	PK	TXL	3768013C1	3768015C1	1015	29	N/A		
KH39A	16	GY	TXL	3768013C1	3768015C1	1015	30	N/A		
LL13B	16	PK	TXL	3768013C1	3768015C1	1015	31	N/A		
MA97F	16	VT	TXL	3768013C1	3768015C1	1015	32	N/A		
DJ13DN	12	PK	TXL	3768014C1	3768015C1	1015	34	N/A		
XA94V	18	GY	TXL	3768012C1	3768015C1	1015	37	N/A		
XE94V	14	GY	GXL	3768014C1	3768015C1	1015	37	N/A		
XT90E	18	GY	TXL	3768012C1	3768015C1	1015	37	N/A		
XU90E	18	GY	TXL	3768012C1	3768015C1	1015	37	N/A		
KH39	16	GY	TXL	3768013C1	3768015C1	1015	38	N/A		
YB67TA	18	PK	TXL	3768012C1	3768015C1	1015	39	N/A		
YD67A	16	PK	TXL	3768013C1	3768015C1	1015	40	N/A		
CD14C	8	RD	TXL	4100163C1	4100070C1	1016	R1-30	N/A		
CD14CA	8	RD	TXL	4100163C1	4100070C1	1016	R1-87	N/A		
CD14DC	8	RD	TXL	4100163C1	4100070C1	1016	R2-30	N/A		
AD11-GZ	18	WH	TXL	3768007C1	4100070C1	1016	R2-85	N/A		
AE11-GZ	18	WH	TXL	3768007C1	4100070C1	1016	R2-85	N/A		
DE13DE	18	PK	TXL	3768007C1	4100070C1	1016	R2-86	N/A		
DF13DE	18	PK	TXL	3768007C1	4100070C1	1016	R2-86	N/A		
DJ13DH	8	RD	TXL	4100163C1	4100070C1	1016	R2-87	N/A		
CD14CG	12	RD	TXL	3768014C1	3768015C1	1017	1	N/A		
CD14CH	12	RD	TXL	3768014C1	3768015C1	1017	2	N/A		
EH12J	18	LTBL	TXL	3768012C1	3768015C1	1017	3	N/A		
EJ12J	18	LTBL	TXL	3768012C1	3768015C1	1017	3	N/A		
CD14AG	12	RD	TXL	3768014C1	3768015C1	1017	4	N/A		
NP14DCE	18	RD	GXL	3768012C1	3768015C1	1017	5	N/A		
QE14A	12	RD	TXL	3768014C1	3768015C1	1017	6	N/A		
QF14A	12	RD	TXL	3768014C1	3768015C1	1017	6	N/A		
HD85AA	18	GY	TXL	3768012C1	3768015C1	1017	7	N/A		
TJ14NS	12	BK	TXL	3768014C1	3768015C1	1017	8	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
CD14CB	12	RD	TXL	3768157C1	3768015C1	1017	10	N/A		
LJ104DA	16	DKBL	TXL	3768013C	3768015C1	1017	13	N/A		
NE14A	20	PK	TXL	3768012C1	3768015C1	1017	13	N/A		
JB86C	14	LTGN	TXL	3768014C1	3768015C1	1017	14	N/A		
AA63BD	18	DKBL	TXL	3768012C1	3768015C1	1017	15	N/A		
MH26D	18	TN	GXL	3768012C1	3768015C1	1017	16	N/A		
MJ26D	18	TN	GXL	3768012C1	3768015C1	1017	16	N/A		
RK78G	16	LTGN	TXL	3768013C	3768015C1	1017	16	N/A		
CD14CC	12	RD	TXL	3768014C1	3768015C1	1017	17	N/A		
CD14CD	12	RD	TXL	3768014C1	3768015C1	1017	18	N/A		
CD14CE	12	RD	TXL	3768014C1	3768015C1	1017	19	N/A		
CD14CF	12	RD	TXL	3768014C1	3768015C1	1017	20	N/A		
KK18V	16	GY	TXL	3768013C	3768015C1	1017	21	N/A		
KL18V	16	GY	TXL	3768013C	3768015C1	1017	21	N/A		
KM18V	16	GY	TXL	3768013C	3768015C1	1017	21	N/A		
TH145C	12	RD	TXL	3768014C	3768015C1	1017	22	N/A		
VK14BA	16	RD	TXL	3768013C1	3768015C1	1017	22	N/A		
JA84	14	LTGN	TXL	3768014C1	3768015C1	1017	23	N/A		
ZR12Z	12	LTBL	TXL	3768014C	3768015C1	1017	24	N/A		
EH12H	16	LTBL	TXL	3768013C1	3768015C1	1017	25	N/A		
EJ12H	16	LTBL	TXL	3768013C1	3768015C1	1017	25	N/A		
EH12E	18	LTBL	TXL	3768012C1	3768015C1	1017	26	N/A		
EJ12E	18	LTBL	TXL	3768012C1	3768015C1	1017	26	N/A		
EH12F	12	LTBL	TXL	3768014C1	3768015C1	1017	27	N/A		
EJ12F	12	LTBL	TXL	3768014C1	3768015C1	1017	27	N/A		
EH12G	16	LTBL	TXL	3768013C1	3768015C1	1017	28	N/A		
EJ12G	16	LTBL	TXL	3768013C1	3768015C1	1017	28	N/A		
ZR12ZA	18	LTBL	TXL	3768012C1	3768015C1	1017	29	N/A		
SM86AE	18	LTGN	TXL	3768012C1	3768015C1	1017	30	N/A		
SM86F	18	LTGN	TXL	3768012C1	3768015C1	1017	31	N/A		
NC12B	20	LTBL	TXL	3768012C1	3768015C1	1017	32	N/A		
DJ13DT	12	PK	TXL	3768157C1	3768015C1	1017	34	N/A		
PB97DF	18	VT	TXL	3768012C1	3768015C1	1017	37	N/A		
RL78AA	16	LTGN	TXL	3768013C	3768015C1	1017	38	N/A		
RM78AA	16	LTGN	TXL	3768013C	3768015C1	1017	38	N/A		
JC13UC	20	PK	TXL	3768012C1	3768015C1	1017	39	N/A		
JE13U	20	PK	TXL	3768012C1	3768015C1	1017	39	N/A		
MD13ZA	16	PK	TXL	3768013C1	3768015C1	1017	40	N/A		
CD14BG	12	RD	TXL	3768014C1	3768015C1	1018	2	N/A		
CD14BD	12	RD	TXL	3768014C1	3768015C1	1018	3	N/A		
CD14BE	12	RD	TXL	3768014C1	3768015C1	1018	4	N/A		
JD86C2	14	LTGN	TXL	3768014C1	3768015C1	1018	6	N/A		
LL14G	16	RD	TXL	3768013C1	3768015C1	1018	7	N/A		
XT40A	14	GY	TXL	3768014C1	3768015C1	1018	8	N/A		
CD14CJ	12	RD	TXL	3768014C1	3768015C1	1018	10	N/A		
CD14BB	12	RD	TXL	3768014C1	3768015C1	1018	11	N/A		
CD14BC	12	RD	TXL	3768014C1	3768015C1	1018	12	N/A		
VJ70JA	12	OR	TXL	3768014C	3768015C1	1018	14	N/A		
VN70JA	12	OR	TXL	3768014C1	3768015C1	1018	14	N/A		
RD81D	12	RD	TXL	3768014C1	3768015C1	1018	15	N/A		
RD81DA	12	RD	TXL	3768014C1	3768015C1	1018	16	N/A		
CD14BA	12	RD	TXL	3768014C1	3768015C1	1018	18	N/A		
AA73C	20	LTGN	TXL	3768012C1	3768015C1	1018	21	N/A		
HR72C	12	OR	TXL	3768014C1	3768015C1	1018	22	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
RK78E	14	LTGN	TXL	3768014C	3768015C1	1018	22	N/A		
JC84C	14	LTGN	TXL	3768014C1	3768015C1	1018	24	N/A		
JE14UA	14	LTGN	TXL	3768014C1	3768015C1	1018	24	N/A		
DJ13DP	12	PK	TXL	3768014C1	3768015C1	1018	26	N/A		
HR13X	16	PK	TXL	3768013C1	3768015C1	1018	29	N/A		
QC105	18	LTGN	TXL	3768012C1	3768015C1	1018	30	N/A		
QD105C	16	LTGN	TXL	3768013C1	3768015C1	1018	30	N/A		
QL13A	18	RD	TXL	3768012C1	3768015C1	1018	30	N/A		
QR13AA	18	RD	TXL	3768012C1	3768015C1	1018	30	N/A		
QS13R	18	RD	TXL	3768012C1	3768015C1	1018	30	N/A		
QU14R	18	RD	TXL	3768012C1	3768015C1	1018	30	N/A		
QZ13R3	18	RD	TXL	3768012C1	3768015C1	1018	30	N/A		
NP13DCG	18	PK	TXL	3768012C1	3768015C1	1018	31	N/A		
QA13A	18	PK	TXL	3768012C1	3768015C1	1018	32	N/A		
DJ13DG	12	PK	TXL	3768014C	3768015C1	1018	34	N/A		
NZ22AA	16	PK	TXL	3768013C1	3768015C1	1018	37	N/A		
JA13UA	20	PK	TXL	3768012C1	3768015C1	1018	38	N/A		
UB92#163A	16	PK	TXL	3768013C1	3768015C1	1018	39	N/A		
UD13A	16	PK	GXL	3768013C1	3768015C1	1018	39	N/A		
UF92#163B	16	TN	TXL	3768013C1	3768015C1	1018	39	N/A		
UL92#163	18	TN	TXL	3768012C1	3768015C1	1018	39	N/A		
MQ98F	20	TN	TXL	3768012C1	3768015C1	1018	40	N/A		
NA28D	20	TN	TXL	4062808C1	4063041C1	1020	1	N/A		
NA9CDC	20	GY	TXL	4062808C1	4063041C1	1020	2	N/A		
NA62F	20	DKBL	TXL	4062808C1	4063041C1	1020	3	N/A		
NA11-GKF	20	WH	TXL	4062808C1	4063041C1	1020	4	N/A		
AB62DA	16	DKBL	TXL	3613770C1	3613769C1	1021	1	N/A		
AC62DA	16	DKBL	TXL	3613770C1	3613769C1	1021	1	N/A		
UL62Z	18	DKBL	TXL	3613771C1	3613769C1	1021	2	N/A		
KS62DA	16	DKBL	TXL	3613770C1	3613769C1	1021	3	N/A		
KT62DA	16	DKBL	TXL	3613770C1	3613769C1	1021	3	N/A		
KU62DA	16	DKBL	TXL	3613770C1	3613769C1	1021	3	N/A		
YD62A	18	DKBL	TXL	3613771C1	3613769C1	1021	4	N/A		
ZR62DJ	18	DKBL	TXL	3613771C1	3613769C1	1021	5	N/A		
KB62EAL	18	BK	TXL	3613771C1	3613769C1	1021	6	N/A		
VB62RA	18	TN	TXL	3613771C1	3613769C1	1021	7	N/A		
HD62DE	18	DKBL	TXL	3613771C1	3613769C1	1021	8	N/A		
RG62DD	18	DKBL	TXL	3613771C1	3613769C1	1021	10	N/A		
NA62F	20	DKBL	TXL	3613771C1	3613769C1	1021	12	N/A		
QA62K	18	DKBL	TXL	3613771C1	3613769C1	1021	13	N/A		
UF62A	18	DKBL	TXL	3613771C1	3613769C1	1021	14	N/A		
UN62A	18	DKBL	TXL	3613771C1	3613769C1	1021	14	N/A		
FB11-GBA	14	WH	TXL	3613770C1	3613769C1	1022	1	N/A		
AB11-GN	18	WH	TXL	3613771C1	3613769C1	1022	2	N/A		
AC11-GN	18	WH	TXL	3613771C1	3613769C1	1022	2	N/A		
RL78RN	18	WH	TXL	3613771C	3613769C1	1022	3	N/A		
RM78RM	18	WH	TXL	3613771C	3613769C1	1022	3	N/A		
KK18-GB	18	WH	TXL	3613771C	3613769C1	1022	4	N/A		
KL18-GB	18	WH	TXL	3613771C	3613769C1	1022	4	N/A		
KM18-GB	18	WH	TXL	3613771C	3613769C1	1022	4	N/A		
VK12-GCL	18	WH	TXL	3613771C	3613769C1	1022	5	N/A		
YA67-G	16	WH	TXL	3613770C1	3613769C1	1022	6	N/A		
YC67-G	16	WH	TXL	3613770C1	3613769C1	1022	6	N/A		
YD67-G	18	WH	TXL	3613771C1	3613769C1	1022	6	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
VJ70-GV	18	WH	TXL	3613771C	3613769C1	1022	7	N/A		
VN70-GV	18	WH	TXL	3613771C	3613769C1	1022	7	N/A		
RF78RR	18	WH	TXL	3613771C	3613769C1	1022	8	N/A		
TH72-GA	18	WH	TXL	3613771C	3613769C1	1022	9	N/A		
HD62-GA	18	WH	TXL	3613771C1	3613769C1	1022	10	N/A		
VG70-GT	18	WH	TXL	3613771C	3613769C1	1022	11	N/A		
VJ70-GT	18	WH	TXL	3613771C	3613769C1	1022	11	N/A		
NP11-GA	18	WH	TXL	3613771C1	3613769C1	1022	12	N/A		
QD105-GCP	16	WH	TXL	3613770C1	3613769C1	1022	13	N/A		
TJ11-GAM	16	WH	TXL	3613770C1	3613769C1	1022	14	N/A		
FB11-GCB	14	WH	TXL	3613770C1	3613769C1	1023	1	N/A		
YG96-GE	18	YL	TXL	3613771C1	3613769C1	1023	2	N/A		
UC92-GAH	18	WH	TXL	3613771C1	3613769C1	1023	3	N/A		
UL92-GAH	18	WH	TXL	3613771C1	3613769C1	1023	3	N/A		
JB11-GCC	14	WH	TXL	3613770C1	3613769C1	1023	4	N/A		
MH11-GBD	18	WH	TXL	3613771C1	3613769C1	1023	5	N/A		
MJ11-GAD	18	WH	TXL	3613771C1	3613769C1	1023	5	N/A		
ML11-GBE	16	WH	TXL	3613770C1	3613769C1	1023	6	N/A		
MP11-GBE	16	WH	TXL	3613770C1	3613769C1	1023	6	N/A		
MQ11-GBE	16	WH	TXL	3613770C1	3613769C1	1023	6	N/A		
VW11-GBE	16	WH	TXL	3613770C1	3613769C1	1023	6	N/A		
RF78-GB	16	WH	TXL	3613770C1	3613769C1	1023	7	N/A		
NZ22-GAN	16	WH	TXL	3613770C1	3613769C1	1023	8	N/A		
UH91-GAH	18	WH	TXL	3613771C1	3613769C1	1023	9	N/A		
YD11-GBP	18	WH	TXL	3613771C1	3613769C1	1023	10	N/A		
PC92-GN2	18	WH	TXL	3613771C1	3613769C1	1023	11	N/A		
DL11-GAR	18	WH	TXL	3613771C1	3613769C1	1023	12	N/A		
UF92-GAH	18	WH	TXL	3613771C1	3613769C1	1023	13	N/A		
UN92-GAH	18	WH	TXL	3613771C1	3613769C1	1023	13	N/A		
VW11-GEF	14	WH	TXL	3613770C1	3613769C1	1023	14	N/A		
8A5BC(-)	18	GN	TXL	3534164C1	3601838C1	1024	A	N/A		
9A5BC(-)	18	GN	TXL	3534164C1	3601838C1	1024	A	N/A		
9P5BC(-)	18	GN	TXL	3534164C1	3601838C1	1024	A	N/A		
9X5BC(-)	18	GN	TXL	3534164C1	3601838C1	1024	A	N/A		
GC5BC(-)	18	GN	TXL	3534164C1	3601838C1	1024	A	N/A		
GD5BC(-)	18	GN	TXL	3534164C1	3601838C1	1024	A	N/A		
KB5AL(-)	18	GN	TXL	3534164C1	3601838C1	1024	B	N/A		
8A5BD(-)	18	GN	TXL	3534164C1	3601838C1	1024	C	N/A		
9A5BD(-)	18	GN	TXL	3534164C1	3601838C1	1024	C	N/A		
9P5BD(-)	18	GN	TXL	3534164C1	3601838C1	1024	C	N/A		
9X5BD(-)	18	GN	TXL	3534164C1	3601838C1	1024	C	N/A		
GC5BD(-)	18	GN	TXL	3534164C1	3601838C1	1024	C	N/A		
GD5BD(-)	18	GN	TXL	3534164C1	3601838C1	1024	C	N/A		
8A5BD(-)	18	GN	TXL	3534164C1	3601838C1	1024	D	N/A		
9A5BD(-)	18	GN	TXL	3534164C1	3601838C1	1024	D	N/A		
9P5BD(-)	18	GN	TXL	3534164C1	3601838C1	1024	D	N/A		
9X5BD(-)	18	GN	TXL	3534164C1	3601838C1	1024	D	N/A		
GC5BD(-)	18	GN	TXL	3534164C1	3601838C1	1024	D	N/A		
GD5BD(-)	18	GN	TXL	3534164C1	3601838C1	1024	D	N/A		
KB5CCB(-)	18	GN	TXL	3534164C1	3601838C1	1024	E	N/A		
8A5BE(-)	18	GN	TXL	3534164C1	3601838C1	1024	F	N/A		
9A5BE(-)	18	GN	TXL	3534164C1	3601838C1	1024	F	N/A		
9P5BE(-)	18	GN	TXL	3534164C1	3601838C1	1024	F	N/A		
9X5BE(-)	18	GN	TXL	3534164C1	3601838C1	1024	F	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
GC5BE(-)	18	GN	TXL	3534164C1	3601838C1	1024	F	N/A		
GD5BE(-)	18	GN	TXL	3534164C1	3601838C1	1024	F	N/A		
8A5BE(+)	18	YL	TXL	3534164C1	3601838C1	1024	G	N/A		
9A5BE(+)	18	YL	TXL	3534164C1	3601838C1	1024	G	N/A		
9P5BE(+)	18	YL	TXL	3534164C1	3601838C1	1024	G	N/A		
9X5BE(+)	18	YL	TXL	3534164C1	3601838C1	1024	G	N/A		
GC5BE(+)	18	YL	TXL	3534164C1	3601838C1	1024	G	N/A		
GD5BE(+)	18	YL	TXL	3534164C1	3601838C1	1024	G	N/A		
KB5CCB(+)	18	YL	TXL	3534164C1	3601838C1	1024	H	N/A		
8A5BD(+)	18	YL	TXL	3534164C1	3601838C1	1024	J	N/A		
9A5BD(+)	18	YL	TXL	3534164C1	3601838C1	1024	J	N/A		
9P5BD(+)	18	YL	TXL	3534164C1	3601838C1	1024	J	N/A		
9X5BD(+)	18	YL	TXL	3534164C1	3601838C1	1024	J	N/A		
GC5BD(+)	18	YL	TXL	3534164C1	3601838C1	1024	J	N/A		
GD5BD(+)	18	YL	TXL	3534164C1	3601838C1	1024	J	N/A		
8A5BD(+)	18	YL	TXL	3534164C1	3601838C1	1024	K	N/A		
9A5BD(+)	18	YL	TXL	3534164C1	3601838C1	1024	K	N/A		
9P5BD(+)	18	YL	TXL	3534164C1	3601838C1	1024	K	N/A		
9X5BD(+)	18	YL	TXL	3534164C1	3601838C1	1024	K	N/A		
GC5BD(+)	18	YL	TXL	3534164C1	3601838C1	1024	K	N/A		
GD5BD(+)	18	YL	TXL	3534164C1	3601838C1	1024	K	N/A		
KB5AL(+)	18	YL	TXL	3534164C1	3601838C1	1024	L	N/A		
8A5BC(+)	18	YL	TXL	3534164C1	3601838C1	1024	M	N/A		
9A5BC(+)	18	YL	TXL	3534164C1	3601838C1	1024	M	N/A		
9P5BC(+)	18	YL	TXL	3534164C1	3601838C1	1024	M	N/A		
9X5BC(+)	18	YL	TXL	3534164C1	3601838C1	1024	M	N/A		
GC5BC(+)	18	YL	TXL	3534164C1	3601838C1	1024	M	N/A		
GD5BC(+)	18	YL	TXL	3534164C1	3601838C1	1024	M	N/A		
8A5BG(-)	18	GN	TXL	3534164C1	3601838C1	1025	A	N/A		
9F5BE(-)	18	GN	TXL	3534164C1	3601838C1	1025	A	N/A		
9J5BE(-)	18	GN	TXL	3534164C1	3601838C1	1025	A	N/A		
9P5BG(-)	18	GN	TXL	3534164C1	3601838C1	1025	A	N/A		
GC5BG(-)	18	GN	TXL	3534164C1	3601838C1	1025	A	N/A		
GD5BG(-)	18	GN	TXL	3534164C1	3601838C1	1025	A	N/A		
DL5V(-)	18	GN	TXL	3534164C1	3601838C1	1025	B	N/A		
MH5CCA(-)	18	GN	TXL	3534164C1	3601838C1	1025	B	N/A		
MJ5CCA(-)	18	GN	TXL	3534164C1	3601838C1	1025	B	N/A		
8A5BH(-)	18	GN	TXL	3534164C1	3601838C1	1025	C	N/A		
9F5BF(-)	18	GN	TXL	3534164C1	3601838C1	1025	C	N/A		
9J5BF(-)	18	GN	TXL	3534164C1	3601838C1	1025	C	N/A		
9P5BH(-)	18	GN	TXL	3534164C1	3601838C1	1025	C	N/A		
GC5BH(-)	18	GN	TXL	3534164C1	3601838C1	1025	C	N/A		
GD5BH(-)	18	GN	TXL	3534164C1	3601838C1	1025	C	N/A		
8A5BH(-)	18	GN	TXL	3534164C1	3601838C1	1025	D	N/A		
9F5BF(-)	18	GN	TXL	3534164C1	3601838C1	1025	D	N/A		
9J5BF(-)	18	GN	TXL	3534164C1	3601838C1	1025	D	N/A		
9P5BH(-)	18	GN	TXL	3534164C1	3601838C1	1025	D	N/A		
GC5BH(-)	18	GN	TXL	3534164C1	3601838C1	1025	D	N/A		
GD5BH(-)	18	GN	TXL	3534164C1	3601838C1	1025	D	N/A		
MK5TS(-)	20	GN	193	3535484C1	3601838C1	1025	E	N/A		
MN5BF(-)	18	GN	TXL	3534164C1	3601838C1	1025	E	N/A		
MP5CG(-)	18	GN	TXL	3534164C1	3601838C1	1025	E	N/A		
MR5BF(-)	18	GN	TXL	3534164C1	3601838C1	1025	E	N/A		
VW5CC(-)	18	GN	TXL	3534164C1	3601838C1	1025	E	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
8A5BJ(-)	18	GN	TXL	3534164C1	3601838C1	1025	F	N/A		
9F5BG(-)	18	GN	TXL	3534164C1	3601838C1	1025	F	N/A		
9J5BG(-)	18	GN	TXL	3534164C1	3601838C1	1025	F	N/A		
9P5BJ(-)	18	GN	TXL	3534164C1	3601838C1	1025	F	N/A		
GC5BJ(-)	18	GN	TXL	3534164C1	3601838C1	1025	F	N/A		
GD5BJ(-)	18	GN	TXL	3534164C1	3601838C1	1025	F	N/A		
8A5BJ(+)	18	YL	TXL	3534164C1	3601838C1	1025	G	N/A		
9F5BG(+)	18	YL	TXL	3534164C1	3601838C1	1025	G	N/A		
9J5BG(+)	18	YL	TXL	3534164C1	3601838C1	1025	G	N/A		
9P5BJ(+)	18	YL	TXL	3534164C1	3601838C1	1025	G	N/A		
GC5BJ(+)	18	YL	TXL	3534164C1	3601838C1	1025	G	N/A		
GD5BJ(+)	18	YL	TXL	3534164C1	3601838C1	1025	G	N/A		
MK5TS(+)	20	YL	193	3535484C1	3601838C1	1025	H	N/A		
MN5BF(+)	18	YL	TXL	3534164C1	3601838C1	1025	H	N/A		
MP5CG(+)	18	YL	TXL	3534164C1	3601838C1	1025	H	N/A		
MRSBF(+)	18	YL	TXL	3534164C1	3601838C1	1025	H	N/A		
VW5CC(+)	18	YL	TXL	3534164C1	3601838C1	1025	H	N/A		
8A5BH(+)	18	YL	TXL	3534164C1	3601838C1	1025	J	N/A		
9F5BF(+)	18	YL	TXL	3534164C1	3601838C1	1025	J	N/A		
9J5BF(+)	18	YL	TXL	3534164C1	3601838C1	1025	J	N/A		
9P5BH(+)	18	YL	TXL	3534164C1	3601838C1	1025	J	N/A		
GC5BH(+)	18	YL	TXL	3534164C1	3601838C1	1025	J	N/A		
GD5BH(+)	18	YL	TXL	3534164C1	3601838C1	1025	J	N/A		
8A5BH(+)	18	YL	TXL	3534164C1	3601838C1	1025	K	N/A		
9F5BF(+)	18	YL	TXL	3534164C1	3601838C1	1025	K	N/A		
9J5BF(+)	18	YL	TXL	3534164C1	3601838C1	1025	K	N/A		
9P5BH(+)	18	YL	TXL	3534164C1	3601838C1	1025	K	N/A		
GC5BH(+)	18	YL	TXL	3534164C1	3601838C1	1025	K	N/A		
GD5BH(+)	18	YL	TXL	3534164C1	3601838C1	1025	K	N/A		
DL5V(+)	18	YL	TXL	3534164C1	3601838C1	1025	L	N/A		
MH5CCA(+)	18	YL	TXL	3534164C1	3601838C1	1025	L	N/A		
MJ5CCA(+)	18	YL	TXL	3534164C1	3601838C1	1025	L	N/A		
8A5BG(+)	18	YL	TXL	3534164C1	3601838C1	1025	M	N/A		
9F5BE(+)	18	YL	TXL	3534164C1	3601838C1	1025	M	N/A		
9J5BE(+)	18	YL	TXL	3534164C1	3601838C1	1025	M	N/A		
9P5BG(+)	18	YL	TXL	3534164C1	3601838C1	1025	M	N/A		
GC5BG(+)	18	YL	TXL	3534164C1	3601838C1	1025	M	N/A		
GD5BG(+)	18	YL	TXL	3534164C1	3601838C1	1025	M	N/A		
9T5AG(-)	18	GN	TXL	3534164C1	3601838C1	1026	A	N/A		
9Y5AG(-)	18	GN	TXL	3534164C1	3601838C1	1026	A	N/A		
NP5DZ(-)	18	GN	TXL	3534164C1	3601838C1	1026	B	N/A		
9T5AH(-)	18	GN	TXL	3534164C1	3601838C1	1026	C	N/A		
9Y5AH(-)	18	GN	TXL	3534164C1	3601838C1	1026	C	N/A		
9T5AH(-)	18	GN	TXL	3534164C1	3601838C1	1026	D	N/A		
9Y5AH(-)	18	GN	TXL	3534164C1	3601838C1	1026	D	N/A		
NG5L(-)	20	GN	193	3535484C1	3601838C1	1026	E	N/A		
9T5AJ(-)	18	GN	TXL	3534164C1	3601838C1	1026	F	N/A		
9Y5AJ(-)	18	GN	TXL	3534164C1	3601838C1	1026	F	N/A		
9T5AJ(+)	18	YL	TXL	3534164C1	3601838C1	1026	G	N/A		
9Y5AJ(+)	18	YL	TXL	3534164C1	3601838C1	1026	G	N/A		
NG5L(+)	20	YL	193	3535484C1	3601838C1	1026	H	N/A		
9T5AH(+)	18	YL	TXL	3534164C1	3601838C1	1026	J	N/A		
9Y5AH(+)	18	YL	TXL	3534164C1	3601838C1	1026	J	N/A		
9T5AH(+)	18	YL	TXL	3534164C1	3601838C1	1026	K	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
9Y5AH(+)	18	YL	TXL	3534164C1	3601838C1	1026	K	N/A		
NP5DZ(+)	18	YL	TXL	3534164C1	3601838C1	1026	L	N/A		
9T5AG(+)	18	YL	TXL	3534164C1	3601838C1	1026	M	N/A		
9Y5AG(+)	18	YL	TXL	3534164C1	3601838C1	1026	M	N/A		
FB11-GCC	14	WH	TXL	3613770C1	3613769C1	1027	1	N/A		
NA11-GKF	20	WH	TXL	3613771C1	3613769C1	1027	2	N/A		
MM11-GBE	14	WH	TXL	3613770C1	3613769C1	1027	3	N/A		
MM11-GBH	18	WH	TXL	3613771C1	3613769C1	1027	4	N/A		
ZR12-GC	16	WH	TXL	3613770C1	3613769C1	1027	5	N/A		
VA92#117B	18	TN	TXL	3613771C	3613769C1	1027	6	N/A		
XT90HC	18	GY	TXL	3613771C1	3613769C1	1027	7	N/A		
HU103BA	16	LTGN	GXL	3613770C1	3613769C1	1027	8	N/A		
VB92-GAP	18	WH	TXL	3613771C1	3613769C1	1027	9	N/A		
VB92-GAL	18	WH	TXL	3613771C1	3613769C1	1027	11	N/A		
RF78-GA	16	WH	TXL	3613770C1	3613769C1	1027	12	N/A		
RK78-GC	18	WH	TXL	3613771C1	3613769C1	1027	13	N/A		
RK78-GD	18	WH	TXL	3613771C	3613769C1	1027	14	N/A		
8A5BE(-)	18	GN	TXL	3534164C1	3601838C1	1028	A	N/A		
9A5BE(-)	18	GN	TXL	3534164C1	3601838C1	1028	A	N/A		
9F5BC(-)	18	GN	TXL	3534164C1	3601838C1	1028	A	N/A		
9J5BC(-)	18	GN	TXL	3534164C1	3601838C1	1028	A	N/A		
9P5BE(-)	18	GN	TXL	3534164C1	3601838C1	1028	A	N/A		
9X5BE(-)	18	GN	TXL	3534164C1	3601838C1	1028	A	N/A		
GC5BE(-)	18	GN	TXL	3534164C1	3601838C1	1028	A	N/A		
GD5BE(-)	18	GN	TXL	3534164C1	3601838C1	1028	A	N/A		
KB5CCC(-)	18	GN	TXL	3534164C1	3601838C1	1028	B	N/A		
8A5BF(-)	18	GN	TXL	3534164C1	3601838C1	1028	C	N/A		
9A5BF(-)	18	GN	TXL	3534164C1	3601838C1	1028	C	N/A		
9F5BD(-)	18	GN	TXL	3534164C1	3601838C1	1028	C	N/A		
9J5BD(-)	18	GN	TXL	3534164C1	3601838C1	1028	C	N/A		
9P5BF(-)	18	GN	TXL	3534164C1	3601838C1	1028	C	N/A		
9X5BF(-)	18	GN	TXL	3534164C1	3601838C1	1028	C	N/A		
GC5BF(-)	18	GN	TXL	3534164C1	3601838C1	1028	C	N/A		
GD5BF(-)	18	GN	TXL	3534164C1	3601838C1	1028	C	N/A		
8A5BF(-)	18	GN	TXL	3534164C1	3601838C1	1028	D	N/A		
9A5BF(-)	18	GN	TXL	3534164C1	3601838C1	1028	D	N/A		
9F5BD(-)	18	GN	TXL	3534164C1	3601838C1	1028	D	N/A		
9J5BD(-)	18	GN	TXL	3534164C1	3601838C1	1028	D	N/A		
9P5BF(-)	18	GN	TXL	3534164C1	3601838C1	1028	D	N/A		
9X5BF(-)	18	GN	TXL	3534164C1	3601838C1	1028	D	N/A		
GC5BF(-)	18	GN	TXL	3534164C1	3601838C1	1028	D	N/A		
GD5BF(-)	18	GN	TXL	3534164C1	3601838C1	1028	D	N/A		
QL5(-)	18	GN	TXL	3534164C1	3601838C1	1028	E	N/A		
QR5(-)	18	GN	TXL	3534164C1	3601838C1	1028	E	N/A		
QS5B(-)	18	GN	TXL	3534164C1	3601838C1	1028	E	N/A		
QU5(-)	18	GN	TXL	3534164C1	3601838C1	1028	E	N/A		
QZ5D3(-)	18	GN	TXL	3534164C1	3601838C1	1028	E	N/A		
8A5BG(-)	18	GN	TXL	3534164C1	3601838C1	1028	F	N/A		
9A5BG(-)	18	GN	TXL	3534164C1	3601838C1	1028	F	N/A		
9F5BE(-)	18	GN	TXL	3534164C1	3601838C1	1028	F	N/A		
9J5BE(-)	18	GN	TXL	3534164C1	3601838C1	1028	F	N/A		
9P5BG(-)	18	GN	TXL	3534164C1	3601838C1	1028	F	N/A		
9X5BG(-)	18	GN	TXL	3534164C1	3601838C1	1028	F	N/A		
GC5BG(-)	18	GN	TXL	3534164C1	3601838C1	1028	F	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
GD5BG(-)	18	GN	TXL	3534164C1	3601838C1	1028	F	N/A		
8A5BG(+)	18	YL	TXL	3534164C1	3601838C1	1028	G	N/A		
9A5BG(+)	18	YL	TXL	3534164C1	3601838C1	1028	G	N/A		
9F5BE(+)	18	YL	TXL	3534164C1	3601838C1	1028	G	N/A		
9J5BE(+)	18	YL	TXL	3534164C1	3601838C1	1028	G	N/A		
9P5BG(+)	18	YL	TXL	3534164C1	3601838C1	1028	G	N/A		
9X5BG(+)	18	YL	TXL	3534164C1	3601838C1	1028	G	N/A		
GC5BG(+)	18	YL	TXL	3534164C1	3601838C1	1028	G	N/A		
GD5BG(+)	18	YL	TXL	3534164C1	3601838C1	1028	G	N/A		
QL5(+)	18	YL	TXL	3534164C1	3601838C1	1028	H	N/A		
QR5(+)	18	YL	TXL	3534164C1	3601838C1	1028	H	N/A		
QS5B(+)	18	YL	TXL	3534164C1	3601838C1	1028	H	N/A		
QU5(+)	18	YL	TXL	3534164C1	3601838C1	1028	H	N/A		
QZ5D3(+)	18	YL	TXL	3534164C1	3601838C1	1028	H	N/A		
8A5BF(+)	18	YL	TXL	3534164C1	3601838C1	1028	J	N/A		
9A5BF(+)	18	YL	TXL	3534164C1	3601838C1	1028	J	N/A		
9F5BD(+)	18	YL	TXL	3534164C1	3601838C1	1028	J	N/A		
9J5BD(+)	18	YL	TXL	3534164C1	3601838C1	1028	J	N/A		
9P5BF(+)	18	YL	TXL	3534164C1	3601838C1	1028	J	N/A		
9X5BF(+)	18	YL	TXL	3534164C1	3601838C1	1028	J	N/A		
GC5BF(+)	18	YL	TXL	3534164C1	3601838C1	1028	J	N/A		
GD5BF(+)	18	YL	TXL	3534164C1	3601838C1	1028	J	N/A		
8A5BF(+)	18	YL	TXL	3534164C1	3601838C1	1028	K	N/A		
9A5BF(+)	18	YL	TXL	3534164C1	3601838C1	1028	K	N/A		
9F5BD(+)	18	YL	TXL	3534164C1	3601838C1	1028	K	N/A		
9J5BD(+)	18	YL	TXL	3534164C1	3601838C1	1028	K	N/A		
9P5BF(+)	18	YL	TXL	3534164C1	3601838C1	1028	K	N/A		
9X5BF(+)	18	YL	TXL	3534164C1	3601838C1	1028	K	N/A		
GC5BF(+)	18	YL	TXL	3534164C1	3601838C1	1028	K	N/A		
GD5BF(+)	18	YL	TXL	3534164C1	3601838C1	1028	K	N/A		
KB5CCC(+)	18	YL	TXL	3534164C1	3601838C1	1028	L	N/A		
8A5BE(+)	18	YL	TXL	3534164C1	3601838C1	1028	M	N/A		
9A5BE(+)	18	YL	TXL	3534164C1	3601838C1	1028	M	N/A		
9F5BC(+)	18	YL	TXL	3534164C1	3601838C1	1028	M	N/A		
9J5BC(+)	18	YL	TXL	3534164C1	3601838C1	1028	M	N/A		
9P5BE(+)	18	YL	TXL	3534164C1	3601838C1	1028	M	N/A		
9X5BE(+)	18	YL	TXL	3534164C1	3601838C1	1028	M	N/A		
GC5BE(+)	18	YL	TXL	3534164C1	3601838C1	1028	M	N/A		
GD5BE(+)	18	YL	TXL	3534164C1	3601838C1	1028	M	N/A		
HD85AA	18	GY	TXL	1661224C1	3928059C1	1029	2	N/A		
HD85AB	18	GY	TXL	1661224C1	3928059C1	1029	4	N/A		
HD62-GA	18	WH	TXL	1661224C1	3928059C1	1029	11	N/A		
HD62DE	18	DKBL	TXL	1661224C1	3928059C1	1029	12	N/A		
WF2-G	1	WH	SGX	2241343C1		1040	1	3812582R1		
WF2	1	RD	SGX	3870430C1		1041	1	2643308R1		
WG2-G	1	WH	SGX	2241343C1		1050	1	3812582R1		
WG2	1	RD	SGX	3870430C1		1051	1	2643308R1		
ZB50B	18	YL	TXL	1661261C1	1661259C1	1052	A	N/A		
ZD50B	18	YL	TXL	1661261C1	1661259C1	1052	A	N/A		
ZB50A	18	YL	TXL	1661261C1	1661259C1	1052	B	N/A		
ZD50A	18	YL	TXL	1661261C1	1661259C1	1052	B	N/A		
WK2-G	2	WH	SGX	2241353C1		1070	1	3812582R1		
WK2	2	RD	SGX	2241353C1		1071	1	3812582R1		
WX2-G	2	WH	SGX	2241332C1		1073	1	3812582R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
WL2-G	0	BK	SGX	2241359C1		1080	1	3812583R1		
WL2	0	RD	SGX	2241359C1		1081	1	3812583R1		
EB15	18	RD	TXL	1661208C1	3546518C1	1100	A	N/A		
LB17H	18	PK	TXL	1661208C1	3546518C1	1100	B	N/A		
LC17HA	18	PK	TXL	1661208C1	3546518C1	1100	B	N/A		
LD149B	16	GY	TXL	1661209C1	3546518C1	1100	B	N/A		
LE149B	16	GY	TXL	1661209C1	3546518C1	1100	B	N/A		
EC149	18	GY	TXL	1661208C1	3546518C1	1100	C	N/A		
EK149	14	GY	TXL	3566715C1	3546518C1	1100	C	N/A		
DB149A	18	GY	TXL	1661208C1	3546518C1	1100	D	N/A		
DD13A	14	GY	TXL	3566715C1	3546518C1	1100	D	N/A		
DG149A	18	GY	TXL	1661208C1	3546518C1	1100	D	N/A		
DH13	14	GY	TXL	3566715C1	3546518C1	1100	D	N/A		
ZR12ZA	18	LTBL	TXL	1661224C1	3928059C1	1106	2	N/A		
ZR12ZB	18	LTBL	TXL	1661224C1	3928059C1	1106	4	N/A		
ZR12-GE	18	WH	TXL	1661224C1	3928059C1	1106	9	N/A		
ZR12ZC	18	LTBL	TXL	1661224C1	3928059C1	1106	10	N/A		
ZR12-GA	16	WH	TXL	1661226C1	3928059C1	1106	11	N/A		
ZR12ZC	18	LTBL	TXL	3541250C1	3928059C1	1106	12	N/A		
ZR62DJ	18	DKBL	TXL	3541250C1	3928059C1	1106	12	N/A		
QA9Z	18	GY	TXL	1661224C1	3928059C1	1107	1	N/A		
QA9ZC	18	GY	TXL	1661224C1	3928059C1	1107	2	N/A		
QA23EC	18	TN	TXL	1661224C1	3928059C1	1107	9	N/A		
QA13DB	18	PK	TXL	1661224C1	3928059C1	1107	10	N/A		
QA11-GAD	18	WH	TXL	1661224C1	3928059C1	1107	11	N/A		
QA62K	18	DKBL	TXL	1661224C1	3928059C1	1107	12	N/A		
KS59JD	18	GY	TXL	1661224C1	3928059C1	1108	2	N/A		
KT59JD	18	GY	TXL	1661224C1	3928059C1	1108	2	N/A		
KU59JD	18	GY	TXL	1661224C1	3928059C1	1108	2	N/A		
KS59KE	18	GY	TXL	1661224C1	3928059C1	1108	4	N/A		
KT59KE	18	GY	TXL	1661224C1	3928059C1	1108	4	N/A		
KU59KE	18	GY	TXL	1661224C1	3928059C1	1108	4	N/A		
KS59-GBA	18	WH	TXL	1661224C1	3928059C1	1108	9	N/A		
KT59-GBA	18	WH	TXL	1661224C1	3928059C1	1108	9	N/A		
KU59GEA	18	WH	TXL	1661224C1	3928059C1	1108	9	N/A		
KS59TA	18	GY	TXL	1661224C1	3928059C1	1108	10	N/A		
KT59TA	18	GY	TXL	1661224C1	3928059C1	1108	10	N/A		
KU59TA	18	GY	TXL	1661224C1	3928059C1	1108	10	N/A		
KS59-GA	18	WH	TXL	1661224C1	3928059C1	1108	11	N/A		
KT59-GA	18	WH	TXL	1661224C1	3928059C1	1108	11	N/A		
KU59-GA	18	WH	TXL	1661224C1	3928059C1	1108	11	N/A		
KS62Q	18	DKBL	TXL	1661224C1	3928059C1	1108	12	N/A		
KT62DB	16	DKBL	TXL	1661226C1	3928059C1	1108	12	N/A		
KU62Q	18	DKBL	TXL	1661224C1	3928059C1	1108	12	N/A		
XC44A	18	GY	TXL	3727971C1	3518182C1	1109	1	N/A		
XC90-M	18	GY	TXL	3727971C1	3518182C1	1109	2	N/A		
QI79A	18	GY	TXL	1661262C1	1661260C1	1112	A	N/A		
QW79B	18	GY	GXL	1661262C1	1661260C1	1112	A	N/A		
QJ9BB	18	GY	TXL	1661262C1	1661260C1	1112	B	N/A		
QW9BC	18	GY	GXL	1661262C1	1661260C1	1112	B	N/A		
QW79C	18	GY	GXL	1661262C1	1661260C1	1113	A	N/A		
QW9BD	18	GY	GXL	1661262C1	1661260C1	1113	B	N/A		
WA2-G	2	WH	SGX	475962C1		1200	1	2644004R1		
WK2-G	2	WH	SGX	475962C1		1200	1	2644004R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
WX2-G	2	WH	SGX	475962C1		1200	1	2644004R1		
WA2-FLA	10	RS	FUS	338892C2		1201	1	2644054R1		
WA2-FLB	10	RS	FUS	338892C2		1201	1	2644054R1		
WK2-FLA	10	RS	FUS	338892C2		1201	1	2644054R1		
WK2-FLB	10	RS	FUS	338892C2		1201	1	2644054R1		
WX2-FLA	10	RS	FUS	338892C2		1201	1	2644054R1		
WX2-FLB	10	RS	FUS	338892C2		1201	1	2644054R1		
AD60-G	18	WH	TXL	1661261C1	3767197C1	1202	A	N/A		
AE60-G	18	WH	TXL	1661261C1	3767197C1	1202	A	N/A		
AB60C	18	OR	TXL	1661261C1	3767197C1	1202	B	N/A		
AC60C	18	OR	TXL	1661261C1	3767197C1	1202	B	N/A		
AA60A	18	OR	TXL	1661261C1	3767197C1	1202	C	N/A		
KA60B	18	GY	TXL	1661261C1	3767197C1	1202	D	N/A		
KR59H	18	GY	TXL	1661261C1	1661889C1	1227	A	N/A		
KR59K	18	GY	TXL	1661261C1	1661889C1	1227	B	N/A		
KR59-GBN	16	WH	TXL	1661261C1	1661889C1	1227	C	N/A		
9S5AH(+)	18	YL	TXL	3597102C1	3597143C1	1300	1	N/A		
9T5AK(+)	18	YL	TXL	3597102C1	3597143C1	1300	1	N/A		
9W5AH(+)	18	YL	TXL	3597102C1	3597143C1	1300	1	N/A		
9Y5AK(+)	18	YL	TXL	3597102C1	3597143C1	1300	1	N/A		
WB2-G	1	WH	SGX	475964C1		1300	1	2644002R1		
WF2-G	1	WH	SGX	475964C1		1300	1	2644002R1		
WG2-G	1	WH	SGX	475964C1		1300	1	2644002R1		
9S5AH(-)	18	GN	TXL	3597102C1	3597143C1	1300	2	N/A		
9T5AK(-)	18	GN	TXL	3597102C1	3597143C1	1300	2	N/A		
9W5AH(-)	18	GN	TXL	3597102C1	3597143C1	1300	2	N/A		
9Y5AK(-)	18	GN	TXL	3597102C1	3597143C1	1300	2	N/A		
SM86AE	18	LTGN	TXL	3597102C1	3597143C1	1300	4	N/A		
SM86P	18	LTGN	TXL	3597102C1	3597143C1	1300	7	N/A		
SM86-G	18	WH	TXL	3597102C1	3597143C1	1300	8	N/A		
SP86DA	18	LTGN	TXL	3597102C1	3597143C1	1300	9	N/A		
SP86EA	18	LTGN	TXL	3597102C1	3597143C1	1300	10	N/A		
MQ86K	18	LTGN	TXL	3597102C1	3597143C1	1300	11	N/A		
SQ86K	18	LTGN	TXL	3597102C1	3597143C1	1300	11	N/A		
MQ86L	18	LTGN	TXL	3597102C1	3597143C1	1300	12	N/A		
SQ86L	18	LTGN	TXL	3597102C1	3597143C1	1300	12	N/A		
MQ86H	18	LTGN	TXL	3597102C1	3597143C1	1300	13	N/A		
SQ86H	18	LTGN	TXL	3597102C1	3597143C1	1300	13	N/A		
MQ86J	18	LTGN	TXL	3597102C1	3597143C1	1300	14	N/A		
SQ86J	18	LTGN	TXL	3597102C1	3597143C1	1300	14	N/A		
SP86BA	18	LTGN	TXL	3597102C1	3597143C1	1300	15	N/A		
SP86CA	18	LTGN	TXL	3597102C1	3597143C1	1300	16	N/A		
WB2-FLA	8	LTBL	FUS	2241415C1		1301	1	3812582R1		
WB2-FLB	8	LTBL	FUS	2241415C1		1301	1	3812582R1		
WF2-FLA	8	LTBL	FUS	2241415C1		1301	1	3812582R1		
WF2-FLB	8	LTBL	FUS	2241415C1		1301	1	3812582R1		
WG2-FLA	8	LTBL	FUS	2241415C1		1301	1	3812582R1		
WG2-FLB	8	LTBL	FUS	2241415C1		1301	1	3812582R1		
NE86AA	20	LTGN	TXL	3600062C1	3600061C1	1301	7	N/A		
NE86AC	20	LTGN	TXL	3600062C1	3600061C1	1301	9	N/A		
NE86AB	20	LTGN	TXL	3600062C1	3600061C1	1301	10	N/A		
NE86AD	20	LTGN	TXL	3600062C1	3600061C1	1301	11	N/A		
SR86A(+)	20	LTGN	TXL	3600062C1	3600061C1	1301	15	N/A		
SR86A(-)	20	LTGN	TXL	3600062C1	3600061C1	1301	16	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
MK14TS	20	RD	TXL	3598294C1	4089980C1	1349	1	N/A		
MK13TS	20	PK	TXL	3598294C1	4089980C1	1349	2	N/A		
MK11-GTS	20	WH	TXL	3598294C1	4089980C1	1349	3	N/A		
MK5TS(+)	20	YL	193	3598294C1	3598293C1	1350	1	N/A		
MK5TS(-)	20	GN	193	3598294C1	3598293C1	1350	6	N/A		
XA94-GA	12	WH	TXL	3597157C1	3596926C1	1400	1	N/A		
XA94V	18	GY	TXL	3598072C1	3596926C1	1400	3	N/A		
XB94BN	16	GY	TXL	3598073C1	3596926C1	1400	4	N/A		
XB94BM	16	GY	TXL	3598073C1	3596926C1	1400	5	N/A		
9B5N(-)	18	GN	TXL	3598072C1	3596926C1	1400	7	N/A		
9C5N(-)	18	GN	TXL	3598072C1	3596926C1	1400	7	N/A		
9K5N(-)	18	GN	TXL	3598072C1	3596926C1	1400	7	N/A		
9N5N(-)	18	GN	TXL	3598072C1	3596926C1	1400	7	N/A		
GB5N(-)	18	GN	TXL	3598072C1	3596926C1	1400	7	N/A		
GF5N(-)	18	GN	TXL	3598072C1	3596926C1	1400	7	N/A		
GM5N(-)	18	GN	TXL	3598072C1	3596926C1	1400	7	N/A		
GN5N(-)	18	GN	TXL	3598072C1	3596926C1	1400	7	N/A		
9B5N(+)	18	YL	TXL	3598072C1	3596926C1	1400	8	N/A		
9C5N(+)	18	YL	TXL	3598072C1	3596926C1	1400	8	N/A		
9K5N(+)	18	YL	TXL	3598072C1	3596926C1	1400	8	N/A		
9N5N(+)	18	YL	TXL	3598072C1	3596926C1	1400	8	N/A		
GB5N(+)	18	YL	TXL	3598072C1	3596926C1	1400	8	N/A		
GF5N(+)	18	YL	TXL	3598072C1	3596926C1	1400	8	N/A		
GM5N(+)	18	YL	TXL	3598072C1	3596926C1	1400	8	N/A		
GN5N(+)	18	YL	TXL	3598072C1	3596926C1	1400	8	N/A		
XA94BH	16	GY	TXL	3598073C1	3596926C1	1400	10	N/A		
XA94BF	16	GY	TXL	3598073C1	3596926C1	1400	11	N/A		
XA94AY	12	GY	TXL	3597157C1	3596926C1	1400	16	N/A		
XA94B	16	GY	TXL	3598073C1	3596929C1	1401	1	N/A		
XA94	16	GY	TXL	3598073C1	3596929C1	1401	2	N/A		
XA94A	16	GY	TXL	3598073C1	3596929C1	1401	3	N/A		
XA94K	16	GY	TXL	3598073C1	3596929C1	1401	4	N/A		
XA94C	16	GY	TXL	3598073C1	3596929C1	1401	5	N/A		
XA94J	16	GY	TXL	3598073C1	3596929C1	1401	6	N/A		
XA94H	16	GY	TXL	3598073C1	3596929C1	1401	7	N/A		
XA94D	16	GY	TXL	3598073C1	3596929C1	1401	8	N/A		
XA94BK	16	GY	TXL	3598073C1	3596929C1	1401	9	N/A		
XA94BL	16	GY	TXL	3598073C1	3596929C1	1401	10	N/A		
XA94E	16	GY	TXL	3598073C1	3596929C1	1401	11	N/A		
XA94BB	16	GY	TXL	3598073C1	3596929C1	1401	12	N/A		
XA94BJ	16	GY	TXL	3598073C1	3596929C1	1401	13	N/A		
XA94F	16	GY	TXL	3598073C1	3596929C1	1401	14	N/A		
XA94BE	16	GY	TXL	3598073C1	3596929C1	1401	15	N/A		
XA94BC	16	GY	TXL	3598073C1	3596929C1	1401	16	N/A		
XA94BA	16	GY	TXL	3598073C1	3596929C1	1401	17	N/A		
XA94BD	16	GY	TXL	3598073C1	3596929C1	1401	18	N/A		
XN94AA	14	GY	GXL	3598073C1	3596928C1	1402	2	N/A		
XP94AA	14	GY	GXL	3598073C1	3596928C1	1402	2	N/A		
XQ94AA	14	GY	GXL	3598073C1	3596928C1	1402	2	N/A		
XJ94SK	18	GY	TXL	3598072C1	3596928C1	1402	3	N/A		
XM94SK	18	GY	TXL	3598072C1	3596928C1	1402	3	N/A		
XN94AB	14	GY	GXL	3598073C1	3596928C1	1402	3	N/A		
XP94AC	16	GY	GXL	3598073C1	3596928C1	1402	3	N/A		
XR94BP	16	GY	TXL	3598073C1	3596928C1	1402	4	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
XF94SJ	16	GY	GXL	3598073C1	3596928C1	1402	5	N/A		
XL94SJ	16	GY	GXL	3598073C1	3596928C1	1402	5	N/A		
XR94BY	16	GY	TXL	3598073C1	3596928C1	1402	6	N/A		
XR94BZ	16	GY	TXL	3598073C1	3596928C1	1402	7	N/A		
XR94BT	16	GY	TXL	3598073C1	3596928C1	1402	9	N/A		
XR94BU	16	GY	TXL	3598073C1	3596928C1	1402	10	N/A		
XR94BR	16	GY	TXL	3598073C1	3596928C1	1402	11	N/A		
XR94BW	16	GY	TXL	3598073C1	3596928C1	1402	12	N/A		
XR94BS	16	GY	TXL	3598073C1	3596928C1	1402	13	N/A		
XR94BQ	16	GY	TXL	3598073C1	3596928C1	1402	14	N/A		
XR94BV	16	GY	TXL	3598073C1	3596928C1	1402	15	N/A		
XF94SZD	16	GY	TXL	3598073C1	3596927C1	1403	1	N/A		
XH94SZ	18	GY	TXL	3598072C1	3596927C1	1403	1	N/A		
XK94SZD	18	GY	TXL	3598072C1	3596927C1	1403	1	N/A		
XF94SE	18	GY	TXL	3598072C1	3596927C1	1403	2	N/A		
XL94SE	18	GY	TXL	3598072C1	3596927C1	1403	2	N/A		
XF94SH	18	GY	TXL	3598072C1	3596927C1	1403	3	N/A		
XK94SH	18	GY	TXL	3598072C1	3596927C1	1403	3	N/A		
XQ94AC	16	GY	GXL	3598073C1	3596927C1	1403	3	N/A		
XF94SVD	16	GY	TXL	3598073C1	3596927C1	1403	4	N/A		
XH94SV	18	GY	TXL	3598072C1	3596927C1	1403	4	N/A		
XK94SVD	18	GY	TXL	3598072C1	3596927C1	1403	4	N/A		
XF94SF	18	GY	TXL	3598072C1	3596927C1	1403	5	N/A		
XL94SF	18	GY	TXL	3598072C1	3596927C1	1403	5	N/A		
XF94SL	16	GY	GXL	3598073C1	3596927C1	1403	6	N/A		
XG94SL	18	GY	TXL	3598072C1	3596927C1	1403	6	N/A		
XF94SDA	18	LTGN	TXL	3598072C1	3596927C1	1403	7	N/A		
XL94SDA	18	LTGN	TXL	3598072C1	3596927C1	1403	7	N/A		
XF94SBA	18	GY	TXL	3598072C1	3596927C1	1403	8	N/A		
XL94SBA	18	GY	TXL	3598072C1	3596927C1	1403	8	N/A		
XF94SM	16	GY	GXL	3598073C1	3596927C1	1403	9	N/A		
XG94SM	16	GY	GXL	3598073C1	3596927C1	1403	9	N/A		
XF94SCA	18	GY	TXL	3598072C1	3596927C1	1403	10	N/A		
XL94SCA	18	GY	TXL	3598072C1	3596927C1	1403	10	N/A		
XF94SAA	18	GY	TXL	3598072C1	3596927C1	1403	11	N/A		
XL94SAA	18	GY	TXL	3598072C1	3596927C1	1403	11	N/A		
XF94SN	16	GY	GXL	3598073C1	3596927C1	1403	12	N/A		
XG94SN	18	GY	TXL	3598072C1	3596927C1	1403	12	N/A		
XF94SAA	18	GY	TXL	3534164C1	3601838C1	1410	A	N/A		
XL94SAA	18	GY	TXL	3534164C1	3601838C1	1410	A	N/A		
XF94SAB	18	GY	TXL	3534164C1	3601838C1	1410	B	N/A		
XL94SAB	18	GY	TXL	3534164C1	3601838C1	1410	B	N/A		
XF94SA	20	GY	TXL	3535484C1	3601838C1	1410	C	N/A		
XL94SA	20	GY	TXL	3535484C1	3601838C1	1410	C	N/A		
XF94SCA	18	GY	TXL	3534164C1	3601838C1	1410	D	N/A		
XL94SCA	18	GY	TXL	3534164C1	3601838C1	1410	D	N/A		
XF94SCB	18	GY	TXL	3534164C1	3601838C1	1410	E	N/A		
XL94SCB	18	GY	TXL	3534164C1	3601838C1	1410	E	N/A		
XF94SC	20	GY	TXL	3535484C1	3601838C1	1410	F	N/A		
XL94SC	20	GY	TXL	3535484C1	3601838C1	1410	F	N/A		
XF94SBA	18	GY	TXL	3534164C1	3601838C1	1410	G	N/A		
XL94SBA	18	GY	TXL	3534164C1	3601838C1	1410	G	N/A		
XF94SBB	18	GY	TXL	3534164C1	3601838C1	1410	H	N/A		
XL94SBB	18	GY	TXL	3534164C1	3601838C1	1410	H	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
XF94SB	20	GY	TXL	3535484C1	3601838C1	1410	J	N/A		
XL94SB	20	GY	TXL	3535484C1	3601838C1	1410	J	N/A		
XF94SDA	18	LTGN	TXL	3534164C1	3601838C1	1410	K	N/A		
XL94SDA	18	LTGN	TXL	3534164C1	3601838C1	1410	K	N/A		
XF94SDB	18	GY	TXL	3534164C1	3601838C1	1410	L	N/A		
XL94SDB	18	GY	TXL	3534164C1	3601838C1	1410	L	N/A		
XF94SD	20	GY	TXL	3535484C1	3601838C1	1410	M	N/A		
XL94SD	20	GY	TXL	3535484C1	3601838C1	1410	M	N/A		
9M5N(-)	18	GN	TXL	3548971C1	3557922C1	1420	1	N/A		
9Q5N(-)	18	GN	TXL	3548971C1	3557922C1	1420	1	N/A		
9R5N(-)	18	GN	TXL	3548971C1	3557922C1	1420	1	N/A		
9U5N(-)	18	GN	TXL	3548971C1	3557922C1	1420	1	N/A		
GP5N(-)	18	GN	TXL	3548971C1	3557922C1	1420	1	N/A		
9M5N(+)	18	YL	TXL	3548971C1	3557922C1	1420	3	N/A		
9Q5N(+)	18	YL	TXL	3548971C1	3557922C1	1420	3	N/A		
9R5N(+)	18	YL	TXL	3548971C1	3557922C1	1420	3	N/A		
9U5N(+)	18	YL	TXL	3548971C1	3557922C1	1420	3	N/A		
GP5N(+)	18	YL	TXL	3548971C1	3557922C1	1420	3	N/A		
XE94G1	18	WH	TXL	3548971C1	3557922C1	1420	4	N/A		
XE94V	14	GY	GXL	3548972C1	3557922C1	1420	7	N/A		
XE94AY	14	GY	GXL	3548972C1	3557922C1	1420	8	N/A		
XE94G2	16	WH	TXL	3548970C1	3557922C1	1420	9	N/A		
XE94AK	14	GY	GXL	3548972C1	3557921C1	1421	1	N/A		
XE94WR	14	GY	GXL	3548972C1	3557921C1	1421	2	N/A		
XE94AB	14	GY	GXL	3548972C1	3557921C1	1421	3	N/A		
XE94AH	14	GY	GXL	3548972C1	3557921C1	1421	4	N/A		
XE94WN	14	GY	GXL	3548972C1	3557921C1	1421	5	N/A		
XE94AL	14	GY	GXL	3548972C1	3557921C1	1421	6	N/A		
XE94WW	14	GY	GXL	3548972C1	3557921C1	1421	8	N/A		
XE94WU	14	GY	TXL	3548972C1	3557921C1	1421	9	N/A		
XE94AE	18	GY	TXL	3548971C1	3557921C1	1421	10	N/A		
XE94WL	18	GY	TXL	3548971C1	3557921C1	1421	11	N/A		
XE94AC	18	GY	TXL	3548971C1	3557921C1	1421	12	N/A		
XE94AF	18	GY	TXL	3548971C1	3557921C1	1421	13	N/A		
XE94WM	18	GY	TXL	3548971C1	3557921C1	1421	14	N/A		
XE94AD	18	GY	TXL	3548971C1	3557921C1	1421	15	N/A		
XE94WS	18	GY	TXL	3548971C1	3557921C1	1421	17	N/A		
XE94WT	18	GY	TXL	3548971C1	3557921C1	1421	18	N/A		
RS92#101	18	LTBL	TXL	2018639C1	2018589C1	1501	1	N/A		
SM92#101	18	LTBL	TXL	2018639C1	2018589C1	1501	1	N/A		
SM92#101	18	LTBL	TXL	2018639C1	2018589C1	1501	1	N/A		
RS92#103	18	YL	TXL	2018639C1	2018589C1	1501	2	N/A		
SN92#103	18	YL	TXL	2018639C1	2018589C1	1501	2	N/A		
SN92#103	18	YL	TXL	2018639C1	2018589C1	1501	2	N/A		
SR92#103	18	YL	TXL	2018639C1	2018589C1	1501	2	N/A		
RS92#105	18	OR	TXL	2018639C1	2018589C1	1501	3	N/A		
SM92#105	18	OR	TXL	2018639C1	2018589C1	1501	3	N/A		
SM92#105	18	OR	TXL	2018639C1	2018589C1	1501	3	N/A		
LD92#109	18	WH	TXL	2018639C1	2018589C1	1501	4	N/A		
LE92#109	18	WH	TXL	2018639C1	2018589C1	1501	4	N/A		
LF92#109	18	WH	TXL	2018639C1	2018589C1	1501	4	N/A		
RU10B	18	BK	TXL	2018639C1	2018589C1	1501	4	N/A		
RV10B	18	BK	TXL	2018639C1	2018589C1	1501	4	N/A		
RW10B	18	BK	TXL	2018639C1	2018589C1	1501	4	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
SM92#109	18	WH	TXL	2018639C1	2018589C1	1501	4	N/A		
PV14B	18	RD	TXL	2018639C1	2018589C1	1501	5	N/A		
SM92#110	18	RD	TXL	2018639C1	2018589C1	1501	5	N/A		
SM92#110	18	RD	TXL	2018639C1	2018589C1	1501	5	N/A		
PV92#120	18	LTBL	TXL	2018639C1	2018589C1	1501	6	N/A		
TL92#117	18	LTBL	TXL	2018639C1	2018589C1	1501	6	N/A		
TM92A117	18	LTBL	TXL	2018639C1	2018589C1	1501	6	N/A		
TN92#117	18	LTBL	TXL	2018639C1	2018589C1	1501	6	N/A		
TL92#117	18	LTBL	TXL	2018639C1	2018589C1	1501	6	N/A		
TM92A117	18	LTBL	TXL	2018639C1	2018589C1	1501	6	N/A		
TN92#117	18	LTBL	TXL	2018639C1	2018589C1	1501	6	N/A		
PV92#180	18	OR	TXL	2018639C1	2018589C1	1501	7	N/A		
SM92#122	18	YL	TXL	2018639C1	2018589C1	1501	7	N/A		
SM92#122	18	YL	TXL	2018639C1	2018589C1	1501	7	N/A		
SM92#123	18	LTGN	TXL	2018639C1	2018589C1	1501	8	N/A		
SM92#123	18	LTGN	TXL	2018639C1	2018589C1	1501	8	N/A		
PV92#139	18	OR	TXL	2018639C1	2018589C1	1501	9	N/A		
SR92#115	18	WH	TXL	2018639C1	2018589C1	1501	9	N/A		
PV92#159	18	TN	TXL	2018639C1	2018589C1	1501	10	N/A		
SM92#130	18	WH	TXL	2018639C1	2018589C1	1501	10	N/A		
SM92#130	18	WH	TXL	2018639C1	2018589C1	1501	10	N/A		
PV92#142	18	WH	TXL	2018639C1	2018589C1	1501	11	N/A		
SM92#134	18	YL	TXL	2018639C1	2018589C1	1501	11	N/A		
SM92#134	18	YL	TXL	2018639C1	2018589C1	1501	11	N/A		
RS92#143	18	LTBL	TXL	2018639C1	2018589C1	1501	12	N/A		
SY92A141	18	TN	TXL	2018639C1	2018589C1	1501	12	N/A		
TL92A141	18	TN	TXL	2018639C1	2018589C1	1501	12	N/A		
SY92A141	18	TN	TXL	2018639C1	2018589C1	1501	12	N/A		
TL92A141	18	TN	TXL	2018639C1	2018589C1	1501	12	N/A		
RS92#150	18	PK	TXL	2018639C1	2018589C1	1501	13	N/A		
SM92#143	18	LTBL	TXL	2018639C1	2018589C1	1501	13	N/A		
SM92#143	18	LTBL	TXL	2018639C1	2018589C1	1501	13	N/A		
PV92#140	18	LTGN	TXL	2018639C1	2018589C1	1501	14	N/A		
SY92#145	18	OR	TXL	2018639C1	2018589C1	1501	14	N/A		
TL92#145	18	OR	TXL	2018639C1	2018589C1	1501	14	N/A		
SY92#145	18	OR	TXL	2018639C1	2018589C1	1501	14	N/A		
TL92#145	18	OR	TXL	2018639C1	2018589C1	1501	14	N/A		
PV92#160	18	YL	TXL	2018639C1	2018589C1	1501	15	N/A		
SR92#119	18	LTBL	TXL	2018639C1	2018589C1	1501	15	N/A		
PV92#163	18	YL	TXL	2018639C1	2018589C1	1501	16	N/A		
SR92#124	18	WH	TXL	2018639C1	2018589C1	1501	16	N/A		
PV92#165	18	TN	TXL	2018639C1	2018589C1	1501	17	N/A		
SM92#162	18	YL	TXL	2018639C1	2018589C1	1501	17	N/A		
SM92#162	18	YL	TXL	2018639C1	2018589C1	1501	17	N/A		
RU10C	18	BK	TXL	2018639C1	2018589C1	1501	18	N/A		
RV10C	18	BK	TXL	2018639C1	2018589C1	1501	18	N/A		
RW10C	18	BK	TXL	2018639C1	2018589C1	1501	18	N/A		
SM92#163	18	YL	TXL	2018639C1	2018589C1	1501	18	N/A		
SM92#163	18	YL	TXL	2018639C1	2018589C1	1501	18	N/A		
PV14C	18	RD	TXL	3717171C1	1661601C1	1502	1	N/A		
SM92#164	18	LTBL	TXL	3717171C1	1661601C1	1502	1	N/A		
SM92#164	18	LTBL	TXL	3717171C1	1661601C1	1502	1	N/A		
PU92#123	18	LTGN	TXL	3717171C1	1661601C1	1502	2	N/A		
SM92#165	18	TN	TXL	3717171C1	1661601C1	1502	2	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
SM92#165	18	TN	TXL	3717171C1	1661601C1	1502	2	N/A		
LD92#169	18	WH	TXL	3717171C1	1661601C1	1502	3	N/A		
LE92#169	18	WH	TXL	3717171C1	1661601C1	1502	3	N/A		
LF92#169	18	WH	TXL	3717171C1	1661601C1	1502	3	N/A		
PV92#111	18	OR	TXL	3717171C1	1661601C1	1502	3	N/A		
SM92#169	18	WH	TXL	3717171C1	1661601C1	1502	3	N/A		
PV92#114	18	GY	TXL	3717171C1	1661601C1	1502	4	N/A		
SM92#170	18	RD	TXL	3717171C1	1661601C1	1502	4	N/A		
SM92#170	18	RD	TXL	3717171C1	1661601C1	1502	4	N/A		
PV92#117	18	LTBL	TXL	3717171C1	1661601C1	1502	5	N/A		
SW92#111	18	OR	TXL	3717171C1	1661601C1	1502	5	N/A		
SW92#111	18	OR	150	3717171C1	1661601C1	1502	5	N/A		
PV92#133	18	YL	TXL	3717171C1	1661601C1	1502	6	N/A		
ST92A112	18	PK	TXL	3717171C1	1661601C1	1502	6	N/A		
SR92A112	18	PK	TXL	3717171C1	1661601C1	1502	6	N/A		
ST92A112	18	PK	150	3717171C1	1661601C1	1502	6	N/A		
PV92#134	18	WH	TXL	3717171C1	1661601C1	1502	7	N/A		
SW92#116	18	LTBL	TXL	3717171C1	1661601C1	1502	7	N/A		
SW92#116	18	LTBL	150	3717171C1	1661601C1	1502	7	N/A		
PV92#136	18	OR	TXL	3717171C1	1661601C1	1502	8	N/A		
SW92#177	18	LTGN	TXL	3717171C1	1661601C1	1502	8	N/A		
SW92#177	18	LTGN	150	3717171C1	1661601C1	1502	8	N/A		
PV92#138	18	OR	TXL	3717171C1	1661601C1	1502	9	N/A		
ST92#131	18	YL	TXL	3717171C1	1661601C1	1502	9	N/A		
SR92A131	18	PK	TXL	3717171C1	1661601C1	1502	9	N/A		
ST92#131	18	YL	150	3717171C1	1661601C1	1502	9	N/A		
PV92A141	18	TN	TXL	3717171C1	1661601C1	1502	10	N/A		
SW92#133	18	YL	TXL	3717171C1	1661601C1	1502	10	N/A		
SW92#133	18	YL	150	3717171C1	1661601C1	1502	10	N/A		
PV92#151	18	WH	TXL	3717171C1	1661601C1	1502	11	N/A		
SW92#136	18	OR	TXL	3717171C1	1661601C1	1502	11	N/A		
SW92#136	18	OR	150	3717171C1	1661601C1	1502	11	N/A		
PV92#152	18	LTGN	TXL	3717171C1	1661601C1	1502	12	N/A		
SW92#137	18	WH	TXL	3717171C1	1661601C1	1502	12	N/A		
SW92#137	18	WH	150	3717171C1	1661601C1	1502	12	N/A		
PV92#153	18	YL	TXL	3717171C1	1661601C1	1502	13	N/A		
ST92#158	18	LTGN	TXL	3717171C1	1661601C1	1502	13	N/A		
SR92A158	18	LTGN	TXL	3717171C1	1661601C1	1502	13	N/A		
ST92#158	18	LTGN	150	3717171C1	1661601C1	1502	13	N/A		
PV92#154	18	TN	TXL	3717171C1	1661601C1	1502	14	N/A		
SW92#171	18	YL	TXL	3717171C1	1661601C1	1502	14	N/A		
SW92#171	18	YL	150	3717171C1	1661601C1	1502	14	N/A		
PV92#155	18	WH	TXL	3717171C1	1661601C1	1502	15	N/A		
SW92#151	18	WH	TXL	3717171C1	1661601C1	1502	15	N/A		
SW92#151	18	WH	150	3717171C1	1661601C1	1502	15	N/A		
PV92#157	18	WH	TXL	3717171C1	1661601C1	1502	16	N/A		
SW92#152	18	LTGN	TXL	3717171C1	1661601C1	1502	16	N/A		
SW92#152	18	LTGN	150	3717171C1	1661601C1	1502	16	N/A		
PV92#158	18	LTGN	TXL	3717171C1	1661601C1	1502	17	N/A		
SW31#154	18	TN	TXL	3717171C1	1661601C1	1502	17	N/A		
SW31#154	18	TN	150	3717171C1	1661601C1	1502	17	N/A		
PV92#171	18	YL	TXL	3627612C1	3627615C1	1503	1	N/A		
SW48#139	18	OR	150	3627612C1	3627615C1	1503	1	N/A		
SA48#139	18	OR	150	3627612C1	3627615C1	1503	1	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
SL48#139	18	OR	TXL	3627612C1	3627615C1	1503	1	N/A		
PV92#173	18	LTBL	TXL	3627612C1	3627615C1	1503	2	N/A		
SW47#140	18	LTGN	150	3627612C1	3627615C1	1503	2	N/A		
SW47#140	18	LTGN	TXL	3627612C1	3627615C1	1503	2	N/A		
PV92#174	18	LTBL	TXL	3627612C1	3627615C1	1503	3	N/A		
SW92A120	18	LTBL	TXL	3627612C1	3627615C1	1503	3	N/A		
SA92A120	18	LTBL	150	3627612C1	3627615C1	1503	3	N/A		
SV92#120	18	LTBL	TXL	3627612C1	3627615C1	1503	3	N/A		
PV92#176	18	YL	TXL	3627612C1	3627615C1	1503	4	N/A		
SB5#127	18	GN	TXL	3627612C1	3627615C1	1503	4	N/A		
SB5#127	18	GN	TXL	3627612C1	3627615C1	1503	4	N/A		
PV92#177	18	LTBL	TXL	3627612C1	3627615C1	1503	5	N/A		
SW92#155	18	WH	TXL	3627612C1	3627615C1	1503	5	N/A		
SW92#155	18	WH	150	3627612C1	3627615C1	1503	5	N/A		
PV92#178	18	WH	TXL	3627612C1	3627615C1	1503	6	N/A		
SW92#174	18	LTBL	TXL	3627612C1	3627615C1	1503	6	N/A		
SW92#174	18	LTBL	150	3627612C1	3627615C1	1503	6	N/A		
PV92#179	18	PK	TXL	3627612C1	3627615C1	1503	7	N/A		
SW92#176	18	YL	TXL	3627612C1	3627615C1	1503	7	N/A		
SW92#176	18	YL	150	3627612C1	3627615C1	1503	7	N/A		
PU92#145	18	OR	TXL	3627612C1	3627615C1	1503	8	N/A		
SW47#125	18	GY	TXL	3627612C1	3627615C1	1503	8	N/A		
RT5#127	18	GN	TXL	3627612C1	3627615C1	1503	9	N/A		
SW48#159	18	TN	150	3627612C1	3627615C1	1503	9	N/A		
SA48#159	18	TN	150	3627612C1	3627615C1	1503	9	N/A		
SL48#159	18	TN	TXL	3627612C1	3627615C1	1503	9	N/A		
RT5#106	18	YL	TXL	3627612C1	3627615C1	1503	10	N/A		
SW47#160	18	YL	150	3627612C1	3627615C1	1503	10	N/A		
SW47#160	18	YL	TXL	3627612C1	3627615C1	1503	10	N/A		
SW92#180	18	OR	TXL	3627612C1	3627615C1	1503	11	N/A		
SA92#180	18	OR	150	3627612C1	3627615C1	1503	11	N/A		
SV92#180	18	OR	TXL	3627612C1	3627615C1	1503	11	N/A		
SB5#106	18	YL	TXL	3627612C1	3627615C1	1503	12	N/A		
SB5#106	18	YL	TXL	3627612C1	3627615C1	1503	12	N/A		
TL92#142	18	WH	TXL	3627612C1	3627615C1	1503	13	N/A		
TM92A142	18	WH	TXL	3627612C1	3627615C1	1503	13	N/A		
TL92#142	18	WH	TXL	3627612C1	3627615C1	1503	13	N/A		
TM92A142	18	WH	TXL	3627612C1	3627615C1	1503	13	N/A		
PX92A131	18	YL	TXL	3627612C1	3627615C1	1503	14	N/A		
SR92#156	18	PK	TXL	3627612C1	3627615C1	1503	14	N/A		
PV92#161	18	TN	TXL	3627612C1	3627615C1	1503	15	N/A		
SR92#161	18	OR	TXL	3627612C1	3627615C1	1503	15	N/A		
PX92A137	18	WH	TXL	3627612C1	3627615C1	1503	16	N/A		
SR92#175	18	OR	TXL	3627612C1	3627615C1	1503	16	N/A		
SW92#118	18	GY	TXL	3627612C1	3627615C1	1503	18	N/A		
SW92#118	18	GY	150	3627612C1	3627615C1	1503	18	N/A		
EC149	18	GY	TXL	3522073C1	3598706C1	1600	A1	N/A		
ED149	18	GY	TXL	3522073C1	3598706C1	1600	A1	N/A		
EK149B	18	LTBL	TXL	3522073C1	3598706C1	1600	A1	N/A		
AA82B	20	GY	TXL	3534303C1	3598706C1	1600	A10	N/A		
AA82C	20	GY	TXL	3534303C1	3598706C1	1600	A11	N/A		
WA44	16	GY	TXL	3522073C1	3598706C1	1600	A12	N/A		
WE44AB	16	GY	TXL	3522073C1	3598706C1	1600	A12	N/A		
AA63A	16	LTBL	TXL	3522073C1	3598706C1	1600	A13	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
AA102A	20	YL	TXL	3534303C1	3598706C1	1600	A14	N/A		
HE87B	20	GY	TXL	3534303C1	3598706C1	1600	A15	N/A		
HJ87B	20	GY	TXL	3534303C1	3598706C1	1600	A15	N/A		
DB149A	18	GY	TXL	3522073C1	3598706C1	1600	A16	N/A		
DC149A	18	GY	TXL	3522073C1	3598706C1	1600	A16	N/A		
DD13FAM	18	BN	TXL	3522073C1	3598706C1	1600	A16	N/A		
DG149A	18	GY	TXL	3522073C1	3598706C1	1600	A16	N/A		
DH13C	18	GY	TXL	3522073C1	3598706C1	1600	A16	N/A		
QI79A	18	GY	TXL	3522073C1	3598706C1	1600	A2	N/A		
QW79A	18	GY	TXL	3522073C1	3598706C1	1600	A2	N/A		
AA52D	20	YL	GXL	3534303C1	3598706C1	1600	A4	N/A		
AA85A	20	GY	TXL	3534303C1	3598706C1	1600	A5	N/A		
AA57B	20	OR	TXL	3534303C1	3598706C1	1600	A6	N/A		
AA56B	20	OR	TXL	3534303C1	3598706C1	1600	A7	N/A		
HE87EA	18	GY	TXL	3522073C1	3598706C1	1600	A8	N/A		
HK87C	18	GY	TXL	3522073C1	3598706C1	1600	A8	N/A		
AA82A	20	GY	TXL	3534303C1	3598706C1	1600	A9	N/A		
SN86A	18	GY	TXL	3522073C1	3598706C1	1600	B1	N/A		
NN32B	18	TN	TXL	3522073C1	3598706C1	1600	B10	N/A		
X590HB	18	GY	TXL	3522073C1	3598706C1	1600	B10	N/A		
NM32A	18	TN	GXL	3522073C1	3598706C1	1600	B11	N/A		
SA77B	20	GY	TXL	3534303C1	3598706C1	1600	B12	N/A		
NK40BB	18	GY	TXL	3522073C1	3598706C1	1600	B14	N/A		
TA75AA	18	LTGN	TXL	3522073C1	3598706C1	1600	B15	N/A		
AA150	20	GY	TXL	3534303C1	3598706C1	1600	B16	N/A		
NK40	18	GY	GXL	3522073C1	3598706C1	1600	B2	N/A		
NL40	18	GY	GXL	3522073C1	3598706C1	1600	B2	N/A		
WC40	18	GY	TXL	3522073C1	3598706C1	1600	B2	N/A		
NK40A	18	GY	GXL	3522073C1	3598706C1	1600	B3	N/A		
UA97A	18	VT	TXL	3522073C1	3598706C1	1600	B4	N/A		
TB74	18	LTGN	TXL	3522073C1	3598706C1	1600	B5	N/A		
X590M	18	GY	TXL	3522073C1	3598706C1	1600	B6	N/A		
NJ31J	18	TN	TXL	3522073C1	3598706C1	1600	B7	N/A		
AA36B	18	TN	TXL	3522073C1	3598706C1	1600	B8	N/A		
AA36A	18	TN	TXL	3522073C1	3598706C1	1600	B9	N/A		
LJ104DC	18	DKBL	TXL	3522073C	3598707C1	1601	E1	N/A		
TH72	18	OR	TXL	3522073C	3598707C1	1601	E11	N/A		
VA92#117A	18	TN	TXL	3522073C	3598707C1	1601	E16	N/A		
KK18A	18	GY	TXL	3522073C	3598707C1	1601	F12	N/A		
KL18D	18	GY	TXL	3522073C	3598707C1	1601	F12	N/A		
KM18E	18	GY	TXL	3522073C	3598707C1	1601	F12	N/A		
RP78RC	18	LTGN	TXL	3522073C	3598707C1	1601	F13	N/A		
VG70D	18	OR	TXL	3522073C	3598707C1	1601	F15	N/A		
VU103D	18	LTGN	TXL	3522073C1	3598707C1	1601	E1	N/A		
LZ59S	18	GY	TXL	3522073C1	3598707C1	1601	E10	N/A		
HW12LC	18	PK	TXL	3522073C1	3598707C1	1601	E11	N/A		
LT59D	18	GY	TXL	3522073C1	3598707C1	1601	E12	N/A		
LY59G	18	GY	TXL	3522073C1	3598707C1	1601	E13	N/A		
HU103AA	18	LTGN	TXL	3522073C1	3598707C1	1601	E14	N/A		
LZ59T	18	GY	TXL	3522073C1	3598707C1	1601	E15	N/A		
VU103C	18	LTGN	TXL	3522073C1	3598707C1	1601	E2	N/A		
UG92#1161A	18	TN	TXL	3522073C1	3598707C1	1601	E4	N/A		
AA82H	18	GY	TXL	3522073C1	3598707C1	1601	E6	N/A		
AA82F	18	GY	TXL	3522073C1	3598707C1	1601	E7	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
UF92D	18	TN	TXL	3522073C1	3598707C1	1601	E8	N/A		
UN92D	18	TN	TXL	3522073C1	3598707C1	1601	E8	N/A		
LY59J	18	GY	TXL	3522073C1	3598707C1	1601	E9	N/A		
VV44A	18	GY	GXL	3522073C1	3598707C1	1601	F1	N/A		
WC44	16	GY	TXL	3522073C1	3598707C1	1601	F1	N/A		
LT59C	18	GY	TXL	3522073C1	3598707C1	1601	F10	N/A		
RN78RC	18	LTGN	TXL	3522073C1	3598707C1	1601	F13	N/A		
RR78RC	18	LTGN	TXL	3522073C1	3598707C1	1601	F13	N/A		
LZ59V	18	GY	TXL	3522073C1	3598707C1	1601	F14	N/A		
VJ70D	18	OR	TXL	3522073C1	3598707C1	1601	F15	N/A		
VN70D	18	OR	TXL	3522073C1	3598707C1	1601	F15	N/A		
RK78BD	16	LTGN	TXL	3522073C1	3598707C1	1601	F16	N/A		
HB103L	18	LTGN	GXL	3522073C1	3598707C1	1601	F2	N/A		
LW59P	18	GY	TXL	3522073C1	3598707C1	1601	F2	N/A		
LX59P	18	GY	TXL	3522073C1	3598707C1	1601	F2	N/A		
LW59Q	18	GY	TXL	3522073C1	3598707C1	1601	F3	N/A		
LX59Q	18	GY	TXL	3522073C1	3598707C1	1601	F3	N/A		
LY59H	18	GY	TXL	3522073C1	3598707C1	1601	F4	N/A		
LY59K	18	GY	TXL	3522073C1	3598707C1	1601	F5	N/A		
HB103J	18	LTGN	GXL	3522073C1	3598707C1	1601	F6	N/A		
LW59M	18	GY	TXL	3522073C1	3598707C1	1601	F6	N/A		
LX59M	18	GY	TXL	3522073C1	3598707C1	1601	F6	N/A		
HB103K	18	LTGN	GXL	3522073C1	3598707C1	1601	F7	N/A		
LW59N	18	GY	TXL	3522073C1	3598707C1	1601	F7	N/A		
LX59N	18	GY	TXL	3522073C1	3598707C1	1601	F7	N/A		
LU59E	18	GY	TXL	3522073C1	3598707C1	1601	F8	N/A		
LZ59W	18	GY	TXL	3522073C1	3598707C1	1601	F9	N/A		
XS90J	18	GY	TXL	3522073C1	3598707C1	1601	F9	N/A		
AF3BD(-)	18	GY	TXL	3522073C1	3598705C1	1602	E1	N/A		
AB50	18	YL	TXL	3522073C1	3598705C1	1602	E11	N/A		
AC50	18	YL	TXL	3522073C1	3598705C1	1602	E11	N/A		
LS59A	18	GY	TXL	3522073C1	3598705C1	1602	E12	N/A		
YG96A	18	YL	TXL	3522073C1	3598705C1	1602	E13	N/A		
WB70	20	RD	TXL	3534303C1	3598705C1	1602	E14	N/A		
XS70	18	GY	TXL	3522073C1	3598705C1	1602	E14	N/A		
WB70A	20	RD	TXL	3534303C1	3598705C1	1602	E15	N/A		
AD11-GAC	18	WH	TXL	3522073C1	3598705C1	1602	E16	N/A		
AE11-GAC	18	WH	TXL	3522073C1	3598705C1	1602	E16	N/A		
AF3BD(+)	18	DKBL	TXL	3522073C1	3598705C1	1602	E2	N/A		
AA9Z	18	GY	TXL	3522073C1	3598705C1	1602	E3	N/A		
NK6	18	GY	GXL	3522073C1	3598705C1	1602	E4	N/A		
WC6	20	GY	TXL	3534303C1	3598705C1	1602	E4	N/A		
KA9A	18	GY	TXL	3522073C1	3598705C1	1602	E5	N/A		
SA6DB	20	GY	TXL	3534303C1	3598705C1	1602	E6	N/A		
AA9B	18	GY	TXL	3522073C1	3598705C1	1602	E7	N/A		
ME106B	18	GY	TXL	3522073C1	3598705C1	1602	E8	N/A		
NL6A	18	GY	GXL	3522073C1	3598705C1	1602	E8	N/A		
LP88	18	LTGN	TXL	3522073C1	3598705C1	1602	E9	N/A		
ZU71D	18	OR	TXL	3522073C1	3598705C1	1602	F10	N/A		
UJ93A	18	TN	TXL	3522073C1	3598705C1	1602	F11	N/A		
VU103B	18	LTGN	TXL	3522073C1	3598705C1	1602	F12	N/A		
QA92C	18	GY	TXL	3522073C1	3598705C1	1602	F13	N/A		
VU103A	18	LTGN	TXL	3522073C1	3598705C1	1602	F14	N/A		
WC44D	18	GY	TXL	3522073C1	3598705C1	1602	F15	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
XS90PA	18	GY	GXL	3522073C1	3598705C1	1602	F16	N/A		
8A5BB(-)	18	GN	TXL	3522073C1	3598705C1	1602	F5	N/A		
9A5BB(-)	18	GN	TXL	3522073C1	3598705C1	1602	F5	N/A		
9F5BB(-)	18	GN	TXL	3522073C1	3598705C1	1602	F5	N/A		
9J5BB(-)	18	GN	TXL	3522073C1	3598705C1	1602	F5	N/A		
9P5BB(-)	18	GN	TXL	3522073C1	3598705C1	1602	F5	N/A		
9X5BB(-)	18	GN	TXL	3522073C1	3598705C1	1602	F5	N/A		
GC5BB(-)	18	GN	TXL	3522073C1	3598705C1	1602	F5	N/A		
GD5BB(-)	18	GN	TXL	3522073C1	3598705C1	1602	F5	N/A		
8A5BB(+)	18	YL	TXL	3522073C1	3598705C1	1602	F6	N/A		
9A5BB(+)	18	YL	TXL	3522073C1	3598705C1	1602	F6	N/A		
9F5BB(+)	18	YL	TXL	3522073C1	3598705C1	1602	F6	N/A		
9J5BB(+)	18	YL	TXL	3522073C1	3598705C1	1602	F6	N/A		
9P5BB(+)	18	YL	TXL	3522073C1	3598705C1	1602	F6	N/A		
9X5BB(+)	18	YL	TXL	3522073C1	3598705C1	1602	F6	N/A		
GC5BB(+)	18	YL	TXL	3522073C1	3598705C1	1602	F6	N/A		
GD5BB(+)	18	YL	TXL	3522073C1	3598705C1	1602	F6	N/A		
ME61B	18	GY	TXL	3522073C1	3598705C1	1602	F7	N/A		
LF104D	18	DKBL	TXL	3522073C1	3598705C1	1602	F8	N/A		
RA28BA	18	TN	TXL	3522073C1	3598705C1	1602	F9	N/A		
VG57T	10	LTGN	TXL	3544878C1	3598711C1	1603	A	N/A		
YU57A	16	OR	TXL	3544876C1	3598711C1	1603	A	N/A		
VG56T	10	YL	TXL	3544878C1	3598711C1	1603	B	N/A		
XV56AA	16	OR	TXL	3544876C1	3598711C1	1603	B	N/A		
XZ56AA	16	OR	TXL	3544876C1	3598711C1	1603	B	N/A		
YT56AA	16	OR	TXL	3544876C1	3598711C1	1603	B	N/A		
YY56AA	16	OR	TXL	3544876C1	3598711C1	1603	B	N/A		
SA77	16	LTGN	GXL	3544876C1	3598711C1	1603	C	N/A		
YL56A	16	OR	TXL	3544876C1	3598711C1	1603	D	N/A		
YM56A	14	OR	TXL	3544877C1	3598711C1	1603	D	N/A		
YN56A	14	OR	TXL	3544877C1	3598711C1	1603	D	N/A		
AA85	16	GY	TXL	3544876C1	3598711C1	1603	E	N/A		
YJ64A	16	YL	TXL	3544876C1	3598711C1	1603	F	N/A		
ZT65	16	OR	TXL	3544876C1	3598711C1	1603	G	N/A		
YF52A	14	YL	TXL	3544877C1	3598711C1	1603	H	N/A		
YG52A	14	YL	TXL	3544877C1	3598711C1	1603	H	N/A		
KP112	16	GY	TXL	3544876C1	3598711C1	1603	J	N/A		
QA23F	18	TN	TXL	3544876C1	3598711C1	1603	J	N/A		
YJ64B	16	YL	TXL	3544876C1	3598711C1	1603	K	N/A		
YF52B	14	YL	TXL	3544877C1	3598711C1	1603	L	N/A		
YG52B	14	YL	TXL	3544877C1	3598711C1	1603	L	N/A		
YL57C	16	OR	TXL	3544876C1	3598711C1	1603	M	N/A		
YM57A	14	OR	TXL	3544877C1	3598711C1	1603	M	N/A		
YN57A	14	OR	TXL	3544877C1	3598711C1	1603	M	N/A		
AA82	16	GY	TXL	3544876C1	3598710C1	1604	A	N/A		
YF53A	14	YL	TXL	3544877C1	3598710C1	1604	B	N/A		
YG53A	14	YL	TXL	3544877C1	3598710C1	1604	B	N/A		
XV56	16	OR	TXL	3544876C1	3598710C1	1604	C	N/A		
XZ56	16	OR	TXL	3544876C1	3598710C1	1604	C	N/A		
YM56	16	OR	TXL	3544876C1	3598710C1	1604	C	N/A		
YN56	18	OR	TXL	3544876C1	3598710C1	1604	C	N/A		
YT56B	16	OR	TXL	3544876C1	3598710C1	1604	C	N/A		
YY56	16	OR	TXL	3544876C1	3598710C1	1604	C	N/A		
VG68T	12	BN	TXL	3544877C1	3598710C1	1604	D	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
VL68T	12	BN	TXL	3544877C1	3598710C1	1604	D	N/A		
VM68T	12	BN	TXL	3544877C1	3598710C1	1604	D	N/A		
VP68	12	BN	TXL	3544877C1	3598710C1	1604	D	N/A		
VR68T	12	BN	TXL	3544877C1	3598710C1	1604	D	N/A		
VT68TA	12	BN	TXL	3544877C1	3598710C1	1604	D	N/A		
YX70B	12	YL	TXL	3544877C1	3598710C1	1604	D	N/A		
YZ70B	12	YL	TXL	3544877C1	3598710C1	1604	D	N/A		
AA11-GKC	12	WH	TXL	3544877C1	3598710C1	1604	E	N/A		
VG58T	12	BN	TXL	3544877C1	3598710C1	1604	F	N/A		
VL58T	12	BN	TXL	3544877C1	3598710C1	1604	F	N/A		
VM58T	12	BN	TXL	3544877C1	3598710C1	1604	F	N/A		
VP58	12	BN	TXL	3544877C1	3598710C1	1604	F	N/A		
VR58T	12	BN	TXL	3544877C1	3598710C1	1604	F	N/A		
VT58	12	BN	TXL	3544877C1	3598710C1	1604	F	N/A		
YP54	16	BN	TXL	3544876C1	3598710C1	1604	G	N/A		
YS54	16	BN	TXL	3544876C1	3598710C1	1604	G	N/A		
YF53B	14	YL	TXL	3544877C1	3598710C1	1604	H	N/A		
YG53B	14	YL	TXL	3544877C1	3598710C1	1604	H	N/A		
WF63	18	DKBL	TXL	3544876C1	3598710C1	1604	J	N/A		
WG63	18	DKBL	TXL	3544876C1	3598710C1	1604	J	N/A		
WJ63	18	DKBL	TXL	3544876C1	3598710C1	1604	J	N/A		
XV57	16	OR	TXL	3544876C1	3598710C1	1604	K	N/A		
XZ57	16	OR	TXL	3544876C1	3598710C1	1604	K	N/A		
YH57	16	OR	TXL	3544876C1	3598710C1	1604	K	N/A		
YK57	16	OR	TXL	3544876C1	3598710C1	1604	K	N/A		
YQ57	16	OR	TXL	3544876C1	3598710C1	1604	K	N/A		
YR57	16	OR	TXL	3544876C1	3598710C1	1604	K	N/A		
YT57B	16	OR	TXL	3544876C1	3598710C1	1604	K	N/A		
YY57	16	OR	TXL	3544876C1	3598710C1	1604	K	N/A		
HZ14BC	4	RD	SGX	571673C1		1605	A	2644004R1		
UD17B	18	PK	TXL	3544884C	3759005C1	1606	M	N/A		
EH12C	18	LTBL	TXL	3544876C1	3759005C1	1606	A	N/A		
EJ12C	18	LTBL	TXL	3544876C1	3759005C1	1606	A	N/A		
DE13DD	18	PK	TXL	3544884C1	3759005C1	1606	B	N/A		
DF13DD	18	PK	TXL	3544884C1	3759005C1	1606	B	N/A		
9S5AA(-)	18	GN	TXL	3544884C1	3759005C1	1606	D	N/A		
9T5AA(-)	18	GN	TXL	3544884C1	3759005C1	1606	D	N/A		
9W5AA(-)	18	GN	TXL	3544884C1	3759005C1	1606	D	N/A		
9Y5AA(-)	18	GN	TXL	3544884C1	3759005C1	1606	D	N/A		
9S5AA(+)	18	YL	TXL	3544884C1	3759005C1	1606	E	N/A		
9T5AA(+)	18	YL	TXL	3544884C1	3759005C1	1606	E	N/A		
9W5AA(+)	18	YL	TXL	3544884C1	3759005C1	1606	E	N/A		
9Y5AA(+)	18	YL	TXL	3544884C1	3759005C1	1606	E	N/A		
9D5B(-)	18	GN	TXL	3544884C1	3759005C1	1606	G	N/A		
9K5B(-)	18	GN	TXL	3544884C1	3759005C1	1606	G	N/A		
9M5B(-)	18	GN	TXL	3544884C1	3759005C1	1606	G	N/A		
9N5B(-)	18	GN	TXL	3544884C1	3759005C1	1606	G	N/A		
9Q5B(-)	18	GN	TXL	3544884C1	3759005C1	1606	G	N/A		
9R5B(-)	18	GN	TXL	3544884C1	3759005C1	1606	G	N/A		
9U5B(-)	18	GN	TXL	3544884C1	3759005C1	1606	G	N/A		
GB5B(-)	18	GN	TXL	3544884C1	3759005C1	1606	G	N/A		
GE5B(-)	18	GN	TXL	3544884C1	3759005C1	1606	G	N/A		
GG5B(-)	18	GN	TXL	3544884C1	3759005C1	1606	G	N/A		
GH5B(-)	18	GN	TXL	3544884C1	3759005C1	1606	G	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
GJ5B(-)	18	GN	TXL	3544884C1	3759005C1	1606	G	N/A		
GK5B(-)	18	GN	TXL	3544884C1	3759005C1	1606	G	N/A		
GL5B(-)	18	GN	TXL	3544884C1	3759005C1	1606	G	N/A		
GM5B(-)	18	GN	TXL	3544884C1	3759005C1	1606	G	N/A		
GN5B(-)	18	GN	TXL	3544884C1	3759005C1	1606	G	N/A		
GP5B(-)	18	GN	TXL	3544884C1	3759005C1	1606	G	N/A		
GQ5B(-)	18	GN	TXL	3544884C1	3759005C1	1606	G	N/A		
GT5B(-)	18	GN	TXL	3544884C1	3759005C1	1606	G	N/A		
GU5B(-)	18	GN	TXL	3544884C1	3759005C1	1606	G	N/A		
GV5B(-)	18	GN	TXL	3544884C1	3759005C1	1606	G	N/A		
GW5B(-)	18	GN	TXL	3544884C1	3759005C1	1606	G	N/A		
9D5B(+)	18	YL	TXL	3544884C1	3759005C1	1606	H	N/A		
9K5B(+)	18	YL	TXL	3544884C1	3759005C1	1606	H	N/A		
9M5B(+)	18	YL	TXL	3544884C1	3759005C1	1606	H	N/A		
9N5B(+)	18	YL	TXL	3544884C1	3759005C1	1606	H	N/A		
9Q5B(+)	18	YL	TXL	3544884C1	3759005C1	1606	H	N/A		
9R5B(+)	18	YL	TXL	3544884C1	3759005C1	1606	H	N/A		
9U5B(+)	18	YL	TXL	3544884C1	3759005C1	1606	H	N/A		
GB5B(+)	18	YL	TXL	3544884C1	3759005C1	1606	H	N/A		
GE5B(+)	18	YL	TXL	3544884C1	3759005C1	1606	H	N/A		
GG5B(+)	18	YL	TXL	3544884C1	3759005C1	1606	H	N/A		
GH5B(+)	18	YL	TXL	3544884C1	3759005C1	1606	H	N/A		
GJ5B(+)	18	YL	TXL	3544884C1	3759005C1	1606	H	N/A		
GK5B(+)	18	YL	TXL	3544884C1	3759005C1	1606	H	N/A		
GL5B(+)	18	YL	TXL	3544884C1	3759005C1	1606	H	N/A		
GM5B(+)	18	YL	TXL	3544884C1	3759005C1	1606	H	N/A		
GN5B(+)	18	YL	TXL	3544884C1	3759005C1	1606	H	N/A		
GP5B(+)	18	YL	TXL	3544884C1	3759005C1	1606	H	N/A		
GQ5B(+)	18	YL	TXL	3544884C1	3759005C1	1606	H	N/A		
GT5B(+)	18	YL	TXL	3544884C1	3759005C1	1606	H	N/A		
GU5B(+)	18	YL	TXL	3544884C1	3759005C1	1606	H	N/A		
GV5B(+)	18	YL	TXL	3544884C1	3759005C1	1606	H	N/A		
GW5B(+)	18	YL	TXL	3544884C1	3759005C1	1606	H	N/A		
TJ70ER	18	RD	TXL	3544884C1	3759005C1	1606	L	N/A		
LH92#141A	18	TN	TXL	3544884C1	3759005C1	1606	M	N/A		
UB92#141A	18	TN	TXL	3544884C1	3759005C1	1606	M	N/A		
UF92#141A	18	TN	TXL	3544884C1	3759005C1	1606	M	N/A		
9E5BA(-)	18	GN	TXL	3544884C1	3759005C1	1606	N	N/A		
9G5BA(-)	18	GN	TXL	3544884C1	3759005C1	1606	N	N/A		
9H5BA(-)	18	GN	TXL	3544884C1	3759005C1	1606	N	N/A		
9L5BA(-)	18	GN	TXL	3544884C1	3759005C1	1606	N	N/A		
9V5BA(-)	18	GN	TXL	3544884C1	3759005C1	1606	N	N/A		
9Z5BA(-)	18	GN	TXL	3544884C1	3759005C1	1606	N	N/A		
9E5BA(+)	18	YL	TXL	3544884C1	3759005C1	1606	P	N/A		
9G5BA(+)	18	YL	TXL	3544884C1	3759005C1	1606	P	N/A		
9H5BA(+)	18	YL	TXL	3544884C1	3759005C1	1606	P	N/A		
9L5BA(+)	18	YL	TXL	3544884C1	3759005C1	1606	P	N/A		
9V5BA(+)	18	YL	TXL	3544884C1	3759005C1	1606	P	N/A		
9Z5BA(+)	18	YL	TXL	3544884C1	3759005C1	1606	P	N/A		
LQ88A	18	LTGN	TXL	3544884C1	3759005C1	1606	R	N/A		
LB17H	18	PK	TXL	3544884C1	3759005C1	1606	S	N/A		
LC17HA	18	PK	TXL	3544884C1	3759005C1	1606	S	N/A		
LD149AA	18	GY	TXL	3544884C1	3759005C1	1606	S	N/A		
LE149AA	18	GY	TXL	3544884C1	3759005C1	1606	S	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
LH149B	18	GY	TXL	3544884C1	3759005C1	1606	S	N/A		
LA17	16	PK	TXL	3544884C1	3759005C1	1606	T	N/A		
LG17	16	PK	TXL	3544884C1	3759005C1	1606	T	N/A		
SA77D	20	LTGN	TXL	3534303C1	3710061C1	1607	A10	N/A		
SA77BA	20	LTGN	TXL	3534303C1	3710061C1	1607	A12	N/A		
KN49	18	GY	TXL	3522073C1	3710061C1	1607	A3	N/A		
KN49A	18	GY	TXL	3522073C1	3710061C1	1607	A4	N/A		
AA60A	18	OR	TXL	3522073C1	3710061C1	1607	A6	N/A		
NA28D	20	TN	TXL	3534303C1	3710061C1	1607	A9	N/A		
AA6AM	20	GY	TXL	3534303C1	3710061C1	1607	B10	N/A		
UA17B	18	PK	TXL	3522073C1	3710061C1	1607	B2	N/A		
LF104CB	18	DKBL	GXL	3522073C1	3710061C1	1607	B5	N/A		
LF104CC	18	DKBL	TXL	3522073C1	3710061C1	1607	B9	N/A		
AA9Z	18	GY	TXL	1661208C1	2007315C1	1620	A	N/A		
NA9CDC	20	GY	TXL	1661208C1	2007315C1	1620	B	N/A		
XS9AC	18	GY	TXL	1661208C1	2007315C1	1620	C	N/A		
ME110B	18	GY	TXL	1661208C1	2007315C1	1620	D	N/A		
QA9Z	18	GY	TXL	1661208C1	2007315C1	1620	E	N/A		
AB9	18	GY	TXL	1661208C1	2007315C1	1620	F	N/A		
AC9	18	GY	TXL	1661208C1	2007315C1	1620	F	N/A		
KA9B	18	GY	TXL	1661208C1	2007315C1	1620	G	N/A		
ND9A	20	WH	TXL	1661208C1	2007315C1	1620	H	N/A		
QJ9BB	18	GY	TXL	1661208C1	2007315C1	1620	J	N/A		
QW9BB	18	GY	TXL	1661208C1	2007315C1	1620	J	N/A		
NL9ZB	18	GY	TXL	1661208C1	2007315C1	1620	K	N/A		
VU9ZF	18	GY	TXL	1661208C1	2007315C1	1620	K	N/A		
YP54	16	BN	TXL	1661209C1	2007315C1	1623	A	N/A		
YS54	16	BN	TXL	1661209C1	2007315C1	1623	A	N/A		
YP54B	18	BN	TXL	1661208C1	2007315C1	1623	C	N/A		
YS54B	18	BN	TXL	1661208C1	2007315C1	1623	C	N/A		
XY58DA	18	BN	TXL	1661208C1	2007315C1	1623	D	N/A		
YS58T	18	BN	TXL	1661208C1	2007315C1	1623	D	N/A		
XY58DB	18	BN	TXL	1661208C1	2007315C1	1623	E	N/A		
YP58T	18	BN	TXL	1661208C1	2007315C1	1623	F	N/A		
ZN68	16	BN	TXL	1661209C1	2007315C1	1623	G	N/A		
ZP68	16	BN	TXL	1661209C1	2007315C1	1623	G	N/A		
ZQ68	16	BN	TXL	1661209C1	2007315C1	1623	G	N/A		
YL57C	16	OR	TXL	3535303C1	3543733C1	1625	A	3535424C1		
YL57	16	OR	TXL	3535303C1	3543733C1	1625	B	3535424C1		
YV57BB	16	TN	TXL	3535303C1	3543733C1	1625	C	3535424C1		
YW57BB	16	LTGN	TXL	3535303C1	3543733C1	1625	C	3535424C1		
YX57BB	16	LTGN	TXL	3535303C1	3543733C1	1625	C	3535424C1		
YZ57BB	16	LTGN	TXL	3535303C1	3543733C1	1625	C	3535424C1		
YL56A	16	OR	TXL	3535303C1	3543733C1	1625	E	3535424C1		
YL56	16	OR	TXL	3535303C1	3543733C1	1625	F	3535424C1		
YV56BB	16	YL	TXL	3535303C1	3543733C1	1625	G	3535424C1		
YW56BB	16	YL	TXL	3535303C1	3543733C1	1625	G	3535424C1		
YX56BB	16	YL	TXL	3535303C1	3543733C1	1625	G	3535424C1		
YZ56BB	16	YL	TXL	3535303C1	3543733C1	1625	G	3535424C1		
9D5D(+)	18	YL	TXL	3754236C1	3757649C1	1650	Conne	ti N/A		
9D5D(-)	18	GN	TXL	3754236C1	3757649C1	1650	Conne	ti N/A		
9K5D(+)	18	YL	TXL	3754236C1	3757649C1	1650	Conne	ti N/A		
9K5D(-)	18	GN	TXL	3754236C1	3757649C1	1650	Conne	ti N/A		
9M5D(+)	18	YL	TXL	3754236C1	3757649C1	1650	Conne	ti N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
9M5D(-)	18	GN	TXL	3754236C1	3757649C1	1650	Conne	ti N/A		
9N5D(+)	18	YL	TXL	3754236C1	3757649C1	1650	Conne	ti N/A		
9N5D(-)	18	GN	TXL	3754236C1	3757649C1	1650	Conne	ti N/A		
9Q5D(+)	18	YL	TXL	3754236C1	3757649C1	1650	Conne	ti N/A		
9Q5D(-)	18	GN	TXL	3754236C1	3757649C1	1650	Conne	ti N/A		
9S5AD(+)	18	YL	TXL	3754236C1	3757649C1	1650	Conne	ti N/A		
9S5AD(-)	18	GN	TXL	3754236C1	3757649C1	1650	Conne	ti N/A		
9T5AD(+)	18	YL	TXL	3754236C1	3757649C1	1650	Conne	ti N/A		
9T5AD(-)	18	GN	TXL	3754236C1	3757649C1	1650	Conne	ti N/A		
9U5D(+)	18	YL	TXL	3754236C1	3757649C1	1650	Conne	ti N/A		
9U5D(-)	18	GN	TXL	3754236C1	3757649C1	1650	Conne	ti N/A		
AD98-G	18	WH	TXL	3754236C1	3757649C1	1650	Conne	ti N/A		
AD98H	18	RD	TXL	3754236C1	3757649C1	1650	Conne	ti N/A		
GB5D(+)	18	YL	TXL	3754236C1	3757649C1	1650	Conne	ti N/A		
GB5D(-)	18	GN	TXL	3754236C1	3757649C1	1650	Conne	ti N/A		
GE5D(+)	18	YL	TXL	3754236C1	3757649C1	1650	Conne	ti N/A		
GE5D(-)	18	GN	TXL	3754236C1	3757649C1	1650	Conne	ti N/A		
GG5D(+)	18	YL	TXL	3754236C1	3757649C1	1650	Conne	ti N/A		
GG5D(-)	18	GN	TXL	3754236C1	3757649C1	1650	Conne	ti N/A		
GH5D(+)	18	YL	TXL	3754236C1	3757649C1	1650	Conne	ti N/A		
GH5D(-)	18	GN	TXL	3754236C1	3757649C1	1650	Conne	ti N/A		
GJ5D(+)	18	YL	TXL	3754236C1	3757649C1	1650	Conne	ti N/A		
GJ5D(-)	18	GN	TXL	3754236C1	3757649C1	1650	Conne	ti N/A		
GU5D(+)	18	YL	TXL	3754236C1	3757649C1	1650	Conne	ti N/A		
GU5D(-)	18	GN	TXL	3754236C1	3757649C1	1650	Conne	ti N/A		
GV5D(+)	18	YL	TXL	3754236C1	3757649C1	1650	Conne	ti N/A		
GV5D(-)	18	GN	TXL	3754236C1	3757649C1	1650	Conne	ti N/A		
AF3BD(+)	18	DKBL	TXL	1661208C1	2006789C1	1660	A	N/A		
XT3C(+)	18	DKBL	TXL	1661208C1	2006789C1	1660	C	N/A		
XU3C(+)	18	DKBL	TXL	1661208C1	2006789C1	1660	C	N/A		
ML3BE(+)	18	DKBL	TXL	1661208C1	2006789C1	1660	E	N/A		
MM3BD(+)	18	DKBL	TXL	1661208C1	2006789C1	1660	E	N/A		
MQ3BE(+)	18	DKBL	TXL	1661208C1	2006789C1	1660	E	N/A		
QS3D(+)	20	DKBL	TXL	1661208C1	2006789C1	1660	F	N/A		
QU3D(+)	20	DKBL	TXL	1661208C1	2006789C1	1660	F	N/A		
QZ3D(+)	20	DKBL	TXL	1661208C1	2006789C1	1660	F	N/A		
AF3BD(-)	18	GY	TXL	1661208C1	2006789C1	1661	A	N/A		
XT3C(-)	18	GY	TXL	1661208C1	2006789C1	1661	C	N/A		
XU3C(-)	18	DKBL	TXL	1661208C1	2006789C1	1661	C	N/A		
ML3BE(-)	18	GY	TXL	1661208C1	2006789C1	1661	E	N/A		
MM3BD(-)	18	GY	TXL	1661208C1	2006789C1	1661	E	N/A		
MQ3BE(-)	18	GY	TXL	1661208C1	2006789C1	1661	E	N/A		
QS3D(-)	20	GY	TXL	1661208C1	2006789C1	1661	F	N/A		
QU3D(-)	20	GY	TXL	1661208C1	2006789C1	1661	F	N/A		
QZ3D(-)	20	GY	TXL	1661208C1	2006789C1	1661	F	N/A		
MA52	14	YL	GXL	3549416C1	3595624C1	1700	1	N/A		
MC52	14	YL	GXL	3549416C1	3595624C1	1700	1	N/A		
MW52	14	YL	GXL	3549416C1	3595624C1	1700	1	N/A		
PP52	14	YL	GXL	3549416C1	3595624C1	1700	1	N/A		
YF52A	14	YL	TXL	3574288C1	3595625C1	1700	1	N/A		
YG52AA	14	YL	TXL	3574288C1	3595625C1	1700	1	N/A		
WL2-G	0	BK	SGX	475968C1		1700	1	2643308R1		
MA52	14	YL	GXL	3549416C1	3595624C1	1700	1	N/A		
MB52	14	YL	GXL	3549416C1	3595624C1	1700	1	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
MCS2	14	YL	GXL	3549416C1	3595624C1	1700	1	N/A		
MW52	14	YL	GXL	3549416C1	3595624C1	1700	1	N/A		
MA53	14	YL	GXL	3549416C1	3595624C1	1700	2	N/A		
MCS3	14	YL	GXL	3549416C1	3595624C1	1700	2	N/A		
MW53	14	YL	GXL	3549416C1	3595624C1	1700	2	N/A		
PP53	14	YL	GXL	3549416C1	3595624C1	1700	2	N/A	3554820C1	
YF53A	14	YL	TXL	3574288C1	3595625C1	1700	2	N/A		
YG53AA	14	YL	TXL	3574288C1	3595625C1	1700	2	N/A		
MA53	14	YL	GXL	3549416C1	3595624C1	1700	2	N/A		
MB53	14	YL	GXL	3549416C1	3595624C1	1700	2	N/A		
MCS3	14	YL	GXL	3549416C1	3595624C1	1700	2	N/A		
MW53	14	YL	GXL	3549416C1	3595624C1	1700	2	N/A		
MCS2D	14	YL	GXL	3549416C1	3595624C1	1700	3	N/A		
MV52D	14	YL	GXL	3549416C1	3595624C1	1700	3	N/A		
MW52D	14	YL	GXL	3549416C1	3595624C1	1700	3	N/A		
PP52D	14	YL	GXL	3549416C1	3595624C1	1700	3	N/A	3553460C1	
RF52D	14	YL	GXL	3549416C1	3595624C1	1700	3	N/A		
YF52B	14	YL	TXL	3574288C1	3595625C1	1700	3	N/A		
YG52BA	14	YL	TXL	3574288C1	3595625C1	1700	3	N/A		
MA52D	14	YL	GXL	3549416C1	3595624C1	1700	3	N/A		
MB52D	14	YL	GXL	3549416C1	3595624C1	1700	3	N/A		
MCS2D	14	YL	GXL	3549416C1	3595624C1	1700	3	N/A		
MW52D	14	YL	GXL	3549416C1	3595624C1	1700	3	N/A		
MCS3B	14	YL	GXL	3549416C1	3595624C1	1700	4	N/A		
MV53B	14	YL	GXL	3549416C1	3595624C1	1700	4	N/A		
MW53B	14	YL	GXL	3549416C1	3595624C1	1700	4	N/A		
PP53B	14	YL	GXL	3549416C1	3595624C1	1700	4	N/A	3562309C1	
RF53B	14	YL	GXL	3549416C1	3595624C1	1700	4	N/A		
YF53B	14	YL	TXL	3574288C1	3595625C1	1700	4	N/A		
YG53BA	14	YL	TXL	3574288C1	3595625C1	1700	4	N/A		
MA53B	14	YL	GXL	3549416C1	3595624C1	1700	4	N/A		
MB53B	14	YL	GXL	3549416C1	3595624C1	1700	4	N/A		
MCS3B	14	YL	GXL	3549416C1	3595624C1	1700	4	N/A		
MW53B	14	YL	GXL	3549416C1	3595624C1	1700	4	N/A		
MCS4B	14	BN	GXL	3549416C1	3595624C1	1700	5	N/A		
MV54B	14	BN	GXL	3549416C1	3595624C1	1700	5	N/A		
MW54B	14	BN	GXL	3549416C1	3595624C1	1700	5	N/A		
PP54B	14	BN	GXL	3549416C1	3595624C1	1700	5	N/A		
RF54B	14	BN	GXL	3549416C1	3595624C1	1700	5	N/A		
YP54B	18	BN	TXL	3574289C1	3595625C1	1700	5	N/A		
YS54B	18	BN	TXL	3574289C1	3595625C1	1700	5	N/A		
MA54B	14	BN	GXL	3549416C1	3595624C1	1700	5	N/A		
MB54B	14	BN	GXL	3549416C1	3595624C1	1700	5	N/A		
MCS4B	14	BN	GXL	3549416C1	3595624C1	1700	5	N/A		
MW54B	14	BN	GXL	3549416C1	3595624C1	1700	5	N/A		
KK18C	16	GY	TXL	3574288C1	3595625C1	1700	6	N/A		
[NF19A]	16	-	GXL	3549416C1	3595624C1	1700	6	N/A		
MCS3E	14	YL	GXL	3549416C1	3595624C1	1700	8	N/A		
MW64LO	14	YL	GXL	3549416C1	3595624C1	1700	8	N/A		
YG53AC	14	YL	TXL	3574288C1	3595625C1	1700	8	N/A		
MCS3E	14	YL	GXL	3549416C1	3595624C1	1700	8	N/A		
MW64LO	14	YL	GXL	3549416C1	3595624C1	1700	8	N/A		
MCS3F	14	YL	GXL	3549416C1	3595624C1	1700	9	N/A		
MW64HI	14	YL	GXL	3549416C1	3595624C1	1700	9	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
YG53BC	14	YL	TXL	3574288C1	3595625C1	1700	9	N/A		
MCS3F	14	YL	GXL	3549416C1	3595624C1	1700	9	N/A		
MWG4HI	14	YL	GXL	3549416C1	3595624C1	1700	9	N/A		
MCS2B	14	YL	GXL	3549416C1	3595624C1	1700	10	N/A		
YG52AC	14	YL	TXL	3574288C1	3595625C1	1700	10	N/A		
MCS2B	14	YL	GXL	3549416C1	3595624C1	1700	10	N/A		
MCS2E	14	YL	GXL	3549416C1	3595624C1	1700	11	N/A		
YG52BC	14	YL	TXL	3574288C1	3595625C1	1700	11	N/A		
MCS2E	14	YL	GXL	3549416C1	3595624C1	1700	11	N/A		
MH103C	12	LTGN	TXL	3549415C1	3595624C1	1700	12	N/A		
HU103C	10	LTGN	GXL	3574287C1	3595625C1	1700	12	N/A		
HW14LP	10	RD	GXL	3574287C1	3595625C1	1700	12	N/A		
MG103C	12	LTGN	TXL	3549415C1	3595624C1	1700	12	N/A		
MH103D	12	LTGN	GXL	3549415C1	3595624C1	1700	13	N/A		
HU103D	12	LTGN	TXL	3574287C1	3595625C1	1700	13	N/A		
MG103D	12	LTGN	GXL	3549415C1	3595624C1	1700	13	N/A		
MA56B	16	OR	TXL	3549417C1	3595624C1	1700	14	N/A		
MCS6B	16	OR	TXL	3549417C1	3595624C1	1700	14	N/A		
MW56B	16	OR	TXL	3549417C1	3595624C1	1700	14	N/A		
PP56B	16	OR	TXL	3549417C1	3595624C1	1700	14	N/A	1618846C1	1618847C1
XV56	16	OR	TXL	3574285C1	3595625C1	1700	14	N/A		
XZ56B	16	OR	TXL	3574285C1	3595625C1	1700	14	N/A		
YM56	16	OR	TXL	3574285C1	3595625C1	1700	14	N/A		
YN56B	16	OR	TXL	3574285C1	3595625C1	1700	14	N/A		
YT56B	16	OR	TXL	3574285C1	3595625C1	1700	14	N/A		
YY56B	16	OR	TXL	3574285C1	3595625C1	1700	14	N/A		
MA56B	16	OR	TXL	3549417C1	3595624C1	1700	14	N/A		
MB56B	16	OR	TXL	3549417C1	3595624C1	1700	14	N/A		
MCS6B	16	OR	TXL	3549417C1	3595624C1	1700	14	N/A		
MW56B	16	OR	TXL	3549417C1	3595624C1	1700	14	N/A		
MC57B	16	OR	TXL	3549417C1	3595624C1	1700	15	N/A		
MV57B	16	OR	TXL	3549417C1	3595624C1	1700	15	N/A		
MW57B	16	OR	TXL	3549417C1	3595624C1	1700	15	N/A		
PP57B	16	OR	TXL	3549417C1	3595624C1	1700	15	N/A	3573833C1	
RF57B	16	OR	TXL	3549417C1	3595624C1	1700	15	N/A		
XV57B	16	OR	TXL	3574285C1	3595625C1	1700	15	N/A		
XZ57B	16	OR	TXL	3574285C1	3595625C1	1700	15	N/A		
YH57B	16	OR	TXL	3574285C1	3595625C1	1700	15	N/A		
YK57B	16	OR	TXL	3574285C1	3595625C1	1700	15	N/A		
YQ57B	16	OR	TXL	3574285C1	3595625C1	1700	15	N/A		
YR57	16	OR	TXL	3574285C1	3595625C1	1700	15	N/A		
YT57B	16	OR	TXL	3574285C1	3595625C1	1700	15	N/A		
YY57B	16	OR	TXL	3574285C1	3595625C1	1700	15	N/A		
MA57B	16	OR	TXL	3549417C1	3595624C1	1700	15	N/A		
MB57B	16	OR	TXL	3549417C1	3595624C1	1700	15	N/A		
MCS7B	16	OR	TXL	3549417C1	3595624C1	1700	15	N/A		
MW57B	16	OR	TXL	3549417C1	3595624C1	1700	15	N/A		
NX87C	18	GY	TXL	3549418C1	3595624C1	1700	17	N/A	3518184C1	
SC87C	18	GY	TXL	3549418C1	3595624C1	1700	17	N/A		
HK87C	18	GY	TXL	2003343C1	3595625C1	1700	17	N/A		
NZ22AA	16	PK	TXL	3574285C1	3595625C1	1700	17	N/A		
NX87C	18	GY	TXL	3549418C1	3595624C1	1700	17	N/A		
SC87C	18	GY	TXL	3549418C1	3595624C1	1700	17	N/A		
NX9BB	18	GY	TXL	3549418C1	3595624C1	1700	18	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
SC9BB	18	GY	TXL	3549418C1	3595624C1	1700	18	N/A		
KA9BB	18	GY	TXL	2003343C1	3595625C1	1700	18	N/A		
NX9BB	18	GY	TXL	3549418C1	3595624C1	1700	18	N/A		
SC9BB	18	GY	TXL	3549418C1	3595624C1	1700	18	N/A		
NY87KA	16	GY	GXL	3549417C1	3595624C1	1700	19	N/A		
SB87KA	16	GY	GXL	3549417C1	3595624C1	1700	19	N/A		
HJ87KA	18	GY	TXL	2003343C1	3595625C1	1700	19	N/A		
NY87KA	16	GY	GXL	3549417C1	3595624C1	1700	19	N/A		
SA87KA	16	GY	GXL	3549417C1	3595624C1	1700	19	N/A		
NY87BA	18	GY	GXL	3549418C1	3595624C1	1700	20	N/A	3534158C1	
SB87BA	18	GY	GXL	3549418C1	3595624C1	1700	20	N/A		
HJ87BA	18	GY	TXL	2003343C1	3595625C1	1700	20	N/A		
YC67A	16	PK	TXL	3574285C1	3595625C1	1700	20	N/A		
NY87BA	18	GY	GXL	3549418C1	3595624C1	1700	20	N/A		
SA87BA	18	GY	GXL	3549418C1	3595624C1	1700	20	N/A		
MR85E	16	GY	GXL	3549417C1	3595624C1	1700	21	N/A		
AA85	16	GY	TXL	3574285C1	3595625C1	1700	21	N/A		
MR85E	16	GY	GXL	3549417C1	3595624C1	1700	21	N/A		
MD64A	16	YL	GXL	3549417C1	3595624C1	1700	22	N/A		
TE64A	16	YL	TXL	3549417C1	3595624C1	1700	22	N/A		
YJ64A	16	YL	TXL	3574285C1	3595625C1	1700	22	N/A		
MD64A	16	YL	GXL	3549417C1	3595624C1	1700	22	N/A		
SM64A	16	YL	TXL	3549417C1	3595624C1	1700	22	N/A		
MX64B	16	YL	GXL	3549417C1	3595624C1	1700	23	N/A		
RD64B	16	YL	GXL	3549417C1	3595624C1	1700	23	N/A		
TC64B	16	YL	TXL	3549417C1	3595624C1	1700	23	N/A		
TD64B	16	YL	TXL	3549417C1	3595624C1	1700	23	N/A		
YJ64B	16	YL	TXL	3574285C1	3595625C1	1700	23	N/A		
MD64B	16	YL	TXL	3549417C1	3595624C1	1700	23	N/A		
SM64B	16	YL	TXL	3549417C1	3595624C1	1700	23	N/A		
MU67AA	20	PK	TXL	3549418C1	3595624C1	1700	24	N/A		
XR94BP	16	GY	TXL	3574285C1	3595625C1	1700	24	N/A		
YA67A	16	PK	TXL	3574285C1	3595625C1	1700	24	N/A		
YD67Y	18	PK	TXL	2003343C1	3595625C1	1700	24	N/A		
SP67AA	20	PK	TXL	3549418C1	3595624C1	1700	24	N/A		
PTSUE(+)	18	YL	TXL	3549418C1	3595624C1	1700	25	N/A		
YD5DA(+)	18	YL	TXL	2003343C1	3595625C1	1700	25	N/A		
ST5UE(+)	18	GN	TXL	3549418C1	3595624C1	1700	25	N/A		
PTSUE(-)	18	GN	TXL	3574277C1	3595624C1	1700	26	N/A	3503599C1	
NZ22-GAN	16	WH	TXL	3574288C1	3595625C1	1700	26	N/A		
YD5DA(-)	18	GN	TXL	3574289C1	3595625C1	1700	26	N/A		
ST5UE(-)	18	YL	TXL	3574277C1	3595624C1	1700	26	N/A		
ME94	18	GY	GXL	3549418C1	3595624C1	1700	27	N/A		
ML9A	18	GY	GXL	3549418C1	3595624C1	1700	27	N/A		
NE94AB	14	GY	TXL	3549417C1	3595624C1	1700	27	N/A		
NL9ZB	18	GY	TXL	2003343C1	3595625C1	1700	27	N/A		
XA94	16	GY	TXL	3574285C1	3595625C1	1700	27	N/A		
XE94AB	14	GY	GXL	3574285C1	3595625C1	1700	27	N/A		
ME94	18	GY	GXL	3549418C1	3595624C1	1700	27	N/A		
MH94AB	14	GY	TXL	3549417C1	3595624C1	1700	27	N/A		
ML9A	18	GY	GXL	3549418C1	3595624C1	1700	27	N/A		
ME94A	18	GY	GXL	3549418C1	3595624C1	1700	28	N/A		
ML6A	18	GY	GXL	3549418C1	3595624C1	1700	28	N/A		
NE94AA	14	GY	TXL	3549417C1	3595624C1	1700	28	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
NL6A	18	GY	GXL	2003343C1	3595625C1	1700	28	N/A		
XA94A	16	GY	TXL	3574285C1	3595625C1	1700	28	N/A		
XE94AA	14	GY	GXL	3574285C1	3595625C1	1700	28	N/A		
ME94A	18	GY	GXL	3549418C1	3595624C1	1700	28	N/A		
MH94AA	14	GY	TXL	3549417C1	3595624C1	1700	28	N/A		
ML6A	18	GY	GXL	3549418C1	3595624C1	1700	28	N/A		
ME94B	18	GY	GXL	3549418C1	3595624C1	1700	29	N/A		
ML40	18	GY	GXL	3549418C1	3595624C1	1700	29	N/A		
NE94AL	14	GY	TXL	3549417C1	3595624C1	1700	29	N/A	1667771C1	
NL40	18	GY	GXL	2003343C1	3595625C1	1700	29	N/A		
XA94B	16	GY	TXL	3574285C1	3595625C1	1700	29	N/A		
XE94AL	14	GY	GXL	3574285C1	3595625C1	1700	29	N/A		
ME94B	18	GY	GXL	3549418C1	3595624C1	1700	29	N/A		
MH94AL	14	GY	TXL	3549417C1	3595624C1	1700	29	N/A		
ML40	18	GY	GXL	3549418C1	3595624C1	1700	29	N/A		
ME94C	18	GY	GXL	3549418C1	3595624C1	1700	30	N/A		
MF94L(+)	18	GY	TXL	3549418C1	3595624C1	1700	30	N/A		
NE94AC	18	GY	TXL	3549418C1	3595624C1	1700	30	N/A		
XA94C	16	GY	TXL	3574285C1	3595625C1	1700	30	N/A		
XE94AC	18	GY	TXL	2003343C1	3595625C1	1700	30	N/A		
XS94L(+)	18	GY	TXL	2003343C1	3595625C1	1700	30	N/A		
ME94C	18	GY	GXL	3549418C1	3595624C1	1700	30	N/A		
MF94L(+)	18	GY	TXL	3549418C1	3595624C1	1700	30	N/A		
MH94AC	18	GY	TXL	3549418C1	3595624C1	1700	30	N/A		
ME94D	18	GY	GXL	3549418C1	3595624C1	1700	31	N/A		
MF94L(-)	18	GY	TXL	3549418C1	3595624C1	1700	31	N/A		
NE94AD	18	GY	TXL	3549418C1	3595624C1	1700	31	N/A		
XA94D	16	GY	TXL	3574285C1	3595625C1	1700	31	N/A		
XE94AD	18	GY	TXL	2003343C1	3595625C1	1700	31	N/A		
XS94L(-)	18	GY	TXL	2003343C1	3595625C1	1700	31	N/A		
ME94D	18	GY	GXL	3549418C1	3595624C1	1700	31	N/A		
MF94L(-)	18	GY	TXL	3549418C1	3595624C1	1700	31	N/A		
MH94AD	18	GY	TXL	3549418C1	3595624C1	1700	31	N/A		
ME94E	18	GY	GXL	3549418C1	3595624C1	1700	32	N/A		
ND90H	16	GY	GXL	3549417C1	3595624C1	1700	32	N/A		
NE94AE	18	GY	TXL	3549418C1	3595624C1	1700	32	N/A		
XA94E	16	GY	TXL	3574285C1	3595625C1	1700	32	N/A		
XE94AE	18	GY	TXL	2003343C1	3595625C1	1700	32	N/A		
XT90R	18	GY	TXL	2003343C1	3595625C1	1700	32	N/A		
XU90R	18	GY	TXL	2003343C1	3595625C1	1700	32	N/A		
ME94E	18	GY	GXL	3549418C1	3595624C1	1700	32	N/A		
MH94AE	18	GY	TXL	3549418C1	3595624C1	1700	32	N/A		
MV90H	16	GY	GXL	3549417C1	3595624C1	1700	32	N/A		
ME94F	18	GY	GXL	3549418C1	3595624C1	1700	33	N/A		
ND90B	18	GY	TXL	3549418C1	3595624C1	1700	33	N/A		
NE94AF	18	GY	TXL	3549418C1	3595624C1	1700	33	N/A		
XA94F	16	GY	TXL	3574285C1	3595625C1	1700	33	N/A		
XE94AF	18	GY	TXL	2003343C1	3595625C1	1700	33	N/A		
XT90D	18	GY	TXL	2003343C1	3595625C1	1700	33	N/A		
XU90D	18	GY	TXL	2003343C1	3595625C1	1700	33	N/A		
ME94F	18	GY	GXL	3549418C1	3595624C1	1700	33	N/A		
MH94AF	18	GY	TXL	3549418C1	3595624C1	1700	33	N/A		
MV90B	18	GY	TXL	3549418C1	3595624C1	1700	33	N/A		
ME94H	18	GY	GXL	3549418C1	3595624C1	1700	34	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
ND94BF	18	GY	TXL	3549418C1	3595624C1	1700	34	N/A		
NE94AK	14	GY	TXL	3549417C1	3595624C1	1700	34	N/A	1661263C1	
XA94H	16	GY	TXL	3574285C1	3595625C1	1700	34	N/A		
XE94AK	14	GY	GXL	3574285C1	3595625C1	1700	34	N/A		
ME94H	18	GY	GXL	3549418C1	3595624C1	1700	34	N/A		
MH94AK	14	GY	TXL	3549417C1	3595624C1	1700	34	N/A		
MV94BF	18	GY	TXL	3549418C1	3595624C1	1700	34	N/A		
ME94J	18	GY	GXL	3549418C1	3595624C1	1700	35	N/A		
MF94R(+)	18	GY	TXL	3549418C1	3595624C1	1700	35	N/A		
NE94AJ	14	GY	TXL	3549417C1	3595624C1	1700	35	N/A		
XA94J	16	GY	TXL	3574285C1	3595625C1	1700	35	N/A		
XE94AJ	14	GY	GXL	3574285C1	3595625C1	1700	35	N/A		
XS94R(+)	18	GY	TXL	2003343C1	3595625C1	1700	35	N/A		
ME94J	18	GY	GXL	3549418C1	3595624C1	1700	35	N/A		
MF94R(+)	18	GY	TXL	3549418C1	3595624C1	1700	35	N/A		
MH94AJ	14	GY	TXL	3549417C1	3595624C1	1700	35	N/A		
ME94K	18	GY	GXL	3549418C1	3595624C1	1700	36	N/A		
MF94R(-)	18	GY	TXL	3549418C1	3595624C1	1700	36	N/A		
NE94AH	14	GY	TXL	3549417C1	3595624C1	1700	36	N/A	1661264C1	
XA94K	16	GY	TXL	3574285C1	3595625C1	1700	36	N/A		
XE94AH	14	GY	GXL	3574285C1	3595625C1	1700	36	N/A		
XS94R(-)	18	GY	TXL	2003343C1	3595625C1	1700	36	N/A		
ME94K	18	GY	GXL	3549418C1	3595624C1	1700	36	N/A		
MF94R(-)	18	GY	TXL	3549418C1	3595624C1	1700	36	N/A		
MH94AH	14	GY	TXL	3549417C1	3595624C1	1700	36	N/A		
GC5BJ(+)	18	YL	TXL	2003343C1	3595625C1	1700	37	N/A		
GD5BJ(+)	18	YL	TXL	2003343C1	3595625C1	1700	37	N/A		
XR94BY	16	GY	TXL	3574285C1	3595625C1	1700	37	N/A		
ND10-GV	16	WH	GXL	3549417C1	3595624C1	1700	38	N/A		
GC5BJ(-)	18	GN	TXL	2003343C1	3595625C1	1700	38	N/A		
GD5BJ(-)	18	GN	TXL	2003343C1	3595625C1	1700	38	N/A		
XR94BZ	16	GY	TXL	3574285C1	3595625C1	1700	38	N/A		
XT10GV	18	WH	TXL	2003343C1	3595625C1	1700	38	N/A		
XU10-GV	18	WH	TXL	2003343C1	3595625C1	1700	38	N/A		
MV10-GV	16	WH	GXL	3549417C1	3595624C1	1700	38	N/A		
XR94BT	16	GY	TXL	3574285C1	3595625C1	1700	39	N/A		
XR94BU	16	GY	TXL	3574285C1	3595625C1	1700	40	N/A		
XR94BS	16	GY	TXL	3574285C1	3595625C1	1700	41	N/A		
XF94SBB	18	GY	TXL	2003343C1	3595625C1	1700	42	N/A		
NR104CC	18	DKBL	GXL	3549418C1	3595624C1	1700	43	N/A		
LF104CC	18	DKBL	TXL	2003343C1	3595625C1	1700	43	N/A		
NR104CC	18	DKBL	GXL	3549418C1	3595624C1	1700	43	N/A		
NR104CB	18	DKBL	GXL	3549418C1	3595624C1	1700	44	N/A	2039342C1	
LF104CB	18	DKBL	GXL	2003343C1	3595625C1	1700	44	N/A		
NR104CB	18	DKBL	GXL	3549418C1	3595624C1	1700	44	N/A		
SH89CE	18	VT	TXL	3549418C1	3595624C1	1700	45	N/A		
XR94BR	16	GY	TXL	3574285C1	3595625C1	1700	45	N/A		
SH89AR	18	PK	TXL	3549418C1	3595624C1	1700	46	N/A		
XR94BQ	16	GY	TXL	3574285C1	3595625C1	1700	46	N/A		
MU67-GA	20	WH	TXL	3549418C1	3595624C1	1700	47	N/A		
SH44Y	16	GY	TXL	3549417C1	3595624C1	1700	47	N/A		
SJ44Y	16	GY	TXL	3549417C1	3595624C1	1700	47	N/A		
SK44J	18	GY	GXL	3549418C1	3595624C1	1700	47	N/A		
UH44J	18	GY	TXL	2003343C1	3595625C1	1700	47	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
WD44Y	16	GY	TXL	3574285C1	3595625C1	1700	47	N/A		
YA67-G	16	WH	TXL	3574285C1	3595625C1	1700	47	N/A		
YC67-G	16	WH	TXL	3574285C1	3595625C1	1700	47	N/A		
YD67-G	18	WH	TXL	2003343C1	3595625C1	1700	47	N/A		
NL44Y	16	GY	TXL	3549417C1	3595624C1	1700	47	N/A		
NM44Y	16	GY	TXL	3549417C1	3595624C1	1700	47	N/A		
PC44J	18	GY	GXL	3549418C1	3595624C1	1700	47	N/A		
SP67-GA	20	WH	TXL	3549418C1	3595624C1	1700	47	N/A		
SH92#103	18	TN	TXL	3549418C1	3595624C1	1700	48	N/A		
XR94BW	16	GY	TXL	3574285C1	3595625C1	1700	48	N/A		
NL92#103	18	TN	TXL	3549418C1	3595624C1	1700	48	N/A		
SH92#101	18	TN	TXL	3549418C1	3595624C1	1700	49	N/A		
XR94BV	16	GY	TXL	3574285C1	3595625C1	1700	49	N/A		
NL92#101	18	TN	TXL	3549418C1	3595624C1	1700	49	N/A		
XF94SAB	18	GY	TXL	2003343C1	3595625C1	1700	50	N/A		
XT40B	14	GY	TXL	3574285C1	3595625C1	1700	50	N/A		
SK40A	14	GY	TXL	3549417C1	3595624C1	1700	50	N/A		
XF94SDB	18	GY	TXL	3574289C1	3595625C1	1700	51	N/A		
RCTEM1	16	GY	TXL	3549417C1	3595624C1	1700	52	N/A		
HGTEM1	16	GY	TXL	3574285C1	3595625C1	1700	52	N/A		
RCTEM1	16	GY	TXL	3549417C1	3595624C1	1700	52	N/A		
RCTEM2	16	GY	TXL	3549417C1	3595624C1	1700	53	N/A		
HGTEM2	16	GY	TXL	3574285C1	3595625C1	1700	53	N/A		
RCTEM2	16	GY	TXL	3549417C1	3595624C1	1700	53	N/A		
RCTEM3	16	GY	TXL	3549417C1	3595624C1	1700	54	N/A		
HGTEM3	16	GY	TXL	3574285C1	3595625C1	1700	54	N/A		
RCTEM3	16	GY	TXL	3549417C1	3595624C1	1700	54	N/A		
RCTEM4	16	GY	TXL	3549417C1	3595624C1	1700	55	N/A		
HGTEM4	16	GY	TXL	3574285C1	3595625C1	1700	55	N/A		
RCTEM4	16	GY	TXL	3549417C1	3595624C1	1700	55	N/A		
RCTEM5	16	GY	TXL	3549417C1	3595624C1	1700	56	N/A		
HGTEM5	16	GY	TXL	3574285C1	3595625C1	1700	56	N/A		
RCTEM5	16	GY	TXL	3549417C1	3595624C1	1700	56	N/A		
RCTEM6	16	GY	TXL	3549417C1	3595624C1	1700	57	N/A		
HGTEM6	16	GY	TXL	3574285C1	3595625C1	1700	57	N/A		
RCTEM6	16	GY	TXL	3549417C1	3595624C1	1700	57	N/A		
RCTEM7	16	GY	TXL	3549417C1	3595624C1	1700	58	N/A		
HGTEM7	16	GY	TXL	3574285C1	3595625C1	1700	58	N/A		
RCTEM7	16	GY	TXL	3549417C1	3595624C1	1700	58	N/A		
RCTEM8	16	GY	TXL	3549417C1	3595624C1	1700	59	N/A		
HGTEM8	16	GY	TXL	3574285C1	3595625C1	1700	59	N/A		
RCTEM8	16	GY	TXL	3549417C1	3595624C1	1700	59	N/A		
XF94SCB	18	GY	TXL	2003343C1	3595625C1	1700	60	N/A		
MN5A(-)	18	GN	TXL	3549418C1	3595624C1	1700	61	N/A		
NK5C(-)	18	GN	TXL	3549418C1	3595624C1	1700	61	N/A	2006792C1	
SK44L	18	GY	GXL	3549418C1	3595624C1	1700	61	N/A		
9D5A(-)	18	GN	TXL	2003343C1	3595625C1	1700	61	N/A		
GW5A(-)	18	GN	TXL	2003343C1	3595625C1	1700	61	N/A		
UH44L	18	GY	TXL	2003343C1	3595625C1	1700	61	N/A		
PC44L	18	GY	GXL	3549418C1	3595624C1	1700	61	N/A		
SN5C(-)	18	YL	TXL	3549418C1	3595624C1	1700	61	N/A		
SP5A(-)	18	YL	TXL	3549418C1	3595624C1	1700	61	N/A		
MN5A(+)	18	YL	TXL	3549418C1	3595624C1	1700	62	N/A		
NK5C(+)	18	YL	TXL	3549418C1	3595624C1	1700	62	N/A	1664408C1	

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
9D5A(+)	18	YL	TXL	2003343C1	3595625C1	1700	62	N/A		
GW5A(+)	18	YL	TXL	2003343C1	3595625C1	1700	62	N/A		
SN5C(+)	18	GN	TXL	3549418C1	3595624C1	1700	62	N/A		
SP5A(+)	18	GN	TXL	3549418C1	3595624C1	1700	62	N/A		
MS78BC	16	LTGN	GXL	3549417C1	3595624C1	1700	63	N/A		
MT78BC	16	LTGN	GXL	3549417C1	3595624C1	1700	63	N/A		
RL78AB	16	LTGN	TXL	3574285C	3595625C1	1700	63	N/A		
RM78AC	16	LTGN	TXL	3574285C1	3595625C1	1700	63	N/A		
MS78BC	16	LTGN	GXL	3549417C1	3595624C1	1700	63	N/A		
MT78BC	16	LTGN	GXL	3549417C1	3595624C1	1700	63	N/A		
MT78AC	16	LTGN	GXL	3549416C1	3595624C1	1700	64	N/A		
RM78AD	16	LTGN	TXL	3574288C1	3595625C1	1700	64	N/A		
MT78AC	16	LTGN	GXL	3549416C1	3595624C1	1700	64	N/A		
SE103M	12	LTGN	GXL	3549415C1	3595624C1	1700	65	N/A		
HB103M	12	LTGN	GXL	3574287C1	3595625C1	1700	65	N/A		
SE103M	12	LTGN	GXL	3549415C1	3595624C1	1700	65	N/A		
SE103N	12	LTGN	GXL	3549415C1	3595624C1	1700	66	N/A		
HB103N	12	LTGN	GXL	3574287C1	3595625C1	1700	66	N/A		
SE103N	12	LTGN	GXL	3549415C1	3595624C1	1700	66	N/A		
SE103P	12	LTGN	GXL	3549415C1	3595624C1	1700	67	N/A		
HB103P	12	LTGN	GXL	3574287C1	3595625C1	1700	67	N/A		
SE103P	12	LTGN	GXL	3549415C1	3595624C1	1700	67	N/A		
XF94SJ	16	GY	GXL	3574288C1	3595625C1	1700	69	N/A		
XJ94SK	18	GY	TXL	3574289C1	3595625C1	1700	70	N/A		
XP94SK	16	GY	GXL	3574288C1	3595625C1	1700	70	N/A		
XF94SM	16	GY	GXL	3574288C1	3595625C1	1700	71	N/A		
XF94SN	16	GY	GXL	3574288C1	3595625C1	1700	72	N/A		
XF94SL	16	GY	GXL	3574288C1	3595625C1	1700	73	N/A		
XF94SZC	16	GY	TXL	3574288C1	3595625C1	1700	74	N/A		
XF94SVC	16	GY	TXL	3574288C1	3595625C1	1700	75	N/A		
XF94SH	18	GY	TXL	3574289C1	3595625C1	1700	76	N/A		
ZA71A	16	OR	TXL	3574288C1	3595623C1	1701	1	N/A		
ZC71BK	16	OR	TXL	3574288C1	3595623C1	1701	1	N/A		
ZE71AD	16	OR	TXL	3574288C1	3595623C1	1701	1	N/A		
ZG71BA	16	OR	TXL	3574288C1	3595623C1	1701	1	N/A		
ZK71BA	16	OR	TXL	3574288C1	3595623C1	1701	1	N/A		
WL2-FLA	10	RS	FUS	338892C2		1701	1	2644054R1		
WL2-FLB	10	RS	FUS	338892C2		1701	1	2644054R1		
YL56	16	OR	TXL	3574288C1	3595623C1	1701	2	N/A		
YM56A	14	OR	TXL	3574288C1	3595623C1	1701	2	N/A		
YN56A	14	OR	TXL	3574288C1	3595623C1	1701	2	N/A		
YL57	16	OR	TXL	3574288C1	3595623C1	1701	3	N/A		
YM57A	14	OR	TXL	3574288C1	3595623C1	1701	3	N/A		
YN57A	14	OR	TXL	3574288C1	3595623C1	1701	3	N/A		
ZN68	16	BN	TXL	3574288C1	3595623C1	1701	4	N/A		
ZP68A	16	BN	TXL	3574288C1	3595623C1	1701	4	N/A		
ZQ68A	16	BN	TXL	3574288C1	3595623C1	1701	4	N/A		
VG56T	10	YL	TXL	3574287C1	3595623C1	1701	5	N/A		
XV56T	16	OR	TXL	3574288C1	3595623C1	1701	5	N/A		
XZ56T	16	OR	TXL	3574288C1	3595623C1	1701	5	N/A		
YB67TA	18	PK	TXL	3574289C1	3595623C1	1701	5	N/A		
YT56T	16	OR	TXL	3574288C1	3595623C1	1701	5	N/A		
YY56T	16	OR	TXL	3574288C1	3595623C1	1701	5	N/A		
VG57T	10	LTGN	TXL	3574287C1	3595623C1	1701	6	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
XV57T	16	OR	TXL	3574288C1	3595623C1	1701	6	N/A		
XZ57T	16	OR	TXL	3574288C1	3595623C1	1701	6	N/A		
YB67U	18	GY	GXL	3574289C1	3595623C1	1701	6	N/A		
YT57T	16	OR	TXL	3574288C1	3595623C1	1701	6	N/A		
YY57T	16	OR	TXL	3574288C1	3595623C1	1701	6	N/A		
VG58T	12	BN	TXL	3574287C1	3595623C1	1701	7	N/A		
VL58TA	12	BN	TXL	3574287C1	3595623C1	1701	7	N/A		
VM58TA	12	BN	TXL	3574287C1	3595623C1	1701	7	N/A		
VP58T	12	BN	TXL	3574287C1	3595623C1	1701	7	N/A		
VR58TA	12	BN	TXL	3574287C1	3595623C1	1701	7	N/A		
VT58T	12	BN	TXL	3574287C1	3595623C1	1701	7	N/A		
VG68T	12	BN	TXL	3574287C1	3595623C1	1701	8	N/A		
VL68TA	12	BN	TXL	3574287C1	3595623C1	1701	8	N/A		
VM68TA	12	BN	TXL	3574287C1	3595623C1	1701	8	N/A		
VP68T	12	BN	TXL	3574287C1	3595623C1	1701	8	N/A		
VR68TA	12	BN	TXL	3574287C1	3595623C1	1701	8	N/A		
VT68T	12	BN	TXL	3574287C1	3595623C1	1701	8	N/A		
TJ70T	10	RD	TXL	3574287C1	3595623C1	1701	9	N/A		
TK70T	12	OR	TXL	3574287C	3595623C1	1701	9	N/A		
YB67V	18	GY	GXL	3574289C1	3595623C1	1701	9	N/A		
TE94T	12	GY	TXL	3574287C1	3595623C1	1701	10	N/A		
TJ94T	10	DKBL	TXL	3574287C1	3595623C1	1701	10	N/A		
YB67W	18	GY	GXL	3574289C1	3595623C1	1701	10	N/A		
TF72V	12	GY	TXL	3574287C1	3595623C1	1701	11	N/A		
TH72A	12	OR	TXL	3574287C	3595623C1	1701	11	N/A		
YV56BB	16	YL	TXL	3574288C1	3595623C1	1701	12	N/A		
YX56BB	16	YL	TXL	3574288C1	3595623C1	1701	12	N/A		
KA9	18	GY	TXL	3574289C1	3595623C1	1701	13	N/A		
XB94BM	16	GY	TXL	3574285C1	3595623C1	1701	14	N/A		
XE94WL	18	GY	TXL	2003343C1	3595623C1	1701	14	N/A		
X594L(+)	18	GY	TXL	2003343C1	3595623C1	1701	14	N/A		
XB94BN	16	GY	TXL	3574285C1	3595623C1	1701	15	N/A		
XE94WM	18	GY	TXL	2003343C1	3595623C1	1701	15	N/A		
X594L(-)	18	GY	TXL	2003343C1	3595623C1	1701	15	N/A		
XA94BE	16	GY	TXL	3574285C1	3595623C1	1701	16	N/A		
XE94WW	14	GY	GXL	3574285C1	3595623C1	1701	16	N/A		
X594R(+)	18	GY	TXL	2003343C1	3595623C1	1701	16	N/A		
XA94BD	16	GY	TXL	3574285C1	3595623C1	1701	17	N/A		
XE94WU	14	GY	TXL	3574285C1	3595623C1	1701	17	N/A		
X594R(-)	18	GY	TXL	2003343C1	3595623C1	1701	17	N/A		
XA94BH	16	GY	TXL	3574285C1	3595623C1	1701	18	N/A		
XE94WN	14	GY	GXL	3574285C1	3595623C1	1701	18	N/A		
XT3C(-)	18	GY	TXL	2003343C1	3595623C1	1701	18	N/A		
XU3C(-)	18	DKBL	TXL	2003343C1	3595623C1	1701	18	N/A		
XA94BF	16	GY	TXL	3574285C1	3595623C1	1701	19	N/A		
XE94WR	14	GY	GXL	3574285C1	3595623C1	1701	19	N/A		
XT3C(+)	18	DKBL	TXL	2003343C1	3595623C1	1701	19	N/A		
XU3C(+)	18	DKBL	TXL	2003343C1	3595623C1	1701	19	N/A		
XA94BL	16	GY	TXL	3574285C1	3595623C1	1701	20	N/A		
XA94BJ	16	GY	TXL	3574285C1	3595623C1	1701	21	N/A		
XC44A	18	GY	TXL	2003343C1	3595623C1	1701	21	N/A		
XX44A	18	GY	TXL	2003343C1	3595623C1	1701	21	N/A		
XA94BK	16	GY	TXL	3574285C1	3595623C1	1701	22	N/A		
XE94WS	18	GY	TXL	2003343C1	3595623C1	1701	22	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
XT90D	18	GY	TXL	2003343C1	3595623C1	1701	22	N/A		
XU90D	18	GY	TXL	2003343C1	3595623C1	1701	22	N/A		
XA94BA	16	GY	TXL	3574285C1	3595623C1	1701	23	N/A		
XE94WT	18	GY	TXL	2003343C1	3595623C1	1701	23	N/A		
XT90R	18	GY	TXL	2003343C1	3595623C1	1701	23	N/A		
XU90R	18	GY	TXL	2003343C1	3595623C1	1701	23	N/A		
XA94BB	16	GY	TXL	3574285C1	3595623C1	1701	24	N/A		
XE94G7	14	WH	GXL	3574285C1	3595623C1	1701	24	N/A		
XT90F	18	GY	TXL	2003343C1	3595623C1	1701	24	N/A		
XU90E	18	GY	TXL	2003343C1	3595623C1	1701	24	N/A		
XA94BC	16	GY	TXL	3574285C1	3595623C1	1701	25	N/A		
XE94G6	14	WH	GXL	3574285C1	3595623C1	1701	25	N/A		
XT10GV	18	WH	TXL	2003343C1	3595623C1	1701	25	N/A		
XU10-GV	18	WH	TXL	2003343C1	3595623C1	1701	25	N/A		
XS94L	12	GY	TXL	3574287C1	3595623C1	1701	26	N/A		
AA36B	18	TN	TXL	2003343C1	3595623C1	1701	27	N/A		
HD85AB	18	GY	TXL	2003343C1	3595623C1	1701	28	N/A		
AA36A	18	TN	TXL	2003343C1	3595623C1	1701	29	N/A		
KH39	16	GY	TXL	3574285C1	3595623C1	1701	31	N/A		
LS59A	18	GY	TXL	2003343C1	3595623C1	1701	32	N/A		
LT59C	18	GY	TXL	2003343C1	3595623C1	1701	33	N/A		
LT59D	18	GY	TXL	2003343C1	3595623C1	1701	34	N/A		
LU59E	18	GY	TXL	2003343C1	3595623C1	1701	35	N/A		
LY59G	18	GY	TXL	2003343C1	3595623C1	1701	36	N/A		
LY59H	18	GY	TXL	2003343C1	3595623C1	1701	37	N/A		
LY59J	18	GY	TXL	2003343C1	3595623C1	1701	38	N/A		
LY59K	18	GY	TXL	2003343C1	3595623C1	1701	39	N/A		
KH39A	16	GY	TXL	3574285C1	3595623C1	1701	40	N/A		
HE87EA	18	GY	TXL	2003343C1	3595623C1	1701	41	N/A		
YV56BC	16	YL	TXL	3574285C1	3595623C1	1701	42	N/A		
YX56BC	16	YL	TXL	3574285C1	3595623C1	1701	42	N/A		
LF104D	18	DKBL	TXL	2003343C1	3595623C1	1701	43	N/A		
NN32B	18	TN	TXL	2003343C1	3595623C1	1701	43	N/A		
LJ104DB	16	DKBL	TXL	3574285C	3595623C1	1701	44	N/A		
LX59Q	18	GY	TXL	2003343C1	3595623C1	1701	44	N/A		
NM32A	18	TN	GXL	2003343C1	3595623C1	1701	44	N/A		
KN49	18	GY	TXL	2003343C1	3595623C1	1701	45	N/A		
LW59M	18	GY	TXL	2003343C1	3595623C1	1701	46	N/A		
LX59M	18	GY	TXL	2003343C1	3595623C1	1701	46	N/A		
XG94SL	18	GY	TXL	2003343C1	3595623C1	1701	46	N/A		
LW59N	18	GY	TXL	2003343C1	3595623C1	1701	47	N/A		
LX59N	18	GY	TXL	2003343C1	3595623C1	1701	47	N/A		
XG94SM	16	GY	GXL	3574285C1	3595623C1	1701	47	N/A		
LW59P	18	GY	TXL	2003343C1	3595623C1	1701	48	N/A		
LX59P	18	GY	TXL	2003343C1	3595623C1	1701	48	N/A		
XG94SN	18	GY	TXL	2003343C1	3595623C1	1701	48	N/A		
LW59Q	18	GY	TXL	2003343C1	3595623C1	1701	49	N/A		
XL94SJ	16	GY	GXL	3574285C1	3595623C1	1701	49	N/A		
KN49A	18	GY	TXL	2003343C1	3595623C1	1701	50	N/A		
HN20	16	LTGN	TXL	3574288C1	3595623C1	1701	51	N/A		
9J5BA(+)	18	YL	TXL	2003343C1	3595623C1	1701	52	N/A		
9X5BA(+)	18	YL	TXL	2003343C1	3595623C1	1701	52	N/A		
GD5BA(+)	18	YL	TXL	2003343C1	3595623C1	1701	52	N/A		
9J5BA(-)	18	GN	TXL	2003343C1	3595623C1	1701	53	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
9X5BA(-)	18	GN	TXL	2003343C1	3595623C1	1701	53	N/A		
GD5BA(-)	18	GN	TXL	2003343C1	3595623C1	1701	53	N/A		
LZ59S	18	GY	TXL	2003343C1	3595623C1	1701	54	N/A		
XL94SA	20	GY	TXL	2003343C1	3595623C1	1701	54	N/A		
LZ59T	18	GY	TXL	2003343C1	3595623C1	1701	55	N/A		
ME61B	18	GY	TXL	2003343C1	3595623C1	1701	55	N/A		
XL94SC	20	GY	TXL	2003343C1	3595623C1	1701	55	N/A		
LZ59V	18	GY	TXL	2003343C1	3595623C1	1701	56	N/A		
ME106B	18	GY	TXL	2003343C1	3595623C1	1701	56	N/A		
XL94SB	20	GY	TXL	2003343C1	3595623C1	1701	56	N/A		
LZ59W	18	GY	TXL	2003343C1	3595623C1	1701	57	N/A		
ME110B	18	GY	TXL	2003343C1	3595623C1	1701	57	N/A		
XL94SD	20	GY	TXL	2003343C1	3595623C1	1701	57	N/A		
HE87D	18	GY	TXL	2003343C1	3595623C1	1701	58	N/A		
WC44D	18	GY	TXL	2003343C1	3595623C1	1701	58	N/A		
HE87MB	18	GY	TXL	2003343C1	3595623C1	1701	59	N/A		
KS59MB	18	GY	TXL	2003343C1	3595623C1	1701	60	N/A		
KT59MB	18	GY	TXL	2003343C1	3595623C1	1701	60	N/A		
KU59MB	18	GY	TXL	2003343C1	3595623C1	1701	60	N/A		
XC90-K	18	GY	TXL	2003343C1	3595623C1	1701	60	N/A		
XD90-GD	14	GY	TXL	3574285C1	3595623C1	1701	60	N/A		
XK94SZC	18	GY	TXL	2003343C1	3595623C1	1701	60	N/A		
XX90-K	18	GY	TXL	2003343C1	3595623C1	1701	60	N/A		
GE5A(-)	18	GN	TXL	2003343C1	3595623C1	1701	61	N/A		
GG5A(-)	18	GN	TXL	2003343C1	3595623C1	1701	61	N/A		
GQ5A(-)	18	GN	TXL	2003343C1	3595623C1	1701	61	N/A		
GT5A(-)	18	GN	TXL	2003343C1	3595623C1	1701	61	N/A		
GV5A(-)	18	GN	TXL	2003343C1	3595623C1	1701	61	N/A		
KS59NB	18	GY	TXL	2003343C1	3595623C1	1701	61	N/A		
KU59NB	18	GY	TXL	2003343C1	3595623C1	1701	61	N/A		
XK94SVC	18	GY	TXL	2003343C1	3595623C1	1701	61	N/A		
XN94AA	14	GY	GXL	3574285C1	3595623C1	1701	61	N/A		
XP94AA	14	GY	GXL	3574285C1	3595623C1	1701	61	N/A		
XQ94AA	14	GY	GXL	3574285C1	3595623C1	1701	61	N/A		
GE5A(+)	18	YL	TXL	2003343C1	3595623C1	1701	62	N/A		
GG5A(+)	18	YL	TXL	2003343C1	3595623C1	1701	62	N/A		
GQ5A(+)	18	YL	TXL	2003343C1	3595623C1	1701	62	N/A		
GT5A(+)	18	YL	TXL	2003343C1	3595623C1	1701	62	N/A		
GV5A(+)	18	YL	TXL	2003343C1	3595623C1	1701	62	N/A		
KU59NC	18	GY	TXL	2003343C1	3595623C1	1701	62	N/A		
XK94SH	18	GY	TXL	2003343C1	3595623C1	1701	62	N/A		
YV57BB	16	TN	TXL	3574285C1	3595623C1	1701	63	N/A		
YX57BB	16	LTGN	TXL	3574285C1	3595623C1	1701	63	N/A		
YV57BC	16	LTGN	TXL	3574288C1	3595623C1	1701	64	N/A		
YX57BC	16	LTGN	TXL	3574288C1	3595623C1	1701	64	N/A		
XN94AB	14	GY	GXL	3574288C1	3595623C1	1701	65	N/A		
XP94AB	16	GY	GXL	3574288C1	3595623C1	1701	65	N/A		
XQ94AB	14	GY	GXL	3574288C1	3595623C1	1701	65	N/A		
KP112	16	GY	TXL	3574288C1	3595623C1	1701	66	N/A		
KK18B	16	GY	TXL	3574288C1	3595623C1	1701	67	N/A		
KM18D	16	GY	TXL	3574288C1	3595623C1	1701	67	N/A		
ZT65	16	OR	TXL	3574288C1	3595623C1	1701	68	N/A		
WC44	16	GY	TXL	3574288C1	3595623C1	1701	69	N/A		
XM94SK	18	GY	TXL	3574289C1	3595623C1	1701	69	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
XQ94SK	16	GY	GXL	3574288C1	3595623C1	1701	69	N/A		
KQ71N	16	OR	TXL	3574288C1	3595623C1	1701	70	N/A		
VL68TB	12	BN	TXL	3574287C1	3595623C1	1701	71	N/A		
VP68BB	12	BN	TXL	3574287C1	3595623C1	1701	71	N/A		
VR68TB	16	BN	TXL	3574288C1	3595623C1	1701	71	N/A		
ZP68TB	16	BN	TXL	3574288C1	3595623C1	1701	71	N/A		
VL70TA	12	OR	TXL	3574287C	3595623C1	1701	72	N/A		
VQ70TB	12	OR	TXL	3574287C1	3595623C1	1701	72	N/A		
VS70TA	12	OR	TXL	3574287C	3595623C1	1701	72	N/A		
YX70B	12	YL	TXL	3574287C1	3595623C1	1701	72	N/A		
ZG71BB	16	OR	TXL	3574288C1	3595623C1	1701	73	N/A		
VL58TB	12	BN	TXL	3574287C1	3595623C1	1701	74	N/A		
VP58BB	12	BN	TXL	3574287C1	3595623C1	1701	74	N/A		
VR58TB	12	BN	TXL	3574287C1	3595623C1	1701	74	N/A		
VL12BB	16	LTBL	TXL	3574288C	3595623C1	1701	75	N/A		
VP12BB	16	LTBL	TXL	3574288C1	3595623C1	1701	75	N/A		
VR12BB	16	LTBL	TXL	3574288C	3595623C1	1701	75	N/A		
PF92D	18	TN	TXL	3574277C1	3595620C1	1702	1	N/A		
PC92A20A	16	TN	GXL	3574288C1	3595621C1	1702	1	N/A		
UK92A	18	TN	TXL	3574289C1	3595621C1	1702	1	N/A		
KA146	16	GY	TXL	3549417C1	3595620C1	1702	2	N/A		
TC9E	18	GY	TXL	2003343C1	3595621C1	1702	2	N/A		
TD9E	18	GY	TXL	2003343C1	3595621C1	1702	2	N/A		
KA146-G	16	GY	TXL	3549417C1	3595620C1	1702	2	N/A		
KK77A	18	LTGN	TXL	3549418C1	3595620C1	1702	3	N/A		
SA6DBJ	20	GY	TXL	2003343C1	3595621C1	1702	3	N/A		
KK77A	18	LTGN	TXL	3549418C1	3595620C1	1702	3	N/A		
KK77B	18	LTGN	TXL	3549418C1	3595620C1	1702	4	N/A		
SA77BJ	20	LTGN	TXL	2003343C1	3595621C1	1702	4	N/A		
KK77B	18	LTGN	TXL	3549418C1	3595620C1	1702	4	N/A		
RB14A	14	RD	TXL	3549417C1	3595620C1	1702	5	N/A		
MJ71A	18	OR	150	3549418C1	3595620C1	1702	6	N/A		
PG92B145	18	OR	TXL	3549418C1	3595620C1	1702	6	N/A		
PU92B145	18	OR	TXL	3549418C1	3595620C1	1702	6	N/A		
PY92#145	18	OR	TXL	3549418C1	3595620C1	1702	6	N/A		
SY92#145	18	OR	TXL	3549418C1	3595620C1	1702	6	N/A		
ZA71BA	16	OR	TXL	3574285C1	3595621C1	1702	6	N/A		
ZH71	16	OR	TXL	3574285C1	3595621C1	1702	6	N/A		
KH71	16	OR	TXL	3549417C1	3595620C1	1702	6	N/A		
MJ71A	18	OR	150	3549418C1	3595620C1	1702	6	N/A		
PY92#145	18	OR	TXL	3549418C1	3595620C1	1702	6	N/A		
SY92#145	18	OR	TXL	3549418C1	3595620C1	1702	6	N/A		
MJ71B	18	TN	150	3549418C1	3595620C1	1702	7	N/A		
PD92K	18	TN	TXL	3549418C1	3595620C1	1702	7	N/A		
PH92#165	18	TN	TXL	3549418C1	3595620C1	1702	7	N/A		
PM92#165	18	TN	TXL	3549418C1	3595620C1	1702	7	N/A		
PV92#165	18	TN	TXL	3549418C1	3595620C1	1702	7	N/A		
SM92#165	18	TN	TXL	3549418C1	3595620C1	1702	7	N/A		
ZA71BJ	16	OR	TXL	3574285C1	3595621C1	1702	7	N/A		
ZC92#165	18	TN	TXL	2003343C1	3595621C1	1702	7	N/A		
ZH71AB	16	OR	TXL	3574285C1	3595621C1	1702	7	N/A		
ZJ92#165	18	TN	TXL	2003343C1	3595621C1	1702	7	N/A		
ZL71AA	18	TN	TXL	2003343C1	3595621C1	1702	7	N/A		
KH71A	16	OR	TXL	3549417C1	3595620C1	1702	7	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
MJ71B	18	TN	150	3549418C1	3595620C1	1702	7	N/A		
PM92#165	18	TN	TXL	3549418C1	3595620C1	1702	7	N/A		
SM92#165	18	TN	TXL	3549418C1	3595620C1	1702	7	N/A		
ND13D	14	PK	GXL	3549417C1	3595620C1	1702	8	N/A		
PD92D	18	TN	TXL	3549418C1	3595620C1	1702	8	N/A		
PH92#163	18	YL	TXL	3549418C1	3595620C1	1702	8	N/A		
PM92#163	18	YL	TXL	3549418C1	3595620C1	1702	8	N/A		
PV92#163	18	YL	TXL	3549418C1	3595620C1	1702	8	N/A		
SM92#163	18	YL	TXL	3549418C1	3595620C1	1702	8	N/A		
UB92#163	16	PK	TXL	3574285C1	3595621C1	1702	8	N/A		
UD13AJ	16	PK	GXL	3574285C1	3595621C1	1702	8	N/A		
UF92#163	16	TN	TXL	3574285C1	3595621C1	1702	8	N/A		
UL92#163B	16	PK	TXL	3574285C1	3595621C1	1702	8	N/A		
KH13A	14	PK	GXL	3549417C1	3595620C1	1702	8	N/A		
PM92#163	18	YL	TXL	3549418C1	3595620C1	1702	8	N/A		
SM92#163	18	YL	TXL	3549418C1	3595620C1	1702	8	N/A		
PZ92B	18	TN	TXL	3574277C1	3595620C1	1702	9	N/A		
RB92	18	TN	TXL	3574277C1	3595620C1	1702	9	N/A		
SK14HD	14	RD	TXL	3574288C1	3595621C1	1702	9	N/A		
SL14HF	14	RD	TXL	3574288C1	3595621C1	1702	9	N/A		
ZL71C	18	WH	TXL	3574289C1	3595621C1	1702	9	N/A		
KK77	18	LTGN	TXL	3549418C1	3595620C1	1702	10	N/A		
SA77J	16	LTGN	GXL	3574285C1	3595621C1	1702	10	N/A		
KK77	18	LTGN	TXL	3549418C1	3595620C1	1702	10	N/A		
KW5A(+)	18	YL	TXL	3549418C1	3595620C1	1702	11	N/A		
NCSJ(+)	18	YL	TXL	3549418C1	3595620C1	1702	11	N/A		
PB5A(+)	18	YL	TXL	3549418C1	3595620C1	1702	11	N/A		
PCS5A(+)	18	YL	TXL	3549418C1	3595620C1	1702	11	N/A		
PS5B(+)	18	YL	TXL	3549418C1	3595620C1	1702	11	N/A		
RT5A(+)	18	YL	TXL	3549418C1	3595620C1	1702	11	N/A		
SB5A(+)	18	YL	TXL	3549418C1	3595620C1	1702	11	N/A		
9B5R(+)	18	YL	TXL	2003343C1	3595621C1	1702	11	N/A		
9C5R(+)	18	YL	TXL	2003343C1	3595621C1	1702	11	N/A		
9K5R(+)	18	YL	TXL	2003343C1	3595621C1	1702	11	N/A		
9M5R(+)	18	YL	TXL	2003343C1	3595621C1	1702	11	N/A		
9N5R(+)	18	YL	TXL	2003343C1	3595621C1	1702	11	N/A		
9Q5R(+)	18	YL	TXL	2003343C1	3595621C1	1702	11	N/A		
9R5R(+)	18	YL	TXL	2003343C1	3595621C1	1702	11	N/A		
9U5PJ(+)	18	YL	TXL	2003343C1	3595621C1	1702	11	N/A		
GB5R(+)	18	YL	TXL	2003343C1	3595621C1	1702	11	N/A		
GE5R(+)	18	YL	TXL	2003343C1	3595621C1	1702	11	N/A		
GF5R(+)	18	YL	TXL	2003343C1	3595621C1	1702	11	N/A		
GG5R(+)	18	YL	TXL	2003343C1	3595621C1	1702	11	N/A		
GH5R(+)	18	YL	TXL	2003343C1	3595621C1	1702	11	N/A		
GJ5R(+)	18	YL	TXL	2003343C1	3595621C1	1702	11	N/A		
GK5R(+)	18	YL	TXL	2003343C1	3595621C1	1702	11	N/A		
GL5R(+)	18	YL	TXL	2003343C1	3595621C1	1702	11	N/A		
GM5R(+)	18	YL	TXL	2003343C1	3595621C1	1702	11	N/A		
GN5R(+)	18	YL	TXL	2003343C1	3595621C1	1702	11	N/A		
GP5R(+)	18	YL	TXL	2003343C1	3595621C1	1702	11	N/A		
GQ5R(+)	18	YL	TXL	2003343C1	3595621C1	1702	11	N/A		
GT5R(+)	18	YL	TXL	2003343C1	3595621C1	1702	11	N/A		
GU5R(+)	18	YL	TXL	2003343C1	3595621C1	1702	11	N/A		
GV5R(+)	18	YL	TXL	2003343C1	3595621C1	1702	11	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
KW5A(+)	18	YL	TXL	3549418C1	3595620C1	1702	11	N/A		
KX5R(+)	18	YL	TXL	3549418C1	3595620C1	1702	11	N/A		
PC5E(+)	18	YL	TXL	3549418C1	3595620C1	1702	11	N/A		
SB5A(+)	18	YL	TXL	3549418C1	3595620C1	1702	11	N/A		
PH92#161	18	TN	TXL	3549418C1	3595620C1	1702	12	N/A		
PV92#161	18	TN	TXL	3549418C1	3595620C1	1702	12	N/A		
RA28B	18	TN	TXL	2003343C1	3595621C1	1702	12	N/A		
UG92#161	18	TN	TXL	2003343C1	3595621C1	1702	12	N/A		
FM28	18	TN	GXL	3549418C1	3595620C1	1702	12	N/A		
NJ31	18	TN	TXL	2003343C1	3595621C1	1702	13	N/A		
CA31B	18	TN	150	3549418C1	3595620C1	1702	13	N/A		
KG31	18	TN	TXL	3549418C1	3595620C1	1702	13	N/A		
KJ31	18	TN	TXL	3549418C1	3595620C1	1702	13	N/A		
MA88	14	LTGN	GXL	3549417C1	3595620C1	1702	14	N/A		
LP88J	18	LTGN	TXL	2003343C1	3595621C1	1702	14	N/A		
MA88	14	LTGN	GXL	3549417C1	3595620C1	1702	14	N/A		
MB41E	18	TN	TXL	2003343C1	3595621C1	1702	15	N/A		
KA17A	16	PK	TXL	3549417C1	3595620C1	1702	16	N/A		
LA17B	16	PK	TXL	3574285C1	3595621C1	1702	16	N/A		
LG17BA	16	PK	TXL	3574285C1	3595621C1	1702	16	N/A		
GA17	16	PK	GXL	3549417C1	3595620C1	1702	16	N/A		
GB17A	16	PK	TXL	3549417C1	3595620C1	1702	16	N/A		
KW5A(-)	18	GN	TXL	3549418C1	3595620C1	1702	17	N/A		
NC5J(-)	18	GN	TXL	3549418C1	3595620C1	1702	17	N/A		
PB5A(-)	18	GN	TXL	3549418C1	3595620C1	1702	17	N/A		
PC5A(-)	18	GN	TXL	3549418C1	3595620C1	1702	17	N/A		
PS5B(-)	18	GN	TXL	3549418C1	3595620C1	1702	17	N/A		
RT5A(-)	18	GN	TXL	3549418C1	3595620C1	1702	17	N/A		
SB5A(-)	18	GN	TXL	3549418C1	3595620C1	1702	17	N/A		
9B5R(-)	18	GN	TXL	2003343C1	3595621C1	1702	17	N/A		
9C5R(-)	18	GN	TXL	2003343C1	3595621C1	1702	17	N/A		
9K5R(-)	18	GN	TXL	2003343C1	3595621C1	1702	17	N/A		
9M5R(-)	18	GN	TXL	2003343C1	3595621C1	1702	17	N/A		
9N5R(-)	18	GN	TXL	2003343C1	3595621C1	1702	17	N/A		
9Q5R(-)	18	GN	TXL	2003343C1	3595621C1	1702	17	N/A		
9R5R(-)	18	GN	TXL	2003343C1	3595621C1	1702	17	N/A		
9U5PJ(-)	18	GN	TXL	2003343C1	3595621C1	1702	17	N/A		
GB5R(-)	18	GN	TXL	2003343C1	3595621C1	1702	17	N/A		
GE5R(-)	18	GN	TXL	2003343C1	3595621C1	1702	17	N/A		
GF5R(-)	18	GN	TXL	2003343C1	3595621C1	1702	17	N/A		
GG5R(-)	18	GN	TXL	2003343C1	3595621C1	1702	17	N/A		
GH5R(-)	18	GN	TXL	2003343C1	3595621C1	1702	17	N/A		
GJ5R(-)	18	GN	TXL	2003343C1	3595621C1	1702	17	N/A		
GK5R(-)	18	GN	TXL	2003343C1	3595621C1	1702	17	N/A		
GL5R(-)	18	GN	TXL	2003343C1	3595621C1	1702	17	N/A		
GM5R(-)	18	GN	TXL	2003343C1	3595621C1	1702	17	N/A		
GN5R(-)	18	GN	TXL	2003343C1	3595621C1	1702	17	N/A		
GP5R(-)	18	GN	TXL	2003343C1	3595621C1	1702	17	N/A		
GQ5R(-)	18	GN	TXL	2003343C1	3595621C1	1702	17	N/A		
GT5R(-)	18	GN	TXL	2003343C1	3595621C1	1702	17	N/A		
GU5R(-)	18	GN	TXL	2003343C1	3595621C1	1702	17	N/A		
GV5R(-)	18	GN	TXL	2003343C1	3595621C1	1702	17	N/A		
KW5A(-)	18	GN	TXL	3549418C1	3595620C1	1702	17	N/A		
KX5R(-)	18	GN	TXL	3549418C1	3595620C1	1702	17	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
PC5E(-)	18	GN	TXL	3549418C1	3595620C1	1702	17	N/A		
SB5A(-)	18	GN	TXL	3549418C1	3595620C1	1702	17	N/A		
MB41D	18	TN	TXL	2003343C1	3595621C1	1702	18	N/A		
ND17K	18	PK	GXL	3549418C1	3595620C1	1702	19	N/A		
PD92A	18	TN	TXL	3549418C1	3595620C1	1702	19	N/A		
PH92#142	18	WH	TXL	3549418C1	3595620C1	1702	19	N/A		
PM92#134	18	YL	TXL	3549418C1	3595620C1	1702	19	N/A		
PV92#142	18	WH	TXL	3549418C1	3595620C1	1702	19	N/A		
SM92#134	18	YL	TXL	3549418C1	3595620C1	1702	19	N/A		
UB92#134	18	TN	TXL	2003343C1	3595621C1	1702	19	N/A		
UD92-GCJ	18	WH	TXL	2003343C1	3595621C1	1702	19	N/A		
UL92#134	18	TN	TXL	2003343C1	3595621C1	1702	19	N/A		
KH17-GC	18	WH	TXL	3549418C1	3595620C1	1702	19	N/A		
PM92#134	18	YL	TXL	3549418C1	3595620C1	1702	19	N/A		
SM92#134	18	YL	TXL	3549418C1	3595620C1	1702	19	N/A		
ND17L	18	PK	GXL	3549418C1	3595620C1	1702	20	N/A		
PD92G	18	TN	TXL	3549418C1	3595620C1	1702	20	N/A		
PH92A141	18	TN	TXL	3549418C1	3595620C1	1702	20	N/A		
PV92A141	18	TN	TXL	3549418C1	3595620C1	1702	20	N/A		
PY92A141	18	TN	TXL	3549418C1	3595620C1	1702	20	N/A		
RL92A141	18	TN	TXL	3549418C1	3595620C1	1702	20	N/A		
SY92A141	18	TN	TXL	3549418C1	3595620C1	1702	20	N/A		
TL92A141	18	TN	TXL	3549418C1	3595620C1	1702	20	N/A		
LH92#141	18	TN	TXL	2003343C1	3595621C1	1702	20	N/A		
UB92#141	18	TN	TXL	2003343C1	3595621C1	1702	20	N/A		
UD92BJ	18	TN	TXL	2003343C1	3595621C1	1702	20	N/A		
UF92#141	18	TN	TXL	2003343C1	3595621C1	1702	20	N/A		
KH17B	18	PK	TXL	3549418C1	3595620C1	1702	20	N/A		
PY92A141	18	TN	TXL	3549418C1	3595620C1	1702	20	N/A		
RL92A141	18	TN	TXL	3549418C1	3595620C1	1702	20	N/A		
SY92A141	18	TN	TXL	3549418C1	3595620C1	1702	20	N/A		
TL92A141	18	TN	TXL	3549418C1	3595620C1	1702	20	N/A		
ND17J	16	PK	TXL	3549417C1	3595620C1	1702	21	N/A		
PK92B103	18	YL	TXL	3549418C1	3595620C1	1702	21	N/A		
RS92B103	18	YL	TXL	3549418C1	3595620C1	1702	21	N/A		
VU92#103	18	YL	TXL	3549418C1	3595620C1	1702	21	N/A		
VV92D103	18	YL	TXL	3549418C1	3595620C1	1702	21	N/A		
GX92#103	18	TN	TXL	2003343C1	3595621C1	1702	21	N/A		
GY92#103	18	TN	TXL	2003343C1	3595621C1	1702	21	N/A		
GZ92#103	18	TN	TXL	2003343C1	3595621C1	1702	21	N/A		
LA17C	16	PK	TXL	3574285C1	3595621C1	1702	21	N/A		
KH17C	18	PK	TXL	3549418C1	3595620C1	1702	21	N/A		
PR92D103	18	YL	TXL	3549418C1	3595620C1	1702	21	N/A		
SR92D103	18	YL	TXL	3549418C1	3595620C1	1702	21	N/A		
VJ97C	20	PL	TXL	3549418C1	3595620C1	1702	22	N/A		
BD97CJ	18	VT	TXL	2003343C1	3595621C1	1702	22	N/A		
BE97CJ	18	VT	TXL	2003343C1	3595621C1	1702	22	N/A		
VJ97C	20	PL	TXL	3549418C1	3595620C1	1702	22	N/A		
VJ97B	20	PL	TXL	3549418C1	3595620C1	1702	23	N/A		
BD97BJ	18	VT	TXL	2003343C1	3595621C1	1702	23	N/A		
BE97BJ	18	VT	TXL	2003343C1	3595621C1	1702	23	N/A		
VJ97B	20	PL	TXL	3549418C1	3595620C1	1702	23	N/A		
BD99D	18	VT	TXL	2003343C1	3595621C1	1702	24	N/A		
NJ92E	18	LTBL	TXL	3549418C1	3595620C1	1702	25	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
PG92B123	18	LTGN	TXL	3549418C1	3595620C1	1702	25	N/A		
PU92B123	18	LTGN	TXL	3549418C1	3595620C1	1702	25	N/A		
RM92DL	18	LTBL	TXL	3549418C1	3595620C1	1702	25	N/A		
RN92#117	18	LTBL	TXL	3549418C1	3595620C1	1702	25	N/A		
TM92DL	18	LTBL	TXL	3549418C1	3595620C1	1702	25	N/A		
TN92#117	18	LTBL	TXL	3549418C1	3595620C1	1702	25	N/A		
PC92DN2	18	TN	GXL	2003343C1	3595621C1	1702	25	N/A		
VA92#117	18	TN	TXL	2003343C1	3595621C1	1702	25	N/A		
RM92DL	18	LTBL	TXL	3549418C1	3595620C1	1702	25	N/A		
RN92#117	18	LTBL	TXL	3549418C1	3595620C1	1702	25	N/A		
TM92DL	18	LTBL	TXL	3549418C1	3595620C1	1702	25	N/A		
TN92#117	18	LTBL	TXL	3549418C1	3595620C1	1702	25	N/A		
NJ92F	18	LTGN	TXL	3549418C1	3595620C1	1702	26	N/A		
PC92A3A	18	TN	GXL	2003343C1	3595621C1	1702	26	N/A		
VB92#158	18	TN	TXL	2003343C1	3595621C1	1702	26	N/A		
PR92D158	18	LTGN	TXL	3549418C1	3595620C1	1702	26	N/A		
SR92D158	18	LTGN	TXL	3549418C1	3595620C1	1702	26	N/A		
NJ92H	18	WH	TXL	3549418C1	3595620C1	1702	27	N/A		
PC92A2	18	TN	TXL	2003343C1	3595621C1	1702	27	N/A		
PR92#124	18	WH	TXL	3549418C1	3595620C1	1702	27	N/A		
SR92#124	18	WH	TXL	3549418C1	3595620C1	1702	27	N/A		
VJ99B	20	PL	TXL	3549418C1	3595620C1	1702	28	N/A		
BD99BJ	18	VT	TXL	2003343C1	3595621C1	1702	28	N/A		
BE99BJ	18	VT	TXL	2003343C1	3595621C1	1702	28	N/A		
VJ99B	20	PL	TXL	3549418C1	3595620C1	1702	28	N/A		
BD97N	18	VT	TXL	2003343C1	3595621C1	1702	29	N/A		
KP6B	18	TN	TXL	3549418C1	3595620C1	1702	30	N/A		
VG6B	18	TN	TXL	3549418C1	3595620C1	1702	30	N/A		
VY6B	18	TN	TXL	3549418C1	3595620C1	1702	30	N/A		
BD97M	18	VT	TXL	2003343C1	3595621C1	1702	30	N/A		
BE97FU	16	VT	TXL	3574285C1	3595621C1	1702	30	N/A		
AB6B	18	GY	TXL	3549418C1	3595620C1	1702	30	N/A		
AF6B	18	GY	TXL	3549418C1	3595620C1	1702	30	N/A		
AH6B	18	GY	TXL	3549418C1	3595620C1	1702	30	N/A		
KP6B	18	GY	TXL	3549418C1	3595620C1	1702	30	N/A		
VG6B	18	PL	TXL	3549418C1	3595620C1	1702	30	N/A		
VX6B	18	GY	TXL	3549418C1	3595620C1	1702	30	N/A		
PF92E	18	TN	TXL	3549418C1	3595620C1	1702	31	N/A		
UD92YB	16	TN	TXL	3549417C1	3595620C1	1702	31	N/A		
VB92#156	18	TN	TXL	2003343C1	3595621C1	1702	31	N/A		
KH92ER	18	TN	TXL	3549418C1	3595620C1	1702	31	N/A		
PR92#156	18	PK	TXL	3549418C1	3595620C1	1702	31	N/A		
SR92#156	18	PK	TXL	3549418C1	3595620C1	1702	31	N/A		
VJ97N	20	PL	TXL	3549418C1	3595620C1	1702	32	N/A		
BE97WC	18	VT	TXL	2003343C1	3595621C1	1702	32	N/A		
VJ97N	20	PL	TXL	3549418C1	3595620C1	1702	32	N/A		
VJ97M	20	PL	TXL	3549418C1	3595620C1	1702	33	N/A		
BE97M	18	VT	TXL	2003343C1	3595621C1	1702	33	N/A		
VJ97M	20	PL	TXL	3549418C1	3595620C1	1702	33	N/A		
VB18A	18	WH	TXL	3574277C1	3595620C1	1702	34	N/A		
KL18A	16	GY	TXL	3574288C1	3595621C1	1702	34	N/A		
KM18A	16	GY	TXL	3574288C1	3595621C1	1702	34	N/A		
PC92A18A	16	TN	GXL	3574288C1	3595621C1	1702	34	N/A		
KA13C	16	PK	TXL	3549417C1	3595620C1	1702	37	N/A	3539784C1	

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
MA97FA	16	VT	TXL	3574285C1	3595621C1	1702	37	N/A		
KV13	16	PK	TXL	3549417C1	3595620C1	1702	37	N/A		
VU92#101	18	LTBL	TXL	3549418C1	3595620C1	1702	38	N/A		
VV92C101	18	LTBL	TXL	3549418C1	3595620C1	1702	38	N/A		
PA47T	18	GY	TXL	2003343C1	3595621C1	1702	38	N/A		
PB97DG	18	VT	TXL	2003343C1	3595621C1	1702	38	N/A		
PW47#125	18	GY	TXL	3549418C1	3595620C1	1702	38	N/A		
SW47#125	18	GY	TXL	3549418C1	3595620C1	1702	38	N/A		
ML93	18	TN	GXL	3549418C1	3595620C1	1702	39	N/A		
PF92C	18	TN	TXL	3549418C1	3595620C1	1702	39	N/A		
UD92AE	16	TN	TXL	3549417C1	3595620C1	1702	39	N/A		
UE92J	18	TN	TXL	2003343C1	3595621C1	1702	39	N/A		
UJ93	18	TN	TXL	2003343C1	3595621C1	1702	39	N/A		
VB92#161	18	TN	TXL	2003343C1	3595621C1	1702	39	N/A		
KH92J	18	TN	TXL	3549418C1	3595620C1	1702	39	N/A		
ML93	18	TN	GXL	3549418C1	3595620C1	1702	39	N/A		
PR92#161	18	OR	TXL	3549418C1	3595620C1	1702	39	N/A		
SR92#161	18	OR	TXL	3549418C1	3595620C1	1702	39	N/A		
KA18T	18	PK	TXL	3549418C1	3595620C1	1702	40	N/A		
UE92AJ	18	GY	TXL	2003343C1	3595621C1	1702	40	N/A		
KA18T	18	PK	TXL	3549418C1	3595620C1	1702	40	N/A		
LQ88AJ	18	LTGN	TXL	2003343C1	3595621C1	1702	41	N/A		
VB92#112	18	TN	TXL	2003343C1	3595621C1	1702	41	N/A		
PR92B112	18	PK	TXL	3549418C1	3595620C1	1702	41	N/A		
SR92B112	18	PK	TXL	3549418C1	3595620C1	1702	41	N/A		
RY14LSC	12	WH	GXL	3549415C1	3595620C1	1702	42	N/A		
HW14LSD	12	RD	TXL	3574287C1	3595621C1	1702	42	N/A		
SA77BAJ	20	LTGN	TXL	3574289C1	3595621C1	1702	42	N/A		
RY14LSC	12	WH	GXL	3549415C1	3595620C1	1702	42	N/A		
WL2-FLC	10	RS	FUS	338892C2		1703	1	2644054R1		
WL2-FLD	10	RS	FUS	338892C2		1703	1	2644054R1		
AA56B	20	OR	TXL	3544883C1	3553649C1	1800	A1	N/A		
AA57B	20	OR	TXL	3544883C1	3553649C1	1800	A2	N/A		
AD87-GA	18	WH	TXL	3544876C1	3553649C1	1800	A3	N/A		
AE87-GA	18	WH	TXL	3544876C1	3553649C1	1800	A3	N/A		
KA9C	18	GY	TXL	3544876C1	3553649C1	1800	A4	N/A		
HE87A	20	GY	TXL	3544875C1	3553649C1	1800	A5	N/A		
HJ87A	18	GY	TXL	3544876C1	3553649C1	1800	A5	N/A		
WB70A	20	RD	TXL	3544875C1	3553649C1	1800	A6	N/A		
AA52D	20	YL	GXL	3544883C1	3553649C1	1800	A7	N/A		
AA102A	20	YL	TXL	3544883C1	3553649C1	1800	A8	N/A		
AA82C	20	GY	TXL	3544883C1	3553649C1	1800	B1	N/A		
AA85A	20	GY	TXL	3544883C1	3553649C1	1800	B10	N/A		
AA150	20	GY	TXL	3544883C1	3553649C1	1800	B11	N/A		
SN86A	18	GY	TXL	3544884C1	3553649C1	1800	B12	N/A		
NK40A	18	GY	GXL	3544884C1	3553649C1	1800	B2	N/A		
NK6	18	GY	GXL	3544884C1	3553649C1	1800	B3	N/A		
WC6	20	GY	TXL	3544883C1	3553649C1	1800	B3	N/A		
BD97B	18	VT	TXL	3544884C1	3553649C1	1800	B4	N/A		
BE97B	18	VT	TXL	3544884C1	3553649C1	1800	B4	N/A		
BD97MA	18	VT	TXL	3544884C1	3553649C1	1800	B5	N/A		
BE97F	16	VT	TXL	3544884C1	3553649C1	1800	B5	N/A		
BD97NA	18	VT	TXL	3544884C1	3553649C1	1800	B6	N/A		
BE97WD	18	VT	TXL	3544884C1	3553649C1	1800	B6	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
WA44	16	GY	TXL	3544884C1	3553649C1	1800	B7	N/A		
WE44AA	16	GY	TXL	3544884C1	3553649C1	1800	B7	N/A		
WB70	20	RD	TXL	3544883C1	3553649C1	1800	B9	N/A		
XS70	18	GY	TXL	3544884C1	3553649C1	1800	B9	N/A		
AA82B	20	GY	TXL	3544883C1	3553649C1	1800	C1	N/A		
XF94SZE	16	GY	TXL	3544884C1	3553649C1	1800	C10	N/A		
XH94SZ	18	GY	TXL	3544884C1	3553649C1	1800	C10	N/A		
XK94SZE	18	GY	TXL	3544884C1	3553649C1	1800	C10	N/A		
UA97A	18	VT	TXL	3544884C1	3553649C1	1800	C11	N/A		
NK40	18	GY	GXL	3544884C1	3553649C1	1800	C12	N/A		
WC40	18	GY	TXL	3544884C1	3553649C1	1800	C12	N/A		
NK40BB	18	GY	TXL	3544884C1	3553649C1	1800	C2	N/A		
XF94SV	16	GY	TXL	3544884C1	3553649C1	1800	C3	N/A		
XH94SV	18	GY	TXL	3544884C1	3553649C1	1800	C3	N/A		
XK94SVE	18	GY	TXL	3544884C1	3553649C1	1800	C3	N/A		
BD99B	18	VT	TXL	3544884C1	3553649C1	1800	C4	N/A		
BE99B	18	VT	TXL	3544884C1	3553649C1	1800	C4	N/A		
BD97C	18	VT	TXL	3544884C1	3553649C1	1800	C5	N/A		
BE97C	18	VT	TXL	3544884C1	3553649C1	1800	C5	N/A		
BD99DA	18	VT	TXL	3544884C1	3553649C1	1800	C6	N/A		
BE97MA	18	VT	TXL	3544884C1	3553649C1	1800	C6	N/A		
AA82A	20	GY	TXL	3544883C1	3553649C1	1800	C9	N/A		
AB62DD	18	DKBL	TXL	3544876C1	3553649C1	1800	D3	N/A		
AC62DD	18	DKBL	TXL	3544876C1	3553649C1	1800	D3	N/A		
XF94SE	18	GY	TXL	3544876C1	3553649C1	1800	D5	N/A		
XL94SE	18	GY	TXL	3544876C1	3553649C1	1800	D5	N/A		
XF94SF	18	GY	TXL	3544876C1	3553649C1	1800	D6	N/A		
XL94SF	18	GY	TXL	3544876C1	3553649C1	1800	D6	N/A		
LB17BA	18	PK	TXL	3544884C1	3553649C1	1800	D7	N/A		
LD149AC	18	GY	TXL	3544884C1	3553649C1	1800	D7	N/A		
UA17B	18	PK	TXL	3544884C1	3553649C1	1800	D8	N/A		
BL97	20	GY	TXL	3608497C1	3608496C1	1802	1	N/A		
BX97	20	GY	TXL	3608497C1	3608496C1	1802	1	N/A		
BZ97	20	GY	TXL	3608497C1	3608496C1	1802	1	N/A		
CA97	20	GY	TXL	3608497C1	3608496C1	1802	1	N/A		
CC97	20	GY	TXL	3608497C1	3608496C1	1802	1	N/A		
CD97	20	GY	TXL	3608497C1	3608496C1	1802	1	N/A		
BL100	20	GY	TXL	3608497C1	3608496C1	1802	2	N/A		
BX100	20	GY	TXL	3608497C1	3608496C1	1802	2	N/A		
BZ100	20	GY	TXL	3608497C1	3608496C1	1802	2	N/A		
CA100	20	GY	TXL	3608497C1	3608496C1	1802	2	N/A		
CC100	20	GY	TXL	3608497C1	3608496C1	1802	2	N/A		
CD100	20	GY	TXL	3608497C1	3608496C1	1802	2	N/A		
BE85A	20	GY	TXL	3608497C1	3608496C1	1802	3	N/A		
BL85A	20	GY	TXL	3608497C1	3608496C1	1802	3	N/A		
CA85A	20	GY	TXL	3608497C1	3608496C1	1802	3	N/A		
BL9VA	20	GY	TXL	3608497C1	3608496C1	1802	4	N/A		
BX9VA	20	GY	TXL	3608497C1	3608496C1	1802	4	N/A		
BZ9VA	20	GY	TXL	3608497C1	3608496C1	1802	4	N/A		
CA9VA	20	GY	TXL	3608497C1	3608496C1	1802	4	N/A		
CC9VA	20	GY	TXL	3608497C1	3608496C1	1802	4	N/A		
CD9VA	20	GY	TXL	3608497C1	3608496C1	1802	4	N/A		
BE62DD	20	DKBL	TXL	3608497C1	3608496C1	1802	5	N/A		
BL62DD	20	DKBL	TXL	3608497C1	3608496C1	1802	5	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
CA62DD	20	DKBL	TXL	3608497C1	3608496C1	1802	5	N/A		
BE62-GDD	18	WH	TXL	3608497C1	3608496C1	1802	6	N/A		
BL62-GDD	18	WH	TXL	3608497C1	3608496C1	1802	6	N/A		
CA62-GDD	18	WH	TXL	3608497C1	3608496C1	1802	6	N/A		
BB99V	18	VT/WH	GXL	2036586C1	1673744C1	1804	1	N/A		
BB97Y	18	VT	GXL	2036586C1	1673744C1	1804	2	N/A		
BB97P	18	VT/BK	GXL	2036586C1	1673744C1	1804	3	N/A		
BB99U	18	VT/WH	GXL	2036586C1	1673744C1	1804	4	N/A		
BB99W	18	VT	GXL	2036586C1	1673744C1	1804	5	N/A		
BB99E	18	VT/BK	GXL	2036586C1	1673744C1	1804	6	N/A		
CA17J	18	PK	TXL	1667742C1	3540757C1	1807	A	N/A		
CB17J	18	PK	TXL	1667742C1	3540757C1	1807	A	N/A		
CC17J	18	PK	TXL	1667742C1	3540757C1	1807	A	N/A		
CD17J	18	PK	TXL	1667742C1	3540757C1	1807	A	N/A		
CE17J	18	PK	TXL	1667742C1	3540757C1	1807	A	N/A		
CF17J	18	PK	TXL	1667742C1	3540757C1	1807	A	N/A		
CA17H	18	PK	TXL	1667742C1	3540757C1	1807	B	N/A		
CB17H	18	PK	TXL	1667742C1	3540757C1	1807	B	N/A		
CC17H	18	PK	TXL	1667742C1	3540757C1	1807	B	N/A		
CD17H	18	PK	TXL	1667742C1	3540757C1	1807	B	N/A		
CE17H	18	PK	TXL	1667742C1	3540757C1	1807	B	N/A		
CF17H	18	PK	TXL	1667742C1	3540757C1	1807	B	N/A		
CA97A	18	VT	GXL	1667742C1	3540757C1	1807	C	N/A		
CB97A	18	VT	GXL	1667742C1	3540757C1	1807	C	N/A		
CC97A	18	VT	GXL	1667742C1	3540757C1	1807	C	N/A		
CD97A	18	VT	GXL	1667742C1	3540757C1	1807	C	N/A		
CE97A	18	VT	GXL	1667742C1	3540757C1	1807	C	N/A		
CF97A	18	VT	GXL	1667742C1	3540757C1	1807	C	N/A		
CA9VB	18	GY	TXL	1667742C1	3540757C1	1807	D	N/A		
CB9VB	18	GY	TXL	1667742C1	3540757C1	1807	D	N/A		
CC9VB	18	GY	TXL	1667742C1	3540757C1	1807	D	N/A		
CD9VB	18	GY	TXL	1667742C1	3540757C1	1807	D	N/A		
CE9VB	18	GY	TXL	1667742C1	3540757C1	1807	D	N/A		
CF9VB	18	GY	TXL	1667742C1	3540757C1	1807	D	N/A		
BF97	20	GY	TXL	3544254C1	3547870C1	1809	A	N/A		
BG97	20	GY	TXL	3544254C1	3547870C1	1809	A	N/A		
CB97	20	GY	TXL	3544254C1	3547870C1	1809	A	N/A		
BF85B	20	GY	TXL	3544254C1	3547870C1	1809	B	N/A		
BG85B	20	GY	TXL	3544254C1	3547870C1	1809	B	N/A		
CB85B	20	GY	TXL	3544254C1	3547870C1	1809	B	N/A		
BF62DD	20	DKBL	TXL	3544254C1	3547870C1	1809	C	N/A		
BG62DD	20	DKBL	TXL	3544254C1	3547870C1	1809	C	N/A		
CB62DD	20	DKBL	TXL	3544254C1	3547870C1	1809	C	N/A		
BG9R	18	GY	TXL	1661261C1	3547870C1	1809	D	N/A		
BV9R	18	GY	TXL	1661261C1	3547870C1	1809	D	N/A		
BW9R	18	GY	TXL	1661261C1	3547870C1	1809	D	N/A		
CB9R	18	GY	TXL	1661261C1	3547870C1	1809	D	N/A		
CE9R	18	GY	TXL	1661261C1	3547870C1	1809	D	N/A		
CF9R	18	GY	TXL	1661261C1	3547870C1	1809	D	N/A		
BB56A	18	OR	TXL	3571717C1	3539212C1	1810	1	N/A		
BB57A	18	OR	TXL	3571717C1	3539212C1	1810	2	N/A		
BB52A	18	YL	TXL	3571717C1	3539212C1	1810	3	N/A		
BB102A	18	YL	TXL	3571717C1	3539212C1	1810	4	N/A		
BB82B	18	GY	TXL	3571717C1	3539212C1	1810	5	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
BE87-G	18	WH	TXL	3571717C1	3539212C1	1810	6	N/A		
BF11-GAA	18	WH	TXL	3571717C1	3539212C1	1810	6	N/A		
BG11-GAA	18	WH	TXL	3571717C1	3539212C1	1810	6	N/A		
BL87-G	18	WH	TXL	3571717C1	3539212C1	1810	6	N/A		
CA87-G	18	WH	TXL	3571717C1	3539212C1	1810	6	N/A		
CB11-GAA	18	WH	TXL	3571717C1	3539212C1	1810	6	N/A		
BG9S	18	GY	TXL	3571717C1	3539212C1	1810	7	N/A		
BL9S	18	GY	TXL	3571717C1	3539212C1	1810	7	N/A		
BV9S	18	GY	TXL	3571717C1	3539212C1	1810	7	N/A		
BW9S	18	GY	TXL	3571717C1	3539212C1	1810	7	N/A		
BX9S	18	GY	TXL	3571717C1	3539212C1	1810	7	N/A		
BZ9S	18	GY	TXL	3571717C1	3539212C1	1810	7	N/A		
CA9S	18	GY	TXL	3571717C1	3539212C1	1810	7	N/A		
CB9S	18	GY	TXL	3571717C1	3539212C1	1810	7	N/A		
CC9S	18	GY	TXL	3571717C1	3539212C1	1810	7	N/A		
CD9S	18	GY	TXL	3571717C1	3539212C1	1810	7	N/A		
CE9S	18	GY	TXL	3571717C1	3539212C1	1810	7	N/A		
CF9S	18	GY	TXL	3571717C1	3539212C1	1810	7	N/A		
BB82	18	GY	TXL	3571717C1	3539212C1	1810	8	N/A		
BB82A	18	GY	TXL	3571717C1	3539212C1	1810	11	N/A		
BB87A	18	GY	TXL	3571717C1	3539212C1	1810	12	N/A		
BG9VC	18	GY	TXL	1651943C1	1678137C1	1811	A	N/A		
BL9VC	18	GY	TXL	1651943C1	1678137C1	1811	A	N/A		
BW9VC	18	GY	TXL	1651943C1	1678137C1	1811	A	N/A		
BZ9VC	18	GY	TXL	1651943C1	1678137C1	1811	A	N/A		
CA9VC	18	GY	TXL	1651943C1	1678137C1	1811	A	N/A		
CB9VC	18	GY	TXL	1651943C1	1678137C1	1811	A	N/A		
CC9VC	18	GY	TXL	1651943C1	1678137C1	1811	A	N/A		
CE9VC	18	GY	TXL	1651943C1	1678137C1	1811	A	N/A		
BG6HB	18	GY	TXL	1651943C1	1678137C1	1811	B	N/A		
BL6HB	18	GY	TXL	1651943C1	1678137C1	1811	B	N/A		
BW6HB	18	GY	TXL	1651943C1	1678137C1	1811	B	N/A		
BZ6HB	18	GY	TXL	1651943C1	1678137C1	1811	B	N/A		
CA6HB	18	GY	TXL	1651943C1	1678137C1	1811	B	N/A		
CB6HB	18	GY	TXL	1651943C1	1678137C1	1811	B	N/A		
CC6HB	18	GY	TXL	1651943C1	1678137C1	1811	B	N/A		
CE6HB	18	GY	TXL	1651943C1	1678137C1	1811	B	N/A		
BG40	18	GY	TXL	1651943C1	1678137C1	1811	C	N/A		
BL40	18	GY	TXL	1651943C1	1678137C1	1811	C	N/A		
BW40	18	GY	TXL	1651943C1	1678137C1	1811	C	N/A		
BZ40	18	GY	TXL	1651943C1	1678137C1	1811	C	N/A		
CA40	18	GY	TXL	1651943C1	1678137C1	1811	C	N/A		
CB40	18	GY	TXL	1651943C1	1678137C1	1811	C	N/A		
CC40	18	GY	TXL	1651943C1	1678137C1	1811	C	N/A		
CE40	18	GY	TXL	1651943C1	1678137C1	1811	C	N/A		
BG9VE	18	GY	TXL	1651943C1	1678137C1	1812	A	N/A		
BL9VE	18	GY	TXL	1651943C1	1678137C1	1812	A	N/A		
CA9VE	18	GY	TXL	1651943C1	1678137C1	1812	A	N/A		
CB9VE	18	GY	TXL	1651943C1	1678137C1	1812	A	N/A		
BG6HA	18	GY	TXL	1651943C1	1678137C1	1812	B	N/A		
BL6HA	18	GY	TXL	1651943C1	1678137C1	1812	B	N/A		
CA6HA	18	GY	TXL	1651943C1	1678137C1	1812	B	N/A		
CB6HA	18	GY	TXL	1651943C1	1678137C1	1812	B	N/A		
BG40A	18	GY	TXL	1651943C1	1678137C1	1812	C	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
BL40A	18	GY	TXL	1651943C1	1678137C1	1812	C	N/A		
CA40A	18	GY	TXL	1651943C1	1678137C1	1812	C	N/A		
CB40A	18	GY	TXL	1651943C1	1678137C1	1812	C	N/A		
BG44BB	18	GY	TXL	1661875C1	1661777C1	1813	C	N/A		
BL44BB	18	GY	TXL	1661875C1	1661777C1	1813	C	N/A		
BW44BB	18	GY	TXL	1661875C1	1661777C1	1813	C	N/A		
BZ44BB	18	GY	TXL	1661875C1	1661777C1	1813	C	N/A		
CA44BB	18	GY	TXL	1661875C1	1661777C1	1813	C	N/A		
CB44BB	18	GY	TXL	1661875C1	1661777C1	1813	C	N/A		
CC44BB	18	GY	TXL	1661875C1	1661777C1	1813	C	N/A		
CE44BB	18	GY	TXL	1661875C1	1661777C1	1813	C	N/A		
BG9VD	18	GY	TXL	1661875C1	1661777C1	1813	D	N/A		
BL9VD	18	GY	TXL	1661875C1	1661777C1	1813	D	N/A		
BW9VD	18	GY	TXL	1661875C1	1661777C1	1813	D	N/A		
BZ9VD	18	GY	TXL	1661875C1	1661777C1	1813	D	N/A		
CA9VD	18	GY	TXL	1661875C1	1661777C1	1813	D	N/A		
CB9VD	18	GY	TXL	1661875C1	1661777C1	1813	D	N/A		
CC9VD	18	GY	TXL	1661875C1	1661777C1	1813	D	N/A		
CE9VD	18	GY	TXL	1661875C1	1661777C1	1813	D	N/A		
BN94SC	20	GY	TXL	3601801C1	3601800C1	1821	1	N/A		
BN94SA	20	GY	TXL	3601801C1	3601800C1	1821	2	N/A		
BN94SB	20	GY	TXL	3601801C1	3601800C1	1821	3	N/A		
BN94SD	20	GY	TXL	3601801C1	3601800C1	1821	4	N/A		
HB103-FL	10	RS	FUS	3866817C1		1822	1	2644005R1		
HC103-FL	10	RS	FUS	3866817C1		1822	1	2644005R1		
BG9VF	18	GY	TXL	1651943C1	1678137C1	1822	A	N/A		
BL9VF	18	GY	TXL	1651943C1	1678137C1	1822	A	N/A		
CA9VF	18	GY	TXL	1651943C1	1678137C1	1822	A	N/A		
CB9VF	18	GY	TXL	1651943C1	1678137C1	1822	A	N/A		
BG6HC	18	GY	TXL	1651943C1	1678137C1	1822	B	N/A		
BL6HC	18	GY	TXL	1651943C1	1678137C1	1822	B	N/A		
CA6HC	18	GY	TXL	1651943C1	1678137C1	1822	B	N/A		
CB6HC	18	GY	TXL	1651943C1	1678137C1	1822	B	N/A		
BG40F	18	GY	TXL	1651943C1	1678137C1	1822	C	N/A		
BL40F	18	GY	TXL	1651943C1	1678137C1	1822	C	N/A		
CA40F	18	GY	TXL	1651943C1	1678137C1	1822	C	N/A		
CB40F	18	GY	TXL	1651943C1	1678137C1	1822	C	N/A		
BG70A	18	OR	TXL	1661875C1	1661777C1	1823	C	N/A		
BL70A	18	OR	TXL	1661875C1	1661777C1	1823	C	N/A		
CA70A	18	OR	TXL	1661875C1	1661777C1	1823	C	N/A		
CB70A	18	OR	TXL	1661875C1	1661777C1	1823	C	N/A		
BG9VG	18	GY	TXL	1661875C1	1661777C1	1823	D	N/A		
BL9VG	18	GY	TXL	1661875C1	1661777C1	1823	D	N/A		
CA9VG	18	GY	TXL	1661875C1	1661777C1	1823	D	N/A		
CB9VG	18	GY	TXL	1661875C1	1661777C1	1823	D	N/A		
BG70	18	OR	TXL	1661875C1	1661777C1	1824	C	N/A		
BL70	18	OR	TXL	1661875C1	1661777C1	1824	C	N/A		
CA70	18	OR	TXL	1661875C1	1661777C1	1824	C	N/A		
CB70	18	OR	TXL	1661875C1	1661777C1	1824	C	N/A		
BG9VH	18	GY	TXL	1661875C1	1661777C1	1824	D	N/A		
BL9VH	18	GY	TXL	1661875C1	1661777C1	1824	D	N/A		
CA9VH	18	GY	TXL	1661875C1	1661777C1	1824	D	N/A		
CB9VH	18	GY	TXL	1661875C1	1661777C1	1824	D	N/A		
BN94SZA	18	GY	GXL	1651943C1	1678137C1	1826	A	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
BN945VA	18	GY	GXL	1651943C1	1678137C1	1826	B	N/A		
BN945E	18	GY	GXL	1651943C1	1678137C1	1826	C	N/A		
BN945ZB	18	GY	GXL	1651943C1	1678137C1	1828	A	N/A		
BN945VB	18	GY	GXL	1651943C1	1678137C1	1828	B	N/A		
BN945F	18	GY	GXL	1651943C1	1678137C1	1828	C	N/A		
UL62Z	18	DKBL	TXL	3517243C1	3605446C91	1852	3	N/A		
UL92-GAH	18	WH	TXL	3517243C1	3605446C91	1852	5	N/A		
9Q5J(+)	18	YL	TXL	3517243C1	3605446C91	1852	8	N/A		
GB5J(+)	18	YL	TXL	3517243C1	3605446C91	1852	8	N/A		
GF5J(+)	18	YL	TXL	3517243C1	3605446C91	1852	8	N/A		
GU5J(+)	18	YL	TXL	3517243C1	3605446C91	1852	8	N/A		
GV5J(+)	18	YL	TXL	3517243C1	3605446C91	1852	8	N/A		
UL92#134A	18	TN	TXL	3517243C1	3605446C91	1852	11	N/A		
UL92#163	18	TN	TXL	3517243C1	3605446C91	1852	12	N/A		
UL92BT	18	TN	TXL	3517243C1	3605446C91	1852	13	N/A		
9Q5J(-)	18	GN	TXL	3517243C1	3605446C91	1852	15	N/A		
GB5J(-)	18	GN	TXL	3517243C1	3605446C91	1852	15	N/A		
GF5J(-)	18	GN	TXL	3517243C1	3605446C91	1852	15	N/A		
GU5J(-)	18	GN	TXL	3517243C1	3605446C91	1852	15	N/A		
GV5J(-)	18	GN	TXL	3517243C1	3605446C91	1852	15	N/A		
HC103S	6	RD	SGX	373756C2		1870	1	2644054R1		
HR72A	12	OR	TXL	1673747C1	587568C91	1872	A	589391C1		
HR72-GY	12	WH	TXL	1673747C1	587568C91	1872	B	589391C1		
HR72C	12	OR	TXL	2022374C1	593385C1	1873	R1-30	N/A		
HW14LP	10	RD	GXL	2022374C1	593385C1	1873	R1-30	N/A		
HR13X	16	PK	TXL	2018946C1	593385C1	1873	R1-85	N/A		
HW12LC	18	PK	TXL	1659673C1	593385C1	1873	R1-85	N/A		
HR11-GCB	18	WH	TXL	1659673C1	593385C1	1873	R1-86	N/A		
HW11-GCB	18	WH	TXL	1659673C1	593385C1	1873	R1-86	N/A		
HR72A	12	OR	TXL	2022374C1	593385C1	1873	R1-87	N/A		
HW14BC	16	RD	GXL	1661710C1	593385C1	1873	R1-87	N/A		
HW14LSC	12	RD	TXL	1661710C1	593385C1	1873	R1-87	N/A		
JC84C	14	LTGN	TXL	3534165C1	4094648C1	1901	A	N/A		
JC11-GAC	14	WH	TXL	3534165C1	4094648C1	1901	C	N/A		
JB86C	14	LTGN	TXL	3517476C1	3517473C1	1902	A	N/A		
JB11-GCC	14	WH	TXL	3517476C1	3517473C1	1902	B	N/A		
JA84	14	LTGN	TXL	3534165C1	4094648C1	1903	A	N/A		
JA11-GAF	14	WH	TXL	3534165C1	4094648C1	1903	C	N/A		
JA11-GUC	20	WH	TXL	4081932C1	3768147C1	1904	1	N/A		
JA13UA	20	PK	TXL	4081932C1	3768147C1	1904	2	N/A		
JC11-GUB	20	WH	TXL	4081932C1	3768147C1	1905	1	N/A		
JC13UC	20	PK	TXL	4081932C1	3768147C1	1905	2	N/A		
SH14HCA	14	RD	TXL	N/A	BLUNT_SL_V	1913	B	N/A		
SK14HC	14	RD	TXL	N/A	BLUNT_SL_V	1913	B	N/A		
SH11-GAP	14	WH	TXL	N/A	BLUNT_SL_V	1914	B	N/A		
SK11-GAP	14	WH	TXL	N/A	BLUNT_SL_V	1914	B	N/A		
SH86P	16	LTGN	TXL	N/A	BLUNT_SL_V	1915	B	N/A		
SK86P	16	LTGN	TXL	N/A	BLUNT_SL_V	1915	B	N/A		
LL13B	16	PK	TXL	N/A	BLUNT_SL_V	1916	A	N/A		
MQ86RCD	18	LTGN	TXL	1661261C1	1661259C1	1917	A	N/A		
MQ86-GD2	18	WH	TXL	1661261C1	1661259C1	1917	B	N/A		
QC105-GAP	18	WH	TXL	587578C1	587567C91	1918	A	N/A		
QD105-GB	16	WH	TXL	587577C1	587567C91	1918	A	N/A		
QE14B	12	RD	TXL	1673748C1	587567C91	1918	A	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
QF14A	12	RD	TXL	1673748C1	587567C91	1918	A	N/A		
QC105	18	LTGN	TXL	587578C1	587567C91	1918	B	N/A		
QD105B	16	LTGN	TXL	587577C1	587567C91	1918	B	N/A		
QE11-GP	12	WH	TXL	1673748C1	587567C91	1918	B	N/A		
QF11-GCN	12	WH	TXL	1673748C1	587567C91	1918	B	N/A		
LL14G	16	RD	TXL	N/A	BLUNT_SL_V	1919	A	N/A		
VW5CC(-)	18	GN	TXL	2005483C1	3616085C1	1921	2	N/A		
VW13EE	16	PK	TXL	2005483C1	3616085C1	1921	3	N/A		
VW11-GBE	16	WH	TXL	2005483C1	3616085C1	1921	4	N/A		
VW14EA	16	RD	GXL	2005483C1	3616085C1	1921	5	N/A		
VW5CC(+)	18	YL	TXL	2005483C1	3616085C1	1921	7	N/A		
TJ14NS	12	BK	TXL	N/A	BLUNT_SL_V	1923	A	N/A		
TJ70E	10	RD	TXL	N/A	BLUNT_SL_V	1923	B	N/A		
TJ94T	10	DKBL	TXL	N/A	BLUNT_SL_V	1923	C	N/A		
TJ11-GAM	16	WH	TXL	N/A	BLUNT_SL_V	1923	D	N/A		
VW11-GEF	14	WH	TXL	3534167C1	3554818C1	1924	A	N/A		
VW14ED	14	RD	GXL	3534167C1	3554818C1	1924	B	N/A		
DL13BA	18	PK	TXL	1661208C1	3544677C1	1926	A	N/A		
DL11-GAR	18	WH	TXL	1661208C1	3544677C1	1926	B	N/A		
DL5V(+)	18	YL	TXL	1661208C1	3544677C1	1926	C	N/A		
DL5V(-)	18	GN	TXL	1661208C1	3544677C1	1926	D	N/A		
DL179	18	WH	TXL	1661208C1	3544677C1	1926	E	N/A		
NP13DCH	18	PK	TXL	3673333C1	3704144C1	1928	1	N/A		
NP91	20	-	TXL	3673333C1	3704144C1	1928	2	N/A		
NP14DCF	18	RD	TXL	3673333C1	3704144C1	1928	3	N/A		
NP11-GD	18	WH	TXL	3673333C1	3704144C1	1928	4	N/A		
QD105-GA	16	WH	TXL	587577C1	587567C91	1935	A	N/A		
QE14C	12	RD	TXL	1673748C1	587567C91	1935	A	N/A		
QD105A	16	LTGN	TXL	587577C1	587567C91	1935	B	N/A		
QE11-GR	12	WH	TXL	1673748C1	587567C91	1935	B	N/A		
MM14ED	18	RD	GXL	1661875C1	2011340C1	1939	C	N/A		
MM11-GBH	18	WH	TXL	1661875C1	2011340C1	1939	D	N/A		
MM13EE	18	PK	TXL	1661875C1	2011340C1	1939	E	N/A		
VU103A	18	LTGN	TXL	N/A	BLUNT_SL_V	1940	A	N/A		
VU103B	18	LTGN	TXL	N/A	BLUNT_SL_V	1940	B	N/A		
VU103C	18	LTGN	TXL	N/A	BLUNT_SL_V	1940	C	N/A		
VU103D	18	LTGN	TXL	N/A	BLUNT_SL_V	1940	D	N/A		
VU92F	18	GY	TXL	N/A	BLUNT_SL_V	1940	E	N/A		
VV44A	18	GY	GXL	N/A	BLUNT_SL_V	1941	A	N/A		
PA47TA	16	GY	GXL	N/A	BLUNT_SL_V	1945	A	N/A		
NP14DCA	18	RD	TXL	3673333C1	3704182C1	1950	2	N/A		
NP13DCB	18	PK	TXL	3673333C1	3704182C1	1950	4	N/A		
NP11-GC	18	WH	TXL	3673333C1	3704182C1	1950	6	N/A		
NP5DZ(+)	18	YL	TXL	3673333C1	3704182C1	1950	8	N/A		
NP5DZ(-)	18	GN	TXL	3673333C1	3704182C1	1950	9	N/A		
NP91	20	-	TXL	3673333C1	3704182C1	1950	16	N/A		
KA18	18	PK	TXL	3710089C1		2000	1	2644038R1		
YP58T	18	BN	TXL	3544692C1	3544688C1	2000	1	N/A		
YS58T	18	BN	TXL	3544692C1	3544688C1	2000	1	N/A		
KA18	18	PK	TXL	3710089C1		2000	1	2644038R1		
SM86F	18	LTGN	TXL	3544692C1	3544688C1	2000	2	N/A		
AD63-GA	16	WH	TXL	3544694C1	3544688C1	2000	3	N/A		
AE63-GA	16	WH	TXL	3544694C1	3544688C1	2000	3	N/A		
WF63	18	DKBL	TXL	3544692C1	3544688C1	2000	4	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
WG63BD	18	DKBL	TXL	3544692C1	3544688C1	2000	4	N/A		
WJ63BD	18	DKBL	TXL	3544692C1	3544688C1	2000	4	N/A		
AA63BD	18	DKBL	TXL	3544692C1	3544688C1	2000	5	N/A		
9B5F(-)	18	GN	TXL	3544692C1	3544688C1	2000	9	N/A		
9C5F(-)	18	GN	TXL	3544692C1	3544688C1	2000	9	N/A		
GF5F(-)	18	GN	TXL	3544692C1	3544688C1	2000	9	N/A		
9B5F(+)	18	YL	TXL	3544692C1	3544688C1	2000	10	N/A		
9C5F(+)	18	YL	TXL	3544692C1	3544688C1	2000	10	N/A		
GF5F(+)	18	YL	TXL	3544692C1	3544688C1	2000	10	N/A		
KA18S	18	PK	TXL	3710089C1		2001	1	2644038R1		
KA18S	18	PK	TXL	3710089C1		2001	1	2644038R1		
ZR12U	12	LTBL	TXL	3546091C	3554817C1	2021	A	N/A		
ZR12-GB	12	WH	TXL	3546091C1	3554817C1	2021	B	N/A		
NE14A	20	PK	TXL	3535805C1	3833917C1	2224	1	N/A		
ND10AA	20	WH	TXL	3535805C1	3833917C1	2224	2	N/A		
NC12B	20	LTBL	TXL	3535805C1	3833917C1	2224	3	N/A		
ND10AB	20	WH	TXL	3535805C1	3833917C1	2224	5	N/A		
ND9A	20	WH	TXL	3867325C1	3834322C1	2225	1	N/A		
NG5L(+)	20	YL	193	3867325C1	3834322C1	2225	8	N/A		
ND10AC	20	WH	TXL	3867325C1	3834322C1	2225	10	N/A		
NE86AA	20	LTGN	TXL	3867325C1	3834322C1	2225	11	N/A		
NE86AB	20	LTGN	TXL	3867325C1	3834322C1	2225	12	N/A		
NE86AC	20	LTGN	TXL	3867325C1	3834322C1	2225	13	N/A		
NE86AD	20	LTGN	TXL	3867325C1	3834322C1	2225	14	N/A		
ND10AD	20	LTGN	TXL	3867325C1	3834322C1	2225	15	N/A		
NG5L(-)	20	GN	193	3867325C1	3834322C1	2225	16	N/A		
AA63B	16	DKBL	TXL	3534165C1	3533975C1	2312	A	N/A		
AA9BAA	16	GY	TXL	3534165C1	3533975C1	2312	B	N/A		
SP86BA	18	LTGN	TXL	3534164C1	3533975C1	2312	C	N/A		
SP86CA	18	LTGN	TXL	3534164C1	3533975C1	2312	D	N/A		
AA63C	16	DKBL	TXL	3534165C1	3533975C1	2313	A	N/A		
AA9BAB	16	GY	TXL	3534165C1	3533975C1	2313	B	N/A		
SP86DA	18	LTGN	TXL	3534164C1	3533975C1	2313	C	N/A		
SP86EA	18	LTGN	TXL	3534164C1	3533975C1	2313	D	N/A		
SR86A(-)	20	LTGN	TXL	3834457C1	3811207C1	2505	1	N/A		
SR86A(+)	20	LTGN	TXL	3834457C1	3811207C1	2505	2	N/A		
9V5BB(-)	18	GN	TXL	1661212C1	2005836C1	2600	A	N/A		
9Z5BB(-)	18	GN	TXL	1661212C1	2005836C1	2600	A	N/A		
9V5BB(+)	18	YL	TXL	1661212C1	2005836C1	2600	B	N/A		
9Z5BB(+)	18	YL	TXL	1661212C1	2005836C1	2600	B	N/A		
RD81D	12	RD	TXL	3534167C1	2005836C1	2600	C	N/A		
RD81DA	12	RD	TXL	3534167C1	2005836C1	2600	D	N/A		
RD81-GD	12	WH	TXL	3534167C1	2005836C1	2600	E	N/A		
RD81-GDA	12	WH	TXL	3534167C1	2005836C1	2600	F	N/A		
WJ63BE	18	DKBL	TXL	1661212C1	2005836C1	2600	G	N/A		
WJ63-GC	12	WH	TXL	3534167C1	2005836C1	2600	H	N/A		
QK11-GGA	18	WH	TXL	1661261C1	1661259C1	2996	A	N/A		
QS11-GGA	18	WH	TXL	1661261C1	1661259C1	2996	A	N/A		
QU11-GGA	18	WH	TXL	1661261C1	1661259C1	2996	A	N/A		
QZ11-GGA	18	WH	TXL	1661261C1	1661259C1	2996	A	N/A		
QK11-GG	18	WH	TXL	1661261C1	1661259C1	2996	B	N/A		
QS11-GG	18	WH	TXL	1661261C1	1661259C1	2996	B	N/A		
QU11-GG	18	WH	TXL	1661261C1	1661259C1	2996	B	N/A		
QZ11-GG2	18	WH	TXL	1661261C1	1661259C1	2996	B	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
QK11-GAA	18	WH	TXL	1661262C1	1661260C1	2997	A	N/A		
QS11-GAA	18	WH	TXL	1661262C1	1661260C1	2997	A	N/A		
QU11-GAA	18	WH	TXL	1661262C1	1661260C1	2997	A	N/A		
QZ11-GAA	18	WH	TXL	1661262C1	1661260C1	2997	A	N/A		
QK11-GA	18	WH	TXL	1661262C1	1661260C1	2997	B	N/A		
QS11-GA	18	WH	TXL	1661262C1	1661260C1	2997	B	N/A		
QU11-GA	18	WH	TXL	1661262C1	1661260C1	2997	B	N/A		
QZ11-GA2	18	WH	TXL	1661262C1	1661260C1	2997	B	N/A		
QK11-GHA	18	WH	TXL	1661261C1	1661259C1	2998	A	N/A		
QS11-GHA	18	WH	TXL	1661261C1	1661259C1	2998	A	N/A		
QU11-GHA	18	WH	TXL	1661261C1	1661259C1	2998	A	N/A		
QZ11-GHA	18	WH	TXL	1661261C1	1661259C1	2998	A	N/A		
QK11-GH	18	WH	TXL	1661261C1	1661259C1	2998	B	N/A		
QS11-GH	18	WH	TXL	1661261C1	1661259C1	2998	B	N/A		
QU11-GH	18	WH	TXL	1661261C1	1661259C1	2998	B	N/A		
QZ11-GH2	18	WH	TXL	1661261C1	1661259C1	2998	B	N/A		
QK11-GBA	18	WH	TXL	1661262C1	1661260C1	2999	A	N/A		
QS11-GBA	18	WH	TXL	1661262C1	1661260C1	2999	A	N/A		
QU11-GBA	18	WH	TXL	1661262C1	1661260C1	2999	A	N/A		
QZ11-GBA	18	WH	TXL	1661262C1	1661260C1	2999	A	N/A		
QK11-GB	18	WH	TXL	1661262C1	1661260C1	2999	B	N/A		
QS11-GB	18	WH	TXL	1661262C1	1661260C1	2999	B	N/A		
QU11-GB	18	WH	TXL	1661262C1	1661260C1	2999	B	N/A		
QZ11-GB2	18	WH	TXL	1661262C1	1661260C1	2999	B	N/A		
QG11-GCA	18	WH	TXL	1661262C1	1661260C1	3000	A	N/A		
QM11-GCA	18	WH	TXL	1661262C1	1661260C1	3000	A	N/A		
QG11-GC	18	WH	TXL	1661262C1	1661260C1	3000	B	N/A		
QM11-GC	18	WH	TXL	1661262C1	1661260C1	3000	B	N/A		
RK78D	14	BK	TXL	333733C1	899167R1	3001	A	N/A		
QG11-GJA	18	WH	TXL	1661261C1	1661259C1	3002	A	N/A		
QM11-GJA	18	WH	TXL	1661261C1	1661259C1	3002	A	N/A		
QG11-GJ	18	WH	TXL	1661261C1	1661259C1	3002	B	N/A		
QM11-GJ	18	WH	TXL	1661261C1	1661259C1	3002	B	N/A		
RK78H	14	BK	TXL	333733C1	899167R1	3004	A	N/A		
RK78-GE	12	WH	TXL	333734C1	899167R1	3005	A	N/A		
MG14L	10	RD	GXL	3515522C1	3525613C1	4004	A	3515525C1		
MG14L	10	RD	GXL	3515522C1	3525613C1	4004	A	3515525C1		
MH103C	12	LTGN	TXL	3614762C1	3525613C1	4004	B	3541256C1		
MG103C	12	LTGN	TXL	3614762C1	3525613C1	4004	B	3541256C1		
KH10-GA	8	WH	GXL	373756C2		4007	1	2644054R1		
ND90B	18	GY	TXL	3522190C1	3522187C1	4037	1	3522193C1		
MV90B	18	GY	TXL	3522190C1	3522187C1	4037	1	3522193C1		
ND94BF	18	GY	TXL	3522190C1	3522187C1	4037	2	3522193C1		
MV94BF	18	GY	TXL	3522190C1	3522187C1	4037	2	3522193C1		
ND10-GV	16	WH	GXL	2036586C1	2036583C1	4038	A	N/A		
MV10-GV	16	WH	GXL	2036586C1	2036583C1	4038	A	N/A		
ND90H	16	GY	GXL	2036586C1	2036583C1	4038	B	N/A		
MV90H	16	GY	GXL	2036586C1	2036583C1	4038	B	N/A		
PF92(+)	18	YL	TXL	3618272C1	6112506C1	4060	1	N/A		
UD92(+)	18	DKBL	TXL	3618272C1	6112506C1	4060	1	N/A		
KH5TC(+)	18	YL	TXL	3618272C1	6112506C1	4060	1	N/A		
PF92(-)	18	GN	TXL	3618272C1	6112506C1	4060	2	N/A		
UD92(-)	18	GY	TXL	3618272C1	6112506C1	4060	2	N/A		
KH5TC(-)	18	GN	TXL	3618272C1	6112506C1	4060	2	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
AD41	18	TN	TXL	3618272C1	6112506C1	4060	3	N/A		
KA41	18	TN	TXL	3618272C1	6112506C1	4060	3	N/A		
RA14A	12	RD	TXL	3612308C1	6112506C1	4060	4	N/A		
RA14A	12	RD	TXL	3612308C1	6112506C1	4060	4	N/A		
RA14-G	12	WH	TXL	3612308C1	6112506C1	4060	5	N/A		
RA14-G	12	WH	TXL	3612308C1	6112506C1	4060	5	N/A		
AE26B	18	TN	GXL	3618272C1	6112506C1	4060	6	N/A		
AE26B	18	TN	GXL	3618272C1	6112506C1	4060	6	N/A		
AE26A	18	TN	GXL	3618272C1	6112506C1	4060	7	N/A		
AE26A	10	WH	TXL	3612308C1	6112506C1	4060	7	N/A		
AD41-G	18	TN	TXL	3618272C1	6112506C1	4060	8	N/A		
KA41-G	18	TN	TXL	3618272C1	6112506C1	4060	8	N/A		
MH103D	12	LTGN	GXL	N/A	BLUNT_SL_V	4069	A	N/A		
MG103D	12	LTGN	GXL	N/A	BLUNT_SL_V	4069	A	N/A		
SK44J	18	GY	GXL	1661875C1	1661777C1	4070	C	1661872C1		
PC44J	18	GY	GXL	1661875C1	1661777C1	4070	C	1661872C1		
SK44K	18	GY	GXL	1661875C1	1661777C1	4070	D	1661872C1		
PC44K	18	GY	GXL	1661875C1	1661777C1	4070	D	1661872C1		
SK44K	18	GY	GXL	2033819C1	1671610C1	4071	A	1652325C1		
PC44K	18	GY	GXL	2033819C1	1671610C1	4071	A	1652325C1		
SK44L	18	GY	GXL	2033819C1	1671610C1	4071	B	1652325C1		
PC44L	18	GY	GXL	2033819C1	1671610C1	4071	B	1652325C1		
XA94-GA	12	WH	TXL	3581768C1		4081	1	2644038R1		
XC90-D	14	GY	TXL	3581768C1		4081	1	2644038R1		
XD90-GD	14	GY	TXL	3581768C1		4081	1	2644038R1		
XE94-GC	12	WH	GXL	3581768C1		4081	1	2644038R1		
XX90-D	14	GY	TXL	3581768C1		4081	1	2644038R1		
MH26DA	18	TN	GXL	3518963C1	3553404C1	4087	6	N/A		
MH5CC(+)	18	YL	TXL	3727971C1	3553404C1	4087	7	N/A		
MH5CC(-)	18	GN	TXL	3727971C1	3553404C1	4087	8	N/A		
MH26B	18	TN	TXL	3727971C1	3553404C1	4087	10	N/A		
MH26A	18	TN	TXL	3727971C1	3553404C1	4087	11	N/A		
MH11-GBA	18	WH	TXL	3727971C1	3553404C1	4087	12	N/A		
QA23ED	18	TN	TXL	1661875C1	3522251C1	4120	A	3568570C1		
QA23BE	18	TN	TXL	1661875C1	3522251C1	4120	B	3568570C1		
QA23CB	18	TN	TXL	1661875C1	3522251C1	4120	C	3568570C1		
QA23DE	18	PK	TXL	1661875C1	3522251C1	4120	D	3568570C1		
QA23EF	18	TN	TXL	1661875C1	3522251C1	4120	E	3568570C1		
MY11-G	12	WH	TXL	3581768C1		4307	1	2644038R1		
MZ11-G	12	WH	TXL	3581768C1		4307	1	2644038R1		
RA11-G	12	WH	TXL	3581768C1		4307	1	2644038R1		
RB11-G	12	WH	TXL	3581768C1		4307	1	2644038R1		
MY11-G	12	WH	TXL	3581768C1		4307	1	2644038R1		
MZ11-G	12	WH	TXL	3581768C1		4307	1	2644038R1		
SK40B-G	14	WH	TXL	3581768C1		4307	1	2644038R1		
MT78-GC	16	WH	GXL	3549254C1		4308	1	2644038R1		
MT78-GC	16	WH	GXL	3549254C1		4308	1	2644038R1		
MN14C	4	RD	SGX	3517757C1	3517760C1	4411	A	N/A		
MN14C	4	RD	SGX	3517757C1	3517760C1	4411	A	N/A		
MU14CA	4	RD	SGX	3517757C1	3517760C1	4414	A	N/A		
MU14CA	4	RD	SGX	3517757C1	3517760C1	4414	A	N/A		
AA82DJ	16	GY	TXL	2033819C1	1661375C2	4500	A	1652325C1		
AA82JJ	16	GY	TXL	2033819C1	1661375C2	4500	B	1652325C1		
AA82-GJ	16	GY	TXL	2033819C1	1661375C2	4500	C	1652325C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
AA82KJ	16	GY	TXL	2033819C1	1661375C2	4500	D	1652325C1		
AA82LJ	16	GY	TXL	2033819C1	1661375C2	4500	E	1652325C1		
HZ14-FL	8	LTBL	FUS		373746C2	4800	1	2644054R1		
SH44Y	16	GY	TXL	2033819C1	1671610C1	4905	A	1652325C1		
SJ44Y	16	GY	TXL	2033819C1	1671610C1	4905	A	1652325C1		
NL44Y	16	GY	TXL	2033819C1	1671610C1	4905	A	1652325C1		
NM44Y	16	GY	TXL	2033819C1	1671610C1	4905	A	1652325C1		
SH44W	16	WH	TXL	2033819C1	1671610C1	4905	B	1652325C1		
SJ44-GW	16	WH	TXL	2033819C1	1671610C1	4905	B	1652325C1		
NL44W	16	GY	TXL	2033819C1	1671610C1	4905	B	1652325C1		
NM44-GW	16	WH	TXL	2033819C1	1671610C1	4905	B	1652325C1		
SH44W	16	WH	TXL	1661875C1	3525872C1	4906	A	1661872C1		
NL44W	16	GY	TXL	1661875C1	3525872C1	4906	A	1661872C1		
SH92#101	18	TN	TXL	1661875C1	3525872C1	4906	B	3568570C1		
NL92#101	18	TN	TXL	1661875C1	3525872C1	4906	B	3568570C1		
SH92#103	18	TN	TXL	1661875C1	3525872C1	4906	D	3568570C1		
NL92#103	18	TN	TXL	1661875C1	3525872C1	4906	D	3568570C1		
SH11-GW	16	WH	TXL	1661875C1	3525872C1	4906	E	1661872C1		
NL11-GW	16	WH	TXL	1661875C1	3525872C1	4906	E	1661872C1		
SH89AR	18	PK	TXL	1661875C1	3525872C1	4906	G	3568570C1		
SH89CE	18	VT	TXL	1661875C1	3525872C1	4906	H	3568570C1		
RD94BD	16	BN	TXL	3679224C1	3678796C1	4950	1	3601687C1		
RD94BE	16	YL	TXL	3679224C1	3678796C1	4950	2	3601687C1		
UD94BD	16	BN	TXL	3679224C1	3678796C1	4952	1	3601687C1		
UD94BE	16	YL	TXL	3679224C1	3678796C1	4952	2	3601687C1		
VB70BJ	16	OR	TXL	3613770C1	3626438C1	4962	1	N/A		
VB68BJ	16	BN	TXL	3613770C1	3626438C1	4962	2	N/A		
NL41D	18	BK	GXL	1661875C1	3522068C1	5899	A	1661872C1		
NL41E	18	GY	GXL	1661875C1	3522068C1	5899	B	1661872C1		
KA14A5	16	RD	TXL	3743666C1	3945694C1	6000	1	N/A		
KA14A5	16	RD	TXL	3743666C1	3945694C1	6000	1	N/A		
KA95GBE	16	BK	TXL	3743666C1	3945694C1	6000	3	N/A		
KA95GBE	16	TN	TXL	3743666C1	3945694C1	6000	3	N/A		
KA13B	18	PK	TXL	3743666C1	3945694C1	6000	5	N/A		
KA13B	18	PK	TXL	3743666C1	3945694C1	6000	5	N/A		
VJ95F	20	TN	TXL	3743668C1	3945694C1	6000	6	N/A		
VL95F	20	TN	TXL	3743668C1	3945694C1	6000	6	N/A		
KP6A	20	TN	TXL	3743668C1	3945694C1	6000	8	N/A		
VG6A	20	TN	TXL	3743668C1	3945694C1	6000	8	N/A		
VY6A	20	TN	TXL	3743668C1	3945694C1	6000	8	N/A		
AB6A	20	GY	TXL	3743668C1	3945694C1	6000	8	N/A		
AF6A	20	GY	TXL	3743668C1	3945694C1	6000	8	N/A		
AH6A	20	GY	TXL	3743668C1	3945694C1	6000	8	N/A		
KP6A	20	GY	TXL	3743668C1	3945694C1	6000	8	N/A		
VG6A	20	PL	TXL	3743668C1	3945694C1	6000	8	N/A		
VX6A	20	GY	TXL	3743668C1	3945694C1	6000	8	N/A		
VJ97C	20	PL	TXL	3743668C1	3945694C1	6000	9	N/A		
VJ97C	20	PL	TXL	3743668C1	3945694C1	6000	9	N/A		
VJ99B	20	PL	TXL	3743668C1	3945694C1	6000	10	N/A		
VJ99B	20	PL	TXL	3743668C1	3945694C1	6000	10	N/A		
KR46B	20	GY	TXL	3743668C1	3945694C1	6000	12	N/A		
VW46B	20	GY	TXL	3743668C1	3945694C1	6000	12	N/A		
KR46B	20	GY	TXL	3743668C1	3945694C1	6000	12	N/A		
KY46B	20	GY	TXL	3743668C1	3945694C1	6000	12	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
VW46B	20	GY	TXL	3743668C1	3945694C1	6000	12	N/A		
VA95	20	TN	TXL	3743668C1	3945694C1	6000	13	N/A		
VB95	20	TN	TXL	3743668C1	3945694C1	6000	13	N/A		
VA95	20	TN	TXL	3743668C1	3945694C1	6000	13	N/A		
VJ95K	20	TN	150	3743668C1	3945694C1	6000	16	N/A		
VK95K	20	TN	150	3743668C1	3945694C1	6000	16	N/A		
KR46A	20	GY	TXL	3743668C1	3945694C1	6000	19	N/A		
VW46A	20	GY	TXL	3743668C1	3945694C1	6000	19	N/A		
KR46A	20	GY	TXL	3743668C1	3945694C1	6000	19	N/A		
KY46A	20	GY	TXL	3743668C1	3945694C1	6000	19	N/A		
VW46A	20	GY	TXL	3743668C1	3945694C1	6000	19	N/A		
KW5(+)	20	YL	193	3743668C1	3945694C1	6000	22	N/A		
NC5H(+)	20	YL	193	3743668C1	3945694C1	6000	22	N/A		
PB5B(+)	20	YL	193	3743668C1	3945694C1	6000	22	N/A		
PC5B(+)	20	YL	193	3743668C1	3945694C1	6000	22	N/A		
P55A(+)	20	YL	193	3743668C1	3945694C1	6000	22	N/A		
RT5B(+)	20	YL	193	3743668C1	3945694C1	6000	22	N/A		
SB5B(+)	20	YL	193	3743668C1	3945694C1	6000	22	N/A		
KW5(+)	20	YL	193	3743668C1	3945694C1	6000	22	N/A		
KX5(+)	20	YL	193	3743668C1	3945694C1	6000	22	N/A		
PC5D(+)	20	YL	193	3743668C1	3945694C1	6000	22	N/A		
SB5B(+)	20	YL	193	3743668C1	3945694C1	6000	22	N/A		
KA14A4	16	RD	TXL	3743666C1	3945694C1	6000	25	N/A		
KA14A4	16	RD	TXL	3743666C1	3945694C1	6000	25	N/A		
KA14A3	16	RD	TXL	3743666C1	3945694C1	6000	26	N/A		
KA14A3	16	RD	TXL	3743666C1	3945694C1	6000	26	N/A		
KA14A2	16	RD	TXL	3743666C1	3945694C1	6000	27	N/A		
KA14A2	16	RD	TXL	3743666C1	3945694C1	6000	27	N/A		
KA14A1	16	RD	TXL	3743666C1	3945694C1	6000	28	N/A		
KA14A1	16	RD	TXL	3743666C1	3945694C1	6000	28	N/A		
KR97AR	20	PL	TXL	3743668C1	3945694C1	6000	30	N/A		
VW97AR	20	PL	TXL	3743668C1	3945694C1	6000	30	N/A		
KR97AR	20	PL	TXL	3743668C1	3945694C1	6000	30	N/A		
KY97AR	20	PL	TXL	3743668C1	3945694C1	6000	30	N/A		
VW97AR	20	PL	TXL	3743668C1	3945694C1	6000	30	N/A		
VJ9A	20	TN	150	3743668C1	3945694C1	6000	32	N/A		
KT9A	20	GY	TXL	3743668C1	3945694C1	6000	32	N/A		
KZ9A	20	GY	TXL	3743668C1	3945694C1	6000	32	N/A		
VJ97B	20	PL	TXL	3743668C1	3945694C1	6000	33	N/A		
VJ97B	20	PL	TXL	3743668C1	3945694C1	6000	33	N/A		
KA34	20	TN	TXL	3743668C1	3945694C1	6000	35	N/A		
KT34	20	TN	TXL	3743668C1	3945694C1	6000	35	N/A		
KZ34A	20	TN	TXL	3743668C1	3945694C1	6000	35	N/A		
VJ95B	20	TN	TXL	3743668C1	3945694C1	6000	38	N/A		
VL95AT2	20	TN	TXL	3743668C1	3945694C1	6000	38	N/A		
VJ95A1	20	TN	TXL	3743668C1	3945694C1	6000	39	N/A		
VL95A52	20	TN	TXL	3743668C1	3945694C1	6000	39	N/A		
VJ95AU2	20	TN	TXL	3743668C1	3945694C1	6000	40	N/A		
VL95AU2	20	TN	TXL	3743668C1	3945694C1	6000	40	N/A		
VJ95	20	TN	150	3743668C1	3945694C1	6000	41	N/A		
VK95BA	20	TN	150	3743668C1	3945694C1	6000	41	N/A		
VJ95A	20	TN	150	3743668C1	3945694C1	6000	42	N/A		
VK95BC	20	TN	150	3743668C1	3945694C1	6000	42	N/A		
KW5(-)	20	GN	193	3743668C1	3945694C1	6000	46	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
NC5H(-)	20	GN	193	3743668C1	3945694C1	6000	46	N/A		
PB5B(-)	20	GN	193	3743668C1	3945694C1	6000	46	N/A		
PC5B(-)	20	GN	193	3743668C1	3945694C1	6000	46	N/A		
PS5A(-)	20	GN	193	3743668C1	3945694C1	6000	46	N/A		
RT5B(-)	20	GN	193	3743668C1	3945694C1	6000	46	N/A		
SB5B(-)	20	GN	193	3743668C1	3945694C1	6000	46	N/A		
KW5(-)	20	GN	193	3743668C1	3945694C1	6000	46	N/A		
KX5(-)	20	GN	193	3743668C1	3945694C1	6000	46	N/A		
PC5D(-)	20	GN	193	3743668C1	3945694C1	6000	46	N/A		
SB5B(-)	20	GN	193	3743668C1	3945694C1	6000	46	N/A		
KA10-GA	16	WH	TXL	3743666C1	3945694C1	6000	49	N/A	1664408C1	
KA10-GA	16	WH	TXL	3743666C1	3945694C1	6000	49	N/A		
KA10-GB	16	WH	TXL	3743666C1	3945694C1	6000	50	N/A		
KA10-GB	16	WH	TXL	3743666C1	3945694C1	6000	50	N/A		
KA10-GC	16	WH	TXL	3743666C1	3945694C1	6000	51	N/A	2039342C1	
KA10-GC	16	WH	TXL	3743666C1	3945694C1	6000	51	N/A		
KA10-GD	16	WH	TXL	3743666C1	3945694C1	6000	52	N/A		
KA10-GD	16	WH	TXL	3743666C1	3945694C1	6000	52	N/A		
VJ95EL	18	TN	150	3743666C1	3945694C1	6000	53	N/A		
VK95DVL	20	TN	150	3743668C1	3945694C1	6000	53	N/A		
VJ95N	20	TN	TXL	3743668C1	3945694C1	6000	54	N/A		
VL95E	20	TN	TXL	3743668C1	3945694C1	6000	54	N/A		
KA95AA	20	TN	TXL	3743668C1	3945694C1	6000	57	N/A		
AA95AA	20	TN	TXL	3743668C1	3945694C1	6000	57	N/A		
AC23-G1	20	TN	TXL	3743668C1	3945694C1	6000	57	N/A		
KM47C	20	GY	TXL	3743668C1	3945694C1	6000	59	N/A		
BA47A	20	GY	TXL	3743668C1	3945694C1	6000	59	N/A		
KM47C	20	GY	TXL	3743668C1	3945694C1	6000	59	N/A		
KM47B	20	GY	TXL	3743668C1	3945694C1	6000	60	N/A		
BA47	20	GY	TXL	3743668C1	3945694C1	6000	60	N/A		
KM47B	20	GY	TXL	3743668C1	3945694C1	6000	60	N/A		
VJ97N	20	PL	TXL	3743668C1	3945694C1	6000	61	N/A		
VJ97N	20	PL	TXL	3743668C1	3945694C1	6000	61	N/A		
KB9	20	GY	TXL	3743668C1	3945694C1	6000	62	N/A		
KC9A	20	GY	TXL	3743668C1	3945694C1	6000	62	N/A		
VX9A	20	GY	TXL	3743668C1	3945694C1	6000	62	N/A		
KB9-G	20	GY	TXL	3743668C1	3945694C1	6000	62	N/A		
KR99A	20	PL	TXL	3743668C1	3945694C1	6000	63	N/A		
VW99A	20	PL	TXL	3743668C1	3945694C1	6000	63	N/A		
KR99A	20	PL	TXL	3743668C1	3945694C1	6000	63	N/A		
KY99A	20	PL	TXL	3743668C1	3945694C1	6000	63	N/A		
VW99A	20	PL	TXL	3743668C1	3945694C1	6000	63	N/A		
VJ97M	20	PL	TXL	3743668C1	3945694C1	6000	64	N/A		
VJ97M	20	PL	TXL	3743668C1	3945694C1	6000	64	N/A		
AB41A	20	TN	TXL	3743668C1	3945694C1	6000	65	N/A		
AD41A	20	TN	TXL	3743668C1	3945694C1	6000	65	N/A		
KA41A	20	TN	TXL	3743668C1	3945694C1	6000	65	N/A		
KR97XG	20	GY	TXL	3743668C1	3945694C1	6000	66	N/A		
VW97XG	20	GY	TXL	3743668C1	3945694C1	6000	66	N/A		
KR97XG	20	GY	TXL	3743668C1	3945694C1	6000	66	N/A		
KY97XG	20	GY	TXL	3743668C1	3945694C1	6000	66	N/A		
VW97XG	20	GY	TXL	3743668C1	3945694C1	6000	66	N/A		
KR99F	20	PL	TXL	3743668C1	3945694C1	6000	67	N/A		
VW99F	20	PL	TXL	3743668C1	3945694C1	6000	67	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
KR99F	20	PL	TXL	3743668C1	3945694C1	6000	67	N/A		
KY99F	20	PL	TXL	3743668C1	3945694C1	6000	67	N/A		
VW99F	20	PL	TXL	3743668C1	3945694C1	6000	67	N/A		
KR97XC	20	TN	TXL	3743668C1	3945694C1	6000	70	N/A		
VW97XC	20	TN	TXL	3743668C1	3945694C1	6000	70	N/A		
KR97XC	20	TN	TXL	3743668C1	3945694C1	6000	70	N/A		
KY97XC	20	TN	TXL	3743668C1	3945694C1	6000	70	N/A		
VW97XC	20	TN	TXL	3743668C1	3945694C1	6000	70	N/A		
KA10-GE	16	WH	TXL	3743666C1	3945694C1	6000	73	N/A	3525875C1	
KA10-GE	16	WH	TXL	3743666C1	3945694C1	6000	73	N/A		
KA18	18	PK	TXL	3743666C1	3945694C1	6000	75	N/A		
KA18	18	PK	TXL	3743666C1	3945694C1	6000	75	N/A		
KA18R	18	PK	TXL	3743666C1	3945694C1	6000	76	N/A		
KA18R	18	PK	TXL	3743666C1	3945694C1	6000	76	N/A		
VJ95EH	18	TN	150	3743666C1	3945694C1	6000	77	N/A		
VK95DVH	20	TN	150	3743668C1	3945694C1	6000	77	N/A		
AC23	20	TN	TXL	3743668C1	3945694C1	6000	78	N/A		
AC23	20	TN	TXL	3743668C1	3945694C1	6000	78	N/A		
KA95A	20	TN	TXL	3743668C1	3945694C1	6000	79	N/A		
KA95SB	20	TN	TXL	3743668C1	3945694C1	6000	79	N/A		
VJ95AB	20	TN	TXL	3743668C1	3945694C1	6000	82	N/A		
VL95AC	20	TN	TXL	3743668C1	3945694C1	6000	82	N/A		
VW97XH	20	PL	TXL	3743668C1	3945694C1	6000	83	N/A		
KF97XH	20	PL	TXL	3743668C1	3945694C1	6000	83	N/A		
VW97XH	20	PL	TXL	3743668C1	3945694C1	6000	83	N/A		
KR99B	20	PL	TXL	3743668C1	3945694C1	6000	90	N/A		
VW46C	20	GY	TXL	3743668C1	3945694C1	6000	90	N/A		
KF46C	20	GY	TXL	3743668C1	3945694C1	6000	90	N/A		
KY99B	20	PL	TXL	3743668C1	3945694C1	6000	90	N/A		
VW99B	20	GY	TXL	3743668C1	3945694C1	6000	90	N/A		
KR99C	20	PL	TXL	3743668C1	3945694C1	6000	94	N/A		
VW99C	20	PL	TXL	3743668C1	3945694C1	6000	94	N/A		
KR99C	20	PL	TXL	3743668C1	3945694C1	6000	94	N/A		
KY99C	20	PL	TXL	3743668C1	3945694C1	6000	94	N/A		
VW99C	20	PL	TXL	3743668C1	3945694C1	6000	94	N/A		
XS90H	14	GY	GXL	1661707C1	1667639C1	6060	A	N/A		
XS90HA	16	GY	GXL	1661707C1	1667639C1	6060	B	N/A		
XS90CA	16	GY	GXL	2036586C1	2036584C1	6061	A	N/A		
XS90-G	16	WH	GXL	2036586C1	2036584C1	6061	B	N/A		
XS90-GA	12	WH	GXL	3581768C1		6062	1	2644038R1		
XS9AB	18	GY	TXL	2036586C1	2036583C1	6063	A	N/A		
XS90P	18	GY	GXL	2036586C1	2036583C1	6063	B	N/A		
XS90L	16	GY	TXL	3757932C1	3602747C1	6065	1	N/A		
XS90N	16	GY	TXL	3757932C1	3602747C1	6065	2	N/A		
XS14B	8	GY	GXL	3700153C1	3537133C1	6066	A	3537135C1		
XS090F	10	GY	TXL	3607170C1		6067	1	2644002R1		
XS90H	14	GY	GXL	3607170C1		6067	1	2644002R1		
XS014	10	RD	TXL	1661708C1	1661747C91	6068	1	N/A		
XS90A	16	GY	TXL	3895713C1	1661747C91	6068	2	N/A		
XS090F	10	GY	TXL	1661708C1	1661747C91	6068	4	N/A		
XS90K	16	GY	TXL	3895713C1	1661747C91	6068	5	N/A		
XS90-GM	10	WH	GXL	3867524C1		6069	1	2644005R1		
XS90NA	14	GY	GXL	1661707C1	1667639C1	6070	A	N/A		
XS90NB	14	GY	GXL	1661707C1	1667639C1	6070	B	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
XS90LA	16	GY	TXL	879630R1	598839C1	6071	A	N/A		
XS90J	18	GY	TXL	879630R1	598839C1	6071	B	N/A		
XS90KA	16	GY	TXL	879630R1	598839C1	6071	C	N/A		
KA13D	14	PK	GXL	1661707C1	1667639C1	6100	A	N/A		
KV13C	14	PK	GXL	1661707C1	1667639C1	6100	A	N/A		
KA13A	14	PK	GXL	1661707C1	1667639C1	6100	B	N/A		
KA13A	14	PK	GXL	1661707C1	1667639C1	6100	B	N/A		
SK40A	14	GY	TXL	587575C1	587568C91	6102	A	1652325C1		
SK40B	14	GY	TXL	587575C1	587568C91	6102	B	1652325C1		
SK40B	14	GY	TXL	587577C1	587567C91	6103	A	1652325C1		
SK40B-G	14	WH	TXL	587577C1	587567C91	6103	B	1652325C1		
AG77-G	18	WH	TXL	2033819C1	1671610C1	6200	A	3517771C1		
AH77-G	18	WH	TXL	2033819C1	1671610C1	6200	A	3517771C1		
KK77-G	18	LTGN	TXL	2033819C1	1671610C1	6200	A	3517771C1		
KK77	18	LTGN	TXL	2033819C1	1671610C1	6200	B	3517771C1		
KK77	18	LTGN	TXL	2033819C1	1671610C1	6200	B	3517771C1		
KK77-ZV	18	LTGN	TXL	1651943C1	1678137C1	6201	A	N/A		
KK77-ZV	18	LTGN	TXL	1651943C1	1678137C1	6201	A	N/A		
KK77A	18	LTGN	TXL	1651943C1	1678137C1	6201	B	N/A		
KK77A	18	LTGN	TXL	1651943C1	1678137C1	6201	B	N/A		
KK77B	18	LTGN	TXL	1651943C1	1678137C1	6201	C	N/A		
KK77B	18	LTGN	TXL	1651943C1	1678137C1	6201	C	N/A		
TC9AE	18	GY	TXL	1661875C1	3590299C1	6202	A	3568570C1		
TB74J	18	LTGN	TXL	1661875C1	3590299C1	6202	B	3568570C1		
AG11-G1	10	WH	TXL	365684C2		6304	1	2644005R1		
AP11-G1	10	WH	TXL	365684C2		6304	1	2644005R1		
KE11-G1	16	WH	TXL	365680C2		6304	1	2644038R1		
KA10-G	10	WH	GXL	365684C2		6305	1	2644005R1	1673791C1	
KA10-G	10	WH	GXL	365684C2		6305	1	2644005R1		
KA17A	16	PK	TXL	3692844C1		6306	1	2644038R1		
GB17A	16	PK	TXL	3692844C1		6306	1	2644038R1		
AE26A	18	TN	GXL	2033911C1	1669834C1	6332	A	1652325C1		
AE26B	18	TN	GXL	3866603C1		6335	1	2644038R1		
AE26B	18	TN	GXL	3866603C1		6335	1	2644038R1		
KA34A	18	TN	TXL	3554322C1	3662425C1	6401	A	3554318C1		
KT34A	18	TN	TXL	3554322C1	3662425C1	6401	A	3554318C1		
KA34-G	18	TN	TXL	3554322C1	3662425C1	6401	B	3554318C1		
KT34-G	18	TN	TXL	3554322C1	3662425C1	6401	B	3554318C1		
KA14A	10	RD	GXL	3752553C1	6113338C1	6566	1	6113347C1		
KA14A	10	RD	GXL	3752553C1	6113338C1	6566	1	6113347C1		
KX90A	10	RD	GXL	3752553C1	6113338C1	6566	2	6113347C1		
VB18G	10	PK	GXL	3752553C1	6113338C1	6566	3	6113347C1		
KH14S	10	RD	GXL	3752553C1	6113338C1	6566	3	6113347C1		
VJ14B	16	RD	TXL	3830798C1	6113341C1	6567	1	3509903C1		
KA14B	16	RD	TXL	3830798C1	6113341C1	6567	1	3509903C1		
PD14J	16	RD	TXL	3830798C1	6113341C1	6567	4	3509903C1		
NU14AW	12	RD	TXL	3830799C1	6113341C1	6567	7	3509903C1		
PD14C	16	RD	TXL	3830798C1	6113341C1	6567	7	3509903C1		
PH14A	12	RD	TXL	3830799C1	6113341C1	6567	7	3509903C1		
PM14A	12	RD	TXL	3830799C1	6113341C1	6567	7	3509903C1		
PV14A	12	RD	TXL	3830799C1	6113341C1	6567	7	3509903C1		
SM14A	12	RD	TXL	3830799C1	6113341C1	6567	7	3509903C1		
KH14A	12	RD	TXL	3830799C1	6113341C1	6567	7	3575783C1		
PM14A	12	RD	TXL	3830799C1	6113341C1	6567	7	3509903C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
SM14A	12	RD	TXL	3830799C1	6113341C1	6567	7	3509903C1		
RB14A	14	RD	TXL	3830798C1	6113341C1	6567	10	3509903C1		
VJ14A	12	RD	TXL	3830799C1	6113341C1	6567	13	3509903C1		
KA14D	12	RD	TXL	3830799C1	6113341C1	6567	13	3509903C1		
KV14A	12	RD	TXL	3830799C1	6113341C1	6567	14	3509903C1		
KN14A	12	RD	TXL	3830799C1	6113341C1	6567	14	3509903C1		
KS10-G1	10	WH	TXL	1687847C1	3551896C1	6704	A	589390C1		
KD10-G5	10	WH	TXL	1687847C1	3551896C1	6704	A	589390C1		
YA41-GE	10	WH	TXL	1687847C1	3551896C1	6704	A	589390C1		
VJ10-G1	16	WH	150	2033819C1	3551896C1	6704	B	1652325C1		
KG31R	18	GY	GXL	2033819C1	3551896C1	6704	B	1652325C1		
KJ31R	18	GY	GXL	2033819C1	3551896C1	6704	B	1652325C1		
VJ10-G2	14	WH	150	2033816C1	3551896C1	6704	C	1652325C1		
VJ10-G3	18	WH	GXL	2033819C1	3551896C1	6704	D	1652325C1		
PM92#109	18	WH	TXL	2033819C1	3551896C1	6704	D	3517771C1		
SM92#109	18	WH	TXL	2033819C1	3551896C1	6704	D	3517771C1		
VJ10-G4	16	WH	GXL	2033819C1	3551896C1	6704	E	1652325C1		
PM92#169	18	WH	TXL	2033819C1	3551896C1	6704	E	3517771C1		
SM92#169	18	WH	TXL	2033819C1	3551896C1	6704	E	3517771C1		
VJ10-G5	16	WH	GXL	2033819C1	3551896C1	6704	F	1652325C1		
RA14-G	12	WH	TXL	2033816C1	3551896C1	6704	F	589391C1		
VB18B	10	PK	TXL	3753255C1	6105358C1	6709	1	N/A		
AG18E	10	WH	TXL	3753255C1	6105358C1	6709	2	N/A		
AP18E	10	WH	TXL	3753255C1	6105358C1	6709	2	N/A		
VB18C	10	PK	TXL	3512334C1	3512331C91	6710	1	589390C1		
VB18A	18	WH	TXL	2039343C1	3512331C91	6710	2	3517771C1		
VB18B	10	PK	TXL	3512334C1	3512331C91	6710	4	589390C1		
AG18D	18	WH	TXL	2039343C1	3512331C91	6710	5	3517771C1		
AP18D	18	WH	TXL	2039343C1	3512331C91	6710	5	3517771C1		
NL41D	18	BK	GXL	3613771C1	3626435C1	6715	1	N/A	2011364C1	
AB41-G	18	TN	TXL	3618272C1	3924162C1	6715	1	N/A		
NL41E	18	GY	GXL	3613771C1	3626435C1	6715	2	N/A		
AB41	18	TN	TXL	3618272C1	3924162C1	6715	2	N/A		
KB9	20	GY	TXL	3535302C1	3543733C1	6747	A	3535423C1		
KC9B	20	GY	TXL	3535302C1	3543733C1	6747	A	3535423C1		
VX9B	20	GY	TXL	3535302C1	3543733C1	6747	A	3535423C1		
KB9-G	20	GY	TXL	3535302C1	3543733C1	6747	A	3535423C1		
VA95-G	18	WH	GXL	3535303C1	3543733C1	6747	B	3535424C1		
VB95-G	18	WH	GXL	3535303C1	3543733C1	6747	B	3535424C1		
VA95-G	18	WH	GXL	3535303C1	3543733C1	6747	B	3535424C1		
KA34-G	18	TN	TXL	3535303C1	3543733C1	6747	C	3535424C1		
KT34-G	18	TN	TXL	3535303C1	3543733C1	6747	C	3535424C1		
AB41-G	18	TN	TXL	3535303C1	3543733C1	6747	D	3535424C1		
AD41-G	18	TN	TXL	3535303C1	3543733C1	6747	D	3535424C1		
KA41-G	18	TN	TXL	3535303C1	3543733C1	6747	D	3535424C1		
KA95AA	20	TN	TXL	3535302C1	3543733C1	6747	E	3535423C1		
KE11-G1	16	WH	TXL	3535303C1	3543733C1	6747	E	3535424C1		
KH11-G1	16	WH	TXL	3535303C1	3543733C1	6747	E	3535424C1		
VJ95AC	18	TN	TXL	3535303C1	3543733C1	6747	F	3535424C1		
KK77-G	18	LTGN	TXL	3535303C1	3543733C1	6747	F	3535424C1		
AC23-G	20	TN	TXL	3535302C1	3543733C1	6747	G	3535423C1		
KR9B	20	GY	TXL	3535302C1	3543733C1	6747	G	3535423C1		
KY9B-G	20	GY	TXL	3535302C1	3543733C1	6747	G	3535423C1		
VW9B-G	20	GY	TXL	3535302C1	3543733C1	6747	G	3535423C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
KA146	16	GY	TXL	3535303C1	3543733C1	6747	J	3535424C1		
KA146-G	16	GY	TXL	3535303C1	3543733C1	6747	J	3535424C1		
ML9TS	18	GY	TXL	3535303C1	3543733C1	6747	K	3535424C1		
ML9TS	18	GY	TXL	3535303C1	3543733C1	6747	K	3535424C1		
KK77-ZV	18	LTGN	TXL	3535303C1	3543733C1	6747	L	3535424C1		
KK77-ZV	18	LTGN	TXL	3535303C1	3543733C1	6747	L	3535424C1		
CA9T	18	GY	150	3535303C1	3543733C1	6747	M	3535424C1		
FM9C	18	GY	GXL	3535303C1	3543733C1	6747	M	3535424C1		
SJ14HFPA	14	RD	TXL	3566715C1	1661198C1	6900	A	N/A		
SL14HD	16	LTGN	TXL	1661209C1	1661198C1	6900	A	N/A		
SJ11-GA	14	WH	TXL	3566715C1	1661198C1	6900	B	N/A		
SL11GAP	14	WH	TXL	3566715C1	1661198C1	6900	B	N/A		
SJ86P	16	LTGN	TXL	1661209C1	1661198C1	6900	C	N/A		
SL86P	16	LTGN	TXL	1661209C1	1661198C1	6900	C	N/A		
ZI94AA	16	GY	GXL	3679224C1	3678796C1	6925	1	N/A		
ZI94AB	16	GY	GXL	3679224C1	3678796C1	6925	2	N/A		
HB103A	12	RD	GXL	3573311C1	3534572C1	6969	A1	N/A		
HB103B	12	RD	GXL	3573311C1	3534572C1	6969	A2	N/A		
HB103C	12	RD	GXL	3573311C1	3534572C1	6969	A3	N/A		
HB103D	12	RD	GXL	3573311C1	3534572C1	6969	B1	N/A		
HB103E	12	RD	GXL	3573311C1	3534572C1	6969	B2	N/A		
HB103F	12	RD	GXL	3573311C1	3534572C1	6969	B3	N/A		
HB103K	18	LTGN	GXL	3534164C1	3534572C1	6969	C1	N/A		
HB103N	12	LTGN	GXL	3573311C1	3534572C1	6969	C2	N/A		
HB103L	18	LTGN	GXL	3534164C1	3534572C1	6969	C3	N/A		
HB103P	12	LTGN	GXL	3573311C1	3534572C1	6969	C4	N/A		
HB103E	12	RD	GXL	3573311C1	3534572C1	6969	E1	N/A		
HB11H-GP	18	WH	GXL	3534164C1	3534572C1	6969	E2	N/A		
HB103F	12	RD	GXL	3573311C1	3534572C1	6969	E3	N/A		
HB11J-GR	18	WH	GXL	3534164C1	3534572C1	6969	E4	N/A		
HB103J	18	LTGN	GXL	3534164C1	3534572C1	6969	G1	N/A		
HB103M	12	LTGN	GXL	3573311C1	3534572C1	6969	G2	N/A		
HB103D	12	RD	GXL	3573311C1	3534572C1	6969	J1	N/A		
HB11G-GN	18	WH	GXL	3534164C1	3534572C1	6969	J2	N/A		
JS1A	16	RD	TXL	365876C2		7000	1	2644038R1		
JT1A	16	TN	GXL	365876C2		7000	1	2644038R1		
KB62D1	18	BK	TXL	N/A	BLUNT_SL_V	7001	A	N/A		
KB22D2	18	WH	TXL	N/A	BLUNT_SL_V	7001	B	N/A		
KB23D3	18	RD	TXL	N/A	BLUNT_SL_V	7001	C	N/A		
KB27D4	18	BN	TXL	N/A	BLUNT_SL_V	7001	D	N/A		
KB29D5	18	BN	TXL	N/A	BLUNT_SL_V	7001	E	N/A		
KB16D6	18	DKBL	TXL	N/A	BLUNT_SL_V	7001	F	N/A		
KB15D7	18	LTGN	TXL	N/A	BLUNT_SL_V	7001	G	N/A		
KB14D8	18	BK	TXL	N/A	BLUNT_SL_V	7001	H	N/A		
KB13D9	18	PK	TXL	N/A	BLUNT_SL_V	7001	J	N/A		
KB12D10	18	OR	TXL	N/A	BLUNT_SL_V	7001	K	N/A		
KB11D11	18	OR	TXL	N/A	BLUNT_SL_V	7001	L	N/A		
KB10D12	18	YL	TXL	N/A	BLUNT_SL_V	7001	M	N/A		
KB09D13	18	YL	TXL	N/A	BLUNT_SL_V	7002	A	N/A		
KB08D14	18	VT	TXL	N/A	BLUNT_SL_V	7002	B	N/A		
KB07D15	18	GY	TXL	N/A	BLUNT_SL_V	7002	C	N/A		
KB6D16	18	BK	TXL	N/A	BLUNT_SL_V	7002	D	N/A		
KB5D17	18	LTGN	TXL	N/A	BLUNT_SL_V	7002	E	N/A		
KB20D18	18	LTGN	TXL	N/A	BLUNT_SL_V	7002	F	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
KB19D19	18	TN	TXL	N/A	BLUNT_SL_V	7002	G	N/A		
KB18D20	18	RD	TXL	N/A	BLUNT_SL_V	7002	H	N/A		
KB17D21	18	VT	TXL	N/A	BLUNT_SL_V	7002	J	N/A		
KB26D22	18	RD	TXL	N/A	BLUNT_SL_V	7002	K	N/A		
JS1B	16	RD	TXL	3695859C1		7100	1	2644005R1		
PF92(+)	18	YL	TXL	3766445C1	3765544C1	7105	1	3554318C1		
PF92(-)	18	GN	TXL	3766445C1	3765544C1	7105	2	3554318C1		
KX5V(-)	18	GN	TXL	3555249C1	3599542C1	7105	2	N/A		
PE92B	18	TN	TXL	3766445C1	3765544C1	7105	3	3554318C1		
KX5V(+)	18	YL	TXL	3555249C1	3599542C1	7105	3	N/A		
PD92A	18	TN	TXL	3766445C1	3765544C1	7105	4	3554318C1		
KH17-GC	18	WH	TXL	3555249C1	3599542C1	7105	4	N/A		
PR10B	16	WH	TXL	3766445C1	3765544C1	7105	5	3554318C1		
PD14C	16	RD	TXL	3766445C1	3765544C1	7105	6	3554318C1		
PF92C	18	TN	TXL	3766445C1	3765544C1	7105	8	3554318C1		
PE92C	18	OR	TXL	3766445C1	3765544C1	7105	9	3554318C1		
PF92D	18	TN	TXL	3766445C1	3765544C1	7105	9	3554318C1		
PD92D	18	TN	TXL	3766445C1	3765544C1	7105	10	3554318C1		
P55D(+)	18	YL	TXL	3766445C1	3765544C1	7105	11	3554318C1		
P55D(-)	18	GN	TXL	3766445C1	3765544C1	7105	12	3554318C1		
PD92G	18	TN	TXL	3766445C1	3765544C1	7105	14	3554318C1		
PR10H	16	WH	TXL	3766445C1	3765544C1	7105	15	3554318C1		
PD14J	16	RD	TXL	3766445C1	3765544C1	7105	16	3554318C1		
PF92E	18	TN	TXL	3766445C1	3765544C1	7105	17	3554318C1		
PE92D	18	BK	TXL	3766445C1	3765544C1	7105	18	3554318C1		
PE92A	18	RD	TXL	3766445C1	3765544C1	7105	19	3554318C1		
KH92J	18	TN	TXL	3555249C1	3599542C1	7105	25	N/A		
KH17C	18	PK	TXL	3555249C1	3599542C1	7105	26	N/A		
KH5TC(-)	18	GN	TXL	3555249C1	3599542C1	7105	27	N/A		
KH5TC(+)	18	YL	TXL	3555249C1	3599542C1	7105	28	N/A		
KH92ER	18	TN	TXL	3555249C1	3599542C1	7105	31	N/A		
KH17B	18	PK	TXL	3555249C1	3599542C1	7105	32	N/A		
KH13A	14	PK	GXL	3557534C1	3599542C1	7105	35	N/A		
KH10-GE	14	WH	TXL	500398C1	3599542C1	7105	36	N/A		
KH14A	12	RD	TXL	3557534C1	3599542C1	7105	38	N/A		
PD92K	18	TN	TXL	3766445C1	3765545C1	7106	1	3554318C1		
PZ92#102	18	TN	TXL	3766445C1	3765545C1	7106	2	3554318C1		
PZ92#105	18	TN	TXL	3766445C1	3765545C1	7106	5	3554318C1		
RB92	18	TN	TXL	3766445C1	3765545C1	7106	5	3554318C1		
PZ92#114	18	TN	TXL	3766445C1	3765545C1	7106	14	3554318C1		
PZ92#115	18	TN	TXL	3766445C1	3765545C1	7106	15	3554318C1		
PZ92#116	18	TN	TXL	3766445C1	3765545C1	7106	16	3554318C1		
PE92A	18	RD	TXL	3869614C1	3765543C1	7107	1	N/A		
PE92B	18	TN	TXL	3869614C1	3765543C1	7107	2	N/A		
PE92C	18	OR	TXL	3869614C1	3765543C1	7107	3	N/A		
PE92D	18	BK	TXL	3869614C1	3765543C1	7107	4	N/A		
VD95	18	TN	GXL	1651968C1	3539778C1	7112	1	N/A		
VE95	18	TN	GXL	1651968C1	3539778C1	7112	1	N/A		
VF95	18	TN	GXL	1651968C1	3539778C1	7112	1	N/A		
VG95	18	TN	GXL	1651968C1	3539778C1	7112	1	N/A		
VH95	18	TN	GXL	1651968C1	3539778C1	7112	1	N/A		
VK95	18	TN	GXL	1651968C1	3539778C1	7112	1	N/A		
VL95	18	TN	GXL	1651968C1	3539778C1	7112	1	N/A		
VN95	18	TN	GXL	1651968C1	3539778C1	7112	1	N/A	1675053C1	

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
VR95	18	TN	GXL	1651968C1	3539778C1	7112	1	N/A	1661874C1	
VD95	16	TN	GXL	1651968C1	3539778C1	7112	1	N/A		
VE95	18	TN	GXL	1651968C1	3539778C1	7112	1	N/A		
VF95	18	TN	GXL	1651968C1	3539778C1	7112	1	N/A		
VG95	18	TN	GXL	1651968C1	3539778C1	7112	1	N/A		
VH95	18	TN	GXL	1651968C1	3539778C1	7112	1	N/A		
VK95	18	TN	GXL	1651968C1	3539778C1	7112	1	N/A		
VL95	18	TN	GXL	1651968C1	3539778C1	7112	1	N/A		
VN95	16	TN	GXL	1651968C1	3539778C1	7112	1	N/A		
VS95	18	TN	GXL	1651968C1	3539778C1	7112	1	N/A		
VA95A	18	TN	GXL	3572625C1	3854645C91	7112	1	N/A		
VA95A	18	TN	GXL	3572625C1	3854645C91	7112	1	N/A		
VD95-G	18	WH	GXL	1651968C1	3539778C1	7112	2	N/A		
VE95-G	18	WH	GXL	1651968C1	3539778C1	7112	2	N/A		
VF95-G	18	WH	GXL	1651968C1	3539778C1	7112	2	N/A		
VG95-G	18	WH	GXL	1651968C1	3539778C1	7112	2	N/A		
VH95-G	18	WH	GXL	1651968C1	3539778C1	7112	2	N/A		
VK95-G	18	WH	GXL	1651968C1	3539778C1	7112	2	N/A		
VL95-G	18	WH	GXL	1651968C1	3539778C1	7112	2	N/A		
VN95-G	18	WH	GXL	1651968C1	3539778C1	7112	2	N/A	1667734C1	
VR95-G	18	WH	GXL	1651968C1	3539778C1	7112	2	N/A	3539146C1	
VD95-G	16	WH	GXL	1651968C1	3539778C1	7112	2	N/A		
VE95-G	18	WH	GXL	1651968C1	3539778C1	7112	2	N/A		
VF95-G	18	WH	GXL	1651968C1	3539778C1	7112	2	N/A		
VG95-G	18	WH	GXL	1651968C1	3539778C1	7112	2	N/A		
VH95-G	18	WH	GXL	1651968C1	3539778C1	7112	2	N/A		
VK95-G	18	WH	GXL	1651968C1	3539778C1	7112	2	N/A		
VL95-G	18	WH	GXL	1651968C1	3539778C1	7112	2	N/A		
VN95-G	16	WH	GXL	1651968C1	3539778C1	7112	2	N/A		
VS95-G	18	WH	GXL	1651968C1	3539778C1	7112	2	N/A		
VA95-G	18	WH	GXL	3572625C1	3854645C91	7112	2	N/A		
VA95-G	18	WH	GXL	3572625C1	3854645C91	7112	2	N/A		
VD95	16	TN	GXL	3526966C1	3977821C1	7113	1	N/A		
VD95-G	16	WH	GXL	3526966C1	3977821C1	7113	2	N/A		
PK92#101	18	LTBL	TXL	3686945C1	3605713C1	7151	1	N/A		
VU92#101	18	LTBL	TXL	3686945C1	3605713C1	7151	1	N/A		
PK92#103	18	YL	TXL	3686945C1	3605713C1	7151	3	N/A		
VU92#103	18	YL	TXL	3686945C1	3605713C1	7151	3	N/A		
PK92#105	18	OR	TXL	3686945C1	3605713C1	7151	5	N/A		
VU92#105	18	OR	TXL	3686945C1	3605713C1	7151	5	N/A		
PB5#106	18	YL	TXL	3686945C1	3605713C1	7151	6	N/A		
KE10B	18	BK	TXL	3686945C1	3605713C1	7151	9	N/A		
KG10B	18	BK	TXL	3686945C1	3605713C1	7151	9	N/A		
KJ10B	18	BK	TXL	3686945C1	3605713C1	7151	9	N/A		
PH14B	18	RD	TXL	3686945C1	3605713C1	7151	10	N/A		
PH92#111	18	OR	TXL	3686945C1	3605713C1	7151	11	N/A		
PH92#114	18	GY	TXL	3686945C1	3605713C1	7151	14	N/A		
PH92#117	18	LTBL	TXL	3686945C1	3605713C1	7151	17	N/A		
PH92#120	18	LTBL	TXL	3686945C1	3605713C1	7151	20	N/A		
PG92#123	18	LTGN	TXL	3686945C1	3605713C1	7151	23	N/A		
PB5#127	18	GN	TXL	3686945C1	3605713C1	7151	27	N/A		
VT92A131	18	YL	TXL	3686945C1	3605713C1	7151	31	N/A		
PH92#133	18	YL	TXL	3686945C1	3605713C1	7151	33	N/A		
PH92#134	18	WH	TXL	3686945C1	3605713C1	7151	34	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
PH92#136	18	OR	TXL	3686945C1	3605713C1	7151	36	N/A		
VT92A137	18	WH	TXL	3686945C1	3605713C1	7151	37	N/A		
PH92#138	18	OR	TXL	3686945C1	3605713C1	7151	38	N/A		
PH92#139	18	OR	TXL	3686945C1	3605713C1	7151	39	N/A		
PH92#140	18	LTGN	TXL	3686945C1	3605713C1	7151	40	N/A		
PH92A141	18	TN	TXL	3686945C1	3605713C1	7151	41	N/A		
PH92#142	18	WH	TXL	3686945C1	3605713C1	7151	42	N/A		
PK92#143	18	LTBL	TXL	3686945C1	3605713C1	7151	43	N/A		
VU92#143	18	LTBL	TXL	3686945C1	3605713C1	7151	43	N/A		
PG92#145	18	OR	TXL	3686945C1	3605713C1	7151	45	N/A		
PK92#150	18	PK	TXL	3686945C1	3605713C1	7151	50	N/A		
VU92#150	18	PK	TXL	3686945C1	3605713C1	7151	50	N/A		
PH92#151	18	WH	TXL	3686945C1	3605713C1	7151	51	N/A		
PH92#152	18	LTGN	TXL	3686945C1	3605713C1	7151	52	N/A		
PH92#153	18	YL	TXL	3686945C1	3605713C1	7151	53	N/A		
PH92#154	18	TN	TXL	3686945C1	3605713C1	7151	54	N/A		
PH92#155	18	WH	TXL	3686945C1	3605713C1	7151	55	N/A		
PH92#157	18	WH	TXL	3686945C1	3605713C1	7151	57	N/A		
PH92#158	18	LTGN	TXL	3686945C1	3605713C1	7151	58	N/A		
PH92#159	18	TN	TXL	3686945C1	3605713C1	7151	59	N/A		
PH92#160	18	YL	TXL	3686945C1	3605713C1	7151	60	N/A		
PH92#161	18	TN	TXL	3686945C1	3605713C1	7151	61	N/A		
PH92#163	18	YL	TXL	3686945C1	3605713C1	7151	63	N/A		
PH92#165	18	TN	TXL	3686945C1	3605713C1	7151	65	N/A		
KE10C	18	BK	TXL	3686945C1	3605713C1	7151	69	N/A		
KG10C	18	BK	TXL	3686945C1	3605713C1	7151	69	N/A		
KJ10C	18	BK	TXL	3686945C1	3605713C1	7151	69	N/A		
PH14C	18	RD	TXL	3686945C1	3605713C1	7151	70	N/A		
PH92#171	18	YL	TXL	3686945C1	3605713C1	7151	71	N/A		
PH92#173	18	LTBL	TXL	3686945C1	3605713C1	7151	73	N/A		
PH92#174	18	LTBL	TXL	3686945C1	3605713C1	7151	74	N/A		
PH92#176	18	YL	TXL	3686945C1	3605713C1	7151	76	N/A		
PH92#177	18	LTBL	TXL	3686945C1	3605713C1	7151	77	N/A		
PH92#178	18	WH	TXL	3686945C1	3605713C1	7151	78	N/A		
PH92#179	18	PK	TXL	3686945C1	3605713C1	7151	79	N/A		
PH92#180	18	OR	TXL	3686945C1	3605713C1	7151	80	N/A		
JT1A	16	TN	GXL	3613770C1	3626435C1	7200	1	N/A		
PR92A175	18	OR	GXL	2036586C1	3524377C1	7211	A	N/A		
SR92A175	18	OR	GXL	2036586C1	3524377C1	7211	A	N/A		
PR92C158	18	LTGN	GXL	2036586C1	3524377C1	7211	B	N/A		
SR92C158	18	LTGN	GXL	2036586C1	3524377C1	7211	B	N/A		
PR92#119	18	LTBL	TXL	3554322C1	3868823C1	7212	A	3554318C1		
SR92#119	18	LTBL	TXL	3554322C1	3868823C1	7212	A	3554318C1		
PR92C131	18	YL	TXL	3554322C1	3868823C1	7212	B	3554318C1		
SR92C131	18	YL	TXL	3554322C1	3868823C1	7212	B	3554318C1		
PR92#115	18	WH	TXL	3554322C1	3868820C1	7213	A	3554318C1		
SR92#115	18	WH	TXL	3554322C1	3868820C1	7213	A	3554318C1		
PR92D131	18	YL	TXL	3554322C1	3868820C1	7213	B	3554318C1		
SR92D131	18	YL	TXL	3554322C1	3868820C1	7213	B	3554318C1		
RCTEM1	16	GY	TXL	1659751C1	3601924C1	7220	1	N/A	593387C1	
RCTEM1	16	GY	TXL	1651969C1	3601924C1	7220	1	N/A		
RCTEM2	16	GY	TXL	1651969C1	3601924C1	7220	2	N/A		
RCTEM2	16	GY	TXL	1651969C1	3601924C1	7220	2	N/A		
RCTEM3	16	GY	TXL	1651969C1	3601924C1	7220	3	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
RCTEM3	16	GY	TXL	1651969C1	3601924C1	7220	3	N/A		
RCTEM4	16	GY	TXL	1651969C1	3601924C1	7220	4	N/A		
RCTEM4	16	GY	TXL	1651969C1	3601924C1	7220	4	N/A		
RCTEM5	16	GY	TXL	1651969C1	3601924C1	7220	5	N/A		
RCTEM5	16	GY	TXL	1651969C1	3601924C1	7220	5	N/A		
RCTEM6	16	GY	TXL	1651969C1	3601924C1	7220	6	N/A		
RCTEM6	16	GY	TXL	1651969C1	3601924C1	7220	6	N/A		
RCTEM7	16	GY	TXL	1651969C1	3601924C1	7220	7	N/A		
RCTEM7	16	GY	TXL	1651969C1	3601924C1	7220	7	N/A		
RCTEM8	16	GY	TXL	1651969C1	3601924C1	7220	8	N/A		
RCTEM8	16	GY	TXL	1651969C1	3601924C1	7220	8	N/A		
SE103M	12	LTGN	GXL	N/A	BLUNT_SL_V	7230	A	N/A		
SE103M	12	LTGN	GXL	N/A	BLUNT_SL_V	7230	A	N/A		
SE103N	12	LTGN	GXL	N/A	BLUNT_SL_V	7230	B	N/A		
SE103N	12	LTGN	GXL	N/A	BLUNT_SL_V	7230	B	N/A		
SE103P	12	LTGN	GXL	N/A	BLUNT_SL_V	7230	C	N/A		
SE103P	12	LTGN	GXL	N/A	BLUNT_SL_V	7230	C	N/A		
PH92#152	18	LTGN	TXL	3686945C1	3605714C1	7350	1	N/A		
PV92#152	18	LTGN	TXL	3686945C1	3605714C1	7350	1	N/A		
PH92#133	18	YL	TXL	3686945C1	3605714C1	7350	2	N/A		
PV92#133	18	YL	TXL	3686945C1	3605714C1	7350	2	N/A		
PH92#151	18	WH	TXL	3686945C1	3605714C1	7350	3	N/A		
PV92#151	18	WH	TXL	3686945C1	3605714C1	7350	3	N/A		
PH92#117	18	LTBL	TXL	3686945C1	3605714C1	7350	4	N/A		
PV92#117	18	LTBL	TXL	3686945C1	3605714C1	7350	4	N/A		
PH92#157	18	WH	TXL	3686945C1	3605714C1	7350	6	N/A		
PV92#157	18	WH	TXL	3686945C1	3605714C1	7350	6	N/A		
PH92#179	18	PK	TXL	3686945C1	3605714C1	7350	7	N/A		
PV92#179	18	PK	TXL	3686945C1	3605714C1	7350	7	N/A		
PH92#154	18	TN	TXL	3686945C1	3605714C1	7350	8	N/A		
PV92#154	18	TN	TXL	3686945C1	3605714C1	7350	8	N/A		
PH92#158	18	LTGN	TXL	3686945C1	3605714C1	7350	9	N/A		
PV92#158	18	LTGN	TXL	3686945C1	3605714C1	7350	9	N/A		
PH92#178	18	WH	TXL	3686945C1	3605714C1	7350	10	N/A		
PV92#178	18	WH	TXL	3686945C1	3605714C1	7350	10	N/A		
PH92#177	18	LTBL	TXL	3686945C1	3605714C1	7350	11	N/A		
PV92#177	18	LTBL	TXL	3686945C1	3605714C1	7350	11	N/A		
PX92A137	18	WH	TXL	3686945C1	3605714C1	7350	12	N/A		
VT92A137	18	WH	TXL	3686945C1	3605714C1	7350	12	N/A		
PX92A131	18	YL	TXL	3686945C1	3605714C1	7350	13	N/A		
VT92A131	18	YL	TXL	3686945C1	3605714C1	7350	13	N/A		
PH92#111	18	OR	TXL	3686945C1	3605714C1	7350	14	N/A		
PV92#111	18	OR	TXL	3686945C1	3605714C1	7350	14	N/A		
PH92#155	18	WH	TXL	3686945C1	3605714C1	7350	15	N/A		
PV92#155	18	WH	TXL	3686945C1	3605714C1	7350	15	N/A		
PH92#171	18	YL	TXL	3686945C1	3605714C1	7350	16	N/A		
PV92#171	18	YL	TXL	3686945C1	3605714C1	7350	16	N/A		
PH92#136	18	OR	TXL	3686945C1	3605714C1	7350	17	N/A		
PV92#136	18	OR	TXL	3686945C1	3605714C1	7350	17	N/A		
PH92#138	18	OR	TXL	3686945C1	3605714C1	7350	18	N/A		
PV92#138	18	OR	TXL	3686945C1	3605714C1	7350	18	N/A		
PH92#174	18	LTBL	TXL	3686945C1	3605714C1	7350	19	N/A		
PV92#174	18	LTBL	TXL	3686945C1	3605714C1	7350	19	N/A		
PH92#114	18	GY	TXL	3686945C1	3605714C1	7350	20	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
PV92#114	18	GY	TXL	3686945C1	3605714C1	7350	20	N/A		
PH92#153	18	YL	TXL	3686945C1	3605714C1	7350	21	N/A		
PV92#153	18	YL	TXL	3686945C1	3605714C1	7350	21	N/A		
PH92#173	18	LTBL	TXL	3686945C1	3605714C1	7350	22	N/A		
PV92#173	18	LTBL	TXL	3686945C1	3605714C1	7350	22	N/A		
PH92#134	18	WH	TXL	3686945C1	3605714C1	7350	23	N/A		
PV92#134	18	WH	TXL	3686945C1	3605714C1	7350	23	N/A		
PH92#176	18	YL	TXL	3686945C1	3605714C1	7350	24	N/A		
PV92#176	18	YL	TXL	3686945C1	3605714C1	7350	24	N/A		
PN92#101	18	LTBL	TXL	3686945C1	3605713C1	7500	1	N/A		
VV92#101	18	LTBL	TXL	3686945C1	3605713C1	7500	1	N/A		
PN92#101	18	LTBL	TXL	3686945C1	3605713C1	7500	1	N/A		
PR92#101	18	LTBL	TXL	3686945C1	3605713C1	7500	1	N/A		
PN92#103	18	YL	TXL	3686945C1	3605713C1	7500	3	N/A		
VV92#103	18	YL	TXL	3686945C1	3605713C1	7500	3	N/A		
PN92#103	18	YL	TXL	3686945C1	3605713C1	7500	3	N/A		
PR92#103	18	YL	TXL	3686945C1	3605713C1	7500	3	N/A		
PM92#105	18	OR	TXL	3686945C1	3605713C1	7500	5	N/A		
PM92#105	18	OR	TXL	3686945C1	3605713C1	7500	5	N/A		
PC5#106	18	YL	TXL	3686945C1	3605713C1	7500	6	N/A		
PC5#106	18	YL	TXL	3686945C1	3605713C1	7500	6	N/A		
LA92#109	18	WH	TXL	3686945C1	3605713C1	7500	9	N/A		
LB92#109	18	WH	TXL	3686945C1	3605713C1	7500	9	N/A		
LC92#109	18	WH	TXL	3686945C1	3605713C1	7500	9	N/A		
PM92#109	18	WH	TXL	3686945C1	3605713C1	7500	9	N/A		
PM92#110	18	RD	TXL	3686945C1	3605713C1	7500	10	N/A		
PM92#110	18	RD	TXL	3686945C1	3605713C1	7500	10	N/A		
PW92#111	18	OR	TXL	3686945C1	3605713C1	7500	11	N/A		
PW92#111	18	OR	150	3686945C1	3605713C1	7500	11	N/A		
PT92A112	18	PK	TXL	3686945C1	3605713C1	7500	12	N/A		
PR92A112	18	PK	TXL	3686945C1	3605713C1	7500	12	N/A		
PT92A112	18	PK	150	3686945C1	3605713C1	7500	12	N/A		
PR92#115	18	WH	TXL	3686945C1	3605713C1	7500	15	N/A		
PW92#116	18	LTBL	TXL	3686945C1	3605713C1	7500	16	N/A		
PW92#116	18	LTBL	150	3686945C1	3605713C1	7500	16	N/A		
RL92#117	18	LTBL	TXL	3686945C1	3605713C1	7500	17	N/A		
RM92A117	18	LTBL	TXL	3686945C1	3605713C1	7500	17	N/A		
RN92#117	18	LTBL	TXL	3686945C1	3605713C1	7500	17	N/A		
RL92#117	18	LTBL	TXL	3686945C1	3605713C1	7500	17	N/A		
RM92A117	18	LTBL	TXL	3686945C1	3605713C1	7500	17	N/A		
RN92#117	18	LTBL	TXL	3686945C1	3605713C1	7500	17	N/A		
PW92#118	18	GY	TXL	3686945C1	3605713C1	7500	18	N/A		
PW92#118	18	GY	150	3686945C1	3605713C1	7500	18	N/A		
PR92#119	18	LTBL	TXL	3686945C1	3605713C1	7500	19	N/A		
PW92A120	18	LTBL	TXL	3686945C1	3605713C1	7500	20	N/A		
PB92A120	18	LTBL	150	3686945C1	3605713C1	7500	20	N/A		
PE92#120	18	DKBL	TXL	3686945C1	3605713C1	7500	20	N/A		
PM92#122	18	YL	TXL	3686945C1	3605713C1	7500	22	N/A		
PM92#122	18	YL	TXL	3686945C1	3605713C1	7500	22	N/A		
PM92#123	18	LTGN	TXL	3686945C1	3605713C1	7500	23	N/A		
PM92#123	18	LTGN	TXL	3686945C1	3605713C1	7500	23	N/A		
PR92#124	18	WH	TXL	3686945C1	3605713C1	7500	24	N/A		
PW47#125	18	GY	TXL	3686945C1	3605713C1	7500	25	N/A		
PC5#127	18	GN	TXL	3686945C1	3605713C1	7500	27	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
PC5#127	18	GN	TXL	3686945C1	3605713C1	7500	27	N/A		
PM92#130	18	YL	TXL	3686945C1	3605713C1	7500	30	N/A		
PM92#130	18	YL	TXL	3686945C1	3605713C1	7500	30	N/A		
PT92#131	18	YL	TXL	3686945C1	3605713C1	7500	31	N/A		
PR92A131	18	YL	TXL	3686945C1	3605713C1	7500	31	N/A		
PT92#131	18	YL	150	3686945C1	3605713C1	7500	31	N/A		
PW92#133	18	YL	TXL	3686945C1	3605713C1	7500	33	N/A		
PW92#133	18	YL	150	3686945C1	3605713C1	7500	33	N/A		
PM92#134	18	YL	TXL	3686945C1	3605713C1	7500	34	N/A		
PM92#134	18	YL	TXL	3686945C1	3605713C1	7500	34	N/A		
PW92#136	18	OR	TXL	3686945C1	3605713C1	7500	36	N/A		
PW92#136	18	OR	150	3686945C1	3605713C1	7500	36	N/A		
PW92#137	18	WH	TXL	3686945C1	3605713C1	7500	37	N/A		
PW92#137	18	WH	150	3686945C1	3605713C1	7500	37	N/A		
PW48#139	18	OR	150	3686945C1	3605713C1	7500	39	N/A		
PB48#139	18	OR	150	3686945C1	3605713C1	7500	39	N/A		
PD48#139	18	OR	TXL	3686945C1	3605713C1	7500	39	N/A		
PW47#140	18	LTGN	150	3686945C1	3605713C1	7500	40	N/A		
PW47#140	18	LTGN	TXL	3686945C1	3605713C1	7500	40	N/A		
PY92A141	18	TN	TXL	3686945C1	3605713C1	7500	41	N/A		
RL92A141	18	TN	TXL	3686945C1	3605713C1	7500	41	N/A		
PY92A141	18	TN	TXL	3686945C1	3605713C1	7500	41	N/A		
RL92A141	18	TN	TXL	3686945C1	3605713C1	7500	41	N/A		
RL92#142	18	WH	TXL	3686945C1	3605713C1	7500	42	N/A		
RM92A142	18	WH	TXL	3686945C1	3605713C1	7500	42	N/A		
RL92#142	18	WH	TXL	3686945C1	3605713C1	7500	42	N/A		
RM92A142	18	WH	TXL	3686945C1	3605713C1	7500	42	N/A		
PM92#143	18	LTBL	TXL	3686945C1	3605713C1	7500	43	N/A		
PM92#143	18	LTBL	TXL	3686945C1	3605713C1	7500	43	N/A		
PY92#145	18	OR	TXL	3686945C1	3605713C1	7500	45	N/A		
RL92#145	18	OR	TXL	3686945C1	3605713C1	7500	45	N/A		
PY92#145	18	OR	TXL	3686945C1	3605713C1	7500	45	N/A		
RL92#145	18	OR	TXL	3686945C1	3605713C1	7500	45	N/A		
PW92#151	18	WH	TXL	3686945C1	3605713C1	7500	51	N/A		
PW92#151	18	WH	150	3686945C1	3605713C1	7500	51	N/A		
PW92#152	18	LTGN	TXL	3686945C1	3605713C1	7500	52	N/A		
PW92#152	18	LTGN	150	3686945C1	3605713C1	7500	52	N/A		
PW31#154	18	TN	TXL	3686945C1	3605713C1	7500	54	N/A		
PW31#154	18	TN	150	3686945C1	3605713C1	7500	54	N/A		
PW92#155	18	WH	TXL	3686945C1	3605713C1	7500	55	N/A		
PW92#155	18	WH	150	3686945C1	3605713C1	7500	55	N/A		
PR92#156	18	PK	TXL	3686945C1	3605713C1	7500	56	N/A		
PT92#158	18	LTGN	TXL	3686945C1	3605713C1	7500	58	N/A		
PR92A158	18	LTGN	TXL	3686945C1	3605713C1	7500	58	N/A		
PT92#158	18	LTGN	150	3686945C1	3605713C1	7500	58	N/A		
PW48#159	18	TN	150	3686945C1	3605713C1	7500	59	N/A		
PB48#159	18	TN	150	3686945C1	3605713C1	7500	59	N/A		
PD48#159	18	TN	TXL	3686945C1	3605713C1	7500	59	N/A		
PW47#160	18	YL	150	3686945C1	3605713C1	7500	60	N/A		
PW47#160	18	YL	TXL	3686945C1	3605713C1	7500	60	N/A		
PR92#161	18	OR	TXL	3686945C1	3605713C1	7500	61	N/A		
PM92#162	18	YL	TXL	3686945C1	3605713C1	7500	62	N/A		
PM92#162	18	YL	TXL	3686945C1	3605713C1	7500	62	N/A		
PM92#163	18	YL	TXL	3686945C1	3605713C1	7500	63	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
PM92#163	18	YL	TXL	3686945C1	3605713C1	7500	63	N/A		
PM92#164	18	LTBL	TXL	3686945C1	3605713C1	7500	64	N/A		
PM92#164	18	LTBL	TXL	3686945C1	3605713C1	7500	64	N/A		
PM92#165	18	TN	TXL	3686945C1	3605713C1	7500	65	N/A		
PM92#165	18	TN	TXL	3686945C1	3605713C1	7500	65	N/A		
LA92#169	18	WH	TXL	3686945C1	3605713C1	7500	69	N/A		
LB92#169	18	WH	TXL	3686945C1	3605713C1	7500	69	N/A		
LC92#169	18	WH	TXL	3686945C1	3605713C1	7500	69	N/A		
PM92#169	18	WH	TXL	3686945C1	3605713C1	7500	69	N/A		
PM92#170	18	RD	TXL	3686945C1	3605713C1	7500	70	N/A		
PM92#170	18	RD	TXL	3686945C1	3605713C1	7500	70	N/A		
PW92#171	18	YL	TXL	3686945C1	3605713C1	7500	71	N/A		
PW92#171	18	YL	150	3686945C1	3605713C1	7500	71	N/A		
PW92#174	18	LTBL	TXL	3686945C1	3605713C1	7500	74	N/A		
PW92#174	18	LTBL	150	3686945C1	3605713C1	7500	74	N/A		
PR92#175	18	OR	TXL	3686945C1	3605713C1	7500	75	N/A		
PW92#176	18	YL	TXL	3686945C1	3605713C1	7500	76	N/A		
PW92#176	18	YL	150	3686945C1	3605713C1	7500	76	N/A		
PW92#177	18	LTGN	TXL	3686945C1	3605713C1	7500	77	N/A		
PW92#177	18	LTGN	150	3686945C1	3605713C1	7500	77	N/A		
PW92#180	18	OR	TXL	3686945C1	3605713C1	7500	80	N/A		
PB92#180	18	OR	150	3686945C1	3605713C1	7500	80	N/A		
PE92#180	18	OR	TXL	3686945C1	3605713C1	7500	80	N/A		
KH10-G	10	WH	TXL	3841700C1	3577412C1	7501	1	N/A		
KH14SA	10	RD	TXL	3841700C1	3577412C1	7501	2	N/A		
KM47C	20	GY	TXL	3756267C1	3662425C1	7600	A	3756268C1		
KM47B	20	GY	TXL	3756267C1	3662425C1	7600	B	3756268C1		
KM47C	20	GY	TXL	3756267C1	3662425C1	7601	A	3756268C1		
KM47B	20	GY	TXL	3756267C1	3662425C1	7601	B	3756268C1		
PD48#159	18	TN	TXL	3554322C1	3610533C1	7603	A	3554318C1		
SL48#159	18	TN	TXL	3554322C1	3610533C1	7603	A	3554318C1		
PD48#139	18	OR	TXL	3554322C1	3610533C1	7603	B	3554318C1		
SL48#139	18	OR	TXL	3554322C1	3610533C1	7603	B	3554318C1		
PE92#180	18	OR	TXL	3554322C1	3610533C1	7615	A	3554318C1		
SV92#180	18	OR	TXL	3554322C1	3610533C1	7615	A	3554318C1		
PE92#120	18	DKBL	TXL	3554322C1	3610533C1	7615	B	3554318C1		
SV92#120	18	LTBL	TXL	3554322C1	3610533C1	7615	B	3554318C1		
BA47	20	GY	TXL	1661875C1	1661778C1	7703	A	3568570C1		
BA47A	20	GY	TXL	1661875C1	1661778C1	7703	B	3568570C1		
TG41	16	TN	GXL	3626031C1	3518183C1	7750	1	N/A		
TG41-G	16	TN	GXL	3626031C1	3518183C1	7750	2	N/A		
TG41	16	TN	GXL	1661875C1	3522068C1	7751	A	1661872C1		
TG41-G	16	TN	GXL	1661875C1	3522068C1	7751	B	1661872C1		
MA88	14	LTGN	GXL	N/A	BLUNT_SL_V	7800	A	N/A		
MA88	14	LTGN	GXL	N/A	BLUNT_SL_V	7800	A	N/A		
YL112	16	GY	GXL	3686944C1	3950690C1	7803	1	N/A		
YL112	16	GY	GXL	3686944C1	3950690C1	7803	1	N/A		
YH112-GD	16	WH	TXL	3686944C1	3950690C1	7803	2	N/A		
YJ112-GD	16	WH	TXL	3686944C1	3950690C1	7803	2	N/A	3539784C1	
YK112-GD	16	WH	TXL	3686944C1	3950690C1	7803	2	N/A		
YH112-GD	16	WH	TXL	3686944C1	3950690C1	7803	2	N/A		
YJ112-GD	16	WH	TXL	3686944C1	3950690C1	7803	2	N/A		
YK112-GD	16	WH	TXL	3686944C1	3950690C1	7803	2	N/A		
UN92YD	16	TN	TXL	1661875C1	3540756C1	7900	A	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
UN92D	18	TN	TXL	1661875C1	3540756C1	7900	B	N/A		
UN62A	18	DKBL	TXL	1661875C1	3540756C1	7900	C	N/A		
UN92-GAH	18	WH	TXL	1661875C1	3540756C1	7900	D	N/A		
UE92BK	16	BK	TXL	3555249C1	3539141C1	7901	1	N/A		
UE92RD	16	TN	TXL	3555249C1	3539141C1	7901	2	N/A		
UE92YL	16	YL	TXL	3555249C1	3539141C1	7901	3	N/A		
UE92BL	16	LTBL	TXL	3555249C1	3539141C1	7901	4	N/A		
NC5E(-)	18	GN	TXL	3555249C1	3599542C1	7909	2	N/A		
NC5E(+)	18	YL	TXL	3555249C1	3599542C1	7909	3	N/A		
ND17K	18	PK	GXL	3555249C1	3599542C1	7909	4	N/A		
UE92BL	16	LTBL	TXL	3555249C1	3599542C1	7909	15	N/A		
UE92YL	16	YL	TXL	3555249C1	3599542C1	7909	16	N/A		
UE92BK	16	BK	TXL	3555249C1	3599542C1	7909	17	N/A		
NJ92E	18	LTBL	TXL	3555249C1	3599542C1	7909	20	N/A		
NJ92F	18	LTGN	TXL	3555249C1	3599542C1	7909	21	N/A		
NJ92H	18	WH	TXL	3555249C1	3599542C1	7909	22	N/A		
UD92AE	16	TN	TXL	3555249C1	3599542C1	7909	25	N/A		
ND17J	16	PK	TXL	3555249C1	3599542C1	7909	26	N/A		
UD92(-)	18	GY	TXL	3555249C1	3599542C1	7909	27	N/A		
UD92(+)	18	DKBL	TXL	3555249C1	3599542C1	7909	28	N/A		
UD92YB	16	TN	TXL	3555249C1	3599542C1	7909	31	N/A		
UE92RD	16	TN	TXL	3555249C1	3599542C1	7909	31	N/A		
ND17L	18	PK	GXL	3555249C1	3599542C1	7909	32	N/A		
ND13D	14	PK	GXL	3841699C1	3599542C1	7909	35	N/A		
NU11-GAM	10	WH	TXL	3841700C1	3599542C1	7909	36	N/A		
NU14AW	12	RD	TXL	3557534C1	3599542C1	7909	38	N/A		
MC52D	14	YL	GXL	2033816C1	1661375C2	8000	A	589391C1		
MW52D	14	YL	GXL	2033816C1	1661375C2	8000	A	589391C1		
PP52D	14	YL	GXL	2033816C1	1661375C2	8000	A	589391C1	3553650C1	
RF52D	14	YL	GXL	2033816C1	1661375C2	8000	A	589391C1		
MA52D	14	YL	GXL	2033816C1	1661375C2	8000	A	589391C1		
MB52D	14	YL	GXL	2033816C1	1661375C2	8000	A	589391C1		
MC52D	14	YL	GXL	2033816C1	1661375C2	8000	A	589391C1		
MW52D	14	YL	GXL	2033816C1	1661375C2	8000	A	589391C1		
MY11-GA	14	WH	GXL	2033816C1	1661375C2	8000	B	589391C1		
MZ11-GA	14	WH	GXL	2033816C1	1661375C2	8000	B	589391C1		
MY11-GA	14	WH	GXL	2033816C1	1661375C2	8000	B	589391C1		
MZ11-GA	14	WH	GXL	2033816C1	1661375C2	8000	B	589391C1		
MC53B	14	YL	GXL	2033816C1	1661375C2	8000	C	589391C1		
MW53B	14	YL	GXL	2033816C1	1661375C2	8000	C	589391C1		
PP53B	14	YL	GXL	2033816C1	1661375C2	8000	C	589391C1	3549120C1	
RF53B	14	YL	GXL	2033816C1	1661375C2	8000	C	589391C1		
MA53B	14	YL	GXL	2033816C1	1661375C2	8000	C	589391C1		
MB53B	14	YL	GXL	2033816C1	1661375C2	8000	C	589391C1		
MC53B	14	YL	GXL	2033816C1	1661375C2	8000	C	589391C1		
MW53B	14	YL	GXL	2033816C1	1661375C2	8000	C	589391C1		
MC57C	16	OR	GXL	2033819C1	1661375C2	8000	D	1652325C1		
MW57C	16	OR	GXL	2033819C1	1661375C2	8000	D	1652325C1		
PP57B	16	OR	TXL	2033819C1	1661375C2	8000	D	1652325C1		
RF57B	16	OR	TXL	2033819C1	1661375C2	8000	D	1652325C1		
MA57B	16	OR	TXL	2033819C1	1661375C2	8000	D	1652325C1		
MB57B	16	OR	TXL	2033819C1	1661375C2	8000	D	1652325C1		
MC57C	16	OR	GXL	2033819C1	1661375C2	8000	D	1652325C1		
MW57C	16	OR	GXL	2033819C1	1661375C2	8000	D	1652325C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
MC54D	14	BN	GXL	2033816C1	1661375C2	8000	E	589391C1		
MW54D	14	BN	GXL	2033816C1	1661375C2	8000	E	589391C1		
PP54D	14	BN	GXL	2033816C1	1661375C2	8000	E	589391C1		
RF54D	14	BN	GXL	2033816C1	1661375C2	8000	E	589391C1		
MA54D	14	BN	GXL	2033816C1	1661375C2	8000	E	589391C1		
MB54D	14	BN	GXL	2033816C1	1661375C2	8000	E	589391C1		
MC54D	14	BN	GXL	2033816C1	1661375C2	8000	E	589391C1		
MW54D	14	BN	GXL	2033816C1	1661375C2	8000	E	589391C1		
MA52	14	YL	GXL	2033816C1	1661375C2	8001	A	589391C1		
MC52	14	YL	GXL	2033816C1	1661375C2	8001	A	589391C1		
MW52	14	YL	GXL	2033816C1	1661375C2	8001	A	589391C1		
PP52	14	YL	GXL	2033816C1	1661375C2	8001	A	589391C1	3546519C1	
MA52	14	YL	GXL	2033816C1	1661375C2	8001	A	589391C1		
MB52	14	YL	GXL	2033816C1	1661375C2	8001	A	589391C1		
MC52	14	YL	GXL	2033816C1	1661375C2	8001	A	589391C1		
MW52	14	YL	GXL	2033816C1	1661375C2	8001	A	589391C1		
MY11-GB	14	WH	GXL	2033816C1	1661375C2	8001	B	589391C1		
MZ11-GB	14	WH	GXL	2033816C1	1661375C2	8001	B	589391C1		
RA11-GB	14	WH	GXL	2033816C1	1661375C2	8001	B	589391C1		
RB11-GB	14	WH	GXL	2033816C1	1661375C2	8001	B	589391C1	3557682C1	
MY11-GB	14	WH	GXL	2033816C1	1661375C2	8001	B	589391C1		
MZ11-GB	14	WH	GXL	2033816C1	1661375C2	8001	B	589391C1		
MA53	14	YL	GXL	2033816C1	1661375C2	8001	C	589391C1		
MC53	14	YL	GXL	2033816C1	1661375C2	8001	C	589391C1		
MW53	14	YL	GXL	2033816C1	1661375C2	8001	C	589391C1		
PP53	14	YL	GXL	2033816C1	1661375C2	8001	C	589391C1	3554821C1	
MA53	14	YL	GXL	2033816C1	1661375C2	8001	C	589391C1		
MB53	14	YL	GXL	2033816C1	1661375C2	8001	C	589391C1		
MC53	14	YL	GXL	2033816C1	1661375C2	8001	C	589391C1		
MW53	14	YL	GXL	2033816C1	1661375C2	8001	C	589391C1		
MA56B	16	OR	TXL	2033819C1	1661375C2	8001	D	1652325C1		
MC56C	16	OR	GXL	2033819C1	1661375C2	8001	D	1652325C1		
MW56C	16	OR	GXL	2033819C1	1661375C2	8001	D	1652325C1		
PP56B	16	OR	TXL	2033819C1	1661375C2	8001	D	1652325C1		
MA56B	16	OR	TXL	2033819C1	1661375C2	8001	D	1652325C1		
MB56B	16	OR	TXL	2033819C1	1661375C2	8001	D	1652325C1		
MC56C	16	OR	GXL	2033819C1	1661375C2	8001	D	1652325C1		
MW56C	16	OR	GXL	2033819C1	1661375C2	8001	D	1652325C1		
MC54C	14	BN	GXL	2033816C1	1661375C2	8001	E	589391C1		
MV54C	14	BN	GXL	2033816C1	1661375C2	8001	E	589391C1		
MW54C	14	BN	GXL	2033816C1	1661375C2	8001	E	589391C1		
PP54C	14	BN	GXL	2033816C1	1661375C2	8001	E	589391C1	3562309C1	
RF54C	14	BN	GXL	2033816C1	1661375C2	8001	E	589391C1		
MA54C	14	BN	GXL	2033816C1	1661375C2	8001	E	589391C1		
MB54C	14	BN	GXL	2033816C1	1661375C2	8001	E	589391C1		
MC54C	14	BN	GXL	2033816C1	1661375C2	8001	E	589391C1		
MW54C	14	BN	GXL	2033816C1	1661375C2	8001	E	589391C1		
MC64HI	14	YL	GXL	3535486C1	2039311C91	8102	A	589391C1		
MW64HI	14	YL	GXL	3535486C1	2039311C91	8102	A	589391C1		
MC64HI	14	YL	GXL	3535486C1	2039311C91	8102	A	589391C1		
MW64HI	14	YL	GXL	3535486C1	2039311C91	8102	A	589391C1		
MC11-GE	14	WH	GXL	3535486C1	2039311C91	8102	B	589391C1		
MW11-GE	14	WH	GXL	3535486C1	2039311C91	8102	B	589391C1		
MC11-GE	14	WH	GXL	3535486C1	2039311C91	8102	B	589391C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
MW11-GE	14	WH	GXL	3535486C1	2039311C91	8102	B	589391C1		
MC64LO	14	YL	GXL	3535486C1	2039311C91	8102	C	589391C1		
MW64LO	14	YL	GXL	3535486C1	2039311C91	8102	C	589391C1		
MC64LO	14	YL	GXL	3535486C1	2039311C91	8102	C	589391C1		
MW64LO	14	YL	GXL	3535486C1	2039311C91	8102	C	589391C1		
MC56D	16	YL	GXL	2039343C1	2039311C91	8102	D	1652325C1		
MW56D	16	YL	GXL	2039343C1	2039311C91	8102	D	1652325C1		
MC56D	16	OR	GXL	2039343C1	2039311C91	8102	D	1652325C1		
MW56D	16	OR	GXL	2039343C1	2039311C91	8102	D	1652325C1		
MC54F	14	BN	GXL	3535486C1	2039311C91	8102	E	589391C1		
MW54F	14	BN	GXL	3535486C1	2039311C91	8102	E	589391C1		
MC54F	14	BN	GXL	3535486C1	2039311C91	8102	E	589391C1		
MW54F	14	BN	GXL	3535486C1	2039311C91	8102	E	589391C1		
MC57D	16	LTGN	GXL	2039343C1	2039311C91	8102	F	1652325C1		
MW57D	16	LTGN	GXL	2039343C1	2039311C91	8102	F	1652325C1		
MC57D	16	OR	GXL	2039343C1	2039311C91	8102	F	1652325C1		
MW57D	16	OR	GXL	2039343C1	2039311C91	8102	F	1652325C1		
PP54H	16	BN	GXL	1661875C1	1661778C1	8150	A	1661872C1		
MB54H	16	BN	GXL	1661875C1	1661778C1	8150	A	1661872C1		
PP54-GA	16	WH	GXL	1661875C1	1661778C1	8150	B	1661872C1	1661874C1	
MB54-GA	16	WH	GXL	1661875C1	1661778C1	8150	B	1661872C1		
PP54J	16	BN	GXL	1661875C1	1661778C1	8151	A	1661872C1	1618846C1	1618847C1
MB54J	16	BN	GXL	1661875C1	1661778C1	8151	A	1661872C1		
PP54-GB	16	WH	GXL	1661875C1	1661778C1	8151	B	1661872C1		
MB54-GB	16	WH	GXL	1661875C1	1661778C1	8151	B	1661872C1		
RD64B	16	YL	GXL	587577C1	587567C91	8200	A	1652325C1		
MD64B	16	YL	TXL	587577C1	587567C91	8200	A	1652325C1		
RD64-GB	16	WH	GXL	587577C1	587567C91	8200	B	1652325C1		
MD64-GB	16	WH	TXL	587577C1	587567C91	8200	B	1652325C1		
MD64A	16	YL	GXL	587577C1	587567C91	8201	A	1652325C1		
MD64A	16	YL	GXL	587577C1	587567C91	8201	A	1652325C1		
MD64-GA	16	WH	GXL	587577C1	587567C91	8201	B	1652325C1		
MD64-GA	16	WH	GXL	587577C1	587567C91	8201	B	1652325C1		
MR85E	16	GY	GXL	1661875C1	1661778C1	8301	A	1661872C1		
MR85E	16	GY	GXL	1661875C1	1661778C1	8301	A	1661872C1		
MY85-GA	16	WH	GXL	1661875C1	1661778C1	8301	B	1661872C1		
MZ85-GA	16	WH	GXL	1661875C1	1661778C1	8301	B	1661872C1		
RA85-GA	16	WH	GXL	1661875C1	1661778C1	8301	B	1661872C1	4064677C1	
RB85-GA	16	WH	GXL	1661875C1	1661778C1	8301	B	1661872C1		
MY85-GA	16	WH	GXL	1661875C1	1661778C1	8301	B	1661872C1		
MZ85-GA	16	WH	GXL	1661875C1	1661778C1	8301	B	1661872C1		
VJ95MC	20	TN	TXL	3573077C1	6114576C1	8500	1	N/A		
VL95H	18	TN	TXL	3573077C1	6114576C1	8500	1	N/A		
VJ5A(+)	18	YL	193	3573077C1	6114576C1	8500	2	N/A		
VK5A(+)	18	YL	193	3573077C1	6114576C1	8500	2	N/A		
KA95TB	18	GY	TXL	3573077C1	6114576C1	8500	5	N/A		
KA95TB	18	GY	TXL	3573077C1	6114576C1	8500	5	N/A		
VJ13B	18	PK	TXL	3573077C1	6114576C1	8500	6	N/A		
VJ13AB	18	RD	TXL	3573077C1	6114576C1	8500	6	N/A		
VJ95AR2	18	TN	TXL	3573077C1	6114576C1	8500	8	N/A		
VL95AR2	18	RD	TXL	3573077C1	6114576C1	8500	8	N/A		
VJ5A(-)	18	GN	193	3573077C1	6114576C1	8500	9	N/A		
VK5A(-)	18	GN	193	3573077C1	6114576C1	8500	9	N/A		
VJ10-G3	18	WH	GXL	3573077C1	6114576C1	8500	13	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
VJ10-G5	16	BK	TXL	3989901C1	6114576C1	8500	13	N/A		
ME94	18	GY	GXL	2033819C1	1686834C1	8500	A	1652325C1		
ME94	18	GY	GXL	2033819C1	1686834C1	8500	A	1652325C1		
ME94A	18	GY	GXL	2033819C1	1686834C1	8500	B	1652325C1		
ME94A	18	GY	GXL	2033819C1	1686834C1	8500	B	1652325C1		
ME94B	18	GY	GXL	2033819C1	1686834C1	8500	C	1652325C1		
ME94B	18	GY	GXL	2033819C1	1686834C1	8500	C	1652325C1		
ME94H	18	GY	GXL	2033819C1	1686834C1	8501	A	1652325C1		
ME94H	18	GY	GXL	2033819C1	1686834C1	8501	A	1652325C1		
ME94J	18	GY	GXL	2033819C1	1686834C1	8501	B	1652325C1		
ME94J	18	GY	GXL	2033819C1	1686834C1	8501	B	1652325C1		
ME94K	18	GY	GXL	2033819C1	1686834C1	8501	C	1652325C1		
ME94K	18	GY	GXL	2033819C1	1686834C1	8501	C	1652325C1		
MF94L(+)	18	GY	TXL	6111842C1	6111844C1	8502	1	6111843C1		
MF94L(+)	18	GY	TXL	6111842C1	6111844C1	8502	1	6111843C1		
MF94L(-)	18	GY	TXL	6111842C1	6111844C1	8502	2	6111843C1		
MF94L(-)	18	GY	TXL	6111842C1	6111844C1	8502	2	6111843C1		
MF94R(+)	18	GY	TXL	6111842C1	6111844C1	8503	1	6111843C1		
MF94R(+)	18	GY	TXL	6111842C1	6111844C1	8503	1	6111843C1		
MF94R(-)	18	GY	TXL	6111842C1	6111844C1	8503	2	6111843C1		
MF94R(-)	18	GY	TXL	6111842C1	6111844C1	8503	2	6111843C1		
ML9A	18	GY	GXL	1651943C1	1678137C1	8505	A	N/A		
ML9A	18	GY	GXL	1651943C1	1678137C1	8505	A	N/A		
ML6A	18	GY	GXL	1651943C1	1678137C1	8505	B	N/A		
ML6A	18	GY	GXL	1651943C1	1678137C1	8505	B	N/A		
ML40	18	GY	GXL	1651943C1	1678137C1	8505	C	N/A		
ML40	18	GY	GXL	1651943C1	1678137C1	8505	C	N/A		
VJ95EL	18	TN	150	3573077C1	3573078C1	8600	1	N/A		
VJ95EH	18	TN	150	3573077C1	3573078C1	8600	2	N/A		
VJ95	20	TN	150	3573077C1	3573078C1	8600	3	N/A		
VJ95A	20	TN	150	3573077C1	3573078C1	8600	4	N/A		
KP6C	18	TN	150	3573077C1	3573078C1	8600	5	N/A		
VG6C	18	TN	150	3573077C1	3573078C1	8600	5	N/A		
VY6C	18	TN	150	3573077C1	3573078C1	8600	5	N/A		
VJ9A	20	TN	150	3573077C1	3573078C1	8600	7	N/A		
VJ95K	20	TN	150	3573077C1	3573078C1	8600	8	N/A		
VJ5A(+)	18	YL	193	3573077C1	3573078C1	8600	9	N/A		
VJ5A(-)	18	GN	193	3573077C1	3573078C1	8600	10	N/A		
VJ10-G2	14	WH	150	3989901C1	3573078C1	8600	11	N/A		
VJ13A	14	PK	150	3989901C1	3573078C1	8600	12	N/A		
VJ5B(+)	18	YL	193	3573077C1	3573078C1	8600	13	N/A		
VJ5B(-)	18	GN	193	3573077C1	3573078C1	8600	14	N/A		
MY11-GC	12	WH	GXL	1673747C1	587566C91	8600	A	589390C1		
MZ11-GC	12	WH	GXL	1673747C1	587566C91	8600	A	589390C1		
RA11-GC	12	WH	GXL	1673747C1	587566C91	8600	A	589390C1	1684263C1	
RB11-GC	12	WH	GXL	1673747C1	587566C91	8600	A	589390C1		
MY11-GC	12	WH	GXL	1673747C1	587566C91	8600	A	589390C1		
MZ11-GC	12	WH	GXL	1673747C1	587566C91	8600	A	589390C1		
MT78AC	16	LTGN	GXL	587577C1	587567C91	8700	A	1652325C1		
MT78AC	16	LTGN	GXL	587577C1	587567C91	8700	A	1652325C1		
MT78-GA	16	WH	GXL	587577C1	587567C91	8700	B	1652325C1		
MT78-GA	16	WH	GXL	587577C1	587567C91	8700	B	1652325C1		
MS78BC	16	LTGN	GXL	587577C1	587567C91	8701	A	1652325C1		
MT78BC	16	LTGN	GXL	587577C1	587567C91	8701	A	1652325C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
MS78BC	16	LTGN	GXL	587577C1	587567C91	8701	A	1652325C1		
MT78BC	16	LTGN	GXL	587577C1	587567C91	8701	A	1652325C1		
MS78-GB	16	WH	GXL	587577C1	587567C91	8701	B	1652325C1		
MT78-GB	16	WH	GXL	587577C1	587567C91	8701	B	1652325C1		
MS78-GB	16	WH	GXL	587577C1	587567C91	8701	B	1652325C1		
MT78-GB	16	WH	GXL	587577C1	587567C91	8701	B	1652325C1		
MY11-GD	12	WH	GXL	2033816C1	3551896C1	8800	A	589390C1		
RA11-GD	12	WH	GXL	2033816C1	3551896C1	8800	A	589390C1		
MY11-GD	12	WH	GXL	2033816C1	3551896C1	8800	A	589390C1		
MD64-GA	16	WH	GXL	2033819C1	3551896C1	8800	B	1652325C1		
TE64-GA	16	WH	TXL	2033819C1	3551896C1	8800	B	1652325C1		
MD64-GA	16	WH	GXL	2033819C1	3551896C1	8800	B	1652325C1		
SM64-GA	16	WH	TXL	2033819C1	3551896C1	8800	B	1652325C1		
MX64-GB	16	WH	GXL	2033819C1	3551896C1	8800	C	1652325C1		
RD64-GB	16	WH	GXL	2033819C1	3551896C1	8800	C	1652325C1		
TC64-GB	16	WH	TXL	2033819C1	3551896C1	8800	C	1652325C1		
TD64-GB	16	WH	TXL	2033819C1	3551896C1	8800	C	1652325C1		
MD64-GB	16	WH	TXL	2033819C1	3551896C1	8800	C	1652325C1		
SM64-GB	16	WH	TXL	2033819C1	3551896C1	8800	C	1652325C1		
MC11-GE	14	WH	GXL	2033816C1	3551896C1	8800	D	589391C1		
MW11-GE	14	WH	GXL	2033816C1	3551896C1	8800	D	589391C1		
PP54-GA	16	WH	GXL	2033819C1	3551896C1	8800	D	1652325C1	3553460C1	
MB54-GA	16	WH	GXL	2033819C1	3551896C1	8800	D	1652325C1		
MC11-GE	14	WH	GXL	2033816C1	3551896C1	8800	D	589391C1		
MW11-GE	14	WH	GXL	2033816C1	3551896C1	8800	D	589391C1		
MS78-GB	16	WH	GXL	2033819C1	3551896C1	8800	E	1652325C1		
PP54-GB	16	WH	GXL	2033819C1	3551896C1	8800	E	1652325C1	3598918C1	3598919C1
MB54-GB	16	WH	GXL	2033819C1	3551896C1	8800	E	1652325C1		
MS78-GB	16	WH	GXL	2033819C1	3551896C1	8800	E	1652325C1		
SH11-GW	16	WH	TXL	2033819C1	3551896C1	8800	F	1652325C1		
SJ44-GW	16	WH	TXL	2033819C1	3551896C1	8800	F	1652325C1		
NL11-GW	16	WH	TXL	2033819C1	3551896C1	8800	F	1652325C1		
NM44-GW	16	WH	TXL	2033819C1	3551896C1	8800	F	1652325C1		
SL9	16	GY	GXL	2033819C1	3551896C1	8802	A	1652325C1		
SL9	16	GY	GXL	2033819C1	3551896C1	8802	A	1652325C1		
DC9A	18	GY	GXL	2033819C1	3551896C1	8802	B	1652325C1		
RE9A	18	GY	GXL	2033819C1	3551896C1	8802	B	1652325C1		
RE9A	18	GY	GXL	2033819C1	3551896C1	8802	B	1652325C1		
RG9A	18	GY	GXL	2033819C1	3551896C1	8802	B	1652325C1		
VR9A	18	GY	GXL	2033819C1	3551896C1	8802	B	1652325C1		
RF9B	18	GY	GXL	2033819C1	3551896C1	8802	C	1652325C1		
SP9B	18	GY	GXL	2033819C1	3551896C1	8802	C	1652325C1		
RF9B	18	GY	GXL	2033819C1	3551896C1	8802	C	1652325C1		
SP9B	18	GY	GXL	2033819C1	3551896C1	8802	C	1652325C1		
ZG8EB	18	GY	TXL	2033819C1	3551896C1	8802	D	3517771C1		
MF9F	18	GY	GXL	2033819C1	3551896C1	8802	F	1652325C1		
MG9H	18	GY	GXL	2033819C1	3551896C1	8802	F	1652325C1		
MF9F	18	GY	GXL	2033819C1	3551896C1	8802	F	1652325C1		
XM59-G	12	WH	GXL	2033816C1	3551896C1	8805	A	589390C1	3683466C1	3573833C1
NR104CC	18	DKBL	GXL	587576C1	587568C91	8805	A	1652325C1		
XM59-G	12	WH	GXL	2033816C1	3551896C1	8805	A	589390C1		
NR104CC	18	DKBL	GXL	587576C1	587568C91	8805	A	1652325C1		
AD59C-G	12	WH	GXL	2033816C1	3551896C1	8805	B	589390C1		
AE59A-G	16	WH	GXL	2033819C1	3551896C1	8805	B	1652325C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
BJ59A-G	14	WH	GXL	2033816C1	3551896C1	8805	B	589391C1		
NM59A-G	16	WH	GXL	2033819C1	3551896C1	8805	B	1652325C1		
TW59A-G	16	WH	GXL	2033819C1	3551896C1	8805	B	1652325C1		
NR104CB	18	DKBL	GXL	587576C1	587568C91	8805	B	1652325C1		
NG59A-G	14	WH	GXL	2033816C1	3551896C1	8805	B	589391C1		
NM59A-G	16	WH	GXL	2033819C1	3551896C1	8805	B	1652325C1		
NR104CB	18	DKBL	GXL	587576C1	587568C91	8805	B	1652325C1		
NU59F-G	14	WH	GXL	2033816C1	3551896C1	8805	C	589391C1		
NX59X-G	14	WH	GXL	2033816C1	3551896C1	8805	C	589391C1		
NZ59X-G	14	WH	GXL	2033816C1	3551896C1	8805	C	589391C1		
NZ59X-G	14	WH	GXL	2033816C1	3551896C1	8805	C	589391C1		
NW59L-G	14	WH	GXL	2033816C1	3551896C1	8805	D	589391C1		
EV12-GA	18	WH	GXL	2033819C1	3551896C1	8805	D	1652325C1		
PM19-G	16	WH	TXL	2033819C1	3551896C1	8805	E	1652325C1		
PN19-G	16	WH	TXL	2033819C1	3551896C1	8805	E	1652325C1		
PX19-G	16	WH	TXL	2033819C1	3551896C1	8805	E	1652325C1		
TB19-G	16	WH	GXL	2033819C1	3551896C1	8805	E	1652325C1		
TG19-G	16	WH	GXL	2033819C1	3551896C1	8805	E	1652325C1		
TH19-G	16	WH	GXL	2033819C1	3551896C1	8805	E	1652325C1		
TK19-G	16	WH	GXL	2033819C1	3551896C1	8805	E	1652325C1		
TL19-G	16	WH	GXL	2033819C1	3551896C1	8805	E	1652325C1		
TM19-G	16	WH	GXL	2033819C1	3551896C1	8805	E	1652325C1		
TN19-G	16	WH	GXL	2033819C1	3551896C1	8805	E	1652325C1		
TP19-G	16	WH	GXL	2033819C1	3551896C1	8805	E	1652325C1		
PM19-G	16	WH	TXL	2033819C1	3551896C1	8805	E	1652325C1		
PN19-G	16	WH	GXL	2033819C1	3551896C1	8805	E	1652325C1		
SA19-G	16	WH	TXL	2033819C1	3551896C1	8805	E	1652325C1		
TB19-G	16	WH	TXL	2033819C1	3551896C1	8805	E	1652325C1		
TG19-G	16	WH	TXL	2033819C1	3551896C1	8805	E	1652325C1	2033927C1	
TH19-G	16	WH	TXL	2033819C1	3551896C1	8805	E	1652325C1		
TK19-G	16	WH	TXL	2033819C1	3551896C1	8805	E	1652325C1	1661874C1	
TL19-G	16	WH	TXL	2033819C1	3551896C1	8805	E	1652325C1	1661874C1	
TM19-G	16	WH	TXL	2033819C1	3551896C1	8805	E	1652325C1	2005243C1	
TN19-G	16	WH	TXL	2033819C1	3551896C1	8805	E	1652325C1		
TP19-G	16	WH	GXL	2033819C1	3551896C1	8805	E	1652325C1		
TR19-G	16	WH	TXL	2033819C1	3551896C1	8805	E	1652325C1		
AB44-GB	18	WH	GXL	2033819C1	3551896C1	8805	F	1652325C1		
AB44-GB	18	WH	GXL	2033819C1	3551896C1	8805	F	1652325C1		
SL11-GA	12	WH	GXL	2033816C1	3551896C1	8807	A	589390C1		
SL11-GA	12	WH	GXL	2033816C1	3551896C1	8807	A	589390C1		
SL10-G	12	WH	TXL	2033816C1	3551896C1	8807	B	589391C1		
SL10-G	12	WH	TXL	2033816C1	3551896C1	8807	B	589391C1		
NH39-GB	16	WH	GXL	2033819C1	3551896C1	8807	C	1652325C1		
PF39-GB	16	WH	GXL	2033819C1	3551896C1	8807	C	1652325C1	1661376C1	
TA39-GB	16	WH	GXL	2033819C1	3551896C1	8807	C	1652325C1		
UB39-GB	16	WH	GXL	2033819C1	3551896C1	8807	C	1652325C1		
NH39-GB	16	WH	GXL	2033819C1	3551896C1	8807	C	1652325C1		
PF39-GB	16	WH	GXL	2033819C1	3551896C1	8807	C	1652325C1		
TA39-GB	16	WH	GXL	2033819C1	3551896C1	8807	C	1652325C1		
UB39-GB	16	WH	GXL	2033819C1	3551896C1	8807	C	1652325C1		
NN39-GF	18	WH	GXL	2033819C1	3551896C1	8807	D	1652325C1		
NP39-GF	18	WH	GXL	2033819C1	3551896C1	8807	D	1652325C1		
PH39-GF	18	WH	GXL	2033819C1	3551896C1	8807	D	1652325C1	1667734C1	
PK39-GF	18	WH	GXL	2033819C1	3551896C1	8807	D	1652325C1	1664408C1	

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
NN39-GF	18	WH	GXL	2033819C1	3551896C1	8807	D	1652325C1		
NP39-GF	18	WH	GXL	2033819C1	3551896C1	8807	D	1652325C1		
NR39-GF	18	WH	GXL	2033819C1	3551896C1	8807	D	1652325C1		
PG39-GF	18	WH	GXL	2033819C1	3551896C1	8807	D	1652325C1		
PH39-GF	18	WH	GXL	2033819C1	3551896C1	8807	D	1652325C1		
TC39-GF	18	WH	GXL	2033819C1	3551896C1	8807	D	1652325C1		
ND11-GD	12	WH	GXL	2033816C1	3551896C1	8807	F	589390C1		
PV11-GBB	12	WH	GXL	2033816C1	3551896C1	8807	F	589390C1		
ND11-GD	12	WH	GXL	2033816C1	3551896C1	8807	F	589390C1		
PV11-GBB	12	WH	GXL	2033816C1	3551896C1	8807	F	589390C1		
SL11-GB	12	WH	GXL	2033816C1	3551896C1	8809	A	589390C1		
SL11-GB	12	WH	GXL	2033816C1	3551896C1	8809	A	589390C1		
PU37-G	18	WH	GXL	2033819C1	3551896C1	8809	B	1652325C1		
PU37-G	18	WH	GXL	2033819C1	3551896C1	8809	B	1652325C1		
NT10-GS	14	WH	GXL	2033816C1	3551896C1	8809	C	589391C1		
RA10-GR	14	WH	GXL	2033816C1	3551896C1	8809	C	589391C1		
ZE10-GR	14	WH	GXL	2033816C1	3551896C1	8809	C	589391C1		
NT10-GS	14	WH	GXL	2033816C1	3551896C1	8809	C	589391C1		
RA10-GR	14	WH	GXL	2033816C1	3551896C1	8809	C	589391C1		
ZE10-GR	14	WH	GXL	2033816C1	3551896C1	8809	C	589391C1		
YH112-GD	16	WH	TXL	2033819C1	3551896C1	8809	D	1652325C1	3765546C1	
YJ11-GD	16	WH	TXL	2033819C1	3551896C1	8809	D	1652325C1	3765547C1	3765565C1
YK11-GD	16	WH	TXL	2033819C1	3551896C1	8809	D	1652325C1		
YM65-G	16	WH	GXL	2033819C1	3551896C1	8809	D	1652325C1		
YN65-G	16	WH	GXL	2033819C1	3551896C1	8809	D	1652325C1		
YH112-GD	16	WH	TXL	2033819C1	3551896C1	8809	D	1652325C1		
YJ11-GD	16	WH	TXL	2033819C1	3551896C1	8809	D	1652325C1		
YK11-GD	16	WH	TXL	2033819C1	3551896C1	8809	D	1652325C1		
YM65-G	16	WH	GXL	2033819C1	3551896C1	8809	D	1652325C1		
YN65-G	16	WH	GXL	2033819C1	3551896C1	8809	D	1652325C1		
RL49-G	18	WH	GXL	2033819C1	3551896C1	8809	E	1652325C1		
RL49-G	18	WH	GXL	2033819C1	3551896C1	8809	E	1652325C1		
XM59-G	12	WH	GXL	2033816C1	3551896C1	8809	F	589390C1	3662518C1	
XM59-G	12	WH	GXL	2033816C1	3551896C1	8809	F	589390C1		
QL5(-)	18	GN	TXL	3727971C1	3553404C1	8881	5	N/A		
QR5(-)	18	GN	TXL	3727971C1	3553404C1	8881	5	N/A		
QU5A(-)	18	GN	TXL	3727971C1	3553404C1	8881	5	N/A		
QZ5D1(-)	18	GN	TXL	3727971C1	3553404C1	8881	5	N/A		
QL5A	18	GN	TXL	3727971C1	3553404C1	8881	6	N/A		
QU5A	18	GN	TXL	3727971C1	3553404C1	8881	6	N/A		
QL5B	18	YL	TXL	3727971C1	3553404C1	8881	7	N/A		
QU5B	18	YL	TXL	3727971C1	3553404C1	8881	7	N/A		
QL5(+)	18	YL	TXL	3727971C1	3553404C1	8881	8	N/A		
QR5(+)	18	YL	TXL	3727971C1	3553404C1	8881	8	N/A		
QU5A(+)	18	YL	TXL	3727971C1	3553404C1	8881	8	N/A		
QZ5D1(+)	18	YL	TXL	3727971C1	3553404C1	8881	8	N/A		
QL13AA	18	RD	TXL	3727971C1	3553404C1	8881	10	N/A		
QR13AA	18	RD	TXL	3727971C1	3553404C1	8881	10	N/A		
QU14RA	18	RD	TXL	3727971C1	3553404C1	8881	10	N/A		
QZ13R1	18	RD	TXL	3727971C1	3553404C1	8881	10	N/A		
QL11-AB	18	WH	TXL	3727971C1	3553404C1	8881	12	N/A		
QR11-G	18	WH	TXL	3727971C1	3553404C1	8881	12	N/A		
QU11-G2	18	WH	TXL	3727971C1	3553404C1	8881	12	N/A		
QZ11-GAN	18	WH	TXL	3727971C1	3553404C1	8881	12	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
QK11-GA	18	WH	TXL	3727971C1	3586750C1	8882	1	N/A		
QU11-GA2	18	WH	TXL	3727971C1	3586750C1	8882	1	N/A		
QZ11-GA1	18	WH	TXL	3727971C1	3586750C1	8882	1	N/A		
QK11-GB	18	WH	TXL	3727971C1	3586750C1	8882	2	N/A		
QU11-GB2	18	WH	TXL	3727971C1	3586750C1	8882	2	N/A		
QZ11-GB1	18	WH	TXL	3727971C1	3586750C1	8882	2	N/A		
QN11-GD	18	WH	TXL	3727971C1	3586750C1	8882	3	N/A		
QV11-GD2	18	WH	TXL	3727971C1	3586750C1	8882	3	N/A		
QX11-GD1	18	WH	TXL	3727971C1	3586750C1	8882	3	N/A		
QP11-GF	18	WH	TXL	3727971C1	3586750C1	8882	4	N/A		
QT11-GE	18	WH	TXL	3727971C1	3586750C1	8882	4	N/A		
QV11-GF2	18	WH	TXL	3727971C1	3586750C1	8882	4	N/A		
QY11-GF1	18	WH	TXL	3727971C1	3586750C1	8882	4	N/A		
QQ11-GE	18	WH	TXL	3727971C1	3586750C1	8882	5	N/A		
QV11-GE2	18	WH	TXL	3727971C1	3586750C1	8882	5	N/A		
QX11-GE1	18	WH	TXL	3727971C1	3586750C1	8882	5	N/A		
QM11-GC	18	WH	TXL	3727971C1	3586750C1	8882	6	N/A		
QM11-GJ	18	WH	TXL	3727971C1	3586750C1	8882	7	N/A		
QQ11-GL	18	WH	TXL	3727971C1	3586750C1	8882	8	N/A		
QV11-GL2	18	WH	TXL	3727971C1	3586750C1	8882	8	N/A		
QX11-GL1	18	WH	TXL	3727971C1	3586750C1	8882	8	N/A		
QP11-GM	18	WH	TXL	3727971C1	3586750C1	8882	9	N/A		
QT11-GL	18	WH	TXL	3727971C1	3586750C1	8882	9	N/A		
QV11-GM2	18	WH	TXL	3727971C1	3586750C1	8882	9	N/A		
QY11-GM1	18	WH	TXL	3727971C1	3586750C1	8882	9	N/A		
QN11-GK	18	WH	TXL	3727971C1	3586750C1	8882	10	N/A		
QV11-GK2	18	WH	TXL	3727971C1	3586750C1	8882	10	N/A		
QX11-GK1	18	WH	TXL	3727971C1	3586750C1	8882	10	N/A		
QK11-GH	18	WH	TXL	3727971C1	3586750C1	8882	11	N/A		
QU11-GH2	18	WH	TXL	3727971C1	3586750C1	8882	11	N/A		
QZ11-GH1	18	WH	TXL	3727971C1	3586750C1	8882	11	N/A		
QK11-GG	18	WH	TXL	3727971C1	3586750C1	8882	12	N/A		
QU11-GG2	18	WH	TXL	3727971C1	3586750C1	8882	12	N/A		
QZ11-GG1	18	WH	TXL	3727971C1	3586750C1	8882	12	N/A		
QL5A	18	GN	TXL	1661208C1	1661200C1	8883	A	N/A		
QU5A	18	GN	TXL	1661208C1	1661200C1	8883	A	N/A		
QL5B	18	YL	TXL	1661208C1	1661200C1	8883	B	N/A		
QU5B	18	YL	TXL	1661208C1	1661200C1	8883	B	N/A		
QL11-AA	18	WH	TXL	1661208C1	1661200C1	8883	C	N/A		
QU11-G1	18	WH	TXL	1661208C1	1661200C1	8883	C	N/A		
QL13RB	18	RD	TXL	1661208C1	1661200C1	8883	D	N/A		
QU14RB	18	RD	TXL	1661208C1	1661200C1	8883	D	N/A		
AL1AL	12	GY	GXL	1646428C1	6099045C1	8884	1	N/A		
AL1AL	12	GY	GXL	1646428C1	6099045C1	8884	1	N/A		
AL2AL	14	GY	GXL	1646428C1	6099045C1	8884	2	N/A		
AL2AL	14	GY	GXL	1646428C1	6099045C1	8884	2	N/A		
AL5AL	18	GY	GXL	3572626C1	6099045C1	8884	5	N/A		
AL5AL	18	GY	GXL	1651987C1	6099045C1	8884	5	N/A		
AL6AL	18	GY	GXL	3572626C1	6099045C1	8884	6	N/A		
AL6AL	18	GY	GXL	1651987C1	6099045C1	8884	6	N/A		
AL7AL	18	GY	GXL	3572626C1	6099045C1	8884	7	N/A		
AL7AL	18	GY	GXL	1651987C1	6099045C1	8884	7	N/A		
AL8AL	18	GY	GXL	3572626C1	6099045C1	8884	8	N/A		
AL8AL	18	GY	GXL	1651987C1	6099045C1	8884	8	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
AL9AL	18	GY	GXL	3572626C1	6099045C1	8884	9	N/A		
AL9AL	18	GY	GXL	1651987C1	6099045C1	8884	9	N/A		
AM10AL	18	GY	TXL	3572626C1	6099045C1	8884	10	N/A		
AN10AL	18	GY	TXL	3572626C1	6099045C1	8884	10	N/A	1667734C1	
AM10AL	18	GY	TXL	1651987C1	6099045C1	8884	10	N/A		
AN10AL	18	GY	TXL	1651987C1	6099045C1	8884	10	N/A		
AN11AL	18	GY	TXL	3572626C1	6099045C1	8884	11	N/A	1667771C1	
AN11AL	18	GY	TXL	3572626C1	6099045C1	8884	11	N/A		
AM12AL	18	GY	TXL	3572626C1	6099045C1	8884	12	N/A		
AN12AL	18	GY	TXL	3572626C1	6099045C1	8884	12	N/A	1671608C1	
AM12AL	18	GY	TXL	1651987C1	6099045C1	8884	12	N/A		
AN12AL	18	GY	TXL	1651987C1	6099045C1	8884	12	N/A		
AM13AL	18	GY	TXL	3572626C1	6099045C1	8884	13	N/A		
AM13AL	18	GY	TXL	1651987C1	6099045C1	8884	13	N/A		
AN14AL	18	GY	TXL	3572626C1	6099045C1	8884	14	N/A	1664408C1	
AN14AL	18	GY	TXL	1651987C1	6099045C1	8884	14	N/A		
AM15AL	18	GY	TXL	3572626C1	6099045C1	8884	15	N/A		
AN15AL	18	GY	TXL	3572626C1	6099045C1	8884	15	N/A	2039342C1	3554019C1
AM15AL	18	GY	TXL	1651987C1	6099045C1	8884	15	N/A		
AN15AL	18	GY	TXL	1651987C1	6099045C1	8884	15	N/A		
AM16AL	18	GY	TXL	3572626C1	6099045C1	8884	16	N/A		
AM16AL	18	GY	TXL	1651987C1	6099045C1	8884	16	N/A		
AN17AL	18	GY	TXL	3572626C1	6099045C1	8884	17	N/A		
AN17AL	18	GY	TXL	1651987C1	6099045C1	8884	17	N/A		
AM18AL	18	GY	TXL	3626031C1	6099045C1	8884	18	N/A	1661874C1	
AN18AL	18	GY	TXL	3626031C1	6099045C1	8884	18	N/A		
AM18AL	18	GY	TXL	3626031C1	6099045C1	8884	18	N/A		
AN18AL	18	GY	TXL	3626031C1	6099045C1	8884	18	N/A		
AL20AL	18	GY	TXL	3626031C1	6099045C1	8884	20	N/A		
AL20AL	18	GY	TXL	3626031C1	6099045C1	8884	20	N/A		
AL21AL	18	GY	GXL	3572626C1	6099045C1	8884	21	N/A		
AL21AL	18	GY	GXL	1651987C1	6099045C1	8884	21	N/A		
ZL23AL	18	GY	TXL	3626031C1	6099045C1	8884	23	N/A		
ZM23AL	18	GY	TXL	3626031C1	6099045C1	8884	23	N/A		
AL23AL	18	GY	TXL	3626031C1	6099045C1	8884	23	N/A		
AL24AL	18	GY	TXL	3626031C1	6099045C1	8884	24	N/A		
AL24AL	18	GY	TXL	3626031C1	6099045C1	8884	24	N/A		
ZM25AL	18	GY	GXL	3572626C1	6099045C1	8884	25	N/A		
AL20AL	18	GY	TXL	3626031C1	3838727C1	8885	1	N/A		
AL9AL	18	GY	GXL	3626031C1	3838727C1	8885	2	N/A		
AL24AL	18	GY	TXL	3626031C1	3838727C1	8885	3	N/A		
AL8AL	18	GY	GXL	3626031C1	3838727C1	8885	4	N/A		
AL21AL	18	GY	GXL	3626031C1	3838727C1	8885	5	N/A		
ZM23AL	18	GY	TXL	3626031C1	3838727C1	8885	6	N/A		
ZM25AL	18	GY	GXL	3626031C1	3838727C1	8885	7	N/A		
AL6AL	18	GY	GXL	3626031C1	3838727C1	8885	8	N/A		
AL7AL	18	GY	GXL	3626031C1	3838727C1	8885	10	N/A		
ZL23AL	18	GY	TXL	3626031C1	3838727C1	8885	11	N/A		
AL5AL	18	GY	GXL	3626031C1	3838727C1	8885	12	N/A		
AL11AL	12	GY	GXL	N/A	BLUNT_SL_V	8886	A	N/A		
AL1AL	12	GY	GXL	N/A	BLUNT_SL_V	8886	A	N/A		
AL2AL	14	GY	GXL	N/A	BLUNT_SL_V	8886	B	N/A		
AL2AL	14	GY	GXL	N/A	BLUNT_SL_V	8886	B	N/A		
AM18AL	18	GY	TXL	1667742C1	3525874C1	8887	A	3568570C1	1675053C1	

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
AM18AL	18	GY	TXL	1667742C1	3525874C1	8887	A	3568570C1		
AM12AL	18	GY	TXL	1667742C1	3525874C1	8887	B	3568570C1		
AM12AL	18	GY	TXL	1667742C1	3525874C1	8887	B	3568570C1		
AM13AL	18	GY	TXL	1667742C1	3525874C1	8887	C	3568570C1		
AM13AL	18	GY	TXL	1667742C1	3525874C1	8887	C	3568570C1		
AM15AL	18	GY	TXL	1667742C1	3525874C1	8887	E	3568570C1		
AM15AL	18	GY	TXL	1667742C1	3525874C1	8887	E	3568570C1		
AM16AL	18	GY	TXL	1667742C1	3525874C1	8887	F	3568570C1	1661376C1	
AM16AL	18	GY	TXL	1667742C1	3525874C1	8887	F	3568570C1		
AM10AL	18	GY	TXL	1667742C1	3525874C1	8887	G	3568570C1		
AM10AL	18	GY	TXL	1667742C1	3525874C1	8887	G	3568570C1		
AN15AL	18	GY	TXL	1661875C1	3525872C1	8888	A	3568570C1		
AN15AL	18	GY	TXL	1661875C1	3525872C1	8888	A	3568570C1		
AN11AL	18	GY	TXL	1661875C1	3525872C1	8888	B	3568570C1	1667771C1	
AN11AL	18	GY	TXL	1661875C1	3525872C1	8888	B	3568570C1		
AN18AL	18	GY	TXL	1661875C1	3525872C1	8888	C	3568570C1	3525873C1	
AN18AL	18	GY	TXL	1661875C1	3525872C1	8888	C	3568570C1		
AN12AL	18	GY	TXL	1661875C1	3525872C1	8888	D	3568570C1	1673791C1	
AN12AL	18	GY	TXL	1661875C1	3525872C1	8888	D	3568570C1		
AN14AL	18	GY	TXL	1661875C1	3525872C1	8888	E	3568570C1	2039342C1	
AN14AL	18	GY	TXL	1661875C1	3525872C1	8888	E	3568570C1		
AN10AL	18	GY	TXL	1661875C1	3525872C1	8888	F	3568570C1	1667734C1	
AN10AL	18	GY	TXL	1661875C1	3525872C1	8888	F	3568570C1		
AN17AL	18	GY	TXL	1661875C1	3525872C1	8888	G	3568570C1	1661874C1	
AN17AL	18	GY	TXL	1661875C1	3525872C1	8888	G	3568570C1		
MN5B(+)	20	YL	193	3987168C1	6111813C1	8903	1	3987169C1		
SP5B(+)	20	GN	193	3987168C1	6111813C1	8903	1	3987169C1		
PT5UE(+)	18	YL	TXL	3987168C1	6111813C1	8903	2	3600327C1		
ST5UE(+)	18	GN	TXL	3987168C1	6111813C1	8903	2	3600327C1		
MU67-GA	20	WH	TXL	3987168C1	6111813C1	8903	5	3987169C1		
SP67-GA	20	WH	TXL	3987168C1	6111813C1	8903	5	3987169C1		
MN5B(-)	20	GN	193	3987168C1	6111813C1	8903	6	3987169C1		
SP5B(-)	20	YL	193	3987168C1	6111813C1	8903	6	3987169C1		
PT5UE(-)	18	GN	TXL	3987168C1	6111813C1	8903	7	3600327C1		
ST5UE(-)	18	YL	TXL	3987168C1	6111813C1	8903	7	3600327C1		
MU67AA	20	PK	TXL	3987168C1	6111813C1	8903	8	3987169C1		
SP67AA	20	PK	TXL	3987168C1	6111813C1	8903	8	3987169C1		
QK11-GAN	14	WH	GXL	3613770C1	3613769C1	8995	1	N/A		
QS11-GAN	14	WH	GXL	3613770C1	3613769C1	8995	1	N/A		
QU11-GAN	14	WH	GXL	3613770C1	3613769C1	8995	1	N/A		
QZ11-GAP	14	WH	GXL	3613770C1	3613769C1	8995	1	N/A		
QL11-A	18	WH	TXL	3613771C1	3613769C1	8995	2	N/A		
QR11-G	18	WH	TXL	3613771C1	3613769C1	8995	2	N/A		
QS11-G	18	WH	TXL	3613771C1	3613769C1	8995	2	N/A		
QU11-G	18	WH	TXL	3613771C1	3613769C1	8995	2	N/A		
QZ11-G	18	WH	TXL	3613771C1	3613769C1	8995	2	N/A		
QK11-GAA	18	WH	TXL	3613771C1	3613769C1	8995	3	N/A		
QS11-GAA	18	WH	TXL	3613771C1	3613769C1	8995	3	N/A		
QU11-GAA	18	WH	TXL	3613771C1	3613769C1	8995	3	N/A		
QZ11-GAA	18	WH	TXL	3613771C1	3613769C1	8995	3	N/A		
QK11-GBA	18	WH	TXL	3613771C1	3613769C1	8995	4	N/A		
QS11-GBA	18	WH	TXL	3613771C1	3613769C1	8995	4	N/A		
QU11-GBA	18	WH	TXL	3613771C1	3613769C1	8995	4	N/A		
QZ11-GBA	18	WH	TXL	3613771C1	3613769C1	8995	4	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
QG11-GCA	18	WH	TXL	3613771C1	3613769C1	8995	5	N/A		
QM11-GCA	18	WH	TXL	3613771C1	3613769C1	8995	5	N/A		
QH11-GDA	18	WH	TXL	3613771C1	3613769C1	8995	6	N/A		
QN11-GDA	18	WH	TXL	3613771C1	3613769C1	8995	6	N/A		
QV11-GDA	18	WH	TXL	3613771C1	3613769C1	8995	6	N/A		
QX11-GDA	18	WH	TXL	3613771C1	3613769C1	8995	6	N/A		
QH11-GEA	18	WH	TXL	3613771C1	3613769C1	8995	7	N/A		
QQ11-GEA	18	WH	TXL	3613771C1	3613769C1	8995	7	N/A		
QT11-GEA	18	WH	TXL	3613771C1	3613769C1	8995	7	N/A		
QV11-GEA	18	WH	TXL	3613771C1	3613769C1	8995	7	N/A		
QX11-GEA	18	WH	TXL	3613771C1	3613769C1	8995	7	N/A		
QJ11-GFA	18	WH	TXL	3613771C1	3613769C1	8995	8	N/A		
QP11-GFA	18	WH	TXL	3613771C1	3613769C1	8995	8	N/A		
QV11-GFA	18	WH	TXL	3613771C1	3613769C1	8995	8	N/A		
QY11-GFA	18	WH	TXL	3613771C1	3613769C1	8995	8	N/A		
QK11-GGA	18	WH	TXL	3613771C1	3613769C1	8995	9	N/A		
QS11-GGA	18	WH	TXL	3613771C1	3613769C1	8995	9	N/A		
QU11-GGA	18	WH	TXL	3613771C1	3613769C1	8995	9	N/A		
QZ11-GGA	18	WH	TXL	3613771C1	3613769C1	8995	9	N/A		
QK11-GHA	18	WH	TXL	3613771C1	3613769C1	8995	10	N/A		
QS11-GHA	18	WH	TXL	3613771C1	3613769C1	8995	10	N/A		
QU11-GHA	18	WH	TXL	3613771C1	3613769C1	8995	10	N/A		
QZ11-GHA	18	WH	TXL	3613771C1	3613769C1	8995	10	N/A		
QG11-GJA	18	WH	TXL	3613771C1	3613769C1	8995	11	N/A		
QM11-GJA	18	WH	TXL	3613771C1	3613769C1	8995	11	N/A		
QH11-GKA	18	WH	TXL	3613771C1	3613769C1	8995	12	N/A		
QN11-GKA	18	WH	TXL	3613771C1	3613769C1	8995	12	N/A		
QV11-GKA	18	WH	TXL	3613771C1	3613769C1	8995	12	N/A		
QX11-GKA	18	WH	TXL	3613771C1	3613769C1	8995	12	N/A		
QH11-GLA	18	WH	TXL	3613771C1	3613769C1	8995	13	N/A		
QN11-GLA	18	WH	TXL	3613771C1	3613769C1	8995	13	N/A		
QV11-GLA	18	WH	TXL	3613771C1	3613769C1	8995	13	N/A		
QX11-GLA	18	WH	TXL	3613771C1	3613769C1	8995	13	N/A		
QJ11-GMA	18	WH	TXL	3613771C1	3613769C1	8995	14	N/A		
QP11-GMA	18	WH	TXL	3613771C1	3613769C1	8995	14	N/A		
QV11-GMA	18	WH	TXL	3613771C1	3613769C1	8995	14	N/A		
QY11-GMA	18	WH	TXL	3613771C1	3613769C1	8995	14	N/A		
QH11-GDA	18	WH	TXL	2018639C1	2018590C1	8997	1	N/A		
QN11-GDA	18	WH	TXL	2018639C1	2018590C1	8997	1	N/A		
QV11-GDA	18	WH	TXL	2018639C1	2018590C1	8997	1	N/A		
QX11-GDA	18	WH	TXL	2018639C1	2018590C1	8997	1	N/A		
QH11-GD	18	WH	TXL	2018639C1	2018590C1	8997	2	N/A		
QN11-GD	18	WH	TXL	2018639C1	2018590C1	8997	2	N/A		
QV11-GD	18	WH	TXL	2018639C1	2018590C1	8997	2	N/A		
QX11-GD2	18	WH	TXL	2018639C1	2018590C1	8997	2	N/A		
QH11-GKA	18	WH	TXL	2018639C1	2018590C1	8997	3	N/A		
QN11-GKA	18	WH	TXL	2018639C1	2018590C1	8997	3	N/A		
QV11-GKA	18	WH	TXL	2018639C1	2018590C1	8997	3	N/A		
QX11-GKA	18	WH	TXL	2018639C1	2018590C1	8997	3	N/A		
QH11-GK	18	WH	TXL	2018639C1	2018590C1	8997	4	N/A		
QN11-GK	18	WH	TXL	2018639C1	2018590C1	8997	4	N/A		
QV11-GK	18	WH	TXL	2018639C1	2018590C1	8997	4	N/A		
QX11-GK2	18	WH	TXL	2018639C1	2018590C1	8997	4	N/A		
QH11-GEA	18	WH	TXL	2018639C1	2018590C1	8997	5	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
QQ11-GEA	18	WH	TXL	2018639C1	2018590C1	8997	5	N/A		
QT11-GEA	18	WH	TXL	2018639C1	2018590C1	8997	5	N/A		
QV11-GEA	18	WH	TXL	2018639C1	2018590C1	8997	5	N/A		
QX11-GEA	18	WH	TXL	2018639C1	2018590C1	8997	5	N/A		
QH11-GE	18	WH	TXL	2018639C1	2018590C1	8997	6	N/A		
QQ11-GE	18	WH	TXL	2018639C1	2018590C1	8997	6	N/A		
QT11-GE	18	WH	TXL	2018639C1	2018590C1	8997	6	N/A		
QV11-GE	18	WH	TXL	2018639C1	2018590C1	8997	6	N/A		
QX11-GE2	18	WH	TXL	2018639C1	2018590C1	8997	6	N/A		
QH11-GLA	18	WH	TXL	2018639C1	2018590C1	8997	7	N/A		
QN11-GLA	18	WH	TXL	2018639C1	2018590C1	8997	7	N/A		
QV11-GLA	18	WH	TXL	2018639C1	2018590C1	8997	7	N/A		
QX11-GLA	18	WH	TXL	2018639C1	2018590C1	8997	7	N/A		
QH11-GL	18	WH	TXL	2018639C1	2018590C1	8997	8	N/A		
QQ11-GL	18	WH	TXL	2018639C1	2018590C1	8997	8	N/A		
QT11-GL	18	WH	TXL	2018639C1	2018590C1	8997	8	N/A		
QV11-GL	18	WH	TXL	2018639C1	2018590C1	8997	8	N/A		
QX11-GL2	18	WH	TXL	2018639C1	2018590C1	8997	8	N/A		
QJ11-GFA	18	WH	TXL	2018639C1	2018590C1	8997	9	N/A		
QP11-GFA	18	WH	TXL	2018639C1	2018590C1	8997	9	N/A		
QV11-GFA	18	WH	TXL	2018639C1	2018590C1	8997	9	N/A		
QY11-GFA	18	WH	TXL	2018639C1	2018590C1	8997	9	N/A		
QJ11-GF	18	WH	TXL	2018639C1	2018590C1	8997	10	N/A		
QP11-GF	18	WH	TXL	2018639C1	2018590C1	8997	10	N/A		
QV11-GF	18	WH	TXL	2018639C1	2018590C1	8997	10	N/A		
QY11-GF2	18	WH	TXL	2018639C1	2018590C1	8997	10	N/A		
QJ11-GMA	18	WH	TXL	2018639C1	2018590C1	8997	11	N/A		
QP11-GMA	18	WH	TXL	2018639C1	2018590C1	8997	11	N/A		
QV11-GMA	18	WH	TXL	2018639C1	2018590C1	8997	11	N/A		
QY11-GMA	18	WH	TXL	2018639C1	2018590C1	8997	11	N/A		
QJ11-GM	18	WH	TXL	2018639C1	2018590C1	8997	12	N/A		
QP11-GM	18	WH	TXL	2018639C1	2018590C1	8997	12	N/A		
QV11-GM	18	WH	TXL	2018639C1	2018590C1	8997	12	N/A		
QY11-GM2	18	WH	TXL	2018639C1	2018590C1	8997	12	N/A		
QS3D(+)	20	DKBL	TXL	3727971C1	3553404C1	8998	4	N/A		
QU3D(+)	20	DKBL	TXL	3727971C1	3553404C1	8998	4	N/A		
QZ3D(+)	20	DKBL	TXL	3727971C1	3553404C1	8998	4	N/A		
QS3D(-)	20	GY	TXL	3727971C1	3553404C1	8998	5	N/A		
QU3D(-)	20	GY	TXL	3727971C1	3553404C1	8998	5	N/A		
QZ3D(-)	20	GY	TXL	3727971C1	3553404C1	8998	5	N/A		
QS5B(+)	18	YL	TXL	3727971C1	3553404C1	8998	6	N/A		
QU5B(+)	18	YL	TXL	3727971C1	3553404C1	8998	6	N/A		
QZ5D2(+)	18	YL	TXL	3727971C1	3553404C1	8998	6	N/A		
QS5B(-)	18	GN	TXL	3727971C1	3553404C1	8998	7	N/A		
QU5B(-)	18	GN	TXL	3727971C1	3553404C1	8998	7	N/A		
QZ5D2(-)	18	GN	TXL	3727971C1	3553404C1	8998	7	N/A		
QS13R	18	RD	TXL	3727971C1	3553404C1	8998	10	N/A		
QU14RC	18	RD	TXL	3727971C1	3553404C1	8998	10	N/A		
QZ13R2	18	RD	TXL	3727971C1	3553404C1	8998	10	N/A		
QS11-G	18	WH	TXL	3727971C1	3553404C1	8998	12	N/A		
QU11-G3	18	WH	TXL	3727971C1	3553404C1	8998	12	N/A		
QZ11-G	18	WH	TXL	3727971C1	3553404C1	8998	12	N/A		
QS11-GA	18	WH	TXL	3727971C1	3586750C1	8999	1	N/A		
QU11-GA1	18	WH	TXL	3727971C1	3586750C1	8999	1	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
QZ11-GA3	18	WH	TXL	3727971C1	3586750C1	8999	1	N/A		
QS11-GB	18	WH	TXL	3727971C1	3586750C1	8999	2	N/A		
QU11-GB1	18	WH	TXL	3727971C1	3586750C1	8999	2	N/A		
QZ11-GB3	18	WH	TXL	3727971C1	3586750C1	8999	2	N/A		
QG11-GC	18	WH	TXL	3727971C1	3586750C1	8999	3	N/A		
QH11-GD	18	WH	TXL	3727971C1	3586750C1	8999	4	N/A		
QV11-GD1	18	WH	TXL	3727971C1	3586750C1	8999	4	N/A		
QX11-GD3	18	WH	TXL	3727971C1	3586750C1	8999	4	N/A		
QH11-GE	18	WH	TXL	3727971C1	3586750C1	8999	5	N/A		
QV11-GE1	18	WH	TXL	3727971C1	3586750C1	8999	5	N/A		
QX11-GE3	18	WH	TXL	3727971C1	3586750C1	8999	5	N/A		
QJ11-GF	18	WH	TXL	3727971C1	3586750C1	8999	6	N/A		
QV11-GF1	18	WH	TXL	3727971C1	3586750C1	8999	6	N/A		
QY11-GF3	18	WH	TXL	3727971C1	3586750C1	8999	6	N/A		
QJ11-GM	18	WH	TXL	3727971C1	3586750C1	8999	7	N/A		
QV11-GM1	18	WH	TXL	3727971C1	3586750C1	8999	7	N/A		
QY11-GM3	18	WH	TXL	3727971C1	3586750C1	8999	7	N/A		
QH11-GL	18	WH	TXL	3727971C1	3586750C1	8999	8	N/A		
QV11-GL1	18	WH	TXL	3727971C1	3586750C1	8999	8	N/A		
QX11-GL3	18	WH	TXL	3727971C1	3586750C1	8999	8	N/A		
QH11-GK	18	WH	TXL	3727971C1	3586750C1	8999	9	N/A		
QV11-GK1	18	WH	TXL	3727971C1	3586750C1	8999	9	N/A		
QX11-GK3	18	WH	TXL	3727971C1	3586750C1	8999	9	N/A		
QG11-GJ	18	WH	TXL	3727971C1	3586750C1	8999	10	N/A		
QS11-GH	18	WH	TXL	3727971C1	3586750C1	8999	11	N/A		
QU11-GH1	18	WH	TXL	3727971C1	3586750C1	8999	11	N/A		
QZ11-GH3	18	WH	TXL	3727971C1	3586750C1	8999	11	N/A		
QS11-GG	18	WH	TXL	3727971C1	3586750C1	8999	12	N/A		
QU11-GG1	18	WH	TXL	3727971C1	3586750C1	8999	12	N/A		
QZ11-GG3	18	WH	TXL	3727971C1	3586750C1	8999	12	N/A		
NP39A	18	GY	GXL	2033819C1	1671610C1	9001	A	1652325C1		
NP39A	18	GY	GXL	2033819C1	1671610C1	9001	A	1652325C1		
NP39-GF	18	WH	GXL	2033819C1	1671610C1	9001	B	1652325C1		
NP39-GF	18	WH	GXL	2033819C1	1671610C1	9001	B	1652325C1		
NN39A	18	GY	GXL	2033819C1	1671610C1	9002	A	1652325C1		
NN39A	18	GY	GXL	2033819C1	1671610C1	9002	A	1652325C1		
NN39-GF	18	WH	GXL	2033819C1	1671610C1	9002	B	1652325C1		
NN39-GF	18	WH	GXL	2033819C1	1671610C1	9002	B	1652325C1		
PH39A	18	GY	GXL	2033819C1	1671610C1	9003	A	1652325C1	1673791C1	
PH39A	18	GY	GXL	2033819C1	1671610C1	9003	A	1652325C1		
PH39-GF	18	WH	GXL	2033819C1	1671610C1	9003	B	1652325C1	1667771C1	
PH39-GF	18	WH	GXL	2033819C1	1671610C1	9003	B	1652325C1		
RE36B	18	TN	GXL	1661875C1	1661778C1	9100	A	1661872C1		
RE36B	18	TN	GXL	1661875C1	1661778C1	9100	A	1661872C1		
RP36	18	TN	GXL	1661875C1	1661778C1	9100	A	1661872C1		
RE9A	18	GY	GXL	1661875C1	1661778C1	9100	B	1661872C1		
RE9A	18	GY	GXL	1661875C1	1661778C1	9100	B	1661872C1		
RP9D	18	GY	GXL	1661875C1	1661778C1	9100	B	1661872C1		
SP36A	18	TN	GXL	1661875C1	1661778C1	9101	A	1661872C1		
SP36A	18	TN	GXL	1661875C1	1661778C1	9101	A	1661872C1		
SP9B	18	GY	GXL	1661875C1	1661778C1	9101	B	1661872C1		
SP9B	18	GY	GXL	1661875C1	1661778C1	9101	B	1661872C1		
PU37-G	18	WH	GXL	1661875C1	3522068C1	9102	A	1661872C1		
PU37-G	18	WH	GXL	1661875C1	3522068C1	9102	A	1661872C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
PU37D	16	TN	GXL	1661875C1	3522068C1	9102	B	1661872C1		
PU37D	16	TN	GXL	1661875C1	3522068C1	9102	B	1661872C1		
RG36B	18	TN	GXL	1661875C1	1661778C1	9103	A	1661872C1		
RG9A	18	GY	GXL	1661875C1	1661778C1	9103	B	1661872C1		
UB39B	16	GY	TXL	3618273C1	3756499C1	9300	1	N/A		
PD39B	16	GY	GXL	3613770C1	3626436C1	9300	1	N/A		
PR39B	16	GY	GXL	3613770C1	3626436C1	9300	1	N/A	3539784C1	
PU39B	16	GY	GXL	3613770C1	3626436C1	9300	1	N/A		
PV39B	16	GY	GXL	3613770C1	3626436C1	9300	1	N/A	3573833C1	
PW39B	16	GY	GXL	3613770C1	3626436C1	9300	1	N/A		
UB39B	16	GY	TXL	3618273C1	3756499C1	9300	1	N/A		
PD39B	16	GY	GXL	3613770C1	3626436C1	9300	1	N/A		
PH39B	16	GY	GXL	3613770C1	3626436C1	9300	1	N/A		
PJ39B	16	GY	GXL	3613770C1	3626436C1	9300	1	N/A		
PK39B	16	GY	GXL	3613770C1	3626436C1	9300	1	N/A		
UB39-GB	16	WH	GXL	3618273C1	3756499C1	9300	2	N/A		
PD39-GB	16	WH	GXL	3613770C1	3626436C1	9300	2	N/A	3540758C1	
PR39-GB	16	WH	GXL	3613770C1	3626436C1	9300	2	N/A	3601839C1	
PU39-GB	16	WH	GXL	3613770C1	3626436C1	9300	2	N/A		
PV39-GB	16	WH	GXL	3613770C1	3626436C1	9300	2	N/A		
PW39-GB	16	WH	GXL	3613770C1	3626436C1	9300	2	N/A	3768011C1	
UB39-GB	16	WH	GXL	3618273C1	3756499C1	9300	2	N/A		
PD39-GB	16	WH	GXL	3613770C1	3626436C1	9300	2	N/A		
PH39-GB	16	WH	GXL	3613770C1	3626436C1	9300	2	N/A		
PJ39-GB	16	WH	GXL	3613770C1	3626436C1	9300	2	N/A		
PK39-GB	16	WH	GXL	3613770C1	3626436C1	9300	2	N/A		
ME90B	10	RD	TXL	3515522C1	3525613C1	9311	A	3541256C1		
ME90B	10	RD	TXL	3515522C1	3525613C1	9311	A	3541256C1		
ME90A	12	GY	TXL	3614762C1	3525613C1	9311	B	3541256C1		
ME90A	12	GY	TXL	3614762C1	3525613C1	9311	B	3541256C1		
RC94A	16	GY	GXL	1680205C1	3539777C1	9501	1	N/A		
TA94G	16	GY	GXL	1680205C1	3539777C1	9501	1	N/A		
UF94A	16	GY	GXL	1680205C1	3539777C1	9501	1	N/A		
RC94B	16	OR	GXL	1680205C1	3539777C1	9501	2	N/A		
TA94H	16	OR	GXL	1680205C1	3539777C1	9501	2	N/A		
UF94B	16	GY	GXL	1680205C1	3539777C1	9501	2	N/A		
RC94E	16	BK	TXL	2033819C1	1686834C1	9502	A	1652325C1		
TA94F	16	BK	TXL	2033819C1	1686834C1	9502	A	1652325C1		
UF94E	16	GY	GXL	2033819C1	1686834C1	9502	A	1652325C1		
RC94F	16	RD	TXL	2033819C1	1686834C1	9502	B	1652325C1		
TA94E	16	RD	TXL	2033819C1	1686834C1	9502	B	1652325C1		
UF94F	16	GY	GXL	2033819C1	1686834C1	9502	B	1652325C1		
RC94H	16	BN	TXL	2033819C1	1686834C1	9502	C	1652325C1		
TA94D	16	BN	TXL	2033819C1	1686834C1	9502	C	1652325C1		
UF94H	16	GY	GXL	2033819C1	1686834C1	9502	C	1652325C1		
RC94C	16	DKBL	GXL	1680205C1	3539777C1	9503	1	N/A		
TA94J	16	DKBL	GXL	1680205C1	3539777C1	9503	1	N/A		
UF94C	16	GY	GXL	1680205C1	3539777C1	9503	1	N/A		
RC94D	16	YL	GXL	1680205C1	3539777C1	9503	2	N/A		
TA94K	16	YL	GXL	1680205C1	3539777C1	9503	2	N/A		
UF94D	16	GY	GXL	1680205C1	3539777C1	9503	2	N/A		
RC94J	16	VT	TXL	2033819C1	1686834C1	9504	A	1652325C1		
TA94C	16	VT	TXL	2033819C1	1686834C1	9504	A	1652325C1		
UF94J	16	GY	GXL	2033819C1	1686834C1	9504	A	1652325C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
RC94K	16	LTGN	TXL	2033819C1	1686834C1	9504	B	1652325C1		
TA94A	16	LTGN	TXL	2033819C1	1686834C1	9504	B	1652325C1		
UF94K	16	GY	GXL	2033819C1	1686834C1	9504	B	1652325C1		
RC94L	16	LTBL	TXL	2033819C1	1686834C1	9504	C	1652325C1		
TA94B	16	LTBL	TXL	2033819C1	1686834C1	9504	C	1652325C1		
UF94L	16	GY	GXL	2033819C1	1686834C1	9504	C	1652325C1		
PL44B	18	GY	TXL	3509874C1	3578644C1	9506	1	3532128C1	3525875C1	
PL44B	18	WH	TXL	3509874C1	3578644C1	9506	1	3532128C1		
PL90E-G	18	GY	GXL	3509874C1	3578644C1	9506	2	3509903C1		
PL90E-G	18	WH	GXL	3509874C1	3578644C1	9506	2	3509903C1		
AD94T	16	GY	GXL	2033819C1	1686834C1	9506	A	1652325C1		
AD94U	16	GY	GXL	2033819C1	1686834C1	9506	B	1652325C1		
AD94V	16	GY	GXL	2033819C1	1686834C1	9506	C	1652325C1		
MP90A-G	12	WH	GXL	3573654C1	3573656C1	9510	1	3573655C1		
PL90A-G	12	WH	GXL	3573654C1	3573656C1	9510	1	3573655C1		
MP90A-G	12	WH	GXL	3573654C1	3573656C1	9510	1	3573655C1		
PL90A-G	12	WH	GXL	3573654C1	3573656C1	9510	1	3573655C1		
ME90A	12	GY	TXL	3573654C1	3573656C1	9510	2	3615148C1		
ME90A	12	GY	TXL	3573654C1	3573656C1	9510	2	3615148C1		
MP90E	18	GY	TXL	3573652C1	3573648C2	9511	1	3573653C1		
PL90C	18	GY	TXL	3573652C1	3573648C2	9511	1	3573653C1	3539784C1	
MP90E	18	GY	TXL	3573652C1	3573648C2	9511	1	3573653C1		
PL90C	18	GY	TXL	3573652C1	3573648C2	9511	1	3573653C1		
ME90F	18	GY	TXL	3573652C1	3573648C2	9511	3	3573653C1		
ME90F	18	GY	TXL	3573652C1	3573648C2	9511	3	3573653C1		
PL44B	18	GY	TXL	3573652C1	3573648C2	9511	4	3573653C1		
PL44B	18	GY	TXL	3573652C1	3573648C2	9511	4	3573653C1		
PL44C	18	GY	TXL	3573652C1	3573648C2	9511	5	3573653C1		
PL44C	18	GY	TXL	3573652C1	3573648C2	9511	5	3573653C1		
MP90K	18	GY	TXL	3573652C1	3573648C2	9511	6	3573653C1		
PL90K	18	GY	TXL	3573652C1	3573648C2	9511	6	3573653C1		
MP90K	18	GY	TXL	3573652C1	3573648C2	9511	6	3573653C1		
PL90K	18	GY	TXL	3573652C1	3573648C2	9511	6	3573653C1		
PL44D	18	GY	TXL	3573652C1	3573648C2	9511	7	3573653C1	3540454C1	3551897C1
PL44D	18	GY	TXL	3573652C1	3573648C2	9511	7	3573653C1		
ME90H	18	GY	TXL	3573652C1	3573648C2	9511	9	3573653C1		
ME90H	18	GY	TXL	3573652C1	3573648C2	9511	9	3573653C1		
ME90BA	18	GY	TXL	3573652C1	3573648C2	9511	10	3573653C1		
ME90BA	18	GY	TXL	3573652C1	3573648C2	9511	10	3573653C1		
PL44A	18	GY	TXL	3573652C1	3573648C2	9511	11	3573653C1	3525873C1	
PL44A	18	GY	TXL	3573652C1	3573648C2	9511	11	3573653C1		
JC5C(+)	18	YL	TXL	3573652C1	3573648C2	9511	14	3573653C1	2005243C1	
JC5C(+)	18	YL	TXL	3573652C1	3573648C2	9511	14	3573653C1		
JC5C(-)	18	GN	TXL	3573652C1	3573648C2	9511	15	3573653C1	3573833C1	3683466C1
JC5C(-)	18	GN	TXL	3573652C1	3573648C2	9511	15	3573653C1		
ME90	12	GY	TXL	3573654C1	3573648C2	9511	16	3615148C1		
ME90	12	GY	TXL	3573654C1	3573648C2	9511	16	3615148C1		
ME94L	12	GY	GXL	3573654C1	3573648C2	9511	17	3573655C1		
ME94L	12	GY	GXL	3573654C1	3573648C2	9511	17	3573655C1		
MP90-G	12	WH	GXL	3573654C1	3573648C2	9511	18	3573655C1		
PL90-G	12	WH	GXL	3573654C1	3573648C2	9511	18	3573655C1	3558056C1	
MP90-G	12	WH	GXL	3573654C1	3573648C2	9511	18	3573655C1		
PL90-G	12	WH	GXL	3573654C1	3573648C2	9511	18	3573655C1		
MP94-GB	12	WH	GXL	3573654C1	3573648C2	9511	19	3573655C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
PL94-GB	12	WH	GXL	3573654C1	3573648C2	9511	19	3573655C1		
MP94-GB	12	WH	GXL	3573654C1	3573648C2	9511	19	3573655C1		
PL94-GB	12	WH	GXL	3573654C1	3573648C2	9511	19	3573655C1		
ME94N(+)	18	GY	TXL	3573652C1	3573648C2	9511	22	3573653C1		
ME94N(+)	18	GY	TXL	3573652C1	3573648C2	9511	22	3573653C1		
ME94M(-)	18	GY	TXL	3573652C1	3573648C2	9511	23	3573653C1		
ME94M(-)	18	GY	TXL	3573652C1	3573648C2	9511	23	3573653C1		
ME94L(-)	18	GY	TXL	3573652C1	3573648C2	9511	24	3573653C1		
ME94L(-)	18	GY	TXL	3573652C1	3573648C2	9511	24	3573653C1		
ME94R(-)	18	GY	TXL	3573652C1	3573648C2	9511	25	3573653C1		
ME94R(-)	18	GY	TXL	3573652C1	3573648C2	9511	25	3573653C1		
ME3C(-)	18	GY	TXL	3573652C1	3573648C2	9511	26	3573653C1		
ME3C(-)	18	GY	TXL	3573652C1	3573648C2	9511	26	3573653C1		
ME94N(-)	18	GY	TXL	3573652C1	3573648C2	9511	27	3573653C1		
ME94N(-)	18	GY	TXL	3573652C1	3573648C2	9511	27	3573653C1		
ME94M(+)	18	GY	TXL	3573652C1	3573648C2	9511	28	3573653C1		
ME94M(+)	18	GY	TXL	3573652C1	3573648C2	9511	28	3573653C1		
ME94L(+)	18	GY	TXL	3573652C1	3573648C2	9511	29	3573653C1		
ME94L(+)	18	GY	TXL	3573652C1	3573648C2	9511	29	3573653C1		
ME94R(+)	18	GY	TXL	3573652C1	3573648C2	9511	30	3573653C1		
ME94R(+)	18	GY	TXL	3573652C1	3573648C2	9511	30	3573653C1		
ME3C(+)	18	DKBL	TXL	3573652C1	3573648C2	9511	31	3573653C1		
ME3C(+)	18	DKBL	TXL	3573652C1	3573648C2	9511	31	3573653C1		
TA94SS	16	BK	TXL	2033819C1	1686834C1	9520	A	1652325C1		
UF94BZ	16	BK	TXL	2033819C1	1686834C1	9520	A	1652325C1		
TA94TT	16	RD	TXL	2033819C1	1686834C1	9520	B	1652325C1		
UF94BY	16	RD	TXL	2033819C1	1686834C1	9520	B	1652325C1		
TA94UU	16	BN	TXL	2033819C1	1686834C1	9520	C	1652325C1		
UF94BP	16	BN	TXL	2033819C1	1686834C1	9520	C	1652325C1		
TA94M	16	GY	GXL	1680205C1	3539777C1	9521	1	N/A		
UF94BR	16	GY	GXL	1680205C1	3539777C1	9521	1	N/A		
TA94N	16	OR	GXL	1680205C1	3539777C1	9521	2	N/A		
UF94BQ	16	OR	GXL	1680205C1	3539777C1	9521	2	N/A		
TA94VV	16	VT	TXL	2033819C1	1686834C1	9522	A	1652325C1		
UF94BS	16	VT	TXL	2033819C1	1686834C1	9522	A	1652325C1		
TA94W	16	LTGN	TXL	2033819C1	1686834C1	9522	B	1652325C1		
UF94BT	16	LTGN	TXL	2033819C1	1686834C1	9522	B	1652325C1		
TA94X	16	LTBL	TXL	2033819C1	1686834C1	9522	C	1652325C1		
UF94BU	16	LTBL	TXL	2033819C1	1686834C1	9522	C	1652325C1		
TA94PP	16	DKBL	GXL	1680205C1	3539777C1	9523	1	N/A		
UF94BW	16	DKBL	GXL	1680205C1	3539777C1	9523	1	N/A		
TA94RR	16	YL	GXL	1680205C1	3539777C1	9523	2	N/A		
UF94BV	16	YL	GXL	1680205C1	3539777C1	9523	2	N/A		
AL94A	16	GY	GXL	3574288C1	3576268C1	9524	1	UNDEF		
TA94G	16	GY	GXL	3574288C1	3576268C1	9524	1	UNDEF		
AL94E	16	GY	GXL	3574285C1	3576268C1	9524	2	UNDEF		
TA94F	16	BK	TXL	3574285C1	3576268C1	9524	2	UNDEF		
AL94L	16	GY	GXL	3574285C1	3576268C1	9524	3	UNDEF		
TA94C	16	VT	TXL	3574285C1	3576268C1	9524	3	UNDEF		
AL94F	16	GY	GXL	3574288C1	3576268C1	9524	4	UNDEF		
TA94J	16	DKBL	GXL	3574288C1	3576268C1	9524	4	UNDEF		
AL94D	16	GY	GXL	3574285C1	3576268C1	9524	5	UNDEF		
TA94E	16	RD	TXL	3574285C1	3576268C1	9524	5	UNDEF		
AL94K	16	GY	GXL	3574285C1	3576268C1	9524	6	UNDEF		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
TA94A	16	LTGN	TXL	3574285C1	3576268C1	9524	6	UNDEF		
AL94C	16	GY	GXL	3574285C1	3576268C1	9524	7	UNDEF		
TA94D	16	BN	TXL	3574285C1	3576268C1	9524	7	UNDEF		
AL94H	16	GY	GXL	3574285C1	3576268C1	9524	8	UNDEF		
TA94B	16	LTBL	TXL	3574285C1	3576268C1	9524	8	UNDEF		
AL94B	16	GY	GXL	3574288C1	3576268C1	9524	9	UNDEF		
TA94H	16	OR	GXL	3574288C1	3576268C1	9524	9	UNDEF		
AL94G	16	GY	GXL	3574288C1	3576268C1	9524	12	UNDEF		
TA94K	16	YL	GXL	3574288C1	3576268C1	9524	12	UNDEF		
JC5B(+)	18	YL	TXL	3683464C1	3683465C1	9530	A	3535424C1		
JD5B(+)	18	YL	TXL	3683464C1	3683465C1	9530	A	3535424C1		
JC5B(+)	18	YL	TXL	3683464C1	3683465C1	9530	A	3535424C1		
JD5B(+)	18	YL	TXL	3683464C1	3683465C1	9530	A	3535424C1		
JC5B(-)	18	GN	TXL	3683464C1	3683465C1	9530	B	3535424C1		
JD5B(-)	18	GN	TXL	3683464C1	3683465C1	9530	B	3535424C1		
JC5B(-)	18	GN	TXL	3683464C1	3683465C1	9530	B	3535424C1		
JD5B(-)	18	GN	TXL	3683464C1	3683465C1	9530	B	3535424C1		
AL94R	16	GY	GXL	1680205C1	3539777C1	9540	1	N/A		
UG94R	16	GY	GXL	1680205C1	3539777C1	9540	1	N/A		
AL94S	16	OR	GXL	1680205C1	3539777C1	9540	2	N/A		
UG94S	16	OR	GXL	1680205C1	3539777C1	9540	2	N/A		
AL94M	16	BK	TXL	2033819C1	1686834C1	9541	A	1652325C1		
UG94M	16	BK	TXL	2033819C1	1686834C1	9541	A	1652325C1		
AL94N	16	RD	TXL	2033819C1	1686834C1	9541	B	1652325C1		
UG94N	16	RD	TXL	2033819C1	1686834C1	9541	B	1652325C1		
AL94P	16	BN	TXL	2033819C1	1686834C1	9541	C	1652325C1		
UG94P	16	BN	TXL	2033819C1	1686834C1	9541	C	1652325C1		
AL94W	16	DKBL	GXL	1680205C1	3539777C1	9542	1	N/A		
UG94W	16	DKBL	GXL	1680205C1	3539777C1	9542	1	N/A		
AL94X	16	YL	GXL	1680205C1	3539777C1	9542	2	N/A		
UG94X	16	YL	GXL	1680205C1	3539777C1	9542	2	N/A		
AL94T	16	VT	TXL	2033819C1	1686834C1	9543	A	1652325C1		
UG94T	16	VT	TXL	2033819C1	1686834C1	9543	A	1652325C1		
AL94U	16	LTGN	TXL	2033819C1	1686834C1	9543	B	1652325C1		
UG94U	16	LTGN	TXL	2033819C1	1686834C1	9543	B	1652325C1		
AL94V	16	LTBL	TXL	2033819C1	1686834C1	9543	C	1652325C1		
UG94V	16	LTBL	TXL	2033819C1	1686834C1	9543	C	1652325C1		
AL94E	16	GY	GXL	2033819C1	1686834C1	9548	A	1652325C1		
UG94E	16	GY	GXL	2033819C1	1686834C1	9548	A	1652325C1		
US94E	16	GY	GXL	2033819C1	1686834C1	9548	A	1652325C1		
AL94D	16	GY	GXL	2033819C1	1686834C1	9548	B	1652325C1		
UG94D	16	GY	GXL	2033819C1	1686834C1	9548	B	1652325C1		
US94D	16	GY	GXL	2033819C1	1686834C1	9548	B	1652325C1		
AL94C	16	GY	GXL	2033819C1	1686834C1	9548	C	1652325C1		
UG94C	16	GY	GXL	2033819C1	1686834C1	9548	C	1652325C1		
US94C	16	GY	GXL	2033819C1	1686834C1	9548	C	1652325C1		
AL94A	16	GY	GXL	1680205C1	3539777C1	9549	1	N/A		
UG94A	16	GY	GXL	1680205C1	3539777C1	9549	1	N/A		
AL94B	16	GY	GXL	1680205C1	3539777C1	9549	2	N/A		
UG94B	16	GY	GXL	1680205C1	3539777C1	9549	2	N/A		
ME90B	10	RD	TXL	1687847C1	1664531C1	9550	A	589390C1		
ME90B	10	RD	TXL	1687847C1	1664531C1	9550	A	589390C1		
AL94L	16	GY	GXL	2033819C1	1686834C1	9550	A	1652325C1		
UG94L	16	GY	GXL	2033819C1	1686834C1	9550	A	1652325C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
AL94K	16	GY	GXL	2033819C1	1686834C1	9550	B	1652325C1		
UG94K	16	GY	GXL	2033819C1	1686834C1	9550	B	1652325C1		
AL94H	16	GY	GXL	2033819C1	1686834C1	9550	C	1652325C1		
UG94H	16	GY	GXL	2033819C1	1686834C1	9550	C	1652325C1		
AL94F	16	GY	GXL	1680205C1	3539777C1	9551	1	N/A		
UG94F	16	GY	GXL	1680205C1	3539777C1	9551	1	N/A		
UV94F	16	GY	GXL	1680205C1	3539777C1	9551	1	N/A		
AL94G	16	GY	GXL	1680205C1	3539777C1	9551	2	N/A		
UG94G	16	GY	GXL	1680205C1	3539777C1	9551	2	N/A		
UV94G	16	GY	GXL	1680205C1	3539777C1	9551	2	N/A		
UL94M	16	BK	TXL	2033819C1	1686834C1	9556	A	1652325C1		
UL94N	16	RD	TXL	2033819C1	1686834C1	9556	B	1652325C1		
UL94P	16	BN	TXL	2033819C1	1686834C1	9556	C	1652325C1		
UL94R	16	GY	GXL	1680205C1	3539777C1	9557	1	N/A		
UL94S	16	OR	GXL	1680205C1	3539777C1	9557	2	N/A		
UL94E	16	GY	GXL	2033819C1	1686834C1	9558	A	1652325C1		
UL94D	16	GY	GXL	2033819C1	1686834C1	9558	B	1652325C1		
UL94C	16	GY	GXL	2033819C1	1686834C1	9558	C	1652325C1		
UL94A	16	GY	GXL	1680205C1	3539777C1	9559	1	N/A		
UL94B	16	GY	GXL	1680205C1	3539777C1	9559	2	N/A		
UL94F	16	GY	GXL	1680205C1	3539777C1	9560	1	N/A		
UL94G	16	GY	GXL	1680205C1	3539777C1	9560	2	N/A		
UL94L	16	GY	GXL	2033819C1	1686834C1	9561	A	1652325C1		
UL94K	16	GY	GXL	2033819C1	1686834C1	9561	B	1652325C1		
UL94H	16	GY	GXL	2033819C1	1686834C1	9561	C	1652325C1		
UL94T	16	VT	TXL	2033819C1	1686834C1	9562	A	1652325C1		
UL94U	16	LTGN	TXL	2033819C1	1686834C1	9562	B	1652325C1		
UL94V	16	LTBL	TXL	2033819C1	1686834C1	9562	C	1652325C1		
UL94W	16	DKBL	GXL	1680205C1	3539777C1	9563	1	N/A		
UL94X	16	YL	GXL	1680205C1	3539777C1	9563	2	N/A		
ME90	12	GY	TXL	2033816C1	1664531C1	9570	A	589391C1		
ME90	12	GY	TXL	2033816C1	1664531C1	9570	A	589391C1		
NC70T	10	RD	GXL	1667737C1	1667733C1	9715	A	1667735C1		
NE70F	10	RD	GXL	1667737C1	1667733C1	9715	A	1667735C1		
NC70T	10	RD	GXL	1667737C1	1667733C1	9715	A	1667735C1		
NE70F	10	RD	GXL	1667737C1	1667733C1	9715	A	1667735C1		
NC68T	10	BN	GXL	1667737C1	1667733C1	9715	B	1667735C1		
NE68F	10	BN	GXL	1667737C1	1667733C1	9715	B	1667735C1		
NC68T	10	BN	GXL	1667737C1	1667733C1	9715	B	1667735C1		
NE68F	10	BN	GXL	1667737C1	1667733C1	9715	B	1667735C1		
NC94T	10	GY	GXL	1667737C1	1667733C1	9715	C	1667735C1		
NE94F	10	GY	GXL	1667737C1	1667733C1	9715	C	1667735C1		
NC94T	10	GY	GXL	1667737C1	1667733C1	9715	C	1667735C1		
NE94F	10	GY	GXL	1667737C1	1667733C1	9715	C	1667735C1		
NC54T	10	BN	GXL	2025425C1	1667732C1	9716	A	1667735C1		
NE54F	10	BN	GXL	2025425C1	1667732C1	9716	A	1667735C1		
NC54T	10	BN	GXL	2025425C1	1667732C1	9716	A	1667735C1	3610532C1	
NE54F	10	BN	GXL	2025425C1	1667732C1	9716	A	1667735C1		
NC56T	10	YL	GXL	2025425C1	1667732C1	9716	B	1667735C1		
NE56F	10	YL	GXL	2025425C1	1667732C1	9716	B	1667735C1		
NC56T	10	YL	GXL	2025425C1	1667732C1	9716	B	1667735C1	3743662C1	
NE56F	10	YL	GXL	2025425C1	1667732C1	9716	B	1667735C1		
NC57T	10	LTGN	GXL	2025425C1	1667732C1	9716	C	1667735C1		
NE57F	10	LTGN	GXL	2025425C1	1667732C1	9716	C	1667735C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
NC57T	10	LTGN	GXL	2025425C1	1667732C1	9716	C	1667735C1		
NE57F	10	LTGN	GXL	2025425C1	1667732C1	9716	C	1667735C1		
NC10D	8	WH	GXL	3700154C1	3700151C1	9717	A	N/A	3539784C1	
NE10F	8	WH	GXL	3700154C1	3700151C1	9717	A	N/A		
NC10D	8	WH	GXL	3700154C1	3700151C1	9717	A	3537135C1		
NE10F	8	WH	GXL	3700154C1	3700151C1	9717	A	3537135C1		
SZ72	10	OR	TXL	1687847C1	1664531C1	9722	A	589390C1		
SS72	10	OR	TXL	1687847C1	1664531C1	9722	A	589390C1		
SW72EB	10	LTGN	TXL	1687848C1	1669834C1	9722	A	589390C1		
UA72EB	10	LTGN	TXL	1687848C1	1669834C1	9722	A	589390C1		
RY14LSB	18	RD	GXL	N/A	BLUNT_SL_V	9724	A	N/A		
RY14LSB	18	RD	GXL	N/A	BLUNT_SL_V	9724	A	N/A		
RG10	8	WH	GXL	N/A	BLUNT_SL_V	9724	A	N/A		
RY14LSA	18	BK	GXL	N/A	BLUNT_SL_V	9724	B	N/A		
RY14LSA	18	BK	GXL	N/A	BLUNT_SL_V	9724	B	N/A		
RG58	10	BN	GXL	N/A	BLUNT_SL_V	9724	B	N/A		
RG56	10	YL	GXL	N/A	BLUNT_SL_V	9724	C	N/A		
RG57	10	LTGN	GXL	N/A	BLUNT_SL_V	9724	D	N/A		
RG70	10	RD	GXL	N/A	BLUNT_SL_V	9724	E	N/A		
RG68	10	BN	GXL	N/A	BLUNT_SL_V	9724	F	N/A		
RG94	10	GY	GXL	N/A	BLUNT_SL_V	9724	G	N/A		
SW72EB	10	LTGN	TXL	N/A	BLUNT_SL_V	9724	H	N/A		
TU58	14	BK	GXL	1667736C1	1667732C1	9726	A	1671603C1		
TU56	16	YL	GXL	1667736C1	1667732C1	9726	B	1664232C1		
TU57	16	LTGN	GXL	1667736C1	1667732C1	9726	C	1664232C1		
TU71	16	OR	GXL	2010349C1	1667733C1	9727	A	1664232C1		
TU68	14	BN	GXL	1667738C1	1667733C1	9727	B	1671603C1		
TU12	14	LTBL	GXL	1667738C1	1667733C1	9727	C	1671603C1		
VD11-G	8	WH	GXL	3517818C1	3517817C1	9728	A	N/A		
TU68	14	BN	GXL	2033912C1	2039312C91	9729	A	589391C1		
TU56	16	YL	GXL	2033911C1	2039312C91	9729	B	1652325C1		
TU57	16	LTGN	GXL	2033911C1	2039312C91	9729	C	1652325C1		
TU58	14	BK	GXL	2033912C1	2039312C91	9729	D	589391C1		
TU71	16	OR	GXL	2033911C1	2039312C91	9729	E	1652325C1		
TU12	14	LTBL	GXL	2033912C1	2039312C91	9729	F	589391C1		
VD11-GA	10	WH	TXL	1687848C1	2039312C91	9729	G	589390C1		
VE11-GA	10	WH	TXL	1687848C1	2039312C91	9729	G	589390C1		
AD59B-G	14	WH	GXL	2033816C1	1661375C2	9736	A	589391C1		
BJ59A-G	14	WH	GXL	2033816C1	1661375C2	9736	A	589391C1	3525875C1	
NG59A-G	14	WH	GXL	2033816C1	1661375C2	9736	A	589391C1		
NG59B	18	GY	GXL	2033819C1	1661375C2	9736	B	1652325C1		
NG59B	18	GY	GXL	2033819C1	1661375C2	9736	B	1652325C1		
NG59C	18	GY	GXL	2033819C1	1661375C2	9736	C	1652325C1		
NG59C	18	GY	GXL	2033819C1	1661375C2	9736	C	1652325C1		
NG59D	18	GY	GXL	2033819C1	1661375C2	9736	D	1652325C1		
NG59D	18	GY	GXL	2033819C1	1661375C2	9736	D	1652325C1		
NG59E	18	GY	GXL	2033819C1	1661375C2	9736	E	1652325C1		
NG59E	18	GY	GXL	2033819C1	1661375C2	9736	E	1652325C1		
TV59B	18	GY	GXL	1661875C1	3522068C1	9737	A	1661872C1		
TV59B	18	GY	GXL	1661875C1	3522068C1	9737	A	1661872C1		
NM59A-G	16	WH	GXL	1661875C1	3522068C1	9737	B	1661872C1		
TW59A-G	16	WH	GXL	1661875C1	3522068C1	9737	B	1661872C1		
NM59A-G	16	WH	GXL	1661875C1	3522068C1	9737	B	1661872C1		
NU59F-G	14	WH	GXL	2033816C1	1661375C2	9740	A	589391C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
NU59G	18	GY	GXL	2033819C1	1661375C2	9740	B	1652325C1		
NU59H	18	GY	GXL	2033819C1	1661375C2	9740	C	1652325C1		
NU59J	18	GY	GXL	2033819C1	1661375C2	9740	D	1652325C1		
NU59K	18	GY	GXL	2033819C1	1661375C2	9740	E	1652325C1		
UA65	16	OR	GXL	1661875C1	1661778C1	9766	A	1661872C1		
UA65	16	OR	GXL	1661875C1	1661778C1	9766	A	1661872C1		
SZ65	16	OR	GXL	1667742C1	3543888C1	9766	A	1661872C1		
YK65-G	16	WH	GXL	1661875C1	1661778C1	9766	B	1661872C1		
YN65-G	16	WH	GXL	1661875C1	1661778C1	9766	B	1661872C1		
YK65-G	16	WH	GXL	1661875C1	1661778C1	9766	B	1661872C1		
YN65-G	16	WH	GXL	1661875C1	1661778C1	9766	B	1661872C1		
SZ65-G	16	WH	GXL	1667742C1	3543888C1	9766	B	1661872C1		
SZ65	16	OR	GXL	1661875C1	1661778C1	9767	A	1661872C1		
SZ65-G	16	WH	GXL	1661875C1	1661778C1	9767	B	1661872C1		
UC67TA	16	GY	GXL	3572626C1	3673640C1	9769	1	N/A		
UD67TA	16	GY	GXL	3572626C1	3673640C1	9769	1	N/A		
UC67TA	16	GY	GXL	1680206C1	3673640C1	9769	1	N/A		
UC67-G	16	WH	GXL	3572626C1	3673640C1	9769	2	N/A		
UD67-G	16	WH	GXL	3572626C1	3673640C1	9769	2	N/A		
UE67-G	16	WH	GXL	3572626C1	3673640C1	9769	2	N/A		
UC67-G	16	WH	GXL	1680206C1	3673640C1	9769	2	N/A		
UC67U	16	GY	GXL	3572626C1	3673640C1	9769	3	N/A		
UD67U	16	GY	GXL	3572626C1	3673640C1	9769	3	N/A		
UE67U	16	GY	GXL	3572626C1	3673640C1	9769	3	N/A		
UC67U	16	GY	GXL	1680206C1	3673640C1	9769	3	N/A		
UC67V	16	GY	GXL	3572626C1	3673640C1	9769	4	N/A		
UD67V	16	GY	GXL	3572626C1	3673640C1	9769	4	N/A		
UE67V	16	GY	GXL	3572626C1	3673640C1	9769	4	N/A		
UC67V	16	GY	GXL	1680206C1	3673640C1	9769	4	N/A		
UC67W	16	GY	GXL	3572626C1	3673640C1	9769	5	N/A		
UD67W	16	GY	GXL	3572626C1	3673640C1	9769	5	N/A		
UE67W	16	GY	GXL	3572626C1	3673640C1	9769	5	N/A		
UC67W	16	GY	GXL	1680206C1	3673640C1	9769	5	N/A		
UC67-G	16	WH	GXL	3710088C1		9771	1	2644005R1		
UC67-G	16	WH	GXL	3549254C1		9771	A	2644038R1		
UD67-G	16	WH	GXL	3549254C1		9771	A	2644038R1		
UE67-G	16	WH	GXL	3549254C1		9771	A	2644038R1		
PL90D	16	GY	TXL	1661875C1	1667741C1	9777	A	1661872C1		
PL90D	16	GY	TXL	1661875C1	1667741C1	9777	A	1661872C1		
PL94-GE	18	WH	GXL	1661875C1	1667741C1	9777	B	1661872C1		
PL94-GE	18	WH	GXL	1661875C1	1667741C1	9777	B	1661872C1		
PL44D	18	GY	TXL	1661875C1	1667741C1	9777	C	3568570C1	3554019C1	
PL44D	18	GY	TXL	1661875C1	1667741C1	9777	C	3568570C1		
SW59CA	16	GY	TXL	587575C1	587567C91	9778	A	1652325C1		
SW59CA	16	GY	TXL	587577C1	587567C91	9778	A	1652325C1		
SW104CA	16	DKBL	TXL	587575C1	587567C91	9778	B	1652325C1		
SW104CA	16	DKBL	TXL	587577C1	587567C91	9778	B	1652325C1		
EV12-G	18	WH	GXL	3863609C1		9780	1	2644038R1		
RK71A	14	OR	GXL	3559035C1	3558026C1	9800	1	3575783C1		
SL71A	14	OR	GXL	3559035C1	3558026C1	9800	1	3575783C1		
AF71	14	OR	GXL	3559037C1	3558022C1	9800	1	3575783C1		
RB71	14	OR	GXL	3559037C1	3558022C1	9800	1	3575783C1		
RK56	14	OR	GXL	3559035C1	3558026C1	9800	2	3575783C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
SL56	14	OR	GXL	3559035C1	3558026C1	9800	2	3575783C1		
AF56	14	OR	GXL	3559037C1	3558022C1	9800	2	3575783C1		
RB56	14	OR	GXL	3559037C1	3558022C1	9800	2	3575783C1		
RK57	14	OR	GXL	3559035C1	3558026C1	9800	3	3575783C1		
SL57	14	OR	GXL	3559035C1	3558026C1	9800	3	3575783C1		
AF57	14	OR	GXL	3559037C1	3558022C1	9800	3	3575783C1		
RB57	14	OR	GXL	3559037C1	3558022C1	9800	3	3575783C1		
RK68	14	BN	GXL	3559035C1	3558026C1	9800	4	3575783C1		
SL68	14	BN	GXL	3559035C1	3558026C1	9800	4	3575783C1		
AF68	14	BN	GXL	3559037C1	3558022C1	9800	4	3575783C1		
RB68	14	BN	GXL	3559037C1	3558022C1	9800	4	3575783C1		
MG32A	18	TN	GXL	3509874C1	3558026C1	9800	5	3509903C1		
VR36A	18	TN	GXL	3509874C1	3558026C1	9800	5	3509903C1		
RM32A	18	TN	GXL	3559036C1	3558022C1	9800	5	3509903C1		
RP36	18	TN	GXL	3559036C1	3558022C1	9800	5	3509903C1		
RH32	18	TN	GXL	3509874C1	3558026C1	9800	6	3509903C1		
RH32	18	TN	GXL	3509874C1	3558026C1	9800	6	3509903C1		
AF70	14	OR	GXL	3559037C1	3558022C1	9800	6	3575783C1		
RL32	18	TN	GXL	3559036C1	3558022C1	9800	6	3509903C1		
RM32	18	TN	GXL	3559036C1	3558022C1	9800	6	3509903C1		
UC32	18	TN	GXL	3559036C1	3558022C1	9800	6	3509903C1		
MJ49	18	GY	GXL	3509874C1	3558026C1	9800	7	3509903C1		
AJ49	18	WH	GXL	3559036C1	3558022C1	9800	7	3509903C1		
RO49	18	GY	GXL	3559036C1	3558022C1	9800	7	3509903C1		
RL49A	18	GY	TXL	3509874C1	3558026C1	9800	8	3532128C1		
RL49A	18	GY	TXL	3509874C1	3558026C1	9800	8	3532128C1		
AJ49A	18	WH	GXL	3559036C1	3558022C1	9800	8	3509903C1		
AP49A	18	WH	GXL	3559036C1	3558022C1	9800	8	3509903C1		
RN49A	18	GY	GXL	3559036C1	3558022C1	9800	8	3509903C1		
RO49A	18	GY	GXL	3559036C1	3558022C1	9800	8	3509903C1		
RL49-G	18	WH	GXL	3509874C1	3558026C1	9800	9	3509903C1		
RL49-G	18	WH	GXL	3509874C1	3558026C1	9800	9	3509903C1		
AJ10-GB	18	WH	GXL	3559036C1	3558022C1	9800	9	3509903C1		
AP49-GA	18	WH	GXL	3559036C1	3558022C1	9800	9	3509903C1		
RN49-GA	18	WH	GXL	3559036C1	3558022C1	9800	9	3509903C1		
RO10-GB	18	WH	GXL	3559036C1	3558022C1	9800	9	3509903C1		
VR9A	18	GY	GXL	3509874C1	3558026C1	9800	10	3509903C1		
RP9D	18	GY	GXL	3559036C1	3558022C1	9800	10	3509903C1		
MF9F	18	GY	GXL	3509874C1	3558026C1	9800	11	3509903C1		
MG9H	18	GY	GXL	3509874C1	3558026C1	9800	11	3509903C1		
MF9F	18	GY	GXL	3509874C1	3558026C1	9800	11	3509903C1		
RL9C	18	GY	GXL	3559036C1	3558022C1	9800	11	3509903C1		
RM9B	18	GY	GXL	3559036C1	3558022C1	9800	11	3509903C1		
UC9C	18	GY	GXL	3559036C1	3558022C1	9800	11	3509903C1		
SL10-G	12	WH	TXL	3559035C1	3558026C1	9800	12	3575783C1		
SL10-G	12	WH	TXL	3559035C1	3558026C1	9800	12	3575783C1		
AF11-GTL	12	WH	TXL	3559037C1	3558022C1	9800	12	3575783C1		
RB10-G	12	WH	TXL	3559037C1	3558022C1	9800	12	3575783C1		
MD94BE	16	GY	GXL	3559035C1	3558026C1	9800	13	3509903C1		
ME94M(+)	18	GY	TXL	3509874C1	3558026C1	9800	13	3532128C1		
MK94M(+)	18	TN	TXL	3509874C1	3558026C1	9800	13	3532128C1		
MR94WL	16	GY	TXL	3559035C1	3558026C1	9800	13	3509903C1		
MD94BE	16	GY	TXL	3559035C1	3558026C1	9800	13	3509903C1		
ME94M(+)	18	GY	TXL	3509874C1	3558026C1	9800	13	3532128C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
MK94M(+)	18	TN	TXL	3509874C1	3558026C1	9800	13	3532128C1		
MR94WL	16	GY	TXL	3559035C1	3558026C1	9800	13	3509903C1		
AL94R	16	GY	GXL	3559037C1	3558022C1	9800	13	3509903C1		
RC94A	16	GY	GXL	3559037C1	3558022C1	9800	13	3509903C1		
TA94M	16	GY	GXL	3559037C1	3558022C1	9800	13	3509903C1		
UF94BR	16	GY	GXL	3559037C1	3558022C1	9800	13	3509903C1		
UG94R	16	GY	GXL	3559037C1	3558022C1	9800	13	3509903C1		
UJ94WL	18	GY	TXL	3559036C1	3558022C1	9800	13	3532128C1		
UL94R	16	GY	GXL	3559037C1	3558022C1	9800	13	3509903C1		
UP94R	16	GY	GXL	3559037C1	3558022C1	9800	13	3509903C1		
US94R	16	GY	GXL	3559037C1	3558022C1	9800	13	3509903C1		
[RE94M]	18	-	GXL	3559036C1	3558022C1	9800	13	3509903C1		
[RV94WL]	18	-	GXL	3559036C1	3558022C1	9800	13	3509903C1		
[UH94J]	18	-	GXL	3559036C1	3558022C1	9800	13	3509903C1		
[UM94J]	18	-	GXL	3559036C1	3558022C1	9800	13	3509903C1		
MD94BD	16	GY	GXL	3559035C1	3558026C1	9800	14	3509903C1		
ME94M(-)	18	GY	TXL	3509874C1	3558026C1	9800	14	3532128C1		
MK94M(-)	18	TN	TXL	3509874C1	3558026C1	9800	14	3532128C1		
MR94WM	16	GY	TXL	3559035C1	3558026C1	9800	14	3509903C1		
MD94BD	16	GY	TXL	3559035C1	3558026C1	9800	14	3509903C1		
ME94M(-)	18	GY	TXL	3509874C1	3558026C1	9800	14	3532128C1		
MK94M(-)	18	TN	TXL	3509874C1	3558026C1	9800	14	3532128C1		
MR94WM	16	GY	TXL	3559035C1	3558026C1	9800	14	3509903C1		
AL94S	16	OR	GXL	3559037C1	3558022C1	9800	14	3509903C1		
RC94B	16	OR	GXL	3559037C1	3558022C1	9800	14	3509903C1		
TA94N	16	OR	GXL	3559037C1	3558022C1	9800	14	3509903C1		
UF94BQ	16	OR	GXL	3559037C1	3558022C1	9800	14	3509903C1		
UG94S	16	OR	GXL	3559037C1	3558022C1	9800	14	3509903C1		
UJ94WM	18	GY	TXL	3559036C1	3558022C1	9800	14	3532128C1		
UL94S	16	OR	GXL	3559037C1	3558022C1	9800	14	3509903C1		
UP94S	16	OR	GXL	3559037C1	3558022C1	9800	14	3509903C1		
US94S	16	OR	GXL	3559037C1	3558022C1	9800	14	3509903C1		
[RE94N]	18	-	GXL	3559036C1	3558022C1	9800	14	3509903C1		
[RV94WM]	18	-	GXL	3559036C1	3558022C1	9800	14	3509903C1		
[UH94K]	18	-	GXL	3559036C1	3558022C1	9800	14	3509903C1		
[UM94K]	18	-	GXL	3559036C1	3558022C1	9800	14	3509903C1		
MD94BH	16	GY	TXL	3559035C1	3558026C1	9800	15	3509903C1		
ME94N(+)	18	GY	TXL	3509874C1	3558026C1	9800	15	3532128C1		
MK94N(+)	18	TN	TXL	3509874C1	3558026C1	9800	15	3532128C1		
MR94WS	16	GY	TXL	3559035C1	3558026C1	9800	15	3509903C1		
MD94BH	16	GY	TXL	3559035C1	3558026C1	9800	15	3509903C1		
ME94N(+)	18	GY	TXL	3509874C1	3558026C1	9800	15	3532128C1		
MK94N(+)	18	TN	TXL	3509874C1	3558026C1	9800	15	3532128C1		
MR94WS	16	GY	TXL	3559035C1	3558026C1	9800	15	3509903C1		
AL94W	16	DKBL	GXL	3559037C1	3558022C1	9800	15	3509903C1		
RC94C	16	DKBL	GXL	3559037C1	3558022C1	9800	15	3509903C1		
TA94PP	16	DKBL	GXL	3559037C1	3558022C1	9800	15	3509903C1		
UF94BW	16	DKBL	GXL	3559037C1	3558022C1	9800	15	3509903C1		
UG94W	16	DKBL	GXL	3559037C1	3558022C1	9800	15	3509903C1		
UJ94WS	18	GY	TXL	3559036C1	3558022C1	9800	15	3532128C1		
UL94W	16	DKBL	GXL	3559037C1	3558022C1	9800	15	3509903C1		
UP94W	16	DKBL	GXL	3559037C1	3558022C1	9800	15	3509903C1		
UV94W	16	DKBL	GXL	3559037C1	3558022C1	9800	15	3509903C1		
[RE94P]	18	-	GXL	3559036C1	3558022C1	9800	15	3509903C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
[RV94WS]	18	-	GXL	3559036C1	3558022C1	9800	15	3509903C1		
[UH94T]	18	-	GXL	3559036C1	3558022C1	9800	15	3509903C1		
[UM94T]	18	-	GXL	3559036C1	3558022C1	9800	15	3509903C1		
MD94BF	16	GY	TXL	3559035C1	3558026C1	9800	16	3509903C1		
ME94N(-)	18	GY	TXL	3509874C1	3558026C1	9800	16	3532128C1		
MK94N(-)	18	TN	TXL	3509874C1	3558026C1	9800	16	3532128C1		
MR94WT	16	GY	TXL	3559035C1	3558026C1	9800	16	3509903C1		
MD94BF	16	GY	TXL	3559035C1	3558026C1	9800	16	3509903C1		
ME94N(-)	18	GY	TXL	3509874C1	3558026C1	9800	16	3532128C1		
MK94N(-)	18	TN	TXL	3509874C1	3558026C1	9800	16	3532128C1		
MR94WT	16	GY	TXL	3559035C1	3558026C1	9800	16	3509903C1		
AL94X	16	YL	GXL	3559037C1	3558022C1	9800	16	3509903C1		
RC94D	16	YL	GXL	3559037C1	3558022C1	9800	16	3509903C1		
TA94RR	16	YL	GXL	3559037C1	3558022C1	9800	16	3509903C1		
UF94BV	16	YL	GXL	3559037C1	3558022C1	9800	16	3509903C1		
UG94X	16	YL	GXL	3559037C1	3558022C1	9800	16	3509903C1		
UJ94WT	18	GY	TXL	3559036C1	3558022C1	9800	16	3532128C1		
UL94X	16	YL	GXL	3559037C1	3558022C1	9800	16	3509903C1		
UP94X	16	YL	GXL	3559037C1	3558022C1	9800	16	3509903C1		
UV94X	16	YL	GXL	3559037C1	3558022C1	9800	16	3509903C1		
[RE94R]	18	-	GXL	3559036C1	3558022C1	9800	16	3509903C1		
[RV94WT]	18	-	GXL	3559036C1	3558022C1	9800	16	3509903C1		
[UH94U]	18	-	GXL	3559036C1	3558022C1	9800	16	3509903C1		
[UM94U]	18	-	GXL	3559036C1	3558022C1	9800	16	3509903C1		
MD94BA	16	GY	GXL	3559035C1	3558026C1	9800	17	3509903C1		
MR94WN	14	GY	TXL	3559035C1	3558026C1	9800	17	3509903C1		
MD94BA	16	GY	TXL	3559035C1	3558026C1	9800	17	3509903C1		
MR94WN	14	GY	GXL	3559035C1	3558026C1	9800	17	3509903C1		
AE94LA	16	GY	GXL	3559037C1	3558022C1	9800	17	3509903C1		
AL94M	16	BK	TXL	3559037C1	3558022C1	9800	17	3509903C1		
RC94E	16	BK	TXL	3559037C1	3558022C1	9800	17	3509903C1		
TA94S5	16	BK	TXL	3559037C1	3558022C1	9800	17	3509903C1		
UF94BZ	16	BK	TXL	3559037C1	3558022C1	9800	17	3509903C1		
UG94M	16	BK	TXL	3559037C1	3558022C1	9800	17	3509903C1		
UJ94WNNM	14	GY	TXL	3559037C1	3558022C1	9800	17	3509903C1		
UL94M	16	BK	TXL	3559037C1	3558022C1	9800	17	3509903C1		
UP94M	16	BK	TXL	3559037C1	3558022C1	9800	17	3509903C1		
US94M	16	BK	TXL	3559037C1	3558022C1	9800	17	3509903C1		
[RV94WN]	18	-	GXL	3559036C1	3558022C1	9800	17	3509903C1		
[UH94L]	18	-	GXL	3559036C1	3558022C1	9800	17	3509903C1		
[UM94L]	18	-	GXL	3559036C1	3558022C1	9800	17	3509903C1		
MD94BB	16	GY	TXL	3559035C1	3558026C1	9800	18	3509903C1		
MR94-G7	14	GY	TXL	3559035C1	3558026C1	9800	18	3509903C1		
MD94BB	16	GY	TXL	3559035C1	3558026C1	9800	18	3509903C1		
MR94-G7	14	GY	GXL	3559035C1	3558026C1	9800	18	3509903C1		
AE94LB	16	GY	GXL	3559037C1	3558022C1	9800	18	3509903C1		
AL94N	16	RD	TXL	3559037C1	3558022C1	9800	18	3509903C1		
RC94F	16	RD	TXL	3559037C1	3558022C1	9800	18	3509903C1		
TA94TT	16	RD	TXL	3559037C1	3558022C1	9800	18	3509903C1		
UF94BY	16	RD	TXL	3559037C1	3558022C1	9800	18	3509903C1		
UG94N	16	RD	TXL	3559037C1	3558022C1	9800	18	3509903C1		
UJ94G7M	14	GY	TXL	3559037C1	3558022C1	9800	18	3509903C1		
UL94N	16	RD	TXL	3559037C1	3558022C1	9800	18	3509903C1		
UP94N	16	RD	TXL	3559037C1	3558022C1	9800	18	3509903C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
US94N	16	RD	TXL	3559037C1	3558022C1	9800	18	3509903C1		
[RV94G7]	18	-	GXL	3559036C1	3558022C1	9800	18	3509903C1		
[UH94G8]	18	-	GXL	3559036C1	3558022C1	9800	18	3509903C1		
[UM94G8]	18	-	GXL	3559036C1	3558022C1	9800	18	3509903C1		
MD94BC	16	GY	TXL	3559035C1	3558026C1	9800	19	3509903C1		
MR94WR	14	GY	TXL	3559035C1	3558026C1	9800	19	3509903C1		
MD94BC	16	GY	TXL	3559035C1	3558026C1	9800	19	3509903C1		
MR94WR	14	GY	GXL	3559035C1	3558026C1	9800	19	3509903C1		
AE94LC	16	GY	GXL	3559037C1	3558022C1	9800	19	3509903C1		
AL94P	16	BN	TXL	3559037C1	3558022C1	9800	19	3509903C1		
RC94H	16	BN	TXL	3559037C1	3558022C1	9800	19	3509903C1		
TA94UU	16	BN	TXL	3559037C1	3558022C1	9800	19	3509903C1		
UF94BP	16	BN	TXL	3559037C1	3558022C1	9800	19	3509903C1		
UG94P	16	BN	TXL	3559037C1	3558022C1	9800	19	3509903C1		
UJ94WRM	14	GY	TXL	3559037C1	3558022C1	9800	19	3509903C1		
UL94P	16	BN	TXL	3559037C1	3558022C1	9800	19	3509903C1		
UP94P	16	BN	TXL	3559037C1	3558022C1	9800	19	3509903C1		
US94P	16	BN	TXL	3559037C1	3558022C1	9800	19	3509903C1		
[RV94WR]	18	-	GXL	3559036C1	3558022C1	9800	19	3509903C1		
[UH94M]	18	-	GXL	3559036C1	3558022C1	9800	19	3509903C1		
[UM94M]	18	-	GXL	3559036C1	3558022C1	9800	19	3509903C1		
MD94BJ	16	GY	TXL	3559035C1	3558026C1	9800	20	3509903C1		
MR94WU	14	GY	TXL	3559035C1	3558026C1	9800	20	3509903C1		
MD94BJ	16	GY	TXL	3559035C1	3558026C1	9800	20	3509903C1		
MR94WU	14	GY	GXL	3559035C1	3558026C1	9800	20	3509903C1		
AE94RJ	16	GY	GXL	3559037C1	3558022C1	9800	20	3509903C1		
AL94T	16	VT	TXL	3559037C1	3558022C1	9800	20	3509903C1		
RC94J	16	VT	TXL	3559037C1	3558022C1	9800	20	3509903C1		
TA94VV	16	VT	TXL	3559037C1	3558022C1	9800	20	3509903C1		
UF94BS	16	VT	TXL	3559037C1	3558022C1	9800	20	3509903C1		
UG94T	16	VT	TXL	3559037C1	3558022C1	9800	20	3509903C1		
UJ94WUM	14	GY	TXL	3559037C1	3558022C1	9800	20	3509903C1		
UL94T	16	VT	TXL	3559037C1	3558022C1	9800	20	3509903C1		
UP94T	16	VT	TXL	3559037C1	3558022C1	9800	20	3509903C1		
UV94T	16	VT	TXL	3559037C1	3558022C1	9800	20	3509903C1		
[RV94WU]	18	-	GXL	3559036C1	3558022C1	9800	20	3509903C1		
[UH94P]	18	-	GXL	3559036C1	3558022C1	9800	20	3509903C1		
[UM94P]	18	-	GXL	3559036C1	3558022C1	9800	20	3509903C1		
MD94BK	16	GY	TXL	3559035C1	3558026C1	9800	21	3509903C1		
MR94-G6	14	GY	TXL	3559035C1	3558026C1	9800	21	3509903C1		
MD94BK	16	GY	TXL	3559035C1	3558026C1	9800	21	3509903C1		
MR94-G6	14	GY	GXL	3559035C1	3558026C1	9800	21	3509903C1		
AE94RK	16	GY	GXL	3559037C1	3558022C1	9800	21	3509903C1		
AL94U	16	LTGN	TXL	3559037C1	3558022C1	9800	21	3509903C1		
RC94K	16	LTGN	TXL	3559037C1	3558022C1	9800	21	3509903C1		
TA94W	16	LTGN	TXL	3559037C1	3558022C1	9800	21	3509903C1		
UF94BT	16	LTGN	TXL	3559037C1	3558022C1	9800	21	3509903C1		
UG94U	16	LTGN	TXL	3559037C1	3558022C1	9800	21	3509903C1		
UJ94G6M	14	GY	TXL	3559037C1	3558022C1	9800	21	3509903C1		
UL94U	16	LTGN	TXL	3559037C1	3558022C1	9800	21	3509903C1		
UP94U	16	LTGN	TXL	3559037C1	3558022C1	9800	21	3509903C1		
UV94U	16	LTGN	TXL	3559037C1	3558022C1	9800	21	3509903C1		
[RV94G6]	18	-	GXL	3559036C1	3558022C1	9800	21	3509903C1		
[UH94G9]	18	-	GXL	3559036C1	3558022C1	9800	21	3509903C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
[UM94G9]	18	-	GXL	3559036C1	3558022C1	9800	21	3509903C1		
MD94BL	16	GY	TXL	3559035C1	3558026C1	9800	22	3509903C1		
MR94WW	14	GY	TXL	3559035C1	3558026C1	9800	22	3509903C1		
MD94BL	16	GY	TXL	3559035C1	3558026C1	9800	22	3509903C1		
MR94WW	14	GY	GXL	3559035C1	3558026C1	9800	22	3509903C1		
AE94RL	16	GY	GXL	3559037C1	3558022C1	9800	22	3509903C1		
AL94V	16	LTBL	TXL	3559037C1	3558022C1	9800	22	3509903C1		
RC94L	16	LTBL	TXL	3559037C1	3558022C1	9800	22	3509903C1		
TA94X	16	LTBL	TXL	3559037C1	3558022C1	9800	22	3509903C1		
UF94BU	16	LTBL	TXL	3559037C1	3558022C1	9800	22	3509903C1		
UG94V	16	LTBL	TXL	3559037C1	3558022C1	9800	22	3509903C1		
UJ94WWM	14	GY	TXL	3559037C1	3558022C1	9800	22	3509903C1		
UL94V	16	LTBL	TXL	3559037C1	3558022C1	9800	22	3509903C1		
UP94V	16	LTBL	TXL	3559037C1	3558022C1	9800	22	3509903C1		
UV94V	16	LTBL	TXL	3559037C1	3558022C1	9800	22	3509903C1		
[RV94WW]	18	-	GXL	3559036C1	3558022C1	9800	22	3509903C1		
[UH94S]	18	-	GXL	3559036C1	3558022C1	9800	22	3509903C1		
[UM94S]	18	-	GXL	3559036C1	3558022C1	9800	22	3509903C1		
PR94BN	16	GY	TXL	3559035C1	3558026C1	9800	23	3509903C1		
PR94BN	16	GY	TXL	3559035C1	3558026C1	9800	23	3509903C1		
RD94BD	16	BN	TXL	3559037C1	3558022C1	9800	23	3509903C1		
UD94BD	16	BN	TXL	3559037C1	3558022C1	9800	23	3509903C1		
[RW94WX]	18	-	GXL	3559036C1	3558022C1	9800	23	3509903C1		
PR94BM	16	GY	TXL	3559035C1	3558026C1	9800	24	3509903C1		
PR94BM	16	GY	TXL	3559035C1	3558026C1	9800	24	3509903C1		
RD94BE	16	YL	TXL	3559037C1	3558022C1	9800	24	3509903C1		
UD94BE	16	YL	TXL	3559037C1	3558022C1	9800	24	3509903C1		
[RW94WZ]	18	-	GXL	3559036C1	3558022C1	9800	24	3509903C1		
PM19	16	GY	GXL	587577C1	587567C91	9801	A	1652325C1		
PM19	16	GY	GXL	587577C1	587567C91	9801	A	1652325C1		
PM19-G	16	WH	TXL	587577C1	587567C91	9801	B	1652325C1		
PM19-G	16	WH	TXL	587577C1	587567C91	9801	B	1652325C1		
PN19	16	GY	GXL	2033819C1	1671610C1	9803	A	1652325C1		
PN19-G	16	WH	GXL	2033819C1	1671610C1	9803	B	1652325C1		
RM32A	18	TN	GXL	3536865C1	3536864C1	9811	1	3536868C1		
UC32	18	TN	GXL	3536865C1	3536864C1	9811	1	3536868C1		
RM9A	18	GY	GXL	3536865C1	3536864C1	9811	2	3536868C1		
UC9C	18	GY	GXL	3536865C1	3536864C1	9811	2	3536868C1		
RL32	18	TN	GXL	3536865C1	3536864C1	9812	1	3536868C1		
RM32	18	TN	GXL	3536865C1	3536864C1	9812	1	3536868C1		
RL9C	18	GY	GXL	3536865C1	3536864C1	9812	2	3536868C1		
RM9	18	GY	GXL	3536865C1	3536864C1	9812	2	3536868C1		
RO49	18	GY	GXL	587578C1	587567C91	9814	A	1652325C1		
RO49-G	18	WH	GXL	587578C1	587567C91	9814	B	1652325C1		
RN49A	18	GY	GXL	587578C1	587567C91	9815	A	1652325C1		
RO49A	18	GY	GXL	587578C1	587567C91	9815	A	1652325C1		
RN49-GA	18	WH	GXL	587578C1	587567C91	9815	B	1652325C1		
RO49-GA	18	WH	GXL	587578C1	587567C91	9815	B	1652325C1		
RR59DC	18	GY	GXL	1661875C1	1661778C1	9824	A	1661872C1		
RR59DD	18	GY	GXL	1661875C1	1661778C1	9824	B	1661872C1		
RT9M	18	GY	GXL	1651943C1	1678137C1	9830	A	UNDEF		
RT6H	18	GY	GXL	1651943C1	1678137C1	9830	B	UNDEF		
RT61C	18	GY	GXL	1651943C1	1678137C1	9830	C	UNDEF		
RU9N	18	GY	GXL	1651943C1	1678137C1	9832	A	UNDEF		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
RU6J	18	GY	GXL	1651943C1	1678137C1	9832	B	UNDEF		
RU61D	18	GY	GXL	1651943C1	1678137C1	9832	C	UNDEF		
HW14BC	16	RD	GXL	1680205C1	3866308C1	9915	1	N/A		
HW11-GCK	14	GY	TXL	2034787C1	3866308C1	9915	2	N/A		
QA23DC	18	TN	TXL	1661538C1	2206665C1	9916	1	N/A		
QA23A	18	TN	TXL	1661538C1	2206665C1	9916	2	N/A		
QA23BD	18	TN	TXL	1661538C1	2206665C1	9916	3	N/A		
AD59C-G	12	WH	GXL	239481R1			-	2644000R1		
AA82J	16	GY	TXL	3 3574288	3595625C	1703M	72	N/A		
9D5D(+)	18	YL	TXL	1 239481R	A	AS34	-	2644000		
9M5D(+)	18	YL	TXL	1 239481R	A	AS34	-	2644000		
9N5D(+)	18	YL	TXL	1 239481R	A	AS34	-	2644000		
9Q5D(+)	18	YL	TXL	1 239481R	A	AS34	-	2644000		
9D5D(-)	18	GN	TXL	1 239481R	A	AS35	-	2644000		
9K5D(-)	18	GN	TXL	1 239481R	A	AS35	-	2644000		
9M5D(-)	18	GN	TXL	1 239481R	A	AS35	-	2644000		
9N5D(-)	18	GN	TXL	1 239481R	A	AS35	-	2644000		
9Q5D(-)	18	GN	TXL	1 239481R	A	AS35	-	2644000		
9U5D(-)	18	GN	TXL	1 239481R	A	AS35	-	2644000		
9S5AD(+)	18	YL	TXL	1 239481R	A	AS36	-	2644000		
9T5AD(+)	18	YL	TXL	1 239481R	A	AS36	-	2644000		
9S5AD(-)	18	GN	TXL	1 239481R	A	AS37	-	2644000		
9T5AD(-)	18	GN	TXL	1 239481R	A	AS37	-	2644000		
AD98-G	18	WH	TXL	1 239481R	A	BS11	-	2644000		
K559KB	18	GY	TXL	2 239481R	B	DS11	-	2644000		
KT59KA	18	GY	TXL	2 239481R	B	DS11	-	2644000		
KU59KA	18	GY	TXL	2 239481R	B	DS11	-	2644000		
QA11-GCH	18	WH	TXL	2 239481R	A	DS70	-	2644000		
QA11-GCJ	18	WH	TXL	2 239481R	A	DS70	-	2644000		
KL18C	16	GY	TXL	3574288C	3595625C1	1703M	11	N/A		
PC92A18	16	TN	GXL	3574285C	3595625C1	1703M	14	N/A		
UD92-GC	18	WH	TXL	2003343C	3595625C1	1703M	21	N/A		
VA92#117C	18	TN	TXL	2003343C	3595625C1	1703M	43	N/A		
ZC92#165A	18	TN	TXL	2003343C	3595625C1	1703M	45	N/A		
ZJ92#165A	18	TN	TXL	2003343C	3595625C1	1703M	45	N/A		
GX92#103B	18	TN	TXL	2003343C	3595625C1	1703M	55	N/A		
VM12BB	16	LTBL	TXL	2039343C	2039311C9	4450M	F	1652325C		
VT12BB	16	LTBL	TXL	2039343C	2039311C9	4450M	F	1652325C		
VM70TA	12	OR	TXL	2033816C	1686834C1	4460M	C	589391C1		
DJ13-GFF	18	WH	TXL	ABRSPLIC	A	BS8	-	N/A		
QA23EB	18	TN	TXL	239481R1	A	DS1	-	2644000R		
K559-GC	18	WH	TXL	239481R1	A	DS10	-	2644000R		
KS59-GCA	18	WH	TXL	239481R1	A	DS10	-	2644000R		
KT59-GM	18	WH	TXL	239481R1	B	DS10	-	2644000R		
KT59-GMA	18	WH	TXL	239481R1	B	DS10	-	2644000R		
KU59-GM	18	WH	TXL	239481R1	B	DS10	-	2644000R		
KU59-GMA	18	WH	TXL	239481R1	B	DS10	-	2644000R		
AA82E	16	GY	TXL	239481R1	A	DS17	-	2644000R		
AA82M	16	GY	TXL	239481R1	A	DS17	-	2644000R		
AA82N	18	GY	TXL	239481R1	A	DS17	-	2644000R		
EJ12S	18	LTBL	TXL	239481R1	A	DS18	-	2644000R		
EJ12T	18	LTBL	TXL	239481R1	A	DS18	-	2644000R		
QA13B	18	PK	TXL	239481R1	A	DS2	-	2644000R		
QA13C	18	PK	TXL	239481R1	A	DS2	-	2644000R		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
QA13DA	18	PK	TXL	239481R1	A	DS2	-	2644000R		
ZC71A	18	OR	TXL	239481R1	B	DS24	-	2644000R		
ZC71B	18	WH	TXL	239481R1	B	DS24	-	2644000R		
ZJ71A	18	OR	TXL	239481R1	B	DS24	-	2644000R		
ZJ71B	18	WH	TXL	239481R1	B	DS24	-	2644000R		
QA23BC	18	TN	TXL	239481R1	B	DS3	-	2644000R		
K559KC	18	GY	TXL	239481R1	A	DS42	-	2644000R		
K559KD	18	GY	TXL	239481R1	A	DS42	-	2644000R		
K559KF	18	GY	TXL	239481R1	A	DS42	-	2644000R		
KT59KC	18	GY	TXL	239481R1	A	DS42	-	2644000R		
KT59KD	18	GY	TXL	239481R1	A	DS42	-	2644000R		
KT59KF	18	GY	TXL	239481R1	A	DS42	-	2644000R		
KU59KC	18	GY	TXL	239481R1	A	DS42	-	2644000R		
KU59KD	18	GY	TXL	239481R1	A	DS42	-	2644000R		
KU59KF	18	GY	TXL	239481R1	A	DS42	-	2644000R		
K559JC	18	GY	TXL	239481R1	A	DS43	-	2644000R		
KT59JC	18	GY	TXL	239481R1	A	DS43	-	2644000R		
KU59JC	18	GY	TXL	239481R1	A	DS43	-	2644000R		
EH12D	12	LTBL	TXL	239481R1	B	DS54	-	2644000R		
EJ12D	12	LTBL	TXL	239481R1	B	DS54	-	2644000R		
TJ70ET	10	RD	TXL	239481R1	A	DS56	-	2644000R		
DE13DF	18	PK	TXL	239481R1	A	DS59	-	2644000R		
DF13DF	18	PK	TXL	239481R1	A	DS59	-	2644000R		
DF13DU	18	GY	TXL	239481R1	A	DS59	-	2644000R		
RN78RD	18	LTGN	TXL	239481R1	A	DS63	-	2644000R		
RN78RK	18	LTGN	TXL	239481R1	A	DS63	-	2644000R		
RK78BC	16	LTGN	TXL	239481R1	A	DS66	-	2644000R		
RM78AB	16	LTGN	TXL	239481R1	A	DS69	-	2644000R		
QA11-GM	18	WH	TXL	239481R1	A	DS70	-	2644000R		
KK18	16	GY	TXL	239481R1	A	DS71	-	2644000R		
KM18	16	GY	TXL	239481R1	A	DS71	-	2644000R		
RF78	16	LTGN	TXL	239481R1	B	JS3	-	2644000R		
QA23DB	18	TN	TXL	239481R1	B	LS2	-	2644000R		
ZR12-GD	16	WH	TXL	239481R1	B	MS3	-	2644000R		
NL44J	18	GY	GXL	1667742C1	3525874C1	(4906C	A	1661872C1		
NL92C	18	TN	GXL	1667742C1	3525874C1	(4906C	B	1661872C1		
NL92C	18	TN	GXL	1667742C1	3525874C1	(4906C	D	1661872C1		
NL44J	18	GY	GXL	1667742C1	3525874C1	(4906C	E	1661872C1		
AC13D	18	PK	TXL	3544876C1	4063156C1	0009B	A	N/A		
9E5BF(+)	18	YL	TXL	3544884C1	4063156C1	0009B	B	N/A		
9G5BF(+)	18	YL	TXL	3544884C1	4063156C1	0009B	B	N/A		
9Z5BF(+)	18	YL	TXL	3544884C1	4063156C1	0009B	B	N/A		
9E5BF(-)	18	GN	TXL	3544884C1	4063156C1	0009B	C	N/A		
9G5BF(-)	18	GN	TXL	3544884C1	4063156C1	0009B	C	N/A		
9Z5BF(-)	18	GN	TXL	3544884C1	4063156C1	0009B	C	N/A		
ZD50B	18	YL	TXL	3544884C1	4063156C1	0009B	E	N/A		
ZD50A	18	YL	TXL	3544876C1	4063156C1	0009B	H	N/A		
AC11-GN	18	WH	TXL	3544876C1	4063156C1	0009B	J	N/A		
AC62	18	DKBL	TXL	3544884C1	4063156C1	0009B	L	N/A		
AC62DA	16	DKBL	TXL	3544884C1	4063156C1	0009B	M	N/A		
AC50	18	YL	TXL	3544884C1	4063156C1	0009B	P	N/A		
AC9	18	GY	TXL	3544884C1	4063156C1	0009B	R	N/A		
AC14D	18	RD	TXL	3544876C1	4063156C1	0009B	S	N/A		
BG28A	20	TN	TXL	4062808C1	4063415C1	1000A	1	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
BG28B	20	TN	TXL	4062808C1	4063415C1	1000A	3	N/A		
BG28C	20	TN	TXL	4062808C1	4063415C1	1000A	4	N/A		
RC81-G	10	WH	GXL	2020632C1		1004A	1	2644002R1		
RD81-G	10	WH	GXL	2020632C1		1004A	1	2644002R1		
AA11-GKC	12	WH	TXL	3581768C1		1004B	1	2644038R1		
FB11-GKJ	6	WH	SGX	2015884C1		1005A	1	2644002R1		
ML11-G	8	WH	GXL	3710088C1		1005B	1	2644005R1		
MP11-G	8	WH	GXL	3710088C1		1005B	1	2644005R1		
KS59MB	18	GY	TXL	1661224C1	3928059C1	1023A	1	N/A		
KT59MB	18	GY	TXL	1661224C1	3928059C1	1023A	1	N/A		
KU59MB	18	GY	TXL	1661224C1	3928059C1	1023A	1	N/A		
KS59SB	18	GY	TXL	1661224C1	3928059C1	1023A	2	N/A		
KT59SB	18	GY	TXL	1661224C1	3928059C1	1023A	2	N/A		
KU59SA	18	GY	TXL	1661224C1	3928059C1	1023A	2	N/A		
KS59-GB	18	WH	TXL	1661224C1	3928059C1	1023A	11	N/A		
KT59-GB	18	WH	TXL	1661224C1	3928059C1	1023A	11	N/A		
KU59-GB	18	WH	TXL	1661224C1	3928059C1	1023A	11	N/A		
KS62R	18	DKBL	TXL	1661224C1	3928059C1	1023A	12	N/A		
KT62D	16	DKBL	TXL	1661226C1	3928059C1	1023A	12	N/A		
KU62R	18	DKBL	TXL	1661224C1	3928059C1	1023A	12	N/A		
KS59NB	18	GY	TXL	1661224C1	3928059C1	1023B	1	N/A		
KU59NB	18	GY	TXL	1661224C1	3928059C1	1023B	1	N/A		
KS59U	18	GY	TXL	1661224C1	3928059C1	1023B	2	N/A		
KU59SB	18	GY	TXL	1661224C1	3928059C1	1023B	2	N/A		
KS59-GDA	18	WH	TXL	1661224C1	3928059C1	1023B	11	N/A		
KU59-GDA	18	WH	TXL	1661224C1	3928059C1	1023B	11	N/A		
KS62P	18	DKBL	TXL	1661224C1	3928059C1	1023B	12	N/A		
KU62P	18	DKBL	TXL	1661224C1	3928059C1	1023B	12	N/A		
KU59NC	18	GY	TXL	1661224C1	3928059C1	1023C	1	N/A		
KU59SC	18	GY	TXL	1661224C1	3928059C1	1023C	2	N/A		
KU59-GDB	18	WH	TXL	1661224C1	3928059C1	1023C	11	N/A		
KU62S	18	DKBL	TXL	1661224C1	3928059C1	1023C	12	N/A		
EE15	18	RD	TXL	1661208C1	3546518C1	1100MA	A	N/A		
LH149B	18	GY	TXL	1661208C1	3546518C1	1100MA	B	N/A		
ED149	18	GY	TXL	1661208C1	3546518C1	1100MA	C	N/A		
DC149A	18	GY	TXL	1661208C1	3546518C1	1100MA	D	N/A		
9E5BH(+)	18	YL	TXL	2035086C1	3768593C1	1101F	5	N/A		
9G5BH(+)	18	YL	TXL	2035086C1	3768593C1	1101F	5	N/A		
9H5BH(+)	18	YL	TXL	2035086C1	3768593C1	1101F	5	N/A		
9L5BH(+)	18	YL	TXL	2035086C1	3768593C1	1101F	5	N/A		
9V5BH(+)	18	YL	TXL	2035086C1	3768593C1	1101F	5	N/A		
9Z5BH(+)	18	YL	TXL	2035086C1	3768593C1	1101F	5	N/A		
9E5BH(-)	18	GN	TXL	2035086C1	3768593C1	1101F	6	N/A		
9G5BH(-)	18	GN	TXL	2035086C1	3768593C1	1101F	6	N/A		
9H5BH(-)	18	GN	TXL	2035086C1	3768593C1	1101F	6	N/A		
9L5BH(-)	18	GN	TXL	2035086C1	3768593C1	1101F	6	N/A		
9V5BH(-)	18	GN	TXL	2035086C1	3768593C1	1101F	6	N/A		
9Z5BH(-)	18	GN	TXL	2035086C1	3768593C1	1101F	6	N/A		
9E5BG(+)	18	YL	TXL	3522073C1	3522071C1	1101M	5	N/A		
9G5BG(+)	18	YL	TXL	3522073C1	3522071C1	1101M	5	N/A		
9H5BG(+)	18	YL	TXL	3522073C1	3522071C1	1101M	5	N/A		
9L5BG(+)	18	YL	TXL	3522073C1	3522071C1	1101M	5	N/A		
9V5BG(+)	18	YL	TXL	3522073C1	3522071C1	1101M	5	N/A		
9Z5BG(+)	18	YL	TXL	3522073C1	3522071C1	1101M	5	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
9E5BG(-)	18	GN	TXL	3522073C1	3522071C1	1101M	6	N/A		
9G5BG(-)	18	GN	TXL	3522073C1	3522071C1	1101M	6	N/A		
9H5BG(-)	18	GN	TXL	3522073C1	3522071C1	1101M	6	N/A		
9L5BG(-)	18	GN	TXL	3522073C1	3522071C1	1101M	6	N/A		
9V5BG(-)	18	GN	TXL	3522073C1	3522071C1	1101M	6	N/A		
9Z5BG(-)	18	GN	TXL	3522073C1	3522071C1	1101M	6	N/A		
AD11-GKD	18	WH	TXL	3522073C1	3522071C1	1101M	8	N/A		
AE11-GKD	18	WH	TXL	3522073C1	3522071C1	1101M	8	N/A		
AA14MUX	18	RD	TXL	3522073C1	3522071C1	1101M	10	N/A		
XX44AA	18	GY	TXL	3727971C1	3518182C1	1109A	1	N/A		
XX90-M	18	GY	TXL	3727971C1	3518182C1	1109A	2	N/A		
YD67COG1	18	GY	TXL	1661224C1	3928059C1	1126M	1	N/A		
YD11COG1	18	WH	TXL	1661224C1	3928059C1	1126M	2	N/A		
YD67COG2	18	GY	TXL	1661224C1	3928059C1	1126M	4	N/A		
YD67NB	16	VT	TXL	1661226C1	3928059C1	1126M	11	N/A		
YD62A	18	DKBL	TXL	1661224C1	3928059C1	1126M	12	N/A		
AA73A	20	LTGN	TXL	3673333C1	3768152C1	1200A	1	N/A		
AD74-G	20	WH	TXL	3673333C1	3768152C1	1200A	2	N/A		
AE74-G	20	WH	TXL	3673333C1	3768152C1	1200A	2	N/A		
AA75B	20	LTGN	TXL	3673333C1	3768152C1	1200A	5	N/A		
TA75A	20	LTGN	TXL	3673333C1	3768152C1	1200A	6	N/A		
9S5AF(+)	20	YL	193	3673333C1	3768152C1	1200A	7	N/A		
9T5AF(+)	20	YL	193	3673333C1	3768152C1	1200A	7	N/A		
9W5AF(+)	20	YL	193	3673333C1	3768152C1	1200A	7	N/A		
9Y5AF(+)	20	YL	193	3673333C1	3768152C1	1200A	7	N/A		
9S5AF(-)	20	GN	193	3673333C1	3768152C1	1200A	8	N/A		
9T5AF(-)	20	GN	193	3673333C1	3768152C1	1200A	8	N/A		
9W5AF(-)	20	GN	193	3673333C1	3768152C1	1200A	8	N/A		
9Y5AF(-)	20	GN	193	3673333C1	3768152C1	1200A	8	N/A		
AA74A2	20	LTGN	TXL	3673333C1	3768152C1	1200A	9	N/A		
AA74B2	20	LTGN	TXL	3673333C1	3768152C1	1200A	10	N/A		
AA74D5	20	LTGN	TXL	3673333C1	3768152C1	1200A	11	N/A		
AA73B	20	LTGN	TXL	3673333C1	3768152C1	1200A	12	N/A		
AD74-GA	20	WH	TXL	3673333C1	3768152C1	1200A	13	N/A		
AE74-GA	20	WH	TXL	3673333C1	3768152C1	1200A	13	N/A		
AA74C2	20	LTGN	TXL	3673333C1	3768152C1	1200A	18	N/A		
AA74E2	20	LTGN	TXL	3673333C1	3768152C1	1200A	19	N/A		
AA74D2	20	LTGN	TXL	3673333C1	3768152C1	1200A	21	N/A		
AA74D4	20	LTGN	TXL	3673333C1	3768152C1	1200A	22	N/A		
AA74B1	20	LTGN	TXL	3673333C1	3768153C1	1200B	1	N/A		
AA74B3	20	LTGN	TXL	3673333C1	3768153C1	1200B	2	N/A		
AA74B4	20	LTGN	TXL	3673333C1	3768153C1	1200B	3	N/A		
AA74C1	20	LTGN	TXL	3673333C1	3768153C1	1200B	4	N/A		
AA74C3	20	LTGN	TXL	3673333C1	3768153C1	1200B	5	N/A		
AA74C4	20	LTGN	TXL	3673333C1	3768153C1	1200B	6	N/A		
AA74C5	20	LTGN	TXL	3673333C1	3768153C1	1200B	7	N/A		
AA74E1	20	LTGN	TXL	3673333C1	3768153C1	1200B	8	N/A		
AA74E3	20	LTGN	TXL	3673333C1	3768153C1	1200B	9	N/A		
AA74E4	20	LTGN	TXL	3673333C1	3768153C1	1200B	10	N/A		
AA74E5	20	LTGN	TXL	3673333C1	3768153C1	1200B	11	N/A		
AA74B5	20	LTGN	TXL	3673333C1	3768153C1	1200B	12	N/A		
AA74A1	20	LTGN	TXL	3673333C1	3768153C1	1200B	13	N/A		
AA74A3	20	LTGN	TXL	3673333C1	3768153C1	1200B	14	N/A		
AA74A4	20	LTGN	TXL	3673333C1	3768153C1	1200B	15	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
AA74A5	20	LTGN	TXL	3673333C1	3768153C1	1200B	16	N/A		
AA74D1	20	LTGN	TXL	3673333C1	3768153C1	1200B	21	N/A		
AA74D3	20	LTGN	TXL	3673333C1	3768153C1	1200B	22	N/A		
AA74C1	20	LTGN	TXL	3544883C1	4057474C1	1200C	A	N/A		
AA74C2	20	LTGN	TXL	3544883C1	4057474C1	1200C	B	N/A		
AA74C3	20	LTGN	TXL	3544883C1	4057474C1	1200C	C	N/A		
AA74C4	20	LTGN	TXL	3544883C1	4057474C1	1200C	D	N/A		
AA74C5	20	LTGN	TXL	3544883C1	4057474C1	1200C	E	N/A		
AA74D1	20	LTGN	TXL	3544883C1	4057474C1	1200C	F	N/A		
AA74D2	20	LTGN	TXL	3544883C1	4057474C1	1200C	G	N/A		
AA74D3	20	LTGN	TXL	3544883C1	4057474C1	1200C	H	N/A		
AA74D4	20	LTGN	TXL	3544883C1	4057474C1	1200C	J	N/A		
AA74D5	20	LTGN	TXL	3544883C1	4057474C1	1200C	K	N/A		
AA74E1	20	LTGN	TXL	3544883C1	4057474C1	1200C	L	N/A		
AA74E2	20	LTGN	TXL	3544883C1	4057474C1	1200C	M	N/A		
AA74E3	20	LTGN	TXL	3544883C1	4057474C1	1200C	N	N/A		
AA74E4	20	LTGN	TXL	3544883C1	4057474C1	1200C	P	N/A		
AA74E5	20	LTGN	TXL	3544883C1	4057474C1	1200C	S	N/A		
TA75AC	12	RD	GXL	1661227C1	4061870C1	1200D	A	N/A		
AD75-G	12	WH	TXL	1661227C1	4061870C1	1200D	B	N/A		
AE75-G	12	WH	TXL	1661227C1	4061870C1	1200D	B	N/A		
AA74A1	20	LTGN	TXL	3544883C1	4057658C1	1200E	A	N/A		
AA74A2	20	LTGN	TXL	3544883C1	4057658C1	1200E	B	N/A		
AA74A3	20	LTGN	TXL	3544883C1	4057658C1	1200E	C	N/A		
AA74A4	20	LTGN	TXL	3544883C1	4057658C1	1200E	D	N/A		
AA74A5	20	LTGN	TXL	3544883C1	4057658C1	1200E	E	N/A		
AA74B1	20	LTGN	TXL	3544883C1	4057658C1	1200E	F	N/A		
AA74B2	20	LTGN	TXL	3544883C1	4057658C1	1200E	G	N/A		
AA74B3	20	LTGN	TXL	3544883C1	4057658C1	1200E	H	N/A		
AA74B4	20	LTGN	TXL	3544883C1	4057658C1	1200E	J	N/A		
AA74B5	20	LTGN	TXL	3544883C1	4057658C1	1200E	K	N/A		
SA77D	20	LTGN	TXL	3544883C1	4057658C1	1200E	L	N/A		
AA6AM	20	GY	TXL	3544883C1	4057658C1	1200E	M	N/A		
TA75AB	18	LTGN	TXL	3544884C1	4057658C1	1200E	N	N/A		
AA75B	20	LTGN	TXL	3544883C1	4057658C1	1200E	P	N/A		
9B5G(-)	18	GN	TXL	3522073C1	3710061C1	1500A	A10	N/A		
9C5G(-)	18	GN	TXL	3522073C1	3710061C1	1500A	A10	N/A		
9K5G(-)	18	GN	TXL	3522073C1	3710061C1	1500A	A10	N/A		
9M5G(-)	18	GN	TXL	3522073C1	3710061C1	1500A	A10	N/A		
9N5G(-)	18	GN	TXL	3522073C1	3710061C1	1500A	A10	N/A		
9Q5G(-)	18	GN	TXL	3522073C1	3710061C1	1500A	A10	N/A		
9R5G(-)	18	GN	TXL	3522073C1	3710061C1	1500A	A10	N/A		
9U5G(-)	18	GN	TXL	3522073C1	3710061C1	1500A	A10	N/A		
GB5G(-)	18	GN	TXL	3522073C1	3710061C1	1500A	A10	N/A		
GE5G(-)	18	GN	TXL	3522073C1	3710061C1	1500A	A10	N/A		
GF5G(-)	18	GN	TXL	3522073C1	3710061C1	1500A	A10	N/A		
GG5G(-)	18	GN	TXL	3522073C1	3710061C1	1500A	A10	N/A		
GH5G(-)	18	GN	TXL	3522073C1	3710061C1	1500A	A10	N/A		
GJ5G(-)	18	GN	TXL	3522073C1	3710061C1	1500A	A10	N/A		
GK5G(-)	18	GN	TXL	3522073C1	3710061C1	1500A	A10	N/A		
GL5G(-)	18	GN	TXL	3522073C1	3710061C1	1500A	A10	N/A		
GM5G(-)	18	GN	TXL	3522073C1	3710061C1	1500A	A10	N/A		
GN5G(-)	18	GN	TXL	3522073C1	3710061C1	1500A	A10	N/A		
GP5G(-)	18	GN	TXL	3522073C1	3710061C1	1500A	A10	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
GQ5G(-)	18	GN	TXL	3522073C1	3710061C1	1500A	A10	N/A		
GT5G(-)	18	GN	TXL	3522073C1	3710061C1	1500A	A10	N/A		
GU5G(-)	18	GN	TXL	3522073C1	3710061C1	1500A	A10	N/A		
GV5G(-)	18	GN	TXL	3522073C1	3710061C1	1500A	A10	N/A		
AA14EE	16	RD	TXL	3522073C1	3710061C1	1500A	A2	N/A		
AA13EA	18	PK	TXL	3522073C1	3710061C1	1500A	A3	N/A		
DL13BB	18	PK	TXL	3522073C1	3710061C1	1500A	A6	N/A		
DL179	18	WH	TXL	3522073C1	3710061C1	1500A	A7	N/A		
9B5G(+)	18	YL	TXL	3522073C1	3710061C1	1500A	A9	N/A		
9C5G(+)	18	YL	TXL	3522073C1	3710061C1	1500A	A9	N/A		
9K5G(+)	18	YL	TXL	3522073C1	3710061C1	1500A	A9	N/A		
9M5G(+)	18	YL	TXL	3522073C1	3710061C1	1500A	A9	N/A		
9N5G(+)	18	YL	TXL	3522073C1	3710061C1	1500A	A9	N/A		
9Q5G(+)	18	YL	TXL	3522073C1	3710061C1	1500A	A9	N/A		
9R5G(+)	18	YL	TXL	3522073C1	3710061C1	1500A	A9	N/A		
9U5G(+)	18	YL	TXL	3522073C1	3710061C1	1500A	A9	N/A		
GB5G(+)	18	YL	TXL	3522073C1	3710061C1	1500A	A9	N/A		
GE5G(+)	18	YL	TXL	3522073C1	3710061C1	1500A	A9	N/A		
GF5G(+)	18	YL	TXL	3522073C1	3710061C1	1500A	A9	N/A		
GG5G(+)	18	YL	TXL	3522073C1	3710061C1	1500A	A9	N/A		
GH5G(+)	18	YL	TXL	3522073C1	3710061C1	1500A	A9	N/A		
GJ5G(+)	18	YL	TXL	3522073C1	3710061C1	1500A	A9	N/A		
GK5G(+)	18	YL	TXL	3522073C1	3710061C1	1500A	A9	N/A		
GL5G(+)	18	YL	TXL	3522073C1	3710061C1	1500A	A9	N/A		
GM5G(+)	18	YL	TXL	3522073C1	3710061C1	1500A	A9	N/A		
GN5G(+)	18	YL	TXL	3522073C1	3710061C1	1500A	A9	N/A		
GP5G(+)	18	YL	TXL	3522073C1	3710061C1	1500A	A9	N/A		
GQ5G(+)	18	YL	TXL	3522073C1	3710061C1	1500A	A9	N/A		
GT5G(+)	18	YL	TXL	3522073C1	3710061C1	1500A	A9	N/A		
GU5G(+)	18	YL	TXL	3522073C1	3710061C1	1500A	A9	N/A		
GV5G(+)	18	YL	TXL	3522073C1	3710061C1	1500A	A9	N/A		
BG28B	20	TN	TXL	3534303C1	3710061C1	1500A	B10	N/A		
AD11-GKE	16	WH	TXL	3522073C1	3710061C1	1500A	B3	N/A		
AE11-GKE	16	WH	TXL	3522073C1	3710061C1	1500A	B3	N/A		
MQ98F	20	TN	TXL	3534303C1	3710061C1	1500A	B4	N/A		
MQ11-GMW	20	WH	TXL	3534303C1	3710061C1	1500A	B5	N/A		
QA23A	18	TN	TXL	3522073C1	3710061C1	1500A	B6	N/A		
QA23-GT	18	WH	TXL	3522073C1	3710061C1	1500A	B7	N/A		
BG28C	20	TN	TXL	3534303C1	3710061C1	1500A	B8	N/A		
BG28A	20	TN	TXL	3534303C1	3710061C1	1500A	B9	N/A		
AE98-G	18	WH	TXL	3754236C1	3544066C1	1650MA	A	N/A		
AE98H	18	RD	TXL	3754236C1	3544066C1	1650MA	B	N/A		
9R5D(+)	18	YL	TXL	3754236C1	3544066C1	1650MA	C	N/A		
GK5D(+)	18	YL	TXL	3754236C1	3544066C1	1650MA	C	N/A		
GL5D(+)	18	YL	TXL	3754236C1	3544066C1	1650MA	C	N/A		
GM5D(+)	18	YL	TXL	3754236C1	3544066C1	1650MA	C	N/A		
GN5D(+)	18	YL	TXL	3754236C1	3544066C1	1650MA	C	N/A		
GP5D(+)	18	YL	TXL	3754236C1	3544066C1	1650MA	C	N/A		
GQ5D(+)	18	YL	TXL	3754236C1	3544066C1	1650MA	C	N/A		
GT5D(+)	18	YL	TXL	3754236C1	3544066C1	1650MA	C	N/A		
GW5D(+)	18	YL	TXL	3754236C1	3544066C1	1650MA	C	N/A		
9R5D(-)	18	GN	TXL	3754236C1	3544066C1	1650MA	D	N/A		
GK5D(-)	18	GN	TXL	3754236C1	3544066C1	1650MA	D	N/A		
GL5D(-)	18	GN	TXL	3754236C1	3544066C1	1650MA	D	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
GM5D(-)	18	GN	TXL	3754236C1	3544066C1	1650MA	D	N/A		
GN5D(-)	18	GN	TXL	3754236C1	3544066C1	1650MA	D	N/A		
GP5D(-)	18	GN	TXL	3754236C1	3544066C1	1650MA	D	N/A		
GQ5D(-)	18	GN	TXL	3754236C1	3544066C1	1650MA	D	N/A		
GT5D(-)	18	GN	TXL	3754236C1	3544066C1	1650MA	D	N/A		
GW5D(-)	18	GN	TXL	3754236C1	3544066C1	1650MA	D	N/A		
9W5AD(+)	18	YL	TXL	3754236C1	3544066C1	1650MA	H	N/A		
9Y5AD(+)	18	YL	TXL	3754236C1	3544066C1	1650MA	H	N/A		
9W5AD(-)	18	GN	TXL	3754236C1	3544066C1	1650MA	J	N/A		
9Y5AD(-)	18	GN	TXL	3754236C1	3544066C1	1650MA	J	N/A		
MN5C(+)	18	YL	TXL	1661875C1	1667741C1	1657M	A	3568570C1		
NK5C(+)	18	YL	TXL	1661875C1	1667741C1	1657M	A	3568570C1	2006504C1	
SN5C(+)	18	GN	TXL	3535303C1	3683465C1	1657M	A	3535424C1		
SP5C(+)	18	GN	TXL	3535303C1	3683465C1	1657M	A	3535424C1		
SN5C(-)	18	YL	TXL	3535303C1	3683465C1	1657M	B	3535424C1		
SP5C(-)	18	YL	TXL	3535303C1	3683465C1	1657M	B	3535424C1		
MN5C(-)	18	GN	TXL	1661875C1	1667741C1	1657M	C	3568570C1		
NK5C(-)	18	GN	TXL	1661875C1	1667741C1	1657M	C	3568570C1	2007316C1	
YD13COG	16	PK	TXL	1661262C1	3540613C1	16B	C	N/A		
YD11COG	18	WH	TXL	1661262C1	3540613C1	16B	D	N/A		
YD5DA(-)	18	GN	TXL	1661262C1	3540613C1	16B	E	N/A		
YD5DA(+)	18	YL	TXL	1661262C1	3540613C1	16B	F	N/A		
YD67COG	18	GY	TXL	1661262C1	3540613C1	16B	G	N/A		
YD14CSB	16	RD	TXL	1661262C1	3540613C1	16B	H	N/A		
9D5E(-)	18	GN	TXL	1661262C1	3540613C1	16B	J	N/A		
GW5E(-)	18	GN	TXL	1661262C1	3540613C1	16B	J	N/A		
9D5E(+)	18	YL	TXL	1661262C1	3540613C1	16B	K	N/A		
GW5E(+)	18	YL	TXL	1661262C1	3540613C1	16B	K	N/A		
RK71A	14	OR	GXL	3549416C1	3595622C1	1701F	1	N/A		
SL71A	14	OR	GXL	3549416C1	3595622C1	1701F	1	N/A		
RK56	14	OR	GXL	3549416C1	3595622C1	1701F	2	N/A		
SL56	14	OR	GXL	3549416C1	3595622C1	1701F	2	N/A		
RK57	14	OR	GXL	3549416C1	3595622C1	1701F	3	N/A		
SL57	14	OR	GXL	3549416C1	3595622C1	1701F	3	N/A		
RK68	14	BN	GXL	3549416C1	3595622C1	1701F	4	N/A		
SL68	14	BN	GXL	3549416C1	3595622C1	1701F	4	N/A		
NA56T	10	YL	GXL	3549415C1	3595622C1	1701F	5	N/A		
NB56T	10	YL	GXL	3549415C1	3595622C1	1701F	5	N/A	1661873C1	
NC56T	10	YL	GXL	3549415C1	3595622C1	1701F	5	N/A		
NE56T	10	YL	GXL	3549415C1	3595622C1	1701F	5	N/A		
UC67TA	16	GY	GXL	3549416C1	3595622C1	1701F	5	N/A		
NA56T	10	YL	GXL	3549415C1	3595622C1	1701F	5	N/A		
NB56T	10	YL	GXL	3549415C1	3595622C1	1701F	5	N/A	1671608C1	
NC56T	10	YL	GXL	3549415C1	3595622C1	1701F	5	N/A	3610532C1	
NE56T	10	YL	GXL	3549415C1	3595622C1	1701F	5	N/A		
NA57T	10	LTGN	GXL	3549415C1	3595622C1	1701F	6	N/A		
NB57T	10	LTGN	GXL	3549415C1	3595622C1	1701F	6	N/A	1664408C1	
NC57T	10	LTGN	GXL	3549415C1	3595622C1	1701F	6	N/A		
NE57T	10	LTGN	GXL	3549415C1	3595622C1	1701F	6	N/A		
UC67U	16	GY	GXL	3549416C1	3595622C1	1701F	6	N/A		
NA57T	10	LTGN	GXL	3549415C1	3595622C1	1701F	6	N/A		
NB57T	10	LTGN	GXL	3549415C1	3595622C1	1701F	6	N/A		
NC57T	10	LTGN	GXL	3549415C1	3595622C1	1701F	6	N/A		
NE57T	10	LTGN	GXL	3549415C1	3595622C1	1701F	6	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
NA54T	10	BN	GXL	3549415C1	3595622C1	1701F	7	N/A		
NB54T	10	BN	GXL	3549415C1	3595622C1	1701F	7	N/A		
NC54T	10	BN	GXL	3549415C1	3595622C1	1701F	7	N/A		
NE54T	10	BN	GXL	3549415C1	3595622C1	1701F	7	N/A		
NA54T	10	BN	GXL	3549415C1	3595622C1	1701F	7	N/A		
NB54T	10	BN	GXL	3549415C1	3595622C1	1701F	7	N/A		
NC54T	10	BN	GXL	3549415C1	3595622C1	1701F	7	N/A		
NE54T	10	BN	GXL	3549415C1	3595622C1	1701F	7	N/A		
NA68T	10	BN	GXL	3549415C1	3595622C1	1701F	8	N/A		
NB68T	10	BN	GXL	3549415C1	3595622C1	1701F	8	N/A		
NC68T	10	BN	GXL	3549415C1	3595622C1	1701F	8	N/A		
NE68T	10	BN	GXL	3549415C1	3595622C1	1701F	8	N/A		
NA68T	10	BN	GXL	3549415C1	3595622C1	1701F	8	N/A		
NB68T	10	BN	GXL	3549415C1	3595622C1	1701F	8	N/A		
NC68T	10	BN	GXL	3549415C1	3595622C1	1701F	8	N/A		
NE68T	10	BN	GXL	3549415C1	3595622C1	1701F	8	N/A		
NA70T	10	RD	GXL	3549415C1	3595622C1	1701F	9	N/A		
NB70T	10	RD	GXL	3549415C1	3595622C1	1701F	9	N/A	3540454C1	3551897C1
NC70T	10	RD	GXL	3549415C1	3595622C1	1701F	9	N/A		
NE70T	10	RD	GXL	3549415C1	3595622C1	1701F	9	N/A		
UC67V	16	GY	GXL	3549416C1	3595622C1	1701F	9	N/A		
NA70T	10	RD	GXL	3549415C1	3595622C1	1701F	9	N/A		
NB70T	10	RD	GXL	3549415C1	3595622C1	1701F	9	N/A	3606532C1	
NC70T	10	RD	GXL	3549415C1	3595622C1	1701F	9	N/A		
NE70T	10	RD	GXL	3549415C1	3595622C1	1701F	9	N/A		
NA94T	10	GY	GXL	3549415C1	3595622C1	1701F	10	N/A		
NB94T	10	GY	GXL	3549415C1	3595622C1	1701F	10	N/A	3601925C1	
NC94T	10	GY	GXL	3549415C1	3595622C1	1701F	10	N/A		
NE94T	10	GY	GXL	3549415C1	3595622C1	1701F	10	N/A		
UC67W	16	GY	GXL	3549416C1	3595622C1	1701F	10	N/A		
NA94T	10	GY	GXL	3549415C1	3595622C1	1701F	10	N/A		
NB94T	10	GY	GXL	3549415C1	3595622C1	1701F	10	N/A		
NC94T	10	GY	GXL	3549415C1	3595622C1	1701F	10	N/A		
NE94T	10	GY	GXL	3549415C1	3595622C1	1701F	10	N/A		
NB72	12	OR	GXL	3549415C1	3595622C1	1701F	11	N/A		
SZ72	10	OR	TXL	3549415C1	3595622C1	1701F	11	N/A		
NB72	12	OR	GXL	3549415C1	3595622C1	1701F	11	N/A	3610532C1	
SS72	10	OR	TXL	3549415C1	3595622C1	1701F	11	N/A		
ND56BB	16	YL	GXL	3549416C1	3595622C1	1701F	12	N/A		
PV56BB	16	YL	GXL	3549416C1	3595622C1	1701F	12	N/A		
ND56BB	16	YL	GXL	3549416C1	3595622C1	1701F	12	N/A		
PV56BB	16	YL	GXL	3549416C1	3595622C1	1701F	12	N/A		
SL9	16	GY	GXL	3549416C1	3595622C1	1701F	13	N/A		
SL9	16	GY	GXL	3549416C1	3595622C1	1701F	13	N/A		
ME94L(+)	18	GY	TXL	3549418C1	3595622C1	1701F	14	N/A		
MK94L(+)	18	TN	TXL	3549418C1	3595622C1	1701F	14	N/A		
MR94WL	16	GY	TXL	3549417C1	3595622C1	1701F	14	N/A		
PR94BM	16	GY	TXL	3549417C1	3595622C1	1701F	14	N/A		
ME94L(+)	18	GY	TXL	3549418C1	3595622C1	1701F	14	N/A		
MK94L(+)	18	TN	TXL	3549418C1	3595622C1	1701F	14	N/A		
MR94WL	16	GY	TXL	3549417C1	3595622C1	1701F	14	N/A		
PR94BM	16	GY	TXL	3549417C1	3595622C1	1701F	14	N/A		
ME94L(-)	18	GY	TXL	3549418C1	3595622C1	1701F	15	N/A		
MK94L(-)	18	TN	TXL	3549418C1	3595622C1	1701F	15	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
MR94WM	16	GY	TXL	3549417C1	3595622C1	1701F	15	N/A		
PR94BN	16	GY	TXL	3549417C1	3595622C1	1701F	15	N/A		
ME94L(-)	18	GY	TXL	3549418C1	3595622C1	1701F	15	N/A		
MK94L(-)	18	TN	TXL	3549418C1	3595622C1	1701F	15	N/A		
MR94WM	16	GY	TXL	3549417C1	3595622C1	1701F	15	N/A		
PR94BN	16	GY	TXL	3549417C1	3595622C1	1701F	15	N/A		
MD94BE	16	GY	GXL	3549417C1	3595622C1	1701F	16	N/A		
ME94R(+)	18	GY	TXL	3549418C1	3595622C1	1701F	16	N/A		
MK94R(+)	18	TN	TXL	3549418C1	3595622C1	1701F	16	N/A		
MR94WW	14	GY	TXL	3549417C1	3595622C1	1701F	16	N/A		
MD94BE	16	GY	TXL	3549417C1	3595622C1	1701F	16	N/A		
ME94R(+)	18	GY	TXL	3549418C1	3595622C1	1701F	16	N/A		
MK94R(+)	18	TN	TXL	3549418C1	3595622C1	1701F	16	N/A		
MR94WW	14	GY	GXL	3549417C1	3595622C1	1701F	16	N/A		
MD94BD	16	GY	GXL	3549417C1	3595622C1	1701F	17	N/A		
ME94R(-)	18	GY	TXL	3549418C1	3595622C1	1701F	17	N/A		
MK94R(-)	18	TN	TXL	3549418C1	3595622C1	1701F	17	N/A		
MR94WU	14	GY	TXL	3549417C1	3595622C1	1701F	17	N/A		
MD94BD	16	GY	TXL	3549417C1	3595622C1	1701F	17	N/A		
ME94R(-)	18	GY	TXL	3549418C1	3595622C1	1701F	17	N/A		
MK94R(-)	18	TN	TXL	3549418C1	3595622C1	1701F	17	N/A		
MR94WU	14	GY	GXL	3549417C1	3595622C1	1701F	17	N/A		
MD94BH	16	GY	TXL	3549417C1	3595622C1	1701F	18	N/A		
ME3C(-)	18	GY	TXL	3549418C1	3595622C1	1701F	18	N/A		
MR94WN	14	GY	TXL	3549417C1	3595622C1	1701F	18	N/A		
MD94BH	16	GY	TXL	3549417C1	3595622C1	1701F	18	N/A		
ME3C(-)	18	GY	TXL	3549418C1	3595622C1	1701F	18	N/A		
MR94WN	14	GY	GXL	3549417C1	3595622C1	1701F	18	N/A		
MD94BF	16	GY	TXL	3549417C1	3595622C1	1701F	19	N/A		
ME3C(+)	18	DKBL	TXL	3549418C1	3595622C1	1701F	19	N/A		
MR94WR	14	GY	TXL	3549417C1	3595622C1	1701F	19	N/A		
MD94BF	16	GY	TXL	3549417C1	3595622C1	1701F	19	N/A		
ME3C(+)	18	DKBL	TXL	3549418C1	3595622C1	1701F	19	N/A		
MR94WR	14	GY	GXL	3549417C1	3595622C1	1701F	19	N/A		
MD94BL	16	GY	TXL	3549417C1	3595622C1	1701F	20	N/A		
ME90F	18	GY	TXL	3549418C1	3595622C1	1701F	20	N/A		
MD94BL	16	GY	TXL	3549417C1	3595622C1	1701F	20	N/A		
ME90F	18	GY	TXL	3549418C1	3595622C1	1701F	20	N/A		
MD94BJ	16	GY	TXL	3549417C1	3595622C1	1701F	21	N/A		
PL44A	18	GY	TXL	3549418C1	3595622C1	1701F	21	N/A		
MD94BJ	16	GY	TXL	3549417C1	3595622C1	1701F	21	N/A		
PL44A	18	GY	TXL	3549418C1	3595622C1	1701F	21	N/A		
MD94BK	16	GY	TXL	3549417C1	3595622C1	1701F	22	N/A		
ME90BA	18	GY	TXL	3549418C1	3595622C1	1701F	22	N/A		
MR94WS	16	GY	TXL	3549417C1	3595622C1	1701F	22	N/A		
MD94BK	16	GY	TXL	3549417C1	3595622C1	1701F	22	N/A		
ME90BA	18	GY	TXL	3549418C1	3595622C1	1701F	22	N/A		
MR94WS	16	GY	TXL	3549417C1	3595622C1	1701F	22	N/A		
MD94BA	16	GY	GXL	3549417C1	3595622C1	1701F	23	N/A		
ME90H	18	GY	TXL	3549418C1	3595622C1	1701F	23	N/A		
MR94WT	16	GY	TXL	3549417C1	3595622C1	1701F	23	N/A		
MD94BA	16	GY	TXL	3549417C1	3595622C1	1701F	23	N/A		
ME90H	18	GY	TXL	3549418C1	3595622C1	1701F	23	N/A		
MR94WT	16	GY	TXL	3549417C1	3595622C1	1701F	23	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
MD94BB	16	GY	TXL	3549417C1	3595622C1	1701F	24	N/A		
MK90E	18	GY	TXL	3549418C1	3595622C1	1701F	24	N/A		
MP90E	18	GY	TXL	3549418C1	3595622C1	1701F	24	N/A		
MR94-G7	14	GY	TXL	3549417C1	3595622C1	1701F	24	N/A		
PL90E	16	GY	GXL	3549417C1	3595622C1	1701F	24	N/A		
MD94BB	16	GY	TXL	3549417C1	3595622C1	1701F	24	N/A		
MK90E	18	GY	TXL	3549418C1	3595622C1	1701F	24	N/A		
MP90E	18	GY	TXL	3549418C1	3595622C1	1701F	24	N/A		
MR94-G7	14	GY	GXL	3549417C1	3595622C1	1701F	24	N/A		
PL90E	16	GY	GXL	3549417C1	3595622C1	1701F	24	N/A		
MD94BC	16	GY	TXL	3549417C1	3595622C1	1701F	25	N/A		
MP10-GV	16	WH	GXL	3549417C1	3595622C1	1701F	25	N/A		
MR94-G6	14	GY	TXL	3549417C1	3595622C1	1701F	25	N/A		
PL10-GV	16	WH	GXL	3549417C1	3595622C1	1701F	25	N/A		
MD94BC	16	GY	TXL	3549417C1	3595622C1	1701F	25	N/A		
MP10-GV	16	WH	GXL	3549417C1	3595622C1	1701F	25	N/A		
MR94-G6	14	GY	GXL	3549417C1	3595622C1	1701F	25	N/A		
PL10-GV	16	WH	GXL	3549417C1	3595622C1	1701F	25	N/A		
ME94L	12	GY	GXL	3549415C1	3595622C1	1701F	26	N/A		
MK94L	10	GY	TXL	3549415C1	3595622C1	1701F	26	N/A		
ME94L	12	GY	GXL	3549415C1	3595622C1	1701F	26	N/A		
MK94L	10	GY	TXL	3549415C1	3595622C1	1701F	26	N/A		
RF36A	18	TN	GXL	3549418C1	3595622C1	1701F	27	N/A		
SP36A	18	TN	GXL	3549418C1	3595622C1	1701F	27	N/A		
RF36A	18	TN	GXL	3549418C1	3595622C1	1701F	27	N/A		
SP36A	18	TN	GXL	3549418C1	3595622C1	1701F	27	N/A		
VR36A	18	TN	GXL	3549418C1	3595622C1	1701F	27	N/A		
AC59A	18	GY	GXL	3549418C1	3595622C1	1701F	28	N/A		
DC36B	18	TN	GXL	3549418C1	3595622C1	1701F	29	N/A	3539785C1	
RE36B	18	TN	GXL	3549418C1	3595622C1	1701F	29	N/A		
RE36B	18	TN	GXL	3549418C1	3595622C1	1701F	29	N/A		
RG36B	18	TN	GXL	3549418C1	3595622C1	1701F	29	N/A		
UD67TA	16	GY	GXL	3549417C1	3595622C1	1701F	30	N/A		
ZJ94AA	16	GY	GXL	3549417C1	3595622C1	1701F	30	N/A		
ZK94AA	16	GY	GXL	3549417C1	3595622C1	1701F	30	N/A		
ZN94AA	16	GY	GXL	3549417C1	3595622C1	1701F	30	N/A		
ZP94AA	16	GY	GXL	3549417C1	3595622C1	1701F	30	N/A		
ZR94AA	16	GY	GXL	3549417C1	3595622C1	1701F	30	N/A		
ZS94AA	16	GY	GXL	3549417C1	3595622C1	1701F	30	N/A		
ZT94AA	16	GY	GXL	3549417C1	3595622C1	1701F	30	N/A		
NH39B	16	GY	TXL	3549417C1	3595622C1	1701F	31	N/A		
PF39B	18	GY	GXL	3549418C1	3595622C1	1701F	31	N/A	1675053C1	
TA39B	16	GY	GXL	3549417C1	3595622C1	1701F	31	N/A		
UB39B	16	GY	TXL	3549417C1	3595622C1	1701F	31	N/A		
NH39B	16	GY	TXL	3549417C1	3595622C1	1701F	31	N/A		
PF39B	18	GY	GXL	3549418C1	3595622C1	1701F	31	N/A		
TA39B	16	GY	GXL	3549417C1	3595622C1	1701F	31	N/A		
UB39B	16	GY	TXL	3549417C1	3595622C1	1701F	31	N/A		
NG59B	18	GY	GXL	3549418C1	3595622C1	1701F	32	N/A		
TV59B	18	GY	GXL	3549418C1	3595622C1	1701F	32	N/A		
NG59B	18	GY	GXL	3549418C1	3595622C1	1701F	32	N/A		
TV59B	18	GY	GXL	3549418C1	3595622C1	1701F	32	N/A		
NG59C	18	GY	GXL	3549418C1	3595622C1	1701F	33	N/A		
NG59C	18	GY	GXL	3549418C1	3595622C1	1701F	33	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
NG59D	18	GY	GXL	3549418C1	3595622C1	1701F	34	N/A		
NG59D	18	GY	GXL	3549418C1	3595622C1	1701F	34	N/A		
NG59E	18	GY	GXL	3549418C1	3595622C1	1701F	35	N/A		
NG59E	18	GY	GXL	3549418C1	3595622C1	1701F	35	N/A		
NU59G	18	GY	GXL	3549418C1	3595622C1	1701F	36	N/A		
NX59G	18	GY	GXL	3549418C1	3595622C1	1701F	36	N/A		
NZ59G	18	GY	GXL	3549418C1	3595622C1	1701F	36	N/A		
NZ59G	18	GY	GXL	3549418C1	3595622C1	1701F	36	N/A		
NU59H	18	GY	GXL	3549418C1	3595622C1	1701F	37	N/A		
NX59H	18	GY	GXL	3549418C1	3595622C1	1701F	37	N/A		
NZ59H	18	GY	GXL	3549418C1	3595622C1	1701F	37	N/A		
NZ59H	18	GY	GXL	3549418C1	3595622C1	1701F	37	N/A		
NU59J	18	GY	GXL	3549418C1	3595622C1	1701F	38	N/A		
NX59J	18	GY	GXL	3549418C1	3595622C1	1701F	38	N/A		
NZ59J	18	GY	GXL	3549418C1	3595622C1	1701F	38	N/A		
NZ59J	18	GY	GXL	3549418C1	3595622C1	1701F	38	N/A		
NU59K	18	GY	GXL	3549418C1	3595622C1	1701F	39	N/A		
NX59K	18	GY	GXL	3549418C1	3595622C1	1701F	39	N/A		
NZ59K	18	GY	GXL	3549418C1	3595622C1	1701F	39	N/A		
NZ59K	18	GY	GXL	3549418C1	3595622C1	1701F	39	N/A		
NN39A	18	GY	GXL	3549418C1	3595622C1	1701F	40	N/A		
NP39A	18	GY	GXL	3549418C1	3595622C1	1701F	40	N/A		
PH39A	18	GY	GXL	3549418C1	3595622C1	1701F	40	N/A	1671608C1	
PK39A	18	GY	GXL	3549418C1	3595622C1	1701F	40	N/A		
NN39A	18	GY	GXL	3549418C1	3595622C1	1701F	40	N/A		
NP39A	18	GY	GXL	3549418C1	3595622C1	1701F	40	N/A		
NR39A	18	GY	GXL	3549418C1	3595622C1	1701F	40	N/A		
PG39A	18	GY	GXL	3549418C1	3595622C1	1701F	40	N/A		
PH39A	18	GY	GXL	3549418C1	3595622C1	1701F	40	N/A		
TC39A	18	GY	GXL	3549418C1	3595622C1	1701F	40	N/A		
AB44N	18	GY	GXL	3549418C1	3595622C1	1701F	41	N/A		
UD67U	16	GY	GXL	3549417C1	3595622C1	1701F	41	N/A		
AB44N	18	GY	GXL	3549418C1	3595622C1	1701F	41	N/A		
ZG87EA	18	GY	TXL	3549418C1	3595622C1	1701F	41	N/A		
ND56BC	16	YL	GXL	3549417C1	3595622C1	1701F	42	N/A		
PV56BC	16	YL	GXL	3549417C1	3595622C1	1701F	42	N/A		
ND56BC	16	YL	GXL	3549417C1	3595622C1	1701F	42	N/A		
PV56BC	16	YL	GXL	3549417C1	3595622C1	1701F	42	N/A	1661873C1	
MG32A	18	TN	GXL	3549418C1	3595622C1	1701F	43	N/A		
SW104CA	16	DKBL	TXL	3549417C1	3595622C1	1701F	43	N/A		
SW104CA	16	DKBL	TXL	3549417C1	3595622C1	1701F	43	N/A		
RH32	18	TN	GXL	3549418C1	3595622C1	1701F	44	N/A		
SW59CA	16	GY	TXL	3549417C1	3595622C1	1701F	44	N/A		
RH32	18	TN	GXL	3549418C1	3595622C1	1701F	44	N/A		
SW59CA	16	GY	TXL	3549417C1	3595622C1	1701F	44	N/A		
RL49A	18	GY	TXL	3549418C1	3595622C1	1701F	45	N/A		
RL49A	18	GY	TXL	3549418C1	3595622C1	1701F	45	N/A		
NW59M	18	GY	GXL	3549418C1	3595622C1	1701F	46	N/A		
V594SL	18	GY	GXL	3549418C1	3595622C1	1701F	46	N/A	3543732C1	
UC67TA	16	GY	GXL	3549417C1	3595622C1	1701F	46	N/A		
NW59N	18	GY	GXL	3549418C1	3595622C1	1701F	47	N/A		
V594SM	18	GY	GXL	3549418C1	3595622C1	1701F	47	N/A		
UC67U	16	GY	GXL	3549417C1	3595622C1	1701F	47	N/A		
NW59P	18	GY	GXL	3549418C1	3595622C1	1701F	48	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
VS94SN	18	GY	GXL	3549418C1	3595622C1	1701F	48	N/A		
UC67V	16	GY	GXL	3549417C1	3595622C1	1701F	48	N/A		
NW59R	18	GY	GXL	3549418C1	3595622C1	1701F	49	N/A		
VP94SJ	18	GY	GXL	3549418C1	3595622C1	1701F	49	N/A	1671608C1	
UC67W	16	GY	GXL	3549417C1	3595622C1	1701F	49	N/A		
VP94SJ	18	GY	GXL	3549418C1	3595622C1	1701F	49	N/A		
MJ49	18	GY	GXL	3549418C1	3595622C1	1701F	50	N/A		
NT20	16	LTGN	GXL	3549416C1	3595622C1	1701F	51	N/A		
RA20	16	LTGN	GXL	3549416C1	3595622C1	1701F	51	N/A		
UE67TA	16	GY	GXL	3549416C1	3595622C1	1701F	51	N/A		
ZE20	16	LTGN	GXL	3549416C1	3595622C1	1701F	51	N/A		
NT20	16	LTGN	GXL	3549416C1	3595622C1	1701F	51	N/A		
RA20	16	LTGN	GXL	3549416C1	3595622C1	1701F	51	N/A		
ZE20	16	LTGN	GXL	3549416C1	3595622C1	1701F	51	N/A		
NT5E(+)	18	YL	TXL	3549418C1	3595622C1	1701F	52	N/A		
RA5E(+)	18	YL	TXL	3549418C1	3595622C1	1701F	52	N/A		
UE67U	16	GY	GXL	3549417C1	3595622C1	1701F	52	N/A		
ZE5E(+)	18	YL	TXL	3549418C1	3595622C1	1701F	52	N/A		
NT5E(+)	18	YL	TXL	3549418C1	3595622C1	1701F	52	N/A		
RA5E(+)	18	YL	TXL	3549418C1	3595622C1	1701F	52	N/A		
ZE5E(+)	18	YL	TXL	3549418C1	3595622C1	1701F	52	N/A		
NT5E(-)	18	GN	TXL	3549418C1	3595622C1	1701F	53	N/A		
RA5E(-)	18	GN	TXL	3549418C1	3595622C1	1701F	53	N/A		
UE67V	16	GY	GXL	3549417C1	3595622C1	1701F	53	N/A		
ZE5E(-)	18	GN	TXL	3549418C1	3595622C1	1701F	53	N/A		
NT5E(-)	18	GN	TXL	3549418C1	3595622C1	1701F	53	N/A		
RA5E(-)	18	GN	TXL	3549418C1	3595622C1	1701F	53	N/A		
ZE5E(-)	18	GN	TXL	3549418C1	3595622C1	1701F	53	N/A		
TF94SAB	18	GY	GXL	3549418C1	3595622C1	1701F	54	N/A		
TF94SAB	18	GY	GXL	3549418C1	3595622C1	1701F	54	N/A	1661874C1	
PD61B	18	GY	GXL	3549418C1	3595622C1	1701F	55	N/A		
TF94SCB	18	GY	GXL	3549418C1	3595622C1	1701F	55	N/A		
PD61B	18	GY	GXL	3549418C1	3595622C1	1701F	55	N/A		
TF94SCB	18	GY	GXL	3549418C1	3595622C1	1701F	55	N/A	1667771C1	
PD106B	18	GY	GXL	3549418C1	3595622C1	1701F	56	N/A		
TF94SBB	18	GY	GXL	3549418C1	3595622C1	1701F	56	N/A		
PD106B	18	GY	GXL	3549418C1	3595622C1	1701F	56	N/A		
TF94SBB	18	YL	TXL	3549418C1	3595622C1	1701F	56	N/A	1667734C1	
PD110B	18	GY	GXL	3549418C1	3595622C1	1701F	57	N/A		
TF94SDB	18	GY	GXL	3549418C1	3595622C1	1701F	57	N/A		
PD110B	18	GY	GXL	3549418C1	3595622C1	1701F	57	N/A		
TF94SDB	18	GN	TXL	3549418C1	3595622C1	1701F	57	N/A		
AB44M	18	GY	GXL	3549418C1	3595622C1	1701F	58	N/A		
UD67V	16	GY	GXL	3549417C1	3595622C1	1701F	58	N/A		
AB44M	18	GY	GXL	3549418C1	3595622C1	1701F	58	N/A		
ZF87DA	16	GY	GXL	3549417C1	3595622C1	1701F	58	N/A		
ZF87DB	18	GY	GXL	3549418C1	3595622C1	1701F	59	N/A		
MP90K	18	GY	TXL	3549418C1	3595622C1	1701F	60	N/A		
PL90K	18	GY	TXL	3549418C1	3595622C1	1701F	60	N/A		
XA94SZC	18	GY	GXL	3549418C1	3595622C1	1701F	60	N/A	3610532C1	3662518C1
MP90K	18	GY	TXL	3549418C1	3595622C1	1701F	60	N/A		
PL90K	18	GY	TXL	3549418C1	3595622C1	1701F	60	N/A		
JC5A(-)	18	GN	TXL	3549418C1	3595622C1	1701F	61	N/A		
JD5A(-)	18	GN	TXL	3549418C1	3595622C1	1701F	61	N/A	3589992C1	

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
XA94SVC	18	GY	GXL	3549418C1	3595622C1	1701F	61	N/A	3606526C1	
JC5A(-)	18	GN	TXL	3549418C1	3595622C1	1701F	61	N/A		
JD5A(-)	18	GN	TXL	3549418C1	3595622C1	1701F	61	N/A		
JC5A(+)	18	YL	TXL	3549418C1	3595622C1	1701F	62	N/A	2005242C1	
JD5A(+)	18	YL	TXL	3549418C1	3595622C1	1701F	62	N/A		
XA94SH	18	GY	GXL	3549418C1	3595622C1	1701F	62	N/A		
JC5A(+)	18	YL	TXL	3549418C1	3595622C1	1701F	62	N/A		
JD5A(+)	18	YL	TXL	3549418C1	3595622C1	1701F	62	N/A		
ND57BB	16	LTGN	GXL	3549417C1	3595622C1	1701F	63	N/A		
PV57BB	16	LTGN	GXL	3549417C1	3595622C1	1701F	63	N/A		
ND57BB	16	LTGN	GXL	3549417C1	3595622C1	1701F	63	N/A		
PV57BB	16	LTGN	GXL	3549417C1	3595622C1	1701F	63	N/A		
ND57BC	16	LTGN	GXL	3549416C1	3595622C1	1701F	64	N/A		
PV57BC	16	LTGN	GXL	3549416C1	3595622C1	1701F	64	N/A		
ND57BC	16	LTGN	GXL	3549416C1	3595622C1	1701F	64	N/A		
PV57BC	16	LTGN	GXL	3549416C1	3595622C1	1701F	64	N/A		
UD67W	16	GY	GXL	3549416C1	3595622C1	1701F	65	N/A		
ZI94AB	16	GY	GXL	3549416C1	3595622C1	1701F	65	N/A		
ZK94AB	16	GY	GXL	3549416C1	3595622C1	1701F	65	N/A		
ZN94AB	16	GY	GXL	3549416C1	3595622C1	1701F	65	N/A		
ZP94AB	16	GY	GXL	3549416C1	3595622C1	1701F	65	N/A		
ZR94AB	16	GY	GXL	3549416C1	3595622C1	1701F	65	N/A		
ZS94AB	16	GY	GXL	3549416C1	3595622C1	1701F	65	N/A		
ZT94AB	16	GY	GXL	3549416C1	3595622C1	1701F	65	N/A		
YL112	16	GY	GXL	3549416C1	3595622C1	1701F	66	N/A		
YL112	16	GY	GXL	3549416C1	3595622C1	1701F	66	N/A		
PM19	16	GY	GXL	3549416C1	3595622C1	1701F	67	N/A		
PN19	16	GY	GXL	3549416C1	3595622C1	1701F	67	N/A		
PX19	16	GY	GXL	3549416C1	3595622C1	1701F	67	N/A		
TB19	16	GY	GXL	3549416C1	3595622C1	1701F	67	N/A		
TG19	16	GY	GXL	3549416C1	3595622C1	1701F	67	N/A		
TH19	16	GY	GXL	3549416C1	3595622C1	1701F	67	N/A		
TK19	16	GY	GXL	3549416C1	3595622C1	1701F	67	N/A		
TL19	16	GY	GXL	3549416C1	3595622C1	1701F	67	N/A		
TM19	16	GY	GXL	3549416C1	3595622C1	1701F	67	N/A		
TN19	16	GY	GXL	3549416C1	3595622C1	1701F	67	N/A		
TP19	16	GY	GXL	3549416C1	3595622C1	1701F	67	N/A		
PM19	16	GY	GXL	3549416C1	3595622C1	1701F	67	N/A		
PN19	16	GY	GXL	3549416C1	3595622C1	1701F	67	N/A		
SA19	16	GY	GXL	3549416C1	3595622C1	1701F	67	N/A		
TB19	16	GY	GXL	3549416C1	3595622C1	1701F	67	N/A		
TG19	16	GY	GXL	3549416C1	3595622C1	1701F	67	N/A	1664408C1	
TH19	16	GY	GXL	3549416C1	3595622C1	1701F	67	N/A	2039342C1	
TK19	16	GY	GXL	3549416C1	3595622C1	1701F	67	N/A	3518174C1	
TL19	16	GY	GXL	3549416C1	3595622C1	1701F	67	N/A		
TM19	16	GY	GXL	3549416C1	3595622C1	1701F	67	N/A	3558056C1	
TN19	16	GY	GXL	3549416C1	3595622C1	1701F	67	N/A		
TP19	16	GY	GXL	3549416C1	3595622C1	1701F	67	N/A		
TR19	16	GY	GXL	3549416C1	3595622C1	1701F	67	N/A		
NF65	16	OR	GXL	3549416C1	3595622C1	1701F	68	N/A		
UA65	16	OR	GXL	3549416C1	3595622C1	1701F	68	N/A		
NF65	16	OR	GXL	3549416C1	3595622C1	1701F	68	N/A		
UA65	16	OR	GXL	3549416C1	3595622C1	1701F	68	N/A		
VP94SK	18	GY	GXL	3574277C1	3595622C1	1701F	69	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
VP94SK	18	GY	GXL	3574277C1	3595622C1	1701F	69	N/A		
EV12-G	18	WH	GXL	3574277C1	3595622C1	1701F	70	N/A		
ND68BB	14	BN	GXL	3549416C1	3595622C1	1701F	71	N/A		
PV68BB	14	BN	GXL	3549416C1	3595622C1	1701F	71	N/A		
ND68BB	14	BN	GXL	3549416C1	3595622C1	1701F	71	N/A		
PV68BB	14	BN	GXL	3549416C1	3595622C1	1701F	71	N/A	3540758C1	
ND70BB	14	RD	GXL	3549416C1	3595622C1	1701F	72	N/A		
PV70BB	14	RD	GXL	3549416C1	3595622C1	1701F	72	N/A		
ND70BB	14	RD	GXL	3549416C1	3595622C1	1701F	72	N/A		
PV70BB	14	RD	GXL	3549416C1	3595622C1	1701F	72	N/A		
ND71BB	16	LTBL	GXL	3549416C1	3595622C1	1701F	73	N/A		
PV71BB	16	LTBL	GXL	3549416C1	3595622C1	1701F	73	N/A		
UE67W	16	GY	GXL	3549416C1	3595622C1	1701F	73	N/A		
ND71BB	16	LTBL	GXL	3549416C1	3595622C1	1701F	73	N/A		
PV71BB	16	LTBL	GXL	3549416C1	3595622C1	1701F	73	N/A	3612513C1	3553652C1
ND54BB	14	BN	GXL	3549416C1	3595622C1	1701F	74	N/A		
PV54BB	14	BN	GXL	3549416C1	3595622C1	1701F	74	N/A		
ND54BB	14	BN	GXL	3549416C1	3595622C1	1701F	74	N/A		
PV54BB	14	BN	GXL	3549416C1	3595622C1	1701F	74	N/A		
ND12BB	14	LTBL	GXL	3549416C1	3595622C1	1701F	75	N/A		
PV12BB	14	LTBL	GXL	3549416C1	3595622C1	1701F	75	N/A		
PU37D	16	TN	GXL	3549416C1	3595622C1	1701F	76	N/A		
PU37D	16	TN	GXL	3549416C1	3595622C1	1701F	76	N/A		
SH14HC	14	RD	TXL	3549416C1	3595624C1	1703F	1	N/A		
SJ14HF	14	RD	TXL	3549416C1	3595624C1	1703F	1	N/A		
SK14HD	14	RD	TXL	3549416C1	3595624C1	1703F	1	N/A		
SL14HF	14	RD	TXL	3549416C1	3595624C1	1703F	1	N/A		
ZL71C	18	WH	TXL	3574277C1	3595624C1	1703F	1	N/A		
SH11-GA	14	WH	TXL	3549416C1	3595624C1	1703F	2	N/A		
SJ11-G	14	WH	TXL	3549416C1	3595624C1	1703F	2	N/A		
QA23ED	18	TN	TXL	3574277C1	3595624C1	1703F	3	N/A		
QA23BE	18	TN	TXL	3574277C1	3595624C1	1703F	4	N/A		
QA23CB	18	TN	TXL	3574277C1	3595624C1	1703F	5	N/A		
QA23DE	18	PK	TXL	3574277C1	3595624C1	1703F	6	N/A		
QA23EF	18	TN	TXL	3574277C1	3595624C1	1703F	7	N/A		
AA82-GJ	16	GY	TXL	3549416C1	3595624C1	1703F	8	N/A		
XS90K	16	GY	TXL	3549416C1	3595624C1	1703F	9	N/A		
XS90L	16	GY	TXL	3549416C1	3595624C1	1703F	10	N/A		
KL18A	16	GY	TXL	3549416C1	3595624C1	1703F	11	N/A		
KM18A	16	GY	TXL	3549416C1	3595624C1	1703F	11	N/A		
PC92A2	18	TN	TXL	3574277C1	3595624C1	1703F	11	N/A		
HW14LSD	12	RD	TXL	3549415C1	3595624C1	1703F	12	N/A		
MD13Z	16	PK	TXL	3549416C1	3595624C1	1703F	13	N/A		
PC92A18A	16	TN	GXL	3549417C1	3595624C1	1703F	14	N/A		
PC92A20A	16	TN	GXL	3549417C1	3595624C1	1703F	15	N/A		
MH11-GBA	18	WH	TXL	3549418C1	3595624C1	1703F	16	N/A		
MJ11-GBD	18	WH	TXL	3549418C1	3595624C1	1703F	16	N/A		
TB74J	18	LTGN	TXL	3549418C1	3595624C1	1703F	17	N/A		
RA28B	18	TN	TXL	3549418C1	3595624C1	1703F	18	N/A		
SA6DBJ	20	GY	TXL	3549418C1	3595624C1	1703F	19	N/A		
SA77BJ	20	LTGN	TXL	3549418C1	3595624C1	1703F	20	N/A		
UB92#134	18	TN	TXL	3549418C1	3595624C1	1703F	21	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
UD92-GC1	18	WH	TXL	3549418C1	3595624C1	1703F	21	N/A		
UL92#134	18	TN	TXL	3549418C1	3595624C1	1703F	21	N/A		
UK92A	18	TN	TXL	3549418C1	3595624C1	1703F	22	N/A		
SA77BAJ	20	LTGN	TXL	3549418C1	3595624C1	1703F	23	N/A		
MB41E	18	TN	TXL	3549418C1	3595624C1	1703F	24	N/A		
MC41EJ	18	TN	TXL	3549418C1	3595624C1	1703F	24	N/A		
MB41D	18	TN	TXL	3549418C1	3595624C1	1703F	25	N/A		
MC41	18	TN	TXL	3549418C1	3595624C1	1703F	25	N/A		
XS90P	18	GY	GXL	3574277C1	3595624C1	1703F	26	N/A		
MH26DA	18	TN	GXL	3549418C1	3595624C1	1703F	27	N/A		
MJ26DA	18	TN	GXL	3549418C1	3595624C1	1703F	27	N/A		
LH92#141	18	TN	TXL	3549418C1	3595624C1	1703F	28	N/A		
UB92#141	18	TN	TXL	3549418C1	3595624C1	1703F	28	N/A		
UD92BJ	18	TN	TXL	3549418C1	3595624C1	1703F	28	N/A		
UF92#141	18	TN	TXL	3549418C1	3595624C1	1703F	28	N/A		
LA17A	16	PK	TXL	3549417C1	3595624C1	1703F	29	N/A		
LG17BA	16	PK	TXL	3549417C1	3595624C1	1703F	29	N/A		
MH5CC(+)	18	YL	TXL	3549418C1	3595624C1	1703F	30	N/A		
MJ5CC(+)	18	YL	TXL	3549418C1	3595624C1	1703F	30	N/A		
PA47T	18	GY	TXL	3549418C1	3595624C1	1703F	31	N/A		
PB97DG	18	VT	TXL	3549418C1	3595624C1	1703F	31	N/A		
MH5CC(-)	18	GN	TXL	3549418C1	3595624C1	1703F	32	N/A		
MJ5CC(-)	18	GN	TXL	3549418C1	3595624C1	1703F	32	N/A		
UE92J	18	TN	TXL	3549418C1	3595624C1	1703F	33	N/A		
UE92AJ	18	GY	TXL	3549418C1	3595624C1	1703F	34	N/A		
TC9AAJ	18	GY	TXL	3549418C1	3595624C1	1703F	35	N/A		
TD9E	18	GY	TXL	3549418C1	3595624C1	1703F	35	N/A		
BD97BJ	18	VT	TXL	3549418C1	3595624C1	1703F	36	N/A		
BE97BJ	18	VT	TXL	3549418C1	3595624C1	1703F	36	N/A		
BD97N	18	VT	TXL	3549418C1	3595624C1	1703F	37	N/A		
BE97WC	18	VT	TXL	3549418C1	3595624C1	1703F	37	N/A		
BD97M	18	VT	TXL	3549418C1	3595624C1	1703F	38	N/A		
BE97FU	16	VT	TXL	3549417C1	3595624C1	1703F	38	N/A		
XS90HA	16	GY	GXL	3549417C1	3595624C1	1703F	39	N/A		
XS90MA	18	GY	TXL	3549418C1	3595624C1	1703F	41	N/A		
UB92#163	16	PK	TXL	3549417C1	3595624C1	1703F	42	N/A		
UD13AJ	16	PK	GXL	3549417C1	3595624C1	1703F	42	N/A		
UF92#163	16	TN	TXL	3549417C1	3595624C1	1703F	42	N/A		
UL92#163B	16	PK	TXL	3549417C1	3595624C1	1703F	42	N/A		
PC92A3A	18	TN	GXL	3549418C1	3595624C1	1703F	43	N/A		
VA92#117	18	TN	TXL	3549418C1	3595624C1	1703F	43	N/A		
ZA71BJ	16	OR	TXL	3549417C1	3595624C1	1703F	44	N/A		
ZC92#165	18	TN	TXL	3549418C1	3595624C1	1703F	45	N/A		
ZH71AB	16	OR	TXL	3549417C1	3595624C1	1703F	45	N/A		
ZJ92#165	18	TN	TXL	3549418C1	3595624C1	1703F	45	N/A		
ZL71AA	18	TN	TXL	3549418C1	3595624C1	1703F	45	N/A		
BD99BJ	18	VT	TXL	3549418C1	3595624C1	1703F	47	N/A		
BE99BJ	18	VT	TXL	3549418C1	3595624C1	1703F	47	N/A		
BD99D	18	VT	TXL	3549418C1	3595624C1	1703F	48	N/A		
BE97M	18	VT	TXL	3549418C1	3595624C1	1703F	48	N/A		
BD97CJ	18	VT	TXL	3549418C1	3595624C1	1703F	49	N/A		
BE97CJ	18	VT	TXL	3549418C1	3595624C1	1703F	49	N/A		
9B5R(-)	18	GN	TXL	3549418C1	3595624C1	1703F	52	N/A		
9C5R(-)	18	GN	TXL	3549418C1	3595624C1	1703F	52	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
9K5R(-)	18	GN	TXL	3549418C1	3595624C1	1703F	52	N/A		
9M5R(-)	18	GN	TXL	3549418C1	3595624C1	1703F	52	N/A		
9N5R(-)	18	GN	TXL	3549418C1	3595624C1	1703F	52	N/A		
9Q5R(-)	18	GN	TXL	3549418C1	3595624C1	1703F	52	N/A		
9R5R(-)	18	GN	TXL	3549418C1	3595624C1	1703F	52	N/A		
9U5PJ(-)	18	GN	TXL	3549418C1	3595624C1	1703F	52	N/A		
GB5R(-)	18	GN	TXL	3549418C1	3595624C1	1703F	52	N/A		
GE5R(-)	18	GN	TXL	3549418C1	3595624C1	1703F	52	N/A		
GF5R(-)	18	GN	TXL	3549418C1	3595624C1	1703F	52	N/A		
GG5R(-)	18	GN	TXL	3549418C1	3595624C1	1703F	52	N/A		
GH5R(-)	18	GN	TXL	3549418C1	3595624C1	1703F	52	N/A		
GJ5R(-)	18	GN	TXL	3549418C1	3595624C1	1703F	52	N/A		
GK5R(-)	18	GN	TXL	3549418C1	3595624C1	1703F	52	N/A		
GL5R(-)	18	GN	TXL	3549418C1	3595624C1	1703F	52	N/A		
GM5R(-)	18	GN	TXL	3549418C1	3595624C1	1703F	52	N/A		
GN5R(-)	18	GN	TXL	3549418C1	3595624C1	1703F	52	N/A		
GP5R(-)	18	GN	TXL	3549418C1	3595624C1	1703F	52	N/A		
GQ5R(-)	18	GN	TXL	3549418C1	3595624C1	1703F	52	N/A		
GT5R(-)	18	GN	TXL	3549418C1	3595624C1	1703F	52	N/A		
GU5R(-)	18	GN	TXL	3549418C1	3595624C1	1703F	52	N/A		
GV5R(-)	18	GN	TXL	3549418C1	3595624C1	1703F	52	N/A		
9B5R(+)	18	YL	TXL	3549418C1	3595624C1	1703F	53	N/A		
9C5R(+)	18	YL	TXL	3549418C1	3595624C1	1703F	53	N/A		
9K5R(+)	18	YL	TXL	3549418C1	3595624C1	1703F	53	N/A		
9M5R(+)	18	YL	TXL	3549418C1	3595624C1	1703F	53	N/A		
9N5R(+)	18	YL	TXL	3549418C1	3595624C1	1703F	53	N/A		
9Q5R(+)	18	YL	TXL	3549418C1	3595624C1	1703F	53	N/A		
9R5R(+)	18	YL	TXL	3549418C1	3595624C1	1703F	53	N/A		
9U5PJ(+)	18	YL	TXL	3549418C1	3595624C1	1703F	53	N/A		
GB5R(+)	18	YL	TXL	3549418C1	3595624C1	1703F	53	N/A		
GE5R(+)	18	YL	TXL	3549418C1	3595624C1	1703F	53	N/A		
GF5R(+)	18	YL	TXL	3549418C1	3595624C1	1703F	53	N/A		
GG5R(+)	18	YL	TXL	3549418C1	3595624C1	1703F	53	N/A		
GH5R(+)	18	YL	TXL	3549418C1	3595624C1	1703F	53	N/A		
GJ5R(+)	18	YL	TXL	3549418C1	3595624C1	1703F	53	N/A		
GK5R(+)	18	YL	TXL	3549418C1	3595624C1	1703F	53	N/A		
GL5R(+)	18	YL	TXL	3549418C1	3595624C1	1703F	53	N/A		
GM5R(+)	18	YL	TXL	3549418C1	3595624C1	1703F	53	N/A		
GN5R(+)	18	YL	TXL	3549418C1	3595624C1	1703F	53	N/A		
GP5R(+)	18	YL	TXL	3549418C1	3595624C1	1703F	53	N/A		
GQ5R(+)	18	YL	TXL	3549418C1	3595624C1	1703F	53	N/A		
GT5R(+)	18	YL	TXL	3549418C1	3595624C1	1703F	53	N/A		
GU5R(+)	18	YL	TXL	3549418C1	3595624C1	1703F	53	N/A		
GV5R(+)	18	YL	TXL	3549418C1	3595624C1	1703F	53	N/A		
MA97FA	16	VT	TXL	3549417C1	3595624C1	1703F	54	N/A		
GX92#103	18	TN	TXL	3549418C1	3595624C1	1703F	55	N/A		
GY92#103	18	TN	TXL	3549418C1	3595624C1	1703F	55	N/A		
GZ92#103	18	TN	TXL	3549418C1	3595624C1	1703F	55	N/A		
UG92#161	18	TN	TXL	3549418C1	3595624C1	1703F	56	N/A		
UJ93	18	TN	TXL	3549418C1	3595624C1	1703F	56	N/A		
VB92#161	18	TN	TXL	3549418C1	3595624C1	1703F	56	N/A		
VB92#156	18	TN	TXL	3549418C1	3595624C1	1703F	57	N/A		
PC92DN2	18	TN	GXL	3549418C1	3595624C1	1703F	58	N/A		
VB92#158	18	TN	TXL	3549418C1	3595624C1	1703F	58	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
LQ88AJ	18	LTGN	TXL	3549418C1	3595624C1	1703F	59	N/A		
LP88J	18	LTGN	TXL	3549418C1	3595624C1	1703F	60	N/A		
NJ31	18	TN	TXL	3549418C1	3595624C1	1703F	61	N/A		
VB92#112	18	TN	TXL	3549418C1	3595624C1	1703F	62	N/A		
XS9AB	18	GY	TXL	3549418C1	3595624C1	1703F	63	N/A		
SA77J	16	LTGN	GXL	3549416C1	3595624C1	1703F	65	N/A		
ZA71BA	16	OR	TXL	3549416C1	3595624C1	1703F	66	N/A		
ZH71	16	OR	TXL	3549416C1	3595624C1	1703F	66	N/A		
AA82KJ	16	GY	TXL	3549416C1	3595624C1	1703F	69	N/A		
AA82LJ	16	GY	TXL	3549416C1	3595624C1	1703F	70	N/A		
AA82JJ	16	GY	TXL	3549416C1	3595624C1	1703F	72	N/A		
AA82DJ	16	GY	TXL	3549416C1	3595624C1	1703F	74	N/A		
SH14HCA	14	RD	TXL	3574288C1	3595625C1	1703M	1	N/A		
SJ14HFA	14	RD	TXL	3574288C1	3595625C1	1703M	1	N/A		
SK14HC	14	RD	TXL	3574288C1	3595625C1	1703M	1	N/A		
SL14HD	16	LTGN	TXL	3574288C1	3595625C1	1703M	1	N/A		
ZL71B	18	WH	TXL	3574289C1	3595625C1	1703M	1	N/A		
SH11-GAP	14	WH	TXL	3574288C1	3595625C1	1703M	2	N/A		
SJ11-GA	14	WH	TXL	3574288C1	3595625C1	1703M	2	N/A		
QA23-G	18	WH	TXL	3574289C1	3595625C1	1703M	3	N/A		
QA23BA	18	TN	TXL	3574289C1	3595625C1	1703M	4	N/A		
QA23CA	18	TN	TXL	3574289C1	3595625C1	1703M	5	N/A		
QA23DD	18	PK	TXL	3574289C1	3595625C1	1703M	6	N/A		
QA23EA	18	TN	TXL	3574289C1	3595625C1	1703M	7	N/A		
AD82-G	16	WH	TXL	3574288C1	3595625C1	1703M	8	N/A		
AE82-G	16	WH	TXL	3574288C1	3595625C1	1703M	8	N/A		
XS90KA	16	GY	TXL	3574288C1	3595625C1	1703M	9	N/A		
XS90LA	16	GY	TXL	3574288C1	3595625C1	1703M	10	N/A		
KM18C	16	GY	TXL	3574288C1	3595625C1	1703M	11	N/A		
PC92A1	18	TN	TXL	3574289C1	3595625C1	1703M	11	N/A		
HW14LSC	12	RD	TXL	3574287C1	3595625C1	1703M	12	N/A		
MD13ZA	16	PK	TXL	3574288C1	3595625C1	1703M	13	N/A		
PC92A20	16	TN	GXL	3574285C1	3595625C1	1703M	15	N/A		
MH11-GBD	18	WH	TXL	2003343C1	3595625C1	1703M	16	N/A		
MJ11-GAD	18	WH	TXL	2003343C1	3595625C1	1703M	16	N/A		
TB74	18	LTGN	TXL	2003343C1	3595625C1	1703M	17	N/A		
RA28BA	18	TN	TXL	2003343C1	3595625C1	1703M	18	N/A		
SA6DB	20	GY	TXL	2003343C1	3595625C1	1703M	19	N/A		
SA77B	20	GY	TXL	2003343C1	3595625C1	1703M	20	N/A		
UB92#134A	18	TN	TXL	2003343C1	3595625C1	1703M	21	N/A		
UL92#134A	18	TN	TXL	2003343C1	3595625C1	1703M	21	N/A		
UK92C	18	TN	TXL	2003343C1	3595625C1	1703M	22	N/A		
SA77BA	20	LTGN	TXL	2003343C1	3595625C1	1703M	23	N/A		
MB41EJ	18	TN	TXL	2003343C1	3595625C1	1703M	24	N/A		
MC41E	18	TN	TXL	2003343C1	3595625C1	1703M	24	N/A		
MB41DJ	18	TN	TXL	2003343C1	3595625C1	1703M	25	N/A		
MC41D	18	TN	TXL	2003343C1	3595625C1	1703M	25	N/A		
XS90PA	18	GY	GXL	3574289C1	3595625C1	1703M	26	N/A		
MH26D	18	TN	GXL	2003343C1	3595625C1	1703M	27	N/A		
MJ26D	18	TN	GXL	2003343C1	3595625C1	1703M	27	N/A		
LH92#141A	18	TN	TXL	2003343C1	3595625C1	1703M	28	N/A		
UB92#141A	18	TN	TXL	2003343C1	3595625C1	1703M	28	N/A		
UD92B	18	TN	TXL	2003343C1	3595625C1	1703M	28	N/A		
UF92#141A	18	TN	TXL	2003343C1	3595625C1	1703M	28	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
LA17	16	PK	TXL	3574285C1	3595625C1	1703M	29	N/A		
LG17	16	PK	TXL	3574285C1	3595625C1	1703M	29	N/A		
MH5CCA(+)	18	YL	TXL	2003343C1	3595625C1	1703M	30	N/A		
MJ5CCA(+)	18	YL	TXL	2003343C1	3595625C1	1703M	30	N/A		
PA47TA	16	GY	GXL	3574285C1	3595625C1	1703M	31	N/A		
PB97DF	18	VT	TXL	2003343C1	3595625C1	1703M	31	N/A		
MH5CCA(-)	18	GN	TXL	2003343C1	3595625C1	1703M	32	N/A		
MJ5CCA(-)	18	GN	TXL	2003343C1	3595625C1	1703M	32	N/A		
UE92	18	TN	TXL	2003343C1	3595625C1	1703M	33	N/A		
UE92AA	18	GY	TXL	2003343C1	3595625C1	1703M	34	N/A		
KA9AA	18	GY	TXL	2003343C1	3595625C1	1703M	35	N/A		
BD97B	18	VT	TXL	2003343C1	3595625C1	1703M	36	N/A		
BE97B	18	VT	TXL	2003343C1	3595625C1	1703M	36	N/A		
BD97NA	18	VT	TXL	2003343C1	3595625C1	1703M	37	N/A		
BE97WD	18	VT	TXL	2003343C1	3595625C1	1703M	37	N/A		
BD97MA	18	VT	TXL	2003343C1	3595625C1	1703M	38	N/A		
BE97F	16	VT	TXL	3574285C1	3595625C1	1703M	38	N/A		
XS90HB	18	GY	TXL	2003343C1	3595625C1	1703M	39	N/A		
XS90M	18	GY	TXL	2003343C1	3595625C1	1703M	41	N/A		
UB92#163A	16	PK	TXL	3574285C1	3595625C1	1703M	42	N/A		
UD13A	16	PK	GXL	3574285C1	3595625C1	1703M	42	N/A		
UF92#163C	16	TN	TXL	3574285C1	3595625C1	1703M	42	N/A		
UL92#163A	16	PK	TXL	3574285C1	3595625C1	1703M	42	N/A		
PC92A3	18	TN	GXL	2003343C1	3595625C1	1703M	43	N/A		
ZA71BK	16	OR	TXL	3574285C1	3595625C1	1703M	44	N/A		
ZH71AC	16	OR	TXL	3574285C1	3595625C1	1703M	45	N/A		
ZL71AB	18	TN	TXL	2003343C1	3595625C1	1703M	45	N/A		
BD99B	18	VT	TXL	2003343C1	3595625C1	1703M	47	N/A		
BE99B	18	VT	TXL	2003343C1	3595625C1	1703M	47	N/A		
BD99DA	18	VT	TXL	2003343C1	3595625C1	1703M	48	N/A		
BE97MA	18	VT	TXL	2003343C1	3595625C1	1703M	48	N/A		
BD97C	18	VT	TXL	2003343C1	3595625C1	1703M	49	N/A		
BE97C	18	VT	TXL	2003343C1	3595625C1	1703M	49	N/A		
9B5P(-)	18	GN	TXL	2003343C1	3595625C1	1703M	52	N/A		
9C5P(-)	18	GN	TXL	2003343C1	3595625C1	1703M	52	N/A		
9K5P(-)	18	GN	TXL	2003343C1	3595625C1	1703M	52	N/A		
9M5P(-)	18	GN	TXL	2003343C1	3595625C1	1703M	52	N/A		
9N5P(-)	18	GN	TXL	2003343C1	3595625C1	1703M	52	N/A		
9Q5P(-)	18	GN	TXL	2003343C1	3595625C1	1703M	52	N/A		
9R5P(-)	18	GN	TXL	2003343C1	3595625C1	1703M	52	N/A		
9U5P(-)	18	GN	TXL	2003343C1	3595625C1	1703M	52	N/A		
GB5P(-)	18	GN	TXL	2003343C1	3595625C1	1703M	52	N/A		
GE5P(-)	18	GN	TXL	2003343C1	3595625C1	1703M	52	N/A		
GF5P(-)	18	GN	TXL	2003343C1	3595625C1	1703M	52	N/A		
GG5P(-)	18	GN	TXL	2003343C1	3595625C1	1703M	52	N/A		
GH5P(-)	18	GN	TXL	2003343C1	3595625C1	1703M	52	N/A		
GJ5P(-)	18	GN	TXL	2003343C1	3595625C1	1703M	52	N/A		
GK5P(-)	18	GN	TXL	2003343C1	3595625C1	1703M	52	N/A		
GL5P(-)	18	GN	TXL	2003343C1	3595625C1	1703M	52	N/A		
GM5P(-)	18	GN	TXL	2003343C1	3595625C1	1703M	52	N/A		
GN5P(-)	18	GN	TXL	2003343C1	3595625C1	1703M	52	N/A		
GP5P(-)	18	GN	TXL	2003343C1	3595625C1	1703M	52	N/A		
GQ5P(-)	18	GN	TXL	2003343C1	3595625C1	1703M	52	N/A		
GT5P(-)	18	GN	TXL	2003343C1	3595625C1	1703M	52	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
GU5P(-)	18	GN	TXL	2003343C1	3595625C1	1703M	52	N/A		
GV5P(-)	18	GN	TXL	2003343C1	3595625C1	1703M	52	N/A		
9B5P(+)	18	YL	TXL	2003343C1	3595625C1	1703M	53	N/A		
9C5P(+)	18	YL	TXL	2003343C1	3595625C1	1703M	53	N/A		
9K5P(+)	18	YL	TXL	2003343C1	3595625C1	1703M	53	N/A		
9M5P(+)	18	YL	TXL	2003343C1	3595625C1	1703M	53	N/A		
9N5P(+)	18	YL	TXL	2003343C1	3595625C1	1703M	53	N/A		
9Q5P(+)	18	YL	TXL	2003343C1	3595625C1	1703M	53	N/A		
9R5P(+)	18	YL	TXL	2003343C1	3595625C1	1703M	53	N/A		
9U5P(+)	18	YL	TXL	2003343C1	3595625C1	1703M	53	N/A		
GB5P(+)	18	YL	TXL	2003343C1	3595625C1	1703M	53	N/A		
GE5P(+)	18	YL	TXL	2003343C1	3595625C1	1703M	53	N/A		
GF5P(+)	18	YL	TXL	2003343C1	3595625C1	1703M	53	N/A		
GG5P(+)	18	YL	TXL	2003343C1	3595625C1	1703M	53	N/A		
GH5P(+)	18	YL	TXL	2003343C1	3595625C1	1703M	53	N/A		
GJ5P(+)	18	YL	TXL	2003343C1	3595625C1	1703M	53	N/A		
GK5P(+)	18	YL	TXL	2003343C1	3595625C1	1703M	53	N/A		
GL5P(+)	18	YL	TXL	2003343C1	3595625C1	1703M	53	N/A		
GM5P(+)	18	YL	TXL	2003343C1	3595625C1	1703M	53	N/A		
GN5P(+)	18	YL	TXL	2003343C1	3595625C1	1703M	53	N/A		
GP5P(+)	18	YL	TXL	2003343C1	3595625C1	1703M	53	N/A		
GQ5P(+)	18	YL	TXL	2003343C1	3595625C1	1703M	53	N/A		
GT5P(+)	18	YL	TXL	2003343C1	3595625C1	1703M	53	N/A		
GU5P(+)	18	YL	TXL	2003343C1	3595625C1	1703M	53	N/A		
GV5P(+)	18	YL	TXL	2003343C1	3595625C1	1703M	53	N/A		
MA97F	16	VT	TXL	3574285C1	3595625C1	1703M	54	N/A		
GY92#103A	18	TN	TXL	2003343C1	3595625C1	1703M	55	N/A		
GZ92#103C	18	TN	TXL	2003343C1	3595625C1	1703M	55	N/A		
UG92#161A	18	TN	TXL	2003343C1	3595625C1	1703M	56	N/A		
UJ93A	18	TN	TXL	2003343C1	3595625C1	1703M	56	N/A		
VB92#161A	18	TN	TXL	2003343C1	3595625C1	1703M	56	N/A		
VB92#156A	18	TN	TXL	2003343C1	3595625C1	1703M	57	N/A		
PC92DN3	18	TN	GXL	2003343C1	3595625C1	1703M	58	N/A		
VB92#158A	18	TN	TXL	2003343C1	3595625C1	1703M	58	N/A		
LQ88A	18	LTGN	TXL	2003343C1	3595625C1	1703M	59	N/A		
LP88	18	LTGN	TXL	2003343C1	3595625C1	1703M	60	N/A		
NJ31J	18	TN	TXL	2003343C1	3595625C1	1703M	61	N/A		
VB92#112A	18	TN	TXL	2003343C1	3595625C1	1703M	62	N/A		
XS9AC	18	GY	TXL	2003343C1	3595625C1	1703M	63	N/A		
SA77	16	LTGN	GXL	3574288C1	3595625C1	1703M	65	N/A		
ZA71BB	16	OR	TXL	3574288C1	3595625C1	1703M	66	N/A		
ZH71AA	16	OR	TXL	3574288C1	3595625C1	1703M	66	N/A		
AA82K	16	GY	TXL	3574288C1	3595625C1	1703M	69	N/A		
AA82L	16	GY	TXL	3574288C1	3595625C1	1703M	70	N/A		
AA82D	16	GY	TXL	3574288C1	3595625C1	1703M	74	N/A		
BB56A	18	OR	TXL	3544886C1	3612512C1	1800F	A1	N/A		
BB57A	18	OR	TXL	3544886C1	3612512C1	1800F	A2	N/A		
BE11-GAA	18	WH	TXL	3544880C1	3612512C1	1800F	A3	N/A		
BF11-GAA	18	WH	TXL	3544880C1	3612512C1	1800F	A3	N/A		
BG11-GAA	18	WH	TXL	3544880C1	3612512C1	1800F	A3	N/A		
BL11-GAA	18	WH	GXL	3544880C1	3612512C1	1800F	A3	N/A		
CA11-GAA	18	WH	GXL	3544880C1	3612512C1	1800F	A3	N/A		
CB11-GAA	18	WH	TXL	3544880C1	3612512C1	1800F	A3	N/A		
BG9V	18	GY	GXL	3544880C1	3612512C1	1800F	A4	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
BL9V	18	GY	GXL	3544880C1	3612512C1	1800F	A4	N/A		
BV9V	18	GY	TXL	3544880C1	3612512C1	1800F	A4	N/A		
BW9V	18	GY	TXL	3544880C1	3612512C1	1800F	A4	N/A		
BX9V	18	GY	TXL	3544880C1	3612512C1	1800F	A4	N/A		
BZ9V	18	GY	TXL	3544880C1	3612512C1	1800F	A4	N/A		
CA9V	18	GY	GXL	3544880C1	3612512C1	1800F	A4	N/A		
CB9V	18	GY	GXL	3544880C1	3612512C1	1800F	A4	N/A		
CC9V	18	GY	TXL	3544880C1	3612512C1	1800F	A4	N/A		
CD9V	18	GY	TXL	3544880C1	3612512C1	1800F	A4	N/A		
CE9V	18	GY	TXL	3544880C1	3612512C1	1800F	A4	N/A		
CF9V	18	GY	TXL	3544880C1	3612512C1	1800F	A4	N/A		
BB87A	18	GY	TXL	3544880C1	3612512C1	1800F	A5	N/A		
BG70A	18	OR	TXL	3544880C1	3612512C1	1800F	A6	N/A		
BL70A	18	OR	TXL	3544880C1	3612512C1	1800F	A6	N/A		
CA70A	18	OR	TXL	3544880C1	3612512C1	1800F	A6	N/A		
CB70A	18	OR	TXL	3544880C1	3612512C1	1800F	A6	N/A		
BB52A	18	YL	TXL	3544886C1	3612512C1	1800F	A7	N/A		
BB102A	18	YL	TXL	3544886C1	3612512C1	1800F	A8	N/A		
BB82B	18	GY	TXL	3544886C1	3612512C1	1800F	B1	N/A		
BE85A	20	GY	TXL	3544885C1	3612512C1	1800F	B10	N/A		
BF85B	20	GY	TXL	3544885C1	3612512C1	1800F	B10	N/A		
BG85B	20	GY	TXL	3544885C1	3612512C1	1800F	B10	N/A		
BL85A	20	GY	TXL	3544885C1	3612512C1	1800F	B10	N/A		
CA85A	20	GY	TXL	3544885C1	3612512C1	1800F	B10	N/A		
CB85B	20	GY	TXL	3544885C1	3612512C1	1800F	B10	N/A		
BL100	20	GY	TXL	3544885C1	3612512C1	1800F	B11	N/A		
BX100	20	GY	TXL	3544885C1	3612512C1	1800F	B11	N/A		
BZ100	20	GY	TXL	3544885C1	3612512C1	1800F	B11	N/A		
CA100	20	GY	TXL	3544885C1	3612512C1	1800F	B11	N/A		
CC100	20	GY	TXL	3544885C1	3612512C1	1800F	B11	N/A		
CD100	20	GY	TXL	3544885C1	3612512C1	1800F	B11	N/A		
BF97	20	GY	TXL	3544885C1	3612512C1	1800F	B12	N/A		
BG97	20	GY	TXL	3544885C1	3612512C1	1800F	B12	N/A		
BL97	20	GY	TXL	3544885C1	3612512C1	1800F	B12	N/A		
BX97	20	GY	TXL	3544885C1	3612512C1	1800F	B12	N/A		
BZ97	20	GY	TXL	3544885C1	3612512C1	1800F	B12	N/A		
CA97	20	GY	TXL	3544885C1	3612512C1	1800F	B12	N/A		
CB97	20	GY	TXL	3544885C1	3612512C1	1800F	B12	N/A		
CC97	20	GY	TXL	3544885C1	3612512C1	1800F	B12	N/A		
CD97	20	GY	TXL	3544885C1	3612512C1	1800F	B12	N/A		
BG40A	18	GY	TXL	3544886C1	3612512C1	1800F	B2	N/A		
BL40A	18	GY	TXL	3544886C1	3612512C1	1800F	B2	N/A		
CA40A	18	GY	TXL	3544886C1	3612512C1	1800F	B2	N/A		
CB40A	18	GY	TXL	3544886C1	3612512C1	1800F	B2	N/A		
BG6H	18	GY	GXL	3544886C1	3612512C1	1800F	B3	N/A		
BL6H	18	GY	GXL	3544886C1	3612512C1	1800F	B3	N/A		
BW6HB	18	GY	TXL	3544886C1	3612512C1	1800F	B3	N/A		
BZ6HB	18	GY	TXL	3544886C1	3612512C1	1800F	B3	N/A		
CA6H	18	GY	GXL	3544886C1	3612512C1	1800F	B3	N/A		
CB6H	18	GY	GXL	3544886C1	3612512C1	1800F	B3	N/A		
CC6HB	18	GY	TXL	3544886C1	3612512C1	1800F	B3	N/A		
CE6HB	18	GY	TXL	3544886C1	3612512C1	1800F	B3	N/A		
BB97Y	18	VT	GXL	3544886C1	3612512C1	1800F	B4	N/A		
BB99U	18	VT/WH	GXL	3544886C1	3612512C1	1800F	B5	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
BB99W	18	VT	GXL	3544886C1	3612512C1	1800F	B6	N/A		
BG44BB	18	GY	TXL	3544886C1	3612512C1	1800F	B7	N/A		
BL44BB	18	GY	TXL	3544886C1	3612512C1	1800F	B7	N/A		
BV44BB	18	WH	GXL	3544886C1	3612512C1	1800F	B7	N/A		
BW44BB	18	GY	TXL	3544886C1	3612512C1	1800F	B7	N/A		
BX44BB	18	WH	GXL	3544886C1	3612512C1	1800F	B7	N/A		
BZ44BB	18	GY	TXL	3544886C1	3612512C1	1800F	B7	N/A		
CA44BB	18	GY	TXL	3544886C1	3612512C1	1800F	B7	N/A		
CB44BB	18	GY	TXL	3544886C1	3612512C1	1800F	B7	N/A		
CC44BB	18	GY	TXL	3544886C1	3612512C1	1800F	B7	N/A		
CD44BB	18	WH	GXL	3544886C1	3612512C1	1800F	B7	N/A		
CE44BB	18	GY	TXL	3544886C1	3612512C1	1800F	B7	N/A		
CF44BB	18	WH	GXL	3544886C1	3612512C1	1800F	B7	N/A		
BG70	18	OR	TXL	3544886C1	3612512C1	1800F	B9	N/A		
BL70	18	OR	TXL	3544886C1	3612512C1	1800F	B9	N/A		
BV70	18	OR	TXL	3544886C1	3612512C1	1800F	B9	N/A		
BW70	18	OR	TXL	3544886C1	3612512C1	1800F	B9	N/A		
BX70	18	OR	TXL	3544886C1	3612512C1	1800F	B9	N/A		
BZ70	18	OR	TXL	3544886C1	3612512C1	1800F	B9	N/A		
CA70	18	OR	TXL	3544886C1	3612512C1	1800F	B9	N/A		
CB70	18	OR	TXL	3544886C1	3612512C1	1800F	B9	N/A		
CC70	18	OR	TXL	3544886C1	3612512C1	1800F	B9	N/A		
CD70	18	OR	TXL	3544886C1	3612512C1	1800F	B9	N/A		
CE70	18	OR	TXL	3544886C1	3612512C1	1800F	B9	N/A		
CF70	18	OR	TXL	3544886C1	3612512C1	1800F	B9	N/A		
BB82A	18	GY	TXL	3544886C1	3612512C1	1800F	C1	N/A		
BN94SZ	18	GY	GXL	3544886C1	3612512C1	1800F	C10	N/A		
CA97A	18	VT	GXL	3544886C1	3612512C1	1800F	C11	N/A		
CB97A	18	VT	GXL	3544886C1	3612512C1	1800F	C11	N/A		
CC97A	18	VT	GXL	3544886C1	3612512C1	1800F	C11	N/A		
CD97A	18	VT	GXL	3544886C1	3612512C1	1800F	C11	N/A		
CE97A	18	VT	GXL	3544886C1	3612512C1	1800F	C11	N/A		
CF97A	18	VT	GXL	3544886C1	3612512C1	1800F	C11	N/A		
BG40	18	GY	TXL	3544886C1	3612512C1	1800F	C12	N/A		
BL40	18	GY	TXL	3544886C1	3612512C1	1800F	C12	N/A		
BW40	18	GY	TXL	3544886C1	3612512C1	1800F	C12	N/A		
BZ40	18	GY	TXL	3544886C1	3612512C1	1800F	C12	N/A		
CA40	18	GY	TXL	3544886C1	3612512C1	1800F	C12	N/A		
CB40	18	GY	TXL	3544886C1	3612512C1	1800F	C12	N/A		
CC40	18	GY	TXL	3544886C1	3612512C1	1800F	C12	N/A		
CE40	18	GY	TXL	3544886C1	3612512C1	1800F	C12	N/A		
BG40F	18	GY	TXL	3544886C1	3612512C1	1800F	C2	N/A		
BL40F	18	GY	TXL	3544886C1	3612512C1	1800F	C2	N/A		
CA40F	18	GY	TXL	3544886C1	3612512C1	1800F	C2	N/A		
CB40F	18	GY	TXL	3544886C1	3612512C1	1800F	C2	N/A		
BN94SV	18	GY	GXL	3544886C1	3612512C1	1800F	C3	N/A		
BB99V	18	VT/WH	GXL	3544886C1	3612512C1	1800F	C4	N/A		
BB97P	18	VT/BK	GXL	3544886C1	3612512C1	1800F	C5	N/A		
BB99E	18	VT/BK	GXL	3544886C1	3612512C1	1800F	C6	N/A		
BB82	18	GY	TXL	3544886C1	3612512C1	1800F	C9	N/A		
BE62DD	20	DKBL	TXL	3544879C1	3612512C1	1800F	D3	N/A		
BF62DD	20	DKBL	TXL	3544879C1	3612512C1	1800F	D3	N/A		
BG62DD	20	DKBL	TXL	3544879C1	3612512C1	1800F	D3	N/A		
BL62DD	20	DKBL	TXL	3544879C1	3612512C1	1800F	D3	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
CA62DD	20	DKBL	TXL	3544879C1	3612512C1	1800F	D3	N/A		
CB62DD	20	DKBL	TXL	3544879C1	3612512C1	1800F	D3	N/A		
BN94SE	18	GY	GXL	3544880C1	3612512C1	1800F	D5	N/A		
BN94SF	18	GY	GXL	3544880C1	3612512C1	1800F	D6	N/A		
CA17J	18	PK	TXL	3544886C1	3612512C1	1800F	D7	N/A		
CB17J	18	PK	TXL	3544886C1	3612512C1	1800F	D7	N/A		
CC17J	18	PK	TXL	3544886C1	3612512C1	1800F	D7	N/A		
CD17J	18	PK	TXL	3544886C1	3612512C1	1800F	D7	N/A		
CE17J	18	PK	TXL	3544886C1	3612512C1	1800F	D7	N/A		
CF17J	18	PK	TXL	3544886C1	3612512C1	1800F	D7	N/A		
CA17H	18	PK	TXL	3544886C1	3612512C1	1800F	D8	N/A		
CB17H	18	PK	TXL	3544886C1	3612512C1	1800F	D8	N/A		
CC17H	18	PK	TXL	3544886C1	3612512C1	1800F	D8	N/A		
CD17H	18	PK	TXL	3544886C1	3612512C1	1800F	D8	N/A		
CE17H	18	PK	TXL	3544886C1	3612512C1	1800F	D8	N/A		
CF17H	18	PK	TXL	3544886C1	3612512C1	1800F	D8	N/A		
BV70	18	OR	TXL	2036586C1	2036584C1	1814A	A	N/A		
BW70	18	OR	TXL	2036586C1	2036584C1	1814A	A	N/A		
BX70	18	OR	TXL	2036586C1	2036584C1	1814A	A	N/A		
BZ70	18	OR	TXL	2036586C1	2036584C1	1814A	A	N/A		
CC70	18	OR	TXL	2036586C1	2036584C1	1814A	A	N/A		
CD70	18	OR	TXL	2036586C1	2036584C1	1814A	A	N/A		
CE70	18	OR	TXL	2036586C1	2036584C1	1814A	A	N/A		
CF70	18	OR	TXL	2036586C1	2036584C1	1814A	A	N/A		
BV9VF	18	GY	GXL	2036586C1	2036584C1	1814A	B	N/A		
BW9VF	18	GY	GXL	2036586C1	2036584C1	1814A	B	N/A		
BX9VF	18	GY	GXL	2036586C1	2036584C1	1814A	B	N/A		
BZ9VF	18	GY	GXL	2036586C1	2036584C1	1814A	B	N/A		
CC9VF	18	GY	GXL	2036586C1	2036584C1	1814A	B	N/A		
CD9VF	18	GY	GXL	2036586C1	2036584C1	1814A	B	N/A		
CE9VF	18	GY	GXL	2036586C1	2036584C1	1814A	B	N/A		
CF9VF	18	GY	GXL	2036586C1	2036584C1	1814A	B	N/A		
BV44BB	18	WH	GXL	1661261C1	1661259C1	1815A	A	N/A		
BX44BB	18	WH	GXL	1661261C1	1661259C1	1815A	A	N/A		
CD44BB	18	WH	GXL	1661261C1	1661259C1	1815A	A	N/A		
CF44BB	18	WH	GXL	1661261C1	1661259C1	1815A	A	N/A		
BVBLK1	18	BK	GXL	1661261C1	1661259C1	1815A	B	N/A		
BXBLK1	18	BK	GXL	1661261C1	1661259C1	1815A	B	N/A		
CDBLK1	18	BK	GXL	1661261C1	1661259C1	1815A	B	N/A		
CFBLK1	18	BK	GXL	1661261C1	1661259C1	1815A	B	N/A		
BN94SA	20	GY	TXL	3534481C1	1667529C1	1820F	A	N/A		
BN94SB	20	GY	TXL	3534481C1	1667529C1	1820F	B	N/A		
BN94SC	20	GY	TXL	3534481C1	1667529C1	1820F	C	N/A		
BN94SD	20	GY	TXL	3534481C1	1667529C1	1820F	D	N/A		
XF94SA	20	GY	TXL	3544254C1	1667305C1	1820M	A	N/A		
XL94SAB	18	GY	TXL	1661261C1	1667305C1	1820M	A	N/A		
XF94SB	20	GY	TXL	3544254C1	1667305C1	1820M	B	N/A		
XL94SBB	18	GY	TXL	1661261C1	1667305C1	1820M	B	N/A		
XF94SC	20	GY	TXL	3544254C1	1667305C1	1820M	C	N/A		
XL94SCB	18	GY	TXL	1661261C1	1667305C1	1820M	C	N/A		
XF94SD	20	GY	TXL	3544254C1	1667305C1	1820M	D	N/A		
XL94SDB	18	GY	TXL	1661261C1	1667305C1	1820M	D	N/A		
BD92#134	18	TN	TXL	3544884C1	4064551C1	1825F	B	N/A		
BD92	18	TN	TXL	3544884C1	4064551C1	1825F	C	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
BD92A	18	GY	TXL	3544884C1	4064551C1	1825F	D	N/A		
BD5FA(+)	18	YL	TXL	3544884C1	4064551C1	1825F	E	N/A		
BD5FA(-)	18	GN	TXL	3544884C1	4064551C1	1825F	F	N/A		
BD62DC	18	DKBL	TXL	3544884C1	4064551C1	1825F	G	N/A		
BD92-GAH	18	WH	TXL	3544884C1	4064551C1	1825F	H	N/A		
HU103C	10	LTGN	GXL	2022374C1	593385C1	1873B	R1-30	N/A		
HU103BA	16	LTGN	GXL	2018946C1	593385C1	1873B	R1-85	N/A		
HU103AA	18	LTGN	TXL	1659673C1	593385C1	1873B	R1-86	N/A		
HU103D	12	LTGN	TXL	2022374C1	593385C1	1873B	R1-87	N/A		
PC92A20	16	TN	GXL	2018946C1	593385C1	1873C	R1-30	N/A		
PC92-GN1	18	WH	GXL	1659673C1	593385C1	1873C	R1-85	N/A		
PC92DN1	18	TN	GXL	1659673C1	593385C1	1873C	R1-86	N/A		
PC92A3	18	TN	GXL	1659673C1	593385C1	1873C	R1-87	N/A		
YG52A	14	YL	TXL	2018946C1	593385C1	1873D	R1-30	N/A		
YG96-GD	18	YL	TXL	1659673C1	593385C1	1873D	R1-85	N/A		
YG96E	18	YL	TXL	1659673C1	593385C1	1873D	R1-86	N/A		
YG52AA	14	YL	TXL	2018946C1	593385C1	1873D	R1-87	N/A		
YG52AC	14	YL	TXL	2018946C1	593385C1	1873D	R1-87	N/A		
YG52B	14	YL	TXL	2018946C1	593385C1	1873E	R1-30	N/A		
YG96-GC	18	YL	TXL	1659673C1	593385C1	1873E	R1-85	N/A		
YG96D	18	YL	TXL	1659673C1	593385C1	1873E	R1-86	N/A		
YG52BA	14	YL	TXL	2018946C1	593385C1	1873E	R1-87	N/A		
YG52BC	14	YL	TXL	2018946C1	593385C1	1873E	R1-87	N/A		
YG53A	14	YL	TXL	2018946C1	593385C1	1873F	R1-30	N/A		
YG96-GB	18	YL	TXL	1659673C1	593385C1	1873F	R1-85	N/A		
YG96C	18	YL	TXL	1659673C1	593385C1	1873F	R1-86	N/A		
YG53AA	14	YL	TXL	2018946C1	593385C1	1873F	R1-87	N/A		
YG53AC	14	YL	TXL	2018946C1	593385C1	1873F	R1-87	N/A		
YG53B	14	YL	TXL	2018946C1	593385C1	1873G	R1-30	N/A		
YG96-GA	18	YL	TXL	1659673C1	593385C1	1873G	R1-85	N/A		
YG96B	18	YL	TXL	1659673C1	593385C1	1873G	R1-86	N/A		
YG53BA	14	YL	TXL	2018946C1	593385C1	1873G	R1-87	N/A		
YG53BC	14	YL	TXL	2018946C1	593385C1	1873G	R1-87	N/A		
XT40A	14	GY	TXL	2018946C1	593385C1	1873H	R1-30	N/A		
XT90HC	18	GY	TXL	1659673C1	593385C1	1873H	R1-85	N/A		
XT90G	18	GY	TXL	1659673C1	593385C1	1873H	R1-86	N/A		
XT40B	14	GY	TXL	2018946C1	593385C1	1873H	R1-87	N/A		
VB95A	18	TN	GXL	3572625C1	3850892C1	1874A	1	N/A		
VB95-G	18	WH	GXL	3572625C1	3850892C1	1874A	2	N/A		
JE14UA	14	LTGN	TXL	3534165C1	4094648C1	1901A	A	N/A		
JE11-GUD	20	WH	TXL	3535484C1	4094648C1	1901A	C	N/A		
JD86C2	14	LTGN	TXL	3534165C1	4094648C1	1903B	A	N/A		
JD11-GCE	14	WH	TXL	3534165C1	4094648C1	1903B	C	N/A		
JE11-GUB	20	WH	TXL	4081932C1	3768147C1	1905A	1	N/A		
JE13U	20	PK	TXL	4081932C1	3768147C1	1905A	2	N/A		
ML14EA	16	RD	TXL	1661261C1	1667305C1	1910A	A	N/A		
MP14EA	16	RD	TXL	1661261C1	1667305C1	1910A	A	N/A		
ML11-GBE	16	WH	TXL	1661261C1	1667305C1	1910A	B	N/A		
MP11-GBE	16	WH	TXL	1661261C1	1667305C1	1910A	B	N/A		
ML3BE(+)	18	DKBL	TXL	1661261C1	1667305C1	1910A	C	N/A		
MP5CG(+)	18	YL	TXL	1661261C1	1667305C1	1910A	C	N/A		
ML3BE(-)	18	GY	TXL	1661261C1	1667305C1	1910A	D	N/A		
MP5CG(-)	18	GN	TXL	1661261C1	1667305C1	1910A	D	N/A		
ML11-G	8	WH	GXL	373759C2		1910G	1	2644054R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
MP11-G	8	WH	GXL	373759C2		1910G	1	2644054R1		
MQ86H	18	LTGN	TXL	1661212C1	2005836C1	1916A	A	N/A		
MQ86J	18	LTGN	TXL	1661212C1	2005836C1	1916A	B	N/A		
MQ86HA	18	LTGN	TXL	1661212C1	2005836C1	1916A	C	N/A		
MQ86JA	18	LTGN	TXL	1661212C1	2005836C1	1916A	D	N/A		
MQ86-GD1	18	WH	TXL	1661212C1	2005836C1	1916A	E	N/A		
MQ86HB	18	LTGN	TXL	1661212C1	2005836C1	1916A	F	N/A		
MQ86JB	18	LTGN	TXL	1661212C1	2005836C1	1916A	G	N/A		
MQ14ED	16	RD	TXL	1661212C1	1661199C1	1918A	A	N/A		
MQ13EE	16	PK	TXL	1661212C1	1661199C1	1918A	B	N/A		
MQ11-GBE	16	WH	TXL	1661212C1	1661199C1	1918A	C	N/A		
MQ86RCD	18	LTGN	TXL	1661212C1	2005836C1	1919A	A	N/A		
MQ11-GMW	20	WH	TXL	3539945C1	2005836C1	1919A	B	N/A		
MQ3BE(+)	18	DKBL	TXL	1661212C1	2005836C1	1919A	C	N/A		
MQ3BE(-)	18	GY	TXL	1661212C1	2005836C1	1919A	D	N/A		
MQ86-GD3	18	WH	TXL	1661212C1	2005836C1	1919A	E	N/A		
MQ86HA	18	LTGN	TXL	1661212C1	2005836C1	1919A	F	N/A		
MQ86JA	18	LTGN	TXL	1661212C1	2005836C1	1919A	G	N/A		
8A5BJ(+)	18	YL	TXL	3683464C1	3683465C1	1935N	A	N/A		
9A5BG(+)	18	YL	TXL	3683464C1	3683465C1	1935N	A	N/A		
9F5BG(+)	18	YL	TXL	3683464C1	3683465C1	1935N	A	N/A		
9J5BG(+)	18	YL	TXL	3683464C1	3683465C1	1935N	A	N/A		
9P5BJ(+)	18	YL	TXL	3683464C1	3683465C1	1935N	A	N/A		
9X5BG(+)	18	YL	TXL	3683464C1	3683465C1	1935N	A	N/A		
8A5BJ(-)	18	GN	TXL	3683464C1	3683465C1	1935N	B	N/A		
9A5BG(-)	18	GN	TXL	3683464C1	3683465C1	1935N	B	N/A		
9F5BG(-)	18	GN	TXL	3683464C1	3683465C1	1935N	B	N/A		
9J5BG(-)	18	GN	TXL	3683464C1	3683465C1	1935N	B	N/A		
9P5BJ(-)	18	GN	TXL	3683464C1	3683465C1	1935N	B	N/A		
9X5BG(-)	18	GN	TXL	3683464C1	3683465C1	1935N	B	N/A		
MR5BF(+)	18	YL	TXL	1661875C1	1667741C1	1937N	A	N/A		
MR5BF(-)	18	GN	TXL	1661875C1	1667741C1	1937N	C	N/A		
MM11-GBE	14	WH	TXL	3534167C1	3554818C1	1938M	A	N/A		
MM14EA	14	RD	GXL	3534167C1	3554818C1	1938M	B	N/A		
8A5BA(+)	18	YL	TXL	3683464C1	3683465C1	1939_2	A	N/A		
9A5BA(+)	18	YL	TXL	3683464C1	3683465C1	1939_2	A	N/A		
9F5BA(+)	18	YL	TXL	3683464C1	3683465C1	1939_2	A	N/A		
9P5BA(+)	18	YL	TXL	3683464C1	3683465C1	1939_2	A	N/A		
GC5BA(+)	18	YL	TXL	3683464C1	3683465C1	1939_2	A	N/A		
8A5BA(-)	18	GN	TXL	3683464C1	3683465C1	1939_2	B	N/A		
9A5BA(-)	18	GN	TXL	3683464C1	3683465C1	1939_2	B	N/A		
9F5BA(-)	18	GN	TXL	3683464C1	3683465C1	1939_2	B	N/A		
9P5BA(-)	18	GN	TXL	3683464C1	3683465C1	1939_2	B	N/A		
GC5BA(-)	18	GN	TXL	3683464C1	3683465C1	1939_2	B	N/A		
9K5A(+)	18	YL	TXL	3683464C1	3683465C1	1939_5	A	N/A		
9M5A(+)	18	YL	TXL	3683464C1	3683465C1	1939_5	A	N/A		
9N5A(+)	18	YL	TXL	3683464C1	3683465C1	1939_5	A	N/A		
9Q5A(+)	18	YL	TXL	3683464C1	3683465C1	1939_5	A	N/A		
9R5A(+)	18	YL	TXL	3683464C1	3683465C1	1939_5	A	N/A		
9U5A(+)	18	YL	TXL	3683464C1	3683465C1	1939_5	A	N/A		
GB5A(+)	18	YL	TXL	3683464C1	3683465C1	1939_5	A	N/A		
GH5A(+)	18	YL	TXL	3683464C1	3683465C1	1939_5	A	N/A		
GJ5A(+)	18	YL	TXL	3683464C1	3683465C1	1939_5	A	N/A		
GK5A(+)	18	YL	TXL	3683464C1	3683465C1	1939_5	A	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
GL5A(+)	18	YL	TXL	3683464C1	3683465C1	1939_5	A	N/A		
GM5A(+)	18	YL	TXL	3683464C1	3683465C1	1939_5	A	N/A		
GN5A(+)	18	YL	TXL	3683464C1	3683465C1	1939_5	A	N/A		
GP5A(+)	18	YL	TXL	3683464C1	3683465C1	1939_5	A	N/A		
GU5A(+)	18	YL	TXL	3683464C1	3683465C1	1939_5	A	N/A		
9K5A(-)	18	GN	TXL	3683464C1	3683465C1	1939_5	B	N/A		
9M5A(-)	18	GN	TXL	3683464C1	3683465C1	1939_5	B	N/A		
9N5A(-)	18	GN	TXL	3683464C1	3683465C1	1939_5	B	N/A		
9Q5A(-)	18	GN	TXL	3683464C1	3683465C1	1939_5	B	N/A		
9R5A(-)	18	GN	TXL	3683464C1	3683465C1	1939_5	B	N/A		
9U5A(-)	18	GN	TXL	3683464C1	3683465C1	1939_5	B	N/A		
GB5A(-)	18	GN	TXL	3683464C1	3683465C1	1939_5	B	N/A		
GH5A(-)	18	GN	TXL	3683464C1	3683465C1	1939_5	B	N/A		
GJ5A(-)	18	GN	TXL	3683464C1	3683465C1	1939_5	B	N/A		
GK5A(-)	18	GN	TXL	3683464C1	3683465C1	1939_5	B	N/A		
GL5A(-)	18	GN	TXL	3683464C1	3683465C1	1939_5	B	N/A		
GM5A(-)	18	GN	TXL	3683464C1	3683465C1	1939_5	B	N/A		
GN5A(-)	18	GN	TXL	3683464C1	3683465C1	1939_5	B	N/A		
GP5A(-)	18	GN	TXL	3683464C1	3683465C1	1939_5	B	N/A		
GU5A(-)	18	GN	TXL	3683464C1	3683465C1	1939_5	B	N/A		
9E5BB(+)	18	YL	TXL	3683464C1	3683465C1	1939-1	A	N/A		
9E5BH(+)	18	YL	TXL	3683464C1	3683465C1	1939-1	A	N/A		
9G5BB(+)	18	YL	TXL	3683464C1	3683465C1	1939-1	A	N/A		
9G5BJ(+)	18	YL	TXL	3683464C1	3683465C1	1939-1	A	N/A		
9H5BB(+)	18	YL	TXL	3683464C1	3683465C1	1939-1	A	N/A		
9H5BH(+)	18	YL	TXL	3683464C1	3683465C1	1939-1	A	N/A		
9L5BB(+)	18	YL	TXL	3683464C1	3683465C1	1939-1	A	N/A		
9L5BJ(+)	18	YL	TXL	3683464C1	3683465C1	1939-1	A	N/A		
9V5BJ(+)	18	YL	TXL	3683464C1	3683465C1	1939-1	A	N/A		
9Z5BJ(+)	18	YL	TXL	3683464C1	3683465C1	1939-1	A	N/A		
9E5BB(-)	18	GN	TXL	3683464C1	3683465C1	1939-1	B	N/A		
9E5BH(-)	18	GN	TXL	3683464C1	3683465C1	1939-1	B	N/A		
9G5BB(-)	18	GN	TXL	3683464C1	3683465C1	1939-1	B	N/A		
9G5BJ(-)	18	GN	TXL	3683464C1	3683465C1	1939-1	B	N/A		
9H5BB(-)	18	GN	TXL	3683464C1	3683465C1	1939-1	B	N/A		
9H5BH(-)	18	GN	TXL	3683464C1	3683465C1	1939-1	B	N/A		
9L5BB(-)	18	GN	TXL	3683464C1	3683465C1	1939-1	B	N/A		
9L5BJ(-)	18	GN	TXL	3683464C1	3683465C1	1939-1	B	N/A		
9V5BJ(-)	18	GN	TXL	3683464C1	3683465C1	1939-1	B	N/A		
9Z5BJ(-)	18	GN	TXL	3683464C1	3683465C1	1939-1	B	N/A		
9S5AB(+)	18	YL	TXL	3683464C1	3683465C1	1939-2	A	N/A		
9S5AJ(+)	18	YL	TXL	3683464C1	3683465C1	1939-2	A	N/A		
9T5AB(+)	18	YL	TXL	3683464C1	3683465C1	1939-2	A	N/A		
9T5AL(+)	18	YL	TXL	3683464C1	3683465C1	1939-2	A	N/A		
9W5AB(+)	18	YL	TXL	3683464C1	3683465C1	1939-2	A	N/A		
9W5AJ(+)	18	YL	TXL	3683464C1	3683465C1	1939-2	A	N/A		
9Y5AB(+)	18	YL	TXL	3683464C1	3683465C1	1939-2	A	N/A		
9Y5AL(+)	18	YL	TXL	3683464C1	3683465C1	1939-2	A	N/A		
9S5AB(-)	18	GN	TXL	3683464C1	3683465C1	1939-2	B	N/A		
9S5AJ(-)	18	GN	TXL	3683464C1	3683465C1	1939-2	B	N/A		
9T5AB(-)	18	GN	TXL	3683464C1	3683465C1	1939-2	B	N/A		
9T5AL(-)	18	GN	TXL	3683464C1	3683465C1	1939-2	B	N/A		
9W5AB(-)	18	GN	TXL	3683464C1	3683465C1	1939-2	B	N/A		
9W5AJ(-)	18	GN	TXL	3683464C1	3683465C1	1939-2	B	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
9Y5AB(-)	18	GN	TXL	3683464C1	3683465C1	1939-2	B	N/A		
9Y5AL(-)	18	GN	TXL	3683464C1	3683465C1	1939-2	B	N/A		
MM3BD(+)	18	DKBL	TXL	3727971C1	3553404C1	1939M	4	N/A		
MM3BD(-)	18	GY	TXL	3727971C1	3553404C1	1939M	5	N/A		
MN5BF(-)	18	GN	TXL	3727971C1	3553404C1	1939M	11	N/A		
MN5BF(+)	18	YL	TXL	3727971C1	3553404C1	1939M	12	N/A		
YB67V	18	GY	GXL	3754236C1	3673259C1	1942F	1	N/A		
YB67W	18	GY	GXL	3754236C1	3673259C1	1942F	2	N/A		
YB67U	18	GY	GXL	3754236C1	3673259C1	1942F	3	N/A		
XV57C	18	OR	TXL	3754236C1	3673259C1	1942F	4	N/A		
YK57C	18	OR	TXL	3754236C1	3673259C1	1942F	4	N/A		
YQ57C	18	OR	TXL	3754236C1	3673259C1	1942F	4	N/A		
YY57C	18	OR	TXL	3754236C1	3673259C1	1942F	4	N/A		
JS1B	16	RD	TXL	3895713C1	3565207C1	1F	A	N/A		
JS1A	16	RD	TXL	3895713C1	3565207C1	1F	B	N/A		
RH62D	20	DKBL	TXL	3662109C1	3662108C1	254F	A1	N/A		
RH78VB	20	RD	TXL	3662109C1	3662108C1	254F	A2	N/A		
RH78K	20	LTGN	TXL	3662109C1	3662108C1	254F	A3	N/A		
RH78-GD	20	WH	TXL	3662109C1	3662108C1	254F	A4	N/A		
RH78JA	20	LTGN	TXL	3662109C1	3662108C1	254F	B1	N/A		
RH78DB	20	LTGN	TXL	3662109C1	3662108C1	254F	B2	N/A		
RH78C	20	LTGN	TXL	3662109C1	3662108C1	254F	B3	N/A		
RH78EF	20	LTGN	TXL	3662109C1	3662108C1	254F	B4	N/A		
RH62D	20	DKBL	TXL	3535805C1	3510243C1	254M	A1	N/A		
RH78VB	20	RD	TXL	3535805C1	3510243C1	254M	A2	N/A		
RH78K	20	LTGN	TXL	3535805C1	3510243C1	254M	A3	N/A		
RH78-GD	20	WH	TXL	3535805C1	3510243C1	254M	A4	N/A		
RH78JA	20	LTGN	TXL	3535805C1	3510243C1	254M	B1	N/A		
RH78DB	20	LTGN	TXL	3535805C1	3510243C1	254M	B2	N/A		
RH78C	20	LTGN	TXL	3535805C1	3510243C1	254M	B3	N/A		
RH78EF	20	LTGN	TXL	3535805C1	3510243C1	254M	B4	N/A		
XY58DA	18	BN	TXL	1661212C1	1661201C1	3000F	A	N/A		
XZ56D	18	OR	TXL	1661212C1	1661201C1	3000F	A	N/A		
YN56D	18	OR	TXL	1661212C1	1661201C1	3000F	A	N/A		
YY56D	18	OR	TXL	1661212C1	1661201C1	3000F	A	N/A		
RF78RJ	16	LTGN	TXL	1661212C1	1661201C1	3000F	B	N/A		
RG62DD	18	DKBL	TXL	1661212C1	1661201C1	3000F	C	N/A		
RG78J	18	LTGN	TXL	1661212C1	1661201C1	3000F	D	N/A		
RG78M	18	LTGN	TXL	1661212C1	1661201C1	3000F	E	N/A		
RG78L	18	LTGN	TXL	1661212C1	1661201C1	3000F	F	N/A		
WA2	2	RD	SGX	2012973C1		300A	1	2644004R1		
WB2	2	RD	SGX	2012973C1		300A	1	2644004R1		
VD2-FLA	6	TN	FUS	338892C2		301A	1	2644054R1		
VK2-FLA	6	TN	FUS	338892C2		301A	1	2644054R1		
VM2-FLA	6	TN	FUS	338892C2		301A	1	2644054R1		
XY58DB	18	BN	TXL	1661212C1	1661201C1	3100F	A	N/A		
XZ57D	18	OR	TXL	1661212C1	1661201C1	3100F	A	N/A		
YH57D	18	OR	TXL	1661212C1	1661201C1	3100F	A	N/A		
YK57D	18	OR	TXL	1661212C1	1661201C1	3100F	A	N/A		
YY57D	18	OR	TXL	1661212C1	1661201C1	3100F	A	N/A		
RF78B	16	LTGN	TXL	1661212C1	1661201C1	3100F	B	N/A		
RG78J	18	LTGN	TXL	1661212C1	1661201C1	3100F	D	N/A		
RG78M	18	LTGN	TXL	1661212C1	1661201C1	3100F	E	N/A		
RG78L	18	LTGN	TXL	1661212C1	1661201C1	3100F	F	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
WA2-FLA	10	RS	FUS	338892C2		311A	1	2644054R1		
WA2-FLB	10	RS	FUS	338892C2		311A	1	2644054R1		
BE2-FLA	10	RS	FUS	338892C2		311B	1	2644054R1		
BE2-FLB	10	RS	FUS	338892C2		311B	1	2644054R1	1661873C1	
VL2-FLA	10	RS	FUS	338892C2		311B	1	2644054R1		
VL2-FLB	10	RS	FUS	338892C2		311B	1	2644054R1		
WB2-FLA	10	RS	FUS	338892C2		311C	1	2644054R1		
WB2-FLB	10	RS	FUS	338892C2		311C	1	2644054R1		
9G5BD(-)	18	GN	TXL	1661208C1	1661200C1	3200M	A	N/A		
9L5BD(-)	18	GN	TXL	1661208C1	1661200C1	3200M	A	N/A		
9V5BD(-)	18	GN	TXL	1661208C1	1661200C1	3200M	A	N/A		
9Z5BD(-)	18	GN	TXL	1661208C1	1661200C1	3200M	A	N/A		
9G5BD(+)	18	YL	TXL	1661208C1	1661200C1	3200M	B	N/A		
9L5BD(+)	18	YL	TXL	1661208C1	1661200C1	3200M	B	N/A		
9V5BD(+)	18	YL	TXL	1661208C1	1661200C1	3200M	B	N/A		
9Z5BD(+)	18	YL	TXL	1661208C1	1661200C1	3200M	B	N/A		
RC81B	12	RD	TXL	3566715C1	1661200C1	3200M	C	N/A		
RD81B	12	RD	TXL	3566715C1	1661200C1	3200M	C	N/A		
RG78V	12	LTGN	TXL	3566715C1	1661200C1	3200M	C	N/A		
RC81-GA	12	WH	TXL	3566715C1	1661200C1	3200M	D	N/A		
RD81-GA	12	WH	TXL	3566715C1	1661200C1	3200M	D	N/A		
RF78-GA	16	WH	TXL	1661209C1	1661200C1	3200M	D	N/A		
MB41DJ	18	TN	TXL	1661208C1	1661200C1	3200M	E	N/A		
MC41D	18	TN	TXL	1661208C1	1661200C1	3200M	E	N/A		
MB41EJ	18	TN	TXL	1661208C1	1661200C1	3200M	F	N/A		
MC41E	18	TN	TXL	1661208C1	1661200C1	3200M	F	N/A		
9G5BK(-)	18	GN	TXL	1661208C1	1661200C1	3204M	A	N/A		
9L5CK(-)	18	GN	TXL	1661208C1	1661200C1	3204M	A	N/A		
9V5CK(-)	18	GN	TXL	1661208C1	1661200C1	3204M	A	N/A		
9Z5BK(-)	18	GN	TXL	1661208C1	1661200C1	3204M	A	N/A		
9G5BK(+)	18	YL	TXL	1661208C1	1661200C1	3204M	B	N/A		
9L5CK(+)	18	YL	TXL	1661208C1	1661200C1	3204M	B	N/A		
9V5CK(+)	18	YL	TXL	1661208C1	1661200C1	3204M	B	N/A		
9Z5BK(+)	18	YL	TXL	1661208C1	1661200C1	3204M	B	N/A		
RC81A	12	LTGN	TXL	3566715C1	1661200C1	3204M	C	N/A		
RD81A	12	LTGN	TXL	3566715C1	1661200C1	3204M	C	N/A		
RC81-GB	12	WH	TXL	3566715C1	1661200C1	3204M	D	N/A		
RD81-GB	12	WH	TXL	3566715C1	1661200C1	3204M	D	N/A		
RF78-GB	16	WH	TXL	1661209C1	1661200C1	3204M	D	N/A		
WG63BB	18	DKBL	TXL	1661261C1	1667305C1	3205M	A	N/A		
WJ63BB	18	DKBL	TXL	1661261C1	1667305C1	3205M	A	N/A		
AD11-G	18	WH	TXL	1661261C1	1667305C1	3205M	B	N/A		
AE11-G	18	WH	TXL	1661261C1	1667305C1	3205M	B	N/A		
MQ86HB	18	LTGN	TXL	1661261C1	1667305C1	3205M	C	N/A		
SQ86H	18	LTGN	TXL	1661261C1	1667305C1	3205M	C	N/A		
MQ86JB	18	LTGN	TXL	1661261C1	1667305C1	3205M	D	N/A		
SQ86J	18	LTGN	TXL	1661261C1	1667305C1	3205M	D	N/A		
WG63BC	18	DKBL	TXL	1661261C1	1667305C1	3206M	A	N/A		
WJ63BC	18	DKBL	TXL	1661261C1	1667305C1	3206M	A	N/A		
AD11-GK	18	WH	TXL	1661261C1	1667305C1	3206M	B	N/A		
AE11-GK	18	WH	TXL	1661261C1	1667305C1	3206M	B	N/A		
MQ86K	18	LTGN	TXL	1661261C1	1667305C1	3206M	C	N/A		
SQ86K	18	LTGN	TXL	1661261C1	1667305C1	3206M	C	N/A		
MQ86L	18	LTGN	TXL	1661261C1	1667305C1	3206M	D	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
SQ86L	18	LTGN	TXL	1661261C1	1667305C1	3206M	D	N/A		
MG14L	10	RD	GXL	373756C2		4007A	1	2644054R1		
MG14L	10	RD	GXL	3866817C1		4007A	1	2644005R1		
WA2-G	2	WH	SGX	2012973C1		400A	1	2644004R1		
WB2-G	2	WH	SGX	2012973C1		400A	1	2644004R1		
VH2-G	1	WH	SGX	475964C1		400B	1	2643308R1		
VM2-G	1	WH	SGX	475964C1		400B	1	2643308R1		
VD2-G	1	WH	SGX	475965C1		401A	1	2644004R1		
VK2-G	1	WH	SGX	475965C1		401A	1	2644004R1		
VM2-G	1	WH	SGX	475965C1		401A	1	2644004R1		
NY87KA	16	GY	GXL	3561584C1	3536864C1	4021A	1	3536868C1	3540615C1	
NY87KA	16	GY	GXL	3536865C1	3536864C1	4021A	1	3536868C1		
NY87BA	18	GY	GXL	3561584C1	3536864C1	4021A	2	3536868C1	3536085C1	3599541C1
NY87BA	18	GY	GXL	3536865C1	3536864C1	4021A	2	3536868C1		
SB87KA	16	GY	GXL	3561584C1	3536864C1	4021B	1	3536868C1		
SA87KA	16	GY	GXL	3561584C1	3536864C1	4021B	1	3536868C1		
SB87BA	18	GY	GXL	3561584C1	3536864C1	4021B	2	3536868C1		
SA87BA	18	GY	GXL	3561584C1	3536864C1	4021B	2	3536868C1		
NX87C	18	GY	TXL	3554322C1	3554317C1	4022A	1	3554318C1		
NX87C	18	GY	TXL	3554322C1	3554317C1	4022A	1	3554318C1		
NX9BB	18	GY	TXL	3554322C1	3554317C1	4022A	2	3554318C1	3522253C1	
NX9BB	18	GY	TXL	3554322C1	3554317C1	4022A	2	3554318C1		
SC87C	18	GY	TXL	3554322C1	3554317C1	4022B	1	3554318C1		
SC87C	18	GY	TXL	3554322C1	3554317C1	4022B	1	3554318C1		
SC9BB	18	GY	TXL	3554322C1	3554317C1	4022B	2	3554318C1		
SC9BB	18	GY	TXL	3554322C1	3554317C1	4022B	2	3554318C1		
[NF19A]	16	-	GXL	V-TERM	PAS1(A)	4042A	A	N/A		
MC41	18	TN	TXL	3613771C1	3690369C1	4060A	3	N/A		
SH14HC	14	RD	TXL	3613770C1	3690369C1	4060A	4	N/A		
SJ14HF	14	RD	TXL	3613770C1	3690369C1	4060A	4	N/A		
SH11-GA	14	WH	TXL	3613770C1	3690369C1	4060A	5	N/A		
SJ11-G	14	WH	TXL	3613770C1	3690369C1	4060A	5	N/A		
MH26A	18	TN	TXL	3613771C1	3690369C1	4060A	6	N/A		
MJ26A	18	TN	TXL	3613771C1	3690369C1	4060A	6	N/A		
MH26B	18	TN	TXL	3613771C1	3690369C1	4060A	7	N/A		
MJ26B	18	TN	TXL	3613771C1	3690369C1	4060A	7	N/A		
MC41EJ	18	TN	TXL	3613771C1	3690369C1	4060A	8	N/A		
MD13Z	16	PK	TXL	3613770C1	3690369C1	4060A	10	N/A		
SK11-GAP	14	WH	TXL	3581768C1		4081A	1	2644038R1		
SL11GAP	14	WH	TXL	3581768C1		4081A	1	2644038R1		
MJ26DA	18	TN	GXL	3518963C1	3553404C1	4087B	6	N/A		
MJ5CC(+)	18	YL	TXL	3727971C1	3553404C1	4087B	7	N/A		
MJ5CC(-)	18	GN	TXL	3727971C1	3553404C1	4087B	8	N/A		
MJ26B	18	TN	TXL	3727971C1	3553404C1	4087B	10	N/A		
MJ26A	18	TN	TXL	3727971C1	3553404C1	4087B	11	N/A		
MJ11-GBD	18	WH	TXL	3727971C1	3553404C1	4087B	12	N/A		
WA2-G	2	WH	SGX	475963C1		411A	1	2644004R1		
BE2-G	2	WH	SGX	475963C1		411B	1	2644004R1	1671608C1	
VL2-G	2	WH	SGX	475963C1		411B	1	2644004R1		
WB2-G	2	WH	SGX	475963C1		411C	1	2644004R1		
UF92#163A	16	TN	TXL	1661875C1	3540756C1	422F	A	1661872C1		
UF92D	18	TN	TXL	1661875C1	3540756C1	422F	B	3568570C1		
UF62A	18	DKBL	TXL	1661875C1	3540756C1	422F	C	3568570C1		
UF92-GAH	18	WH	TXL	1661875C1	3540756C1	422F	D	3568570C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
RA10-GR	14	WH	GXL	2034787C1	3572899C1	4410D	2	N/A		
RA10-GR	14	WH	GXL	2034787C1	3572899C1	4410D	2	N/A		
RA5E(+)	18	YL	TXL	3757932C1	3572899C1	4410D	3	N/A		
RA5E(+)	18	YL	TXL	1680205C1	3572899C1	4410D	3	N/A		
RA5E(-)	18	GN	TXL	3757932C1	3572899C1	4410D	4	N/A		
RA5E(-)	18	GN	TXL	1680205C1	3572899C1	4410D	4	N/A		
RA20	16	LTGN	GXL	1680205C1	3572899C1	4410D	6	N/A		
RA20	16	LTGN	GXL	1680205C1	3572899C1	4410D	6	N/A		
RC10-GP	14	WH	GXL	2034787C1	3572899C1	4410E	2	N/A		
RC10-GP	14	WH	GXL	2034787C1	3572899C1	4410E	2	N/A		
RC5F(+)	18	YL	TXL	3757932C1	3572899C1	4410E	3	N/A		
RC5F(+)	18	YL	TXL	1680205C1	3572899C1	4410E	3	N/A		
RC5F(-)	18	GN	TXL	3757932C1	3572899C1	4410E	4	N/A		
RC5F(-)	18	GN	TXL	1680205C1	3572899C1	4410E	4	N/A		
RC20A	16	LTGN	GXL	1680205C1	3572899C1	4410E	6	N/A		
RC20A	16	LTGN	GXL	1680205C1	3572899C1	4410E	6	N/A		
RJ59	14	GY	GXL	2034788C1	3572900C1	4410F	1	UNDEF		
RS59C	14	GY	GXL	2034788C1	3572900C1	4410F	1	UNDEF		
ZE10-GR	14	WH	GXL	2034787C1	3572899C1	4410F	2	N/A		
ZE10-GR	14	WH	GXL	2034787C1	3572899C1	4410F	2	N/A		
RJ10-GPM	14	WH	GXL	2034788C1	3572900C1	4410F	2	UNDEF		
RS10-GPN	14	WH	GXL	2034788C1	3572900C1	4410F	2	UNDEF		
ZE5E(+)	18	YL	TXL	3757932C1	3572899C1	4410F	3	N/A		
ZE5E(+)	18	YL	TXL	1680205C1	3572899C1	4410F	3	N/A		
RJ1(+)	18	YL	TXL	3572626C1	3572900C1	4410F	3	UNDEF		
RS1A(+)	18	YL	TXL	3572626C1	3572900C1	4410F	3	UNDEF		
ZE5E(-)	18	GN	TXL	3757932C1	3572899C1	4410F	4	N/A		
ZE5E(-)	18	GN	TXL	1680205C1	3572899C1	4410F	4	N/A		
RJ1(-)	18	GN	TXL	3572626C1	3572900C1	4410F	4	UNDEF		
RS1A(-)	18	GN	TXL	3572626C1	3572900C1	4410F	4	UNDEF		
ZE20	16	LTGN	GXL	1680205C1	3572899C1	4410F	6	N/A		
ZE20	16	LTGN	GXL	1680205C1	3572899C1	4410F	6	N/A		
RJ14	16	RD	GXL	1680206C1	3572900C1	4410F	6	UNDEF		
RS14D	16	RD	GXL	1680206C1	3572900C1	4410F	6	UNDEF		
NT10-GS	14	WH	GXL	2034787C1	3572899C1	4410H	2	N/A		
RC10-GP	14	WH	GXL	2034787C1	3572899C1	4410H	2	N/A		
NT10-GS	14	WH	GXL	2034787C1	3572899C1	4410H	2	N/A		
RC10-GP	14	WH	GXL	2034787C1	3572899C1	4410H	2	N/A		
NT5E(+)	18	YL	TXL	3757932C1	3572899C1	4410H	3	N/A		
RC5F(+)	18	YL	TXL	3757932C1	3572899C1	4410H	3	N/A		
NT5E(+)	18	YL	TXL	1680205C1	3572899C1	4410H	3	N/A		
RC5F(+)	18	YL	TXL	1680205C1	3572899C1	4410H	3	N/A		
NT5E(-)	18	GN	TXL	3757932C1	3572899C1	4410H	4	N/A		
RC5F(-)	18	GN	TXL	3757932C1	3572899C1	4410H	4	N/A		
NT5E(-)	18	GN	TXL	1680205C1	3572899C1	4410H	4	N/A		
RC5F(-)	18	GN	TXL	1680205C1	3572899C1	4410H	4	N/A		
NT20	16	LTGN	GXL	1680205C1	3572899C1	4410H	6	N/A		
RC20A	16	LTGN	GXL	1680205C1	3572899C1	4410H	6	N/A		
NT20	16	LTGN	GXL	1680205C1	3572899C1	4410H	6	N/A		
RC20A	16	LTGN	GXL	1680205C1	3572899C1	4410H	6	N/A		
RS59C	14	GY	GXL	2034787C1	3572899C1	4410K	1	N/A		
RS10-GPN	14	WH	GXL	2034787C1	3572899C1	4410K	2	N/A		
RS1A(+)	18	YL	TXL	3572625C1	3572899C1	4410K	3	N/A		
RS1A(-)	18	GN	TXL	3572625C1	3572899C1	4410K	4	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
RS14D	16	RD	GXL	3572625C1	3572899C1	4410K	6	N/A		
RK59D	14	GY	GXL	2034787C1	3572899C1	4410L	1	N/A		
RK10-GPP	14	WH	GXL	2034787C1	3572899C1	4410L	2	N/A		
RK1B(+)	18	YL	TXL	3757932C1	3572899C1	4410L	3	N/A		
RK1B(-)	18	GN	TXL	3757932C1	3572899C1	4410L	4	N/A		
RK14E	16	RD	GXL	1680205C1	3572899C1	4410L	6	N/A		
RJ59	14	GY	GXL	2034787C1	3572899C1	4410M	1	N/A		
RK59D	14	GY	GXL	2034787C1	3572899C1	4410M	1	N/A		
RJ10-GPM	14	WH	GXL	2034787C1	3572899C1	4410M	2	N/A		
RK10-GPP	14	WH	GXL	2034787C1	3572899C1	4410M	2	N/A		
RJ1(+)	18	YL	TXL	3572625C1	3572899C1	4410M	3	N/A		
RK1B(+)	18	YL	TXL	3572625C1	3572899C1	4410M	3	N/A		
RJ1(-)	18	GN	TXL	3572625C1	3572899C1	4410M	4	N/A		
RK1B(-)	18	GN	TXL	3572625C1	3572899C1	4410M	4	N/A		
RJ14	16	RD	GXL	1680205C1	3572899C1	4410M	6	N/A		
RK14E	16	RD	GXL	1680205C1	3572899C1	4410M	6	N/A		
RH14	4	RD	SGX	3517758C1	3517759C1	4411F	A	N/A		
PC14H	4	RD	SGX	3517757C1	3517760C1	4411M	A	N/A		
PE14E	4	RD	SGX	3517757C1	3517760C1	4411M	A	N/A		
RH14	4	RD	SGX	3517757C1	3517760C1	4411M	A	N/A		
PB14CY	4	RD	SGX	3517757C1	3517760C1	4411M1	A	N/A		
PB14CY	4	RD	SGX	3517757C1	3517760C1	4411M1	A	N/A		
PE14E	4	RD	SGX	3517757C1	3517760C1	4411M2	A	N/A		
PC14H	4	RD	SGX	3517757C1	3517760C1	4411M2	A	N/A		
ZB14CZ	4	RD	SGX	3517757C1	3517760C1	4411M4	A	N/A		
ZB14CZ	4	RD	SGX	3517757C1	3517760C1	4411M4	A	N/A		
ZA14H	4	RD	SGX	3517757C1	3517760C1	4411M5	A	N/A		
ZA14H	4	RD	SGX	3517757C1	3517760C1	4411M5	A	N/A		
ZC14E	4	RD	SGX	3517757C1	3517760C1	4411M6	A	N/A		
ZC14E	4	RD	SGX	3517757C1	3517760C1	4411M6	A	N/A		
TT14	4	RD	SGX	3517758C1	3517759C1	4411N	A	N/A		
TT14	4	RD	SGX	3517757C1	3517760C1	4411P	A	N/A		
PC14H	4	RD	SGX	3517758C1	3517759C1	4412F	A	N/A		
ZA14H	4	RD	SGX	3517758C1	3517759C1	4412F	A	N/A		
PE14E	4	RD	SGX	3517758C1	3517759C1	4412F	A	N/A		
ZC14E	4	RD	SGX	3517758C1	3517759C1	4412F	A	N/A		
MN14C	4	RD	SGX	3517758C1	3517759C1	4413F	A	N/A		
MN14C	4	RD	SGX	3517758C1	3517759C1	4413F	A	N/A		
PB14CY	4	RD	SGX	3517758C1	3517759C1	4413F1	A	N/A		
ZB14CZ	4	RD	SGX	3517758C1	3517759C1	4413F1	A	N/A		
PB14CY	4	RD	SGX	3517758C1	3517759C1	4413F1	A	N/A		
ZB14CZ	4	RD	SGX	3517758C1	3517759C1	4413F1	A	N/A		
PE14E	4	RD	SGX	3517758C1	3517759C1	4413F2	A	N/A		
ZC14E	4	RD	SGX	3517758C1	3517759C1	4413F2	A	N/A		
PC14H	4	RD	SGX	3517758C1	3517759C1	4413F2	A	N/A		
ZA14H	4	RD	SGX	3517758C1	3517759C1	4413F2	A	N/A		
MU14CA	4	RD	SGX	3517758C1	3517759C1	4413F3	A	N/A		
MU14CA	4	RD	SGX	3517758C1	3517759C1	4413F3	A	N/A		
PV68BB	14	BN	GXL	3535486C1	2039311C91	4450AM	A	589391C1		
PV68BB	14	BN	GXL	3535486C1	2039311C91	4450AM	A	589391C1	3515764C1	
PV56BB	16	YL	GXL	2039343C1	2039311C91	4450AM	B	1652325C1		
PV56BB	16	YL	GXL	2039343C1	2039311C91	4450AM	B	1652325C1	1661263C1	
PV57BB	16	LTGN	GXL	2039343C1	2039311C91	4450AM	C	1652325C1		
PV57BB	16	LTGN	GXL	2039343C1	2039311C91	4450AM	C	1652325C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
PV54BB	14	BN	GXL	3535486C1	2039311C91	4450AM	D	589391C1		
PV54BB	14	BN	GXL	3535486C1	2039311C91	4450AM	D	589391C1		
PV71BB	16	LTBL	GXL	2039343C1	2039311C91	4450AM	E	1652325C1		
PV71BB	16	LTBL	GXL	2039343C1	2039311C91	4450AM	E	1652325C1		
PV12BB	14	LTBL	GXL	3535486C1	2039311C91	4450AM	F	589391C1		
PV12BB	14	LTBL	GXL	3535486C1	2039311C91	4450AM	F	589391C1		
PV11-GBB	12	WH	GXL	2039313C1	2039311C91	4450AM	G	589390C1		
PV11-GBB	12	WH	GXL	2039313C1	2039311C91	4450AM	G	589390C1		
RX68BB	14	BN	GXL	2033912C1	2039312C91	4450BF	A	589391C1		
RX56BB	16	OR	GXL	2033911C1	2039312C91	4450BF	B	1652325C1		
RX57BB	16	OR	GXL	2033911C1	2039312C91	4450BF	C	1652325C1		
RX58BB	14	BN	GXL	2033912C1	2039312C91	4450BF	D	589391C1		
RX71BB	16	OR	GXL	2033911C1	2039312C91	4450BF	E	1652325C1		
RX12BB	14	LTBL	GXL	2033912C1	2039312C91	4450BF	F	589391C1		
RX11-GBB	12	WH	GXL	2033912C1	2039312C91	4450BF	G	589390C1		
RX56BC	16	OR	GXL	2033819C1	1686834C1	4450BM	A	1652325C1		
RX57BC	16	OR	GXL	2033819C1	1686834C1	4450BM	B	1652325C1		
RX70BB	14	OR	GXL	2033816C1	1686834C1	4450BM	C	589391C1		
NK68BBA	14	BN	GXL	2033912C1	2039312C91	4450D	A	589391C1		
NK56BBA	16	YL	GXL	2033911C1	2039312C91	4450D	B	1652325C1		
NK57BBA	16	LTGN	GXL	2033911C1	2039312C91	4450D	C	1652325C1		
NK54BBA	14	BN	GXL	2033912C1	2039312C91	4450D	D	589391C1		
NK71BBA	16	LTBL	GXL	2033911C1	2039312C91	4450D	E	1652325C1		
NK12BBA	14	LTBL	GXL	2033912C1	2039312C91	4450D	F	589391C1		
NK11A-GD	12	WH	GXL	2033912C1	2039312C91	4450D	G	589390C1		
NK11A-GD	12	WH	GXL	N/A	BLUNT_SL_V	4450E	A	N/A		
NK12BBA	14	LTBL	GXL	N/A	BLUNT_SL_V	4450E	A	N/A		
NK54BBA	14	BN	GXL	N/A	BLUNT_SL_V	4450E	A	N/A		
NK56BBA	16	YL	GXL	N/A	BLUNT_SL_V	4450E	A	N/A		
NK57BBA	16	LTGN	GXL	N/A	BLUNT_SL_V	4450E	A	N/A		
NK68BBA	14	BN	GXL	N/A	BLUNT_SL_V	4450E	A	N/A		
NK71BBA	16	LTBL	GXL	N/A	BLUNT_SL_V	4450E	A	N/A		
ND68BB	14	BN	GXL	3535486C1	2039311C91	4450M	A	589391C1		
ND68BB	14	BN	GXL	3535486C1	2039311C91	4450M	A	589391C1		
VM68TB	12	BN	TXL	2039313C1	2039311C91	4450M	A	589391C1		
VT68TB	12	BN	TXL	2039313C1	2039311C91	4450M	A	589391C1		
ZQ68TB	16	BN	TXL	2039343C1	2039311C91	4450M	A	1652325C1		
ND56BB	16	YL	GXL	2039343C1	2039311C91	4450M	B	1652325C1		
ND56BB	16	YL	GXL	2039343C1	2039311C91	4450M	B	1652325C1		
YW56BB	16	YL	TXL	2039343C1	2039311C91	4450M	B	1652325C1		
YZ56BB	16	YL	TXL	2039343C1	2039311C91	4450M	B	1652325C1		
ND57BB	16	LTGN	GXL	2039343C1	2039311C91	4450M	C	1652325C1		
ND57BB	16	LTGN	GXL	2039343C1	2039311C91	4450M	C	1652325C1		
YW57BB	16	LTGN	TXL	2039343C1	2039311C91	4450M	C	1652325C1		
YZ57BB	16	LTGN	TXL	2039343C1	2039311C91	4450M	C	1652325C1		
ND54BB	14	BN	GXL	3535486C1	2039311C91	4450M	D	589391C1		
ND54BB	14	BN	GXL	3535486C1	2039311C91	4450M	D	589391C1		
VM58TB	12	BN	TXL	2039313C1	2039311C91	4450M	D	589391C1		
VT58TB	12	BN	TXL	2039313C1	2039311C91	4450M	D	589391C1		
ND71BB	16	LTBL	GXL	2039343C1	2039311C91	4450M	E	1652325C1		
ND71BB	16	LTBL	GXL	2039343C1	2039311C91	4450M	E	1652325C1		
ZK71BB	16	LTBL	TXL	2039343C1	2039311C91	4450M	E	1652325C1		
ND12BB	14	LTBL	GXL	3535486C1	2039311C91	4450M	F	589391C1		
ND12BB	14	LTBL	GXL	3535486C1	2039311C91	4450M	F	589391C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
ND11-GD	12	WH	GXL	2039313C1	2039311C91	4450M	G	589390C1		
ND11-GD	12	WH	GXL	2039313C1	2039311C91	4450M	G	589390C1		
YW11-GBJ	12	WH	TXL	2039313C1	2039311C91	4450M	G	589391C1		
YZ11-GBJ	12	WH	TXL	2039313C1	2039311C91	4450M	G	589391C1		
PV56BC	16	YL	GXL	2033819C1	1686834C1	4460AM	A	1652325C1		
PV56BC	16	YL	GXL	2033819C1	1686834C1	4460AM	A	1652325C1	1667530C1	
PV57BC	16	LTGN	GXL	2033819C1	1686834C1	4460AM	B	1652325C1		
PV57BC	16	LTGN	GXL	2033819C1	1686834C1	4460AM	B	1652325C1		
PV70BB	14	RD	GXL	2033816C1	1686834C1	4460AM	C	589391C1		
PV70BB	14	RD	GXL	2033816C1	1686834C1	4460AM	C	589391C1		
RX56BC	16	OR	GXL	2033911C1	3553961C1	4460BF	A	1652325C1		
RX57BC	16	OR	GXL	2033911C1	3553961C1	4460BF	B	1652325C1		
RX70BB	14	OR	GXL	2033912C1	3553961C1	4460BF	C	589391C1		
RX68BB	14	BN	GXL	3535486C1	2039311C91	4460BM	A	589391C1		
RX56BB	16	OR	GXL	2039343C1	2039311C91	4460BM	B	1652325C1		
RX57BB	16	OR	GXL	2039343C1	2039311C91	4460BM	C	1652325C1		
RX58BB	14	BN	GXL	3535486C1	2039311C91	4460BM	D	589391C1		
RX71BB	16	OR	GXL	2039343C1	2039311C91	4460BM	E	1652325C1		
RX12BB	14	LTBL	GXL	3535486C1	2039311C91	4460BM	F	589391C1		
RX11-GBB	12	WH	GXL	2039313C1	2039311C91	4460BM	G	589390C1		
NK56BCA	16	YL	GXL	2033911C1	3553961C1	4460D	A	1652325C1		
NK57BCA	16	LTGN	GXL	2033911C1	3553961C1	4460D	B	1652325C1		
NK70BBA	14	RD	GXL	2033912C1	3553961C1	4460D	C	589391C1		
NK56BCA	16	YL	GXL	N/A	BLUNT_SL_V	4460E	A	N/A		
NK57BCA	16	LTGN	GXL	N/A	BLUNT_SL_V	4460E	A	N/A		
NK70BBA	14	RD	GXL	N/A	BLUNT_SL_V	4460E	A	N/A		
ND56BC	16	YL	GXL	2033819C1	1686834C1	4460M	A	1652325C1		
ND56BC	16	YL	GXL	2033819C1	1686834C1	4460M	A	1652325C1		
YW56BC	16	YL	TXL	2033819C1	1686834C1	4460M	A	1652325C1		
YZ56BC	16	YL	TXL	2033819C1	1686834C1	4460M	A	1652325C1		
ND57BC	16	LTGN	GXL	2033819C1	1686834C1	4460M	B	1652325C1		
ND57BC	16	LTGN	GXL	2033819C1	1686834C1	4460M	B	1652325C1		
YW57BC	16	LTGN	TXL	2033819C1	1686834C1	4460M	B	1652325C1		
YZ57BC	16	LTGN	TXL	2033819C1	1686834C1	4460M	B	1652325C1		
ND70BB	14	RD	GXL	2033816C1	1686834C1	4460M	C	589391C1		
ND70BB	14	RD	GXL	2033816C1	1686834C1	4460M	C	589391C1		
YZ70B	12	YL	TXL	2033816C1	1686834C1	4460M	C	589391C1		
SH44J	18	WH	GXL	1667742C1	3525874C1	4906C	A	1661872C1		
SH92C	18	TN	GXL	1667742C1	3525874C1	4906C	B	1661872C1		
SH92C	18	TN	GXL	1667742C1	3525874C1	4906C	D	1661872C1		
SH44J	18	WH	GXL	1667742C1	3525874C1	4906C	E	1661872C1		
AH77-G	18	WH	TXL	3863609C1		6304A	1	2644038R1		
GA17D	16	PK	GXL	3692844C1		6305M	1	2644038R1		
GA17D	16	PK	GXL	2036586C1	2036583C1	6316M	A	N/A		
GA17	16	PK	GXL	2036586C1	2036583C1	6316M	B	N/A		
AB6G	18	GY	TXL	2033819C1	1687789C1	6401M	A	3517771C1		
AF6G	18	GY	TXL	2033819C1	1687789C1	6401M	A	3517771C1		
KZ34	16	TN	GXL	2033819C1	1687789C1	6401M	B	1652325C1		
KZ34A	20	TN	TXL	2033819C1	1687789C1	6401M	C	3517771C1		
KZ9B	18	GY	TXL	2033819C1	1687789C1	6401M	D	3517771C1		
KZ34B	16	TN	GXL	2033819C1	1687789C1	6401M	E	1652325C1		
KZ34	16	TN	GXL	2033819C1	1671610C1	6401R	A	1652325C1		
KZ34B	16	TN	GXL	2033819C1	1671610C1	6401R	B	1652325C1		
FM9C	18	GY	GXL	1661875C1	3522068C1	6703A	A	1661872C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
FM28	18	TN	GXL	1661875C1	3522068C1	6703A	B	1661872C1		
YA41-GH	4	WH	SGX	2241330C1		6704A	1	3812582R1		
KS10-G6	10	WH	TXL	1687847C1	3551896C1	6704B	A	589390C1		
YA41-GF	10	WH	TXL	1687847C1	3551896C1	6704B	A	589390C1		
VJ10-G1	16	WH	GXL	2033819C1	3551896C1	6704B	B	1652325C1		
VJ10-G2	14	WH	150	2033816C1	3551896C1	6704B	C	1652325C1		
VJ10-G3	16	WH	GXL	2033819C1	3551896C1	6704B	D	1652325C1		
VJ10-G4	16	WH	GXL	2033819C1	3551896C1	6704B	E	1652325C1		
VJ10-G5	16	BK	TXL	2033819C1	3551896C1	6704B	F	1652325C1		
VK95DVL	20	TN	150	3613771C1	3573078C1	670A	1	N/A		
VK95DVH	20	TN	150	3613771C1	3573078C1	670A	2	N/A		
VK95BA	20	TN	150	3613771C1	3573078C1	670A	3	N/A		
VK95BC	20	TN	150	3613771C1	3573078C1	670A	4	N/A		
AB6D	18	TN	150	3613771C1	3573078C1	670A	5	N/A		
AF6D	18	TN	150	3613771C1	3573078C1	670A	5	N/A		
AH6D	18	TN	150	3613771C1	3573078C1	670A	5	N/A		
KP6D	18	TN	150	3613771C1	3573078C1	670A	5	N/A		
VG6D	18	TN	150	3613771C1	3573078C1	670A	5	N/A		
VX6D	18	TN	150	3613771C1	3573078C1	670A	5	N/A		
KT9	18	GY	150	3613771C1	3573078C1	670A	7	N/A		
KZ9	18	GY	150	3613771C1	3573078C1	670A	7	N/A		
VK95K	20	TN	150	3613771C1	3573078C1	670A	8	N/A		
VK5A(+)	18	YL	193	3613771C1	3573078C1	670A	9	N/A		
VK5A(-)	18	GN	193	3613771C1	3573078C1	670A	10	N/A		
VJ10-G2	14	WH	150	3613770C1	3573078C1	670A	11	N/A		
VJ13RA	12	PK	150	3612307C1	3573078C1	670A	12	N/A		
VJ5(+)	18	YL	193	3613771C1	3573078C1	670A	13	N/A		
VJ5(-)	18	GN	193	3613771C1	3573078C1	670A	14	N/A		
ZK94AA	16	GY	GXL	3679224C1	3678796C1	6925B	1	N/A		
ZK94AB	16	GY	GXL	3679224C1	3678796C1	6925B	2	N/A		
ZN94AA	16	GY	GXL	3679224C1	3678796C1	6925D	1	3601687C1		
ZN94AB	16	GY	GXL	3679224C1	3678796C1	6925D	2	3601687C1		
ZP94AA	16	GY	GXL	3679224C1	3678796C1	6925F	1	3601687C1		
ZP94AB	16	GY	GXL	3679224C1	3678796C1	6925F	2	3601687C1		
ZR94AA	16	GY	GXL	3679224C1	3678796C1	6925H	1	3601687C1		
ZR94AB	16	GY	GXL	3679224C1	3678796C1	6925H	2	3601687C1		
ZS94AA	16	GY	GXL	3679224C1	3678796C1	6925J	1	3601687C1		
ZS94AB	16	GY	GXL	3679224C1	3678796C1	6925J	2	3601687C1		
ZT94AA	16	GY	GXL	3679224C1	3678796C1	6925L	1	3601687C1		
ZT94AB	16	GY	GXL	3679224C1	3678796C1	6925L	2	3601687C1		
ML93	18	TN	GXL	1661208C1	1661198C1	7103M	A	N/A		
ML93	18	TN	GXL	1661208C1	1661198C1	7103M	A	N/A		
ML9TS	18	GY	TXL	1661208C1	1661198C1	7103M	C	N/A		
ML9TS	18	GY	TXL	1661208C1	1661198C1	7103M	C	N/A		
VH95	18	TN	GXL	3572625C1	3602747C1	7113A	1	N/A		
VH95	18	TN	GXL	3572625C1	3602747C1	7113A	1	N/A		
VH95-G	18	WH	GXL	3572625C1	3602747C1	7113A	2	N/A		
VH95-G	18	WH	GXL	3572625C1	3602747C1	7113A	2	N/A		
VE95	18	TN	GXL	3572625C1	3602747C1	7113B	1	N/A		
VE95	18	TN	GXL	3572625C1	3602747C1	7113B	1	N/A		
VE95-G	18	WH	GXL	3572625C1	3602747C1	7113B	2	N/A		
VE95-G	18	WH	GXL	3572625C1	3602747C1	7113B	2	N/A		
VK95	18	TN	GXL	3526966C1	3977821C1	7113C	1	N/A		
VK95	18	TN	GXL	3526966C1	3977821C1	7113C	1	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
VK95-G	18	WH	GXL	3526966C1	3977821C1	7113C	2	N/A		
VK95-G	18	WH	GXL	3526966C1	3977821C1	7113C	2	N/A		
VF95	18	TN	GXL	3572625C1	3602747C1	7113D	1	N/A		
VF95	18	TN	GXL	3572625C1	3602747C1	7113D	1	N/A		
VF95-G	18	WH	GXL	3572625C1	3602747C1	7113D	2	N/A		
VF95-G	18	WH	GXL	3572625C1	3602747C1	7113D	2	N/A		
VG95	18	TN	GXL	3572625C1	3602747C1	7113E	1	N/A		
VG95	18	TN	GXL	3572625C1	3602747C1	7113E	1	N/A		
VG95-G	18	WH	GXL	3572625C1	3602747C1	7113E	2	N/A		
VG95-G	18	WH	GXL	3572625C1	3602747C1	7113E	2	N/A		
VL95	18	TN	GXL	3526966C1	3977821C1	7113F	1	N/A		
VL95	18	TN	GXL	3526966C1	3977821C1	7113F	1	N/A		
VL95-G	18	WH	GXL	3526966C1	3977821C1	7113F	2	N/A		
VL95-G	18	WH	GXL	3526966C1	3977821C1	7113F	2	N/A		
VN95	18	TN	GXL	3526966C1	3977821C1	7113G	1	N/A	1661874C1	
VN95	16	TN	GXL	3526966C1	3977821C1	7113G	1	N/A		
VN95-G	18	WH	GXL	3526966C1	3977821C1	7113G	2	N/A		
VN95-G	16	WH	GXL	3526966C1	3977821C1	7113G	2	N/A		
VD95	18	TN	GXL	3526966C1	3977821C1	7113H	1	N/A		
VS95	18	TN	GXL	3526966C1	3977821C1	7113H	1	N/A		
VD95-G	18	WH	GXL	3526966C1	3977821C1	7113H	2	N/A		
VS95-G	18	WH	GXL	3526966C1	3977821C1	7113H	2	N/A		
VR95	18	TN	GXL	3561584C1	3590390C1	7113J	1	3536868C1	3515185C1	
VR95-G	18	WH	GXL	3561584C1	3590390C1	7113J	2	3536868C1	3525873C1	3525875C1
PK92C103	18	YL	TXL	1661875C1	3525872C1	7205F	A	3568570C1		
PN92B103	18	YL	TXL	1661875C1	3525872C1	7205F	A	3568570C1		
RS92C103	18	YL	TXL	1661875C1	3525872C1	7205F	A	3568570C1		
SN92B103	18	YL	TXL	1661875C1	3525872C1	7205F	A	3568570C1		
VV92B103	18	YL	TXL	1661875C1	3525872C1	7205F	A	3568570C1		
PN92B103	18	YL	TXL	1661875C1	3525872C1	7205F	A	3568570C1		
PR92B103	18	YL	TXL	1661875C1	3525872C1	7205F	A	3568570C1		
SN92B103	18	YL	TXL	1661875C1	3525872C1	7205F	A	3568570C1		
SR92B103	18	YL	TXL	1661875C1	3525872C1	7205F	A	3568570C1		
PK92#143	18	LTBL	TXL	1661875C1	3525872C1	7205F	B	3568570C1		
RS92#143	18	LTBL	TXL	1661875C1	3525872C1	7205F	B	3568570C1		
VU92#143	18	LTBL	TXL	1661875C1	3525872C1	7205F	B	3568570C1		
PK92#150	18	PK	TXL	1661875C1	3525872C1	7205F	C	3568570C1		
RS92#150	18	PK	TXL	1661875C1	3525872C1	7205F	C	3568570C1		
VU92#150	18	PK	TXL	1661875C1	3525872C1	7205F	C	3568570C1		
PK92#101	18	LTBL	TXL	1661875C1	3525872C1	7205F	E	3568570C1		
PM92#122	18	YL	TXL	1661875C1	3525872C1	7205F	E	3568570C1		
RS92#101	18	LTBL	TXL	1661875C1	3525872C1	7205F	E	3568570C1		
SM92#122	18	YL	TXL	1661875C1	3525872C1	7205F	E	3568570C1		
PM92#122	18	YL	TXL	1661875C1	3525872C1	7205F	E	3568570C1		
SM92#122	18	YL	TXL	1661875C1	3525872C1	7205F	E	3568570C1		
PG92A123	18	LTGN	TXL	1661875C1	3525872C1	7205F	F	3568570C1		
PM92#105	18	OR	TXL	1661875C1	3525872C1	7205F	F	3568570C1		
PU92A123	18	LTGN	TXL	1661875C1	3525872C1	7205F	F	3568570C1		
SM92#105	18	OR	TXL	1661875C1	3525872C1	7205F	F	3568570C1		
PM92#105	18	OR	TXL	1661875C1	3525872C1	7205F	F	3568570C1		
SM92#105	18	OR	TXL	1661875C1	3525872C1	7205F	F	3568570C1		
PG92A145	18	OR	TXL	1661875C1	3525872C1	7205F	G	3568570C1		
PM92#164	18	LTBL	TXL	1661875C1	3525872C1	7205F	G	3568570C1		
PU92A145	18	OR	TXL	1661875C1	3525872C1	7205F	G	3568570C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
SM92#164	18	LTBL	TXL	1661875C1	3525872C1	7205F	G	3568570C1		
PM92#164	18	LTBL	TXL	1661875C1	3525872C1	7205F	G	3568570C1		
SM92#164	18	LTBL	TXL	1661875C1	3525872C1	7205F	G	3568570C1		
PK92#105	18	OR	TXL	1661875C1	3525872C1	7205F	H	3568570C1		
PM92#162	18	YL	TXL	1661875C1	3525872C1	7205F	H	3568570C1		
RS92#105	18	OR	TXL	1661875C1	3525872C1	7205F	H	3568570C1		
SM92#162	18	YL	TXL	1661875C1	3525872C1	7205F	H	3568570C1		
VU92#105	18	OR	TXL	1661875C1	3525872C1	7205F	H	3568570C1		
PM92#162	18	YL	TXL	1661875C1	3525872C1	7205F	H	3568570C1		
SM92#162	18	YL	TXL	1661875C1	3525872C1	7205F	H	3568570C1		
PN92#101	18	LTBL	TXL	1667742C1	3525874C1	7206F	A	3568570C1		
SM92#101	18	LTBL	TXL	1667742C1	3525874C1	7206F	A	3568570C1		
VV92B101	18	LTBL	TXL	1667742C1	3525874C1	7206F	A	3568570C1		
PN92#101	18	LTBL	TXL	1667742C1	3525874C1	7206F	A	3568570C1		
PR92#101	18	LTBL	TXL	1667742C1	3525874C1	7206F	A	3568570C1		
SM92#101	18	LTBL	TXL	1667742C1	3525874C1	7206F	A	3568570C1		
RL92#117	18	LTBL	TXL	1667742C1	3525874C1	7206F	B	3568570C1		
TL92#117	18	LTBL	TXL	1667742C1	3525874C1	7206F	B	3568570C1		
RL92#117	18	LTBL	TXL	1667742C1	3525874C1	7206F	B	3568570C1		
TL92#117	18	LTBL	TXL	1667742C1	3525874C1	7206F	B	3568570C1		
PN92C103	18	YL	TXL	1667742C1	3525874C1	7206F	C	3568570C1		
SN92C103	18	YL	TXL	1667742C1	3525874C1	7206F	C	3568570C1		
VV92C103	18	YL	TXL	1667742C1	3525874C1	7206F	C	3568570C1		
PN92C103	18	YL	TXL	1667742C1	3525874C1	7206F	C	3568570C1		
PR92C103	18	YL	TXL	1667742C1	3525874C1	7206F	C	3568570C1		
SN92C103	18	YL	TXL	1667742C1	3525874C1	7206F	C	3568570C1		
SR92C103	18	YL	TXL	1667742C1	3525874C1	7206F	C	3568570C1		
PM92#143	18	LTBL	TXL	1667742C1	3525874C1	7206F	D	3568570C1		
SM92#143	18	LTBL	TXL	1667742C1	3525874C1	7206F	D	3568570C1		
PM92#143	18	LTBL	TXL	1667742C1	3525874C1	7206F	D	3568570C1		
SM92#143	18	LTBL	TXL	1667742C1	3525874C1	7206F	D	3568570C1		
RL92#142	18	WH	TXL	1667742C1	3525874C1	7206F	E	3568570C1		
TL92#142	18	WH	TXL	1667742C1	3525874C1	7206F	E	3568570C1		
RL92#142	18	WH	TXL	1667742C1	3525874C1	7206F	E	3568570C1		
TL92#142	18	WH	TXL	1667742C1	3525874C1	7206F	E	3568570C1		
RL92#145	18	OR	TXL	1667742C1	3525874C1	7206F	F	3568570C1		
TL92#145	18	OR	TXL	1667742C1	3525874C1	7206F	F	3568570C1		
RL92#145	18	OR	TXL	1667742C1	3525874C1	7206F	F	3568570C1		
TL92#145	18	OR	TXL	1667742C1	3525874C1	7206F	F	3568570C1		
PM92#130	18	YL	TXL	1667742C1	3525874C1	7206F	G	3568570C1		
SM92#130	18	WH	TXL	1667742C1	3525874C1	7206F	G	3568570C1		
PM92#130	18	YL	TXL	1667742C1	3525874C1	7206F	G	3568570C1		
SM92#130	18	WH	TXL	1667742C1	3525874C1	7206F	G	3568570C1		
PM92#123	18	LTGN	TXL	1667742C1	3525874C1	7206F	H	3568570C1		
SM92#123	18	LTGN	TXL	1667742C1	3525874C1	7206F	H	3568570C1		
PM92#123	18	LTGN	TXL	1667742C1	3525874C1	7206F	H	3568570C1		
SM92#123	18	LTGN	TXL	1667742C1	3525874C1	7206F	H	3568570C1		
KR99C	20	PL	TXL	3727971C1	3586750C1	7207F	1	N/A		
KR46A	20	GY	TXL	3727971C1	3586750C1	7207F	2	N/A		
KY46A	20	GY	TXL	3727971C1	3586750C1	7207F	2	N/A		
KR99F	20	PL	TXL	3727971C1	3586750C1	7207F	3	N/A		
KY97XG	20	GY	TXL	3727971C1	3586750C1	7207F	3	N/A		
KR46B	20	GY	TXL	3727971C1	3586750C1	7207F	4	N/A		
KY46B	20	GY	TXL	3727971C1	3586750C1	7207F	4	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
KR97AR	20	PL	TXL	3727971C1	3586750C1	7207F	5	N/A		
KY97AR	20	PL	TXL	3727971C1	3586750C1	7207F	5	N/A		
KR97XG	20	GY	TXL	3727971C1	3586750C1	7207F	6	N/A		
KY9B-G	20	GY	TXL	3727971C1	3586750C1	7207F	6	N/A		
AH6C	18	GY	TXL	3518963C1	3586750C1	7207F	7	N/A		
KF97XH	20	PL	TXL	3727971C1	3586750C1	7207F	7	N/A		
AB6C	18	GY	TXL	3518963C1	3586750C1	7207F	8	N/A		
KP6C	18	GY	TXL	3518963C1	3586750C1	7207F	8	N/A		
KY99A	20	PL	TXL	3727971C1	3586750C1	7207F	8	N/A		
KF46C	20	GY	TXL	3727971C1	3586750C1	7207F	9	N/A		
KY97XC	20	TN	TXL	3727971C1	3586750C1	7207F	9	N/A		
KR9B	20	GY	TXL	3727971C1	3586750C1	7207F	10	N/A		
KY99B	20	PL	TXL	3727971C1	3586750C1	7207F	10	N/A		
KR97XC	20	TN	TXL	3727971C1	3586750C1	7207F	11	N/A		
KY99C	20	PL	TXL	3727971C1	3586750C1	7207F	11	N/A		
KR99A	20	PL	TXL	3727971C1	3586750C1	7207F	12	N/A		
KY99F	20	PL	TXL	3727971C1	3586750C1	7207F	12	N/A		
KR46A	20	GY	TXL	3518963C1	3586750C1	7207M	2	N/A		
KR97XG	20	GY	TXL	3518963C1	3586750C1	7207M	3	N/A		
KR46B	20	GY	TXL	3518963C1	3586750C1	7207M	4	N/A		
KR97AR	20	PL	TXL	3518963C1	3586750C1	7207M	5	N/A		
KC9C	20	GY	TXL	3518963C1	3586750C1	7207M	6	N/A		
KP6D	18	TN	TXL	3518963C1	3586750C1	7207M	7	N/A		
KR99A	20	PL	TXL	3518963C1	3586750C1	7207M	8	N/A		
KR97XC	20	TN	TXL	3518963C1	3586750C1	7207M	9	N/A		
KR99B	20	PL	TXL	3518963C1	3586750C1	7207M	10	N/A		
KR99C	20	PL	TXL	3518963C1	3586750C1	7207M	11	N/A		
KR99F	20	PL	TXL	3518963C1	3586750C1	7207M	12	N/A		
VW99C	20	PL	TXL	3727971C1	3586750C1	7208F	1	N/A		
VW46A	20	GY	TXL	3727971C1	3586750C1	7208F	2	N/A		
VW99F	20	PL	TXL	3727971C1	3586750C1	7208F	3	N/A		
VW46B	20	GY	TXL	3727971C1	3586750C1	7208F	4	N/A		
VW97AR	20	PL	TXL	3727971C1	3586750C1	7208F	5	N/A		
VW97XG	20	GY	TXL	3727971C1	3586750C1	7208F	6	N/A		
VW97XH	20	PL	TXL	3727971C1	3586750C1	7208F	7	N/A		
VX6C	18	GY	TXL	3727971C1	3586750C1	7208F	8	N/A		
VW99B	20	GY	TXL	3727971C1	3586750C1	7208F	9	N/A		
VW9B-G	20	GY	TXL	3727971C1	3586750C1	7208F	10	N/A		
VW97XC	20	TN	TXL	3727971C1	3586750C1	7208F	11	N/A		
VW99A	20	PL	TXL	3727971C1	3586750C1	7208F	12	N/A		
PZ92#102	18	TN	TXL	1667742C1	3525874C1	7208M	A	3568570C1		
PZ92A	18	TN	TXL	1667742C1	3525874C1	7208M	B	3568570C1		
PZ92#114	18	TN	TXL	1667742C1	3525874C1	7208M	C	3568570C1		
PZ92#115	18	TN	TXL	1667742C1	3525874C1	7208M	D	3568570C1		
PZ92#116	18	TN	TXL	1667742C1	3525874C1	7208M	E	3568570C1		
VW99C	20	PL	TXL	3727971C1	3586750C1	7209M	1	N/A		
VW46A	20	GY	TXL	3727971C1	3586750C1	7209M	2	N/A		
VW99F	20	PL	TXL	3727971C1	3586750C1	7209M	3	N/A		
VW46B	20	GY	TXL	3727971C1	3586750C1	7209M	4	N/A		
VW97AR	20	PL	TXL	3727971C1	3586750C1	7209M	5	N/A		
VW97XG	20	GY	TXL	3727971C1	3586750C1	7209M	6	N/A		
VW97XH	20	PL	TXL	3727971C1	3586750C1	7209M	7	N/A		
VY6D	18	TN	TXL	3518963C1	3586750C1	7209M	8	N/A		
VW46C	20	GY	TXL	3727971C1	3586750C1	7209M	9	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
VX9C	20	GY	TXL	3727971C1	3586750C1	7209M	10	N/A		
VW97XC	20	TN	TXL	3727971C1	3586750C1	7209M	11	N/A		
VW99A	20	PL	TXL	3727971C1	3586750C1	7209M	12	N/A		
PW92#111	18	OR	TXL	3686945C1	3605715C1	7250M	1	N/A		
SW92#111	18	OR	TXL	3686945C1	3605715C1	7250M	1	N/A		
PW92#111	18	OR	150	3686945C1	3605715C1	7250M	1	N/A		
SW92#111	18	OR	150	3686945C1	3605715C1	7250M	1	N/A		
PW92#155	18	WH	TXL	3686945C1	3605715C1	7250M	2	N/A		
SW92#155	18	WH	TXL	3686945C1	3605715C1	7250M	2	N/A		
PW92#155	18	WH	150	3686945C1	3605715C1	7250M	2	N/A		
SW92#155	18	WH	150	3686945C1	3605715C1	7250M	2	N/A		
PW92#177	18	LTGN	TXL	3686945C1	3605715C1	7250M	3	N/A		
SW92#177	18	LTGN	TXL	3686945C1	3605715C1	7250M	3	N/A		
PW92#177	18	LTGN	150	3686945C1	3605715C1	7250M	3	N/A		
SW92#177	18	LTGN	150	3686945C1	3605715C1	7250M	3	N/A		
PW92#136	18	OR	TXL	3686945C1	3605715C1	7250M	4	N/A		
SW92#136	18	OR	TXL	3686945C1	3605715C1	7250M	4	N/A		
PW92#136	18	OR	150	3686945C1	3605715C1	7250M	4	N/A		
SW92#136	18	OR	150	3686945C1	3605715C1	7250M	4	N/A		
PW92#152	18	LTGN	TXL	3686945C1	3605715C1	7250M	5	N/A		
SW92#152	18	LTGN	TXL	3686945C1	3605715C1	7250M	5	N/A		
PW92#152	18	LTGN	150	3686945C1	3605715C1	7250M	5	N/A		
SW92#152	18	LTGN	150	3686945C1	3605715C1	7250M	5	N/A		
PW92#171	18	YL	TXL	3686945C1	3605715C1	7250M	6	N/A		
SW92#171	18	YL	TXL	3686945C1	3605715C1	7250M	6	N/A		
PW92#171	18	YL	150	3686945C1	3605715C1	7250M	6	N/A		
SW92#171	18	YL	150	3686945C1	3605715C1	7250M	6	N/A		
PW92#174	18	LTBL	TXL	3686945C1	3605715C1	7250M	8	N/A		
SW92#174	18	LTBL	TXL	3686945C1	3605715C1	7250M	8	N/A		
PW92#174	18	LTBL	150	3686945C1	3605715C1	7250M	8	N/A		
SW92#174	18	LTBL	150	3686945C1	3605715C1	7250M	8	N/A		
PW92#133	18	YL	TXL	3686945C1	3605715C1	7250M	9	N/A		
SW92#133	18	YL	TXL	3686945C1	3605715C1	7250M	9	N/A		
PW92#133	18	YL	150	3686945C1	3605715C1	7250M	9	N/A		
SW92#133	18	YL	150	3686945C1	3605715C1	7250M	9	N/A		
PW92#151	18	WH	TXL	3686945C1	3605715C1	7250M	10	N/A		
SW92#151	18	WH	TXL	3686945C1	3605715C1	7250M	10	N/A		
PW92#151	18	WH	150	3686945C1	3605715C1	7250M	10	N/A		
SW92#151	18	WH	150	3686945C1	3605715C1	7250M	10	N/A		
PT92#131	18	YL	TXL	3686945C1	3605715C1	7250M	11	N/A		
ST92#131	18	YL	TXL	3686945C1	3605715C1	7250M	11	N/A		
PR92B131	18	YL	150	3686945C1	3605715C1	7250M	11	N/A		
PT92#131	18	YL	150	3686945C1	3605715C1	7250M	11	N/A		
SR92B131	18	YL	150	3686945C1	3605715C1	7250M	11	N/A		
ST92#131	18	YL	150	3686945C1	3605715C1	7250M	11	N/A		
PW92#137	18	WH	TXL	3686945C1	3605715C1	7250M	12	N/A		
SW92#137	18	WH	TXL	3686945C1	3605715C1	7250M	12	N/A		
PW92#137	18	WH	150	3686945C1	3605715C1	7250M	12	N/A		
SW92#137	18	WH	150	3686945C1	3605715C1	7250M	12	N/A		
PW92#180	18	OR	TXL	3686945C1	3605715C1	7250M	13	N/A		
SW92#180	18	OR	TXL	3686945C1	3605715C1	7250M	13	N/A		
PB92#180	18	OR	150	3686945C1	3605715C1	7250M	13	N/A		
SA92#180	18	OR	150	3686945C1	3605715C1	7250M	13	N/A		
PW92A120	18	LTBL	TXL	3686945C1	3605715C1	7250M	14	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
SW92A120	18	LTBL	TXL	3686945C1	3605715C1	7250M	14	N/A		
PB92A120	18	LTBL	150	3686945C1	3605715C1	7250M	14	N/A		
SA92A120	18	LTBL	150	3686945C1	3605715C1	7250M	14	N/A		
PW92#116	18	LTBL	TXL	3686945C1	3605715C1	7250M	15	N/A		
SW92#116	18	LTBL	TXL	3686945C1	3605715C1	7250M	15	N/A		
PW92#116	18	LTBL	150	3686945C1	3605715C1	7250M	15	N/A		
SW92#116	18	LTBL	150	3686945C1	3605715C1	7250M	15	N/A		
PT92A112	18	PK	TXL	3686945C1	3605715C1	7250M	16	N/A		
ST92A112	18	PK	TXL	3686945C1	3605715C1	7250M	16	N/A		
PR92C112	18	PK	150	3686945C1	3605715C1	7250M	16	N/A		
PT92A112	18	PK	150	3686945C1	3605715C1	7250M	16	N/A		
SR92C112	18	PK	150	3686945C1	3605715C1	7250M	16	N/A		
ST92A112	18	PK	150	3686945C1	3605715C1	7250M	16	N/A		
PW92#118	18	GY	TXL	3686945C1	3605715C1	7250M	17	N/A		
SW92#118	18	GY	TXL	3686945C1	3605715C1	7250M	17	N/A		
PW92#118	18	GY	150	3686945C1	3605715C1	7250M	17	N/A		
SW92#118	18	GY	150	3686945C1	3605715C1	7250M	17	N/A		
PW31#154	18	TN	TXL	3686945C1	3605715C1	7250M	18	N/A		
SW31#154	18	TN	TXL	3686945C1	3605715C1	7250M	18	N/A		
PW31#154	18	TN	150	3686945C1	3605715C1	7250M	18	N/A		
SW31#154	18	TN	150	3686945C1	3605715C1	7250M	18	N/A		
PT92#158	18	LTGN	TXL	3686945C1	3605715C1	7250M	19	N/A		
ST92#158	18	LTGN	TXL	3686945C1	3605715C1	7250M	19	N/A		
PR92B158	18	LTGN	150	3686945C1	3605715C1	7250M	19	N/A		
PT92#158	18	LTGN	150	3686945C1	3605715C1	7250M	19	N/A		
SR92B158	18	LTGN	150	3686945C1	3605715C1	7250M	19	N/A		
ST92#158	18	LTGN	150	3686945C1	3605715C1	7250M	19	N/A		
PW92#176	18	YL	TXL	3686945C1	3605715C1	7250M	20	N/A		
SW92#176	18	YL	TXL	3686945C1	3605715C1	7250M	20	N/A		
PW92#176	18	YL	150	3686945C1	3605715C1	7250M	20	N/A		
SW92#176	18	YL	150	3686945C1	3605715C1	7250M	20	N/A		
MJ71A	18	OR	150	3758251C1	1661778C1	7500M	A	3568570C1		
MJ71A	18	OR	150	3594831C1	1661778C1	7500M	A	3568570C1		
MJ71B	18	TN	150	3758251C1	1661778C1	7500M	B	3568570C1		
MJ71B	18	TN	150	3594831C1	1661778C1	7500M	B	3568570C1		
KH71	16	OR	TXL	3594831C1	1661778C1	7500W	A	1661872C1		
KH71A	16	OR	TXL	3594831C1	1661778C1	7500W	B	1661872C1		
PH92#160	18	YL	TXL	3554322C1	3610533C1	7600M	A	3554318C1		
PV92#160	18	YL	TXL	3554322C1	3610533C1	7600M	A	3554318C1		
PH92#140	18	LTGN	TXL	3554322C1	3610533C1	7600M	B	3554318C1		
PV92#140	18	LTGN	TXL	3554322C1	3610533C1	7600M	B	3554318C1		
PW48#159	18	TN	150	3554322C1	3610533C1	7603M	A	3554318C1		
SW48#159	18	TN	150	3554322C1	3610533C1	7603M	A	3554318C1		
PB48#159	18	TN	150	3554322C1	3610533C1	7603M	A	3554318C1		
SA48#159	18	TN	150	3554322C1	3610533C1	7603M	A	3554318C1		
PW48#139	18	OR	150	3554322C1	3610533C1	7603M	B	3554318C1		
SW48#139	18	OR	150	3554322C1	3610533C1	7603M	B	3554318C1		
PB48#139	18	OR	150	3554322C1	3610533C1	7603M	B	3554318C1		
SA48#139	18	OR	150	3554322C1	3610533C1	7603M	B	3554318C1		
PH92#159	18	TN	TXL	3554322C1	3594124C91	7604M	A	3554318C1		
PV92#159	18	TN	TXL	3554322C1	3594124C91	7604M	A	3554318C1		
PH92#139	18	OR	TXL	3554322C1	3594124C91	7604M	B	3554318C1		
PV92#139	18	OR	TXL	3554322C1	3594124C91	7604M	B	3554318C1		
PW47#160	18	YL	150	3554322C1	3610533C1	7605M	A	3554318C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
SW47#160	18	YL	150	3554322C1	3610533C1	7605M	A	3554318C1		
PW47#160	18	YL	TXL	3554322C1	3610533C1	7605M	A	3554318C1		
SW47#160	18	YL	TXL	3554322C1	3610533C1	7605M	A	3554318C1		
PW47#140	18	LTGN	150	3554322C1	3610533C1	7605M	B	3554318C1		
SW47#140	18	LTGN	150	3554322C1	3610533C1	7605M	B	3554318C1		
PW47#140	18	LTGN	TXL	3554322C1	3610533C1	7605M	B	3554318C1		
SW47#140	18	LTGN	TXL	3554322C1	3610533C1	7605M	B	3554318C1		
PH92#180	18	OR	TXL	3554322C1	3594124C91	7607M	A	3554318C1		
PV92#180	18	OR	TXL	3554322C1	3594124C91	7607M	A	3554318C1		
PH92#120	18	LTBL	TXL	3554322C1	3594124C91	7607M	B	3554318C1		
PV92#120	18	LTBL	TXL	3554322C1	3594124C91	7607M	B	3554318C1		
KJ31	18	TN	TXL	3536865C1	3536864C1	7700A	1	3536867C1		
KJ31R	18	GY	GXL	3536865C1	3536864C1	7700A	2	3536868C1		
KG31	18	TN	TXL	3536865C1	3536864C1	7700L	1	3536867C1		
KG31R	18	GY	GXL	3536865C1	3536864C1	7700L	2	3536868C1		
CA31B	18	TN	150	3536865C1	3536864C1	7700M	1	3536867C1		
CA9T	18	GY	150	3536865C1	3536864C1	7700M	2	3536867C1		
KW5B(+)	18	YL	TXL	3683464C1	3683465C1	7801A	A	3535424C1		
KW5B(+)	18	YL	TXL	3683464C1	3683465C1	7801A	A	3535424C1		
KW5B(-)	18	GN	TXL	3683464C1	3683465C1	7801A	B	3535424C1		
KW5B(-)	18	GN	TXL	3683464C1	3683465C1	7801A	B	3535424C1		
NC5F(+)	18	YL	TXL	3683464C1	3683465C1	7801B	A	3535424C1		
PB5D(+)	18	YL	TXL	3683464C1	3683465C1	7801B	A	3535424C1		
PC5D(+)	18	YL	TXL	3683464C1	3683465C1	7801B	A	3535424C1		
PS5C(+)	18	YL	TXL	3683464C1	3683465C1	7801B	A	3535424C1		
RT5D(+)	18	YL	TXL	3683464C1	3683465C1	7801B	A	3535424C1		
NC5F(-)	18	GN	TXL	3683464C1	3683465C1	7801B	B	3535424C1		
PB5D(-)	18	GN	TXL	3683464C1	3683465C1	7801B	B	3535424C1		
PC5D(-)	18	GN	TXL	3683464C1	3683465C1	7801B	B	3535424C1		
PS5C(-)	18	GN	TXL	3683464C1	3683465C1	7801B	B	3535424C1		
RT5D(-)	18	GN	TXL	3683464C1	3683465C1	7801B	B	3535424C1		
SB5D(+)	18	YL	TXL	3683464C1	3683465C1	7801M	A	3535424C1		
KX5B(+)	18	YL	TXL	3683464C1	3683465C1	7801M	A	3535424C1		
PC5A(+)	18	YL	TXL	3683464C1	3683465C1	7801M	A	3535424C1		
SB5C(+)	18	YL	TXL	3683464C1	3683465C1	7801M	A	3535424C1		
SB5D(-)	18	GN	TXL	3683464C1	3683465C1	7801M	B	3535424C1		
KX5B(-)	18	GN	TXL	3683464C1	3683465C1	7801M	B	3535424C1		
PC5A(-)	18	GN	TXL	3683464C1	3683465C1	7801M	B	3535424C1		
SB5C(-)	18	GN	TXL	3683464C1	3683465C1	7801M	B	3535424C1		
UB92#134A	18	TN	TXL	3544884C1	4064551C1	7900F	B	N/A		
UK92C	18	TN	TXL	3544884C1	4064551C1	7900F	B	N/A		
UE92	18	TN	TXL	3544884C1	4064551C1	7900F	C	N/A		
UE92AA	18	GY	TXL	3544884C1	4064551C1	7900F	D	N/A		
9B5J(+)	18	YL	TXL	3544884C1	4064551C1	7900F	E	N/A		
9M5J(+)	18	YL	TXL	3544884C1	4064551C1	7900F	E	N/A		
9N5J(+)	18	YL	TXL	3544884C1	4064551C1	7900F	E	N/A		
GG5J(+)	18	YL	TXL	3544884C1	4064551C1	7900F	E	N/A		
GJ5J(+)	18	YL	TXL	3544884C1	4064551C1	7900F	E	N/A		
GL5J(+)	18	YL	TXL	3544884C1	4064551C1	7900F	E	N/A		
GN5J(+)	18	YL	TXL	3544884C1	4064551C1	7900F	E	N/A		
GP5J(+)	18	YL	TXL	3544884C1	4064551C1	7900F	E	N/A		
GT5J(+)	18	YL	TXL	3544884C1	4064551C1	7900F	E	N/A		
9B5J(-)	18	GN	TXL	3544884C1	4064551C1	7900F	F	N/A		
9M5J(-)	18	GN	TXL	3544884C1	4064551C1	7900F	F	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
9N5J(-)	18	GN	TXL	3544884C1	4064551C1	7900F	F	N/A		
GG5J(-)	18	GN	TXL	3544884C1	4064551C1	7900F	F	N/A		
GJ5J(-)	18	GN	TXL	3544884C1	4064551C1	7900F	F	N/A		
GL5J(-)	18	GN	TXL	3544884C1	4064551C1	7900F	F	N/A		
GN5J(-)	18	GN	TXL	3544884C1	4064551C1	7900F	F	N/A		
GP5J(-)	18	GN	TXL	3544884C1	4064551C1	7900F	F	N/A		
GT5J(-)	18	GN	TXL	3544884C1	4064551C1	7900F	F	N/A		
UC92DC	18	TN	TXL	3544884C1	4064551C1	7900F	G	N/A		
UC92-GAH	18	WH	TXL	3544884C1	4064551C1	7900F	H	N/A		
BD92#134	18	TN	TXL	3544886C1	4064552C1	7900M	B	N/A		
BD92	18	TN	TXL	3544886C1	4064552C1	7900M	C	N/A		
BD9ZA	18	GY	TXL	3544886C1	4064552C1	7900M	D	N/A		
BD5FA(+)	18	YL	TXL	3544886C1	4064552C1	7900M	E	N/A		
BD5FA(-)	18	GN	TXL	3544886C1	4064552C1	7900M	F	N/A		
BD62DC	18	DKBL	TXL	3544886C1	4064552C1	7900M	G	N/A		
BD92-GAH	18	WH	TXL	3544886C1	4064552C1	7900M	H	N/A		
MV52D	14	YL	GXL	2033816C1	1661375C2	8000A	A	589391C1		
RA11-GA	14	WH	GXL	2033816C1	1661375C2	8000A	B	589391C1		
RB11-GA	14	WH	GXL	2033816C1	1661375C2	8000A	B	589391C1		
MV53B	14	YL	GXL	2033816C1	1661375C2	8000A	C	589391C1		
MV57B	16	OR	TXL	2033819C1	1661375C2	8000A	D	1652325C1		
MV54D	14	BN	GXL	2033816C1	1661375C2	8000A	E	589391C1		
SM64B	16	YL	TXL	4080004C1	6131286C1	8200A	1	4080000C1		
SM64-GB	16	WH	TXL	4080004C1	6131286C1	8200A	2	4080000C1		
MX64B	16	YL	GXL	587577C1	587567C91	8200A	A	1652325C1		
MX64-GB	16	WH	GXL	587577C1	587567C91	8200A	B	1652325C1		
TC64B	16	YL	TXL	4080004C1	6131286C1	8200C	1	4080000C1		
TC64-GB	16	WH	TXL	4080004C1	6131286C1	8200C	2	4080000C1		
TD64B	16	YL	TXL	4080004C1	6131286C1	8200D	1	4080000C1		
TD64-GB	16	WH	TXL	4080004C1	6131286C1	8200D	2	4080000C1		
TE64A	16	YL	TXL	4080004C1	6131286C1	8201A	1	4080000C1		
SM64A	16	YL	TXL	4080004C1	6131286C1	8201A	1	4080000C1		
TE64-GA	16	WH	TXL	4080004C1	6131286C1	8201A	2	4080000C1		
SM64-GA	16	WH	TXL	4080004C1	6131286C1	8201A	2	4080000C1		
ME94C	18	GY	GXL	1680205C1	3757487C1	8502A	1	N/A		
ME94C	18	GY	GXL	3757932C1	3757487C1	8502A	1	N/A		
ME94D	18	GY	GXL	1680205C1	3757487C1	8502A	2	N/A		
ME94D	18	GY	GXL	3757932C1	3757487C1	8502A	2	N/A		
ME94E	18	GY	GXL	1680205C1	3757487C1	8503A	1	N/A		
ME94E	18	GY	GXL	3757932C1	3757487C1	8503A	1	N/A		
ME94F	18	GY	GXL	1680205C1	3757487C1	8503A	2	N/A		
ME94F	18	GY	GXL	3572625C1	3757487C1	8503A	2	N/A		
NE94AC	18	GY	TXL	6111842C1	6111844C1	8506A	1	6111843C1		
MH94AC	18	GY	TXL	6111842C1	6111844C1	8506A	1	6111843C1		
NE94AD	18	GY	TXL	6111842C1	6111844C1	8506A	2	6111843C1		
MH94AD	18	GY	TXL	6111842C1	6111844C1	8506A	2	6111843C1		
NE94AE	18	GY	TXL	6111842C1	6111844C1	8507A	1	6111843C1		
MH94AE	18	GY	TXL	6111842C1	6111844C1	8507A	1	6111843C1		
NE94AF	18	GY	TXL	6111842C1	6111844C1	8507A	2	6111843C1		
MH94AF	18	GY	TXL	6111842C1	6111844C1	8507A	2	6111843C1		
NE94AL	14	GY	TXL	3679224C1	3919376C1	8508A	1	3601687C1		
MH94AL	14	GY	TXL	3679224C1	3919376C1	8508A	1	3601687C1		
NE94AA	14	GY	TXL	3679224C1	3919376C1	8508A	2	3601687C1		
MH94AA	14	GY	TXL	3679224C1	3919376C1	8508A	2	3601687C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
NE94AB	14	GY	TXL	3679224C1	3919376C1	8508A	3	3601687C1		
MH94AB	14	GY	TXL	3679224C1	3919376C1	8508A	3	3601687C1		
NE94AH	14	GY	TXL	3679224C1	3919376C1	8509A	1	3601687C1	1661263C1	
MH94AK	14	GY	TXL	3679224C1	3919376C1	8509A	1	3601687C1		
NE94AJ	14	GY	TXL	3679224C1	3919376C1	8509A	2	3601687C1	1661376C1	
MH94AJ	14	GY	TXL	3679224C1	3919376C1	8509A	2	3601687C1		
NE94AK	14	GY	TXL	3679224C1	3919376C1	8509A	3	3601687C1	1661890C1	
MH94AH	14	GY	TXL	3679224C1	3919376C1	8509A	3	3601687C1		
KB01DAL	10	BK	TXL	3517818C1	6099041C1	8884A	1	N/A		
VQ04DAL	14	RD	TXL	2034788C1	6099041C1	8884A	4	N/A		
KB05DAL	12	WH	GXL	2034788C1	6099041C1	8884A	5	N/A		
KB06DAL	12	RD	TXL	3841697C1	6099041C1	8884A	6	N/A		
KB07DAL	12	GY	TXL	3841697C1	6099041C1	8884A	7	N/A		
KB08DAL	12	DKBL	GXL	3841697C1	6099041C1	8884A	8	N/A		
KB09DAL	14	WH	TXL	2034788C1	6099041C1	8884A	9	N/A		
KB10DAL	14	WH	TXL	2034788C1	6099041C1	8884A	10	N/A		
KB11DAL	14	WH	TXL	2034788C1	6099041C1	8884A	11	N/A		
KB5AL(+)	18	YL	TXL	3754236C1	6099041C1	8884A	12	N/A		
KB5AL(-)	18	GN	TXL	3754236C1	6099041C1	8884A	13	N/A		
KB14DAL	14	WH	TXL	2034788C1	6099041C1	8884A	14	N/A		
KB15DAL	14	WH	TXL	2034788C1	6099041C1	8884A	15	N/A		
DD13A	14	GY	TXL	500397C1	6099045C1	8884B	1	N/A		
DH13	14	GY	TXL	500397C1	6099045C1	8884B	1	N/A		
DD13FAL	14	BN	GXL	500397C1	6099045C1	8884B	2	N/A		
DH13A	14	GY	TXL	500397C1	6099045C1	8884B	2	N/A		
EK149	14	GY	TXL	500397C1	6099045C1	8884B	3	N/A		
EK149A	14	GY	TXL	500397C1	6099045C1	8884B	4	N/A		
KB5EAL	18	LTGN	TXL	3754236C1	6099045C1	8884B	5	N/A		
KB6EAL	18	BK	TXL	3754236C1	6099045C1	8884B	6	N/A		
KB07EAL	18	GY	TXL	3754236C1	6099045C1	8884B	7	N/A		
KB08EAL	18	VT	TXL	3754236C1	6099045C1	8884B	8	N/A		
KB09EAL	18	YL	TXL	3754236C1	6099045C1	8884B	9	N/A		
KB10EAL	18	YL	TXL	3754236C1	6099045C1	8884B	10	N/A		
KB11EAL	18	OR	TXL	3754236C1	6099045C1	8884B	11	N/A		
KB12EAL	18	OR	TXL	3754236C1	6099045C1	8884B	12	N/A		
KB13EAL	18	PK	TXL	3754236C1	6099045C1	8884B	13	N/A		
KB14EAL	18	BK	TXL	3754236C1	6099045C1	8884B	14	N/A		
KB15EAL	18	LTGN	TXL	3754236C1	6099045C1	8884B	15	N/A		
KB16EAL	18	DKBL	TXL	3754236C1	6099045C1	8884B	16	N/A		
KB17EAL	18	VT	TXL	3754236C1	6099045C1	8884B	17	N/A		
KB18EAL	18	RD	TXL	3518961C1	6099045C1	8884B	18	N/A		
KB19EAL	18	TN	TXL	3754236C1	6099045C1	8884B	19	N/A		
KB20EAL	18	LTGN	TXL	3518961C1	6099045C1	8884B	20	N/A		
LD149AB	18	GY	TXL	3754236C1	6099045C1	8884B	21	N/A		
LE149AB	18	GY	TXL	3754236C1	6099045C1	8884B	21	N/A		
KB22EAL	18	WH	TXL	3754236C1	6099045C1	8884B	22	N/A		
KB23EAL	18	RD	TXL	3518961C1	6099045C1	8884B	23	N/A		
WE24EAL	18	BK	TXL	3518961C1	6099045C1	8884B	24	N/A		
XX24EAL	18	BN	TXL	3518961C1	6099045C1	8884B	24	N/A		
KB25EAL	18	WH	TXL	3754236C1	6099045C1	8884B	25	N/A		
KB26EAL	18	RD	TXL	3754236C1	6099045C1	8884B	26	N/A		
KB27EAL	18	BN	TXL	3518961C1	6099045C1	8884B	27	N/A		
KB28EAL	18	BN	TXL	3754236C1	6099045C1	8884B	28	N/A		
KB29EAL	18	BN	TXL	3518961C1	6099045C1	8884B	29	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
KB62EAL	18	BK	TXL	3757932C1	6099042C1	8884C	A	N/A		
KB22EAL	18	WH	TXL	3757932C1	6099042C1	8884C	B	N/A		
KB23EAL	18	RD	TXL	3757932C1	6099042C1	8884C	C	N/A		
KB27EAL	18	BN	TXL	3757932C1	6099042C1	8884C	D	N/A		
KB29EAL	18	BN	TXL	3757932C1	6099042C1	8884C	E	N/A		
KB16EAL	18	DKBL	TXL	3757932C1	6099042C1	8884C	F	N/A		
KB15EAL	18	LTGN	TXL	3757932C1	6099042C1	8884C	G	N/A		
KB14EAL	18	BK	TXL	3757932C1	6099042C1	8884C	H	N/A		
KB13EAL	18	PK	TXL	3757932C1	6099042C1	8884C	J	N/A		
KB12EAL	18	OR	TXL	3757932C1	6099042C1	8884C	K	N/A		
KB11EAL	18	OR	TXL	3757932C1	6099042C1	8884C	L	N/A		
KB10EAL	18	YL	TXL	3757932C1	6099042C1	8884C	M	N/A		
KB09EAL	18	YL	TXL	3757932C1	6099042C1	8884C	N	N/A		
KB08EAL	18	VT	TXL	3757932C1	6099042C1	8884C	O	N/A		
KB07EAL	18	GY	TXL	3757932C1	6099042C1	8884C	P	N/A		
KB6EAL	18	BK	TXL	3757932C1	6099042C1	8884C	Q	N/A		
KB5EAL	18	LTGN	TXL	3757932C1	6099042C1	8884C	R	N/A		
KB20EAL	18	LTGN	TXL	3757932C1	6099042C1	8884C	S	N/A		
KB19EAL	18	TN	TXL	3757932C1	6099042C1	8884C	T	N/A		
KB18EAL	18	RD	TXL	3757932C1	6099042C1	8884C	U	N/A		
KB17EAL	18	VT	TXL	3757932C1	6099042C1	8884C	V	N/A		
KB26EAL	18	RD	TXL	3757932C1	6099042C1	8884C	W	N/A		
KB5CCB(+)	18	YL	TXL	3754236C1	3602454C1	8884D	A	N/A		
KB5CCB(-)	18	GN	TXL	3754236C1	3602454C1	8884D	B	N/A		
KB01DAL	10	BK	TXL	3841698C1	4095571C1	8884E	1	N/A		
KB08DAL	12	DKBL	GXL	3841697C1	4095571C1	8884E	2	N/A		
VQ042DAL	12	OR	GXL	3841697C1	4095571C1	8884E	3	N/A		
KB05DAL	12	WH	GXL	3841697C1	4095571C1	8884E	4	N/A		
KB15DAL	14	WH	TXL	2034787C1	3754532C1	8884F	3	N/A		
KB25EAL	18	WH	TXL	3757932C1	3754532C1	8884F	4	N/A		
KB28EAL	18	BN	TXL	3757932C1	3754532C1	8884F	5	N/A		
KB06DAL	12	RD	TXL	500398C1	3754532C1	8884F	8	N/A		
KB07DAL	12	GY	TXL	500398C1	3754532C1	8884F	10	N/A		
KB09DAL	14	WH	TXL	500398C1	3754532C1	8884F	12	N/A		
KB10DAL	14	WH	TXL	500398C1	3754532C1	8884F	14	N/A		
KB11DAL	14	WH	TXL	500398C1	3754532C1	8884F	16	N/A		
KB14DAL	14	WH	TXL	500398C1	3754532C1	8884F	18	N/A		
KB5CCC(+)	18	YL	TXL	3754236C1	3602454C1	8884G	A	N/A		
KB5CCC(-)	18	GN	TXL	3754236C1	3602454C1	8884G	B	N/A		
KB62D1	18	BK	TXL	3754236C1	6099043C1	8884M	A	N/A		
KB22D2	18	WH	TXL	3754236C1	6099043C1	8884M	B	N/A		
KB23D3	18	RD	TXL	3754236C1	6099043C1	8884M	C	N/A		
KB27D4	18	BN	TXL	3754236C1	6099043C1	8884M	D	N/A		
KB29D5	18	BN	TXL	3754236C1	6099043C1	8884M	E	N/A		
KB16D6	18	DKBL	TXL	3754236C1	6099043C1	8884M	F	N/A		
KB15D7	18	LTGN	TXL	3754236C1	6099043C1	8884M	G	N/A		
KB14D8	18	BK	TXL	3754236C1	6099043C1	8884M	H	N/A		
KB13D9	18	PK	TXL	3754236C1	6099043C1	8884M	J	N/A		
KB12D10	18	OR	TXL	3754236C1	6099043C1	8884M	K	N/A		
KB11D11	18	OR	TXL	3754236C1	6099043C1	8884M	L	N/A		
KB10D12	18	YL	TXL	3754236C1	6099043C1	8884M	M	N/A		
KB09D13	18	YL	TXL	3754236C1	6099043C1	8884M	N	N/A		
KB08D14	18	VT	TXL	3754236C1	6099043C1	8884M	O	N/A		
KB07D15	18	GY	TXL	3754236C1	6099043C1	8884M	P	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
KB6D16	18	BK	TXL	3754236C1	6099043C1	8884M	Q	N/A		
KB5D17	18	LTGN	TXL	3754236C1	6099043C1	8884M	R	N/A		
KB20D18	18	LTGN	TXL	3754236C1	6099043C1	8884M	S	N/A		
KB19D19	18	TN	TXL	3754236C1	6099043C1	8884M	T	N/A		
KB18D20	18	RD	TXL	3754236C1	6099043C1	8884M	U	N/A		
KB17D21	18	VT	TXL	3754236C1	6099043C1	8884M	V	N/A		
KB26D22	18	RD	TXL	3754236C1	6099043C1	8884M	W	N/A		
AL9AL	18	GY	GXL	3626031C1	3838727C1	8885A	2	N/A		
AL8AL	18	GY	GXL	3626031C1	3838727C1	8885A	4	N/A		
AL21AL	18	GY	GXL	3626031C1	3838727C1	8885A	5	N/A		
AL7AL	18	GY	GXL	3626031C1	3838727C1	8885A	6	N/A		
AL6AL	18	GY	GXL	3626031C1	3838727C1	8885A	7	N/A		
AL5AL	18	GY	GXL	3626031C1	3838727C1	8885A	8	N/A		
AL23AL	18	GY	TXL	3626031C1	3838727C1	8885A	9	N/A		
AL20AL	18	GY	TXL	3626031C1	3838727C1	8885A	11	N/A		
AL24AL	18	GY	TXL	3626031C1	3838727C1	8885A	12	N/A		
NR39A	18	GY	GXL	2033819C1	1671610C1	9002C	A	1652325C1		
NR39-GF	18	WH	GXL	2033819C1	1671610C1	9002C	B	1652325C1		
PK39A	18	GY	GXL	2033819C1	1671610C1	9003A	A	1652325C1		
PK39-GF	18	WH	GXL	2033819C1	1671610C1	9003A	B	1652325C1	2039342C1	
PG39A	18	GY	GXL	2033819C1	1671610C1	9003K	A	1652325C1		
PG39-GF	18	WH	GXL	2033819C1	1671610C1	9003K	B	1652325C1		
TC39A	18	GY	GXL	2033819C1	1671610C1	9003L	A	1652325C1		
TC39-GF	18	WH	GXL	2033819C1	1671610C1	9003L	B	1652325C1		
DC36B	18	TN	GXL	1661875C1	1661778C1	9100A	A	1661872C1	3540454C1	3551897C1
DC9A	18	GY	GXL	1661875C1	1661778C1	9100A	B	1661872C1	3558056C1	
RF36A	18	TN	GXL	1661875C1	1661778C1	9101A	A	1661872C1		
RF36A	18	TN	GXL	1661875C1	1661778C1	9101A	A	1661872C1		
RF9B	18	GY	GXL	1661875C1	1661778C1	9101A	B	1661872C1		
RF9B	18	GY	GXL	1661875C1	1661778C1	9101A	B	1661872C1		
PN19	16	GY	GXL	587577C1	587567C91	9108B	A	1652325C1		
PN19-G	16	WH	TXL	587577C1	587567C91	9108B	B	1652325C1		
PX19	16	GY	GXL	587577C1	587567C91	9108C	A	1652325C1		
PX19-G	16	WH	TXL	587577C1	587567C91	9108C	B	1652325C1		
RA14-G	12	WH	TXL	2033912C1	1669834C1	9263F	A	589391C1		
RA14A	12	RD	TXL	2033816C1	1664531C1	9264M	A	589391C1		
RA14A	12	RD	TXL	2033816C1	1664531C1	9264M	A	589391C1		
RB71	14	OR	GXL	2033816C1	1661375C2	9303A	A	589391C1		
RB56	14	OR	GXL	2033816C1	1661375C2	9303A	B	589391C1		
RB57	14	OR	GXL	2033816C1	1661375C2	9303A	C	589391C1		
RB68	14	BN	GXL	2033816C1	1661375C2	9303A	D	589391C1		
RB10-G	12	WH	TXL	2033816C1	1661375C2	9303A	E	589391C1		
AF71	14	OR	GXL	587574C91	587574C91	9303D	A	589391C1		
AF56	14	OR	GXL	587575C1	587574C91	9303D	B	589391C1		
AF57	14	OR	GXL	587575C1	587574C91	9303D	C	589391C1		
AF68	14	BN	GXL	587575C1	587574C91	9303D	D	589391C1		
AF70	14	OR	GXL	587575C1	587574C91	9303D	E	589391C1		
AF11-GTL	12	WH	TXL	1673747C1	587574C91	9303D	F	589391C1		
AD94P	16	GY	GXL	1680205C1	3539777C1	9501A	1	N/A		
AD94Q	16	GY	GXL	1680205C1	3539777C1	9501A	2	N/A		
AE94LA	16	GY	GXL	2033819C1	1686834C1	9502A	A	1652325C1		
AE94LB	16	GY	GXL	2033819C1	1686834C1	9502A	B	1652325C1		
AE94LC	16	GY	GXL	2033819C1	1686834C1	9502A	C	1652325C1		
AD94R	16	GY	GXL	1680205C1	3539777C1	9503A	1	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
AD94S	16	GY	GXL	1680205C1	3539777C1	9503A	2	N/A		
AE94RJ	16	GY	GXL	2033819C1	1686834C1	9504A	A	1652325C1		
AE94RK	16	GY	GXL	2033819C1	1686834C1	9504A	B	1652325C1		
AE94RL	16	GY	GXL	2033819C1	1686834C1	9504A	C	1652325C1		
TC94SZC	16	GY	TXL	1651943C1	1678137C1	9510A	A	UNDEF		
TC94SVC	16	GY	TXL	1651943C1	1678137C1	9510A	B	UNDEF		
TC94SH	16	GY	TXL	1651943C1	1678137C1	9510A	C	UNDEF		
TD94SZC	16	GY	TXL	1651943C1	1678137C1	9510B	A	UNDEF		
TD94SVC	16	GY	TXL	1651943C1	1678137C1	9510B	B	UNDEF		
TD94SH	16	GY	TXL	1651943C1	1678137C1	9510B	C	UNDEF		
TF94SZC	16	GY	TXL	1651943C1	1678137C1	9510C	A	UNDEF		
TF94SVC	16	GY	TXL	1651943C1	1678137C1	9510C	B	UNDEF		
TF94SH	16	GY	TXL	1651943C1	1678137C1	9510C	C	UNDEF		
TK94SZC	16	GY	TXL	1651943C1	1678137C1	9510D	A	UNDEF		
TK94SVC	16	GY	TXL	1651943C1	1678137C1	9510D	B	UNDEF		
TK94SH	16	GY	TXL	1651943C1	1678137C1	9510D	C	UNDEF		
XA94SZC	18	GY	GXL	1667742C1	1667740C1	9510H	A	1661872C1		
XA94SVC	18	GY	GXL	1667742C1	1667740C1	9510H	B	1661872C1	3606532C1	
XA94SH	18	GY	GXL	1667742C1	1667740C1	9510H	C	1661872C1	3606525C1	
TC94SZC	16	GY	TXL	1661875C1	1667741C1	9510M	A	1661872C1		
TD94SZC	16	GY	TXL	1661875C1	1667741C1	9510M	A	1661872C1		
TF94SZC	16	GY	TXL	1661875C1	1667741C1	9510M	A	1661872C1		
TK94SZC	16	GY	TXL	1661875C1	1667741C1	9510M	A	1661872C1		
TC94SVC	16	GY	TXL	1661875C1	1667741C1	9510M	B	1661872C1		
TD94SVC	16	GY	TXL	1661875C1	1667741C1	9510M	B	1661872C1		
TF94SVC	16	GY	TXL	1661875C1	1667741C1	9510M	B	1661872C1		
TK94SVC	16	GY	TXL	1661875C1	1667741C1	9510M	B	1661872C1		
TC94SH	16	GY	TXL	1661875C1	1667741C1	9510M	C	1661872C1		
TD94SH	16	GY	TXL	1661875C1	1667741C1	9510M	C	1661872C1		
TF94SH	16	GY	TXL	1661875C1	1667741C1	9510M	C	1661872C1		
TK94SH	16	GY	TXL	1661875C1	1667741C1	9510M	C	1661872C1		
MK90A	10	GY	TXL	3592378C1	3758273C1	9511K	1	3592377C1		
MK90A	10	GY	TXL	3592378C1	3758273C1	9511K	1	3592377C1		
MK90E	18	GY	TXL	3590850C1	3758273C1	9511K	8	N/A		
MK90E	18	GY	TXL	3590850C1	3758273C1	9511K	8	N/A		
JD5C(+)	18	YL	TXL	3590850C1	3758273C1	9511K	12	N/A		
JD5C(+)	18	YL	TXL	3590850C1	3758273C1	9511K	12	N/A		
JD5C(-)	18	GN	TXL	3590850C1	3758273C1	9511K	13	N/A		
JD5C(-)	18	GN	TXL	3590850C1	3758273C1	9511K	13	N/A		
MK94L	10	GY	TXL	3592378C1	3758273C1	9511K	32	3592377C1		
MK94L	10	GY	TXL	3592378C1	3758273C1	9511K	32	3592377C1		
MK94R(-)	18	TN	TXL	3590850C1	3758273C1	9511K	33	N/A		
MK94R(-)	18	TN	TXL	3590850C1	3758273C1	9511K	33	N/A		
MK94R(+)	18	TN	TXL	3590850C1	3758273C1	9511K	34	N/A		
MK94R(+)	18	TN	TXL	3590850C1	3758273C1	9511K	34	N/A		
MK94M(+)	18	TN	TXL	3590850C1	3758273C1	9511K	36	N/A		
MK94M(+)	18	TN	TXL	3590850C1	3758273C1	9511K	36	N/A		
MK94M(-)	18	TN	TXL	3590850C1	3758273C1	9511K	37	N/A		
MK94M(-)	18	TN	TXL	3590850C1	3758273C1	9511K	37	N/A		
MK94N(-)	18	TN	TXL	3590850C1	3758273C1	9511K	42	N/A		
MK94N(-)	18	TN	TXL	3590850C1	3758273C1	9511K	42	N/A		
MK94N(+)	18	TN	TXL	3590850C1	3758273C1	9511K	43	N/A		
MK94N(+)	18	TN	TXL	3590850C1	3758273C1	9511K	43	N/A		
MK94L(+)	18	TN	TXL	3590850C1	3758273C1	9511K	45	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
MK94L(+)	18	TN	TXL	3590850C1	3758273C1	9511K	45	N/A		
MK94L(-)	18	TN	TXL	3590850C1	3758273C1	9511K	46	N/A		
MK94L(-)	18	TN	TXL	3590850C1	3758273C1	9511K	46	N/A		
MK90-G	10	WH	TXL	3592378C1	3758273C1	9511K	47	3592377C1		
MK90-G	10	WH	GXL	3592378C1	3758273C1	9511K	47	3592376C1		
VP94SJ	18	GY	GXL	3601686C1	3678796C1	9512A	1	N/A	1675053C1	
VP94SJ	18	GY	GXL	3601686C1	3678796C1	9512A	1	3601687C1		
VP94SK	18	GY	GXL	3601686C1	3678796C1	9512A	2	N/A		
VP94SK	18	GY	GXL	3601686C1	3678796C1	9512A	2	3601687C1		
VS94SM	18	GY	GXL	2033819C1	1686834C1	9513A	A	1652325C1	3553460C1	3589992C1
VS94SN	18	GY	GXL	2033819C1	1686834C1	9513A	B	1652325C1	3598916C1	3598917C1
VS94SL	18	GY	GXL	2033819C1	1686834C1	9513A	C	1652325C1	3540454C1	3551897C1
TF94SAB	18	GY	GXL	3601686C1	3601685C1	9514F	1	3601687C1		
TF94SAB	18	GY	GXL	3601686C1	3601685C1	9514F	1	3601687C1	1661376C1	
TF94SCB	18	GY	GXL	3601686C1	3601685C1	9514F	2	3601687C1		
TF94SCB	18	GY	GXL	3601686C1	3601685C1	9514F	2	3601687C1	1667771C1	
TF94SBB	18	GY	GXL	3601686C1	3601685C1	9514F	3	3601687C1		
TF94SBB	18	YL	TXL	3601686C1	3601685C1	9514F	3	3733609C1	1667734C1	
TF94SDB	18	GY	GXL	3601686C1	3601685C1	9514F	4	3601687C1		
TF94SDB	18	GN	TXL	3601686C1	3601685C1	9514F	4	3733609C1	1675053C1	
UJ94WL	18	GY	TXL	6111842C1	6111844C1	9516A	1	6111843C1		
UJ94WM	18	GY	TXL	6111842C1	6111844C1	9516A	2	6111843C1		
AD94P	16	GY	GXL	1680206C1	3519462C1	9516M	1	UNDEF		
AD94Q	16	GY	GXL	1680206C1	3519462C1	9516M	2	UNDEF		
AD94R	16	GY	GXL	1680206C1	3519462C1	9516M	3	UNDEF		
AD94S	16	GY	GXL	1680206C1	3519462C1	9516M	4	UNDEF		
AD94T	16	GY	GXL	1680206C1	3519462C1	9516M	5	UNDEF		
AD94U	16	GY	GXL	1680206C1	3519462C1	9516M	6	UNDEF		
AD94V	16	GY	GXL	1680206C1	3519462C1	9516M	7	UNDEF		
UJ94WS	18	GY	TXL	6111842C1	6111844C1	9517A	1	6111843C1		
UJ94WT	18	GY	TXL	6111842C1	6111844C1	9517A	2	6111843C1		
UJ94WNNM	14	GY	TXL	3679224C1	3919376C1	9518A	1	3601687C1		
UJ94G7M	14	GY	TXL	3679224C1	3919376C1	9518A	2	3601687C1		
UJ94WRM	14	GY	TXL	3679224C1	3919376C1	9518A	3	3601687C1		
UJ94WUM	14	GY	TXL	3679224C1	3919376C1	9519A	1	3601687C1		
UJ94G6M	14	GY	TXL	3679224C1	3919376C1	9519A	2	3601687C1		
UJ94WWM	14	GY	TXL	3679224C1	3919376C1	9519A	3	3601687C1		
UF94H	16	GY	GXL	3613770C1	3690369C1	9532M	1	N/A		
UG94C	16	GY	GXL	3613770C1	3690369C1	9532M	1	N/A		
UL94C	16	GY	GXL	3613770C1	3690369C1	9532M	1	N/A		
UP94C	16	GY	GXL	3613770C1	3690369C1	9532M	1	N/A		
US94C	16	GY	GXL	3613770C1	3690369C1	9532M	1	N/A		
UF94F	16	GY	GXL	3613770C1	3690369C1	9532M	2	N/A		
UG94D	16	GY	GXL	3613770C1	3690369C1	9532M	2	N/A		
UL94D	16	GY	GXL	3613770C1	3690369C1	9532M	2	N/A		
UP94D	16	GY	GXL	3613770C1	3690369C1	9532M	2	N/A		
US94D	16	GY	GXL	3613770C1	3690369C1	9532M	2	N/A		
UF94E	16	GY	GXL	3613770C1	3690369C1	9532M	3	N/A		
UG94E	16	GY	GXL	3613770C1	3690369C1	9532M	3	N/A		
UL94E	16	GY	GXL	3613770C1	3690369C1	9532M	3	N/A		
UP94E	16	GY	GXL	3613770C1	3690369C1	9532M	3	N/A		
US94E	16	GY	GXL	3613770C1	3690369C1	9532M	3	N/A		
UF94K	16	GY	GXL	3613770C1	3690369C1	9532M	4	N/A		
UG94K	16	GY	GXL	3613770C1	3690369C1	9532M	4	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
UL94K	16	GY	GXL	3613770C1	3690369C1	9532M	4	N/A		
UP94K	16	GY	GXL	3613770C1	3690369C1	9532M	4	N/A		
US94K	16	GY	GXL	3613770C1	3690369C1	9532M	4	N/A		
UF94L	16	GY	GXL	3613770C1	3690369C1	9532M	5	N/A		
UG94H	16	GY	GXL	3613770C1	3690369C1	9532M	5	N/A		
UL94H	16	GY	GXL	3613770C1	3690369C1	9532M	5	N/A		
UP94H	16	GY	GXL	3613770C1	3690369C1	9532M	5	N/A		
US94H	16	GY	GXL	3613770C1	3690369C1	9532M	5	N/A		
UF94J	16	GY	GXL	3613770C1	3690369C1	9532M	6	N/A		
UG94L	16	GY	GXL	3613770C1	3690369C1	9532M	6	N/A		
UL94L	16	GY	GXL	3613770C1	3690369C1	9532M	6	N/A		
UP94L	16	GY	GXL	3613770C1	3690369C1	9532M	6	N/A		
US94L	16	GY	GXL	3613770C1	3690369C1	9532M	6	N/A		
UF94A	16	GY	GXL	3613770C1	3690369C1	9532M	7	N/A		
UG94A	16	GY	GXL	3613770C1	3690369C1	9532M	7	N/A		
UL94A	16	GY	GXL	3613770C1	3690369C1	9532M	7	N/A		
UP94A	16	GY	GXL	3613770C1	3690369C1	9532M	7	N/A		
UV94A	16	GY	GXL	3613770C1	3690369C1	9532M	7	N/A		
UF94B	16	GY	GXL	3613770C1	3690369C1	9532M	8	N/A		
UG94B	16	GY	GXL	3613770C1	3690369C1	9532M	8	N/A		
UL94B	16	GY	GXL	3613770C1	3690369C1	9532M	8	N/A		
UP94B	16	GY	GXL	3613770C1	3690369C1	9532M	8	N/A		
UV94B	16	GY	GXL	3613770C1	3690369C1	9532M	8	N/A		
UF94C	16	GY	GXL	3613770C1	3690369C1	9532M	9	N/A		
UG94F	16	GY	GXL	3613770C1	3690369C1	9532M	9	N/A		
UL94F	16	GY	GXL	3613770C1	3690369C1	9532M	9	N/A		
UP94F	16	GY	GXL	3613770C1	3690369C1	9532M	9	N/A		
UV94F	16	GY	GXL	3613770C1	3690369C1	9532M	9	N/A		
UF94D	16	GY	GXL	3613770C1	3690369C1	9532M	10	N/A		
UG94G	16	GY	GXL	3613770C1	3690369C1	9532M	10	N/A		
UL94G	16	GY	GXL	3613770C1	3690369C1	9532M	10	N/A		
UP94G	16	GY	GXL	3613770C1	3690369C1	9532M	10	N/A		
UV94G	16	GY	GXL	3613770C1	3690369C1	9532M	10	N/A		
[UH94B]	18	-	GXL	3613771C1	3690369C1	9533M	1	N/A		
[UM94B]	18	-	GXL	3613771C1	3690369C1	9533M	1	N/A		
[UH94A]	18	-	GXL	3613771C1	3690369C1	9533M	2	N/A		
[UM94A]	18	-	GXL	3613771C1	3690369C1	9533M	2	N/A		
[UH94G6]	18	-	GXL	3613771C1	3690369C1	9533M	3	N/A		
[UM94G6]	18	-	GXL	3613771C1	3690369C1	9533M	3	N/A		
[UH94C]	18	-	GXL	3613771C1	3690369C1	9533M	4	N/A		
[UM94C]	18	-	GXL	3613771C1	3690369C1	9533M	4	N/A		
[UH94D]	18	-	GXL	3613771C1	3690369C1	9533M	5	N/A		
[UM94D]	18	-	GXL	3613771C1	3690369C1	9533M	5	N/A		
[UH94G7]	18	-	GXL	3613771C1	3690369C1	9533M	6	N/A		
[UM94G7]	18	-	GXL	3613771C1	3690369C1	9533M	6	N/A		
[UH94E]	18	-	GXL	3613771C1	3690369C1	9533M	7	N/A		
[UM94E]	18	-	GXL	3613771C1	3690369C1	9533M	7	N/A		
[UH94F]	18	-	GXL	3613771C1	3690369C1	9533M	8	N/A		
[UM94F]	18	-	GXL	3613771C1	3690369C1	9533M	8	N/A		
[UH94N]	18	-	GXL	3613771C1	3690369C1	9533M	9	N/A		
[UM94N]	18	-	GXL	3613771C1	3690369C1	9533M	9	N/A		
[UH94H]	18	-	GXL	3613771C1	3690369C1	9533M	10	N/A		
[UM94H]	18	-	GXL	3613771C1	3690369C1	9533M	10	N/A		
UP94R	16	GY	GXL	1680205C1	3539777C1	9540A	1	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
UP94S	16	OR	GXL	1680205C1	3539777C1	9540A	2	N/A		
US94R	16	GY	GXL	1680205C1	3539777C1	9540B	1	N/A		
US94S	16	OR	GXL	1680205C1	3539777C1	9540B	2	N/A		
UP94M	16	BK	TXL	2033819C1	1686834C1	9541A	A	1652325C1		
UP94N	16	RD	TXL	2033819C1	1686834C1	9541A	B	1652325C1		
UP94P	16	BN	TXL	2033819C1	1686834C1	9541A	C	1652325C1		
US94M	16	BK	TXL	2033819C1	1686834C1	9541B	A	1652325C1		
US94N	16	RD	TXL	2033819C1	1686834C1	9541B	B	1652325C1		
US94P	16	BN	TXL	2033819C1	1686834C1	9541B	C	1652325C1		
UP94W	16	DKBL	GXL	1680205C1	3539777C1	9542A	1	N/A		
UP94X	16	YL	GXL	1680205C1	3539777C1	9542A	2	N/A		
UV94W	16	DKBL	GXL	1680205C1	3539777C1	9542C	1	N/A		
UV94X	16	YL	GXL	1680205C1	3539777C1	9542C	2	N/A		
UP94T	16	VT	TXL	2033819C1	1686834C1	9543A	A	1652325C1		
UP94U	16	LTGN	TXL	2033819C1	1686834C1	9543A	B	1652325C1		
UP94V	16	LTBL	TXL	2033819C1	1686834C1	9543A	C	1652325C1		
UV94T	16	VT	TXL	2033819C1	1686834C1	9543C	A	1652325C1		
UV94U	16	LTGN	TXL	2033819C1	1686834C1	9543C	B	1652325C1		
UV94V	16	LTBL	TXL	2033819C1	1686834C1	9543C	C	1652325C1		
UP94E	16	GY	GXL	2033819C1	1686834C1	9548A	A	1652325C1		
UP94D	16	GY	GXL	2033819C1	1686834C1	9548A	B	1652325C1		
UP94C	16	GY	GXL	2033819C1	1686834C1	9548A	C	1652325C1		
UP94A	16	GY	GXL	1680205C1	3539777C1	9549A	1	N/A		
UP94B	16	GY	GXL	1680205C1	3539777C1	9549A	2	N/A		
UV94A	16	GY	GXL	1680205C1	3539777C1	9549B	1	N/A		
UV94B	16	GY	GXL	1680205C1	3539777C1	9549B	2	N/A		
MK10	8	RD	GXL	3700153C1	3537133C1	9550A	A	N/A		
MK10	8	RD	GXL	3700153C1	3537133C1	9550A	A	3537135C1		
UP94L	16	GY	GXL	2033819C1	1686834C1	9550A	A	1652325C1		
UP94K	16	GY	GXL	2033819C1	1686834C1	9550A	B	1652325C1		
UP94H	16	GY	GXL	2033819C1	1686834C1	9550A	C	1652325C1		
US94L	16	GY	GXL	2033819C1	1686834C1	9550B	A	1652325C1		
US94K	16	GY	GXL	2033819C1	1686834C1	9550B	B	1652325C1		
US94H	16	GY	GXL	2033819C1	1686834C1	9550B	C	1652325C1		
UP94F	16	GY	GXL	1680205C1	3539777C1	9551A	1	N/A		
UP94G	16	GY	GXL	1680205C1	3539777C1	9551A	2	N/A		
KX90B	10	RD	TXL	1687848C1	1669834C1	9570F	A	589390C1		
MK90A	10	GY	TXL	1687847C1	1664531C1	9570K	A	589390C1		
MK90A	10	GY	TXL	1687847C1	1664531C1	9570K	A	589390C1		
UB10B	8	WH	GXL	3700153C1	3537133C1	9714F	A	3537135C1		
RF70A	10	RD	GXL	2025425C1	1667732C1	9715F	A	1667735C1		
RG70	10	RD	GXL	2025425C1	1667732C1	9715F	A	1667735C1		
SV70A	10	RD	GXL	2025425C1	1667732C1	9715F	A	1667735C1		
RF68A	10	BN	GXL	2025425C1	1667732C1	9715F	B	1667735C1		
RG68	10	BN	GXL	2025425C1	1667732C1	9715F	B	1667735C1		
SV68A	10	BN	GXL	2025425C1	1667732C1	9715F	B	1667735C1		
RF94A	10	DKBL	GXL	2025425C1	1667732C1	9715F	C	1667735C1		
RG94	10	GY	GXL	2025425C1	1667732C1	9715F	C	1667735C1		
SV94A	10	DKBL	GXL	2025425C1	1667732C1	9715F	C	1667735C1		
TV70A	10	RD	GXL	2025425C1	1667732C1	9715F1	A	1667735C1		
TW70	10	RD	GXL	2025425C1	1667732C1	9715F1	A	1667735C1		
TZ70A	10	RD	GXL	2025425C1	1667732C1	9715F1	A	1667735C1		
TV68A	10	BN	GXL	2025425C1	1667732C1	9715F1	B	1667735C1		
TW68	10	BN	GXL	2025425C1	1667732C1	9715F1	B	1667735C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
TZ68A	10	BN	GXL	2025425C1	1667732C1	9715F1	B	1667735C1		
TV94A	10	DKBL	GXL	2025425C1	1667732C1	9715F1	C	1667735C1		
TW94	10	GY	GXL	2025425C1	1667732C1	9715F1	C	1667735C1		
TZ94A	10	DKBL	GXL	2025425C1	1667732C1	9715F1	C	1667735C1		
RF58A	10	BK	GXL	1667737C1	1667733C1	9716M	A	1667735C1		
RG58	10	BN	GXL	1667737C1	1667733C1	9716M	A	1667735C1		
SV58A	10	BK	GXL	1667737C1	1667733C1	9716M	A	1667735C1		
RF56A	10	YL	GXL	1667737C1	1667733C1	9716M	B	1667735C1		
RG56	10	YL	GXL	1667737C1	1667733C1	9716M	B	1667735C1		
SV56A	10	YL	GXL	1667737C1	1667733C1	9716M	B	1667735C1		
RF57A	10	LTGN	GXL	1667737C1	1667733C1	9716M	C	1667735C1		
RG57	10	LTGN	GXL	1667737C1	1667733C1	9716M	C	1667735C1		
SV57A	10	LTGN	GXL	1667737C1	1667733C1	9716M	C	1667735C1		
TV58A	10	BK	GXL	1667737C1	1667733C1	9716M1	A	1667735C1		
TW58	10	BN	GXL	1667737C1	1667733C1	9716M1	A	1667735C1		
TZ58A	10	BK	GXL	1667737C1	1667733C1	9716M1	A	1667735C1		
TV56A	10	YL	GXL	1667737C1	1667733C1	9716M1	B	1667735C1		
TW56	10	YL	GXL	1667737C1	1667733C1	9716M1	B	1667735C1		
TZ56A	10	YL	GXL	1667737C1	1667733C1	9716M1	B	1667735C1		
TV57A	10	LTGN	GXL	1667737C1	1667733C1	9716M1	C	1667735C1		
TW57	10	LTGN	GXL	1667737C1	1667733C1	9716M1	C	1667735C1		
TZ57A	10	LTGN	GXL	1667737C1	1667733C1	9716M1	C	1667735C1		
NA10F	8	WH	GXL	3710088C1		9717A	1	2644005R1		
NC10D	8	WH	GXL	3710088C1		9717A	1	2644005R1	3683466C1	3573833C1
NE10D	8	WH	GXL	3710088C1		9717A	1	2644005R1		
NA10F	8	WH	GXL	3710088C1		9717A	A	2644005R1		
NB10A	8	WH	GXL	3710088C1		9717A	A	2644005R1		
NC10D	8	WH	GXL	3710088C1		9717A	A	2644005R1		
NE10D	8	WH	GXL	3710088C1		9717A	A	2644005R1		
SL11-GA	12	WH	GXL	3710088C1		9717B	1	2644005R1		
SL11-GB	12	WH	GXL	3710088C1		9717B	1	2644005R1		
SL11-GA	12	WH	GXL	3710088C1		9717B	A	2644005R1		
SL11-GB	12	WH	GXL	3710088C1		9717B	A	2644005R1		
MP90A-GA	8	WH	GXL	3710088C1		9717C	1	2644005R1		
PL90A-GA	8	WH	GXL	3710088C1		9717C	1	2644005R1		
MP90A-GA	8	WH	GXL	3710088C1		9717C	A	2644005R1		
PL90A-GA	8	WH	GXL	3710088C1		9717C	A	2644005R1		
MK90-G	10	WH	GXL	2034790C1		9717D	1	2644002R1		
MP90-G	12	WH	GXL	2034790C1		9717D	1	2644002R1		
MP94-GB	12	WH	GXL	2034790C1		9717D	1	2644002R1		
PL90-G	12	WH	GXL	2034790C1		9717D	1	2644002R1		
PL90-GA	12	WH	GXL	2034790C1		9717D	1	2644002R1		
MK90-G	10	WH	TXL	3710088C1		9717D	A	2644005R1		
MP90-G	12	WH	GXL	3710088C1		9717D	A	2644005R1		
MP94-GB	12	WH	GXL	3710088C1		9717D	A	2644005R1		
PL90-G	12	WH	GXL	3710088C1		9717D	A	2644005R1		
PL90-GA	12	WH	GXL	3710088C1		9717D	A	2644005R1	2005242C1	
RF10A	8	WH	GXL	3517818C1	3517817C1	9717F	A	N/A		
RG10	8	WH	GXL	3517818C1	3517817C1	9717F	A	N/A		
SV10A	8	WH	GXL	3517818C1	3517817C1	9717F	A	N/A		
TV10A	8	WH	GXL	3700153C1	3537133C1	9717F1	A	3537135C1		
TW10	8	WH	GXL	3700153C1	3537133C1	9717F1	A	3537135C1		
TZ10A	8	WH	GXL	3700153C1	3537133C1	9717F1	A	3537135C1		
NF65	16	OR	GXL	1661875C1	1661778C1	9718A	A	1661872C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
NF65	16	OR	GXL	1661875C1	1661778C1	9718A	A	1661872C1		
YJ65-G	16	WH	GXL	1661875C1	1661778C1	9718A	B	1661872C1		
YM65-G	16	WH	GXL	1661875C1	1661778C1	9718A	B	1661872C1		
YJ65-G	16	WH	TXL	1661875C1	1661778C1	9718A	B	1661872C1		
YM65-G	16	WH	GXL	1661875C1	1661778C1	9718A	B	1661872C1		
VB70BJ	16	OR	TXL	2033819C1	1686834C1	9720A	A	1652325C1		
VB68BJ	16	BN	TXL	2033819C1	1686834C1	9720A	B	1652325C1		
TW10	8	WH	GXL	N/A	BLUNT_SL_V	9724A	A	N/A		
TW58	10	BN	GXL	N/A	BLUNT_SL_V	9724A	B	N/A		
TW56	10	YL	GXL	N/A	BLUNT_SL_V	9724A	C	N/A		
TW57	10	LTGN	GXL	N/A	BLUNT_SL_V	9724A	D	N/A		
TW70	10	RD	GXL	N/A	BLUNT_SL_V	9724A	E	N/A		
TW68	10	BN	GXL	N/A	BLUNT_SL_V	9724A	F	N/A		
TW94	10	GY	GXL	N/A	BLUNT_SL_V	9724A	G	N/A		
UA72EB	10	LTGN	TXL	N/A	BLUNT_SL_V	9724A	H	N/A		
VE11-G	8	WH	GXL	3700153C1	3537133C1	9728F	A	3537135C1		
AC59A	18	GY	GXL	1661875C1	3522068C1	9737A	A	1661872C1		
AD59A-G	16	WH	GXL	1661875C1	3522068C1	9737A	B	1661872C1		
AE59A-G	16	WH	GXL	1661875C1	3522068C1	9737A	B	1661872C1		
NZ59X-G	14	WH	GXL	2033816C1	1661375C2	9740C	A	589391C1		
NZ59X-G	14	WH	GXL	2033816C1	1661375C2	9740C	A	589391C1		
NZ59G	18	GY	GXL	2033819C1	1661375C2	9740C	B	1652325C1		
NZ59G	18	GY	GXL	2033819C1	1661375C2	9740C	B	1652325C1		
NZ59H	18	GY	GXL	2033819C1	1661375C2	9740C	C	1652325C1		
NZ59H	18	GY	GXL	2033819C1	1661375C2	9740C	C	1652325C1		
NZ59J	18	GY	GXL	2033819C1	1661375C2	9740C	D	1652325C1		
NZ59J	18	GY	GXL	2033819C1	1661375C2	9740C	D	1652325C1		
NZ59K	18	GY	GXL	2033819C1	1661375C2	9740C	E	1652325C1		
NZ59K	18	GY	GXL	2033819C1	1661375C2	9740C	E	1652325C1		
NX59X-G	14	WH	GXL	2033816C1	1661375C2	9740D	A	589391C1		
NX59G	18	GY	GXL	2033819C1	1661375C2	9740D	B	1652325C1		
NX59H	18	GY	GXL	2033819C1	1661375C2	9740D	C	1652325C1		
NX59J	18	GY	GXL	2033819C1	1661375C2	9740D	D	1652325C1		
NX59K	18	GY	GXL	2033819C1	1661375C2	9740D	E	1652325C1		
NW59L-G	14	WH	GXL	2033816C1	1661375C2	9740E	A	589391C1		
NW59M	18	GY	GXL	2033819C1	1661375C2	9740E	B	1652325C1		
NW59N	18	GY	GXL	2033819C1	1661375C2	9740E	C	1652325C1		
NW59P	18	GY	GXL	2033819C1	1661375C2	9740E	D	1652325C1		
NW59R	18	GY	GXL	2033819C1	1661375C2	9740E	E	1652325C1		
ZF87DA	16	GY	GXL	3536865C1	3536864C1	9745A	1	3536868C1		
ZF87DB	18	GY	GXL	3536865C1	3536864C1	9745A	2	3536868C1		
ZG87EA	18	GY	TXL	3554322C1	3554317C1	9746A	1	3554318C1		
ZG8EB	18	GY	TXL	3554322C1	3554317C1	9746A	2	3554318C1		
RT9M	18	GY	GXL	1667742C1	1667740C1	9775F	A	1661872C1		
RU9N	18	GY	GXL	1667742C1	1667740C1	9775F	A	1661872C1		
RT6H	18	GY	GXL	1667742C1	1667740C1	9775F	B	1661872C1		
RU6J	18	GY	GXL	1667742C1	1667740C1	9775F	B	1661872C1		
RT61C	18	GY	GXL	1667742C1	1667740C1	9775F	C	1661872C1		
RU61D	18	GY	GXL	1667742C1	1667740C1	9775F	C	1661872C1		
UB10B	8	WH	GXL	3700153C1	3537133C1	9776F	A	3537135C1		
PL44C	18	GY	TXL	1661875C1	3522068C1	9777A	A	3568570C1	3539785C1	
PL44C	18	GY	TXL	1661875C1	3522068C1	9777A	A	3568570C1		
PL90D-G	16	WH	GXL	1661875C1	3522068C1	9777A	B	1661872C1		
PL90D-G	16	WH	GXL	1661875C1	3522068C1	9777A	B	1661872C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
AB44N	18	GY	GXL	1661875C1	1667741C1	9777M	A	1661872C1		
AB44N	18	GY	GXL	1661875C1	1667741C1	9777M	A	1661872C1		
AB44-GB	18	WH	GXL	1661875C1	1667741C1	9777M	B	1661872C1		
AB44-GB	18	WH	GXL	1661875C1	1667741C1	9777M	B	1661872C1		
AB44M	18	GY	GXL	1661875C1	1667741C1	9777M	C	1661872C1		
AB44M	18	GY	GXL	1661875C1	1667741C1	9777M	C	1661872C1		
NA10F	8	WH	GXL	3700153C1	3537133C1	9778F	A	N/A		
NB10B	8	WH	GXL	3700153C1	3537133C1	9778F	A	N/A		
NE10E	8	WH	GXL	3700153C1	3537133C1	9778F	A	N/A		
NA10F	8	WH	GXL	3700153C1	3537133C1	9778F	A	3537135C1		
NB10A	8	WH	GXL	3700153C1	3537133C1	9778F	A	UNDEF		
NB10B	8	WH	GXL	3700153C1	3537133C1	9778F	A	UNDEF		
NE10E	8	WH	GXL	3700153C1	3537133C1	9778F	A	3537135C1		
RF10A	8	WH	GXL	3517818C1	3517817C1	9778F	A	N/A		
SV10A	8	WH	GXL	3517818C1	3517817C1	9778F	A	N/A		
TV10A	8	WH	GXL	3700153C1	3537133C1	9778F1	A	3537135C1		
TZ10A	8	WH	GXL	3700153C1	3537133C1	9778F1	A	3537135C1		
NA54T	10	BN	GXL	2025425C1	1667732C1	9779F	A	1667735C1		
NB54B	10	BN	GXL	2025425C1	1667732C1	9779F	A	1667735C1		
NE54E	10	BN	GXL	2025425C1	1667732C1	9779F	A	1667735C1		
NA54T	10	BN	GXL	2025425C1	1667732C1	9779F	A	1667735C1		
NB54B	10	BN	GXL	2025425C1	1667732C1	9779F	A	1667735C1		
NE54E	10	BN	GXL	2025425C1	1667732C1	9779F	A	1667735C1		
RF58A	10	BK	GXL	2025425C1	1667732C1	9779F	A	1667735C1		
SV58A	10	BK	GXL	2025425C1	1667732C1	9779F	A	1667735C1		
NA56T	10	YL	GXL	2025425C1	1667732C1	9779F	B	1667735C1		
NB56B	10	YL	GXL	2025425C1	1667732C1	9779F	B	1667735C1		
NE56E	10	YL	GXL	2025425C1	1667732C1	9779F	B	1667735C1		
NA56T	10	YL	GXL	2025425C1	1667732C1	9779F	B	1667735C1		
NB56B	10	YL	GXL	2025425C1	1667732C1	9779F	B	1667735C1	1661874C1	
NE56E	10	YL	GXL	2025425C1	1667732C1	9779F	B	1667735C1		
RF56A	10	YL	GXL	2025425C1	1667732C1	9779F	B	1667735C1		
SV56A	10	YL	GXL	2025425C1	1667732C1	9779F	B	1667735C1		
NA57T	10	LTGN	GXL	2025425C1	1667732C1	9779F	C	1667735C1		
NB57B	10	LTGN	GXL	2025425C1	1667732C1	9779F	C	1667735C1	1667771C1	
NE57E	10	LTGN	GXL	2025425C1	1667732C1	9779F	C	1667735C1		
NA57T	10	LTGN	GXL	2025425C1	1667732C1	9779F	C	1667735C1		
NB57B	10	LTGN	GXL	2025425C1	1667732C1	9779F	C	1667735C1	1661376C1	
NE57E	10	LTGN	GXL	2025425C1	1667732C1	9779F	C	1667735C1		
RF57A	10	LTGN	GXL	2025425C1	1667732C1	9779F	C	1667735C1		
SV57A	10	LTGN	GXL	2025425C1	1667732C1	9779F	C	1667735C1		
TV58A	10	BK	GXL	2025425C1	1667732C1	9779F1	A	1667735C1		
TZ58A	10	BK	GXL	2025425C1	1667732C1	9779F1	A	1667735C1		
TV56A	10	YL	GXL	2025425C1	1667732C1	9779F1	B	1667735C1		
TZ56A	10	YL	GXL	2025425C1	1667732C1	9779F1	B	1667735C1		
TV57A	10	LTGN	GXL	2025425C1	1667732C1	9779F1	C	1667735C1		
TZ57A	10	LTGN	GXL	2025425C1	1667732C1	9779F1	C	1667735C1		
EV12-GA	18	WH	GXL	3863609C1		9780A	1	2644038R1		
NA70T	10	RD	GXL	1667737C1	1667733C1	9780M	A	1667735C1		
NB70B	10	RD	GXL	1667737C1	1667733C1	9780M	A	1667735C1	3525873C1	
NE70E	10	RD	GXL	1667737C1	1667733C1	9780M	A	1667735C1		
NA70T	10	RD	GXL	1667737C1	1667733C1	9780M	A	1667735C1		
NB70B	10	RD	GXL	1667737C1	1667733C1	9780M	A	1667735C1	3553460C1	3589992C1
NE70E	10	RD	GXL	1667737C1	1667733C1	9780M	A	1667735C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
RF70A	10	RD	GXL	1667737C1	1667733C1	9780M	A	1667735C1		
SV70A	10	RD	GXL	1667737C1	1667733C1	9780M	A	1667735C1		
NA68T	10	BN	GXL	1667737C1	1667733C1	9780M	B	1667735C1		
NB68B	10	BN	GXL	1667737C1	1667733C1	9780M	B	1667735C1		
NE68E	10	BN	GXL	1667737C1	1667733C1	9780M	B	1667735C1		
NA68T	10	BN	GXL	1667737C1	1667733C1	9780M	B	1667735C1		
NB68B	10	BN	GXL	1667737C1	1667733C1	9780M	B	1667735C1		
NE68E	10	BN	GXL	1667737C1	1667733C1	9780M	B	1667735C1		
RF68A	10	BN	GXL	1667737C1	1667733C1	9780M	B	1667735C1		
SV68A	10	BN	GXL	1667737C1	1667733C1	9780M	B	1667735C1		
NA94T	10	GY	GXL	1667737C1	1667733C1	9780M	C	1667735C1		
NB94T	10	GY	GXL	1667737C1	1667733C1	9780M	C	1667735C1		
NE94E	10	GY	GXL	1667737C1	1667733C1	9780M	C	1667735C1		
NA94T	10	GY	GXL	1667737C1	1667733C1	9780M	C	1667735C1		
NB94T	10	GY	GXL	1667737C1	1667733C1	9780M	C	1667735C1	3662518C1	
NE94E	10	GY	GXL	1667737C1	1667733C1	9780M	C	1667735C1		
RF94A	10	DKBL	GXL	1667737C1	1667733C1	9780M	C	1667735C1		
SV94A	10	DKBL	GXL	1667737C1	1667733C1	9780M	C	1667735C1		
TV70A	10	RD	GXL	1667737C1	1667733C1	9780M1	A	1667735C1		
TZ70A	10	RD	GXL	1667737C1	1667733C1	9780M1	A	1667735C1		
TV68A	10	BN	GXL	1667737C1	1667733C1	9780M1	B	1667735C1		
TZ68A	10	BN	GXL	1667737C1	1667733C1	9780M1	B	1667735C1		
TV94A	10	DKBL	GXL	1667737C1	1667733C1	9780M1	C	1667735C1		
TZ94A	10	DKBL	GXL	1667737C1	1667733C1	9780M1	C	1667735C1		
NB70C	10	RD	GXL	1667737C1	1667733C1	9781M	A	1667735C1		
NB70C	10	RD	GXL	1667737C1	1667733C1	9781M	A	1667735C1		
NB68C	10	BN	GXL	1667737C1	1667733C1	9781M	B	1667735C1	2039342C1	
NB68C	10	BN	GXL	1667737C1	1667733C1	9781M	B	1667735C1	3540454C1	3551897C1
NB72	12	OR	GXL	1667737C1	1667733C1	9781M	C	1671603C1		
NB72	12	OR	GXL	1667737C1	1667733C1	9781M	C	1671603C1		
NB54C	10	BN	GXL	2025425C1	1667732C1	9782F	A	1667735C1		
NB54C	10	BN	GXL	2025425C1	1667732C1	9782F	A	1667735C1		
UB94T	10	DKBL	GXL	2025423C1	2031520C1	9782F	A	2025427C1		
NB56C	10	YL	GXL	2025425C1	1667732C1	9782F	B	1667735C1		
NB56C	10	YL	GXL	2025425C1	1667732C1	9782F	B	1667735C1		
UB94TA	12	YL	GXL	2025422C1	2031520C1	9782F	B	2025428C1		
NB57C	10	LTGN	GXL	2025425C1	1667732C1	9782F	C	1667735C1	1673791C1	
NB57C	10	LTGN	GXL	2025425C1	1667732C1	9782F	C	1667735C1		
UB94T	10	DKBL	GXL	2031531C1	2031522C1	9782M	A	2025427C1		
UB94TA	12	YL	GXL	2031531C1	2031522C1	9782M	B	2025428C1		
NB10C	8	WH	GXL	3700153C1	3537133C1	9783F	A	3537135C1		
NB10C	8	WH	GXL	3700153C1	3537133C1	9783F	A	3537135C1		
MK10	8	RD	GXL	3700154C1	3700151C1	9785M	A	N/A		
MK10	8	RD	GXL	3700154C1	3700151C1	9785M	A	3537135C1		
SA19	16	GY	GXL	587577C1	587567C91	9801A	A	1652325C1		
SA19-G	16	WH	TXL	587577C1	587567C91	9801A	B	1652325C1		
TB19	16	GY	GXL	587577C1	587567C91	9801B	A	1652325C1		
TB19-G	16	WH	TXL	587577C1	587567C91	9801B	B	1652325C1		
TG19	16	GY	GXL	587577C1	587567C91	9801C	A	1652325C1		
TG19	16	GY	GXL	587577C1	587567C91	9801C	A	1652325C1	2033927C1	
TG19-G	16	WH	GXL	587577C1	587567C91	9801C	B	1652325C1		
TG19-G	16	WH	TXL	587577C1	587567C91	9801C	B	1652325C1	2039342C1	
TH19	16	GY	GXL	587577C1	587567C91	9801D	A	1652325C1		
TH19	16	GY	GXL	587577C1	587567C91	9801D	A	1652325C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
TH19-G	16	WH	GXL	587577C1	587567C91	9801D	B	1652325C1		
TH19-G	16	WH	TXL	587577C1	587567C91	9801D	B	1652325C1		
TM19	16	GY	GXL	587577C1	587567C91	9801E	A	1652325C1		
TM19	16	GY	GXL	587577C1	587567C91	9801E	A	1652325C1	2005242C1	
TM19-G	16	WH	GXL	587577C1	587567C91	9801E	B	1652325C1		
TM19-G	16	WH	TXL	587577C1	587567C91	9801E	B	1652325C1	3576263C1	
TN19	16	GY	GXL	587577C1	587567C91	9801F	A	1652325C1		
TN19	16	GY	GXL	587577C1	587567C91	9801F	A	1652325C1		
TN19-G	16	WH	GXL	587577C1	587567C91	9801F	B	1652325C1		
TN19-G	16	WH	TXL	587577C1	587567C91	9801F	B	1652325C1		
TK19	16	GY	GXL	2033819C1	1671610C1	9803A	A	1652325C1		
TK19	16	GY	GXL	2033819C1	1671610C1	9803A	A	1652325C1	1689501C1	
TK19-G	16	WH	GXL	2033819C1	1671610C1	9803A	B	1652325C1		
TK19-G	16	WH	TXL	2033819C1	1671610C1	9803A	B	1652325C1		
TL19	16	GY	GXL	2033819C1	1671610C1	9803B	A	1652325C1		
TL19	16	GY	GXL	2033819C1	1671610C1	9803B	A	1652325C1	3539784C1	
TL19-G	16	WH	GXL	2033819C1	1671610C1	9803B	B	1652325C1		
TL19-G	16	WH	TXL	2033819C1	1671610C1	9803B	B	1652325C1	3554019C1	
TP19	16	GY	GXL	2033819C1	1671610C1	9803C	A	1652325C1		
TP19	16	GY	GXL	2033819C1	1671610C1	9803C	A	1652325C1		
TP19-G	16	WH	GXL	2033819C1	1671610C1	9803C	B	1652325C1		
TP19-G	16	WH	GXL	2033819C1	1671610C1	9803C	B	1652325C1		
TB19	16	GY	GXL	2033819C1	1671610C1	9803D	A	1652325C1		
TR19	16	GY	GXL	2033819C1	1671610C1	9803D	A	1652325C1		
TB19-G	16	WH	GXL	2033819C1	1671610C1	9803D	B	1652325C1		
TR19-G	16	WH	TXL	2033819C1	1671610C1	9803D	B	1652325C1		
AJ49	18	WH	GXL	587578C1	3593684C91	9814A	A	1652325C1		
AJ49-G	18	WH	GXL	587578C1	3593684C91	9814A	B	1652325C1		
AJ49A	18	WH	GXL	587578C1	3593684C91	9815A	A	1652325C1		
AP49A	18	WH	GXL	587578C1	3593684C91	9815A	A	1652325C1		
AJ49-GA	18	WH	GXL	587578C1	3593684C91	9815A	B	1652325C1		
AP49-GA	18	WH	GXL	587578C1	3593684C91	9815A	B	1652325C1		
RR59DC	18	GY	GXL	1667742C1	3543888C1	9820F	A	1661872C1		
RR59DD	18	GY	GXL	1667742C1	3543888C1	9820F	B	1661872C1		
PD110B	18	GY	GXL	1661875C1	1667741C1	9865M	A	1661872C1		
PD110B	18	GY	GXL	1661875C1	1667741C1	9865M	A	1661872C1		
PD106B	18	GY	GXL	1661875C1	1667741C1	9865M	B	1661872C1		
PD106B	18	GY	GXL	1661875C1	1667741C1	9865M	B	1661872C1		
PD61B	18	GY	GXL	1661875C1	1667741C1	9865M	C	1661872C1		
PD61B	18	GY	GXL	1661875C1	1667741C1	9865M	C	1661872C1		
NH39B	16	GY	TXL	2033819C1	1673790C1	9900A	A	1652325C1		
NH39B	16	GY	TXL	2033819C1	1673790C1	9900A	A	1652325C1		
NH39-GB	16	WH	GXL	2033819C1	1673790C1	9900A	B	1652325C1		
NH39-GB	16	WH	GXL	2033819C1	1673790C1	9900A	B	1652325C1		
PF39B	18	GY	GXL	2033819C1	1673790C1	9900C	A	1652325C1	1667734C1	
PF39B	18	GY	GXL	2033819C1	1673790C1	9900C	A	1652325C1		
PF39-GB	16	WH	GXL	2033819C1	1673790C1	9900C	B	1652325C1	1661874C1	
PF39-GB	16	WH	GXL	2033819C1	1673790C1	9900C	B	1652325C1		
TA39B	16	GY	GXL	2033819C1	1673790C1	9900D	A	1652325C1		
TA39B	16	GY	GXL	2033819C1	1673790C1	9900D	A	1652325C1		
TA39-GB	16	WH	GXL	2033819C1	1673790C1	9900D	B	1652325C1		
TA39-GB	16	WH	GXL	2033819C1	1673790C1	9900D	B	1652325C1		
PD39B	16	GY	GXL	2033819C1	1673790C1	9900E	A	1652325C1	3544678C1	
PD39B	16	GY	GXL	2033819C1	1673790C1	9900E	A	1652325C1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
PD39-GB	16	WH	GXL	2033819C1	1673790C1	9900E	B	1652325C1	3543732C1	
PD39-GB	16	WH	GXL	2033819C1	1673790C1	9900E	B	1652325C1		
PR39B	16	GY	GXL	2033819C1	1673790C1	9900F	A	1652325C1		
PR39-GB	16	WH	GXL	2033819C1	1673790C1	9900F	B	1652325C1	1655705C1	
PW39B	16	GY	GXL	2033819C1	1673790C1	9900G	A	1652325C1	3768016C1	
PH39B	16	GY	GXL	2033819C1	1673790C1	9900G	A	1652325C1		
PW39-GB	16	WH	GXL	2033819C1	1673790C1	9900G	B	1652325C1	1661263C1	3540454C1
PH39-GB	16	WH	GXL	2033819C1	1673790C1	9900G	B	1652325C1		
PV39B	16	GY	GXL	2033819C1	1673790C1	9900H	A	1652325C1		
PJ39B	16	GY	GXL	2033819C1	1673790C1	9900H	A	1652325C1		
PV39-GB	16	WH	GXL	2033819C1	1673790C1	9900H	B	1652325C1	3539892C1	3539893C1
PJ39-GB	16	WH	GXL	2033819C1	1673790C1	9900H	B	1652325C1		
PU39B	16	GY	GXL	2033819C1	1673790C1	9900J	A	1652325C1		
PK39B	16	GY	GXL	2033819C1	1673790C1	9900J	A	1652325C1		
PU39-GB	16	WH	GXL	2033819C1	1673790C1	9900J	B	1652325C1	3683466C1	3573833C1
PK39-GB	16	WH	GXL	2033819C1	1673790C1	9900J	B	1652325C1		
RY14LSA	18	BK	GXL	587576C1	587570C91	9913B	A	1652325C1		
RY14LSA	18	BK	GXL	587576C1	587570C91	9913B	A	1652325C1		
RY14LSB	18	RD	GXL	587576C1	587570C91	9913B	B	1652325C1		
RY14LSB	18	RD	GXL	587576C1	587570C91	9913B	B	1652325C1		
RY14LSC	12	WH	GXL	1673747C1	587570C91	9913B	C	589390C1		
RY14LSC	12	WH	GXL	1673747C1	587570C91	9913B	C	589390C1		
KV14A	12	RD	TXL	2033816C1	1671610C1	9932M	A	589391C1		
KN14A	12	RD	TXL	2033816C1	1671610C1	9932M	A	589391C1		
QW9BB	18	GY	TXL	239481R1		AS1	-	2644000R1		
QW9BC	18	GY	GXL	239481R1		AS1	-	2644000R1		
QW9BD	18	GY	GXL	239481R1		AS1	-	2644000R1		
9G5BC(+)	18	YL	TXL	239481R1		AS10	-	2644000R1		
9G5BD(+)	18	YL	TXL	239481R1		AS10	-	2644000R1		
9G5BE(+)	18	YL	TXL	239481R1		AS10	-	2644000R1		
9L5BC(+)	18	YL	TXL	239481R1		AS10	-	2644000R1		
9L5BD(+)	18	YL	TXL	239481R1		AS10	-	2644000R1		
9L5BE(+)	18	YL	TXL	239481R1		AS10	-	2644000R1		
9V5BC(+)	18	YL	TXL	239481R1		AS10	-	2644000R1		
9V5BD(+)	18	YL	TXL	239481R1		AS10	-	2644000R1		
9V5BE(+)	18	YL	TXL	239481R1		AS10	-	2644000R1		
9Z5BC(+)	18	YL	TXL	239481R1		AS10	-	2644000R1		
9Z5BD(+)	18	YL	TXL	239481R1		AS10	-	2644000R1		
9Z5BE(+)	18	YL	TXL	239481R1		AS10	-	2644000R1		
9G5BC(-)	18	GN	TXL	239481R1		AS11	-	2644000R1		
9G5BD(-)	18	GN	TXL	239481R1		AS11	-	2644000R1		
9G5BE(-)	18	GN	TXL	239481R1		AS11	-	2644000R1		
9L5BC(-)	18	GN	TXL	239481R1		AS11	-	2644000R1		
9L5BD(-)	18	GN	TXL	239481R1		AS11	-	2644000R1		
9L5BE(-)	18	GN	TXL	239481R1		AS11	-	2644000R1		
9V5BC(-)	18	GN	TXL	239481R1		AS11	-	2644000R1		
9V5BD(-)	18	GN	TXL	239481R1		AS11	-	2644000R1		
9V5BE(-)	18	GN	TXL	239481R1		AS11	-	2644000R1		
9Z5BC(-)	18	GN	TXL	239481R1		AS11	-	2644000R1		
9Z5BD(-)	18	GN	TXL	239481R1		AS11	-	2644000R1		
9Z5BE(-)	18	GN	TXL	239481R1		AS11	-	2644000R1		
9S5AA(-)	18	GN	TXL	239481R1		AS13	-	2644000R1		
9S5AB(-)	18	GN	TXL	239481R1		AS13	-	2644000R1		
9S5AC(-)	18	GN	TXL	239481R1		AS13	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
9T5AA(-)	18	GN	TXL	239481R1		AS13	-	2644000R1		
9T5AB(-)	18	GN	TXL	239481R1		AS13	-	2644000R1		
9T5AC(-)	18	GN	TXL	239481R1		AS13	-	2644000R1		
9W5AA(-)	18	GN	TXL	239481R1		AS13	-	2644000R1		
9W5AB(-)	18	GN	TXL	239481R1		AS13	-	2644000R1		
9W5AC(-)	18	GN	TXL	239481R1		AS13	-	2644000R1		
9Y5AA(-)	18	GN	TXL	239481R1		AS13	-	2644000R1		
9Y5AB(-)	18	GN	TXL	239481R1		AS13	-	2644000R1		
9Y5AC(-)	18	GN	TXL	239481R1		AS13	-	2644000R1		
9S5AA(+)	18	YL	TXL	239481R1		AS14	-	2644000R1		
9S5AB(+)	18	YL	TXL	239481R1		AS14	-	2644000R1		
9S5AC(+)	18	YL	TXL	239481R1		AS14	-	2644000R1		
9T5AA(+)	18	YL	TXL	239481R1		AS14	-	2644000R1		
9T5AB(+)	18	YL	TXL	239481R1		AS14	-	2644000R1		
9T5AC(+)	18	YL	TXL	239481R1		AS14	-	2644000R1		
9W5AA(+)	18	YL	TXL	239481R1		AS14	-	2644000R1		
9W5AB(+)	18	YL	TXL	239481R1		AS14	-	2644000R1		
9W5AC(+)	18	YL	TXL	239481R1		AS14	-	2644000R1		
9Y5AA(+)	18	YL	TXL	239481R1		AS14	-	2644000R1		
9Y5AB(+)	18	YL	TXL	239481R1		AS14	-	2644000R1		
9Y5AC(+)	18	YL	TXL	239481R1		AS14	-	2644000R1		
9D5A(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
9D5B(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
9D5C(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
9K5A(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
9K5B(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
9K5C(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
9M5A(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
9M5B(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
9M5C(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
9N5A(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
9N5B(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
9N5C(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
9Q5A(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
9Q5B(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
9Q5C(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
9R5A(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
9R5B(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
9R5C(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
9U5A(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
9U5B(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
9U5C(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GB5A(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GB5B(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GB5C(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GE5A(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GE5B(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GE5C(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GG5A(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GG5B(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GG5C(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GH5A(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GH5B(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GH5C(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
GJ5A(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GJ5B(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GJ5C(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GK5A(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GK5B(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GK5C(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GL5A(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GL5B(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GL5C(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GM5A(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GM5B(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GM5C(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GN5A(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GN5B(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GN5C(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GP5A(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GP5B(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GP5C(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GQ5A(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GQ5B(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GQ5C(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GT5A(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GT5B(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GT5C(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GU5A(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GU5B(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GU5C(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GV5A(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GV5B(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GV5C(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GW5A(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GW5B(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
GW5C(+)	18	YL	TXL	239481R1		AS17	-	2644000R1		
9D5A(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
9D5B(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
9D5C(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
9K5A(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
9K5B(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
9K5C(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
9M5A(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
9M5B(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
9M5C(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
9N5A(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
9N5B(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
9N5C(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
9Q5A(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
9Q5B(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
9Q5C(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
9R5A(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
9R5B(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
9R5C(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
9U5A(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
9U5B(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
9U5C(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
GB5A(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GB5B(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GB5C(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GE5A(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GE5B(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GE5C(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GG5A(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GG5B(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GG5C(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GH5A(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GH5B(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GH5C(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GJ5A(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GJ5B(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GJ5C(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GK5A(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GK5B(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GK5C(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GL5A(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GL5B(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GL5C(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GM5A(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GM5B(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GM5C(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GN5A(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GN5B(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GN5C(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GP5A(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GP5B(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GP5C(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GQ5A(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GQ5B(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GQ5C(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GT5A(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GT5B(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GT5C(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GU5A(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GU5B(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GU5C(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GV5A(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GV5B(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GV5C(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GW5A(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GW5B(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
GW5C(-)	18	GN	TXL	239481R1		AS18	-	2644000R1		
YD13COG	16	PK	TXL	239481R1		AS19	-	2644000R1		
YD67A	16	PK	TXL	239481R1		AS19	-	2644000R1		
YD67Y	18	PK	TXL	239481R1		AS19	-	2644000R1		
QW79A	18	GY	TXL	239481R1		AS2	-	2644000R1		
QW79B	18	GY	GXL	239481R1		AS2	-	2644000R1		
QW79C	18	GY	GXL	239481R1		AS2	-	2644000R1		
WG63	18	DKBL	TXL	239481R1		AS21	-	2644000R1		
WG63BB	18	DKBL	TXL	239481R1		AS21	-	2644000R1		
WG63BC	18	DKBL	TXL	239481R1		AS21	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
WG63BD	18	DKBL	TXL	239481R1		AS21	-	2644000R1		
WJ63	18	DKBL	TXL	239481R1		AS21	-	2644000R1		
WJ63BB	18	DKBL	TXL	239481R1		AS21	-	2644000R1		
WJ63BC	18	DKBL	TXL	239481R1		AS21	-	2644000R1		
WJ63BD	18	DKBL	TXL	239481R1		AS21	-	2644000R1		
WJ63BE	18	DKBL	TXL	239481R1		AS21	-	2644000R1		
AB60C	18	OR	TXL	239481R1		AS23	-	2644000R1		
AB62	18	DKBL	TXL	239481R1		AS23	-	2644000R1		
AB62DD	18	DKBL	TXL	239481R1		AS23	-	2644000R1		
HB103	6	RD	SGX	239481R1		AS24	-	2644000R1		
HB103-FL	10	RS	FUS	239481R1		AS24	-	2644000R1		
HC103-FL	10	RS	FUS	239481R1		AS24	-	2644000R1		
HC103S	6	RD	SGX	239481R1		AS24	-	2644000R1		
HZ14-FL	8	LTBL	FUS	239481R1		AS25	-	2644000R1		
HZ14BC	4	RD	SGX	239481R1		AS25	-	2644000R1		
XZ56	16	OR	TXL	239481R1		AS26	-	2644000R1		
XZ56B	16	OR	TXL	239481R1		AS26	-	2644000R1		
XZ56D	18	OR	TXL	239481R1		AS26	-	2644000R1		
YN56	18	OR	TXL	239481R1		AS26	-	2644000R1		
YN56B	16	OR	TXL	239481R1		AS26	-	2644000R1		
YN56D	18	OR	TXL	239481R1		AS26	-	2644000R1		
YY56	16	OR	TXL	239481R1		AS26	-	2644000R1		
YY56B	16	OR	TXL	239481R1		AS26	-	2644000R1		
YY56D	18	OR	TXL	239481R1		AS26	-	2644000R1		
QE14A	12	RD	TXL	239481R1		AS27	-	2644000R1		
QE14B	12	RD	TXL	239481R1		AS27	-	2644000R1		
QE14C	12	RD	TXL	239481R1		AS27	-	2644000R1		
QE11-GCN	12	WH	TXL	239481R1		AS28	-	2644000R1		
QE11-GP	12	WH	TXL	239481R1		AS28	-	2644000R1		
QE11-GR	12	WH	TXL	239481R1		AS28	-	2644000R1		
DD13FAL	14	BN	GXL	239481R1		AS29	-	2644000R1		
DD13FAM	18	BN	TXL	239481R1		AS29	-	2644000R1		
DH13A	14	GY	TXL	239481R1		AS29	-	2644000R1		
DH13C	18	GY	TXL	239481R1		AS29	-	2644000R1		
QD105-GA	16	WH	TXL	239481R1		AS3	-	2644000R1		
QD105-GB	16	WH	TXL	239481R1		AS3	-	2644000R1		
QD105-GCP	16	WH	TXL	239481R1		AS3	-	2644000R1		
QU11-GH	18	WH	TXL	239481R1		AS32	-	2644000R1		
QU11-GH1	18	WH	TXL	239481R1		AS32	-	2644000R1		
QU11-GH2	18	WH	TXL	239481R1		AS32	-	2644000R1		
QY11-GM1	18	WH	TXL	239481R1		AS32	-	2644000R1		
QY11-GM2	18	WH	TXL	239481R1		AS32	-	2644000R1		
QY11-GM3	18	WH	TXL	239481R1		AS32	-	2644000R1		
QZ13R1	18	RD	TXL	239481R1		AS33	-	2644000R1		
QZ13R2	18	RD	TXL	239481R1		AS33	-	2644000R1		
QZ13R3	18	RD	TXL	239481R1		AS33	-	2644000R1		
9D5C(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
9D5E(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
9K5C(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
9K5D(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
9K5E(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
9M5C(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
9M5E(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
9N5C(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
9N5E(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
9Q5C(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
9Q5E(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
9R5C(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
9R5D(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
9R5E(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
9U5C(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
9U5D(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
9U5E(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GB5C(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GB5D(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GB5E(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GE5C(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GE5D(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GE5E(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GG5C(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GG5D(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GG5E(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GH5C(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GH5D(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GH5E(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GJ5C(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GJ5D(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GJ5E(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GK5C(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GK5D(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GK5E(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GL5C(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GL5D(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GL5E(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GM5C(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GM5D(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GM5E(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GN5C(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GN5D(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GN5E(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GP5C(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GP5D(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GP5E(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GQ5C(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GQ5D(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GQ5E(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GT5C(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GT5D(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GT5E(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GU5C(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GU5D(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GU5E(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GV5C(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GV5D(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GV5E(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GW5C(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GW5D(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		
GW5E(+)	18	YL	TXL	239481R1		AS34	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
9D5C(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
9D5E(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
9K5C(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
9K5E(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
9M5C(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
9M5E(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
9N5C(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
9N5E(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
9Q5C(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
9Q5E(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
9R5C(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
9R5D(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
9R5E(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
9U5C(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
9U5E(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GB5C(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GB5D(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GB5E(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GE5C(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GE5D(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GE5E(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GG5C(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GG5D(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GG5E(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GH5C(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GH5D(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GH5E(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GJ5C(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GJ5D(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GJ5E(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GK5C(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GK5D(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GK5E(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GL5C(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GL5D(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GL5E(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GM5C(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GM5D(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GM5E(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GN5C(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GN5D(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GN5E(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GP5C(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GP5D(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GP5E(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GQ5C(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GQ5D(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GQ5E(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GT5C(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GT5D(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GT5E(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GU5C(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GU5D(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GU5E(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
GV5C(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GV5D(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GV5E(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GW5C(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GW5D(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
GW5E(-)	18	GN	TXL	239481R1		AS35	-	2644000R1		
9S5AC(+)	18	YL	TXL	239481R1		AS36	-	2644000R1		
9S5AE(+)	18	YL	TXL	239481R1		AS36	-	2644000R1		
9T5AC(+)	18	YL	TXL	239481R1		AS36	-	2644000R1		
9T5AE(+)	18	YL	TXL	239481R1		AS36	-	2644000R1		
9W5AC(+)	18	YL	TXL	239481R1		AS36	-	2644000R1		
9W5AD(+)	18	YL	TXL	239481R1		AS36	-	2644000R1		
9W5AE(+)	18	YL	TXL	239481R1		AS36	-	2644000R1		
9Y5AC(+)	18	YL	TXL	239481R1		AS36	-	2644000R1		
9Y5AD(+)	18	YL	TXL	239481R1		AS36	-	2644000R1		
9Y5AE(+)	18	YL	TXL	239481R1		AS36	-	2644000R1		
9S5AC(-)	18	GN	TXL	239481R1		AS37	-	2644000R1		
9S5AE(-)	18	GN	TXL	239481R1		AS37	-	2644000R1		
9T5AC(-)	18	GN	TXL	239481R1		AS37	-	2644000R1		
9T5AE(-)	18	GN	TXL	239481R1		AS37	-	2644000R1		
9W5AC(-)	18	GN	TXL	239481R1		AS37	-	2644000R1		
9W5AD(-)	18	GN	TXL	239481R1		AS37	-	2644000R1		
9W5AE(-)	18	GN	TXL	239481R1		AS37	-	2644000R1		
9Y5AC(-)	18	GN	TXL	239481R1		AS37	-	2644000R1		
9Y5AD(-)	18	GN	TXL	239481R1		AS37	-	2644000R1		
9Y5AE(-)	18	GN	TXL	239481R1		AS37	-	2644000R1		
VL58T	12	BN	TXL	239481R1		AS38	-	2644000R1		
VL58TA	12	BN	TXL	239481R1		AS38	-	2644000R1		
VL58TB	12	BN	TXL	239481R1		AS38	-	2644000R1		
VM58T	12	BN	TXL	239481R1		AS38	-	2644000R1		
VM58TA	12	BN	TXL	239481R1		AS38	-	2644000R1		
VM58TB	12	BN	TXL	239481R1		AS38	-	2644000R1		
VP58	12	BN	TXL	239481R1		AS38	-	2644000R1		
VP58BB	12	BN	TXL	239481R1		AS38	-	2644000R1		
VP58T	12	BN	TXL	239481R1		AS38	-	2644000R1		
VR58T	12	BN	TXL	239481R1		AS38	-	2644000R1		
VR58TA	12	BN	TXL	239481R1		AS38	-	2644000R1		
VR58TB	12	BN	TXL	239481R1		AS38	-	2644000R1		
VT58	12	BN	TXL	239481R1		AS38	-	2644000R1		
VT58T	12	BN	TXL	239481R1		AS38	-	2644000R1		
VT58TB	12	BN	TXL	239481R1		AS38	-	2644000R1		
VL68T	12	BN	TXL	239481R1		AS39	-	2644000R1		
VL68TA	12	BN	TXL	239481R1		AS39	-	2644000R1		
VL68TB	12	BN	TXL	239481R1		AS39	-	2644000R1		
VM68T	12	BN	TXL	239481R1		AS39	-	2644000R1		
VM68TA	12	BN	TXL	239481R1		AS39	-	2644000R1		
VM68TB	12	BN	TXL	239481R1		AS39	-	2644000R1		
VP68	12	BN	TXL	239481R1		AS39	-	2644000R1		
VP68BB	12	BN	TXL	239481R1		AS39	-	2644000R1		
VP68T	12	BN	TXL	239481R1		AS39	-	2644000R1		
VR68T	12	BN	TXL	239481R1		AS39	-	2644000R1		
VR68TA	12	BN	TXL	239481R1		AS39	-	2644000R1		
VR68TB	16	BN	TXL	239481R1		AS39	-	2644000R1		
VT68T	12	BN	TXL	239481R1		AS39	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
VT68TA	12	BN	TXL	239481R1		AS39	-	2644000R1		
VT68TB	12	BN	TXL	239481R1		AS39	-	2644000R1		
9E5BA(-)	18	GN	TXL	239481R1		AS4	-	2644000R1		
9E5BB(-)	18	GN	TXL	239481R1		AS4	-	2644000R1		
9E5BC(-)	18	GN	TXL	239481R1		AS4	-	2644000R1		
9G5BA(-)	18	GN	TXL	239481R1		AS4	-	2644000R1		
9G5BB(-)	18	GN	TXL	239481R1		AS4	-	2644000R1		
9G5BC(-)	18	GN	TXL	239481R1		AS4	-	2644000R1		
9H5BA(-)	18	GN	TXL	239481R1		AS4	-	2644000R1		
9H5BB(-)	18	GN	TXL	239481R1		AS4	-	2644000R1		
9H5BC(-)	18	GN	TXL	239481R1		AS4	-	2644000R1		
9L5BA(-)	18	GN	TXL	239481R1		AS4	-	2644000R1		
9L5BB(-)	18	GN	TXL	239481R1		AS4	-	2644000R1		
9L5BC(-)	18	GN	TXL	239481R1		AS4	-	2644000R1		
9V5BA(-)	18	GN	TXL	239481R1		AS4	-	2644000R1		
9V5BB(-)	18	GN	TXL	239481R1		AS4	-	2644000R1		
9V5BC(-)	18	GN	TXL	239481R1		AS4	-	2644000R1		
9Z5BA(-)	18	GN	TXL	239481R1		AS4	-	2644000R1		
9Z5BB(-)	18	GN	TXL	239481R1		AS4	-	2644000R1		
9Z5BC(-)	18	GN	TXL	239481R1		AS4	-	2644000R1		
9E5BA(+)	18	YL	TXL	239481R1		AS5	-	2644000R1		
9E5BB(+)	18	YL	TXL	239481R1		AS5	-	2644000R1		
9E5BC(+)	18	YL	TXL	239481R1		AS5	-	2644000R1		
9G5BA(+)	18	YL	TXL	239481R1		AS5	-	2644000R1		
9G5BB(+)	18	YL	TXL	239481R1		AS5	-	2644000R1		
9G5BC(+)	18	YL	TXL	239481R1		AS5	-	2644000R1		
9H5BA(+)	18	YL	TXL	239481R1		AS5	-	2644000R1		
9H5BB(+)	18	YL	TXL	239481R1		AS5	-	2644000R1		
9H5BC(+)	18	YL	TXL	239481R1		AS5	-	2644000R1		
9L5BA(+)	18	YL	TXL	239481R1		AS5	-	2644000R1		
9L5BB(+)	18	YL	TXL	239481R1		AS5	-	2644000R1		
9L5BC(+)	18	YL	TXL	239481R1		AS5	-	2644000R1		
9V5BA(+)	18	YL	TXL	239481R1		AS5	-	2644000R1		
9V5BB(+)	18	YL	TXL	239481R1		AS5	-	2644000R1		
9V5BC(+)	18	YL	TXL	239481R1		AS5	-	2644000R1		
9Z5BA(+)	18	YL	TXL	239481R1		AS5	-	2644000R1		
9Z5BB(+)	18	YL	TXL	239481R1		AS5	-	2644000R1		
9Z5BC(+)	18	YL	TXL	239481R1		AS5	-	2644000R1		
QV11-GF	18	WH	TXL	239481R1		AS6	-	2644000R1		
QV11-GF1	18	WH	TXL	239481R1		AS6	-	2644000R1		
QV11-GF2	18	WH	TXL	239481R1		AS6	-	2644000R1		
QD105A	16	LTGN	TXL	239481R1		AS7	-	2644000R1		
QD105B	16	LTGN	TXL	239481R1		AS7	-	2644000R1		
QD105C	16	LTGN	TXL	239481R1		AS7	-	2644000R1		
AA63A	16	LTBL	TXL	239481R1		AS8	-	2644000R1		
AA63B	16	DKBL	TXL	239481R1		AS8	-	2644000R1		
AA63C	16	DKBL	TXL	239481R1		AS8	-	2644000R1		
AA9B	18	GY	TXL	239481R1		AS9	-	2644000R1		
AA9BAA	16	GY	TXL	239481R1		AS9	-	2644000R1		
AA9BAB	16	GY	TXL	239481R1		AS9	-	2644000R1		
FB11-GBA	14	WH	TXL	239481R1		BS10	-	2644000R1		
FB11-GCB	14	WH	TXL	239481R1		BS10	-	2644000R1		
FB11-GCC	14	WH	TXL	239481R1		BS10	-	2644000R1		
FB11-GKJ	6	WH	SGX	239481R1		BS10	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
AD11-G	18	WH	TXL	239481R1		BS11	-	2644000R1		
AD11-GAC	18	WH	TXL	239481R1		BS11	-	2644000R1		
AD11-GK	18	WH	TXL	239481R1		BS11	-	2644000R1		
AD11-GKE	16	WH	TXL	239481R1		BS11	-	2644000R1		
AD11-GX	12	WH	TXL	239481R1		BS11	-	2644000R1		
AD63-GA	16	WH	TXL	239481R1		BS11	-	2644000R1		
AD87-GA	18	WH	TXL	239481R1		BS11	-	2644000R1		
AE11-G	18	WH	TXL	239481R1		BS11	-	2644000R1		
AE11-GAC	18	WH	TXL	239481R1		BS11	-	2644000R1		
AE11-GK	18	WH	TXL	239481R1		BS11	-	2644000R1		
AE11-GKE	16	WH	TXL	239481R1		BS11	-	2644000R1		
AE11-GX	12	WH	TXL	239481R1		BS11	-	2644000R1		
AE63-GA	16	WH	TXL	239481R1		BS11	-	2644000R1		
AE87-GA	18	WH	TXL	239481R1		BS11	-	2644000R1		
AE98-G	18	WH	TXL	239481R1		BS11	-	2644000R1		
RC81-G	10	WH	GXL	239481R1		BS12	-	2644000R1		
RC81-GA	12	WH	TXL	239481R1		BS12	-	2644000R1		
RC81-GB	12	WH	TXL	239481R1		BS12	-	2644000R1		
RD81-G	10	WH	GXL	239481R1		BS12	-	2644000R1		
RD81-GA	12	WH	TXL	239481R1		BS12	-	2644000R1		
RD81-GB	12	WH	TXL	239481R1		BS12	-	2644000R1		
RD81-GD	12	WH	TXL	239481R1		BS12	-	2644000R1		
RD81-GDA	12	WH	TXL	239481R1		BS12	-	2644000R1		
9S5AE(+)	18	YL	TXL	239481R1		BS13	-	2644000R1		
9S5AF(+)	20	YL	193	239481R1		BS13	-	2644000R1		
9S5AG(+)	18	YL	TXL	239481R1		BS13	-	2644000R1		
9T5AE(+)	18	YL	TXL	239481R1		BS13	-	2644000R1		
9T5AF(+)	20	YL	193	239481R1		BS13	-	2644000R1		
9T5AG(+)	18	YL	TXL	239481R1		BS13	-	2644000R1		
9W5AE(+)	18	YL	TXL	239481R1		BS13	-	2644000R1		
9W5AF(+)	20	YL	193	239481R1		BS13	-	2644000R1		
9W5AG(+)	18	YL	TXL	239481R1		BS13	-	2644000R1		
9Y5AE(+)	18	YL	TXL	239481R1		BS13	-	2644000R1		
9Y5AF(+)	20	YL	193	239481R1		BS13	-	2644000R1		
9Y5AG(+)	18	YL	TXL	239481R1		BS13	-	2644000R1		
9S5AE(-)	18	GN	TXL	239481R1		BS14	-	2644000R1		
9S5AF(-)	20	GN	193	239481R1		BS14	-	2644000R1		
9S5AG(-)	18	GN	TXL	239481R1		BS14	-	2644000R1		
9T5AE(-)	18	GN	TXL	239481R1		BS14	-	2644000R1		
9T5AF(-)	20	GN	193	239481R1		BS14	-	2644000R1		
9T5AG(-)	18	GN	TXL	239481R1		BS14	-	2644000R1		
9W5AE(-)	18	GN	TXL	239481R1		BS14	-	2644000R1		
9W5AF(-)	20	GN	193	239481R1		BS14	-	2644000R1		
9W5AG(-)	18	GN	TXL	239481R1		BS14	-	2644000R1		
9Y5AE(-)	18	GN	TXL	239481R1		BS14	-	2644000R1		
9Y5AF(-)	20	GN	193	239481R1		BS14	-	2644000R1		
9Y5AG(-)	18	GN	TXL	239481R1		BS14	-	2644000R1		
9E5BC(+)	18	YL	TXL	239481R1		BS15	-	2644000R1		
9E5BF(+)	18	YL	TXL	239481R1		BS15	-	2644000R1		
9E5BG(+)	18	YL	TXL	239481R1		BS15	-	2644000R1		
9G5BE(+)	18	YL	TXL	239481R1		BS15	-	2644000R1		
9G5BF(+)	18	YL	TXL	239481R1		BS15	-	2644000R1		
9G5BG(+)	18	YL	TXL	239481R1		BS15	-	2644000R1		
9H5BC(+)	18	YL	TXL	239481R1		BS15	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
9H5BF(+)	18	YL	TXL	239481R1		BS15	-	2644000R1		
9H5BG(+)	18	YL	TXL	239481R1		BS15	-	2644000R1		
9L5BE(+)	18	YL	TXL	239481R1		BS15	-	2644000R1		
9L5BF(+)	18	YL	TXL	239481R1		BS15	-	2644000R1		
9L5BG(+)	18	YL	TXL	239481R1		BS15	-	2644000R1		
9V5BE(+)	18	YL	TXL	239481R1		BS15	-	2644000R1		
9V5BF(+)	18	YL	TXL	239481R1		BS15	-	2644000R1		
9V5BG(+)	18	YL	TXL	239481R1		BS15	-	2644000R1		
9Z5BE(+)	18	YL	TXL	239481R1		BS15	-	2644000R1		
9Z5BF(+)	18	YL	TXL	239481R1		BS15	-	2644000R1		
9Z5BG(+)	18	YL	TXL	239481R1		BS15	-	2644000R1		
9E5BC(-)	18	GN	TXL	239481R1		BS16	-	2644000R1		
9E5BF(-)	18	GN	TXL	239481R1		BS16	-	2644000R1		
9E5BG(-)	18	GN	TXL	239481R1		BS16	-	2644000R1		
9G5BE(-)	18	GN	TXL	239481R1		BS16	-	2644000R1		
9G5BF(-)	18	GN	TXL	239481R1		BS16	-	2644000R1		
9G5BG(-)	18	GN	TXL	239481R1		BS16	-	2644000R1		
9H5BC(-)	18	GN	TXL	239481R1		BS16	-	2644000R1		
9H5BF(-)	18	GN	TXL	239481R1		BS16	-	2644000R1		
9H5BG(-)	18	GN	TXL	239481R1		BS16	-	2644000R1		
9L5BE(-)	18	GN	TXL	239481R1		BS16	-	2644000R1		
9L5BF(-)	18	GN	TXL	239481R1		BS16	-	2644000R1		
9L5BG(-)	18	GN	TXL	239481R1		BS16	-	2644000R1		
9V5BE(-)	18	GN	TXL	239481R1		BS16	-	2644000R1		
9V5BF(-)	18	GN	TXL	239481R1		BS16	-	2644000R1		
9V5BG(-)	18	GN	TXL	239481R1		BS16	-	2644000R1		
9Z5BE(-)	18	GN	TXL	239481R1		BS16	-	2644000R1		
9Z5BF(-)	18	GN	TXL	239481R1		BS16	-	2644000R1		
9Z5BG(-)	18	GN	TXL	239481R1		BS16	-	2644000R1		
XQ94AB	14	GY	GXL	239481R1		BS17	-	2644000R1		
XQ94AC	16	GY	GXL	239481R1		BS17	-	2644000R1		
XQ94SK	16	GY	GXL	239481R1		BS17	-	2644000R1		
8A5BA(+)	18	YL	TXL	239481R1		BS18	-	2644000R1		
8A5BB(+)	18	YL	TXL	239481R1		BS18	-	2644000R1		
8A5BC(+)	18	YL	TXL	239481R1		BS18	-	2644000R1		
9A5BA(+)	18	YL	TXL	239481R1		BS18	-	2644000R1		
9A5BB(+)	18	YL	TXL	239481R1		BS18	-	2644000R1		
9A5BC(+)	18	YL	TXL	239481R1		BS18	-	2644000R1		
9F5BA(+)	18	YL	TXL	239481R1		BS18	-	2644000R1		
9F5BB(+)	18	YL	TXL	239481R1		BS18	-	2644000R1		
9F5BC(+)	18	YL	TXL	239481R1		BS18	-	2644000R1		
9J5BA(+)	18	YL	TXL	239481R1		BS18	-	2644000R1		
9J5BB(+)	18	YL	TXL	239481R1		BS18	-	2644000R1		
9J5BC(+)	18	YL	TXL	239481R1		BS18	-	2644000R1		
9P5BA(+)	18	YL	TXL	239481R1		BS18	-	2644000R1		
9P5BB(+)	18	YL	TXL	239481R1		BS18	-	2644000R1		
9P5BC(+)	18	YL	TXL	239481R1		BS18	-	2644000R1		
9X5BA(+)	18	YL	TXL	239481R1		BS18	-	2644000R1		
9X5BB(+)	18	YL	TXL	239481R1		BS18	-	2644000R1		
9X5BC(+)	18	YL	TXL	239481R1		BS18	-	2644000R1		
GC5BA(+)	18	YL	TXL	239481R1		BS18	-	2644000R1		
GC5BB(+)	18	YL	TXL	239481R1		BS18	-	2644000R1		
GC5BC(+)	18	YL	TXL	239481R1		BS18	-	2644000R1		
GD5BA(+)	18	YL	TXL	239481R1		BS18	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
GD5BB(+)	18	YL	TXL	239481R1		BS18	-	2644000R1		
GD5BC(+)	18	YL	TXL	239481R1		BS18	-	2644000R1		
8A5BA(-)	18	GN	TXL	239481R1		BS19	-	2644000R1		
8A5BB(-)	18	GN	TXL	239481R1		BS19	-	2644000R1		
8A5BC(-)	18	GN	TXL	239481R1		BS19	-	2644000R1		
9A5BA(-)	18	GN	TXL	239481R1		BS19	-	2644000R1		
9A5BB(-)	18	GN	TXL	239481R1		BS19	-	2644000R1		
9A5BC(-)	18	GN	TXL	239481R1		BS19	-	2644000R1		
9F5BA(-)	18	GN	TXL	239481R1		BS19	-	2644000R1		
9F5BB(-)	18	GN	TXL	239481R1		BS19	-	2644000R1		
9F5BC(-)	18	GN	TXL	239481R1		BS19	-	2644000R1		
9J5BA(-)	18	GN	TXL	239481R1		BS19	-	2644000R1		
9J5BB(-)	18	GN	TXL	239481R1		BS19	-	2644000R1		
9J5BC(-)	18	GN	TXL	239481R1		BS19	-	2644000R1		
9P5BA(-)	18	GN	TXL	239481R1		BS19	-	2644000R1		
9P5BB(-)	18	GN	TXL	239481R1		BS19	-	2644000R1		
9P5BC(-)	18	GN	TXL	239481R1		BS19	-	2644000R1		
9X5BA(-)	18	GN	TXL	239481R1		BS19	-	2644000R1		
9X5BB(-)	18	GN	TXL	239481R1		BS19	-	2644000R1		
9X5BC(-)	18	GN	TXL	239481R1		BS19	-	2644000R1		
GC5BA(-)	18	GN	TXL	239481R1		BS19	-	2644000R1		
GC5BB(-)	18	GN	TXL	239481R1		BS19	-	2644000R1		
GC5BC(-)	18	GN	TXL	239481R1		BS19	-	2644000R1		
GD5BA(-)	18	GN	TXL	239481R1		BS19	-	2644000R1		
GD5BB(-)	18	GN	TXL	239481R1		BS19	-	2644000R1		
GD5BC(-)	18	GN	TXL	239481R1		BS19	-	2644000R1		
HB103	6	RD	SGX	239481R1		BS23	-	2644000R1		
HB103A	12	RD	GXL	239481R1		BS23	-	2644000R1		
HB103B	12	RD	GXL	239481R1		BS23	-	2644000R1		
HB103C	12	RD	GXL	239481R1		BS23	-	2644000R1		
HB11FGAP	16	WH	GXL	239481R1		BS24	-	2644000R1		
HB11G-GN	18	WH	GXL	239481R1		BS24	-	2644000R1		
HB11H-GP	18	WH	GXL	239481R1		BS24	-	2644000R1		
HB11J-GR	18	WH	GXL	239481R1		BS24	-	2644000R1		
ZG71BA	16	OR	TXL	239481R1		BS25	-	2644000R1		
ZG71BB	16	OR	TXL	239481R1		BS25	-	2644000R1		
ZG71BC	16	OR	TXL	239481R1		BS25	-	2644000R1		
ZK71BA	16	OR	TXL	239481R1		BS25	-	2644000R1		
ZK71BB	16	LTBL	TXL	239481R1		BS25	-	2644000R1		
ZK71CB	16	OR	TXL	239481R1		BS25	-	2644000R1		
XV57	16	OR	TXL	239481R1		BS26	-	2644000R1		
XV57B	16	OR	TXL	239481R1		BS26	-	2644000R1		
XV57C	18	OR	TXL	239481R1		BS26	-	2644000R1		
XZ57	16	OR	TXL	239481R1		BS26	-	2644000R1		
XZ57B	16	OR	TXL	239481R1		BS26	-	2644000R1		
XZ57D	18	OR	TXL	239481R1		BS26	-	2644000R1		
YH57	16	OR	TXL	239481R1		BS26	-	2644000R1		
YH57B	16	OR	TXL	239481R1		BS26	-	2644000R1		
YH57D	18	OR	TXL	239481R1		BS26	-	2644000R1		
YK57	16	OR	TXL	239481R1		BS26	-	2644000R1		
YK57B	16	OR	TXL	239481R1		BS26	-	2644000R1		
YK57C	18	OR	TXL	239481R1		BS26	-	2644000R1		
YK57D	18	OR	TXL	239481R1		BS26	-	2644000R1		
YQ57	16	OR	TXL	239481R1		BS26	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
YQ57B	16	OR	TXL	239481R1		BS26	-	2644000R1		
YQ57C	18	OR	TXL	239481R1		BS26	-	2644000R1		
YY57	16	OR	TXL	239481R1		BS26	-	2644000R1		
YY57B	16	OR	TXL	239481R1		BS26	-	2644000R1		
YY57C	18	OR	TXL	239481R1		BS26	-	2644000R1		
YY57D	18	OR	TXL	239481R1		BS26	-	2644000R1		
QL11-A	18	WH	TXL	239481R1		BS27	-	2644000R1		
QL11-AA	18	WH	TXL	239481R1		BS27	-	2644000R1		
QL11-AB	18	WH	TXL	239481R1		BS27	-	2644000R1		
XE94-GC	12	WH	GXL	239481R1		BS28	-	2644000R1		
XE94AA	14	GY	GXL	239481R1		BS28	-	2644000R1		
XE94AJ	14	GY	GXL	239481R1		BS28	-	2644000R1		
XE94G1	18	WH	TXL	239481R1		BS28	-	2644000R1		
XE94G2	16	WH	TXL	239481R1		BS28	-	2644000R1		
XE94G6	14	WH	GXL	239481R1		BS28	-	2644000R1		
XE94G7	14	WH	GXL	239481R1		BS28	-	2644000R1		
AD11-GS	12	WH	TXL	239481R1		BS5	-	2644000R1		
AD11-GT	10	WH	GXL	239481R1		BS5	-	2644000R1		
AD11-GX	12	WH	TXL	239481R1		BS5	-	2644000R1		
AE11-GS	12	WH	TXL	239481R1		BS5	-	2644000R1		
AE11-GT	10	WH	GXL	239481R1		BS5	-	2644000R1		
AE11-GX	12	WH	TXL	239481R1		BS5	-	2644000R1		
HJ87A	18	GY	TXL	239481R1		BS6	-	2644000R1		
HJ87B	20	GY	TXL	239481R1		BS6	-	2644000R1		
HJ87BA	18	GY	TXL	239481R1		BS6	-	2644000R1		
HE87A	20	GY	TXL	239481R1		BS7	-	2644000R1		
HE87B	20	GY	TXL	239481R1		BS7	-	2644000R1		
HE87D	18	GY	TXL	239481R1		BS7	-	2644000R1		
FA11-GAA	6	WH	SGX	ABRSPILCO		BS8	-	N/A		
HB11FGAP	16	WH	GXL	ABRSPILCO		BS8	-	N/A		
HR11-GCB	18	WH	TXL	ABRSPILCO		BS8	-	N/A		
HR72-GY	12	WH	TXL	ABRSPILCO		BS8	-	N/A		
HW11-GCB	18	WH	TXL	ABRSPILCO		BS8	-	N/A		
HW11-GCK	14	GY	TXL	ABRSPILCO		BS8	-	N/A		
JA11-GAF	14	WH	TXL	ABRSPILCO		BS8	-	N/A		
JA11-GUC	20	WH	TXL	ABRSPILCO		BS8	-	N/A		
JC11-GAC	14	WH	TXL	ABRSPILCO		BS8	-	N/A		
JC11-GUB	20	WH	TXL	ABRSPILCO		BS8	-	N/A		
JD11-GCE	14	WH	TXL	ABRSPILCO		BS8	-	N/A		
JE11-GUB	20	WH	TXL	ABRSPILCO		BS8	-	N/A		
JE11-GUD	20	WH	TXL	ABRSPILCO		BS8	-	N/A		
KR59-GBN	16	WH	TXL	ABRSPILCO		BS8	-	N/A		
KS59-GBP	16	WH	TXL	ABRSPILCO		BS8	-	N/A		
KT59-GBP	16	WH	TXL	ABRSPILCO		BS8	-	N/A		
KU59-GBP	16	WH	TXL	ABRSPILCO		BS8	-	N/A		
MK11-GTS	20	WH	TXL	ABRSPILCO		BS8	-	N/A		
ND11-GAL	16	WH	TXL	ABRSPILCO		BS8	-	N/A		
QA11-GAM	18	WH	TXL	ABRSPILCO		BS8	-	N/A		
QC105-GAP	18	WH	TXL	ABRSPILCO		BS8	-	N/A		
QE11-GCN	12	WH	TXL	ABRSPILCO		BS8	-	N/A		
QF11-GCN	12	WH	TXL	ABRSPILCO		BS8	-	N/A		
QK11-GAN	14	WH	GXL	ABRSPILCO		BS8	-	N/A		
QS11-GAN	14	WH	GXL	ABRSPILCO		BS8	-	N/A		
QU11-GAN	14	WH	GXL	ABRSPILCO		BS8	-	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
QZ11-GAN	18	WH	TXL	ABRSPLICO		BS8	-	N/A		
QZ11-GAP	14	WH	GXL	ABRSPLICO		BS8	-	N/A		
RK78-GE	12	WH	TXL	ABRSPLICO		BS8	-	N/A		
SM86-G	18	WH	TXL	ABRSPLICO		BS8	-	N/A		
WJ63-GC	12	WH	TXL	ABRSPLICO		BS8	-	N/A		
YW11-GBJ	12	WH	TXL	ABRSPLICO		BS8	-	N/A		
YZ11-GBJ	12	WH	TXL	ABRSPLICO		BS8	-	N/A		
KA9	18	GY	TXL	239481R1		CS1	-	2644000R1		
KA9B	18	GY	TXL	239481R1		CS1	-	2644000R1		
KA9BB	18	GY	TXL	239481R1		CS1	-	2644000R1		
XP94AB	16	GY	GXL	239481R1		CS2	-	2644000R1		
XP94AC	16	GY	GXL	239481R1		CS2	-	2644000R1		
XP94SK	16	GY	GXL	239481R1		CS2	-	2644000R1		
9B5F(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
9B5G(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
9B5H(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
9C5F(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
9C5G(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
9C5H(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
9K5E(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
9K5G(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
9K5H(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
9M5E(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
9M5G(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
9M5H(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
9N5E(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
9N5G(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
9N5H(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
9Q5E(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
9Q5G(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
9Q5H(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
9R5E(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
9R5G(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
9R5H(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
9U5E(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
9U5G(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
9U5H(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GB5E(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GB5G(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GB5H(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GE5E(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GE5G(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GE5P(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GF5F(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GF5G(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GF5H(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GG5E(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GG5G(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GG5H(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GH5E(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GH5G(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GH5P(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GJ5E(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GJ5G(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
GJ5H(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GK5E(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GK5G(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GK5P(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GL5E(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GL5G(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GL5H(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GM5E(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GM5G(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GM5H(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GN5E(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GN5G(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GN5H(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GP5E(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GP5G(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GP5H(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GQ5E(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GQ5G(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GQ5P(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GT5E(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GT5G(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GT5H(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GU5E(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GU5G(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GU5H(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GV5E(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GV5G(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
GV5H(+)	18	YL	TXL	239481R1		CS3	-	2644000R1		
9B5F(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
9B5G(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
9B5H(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
9C5F(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
9C5G(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
9C5H(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
9K5E(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
9K5G(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
9K5H(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
9M5E(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
9M5G(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
9M5H(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
9N5E(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
9N5G(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
9N5H(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
9Q5E(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
9Q5G(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
9Q5H(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
9R5E(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
9R5G(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
9R5H(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
9U5E(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
9U5G(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
9U5H(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GB5E(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GB5G(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
GB5H(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GE5E(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GE5G(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GE5P(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GF5F(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GF5G(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GF5H(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GG5E(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GG5G(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GG5H(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GH5E(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GH5G(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GH5P(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GJ5E(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GJ5G(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GJ5H(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GK5E(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GK5G(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GK5P(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GL5E(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GL5G(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GL5H(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GM5E(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GM5G(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GM5H(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GN5E(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GN5G(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GN5H(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GP5E(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GP5G(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GP5H(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GQ5E(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GQ5G(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GQ5P(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GT5E(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GT5G(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GT5H(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GU5E(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GU5G(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GU5H(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GV5E(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GV5G(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
GV5H(-)	18	GN	TXL	239481R1		CS4	-	2644000R1		
QA23EA	18	TN	TXL	239481R1		DS1	-	2644000R1		
QA23EC	18	TN	TXL	239481R1		DS1	-	2644000R1		
KS59-GA	18	WH	TXL	239481R1		DS10	-	2644000R1		
KS59-GB	18	WH	TXL	239481R1		DS10	-	2644000R1		
KS59-GBA	18	WH	TXL	239481R1		DS10	-	2644000R1		
KS59-GBP	16	WH	TXL	239481R1		DS10	-	2644000R1		
KS59-GDA	18	WH	TXL	239481R1		DS10	-	2644000R1		
KT59-GA	18	WH	TXL	239481R1		DS10	-	2644000R1		
KT59-GB	18	WH	TXL	239481R1		DS10	-	2644000R1		
KT59-GBA	18	WH	TXL	239481R1		DS10	-	2644000R1		
KT59-GBP	16	WH	TXL	239481R1		DS10	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
KU59-GA	18	WH	TXL	239481R1		DS10	-	2644000R1		
KU59-GB	18	WH	TXL	239481R1		DS10	-	2644000R1		
KU59-GBP	16	WH	TXL	239481R1		DS10	-	2644000R1		
KU59-GDA	18	WH	TXL	239481R1		DS10	-	2644000R1		
KU59-GDB	18	WH	TXL	239481R1		DS10	-	2644000R1		
KU59GEA	18	WH	TXL	239481R1		DS10	-	2644000R1		
K559SB	18	GY	TXL	239481R1		DS11	-	2644000R1		
K559TA	18	GY	TXL	239481R1		DS11	-	2644000R1		
K559U	18	GY	TXL	239481R1		DS11	-	2644000R1		
KT59SB	18	GY	TXL	239481R1		DS11	-	2644000R1		
KT59TA	18	GY	TXL	239481R1		DS11	-	2644000R1		
KU59SA	18	GY	TXL	239481R1		DS11	-	2644000R1		
KU59SB	18	GY	TXL	239481R1		DS11	-	2644000R1		
KU59SC	18	GY	TXL	239481R1		DS11	-	2644000R1		
KU59TA	18	GY	TXL	239481R1		DS11	-	2644000R1		
CD14C	8	RD	TXL	239481R1		DS12	-	2644000R1		
CD14D	4	RD	SGX	239481R1		DS12	-	2644000R1		
CD14DB	10	RD	TXL	239481R1		DS12	-	2644000R1		
CD14DC	8	RD	TXL	239481R1		DS12	-	2644000R1		
YD67COG	18	GY	TXL	239481R1		DS13	-	2644000R1		
YD67COG1	18	GY	TXL	239481R1		DS13	-	2644000R1		
YD67COG2	18	GY	TXL	239481R1		DS13	-	2644000R1		
YD11-GBP	18	WH	TXL	239481R1		DS14	-	2644000R1		
YD11COG	18	WH	TXL	239481R1		DS14	-	2644000R1		
YD11COG1	18	WH	TXL	239481R1		DS14	-	2644000R1		
YD67NB	16	VT	TXL	239481R1		DS14	-	2644000R1		
CD14	4	RD	SGX	239481R1		DS15	-	2644000R1		
CD14A	6	RD	SGX	239481R1		DS15	-	2644000R1		
CD14B	8	RD	TXL	239481R1		DS15	-	2644000R1		
CD14DA	10	RD	TXL	239481R1		DS15	-	2644000R1		
AA82	16	GY	TXL	239481R1		DS17	-	2644000R1		
AA82D	16	GY	TXL	239481R1		DS17	-	2644000R1		
EJ12C	18	LTBL	TXL	239481R1		DS18	-	2644000R1		
QA13A	18	PK	TXL	239481R1		DS2	-	2644000R1		
QA13DB	18	PK	TXL	239481R1		DS2	-	2644000R1		
ZC71	16	OR	TXL	239481R1		DS24	-	2644000R1		
ZJ71	16	OR	TXL	239481R1		DS24	-	2644000R1		
TA75A	20	LTGN	TXL	239481R1		DS28	-	2644000R1		
TA75AA	18	LTGN	TXL	239481R1		DS28	-	2644000R1		
TA75AB	18	LTGN	TXL	239481R1		DS28	-	2644000R1		
QA23BA	18	TN	TXL	239481R1		DS3	-	2644000R1		
QA23BD	18	TN	TXL	239481R1		DS3	-	2644000R1		
9B5H(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
9B5J(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
9B5K(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
9M5H(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
9M5J(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
9M5K(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
9N5H(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
9N5J(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
9N5K(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
9Q5H(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
9Q5J(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
9Q5K(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
GB5H(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
GB5J(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
GB5K(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
GF5H(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
GF5J(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
GF5K(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
GG5H(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
GG5J(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
GG5P(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
GJ5H(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
GJ5J(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
GJ5P(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
GL5H(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
GL5J(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
GL5P(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
GN5H(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
GN5J(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
GN5K(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
GP5H(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
GP5J(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
GP5K(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
GT5H(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
GT5J(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
GT5P(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
GU5H(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
GU5J(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
GU5P(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
GV5H(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
GV5J(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
GV5P(+)	18	YL	TXL	239481R1		DS30	-	2644000R1		
KA60B	18	GY	TXL	239481R1		DS31	-	2644000R1		
KA9A	18	GY	TXL	239481R1		DS31	-	2644000R1		
KA9AA	18	GY	TXL	239481R1		DS31	-	2644000R1		
KA9C	18	GY	TXL	239481R1		DS31	-	2644000R1		
9B5H(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
9B5J(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
9B5K(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
9M5H(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
9M5J(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
9M5K(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
9N5H(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
9N5J(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
9N5K(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
9Q5H(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
9Q5J(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
9Q5K(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
GB5H(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
GB5J(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
GB5K(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
GF5H(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
GF5J(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
GF5K(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
GG5H(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
GG5J(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
GG5P(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
GJ5H(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
GJ5J(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
GJ5P(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
GL5H(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
GL5J(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
GL5P(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
GN5H(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
GN5J(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
GN5K(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
GP5H(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
GP5J(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
GP5K(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
GT5H(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
GT5J(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
GT5P(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
GU5H(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
GU5J(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
GU5P(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
GV5H(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
GV5J(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
GV5P(-)	18	GN	TXL	239481R1		DS32	-	2644000R1		
AD11-GKD	18	WH	TXL	239481R1		DS33	-	2644000R1		
AD11-GR	18	WH	TXL	239481R1		DS33	-	2644000R1		
AD11-GS	12	WH	TXL	239481R1		DS33	-	2644000R1		
AD11-GY	18	WH	TXL	239481R1		DS33	-	2644000R1		
AD11-GZ	18	WH	TXL	239481R1		DS33	-	2644000R1		
AD60-G	18	WH	TXL	239481R1		DS33	-	2644000R1		
AD74-G	20	WH	TXL	239481R1		DS33	-	2644000R1		
AD74-GA	20	WH	TXL	239481R1		DS33	-	2644000R1		
AD75-G	12	WH	TXL	239481R1		DS33	-	2644000R1		
AD82-G	16	WH	TXL	239481R1		DS33	-	2644000R1		
AE11-GKD	18	WH	TXL	239481R1		DS33	-	2644000R1		
AE11-GR	18	WH	TXL	239481R1		DS33	-	2644000R1		
AE11-GS	12	WH	TXL	239481R1		DS33	-	2644000R1		
AE11-GY	18	WH	TXL	239481R1		DS33	-	2644000R1		
AE11-GZ	18	WH	TXL	239481R1		DS33	-	2644000R1		
AE60-G	18	WH	TXL	239481R1		DS33	-	2644000R1		
AE74-G	20	WH	TXL	239481R1		DS33	-	2644000R1		
AE74-GA	20	WH	TXL	239481R1		DS33	-	2644000R1		
AE75-G	12	WH	TXL	239481R1		DS33	-	2644000R1		
AE82-G	16	WH	TXL	239481R1		DS33	-	2644000R1		
XX24EAL	18	BN	TXL	239481R1		DS35	-	2644000R1		
XX44A	18	GY	TXL	239481R1		DS35	-	2644000R1		
XX44AA	18	GY	TXL	239481R1		DS35	-	2644000R1		
QU11-GA	18	WH	TXL	239481R1		DS4	-	2644000R1		
QU11-GA1	18	WH	TXL	239481R1		DS4	-	2644000R1		
QU11-GA2	18	WH	TXL	239481R1		DS4	-	2644000R1		
K559KE	18	GY	TXL	239481R1		DS42	-	2644000R1		
KT59KE	18	GY	TXL	239481R1		DS42	-	2644000R1		
KU59KE	18	GY	TXL	239481R1		DS42	-	2644000R1		
K559JB	18	GY	TXL	239481R1		DS43	-	2644000R1		
K559JD	18	GY	TXL	239481R1		DS43	-	2644000R1		
KT59JB	18	GY	TXL	239481R1		DS43	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
KT59JD	18	GY	TXL	239481R1		DS43	-	2644000R1		
KU59JB	18	GY	TXL	239481R1		DS43	-	2644000R1		
KU59JD	18	GY	TXL	239481R1		DS43	-	2644000R1		
KS62DA	16	DKBL	TXL	239481R1		DS44	-	2644000R1		
KS62P	18	DKBL	TXL	239481R1		DS44	-	2644000R1		
KS62Q	18	DKBL	TXL	239481R1		DS44	-	2644000R1		
KS62R	18	DKBL	TXL	239481R1		DS44	-	2644000R1		
KT62D	16	DKBL	TXL	239481R1		DS44	-	2644000R1		
KT62DA	16	DKBL	TXL	239481R1		DS44	-	2644000R1		
KT62DB	16	DKBL	TXL	239481R1		DS44	-	2644000R1		
KU62DA	16	DKBL	TXL	239481R1		DS44	-	2644000R1		
KU62P	18	DKBL	TXL	239481R1		DS44	-	2644000R1		
KU62Q	18	DKBL	TXL	239481R1		DS44	-	2644000R1		
KU62R	18	DKBL	TXL	239481R1		DS44	-	2644000R1		
KU62S	18	DKBL	TXL	239481R1		DS44	-	2644000R1		
QL13A	18	RD	TXL	239481R1		DS45	-	2644000R1		
QL13AA	18	RD	TXL	239481R1		DS45	-	2644000R1		
QL13RB	18	RD	TXL	239481R1		DS45	-	2644000R1		
QU14R	18	RD	TXL	239481R1		DS45	-	2644000R1		
QU14RA	18	RD	TXL	239481R1		DS45	-	2644000R1		
QU14RB	18	RD	TXL	239481R1		DS45	-	2644000R1		
QU14RC	18	RD	TXL	239481R1		DS45	-	2644000R1		
QU11-GB	18	WH	TXL	239481R1		DS46	-	2644000R1		
QU11-GB1	18	WH	TXL	239481R1		DS46	-	2644000R1		
QU11-GB2	18	WH	TXL	239481R1		DS46	-	2644000R1		
NP14DCA	18	RD	TXL	239481R1		DS47	-	2644000R1		
NP14DCE	18	RD	GXL	239481R1		DS47	-	2644000R1		
NP14DCF	18	RD	TXL	239481R1		DS47	-	2644000R1		
NP13DCB	18	PK	TXL	239481R1		DS48	-	2644000R1		
NP13DCG	18	PK	TXL	239481R1		DS48	-	2644000R1		
NP13DCH	18	PK	TXL	239481R1		DS48	-	2644000R1		
NP11-GA	18	WH	TXL	239481R1		DS49	-	2644000R1		
NP11-GC	18	WH	TXL	239481R1		DS49	-	2644000R1		
NP11-GD	18	WH	TXL	239481R1		DS49	-	2644000R1		
AA73A	20	LTGN	TXL	239481R1		DS5	-	2644000R1		
AA73B	20	LTGN	TXL	239481R1		DS5	-	2644000R1		
AA73C	20	LTGN	TXL	239481R1		DS5	-	2644000R1		
CD14A	6	RD	SGX	239481R1		DS50	-	2644000R1		
CD14AB	12	RD	TXL	239481R1		DS50	-	2644000R1		
CD14AC	12	RD	TXL	239481R1		DS50	-	2644000R1		
CD14AD	12	RD	TXL	239481R1		DS50	-	2644000R1		
CD14AE	12	RD	TXL	239481R1		DS50	-	2644000R1		
CD14AF	12	RD	TXL	239481R1		DS50	-	2644000R1		
CD14AG	12	RD	TXL	239481R1		DS50	-	2644000R1		
CD14B	8	RD	TXL	239481R1		DS51	-	2644000R1		
CD14BA	12	RD	TXL	239481R1		DS51	-	2644000R1		
CD14BB	12	RD	TXL	239481R1		DS51	-	2644000R1		
CD14BC	12	RD	TXL	239481R1		DS51	-	2644000R1		
CD14BD	12	RD	TXL	239481R1		DS51	-	2644000R1		
CD14BE	12	RD	TXL	239481R1		DS51	-	2644000R1		
CD14BG	12	RD	TXL	239481R1		DS51	-	2644000R1		
CD14CA	8	RD	TXL	239481R1		DS53	-	2644000R1		
CD14CB	12	RD	TXL	239481R1		DS53	-	2644000R1		
CD14CC	12	RD	TXL	239481R1		DS53	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
CD14CD	12	RD	TXL	239481R1		DS53	-	2644000R1		
CD14CE	12	RD	TXL	239481R1		DS53	-	2644000R1		
CD14CF	12	RD	TXL	239481R1		DS53	-	2644000R1		
CD14CG	12	RD	TXL	239481R1		DS53	-	2644000R1		
CD14CH	12	RD	TXL	239481R1		DS53	-	2644000R1		
CD14CJ	12	RD	TXL	239481R1		DS53	-	2644000R1		
EH12E	18	LTBL	TXL	239481R1		DS54	-	2644000R1		
EH12F	12	LTBL	TXL	239481R1		DS54	-	2644000R1		
EH12G	16	LTBL	TXL	239481R1		DS54	-	2644000R1		
EH12H	16	LTBL	TXL	239481R1		DS54	-	2644000R1		
EH12J	18	LTBL	TXL	239481R1		DS54	-	2644000R1		
EJ12E	18	LTBL	TXL	239481R1		DS54	-	2644000R1		
EJ12F	12	LTBL	TXL	239481R1		DS54	-	2644000R1		
EJ12G	16	LTBL	TXL	239481R1		DS54	-	2644000R1		
EJ12H	16	LTBL	TXL	239481R1		DS54	-	2644000R1		
EJ12J	18	LTBL	TXL	239481R1		DS54	-	2644000R1		
DJ13DH	8	RD	TXL	239481R1		DS55	-	2644000R1		
DJ13DJ	12	PK	TXL	239481R1		DS55	-	2644000R1		
DJ13DK	12	PK	TXL	239481R1		DS55	-	2644000R1		
DJ13DL	12	PK	TXL	239481R1		DS55	-	2644000R1		
DJ13DM	12	PK	TXL	239481R1		DS55	-	2644000R1		
DJ13DN	12	PK	TXL	239481R1		DS55	-	2644000R1		
DJ13DP	12	PK	TXL	239481R1		DS55	-	2644000R1		
DJ13DT	12	PK	TXL	239481R1		DS55	-	2644000R1		
TJ70E	10	RD	TXL	239481R1		DS56	-	2644000R1		
TJ70ER	18	RD	TXL	239481R1		DS56	-	2644000R1		
TJ70T	10	RD	TXL	239481R1		DS56	-	2644000R1		
UF92#163A	16	TN	TXL	239481R1		DS57	-	2644000R1		
UF92#163B	16	TN	TXL	239481R1		DS57	-	2644000R1		
UF92#163C	16	TN	TXL	239481R1		DS57	-	2644000R1		
VB62RA	18	TN	TXL	239481R1		DS58	-	2644000R1		
VB62RB	18	TN	TXL	239481R1		DS58	-	2644000R1		
VB62RC	18	TN	TXL	239481R1		DS58	-	2644000R1		
DE13DD	18	PK	TXL	239481R1		DS59	-	2644000R1		
DE13DE	18	PK	TXL	239481R1		DS59	-	2644000R1		
DF13DD	18	PK	TXL	239481R1		DS59	-	2644000R1		
DF13DE	18	PK	TXL	239481R1		DS59	-	2644000R1		
ZP68	16	BN	TXL	239481R1		DS6	-	2644000R1		
ZP68A	16	BN	TXL	239481R1		DS6	-	2644000R1		
ZP68TB	16	BN	TXL	239481R1		DS6	-	2644000R1		
VJ70D	18	OR	TXL	239481R1		DS60	-	2644000R1		
VJ70DA	18	OR	TXL	239481R1		DS60	-	2644000R1		
VJ70DB	18	OR	TXL	239481R1		DS60	-	2644000R1		
MM14EA	14	RD	GXL	239481R1		DS61	-	2644000R1		
MM14EB	18	RD	GXL	239481R1		DS61	-	2644000R1		
MM14ED	18	RD	GXL	239481R1		DS61	-	2644000R1		
VQ042DAL	12	OR	GXL	239481R1		DS62	-	2644000R1		
VQ04DAL	14	RD	TXL	239481R1		DS62	-	2644000R1		
VQ70TA	12	OR	TXL	239481R1		DS62	-	2644000R1		
VQ70TB	12	OR	TXL	239481R1		DS62	-	2644000R1		
RN78RC	18	LTGN	TXL	239481R1		DS63	-	2644000R1		
PC92-GAJ	18	WH	TXL	239481R1		DS64	-	2644000R1		
PC92-GN1	18	WH	GXL	239481R1		DS64	-	2644000R1		
PC92-GN2	18	WH	TXL	239481R1		DS64	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
PC92DN	18	TN	GXL	239481R1		DS65	-	2644000R1		
PC92DN1	18	TN	GXL	239481R1		DS65	-	2644000R1		
PC92DN3	18	TN	GXL	239481R1		DS65	-	2644000R1		
RK78BD	16	LTGN	TXL	239481R1		DS66	-	2644000R1		
RK78F	18	LTGN	TXL	239481R1		DS66	-	2644000R1		
XT90E	18	GY	TXL	239481R1		DS67	-	2644000R1		
XT90F	18	GY	TXL	239481R1		DS67	-	2644000R1		
XT90G	18	GY	TXL	239481R1		DS67	-	2644000R1		
AC60C	18	OR	TXL	239481R1		DS68	-	2644000R1		
AC62	18	DKBL	TXL	239481R1		DS68	-	2644000R1		
AC62DD	18	DKBL	TXL	239481R1		DS68	-	2644000R1		
RM78AC	16	LTGN	TXL	239481R1		DS69	-	2644000R1		
RM78AD	16	LTGN	TXL	239481R1		DS69	-	2644000R1		
QA11-GAD	18	WH	TXL	239481R1		DS70	-	2644000R1		
QA11-GAM	18	WH	TXL	239481R1		DS70	-	2644000R1		
QA23-G	18	WH	TXL	239481R1		DS70	-	2644000R1		
QA23-GT	18	WH	TXL	239481R1		DS70	-	2644000R1		
KK18B	16	GY	TXL	239481R1		DS71	-	2644000R1		
KK18C	16	GY	TXL	239481R1		DS71	-	2644000R1		
KM18C	16	GY	TXL	239481R1		DS71	-	2644000R1		
KM18D	16	GY	TXL	239481R1		DS71	-	2644000R1		
DL13AB	18	PK	TXL	239481R1		DS72	-	2644000R1		
DL13BA	18	PK	TXL	239481R1		DS72	-	2644000R1		
DL13BB	18	PK	TXL	239481R1		DS72	-	2644000R1		
GZ92#103A	18	TN	TXL	239481R1		DS73	-	2644000R1		
GZ92#103B	18	TN	TXL	239481R1		DS73	-	2644000R1		
GZ92#103C	18	TN	TXL	239481R1		DS73	-	2644000R1		
WE24EAL	18	BK	TXL	239481R1		ES1	-	2644000R1		
WE44AA	16	GY	TXL	239481R1		ES1	-	2644000R1		
WE44AB	16	GY	TXL	239481R1		ES1	-	2644000R1		
LD149AA	18	GY	TXL	239481R1		ES2	-	2644000R1		
LD149AB	18	GY	TXL	239481R1		ES2	-	2644000R1		
LD149AC	18	GY	TXL	239481R1		ES2	-	2644000R1		
LD149B	16	GY	TXL	239481R1		ES2	-	2644000R1		
LE149AA	18	GY	TXL	239481R1		ES2	-	2644000R1		
LE149AB	18	GY	TXL	239481R1		ES2	-	2644000R1		
LE149B	16	GY	TXL	239481R1		ES2	-	2644000R1		
YG96A	18	YL	TXL	239481R1		ES7	-	2644000R1		
YG96B	18	YL	TXL	239481R1		ES7	-	2644000R1		
YG96C	18	YL	TXL	239481R1		ES7	-	2644000R1		
YG96D	18	YL	TXL	239481R1		ES7	-	2644000R1		
YG96E	18	YL	TXL	239481R1		ES7	-	2644000R1		
VB92RE	18	TN	TXL	239481R1		GS5	-	2644000R1		
VB92RF	18	TN	TXL	239481R1		GS5	-	2644000R1		
VB92RH	18	TN	TXL	239481R1		GS5	-	2644000R1		
ZQ68	16	BN	TXL	239481R1		GS8	-	2644000R1		
ZQ68A	16	BN	TXL	239481R1		GS8	-	2644000R1		
ZQ68TB	16	BN	TXL	239481R1		GS8	-	2644000R1		
XC90-D	14	GY	TXL	239481R1		HS1	-	2644000R1		
XC90-K	18	GY	TXL	239481R1		HS1	-	2644000R1		
XC90-M	18	GY	TXL	239481R1		HS1	-	2644000R1		
XX90-D	14	GY	TXL	239481R1		HS1	-	2644000R1		
XX90-K	18	GY	TXL	239481R1		HS1	-	2644000R1		
XX90-M	18	GY	TXL	239481R1		HS1	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
YG96-GA	18	YL	TXL	239481R1		HS4	-	2644000R1		
YG96-GB	18	YL	TXL	239481R1		HS4	-	2644000R1		
YG96-GC	18	YL	TXL	239481R1		HS4	-	2644000R1		
YG96-GD	18	YL	TXL	239481R1		HS4	-	2644000R1		
YG96-GE	18	YL	TXL	239481R1		HS4	-	2644000R1		
ND10AA	20	WH	TXL	239481R1		JS1	-	2644000R1		
ND10AB	20	WH	TXL	239481R1		JS1	-	2644000R1		
ND10AC	20	WH	TXL	239481R1		JS1	-	2644000R1		
ND10AD	20	LTGN	TXL	239481R1		JS1	-	2644000R1		
ND11-GAL	16	WH	TXL	239481R1		JS1	-	2644000R1		
RF78B	16	LTGN	TXL	239481R1		JS3	-	2644000R1		
RF78RJ	16	LTGN	TXL	239481R1		JS3	-	2644000R1		
9S5AG(+)	18	YL	TXL	239481R1		JS6	-	2644000R1		
9S5AH(+)	18	YL	TXL	239481R1		JS6	-	2644000R1		
9S5AJ(+)	18	YL	TXL	239481R1		JS6	-	2644000R1		
9T5AJ(+)	18	YL	TXL	239481R1		JS6	-	2644000R1		
9T5AK(+)	18	YL	TXL	239481R1		JS6	-	2644000R1		
9T5AL(+)	18	YL	TXL	239481R1		JS6	-	2644000R1		
9W5AG(+)	18	YL	TXL	239481R1		JS6	-	2644000R1		
9W5AH(+)	18	YL	TXL	239481R1		JS6	-	2644000R1		
9W5AJ(+)	18	YL	TXL	239481R1		JS6	-	2644000R1		
9Y5AJ(+)	18	YL	TXL	239481R1		JS6	-	2644000R1		
9Y5AK(+)	18	YL	TXL	239481R1		JS6	-	2644000R1		
9Y5AL(+)	18	YL	TXL	239481R1		JS6	-	2644000R1		
QU11-GG	18	WH	TXL	239481R1		JS7	-	2644000R1		
QU11-GG1	18	WH	TXL	239481R1		JS7	-	2644000R1		
QU11-GG2	18	WH	TXL	239481R1		JS7	-	2644000R1		
9S5AG(-)	18	GN	TXL	239481R1		JS8	-	2644000R1		
9S5AH(-)	18	GN	TXL	239481R1		JS8	-	2644000R1		
9S5AJ(-)	18	GN	TXL	239481R1		JS8	-	2644000R1		
9T5AJ(-)	18	GN	TXL	239481R1		JS8	-	2644000R1		
9T5AK(-)	18	GN	TXL	239481R1		JS8	-	2644000R1		
9T5AL(-)	18	GN	TXL	239481R1		JS8	-	2644000R1		
9W5AG(-)	18	GN	TXL	239481R1		JS8	-	2644000R1		
9W5AH(-)	18	GN	TXL	239481R1		JS8	-	2644000R1		
9W5AJ(-)	18	GN	TXL	239481R1		JS8	-	2644000R1		
9Y5AJ(-)	18	GN	TXL	239481R1		JS8	-	2644000R1		
9Y5AK(-)	18	GN	TXL	239481R1		JS8	-	2644000R1		
9Y5AL(-)	18	GN	TXL	239481R1		JS8	-	2644000R1		
QU11-G	18	WH	TXL	239481R1		JS9	-	2644000R1		
QU11-G1	18	WH	TXL	239481R1		JS9	-	2644000R1		
QU11-G2	18	WH	TXL	239481R1		JS9	-	2644000R1		
QU11-G3	18	WH	TXL	239481R1		JS9	-	2644000R1		
MQ86-GD1	18	WH	TXL	239481R1		KS1	-	2644000R1		
MQ86-GD2	18	WH	TXL	239481R1		KS1	-	2644000R1		
MQ86-GD3	18	WH	TXL	239481R1		KS1	-	2644000R1		
QV11-GD	18	WH	TXL	239481R1		KS4	-	2644000R1		
QV11-GD1	18	WH	TXL	239481R1		KS4	-	2644000R1		
QV11-GD2	18	WH	TXL	239481R1		KS4	-	2644000R1		
QX11-GD1	18	WH	TXL	239481R1		KS4	-	2644000R1		
QX11-GD2	18	WH	TXL	239481R1		KS4	-	2644000R1		
QX11-GD3	18	WH	TXL	239481R1		KS4	-	2644000R1		
QY11-GF1	18	WH	TXL	239481R1		KS5	-	2644000R1		
QY11-GF2	18	WH	TXL	239481R1		KS5	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
QV11-GF3	18	WH	TXL	239481R1		KS5	-	2644000R1		
QV11-GE	18	WH	TXL	239481R1		KS6	-	2644000R1		
QV11-GE1	18	WH	TXL	239481R1		KS6	-	2644000R1		
QV11-GE2	18	WH	TXL	239481R1		KS6	-	2644000R1		
QX11-GE1	18	WH	TXL	239481R1		KS6	-	2644000R1		
QX11-GE2	18	WH	TXL	239481R1		KS6	-	2644000R1		
QX11-GE3	18	WH	TXL	239481R1		KS6	-	2644000R1		
QZ11-GA1	18	WH	TXL	239481R1		KS6	-	2644000R1		
QZ11-GA2	18	WH	TXL	239481R1		KS6	-	2644000R1		
QZ11-GA3	18	WH	TXL	239481R1		KS6	-	2644000R1		
QV11-GK	18	WH	TXL	239481R1		KS7	-	2644000R1		
QV11-GK1	18	WH	TXL	239481R1		KS7	-	2644000R1		
QV11-GK2	18	WH	TXL	239481R1		KS7	-	2644000R1		
QX11-GK1	18	WH	TXL	239481R1		KS7	-	2644000R1		
QX11-GK2	18	WH	TXL	239481R1		KS7	-	2644000R1		
QX11-GK3	18	WH	TXL	239481R1		KS7	-	2644000R1		
QZ11-GB1	18	WH	TXL	239481R1		KS7	-	2644000R1		
QZ11-GB2	18	WH	TXL	239481R1		KS7	-	2644000R1		
QZ11-GB3	18	WH	TXL	239481R1		KS7	-	2644000R1		
QV11-GL	18	WH	TXL	239481R1		KS8	-	2644000R1		
QV11-GL1	18	WH	TXL	239481R1		KS8	-	2644000R1		
QV11-GL2	18	WH	TXL	239481R1		KS8	-	2644000R1		
QX11-GL1	18	WH	TXL	239481R1		KS8	-	2644000R1		
QX11-GL2	18	WH	TXL	239481R1		KS8	-	2644000R1		
QX11-GL3	18	WH	TXL	239481R1		KS8	-	2644000R1		
QZ11-GG1	18	WH	TXL	239481R1		KS8	-	2644000R1		
QZ11-GG2	18	WH	TXL	239481R1		KS8	-	2644000R1		
QZ11-GG3	18	WH	TXL	239481R1		KS8	-	2644000R1		
QV11-GM	18	WH	TXL	239481R1		KS9	-	2644000R1		
QV11-GM1	18	WH	TXL	239481R1		KS9	-	2644000R1		
QV11-GM2	18	WH	TXL	239481R1		KS9	-	2644000R1		
QZ11-GH1	18	WH	TXL	239481R1		KS9	-	2644000R1		
QZ11-GH2	18	WH	TXL	239481R1		KS9	-	2644000R1		
QZ11-GH3	18	WH	TXL	239481R1		KS9	-	2644000R1		
QU5(+)	18	YL	TXL	239481R1		LS11	-	2644000R1		
QU5A(+)	18	YL	TXL	239481R1		LS11	-	2644000R1		
QU5B(+)	18	YL	TXL	239481R1		LS11	-	2644000R1		
QU5(-)	18	GN	TXL	239481R1		LS12	-	2644000R1		
QU5A(-)	18	GN	TXL	239481R1		LS12	-	2644000R1		
QU5B(-)	18	GN	TXL	239481R1		LS12	-	2644000R1		
QZ5D1(+)	18	YL	TXL	239481R1		LS13	-	2644000R1		
QZ5D2(+)	18	YL	TXL	239481R1		LS13	-	2644000R1		
QZ5D3(+)	18	YL	TXL	239481R1		LS13	-	2644000R1		
QZ5D1(-)	18	GN	TXL	239481R1		LS14	-	2644000R1		
QZ5D2(-)	18	GN	TXL	239481R1		LS14	-	2644000R1		
QZ5D3(-)	18	GN	TXL	239481R1		LS14	-	2644000R1		
QA23DC	18	TN	TXL	239481R1		LS2	-	2644000R1		
QA23DD	18	PK	TXL	239481R1		LS2	-	2644000R1		
9G5BH(+)	18	YL	TXL	239481R1		LS3	-	2644000R1		
9G5BJ(+)	18	YL	TXL	239481R1		LS3	-	2644000R1		
9G5BK(+)	18	YL	TXL	239481R1		LS3	-	2644000R1		
9L5BH(+)	18	YL	TXL	239481R1		LS3	-	2644000R1		
9L5BJ(+)	18	YL	TXL	239481R1		LS3	-	2644000R1		
9L5CK(+)	18	YL	TXL	239481R1		LS3	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
9V5BH(+)	18	YL	TXL	239481R1		LS3	-	2644000R1		
9V5BJ(+)	18	YL	TXL	239481R1		LS3	-	2644000R1		
9V5CK(+)	18	YL	TXL	239481R1		LS3	-	2644000R1		
9Z5BH(+)	18	YL	TXL	239481R1		LS3	-	2644000R1		
9Z5BJ(+)	18	YL	TXL	239481R1		LS3	-	2644000R1		
9Z5BK(+)	18	YL	TXL	239481R1		LS3	-	2644000R1		
9G5BH(-)	18	GN	TXL	239481R1		LS4	-	2644000R1		
9G5BJ(-)	18	GN	TXL	239481R1		LS4	-	2644000R1		
9G5BK(-)	18	GN	TXL	239481R1		LS4	-	2644000R1		
9L5BH(-)	18	GN	TXL	239481R1		LS4	-	2644000R1		
9L5BJ(-)	18	GN	TXL	239481R1		LS4	-	2644000R1		
9L5CK(-)	18	GN	TXL	239481R1		LS4	-	2644000R1		
9V5BH(-)	18	GN	TXL	239481R1		LS4	-	2644000R1		
9V5BJ(-)	18	GN	TXL	239481R1		LS4	-	2644000R1		
9V5CK(-)	18	GN	TXL	239481R1		LS4	-	2644000R1		
9Z5BH(-)	18	GN	TXL	239481R1		LS4	-	2644000R1		
9Z5BJ(-)	18	GN	TXL	239481R1		LS4	-	2644000R1		
9Z5BK(-)	18	GN	TXL	239481R1		LS4	-	2644000R1		
KR59H	18	GY	TXL	239481R1		LS8	-	2644000R1		
KR59J	18	GY	TXL	239481R1		LS8	-	2644000R1		
KR59K	18	GY	TXL	239481R1		LS8	-	2644000R1		
9B5K(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
9B5N(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
9B5P(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
9C5H(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
9C5N(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
9C5P(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
9K5H(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
9K5N(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
9K5P(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
9M5K(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
9M5N(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
9M5P(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
9N5K(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
9N5N(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
9N5P(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
9Q5K(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
9Q5N(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
9Q5P(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
9R5H(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
9R5N(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
9R5P(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
9U5H(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
9U5N(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
9U5P(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
GB5K(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
GB5N(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
GB5P(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
GF5K(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
GF5N(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
GF5P(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
GM5H(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
GM5N(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
GM5P(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
GN5K(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
GN5N(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
GN5P(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
GP5K(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
GP5N(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
GP5P(+)	18	YL	TXL	239481R1		MS1	-	2644000R1		
9B5K(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
9B5N(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
9B5P(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
9C5H(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
9C5N(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
9C5P(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
9K5H(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
9K5N(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
9K5P(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
9M5K(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
9M5N(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
9M5P(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
9N5K(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
9N5N(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
9N5P(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
9Q5K(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
9Q5N(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
9Q5P(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
9R5H(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
9R5N(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
9R5P(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
9U5H(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
9U5N(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
9U5P(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
GB5K(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
GB5N(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
GB5P(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
GF5K(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
GF5N(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
GF5P(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
GM5H(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
GM5N(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
GM5P(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
GN5K(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
GN5N(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
GN5P(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
GP5K(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
GP5N(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
GP5P(-)	18	GN	TXL	239481R1		MS2	-	2644000R1		
ZR12-GA	16	WH	TXL	239481R1		MS3	-	2644000R1		
ZR12-GB	12	WH	TXL	239481R1		MS3	-	2644000R1		
ZR12-GC	16	WH	TXL	239481R1		MS3	-	2644000R1		
ZR12-GE	18	WH	TXL	239481R1		MS3	-	2644000R1		
XF94SV	16	GY	TXL	239481R1		PS1	-	2644000R1		
XF94SVC	16	GY	TXL	239481R1		PS1	-	2644000R1		
XF94SVD	16	GY	TXL	239481R1		PS1	-	2644000R1		
XK94SVC	18	GY	TXL	239481R1		PS1	-	2644000R1		
XK94SVD	18	GY	TXL	239481R1		PS1	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
XK94SVE	18	GY	TXL	239481R1		PS1	-	2644000R1		
EK149A	14	GY	TXL	239481R1		PS10	-	2644000R1		
EK149B	18	LTBL	TXL	239481R1		PS10	-	2644000R1		
LA17A	16	PK	TXL	239481R1		PS11	-	2644000R1		
LA17B	16	PK	TXL	239481R1		PS11	-	2644000R1		
LA17C	16	PK	TXL	239481R1		PS11	-	2644000R1		
XF94SZC	16	GY	TXL	239481R1		PS2	-	2644000R1		
XF94SZD	16	GY	TXL	239481R1		PS2	-	2644000R1		
XF94SZE	16	GY	TXL	239481R1		PS2	-	2644000R1		
XK94SZC	18	GY	TXL	239481R1		PS2	-	2644000R1		
XK94SZD	18	GY	TXL	239481R1		PS2	-	2644000R1		
XK94SZE	18	GY	TXL	239481R1		PS2	-	2644000R1		
TC9AAJ	18	GY	TXL	239481R1		PS3	-	2644000R1		
TC9AE	18	GY	TXL	239481R1		PS3	-	2644000R1		
TC9E	18	GY	TXL	239481R1		PS3	-	2644000R1		
XS90-G	16	WH	GXL	239481R1		PS5	-	2644000R1		
XS90-GA	12	WH	GXL	239481R1		PS5	-	2644000R1		
XS90-GM	10	WH	GXL	239481R1		PS5	-	2644000R1		
XS90CA	16	GY	GXL	239481R1		PS6	-	2644000R1		
[XS90C]	16	-	GXL	239481R1		PS6	-	2644000R1		
XS014	10	RD	TXL	239481R1		PS7	-	2644000R1		
XS14B	8	GY	GXL	239481R1		PS7	-	2644000R1		
XS90NA	14	GY	GXL	239481R1		PS7	-	2644000R1		
XS90A	16	GY	TXL	239481R1		PS8	-	2644000R1		
XS90MA	18	GY	TXL	239481R1		PS8	-	2644000R1		
[XS90B]	16	-	GXL	239481R1		PS8	-	2644000R1		
XS90N	16	GY	TXL	239481R1		PS9	-	2644000R1		
XS90NB	14	GY	GXL	239481R1		PS9	-	2644000R1		
MY11-G	12	WH	TXL	505040C1		SBS1	-	2644027R1		
MY11-GA	14	WH	GXL	505040C1		SBS1	-	2644027R1		
MY11-GB	14	WH	GXL	505040C1		SBS1	-	2644027R1		
MY11-GC	12	WH	GXL	505040C1		SBS1	-	2644027R1		
MY11-GD	12	WH	GXL	505040C1		SBS1	-	2644027R1		
MY85-GA	16	WH	GXL	505040C1		SBS1	-	2644027R1		
RO10-GB	18	WH	GXL	239481R1		SBS1	-	2644000R1		
RO49-G	18	WH	GXL	239481R1		SBS1	-	2644000R1		
RO49-GA	18	WH	GXL	239481R1		SBS1	-	2644000R1		
MY11-G	12	WH	TXL	505040C1		SBS1	-	2644027R1		
MY11-GA	14	WH	GXL	505040C1		SBS1	-	2644027R1		
MY11-GB	14	WH	GXL	505040C1		SBS1	-	2644027R1		
MY11-GC	12	WH	GXL	505040C1		SBS1	-	2644027R1		
MY11-GD	12	WH	GXL	505040C1		SBS1	-	2644027R1		
MY85-GA	16	WH	GXL	505040C1		SBS1	-	2644027R1		
MZ11-G	12	WH	TXL	468358C1		SBS3	-	2644000R1		
MZ11-GA	14	WH	GXL	468358C1		SBS3	-	2644000R1		
MZ11-GB	14	WH	GXL	468358C1		SBS3	-	2644000R1		
MZ11-GC	12	WH	GXL	468358C1		SBS3	-	2644000R1		
MZ85-GA	16	WH	GXL	468358C1		SBS3	-	2644000R1		
MZ11-G	12	WH	TXL	468358C1		SBS3	-	2644000R1		
MZ11-GA	14	WH	GXL	468358C1		SBS3	-	2644000R1		
MZ11-GB	14	WH	GXL	468358C1		SBS3	-	2644000R1		
MZ11-GC	12	WH	GXL	468358C1		SBS3	-	2644000R1		
MZ85-GA	16	WH	GXL	468358C1		SBS3	-	2644000R1		
BG6H	18	GY	GXL	239481R1		SCS1	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
BG6HA	18	GY	TXL	239481R1		SCS1	-	2644000R1		
BG6HB	18	GY	TXL	239481R1		SCS1	-	2644000R1		
BG6HC	18	GY	TXL	239481R1		SCS1	-	2644000R1		
BL6H	18	GY	GXL	239481R1		SCS1	-	2644000R1		
BL6HA	18	GY	TXL	239481R1		SCS1	-	2644000R1		
BL6HB	18	GY	TXL	239481R1		SCS1	-	2644000R1		
BL6HC	18	GY	TXL	239481R1		SCS1	-	2644000R1		
CA6H	18	GY	GXL	239481R1		SCS1	-	2644000R1		
CA6HA	18	GY	TXL	239481R1		SCS1	-	2644000R1		
CA6HB	18	GY	TXL	239481R1		SCS1	-	2644000R1		
CA6HC	18	GY	TXL	239481R1		SCS1	-	2644000R1		
CB6H	18	GY	GXL	239481R1		SCS1	-	2644000R1		
CB6HA	18	GY	TXL	239481R1		SCS1	-	2644000R1		
CB6HB	18	GY	TXL	239481R1		SCS1	-	2644000R1		
CB6HC	18	GY	TXL	239481R1		SCS1	-	2644000R1		
MCS4B	14	BN	GXL	382182C1		SCS1	-	2644000R1		
MCS4C	14	BN	GXL	382182C1		SCS1	-	2644000R1		
MCS4D	14	BN	GXL	382182C1		SCS1	-	2644000R1		
MCS4F	14	BN	GXL	382182C1		SCS1	-	2644000R1		
BG9R	18	GY	TXL	239481R1		SCS2	-	2644000R1		
BG9S	18	GY	TXL	239481R1		SCS2	-	2644000R1		
BG9V	18	GY	GXL	239481R1		SCS2	-	2644000R1		
BG9VC	18	GY	TXL	239481R1		SCS2	-	2644000R1		
BG9VD	18	GY	TXL	239481R1		SCS2	-	2644000R1		
BG9VE	18	GY	TXL	239481R1		SCS2	-	2644000R1		
BG9VF	18	GY	TXL	239481R1		SCS2	-	2644000R1		
BG9VG	18	GY	TXL	239481R1		SCS2	-	2644000R1		
BG9VH	18	GY	TXL	239481R1		SCS2	-	2644000R1		
BL9S	18	GY	TXL	239481R1		SCS2	-	2644000R1		
BL9V	18	GY	GXL	239481R1		SCS2	-	2644000R1		
BL9VA	20	GY	TXL	239481R1		SCS2	-	2644000R1		
BL9VC	18	GY	TXL	239481R1		SCS2	-	2644000R1		
BL9VD	18	GY	TXL	239481R1		SCS2	-	2644000R1		
BL9VE	18	GY	TXL	239481R1		SCS2	-	2644000R1		
BL9VF	18	GY	TXL	239481R1		SCS2	-	2644000R1		
BL9VG	18	GY	TXL	239481R1		SCS2	-	2644000R1		
BL9VH	18	GY	TXL	239481R1		SCS2	-	2644000R1		
BV9R	18	GY	TXL	239481R1		SCS2	-	2644000R1		
BV9S	18	GY	TXL	239481R1		SCS2	-	2644000R1		
BV9V	18	GY	TXL	239481R1		SCS2	-	2644000R1		
BV9VF	18	GY	GXL	239481R1		SCS2	-	2644000R1		
BVBLK1	18	BK	GXL	239481R1		SCS2	-	2644000R1		
BW9R	18	GY	TXL	239481R1		SCS2	-	2644000R1		
BW9S	18	GY	TXL	239481R1		SCS2	-	2644000R1		
BW9V	18	GY	TXL	239481R1		SCS2	-	2644000R1		
BW9VC	18	GY	TXL	239481R1		SCS2	-	2644000R1		
BW9VD	18	GY	TXL	239481R1		SCS2	-	2644000R1		
BW9VF	18	GY	GXL	239481R1		SCS2	-	2644000R1		
BX9S	18	GY	TXL	239481R1		SCS2	-	2644000R1		
BX9V	18	GY	TXL	239481R1		SCS2	-	2644000R1		
BX9VA	20	GY	TXL	239481R1		SCS2	-	2644000R1		
BX9VF	18	GY	GXL	239481R1		SCS2	-	2644000R1		
BXBLK1	18	BK	GXL	239481R1		SCS2	-	2644000R1		
BZ9S	18	GY	TXL	239481R1		SCS2	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
BZ9V	18	GY	TXL	239481R1		SCS2	-	2644000R1		
BZ9VA	20	GY	TXL	239481R1		SCS2	-	2644000R1		
BZ9VC	18	GY	TXL	239481R1		SCS2	-	2644000R1		
BZ9VD	18	GY	TXL	239481R1		SCS2	-	2644000R1		
BZ9VF	18	GY	GXL	239481R1		SCS2	-	2644000R1		
CA9S	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CA9V	18	GY	GXL	239481R1		SCS2	-	2644000R1		
CA9VA	20	GY	TXL	239481R1		SCS2	-	2644000R1		
CA9VB	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CA9VC	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CA9VD	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CA9VE	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CA9VF	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CA9VG	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CA9VH	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CB9R	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CB9S	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CB9V	18	GY	GXL	239481R1		SCS2	-	2644000R1		
CB9VB	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CB9VC	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CB9VD	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CB9VE	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CB9VF	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CB9VG	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CB9VH	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CC9S	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CC9V	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CC9VA	20	GY	TXL	239481R1		SCS2	-	2644000R1		
CC9VB	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CC9VC	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CC9VD	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CC9VF	18	GY	GXL	239481R1		SCS2	-	2644000R1		
CD9S	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CD9V	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CD9VA	20	GY	TXL	239481R1		SCS2	-	2644000R1		
CD9VB	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CD9VF	18	GY	GXL	239481R1		SCS2	-	2644000R1		
CDBLK1	18	BK	GXL	239481R1		SCS2	-	2644000R1		
CE9R	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CE9S	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CE9V	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CE9VB	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CE9VC	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CE9VD	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CE9VF	18	GY	GXL	239481R1		SCS2	-	2644000R1		
CF9R	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CF9S	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CF9V	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CF9VB	18	GY	TXL	239481R1		SCS2	-	2644000R1		
CF9VF	18	GY	GXL	239481R1		SCS2	-	2644000R1		
CFBLK1	18	BK	GXL	239481R1		SCS2	-	2644000R1		
BN94SV	18	GY	GXL	239481R1		SCS3	-	2644000R1		
BN94SVA	18	GY	GXL	239481R1		SCS3	-	2644000R1		
BN94SVB	18	GY	GXL	239481R1		SCS3	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
BN94SZ	18	GY	GXL	239481R1		SCS4	-	2644000R1		
BN94SZA	18	GY	GXL	239481R1		SCS4	-	2644000R1		
BN94SZB	18	GY	GXL	239481R1		SCS4	-	2644000R1		
MT78-GA	16	WH	GXL	239481R1		SDS1	-	2644000R1		
MT78-GB	16	WH	GXL	239481R1		SDS1	-	2644000R1		
MT78-GC	16	WH	GXL	239481R1		SDS1	-	2644000R1		
BE11-GAA	18	WH	TXL	239481R1		SDS1	-	2644000R1		
BE62-GDD	18	WH	TXL	239481R1		SDS1	-	2644000R1		
BE87-G	18	WH	TXL	239481R1		SDS1	-	2644000R1		
BL11-GAA	18	WH	GXL	239481R1		SDS1	-	2644000R1		
BL62-GDD	18	WH	TXL	239481R1		SDS1	-	2644000R1		
BL87-G	18	WH	TXL	239481R1		SDS1	-	2644000R1		
CA11-GAA	18	WH	GXL	239481R1		SDS1	-	2644000R1		
CA62-GDD	18	WH	TXL	239481R1		SDS1	-	2644000R1		
CA87-G	18	WH	TXL	239481R1		SDS1	-	2644000R1		
MT78-GA	16	WH	GXL	239481R1		SDS1	-	2644000R1		
MT78-GB	16	WH	GXL	239481R1		SDS1	-	2644000R1		
MT78-GC	16	WH	GXL	239481R1		SDS1	-	2644000R1		
MCS7B	16	OR	TXL	239481R1		SDS4	-	2644000R1		
MCS7C	16	OR	GXL	239481R1		SDS4	-	2644000R1		
MCS7D	16	OR	GXL	239481R1		SDS4	-	2644000R1		
RF54B	14	BN	GXL	382181C1		SES1	-	2644000R1		
RF54C	14	BN	GXL	382181C1		SES1	-	2644000R1		
RF54D	14	BN	GXL	382181C1		SES1	-	2644000R1		
MA54B	14	BN	GXL	382181C1		SES1	-	2644000R1		
MA54C	14	BN	GXL	382181C1		SES1	-	2644000R1		
MA54D	14	BN	GXL	382181C1		SES1	-	2644000R1		
MB54B	14	BN	GXL	382182C1		SES2	-	2644000R1		
MB54C	14	BN	GXL	382182C1		SES2	-	2644000R1		
MB54D	14	BN	GXL	382182C1		SES2	-	2644000R1		
MB54H	16	BN	GXL	382182C1		SES2	-	2644000R1		
MB54J	16	BN	GXL	382182C1		SES2	-	2644000R1		
RM9	18	GY	GXL	239481R1		SFS1	-	2644000R1		
RM9A	18	GY	GXL	239481R1		SFS1	-	2644000R1		
RM9B	18	GY	GXL	239481R1		SFS1	-	2644000R1		
PL10-GV	16	WH	GXL	505040C1		SNS2	-	2644027R1	1661874C1	
PL90A-G	12	WH	GXL	505040C1		SNS2	-	2644027R1		
PL90A-GA	8	WH	GXL	505040C1		SNS2	-	2644027R1		
PL90E-G	18	WH	GXL	505040C1		SNS2	-	2644027R1		
PL10-GV	16	WH	GXL	505040C1		SNS2	-	2644027R1		
PL90A-G	12	WH	GXL	505040C1		SNS2	-	2644027R1		
PL90A-GA	8	WH	GXL	505040C1		SNS2	-	2644027R1		
PL90E-G	18	WH	GXL	505040C1		SNS2	-	2644027R1		
PL90-GA	12	WH	GXL	382182C1		SNS4	-	2644000R1	3573650C1	3573650C1
PL90D-G	16	WH	GXL	382182C1		SNS4	-	2644000R1		
PL94-GB	12	WH	GXL	382182C1		SNS4	-	2644000R1		
PL94-GE	18	WH	GXL	382182C1		SNS4	-	2644000R1		
PL90-GA	12	WH	GXL	382182C1		SNS4	-	2644000R1		
PL90D-G	16	WH	GXL	382182C1		SNS4	-	2644000R1		
PL94-GB	12	WH	GXL	382182C1		SNS4	-	2644000R1		
PL94-GE	18	WH	GXL	382182C1		SNS4	-	2644000R1		
MP10-GV	16	WH	GXL	468358C1		SNS5	-	2644000R1		
MP90A-G	12	WH	GXL	468358C1		SNS5	-	2644000R1		
MP90A-GA	8	WH	GXL	468358C1		SNS5	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
MP10-GV	16	WH	GXL	468358C1		SNS5	-	2644000R1		
MP90A-G	12	WH	GXL	468358C1		SNS5	-	2644000R1		
MP90A-GA	8	WH	GXL	468358C1		SNS5	-	2644000R1		
PL90C	18	GY	TXL	239481R1		SNS6	-	2644000R1		
PL90D	16	GY	TXL	239481R1		SNS6	-	2644000R1	3573833C1	3683466C1
PL90E	16	GY	GXL	239481R1		SNS6	-	2644000R1	3589992C1	
PL90C	18	GY	TXL	239481R1		SNS6	-	2644000R1		
PL90D	16	GY	TXL	239481R1		SNS6	-	2644000R1		
PL90E	16	GY	GXL	239481R1		SNS6	-	2644000R1		
NB70B	10	RD	GXL	6102309C1		SS1	-	2644000R1		
NB70C	10	RD	GXL	6102309C1		SS1	-	2644000R1	3525875C1	
NB70T	10	RD	GXL	6102309C1		SS1	-	2644000R1	1661874C1	
YK11-GD	16	WH	TXL	239481R1		SS1	-	2644000R1		
YK112-GD	16	WH	TXL	239481R1		SS1	-	2644000R1		
YK65-G	16	WH	GXL	239481R1		SS1	-	2644000R1		
KA14A	10	RD	GXL	239481R1		SS1	-	2644000R1		
KA14A5	16	RD	TXL	239481R1		SS1	-	2644000R1		
KA14A7	10	RD	GXL	239481R1		SS1	-	2644000R1		
AJ10-GB	18	WH	GXL	239481R1		SS1	-	2644000R1		
AJ49-G	18	WH	GXL	239481R1		SS1	-	2644000R1		
AJ49-GA	18	WH	GXL	239481R1		SS1	-	2644000R1		
SP5A(-)	18	YL	TXL	239481R1		SS1	-	2644000R1		
SP5B(-)	20	YL	193	239481R1		SS1	-	2644000R1		
SP5C(-)	18	YL	TXL	239481R1		SS1	-	2644000R1		
NE54E	10	BN	GXL	6102309C1		SS10	-	2644000R1		
NE54F	10	BN	GXL	6102309C1		SS10	-	2644000R1		
NE54T	10	BN	GXL	6102309C1		SS10	-	2644000R1		
VJ95AT1	18	TN	TXL	239481R1		SS10	-	2644000R1		
VJ95AT3	16	TN	TXL	239481R1		SS10	-	2644000R1		
VJ95B	20	TN	TXL	239481R1		SS10	-	2644000R1		
KA95PA	10	PK	TXL	505040C1		SS10	-	2644027R1		
KA95PB	10	PK	TXL	505040C1		SS10	-	2644027R1		
KA95PC	10	PK	TXL	505040C1		SS10	-	2644027R1		
PS5C(-)	18	GN	TXL	239481R1		SS101	-	2644000R1		
PS5D(-)	18	GN	TXL	239481R1		SS101	-	2644000R1		
PS5E(-)	18	GN	TXL	239481R1		SS101	-	2644000R1		
PS5C(+)	18	YL	TXL	239481R1		SS102	-	2644000R1		
PS5D(+)	18	YL	TXL	239481R1		SS102	-	2644000R1		
PS5E(+)	18	YL	TXL	239481R1		SS102	-	2644000R1		
PS5A(+)	20	YL	193	239481R1		SS103	-	2644000R1		
PS5B(+)	18	YL	TXL	239481R1		SS103	-	2644000R1		
PS5E(+)	18	YL	TXL	239481R1		SS103	-	2644000R1		
PS5A(-)	20	GN	193	239481R1		SS104	-	2644000R1		
PS5B(-)	18	GN	TXL	239481R1		SS104	-	2644000R1		
PS5E(-)	18	GN	TXL	239481R1		SS104	-	2644000R1		
PZ92#105	18	TN	TXL	239481R1		SS105	-	2644000R1		
PZ92A	18	TN	TXL	239481R1		SS105	-	2644000R1		
PZ92B	18	TN	TXL	239481R1		SS105	-	2644000R1		
WA2	2	RD	SGX	1613947C1		SS106	-	2644000R1		
WA2-FLA	10	RS	FUS	1613947C1		SS106	-	2644000R1		
WA2-FLB	10	RS	FUS	1613947C1		SS106	-	2644000R1		
VA95	20	TN	TXL	6102309C1		SS107	-	2644000R1		
VA95A	18	TN	GXL	6102309C1		SS107	-	2644000R1		
NE56E	10	YL	GXL	6102309C1		SS11	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
NE56F	10	YL	GXL	6102309C1		SS11	-	2644000R1		
NE56T	10	YL	GXL	6102309C1		SS11	-	2644000R1		
KA95G8A	16	BK	TXL	382181C1		SS11	-	2644000R1		
KA95G8B	16	BK	TXL	382181C1		SS11	-	2644000R1		
KA95G8D	16	BK	TXL	382181C1		SS11	-	2644000R1		
KA95G8E	16	BK	TXL	382181C1		SS11	-	2644000R1		
KA95G8C	16	TN	TXL	239481R1		SS11	-	2644000R1		
KA95G8D	18	BK	TXL	239481R1		SS11	-	2644000R1		
KA95G8E	16	TN	TXL	239481R1		SS11	-	2644000R1		
PV14A	12	RD	TXL	239481R1		SS110	-	2644000R1		
PV14B	18	RD	TXL	239481R1		SS110	-	2644000R1		
PV14C	18	RD	TXL	239481R1		SS110	-	2644000R1		
PU92#123	18	LTGN	TXL	239481R1		SS111	-	2644000R1		
PU92A123	18	LTGN	TXL	239481R1		SS111	-	2644000R1		
PU92B123	18	LTGN	TXL	239481R1		SS111	-	2644000R1		
PU92#145	18	OR	TXL	239481R1		SS112	-	2644000R1		
PU92A145	18	OR	TXL	239481R1		SS112	-	2644000R1		
PU92B145	18	OR	TXL	239481R1		SS112	-	2644000R1		
RS92#103	18	YL	TXL	239481R1		SS117	-	2644000R1		
RS92B103	18	YL	TXL	239481R1		SS117	-	2644000R1		
RS92C103	18	YL	TXL	239481R1		SS117	-	2644000R1		
RT5#127	18	GN	TXL	239481R1		SS118	-	2644000R1		
RT5C(-)	18	GN	TXL	239481R1		SS118	-	2644000R1		
RT5D(-)	18	GN	TXL	239481R1		SS118	-	2644000R1		
RT5#106	18	YL	TXL	239481R1		SS119	-	2644000R1		
RT5C(+)	18	YL	TXL	239481R1		SS119	-	2644000R1		
RT5D(+)	18	YL	TXL	239481R1		SS119	-	2644000R1		
NE57E	10	LTGN	GXL	6102309C1		SS12	-	2644000R1		
NE57F	10	LTGN	GXL	6102309C1		SS12	-	2644000R1		
NE57T	10	LTGN	GXL	6102309C1		SS12	-	2644000R1		
VJ14	16	RD	TXL	382181C1		SS12	-	2644000R1		
VJ14A	12	RD	TXL	382181C1		SS12	-	2644000R1		
VJ14C	14	RD	TXL	382181C1		SS12	-	2644000R1		
VL95AU1	18	TN	TXL			SS12	-	N/A		
VL95AU2	20	TN	TXL			SS12	-	N/A		
VL95AU3	18	TN	TXL			SS12	-	N/A		
RT5A(+)	18	YL	TXL	239481R1		SS120	-	2644000R1		
RT5B(+)	20	YL	193	239481R1		SS120	-	2644000R1		
RT5C(+)	18	YL	TXL	239481R1		SS120	-	2644000R1		
RT5A(-)	18	GN	TXL	239481R1		SS121	-	2644000R1		
RT5B(-)	20	GN	193	239481R1		SS121	-	2644000R1		
RT5C(-)	18	GN	TXL	239481R1		SS121	-	2644000R1		
RU10A	10	BK	GXL	239481R1		SS123	-	2644000R1		
RU10B	18	BK	TXL	239481R1		SS123	-	2644000R1		
RU10C	18	BK	TXL	239481R1		SS123	-	2644000R1		
RV10A	10	BK	GXL	239481R1		SS125	-	2644000R1		
RV10B	18	BK	TXL	239481R1		SS125	-	2644000R1		
RV10C	18	BK	TXL	239481R1		SS125	-	2644000R1		
RW10A	10	BK	GXL	239481R1		SS127	-	2644000R1		
RW10B	18	BK	TXL	239481R1		SS127	-	2644000R1		
RW10C	18	BK	TXL	239481R1		SS127	-	2644000R1		
VH2	1	RD	SGX	1613947C1		SS128	-	2644000R1		
VH2-FLA	6	TN	FUS	1613947C1		SS128	-	2644000R1		
VV92#103	18	YL	TXL	239481R1		SS129	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
VV92B103	18	YL	TXL	239481R1		SS129	-	2644000R1		
VV92C103	18	YL	TXL	239481R1		SS129	-	2644000R1		
VV92D103	18	YL	TXL	239481R1		SS129	-	2644000R1		
NE10D	8	WH	GXL	1613947C1		SS13	-	2644000R1		
NE10E	8	WH	GXL	1613947C1		SS13	-	2644000R1		
NE10F	8	WH	GXL	1613947C1		SS13	-	2644000R1		
MC52B	14	YL	GXL	382181C1		SS13	-	2644000R1		
MC52E	14	YL	GXL	382181C1		SS13	-	2644000R1		
MC64HI	14	YL	GXL	382181C1		SS13	-	2644000R1		
AG11-G1	10	WH	TXL	239481R1		SS13	-	2644000R1		
AG18D	18	WH	TXL	239481R1		SS13	-	2644000R1		
AG18E	10	WH	TXL	239481R1		SS13	-	2644000R1		
AG77-G	18	WH	TXL	239481R1		SS13	-	2644000R1		
VL95AT1	18	TN	TXL			SS13	-	N/A		
VL95AT2	20	TN	TXL			SS13	-	N/A		
VL95AT3	18	TN	TXL			SS13	-	N/A		
MC56B	16	OR	TXL	239481R1		SS13	-	2644000R1		
MC56C	16	OR	GXL	239481R1		SS13	-	2644000R1		
MC56D	16	OR	GXL	239481R1		SS13	-	2644000R1		
VV92#101	18	LTBL	TXL	239481R1		SS130	-	2644000R1		
VV92B101	18	LTBL	TXL	239481R1		SS130	-	2644000R1		
VV92C101	18	LTBL	TXL	239481R1		SS130	-	2644000R1		
VJ95AU2	20	TN	TXL	239481R1		SS131	-	2644000R1		
VJ95AU3	16	TN	TXL	239481R1		SS131	-	2644000R1		
VJ95C	18	TN	TXL	239481R1		SS131	-	2644000R1		
VJ95A1	20	TN	TXL	239481R1		SS132	-	2644000R1		
VJ95AS1	18	TN	TXL	239481R1		SS132	-	2644000R1		
VJ95AS3	16	TN	TXL	239481R1		SS132	-	2644000R1		
VJ95AR1	18	TN	TXL	239481R1		SS137	-	2644000R1		
VJ95AR2	18	TN	TXL	239481R1		SS137	-	2644000R1		
VJ95AR3	16	TN	TXL	239481R1		SS137	-	2644000R1		
VJ13A	14	PK	150	239481R1		SS138	-	2644000R1		
VJ13B	18	PK	TXL	239481R1		SS138	-	2644000R1		
VJ13R	16	PK	150	239481R1		SS138	-	2644000R1		
VJ95KD	14	RD	TXL	239481R1		SS138	-	2644000R1		
KA95PA	14	PK	TXL	382181C1		SS139	-	2644000R1		
KA95PB	14	PK	TXL	382181C1		SS139	-	2644000R1		
KA95PC	16	PK	TXL	382181C1		SS139	-	2644000R1		
YJ11-GD	16	WH	TXL	239481R1		SS14	-	2644000R1		
YJ112-GD	16	WH	TXL	239481R1		SS14	-	2644000R1		
YJ65-G	16	WH	GXL	239481R1		SS14	-	2644000R1	3743662C1	
MC53E	14	YL	GXL	382181C1		SS14	-	2644000R1		
MC53F	14	YL	GXL	382181C1		SS14	-	2644000R1		
MC64LO	14	YL	GXL	382181C1		SS14	-	2644000R1		
PK92#103	18	YL	TXL	239481R1		SS14	-	2644000R1		
PK92B103	18	YL	TXL	239481R1		SS14	-	2644000R1		
PK92C103	18	YL	TXL	239481R1		SS14	-	2644000R1		
WG2	1	RD	SGX			SS14	-	N/A		
WG2-FLA	8	LTBL	FUS			SS14	-	N/A		
WG2-FLB	8	LTBL	FUS			SS14	-	N/A		
MC52B	14	YL	GXL	382181C1		SS14	-	2644000R1		
MC52E	14	YL	GXL	382181C1		SS14	-	2644000R1		
MC64HI	14	YL	GXL	382181C1		SS14	-	2644000R1		
KA95H2	16	PK	TXL	382181C1		SS140	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
KA95H4	16	PK	TXL	382181C1		SS140	-	2644000R1		
KA95H6	16	PK	TXL	382181C1		SS140	-	2644000R1		
KA95H8	16	PK	TXL	382181C1		SS140	-	2644000R1		
KA95H1	16	PK	TXL	382181C1		SS141	-	2644000R1		
KA95H3	16	PK	TXL	382181C1		SS141	-	2644000R1		
KA95H5	16	PK	TXL	382181C1		SS141	-	2644000R1		
KA95H9	18	PK	TXL	382181C1		SS141	-	2644000R1		
WB2	2	RD	SGX	1613947C1		SS142	-	2644000R1		
WB2-FLA	10	RS	FUS	1613947C1		SS142	-	2644000R1		
WB2-FLB	10	RS	FUS	1613947C1		SS142	-	2644000R1		
VL2	2	RD	SGX	1613947C1		SS143	-	2644000R1		
VL2-FLA	10	RS	FUS	1613947C1		SS143	-	2644000R1		
VL2-FLB	10	RS	FUS	1613947C1		SS143	-	2644000R1		
BE2	2	RD	SGX	1613947C1		SS144	-	2644000R1		
BE2-FLA	10	RS	FUS	1613947C1		SS144	-	2644000R1		
BE2-FLB	10	RS	FUS	1613947C1		SS144	-	2644000R1	1661376C1	
VD2	1	RD	SGX	1613947C1		SS145	-	2644000R1		
VD2-FLA	6	TN	FUS	1613947C1		SS145	-	2644000R1		
VK2	1	RD	SGX	1613947C1		SS146	-	2644000R1		
VK2-FLA	6	TN	FUS	1613947C1		SS146	-	2644000R1		
VM2	1	RD	SGX	1613947C1		SS147	-	2644000R1		
VM2-FLA	6	TN	FUS	1613947C1		SS147	-	2644000R1		
YK11-GD	16	WH	TXL	239481R1		SS15	-	2644000R1		
YK112-GD	16	WH	TXL	239481R1		SS15	-	2644000R1		
YK65-G	16	WH	GXL	239481R1		SS15	-	2644000R1		
MCS4B	14	BN	GXL	382182C1		SS15	-	2644000R1		
MCS4C	14	BN	GXL	382182C1		SS15	-	2644000R1		
MCS4D	14	BN	GXL	382182C1		SS15	-	2644000R1		
MCS4F	14	BN	GXL	382182C1		SS15	-	2644000R1		
NE70E	10	RD	GXL	6102309C1		SS15	-	2644000R1		
NE70F	10	RD	GXL	6102309C1		SS15	-	2644000R1		
NE70T	10	RD	GXL	6102309C1		SS15	-	2644000R1		
PH14A	12	RD	TXL	382181C1		SS15	-	2644000R1		
PH14B	18	RD	TXL	382181C1		SS15	-	2644000R1		
PH14C	18	RD	TXL	382181C1		SS15	-	2644000R1		
VL95AS1	18	TN	TXL			SS15	-	N/A		
VL95AS2	20	TN	TXL			SS15	-	N/A		
VL95AS3	18	TN	TXL			SS15	-	N/A		
MCS3E	14	YL	GXL	382181C1		SS15	-	2644000R1		
MCS3F	14	YL	GXL	382181C1		SS15	-	2644000R1		
MC64LO	14	YL	GXL	382181C1		SS15	-	2644000R1		
MCS7B	16	OR	TXL	239481R1		SS16	-	2644000R1		
MCS7C	16	OR	GXL	239481R1		SS16	-	2644000R1		
MCS7D	16	LTGN	GXL	239481R1		SS16	-	2644000R1		
NE68E	10	BN	GXL	6102309C1		SS16	-	2644000R1		
NE68F	10	BN	GXL	6102309C1		SS16	-	2644000R1		
NE68T	10	BN	GXL	6102309C1		SS16	-	2644000R1		
KE10A	10	BK	GXL	239481R1		SS16	-	2644000R1		
KE10B	18	BK	TXL	239481R1		SS16	-	2644000R1		
KE10C	18	BK	TXL	239481R1		SS16	-	2644000R1		
MW56B	16	OR	TXL	239481R1		SS16	-	2644000R1		
MW56C	16	OR	GXL	239481R1		SS16	-	2644000R1		
MW56D	16	OR	GXL	239481R1		SS16	-	2644000R1		
MCS6B	16	OR	TXL	239481R1		SS17	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
MC56C	16	OR	GXL	239481R1		SS17	-	2644000R1		
MC56D	16	YL	GXL	239481R1		SS17	-	2644000R1		
NB54B	10	BN	GXL	6102309C1		SS17	-	2644000R1		
NB54C	10	BN	GXL	6102309C1		SS17	-	2644000R1		
NB54T	10	BN	GXL	6102309C1		SS17	-	2644000R1		
KA34	20	TN	TXL	6102309C1		SS17	-	2644000R1		
KA34A	18	TN	TXL	6102309C1		SS17	-	2644000R1		
WB2	1	RD	SGX			SS17	-	N/A		
WB2-FLA	8	LTBL	FUS			SS17	-	N/A		
WB2-FLB	8	LTBL	FUS			SS17	-	N/A		
MW57B	16	OR	TXL	239481R1		SS17	-	2644000R1		
MW57C	16	OR	GXL	239481R1		SS17	-	2644000R1		
MW57D	16	OR	GXL	239481R1		SS17	-	2644000R1		
MN5A(-)	18	GN	TXL	239481R1		SS18	-	2644000R1		
MN5B(-)	20	GN	193	239481R1		SS18	-	2644000R1		
MN5C(-)	18	GN	TXL	239481R1		SS18	-	2644000R1		
NB70B	10	RD	GXL	6102309C1		SS18	-	2644000R1	3577413C1	
NB70C	10	RD	GXL	6102309C1		SS18	-	2644000R1	3598916C1	3598917C1
NB70T	10	RD	GXL	6102309C1		SS18	-	2644000R1	3606525C1	
VB18C	10	PK	TXL	6102309C1		SS18	-	2644000R1		
VB18G	10	PK	GXL	6102309C1		SS18	-	2644000R1		
MW54B	14	BN	GXL	382182C1		SS18	-	2644000R1		
MW54C	14	BN	GXL	382182C1		SS18	-	2644000R1		
MW54D	14	BN	GXL	382182C1		SS18	-	2644000R1		
MW54F	14	BN	GXL	382182C1		SS18	-	2644000R1		
MN5A(+)	18	YL	TXL	239481R1		SS19	-	2644000R1		
MN5B(+)	20	YL	193	239481R1		SS19	-	2644000R1		
MN5C(+)	18	YL	TXL	239481R1		SS19	-	2644000R1		
NB68B	10	BN	GXL	6102309C1		SS19	-	2644000R1	3525873C1	3525875C1
NB68C	10	BN	GXL	6102309C1		SS19	-	2644000R1	3543732C1	
NB68T	10	BN	GXL	6102309C1		SS19	-	2644000R1		
AP11-G1	10	WH	TXL	6102309C1		SS19	-	2644000R1		
AP18D	18	WH	TXL	6102309C1		SS19	-	2644000R1		
AP18E	10	WH	TXL	6102309C1		SS19	-	2644000R1		
NB68B	10	BN	GXL	6102309C1		SS2	-	2644000R1	1689501C1	
NB68C	10	BN	GXL	6102309C1		SS2	-	2644000R1	2039342C1	
NB68T	10	BN	GXL	6102309C1		SS2	-	2644000R1	1661874C1	
YJ11-GD	16	WH	TXL	239481R1		SS2	-	2644000R1		
YJ112-GD	16	WH	TXL	239481R1		SS2	-	2644000R1		
YJ65-G	16	WH	TXL	239481R1		SS2	-	2644000R1		
VF2	2	RD	SGX	1613947C1		SS2	-	2644000R1		
VF2-FLA	10	RS	FUS	1613947C1		SS2	-	2644000R1		
VF2-FLB	10	RS	FUS	1613947C1		SS2	-	2644000R1		
KA10-GC	16	WH	TXL	382182C1		SS2	-	2644000R1		
KA10-GD	16	WH	TXL	382182C1		SS2	-	2644000R1		
KA10-GE	16	WH	TXL	382182C1		SS2	-	2644000R1		
KA10-GF	10	WH	GXL	382182C1		SS2	-	2644000R1		
VD11-G	8	WH	GXL	382182C1		SS2	-	2644001R1		
VD11-GA	10	WH	TXL	382182C1		SS2	-	2644001R1		
SP5A(+)	18	GN	TXL	239481R1		SS2	-	2644000R1		
SP5B(+)	20	GN	193	239481R1		SS2	-	2644000R1		
SP5C(+)	18	GN	TXL	239481R1		SS2	-	2644000R1		
MW57B	16	OR	TXL	239481R1		SS20	-	2644000R1		
MW57C	16	OR	GXL	239481R1		SS20	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
MW57D	16	LTGN	GXL	239481R1		SS20	-	2644000R1		
NE54E	10	BN	GXL	6102309C1		SS20	-	2644000R1		
NE54F	10	BN	GXL	6102309C1		SS20	-	2644000R1		
NE54T	10	BN	GXL	6102309C1		SS20	-	2644000R1		
VY6A	20	TN	TXL	239481R1		SS20	-	2644000R1		
VY6B	18	TN	TXL	239481R1		SS20	-	2644000R1		
VY6C	18	TN	150	239481R1		SS20	-	2644000R1		
VY6D	18	TN	TXL	239481R1		SS20	-	2644000R1		
VA95	20	TN	TXL			SS20	-	N/A		
VA95A	18	TN	GXL			SS20	-	N/A		
MW56B	16	OR	TXL	239481R1		SS21	-	2644000R1		
MW56C	16	OR	GXL	239481R1		SS21	-	2644000R1		
MW56D	16	YL	GXL	239481R1		SS21	-	2644000R1		
NE56E	10	YL	GXL	6102309C1		SS21	-	2644000R1		
NE56F	10	YL	GXL	6102309C1		SS21	-	2644000R1		
NE56T	10	YL	GXL	6102309C1		SS21	-	2644000R1		
VX9A	20	GY	TXL	239481R1		SS21	-	2644000R1		
VX9B	20	GY	TXL	239481R1		SS21	-	2644000R1		
VX9C	20	GY	TXL	239481R1		SS21	-	2644000R1		
VJ13AA	18	PK	TXL	468358C1		SS21	-	2644000R1		
VJ13AB	18	RD	TXL	468358C1		SS21	-	2644000R1		
VJ13R2	10	PK	TXL	468358C1		SS21	-	2644000R1		
VJ95KD	10	TN	TXL	468358C1		SS21	-	2644000R1		
MW54B	14	BN	GXL	382182C1		SS22	-	2644000R1		
MW54C	14	BN	GXL	382182C1		SS22	-	2644000R1		
MW54D	14	BN	GXL	382182C1		SS22	-	2644000R1		
MW54F	14	BN	GXL	382182C1		SS22	-	2644000R1		
NB57B	10	LTGN	GXL	6102309C1		SS22	-	2644000R1		
NB57C	10	LTGN	GXL	6102309C1		SS22	-	2644000R1		
NB57T	10	LTGN	GXL	6102309C1		SS22	-	2644000R1	1661874C1	
VJ13R2	10	PK	TXL	382182C1		SS22	-	2644000R1		
VJ13RA	12	PK	150	382182C1		SS22	-	2644000R1		
PP54B	14	BN	GXL	382182C1		SS23	-	2644000R1		
PP54C	14	BN	GXL	382182C1		SS23	-	2644000R1		
PP54D	14	BN	GXL	382182C1		SS23	-	2644000R1		
PP54H	16	BN	GXL	382182C1		SS23	-	2644000R1		
PP54J	16	BN	GXL	382182C1		SS23	-	2644000R1	1618846C1	1618847C1
NB56B	10	YL	GXL	6102309C1		SS23	-	2644000R1		
NB56C	10	YL	GXL	6102309C1		SS23	-	2644000R1	1675053C1	
NB56T	10	YL	GXL	6102309C1		SS23	-	2644000R1	1667734C1	
MV54B	14	BN	GXL	382181C1		SS24	-	2644000R1		
MV54C	14	BN	GXL	382181C1		SS24	-	2644000R1		
MV54D	14	BN	GXL	382181C1		SS24	-	2644000R1		
NE57E	10	LTGN	GXL	6102309C1		SS24	-	2644000R1		
NE57F	10	LTGN	GXL	6102309C1		SS24	-	2644000R1		
NE57T	10	LTGN	GXL	6102309C1		SS24	-	2644000R1		
KA14A3	16	RD	TXL	239481R1		SS24	-	2644000R1		
KA14A4	16	RD	TXL	239481R1		SS24	-	2644000R1		
KA14A6	10	RD	GXL	239481R1		SS24	-	2644000R1		
KA14A3	16	RD	TXL	382182C1		SS24	-	2644000R1		
KA14A4	16	RD	TXL	382182C1		SS24	-	2644000R1		
KA14A5	16	RD	TXL	382182C1		SS24	-	2644000R1		
KA14A6	10	RD	GXL	382182C1		SS24	-	2644000R1		
RA11-G	12	WH	TXL	505040C1		SS25	-	2644027R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
RA11-GA	14	WH	GXL	505040C1		SS25	-	2644027R1		
RA11-GB	14	WH	GXL	505040C1		SS25	-	2644027R1		
RA11-GC	12	WH	GXL	505040C1		SS25	-	2644027R1		
RA11-GD	12	WH	GXL	505040C1		SS25	-	2644027R1		
RA85-GA	16	WH	GXL	505040C1		SS25	-	2644027R1	2037987C1	
NB10A	8	WH	GXL	1613947C1		SS25	-	2644000R1		
NB10B	8	WH	GXL	1613947C1		SS25	-	2644000R1		
NB10C	8	WH	GXL	1613947C1		SS25	-	2644000R1		
VB95	20	TN	TXL	6102309C1		SS25	-	2644000R1		
VB95A	18	TN	GXL	6102309C1		SS25	-	2644000R1		
VL95AR1	18	TN	TXL	239481R1		SS25	-	2644000R1		
VL95AR2	18	RD	TXL	239481R1		SS25	-	2644000R1		
VL95AR3	18	TN	TXL	239481R1		SS25	-	2644000R1		
RB11-G	12	WH	TXL	468358C1		SS26	-	2644000R1		
RB11-GA	14	WH	GXL	468358C1		SS26	-	2644000R1		
RB11-GB	14	WH	GXL	468358C1		SS26	-	2644000R1	3756423C1	
RB11-GC	12	WH	GXL	468358C1		SS26	-	2644000R1		
RB85-GA	16	WH	GXL	468358C1		SS26	-	2644000R1		
NE10D	8	WH	GXL	1613947C1		SS26	-	2644000R1		
NE10E	8	WH	GXL	1613947C1		SS26	-	2644000R1		
NE10F	8	WH	GXL	1613947C1		SS26	-	2644000R1		
KA14A1	16	RD	TXL	239481R1		SS26	-	2644000R1		
KA14A2	16	RD	TXL	239481R1		SS26	-	2644000R1		
KA14A6	10	RD	GXL	239481R1		SS26	-	2644000R1		
KA14A7	10	RD	GXL	239481R1		SS26	-	2644000R1		
KA14A	10	RD	GXL	468358C1		SS26	-	2644000R1		
KA14A1	16	RD	TXL	468358C1		SS26	-	2644000R1		
KA14A2	16	RD	TXL	468358C1		SS26	-	2644000R1		
KA14A6	10	RD	GXL	468358C1		SS26	-	2644000R1		
NE94E	10	GY	GXL	6102309C1		SS27	-	2644000R1		
NE94F	10	GY	GXL	6102309C1		SS27	-	2644000R1		
NE94T	10	GY	GXL	6102309C1		SS27	-	2644000R1		
KA14AA	18	RD	TXL	382182C1		SS27	-	2644000R1		
KA14C	10	RD	TXL	382182C1		SS27	-	2644000R1		
KA14D	12	RD	TXL	382182C1		SS27	-	2644000R1		
JC5A(+)	18	YL	TXL	239481R1		SS28	-	2644000R1	3573650C1	3573651C1
JC5B(+)	18	YL	TXL	239481R1		SS28	-	2644000R1		
JC5C(+)	18	YL	TXL	239481R1		SS28	-	2644000R1		
JC5A(+)	18	YL	TXL	239481R1		SS28	-	2644000R1		
JC5B(+)	18	YL	TXL	239481R1		SS28	-	2644000R1		
JC5C(+)	18	YL	TXL	239481R1		SS28	-	2644000R1		
KP6A	20	TN	TXL	239481R1		SS28	-	2644000R1		
KP6B	18	TN	TXL	239481R1		SS28	-	2644000R1		
KP6C	18	TN	150	239481R1		SS28	-	2644000R1		
KP6D	18	TN	TXL	239481R1		SS28	-	2644000R1		
KP6A	20	GY	TXL			SS28	-	N/A		
KP6B	18	GY	TXL			SS28	-	N/A		
KP6C	18	GY	TXL			SS28	-	N/A		
KP6D	18	TN	150			SS28	-	N/A		
JD5A(+)	18	YL	TXL	239481R1		SS29	-	2644000R1		
JD5B(+)	18	YL	TXL	239481R1		SS29	-	2644000R1		
JD5C(+)	18	YL	TXL	239481R1		SS29	-	2644000R1		
JC5A(-)	18	GN	TXL	239481R1		SS29	-	2644000R1		
JC5B(-)	18	GN	TXL	239481R1		SS29	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
JC5C(-)	18	GN	TXL	239481R1		SS29	-	2644000R1		
KZ9	18	GY	150			SS29	-	N/A		
KZ9A	20	GY	TXL			SS29	-	N/A		
KZ9B	18	GY	TXL			SS29	-	N/A		
NB57B	10	LTGN	GXL	6102309C1		SS3	-	2644000R1	1661874C1	
NB57C	10	LTGN	GXL	6102309C1		SS3	-	2644000R1	1671608C1	
NB57T	10	LTGN	GXL	6102309C1		SS3	-	2644000R1		
KW5(+)	20	YL	193	239481R1		SS3	-	2644000R1		
KW5A(+)	18	YL	TXL	239481R1		SS3	-	2644000R1		
KW5B(+)	18	YL	TXL	239481R1		SS3	-	2644000R1		
KW5(+)	20	YL	193			SS3	-	N/A		
KW5A(+)	18	YL	TXL			SS3	-	N/A		
KW5B(+)	18	YL	TXL			SS3	-	N/A		
VE11-G	8	WH	GXL	382182C1		SS3	-	2644001R1		
VE11-GA	10	WH	TXL	382182C1		SS3	-	2644001R1		
JC5A(-)	18	GN	TXL	239481R1		SS30	-	2644000R1		
JC5B(-)	18	GN	TXL	239481R1		SS30	-	2644000R1	3539784C1	
JC5C(-)	18	GN	TXL	239481R1		SS30	-	2644000R1		
JD5A(+)	18	YL	TXL	239481R1		SS30	-	2644000R1		
JD5B(+)	18	YL	TXL	239481R1		SS30	-	2644000R1		
JD5C(+)	18	YL	TXL	239481R1		SS30	-	2644000R1		
VG6A	20	TN	TXL	239481R1		SS30	-	2644000R1		
VG6B	18	TN	TXL	239481R1		SS30	-	2644000R1		
VG6C	18	TN	150	239481R1		SS30	-	2644000R1		
VG6A	20	PL	TXL			SS30	-	N/A		
VG6B	18	PL	TXL			SS30	-	N/A		
VG6D	18	TN	150			SS30	-	N/A		
JD5A(-)	18	GN	TXL	239481R1		SS31	-	2644000R1		
JD5B(-)	18	GN	TXL	239481R1		SS31	-	2644000R1		
JD5C(-)	18	GN	TXL	239481R1		SS31	-	2644000R1		
JD5A(-)	18	GN	TXL	239481R1		SS31	-	2644000R1		
JD5B(-)	18	GN	TXL	239481R1		SS31	-	2644000R1		
JD5C(-)	18	GN	TXL	239481R1		SS31	-	2644000R1		
KA18R	18	PK	TXL	239481R1		SS31	-	2644000R1		
KA18S	18	PK	TXL	239481R1		SS31	-	2644000R1		
KA18T	18	PK	TXL	239481R1		SS31	-	2644000R1		
KA18R	18	PK	TXL	239481R1		SS31	-	2644000R1		
KA18S	18	PK	TXL	239481R1		SS31	-	2644000R1		
KA18T	18	PK	TXL	239481R1		SS31	-	2644000R1		
AD59A-G	16	WH	GXL	239481R1		SS32	-	2644000R1		
AD59B-G	14	WH	GXL	239481R1		SS32	-	2644000R1		
KA13A	14	PK	GXL	239481R1		SS32	-	2644000R1	3601925C1	
KA13B	18	PK	TXL	239481R1		SS32	-	2644000R1	3683466C1	3573833C1
KA13A	14	PK	GXL	239481R1		SS32	-	2644000R1		
KA13B	18	PK	TXL	239481R1		SS32	-	2644000R1		
KT9	18	GY	150			SS33	-	N/A		
KT9A	20	GY	TXL			SS33	-	N/A		
KX90A	10	RD	GXL	6102309C1		SS34	-	2644000R1		
KX90B	10	RD	TXL	6102309C1		SS34	-	2644000R1		
AB6A	20	GY	TXL			SS34	-	N/A		
AB6B	18	GY	TXL			SS34	-	N/A		
AB6C	18	GY	TXL			SS34	-	N/A		
AB6D	18	TN	150			SS34	-	N/A		
AB6G	18	GY	TXL			SS34	-	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
PG92#123	18	LTGN	TXL	239481R1		SS35	-	2644000R1		
PG92A123	18	LTGN	TXL	239481R1		SS35	-	2644000R1		
PG92B123	18	LTGN	TXL	239481R1		SS35	-	2644000R1		
KX5B(-)	18	GN	TXL	239481R1		SS35	-	2644000R1		
KX5TA(-)	18	GN	TXL	239481R1		SS35	-	2644000R1		
KX5V(-)	18	GN	TXL	239481R1		SS35	-	2644000R1		
PG92#145	18	OR	TXL	239481R1		SS36	-	2644000R1		
PG92A145	18	OR	TXL	239481R1		SS36	-	2644000R1		
PG92B145	18	OR	TXL	239481R1		SS36	-	2644000R1		
KX5R(-)	18	GN	TXL			SS36	-	2644000R1		
KX5S(-)	20	GN	193			SS36	-	2644000R1		
KX5TA(-)	18	GN	TXL			SS36	-	2644000R1		
KX5B(+)	18	YL	TXL	239481R1		SS37	-	2644000R1		
KX5TA(+)	18	YL	TXL	239481R1		SS37	-	2644000R1		
KX5V(+)	18	YL	TXL	239481R1		SS37	-	2644000R1		
AF6A	20	GY	TXL			SS38	-	N/A		
AF6B	18	GY	TXL			SS38	-	N/A		
AF6D	18	TN	150			SS38	-	N/A		
AF6G	18	GY	TXL			SS38	-	N/A		
KX5R(+)	18	YL	TXL			SS39	-	2644000R1		
KX5S(+)	20	YL	193			SS39	-	2644000R1		
KX5TA(+)	18	YL	TXL			SS39	-	2644000R1		
NB54B	10	BN	GXL	6102309C1		SS4	-	2644000R1		
NB54C	10	BN	GXL	6102309C1		SS4	-	2644000R1		
NB54T	10	BN	GXL	6102309C1		SS4	-	2644000R1		
KA13C	16	PK	TXL	239481R1		SS4	-	2644000R1		
KA13D	14	PK	GXL	239481R1		SS4	-	2644000R1		
KA41	18	TN	TXL			SS4	-	N/A		
KA41A	20	TN	TXL			SS4	-	N/A		
KH10-G	10	WH	TXL	505040C1		SS40	-	2644027R1		
KH10-GA	8	WH	GXL	505040C1		SS40	-	2644027R1		
KH10-GE	14	WH	TXL	505040C1		SS40	-	2644027R1		
KH11-G1	16	WH	TXL	505040C1		SS40	-	2644027R1		
KV13	16	PK	TXL	382181C1		SS41	-	2644000R1		
KV13C	14	PK	GXL	382181C1		SS41	-	2644000R1		
WA2	2	RD	SGX			SS42	-	N/A		
WA2-FLA	10	RS	FUS			SS42	-	N/A		
WA2-FLB	10	RS	FUS			SS42	-	N/A		
WX2	2	RD	SGX			SS42	-	N/A		
WX2-FLA	10	RS	FUS			SS42	-	N/A		
WX2-FLB	10	RS	FUS			SS42	-	N/A		
WK2	2	RD	SGX	1613947C1		SS43	-	2644000R1		
WK2-FLA	10	RS	FUS	1613947C1		SS43	-	2644000R1		
WK2-FLB	10	RS	FUS	1613947C1		SS43	-	2644000R1		
AC23-G	20	TN	TXL			SS44	-	N/A		
AC23-G1	20	TN	TXL			SS44	-	N/A		
AC95AB	20	TN	TXL			SS44	-	N/A		
KH14S	10	RD	GXL	468358C1		SS46	-	2644000R1		
KH14SA	10	RD	TXL	468358C1		SS46	-	2644000R1		
KA10-G	10	WH	GXL	239481R1		SS49	-	2644000R1		
KA10-GA	16	WH	TXL	239481R1		SS49	-	2644000R1	1689501C1	
KA10-GB	16	WH	TXL	239481R1		SS49	-	2644000R1	2039342C1	
KA10-GF	10	WH	GXL	239481R1		SS49	-	2644000R1		
KA10-G	10	WH	GXL	468358C1		SS49	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
KA10-GA	16	WH	TXL	468358C1		SS49	-	2644000R1		
KA10-GB	16	WH	TXL	468358C1		SS49	-	2644000R1		
KA10-GF	10	WH	GXL	468358C1		SS49	-	2644000R1		
NB10A	8	WH	GXL	1613947C1		SS5	-	2644000R1		
NB10B	8	WH	GXL	1613947C1		SS5	-	2644000R1		
NB10C	8	WH	GXL	1613947C1		SS5	-	2644000R1		
KW5(-)	20	GN	193	239481R1		SS5	-	2644000R1		
KW5A(-)	18	GN	TXL	239481R1		SS5	-	2644000R1		
KW5B(-)	18	GN	TXL	239481R1		SS5	-	2644000R1		
KW5(-)	20	GN	193			SS5	-	N/A		
KW5A(-)	18	GN	TXL			SS5	-	N/A		
KW5B(-)	18	GN	TXL			SS5	-	N/A		
KA10-GC	16	WH	TXL	382181C1		SS52	-	2644000R1		
KA10-GD	16	WH	TXL	382181C1		SS52	-	2644000R1	3525873C1	
KA10-GE	16	WH	TXL	382181C1		SS52	-	2644000R1		
KA10-GF	10	WH	GXL	382181C1		SS52	-	2644000R1	3540454C1	3551897C1
SR92#103	18	YL	TXL	239481R1		SS52	-	2644000R1		
SR92B103	18	YL	TXL	239481R1		SS52	-	2644000R1		
SR92C103	18	YL	TXL	239481R1		SS52	-	2644000R1		
SR92D103	18	YL	TXL	239481R1		SS52	-	2644000R1		
LA10-GG	10	WH	GXL	239481R1		SS53	-	2644000R1		
LA92#109	18	WH	TXL	239481R1		SS53	-	2644000R1		
LA92#169	18	WH	TXL	239481R1		SS53	-	2644000R1		
LB10-GG	10	WH	GXL	239481R1		SS54	-	2644000R1		
LB92#109	18	WH	TXL	239481R1		SS54	-	2644000R1		
LB92#169	18	WH	TXL	239481R1		SS54	-	2644000R1		
LC10-GG	10	WH	GXL	239481R1		SS55	-	2644000R1		
LC92#109	18	WH	TXL	239481R1		SS55	-	2644000R1		
LC92#169	18	WH	TXL	239481R1		SS55	-	2644000R1		
LD10-GG	10	WH	GXL	239481R1		SS56	-	2644000R1		
LD92#109	18	WH	TXL	239481R1		SS56	-	2644000R1		
LD92#169	18	WH	TXL	239481R1		SS56	-	2644000R1		
KJ10A	10	BK	GXL	239481R1		SS57	-	2644000R1		
KJ10B	18	BK	TXL	239481R1		SS57	-	2644000R1		
KJ10C	18	BK	TXL	239481R1		SS57	-	2644000R1		
WL2	0	RD	SGX			SS57	-	N/A		
WL2-FLA	10	RS	FUS			SS57	-	N/A		
WL2-FLB	10	RS	FUS			SS57	-	N/A		
WL2-FLC	10	RS	FUS			SS57	-	N/A		
WL2-FLD	10	RS	FUS			SS57	-	N/A		
KG10A	10	BK	GXL	239481R1		SS58	-	2644000R1		
KG10B	18	BK	TXL	239481R1		SS58	-	2644000R1		
KG10C	18	BK	TXL	239481R1		SS58	-	2644000R1		
WF2	1	RD	SGX			SS58	-	N/A		
WF2-FLA	8	LTBL	FUS			SS58	-	N/A		
WF2-FLB	8	LTBL	FUS			SS58	-	N/A		
LE10-GG	10	WH	GXL	239481R1		SS59	-	2644000R1		
LE92#109	18	WH	TXL	239481R1		SS59	-	2644000R1		
LE92#169	18	WH	TXL	239481R1		SS59	-	2644000R1		
PN92#103	18	YL	TXL	239481R1		SS59	-	2644000R1		
PN92B103	18	YL	TXL	239481R1		SS59	-	2644000R1		
PN92C103	18	YL	TXL	239481R1		SS59	-	2644000R1		
NB56B	10	YL	GXL	6102309C1		SS6	-	2644000R1		
NB56C	10	YL	GXL	6102309C1		SS6	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
NB56T	10	YL	GXL	6102309C1		SS6	-	2644000R1	1661376C1	
AB41	18	TN	TXL	6102309C1		SS6	-	2644000R1		
AB41A	20	TN	TXL	6102309C1		SS6	-	2644000R1		
LF10-GG	10	WH	GXL	239481R1		SS60	-	2644000R1		
LF92#109	18	WH	TXL	239481R1		SS60	-	2644000R1		
LF92#169	18	WH	TXL	239481R1		SS60	-	2644000R1		
SN92#103	18	YL	TXL	239481R1		SS60	-	2644000R1		
SN92B103	18	YL	TXL	239481R1		SS60	-	2644000R1		
SN92C103	18	YL	TXL	239481R1		SS60	-	2644000R1		
PM14A	12	RD	TXL	382181C1		SS61	-	2644000R1		
PM92#110	18	RD	TXL	382181C1		SS61	-	2644000R1		
PM92#170	18	RD	TXL	382181C1		SS61	-	2644000R1		
PM14A	12	RD	TXL	382181C1		SS61	-	2644000R1		
PM92#110	18	RD	TXL	382181C1		SS61	-	2644000R1		
PM92#170	18	RD	TXL	382181C1		SS61	-	2644000R1		
RM92A117	18	LTBL	TXL	239481R1		SS62	-	2644000R1		
RM92A142	18	WH	TXL	239481R1		SS62	-	2644000R1		
RM92DL	18	LTBL	TXL	239481R1		SS62	-	2644000R1		
RM92A117	18	LTBL	TXL	239481R1		SS62	-	2644000R1		
RM92A142	18	WH	TXL	239481R1		SS62	-	2644000R1		
RM92DL	18	LTBL	TXL	239481R1		SS62	-	2644000R1		
PN92#103	18	YL	TXL	239481R1		SS63	-	2644000R1		
PN92B103	18	YL	TXL	239481R1		SS63	-	2644000R1		
PN92C103	18	YL	TXL	239481R1		SS63	-	2644000R1		
PR92#103	18	YL	TXL	239481R1		SS63	-	2644000R1		
PR92B103	18	YL	TXL	239481R1		SS63	-	2644000R1		
PR92C103	18	YL	TXL	239481R1		SS63	-	2644000R1		
PR92D103	18	YL	TXL	239481R1		SS63	-	2644000R1		
TM92A117	18	LTBL	TXL	239481R1		SS64	-	2644000R1		
TM92A142	18	WH	TXL	239481R1		SS64	-	2644000R1		
TM92DL	18	LTBL	TXL	239481R1		SS64	-	2644000R1		
TM92A117	18	LTBL	TXL	239481R1		SS64	-	2644000R1		
TM92A142	18	WH	TXL	239481R1		SS64	-	2644000R1		
TM92DL	18	LTBL	TXL	239481R1		SS64	-	2644000R1		
SN92#103	18	YL	TXL	239481R1		SS65	-	2644000R1		
SN92B103	18	YL	TXL	239481R1		SS65	-	2644000R1		
SN92C103	18	YL	TXL	239481R1		SS65	-	2644000R1		
SM14A	12	RD	TXL	382181C1		SS66	-	2644000R1		
SM92#110	18	RD	TXL	382181C1		SS66	-	2644000R1		
SM92#170	18	RD	TXL	382181C1		SS66	-	2644000R1		
SM14A	12	RD	TXL	382181C1		SS66	-	2644000R1		
SM92#110	18	RD	TXL	382181C1		SS66	-	2644000R1		
SM92#170	18	RD	TXL	382181C1		SS66	-	2644000R1		
NE94E	10	GY	GXL	6102309C1		SS7	-	2644000R1		
NE94F	10	GY	GXL	6102309C1		SS7	-	2644000R1		
NE94T	10	GY	GXL	6102309C1		SS7	-	2644000R1		
KC9A	20	GY	TXL	6102309C1		SS7	-	2644000R1		
KC9B	20	GY	TXL	6102309C1		SS7	-	2644000R1		
KC9C	20	GY	TXL	6102309C1		SS7	-	2644000R1		
AH6A	20	GY	TXL			SS7	-	N/A		
AH6B	18	GY	TXL			SS7	-	N/A		
AH6C	18	GY	TXL			SS7	-	N/A		
AH6D	18	TN	150			SS7	-	N/A		
AD41	18	TN	TXL	6102309C1		SS71	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
AD41A	20	TN	TXL	6102309C1		SS71	-	2644000R1		
KT34	20	TN	TXL			SS71	-	N/A		
KT34A	18	TN	TXL			SS71	-	N/A		
SR92#175	18	OR	TXL	6102309C1		SS73	-	2644000R1		
SR92A175	18	OR	GXL	6102309C1		SS73	-	2644000R1		
NC5E(-)	18	GN	TXL	239481R1		SS74	-	2644000R1		
NC5F(-)	18	GN	TXL	239481R1		SS74	-	2644000R1		
NC5G(-)	18	GN	TXL	239481R1		SS74	-	2644000R1		
SR92A112	18	PK	TXL	239481R1		SS74	-	2644000R1		
SR92B112	18	PK	TXL	239481R1		SS74	-	2644000R1		
SR92C112	18	PK	150	239481R1		SS74	-	2644000R1		
NC5E(+)	18	YL	TXL	239481R1		SS75	-	2644000R1		
NC5F(+)	18	YL	TXL	239481R1		SS75	-	2644000R1		
NC5G(+)	18	YL	TXL	239481R1		SS75	-	2644000R1		
SR92A131	18	PK	TXL	239481R1		SS75	-	2644000R1		
SR92B131	18	YL	150	239481R1		SS75	-	2644000R1		
SR92C131	18	YL	TXL	239481R1		SS75	-	2644000R1		
SR92D131	18	YL	TXL	239481R1		SS75	-	2644000R1		
NC5G(+)	18	YL	TXL	239481R1		SS76	-	2644000R1		
NC5H(+)	20	YL	193	239481R1		SS76	-	2644000R1		
NC5J(+)	18	YL	TXL	239481R1		SS76	-	2644000R1		
SR92A158	18	LTGN	TXL	239481R1		SS76	-	2644000R1		
SR92B158	18	LTGN	150	239481R1		SS76	-	2644000R1		
SR92C158	18	LTGN	GXL	239481R1		SS76	-	2644000R1		
SR92D158	18	LTGN	TXL	239481R1		SS76	-	2644000R1		
NC5G(-)	18	GN	TXL	239481R1		SS77	-	2644000R1		
NC5H(-)	20	GN	193	239481R1		SS77	-	2644000R1		
NC5J(-)	18	GN	TXL	239481R1		SS77	-	2644000R1		
NE70E	10	RD	GXL	6102309C1		SS8	-	2644000R1		
NE70F	10	RD	GXL	6102309C1		SS8	-	2644000R1		
NE70T	10	RD	GXL	6102309C1		SS8	-	2644000R1		
KA95H7	16	PK	TXL	239481R1		SS8	-	2644000R1		
KA95H8	16	PK	TXL	239481R1		SS8	-	2644000R1		
KA95H9	18	PK	TXL	239481R1		SS8	-	2644000R1		
KA95H1	18	PK	TXL			SS8	-	N/A		
KA95H2	18	PK	TXL			SS8	-	N/A		
KA95H3	18	PK	TXL			SS8	-	N/A		
KA95H4	18	PK	TXL			SS8	-	N/A		
KA95H5	18	PK	TXL			SS8	-	N/A		
KA95H6	18	PK	TXL			SS8	-	N/A		
KA95H7	18	PK	TXL			SS8	-	N/A		
BD2	2	RD	SGX	1613947C1		SS80	-	2644000R1		
BD2-FLA	10	RS	FUS	1613947C1		SS80	-	2644000R1		
BD2-FLB	10	RS	FUS	1613947C1		SS80	-	2644000R1		
PC5C(-)	18	GN	TXL			SS81	-	N/A		
PC5D(-)	20	GN	193			SS81	-	N/A		
PC5E(-)	18	GN	TXL			SS81	-	N/A		
PC5C(+)	18	YL	TXL			SS82	-	N/A		
PC5D(+)	20	YL	193			SS82	-	N/A		
PC5E(+)	18	YL	TXL			SS82	-	N/A		
PC5#127	18	GN	TXL	239481R1		SS83	-	2644000R1		
PC5A(-)	18	GN	TXL	239481R1		SS83	-	2644000R1		
PC5C(-)	18	GN	TXL	239481R1		SS83	-	2644000R1		
PC5#106	18	YL	TXL	239481R1		SS84	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
PC5A(+)	18	YL	TXL	239481R1		SS84	-	2644000R1		
PC5C(+)	18	YL	TXL	239481R1		SS84	-	2644000R1		
PB5#127	18	GN	TXL	239481R1		SS85	-	2644000R1		
PB5C(-)	18	GN	TXL	239481R1		SS85	-	2644000R1		
PB5D(-)	18	GN	TXL	239481R1		SS85	-	2644000R1		
SB5A(-)	18	GN	TXL			SS85	-	N/A		
SB5B(-)	20	GN	193			SS85	-	N/A		
SB5E(-)	18	GN	TXL			SS85	-	N/A		
PB5#106	18	YL	TXL	239481R1		SS86	-	2644000R1		
PB5C(+)	18	YL	TXL	239481R1		SS86	-	2644000R1		
PB5D(+)	18	YL	TXL	239481R1		SS86	-	2644000R1		
PR92#175	18	OR	TXL	6102309C1		SS86	-	2644000R1		
PR92A175	18	OR	GXL	6102309C1		SS86	-	2644000R1		
PB5A(-)	18	GN	TXL	239481R1		SS87	-	2644000R1		
PB5B(-)	20	GN	193	239481R1		SS87	-	2644000R1		
PB5C(-)	18	GN	TXL	239481R1		SS87	-	2644000R1		
PR92A112	18	PK	TXL	239481R1		SS87	-	2644000R1		
PR92B112	18	PK	TXL	239481R1		SS87	-	2644000R1		
PR92C112	18	PK	150	239481R1		SS87	-	2644000R1		
PB5A(+)	18	YL	TXL	239481R1		SS88	-	2644000R1		
PB5B(+)	20	YL	193	239481R1		SS88	-	2644000R1		
PB5C(+)	18	YL	TXL	239481R1		SS88	-	2644000R1		
PR92A131	18	YL	TXL	239481R1		SS88	-	2644000R1		
PR92B131	18	YL	150	239481R1		SS88	-	2644000R1		
PR92C131	18	YL	TXL	239481R1		SS88	-	2644000R1		
PR92D131	18	YL	TXL	239481R1		SS88	-	2644000R1		
PC5#127	18	GN	TXL	239481R1		SS89	-	2644000R1		
PC5C(-)	18	GN	TXL	239481R1		SS89	-	2644000R1		
PC5D(-)	18	GN	TXL	239481R1		SS89	-	2644000R1		
PR92A158	18	LTGN	TXL	239481R1		SS89	-	2644000R1		
PR92B158	18	LTGN	150	239481R1		SS89	-	2644000R1		
PR92C158	18	LTGN	GXL	239481R1		SS89	-	2644000R1		
PR92D158	18	LTGN	TXL	239481R1		SS89	-	2644000R1		
NE68E	10	BN	GXL	6102309C1		SS9	-	2644000R1		
NE68F	10	BN	GXL	6102309C1		SS9	-	2644000R1		
NE68T	10	BN	GXL	6102309C1		SS9	-	2644000R1		
VC2	1	RD	SGX	1613947C1		SS9	-	2644000R1		
VC2-FLA	6	TN	FUS	1613947C1		SS9	-	2644000R1		
KA95GBA	18	BK	TXL	239481R1		SS9	-	2644000R1		
KA95GBB	18	BK	TXL	239481R1		SS9	-	2644000R1		
KA95GBC	16	TN	TXL	239481R1		SS9	-	2644000R1		
PC5#106	18	YL	TXL	239481R1		SS90	-	2644000R1		
PC5C(+)	18	YL	TXL	239481R1		SS90	-	2644000R1		
PC5D(+)	18	YL	TXL	239481R1		SS90	-	2644000R1		
SB5A(+)	18	YL	TXL			SS90	-	N/A		
SB5B(+)	20	YL	193			SS90	-	N/A		
SB5E(+)	18	YL	TXL			SS90	-	N/A		
PC5A(+)	18	YL	TXL	239481R1		SS91	-	2644000R1		
PC5B(+)	20	YL	193	239481R1		SS91	-	2644000R1		
PC5C(+)	18	YL	TXL	239481R1		SS91	-	2644000R1		
SB5#127	18	GN	TXL	239481R1		SS91	-	2644000R1		
SB5C(-)	18	GN	TXL	239481R1		SS91	-	2644000R1		
SB5E(-)	18	GN	TXL	239481R1		SS91	-	2644000R1		
PC5A(-)	18	GN	TXL	239481R1		SS92	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
PC5B(-)	20	GN	193	239481R1		SS92	-	2644000R1		
PC5C(-)	18	GN	TXL	239481R1		SS92	-	2644000R1		
SB5#106	18	YL	TXL	239481R1		SS92	-	2644000R1		
SB5C(+)	18	YL	TXL	239481R1		SS92	-	2644000R1		
SB5E(+)	18	YL	TXL	239481R1		SS92	-	2644000R1		
SB5A(-)	18	GN	TXL	239481R1		SS93	-	2644000R1		
SB5B(-)	20	GN	193	239481R1		SS93	-	2644000R1		
SB5C(-)	18	GN	TXL	239481R1		SS93	-	2644000R1		
YA41-GE	10	WH	TXL	1613947C1		SS93	-	2644000R1		
YA41-GF	10	WH	TXL	1613947C1		SS93	-	2644000R1		
YA41-GH	4	WH	SGX	1613947C1		SS93	-	2644000R1		
SB5A(+)	18	YL	TXL	239481R1		SS94	-	2644000R1		
SB5B(+)	20	YL	193	239481R1		SS94	-	2644000R1		
SB5C(+)	18	YL	TXL	239481R1		SS94	-	2644000R1		
SB5#127	18	GN	TXL	239481R1		SS95	-	2644000R1		
SB5C(-)	18	GN	TXL	239481R1		SS95	-	2644000R1		
SB5D(-)	18	GN	TXL	239481R1		SS95	-	2644000R1		
SB5#106	18	YL	TXL	239481R1		SS96	-	2644000R1		
SB5C(+)	18	YL	TXL	239481R1		SS96	-	2644000R1		
SB5D(+)	18	YL	TXL	239481R1		SS96	-	2644000R1		
VX6A	20	GY	TXL			SS96	-	2644000R1		
VX6B	18	GY	TXL			SS96	-	2644000R1		
VX6C	18	GY	TXL			SS96	-	2644000R1		
VX6D	18	TN	150			SS96	-	2644000R1		
VE2	1	RD	SGX	1613947C1		SS97	-	2644000R1		
VE2-FLA	6	TN	FUS	1613947C1		SS97	-	2644000R1		
[RW94WX]	18	-	GXL	V-TERM	PAS2(1	2)	4951	1		
[RW94WZ]	18	-	GXL	V-TERM	PAS2(1	2)	4951	2		
[RE94P]	18	-	GXL	V-TERM	PAS2(1	2)	9505	1		
[RE94R]	18	-	GXL	V-TERM	PAS2(1	2)	9505	2		
[RV94WL]	18	-	GXL	V-TERM	PAS2(1	2)	9516	1		
[RV94WM]	18	-	GXL	V-TERM	PAS2(1	2)	9516	2		
[RV94WS]	18	-	GXL	V-TERM	PAS2(1	2)	9517	1		
[RV94WT]	18	-	GXL	V-TERM	PAS2(1	2)	9517	2		
[RV94G7]	18	-	GXL	V-TERM	PAS3(1	2)	9518	2		
[RV94WN]	18	-	GXL	V-TERM	PAS3(1	2)	9518	1		
[RV94WR]	18	-	GXL	V-TERM	PAS3(1	2)	9518	3		
[RV94G6]	18	-	GXL	V-TERM	PAS3(1	2)	9519	2		
[RV94WU]	18	-	GXL	V-TERM	PAS3(1	2)	9519	1		
[RV94WW]	18	-	GXL	V-TERM	PAS3(1	2)	9519	3		
[UH94A]	18	-	GXL	V-TERM	PAS3(1	2)	9544	3		
[UH94B]	18	-	GXL	V-TERM	PAS3(1	2)	9544	1		
[UH94G6]	18	-	GXL	V-TERM	PAS3(1	2)	9544	2		
[UH94E]	18	-	GXL	V-TERM	PAS2(1	2)	9545	1		
[UH94F]	18	-	GXL	V-TERM	PAS2(1	2)	9545	2		
[UH94C]	18	-	GXL	V-TERM	PAS3(1	2)	9546	3		
[UH94D]	18	-	GXL	V-TERM	PAS3(1	2)	9546	1		
[UH94G7]	18	-	GXL	V-TERM	PAS3(1	2)	9546	2		
[UH94H]	18	-	GXL	V-TERM	PAS2(1	2)	9547	2		
[UH94N]	18	-	GXL	V-TERM	PAS2(1	2)	9547	1		
[UH94J]	18	-	GXL	V-TERM	PAS2(1	2)	9552	1		
[UH94K]	18	-	GXL	V-TERM	PAS2(1	2)	9552	2		
[UH94G8]	18	-	GXL	V-TERM	PAS3(1	2)	9553	2		
[UH94L]	18	-	GXL	V-TERM	PAS3(1	2)	9553	1		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
[UH94M]	18	-	GXL	V-TERM	PAS3(1	2)	9553	3		
[UH94T]	18	-	GXL	V-TERM	PAS2(1	2)	9554	1		
[UH94U]	18	-	GXL	V-TERM	PAS2(1	2)	9554	2		
[UH94G9]	18	-	GXL	V-TERM	PAS3(1	2)	9555	2		
[UH94P]	18	-	GXL	V-TERM	PAS3(1	2)	9555	1		
[UH94S]	18	-	GXL	V-TERM	PAS3(1	2)	9555	3		
[UM94A]	18	-	GXL	V-TERM	PAS3(1	2)	9564	3		
[UM94B]	18	-	GXL	V-TERM	PAS3(1	2)	9564	1		
[UM94G6]	18	-	GXL	V-TERM	PAS3(1	2)	9564	2		
[UM94E]	18	-	GXL	V-TERM	PAS2(1	2)	9565	1		
[UM94F]	18	-	GXL	V-TERM	PAS2(1	2)	9565	2		
[UM94G8]	18	-	GXL	V-TERM	PAS3(1	2)	9566	2		
[UM94L]	18	-	GXL	V-TERM	PAS3(1	2)	9566	1		
[UM94M]	18	-	GXL	V-TERM	PAS3(1	2)	9566	3		
[UM94J]	18	-	GXL	V-TERM	PAS2(1	2)	9567	1		
[UM94K]	18	-	GXL	V-TERM	PAS2(1	2)	9567	2		
[UM94T]	18	-	GXL	V-TERM	PAS2(1	2)	9568	1		
[UM94U]	18	-	GXL	V-TERM	PAS2(1	2)	9568	2		
[UM94G9]	18	-	GXL	V-TERM	PAS3(1	2)	9569	2		
[UM94P]	18	-	GXL	V-TERM	PAS3(1	2)	9569	1		
[UM94S]	18	-	GXL	V-TERM	PAS3(1	2)	9569	3		
[UM94C]	18	-	GXL	V-TERM	PAS3(1	2)	9570	3		
[UM94D]	18	-	GXL	V-TERM	PAS3(1	2)	9570	1		
[UM94G7]	18	-	GXL	V-TERM	PAS3(1	2)	9570	2		
[UM94H]	18	-	GXL	V-TERM	PAS2(1	2)	9571	2		
[UM94N]	18	-	GXL	V-TERM	PAS2(1	2)	9571	1		
[RE94M]	18	-	GXL	V-TERM	PAS2(1	2)	9911	1		
[RE94N]	18	-	GXL	V-TERM	PAS2(1	2)	9911	2		
[SECORE]	NONE	-	NON	V-TERM	PAS2(1	2)	1A	1		
[SESHLD]	NONE	-	NON	V-TERM	PAS2(1	2)	1A	2		
[MLBRN]	22	-	TXL	V-TERM	PAS8(1	2)	20A	2		
[MLGRN]	22	-	TXL	V-TERM	PAS8(1	2)	20A	3		
[MLGRY]	22	-	TXL	V-TERM	PAS8(1	2)	20A	5		
[MLRED]	22	-	TXL	V-TERM	PAS8(1	2)	20A	8		
[MLWHT]	22	-	TXL	V-TERM	PAS8(1	2)	20A	1		
[MLYEL]	22	-	TXL	V-TERM	PAS8(1	2)	20A	4		
[MPBRN]	22	-	TXL	V-TERM	PAS8(1	2)	20A	2		
[MPGRN]	22	-	TXL	V-TERM	PAS8(1	2)	20A	3		
[MPGRY]	22	-	TXL	V-TERM	PAS8(1	2)	20A	5		
[MPRED]	22	-	TXL	V-TERM	PAS8(1	2)	20A	8		
[MPWHT]	22	-	TXL	V-TERM	PAS8(1	2)	20A	1		
[MPYEL]	22	-	TXL	V-TERM	PAS8(1	2)	20A	4		
[MLBRN]	22	-	TXL	V-TERM	PAS8(1	2)	21A	2		
[MLGRN]	22	-	TXL	V-TERM	PAS8(1	2)	21A	3		
[MLGRY]	22	-	TXL	V-TERM	PAS8(1	2)	21A	5		
[MLRED]	22	-	TXL	V-TERM	PAS8(1	2)	21A	8		
[MLWHT]	22	-	TXL	V-TERM	PAS8(1	2)	21A	1		
[MLYEL]	22	-	TXL	V-TERM	PAS8(1	2)	21A	4		
[MPBRN]	22	-	TXL	V-TERM	PAS8(1	2)	21A	2		
[MPGRN]	22	-	TXL	V-TERM	PAS8(1	2)	21A	3		
[MPGRY]	22	-	TXL	V-TERM	PAS8(1	2)	21A	5		
[MPRED]	22	-	TXL	V-TERM	PAS8(1	2)	21A	8		
[MPWHT]	22	-	TXL	V-TERM	PAS8(1	2)	21A	1		
[MPYEL]	22	-	TXL	V-TERM	PAS8(1	2)	21A	4		

Circuit Number	Gauge	Color	Insulation	Terminal / Splice Number	Connector Part number	Connector Number	Cavity	Seal/Sleeve	Lock 1	Lock 2
[SECORE]	NONE	-	NON	V-TERM	PAS2(1	2)	2A	1		
[SESHLD]	NONE	-	NON	V-TERM	PAS2(1	2)	2A	2		
[SFCORE]	NONE	-	NON	V-TERM	PAS2(1	2)	3A	1		
[SFSHLD]	NONE	-	NON	V-TERM	PAS2(1	2)	3A	2		
[SFCORE]	NONE	-	NON	V-TERM	PAS2(1	2)	4A	1		
[SFSHLD]	NONE	-	NON	V-TERM	PAS2(1	2)	4A	2		
[XS90B]	16	-	GXL	V-TERM	PAS2(A	B)	6064	B		
[XS90C]	16	-	GXL	V-TERM	PAS2(A	B)	6064	A		

A	
A01-1126M:3928059C1	266
A01-1127R:1667741C1	268
A01-1500A:3710061C1	269
A01-1926:3544677C1	270
A01-8881:3553404C1	271
A01-8882:3586750C1	272
A01-8995:3613769C1	274
A01-8997:2018590C1	276
A01_250M:4064551C1	278
A01_250M:4064551C1	279
A01_4500:1661375C2	280
A31_1005:3710088C1	282
A31_1012:3768010C1	283
A31_1013:3768010C1	284
A31_1014:3768010C1	285
A31_1053:4116776C1	286
A31_1101M:3522071C1	287
A31_1102:4243370C1	288
A31_1103:4243370C1	289
A31_1200A:3768152C1	290
A31_1200B:3768153C1	293
A31_1200C:4057474C1	296
A31_1200E:4057658C1	299
A31_1200F:4116508C1	302
A31_1400:3596926C1	303
A31_1500A:4275140C1	304
A31_1652:4278598C1	305
A31_1700:3595625C1	306
A31_1700:3595625C1	307
A31_1700:3595625C1	308
A31_1700:3595625C1	309
A31_1701:3595623C1	310

A31_1702:3595621C1	311
A31_1702:3595621C1	312
A31_1702:3595621C1	313
A31_1702:3595621C1	314
A31_1702:3595621C1	315
A31_1702:3595621C1	317
A31_1703F:3595624C1	318
A31_1703F:3595624C1	319
A31_1703F:3595624C1	320
A31_1703F:3595624C1	321
A31_1703F:3595624C1	322
A31_1703F:3595624C1	323
A31_1703M:3595625C1	324
A31_1703M:3595625C1	325
A31_1703M:3595625C1	326
A31_1703M:3595625C1	327
A31_1703M:3595625C1	328
A31_1703M:3595625C1	329
A31_1852:3599009C1	330
A31_1939A:3683465C1	332
A31_1939B:3683465C1	333
A31_1939C:3683465C1	334
A31_1971:3704144C1	335
A31_1972:4198359C1	336
A31_2505:3811207C1	337
A31_3000F:1661201C1	338
A31_3200F:1661201C1	339
A31_3200M:1661200C1	340
A31_3200M:1661200C1	341
A31_3204M:1661200C1	342
A31_6042:3677559C1	343
A31_6202:3590299C1	344
A31_6500:4276424C1	345

INDEX

ABS CAN Splice Pack - 1410 Design	38
Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 1 Design	107
Adaptive Cruise Control (Bendix - Fusion 2.0 & W/ Safety Direct & Reg Speakers) option 2 Design	108
Adaptive Cruise Control w/o Display (Bendix) Design	106
Air Governor Control Design	42
Alternate Flashing (Wig Wag) - Park Brake disables High Beams Design	120
Alternate Flashing (Wig Wag) - Park Brake disables Wig Wag Design	121
Ambient Temperature (No Display, Mirror Sensor, VCU) Design	201
Antilock Brake System (ABS) - BENDIX 4 Channel Implementation Design	99
Automatic Lighting - Dual Sensor Twilight/Solar Design	124
Automatic Lighting Design	122
Auxiliary Gauges (Secondary) Design	202
Auxiliary Power Fuse Design	31
Auxiliary Gauges (Primary) Design	203
Auxiliary Gauge Design	204
Auxiliary Trailer Power Design	251
Axle Loading (Weight) Rear Design	223
Axle Temperature Monitoring (Single Rear Aux Gauge) Design	233
Axle Temperature Monitoring (Single Rear Virtual Gauge) Design	234
Axle Temperature Monitoring (Tandem Rear Aux Gauge) Design	235
Axle Temperature Monitoring (Tandem Rear Virtual Gauge) Design	236

B

B03_1801:1673744C1	346
B03_1811:4196881C1	347
B03_1812:4196881C1	348
B03_1813:1661777C1	349
B03_1823:1661777C1	350
B03_1824:1661777C1	351
B03_1829:1661777C1	352
B03_1831:1661777C1	353

Backup Light (W/VCU) Dual Daisy Reverse Light Design	126
Battery Feed Design	33
Battery Management System Design	86
Battery Thermal Management (W/VCU) BTMS Design	88
Bendix; Tractor or Towing Truck; N/ Air SUSP; J1939 Driven Lamp Design	102
Bendix; Tractor or Towing Truck; W/ Air SUSP; J1939 Driven Lamp Design	103
Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Design	89
Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option2 Design	90
Body Control Module (BCM) Design	1
Brake Pressure (Auxiliary Gauge) Design	205
Brake Pressure (Virtual Gauge) Design	206

C

Cab Dome Light W/ Combo in Diamond Trim Design	218
Cab Dome Light W/Classic Trim Design	217
Camera (LYTX Prewire) W/Event Recording Button Design	84
CAN Network Design	9
CB Radio Power Only Design	49
Center Chassis Ground Splice Packs 8802/8805/8807/8809 Design	27
Charge Port Monitoring OCI System Design	192
Charging System (W/VCU) Dual DC/DC Converter Design	193
Chassis PDM Design	32
Cigar Lighter Aux APO Design	50
City Horn (W/ 4PIN CLK & P. Brake) Design	68
City Horn (W/ 4PIN CLK) Design	70
City Horn (W/ 10PIN CLK & P. Brake) Design	66
City Horn (W/ 10PIN CLK) Design	67
Clearance and Identification Lights Design	128
Collision Avoidance System (Warning) Design	109
Compressed Air Supply (Primary & Secondary Gauge)(W/2 in 1 Inverter) Design	207
Connector Assembly List MV	1054

INDEX

Coolant Level Monitoring (W/VCU) Design	115
Coolant Temperature Monitoring (J1939 Comm, W/VCU) Design	116
Courtesy Light Crew Cab Design	219
Courtesy Light Day Cab Design	220
Cranking (W/VCU) Design	262
Cranking Request (w/ Key Switch w/ BCM) Design	260
Cruise Control (W/ One Telltale 10 Pin) Design	57

D

D17-2000N:3579124C1	354
D38_2002M:1661259C1	355
D38_2003M:1661259C1	356
D38_2004M:1661259C1	357
D38_2005M:1661259C1	358
D38_2006M:1661259C1	359
D38_2100M:1661889C1	360
D49-166M:1661889C1	361
D49-1979:3831401C1	362
D49_240:3709924C1	368
D49_240:3709924C1	369
D49_250F:4064552C1	370
D49_250F:4064552C1	371
D49_1972:4166862C1	364
D49_1980:4166862C1	365
D49_2000F:3544687C1	367
D63-344F:1661197C1	372
D63-345F:1661197C1	373
D80_100:3767577C1	374
D80_2505M:3920483C1	375
Daytime Running Lights (Output to Plow Lights) Design	129
Directional Signal (Turn) W/ DAISY CHAIN BOX LAMPS Design	130
Directional Signal (Turn) W/ Daisy Chain Box Lamps W/Plow Lights Design	131
Directional Signal (Turn) W/ LED BOX LAMPS Design	132

Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights Design	133
Directional Signal (Turn) W/ Single Tail Board W/Hazard SW Design	134
Directional Signal (Turn) W/ Single Tail Board W/Plow Lights Design	135
Door Ajar Reminder (Entry/Exit) 2 Door Design	60
Door Pod Module (4 Door) Design	61
Drive Mode Selector I/O (W/VCU) Design	112
Driver and Passenger Seats - RollTek (Hard Wired) Design	241
Driver Controlled Locking Differential - FR and RR Axles (Meritor w/ two sw) Design	225
Driver Controlled Locking Differential - FR & RR Axle (Dana w/ one switch) Design	226
Driver Controlled Locking Differential - FR & RR Axle (Meritor w/ one sw) Design	227
Driver Controlled Locking Differential - RR Axle (Dana w/ one sw) Design	228
Driver Controlled Locking Differential - RR Axle (Meritor w/ one sw) Design	229

E

E01_3000:3538634C1	381
E01_3000M:1661200C1	380
E01_3200F:1661201C1	382
E01_3200F:1661201C1	383
E01_3202M:3820176C1	384
E01_3300M:3535769C1	386
E01_3300MR:3535769C1	385
E01_DS_3000:3538634C1	376
E01_DS_3203M:3709924C1	377
E01_PS_3000:3538634C1	378
E01_PS_3203M:3709924C1	379
End of Frame Aux Work Light (One Light N/Relay) Design	178
Engine Speed (Tachometer, W/VCU) Design	200
eVehicle Charging (W/VCU) Onboard Charging Modules Design	194
Exterior Lamp Check Design	137
Exterior Lamp Reminder Design	136

F

F03_3202M:3820176C1387

Fog Lights (Halogen White TOP MTG) Design138

Fog Lights (LED White TOP MTG) Design139

Forward Chassis Ground Splice Pack 8800 Design28

Front Fog Lamps Design140

Front Fog Lights W CONNECTOR Design141

Front Marker Lights N/ PLow Lights Design142

Front Marker Lights W/ Plow Lights Design143

G

GEN IV Cluster (Monitor) Design15

Ground Splice Pack 1027 Design24

Ground Splice Packs 1022 & 1023 Design23

H

Hazard Warning Light N/Trlr Socket Design144

Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK
Design160

Headlights W 10PIN CLK W/LOWW W/Interrupt Design146

Headlights W 10PIN CLK W/LOWW W/O Interrupt Design148

Headlights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt
Design152

Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt
Design150

Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW
W/Interrupt Design154

Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights
Interrupt Design158

Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights
Interrupt Design156

Heating Ventilation & Air Conditioning (HVAC) (W/VCU) Design187

Height Control (W/VCU) Design230

Hig-Voltage Power Distribution System Design199

High-Voltage Battery System Design195

High-Voltage Distribution Module (HVDM) Design196

High-Voltage Distribution Unit (HVDU) Design197

High-Voltage Interlock Design191

High-Voltage Monitor Design198

Hybrid Auxiliary Power Generator for HEV (DC/AC Inverter) Design119

I

Instrument Cluster (Premium) Design16

Instrument Cluster (Standard) Design18

Instrument Cluster - Bulb Check Design19

Instrument Cluster - Request and Status Design20

Interior Dual Post Ground Stud-Cowl Wall Design25

Interior PDM Chart Design34

Interior Task Lights (Map) - Dome Combo Design221

J

J1-1603:3598711C1388

J2-1604:3598710C1394

J3-1600:3598706C1402

J4-1601:3598707C1412

J5-1602:3598705C1416

J6-1606:3759005C1424

J6-1606:3759005C1432

J6-1606:3759005C1433

J6-1606:3759005C1434

J6-1606:3759005C1435

J7-1607:3710061C1436

K

INDEX

K03_2G:2241342C1	447	K03_6057:6132203C1	479
K03_2G:2241342C1	448	K03_6058:6132203C1	480
K03_2G:2241342C1	449	K03_6059A:2241628C1	481
K03_2G:2241342C1	450	K03_6059B:2241627C1	482
K03_3G:2241337C1	451	K03_6060:4110039C1	483
K03_1702:3595620C1	440	K03_6070:4110039C1	484
K03_1702:3595620C1	441	K03_6071:3601743C1	485
K03_1702:3595620C1	442	K03_6072:3579124C1	486
K03_1702:3595620C1	443	K03_6073:3557533C1	487
K03_1702:3595620C1	444	K03_6074:3579124C1	488
K03_1702:3595620C1	445	K03_6076:1673746C1	489
K03_1703:2206588C1	446	K03_6078:4243365C1	490
K03_6020:1673746C1	452	K03_6081:6113341C1	491
K03_6023:4241464C1	455	K03_6082:6113338C1	492
K03_6023A:4173578C1	453	K03_6083:6113341C1	493
K03_6023B:4173578C1	454	K03_6084:6113338C1	494
K03_6025:4241464C1	456	K03_6084:6113338C1	495
K03_6025:4241464C1	461	K03_6090:3580539C1	496
K03_6026:4173578C1	462	K03_6090:3580539C1	497
K03_6027:4173578C1	463	K03_6090:3580539C1	498
K03_6028:4173578C1	464	K03_6090:3580539C1	499
K03_6030:4243360C1	465	K03_6091:3580540C1	500
K03_6031:4173578C1	467	K03_6091:3580540C1	501
K03_6035:3572899C1	468	K03_7000:3685466C1	502
K03_6036:3539140C1	469	K03_7001:4243345C1	503
K03_6037:4173578C1	470	K03_7002:4223352C1	504
K03_6038:4173578C1	471	K03_7004:1661778C1	505
K03_6041:3677559C1	472	K03_7005:3572899C1	506
K03_6042:3677559C1	473	K03_9300:3762701C1	509
K03_6050:3601923C1	474	K03_9300A:3762701C1	507
K03_6055:3539139C1	476	K03_9300B:3762701C1	508
K03_6055:3989894C1	477	K03_PDM2:2241627C1	439
K03_6057:6132203C1	478	Key Switch Accessory Design	35

INDEX

Key Switch Ignition Design 36

L

Lane Departure Warning - (Bendix Fusion N/ Safety Direct) Design 110
License Plate Light (LED BOX LAMP Daisy Chain Tail Light) Design 162
License Plate Light (LED BOX LAMP Tail Light) Design 163
License Plate Light (Tail Light Single Assy) Design 164
License Plate Light (Tail Light Single Assy) Option2 Design 165
License Plate Light (Tail Light Single Assy) Option3 Design 166
License Plate Light (Tail Light Single Assy) W/Less Power Module Design . . . 167
Lighting Control Module Design 29

M

M01_1657:3683465C1 511
M01_1657M:3683465C1 510
M01_1700:3595624C1 512
M01_1700:3595624C1 513
M01_1700:3595624C1 514
M01_1700:3595624C1 515
M01_8000:3612306C1 516
M01_8001:3612306C1 517
M01_8701:587567C91 518
M01_8900:1661778C1 519
M01_9000:1661777C1 520
M01_9555F:1661259C1 521
M01_9700:3543888C1 522
M02-8903:6111813C1 523
M02_8903:6111813C1 524
M02_9501:3539777C1 525
M02_9503:3539777C1 526
M04_4004:3525613C1 527
M04_8000:1677851C1 528
M04_8001:1677851C1 531

M04_8102:2039311C91 534
M04_8200A:6131286C1 536
M04_8201A:6131286C1 537
M04_8301:1661778C1 538
M04_8500:1686834C1 539
M04_8501:1686834C1 540
M04_8502:3539777C1 541
M04_8503A:3539777C1 542
M04_8800:3551896C1 543
M04_8903:6111813C1 545
M8 B:RING-M-8_0 546
Mirrors (Heated) (Door Pod Actuated 2 Cab and 1 Hood Mirror Left Side Only)
Design 62
Mirrors (Heated) (MUX Switch 2 Cab and 1 Hood Mirror Left Side Only) Design 63
Mirrors (Power) Control Switch Actuated Design 64
Multiplexed Switch Pack (Primary Switch) Design 72

N

N02_9769:3673640C1 547
N03_1701F:3595622C1 549
N03_9800:3558026C1 550
N05_7803:3950690C1 552
N05_8802:3551896C1 553
N05_8805:3551896C1 555
N05_8807:3551896C1 558
N05_8809:3551896C1 560
N05_9512A:3678796C1 562
N05_9513A:1686834C1 563
N05_9514F:3601685C1 564

O

Odometer (W/VCU) Design 208
Operator Input Design 263

Over The Air Electrical I/O (OnCommand Link / N2 Module Design) 76
 Over the Air Programming (OnCommand Link / N2 Module) Design 77

P

P01_9000:2206587C1 565
 P01_9001:2206588C1 566
 P02_6081:6132204C1 567
 P02_6084:4243345C1 569
 P02_6085:4243345C1 570
 P02_6086:4173578C1 571
 P02_6090:3580540C1 572
 P02_6090:3580540C1 573
 P02_6090:3580540C1 574
 P02_6090:3580540C1 575
 P02_6091:3580539C1 576
 P02_6091:3580539C1 577
 P02_6092:3601923C1 578
 P02_6094:4283563C1 580
 P02_6097A:4173578C1 581
 P02_6097B:4173578C1 582
 P02_6098:4173578C1 583
 P02_6100:3863609C1 584
 P02_6101:3863609C1 585
 P02_8000:4173578C1 586
 P03_6055:3539140C1 587
 P03_6055:3539140C1 588
 P03_7850:3589991C1 589
 P03_7852:4088967C1 590
 P03_7875:4258263C1 591
 P4X_1:RING-M-8_0 600
 P4X_2:RING-M-8_0 601
 P4Y_1:RING-M-8_0 602
 P4Y_2:BLUNT_SL_VC 603

P04_9000:3850730C1 593
 P04_9001:3600324C1 594
 P04_9002:3600324C1 595
 P04_9003:3543888C1 596
 P5D_4028C:RING-M-10_0 606
 P7S_72:1661375C2 607
 P7S_73:1661375C2 608
 P80_71:1661375C2 609
 P80_72:1661375C2 611
 P464:3767197C1 604
 P13721:3867402C1 597
 P13723:3867402C1 598
 P16400:3544688C1 599
 Panel Backlighting (Cabin Dimmer) Design 222
 Panel Light Dimmer Splice Pack - 1021 Design 39
 Park / Turn Lights Splice Packs 1623/1625/400 Design 40
 Park Brake Controls (W/VCU) Design 100
 PARK LIGHTS - N/Marker Interrupt Design 168
 PARK LIGHTS - W/Marker Interrupt 4 pin clockspring Design 172
 PARK LIGHTS - W/Marker Interrupt 10pin CLCKSPRING Design 170
 Power Divider Lock Control and Monitoring Design 231
 Power Electronics Coolant Temperature Monitoring Design 117
 Power Lift Gate Design 91
 Propulsion Coolant Temperature Monitoring (W/VCU) Design 118

R

R01_4950:3678796C1 630
 R01_9303A:1661375C2 631
 R01_9555R:1661259C1 633
 R01_9767:1661778C1 634
 R01_9800:3558022C1 635
 R80_72:1661375C2 637
 Radio w/Bluetooth Design 43

INDEX

Real Time Clock Design	73
Rear Axle Load Distribution Design	232
Rear Light (LED BOX LAMP Tail Light) Design	175
Rear Light (Tail Light) Design	176
Rear Light (Tail Light) W/Daisy Chain pair of Box Lamps Design	177
Rear Lights (Stop) (W/VCU) W/Daisy Chain Design	127
Rear Suspension Pressure Monitoring (Auxiliary Gauge) Design	237
Rear Suspension Pressure Monitoring (Virtual Gauge) Design	239
Regenerative Braking (W/VCU) Design	113
Relays - Grid Management Design	37
Remote Keyless Access Design	74
RIGHTSIDE AIR DRYER Design	92
Ring Terminal:2241314C1	612
Ring Terminal:2241344C1	613
Ring Terminal:2241345C1	614
Ring Terminal:2241345C1	615
Ring Terminal:2241345C1	616
Ring Terminal:2241345C1	617
Ring Terminal:2241345C1	618
Ring Terminal:2241346C1	619
Ring Terminal:2241346C1	620
Ring Terminal:2241346C1	621
Ring Terminal:2241346C1	622
Ring Terminal:2241346C1	623
Ring Terminal:2241346C1	624
Ring Terminal:2241358C1	625
Ring Terminal:2241358C1	626
Ring Terminal:2241358C1	627
Ring Terminal:2241358C1	628
Ring Terminal:2241361C1	629

S

Seatbelt Reminder (Warning)(Driver & Passenger in parallel) Design	246
--	-----

Seatbelt Reminder (Warning)(Driver only) Design	245
Seats (RollTek) Drivers Seat Only (Hard Wired) - Leather Design	242
Seats (RollTek) Drivers Seat Only (Hard Wired) - Mordular Design	243
Seats (RollTek) Drivers Seat Only (Hard Wired) - Vinyl Design	244
Service Brake Switch (2 SLS/ 1 Transducer/ 2 RDS to VCU) Design	101
Snow Plow Lights Switch Design	174
Speakers:Four Speakers Daycab BT n/QC Design	45
Speakers:Four Speakers Daycab n/BT n/QC Design	46
Speakers:Four Speakers Daycab n/BT w/QC Design	47
Speakers:Four Speakers Daycab w/BT w/QC Design	48
Stability Control (Bendix Straight Truck J1939 Driven Lamp) Design	104
Standard APO and Aux APO Design	54
Standard APO Design	53

T

Telematics (PEOPLE NET MD) Design	75
TEM _Electric Trailer Brake Controller Activated Stop LT Design	252
Termianl 2:527859C1	638
Theft Deterrent (Standard, J1939 Mux SW, W/VCU) Design	78
Traction Control (Bendix, VCU) Design	105
Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Design	253
Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option2 Design	254
Trip Odometer (W/VCU) Design	209
Two USB Design	79

V

VCU PDM and Underhood PDM Design	41
Vehicle Acceleration (Wired to VCU) Design	114
Vehicle Alarm System Design	81
Vehicle Control Unit (VCU) Design	21
Vehicle Data Recorder (No Display) Design	247

INDEX

Vehicle Data Recorder (W/ Display) Design	249
Vehicle Information Display (W/ BT) Design	216
Vehicle Information Display Premium w/ Wi-Fi VID Design	214
Vehicle Information Display W/O BT Design	215
Vehicle Sleep Mode Design	82
Vehicle Sound Generator Design	83
Vehicle Speed Control (Cruise Control) (Steering Wheel Controls, W/VCU) Design	213
Vehicle Speed Control (Cruise Control) 10 Pin Design	59
Vehicle Speed Limit Override Design	210
Voltage Monitoring (Voltmeter) (with Aux gauge) Design	212
Voltage Monitoring Voltmeter Design	211

W

W01_9719:3543888C1	639
W01_9720:3543888C1	640
W40-2990:1661259C1	641
W40-2991:1661260C1	642
W40-2992:1661259C1	643
W40-2993:1661260C1	644
W40-2994:1661259C1	645
W40-2995:1661260C1	646
W40-8997:3627614C1	647
W43-100:4124472C1	649
W43-101:4124471C1	650
W43-200:1661259C1	651
W43-201:1661260C1	652
Windshield Washer Pump & Low Fluid Sensor Design	257
Windshield Washer Pump Design	255
Windshield Wipers Design	259
WORK LIGHT - 1 BULB Design	185
WORK LIGHT With BackUP Alarm - 1 BULB Design	181
WORK LIGHT With RKE 1 BULB Design	183

Work Lights LED With Switch Pack - Day Cab Design	179
---	-----

Z

ZVR Splice Packs 1620 Design	26
------------------------------------	----

0

0009:4063156C1	656
0009B:4063156C1	653

1

12V Battery Disconnect (Switch Only) Design	265
16A:3540612C1	749
16A:3540612C1	751
16B:3540613C1	752
16B:3540613C1	753
100:3510243C1	664
1000A:4063415C1	660
1000B:4063415C1	661
1000C:4063415C1	662
1004:2015884C1	663
1010:3768015C1	666
1011:3768010C1	671
1012:3768010C1	675
1014:3768010C1	677
1015:3768015C1	678
1015:3768015C1	679
1016:4100070C1	684
1017:3768015C1	686
1018:3768015C1	692
1018:3768015C1	697
1020:4063041C1	698
1021:3613769C1	699

INDEX

1022:3613769C1	701	1700:3595625C1	771
1023:3613769C1	704	1701:3595623C1	790
1024:3601838C1	707	1701F:3595622C1	780
1027:3613769C1	709	1702:3595620C1	800
1032E:3820176C1	711	1702:3595620C1	801
1032F:3709924C1	712	1702:3595621C1	802
1052:1661259C1	713	1702:3595621C1	803
1053:4116776C1	714	1703F:3595624C1	805
1100:3546518C1	717	1703F:3595624C1	807
1100MA:3546518C1	716	1703M:3595625C1	809
1101F:3768593C1	719	1703M:3595625C1	811
1101M:3522071C1	720	1800:3553649C1	821
1112:1661260C1	721	1800:3553649C1	826
1113:1661260C1	722	1800F:3612512C1	813
1126M:3928059C1	723	1800F:3612512C1	817
1200D:4061870C1	725	1802:3608496C1	830
1300:3597143C1	726	1809:3547870C1	832
1301:3600061C1	729	1810:3539212C1	833
1400:3596926C1	731	1820F:1667529C1	836
1401:3596929C1	733	1820M:1667305C1	837
1402:3596928C1	736	1821:3601800C1	838
1403:3596927C1	737	1822:1678137C1	839
1410:3601838C1	739	1826:1678137C1	840
1420:3557922C1	742	1828:1678137C1	841
1500A:3710061C1	743	1873D:593385C1	842
1500A:3710061C1	747	1873E:593385C1	844
1500A:3710061C1	748	1873F:593385C1	846
1605:373759C2	754	1873G:593385C1	848
1620:2007315C1	755	1901:3590298C1	852
1623:2007315C1	757	1901:4094648C1	853
1625:3543733C1	759	1901A:3590298C1	850
1650:3757649C1	761	1901A:4094648C1	851
1700:3595624C1	762	1903:3590298C1	856

INDEX

1903:4094648C1 857
1903B:3590298C1 854
1903B:4094648C1 855
1904:3768147C1 858
1905:3768147C1 859
1916A:2005836C1 860
1923:BLUNT_SL_VC 861
1938M:3554818C1 862
1939:2011340C1 864
1939M:3553404C1 863
1942F:3673259C1 865
1979:3831401C1 868
1979A:4061584C1 866

2

23XX:3534156C1 879
23XX:3534156C1 881
254:3510243C1 903
254F:3662108C1 899
254M:3510243C1 901
2000:3544688C1 873
2000:3544688C1 874
2000F:3544687C1 870
2000F:3544687C1 871
2000M:1661201C1 872
2224:3833917C1 876
2225:3834322C1 877
2300:3535769C1 882
2300_R:3535769C1 884
2303F:1661196C1 886
2303M:1661197C1 887
2310:BLUNT_SL_VC 888
2311:BLUNT_SL_VC 889

2312:3533975C1 890
2313:3533975C1 892
2500F:3515763C1 893
2500M:3515762C1 895
2505:3811207C1 898
2505M:3811181C1 897
2600:2005835C1 905
2600:2005836C1 907

3

344F:1661197C1 957
345F:1661197C1 958
3000F:1661201C1 909
3000M:1661200C1 910
3000M:1661200C1 911
3000M:3538634C1 913
3000M:3538634C1 914
3000M:3538634C1 915
3000M:3538634C1 916
3002M:3767181C1 917
3100F:1661201C1 918
3100M:3767181C1 919
3112M:1671610C1 920
3200F:1661201C1 921
3200F:1661201C1 923
3200F:1661201C1 924
3200F:1661201C1 926
3200M:1661200C1 927
3200M:1661200C1 928
3201F:1667529C1 930
3201F:1667529C1 931
3201M:3709437C1 932
3201M:3709437C1 934

INDEX

3202L:1661200C1 935
3202M:3820176C1 936
3202M:3820176C1 937
3202M:3820176C1 938
3203M:3709924C1 939
3203M:3709924C1 941
3204M:1661200C1 943
3205F:1667529C1 944
3205F:1667529C1 945
3205M:1667305C1 946
3206M:1667305C1 948
3209M:3709437C1 950
3210M:3820176C1 951
3211M:3709924C1 952
3400:1661259C1 955
3400L:1667305C1 953
3400R:1667305C1 954
3502:239808R1 960
3502B:239808R1 959
3503:239808R1 962
3503B:239808R1 961

4
400:3543733C1 963
4021A:3536864C1 966
4021B:3536864C1 967
4022A:3554317C1 968
4022B:3554317C1 969
4101:1671610C1 970

5
5010:3538634C1 972

6
6000:3945694C1 974
6000:3945694C1 975
6305:RING-M-12_0 976

7
71:1677851C1 977

8
8001:1677851C1 978
8200:587567C91 980
8200A:6131286C1 979
8201:587567C91 982
8201A:6131286C1 981
8883:1661200C1 983

9
9300:3626436C1 984
9300:3756499C1 986
9303:1661375C2 989
9303A:1661375C2 987
9303A:1661375C2 988
9502:1686834C1 990
9504:1686834C1 991
9510B:1678137C1 992
9510H:1667740C1 993
9510M:1667741C1 994
9715:1667733C1 998
9715:1667733C1 999
9715F1:1667732C1 995
9715F:1667732C1 997
9716:1667732C1 1003

INDEX

9716M1:1667733C1	1001	9900E:1673790C1	1050
9717:3700151C1	1006	9900G:1673790C1	1051
9717F1:3537133C1	1005	9900H:1673790C1	1052
9718:1661778C1	1007	9900J:1673790C1	1053
9719:3543888C1	1008		
9720:3543888C1	1010		
9720A:3543888C1	1009		
9724:BLUNT_SL_VC	1013		
9724A:BLUNT_SL_VC	1011		
9766:1661778C1	1015		
9766:3543888C1	1016		
9775F:1667740C1	1017		
9775F:1667740C1	1019		
9781M:1667733C1	1020		
9800:3558022C1	1021		
9800:3558022C1	1022		
9800:3558022C1	1028		
9800:3558026C1	1029		
9800:3558026C1	1030		
9800:3558026C1	1035		
9811:3536864C1	1036		
9812:3536864C1	1037		
9814:587567C91	1039		
9814A:3593684C91	1038		
9815:587567C91	1041		
9815A:3593684C91	1040		
9830:1678137C1	1042		
9832:1678137C1	1043		
9865M:1667741C1	1044		
9865M:1667741C1	1046		
9900A:1673790C1	1047		
9900C:1673790C1	1048		
9900D:1673790C1	1049		