

2018 - 2020 International® HV Series Interactive Schematics

Navistar, Inc.

2701 Navistar Drive, Lisle, 60532 USA

TABLE OF CONTENTS

BCM (Body Control Module)

BCM (Body Control Module) Design1

B6.7 - CAN Layout

B6.7 - CAN Layout Design9

L9 - CAN Layout

L9 - CAN Layout Design14

B6.7 - Engine (Control) [Cummins Euro]

B6.7 - Engine (Control) [Cummins Euro] Design21

L9 - Engine (Control) [Cummins Euro]

L9 - Engine (Control) [Cummins Euro] Design24

Auxiliary Gauges (Secondary)

Auxiliary Gauges (Secondary) Design27

Auxiliary Gauges (Primary)

Auxiliary Gauges (Primary) Design28

Instrument Cluster (Premium)

Instrument Cluster (Premium) Design29

Instrument Cluster - Bulb Check

Instrument Cluster - Bulb Check Design31

Instrument Cluster - Request and Status

Instrument Cluster - Request and Status Design32

ABS Splice Packs - 1410

ABS Splice Packs - 1410 Design33

Ground Splice Pack

Ground Splice Pack Design34

Ground Splice Pack - 1022 & 1023

Ground Splice Pack - 1022 & 1023 Design35

Ground Splice Pack - 1027

Ground Splice Pack - 1027 Design36

Light Splice Packs - 400/1623/1625

Light Splice Packs - 400/1623/1625 Design37

Panel Dimmer Splice Packs - 1021

Panel Dimmer Splice Packs - 1021 Design38

B6.7 - Engine Ground Distribution - 6704

B6.7 - Engine Ground Distribution - 6704 Design39

L9 - Engine Ground Distribution - 6704

L9 - Engine Ground Distribution - 6704 Design40

B6.7 - ZVR Splice Packs - 6747

B6.7 - ZVR Splice Packs - 6747 Design41

L9 - ZVR Splice Packs - 6747

L9 - ZVR Splice Packs - 6747 Design42

IP ZVR Splice Packs - 1620

IP ZVR Splice Packs - 1620 Design 43

B6.7 - Center Chassis Ground Splice Packs - 8802/8805/8807/8809

B6.7 - Center Chassis Ground Splice Packs - 8802/8805/8807/8809 Design . . . 44

B6.7 - Forward Chassis Ground Splice Packs - 8800

B6.7 - Forward Chassis Ground Splice Packs - 8800 Design 45

L9 - Center Chassis Ground Splice Packs - 8805/8806/8807/8809

L9 - Center Chassis Ground Splice Packs - 8805/8806/8807/8809 Design 46

L9 - Forward Chassis Ground Splice Packs - 8800

L9 - Forward Chassis Ground Splice Packs - 8800 Design 47

Lighting Control Module

Lighting Control Module Design 48

Chassis PDM

Chassis PDM Design 50

B6.7 - Aftertreatment PDM

B6.7 - Aftertreatment PDM Design 51

L9 - Aftertreatment PDM

L9 - Aftertreatment PDM Design 52

B6.7 - Grid Management (CA2) Day Cab

B6.7 - Grid Management (CA2) Day Cab Design 53

L9 - Grid Management (CA2) Day Cab

L9 - Grid Management (CA2) Day Cab Design 54

Battery Grid

Battery Grid Design 55

Key Switch Accessory

Key Switch Accessory Design 56

Key Switch Ignition

Key Switch Ignition Design 57

B6.7 - Forward Chassis Power

B6.7 - Forward Chassis Power Design 58

B6.7 - Underhood PDM

B6.7 - Underhood PDM Design 59

L9 - Forward Chassis Power

L9 - Forward Chassis Power Design 60

L9 - Underhood PDM

L9 - Underhood PDM Design 61

B6.7 - Remote Keyless Access

B6.7 - Remote Keyless Access Design 62

B6.7 - Theft Deterrent (Grid Controlled)

B6.7 - Theft Deterrent (Grid Controlled) Design 63

L9 - Heated Windshield

L9 - Heated Windshield Design 64

L9 - Remote Keyless Access

L9 - Remote Keyless Access Design 65

L9 - Theft Deterrent (Grid Controlled)

L9 - Theft Deterrent (Grid Controlled) Design 66

Real Time Clock (RTC) (BCM Controlled)

Real Time Clock (RTC) (BCM Controlled) Design 67

B6.7 - Auxiliary Air Solenoids (1 Normally Closed)

Option 1

B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 1 Design 68

B6.7 - Auxiliary Air Solenoids (1 Normally Closed)

Option 2

B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 2 Design 69

B6.7 - Auxiliary Air Solenoids (1 Normally Closed)

Option 3

B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 3 Design 72

L9 - Auxiliary Air Solenoids (1 Normally Closed)

L9 - Auxiliary Air Solenoids (1 Normally Closed) Design 75

L9 - Auxillary Air Solenoids Normally Closed

L9 - Auxillary Air Solenoids Normally Closed Design 76

L9 - Three Auxillary Air Solenoids

L9 - Three Auxillary Air Solenoids Design 82

Radio

Radio Design 85

Radio w/Bluetooth

Radio w/Bluetooth Design 86

Radio w/Bluetooth without Steering Wheel Pod

Radio w/Bluetooth without Steering Wheel Pod Design 88

Radio w/Steering Wheel Pod

Radio w/Steering Wheel Pod Design 89

B6.7 - Speakers:Four Speakers Daycab n/BT w/QC

B6.7 - Speakers:Four Speakers Daycab n/BT w/QC Design 91

B6.7 - Speakers:Two Speakers n/BT w/QC

B6.7 - Speakers:Two Speakers n/BT w/QC Design 92

B6.7 - Speakers:Two Speakers w/BT w/QC

B6.7 - Speakers:Two Speakers w/BT w/QC Design 93

B6.7 - Speaker:Four Speakers Daycab w/BT w/QC

B6.7 - Speaker:Four Speakers Daycab w/BT w/QC Design 94

L9 - Speakers:Four Speakers Daycab n/BT w/QC

L9 - Speakers:Four Speakers Daycab n/BT w/QC Design 95

L9 - Speakers:Two Speakers n/BT w/QC

L9 - Speakers:Two Speakers n/BT w/QC Design 96

L9 - Speakers:Two Speakers w/BT w/QC

L9 - Speakers:Two Speakers w/BT w/QC Design 97

L9 - Speaker:Four Speakers Daycab w/BT w/QC

L9 - Speaker:Four Speakers Daycab w/BT w/QC Design 98

B6.7 - 2-Way Radio

B6.7 - 2-Way Radio Design 99

L9 - 2-Way Radio

L9 - 2-Way Radio Design 101

Auxiliary Power (40A) HSD

Auxiliary Power (40A) HSD Design 103

Cigar Lighter

Cigar Lighter Design 104

L9 - Cigar Lighter Aux APO

L9 - Cigar Lighter Aux APO Design 105

L9 - Standard APO Aux APO

L9 - Standard APO Aux APO Design 108

Standard APO

Standard APO Design 111

Banana Plugs Receptacle

Banana Plugs Receptacle Design 112

B6.7 - CB Radio - Power Only

B6.7 - CB Radio - Power Only Design 113

L9 - CB Radio - Power Only (Single Antenna)

L9 - CB Radio - Power Only (Single Antenna) Design 114

Cruise Control (W/ One Telltale 4 Pin)

Cruise Control (W/ One Telltale 4 Pin) Design 115

L9 - Cruise Control (W/ One Telltale 10 Pin)

L9 - Cruise Control (W/ One Telltale 10 Pin) Design 117

L9 - Vehicle Speed Control (Cruise Control) 10 Pin

L9 - Vehicle Speed Control (Cruise Control) 10 Pin Design 119

Vehicle Speed Control (Cruise Control) 4 Pin

Vehicle Speed Control (Cruise Control) 4 Pin Design 120

B6.7 - Drain Valve Heater

B6.7 - Drain Valve Heater Design 121

L9 - Drain Valve Heater

L9 - Drain Valve Heater Design 128

B6.7 - City Horn (W/ 4PIN CLK & Park Brake)

B6.7 - City Horn (W/ 4PIN CLK & Park Brake) Design.....137

B6.7 - City Horn (W/ 4PIN CLK)

B6.7 - City Horn (W/ 4PIN CLK) Design.....143

L9 - City Horn (W/ 10PIN CLK & Park Brake)

L9 - City Horn (W/ 10PIN CLK & Park Brake) Design..... 149

L9 - City Horn (W/ 10PIN CLK)

L9 - City Horn (W/ 10PIN CLK) Design.....151

L9 - City Horn (W/ 4PIN CLK & Park Brake)

L9 - City Horn (W/ 4PIN CLK & Park Brake) Design.....153

L9 - City Horn (W/ 4PIN CLK)

L9 - City Horn (W/ 4PIN CLK) Design.....157

Door Ajar Reminder (Entry /Exit):4 Door

Door Ajar Reminder (Entry /Exit):4 Door Design.....161

Door Ajar Reminder (Entry/Exit)

Door Ajar Reminder (Entry/Exit) Design.....162

Power Door Locks

Power Door Locks Design.....163

Power Door Locks Crew Cab

Power Door Locks Crew Cab Design.....164

Mirrors (Heated)

Mirrors (Heated) Design.....165

Mirrors (Heat) Switch Pack Actuated Relay Driven

Mirrors (Heat) Switch Pack Actuated Relay Driven Design.....166

Mirrors (Power) Control Switch Actuated

Mirrors (Power) Control Switch Actuated Design.....167

Mirrors (Power) Door Pod Actuated

Mirrors (Power) Door Pod Actuated Design.....169

L9 - Heated Mirrors (Hood with Door Pods)

L9 - Heated Mirrors (Hood with Door Pods) Design.....170

L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors

L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors Design.....174

Power Windows

Power Windows Design.....178

Power Windows 4-Door N/W RKE

Power Windows 4-Door N/W RKE Design.....179

Power Windows 4-Door W/RKE

Power Windows 4-Door W/RKE Design.....180

L9 - Water In Fuel (WIF) Davco N/ Heater

L9 - Water In Fuel (WIF) Davco N/ Heater Design.....181

L9 - Water In Fuel (WIF) Davco W/ Heater

L9 - Water In Fuel (WIF) Davco W/ Heater Design190

**L9 - Selective Catalytic Reduction (SCR) - (Euro 4/
Euro 5)**

L9 - Selective Catalytic Reduction (SCR) - (Euro 4/ Euro 5) Design 199

B6.7 - Back-Up Alarm (Automatic) W/O Tailboard

B6.7 - Back-Up Alarm (Automatic) W/O Tailboard Design 200

B6.7 - Back-Up Alarm (Automatic) W/ Tailboard

B6.7 - Back-Up Alarm (Automatic) W/ Tailboard Design 201

B6.7 - Back-Up Alarm (Manual) W/O Tailboard

B6.7 - Back-Up Alarm (Manual) W/O Tailboard Design 202

B6.7 - Back-Up Alarm (Manual) W/ Tailboard

B6.7 - Back-Up Alarm (Manual) W/ Tailboard Design 203

L9 - Back-Up Alarm (Automatic) W/O Tailboard

L9 - Back-Up Alarm (Automatic) W/O Tailboard Design 204

L9 - Back-Up Alarm (Automatic) W/ Tailboard

L9 - Back-Up Alarm (Automatic) W/ Tailboard Design 205

L9 - Back-Up Alarm (Manual) W/O Tailboard

L9 - Back-Up Alarm (Manual) W/O Tailboard Design 206

L9 - Back-Up Alarm (Manual) W/ Tailboard

L9 - Back-Up Alarm (Manual) W/ Tailboard Design 207

Multiplexed Switch Pack (Primary Switch)

Multiplexed Switch Pack (Primary Switch) Design 208

B6.7 - I/O Expansion

B6.7 - I/O Expansion Design 209

L9 - I/O Expansion

L9 - I/O Expansion Design 210

L9 - Power Lift Gate

L9 - Power Lift Gate Design 211

**B6.7 - DLB - Remote Power Modules (1 RPM w/ Switch
Packs)**

B6.7 - DLB - Remote Power Modules (1 RPM w/ Switch Packs) Design 212

**B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch
Packs)**

B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs) Design 215

**L9 - DLB - Remote Power Modules (1 RPM n/ Switch
Packs)**

L9 - DLB - Remote Power Modules (1 RPM n/ Switch Packs) Design 219

**L9 - DLB - Remote Power Modules (1 RPM w/ Switch
Packs)**

L9 - DLB - Remote Power Modules (1 RPM w/ Switch Packs) Design 221

L9 - DLB - Remote Power Modules (2 RPM n/ Switch Pack)

L9 - DLB - Remote Power Modules (2 RPM n/ Switch Pack) Design 223

L9 - DLB - Remote Power Modules (2 RPM w/ Switch Packs)

L9 - DLB - Remote Power Modules (2 RPM w/ Switch Packs) Design 225

B6.7 - Remote Start/Stop

B6.7 - Remote Start/Stop Design 227

B6.7 - Remote Start/Stop w/ Emergency Pump

B6.7 - Remote Start/Stop w/ Emergency Pump Design 228

L9 - Remote Start/Stop

L9 - Remote Start/Stop Design 229

L9 - Remote Start/Stop w/ Emergency Pump

L9 - Remote Start/Stop w/ Emergency Pump Design 230

Adjustable Engine Speed Control (PTO) 4-pin

Adjustable Engine Speed Control (PTO) 4-pin Design 231

L9 - Adjustable Engine Speed Control (PTO) 10-pin

L9 - Adjustable Engine Speed Control (PTO) 10-pin Design 232

Transmission Power Take Off (Single PTO W/ RPM and Auto Trans)

Transmission Power Take Off (Single PTO W/ RPM and Auto Trans) Design . . 234

Transmission Power Take Off (Single PTO W/ RPM and Manual Trans)

Transmission Power Take Off (Single PTO W/ RPM and Manual Trans) Design 235

B6.7 - Transmission Power Take Off (Auto Trans Single PTO w/21 Parameters)

B6.7 - Transmission Power Take Off (Auto Trans Single PTO w/21 Parameters) Design 236

B6.7 - Transmission Power Take Off (Manual Trans Single PTO w/ 21 Parameters)

B6.7 - Transmission Power Take Off (Manual Trans Single PTO w/ 21 Parameters) Design 237

B6.7 - Transmission Power Take Off (Single Input configurable pull up or pull down)

B6.7 - Transmission Power Take Off (Single Input configurable pull up or pull down) Design 238

L9 - Transmission Power Take Off (Auto Trans Single PTO w/21 Parameters)

L9 - Transmission Power Take Off (Auto Trans Single PTO w/21 Parameters) Design 239

L9 - Transmission Power Take Off (Auto Trans with Lectradrive)

L9 - Transmission Power Take Off (Auto Trans with Lectradrive) Design 240

L9 - Transmission Power Take Off (Lectrashift PTO with Manual Trans)

L9 - Transmission Power Take Off (Lectrashift PTO with Manual Trans) Design.....241

L9 - Transmission Power Take Off (Manual Trans Single PTO w/21 Parameters)

L9 - Transmission Power Take Off (Manual Trans Single PTO w/21 Parameters) Design.....242

L9 - Transmission Power Take Off (Single Input configurable pull up or pull down)

L9 - Transmission Power Take Off (Single Input configurable pull up or pull down) Design.....243

Vehicle Alarm System

Vehicle Alarm System Design.....244

B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel Implemenation

B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel Implemenation Design.....245

L9 - Antilock Brake System (ABS) BENDIX 4 Channel Implemenation

L9 - Antilock Brake System (ABS) BENDIX 4 Channel Implemenation Design . 248

L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation

L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation Design . .249

B6.7 - RIGHTSIDE AIR DRYER

B6.7 - RIGHTSIDE AIR DRYER Design.....258

L9 - RIGHTSIDE AIR DRYER

L9 - RIGHTSIDE AIR DRYER Design.....264

L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven Lamp

L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven Lamp Design .275

L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp)

L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp) Design.....277

B6.7 - Traction Control (Bendix)

B6.7 - Traction Control (Bendix) Design.....281

L9 - Traction Control (Bendix)

L9 - Traction Control (Bendix) Design.....283

Cooling Fan Control Two-Speed

Cooling Fan Control Two-Speed Design.....284

Engine Block Heater

Engine Block Heater Design.....286

L9 - Engine Brake Mux Switch

L9 - Engine Brake Mux Switch Design.....287

L9 - Engine Brake W/ Stalk Shifter

L9 - Engine Brake W/ Stalk Shifter Design 288

L9 - Engine Fuel and Block Heaters (Purchased Assembly)

L9 - Engine Fuel and Block Heaters (Purchased Assembly) Design 289

L9 - Engine Oil and Block Heaters (Purchased Assembly)

L9 - Engine Oil and Block Heaters (Purchased Assembly) Design 290

L9 - Engine Oil Fuel and Block Heaters

L9 - Engine Oil Fuel and Block Heaters Design 291

Vehicle Acceleration (w/ Two PWR Two GND & Two STS)

Vehicle Acceleration (w/ Two PWR Two GND & Two STS) Design 292

Vehicle Sleep Mode

Vehicle Sleep Mode Design 293

L9 - Exhaust Brake (Cummins)

L9 - Exhaust Brake (Cummins) Design 294

L9 - Fuel Heater (Vehicle Powered)(Davco)

L9 - Fuel Heater (Vehicle Powered)(Davco) Design 295

L9 - Fuel Heater (Vehicle Powered)(Racor)

L9 - Fuel Heater (Vehicle Powered)(Racor) Design 310

L9 - Snow Valve Control

L9 - Snow Valve Control Design 318

Automatic Lighting - Dual Sensor Twilight/Solar

Automatic Lighting - Dual Sensor Twilight/Solar Design 320

Clearance and Identification Lights

Clearance and Identification Lights Design 322

Exterior Lamp Check

Exterior Lamp Check Design 323

Exterior Lamp Reminder

Exterior Lamp Reminder Design 324

L9 - Automatic Lighting

L9 - Automatic Lighting Design 325

L9 - Daytime Running Lights (Output to Plow Lights)

L9 - Daytime Running Lights (Output to Plow Lights) Design 327

Snow Plow Lights

Snow Plow Lights Design 328

B6.7 - Backup Lights (Single Reverse Lights)

Eaton/Manual Trans Option 1

B6.7 - Backup Lights (Single Reverse Lights) Eaton/Manual Trans Option 1 Design 329

B6.7 - Backup Lights (Single Reverse Lights)

Eaton/Manual Trans Option 2

B6.7 - Backup Lights (Single Reverse Lights) Eaton/Manual Trans Option 2
Design.....330

B6.7 - Backup Lights (Single Reverse Light)

Eaton/Manual Trans

B6.7 - Backup Lights (Single Reverse Light) Eaton/Manual Trans Design.....331

B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic)

B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic)
Design.....332

B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual)

B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual)
Design.....335

B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 1

B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 1
Design.....338

B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 2

B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 2
Design.....339

L9 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic)

L9 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic)
Design.....340

L9 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual)

L9 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual) Design 343

L9 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 1

L9 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 1
Design.....346

L9 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 2

L9 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 2
Design.....347

L9 - Alternate Flashing (Wig Wag) - Park Brake disables High Beams

L9 - Alternate Flashing (Wig Wag) - Park Brake disables High Beams Design . 348

L9 - Alternate Flashing (Wig Wag) - Park Brake disables Wig Wag

L9 - Alternate Flashing (Wig Wag) - Park Brake disables Wig Wag Design . . . 349

B6.7 - Headlights W 10PIN CLK W/LOWW W/O Interrupt

B6.7 - Headlights W 10PIN CLK W/LOWW W/O Interrupt Design 350

B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt

B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt Design 354

B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt

B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt Design 358

B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK

B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK Design 366

B6.7 - Front Fog Lamps

B6.7 - Front Fog Lamps Design 374

L9 - Fog Lights (Halogen White)

L9 - Fog Lights (Halogen White) Design 377

L9 - Fog Lights (LED White)

L9 - Fog Lights (LED White) Design 379

L9 - Front Fog Lights W CONNECTOR

L9 - Front Fog Lights W CONNECTOR Design 381

L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt

L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt Design 383

L9 - Headlights W 10PIN CLK W/LOWW W/O Interrupt

L9 - Headlights W 10PIN CLK W/LOWW W/O Interrupt Design 387

L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt

L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt Design 391

L9 - Headlights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt

L9 - Headlights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt Design 395

L9 - Headlights W/PlowLights W/Headlight Interrupt - 10PIN CLK W/LOWW W/Interrupt

L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW W/Interrupt Design 399

L9 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt

L9 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt Design 407

L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt

L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt Design 415

L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK
 L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK Design..... 423

B6.7 - Service Brake Switch
 B6.7 - Service Brake Switch Design..... 431

L9 - Service Brake Switch
 L9 - Service Brake Switch Design..... 432

PARK LIGHTS - N/Marker Interrupt
 PARK LIGHTS - N/Marker Interrupt Design..... 433

B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1
 B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1 Design..... 435

B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2
 B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2 Design..... 437

B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW
 B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW Design..... 439

B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS

B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS Design..... 441

B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW

B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW Design... 445

B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights

B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights Design... 447

B6.7 - Front Marker Lights

B6.7 - Front Marker Lights Design..... 451

B6.7 - Front Marker Lights W /Plow Lights

B6.7 - Front Marker Lights W /Plow Lights Design..... 453

B6.7 - License Plate Light (Tail Light Single Assy) Option 1

B6.7 - License Plate Light (Tail Light Single Assy) Option 1 Design..... 457

B6.7 - License Plate Light (Tail Light Single Assy) Option 2

B6.7 - License Plate Light (Tail Light Single Assy) Option 2 Design..... 458

B6.7 - License Plate Light (Tail Light Single Assy) Option 3

B6.7 - License Plate Light (Tail Light Single Assy) Option 3 Design..... 459

**B6.7 - License Plate Light (Tail Light Single Assy)
W/Less Power Module**

B6.7 - License Plate Light (Tail Light Single Assy) W/Less Power Module
Design.....460

B6.7 - Rear Lights Stop - Single Assembly

B6.7 - Rear Lights Stop - Single Assembly Design.....461

**L9 - Backup Lights (Single Reverse Light)
Eaton/Manual Trans Option 1**

L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans Option 1
Design.....462

**L9 - Backup Lights (Single Reverse Light)
Eaton/Manual Trans Option 2**

L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans Option 2
Design.....463

**L9 - Backup Lights (Single Reverse Light)
Eaton/Manual Trans Option 3**

L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans Option 3
Design.....464

**L9 - Backup Lights (Single Reverse Light)
Eaton/Manual Trans Option 4**

L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans Option 4
Design.....465

**L9 - Backup Light (Single Reverse Light) Allison
3K/4K Option 1**

L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1 Design.....466

**L9 - Backup Light (Single Reverse Light) Allison
3K/4K Option 2**

L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2 Design.....468

**L9 - Backup Light (Single Reverse Light) Allison
3K/4K Option 3**

L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 3 Design.....470

L9 - Directional Signal (Turn) W/ LED BOX LAMPS

L9 - Directional Signal (Turn) W/ LED BOX LAMPS Design.....472

**L9 - Directional Signal (Turn) W/ LED BOX LAMPS
W/Plow Lights**

L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights Design....474

**L9 - Directional Signal (Turn) W/ Less Power Module
Tail Board W/Hazard SW**

L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW
Design.....478

**L9 - Directional Signal (Turn) W/ Less Power Module
Tail Board W/Hazard SW W/PLOW LIGHTS**

L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW
W/PLOW LIGHTS Design.....480

L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW
 L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW Design 484

L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights
 L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights Design 486

L9 - Front Marker Lights
 L9 - Front Marker Lights Design 490

L9 - Front Marker Lights W /Plow Lights
 L9 - Front Marker Lights W /Plow Lights Design 492

L9 - Hazard Warning Light N/Trlr Socket
 L9 - Hazard Warning Light N/Trlr Socket Design 496

L9 - License Plate Light (LED BOX LAMP Tail Light)
 L9 - License Plate Light (LED BOX LAMP Tail Light) Design 498

L9 - License Plate Light (Tail Light Single Assy) Option 1
 L9 - License Plate Light (Tail Light Single Assy) Option 1 Design 499

L9 - License Plate Light (Tail Light Single Assy) Option 2
 L9 - License Plate Light (Tail Light Single Assy) Option 2 Design 500

L9 - License Plate Light (Tail Light Single Assy) Option 3
 L9 - License Plate Light (Tail Light Single Assy) Option 3 Design 501

L9 - License Plate Light (Tail Light Single Assy) Option 4
 L9 - License Plate Light (Tail Light Single Assy) Option 4 Design 502

L9 - PARK LIGHTS - W/Marker Interrupt 10pin CLCKSPRING
 L9 - PARK LIGHTS - W/Marker Interrupt 10pin CLCKSPRING Design 503

L9 - PARK LIGHTS - W/Marker Interrupt 4 pin clockspring
 L9 - PARK LIGHTS - W/Marker Interrupt 4 pin clockspring Design 505

L9 - Rear Lights Stop - Dual Assembly
 L9 - Rear Lights Stop - Dual Assembly Design 507

L9 - Rear Lights Stop - Single Assembly
 L9 - Rear Lights Stop - Single Assembly Design 508

L9 - Rear Light (LED BOX LAMP Tail Light)
 L9 - Rear Light (LED BOX LAMP Tail Light) Design 509

L9 - Rear Light (Tail Light)
 L9 - Rear Light (Tail Light) Design 510

B6.7 - WORK LIGHT 1 BULB

TABLE OF CONTENTS

B6.7 - WORK LIGHT 1 BULB Design.....511

L9 - Work Lights LED W/ Sw Pack - Day Cab

L9 - Work Lights LED W/ Sw Pack - Day Cab Design.....512

L9 - WORK LIGHT W BackUP 1 BULB Option 1

L9 - WORK LIGHT W BackUP 1 BULB Option 1 Design.....514

L9 - WORK LIGHT W BackUP 1 BULB Option 2

L9 - WORK LIGHT W BackUP 1 BULB Option 2 Design.....516

L9 - WORK LIGHT W RKE 1 BULB

L9 - WORK LIGHT W RKE 1 BULB Design.....518

L9 - WORK LIGHT 1 BULB

L9 - WORK LIGHT 1 BULB Design.....520

L9 - Fifth Wheel Slide

L9 - Fifth Wheel Slide Design.....522

L9 - Jaw Unlock Control

L9 - Jaw Unlock Control Design.....523

L9 - Jaw Unlock Control W/ SOLENOIDS W/SWITCH PACKS

L9 - Jaw Unlock Control W/ SOLENOIDS W/SWITCH PACKS Design.....524

B6.7 - Heating Ventilation & Air Conditioning (HVAC)

B6.7 - Heating Ventilation & Air Conditioning (HVAC) Design.....525

Heating Ventilation & Air Conditioning (HVAC) Auto Temp Control

Heating Ventilation & Air Conditioning (HVAC) Auto Temp Control Design.....526

L9 - Heating Ventilation & Air Conditioning (HVAC)

L9 - Heating Ventilation & Air Conditioning (HVAC) Design.....529

B6.7 - Current Monitoring (Ammeter)

B6.7 - Current Monitoring (Ammeter) Design.....530

B6.7 - PTO - Fuel and Hours

B6.7 - PTO - Fuel and Hours Design.....532

Compressed Air Supply

Compressed Air Supply Design.....533

Coolant Temperature Monitoring (J1939 Comm)

Coolant Temperature Monitoring (J1939 Comm) Design.....534

L9 - PTO - Fuel and Hours

L9 - PTO - Fuel and Hours Design.....535

L9 - Voltage Monitoring (Voltmeter) (with Aux gauge)

L9 - Voltage Monitoring (Voltmeter) (with Aux gauge) Design.....536

Vehicle Speed Limit Override

Vehicle Speed Limit Override Design.....537

Voltage Monitoring (Voltmeter)

Voltage Monitoring (Voltmeter) Design.....538

Ambient Air Temperature

Ambient Air Temperature Design 539

L9 - Ambient Temperature Monitoring

L9 - Ambient Temperature Monitoring Design 540

B6.7 - Axle Temperature Monitoring (Single Rear Aux Gauge)

B6.7 - Axle Temperature Monitoring (Single Rear Aux Gauge) Design 541

B6.7 - Axle Temperature Monitoring (Single Rear Virtual Gauge)

B6.7 - Axle Temperature Monitoring (Single Rear Virtual Gauge) Design 542

L9 - Axle Temperature Monitoring (Single Rear Aux Gauge)

L9 - Axle Temperature Monitoring (Single Rear Aux Gauge) Design 543

L9 - Axle Temperature Monitoring (Single Rear Virtual Gauge)

L9 - Axle Temperature Monitoring (Single Rear Virtual Gauge) Design 544

L9 - Axle Temperature Monitoring (Tandem Rear Aux Gauge)

L9 - Axle Temperature Monitoring (Tandem Rear Aux Gauge) Design 545

L9 - Axle Temperature Monitoring (Tandem Rear Virtual Gauge)

L9 - Axle Temperature Monitoring (Tandem Rear Virtual Gauge) Design 546

B6.7 - Engine Oil Pressure

B6.7 - Engine Oil Pressure Design 547

L9 - Engine Oil Level Monitoring

L9 - Engine Oil Level Monitoring Design 548

L9 - Engine Oil Pressure

L9 - Engine Oil Pressure Design 549

L9 - Engine Oil Temperature (NA Mux)

L9 - Engine Oil Temperature (NA Mux) Design 550

L9 - Engine Oil Temperature(NA MUX AUX Gauge)

L9 - Engine Oil Temperature(NA MUX AUX Gauge) Design 551

Engine Usage Monitoring (Base) NA

Engine Usage Monitoring (Base) NA Design 552

L9 - Engine Usage Monitoring (VID Option)

L9 - Engine Usage Monitoring (VID Option) Design 553

B6.7 - 26 inch Fuel Tank

B6.7 - 26 inch Fuel Tank Design 554

B6.7 - 26 inch Fuel Tank - Secondary

B6.7 - 26 inch Fuel Tank - Secondary Design 557

L9 - 26 inch Fuel Tank

L9 - 26 inch Fuel Tank Design 558

L9 - 26 inch Fuel Tank - Secondary

L9 - 26 inch Fuel Tank - Secondary Design 564

B6.7 - Odometer (via BCM/EGC)

B6.7 - Odometer (via BCM/EGC) Design 571

B6.7 - Trip Odometer (Gen 4 Cluster)

B6.7 - Trip Odometer (Gen 4 Cluster) Design 572

B6.7 - Trip Odometer (w/ECM & TCM)

B6.7 - Trip Odometer (w/ECM & TCM) Design 573

L9 - Odometer (via BCM/EGC)

L9 - Odometer (via BCM/EGC) Design 574

L9 - Trip Odometer w/VID

L9 - Trip Odometer w/VID Design 575

L9 - Trip Odometer (Gen 4 Cluster)

L9 - Trip Odometer (Gen 4 Cluster) Design 576

L9 - Trip Odometer (w/ECM & TCM)

L9 - Trip Odometer (w/ECM & TCM) Design 577

B6.7 - Service Brake Pressure (Auxiliary Gauge)

B6.7 - Service Brake Pressure (Auxiliary Gauge) Design 578

B6.7 - Service Brake Pressure (Virtual Gauge)

B6.7 - Service Brake Pressure (Virtual Gauge) Design 579

L9 - Service Brake Pressure (Auxiliary Gauge)

L9 - Service Brake Pressure (Auxiliary Gauge) Design 580

L9 - Service Brake Pressure (Virtual Gauge)

L9 - Service Brake Pressure (Virtual Gauge) Design 581

B6.7 - Engine Speed (Tachometer)

B6.7 - Engine Speed (Tachometer) Design 582

L9 - Engine Speed (Tachometer)

L9 - Engine Speed (Tachometer) Design 583

Transmission Oil Temperature-Automatic Trans w/Aux Gauge

Transmission Oil Temperature-Automatic Trans w/Aux Gauge Design 584

B6.7 - Transmission Oil Temperature-Manual Trans

B6.7 - Transmission Oil Temperature-Manual Trans Design 585

B6.7 - Transmission Oil Temperature-Manual Trans (w/Aux Gauge)

B6.7 - Transmission Oil Temperature-Manual Trans (w/Aux Gauge) Design ... 586

L9 - Transmission Oil Temperature-Automatic Trans

L9 - Transmission Oil Temperature-Automatic Trans Design 587

L9 - Transmission Oil Temperature-Manual Transmission

L9 - Transmission Oil Temperature-Manual Transmission Design 588

L9 - Transmission Oil Temperature-Manual Trans w/Aux Gauge
 L9 - Transmission Oil Temperature-Manual Trans w/Aux Gauge Design 589

B6.7 - Vehicle Speedometer System (Automatic XMSN) NA
 B6.7 - Vehicle Speedometer System (Automatic XMSN) NA Design 590

L9 - Vehicle Speedometer System (Automatic XMSN)
 L9 - Vehicle Speedometer System (Automatic XMSN) Design 591

Vehicle Speedometer System (Manual XMSN) NA
 Vehicle Speedometer System (Manual XMSN) NA Design 592

B6.7 - Economy Monitor
 B6.7 - Economy Monitor Design 593

B6.7 - Engine Warning_MUX
 B6.7 - Engine Warning_MUX Design 594

High Exhaust System Temperature (HEST) Monitoring
 High Exhaust System Temperature (HEST) Monitoring Design 595

L9 - Economy Monitor
 L9 - Economy Monitor Design 596

L9 - Engine Warning_MUX
 L9 - Engine Warning_MUX Design 597

Trans Range Inhibit (J1939 Comm)
 Trans Range Inhibit (J1939 Comm) Design 598

Up Shift Indicator
 Up Shift Indicator Design 599

Coolant Level Monitoring (No CLA Module)
 Coolant Level Monitoring (No CLA Module) Design 600

Coolant Level Monitoring (With CLA Module)
 Coolant Level Monitoring (With CLA Module) Design 601

DPF - Regen Switch Only
 DPF - Regen Switch Only Design 602

L9 - DPF - With Bistable Inhibit Sw
 L9 - DPF - With Bistable Inhibit Sw Design 603

L9 - DPF - With Monostable Inhibit Sw
 L9 - DPF - With Monostable Inhibit Sw Design 604

B6.7 - Park Brake Controls (Monitoring) (Door Switch City Horn)
 B6.7 - Park Brake Controls (Monitoring) (Door Switch City Horn) Design 605

L9 - Park Brake Controls (Monitoring) (Door Switch City Horn)
 L9 - Park Brake Controls (Monitoring) (Door Switch City Horn) Design 606

Park Brake Control (Monitoring)(GEN IV BCM)
 Park Brake Control (Monitoring)(GEN IV BCM) Design 607

B6.7 - Cab Dome Light W/Classic Trim
 B6.7 - Cab Dome Light W/Classic Trim Design 608

B6.7 - Cab Dome Light W/ Combo in Diamond Trim
 B6.7 - Cab Dome Light W/ Combo in Diamond Trim Design 609

B6.7 - Extended / Crew Cab Dome Light W/ Combo in Classic Trim
 B6.7 - Extended / Crew Cab Dome Light W/ Combo in Classic Trim Design . . . 610

B6.7 - Extended / Crew Cab Dome Light W/ Combo in Diamond Trim
 B6.7 - Extended / Crew Cab Dome Light W/ Combo in Diamond Trim Design . 611

Courtesy Light Cab
 Courtesy Light Cab Design 612

Courtesy Light Crew Cab
 Courtesy Light Crew Cab Design 613

Interior Task Lights (Map) - Dome Combo
 Interior Task Lights (Map) - Dome Combo Design 614

L9 - Cab Dome Light W/Classic Trim
 L9 - Cab Dome Light W/Classic Trim Design 615

L9 - Cab Dome Light W/ Combo in Diamond Trim
 L9 - Cab Dome Light W/ Combo in Diamond Trim Design 616

Panel Backlighting (Cabin Dimmer)
 Panel Backlighting (Cabin Dimmer) Design 617

Height Control
 Height Control Design 618

L9 - Power Divider Lock Control and Monitoring
 L9 - Power Divider Lock Control and Monitoring Design 619

L9 - Axle Lift Controls
 L9 - Axle Lift Controls Design 620

L9 - Axle Lift Controls Option 2
 L9 - Axle Lift Controls Option 2 Design 624

L9 - Lift Axle Controls (Center Pedestal Controls f/ 1 lift axle)
 L9 - Lift Axle Controls (Center Pedestal Controls f/ 1 lift axle) Design 626

L9 - Lift Axle Controls (Center Pedestal Controls f/ 2 Lift Axles)
 L9 - Lift Axle Controls (Center Pedestal Controls f/ 2 Lift Axles) Design 628

L9 - Lift Axle Controls (Center Pedestal Controls f/ 3 lift axles)
 L9 - Lift Axle Controls (Center Pedestal Controls f/ 3 lift axles) Design 629

L9 - Axle Loading (Weight) Rear

L9 - Axle Loading (Weight) Rear Design 630

B6.7 - Driver Controlled Locking Differential - RR Axle (Dana w/ one sw)

B6.7 - Driver Controlled Locking Differential - RR Axle (Dana w/ one sw) Design 632

B6.7 - Driver Controlled Locking Differential - RR Axle (Meritor w/ one sw)

B6.7 - Driver Controlled Locking Differential - RR Axle (Meritor w/ one sw) Design 633

L9 - Driver Controlled Locking Differential - FR and RR Axles (Dana w/ two sw)

L9 - Driver Controlled Locking Differential - FR and RR Axles (Dana w/ two sw) Design 634

L9 - Driver Controlled Locking Differential - FR and RR Axles (Meritor w/ two sw)

L9 - Driver Controlled Locking Differential - FR and RR Axles (Meritor w/ two sw) Design 635

L9 - Driver Controlled Locking Differential - FR and RR Axle (Dana w/ one sw)

L9 - Driver Controlled Locking Differential - FR and RR Axle (Dana w/ one sw) Design 636

L9 - Driver Controlled Locking Differential - FR and RR Axle (Meritor w/ one sw)

L9 - Driver Controlled Locking Differential - FR and RR Axle (Meritor w/ one sw) Design 637

L9 - Driver Controlled Locking Differential - RR Axle (Dana w/ one sw)

L9 - Driver Controlled Locking Differential - RR Axle (Dana w/ one sw) Design 638

L9 - Driver Controlled Locking Differential - RR Axle (Meritor w/ one sw)

L9 - Driver Controlled Locking Differential - RR Axle (Meritor w/ one sw) Design 639

L9 - Rear Axle Load Distribution

L9 - Rear Axle Load Distribution Design 640

L9 - Rear Suspension Pressure Monitoring (Virtual Gauge)

L9 - Rear Suspension Pressure Monitoring (Virtual Gauge) Design 641

L9 - Two Speed Axle (AirShift on Shifter)

L9 - Two Speed Axle (AirShift on Shifter) Design 643

Two Speed Axle (Multiplex SW on Dash)

Two Speed Axle (Multiplex SW on Dash) Design 644

L9 - Seatbelt Reminder (Warning)(Driver only)

L9 - Seatbelt Reminder (Warning)(Driver only) Design 645

L9 - Seatbelt Reminder (Warning)(Driver & Passenger in parallel)

L9 - Seatbelt Reminder (Warning)(Driver & Passenger in parallel) Design 646

L9 - TEM Electric Trailer Brake Controller Activated Stop LT

L9 - TEM Electric Trailer Brake Controller Activated Stop LT Design 647

L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option 1

L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option 1 Design 648

L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option 2

L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option 2 Design 649

Transmission - MODE Selection

Transmission - MODE Selection Design 650

B6.7 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale)

B6.7 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale) Design 651

B6.7 - Transmission Shifter (Stalk Shifter Allison)

B6.7 - Transmission Shifter (Stalk Shifter Allison) Design 653

B6.7 - Transmission (Allison 3K/4K)

B6.7 - Transmission (Allison 3K/4K) Design 655

L9 - Auto Neutral (Allison without Multiplex Switch and Confirmation Telltale)

L9 - Auto Neutral (Allison without Multiplex Switch and Confirmation Telltale) Design 657

L9 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale)

L9 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale) Design 659

L9 - Hill Start Aid (Bendix)

L9 - Hill Start Aid (Bendix) Design 661

L9 - Transfer Case - High/Low Air Sol

L9 - Transfer Case - High/Low Air Sol Design 663

L9 - Transfer Case - High/Neu/Low Air Sol

L9 - Transfer Case - High/Neu/Low Air Sol Design 664

L9 - Transmission Shifter Allison 5th Gen Push Button(SURHD)

L9 - Transmission Shifter Allison 5th Gen Push Button(SURHD) Design 665

L9 - Transmission Shifter (Stalk Shifter Allison)

L9 - Transmission Shifter (Stalk Shifter Allison) Design 666

L9 - Transmission (Allison 3K/4K)

L9 - Transmission (Allison 3K/4K) Design 668

L9 - Windshield Washer Pump & Low Fluid Sensor

L9 - Windshield Washer Pump & Low Fluid Sensor Design 670

L9 - Windshield Wipers

L9 - Windshield Wipers Design 672

B6.7 - Cranking (Starter) GEN4 BCM W/O Thermal Overcrank

B6.7 - Cranking (Starter) GEN4 BCM W/O Thermal Overcrank Design 673

L9 - Cranking (Starter) GEN4 BCM W/O Thermal Overcrank

L9 - Cranking (Starter) GEN4 BCM W/O Thermal Overcrank Design 674

L9 - Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch

L9 - Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch Design 675

Bosch LH160_LH200 Alternator

Bosch LH160_LH200 Alternator Design 676

Delco Remy 28SI Alternator W/Sensor

Delco Remy 28SI Alternator W/Sensor Design 677

B6.7 - Bosch LH160_LH200 Alternator

B6.7 - Bosch LH160_LH200 Alternator Design 678

B6.7 - Delco Remy 28SI Alternator W/Sensor

B6.7 - Delco Remy 28SI Alternator W/Sensor Design 679

L9 - Delco Remy 36SI Alternator W/Sensor

L9 - Delco Remy 36SI Alternator W/Sensor Design 680

L9 - Leece-Neville AVI160 Alternator

L9 - Leece-Neville AVI160 Alternator Design 681

L9 - Leece-Neville AVI160-210A/240A Alternator W/Sensor

L9 - Leece-Neville AVI160-210A/240A Alternator W/Sensor Design 682

L9 - Leece-Neville 320PAH Alternator

L9 - Leece-Neville 320PAH Alternator Design 683

L9 - Leece-Neville - LN 325A Alternator W/Sensor

L9 - Leece-Neville - LN 325A Alternator W/Sensor Design 684

Operator Input

Operator Input Design 685

Starter Interlocks (BCM Controlled with Input from Allison 3K/4K TCM)

Starter Interlocks (BCM Controlled with Input from Allison 3K/4K TCM) Design 687

Starter Interlock (BCM HSD controlled W/ Clutch SW & N/Auto SS)

Starter Interlock (BCM HSD controlled W/ Clutch SW & N/Auto SS) Design . . . 689

B6.7 - Clutch Monitoring (High and Low Switch to BCM)

B6.7 - Clutch Monitoring (High and Low Switch to BCM) Design 690

B6.7 - Cranking Request (w/ Key Switch w/ BCM)

B6.7 - Cranking Request (w/ Key Switch w/ BCM) Design 691

B6.7 - Crank Inhibit (Engine Speed Inhibit Only)

B6.7 - Crank Inhibit (Engine Speed Inhibit Only) Design 693

B6.7 - Starting Aid (Grid Heater)

B6.7 - Starting Aid (Grid Heater) Design 694

L9 - Clutch Monitoring (High and Low Switch to BCM)

L9 - Clutch Monitoring (High and Low Switch to BCM) Design 695

L9 - Cranking Request (w/ Key Switch w/ BCM)

L9 - Cranking Request (w/ Key Switch w/ BCM) Design 696

L9 - Crank Inhibit (Engine Speed Inhibit Only)

L9 - Crank Inhibit (Engine Speed Inhibit Only) Design 697

L9 - Starter Interlock (BCM LSD Controlled w/ Relay & N/ Auto SS)_EATON XMSN

L9 - Starter Interlock (BCM LSD Controlled w/ Relay & N/ Auto SS)_EATON XMSN Design 698

L9 - Starting Aid (Grid Heater)

L9 - Starting Aid (Grid Heater) Design 699

B6.7 - Battery International (4) 12V

B6.7 - Battery International (4) 12V Design 700

L9 - Battery International (4) 12V

L9 - Battery International (4) 12V Design 701

Connectors 702


Part Assembly List

Connector Assembly List 2091

Index 2441


DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES






DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES







DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES








DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES





Connector J7-1607



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Connector J8 (Power Feed)

DESIGN DESCRIPTION


FEATURE CODES




SOFTWARE FEATURE CODES



BENDIX ABS IMPLEMENTATION





DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES






*NOTE - All wires shown are part of a jacketed J1939 twisted pair. This drawing shall be used for reference only and depicts a physical representation of the J1939 network with all features available for the HV series model, which may not be a buildable combination.



INSTRUMENT PANEL HARNESS





*NOTE - If the vehicle contains multiplexed switch packs, the J1939 backbone will pass through these switch packs that can be daisy-chained. If the vehicle does not contain multiplexed switch packs, then the section in the dashed box can be ignored and the J1939 backbone is wired directly between the splices as if the switch packs in this diagram are not present.

*NOTE - All J1939 wire segments shown on this diagram are part of a twisted pair. This drawing shall be used for reference only and depicts a physical representation of the J1939 network with all features available for the HV series model, which may not be a buildable combination.



BENDIX ABS IMPLEMENTATION






Cab Standard J1939 (250Kbps)

DESIGN DESCRIPTION

FEATURE CODES





*NOTE - All wires shown are part of a jacketed J1939 twisted pair. This drawing shall be used for reference only and depicts a physical representation of the J1939 network with all features available for the HV series model, which may not be a buildable combination.


INSTRUMENT PANEL HARNESS


SOFTWARE FEATURE CODES












DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES






Diagram3-Outputs



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram3-Outputs



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination2

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES












DESIGN DESCRIPTION



FEATURE CODES







SOFTWARE FEATURE CODES













DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES









Diagram1

DESIGN DESCRIPTION

FEATURE CODES





SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1





DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES







DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES




Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES



Rotary Headlight Switch
Dimmer Thumbwheel
MUX Switch 1
MUX Switch 2



Lighting Control Module



SOFTWARE FEATURE CODES



Diagram1-Combination2

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES









Diagram 1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1




DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES





Notes:
 Profile: Cummins ISX engine requires either 0001-00-05 (single 150A mega fuse) or 0001-00-06 (dual 150A mega fuse). Navistar ICK engine uses 0001-00-04 (underhood pdm).

Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES





Note:
 ForStar Customers: 0X engine requires either 0003-00-05 (single 150A mega fuse) or 0003-00-06 (dual 150A mega fuse). NonStar SC2 engine unit 0003-00-04 (underhood pdm).






Diagram1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES





Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination2



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1-Combination3

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination2

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1





DESIGN DESCRIPTION


FEATURE CODES


SOFTWARE FEATURE CODES


















Diagram1-Combination1

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination2



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1-Combination3

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination1



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES







Diagram1

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1


DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES











Diagram1



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES







Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination2

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination2



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1-Combination2

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination3

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination2

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES

NASTAR
SOURCE OF EXCELLENCE

Diagram1

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES

NAESTAR
SOURCE OF INNOVATION

Diagram1



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES







Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES



Devices are Mutually Exclusive

SOFTWARE FEATURE CODES







Diagram1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination3



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1-Combination4

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination6

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination7

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination3

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination9

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination2



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




Diagram1-Combination3

DESIGN DESCRIPTION

FEATURE CODES

Note that current and future horns will use only disc style horns. This means that we can use the same logic for single and dual horn setups. The connection to the horn is exactly the same for both setups.

Since this is deluxe trim, it applies to both ProStar and MD models



SOFTWARE FEATURE CODES




Diagram1-Combination4

DESIGN DESCRIPTION

FEATURE CODES


Note that current and future horns will use only disc style horns. This means that we can use the same logic for single and dual horn setups. The connection to the horn is exactly the same for both setups.

Since this is deluxe trim, it applies to both ProStar and MD models



SOFTWARE FEATURE CODES









Diagram1-Combination1



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination3

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination5




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination6



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination2

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination2

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination1



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination3

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination4

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination3

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination4




DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES





PGN 65321 - Proprietary B Global
Byte 4, Bit 7 - Door Switch



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES

Diagram1

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




NAVISTAR
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

Diagram1


DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES











Diagram1-Combination2


DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES





DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1-Combination3

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1-Combination1



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES







Diagram1-Combination3



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES







Diagram1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES

Diagram1

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES





Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination3



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination6

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination8

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination9


DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES





DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination3

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES





DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




Diagram1

DESIGN DESCRIPTION

FEATURE CODES

* NOTE - The device depicted below is a multiplexed switch pack that includes a pigtail harness that is utilized for "daisy-chaining" with other multiplexed switch packs or to connect back to the Instrument Panel harness for continuation of the HMI Standard (125kbps) J1939 backbone. The below diagram only shows the battery and ground feeds since only those are required to correctly drive the wiring needed in the harnesses.




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES









Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




Diagram1-Combination2



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

Diagram1-Combination1






DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination2



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

Diagram1-Combination3

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






Diagram1-Combination4

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES





DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES





DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES





DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES









Diagram 2 - In Cab



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES









Diagram1

DESIGN DESCRIPTION

FEATURE CODES






SOFTWARE FEATURE CODES



Diagram1


DESIGN DESCRIPTION


FEATURE CODES





SOFTWARE FEATURE CODES





















DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES











Diagram1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1

DESIGN DESCRIPTION

FEATURE CODES





SOFTWARE FEATURE CODES



Diagram1


DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES











Diagram1





DESIGN DESCRIPTION


FEATURE CODES


SOFTWARE FEATURE CODES



























Diagram1-Combination1



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination3

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination6

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination7

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination8

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination9

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES

NASTAR
SOURCE OF CONSTRUCTION SOFTWARE

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1-Combination2

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination2

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination3

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination4

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




Diagram1-Combination2

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES





Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1



DESIGN DESCRIPTION

FEATURE CODES







SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES










Diagram1

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES





Diagram1-Combination2


DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES





DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES






DESIGN DESCRIPTION


FEATURE CODES





SOFTWARE FEATURE CODES















DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES




DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES





DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination1



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES







Diagram1





DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES








DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES





Diagram1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1-Combination1


DESIGN DESCRIPTION


FEATURE CODES





SOFTWARE FEATURE CODES
















DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES









Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram 1-Combination3




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination1



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES





SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination3




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination4




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination4





DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES











Diagram1-Combination4




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination5




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination6




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination7




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination8



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1-Combination1


DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES







DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES







Diagram1-Combination5





DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES











Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1-Combination1

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination1



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES







Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination3




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination3




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination4




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1-Combination2

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination3




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination4




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination1



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES







Diagram1-Combination3




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram 1-Combination4



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES







Diagram 1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination3




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination4




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination5




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination6




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES





DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination8

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES





DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






Diagram1-Combination4

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES




Diagram1-Combination5

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES





Diagram1-Combination6

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES







Diagram1-Combination8




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram 1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES








Diagram 1-Combination5

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES





Diagram1-Combination6



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES







Diagram1-Combination8



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1-Combination3




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination4




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram 1-Combination5



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination6

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES






Diagram1-Combination7


DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES











Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination2

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1-Combination1


DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES









Diagram1-Combination4

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination2



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES







Diagram1-Combination4


DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES





DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination1



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES







Diagram1-Combination3




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES





DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES







Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination1



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES









Diagram1-Combination4

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination2

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination1


DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES









Diagram1-Combination4

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES





Diagram1-Combination2



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination2



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES







Diagram1-Combination4




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination1



DESIGN DESCRIPTION


FEATURE CODES

SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination3




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination4



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES





Diagram1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1-Combination1

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination2



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES







Diagram1

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1





DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES











Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination2

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination2



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION



FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1





DESIGN DESCRIPTION


FEATURE CODES


SOFTWARE FEATURE CODES












DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram2 - Actuators




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram3 - Sensors



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES





Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination2

DESIGN DESCRIPTION

FEATURE CODES






SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1


DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES





DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES







Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES



Devices are Mutually Exclusive


SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES





SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION



FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES









Diagram1-Combination4




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES









Diagram1-Combination1


DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES





DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination4





DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES













Diagram1

DESIGN DESCRIPTION

FEATURE CODES






SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES









Diagram1

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1



DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1


DESIGN DESCRIPTION


FEATURE CODES





SOFTWARE FEATURE CODES
















Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1





DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES












Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES











Diagram1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES









Diagram1

DESIGN DESCRIPTION

FEATURE CODES





SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES






SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES







Diagram1



DESIGN DESCRIPTION

FEATURE CODES





SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES







SOFTWARE FEATURE CODES



Diagram1


DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES





DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES







Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

NAVISTAR
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

NAVISTAR
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

NAVISTAR
NAVISTAR, INC. CONFIDENTIAL PROPRIETARY

Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

Diagram1



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES







Diagram1

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES

NASTAR
SOURCE OF INNOVATION

Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination3




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination4




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES







Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1





DESIGN DESCRIPTION


FEATURE CODES


SOFTWARE FEATURE CODES

NASTAR













Diagram1



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES







Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES




Diagram1

DESIGN DESCRIPTION

FEATURE CODES

Warning Lamp 17
 (PGN 61184)
 EGC Alarm
 (PGN 65321)



SOFTWARE FEATURE CODES



Warning Lamp 17
 (PGN 61184)
 EGC Alarm
 (PGN 65321)





Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES







Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination2





DESIGN DESCRIPTION


FEATURE CODES


SOFTWARE FEATURE CODES















DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination2



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1-Combination1


DESIGN DESCRIPTION


FEATURE CODES




SOFTWARE FEATURE CODES











Devices are Mutually Exclusive



Devices are Mutually Exclusive



Devices are Mutually Exclusive











Diagram1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES









Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES

NASTAR
SOURCE OF EXCELLENCE

Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1-Combination1

DESIGN DESCRIPTION

FEATURE CODES



SOFTWARE FEATURE CODES



DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1-Combination1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination2




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1-Combination1



DESIGN DESCRIPTION

FEATURE CODES


SOFTWARE FEATURE CODES



Diagram1-Combination2

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1



DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES



Diagram1

DESIGN DESCRIPTION


FEATURE CODES



SOFTWARE FEATURE CODES



Diagram1




DESIGN DESCRIPTION

FEATURE CODES

SOFTWARE FEATURE CODES









Diagram1

DESIGN DESCRIPTION

FEATURE CODES




SOFTWARE FEATURE CODES



Connector Name J1-1603
 Part Number 3598711C1
 Instances

- B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination1
- B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination2
- B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination3
- B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination1
- B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination2
- B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination3
- B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination4
- B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination5
- B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination6
- B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination1
- B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination2
- B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination3
- B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination4
- B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination5
- B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination6
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination2
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination2



B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination1
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination2
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination3
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination4
B6.7 - Front Fog Lamps:Diagram1-Combination1
B6.7 - Front Fog Lamps:Diagram1-Combination2
B6.7 - Front Fog Lamps:Diagram1-Combination3
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination1
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination2
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination3
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination4
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination5
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination6
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination7
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination8
B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination1
B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination2
B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination3
B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination4
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination1
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination2
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination3
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination4

B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination1
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination2
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination3
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination4
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination5
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination6
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination7
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination8
B6.7 - Rear Lights Stop - Single Assembly:Diagram1
B6.7 - WORK LIGHT 1 BULB:Diagram1
BCM (Body Control Module):Connector J1-1603
Heating Ventilation & Air Conditioning (HVAC) Auto Temp Control:Diagram1 - HVAC
L9 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination1
L9 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination2
L9 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination3
L9 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual):Diagram1-Combination1
L9 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual):Diagram1-Combination2
L9 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual):Diagram1-Combination3
L9 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 1:Diagram1
L9 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 2:Diagram1
L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination1
L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination2
L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination3

L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination4
L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination1
L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination2
L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination3
L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination4
L9 - City Horn (W/ 10PIN CLK & Park Brake):Diagram1-Combination1
L9 - City Horn (W/ 10PIN CLK & Park Brake):Diagram1-Combination2
L9 - City Horn (W/ 10PIN CLK):Diagram1-Combination1
L9 - City Horn (W/ 10PIN CLK):Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination4
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination2

L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination4
L9 - Fog Lights (Halogen White):Diagram1-Combination1
L9 - Fog Lights (Halogen White):Diagram1-Combination2
L9 - Fog Lights (LED White):Diagram1-Combination1
L9 - Fog Lights (LED White):Diagram1-Combination2
L9 - Front Fog Lights W CONNECTOR:Diagram1-Combination1
L9 - Front Fog Lights W CONNECTOR:Diagram1-Combination2
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination1
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination2
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination3
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination4
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination5
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination6
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination7
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination8
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination1
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination2
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination3
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination4
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination1
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination2
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination3
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination4
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination1

L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination1
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination2
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination3
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination5
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination6
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination7
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination8
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination5
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination6
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination7

L9 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination8
L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination5
L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination6
L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination7
L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination8
L9 - Heating Ventilation & Air Conditioning (HVAC):Diagram1
L9 - Power Lift Gate:Diagram1
L9 - Rear Lights Stop - Dual Assembly:Diagram1
L9 - Rear Lights Stop - Single Assembly:Diagram1
L9 - Snow Valve Control:Diagram1-Combination1
L9 - Snow Valve Control:Diagram1-Combination2
L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option 1:Diagram1-Combination1
L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option 2:Diagram1
L9 - WORK LIGHT 1 BULB:Diagram1-Combination1
L9 - WORK LIGHT 1 BULB:Diagram1-Combination2
L9 - WORK LIGHT W BackUP 1 BULB Option 1:Diagram1-Combination1
L9 - WORK LIGHT W BackUP 1 BULB Option 1:Diagram1-Combination2
L9 - WORK LIGHT W BackUP 1 BULB Option 2:Diagram1-Combination1
L9 - WORK LIGHT W BackUP 1 BULB Option 2:Diagram1-Combination2
L9 - WORK LIGHT W RKE 1 BULB:Diagram1-Combination1
L9 - WORK LIGHT W RKE 1 BULB:Diagram1-Combination2
L9 - Work Lights LED W/ Sw Pack - Day Cab:Diagram1-Combination1
L9 - Work Lights LED W/ Sw Pack - Day Cab:Diagram1-Combination2

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	YU57A	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	815.0	-	-	-
A	-	-	VG57T	3510303 R1	4.81	10.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	720.0	-	-	-
A	-	-	VG57T	3510303 R1	4.81	10.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	720.0	-	6	1701
B	-	-	YY56AA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	815.0	-	-	-
B	-	-	YT56AA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	815.0	-	-	-
B	-	-	XV56AA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	815.0	-	-	-
B	-	-	VG56T	3510339 R1	4.81	10.0	Thin Wall XLPE Primary Cable	YELLOW 2	720.0	-	-	-
B	-	-	XZ56AA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	815.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	VG56T	3510339 R1	4.81	10.0	Thin Wall XLPE Primary Cable	YELLOW 2	720.0	-	5	1701
C	-	-	SA77	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2865.0	-	65	1703M
C	-	-	SA77	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2865.0	-	-	-
D	-	-	YM56A	3510319 R1	1.91	14.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	2	1701
D	-	-	YN56A	3510319 R1	1.91	14.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	2	1701
D	-	-	YL56A	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1180.0	-	-	-
D	-	-	YM56A	3510319 R1	1.91	14.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	-	-
D	-	-	YN56A	3510319 R1	1.91	14.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	AA85	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	640.0	-	21	1700
E	-	-	AA85	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	640.0	-	-	-
F	-	-	YJ64A	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	640.0	-	22	1700
F	-	-	YJ64A	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	640.0	-	-	-
G	-	-	ZT65	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	68	1701
G	-	-	ZT65	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	-	-
H	-	-	YF52A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	640.0	-	1	1700
H	-	-	YG52A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1440.0	-	1	1873D

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
H	-	-	YF52A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	640.0	-	-	-
H	-	-	YG52A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1440.0	-	-	-
J	-	-	QA23F	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2435.0	-	R2 - 85	1013
J	-	-	QA23F	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2435.0	-	-	-
J	-	-	KP112	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	720.0	-	66	1701
K	-	-	YJ64B	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	640.0	-	23	1700
K	-	-	YJ64B	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	640.0	-	-	-
L	-	-	YF52B	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	640.0	-	3	1700

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
L	-	-	YG52B	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1480.0	-	1	1873E
L	-	-	YF52B	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	640.0	-	-	-
L	-	-	YG52B	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1480.0	-	-	-
M	-	-	YM57A	3510319 R1	1.91	14.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	3	1701
M	-	-	YN57A	3510319 R1	1.91	14.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	3	1701
M	-	-	YM57A	3510319 R1	1.91	14.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	-	-
M	-	-	YN57A	3510319 R1	1.91	14.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	-	-
M	-	-	YL57C	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1180.0	-	-	-

Connector Name J2-1604
 Part Number 3598710C1
 Instances

- B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination1
- B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination2
- B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination3
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination2
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination2
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination2
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination3
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination4
- B6.7 - Front Marker Lights:Diagram1-Combination1
- B6.7 - Front Marker Lights:Diagram1-Combination2
- B6.7 - Front Marker Lights W /Plow Lights:Diagram1-Combination1
- B6.7 - Front Marker Lights W /Plow Lights:Diagram1-Combination2
- B6.7 - Front Marker Lights W /Plow Lights:Diagram1-Combination3
- B6.7 - Front Marker Lights W /Plow Lights:Diagram1-Combination4



B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination1
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination2
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination3
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination4
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination5
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination6
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination7
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination8
B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination1
B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination2
B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination3
B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination4
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination1
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination2
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination3
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination4
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination1
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination2
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination3
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination4
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination5
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination6

B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination7
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination8
B6.7 - License Plate Light (Tail Light Single Assy) Option 1:Diagram1
B6.7 - License Plate Light (Tail Light Single Assy) Option 2:Diagram1
B6.7 - License Plate Light (Tail Light Single Assy) Option 3:Diagram1
B6.7 - License Plate Light (Tail Light Single Assy) W/Less Power Module:Diagram1
BCM (Body Control Module):Connector J2-1604
Clearance and Identification Lights:Diagram1
Courtesy Light Cab:Diagram1
Courtesy Light Crew Cab:Diagram1
L9 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination1
L9 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination2
L9 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination3
L9 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual):Diagram1-Combination1
L9 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual):Diagram1-Combination2
L9 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual):Diagram1-Combination3
L9 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 1:Diagram1
L9 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 2:Diagram1
L9 - Cab Dome Light W/Classic Trim:Diagram1
L9 - Cab Dome Light W/ Combo in Diamond Trim:Diagram1
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-Combination1

L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination4
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination4
L9 - Front Marker Lights:Diagram1-Combination1
L9 - Front Marker Lights:Diagram1-Combination2
L9 - Front Marker Lights W /Plow Lights:Diagram1-Combination1
L9 - Front Marker Lights W /Plow Lights:Diagram1-Combination2
L9 - Front Marker Lights W /Plow Lights:Diagram1-Combination3
L9 - Front Marker Lights W /Plow Lights:Diagram1-Combination4
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination2
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination3
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination4
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination5
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination6

L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination7
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination8
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination1
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination2
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination3
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination4
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination1
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination2
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination3
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination4
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination1
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination2
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination3
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination4

L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination5
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination6
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination7
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination8
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination5
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination6
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination7
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination8
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination5
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination6
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination7
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination8
L9 - License Plate Light (LED BOX LAMP Tail Light):Diagram1
L9 - License Plate Light (Tail Light Single Assy) Option
1:Diagram1

L9 - License Plate Light (Tail Light Single Assy) Option
 2:Diagram1
 L9 - License Plate Light (Tail Light Single Assy) Option
 3:Diagram1
 L9 - License Plate Light (Tail Light Single Assy) Option
 4:Diagram1
 L9 - Rear Light (LED BOX LAMP Tail Light):Diagram1
 L9 - Rear Light (Tail Light):Diagram1
 L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric
 Trailer Brakes) Option 1:Diagram1-Combination1
 L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric
 Trailer Brakes) Option 2:Diagram1
 L9 - Windshield Wipers:Diagram1

Mates

MODU-BCM-A000-10-00

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AA82	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2135.0	-	X	-
B	-	-	YF53A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	675.0	-	2	1700
B	-	-	YG53A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1555.0	-	1	1873F
B	-	-	YF53A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	675.0	-	-	-
B	-	-	YG53A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1555.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	YN56	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	375.0	-	X	-
C	-	-	YM56	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	14	1700
C	-	-	XZ56	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	375.0	-	X	-
C	-	-	YT56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	14	1700
C	-	-	YY56	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	375.0	-	X	-
C	-	-	YM56	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	-	-
C	-	-	YT56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	-	-
D	-	-	VR68T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	485.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	VT68TA	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	485.0	-	X	-
D	-	-	VM68T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	485.0	-	X	-
D	-	-	VP68	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	485.0	-	X	-
D	-	-	VL68T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	485.0	-	X	-
D	-	-	VG68T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	755.0	-	8	1701
E	-	-	AA11-GKC	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	855.0	-	-	-
F	-	-	VL58T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	455.0	-	X	-
F	-	-	VP58	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	455.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F	-	-	VR58T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	455.0	-	X	-
F	-	-	VM58T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	455.0	-	X	-
F	-	-	VT58	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	455.0	-	X	-
F	-	-	VG58T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	755.0	-	7	1701
G	-	-	YS54	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1205.0	-	-	-
G	-	-	YP54	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1205.0	-	-	-
H	-	-	YF53B	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	675.0	-	4	1700
H	-	-	YG53B	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1595.0	-	1	1873G

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
H	-	-	YG53B	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1595.0	-	-	-
H	-	-	YF53B	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	675.0	-	-	-
J	-	-	WJ63	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	490.0	-	X	-
J	-	-	WG63	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	490.0	-	X	-
J	-	-	WF63	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	680.0	-	-	-
J	-	-	WF63	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	680.0	-	4	2000
K	-	-	XZ57	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	430.0	-	X	-
K	-	-	YH57	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	430.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
K	-	-	XV57	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	430.0	-	X	-
K	-	-	YK57	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	430.0	-	X	-
K	-	-	YQ57	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	430.0	-	X	-
K	-	-	YR57	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	15	1700
K	-	-	YT57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	15	1700
K	-	-	YY57	2643675 R1	0.79	18.0	Std. Wall XLPE Primary Cable	ORANGE	1870.0	-	X	-
K	-	-	YR57	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	-	-
K	-	-	YT57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	-	-

Connector Name J3-1600
 Part Number 3598706C1
 Instances Adjustable Engine Speed Control (PTO) 4-pin:Diagram1
 B6.7 - 26 inch Fuel Tank:Diagram1-Combination1
 B6.7 - 26 inch Fuel Tank:Diagram1-Combination2
 B6.7 - 26 inch Fuel Tank:Diagram1-Combination3
 B6.7 - 26 inch Fuel Tank - Secondary:Diagram1
 B6.7 - Axle Temperature Monitoring (Single Rear Aux Gauge):Diagram1
 B6.7 - Axle Temperature Monitoring (Single Rear Virtual Gauge):Diagram1
 B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination1
 B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination2
 B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination3
 B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination4
 B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination5
 B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination6
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination1
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination2
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination3
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination4
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination5
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination6
 B6.7 - Clutch Monitoring (High and Low Switch to BCM):Diagram1
 B6.7 - Cranking Request (w/ Key Switch w/ BCM):Diagram1-Combination1
 B6.7 - Cranking Request (w/ Key Switch w/ BCM):Diagram1-Combination2
 B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
 B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2
 B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
 B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4



B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination1
B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination2
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination1
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination2
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination1
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination2
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination3
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination4
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination2
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination3
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination4
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination5
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination6
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination7
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination8
B6.7 - Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination1
B6.7 - Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination2
B6.7 - Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination3
B6.7 - Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination4
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination1
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination2

B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination3
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination4
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination1
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination2
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination3
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination4
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination5
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination6
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination7
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination8
B6.7 - Park Brake Controls (Monitoring) (Door Switch City Horn):Diagram1
B6.7 - Service Brake Pressure (Auxiliary Gauge):Diagram1
B6.7 - Service Brake Pressure (Virtual Gauge):Diagram1
B6.7 - Transmission Oil Temperature-Manual Trans:Diagram1
B6.7 - Transmission Oil Temperature-Manual Trans (w/Aux Gauge):Diagram1
BCM (Body Control Module):Connector J3-1600
Compressed Air Supply:Diagram1
Cruise Control (W/ One Telltale 4 Pin):Diagram1-Combination1
Cruise Control (W/ One Telltale 4 Pin):Diagram1-Combination2
Door Ajar Reminder (Entry /Exit):4 Door:Diagram1
Door Ajar Reminder (Entry/Exit):Diagram1
Heating Ventilation & Air Conditioning (HVAC) Auto Temp Control:Diagram1 - HVAC
L9 - 26 inch Fuel Tank:Diagram1-Combination1
L9 - 26 inch Fuel Tank:Diagram1-Combination2
L9 - 26 inch Fuel Tank:Diagram1-Combination3
L9 - 26 inch Fuel Tank:Diagram1-Combination4
L9 - 26 inch Fuel Tank:Diagram1-Combination5
L9 - 26 inch Fuel Tank:Diagram1-Combination6
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination1
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination2
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination3

L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination4
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination5
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination6
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination7
L9 - Adjustable Engine Speed Control (PTO) 10-pin:Diagram1-Combination1
L9 - Adjustable Engine Speed Control (PTO) 10-pin:Diagram1-Combination2
L9 - Axle Temperature Monitoring (Single Rear Aux Gauge):Diagram1
L9 - Axle Temperature Monitoring (Single Rear Virtual Gauge):Diagram1
L9 - Axle Temperature Monitoring (Tandem Rear Aux Gauge):Diagram1
L9 - Axle Temperature Monitoring (Tandem Rear Virtual Gauge):Diagram1
L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination1
L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination2
L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination3
L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination4
L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination1
L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination2
L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination3
L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination4
L9 - City Horn (W/ 10PIN CLK & Park Brake):Diagram1-Combination1
L9 - City Horn (W/ 10PIN CLK & Park Brake):Diagram1-Combination2
L9 - City Horn (W/ 10PIN CLK):Diagram1-Combination1
L9 - City Horn (W/ 10PIN CLK):Diagram1-Combination2
L9 - Clutch Monitoring (High and Low Switch to BCM):Diagram1
L9 - Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination1
L9 - Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2

L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-
Combination1
L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-
Combination2
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
Lights:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
Lights:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
Lights:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
Lights:Diagram1-Combination4
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard
SW:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard
SW:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination4
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination1
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination2
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination3
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination4
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination5
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination6

L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination7
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination8
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination1
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination2
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination3
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination4
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination1
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination2
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination3
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination4
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination1
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination2
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination3
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination4

L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination5
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination6
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination7
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination8
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination5
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination6
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination7
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination8
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination5
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination6
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination7
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination8
L9 - Heating Ventilation & Air Conditioning (HVAC):Diagram1
L9 - Park Brake Controls (Monitoring) (Door Switch City
Horn):Diagram1

L9 - PARK LIGHTS - W/Marker Interrupt 4 pin
 clockspring:Diagram1-Combination1
 L9 - PARK LIGHTS - W/Marker Interrupt 4 pin
 clockspring:Diagram1-Combination2
 L9 - PARK LIGHTS - W/Marker Interrupt 10pin
 CLCKSPRING:Diagram1-Combination1
 L9 - PARK LIGHTS - W/Marker Interrupt 10pin
 CLCKSPRING:Diagram1-Combination2
 L9 - Seatbelt Reminder (Warning)(Driver & Passenger in
 parallel):Diagram1
 L9 - Seatbelt Reminder (Warning)(Driver only):Diagram1
 L9 - Service Brake Pressure (Auxiliary Gauge):Diagram1
 L9 - Service Brake Pressure (Virtual Gauge):Diagram1
 L9 - Transmission Oil Temperature-Manual Trans w/Aux
 Gauge:Diagram1-Combination1
 L9 - Transmission Oil Temperature-Manual
 Transmission:Diagram1-Combination1
 L9 - Vehicle Speed Control (Cruise Control) 10 Pin:Diagram1
 L9 - Windshield Washer Pump & Low Fluid Sensor:Diagram1-
 Combination1
 L9 - Windshield Washer Pump & Low Fluid Sensor:Diagram1-
 Combination2
 L9 - Windshield Wipers:Diagram1
 Operator Input:Diagram1-Combination1
 Operator Input:Diagram1-Combination2
 Park Brake Control (Monitoring)(GEN IV BCM):Diagram1
 Radio w/Bluetooth:Diagram1-Combination1
 Radio w/Bluetooth:Diagram1-Combination2
 Radio w/Steering Wheel Pod:Diagram1-Combination1
 Radio w/Steering Wheel Pod:Diagram1-Combination2
 Vehicle Speed Control (Cruise Control) 4 Pin:Diagram1

Mates

MODU-BCM-A000-10-00

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A1	-	-	EC149	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1475.0	-	C	1100

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A1	-	-	ED149	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2105.0	-	C	1100MA
A1	-	-	EC149	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1475.0	-	-	-
A1	-	-	ED149	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2105.0	-	-	-
A2	-	-	QW79A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	904.0	-	X	-
A2	-	-	QI79A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3110.0	-	A	1112
A2	-	-	QI79A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3110.0	-	-	-
A2	-	-	QW79A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	904.0	-	-	-
A4	-	-	AA52D	2643768 R1	0.53	20.0	Std. Wall XLPE Primary Cable	YELLOW 2	1365.0	-	A7	1800

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A4	-	-	AA52D	2643768 R1	0.53	20.0	Std. Wall XLPE Primary Cable	YELLOW 2	1365.0	-	-	-
A5	-	-	AA85A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	B10	1800
A5	-	-	AA85A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	-	-
A6	-	-	AA57B	3510316 R1	0.53	20.0	Thin Wall XLPE Primary Cable	ORANGE	1365.0	-	A2	1800
A6	-	-	AA57B	3510316 R1	0.53	20.0	Thin Wall XLPE Primary Cable	ORANGE	1365.0	-	-	-
A7	-	-	AA56B	3510316 R1	0.53	20.0	Thin Wall XLPE Primary Cable	ORANGE	1365.0	-	A1	1800
A7	-	-	AA56B	3510316 R1	0.53	20.0	Thin Wall XLPE Primary Cable	ORANGE	1365.0	-	-	-
A8	-	-	HE87EA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1060.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A8	-	-	HK87C	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	980.0	-	-	-
A8	-	-	HE87EA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1060.0	-	41	1701
A9	-	-	AA82A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	C9	1800
A9	-	-	AA82A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	-	-
A10	-	-	AA82B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	C1	1800
A10	-	-	AA82B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	-	-
A11	-	-	AA82C	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	B1	1800
A11	-	-	AA82C	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A12	-	-	WE44AB	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1460.0	-	X	-
A12	-	-	WA44	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	B7	1800
A12	-	-	WA44	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	-	-
A12	-	-	WE44AB	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1460.0	-	-	-
A13	-	-	AA63A	3510342 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	814.0	-	X	-
A14	-	-	AA102A	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	1365.0	-	A8	1800
A14	-	-	AA102A	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	1365.0	-	-	-
A15	-	-	HE87B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	890.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A15	-	-	HJ87B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	860.0	-	X	-
A16	-	-	DC149A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2105.0	-	D	1100MA
A16	-	-	DG149A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	385.0	-	D	1100
A16	-	-	DB149A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1475.0	-	D	1100
A16	-	-	DD13FAM	3510305 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BROWN	385.0	-	-	-
A16	-	-	DH13C	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	385.0	-	-	-
A16	-	-	DB149A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1475.0	-	-	-
A16	-	-	DG149A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	385.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A16	-	-	DC149A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2105.0	-	-	-
B1	-	-	SN86A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	B12	1800
B1	-	-	SN86A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	-	-
B2	-	-	WC40	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	-	-
B2	-	-	NK40	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1365.0	-	-	-
B2	-	-	NL40	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	980.0	-	-	-
B2	-	-	WC40	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	C12	1800
B2	-	-	NK40	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1365.0	-	C12	1800

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B3	-	-	NK40A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1365.0	-	-	-
B3	-	-	NK40A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1365.0	-	B2	1800
B4	-	-	UA97A	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1365.0	-	-	-
B4	-	-	UA97A	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1365.0	-	C11	1800
B5	-	-	TB74	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3205.0	-	17	1703M
B5	-	-	TB74	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3205.0	-	-	-
B7	-	-	NJ31J	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3205.0	-	61	1703M
B7	-	-	NJ31J	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3205.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B8	-	-	AA36B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1060.0	-	27	1701
B8	-	-	AA36B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1060.0	-	-	-
B9	-	-	AA36A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1060.0	-	29	1701
B9	-	-	AA36A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1060.0	-	-	-
B10	-	-	XS90HB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3205.0	-	-	-
B10	-	-	NN32B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1060.0	-	-	-
B10	-	-	NN32B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1060.0	-	43	1701
B11	-	-	NM32A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	1060.0	-	44	1701

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B11	-	-	NM32A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	1060.0	-	-	-
B12	-	-	SA77B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	3205.0	-	20	1703M
B12	-	-	SA77B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	3205.0	-	-	-
B14	-	-	NK40BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	C2	1800
B14	-	-	NK40BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	-	-
B15	-	-	TA75AA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1260.0	-	-	-
B16	-	-	AA150	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	B11	1800
B16	-	-	AA150	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	-	-

Connector Name J4-1601
Part Number 3598707C1
Instances Auxiliary Power (40A) HSD:Diagram1
B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 1:Diagram1
B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 2:Diagram1-Combination1
B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 2:Diagram1-Combination2
B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 2:Diagram1-Combination3
B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 3:Diagram1-Combination1
B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 3:Diagram1-Combination2
B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 3:Diagram1-Combination3
B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination1
B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination2
B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination3
B6.7 - I/O Expansion:Diagram1
B6.7 - Remote Start/Stop w/ Emergency Pump:Diagram1
BCM (Body Control Module):Connector J4-1601
L9 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination1
L9 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination2
L9 - Auto Neutral (Allison without Multiplex Switch and Confirmation Telltale):Diagram1-Combination1
L9 - Auto Neutral (Allison without Multiplex Switch and Confirmation Telltale):Diagram1-Combination2
L9 - Auxillary Air Solenoids (1 Normally Closed):Diagram1
L9 - Auxillary Air Solenoids Normally Closed:Combination1
L9 - Auxillary Air Solenoids Normally Closed:Combination2
L9 - Auxillary Air Solenoids Normally Closed:Combination3
L9 - Auxillary Air Solenoids Normally Closed:Combination4
L9 - Auxillary Air Solenoids Normally Closed:Combination5
L9 - Auxillary Air Solenoids Normally Closed:Combination6
L9 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination1



L9 - Body Builder Lighting - Combined Turn and Stop Lamps
(Automatic):Diagram1-Combination2
L9 - Body Builder Lighting - Combined Turn and Stop Lamps
(Automatic):Diagram1-Combination3
L9 - Body Builder Lighting - Combined Turn and Stop Lamps
(Manual):Diagram1-Combination1
L9 - Body Builder Lighting - Combined Turn and Stop Lamps
(Manual):Diagram1-Combination2
L9 - Body Builder Lighting - Combined Turn and Stop Lamps
(Manual):Diagram1-Combination3
L9 - Body Builder Lighting - Separate Turn and Stop Lamps
(Blunt Cut) Option 1:Diagram1
L9 - Body Builder Lighting - Separate Turn and Stop Lamps
(Blunt Cut) Option 2:Diagram1
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination1
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination2
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination3
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination4
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination5
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination6
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination7
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination8
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination9
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination10
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination11
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination12
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination13
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination14
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination15

L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination1
L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination2
L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination3
L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination4
L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination5
L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination6
L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination7
L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination8
L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination1
L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination2
L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination3
L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination4
L9 - Heated Windshield:Diagram1
L9 - I/O Expansion:Diagram1
L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination1
L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination2
L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination3
L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination4
L9 - Remote Start/Stop w/ Emergency Pump:Diagram1
L9 - Three Auxillary Air Solenoids:Diagram1-Combination1
L9 - Three Auxillary Air Solenoids:Diagram1-Combination2
L9 - Three Auxillary Air Solenoids:Diagram1-Combination3
L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option 1:Diagram1-Combination1
L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option 2:Diagram1
L9 - Transmission Power Take Off (Auto Trans with Lectradrive):Diagram1

L9 - Transmission Power Take Off (Lectrashift PTO with Manual Trans):Diagram1
L9 - Windshield Wipers:Diagram1
Mirrors (Heat) Switch Pack Actuated Relay Driven:Diagram1

Mates

MODU-BCM-A000-10-00

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E1	-	-	VU103D	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	790.0	-	D	1940
E1	-	-	LJ104DC	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2445.0	-	R6 - 85	1012
E1	-	-	VU103D	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	790.0	-	-	-
E2	-	-	VU103C	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	790.0	-	C	1940
E2	-	-	VU103C	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	790.0	-	-	-
E4	-	-	UG92#16 1A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2890.0	-	-	-
E6	-	-	AA82H	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	R5 - 86	1011

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E6	-	-	AA82H	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	-	-
E7	-	-	AA82F	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	R2 - 86	1011
E7	-	-	AA82F	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	-	-
E9	-	-	LY59J	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	38	1701
E9	-	-	LY59J	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-
E10	-	-	LZ59S	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-
E11	-	-	HW12LC	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1425.0	-	2	1873
E12	-	-	LT59D	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	34	1701

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E12	-	-	LT59D	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-
E13	-	-	LY59G	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	36	1701
E13	-	-	LY59G	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-
E14	-	-	HU103AA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1395.0	-	-	-
E14	-	-	HU103AA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1395.0	-	3	1873B
E15	-	-	LZ59T	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-
E16	-	-	VA92#11 7A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2350.0	-	R3 - 86	1011
F2	-	-	LW59P	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	48	1701

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F2	-	-	LW59P	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-
F2	-	-	LX59P	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-
F2	-	-	LX59P	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	48	1701
F3	-	-	LW59Q	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	49	1701
F3	-	-	LW59Q	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-
F3	-	-	LX59Q	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-
F4	-	-	LY59H	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	37	1701
F4	-	-	LY59H	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F5	-	-	LY59K	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	39	1701
F5	-	-	LY59K	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-
F6	-	-	LW59M	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	46	1701
F6	-	-	LX59M	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-
F6	-	-	LW59M	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-
F6	-	-	LX59M	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	46	1701
F7	-	-	LW59N	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	47	1701
F7	-	-	LX59N	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F7	-	-	LW59N	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-
F7	-	-	LX59N	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	47	1701
F8	-	-	LU59E	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	35	1701
F8	-	-	LU59E	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-
F10	-	-	LT59C	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	33	1701
F10	-	-	LT59C	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-
F12	-	-	KM18E	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	-	-
F12	-	-	KK18A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F12	-	-	KL18D	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	-	-
F12	-	-	KK18A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	R6 - 85	1011
F12	-	-	KM18E	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	R6 - 85	1011
F12	-	-	KL18D	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	R6 - 85	1011
F13	-	-	RP78RC	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2460.0	-	R1 - 86	1013
F13	-	-	RR78RC	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2475.0	-	-	-
F13	-	-	RN78RC	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2245.0	-	X	-
F13	-	-	RP78RC	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2460.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F13	-	-	RN78RC	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2245.0	-	-	-
F13	-	-	RR78RC	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2475.0	-	R6 - 86	1014
F14	-	-	LZ59V	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-
F15	-	-	VN70D	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2445.0	-	R5 - 86	1012
F15	-	-	VJ70D	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1985.0	-	X	-
F15	-	-	VN70D	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2445.0	-	-	-
F15	-	-	VG70D	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2350.0	-	R1 - 86	1011
F16	-	-	RK78BD	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2305.0	-	X	-
F16	-	-	RK78BD	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2305.0	-	-	-

Connector Name J5-1602
 Part Number 3598705C1
 Instances Adjustable Engine Speed Control (PTO) 4-pin:Diagram1
 B6.7 - 26 inch Fuel Tank:Diagram1-Combination1
 B6.7 - 26 inch Fuel Tank:Diagram1-Combination2
 B6.7 - 26 inch Fuel Tank:Diagram1-Combination3
 B6.7 - 26 inch Fuel Tank - Secondary:Diagram1
 B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 1:Diagram1
 B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 2:Diagram1-Combination1
 B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 2:Diagram1-Combination2
 B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 2:Diagram1-Combination3
 B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 3:Diagram1-Combination1
 B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 3:Diagram1-Combination2
 B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 3:Diagram1-Combination3
 B6.7 - Axle Temperature Monitoring (Single Rear Aux Gauge):Diagram1
 B6.7 - Axle Temperature Monitoring (Single Rear Virtual Gauge):Diagram1
 B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination1
 B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination2
 B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination3
 B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination4
 B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination5
 B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination6
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination1
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination2
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination3
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination4
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination5
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination6



B6.7 - Clutch Monitoring (High and Low Switch to BCM):Diagram1
B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2
B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination1
B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination2
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination1
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination2
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination1
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination2
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination3
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination4
B6.7 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram1-Combination1
B6.7 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram1-Combination2
B6.7 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram1-Combination3
B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination1
B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination2
B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination3
B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination4
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination2

B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination3
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination4
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination5
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination6
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination7
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination8
B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination1
B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination2
B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination3
B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination4
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination1
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination2
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination3
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination4
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination1
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination2
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination3
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination4
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination5
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination6
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination7
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination8

B6.7 - I/O Expansion:Diagram1
B6.7 - Park Brake Controls (Monitoring) (Door Switch City Horn):Diagram1
B6.7 - Remote Start/Stop:Diagram1
B6.7 - Remote Start/Stop w/ Emergency Pump:Diagram1
B6.7 - Service Brake Pressure (Auxiliary Gauge):Diagram1
B6.7 - Service Brake Pressure (Virtual Gauge):Diagram1
B6.7 - Service Brake Switch:Diagram1
B6.7 - Transmission Oil Temperature-Manual Trans:Diagram1
B6.7 - Transmission Oil Temperature-Manual Trans (w/Aux Gauge):Diagram1
B6.7 - Transmission Power Take Off (Auto Trans Single PTO w/21 Parameters):Diagram1
B6.7 - Transmission Power Take Off (Manual Trans Single PTO w/ 21 Parameters):Diagram1
B6.7 - Transmission Power Take Off (Single Input configurable pull up or pull down):Diagram1
BCM (Body Control Module):Connector J5-1602
Compressed Air Supply:Diagram1
Cruise Control (W/ One Telltale 4 Pin):Diagram1-Combination1
Cruise Control (W/ One Telltale 4 Pin):Diagram1-Combination2
Door Ajar Reminder (Entry /Exit):4 Door:Diagram1
Door Ajar Reminder (Entry/Exit):Diagram1
Heating Ventilation & Air Conditioning (HVAC) Auto Temp Control:Diagram1 - HVAC
Instrument Cluster (Premium):Diagram1-Combination1
Instrument Cluster (Premium):Diagram1-Combination2
L9 - 26 inch Fuel Tank:Diagram1-Combination1
L9 - 26 inch Fuel Tank:Diagram1-Combination2
L9 - 26 inch Fuel Tank:Diagram1-Combination3
L9 - 26 inch Fuel Tank:Diagram1-Combination4
L9 - 26 inch Fuel Tank:Diagram1-Combination5
L9 - 26 inch Fuel Tank:Diagram1-Combination6
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination1
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination2
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination3
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination4
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination5
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination6
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination7
L9 - Adjustable Engine Speed Control (PTO) 10-pin:Diagram1-Combination1
L9 - Adjustable Engine Speed Control (PTO) 10-pin:Diagram1-Combination2

L9 - Auxiliary Air Solenoids (1 Normally Closed):Diagram1
L9 - Auxillary Air Solenoids Normally Closed:Combination1
L9 - Auxillary Air Solenoids Normally Closed:Combination2
L9 - Auxillary Air Solenoids Normally Closed:Combination3
L9 - Auxillary Air Solenoids Normally Closed:Combination4
L9 - Auxillary Air Solenoids Normally Closed:Combination5
L9 - Auxillary Air Solenoids Normally Closed:Combination6
L9 - Axle Loading (Weight) Rear:Diagram1-Combination1
L9 - Axle Loading (Weight) Rear:Diagram1-Combination2
L9 - Axle Temperature Monitoring (Single Rear Aux Gauge):Diagram1
L9 - Axle Temperature Monitoring (Single Rear Virtual Gauge):Diagram1
L9 - Axle Temperature Monitoring (Tandem Rear Aux Gauge):Diagram1
L9 - Axle Temperature Monitoring (Tandem Rear Virtual Gauge):Diagram1
L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination1
L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination2
L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination3
L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination4
L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination1
L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination2
L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination3
L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination4
L9 - City Horn (W/ 10PIN CLK & Park Brake):Diagram1-Combination1
L9 - City Horn (W/ 10PIN CLK & Park Brake):Diagram1-Combination2
L9 - City Horn (W/ 10PIN CLK):Diagram1-Combination1
L9 - City Horn (W/ 10PIN CLK):Diagram1-Combination2
L9 - Clutch Monitoring (High and Low Switch to BCM):Diagram1
L9 - Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination1
L9 - Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2

L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination4
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination4
L9 - Hazard Warning Light N/Trlr Socket:Diagram1-Combination1
L9 - Hazard Warning Light N/Trlr Socket:Diagram1-Combination2
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination2
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination3
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination4

L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination5
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination6
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination7
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination8
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination1
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination2
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination3
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination4
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination1
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination2
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination3
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination4
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination1
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination2

L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination3
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination5
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination6
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination7
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination8
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination5
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination6
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination7
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination8
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination5
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination6
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination7
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination8

L9 - Heating Ventilation & Air Conditioning (HVAC):Diagram1
L9 - I/O Expansion:Diagram1
L9 - Park Brake Controls (Monitoring) (Door Switch City
Horn):Diagram1
L9 - PARK LIGHTS - W/Marker Interrupt 4 pin
clockspring:Diagram1-Combination1
L9 - PARK LIGHTS - W/Marker Interrupt 4 pin
clockspring:Diagram1-Combination2
L9 - PARK LIGHTS - W/Marker Interrupt 10pin
CLKSPRING:Diagram1-Combination1
L9 - PARK LIGHTS - W/Marker Interrupt 10pin
CLKSPRING:Diagram1-Combination2
L9 - Rear Suspension Pressure Monitoring (Virtual
Gauge):Diagram1-Combination1
L9 - Rear Suspension Pressure Monitoring (Virtual
Gauge):Diagram1-Combination2
L9 - Remote Start/Stop:Diagram1
L9 - Remote Start/Stop w/ Emergency Pump:Diagram1
L9 - Seatbelt Reminder (Warning)(Driver & Passenger in
parallel):Diagram1
L9 - Seatbelt Reminder (Warning)(Driver only):Diagram1
L9 - Service Brake Pressure (Auxiliary Gauge):Diagram1
L9 - Service Brake Pressure (Virtual Gauge):Diagram1
L9 - Service Brake Switch:Diagram1
L9 - Snow Valve Control:Diagram1-Combination1
L9 - Snow Valve Control:Diagram1-Combination2
L9 - Three Auxillary Air Solenoids:Diagram1-Combination1
L9 - Three Auxillary Air Solenoids:Diagram1-Combination2
L9 - Three Auxillary Air Solenoids:Diagram1-Combination3
L9 - Transmission Oil Temperature-Manual Trans w/Aux
Gauge:Diagram1-Combination1
L9 - Transmission Oil Temperature-Manual
Transmission:Diagram1-Combination1
L9 - Transmission Power Take Off (Auto Trans Single PTO w/21
Parameters):Diagram1
L9 - Transmission Power Take Off (Auto Trans with
Lectradrive):Diagram1
L9 - Transmission Power Take Off (Lectrashift PTO with Manual
Trans):Diagram1
L9 - Transmission Power Take Off (Manual Trans Single PTO
w/21 Parameters):Diagram1
L9 - Transmission Power Take Off (Single Input configurable pull
up or pull down):Diagram1
L9 - Two Speed Axle (AirShift on Shifter):Diagram1

L9 - Vehicle Speed Control (Cruise Control) 10 Pin:Diagram1
 L9 - Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination1
 L9 - Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination2
 L9 - Windshield Wipers:Diagram1
 L9 - WORK LIGHT W BackUP 1 BULB Option 1:Diagram1-Combination1
 L9 - WORK LIGHT W BackUP 1 BULB Option 1:Diagram1-Combination2
 L9 - WORK LIGHT W BackUP 1 BULB Option 2:Diagram1-Combination1
 L9 - WORK LIGHT W BackUP 1 BULB Option 2:Diagram1-Combination2
 Park Brake Control (Monitoring)(GEN IV BCM):Diagram1
 PARK LIGHTS - N/Marker Interrupt:Diagram1-Combination1
 PARK LIGHTS - N/Marker Interrupt:Diagram1-Combination2
 Radio w/Bluetooth:Diagram1-Combination1
 Radio w/Bluetooth:Diagram1-Combination2
 Radio w/Steering Wheel Pod:Diagram1-Combination1
 Radio w/Steering Wheel Pod:Diagram1-Combination2
 Transmission Power Take Off (Single PTO W/ RPM and Auto Trans):Diagram1
 Transmission Power Take Off (Single PTO W/ RPM and Manual Trans):Diagram1
 Vehicle Sleep Mode:Diagram1
 Vehicle Speed Control (Cruise Control) 4 Pin:Diagram1

Mates

MODU-BCM-A000-10-00

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E1	-	-	-	-	-	-	-	-	-	-	-	-
E2	-	-	-	-	-	-	-	-	-	-	-	-
E3	-	-	AA9Z	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1360.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E4	-	-	NK6	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1385.0	-	B3	1800
E4	-	-	WC6	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1385.0	-	B3	1800
E4	-	-	NK6	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1385.0	-	-	-
E4	-	-	WC6	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1385.0	-	-	-
E5	-	-	KA9A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1310.0	-	X	-
E5	-	-	KA9A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1310.0	-	-	-
E6	-	-	SA6DB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	3225.0	-	19	1703M
E6	-	-	SA6DB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	3225.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E7	-	-	AA9B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	744.0	-	X	-
E8	-	-	ME106B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	-	-
E8	-	-	NL6A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1000.0	-	-	-
E8	-	-	ME106B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	56	1701
E9	-	-	LP88	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3225.0	-	60	1703M
E11	-	-	AC50	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2220.0	-	P	0009B
E11	-	-	AB50	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1125.0	-	P	0009
E11	-	-	AC50	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2220.0	-	P	0009


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E11	-	-	AB50	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1125.0	-	P	0009B
E11	-	-	AB50	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1125.0	-	-	-
E11	-	-	AC50	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2220.0	-	-	-
E12	-	-	LS59A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	32	1701
E12	-	-	LS59A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	-	-
E13	-	-	YG96A	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1575.0	-	X	-
E13	-	-	YG96A	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1575.0	-	-	-
E14	-	-	WB70A	3510364 R1	0.53	20.0	Thin Wall XLPE Primary Cable	RED	1385.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E14	-	-	WB70A	3510364 R1	0.53	20.0	Thin Wall XLPE Primary Cable	RED	1385.0	-	A6	1800
E15	-	-	WB70	3510364 R1	0.53	20.0	Thin Wall XLPE Primary Cable	RED	1385.0	-	-	-
E15	-	-	XS70	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1385.0	-	-	-
E15	-	-	XS70	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1385.0	-	B9	1800
E15	-	-	WB70	3510364 R1	0.53	20.0	Thin Wall XLPE Primary Cable	RED	1385.0	-	B9	1800
E16	-	-	AE11-GAC	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	940.0	-	X	-
E16	-	-	AD11-GAC	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	940.0	-	X	-
F1	-	-	-	-	-	-	-	-	-	-	-	-
F2	-	-	-	-	-	-	-	-	-	-	-	-
F3	-	-	-	-	-	-	-	-	-	-	-	-
F4	-	-	-	-	-	-	-	-	-	-	-	-
F5	-	-	-	-	-	-	-	-	-	-	-	-
F6	-	-	-	-	-	-	-	-	-	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F7	-	-	ME61B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	-	-
F7	-	-	ME61B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	55	1701
F8	-	-	LF104D	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1080.0	-	43	1701
F8	-	-	LF104D	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1080.0	-	-	-
F9	-	-	RA28BA	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3225.0	-	-	-
F10	-	-	ZU71D	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1175.0	-	-	-
F11	-	-	UJ93A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3225.0	-	56	1703M
F11	-	-	UJ93A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3225.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F12	-	-	VU103B	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1125.0	-	B	1940
F12	-	-	VU103B	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1125.0	-	-	-
F13	-	-	QA9ZC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	2	1107
F13	-	-	QA9ZC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	-	-
F14	-	-	VU103A	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1125.0	-	A	1940
F14	-	-	VU103A	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1125.0	-	-	-
F14	-	-	LP88	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3225.0	-	-	-
F15	-	-	LQ88A	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3225.0	-	-	-
F16	-	-	WC44D	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	-	-

Connector Name J6-1606
 Part Number 3759005C1
 Instances Adjustable Engine Speed Control (PTO) 4-pin:Diagram1
 Automatic Lighting - Dual Sensor Twilight/Solar:Diagram1-Combination1
 Automatic Lighting - Dual Sensor Twilight/Solar:Diagram1-Combination2
 Auxiliary Power (40A) HSD:Diagram1
 B6.7 - 26 inch Fuel Tank:Diagram1-Combination1
 B6.7 - 26 inch Fuel Tank:Diagram1-Combination2
 B6.7 - 26 inch Fuel Tank:Diagram1-Combination3
 B6.7 - 26 inch Fuel Tank - Secondary:Diagram1
 B6.7 - Axle Temperature Monitoring (Single Rear Aux Gauge):Diagram1
 B6.7 - Axle Temperature Monitoring (Single Rear Virtual Gauge):Diagram1
 B6.7 - Clutch Monitoring (High and Low Switch to BCM):Diagram1
 B6.7 - Crank Inhibit (Engine Speed Inhibit Only):Diagram1
 B6.7 - Cranking Request (w/ Key Switch w/ BCM):Diagram1-Combination1
 B6.7 - Cranking Request (w/ Key Switch w/ BCM):Diagram1-Combination2
 B6.7 - Current Monitoring (Ammeter):Diagram1-Combination1
 B6.7 - Current Monitoring (Ammeter):Diagram1-Combination2
 B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
 B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2
 B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
 B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
 B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination1
 B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination2
 B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination1
 B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination2
 B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination3



B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination4
B6.7 - Driver Controlled Locking Differential - RR Axle (Dana w/
one sw):Diagram1
B6.7 - Driver Controlled Locking Differential - RR Axle (Meritor
w/ one sw):Diagram1
B6.7 - Economy Monitor:Diagram1
B6.7 - Engine Oil Pressure:Diagram1
B6.7 - Engine Warning_MUX:Diagram1
B6.7 - Front Fog Lamps:Diagram1-Combination1
B6.7 - Front Fog Lamps:Diagram1-Combination2
B6.7 - Front Fog Lamps:Diagram1-Combination3
B6.7 - Grid Management (CA2) Day Cab:Diagram1
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination1
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination2
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination3
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination4
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination5
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination6
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination7
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination8
B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination1
B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination2
B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination3
B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination4
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination1
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination2
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination3

B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination4
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination1
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination2
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination3
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination4
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination5
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination6
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination7
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination8
B6.7 - License Plate Light (Tail Light Single Assy) Option 1:Diagram1
B6.7 - License Plate Light (Tail Light Single Assy) Option 2:Diagram1
B6.7 - License Plate Light (Tail Light Single Assy) Option 3:Diagram1
B6.7 - License Plate Light (Tail Light Single Assy) W/Less Power Module:Diagram1
B6.7 - Odometer (via BCM/EGC):Diagram1
B6.7 - Park Brake Controls (Monitoring) (Door Switch City Horn):Diagram1
B6.7 - PTO - Fuel and Hours:Diagram1
B6.7 - Rear Lights Stop - Single Assembly:Diagram1
B6.7 - Remote Keyless Access:Diagram1
B6.7 - Remote Start/Stop:Diagram1
B6.7 - Remote Start/Stop w/ Emergency Pump:Diagram1
B6.7 - Service Brake Pressure (Auxiliary Gauge):Diagram1
B6.7 - Service Brake Pressure (Virtual Gauge):Diagram1
B6.7 - Service Brake Switch:Diagram1
B6.7 - Theft Deterrent (Grid Controlled):Diagram1
B6.7 - Traction Control (Bendix):Diagram1-Combination1
B6.7 - Traction Control (Bendix):Diagram1-Combination2
B6.7 - Transmission Oil Temperature-Manual Trans:Diagram1
B6.7 - Transmission Oil Temperature-Manual Trans (w/Aux Gauge):Diagram1

B6.7 - Transmission Power Take Off (Auto Trans Single PTO w/21 Parameters):Diagram1
B6.7 - Transmission Power Take Off (Manual Trans Single PTO w/ 21 Parameters):Diagram1
B6.7 - Transmission Power Take Off (Single Input configurable pull up or pull down):Diagram1
B6.7 - Trip Odometer (w/ECM & TCM):Diagram1
B6.7 - Trip Odometer (Gen 4 Cluster):Diagram1
B6.7 - WORK LIGHT 1 BULB:Diagram1
BCM (Body Control Module):Connector J6-1606
Compressed Air Supply:Diagram1
Coolant Temperature Monitoring (J1939 Comm):Diagram1
Cruise Control (W/ One Telltale 4 Pin):Diagram1-Combination1
Cruise Control (W/ One Telltale 4 Pin):Diagram1-Combination2
Door Ajar Reminder (Entry /Exit):4 Door:Diagram1
Door Ajar Reminder (Entry/Exit):Diagram1
DPF - Regen Switch Only:Diagram1
Engine Usage Monitoring (Base) NA:Diagram1
Exterior Lamp Check:Diagram1
Exterior Lamp Reminder:Diagram1
Heating Ventilation & Air Conditioning (HVAC) Auto Temp Control:Diagram1 - HVAC
Height Control:Diagram1
Instrument Cluster - Bulb Check:Diagram1
Instrument Cluster - Request and Status:Diagram1
L9 - 26 inch Fuel Tank:Diagram1-Combination1
L9 - 26 inch Fuel Tank:Diagram1-Combination2
L9 - 26 inch Fuel Tank:Diagram1-Combination3
L9 - 26 inch Fuel Tank:Diagram1-Combination4
L9 - 26 inch Fuel Tank:Diagram1-Combination5
L9 - 26 inch Fuel Tank:Diagram1-Combination6
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination1
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination2
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination3
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination4
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination5
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination6
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination7
L9 - Adjustable Engine Speed Control (PTO) 10-pin:Diagram1-Combination1
L9 - Adjustable Engine Speed Control (PTO) 10-pin:Diagram1-Combination2
L9 - Alternate Flashing (Wig Wag) - Park Brake disables High Beams:Diagram1

L9 - Alternate Flashing (Wig Wag) - Park Brake disables Wig Wag:Diagram1
L9 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination1
L9 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination2
L9 - Auto Neutral (Allison without Multiplex Switch and Confirmation Telltale):Diagram1-Combination1
L9 - Auto Neutral (Allison without Multiplex Switch and Confirmation Telltale):Diagram1-Combination2
L9 - Automatic Lighting:Diagram1-Combination1
L9 - Automatic Lighting:Diagram1-Combination2
L9 - Axle Loading (Weight) Rear:Diagram1-Combination1
L9 - Axle Loading (Weight) Rear:Diagram1-Combination2
L9 - Axle Temperature Monitoring (Single Rear Aux Gauge):Diagram1
L9 - Axle Temperature Monitoring (Single Rear Virtual Gauge):Diagram1
L9 - Axle Temperature Monitoring (Tandem Rear Aux Gauge):Diagram1
L9 - Axle Temperature Monitoring (Tandem Rear Virtual Gauge):Diagram1
L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven Lamp:Diagram1-Combination1
L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven Lamp:Diagram1-Combination2
L9 - Clutch Monitoring (High and Low Switch to BCM):Diagram1
L9 - Crank Inhibit (Engine Speed Inhibit Only):Diagram1
L9 - Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination1
L9 - Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-Combination2

L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
Lights:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
Lights:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
Lights:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
Lights:Diagram1-Combination4
L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard
SW:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard
SW:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination4
L9 - DPF - With Bistable Inhibit Sw:Diagram1
L9 - DPF - With Monostable Inhibit Sw:Diagram1
L9 - Driver Controlled Locking Differential - FR and RR Axle
(Dana w/ one sw):Diagram1
L9 - Driver Controlled Locking Differential - FR and RR Axle
(Meritor w/ one sw):Diagram1
L9 - Driver Controlled Locking Differential - FR and RR Axles
(Dana w/ two sw):Diagram1
L9 - Driver Controlled Locking Differential - FR and RR Axles
(Meritor w/ two sw):Diagram1
L9 - Driver Controlled Locking Differential - RR Axle (Dana w/
one sw):Diagram1
L9 - Driver Controlled Locking Differential - RR Axle (Meritor w/
one sw):Diagram1
L9 - Economy Monitor:Diagram1
L9 - Engine Brake Mux Switch:Diagram1
L9 - Engine Brake W/ Stalk Shifter:Diagram1
L9 - Engine Oil Level Monitoring:Diagram1
L9 - Engine Oil Pressure:Diagram1
L9 - Engine Oil Temperature (NA Mux):Diagram1
L9 - Engine Oil Temperature(NA MUX AUX Gauge):Diagram1
L9 - Engine Usage Monitoring (VID Option):Diagram1
L9 - Engine Warning_MUX:Diagram1
L9 - Exhaust Brake (Cummins):Diagram1

L9 - Fifth Wheel Slide:Diagram1
L9 - Fog Lights (Halogen White):Diagram1-Combination1
L9 - Fog Lights (Halogen White):Diagram1-Combination2
L9 - Fog Lights (LED White):Diagram1-Combination1
L9 - Fog Lights (LED White):Diagram1-Combination2
L9 - Front Fog Lights W CONNECTOR:Diagram1-Combination1
L9 - Front Fog Lights W CONNECTOR:Diagram1-Combination2
L9 - Grid Management (CA2) Day Cab:Diagram1
L9 - Hazard Warning Light N/Trlr Socket:Diagram1-Combination1
L9 - Hazard Warning Light N/Trlr Socket:Diagram1-Combination2
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination2
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination3
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination4
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination5
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination6
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination7
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination8
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination1
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination2
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination3
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination4
L9 - Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination1
L9 - Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination2
L9 - Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination3
L9 - Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination4

L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination1
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination2
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination3
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination5
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination6
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination7
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination8
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination5
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination6

L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination7
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination8
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination5
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination6
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination7
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination8
L9 - Heated Mirrors (Hood with Door Pods):Diagram1-
Combination1
L9 - Heated Mirrors (Hood with Door Pods):Diagram1-
Combination2
L9 - Heated Mirrors (Hood with Door Pods):Diagram1-
Combination3
L9 - Heated Mirrors (Hood with Door Pods):Diagram1-
Combination4
L9 - Heated Windshield:Diagram1
L9 - Heating Ventilation & Air Conditioning (HVAC):Diagram1
L9 - Hill Start Aid (Bendix):Diagram1-Combination1
L9 - Hill Start Aid (Bendix):Diagram1-Combination2
L9 - Jaw Unlock Control:Diagram1
L9 - Jaw Unlock Control W/ SOLENOIDS W/SWITCH
PACKS:Diagram1
L9 - License Plate Light (LED BOX LAMP Tail Light):Diagram1
L9 - License Plate Light (Tail Light Single Assy) Option
1:Diagram1
L9 - License Plate Light (Tail Light Single Assy) Option
2:Diagram1
L9 - License Plate Light (Tail Light Single Assy) Option
3:Diagram1
L9 - License Plate Light (Tail Light Single Assy) Option
4:Diagram1

L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination1
L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination2
L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination3
L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination4
L9 - Odometer (via BCM/EGC):Diagram1
L9 - Park Brake Controls (Monitoring) (Door Switch City Horn):Diagram1
L9 - PARK LIGHTS - W/Marker Interrupt 4 pin clockspring:Diagram1-Combination1
L9 - PARK LIGHTS - W/Marker Interrupt 4 pin clockspring:Diagram1-Combination2
L9 - PARK LIGHTS - W/Marker Interrupt 10pin CLCKSPRING:Diagram1-Combination1
L9 - PARK LIGHTS - W/Marker Interrupt 10pin CLCKSPRING:Diagram1-Combination2
L9 - Power Divider Lock Control and Monitoring:Diagram1
L9 - Power Lift Gate:Diagram1
L9 - PTO - Fuel and Hours:Diagram1
L9 - Rear Axle Load Distribution:Diagram1
L9 - Rear Light (LED BOX LAMP Tail Light):Diagram1
L9 - Rear Lights Stop - Dual Assembly:Diagram1
L9 - Rear Lights Stop - Single Assembly:Diagram1
L9 - Rear Suspension Pressure Monitoring (Virtual Gauge):Diagram1-Combination1
L9 - Rear Suspension Pressure Monitoring (Virtual Gauge):Diagram1-Combination2
L9 - Remote Keyless Access:Diagram1
L9 - Remote Start/Stop:Diagram1
L9 - Remote Start/Stop w/ Emergency Pump:Diagram1
L9 - Seatbelt Reminder (Warning)(Driver & Passenger in parallel):Diagram1
L9 - Seatbelt Reminder (Warning)(Driver only):Diagram1
L9 - Service Brake Pressure (Auxiliary Gauge):Diagram1
L9 - Service Brake Pressure (Virtual Gauge):Diagram1
L9 - Service Brake Switch:Diagram1
L9 - Snow Valve Control:Diagram1-Combination1
L9 - Snow Valve Control:Diagram1-Combination2
L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination1

L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination2
L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination3
L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination4
L9 - Starter Interlock (BCM LSD Controlled w/ Relay & N/ Auto SS)_EATON XMSN:Diagram1
L9 - TEM Electric Trailer Brake Controller Activated Stop LT:Diagram1
L9 - Theft Deterrent (Grid Controlled):Diagram1
L9 - Traction Control (Bendix):Diagram1
L9 - Transfer Case - High/Low Air Sol:Diagram1
L9 - Transfer Case - High/Neu/Low Air Sol:Diagram1
L9 - Transmission Oil Temperature-Automatic Trans:Diagram1
L9 - Transmission Oil Temperature-Manual Trans w/Aux Gauge:Diagram1-Combination1
L9 - Transmission Oil Temperature-Manual Transmission:Diagram1-Combination1
L9 - Transmission Power Take Off (Auto Trans Single PTO w/21 Parameters):Diagram1
L9 - Transmission Power Take Off (Auto Trans with Lectradrive):Diagram1
L9 - Transmission Power Take Off (Lectrashift PTO with Manual Trans):Diagram1
L9 - Transmission Power Take Off (Manual Trans Single PTO w/21 Parameters):Diagram1
L9 - Transmission Power Take Off (Single Input configurable pull up or pull down):Diagram1
L9 - Trip Odometer (w/ECM & TCM):Diagram1
L9 - Trip Odometer (Gen 4 Cluster):Diagram1
L9 - Trip Odometer w/VID:Diagram1
L9 - Two Speed Axle (AirShift on Shifter):Diagram1
L9 - Vehicle Speed Control (Cruise Control) 10 Pin:Diagram1
L9 - Voltage Monitoring (Voltmeter) (with Aux gauge):Diagram1
L9 - Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination1
L9 - Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination2
L9 - WORK LIGHT 1 BULB:Diagram1-Combination1
L9 - WORK LIGHT 1 BULB:Diagram1-Combination2
L9 - WORK LIGHT W BackUP 1 BULB Option 1:Diagram1-Combination1

L9 - WORK LIGHT W BackUP 1 BULB Option 1:Diagram1-Combination2
L9 - WORK LIGHT W BackUP 1 BULB Option 2:Diagram1-Combination1
L9 - WORK LIGHT W BackUP 1 BULB Option 2:Diagram1-Combination2
L9 - WORK LIGHT W RKE 1 BULB:Diagram1-Combination1
L9 - WORK LIGHT W RKE 1 BULB:Diagram1-Combination2
L9 - Work Lights LED W/ Sw Pack - Day Cab:Diagram1-Combination1
L9 - Work Lights LED W/ Sw Pack - Day Cab:Diagram1-Combination2
Mirrors (Heat) Switch Pack Actuated Relay Driven:Diagram1
Mirrors (Heated):Diagram1
Mirrors (Power) Door Pod Actuated:Diagram1
Operator Input:Diagram1-Combination1
Operator Input:Diagram1-Combination2
Park Brake Control (Monitoring)(GEN IV BCM):Diagram1
PARK LIGHTS - N/Marker Interrupt:Diagram1-Combination1
PARK LIGHTS - N/Marker Interrupt:Diagram1-Combination2
Power Door Locks:Diagram1
Power Door Locks Crew Cab:Diagram1
Power Windows:Diagram1
Power Windows 4-Door N/W RKE:Diagram1
Power Windows 4-Door W/RKE:Diagram1
Real Time Clock (RTC) (BCM Controlled):Diagram1
Snow Plow Lights:Diagram1
Starter Interlocks (BCM Controlled with Input from Allison 3K/4K TCM):Diagram1-Combination1
Starter Interlocks (BCM Controlled with Input from Allison 3K/4K TCM):Diagram1-Combination2
Trans Range Inhibit (J1939 Comm):Diagram1
Transmission - MODE Selection:Diagram1
Transmission Oil Temperature-Automatic Trans w/Aux Gauge:Diagram1
Transmission Power Take Off (Single PTO W/ RPM and Auto Trans):Diagram1
Transmission Power Take Off (Single PTO W/ RPM and Manual Trans):Diagram1
Two Speed Axle (Multiplex SW on Dash):Diagram1
Up Shift Indicator:Diagram1
Vehicle Alarm System:Diagram1
Vehicle Sleep Mode:Diagram1
Vehicle Speed Control (Cruise Control) 4 Pin:Diagram1

Voltage Monitoring (Voltmeter):Diagram1

Mates

MODU-BCM-A000-10-00


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	EJ12C	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2570.0	-	X	-
A	-	-	EH12C	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2825.0	-	R4 - 86	1011
A	-	-	EJ12C	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2570.0	-	-	-
A	-	-	EH12C	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2825.0	-	-	-
B	-	-	DF13DD	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2530.0	-	X	-
B	-	-	DE13DD	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2530.0	-	X	-
B	-	-	DJ13DD	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2530.0	-	-	-
C	-	-	-	-	-	-	-	-	-	-	-	-
D	-	-	-	-	-	-	-	-	-	-	-	-
E	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
G	-	-	-	-	-	-	-	-	-	-	-	-
H	-	-	-	-	-	-	-	-	-	-	-	-
L	-	-	TJ70ER	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1630.0	-	X	-
M	-	-	UF92#14 1A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3365.0	-	28	1703M
M	-	-	UB92#14 1A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2890.0	-	28	1703M
M	-	-	LH92#14 1A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3365.0	-	28	1703M
M	-	-	LH92#14 1A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3365.0	-	-	-
M	-	-	UD17B	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2950.0	-	-	-
M	-	-	UA104-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	3365.0	-	-	-
M	-	-	UD17B	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2950.0	-	R2 - 87	1014
N	-	-	-	-	-	-	-	-	-	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
P	-	-	-	-	-	-	-	-	-	-	-	-
S	-	-	LD149AA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1650.0	-	X	-
S	-	-	LB17H	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1635.0	-	B	1100
S	-	-	LH149B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2265.0	-	B	1100MA
S	-	-	LC17HA	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1635.0	-	B	1100
S	-	-	LE149AA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1650.0	-	X	-
S	-	-	LB17H	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1635.0	-	-	-
S	-	-	LH149B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2265.0	-	-	-
S	-	-	LC17HA	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1635.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
T	-	-	LG17	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	3365.0	-	-	-
T	-	-	LA17	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	3365.0	-	-	-
T	-	-	LG17	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	3365.0	-	29	1703M
T	-	-	LA17	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	3365.0	-	29	1703M

Connector Name J7-1607
 Part Number 3710061C1
 Instances B6.7 - Clutch Monitoring (High and Low Switch to BCM):Diagram1
 B6.7 - Driver Controlled Locking Differential - RR Axle (Dana w/ one sw):Diagram1
 B6.7 - Driver Controlled Locking Differential - RR Axle (Meritor w/ one sw):Diagram1
 BCM (Body Control Module):Connector J7-1607
 Heating Ventilation & Air Conditioning (HVAC) Auto Temp Control:Diagram1 - HVAC
 Instrument Cluster (Premium):Diagram1-Combination1
 Instrument Cluster (Premium):Diagram1-Combination2
 L9 - Clutch Monitoring (High and Low Switch to BCM):Diagram1
 L9 - Driver Controlled Locking Differential - FR and RR Axle (Dana w/ one sw):Diagram1
 L9 - Driver Controlled Locking Differential - FR and RR Axle (Meritor w/ one sw):Diagram1
 L9 - Driver Controlled Locking Differential - FR and RR Axles (Dana w/ two sw):Diagram1
 L9 - Driver Controlled Locking Differential - FR and RR Axles (Meritor w/ two sw):Diagram1
 L9 - Driver Controlled Locking Differential - RR Axle (Dana w/ one sw):Diagram1
 L9 - Driver Controlled Locking Differential - RR Axle (Meritor w/ one sw):Diagram1
 L9 - Hazard Warning Light N/Trlr Socket:Diagram1-Combination1
 L9 - Hazard Warning Light N/Trlr Socket:Diagram1-Combination2
 L9 - Heating Ventilation & Air Conditioning (HVAC):Diagram1




Mates MODU-BCM-A000-10-00

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
A3	-	-	KN49	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	45	1701

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A3	-	-	KN49	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-
A4	-	-	KN49A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	50	1701
A4	-	-	KN49A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	-	-
A6	-	-	AA60A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1475.0	-	-	-
A6	-	-	AA60A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1475.0	-	2	1202
A9	-	-	NA28D	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1160.0	-	-	-
A9	-	-	NA28D	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1160.0	-	1	1020
A10	-	-	SA77D	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2945.0	-	L	1200E


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A10	-	-	SA77D	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2945.0	-	-	-
A12	-	-	SA77BA	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2890.0	-	-	-
B2	-	-	UA17B	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1050.0	-	-	-
B2	-	-	UB92#14 1A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2890.0	-	-	-
B2	-	-	UA17B	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1050.0	-	D8	1800
B5	-	-	LF104CB	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	665.0	-	-	-
B9	-	-	LF104CC	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	665.0	-	-	-
B10	-	-	AA6AM	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2945.0	-	M	1200E
B10	-	-	AA6AM	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2945.0	-	-	-

Connector Name K03_STARTER_GND
 Part Number RING-E-1-2_0
 Instances B6.7 - Bosch LH160_LH200 Alternator:Diagram1
 B6.7 - Cranking (Starter) GEN4 BCM W/O Thermal Overcrank:Diagram1
 B6.7 - Delco Remy 28SI Alternator W/Sensor:Diagram1
 Bosch LH160_LH200 Alternator:Diagram1
 Delco Remy 28SI Alternator W/Sensor:Diagram1
 L9 - Delco Remy 36SI Alternator W/Sensor:Diagram1
 L9 - Leece-Neville - LN 325A Alternator W/Sensor:Diagram1
 L9 - Leece-Neville 320PAH Alternator:Diagram1
 L9 - Leece-Neville AVI160 Alternator:Diagram1
 L9 - Leece-Neville AVI160-210A/240A Alternator W/Sensor:Diagram1
 Mates MOT-STARTER-5024-01-04




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	2-G	2645227 R1	61.89	0.0	SGX FLEX 125C	BLACK	280.0	-	1	1200
A	-	-	14-G	2645929 R1	18.94	4.0	SGX NFLEX 125	BLACK	4450.0	-	A	9257

Connector Name M8 B
 Part Number RING-M-8_0
 Instances Chassis PDM:Diagram1
 Mates Chassis PDM



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	14	2645248 R1	49.99	0.0	SGX FLEX 125C	RED	360.0	-	A	6305


Connector Name N04-9740B
 Part Number 1661375C2
 Instances L9 - Three Auxillary Air Solenoids:Diagram1-Combination2
 Mates SOL-AIR_4_PACK3/4-3004-01- 01A-N04-9740B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NR59R-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	3520.0	-	-	-
B	-	-	NR59M	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5980.0	-	46	1701F
C	-	-	NR59N	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5980.0	-	47	1701F
D	-	-	NR59P	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5980.0	-	48	1701F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	NR59Q	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5980.0	-	49	1701F

Connector Name P1898
 Part Number 3678796C1
 Instances L9 - Traction Control (Bendix):Diagram1
 Mates SOL-TCV_BENDIX-3033-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	RD94BE	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	410.0	-	24	9800
2	-	-	RD94BD	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	410.0	-	23	9800

Connector Name P4X_1
 Part Number RING-M-8_0
 Instances Chassis PDM:Diagram1
 Mates Chassis PDM




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	14B	2645970 R1	101.95	0.0	SGR 125	RED	300.0	-	-	-

Connector Name P4X_2
 Part Number RING-M-8_0
 Instances L9 - Power Lift Gate:Diagram1
 Mates RLY-Power_Lift_Gate_Relay- 2038-02-01B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	14B	2645970 R1	101.95	0.0	SGR 125	RED	300.0	-	-	-

Connector Name P4Y_1
 Part Number RING-M-8_0
 Instances L9 - Power Lift Gate:Diagram1
 Mates RLY-Power_Lift_Gate_Relay- 2038-02-01B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	14A	2645964 R1	61.89	0.0	SGR 125	RED	8840.0	-	A	P4Y_2

Connector Name P4Y_2
 Part Number BLUNT_SL_VC
 Instances L9 - Power Lift Gate:Diagram1
 Mates BLNT-Lift_Gate_PWR-2038-02 -01B


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	14A	2645964 R1	61.89	0.0	SGR 125	RED	8840.0	-	A	P4Y_1

Connector Name P9074
 Part Number 1661778C1
 Instances L9 - Back-Up Alarm (Manual) W/ Tailboard:Diagram1
 L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans
 Option 1:Diagram1-Combination1
 L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans
 Option 2:Diagram1-Combination1
 L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans
 Option 3:Diagram1-Combination1
 L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans
 Option 4:Diagram1-Combination1
 L9 - WORK LIGHT W BackUP 1 BULB Option 1:Diagram1-
 Combination1
 L9 - WORK LIGHT W BackUP 1 BULB Option 1:Diagram1-
 Combination2




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	MJ71A	2645921 R1	0.79	18.0	TXL 150C	ORANGE	1990.0	-	6	1702
2	-	-	MJ71B	2645915 R1	0.79	18.0	TXL 150C	TAN	1990.0	-	-	-
2	-	-	MJ71B	2645915 R1	0.79	18.0	TXL 150C	TAN	1990.0	-	7	1702

Connector Name R01_4411P
 Part Number 3517760C1
 Instances B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination3



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TT14	2644026 R1	18.94	4.0	Std. Wall XLPE Battery Cable	RED	2435.0	-	A	4411N

Connector Name 0009B
 Part Number 4063156C1
 Instances Automatic Lighting - Dual Sensor Twilight/Solar:Diagram1-Combination2
 B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination4
 B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination5
 B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination6
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination4
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination5
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination6
 B6.7 - Headlights W 10PIN CLK W/LOWW W/O
 Interrupt:Diagram1-Combination2
 B6.7 - Headlights W 10PIN CLK W/LOWW W/O
 Interrupt:Diagram1-Combination3
 B6.7 - Headlights W 10PIN CLK W/LOWW W/O
 Interrupt:Diagram1-Combination4
 B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
 Headlights Interrupt:Diagram1-Combination2
 B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
 Headlights Interrupt:Diagram1-Combination4
 Cruise Control (W/ One Telltale 4 Pin):Diagram1-Combination2
 Instrument Cluster (Premium):Diagram1-Combination1
 Instrument Cluster (Premium):Diagram1-Combination2
 L9 - Adjustable Engine Speed Control (PTO) 10-pin:Diagram1-Combination2
 L9 - Axle Lift Controls:Diagram1-Combination3
 L9 - Axle Lift Controls:Diagram1-Combination4
 L9 - Axle Lift Controls Option 2:Diagram1-Combination2
 L9 - CAN Layout:HMI Standard J1939 (125Kbps)
 L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination3
 L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination4
 L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination2
 L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination3
 L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination4
 L9 - Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination2
 L9 - Hazard Warning Light N/Trlr Socket:Diagram1-Combination2



L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination2
 L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination4
 L9 - Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination2
 L9 - Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination3
 L9 - Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination4
 L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination2
 L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination4
 L9 - Headlights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination2
 L9 - Headlights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination4
 L9 - PARK LIGHTS - W/Marker Interrupt 4 pin clockspring:Diagram1-Combination2
 L9 - PARK LIGHTS - W/Marker Interrupt 10pin CLCKSPRING:Diagram1-Combination2
 L9 - Snow Valve Control:Diagram1-Combination1
 L9 - Snow Valve Control:Diagram1-Combination2
 Lighting Control Module:Diagram1-Combination2
 PARK LIGHTS - N/Marker Interrupt:Diagram1-Combination2
 Radio w/Bluetooth:Diagram1-Combination2
 Radio w/Steering Wheel Pod:Diagram1-Combination2


Mates MODU-LCM-A004-00-01-0009B

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AC13D	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1115.0	-	-	-
B	-	-	-	-	-	-	-	-	-	-	-	-
B	-	-	WIRE722 884	-	0.0	-	-	-	0.0	-	PIN1	-
C	-	-	-	-	-	-	-	-	-	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	WIRE722885	-	0.0	-	-	-	0.0	-	PIN1	-
E	-	-	ZS50B	2645625R1	0.35	22.0	Thin Wall XLPE Primary Cable	YELLOW 2	2340.0	-	2	1053
E	-	-	ZD50B	3510335R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2340.0	-	-	-
E	-	-	ZS50B	2645625R1	0.35	22.0	Thin Wall XLPE Primary Cable	YELLOW 2	2340.0	-	-	-
H	-	-	ZD50A	3510335R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2340.0	-	-	-
J	-	-	AC11-GN	3510359R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1470.0	-	-	-
L	-	-	AC62	3510353R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1720.0	-	X	-
L	-	-	AB62	3510353R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	175.0	-	-	-
M	-	-	AC62DA	3510354R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	1065.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
M	-	-	AB62DA	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	1020.0	-	-	-
P	-	-	AC50	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2220.0	-	E11	J5-1602
P	-	-	AB50	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1125.0	-	-	-
P	-	-	AB50	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1125.0	-	E11	J5-1602
P	-	-	AC50	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2220.0	-	-	-
R	-	-	AC9	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	-	-
S	-	-	AC14D	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	895.0	-	-	-

Connector Name 0009
 Part Number 4063156C1
 Instances Automatic Lighting - Dual Sensor Twilight/Solar:Diagram1-Combination1
 B6.7 - CAN Layout:HMI Standard J1939 (125Kbps)
 B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination1
 B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination2
 B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination3
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination1
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination2
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination3
 B6.7 - Front Fog Lamps:Diagram1-Combination1
 B6.7 - Front Fog Lamps:Diagram1-Combination2
 B6.7 - Front Fog Lamps:Diagram1-Combination3
 B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1
 B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination2
 B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination3
 B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination4
 B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination5
 B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination6
 B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination7
 B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination8
 B6.7 - Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination1
 B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination1
 B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination3
 B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination1
 B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination2



B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination3
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination4
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination5
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination6
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination7
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination8
B6.7 - License Plate Light (Tail Light Single Assy) Option 1:Diagram1
B6.7 - License Plate Light (Tail Light Single Assy) Option 2:Diagram1
B6.7 - License Plate Light (Tail Light Single Assy) Option 3:Diagram1
B6.7 - License Plate Light (Tail Light Single Assy) W/Less Power Module:Diagram1
Cruise Control (W/ One Telltale 4 Pin):Diagram1-Combination1
Exterior Lamp Check:Diagram1
L9 - Adjustable Engine Speed Control (PTO) 10-pin:Diagram1-Combination1
L9 - Automatic Lighting:Diagram1-Combination1
L9 - Automatic Lighting:Diagram1-Combination2
L9 - Axle Lift Controls:Diagram1-Combination1
L9 - Axle Lift Controls:Diagram1-Combination2
L9 - Axle Lift Controls Option 2:Diagram1-Combination1
L9 - CAN Layout:HMI Standard J1939 (125Kbps)
L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination1
L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination2
L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination1
L9 - Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination1
L9 - Fog Lights (Halogen White):Diagram1-Combination1
L9 - Fog Lights (Halogen White):Diagram1-Combination2
L9 - Fog Lights (LED White):Diagram1-Combination1
L9 - Fog Lights (LED White):Diagram1-Combination2
L9 - Front Fog Lights W CONNECTOR:Diagram1-Combination1
L9 - Front Fog Lights W CONNECTOR:Diagram1-Combination2

L9 - Hazard Warning Light N/Trlr Socket:Diagram1-Combination1
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination2
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination3
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination4
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination5
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination6
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination7
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination8
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination1
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination3
L9 - Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination1
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination1
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination2
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination3
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination5
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination6

L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination7
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination8
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination5
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination6
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination7
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination8
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination5
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination6
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination7
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination8
L9 - License Plate Light (LED BOX LAMP Tail Light):Diagram1
L9 - License Plate Light (Tail Light Single Assy) Option
1:Diagram1
L9 - License Plate Light (Tail Light Single Assy) Option
2:Diagram1
L9 - License Plate Light (Tail Light Single Assy) Option
3:Diagram1

L9 - License Plate Light (Tail Light Single Assy) Option
 4:Diagram1
 L9 - PARK LIGHTS - W/Marker Interrupt 4 pin
 clockspring:Diagram1-Combination1
 L9 - PARK LIGHTS - W/Marker Interrupt 10pin
 CLCKSPRING:Diagram1-Combination1
 L9 - Rear Light (LED BOX LAMP Tail Light):Diagram1
 L9 - Transmission Shifter Allison 5th Gen Push
 Button(SURHD):Diagram1
 Lighting Control Module:Diagram1-Combination1
 Mirrors (Heated):Diagram1
 Panel Backlighting (Cabin Dimmer):Diagram1
 PARK LIGHTS - N/Marker Interrupt:Diagram1-Combination1
 Power Door Locks Crew Cab:Diagram1
 Radio:Diagram1
 Radio w/Bluetooth:Diagram1-Combination1
 Radio w/Bluetooth without Steering Wheel Pod:Diagram1
 Radio w/Steering Wheel Pod:Diagram1-Combination1

Mates


MODU-LCM-A004-00-01

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AB13D	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2570.0	-	-	-
B	-	-	-	-	-	-	-	-	-	-	-	-
B	-	-	WIRE1647	-	0.0	-	-	-	0.0	-	PIN1	-
C	-	-	-	-	-	-	-	-	-	-	-	-
C	-	-	WIRE1648	-	0.0	-	-	-	0.0	-	PIN1	-
E	-	-	AB50B	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1495.0	-	B	1052
E	-	-	AC50B	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2340.0	-	B	1052

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	ZM50B	2645625 R1	0.35	22.0	Thin Wall XLPE Primary Cable	YELLOW 2	1495.0	-	2	1053
E	-	-	ZB50B	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1495.0	-	-	-
E	-	-	ZM50B	2645625 R1	0.35	22.0	Thin Wall XLPE Primary Cable	YELLOW 2	1495.0	-	-	-
H	-	-	AC50A	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2340.0	-	A	1052
H	-	-	AB50A	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1495.0	-	A	1052
H	-	-	ZB50A	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1495.0	-	-	-
J	-	-	AB11-GN	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	625.0	-	-	-
L	-	-	AB62	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	175.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
L	-	-	AC62	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1720.0	-	X	-
M	-	-	AB62DA	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	1020.0	-	-	-
P	-	-	AB50	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1125.0	-	E11	J5-1602
P	-	-	AC50	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2220.0	-	E11	J5-1602
P	-	-	AB50	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1125.0	-	-	-
R	-	-	AB9	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1035.0	-	-	-
S	-	-	AB14D	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2350.0	-	-	-

Connector Name 1F
 Part Number 3565207C1
 Instances B6.7 - Delco Remy 28SI Alternator W/Sensor:Diagram1
 Delco Remy 28SI Alternator W/Sensor:Diagram1
 L9 - Delco Remy 36SI Alternator W/Sensor:Diagram1
 L9 - Leece-Neville - LN 325A Alternator W/Sensor:Diagram1
 L9 - Leece-Neville AV1160-210A/240A Alternator W/
 Sensor:Diagram1
 Mates DEV-FUSE_5A_Inline-4004-01 -04A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JS1B	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	220.0	-	A	945
B	-	-	JS1A	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	1330.0	-	A	7000

Connector Name 1000A
 Part Number 4063415C1
 Instances Auxiliary Gauges (Secondary):Diagram1
 Auxiliary Gauges (Primary):Diagram1
 Mates MODU-AUX-0004-00-04A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	BG28A	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1095.0	-	B9	1500A
3	-	-	BG28B	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1095.0	-	B10	1500A
4	-	-	BG28C	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1095.0	-	B8	1500A


Connector Name 1000B
 Part Number 4063415C1
 Instances Auxiliary Gauges (Secondary):Diagram1
 Mates MODU-AUX-0004-00-04A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	Aux Gauge STS OUTC	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	210.0	-	1	1000C
3	-	-	Aux Gauge GND OUTA	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	210.0	-	3	1000C
4	-	-	Aux Gauge PWR OUTB	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	210.0	-	4	1000C

Connector Name 1000C
 Part Number 4063415C1
 Instances Auxiliary Gauges (Secondary):Diagram1
 Mates MODU-AUX-0004-00-04B


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	Aux Gauge STS OUTC	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	210.0	-	1	1000B
3	-	-	Aux Gauge GND OUTA	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	210.0	-	3	1000B
4	-	-	Aux Gauge PWR OUTB	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	210.0	-	4	1000B

Connector Name 1000
 Part Number RING-E-1-4_0
 Instances L9 - Delco Remy 36SI Alternator W/Sensor:Diagram1
 Mates DEV-Delco_Remy_36SI_Alternator-4004-01-07A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WA2-G	2645931 R1	32.19	2.0	SGR 125	BLACK	2850.0	-	1	1200

Connector Name 1001
 Part Number RING-E-1-4_0
 Instances L9 - Delco Remy 36SI Alternator W/Sensor:Diagram1
 Mates DEV-Delco_Remy_36SI_Alternator-4004-01-07A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WA2	2645955 R1	32.19	2.0	SGR 125	RED	2430.0	-	X	-

Connector Name 1002
 Part Number 2015884C1
 Short Description BATT FEED PDM TO CAB
 Instances Battery Grid:Diagram 1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	CD14	2644026 R1	18.94	4.0	Std. Wall XLPE Battery Cable	RED	2190.0	-	X	-

Connector Name 1002
 Part Number 2015884C1
 Instances B6.7 - Underhood PDM:PDM - UNDERHOOD
 L9 - Underhood PDM:PDM - UNDERHOOD
 Mates Fuse-B1-K1-1B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CD14	2644026 R1	18.94	4.0	Std. Wall XLPE Battery Cable	RED	2190.0	-	X	-
A	-	-	CD14	2644026 R1	18.94	4.0	Std. Wall XLPE Battery Cable	RED	2190.0	-	-	-

Connector Name 1003
 Part Number 2015884C1
 Instances B6.7 - Underhood PDM:PDM - UNDERHOOD
 L9 - Underhood PDM:PDM - UNDERHOOD
 Mates Fuse-B1-K1-1C



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CD14D	2644026 R1	18.94	4.0	Std. Wall XLPE Battery Cable	RED	2310.0	-	-	-
A	-	-	CD14D	2644026 R1	18.94	4.0	Std. Wall XLPE Battery Cable	RED	2310.0	-	X	-


Connector Name 100
 Part Number 3510243C1
 Instances Mirrors (Power) Control Switch Actuated:Diagram1-Combination2
 Mates SW-MIRRORCTRL-1019-02-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	EJ62D	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	420.0	-	X	-
2	-	-	EJ78VA	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	370.0	-	X	-
3	-	-	EJ78FA	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	470.0	-	X	-
4	-	-	EJ78-GC	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	710.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
5	-	-	EJ78J	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1120.0	-	B	3000M
6	-	-	EJ78DA	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	320.0	-	X	-
7	-	-	EJ78R	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1120.0	-	F	3000M
8	-	-	EJ78EA	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	270.0	-	X	-

Connector Name 100
 Part Number 3767577C1
 Instances Radio w/Bluetooth:Diagram1-Combination1
 Radio w/Bluetooth:Diagram1-Combination2
 Radio w/Bluetooth without Steering Wheel Pod:Diagram1
 Mates MODU-MICROPHONE-2008-02-05A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	86A(+)	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1200.0	-	2	2505M
3	-	-	86A(-)	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1200.0	-	1	2505M

Connector Name 1010
 Part Number 3768015C1
 Instances Battery Grid:Diagram 1
 Mates Interior PDM



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	CD14AB	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	75.0	-	X	-
5	-	-	UL92BT	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2195.0	-	-	-
5	-	-	UD14A	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	445.0	-	-	-
6	-	-	VJ70J	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	320.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
6	-	-	VG70J	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	320.0	-	-	-
7	-	-	AE98H	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2240.0	-	-	-
7	-	-	AD98H	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2240.0	-	-	-
8	-	-	AC14D	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	895.0	-	-	-
8	-	-	AB14D	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2350.0	-	-	-
10	-	-	CD14AC	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	75.0	-	X	-
13	-	-	AA14EE	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	1745.0	-	-	-
14	-	-	TA75AC	2643695 R1	3.01	12.0	Std. Wall XLPE Primary Cable	RED	3415.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
15	-	-	EB15	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1830.0	-	-	-
15	-	-	EE15	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2300.0	-	-	-
16	-	-	-	-	-	-	-	-	-	-	-	-
18	-	-	CD14AD	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	75.0	-	X	-
21	-	-	UC92DC	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1845.0	-	-	-
24	-	-	-	-	-	-	-	-	-	-	-	-
26	-	-	CD14AE	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	75.0	-	X	-
29	-	-	SM86P	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1855.0	-	-	-
30	-	-	RD81B	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	2235.0	-	-	-
30	-	-	RC81B	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	2235.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
30	-	-	RG78V	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2235.0	-	-	-
31	-	-	AA14MUX	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1545.0	-	-	-
32	-	-	HN20	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2305.0	-	-	-
34	-	-	CD14AF	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	75.0	-	X	-
37	-	-	MM14EB	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	385.0	-	-	-
38	-	-	RC81A	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3045.0	-	-	-
38	-	-	RD81A	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3045.0	-	-	-
39	-	-	XA94AY	3510314 R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	3095.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
39	-	-	XE94AY	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	3210.0	-	-	-
40	-	-	LB17BA	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1720.0	-	-	-

Connector Name 1011
 Part Number 3768010C1
 Instances

- B6.7 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination1
- B6.7 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination2
- B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 1:Diagram1-Combination1
- B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 2:Diagram1-Combination1
- B6.7 - Grid Management (CA2) Day Cab:Diagram1
- L9 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination1
- L9 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination2
- L9 - Auto Neutral (Allison without Multiplex Switch and Confirmation Telltale):Diagram1-Combination1
- L9 - Auto Neutral (Allison without Multiplex Switch and Confirmation Telltale):Diagram1-Combination2
- L9 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 1:Diagram1
- L9 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 2:Diagram1
- L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-Combination1
- L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-Combination2
- L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-Combination3
- L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-Combination4
- L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-Combination5
- L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-Combination6
- L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-Combination7
- L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-Combination8
- L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-Combination9
- L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-Combination10



L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-Combination11
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-Combination12
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-Combination13
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-Combination14
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-Combination15
L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination1
L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination2
L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination3
L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination4
L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination5
L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination6
L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination7
L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination8
L9 - Grid Management (CA2) Day Cab:Diagram1
L9 - TEM Electric Trailer Brake Controller Activated Stop LT:Diagram1
L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option 1:Diagram1-Combination1
L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option 2:Diagram1
L9 - Windshield Wipers:Diagram1

Mates

PDB

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R1 - 30	-	-	VG70J	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	320.0	-	-	-
R1 - 30	-	-	VJ70J	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	320.0	-	-	-
R1 - 85	-	-	VG70-GT	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1935.0	-	-	-
R1 - 85	-	-	VJ70-GT	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1935.0	-	-	-
R1 - 86	-	-	VG70D	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2350.0	-	F15	J4-1601
R1 - 86	-	-	VJ70DA	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	390.0	-	X	-
R1 - 86	-	-	VG70D	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2350.0	-	F15	1601
R1 - 87	-	-	TJ70ET	3510369 R1	4.81	10.0	Thin Wall XLPE Primary Cable	RED	1195.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R1 - 87	-	-	TK70T	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	2315.0	-	9	1701
R2 - 30	-	-	AA82P	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	0.0	-	R5 - 30	1011
R2 - 85	-	-	AA82M	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	225.0	-	X	-
R2 - 86	-	-	AA82F	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	E7	J4-1601
R2 - 87	-	-	AA82E	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	225.0	-	X	-
R2 - 87A	-	-	AA82J	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	3410.0	-	72	1703M
R3 - 30	-	-	GZ92#10 3B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1055.0	-	X	-
R3 - 30	-	-	GX92#10 3B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3410.0	-	55	1703M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R3 - 85	-	-	VA92#11 7B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2750.0	-	-	-
R3 - 86	-	-	VA92#11 7A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2350.0	-	E16	J4-1601
R3 - 86	-	-	VA92#11 7A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2350.0	-	E16	1601
R3 - 87	-	-	VA92#11 7C	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3410.0	-	43	1703M
R4 - 30	-	-	CD14DA	3510369 R1	4.81	10.0	Thin Wall XLPE Primary Cable	RED	575.0	-	-	-
R4 - 85	-	-	AE11-GR	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1255.0	-	X	-
R4 - 85	-	-	AD11-GR	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1255.0	-	X	-
R4 - 86	-	-	EJ12S	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	255.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R4 - 86	-	-	EH12C	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2825.0	-	A	J6-1606
R4 - 87	-	-	EH12D	3510344 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	245.0	-	-	-
R4 - 87	-	-	EJ12D	3510344 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	245.0	-	-	-
R5 - 30	-	-	AA82P	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	0.0	-	R2 - 30	1011
R5 - 85	-	-	AA82N	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	225.0	-	X	-
R5 - 86	-	-	AA82H	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	E6	J4-1601
R5 - 87	-	-	AA82K	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	3410.0	-	69	1703M
R5 - 87A	-	-	AA82L	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	3410.0	-	70	1703M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R6 - 30	-	-	KM18	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1135.0	-	X	-
R6 - 30	-	-	KK18	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1135.0	-	X	-
R6 - 85	-	-	KK18A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	F12	J4-1601
R6 - 85	-	-	KM18E	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	F12	J4-1601
R6 - 85	-	-	KL18D	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2350.0	-	F12	J4-1601
R6 - 86	-	-	KM18-GB	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1935.0	-	-	-
R6 - 86	-	-	KK18-GB	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1935.0	-	-	-
R6 - 86	-	-	KL18-GB	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1935.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
R6 - 87	-	-	KK18V	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	365.0	-	-	-
R6 - 87	-	-	KL18V	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	365.0	-	-	-
R6 - 87	-	-	KM18V	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	365.0	-	-	-

Connector Name 1012
 Part Number 3768010C1
 Instances

- B6.7 - Back-Up Alarm (Automatic) W/ Tailboard:Diagram1
- B6.7 - Back-Up Alarm (Automatic) W/O Tailboard:Diagram1
- B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1:Diagram1-Combination1
- B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1:Diagram1-Combination2
- B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2:Diagram1-Combination1
- B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2:Diagram1-Combination2
- B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination1
- B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination2
- B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination3
- B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual):Diagram1-Combination1
- B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual):Diagram1-Combination2
- B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual):Diagram1-Combination3
- B6.7 - Remote Start/Stop w/ Emergency Pump:Diagram1
- L9 - Back-Up Alarm (Automatic) W/ Tailboard:Diagram1
- L9 - Back-Up Alarm (Automatic) W/O Tailboard:Diagram1
- L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1:Diagram1-Combination1
- L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1:Diagram1-Combination2
- L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2:Diagram1-Combination1
- L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2:Diagram1-Combination2
- L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 3:Diagram1-Combination1
- L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 3:Diagram1-Combination2
- L9 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination1
- L9 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination2



L9 - Body Builder Lighting - Combined Turn and Stop Lamps
(Automatic):Diagram1-Combination3
L9 - Body Builder Lighting - Combined Turn and Stop Lamps
(Manual):Diagram1-Combination1
L9 - Body Builder Lighting - Combined Turn and Stop Lamps
(Manual):Diagram1-Combination2
L9 - Body Builder Lighting - Combined Turn and Stop Lamps
(Manual):Diagram1-Combination3
L9 - Lift Axle Controls (Center Pedestal Controls f/ 1 lift
axle):Diagram1-Combination1
L9 - Lift Axle Controls (Center Pedestal Controls f/ 1 lift
axle):Diagram1-Combination2
L9 - Lift Axle Controls (Center Pedestal Controls f/ 2 Lift
Axles):Diagram1
L9 - Lift Axle Controls (Center Pedestal Controls f/ 3 lift
axles):Diagram1
L9 - Remote Start/Stop w/ Emergency Pump:Diagram1
L9 - WORK LIGHT W BackUP 1 BULB Option 2:Diagram1-
Combination1
L9 - WORK LIGHT W BackUP 1 BULB Option 2:Diagram1-
Combination2

Mates

RLY-REV_ALARM/LT-3009-01-0 1A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R2 - 30	-	-	ZC71A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	120.0	-	X	-
R2 - 30	-	-	ZJ71A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	120.0	-	X	-
R2 - 30	-	-	ZL71	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	475.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R2 - 85	-	-	ZJ92#16 5A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3505.0	-	45	1703M
R2 - 85	-	-	ZC92#16 5A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3505.0	-	45	1703M
R2 - 86	-	-	ZC71B	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	120.0	-	X	-
R2 - 86	-	-	ZJ71B	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	120.0	-	X	-
R2 - 87	-	-	ZC71BA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2410.0	-	-	-
R2 - 87	-	-	ZJ71AB	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1805.0	-	-	-
R2 - 87	-	-	ZL71AC	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1805.0	-	-	-
R2 - 87	-	-	ZL71BA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1805.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R5 - 30	-	-	VJ70JA	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	495.0	-	-	-
R5 - 30	-	-	VN70JA	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	495.0	-	-	-
R5 - 85	-	-	VJ70-GV	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2030.0	-	-	-
R5 - 85	-	-	VN70-GV	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2030.0	-	-	-
R5 - 86	-	-	VN70D	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2445.0	-	F15	J4-1601
R5 - 86	-	-	VJ70DB	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	460.0	-	X	-
R5 - 86	-	-	VN70D	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2445.0	-	F15	1601
R5 - 87	-	-	VM70TA	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	5105.0	-	C	4460M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R5 - 87	-	-	VS70TA	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	2410.0	-	72	1701
R5 - 87	-	-	VL70TA	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	2410.0	-	72	1701
R5 - 87	-	-	VQ70TA	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	1410.0	-	-	-
R6 - 30	-	-	LJ104DA	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	460.0	-	-	-
R6 - 85	-	-	LJ104DC	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2445.0	-	E1	J4-1601
R6 - 86	-	-	DF13DU	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	390.0	-	X	-
R6 - 87	-	-	LJ104DB	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	2410.0	-	44	1701

Connector Name 1013

Part Number 3768010C1

Instances
 L9 - Axle Lift Controls:Diagram1-Combination1
 L9 - Axle Lift Controls:Diagram1-Combination2
 L9 - Axle Lift Controls:Diagram1-Combination3
 L9 - Axle Lift Controls:Diagram1-Combination4
 L9 - Axle Lift Controls Option 2:Diagram1-Combination1
 L9 - Axle Lift Controls Option 2:Diagram1-Combination2
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination1
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination2
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination3
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination4
 L9 - Snow Valve Control:Diagram1-Combination1
 L9 - Snow Valve Control:Diagram1-Combination2
 Mirrors (Heat) Switch Pack Actuated Relay Driven:Diagram1



Mates PDB

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R1 - 30	-	-	RF78RP	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	490.0	-	-	-
R1 - 85	-	-	RF78RR	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2045.0	-	-	-
R1 - 86	-	-	RP78RC	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2460.0	-	F13	J4-1601
R1 - 86	-	-	RN78RK	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	215.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R1 - 87	-	-	RF78	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2150.0	-	X	-
R2 - 30	-	-	QA13B	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	305.0	-	X	-
R2 - 85	-	-	QA23F	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2435.0	-	J	J1-1603
R2 - 86	-	-	QA11-GM	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1275.0	-	X	-
R2 - 87	-	-	QA23DA	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	0.0	-	R5 - 85	1013
R2 - 87A	-	-	QA23H	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	0.0	-	R6 - 85	1013
R3 - 30	-	-	KT59KD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	230.0	-	X	-
R3 - 30	-	-	KS59KD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	230.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R3 - 85	-	-	KT59-GM	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1065.0	-	X	-
R3 - 85	-	-	KS59-GCA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1065.0	-	X	-
R3 - 86	-	-	KT71P	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1820.0	-	-	-
R3 - 86	-	-	KS71P	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1820.0	-	-	-
R3 - 87A	-	-	KT59KA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1120.0	-	X	-
R3 - 87A	-	-	KS59KB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1120.0	-	X	-
R4 - 30	-	-	KT59JC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	200.0	-	X	-
R4 - 30	-	-	KS59JC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	200.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R4 - 85	-	-	KT59-GMA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1065.0	-	X	-
R4 - 85	-	-	KS59-GC	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1065.0	-	X	-
R4 - 86	-	-	KT59KF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	230.0	-	X	-
R4 - 86	-	-	KS59KF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	230.0	-	X	-
R4 - 87	-	-	KT59KC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	230.0	-	X	-
R4 - 87	-	-	KS59KC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	230.0	-	X	-
R5 - 30	-	-	QA23BC	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1515.0	-	X	-
R5 - 85	-	-	QA23DA	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	0.0	-	R2 - 87	1013

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R5 - 86	-	-	QA23CA	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3520.0	-	5	1703M
R5 - 87	-	-	QA13C	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	305.0	-	X	-
R5 - 87A	-	-	QA11-GCH	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1275.0	-	X	-
R6 - 30	-	-	QA23DB	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2430.0	-	X	-
R6 - 85	-	-	QA23H	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	0.0	-	R2 - 87A	1013
R6 - 86	-	-	QA23EB	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1485.0	-	X	-
R6 - 87	-	-	QA13DA	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	305.0	-	X	-
R6 - 87A	-	-	QA11-GCJ	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1275.0	-	X	-

Connector Name 1014
 Part Number 3768010C1
 Instances B6.7 - Grid Management (CA2) Day Cab:Diagram1
 L9 - Grid Management (CA2) Day Cab:Diagram1
 L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination1
 L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination2
 L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination3
 L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination4
 L9 - Heated Windshield:Diagram1
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination1
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination2
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination3
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination4
 L9 - Starter Interlock (BCM LSD Controlled w/ Relay & N/ Auto SS)_EATON XMSN:Diagram1



Mates PDB


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R1 - 30	-	-	RK78E	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	525.0	-	-	-
R1 - 85	-	-	RK78-GD	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2875.0	-	-	-
R1 - 86	-	-	RK78BC	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	170.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R1 - 87	-	-	RK78D	3510295 R1	1.91	14.0	Thin Wall XLPE Primary Cable	BLACK	2460.0	-	A	3001
R2 - 30	-	-	UD14A	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	445.0	-	-	-
R2 - 85	-	-	UD92-GC	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	3535.0	-	21	1703M
R2 - 86	-	-	UD92B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3535.0	-	28	1703M
R2 - 87	-	-	UD17B	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2950.0	-	M	J6-1606
R4 - 30	-	-	CD14DB	3510369 R1	4.81	10.0	Thin Wall XLPE Primary Cable	RED	580.0	-	X	-
R4 - 85	-	-	AE11-GY	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1380.0	-	X	-
R4 - 85	-	-	AD11-GY	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1380.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R4 - 86	-	-	DE13DF	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	420.0	-	X	-
R4 - 86	-	-	DF13DF	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	420.0	-	X	-
R4 - 87	-	-	DJ13DG	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	525.0	-	-	-
R5 - 30	-	-	RK78	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	490.0	-	-	-
R5 - 85	-	-	RK78-GC	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2875.0	-	-	-
R5 - 86	-	-	RK78F	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	170.0	-	X	-
R5 - 87	-	-	RK78B	3510295 R1	1.91	14.0	Thin Wall XLPE Primary Cable	BLACK	3595.0	-	A	3004
R6 - 30	-	-	RM78AA	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	490.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R6 - 85	-	-	RM78RM	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2060.0	-	-	-
R6 - 86	-	-	RN78RD	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	230.0	-	X	-
R6 - 86	-	-	RR78RC	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2475.0	-	F13	J4-1601
R6 - 87	-	-	RM78AB	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1350.0	-	X	-

Connector Name 1015
 Part Number 3768015C1
 Instances Key Switch Ignition:Diagram 1
 Mates Operating Grid PDB



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	DJ13DJ	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	230.0	-	X	-
5	-	-	MM13EE	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	4955.0	-	-	-
6	-	-	HE87MB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2525.0	-	-	-
8	-	-	WD44Y	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2445.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
10	-	-	DJ13DK	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	230.0	-	X	-
13	-	-	KT59JB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	290.0	-	-	-
13	-	-	KS59JB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	290.0	-	-	-
13	-	-	KR59J	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2840.0	-	-	-
13	-	-	KU59JB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	290.0	-	-	-
15	-	-	ZA71BB	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	3620.0	-	-	-
15	-	-	ZL71	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	475.0	-	-	-
15	-	-	ZC71	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	355.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
15	-	-	ZH71AA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	3620.0	-	-	-
15	-	-	ZJ71	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	355.0	-	-	-
16	-	-	AB13D	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2570.0	-	-	-
16	-	-	AC13D	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1115.0	-	-	-
18	-	-	DJ13DL	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	230.0	-	X	-
21	-	-	SL86P	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2455.0	-	-	-
21	-	-	SK86P	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	5440.0	-	-	-
21	-	-	SH86P	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	5440.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
21	-	-	SJ86P	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2455.0	-	-	-
22	-	-	RF78RP	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	490.0	-	-	-
23	-	-	AA13EA	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1965.0	-	-	-
24	-	-	-	-	-	-	-	-	-	-	-	-
26	-	-	DJ13DM	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	230.0	-	X	-
29	-	-	YC67A	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	2445.0	-	-	-
30	-	-	KH39A	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2525.0	-	-	-
31	-	-	LL13B	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	375.0	-	-	-
32	-	-	MA97F	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	VIOLET	3620.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
34	-	-	DJ13DN	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	230.0	-	X	-
37	-	-	XE94V	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	3430.0	-	-	-
37	-	-	XU90E	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2525.0	-	-	-
37	-	-	XA94V	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3315.0	-	-	-
38	-	-	KH39	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2525.0	-	-	-
39	-	-	-	-	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-	-	-	-	-


Connector Name 1016
 Part Number 4100070C1
 Instances B6.7 - Grid Management (CA2) Day Cab:Diagram1
 L9 - Grid Management (CA2) Day Cab:Diagram1
 Mates PDB



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
R1 - 30	-	-	CD14DC	3525611 R1	7.48	8.0	Thin Wall XLPE Primary Cable	RED	685.0	-	X	-
R1 - 87	-	-	CD14CA	3525611 R1	7.48	8.0	Thin Wall XLPE Primary Cable	RED	455.0	-	-	-
R2 - 30	-	-	CD14C	3525611 R1	7.48	8.0	Thin Wall XLPE Primary Cable	RED	685.0	-	X	-
R2 - 85	-	-	AE11-GZ	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1485.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
R2 - 85	-	-	AD11-GZ	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1485.0	-	X	-
R2 - 86	-	-	DE13DE	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	525.0	-	X	-
R2 - 86	-	-	DF13DE	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	525.0	-	X	-
R2 - 87	-	-	DJ13DH	3525611 R1	7.48	8.0	Thin Wall XLPE Primary Cable	RED	170.0	-	-	-

Connector Name 1017
 Part Number 3768015C1
 Instances Battery Grid:Diagram 1
 Key Switch Accessory:Diagram 1
 Key Switch Ignition:Diagram 1
 Mates Interior PDM



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	CD14CG	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	140.0	-	X	-
2	-	-	CD14CH	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	140.0	-	X	-
3	-	-	EH12J	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	120.0	-	X	-
3	-	-	EJ12J	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	120.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
4	-	-	CD14AG	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	280.0	-	X	-
5	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	-	-	-	-	-	-	-	-	-	-
8	-	-	TJ14NS	3510296 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BLACK	2050.0	-	-	-
10	-	-	CD14CB	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	140.0	-	X	-
13	-	-	NE14A	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	2030.0	-	-	-
14	-	-	JB86C	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1270.0	-	-	-
15	-	-	AA63BD	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2275.0	-	-	-
16	-	-	RK78	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	490.0	-	-	-
16	-	-	MJ26D	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3445.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
16	-	-	MH26D	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3445.0	-	-	-
17	-	-	CD14CC	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	140.0	-	X	-
18	-	-	CD14CD	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	140.0	-	X	-
19	-	-	CD14CE	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	140.0	-	X	-
20	-	-	CD14CF	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	140.0	-	X	-
21	-	-	KL18V	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	365.0	-	-	-
21	-	-	KK18V	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	365.0	-	-	-
21	-	-	KM18V	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	365.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
23	-	-	JA84	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1420.0	-	-	-
25	-	-	EH12H	3510342 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	120.0	-	X	-
25	-	-	EJ12H	3510342 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	120.0	-	X	-
26	-	-	EH12E	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	120.0	-	X	-
26	-	-	EJ12E	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	120.0	-	X	-
27	-	-	EH12F	3510344 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	120.0	-	X	-
27	-	-	EJ12F	3510344 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	120.0	-	X	-
28	-	-	EH12G	3510342 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	120.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
28	-	-	EJ12G	3510342 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	120.0	-	X	-
29	-	-	ZR12ZA	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	1220.0	-	2	1106
30	-	-	SM86AE	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1900.0	-	-	-
31	-	-	SM86F	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2275.0	-	2	2000
32	-	-	NC12B	3510340 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2030.0	-	-	-
32	-	-	NF12A	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2130.0	-	-	-
34	-	-	DJ13DT	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	425.0	-	X	-
37	-	-	PB97DF	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	3445.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
38	-	-	RM78AA	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	490.0	-	-	-
38	-	-	RL78AA	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	490.0	-	-	-
39	-	-	JC13UC	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	1520.0	-	-	-
39	-	-	JE13U	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	1270.0	-	-	-

Connector Name 1018
 Part Number 3768015C1
 Instances Battery Grid:Diagram 1
 Key Switch Ignition:Diagram 1
 Mates Interior PDM



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	CD14BG	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	150.0	-	X	-
3	-	-	CD14BD	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	150.0	-	X	-
4	-	-	CD14BE	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	150.0	-	X	-
6	-	-	JD86C2	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1395.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
7	-	-	LL14G	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	290.0	-	-	-
8	-	-	-	-	-	-	-	-	-	-	-	-
10	-	-	CD14CJ	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	455.0	-	X	-
11	-	-	CD14BB	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	150.0	-	X	-
12	-	-	CD14BC	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	150.0	-	X	-
14	-	-	VN70JA	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	495.0	-	-	-
14	-	-	VJ70JA	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	495.0	-	-	-
15	-	-	RD81D	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	3945.0	-	-	-
16	-	-	RD81DA	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	3945.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
18	-	-	CD14BA	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	150.0	-	X	-
21	-	-	AA73C	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1285.0	-	-	-
22	-	-	RK78E	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	525.0	-	-	-
24	-	-	JE14UA	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1465.0	-	-	-
24	-	-	JC84C	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1715.0	-	-	-
26	-	-	DJ13DP	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	250.0	-	X	-
29	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	QS13R	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	3010.0	-	-	-
30	-	-	QR13AA	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2595.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
30	-	-	QU14R	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1575.0	-	-	-
30	-	-	QL13A	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1575.0	-	-	-
30	-	-	QZ13R3	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2320.0	-	-	-
30	-	-	QC105	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	5065.0	-	-	-
30	-	-	QD105C	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3810.0	-	-	-
31	-	-	-	-	-	-	-	-	-	-	-	-
32	-	-	QA13A	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	425.0	-	-	-
34	-	-	DJ13DG	3510326 R1	3.01	12.0	Thin Wall XLPE Primary Cable	PINK	525.0	-	-	-
38	-	-	JA13UA	3510322 R1	0.53	20.0	Thin Wall XLPE Primary Cable	PINK	1615.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
39	-	-	UB92#163A	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	3640.0	-	-	-
39	-	-	UL92#163	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2435.0	-	-	-
39	-	-	UD13A	2643752 R1	1.16	16.0	Std. Wall XLPE Primary Cable	PINK	3640.0	-	-	-
40	-	-	MQ98F	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1985.0	-	-	-

Connector Name 101 Clean
 Part Number 475961C1
 Instances B6.7 - Underhood PDM:PDM - UNDERHOOD
 L9 - Underhood PDM:PDM - UNDERHOOD
 Mates UNDERHOOD PDM




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	14A	2645255 R1	18.94	4.0	SGX FLEX 125C	RED	4235.0	-	X	-
A	-	-	AA14A	2645255 R1	18.94	4.0	SGX FLEX 125C	RED	550.0	-	X	-
A	-	-	14A	2645255 R1	18.94	4.0	SGX FLEX 125C	RED	4235.0	-	PIN1	-
A	-	-	AA14A	2645255 R1	18.94	4.0	SGX FLEX 125C	RED	550.0	-	PIN1	-

Connector Name 101 Dirty
 Part Number 3753293C1
 Instances B6.7 - Underhood PDM:PDM - UNDERHOOD
 L9 - Underhood PDM:PDM - UNDERHOOD
 Mates UNDERHOOD PDM




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	14B	2645970 R1	101.95	0.0	SGR 125	RED	300.0	-	2	(102)

Connector Name 1020
 Part Number RING-M-8_0
 Instances L9 - Leece-Neville AVI160-210A/240A Alternator W/
 Sensor:Diagram1
 Mates DEV-Leece_Neville_AVI160_2 10A_240A_Alternator-
 4004-01-04A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WD2-G	2645934 R1	39.43	1.0	SGR 125	BLACK	2805.0	-	1	1200

Connector Name 1020
 Part Number 4063041C1
 Instances Instrument Cluster (Premium):Diagram1-Combination1
 Instrument Cluster (Premium):Diagram1-Combination2
 Mates MODU-CDC-0004-00-04A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	NA28D	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1160.0	-	A9	J7-1607
2	-	-	NA9CDC	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	515.0	-	-	-
3	-	-	NA62F	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	500.0	-	-	-
4	-	-	NA11-GKF	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	1720.0	-	-	-

Connector Name 1021
 Part Number RING-M-8_0
 Instances L9 - Leece-Neville AVI160-210A/240A Alternator W/
 Sensor:Diagram1
 Mates DEV-Leece_Neville_AVI160_2 10A_240A_Alternator-
 4004-01-04A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WD2	2645958 R1	39.43	1.0	SGR 125	RED	2425.0	-	X	-


Connector Name 1021
 Part Number 3613769C1
 Instances Panel Dimmer Splice Packs - 1021:Diagram1
 Mates SP-Panel_Dimmer-B003-10-AA



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AB62DA	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	1020.0	-	-	-
1	-	-	AC62DA	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	1065.0	-	-	-
2	-	-	QA62K	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1345.0	-	-	-
3	-	-	KS62DA	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	1085.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	KU62DA	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	1085.0	-	-	-
3	-	-	KT62DA	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	1085.0	-	-	-
6	-	-	KB62EAL	3510293 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BLACK	940.0	-	-	-
7	-	-	NA62F	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	500.0	-	-	-
10	-	-	RG62DD	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	905.0	-	C	3000F

Connector Name 1022
 Part Number 3613769C1
 Instances Ground Splice Pack - 1022 & 1023:Diagram1
 Mates SP-Ground_1-0003-00-10-A0




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	FB11-GBA	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	190.0	-	-	-
2	-	-	AC11-GN	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1470.0	-	-	-
2	-	-	AB11-GN	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	625.0	-	-	-
3	-	-	RM78RG	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2060.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	RL78RG	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2060.0	-	-	-
4	-	-	KL18-GB	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1935.0	-	-	-
4	-	-	KM18-GB	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1935.0	-	-	-
4	-	-	KK18-GB	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1935.0	-	-	-
6	-	-	YC67-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	500.0	-	47	1700
6	-	-	YA67-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	500.0	-	47	1700
6	-	-	YD67-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	500.0	-	47	1700
7	-	-	VN70-GV	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2030.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	VJ70-GV	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2030.0	-	-	-
8	-	-	RF78RG	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2045.0	-	-	-
10	-	-	HD62-GA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1770.0	-	-	-
11	-	-	VG70-GT	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1935.0	-	-	-
11	-	-	VJ70-GT	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1935.0	-	-	-
14	-	-	TJ11-GAM	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	920.0	-	-	-


Connector Name 1023A
 Part Number 3928059C1
 Instances L9 - Axle Lift Controls:Diagram1-Combination1
 L9 - Axle Lift Controls:Diagram1-Combination2
 L9 - Axle Lift Controls:Diagram1-Combination3
 L9 - Axle Lift Controls:Diagram1-Combination4
 L9 - Axle Lift Controls Option 2:Diagram1-Combination1
 L9 - Axle Lift Controls Option 2:Diagram1-Combination2
 Mates SW-LIFT_AXLE_1_UP/DN-3021- 03-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	KT59MB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2180.0	-	60	1701
1	-	-	KS59MB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2180.0	-	60	1701
2	-	-	KT59SB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	225.0	-	X	-
2	-	-	KS59SB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	225.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
11	-	-	KT59-GB	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	280.0	-	X	-
11	-	-	KS59-GB	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	280.0	-	X	-
12	-	-	KT62D	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	310.0	-	X	-
12	-	-	KS62R	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	310.0	-	X	-

Connector Name 1023B
 Part Number 3928059C1
 Instances L9 - Axle Lift Controls Option 2:Diagram1-Combination1
 L9 - Axle Lift Controls Option 2:Diagram1-Combination2
 Mates SW-LIFT_AXLE_2_UP/DN-3021- 03-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	KS59NB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2180.0	-	61	1701
2	-	-	KS59U	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	225.0	-	X	-
11	-	-	KS59-GDA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	280.0	-	X	-
12	-	-	KS62P	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	310.0	-	X	-


Connector Name 1023
 Part Number 3613769C1
 Instances Ground Splice Pack - 1022 & 1023:Diagram1
 Mates SP-GROUND_2-0003-00-10-A0



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	FB11-GCB	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	1155.0	-	-	-
2	-	-	YG96-GE	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	330.0	-	-	-
3	-	-	UC92-GAH	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1265.0	-	H	7900F
3	-	-	UL92-GAH	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	715.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	JB11-GCC	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	2145.0	-	-	-
5	-	-	MJ11-GAD	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1330.0	-	16	1703M
5	-	-	MH11-GBD	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1330.0	-	16	1703M
7	-	-	RF78-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	975.0	-	D	3204M
12	-	-	NF11-GAL	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1085.0	-	-	-


Connector Name 1025
 Part Number 3601838C1
 Instances B6.7 - CAN Layout:Body Standard J1939 (250Kbps)
 L9 - CAN Layout:Body Standard J1939 (250Kbps)
 Mates SP-IP-B001-00-10-A1-1025



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE722772	-	0.0	-	-	-	0.0	-	F	1028
B	-	-	WIRE722776	-	0.0	-	-	-	0.0	-	32	1703M
C	-	-	WIRE722768	-	0.0	-	-	-	0.0	-	D	1025
D	-	-	WIRE722768	-	0.0	-	-	-	0.0	-	C	1025
E	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	WIRE728833	-	0.0	-	-	-	0.0	-	B	1935N
G	-	-	WIRE728834	-	0.0	-	-	-	0.0	-	A	1935N
H	-	-	-	-	-	-	-	-	-	-	-	-
J	-	-	WIRE722767	-	0.0	-	-	-	0.0	-	K	1025


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
K	-	-	WIRE722767	-	0.0	-	-	-	0.0	-	J	1025
L	-	-	WIRE722775	-	0.0	-	-	-	0.0	-	30	1703M
M	-	-	WIRE728839	-	0.0	-	-	-	0.0	-	G	1028

Connector Name 1027F
 Part Number 1667529C1
 Instances L9 - Lift Axle Controls (Center Pedestal Controls f/ 1 lift axle):Diagram1-Combination1
 L9 - Lift Axle Controls (Center Pedestal Controls f/ 1 lift axle):Diagram1-Combination2
 L9 - Lift Axle Controls (Center Pedestal Controls f/ 2 Lift Axles):Diagram1
 L9 - Lift Axle Controls (Center Pedestal Controls f/ 3 lift axles):Diagram1
 Mates PAN-Lift_Axle_Controls-300 5-04-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	T59MB	2643670 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BLACK	2130.0	-	A	9761M
B	-	-	T59NB	2643670 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BLACK	2130.0	-	B	9761M
C	-	-	T59PB	2643670 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BLACK	2130.0	-	C	9761M


Connector Name 1027
 Part Number 3613769C1
 Instances Ground Splice Pack - 1027:Diagram1
 Mates SP-GROUND_3-0003-00-10-A0



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	FB11-GCC	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	1625.0	-	-	-
2	-	-	NA11-GKF	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	1720.0	-	-	-
3	-	-	MM11-GBE	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	685.0	-	-	-
4	-	-	MM11-GBH	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2215.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
8	-	-	HU103BA	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1375.0	-	-	-
12	-	-	RF78-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2125.0	-	D	3200M
13	-	-	RK78-GC	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2875.0	-	-	-
14	-	-	RK78-GD	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2875.0	-	-	-


Connector Name 1028
 Part Number 3601838C1
 Instances B6.7 - CAN Layout:Body Standard J1939 (250Kbps)
 L9 - CAN Layout:Body Standard J1939 (250Kbps)
 Mates SP-IP-B001-00-10-A1-1028



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE722753	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	-	-	-	-	-	-	-	-	-	-
C	-	-	WIRE722745	-	0.0	-	-	-	0.0	-	D	1028
D	-	-	WIRE722745	-	0.0	-	-	-	0.0	-	C	1028
E	-	-	-	-	-	-	-	-	-	-	-	-
E	-	-	WIRE728843	-	0.0	-	-	-	0.0	-	5	8881
E	-	-	WIRE728841	-	0.0	-	-	-	0.0	-	7	8998
F	-	-	WIRE722772	-	0.0	-	-	-	0.0	-	A	1025
F	-	-	WIRE740264	-	0.0	-	-	-	0.0	-	B	1935N

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
G	-	-	WIRE728 839	-	0.0	-	-	-	0.0	-	M	1025
G	-	-	WIRE740 263	-	0.0	-	-	-	0.0	-	A	1935N
H	-	-	-	-	-	-	-	-	-	-	-	-
H	-	-	WIRE728 842	-	0.0	-	-	-	0.0	-	8	8881
H	-	-	WIRE728 840	-	0.0	-	-	-	0.0	-	6	8998
J	-	-	WIRE722 744	-	0.0	-	-	-	0.0	-	K	1028
K	-	-	WIRE722 744	-	0.0	-	-	-	0.0	-	J	1028
L	-	-	-	-	-	-	-	-	-	-	-	-
M	-	-	WIRE722 752	-	0.0	-	-	-	0.0	-	PIN1	-


Connector Name 1032D
 Part Number 3709437C1
 Instances Power Door Locks:Diagram1
 Power Door Locks Crew Cab:Diagram1
 Power Windows 4-Door N/W RKE:Diagram1
 Mates MODU-FRONT-PS_DOOR_POD-201 6-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	F83A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	705.0	-	2	3002M
2	-	-	F83B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	705.0	-	1	3002M
3	-	-	FC81RA	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1760.0	-	A	4101
3	-	-	F81A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	A	3112M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	FC81RB	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1760.0	-	B	4101
4	-	-	F81B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	B	3112M

Connector Name 1032E
 Part Number 3820176C1
 Instances L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination1
 L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination2
 L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination3
 L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination4
 L9 - WORK LIGHT W RKE 1 BULB:Diagram1-Combination1
 L9 - WORK LIGHT W RKE 1 BULB:Diagram1-Combination2
 L9 - Work Lights LED W/ Sw Pack - Day Cab:Diagram1-Combination1
 L9 - Work Lights LED W/ Sw Pack - Day Cab:Diagram1-Combination2
 Mirrors (Heated):Diagram1
 Mirrors (Power) Door Pod Actuated:Diagram1
 Power Door Locks:Diagram1
 Power Door Locks Crew Cab:Diagram1




Mates MODU-FRONT-PS_DOOR_POD-201 6-01-02A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	FC81A	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1245.0	-	-	-
1	-	-	F81D	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1175.0	-	C	3200F
1	-	-	FC81A	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1245.0	-	C	3200F
2	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	FC81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1245.0	-	D	3200F
4	-	-	F81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1175.0	-	D	3200F

Connector Name 1032F
 Part Number 3709924C1
 Instances Power Door Locks Crew Cab:Diagram1
 Mates MODU-REAR-PS_DOOR_POD-2016 -02-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	F11-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	0.0	-	7	1032F
7	-	-	F11-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	0.0	-	3	1032F

Connector Name 1040
 Part Number RING-M-6_0
 Instances Bosch LH160_LH200 Alternator:Diagram1
 Mates DEV-Bosch_LH160_LG200_Alternator- 4004-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WG2-G	2645931 R1	32.19	2.0	SGR 125	BLACK	2715.0	-	1	1200

Connector Name 1041
 Part Number RING-M-8_0
 Instances Bosch LH160_LH200 Alternator:Diagram1
 Mates DEV-Bosch_LH160_LG200_Alternator- 4004-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WG2	2645955 R1	32.19	2.0	SGR 125	RED	2375.0	-	X	-

Connector Name 1052
 Part Number 1661259C1
 Instances L9 - Automatic Lighting:Diagram1-Combination1
 L9 - Automatic Lighting:Diagram1-Combination2
 Mates SNSR-AMB_LT-1018-03-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AC50A	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2340.0	-	H	0009
A	-	-	AB50A	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1495.0	-	H	0009
B	-	-	AB50B	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1495.0	-	E	0009
B	-	-	AC50B	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2340.0	-	E	0009


Connector Name 1053
 Part Number 4116776C1
 Instances Automatic Lighting - Dual Sensor Twilight/Solar:Diagram1-Combination1
 Automatic Lighting - Dual Sensor Twilight/Solar:Diagram1-Combination2
 Heating Ventilation & Air Conditioning (HVAC) Auto Temp Control:Diagram3 - Sensors
 Mates DEV-SENSOR_SUN_LOAD_TWILIG HT-01



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	ZF75D	2645643 R1	0.35	22.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2730.0	-	4	1200A
2	-	-	ZM50B	2645625 R1	0.35	22.0	Thin Wall XLPE Primary Cable	YELLOW 2	1495.0	-	E	0009
2	-	-	ZS50B	2645625 R1	0.35	22.0	Thin Wall XLPE Primary Cable	YELLOW 2	2340.0	-	E	0009B
3	-	-	ZF14SUN	2645629 R1	0.35	22.0	Thin Wall XLPE Primary Cable	RED	2890.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
4	-	-	ZM50A	2645625 R1	0.35	22.0	Thin Wall XLPE Primary Cable	YELLOW 2	2685.0	-	-	-
4	-	-	ZS50A	2645625 R1	0.35	22.0	Thin Wall XLPE Primary Cable	YELLOW 2	2685.0	-	-	-
5	-	-	ZF75D-G	2645643 R1	0.35	22.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2730.0	-	3	1200A

Connector Name 1070
 Part Number RING-M-6_0
 Instances B6.7 - Bosch LH160_LH200 Alternator:Diagram1
 L9 - Leece-Neville AVI160 Alternator:Diagram1
 Mates DEV-Bosch_LH160_LG200_Alte rnator- 4004-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WK2-G	2645931 R1	32.19	2.0	SGR 125	BLACK	2855.0	-	1	1200

Connector Name 1071
 Part Number RING-M-8_0
 Instances B6.7 - Bosch LH160_LH200 Alternator:Diagram1
 L9 - Leece-Neville AVI160 Alternator:Diagram1
 Mates DEV-Bosch_LH160_LG200_Alte rnator- 4004-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WK2	2645955 R1	32.19	2.0	SGR 125	RED	1275.0	-	X	-

Connector Name 1080
 Part Number RING-M-8_0
 Instances L9 - Leece-Neville - LN 325A Alternator W/Sensor:Diagram1
 Mates DEV-Leece-Neville_LN320_Alt ernator-4004-01-09A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WL2-G	2645940 R1	61.89	0.0	SGR 125	BLACK	2800.0	-	1	1200

Connector Name 1081
 Part Number RING-M-8_0
 Instances L9 - Leece-Neville - LN 325A Alternator W/Sensor:Diagram1
 Mates DEV-Leece-Neville_LN320_Alt ernator-4004-01-09A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WL2	2645964 R1	61.89	0.0	SGR 125	RED	2420.0	-	X	-

Connector Name 1090
 Part Number RING-M-10_0
 Instances L9 - Leece-Neville 320PAH Alternator:Diagram1
 Mates DEV-Leece_Neville_320PAH_A lternator-4004-01-03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WC2-G	2645934 R1	39.43	1.0	SGR 125	BLACK	2885.0	-	1	1200

Connector Name 1091
 Part Number RING-M-8_0
 Instances L9 - Leece-Neville 320PAH Alternator:Diagram1
 Mates DEV-Leece_Neville_320PAH_A lternator-4004-01-03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WC2	2645958 R1	39.43	1.0	SGR 125	RED	2400.0	-	X	-

Connector Name 1100MA
 Part Number 3546518C1
 Instances B6.7 - Cranking Request (w/ Key Switch w/ BCM):Diagram1-Combination2
 Operator Input:Diagram1-Combination2
 Mates SW-KEY-5039-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	EE15	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	2300.0	-	-	-
B	-	-	LH149B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2265.0	-	S	J6-1606
C	-	-	ED149	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2105.0	-	A1	J3-1600
D	-	-	DC149A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2105.0	-	A16	J3-1600


Connector Name 1100
 Part Number 3546518C1
 Instances B6.7 - Cranking Request (w/ Key Switch w/ BCM):Diagram1-Combination1
 Operator Input:Diagram1-Combination1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	EB15	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1830.0	-	-	-
B	-	-	LE149B	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	665.0	-	X	-
B	-	-	LB17H	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1635.0	-	S	J6-1606
B	-	-	LC17HA	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1635.0	-	S	J6-1606


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	LD149B	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	665.0	-	X	-
C	-	-	EC149	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1475.0	-	A1	J3-1600
D	-	-	DG149A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	385.0	-	A16	J3-1600
D	-	-	DB149A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1475.0	-	A16	J3-1600

Connector Name 1101F
 Part Number 3768593C1
 Instances B6.7 - CAN Layout:HMI Standard J1939 (125Kbps)
 L9 - CAN Layout:HMI Standard J1939 (125Kbps)
 Multiplexed Switch Pack (Primary Switch):Diagram1
 Mates SW-J1939_PACK-0009-00-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	WIRE1651	-	0.0	-	-	-	0.0	-	PIN1	-
5	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	WIRE1652	-	0.0	-	-	-	0.0	-	PIN1	-
6	-	-	-	-	-	-	-	-	-	-	-	-

Connector Name 1101M
 Part Number 3507395C1
 Instances Multiplexed Switch Pack (Primary Switch):Diagram1
 Mates SW-J1939_PACK-0009-00-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	AD11-GKD	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1140.0	-	X	-
4	-	-	AE11-GKD	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1140.0	-	X	-
6	-	-	AA14MUX	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	1545.0	-	-	-

Connector Name 1101M
 Part Number 3522071C1
 Instances B6.7 - CAN Layout:HMI Standard J1939 (125Kbps)
 L9 - CAN Layout:HMI Standard J1939 (125Kbps)
 Multiplexed Switch Pack (Primary Switch):Diagram1
 Mates SW-J1939_PACK-0009-00-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	WIRE1649	-	0.0	-	-	-	0.0	-	PIN1	-
5	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	WIRE1650	-	0.0	-	-	-	0.0	-	PIN1	-
6	-	-	-	-	-	-	-	-	-	-	-	-

Connector Name 1106
 Part Number 3928059C1
 Short Description IP AUX ROOF LOAD SWITCH
 Instances Key Switch Accessory:Diagram 1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	ZR12ZA	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	1220.0	-	29	1017


Connector Name 1107
 Part Number 3928059C1
 Instances L9 - Snow Valve Control:Diagram1-Combination1
 L9 - Snow Valve Control:Diagram1-Combination2
 Mates SW-SNOW_VALVE-5042-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	QA9Z	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1360.0	-	-	-
2	-	-	QA9ZC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	F13	J5-1602
9	-	-	QA23EC	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1190.0	-	X	-
10	-	-	QA13DB	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	990.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
11	-	-	QA11-GAD	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	980.0	-	X	-
12	-	-	QA62K	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1345.0	-	-	-


Connector Name 1108
 Part Number 3928059C1
 Instances L9 - Axle Lift Controls:Diagram1-Combination1
 L9 - Axle Lift Controls:Diagram1-Combination2
 L9 - Axle Lift Controls:Diagram1-Combination3
 L9 - Axle Lift Controls:Diagram1-Combination4
 L9 - Axle Lift Controls Option 2:Diagram1-Combination1
 L9 - Axle Lift Controls Option 2:Diagram1-Combination2
 Mates SW-LIFT_AXLE_ENABLE-3021-0 3-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	KS59JD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1155.0	-	X	-
2	-	-	KU59JD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1155.0	-	X	-
2	-	-	KT59JD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1155.0	-	X	-
4	-	-	KT59KE	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1185.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	KS59KE	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1185.0	-	X	-
9	-	-	KT59-GBA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	280.0	-	X	-
9	-	-	KS59-GBA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	280.0	-	X	-
10	-	-	KT59TA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	225.0	-	X	-
10	-	-	KS59TA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	225.0	-	X	-
11	-	-	KT59-GA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	280.0	-	X	-
11	-	-	KS59-GA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	280.0	-	X	-
12	-	-	KT62DB	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	310.0	-	X	-
12	-	-	KS62Q	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	310.0	-	X	-

Connector Name 1111
 Part Number RING-M-8_0
 Instances B6.7 - Delco Remy 28SI Alternator W/Sensor:Diagram1
 Delco Remy 28SI Alternator W/Sensor:Diagram1
 Mates DEV-Delco_Remy_28SI_Altern ator-4004-01-05A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WE2	2645955 R1	32.19	2.0	SGR 125	RED	1190.0	-	X	-

Connector Name 1112
 Part Number RING-M-6_0
 Instances B6.7 - Delco Remy 28SI Alternator W/Sensor:Diagram1
 Delco Remy 28SI Alternator W/Sensor:Diagram1
 Mates DEV-Delco_Remy_28SI_Altern ator-4004-01-05A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WE2-G	2645931 R1	32.19	2.0	SGR 125	BLACK	2840.0	-	1	1200


Connector Name 1112
 Part Number 1661260C1
 Instances L9 - Seatbelt Reminder (Warning)(Driver & Passenger in parallel):Diagram1
 L9 - Seatbelt Reminder (Warning)(Driver only):Diagram1
 Mates SW-SEATBELT-2017-03-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	QW79B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2206.0	-	X	-
A	-	-	QI79A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3110.0	-	A2	J3-1600
B	-	-	QW9BC	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2176.0	-	-	-
B	-	-	QI9BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	4090.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	QW9BC	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2176.0	-	X	-

Connector Name 1113
 Part Number 1661260C1
 Instances L9 - Seatbelt Reminder (Warning)(Driver & Passenger in parallel):Diagram1
 Mates SW-SEATBELT-2017-03-01B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	QW79C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2906.0	-	X	-
B	-	-	QW9BD	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2876.0	-	X	-

Connector Name 1200A
 Part Number 3768152C1
 Instances B6.7 - CAN Layout:Cab Standard J1939 (250Kbps)
 B6.7 - Heating Ventilation & Air Conditioning (HVAC):Diagram1
 Heating Ventilation & Air Conditioning (HVAC) Auto Temp
 Control:Diagram1 - HVAC
 Heating Ventilation & Air Conditioning (HVAC) Auto Temp
 Control:Diagram2 - Actuators
 Heating Ventilation & Air Conditioning (HVAC) Auto Temp
 Control:Diagram3 - Sensors
 L9 - CAN Layout:Cab Standard J1939 (250Kbps)
 L9 - Heating Ventilation & Air Conditioning (HVAC):Diagram1
 Mates MODU-HVAC_CRTL_HEAD-6003-0 6-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AA73A	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	X	-
2	-	-	AE74-G	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	1180.0	-	X	-
2	-	-	AD74-G	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	1180.0	-	X	-
3	-	-	ZF75D-G	2645643 R1	0.35	22.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2730.0	-	5	1053

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	ZF75D	2645643 R1	0.35	22.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2730.0	-	1	1053
5	-	-	AA75B	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	P	1200E
6	-	-	TA75A	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1390.0	-	X	-
7	-	-	-	-	-	-	-	-	-	-	-	-
7	-	-	WIRE720 031	-	0.0	-	-	-	0.0	-	PIN1	-
8	-	-	-	-	-	-	-	-	-	-	-	-
8	-	-	WIRE720 033	-	0.0	-	-	-	0.0	-	PIN1	-
9	-	-	AA74A2	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	B	1200E
10	-	-	AA74B2	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	G	1200E
11	-	-	AA74D5	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	K	1200C
12	-	-	AA73B	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
13	-	-	AD74-GA	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	1180.0	-	X	-
13	-	-	AE74-GA	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	1180.0	-	X	-
14	-	-	ZF75TS1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1790.0	-	2	1200F
15	-	-	ZF75TS2	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1790.0	-	1	1200F
16	-	-	ZF75TS3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1790.0	-	4	1200F
17	-	-	ZF75TS4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1790.0	-	3	1200F
18	-	-	AA74C2	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	B	1200C
19	-	-	AA74E2	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	M	1200C

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
21	-	-	AA74D2	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	G	1200C
22	-	-	AA74D4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	J	1200C

Connector Name 1200B
 Part Number 3768153C1
 Instances B6.7 - Heating Ventilation & Air Conditioning (HVAC):Diagram1
 Heating Ventilation & Air Conditioning (HVAC) Auto Temp
 Control:Diagram2 - Actuators
 L9 - Heating Ventilation & Air Conditioning (HVAC):Diagram1
 Mates MODU-HVAC_CTRL_HEAD-6003-0 5-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AA74B1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	F	1200E
2	-	-	AA74B3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	H	1200E
3	-	-	AA74B4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	J	1200E
4	-	-	AA74C1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	A	1200C

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	AA74C3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	C	1200C
6	-	-	AA74C4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	D	1200C
7	-	-	AA74C5	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	E	1200C
8	-	-	AA74E1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	L	1200C
9	-	-	AA74E3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	N	1200C
10	-	-	AA74E4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	P	1200C
11	-	-	AA74E5	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	S	1200C
12	-	-	AA74B5	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	K	1200E

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
13	-	-	AA74A1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	A	1200E
14	-	-	AA74A3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	C	1200E
15	-	-	AA74A4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	D	1200E
16	-	-	AA74A5	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	E	1200E
21	-	-	AA74D1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	F	1200C
22	-	-	AA74D3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	H	1200C

Connector Name 1200C
 Part Number 4057474C1
 Instances B6.7 - Heating Ventilation & Air Conditioning (HVAC):Diagram1
 Heating Ventilation & Air Conditioning (HVAC) Auto Temp
 Control:Diagram2 - Actuators
 L9 - Heating Ventilation & Air Conditioning (HVAC):Diagram1
 Mates MODU-HEAT/EVAP-6003-04-04A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AA74C1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	4	1200B
B	-	-	AA74C2	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	18	1200A
C	-	-	AA74C3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	5	1200B
D	-	-	AA74C4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	6	1200B

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
E	-	-	AA74C5	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	7	1200B
F	-	-	AA74D1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	21	1200B
G	-	-	AA74D2	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	21	1200A
H	-	-	AA74D3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	22	1200B
J	-	-	AA74D4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	22	1200A
K	-	-	AA74D5	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	11	1200A
L	-	-	AA74E1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	8	1200B
M	-	-	AA74E2	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	19	1200A


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
N	-	-	AA74E3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	9	1200B
P	-	-	AA74E4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	10	1200B
S	-	-	AA74E5	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3240.0	-	11	1200B

Connector Name 1200D
 Part Number 4061870C1
 Instances B6.7 - Heating Ventilation & Air Conditioning (HVAC):Diagram1
 Heating Ventilation & Air Conditioning (HVAC) Auto Temp
 Control:Diagram1 - HVAC
 L9 - Heating Ventilation & Air Conditioning (HVAC):Diagram1
 Mates MODU-HEAT/EVAP-6003-04-04A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TA75AC	2643695 R1	3.01	12.0	Std. Wall XLPE Primary Cable	RED	3415.0	-	-	-
B	-	-	AD75-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2170.0	-	X	-
B	-	-	AE75-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2170.0	-	X	-

Connector Name 1200E
 Part Number 4057658C1
 Instances B6.7 - Heating Ventilation & Air Conditioning (HVAC):Diagram1
 Heating Ventilation & Air Conditioning (HVAC) Auto Temp Control:Diagram1 - HVAC
 Heating Ventilation & Air Conditioning (HVAC) Auto Temp Control:Diagram2 - Actuators
 L9 - Heating Ventilation & Air Conditioning (HVAC):Diagram1
 Mates MODU-HEAT/EVAP-6003-04-04A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AA74A1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	13	1200B
B	-	-	AA74A2	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	9	1200A
C	-	-	AA74A3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	14	1200B
D	-	-	AA74A4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	15	1200B

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	AA74A5	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	16	1200B
F	-	-	AA74B1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	1	1200B
G	-	-	AA74B2	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	10	1200A
H	-	-	AA74B3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	2	1200B
J	-	-	AA74B4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	3	1200B
K	-	-	AA74B5	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	12	1200B
L	-	-	SA77D	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2945.0	-	A10	J7-1607
L	-	-	SA77D	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2945.0	-	A10	1607


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
M	-	-	AA6AM	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2945.0	-	B10	J7-1607
M	-	-	AA6AM	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2945.0	-	B10	1607
N	-	-	TA75AB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2000.0	-	X	-
P	-	-	AA75B	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3390.0	-	5	1200A

Connector Name 1200F
 Part Number 4116508C1
 Instances Heating Ventilation & Air Conditioning (HVAC) Auto Temp Control:Diagram3 - Sensors
 Mates DEV-ITOS_SNSR-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	ZF75TS2	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1790.0	-	15	1200A
2	-	-	ZF75TS1	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1790.0	-	14	1200A
3	-	-	ZF75TS4	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1790.0	-	17	1200A
4	-	-	ZF75TS3	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1790.0	-	16	1200A

Connector Name 1200
 Part Number RING-E-1-2_0
 Instances L9 - Cranking (Starter) GEN4 BCM W/O Thermal
 Overcrank:Diagram1-Combination1
 Mates MOT-STARTER-5024-01-04




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	14-G	2645929 R1	18.94	4.0	SGX NFLEX 125	BLACK	4450.0	-	A	9257

Connector Name 1201
 Part Number RING-E-1-2_0
 Instances B6.7 - Bosch LH160_LH200 Alternator:Diagram1
 B6.7 - Cranking (Starter) GEN4 BCM W/O Thermal
 Overcrank:Diagram1
 B6.7 - Delco Remy 28SI Alternator W/Sensor:Diagram1
 Mates MOT-STARTER-5024-01-04



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WE2-FLB	2643473 R1	4.81	10.0	FUSEABLE LINK	RUST	170.0	-	X	-
A	-	-	WE2-FLA	2643473 R1	4.81	10.0	FUSEABLE LINK	RUST	170.0	-	X	-
A	-	-	WK2-FLB	2643473 R1	4.81	10.0	FUSEABLE LINK	RUST	170.0	-	X	-
A	-	-	WK2-FLA	2643473 R1	4.81	10.0	FUSEABLE LINK	RUST	170.0	-	X	-
A	-	-	14	2645953 R1	18.94	4.0	SGX NFLEX 125	RED	3700.0	-	A	9251


Connector Name 1202
 Part Number 3767197C1
 Instances L9 - Hazard Warning Light N/Trlr Socket:Diagram1-Combination1
 L9 - Hazard Warning Light N/Trlr Socket:Diagram1-Combination2
 Mates SW-HAZARD-1014-04-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AD60-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	740.0	-	X	-
1	-	-	AE60-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	740.0	-	X	-
2	-	-	AA60A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1475.0	-	A6	J7-1607
3	-	-	AB60C	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1310.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	AC60C	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1310.0	-	X	-
4	-	-	KA60B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	500.0	-	X	-


Connector Name 1227
 Part Number 1661889C1
 Instances L9 - Lift Axle Controls (Center Pedestal Controls f/ 1 lift axle):Diagram1-Combination1
 L9 - Lift Axle Controls (Center Pedestal Controls f/ 1 lift axle):Diagram1-Combination2
 L9 - Lift Axle Controls (Center Pedestal Controls f/ 2 Lift Axles):Diagram1
 L9 - Lift Axle Controls (Center Pedestal Controls f/ 3 lift axles):Diagram1
 Mates PAN-Lift_Axle_Controls-300 5-04-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KR59H	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3780.0	-	X	-
B	-	-	KR59K	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3780.0	-	X	-
C	-	-	KR59-GBN	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	5435.0	-	-	-

Connector Name 1234
Part Number 3605713C1
Instances

- B6.7 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination1
- B6.7 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination2
- B6.7 - CAN Layout:Euro 3 Powertrain Standard J1939 (500Kbps)
- B6.7 - Rear Lights Stop - Single Assembly:Diagram1
- B6.7 - Remote Start/Stop:Diagram1
- B6.7 - Remote Start/Stop w/ Emergency Pump:Diagram1
- B6.7 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination2
- B6.7 - Trip Odometer (w/ECM & TCM):Diagram1
- L9 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination1
- L9 - Auto Neutral (Allison without Multiplex Switch and Confirmation Telltale):Diagram1-Combination1
- L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1:Diagram1-Combination1
- L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2:Diagram1-Combination1
- L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 3:Diagram1-Combination1
- L9 - CAN Layout:Euro 5 Powertrain Standard J1939 (250Kbps)
- L9 - Hill Start Aid (Bendix):Diagram1-Combination1
- L9 - Hill Start Aid (Bendix):Diagram1-Combination2
- L9 - Rear Lights Stop - Dual Assembly:Diagram1
- L9 - Rear Lights Stop - Single Assembly:Diagram1
- L9 - Remote Start/Stop:Diagram1
- L9 - Remote Start/Stop w/ Emergency Pump:Diagram1
- L9 - Transfer Case - High/Low Air Sol:Diagram1
- L9 - Transfer Case - High/Neu/Low Air Sol:Diagram1
- L9 - Transmission (Allison 3K/4K):Diagram1-Combination2
- L9 - Transmission Oil Temperature-Automatic Trans:Diagram1
- L9 - Transmission Power Take Off (Auto Trans Single PTO w/21 Parameters):Diagram1
- L9 - Transmission Power Take Off (Auto Trans with Lectradrive):Diagram1
- L9 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination2
- L9 - Trip Odometer (w/ECM & TCM):Diagram1
- L9 - Vehicle Speedometer System (Automatic XMSN):Diagram1



Starter Interlocks (BCM Controlled with Input from Allison 3K/4K
 TCM):Diagram1-Combination1
 Trans Range Inhibit (J1939 Comm):Diagram1
 Transmission - MODE Selection:Diagram1
 Transmission Oil Temperature-Automatic Trans w/Aux
 Gauge:Diagram1
 Transmission Power Take Off (Single PTO W/ RPM and Auto
 Trans):Diagram1

Mates

MODU-TCM-A002-10-03

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	A92#101	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	370.0	-	1	1235
3	-	-	A92#103	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	370.0	-	2	1235
5	-	-	A92#105	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	370.0	-	3	1235
6	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	WIRE728 823	-	0.0	-	-	-	0.0	-	12	1237
9	-	-	A92#109	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	370.0	-	4	1235
10	-	-	A92#110	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	370.0	-	5	1235

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
11	-	-	A92#111	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	370.0	-	5	1236
12	-	-	A92#112	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	370.0	-	6	1236
16	-	-	A92#116	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	370.0	-	7	1236
17	-	-	A92#117	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	370.0	-	6	1235
18	-	-	A92#118	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	370.0	-	18	1237
19	-	-	A92#119	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	370.0	-	15	1235
20	-	-	A92#120	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	370.0	-	3	1237
22	-	-	A92#122	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	370.0	-	7	1235

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
23	-	-	A92#123	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	370.0	-	8	1235
24	-	-	A92#124	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	370.0	-	16	1235
25	-	-	A47#125	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	370.0	-	8	1237
27	-	-	-	-	-	-	-	-	-	-	-	-
27	-	-	WIRE728 824	-	0.0	-	-	-	0.0	-	4	1237
30	-	-	A92#130	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	370.0	-	10	1235
31	-	-	A92#131	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	370.0	-	9	1236
33	-	-	A92#133	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	370.0	-	10	1236
34	-	-	A92#134	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	370.0	-	11	1235
36	-	-	A92#136	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	370.0	-	11	1236


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
37	-	-	A92#137	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	370.0	-	12	1236
39	-	-	A48#139	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	370.0	-	1	1237
40	-	-	A47#140	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	370.0	-	2	1237
41	-	-	A92#141	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	370.0	-	12	1235
42	-	-	A92#142	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	370.0	-	13	1237
43	-	-	A92#143	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	370.0	-	13	1235
45	-	-	A92#145	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	370.0	-	14	1235
51	-	-	A92#151	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	370.0	-	15	1236

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
52	-	-	A92#152	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	370.0	-	16	1236
54	-	-	A31#154	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	370.0	-	17	1236
55	-	-	A92#155	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	370.0	-	5	1237
56	-	-	A92#156	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	370.0	-	14	1237
58	-	-	A92#158	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	370.0	-	13	1236
59	-	-	A48#159	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	370.0	-	9	1237
60	-	-	A47#160	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	370.0	-	10	1237
61	-	-	A92#161	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	370.0	-	15	1237

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
62	-	-	A92#162	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	370.0	-	17	1235
63	-	-	A92#163	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	370.0	-	18	1235
64	-	-	A92#164	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	370.0	-	1	1236
65	-	-	A92#165	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	370.0	-	2	1236
69	-	-	A92#169	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	370.0	-	3	1236
70	-	-	A92#170	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	370.0	-	4	1236
71	-	-	A92#171	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	370.0	-	14	1236
74	-	-	A92#174	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	370.0	-	6	1237

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
75	-	-	A92#175	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	370.0	-	16	1237
76	-	-	A92#176	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	370.0	-	7	1237
77	-	-	A92#177	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	370.0	-	8	1236
80	-	-	A92#180	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	370.0	-	11	1237

Connector Name 1234
 Part Number 3605713C1
 Instances B6.7 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination1
 B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1:Diagram1-Combination1
 B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2:Diagram1-Combination1
 B6.7 - Transmission (Allison 3K/4K):Diagram1-Combination1
 B6.7 - Transmission Power Take Off (Auto Trans Single PTO w/21 Parameters):Diagram1
 B6.7 - Vehicle Speedometer System (Automatic XMSN) NA:Diagram1
 L9 - CAN Layout:Euro 3 Powertrain Standard J1939 (250 Kbps)
 Mates MODU-TCM-A002-10-03



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	A92#101	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	370.0	-	-	-
3	-	-	A92#103	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	370.0	-	-	-
3	-	-	A92#103	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	370.0	-	2	1235
5	-	-	A92#105	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	370.0	-	-	-
6	-	-	-	-	-	-	-	-	-	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
6	-	-	WIRE728823	-	0.0	-	-	-	0.0	-	12	1237
9	-	-	A92#109	3510311R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	370.0	-	4	1235
10	-	-	A92#110	3510323R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	370.0	-	5	1235
11	-	-	A92#111	3510317R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	370.0	-	-	-
12	-	-	A92#112	3510323R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	370.0	-	-	-
15	-	-	A92#115	3510359R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	370.0	-	-	-
16	-	-	A92#116	3510341R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	370.0	-	-	-
17	-	-	A92#117	3510341R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	370.0	-	-	-
17	-	-	A92#117	3510341R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	370.0	-	6	1235

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
18	-	-	A92#118	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	370.0	-	-	-
19	-	-	A92#119	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	370.0	-	-	-
20	-	-	A92#120	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	370.0	-	-	-
22	-	-	A92#122	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	370.0	-	-	-
23	-	-	A92#123	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	370.0	-	-	-
24	-	-	A92#124	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	370.0	-	-	-
25	-	-	A47#125	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	370.0	-	-	-
27	-	-	-	-	-	-	-	-	-	-	-	-
27	-	-	WIRE728 824	-	0.0	-	-	-	0.0	-	4	1237
30	-	-	A92#130	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	370.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
31	-	-	A92#131	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	370.0	-	-	-
33	-	-	A92#133	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	370.0	-	-	-
34	-	-	A92#134	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	370.0	-	-	-
36	-	-	A92#136	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	370.0	-	-	-
37	-	-	A92#137	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	370.0	-	-	-
39	-	-	A48#139	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	370.0	-	-	-
40	-	-	A47#140	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	370.0	-	-	-
41	-	-	A92#141	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	370.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
42	-	-	A92#142	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	370.0	-	-	-
43	-	-	A92#143	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	370.0	-	-	-
45	-	-	A92#145	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	370.0	-	-	-
51	-	-	A92#151	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	370.0	-	-	-
52	-	-	A92#152	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	370.0	-	-	-
54	-	-	A31#154	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	370.0	-	-	-
55	-	-	A92#155	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	370.0	-	-	-
56	-	-	A92#156	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	370.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
57	-	-	A92#157	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	370.0	-	-	-
58	-	-	A92#158	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	370.0	-	-	-
59	-	-	A48#159	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	370.0	-	-	-
60	-	-	A47#160	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	370.0	-	-	-
61	-	-	A92#161	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	370.0	-	-	-
62	-	-	A92#162	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	370.0	-	-	-
63	-	-	A92#163	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	370.0	-	-	-
64	-	-	A92#164	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	370.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
65	-	-	A92#165	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	370.0	-	-	-
65	-	-	A92#165	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	370.0	-	2	1236
69	-	-	A92#169	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	370.0	-	3	1236
70	-	-	A92#170	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	370.0	-	4	1236
71	-	-	A92#171	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	370.0	-	-	-
74	-	-	A92#174	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	370.0	-	-	-
75	-	-	A92#175	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	370.0	-	-	-
76	-	-	A92#176	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	370.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
77	-	-	A92#177	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	370.0	-	-	-
80	-	-	A92#180	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	370.0	-	-	-

Connector Name 1235
 Part Number 3627615C1
 Short Description TRANS MODULE 1
 Instances
 B6.7 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination1
 B6.7 - Transmission (Allison 3K/4K):Diagram1-Combination1
 L9 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination1
 L9 - Auto Neutral (Allison without Multiplex Switch and Confirmation Telltale):Diagram1-Combination1
 L9 - Transmission (Allison 3K/4K):Diagram1-Combination2
 Starter Interlocks (BCM Controlled with Input from Allison 3K/4K TCM):Diagram1-Combination1
 Mates 1501




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	A92#101	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	370.0	-	1	1234
2	-	-	A92#103	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	370.0	-	3	1234
3	-	-	A92#105	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	370.0	-	5	1234
4	-	-	A92#109	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	370.0	-	9	1234

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	A92#110	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	370.0	-	10	1234
6	-	-	A92#117	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	370.0	-	17	1234
7	-	-	A92#122	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	370.0	-	22	1234
8	-	-	A92#123	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	370.0	-	23	1234
10	-	-	A92#130	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	370.0	-	30	1234
11	-	-	A92#134	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	370.0	-	34	1234
12	-	-	A92#141	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	370.0	-	41	1234
13	-	-	A92#143	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	370.0	-	43	1234


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
14	-	-	A92#145	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	370.0	-	45	1234
15	-	-	A92#119	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	370.0	-	19	1234
16	-	-	A92#124	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	370.0	-	24	1234
17	-	-	A92#162	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	370.0	-	62	1234
18	-	-	A92#163	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	370.0	-	63	1234

Connector Name 1235
 Part Number 3627615C1
 Short Description TRANS MODULE 1
 Instances B6.7 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination2
 L9 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination2
 Mates 1501




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
11	-	-	A92#134	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	370.0	-	34	1234

Connector Name 1236
 Part Number 2042685C1
 Short Description TRANS MODULE 2
 Instances B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option
 1:Diagram1-Combination1
 B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option
 2:Diagram1-Combination1
 Mates 1502



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	A92#165	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	370.0	-	65	1234

Connector Name 1236
 Part Number 2042685C1
 Short Description TRANS MODULE 2
 Instances
 B6.7 - Transmission (Allison 3K/4K):Diagram1-Combination1
 L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1:Diagram1-Combination1
 L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2:Diagram1-Combination1
 L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 3:Diagram1-Combination1
 L9 - Transmission (Allison 3K/4K):Diagram1-Combination2
 Mates 1502




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	A92#164	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	370.0	-	64	1234
2	-	-	A92#165	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	370.0	-	65	1234
3	-	-	A92#169	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	370.0	-	69	1234
4	-	-	A92#170	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	370.0	-	70	1234

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	A92#111	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	370.0	-	11	1234
6	-	-	A92#112	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	370.0	-	12	1234
7	-	-	A92#116	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	370.0	-	16	1234
8	-	-	A92#177	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	370.0	-	77	1234
9	-	-	A92#131	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	370.0	-	31	1234
10	-	-	A92#133	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	370.0	-	33	1234
11	-	-	A92#136	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	370.0	-	36	1234
12	-	-	A92#137	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	370.0	-	37	1234


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
13	-	-	A92#158	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	370.0	-	58	1234
14	-	-	A92#171	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	370.0	-	71	1234
15	-	-	A92#151	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	370.0	-	51	1234
16	-	-	A92#152	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	370.0	-	52	1234
17	-	-	A31#154	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	370.0	-	54	1234

Connector Name 1237
 Part Number 2018589C1
 Instances B6.7 - CAN Layout:Euro 3 Powertrain Standard J1939 (500Kbps)
 L9 - CAN Layout:Euro 3 Powertrain Standard J1939 (250 Kbps)
 L9 - CAN Layout:Euro 5 Powertrain Standard J1939 (250Kbps)
 Mates 1503



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	WIRE728824	-	0.0	-	-	-	0.0	-	27	1234
12	-	-	WIRE728823	-	0.0	-	-	-	0.0	-	6	1234

Connector Name 1237
 Part Number 2018589C1
 Short Description TRANS MODULE 3
 Instances L9 - Transmission (Allison 3K/4K):Diagram1-Combination2
 Mates 1503




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	A48#139	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	370.0	-	39	1234
2	-	-	A47#140	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	370.0	-	40	1234
3	-	-	A92#120	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	370.0	-	20	1234
5	-	-	A92#155	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	370.0	-	55	1234

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
6	-	-	A92#174	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	370.0	-	74	1234
7	-	-	A92#176	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	370.0	-	76	1234
8	-	-	A47#125	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	370.0	-	25	1234
9	-	-	A48#159	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	370.0	-	59	1234
10	-	-	A47#160	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	370.0	-	60	1234
11	-	-	A92#180	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	370.0	-	80	1234
13	-	-	A92#142	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	370.0	-	42	1234
14	-	-	A92#156	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	370.0	-	56	1234

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
15	-	-	A92#161	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	370.0	-	61	1234
16	-	-	A92#175	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	370.0	-	75	1234
18	-	-	A92#118	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	370.0	-	18	1234


Connector Name 1300
 Part Number 3597143C1
 Instances
 B6.7 - CAN Layout:Cab Standard J1939 (250Kbps)
 B6.7 - Speaker:Four Speakers Daycab w/BT w/QC:Diagram1
 B6.7 - Speakers:Four Speakers Daycab n/BT w/QC:Diagram1
 B6.7 - Speakers:Two Speakers n/BT w/QC:Diagram1
 B6.7 - Speakers:Two Speakers w/BT w/QC:Diagram1
 L9 - CAN Layout:Cab Standard J1939 (250Kbps)
 L9 - Speaker:Four Speakers Daycab w/BT w/QC:Diagram1
 L9 - Speakers:Four Speakers Daycab n/BT w/QC:Diagram1
 L9 - Speakers:Two Speakers n/BT w/QC:Diagram1
 L9 - Speakers:Two Speakers w/BT w/QC:Diagram1
 Radio:Diagram1
 Radio w/Bluetooth:Diagram1-Combination1
 Radio w/Bluetooth:Diagram1-Combination2
 Radio w/Bluetooth without Steering Wheel Pod:Diagram1
 Radio w/Steering Wheel Pod:Diagram1-Combination1
 Radio w/Steering Wheel Pod:Diagram1-Combination2
 Mates MODU-Radio-2008-02-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	WIRE720043	-	0.0	-	-	-	0.0	-	PIN1	-
2	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	WIRE720045	-	0.0	-	-	-	0.0	-	PIN1	-
4	-	-	SM86AE	3510299R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1900.0	-	-	-
7	-	-	SM86P	3510299R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1855.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
8	-	-	SM86-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	890.0	-	-	-
9	-	-	SP86DA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3320.0	-	C	2312
10	-	-	SP86EA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3320.0	-	D	2312
11	-	-	MQ86K	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1650.0	-	C	3205M
12	-	-	MQ86L	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1650.0	-	D	3205M
13	-	-	MQ86H	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1265.0	-	A	1916A
14	-	-	MQ86J	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1265.0	-	B	1916A
15	-	-	SP86BA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2730.0	-	C	2312
16	-	-	SP86CA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2730.0	-	D	2312


Connector Name 1301
 Part Number 3600061C1
 Instances Radio w/Bluetooth:Diagram1-Combination1
 Radio w/Bluetooth:Diagram1-Combination2
 Radio w/Bluetooth without Steering Wheel Pod:Diagram1
 Mates MODU-Radio-2008-02-05A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
15	-	-	SR86A(+)	-	0.0	20.0	J1939 .46 WAL	YELLOW 2	1265.0	-	2	2505
16	-	-	SR86A(-)	-	0.0	20.0	J1939 .46 WAL	GREEN	1265.0	-	1	2505

Connector Name 1400
Part Number 3596926C1
Instances

- B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
Implementation:Diagram1-Combination1
- B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
Implementation:Diagram1-Combination2
- B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
Implementation:Diagram1-Combination3
- B6.7 - CAN Layout:Euro 3 Powertrain Standard J1939
(500Kbps)
- B6.7 - Rear Lights Stop - Single Assembly:Diagram1
- B6.7 - Traction Control (Bendix):Diagram1-Combination1
- B6.7 - Traction Control (Bendix):Diagram1-Combination2
- L9 - Antilock Brake System (ABS) BENDIX 4 Channel
Implementation:Diagram1
- L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination1
- L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination2
- L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination3
- L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination4
- L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination5
- L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination6
- L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination7
- L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination8
- L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination9
- L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven
Lamp:Diagram1-Combination1
- L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven
Lamp:Diagram1-Combination2
- L9 - CAN Layout:Euro 3 Powertrain Standard J1939 (250 Kbps)
- L9 - CAN Layout:Euro 5 Powertrain Standard J1939 (250Kbps)
- L9 - Engine Brake Mux Switch:Diagram1
- L9 - Engine Brake W/ Stalk Shifter:Diagram1
- L9 - Exhaust Brake (Cummins):Diagram1
- L9 - Hill Start Aid (Bendix):Diagram1-Combination1



L9 - Hill Start Aid (Bendix):Diagram1-Combination2
 L9 - Rear Axle Load Distribution:Diagram1
 L9 - Rear Lights Stop - Dual Assembly:Diagram1
 L9 - Rear Lights Stop - Single Assembly:Diagram1
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination1
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination2
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination3
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination4
 L9 - Traction Control (Bendix):Diagram1
 L9 - Transfer Case - High/Low Air Sol:Diagram1
 L9 - Transfer Case - High/Neu/Low Air Sol:Diagram1


Mates

MODU-ABS-3003-01-02B

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	XA94-GA	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2400.0	-	-	-
3	-	-	XA94V	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3315.0	-	-	-
4	-	-	XB94BN	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2550.0	-	15	1701
5	-	-	XB94BM	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2550.0	-	14	1701
7	-	-	-	-	-	-	-	-	-	-	-	-
7	-	-	WIRE735 118	-	0.0	-	-	-	0.0	-	PIN1	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
8	-	-	-	-	-	-	-	-	-	-	-	-
8	-	-	WIRE735117	-	0.0	-	-	-	0.0	-	PIN1	-
10	-	-	XA94BH	3510312R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2550.0	-	18	1701
11	-	-	XA94BF	3510312R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2550.0	-	19	1701
16	-	-	XA94AY	3510314R1	3.01	12.0	Thin Wall XLPE Primary Cable	GREY	3095.0	-	-	-

Connector Name 1401
 Part Number 3596929C1
 Instances
 B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1-Combination1
 B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1-Combination2
 B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1-Combination3
 L9 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination1
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination2
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination3
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination4
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination5
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination6
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination7
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination8
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination9




Mates MODU-ABS-3003-01-02A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	XA94B	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	29	1700
2	-	-	XA94	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	27	1700

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	XA94A	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	28	1700
4	-	-	XA94K	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	36	1700
5	-	-	XA94C	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	30	1700
6	-	-	XA94J	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	35	1700
7	-	-	XA94H	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	34	1700
8	-	-	XA94D	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	31	1700
9	-	-	XA94BK	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	22	1701
10	-	-	XA94BL	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	20	1701

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
11	-	-	XA94E	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	32	1700
12	-	-	XA94BB	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	24	1701
13	-	-	XA94BJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	21	1701
14	-	-	XA94F	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	33	1700
15	-	-	XA94BE	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	16	1701
16	-	-	XA94BC	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	25	1701
17	-	-	XA94BA	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	23	1701
18	-	-	XA94BD	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	17	1701

Connector Name 1402
Part Number 3596928C1
Instances L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination1
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination2
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination3
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination4
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination5
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination6
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination7
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination8
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination9
L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven
Lamp:Diagram1-Combination1
L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven
Lamp:Diagram1-Combination2
L9 - Hill Start Aid (Bendix):Diagram1-Combination1
L9 - Hill Start Aid (Bendix):Diagram1-Combination2
L9 - Stability Control (Bendix Straight Truck J1939 Driven
Lamp):Diagram1-Combination1
L9 - Stability Control (Bendix Straight Truck J1939 Driven
Lamp):Diagram1-Combination2
L9 - Stability Control (Bendix Straight Truck J1939 Driven
Lamp):Diagram1-Combination3
L9 - Stability Control (Bendix Straight Truck J1939 Driven
Lamp):Diagram1-Combination4
Mates MODU-ABS-3003-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	XQ94AA	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	2520.0	-	61	1701
2	-	-	XN94AA	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	2520.0	-	61	1701
2	-	-	XP94AA	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	2520.0	-	61	1701
3	-	-	XP94AC	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1770.0	-	X	-
3	-	-	XM94SK	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2520.0	-	-	-
3	-	-	XN94AB	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	2520.0	-	65	1701
3	-	-	XM94SK	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2520.0	-	69	1701
4	-	-	XR94BP	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2440.0	-	24	1700

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	XF94SJ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2440.0	-	69	1700
5	-	-	XL94SJ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2520.0	-	-	-
5	-	-	XL94SJ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2520.0	-	49	1701
6	-	-	XR94BY	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2440.0	-	37	1700
7	-	-	XR94BZ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2440.0	-	38	1700
9	-	-	XR94BT	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2440.0	-	39	1700
10	-	-	XR94BU	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2440.0	-	40	1700
11	-	-	XR94BR	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2440.0	-	45	1700

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
12	-	-	XR94BW	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2440.0	-	48	1700
13	-	-	XR94BS	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2440.0	-	41	1700
14	-	-	XR94BQ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2440.0	-	46	1700
15	-	-	XR94BV	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2440.0	-	49	1700

Connector Name 1403
 Part Number 3596927C1
 Instances
 B6.7 - CAN Layout:ABS Proprietary J1939
 B6.7 - Rear Lights Stop - Single Assembly:Diagram1
 L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven Lamp:Diagram1-Combination1
 L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven Lamp:Diagram1-Combination2
 L9 - CAN Layout:ABS Proprietary J1939
 L9 - Jaw Unlock Control W/ SOLENOIDS W/SWITCH PACKS:Diagram1
 L9 - Rear Axle Load Distribution:Diagram1
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination1
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination2
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination3
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination4



Mates MODU-ABS-3003-01-02A


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	XF94SZD	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	190.0	-	X	-
1	-	-	XH94SZ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2065.0	-	C10	1800
1	-	-	XK94SZD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	190.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	XF94SE	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2065.0	-	D5	1800
2	-	-	XL94SE	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2065.0	-	D5	1800
3	-	-	XF94SH	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2570.0	-	76	1700
4	-	-	XF94SVD	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	210.0	-	X	-
4	-	-	XK94SVD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	210.0	-	X	-
4	-	-	XH94SV	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2065.0	-	C3	1800
5	-	-	XL94SF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2065.0	-	D6	1800
5	-	-	XF94SF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2065.0	-	D6	1800

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
6	-	-	XF94SL	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2570.0	-	73	1700
7	-	-	-	-	-	-	-	-	-	-	-	-
7	-	-	WIRE740 225	-	0.0	-	-	-	0.0	-	K	1410
7	-	-	XZ94SDA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	0.0	-	K	1410
8	-	-	-	-	-	-	-	-	-	-	-	-
8	-	-	WIRE740 226	-	0.0	-	-	-	0.0	-	G	1410
8	-	-	XZ94SBA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	0.0	-	G	1410
9	-	-	XF94SM	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2570.0	-	71	1700
10	-	-	XF94SCA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1395.0	-	-	-
10	-	-	WIRE740 227	-	0.0	-	-	-	0.0	-	D	1410
10	-	-	XZ94SCA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	0.0	-	D	1410

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
10	-	-	XL94SCA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1395.0	-	-	-
11	-	-	XF94SAA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1395.0	-	-	-
11	-	-	WIRE740 228	-	0.0	-	-	-	0.0	-	A	1410
11	-	-	XZ94SAA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	0.0	-	A	1410
11	-	-	XL94SAA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1395.0	-	-	-
12	-	-	XF94SN	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2570.0	-	72	1700

Connector Name 1410
 Part Number 3601838C1
 Instances ABS Splice Packs - 1410:Diagram1
 B6.7 - CAN Layout:ABS Proprietary J1939
 L9 - CAN Layout:ABS Proprietary J1939
 Mates SP-ABS_SPLICE-B002-00-10-A1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	XL94SAA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1395.0	-	-	-
A	-	-	WIRE740 228	-	0.0	-	-	-	0.0	-	11	1403
A	-	-	XZ94SAA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	0.0	-	11	1403
B	-	-	XL94SAB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	870.0	-	-	-
B	-	-	WIRE239 193	-	0.0	-	-	-	0.0	-	A	1820M
B	-	-	WIRE239 177	-	0.0	-	-	-	0.0	-	50	1700


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
C	-	-	XL94SA	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1405.0	-	-	-
C	-	-	XF94SA	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	870.0	-	-	-
C	-	-	WIRE239 192	-	0.0	-	-	-	0.0	-	A	1820M
C	-	-	WIRE239 184	-	0.0	-	-	-	0.0	-	54	1701
D	-	-	XL94SCA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1395.0	-	-	-
D	-	-	WIRE740 227	-	0.0	-	-	-	0.0	-	10	1403
D	-	-	XZ94SCA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	0.0	-	10	1403
E	-	-	XL94SCB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	870.0	-	-	-
E	-	-	WIRE239 194	-	0.0	-	-	-	0.0	-	C	1820M
E	-	-	WIRE239 179	-	0.0	-	-	-	0.0	-	60	1700
F	-	-	XF94SC	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	870.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F	-	-	XL94SC	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1405.0	-	-	-
F	-	-	WIRE239 185	-	0.0	-	-	-	0.0	-	55	1701
F	-	-	WIRE239 195	-	0.0	-	-	-	0.0	-	C	1820M
G	-	-	XF94SBA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1395.0	-	-	-
G	-	-	XL94SBA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1395.0	-	-	-
G	-	-	WIRE740 226	-	0.0	-	-	-	0.0	-	8	1403
G	-	-	XZ94SBA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	0.0	-	8	1403
H	-	-	XF94SBB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1325.0	-	-	-
H	-	-	XL94SBB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	870.0	-	-	-
H	-	-	WIRE239 196	-	0.0	-	-	-	0.0	-	B	1820M
H	-	-	WIRE239 176	-	0.0	-	-	-	0.0	-	42	1700

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
J	-	-	XF94SB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	870.0	-	-	-
J	-	-	XL94SB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1405.0	-	-	-
J	-	-	WIRE239 186	-	0.0	-	-	-	0.0	-	56	1701
J	-	-	WIRE239 197	-	0.0	-	-	-	0.0	-	B	1820M
K	-	-	XF94SDA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1395.0	-	-	-
K	-	-	XL94SDA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1395.0	-	-	-
K	-	-	WIRE740 225	-	0.0	-	-	-	0.0	-	7	1403
K	-	-	XZ94SDA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	0.0	-	7	1403
L	-	-	XF94SDB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1325.0	-	-	-
L	-	-	XL94SDB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	870.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
L	-	-	WIRE239198	-	0.0	-	-	-	0.0	-	D	1820M
L	-	-	WIRE239178	-	0.0	-	-	-	0.0	-	51	1700
M	-	-	XL94SD	3510310R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1405.0	-	-	-
M	-	-	XF94SD	3510310R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	870.0	-	-	-
M	-	-	WIRE239187	-	0.0	-	-	-	0.0	-	57	1701
M	-	-	WIRE239199	-	0.0	-	-	-	0.0	-	D	1820M

Connector Name 1420
 Part Number 3557922C1
 Instances
 B6.7 - Rear Lights Stop - Single Assembly:Diagram1
 L9 - Engine Brake Mux Switch:Diagram1
 L9 - Engine Brake W/ Stalk Shifter:Diagram1
 L9 - Exhaust Brake (Cummins):Diagram1
 L9 - Rear Axle Load Distribution:Diagram1
 L9 - Rear Lights Stop - Dual Assembly:Diagram1
 L9 - Rear Lights Stop - Single Assembly:Diagram1
 L9 - Transfer Case - High/Low Air Sol:Diagram1
 L9 - Transfer Case - High/Neu/Low Air Sol:Diagram1
 Mates
 MODU-ABS-3003-02-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-

Connector Name 1500A
Part Number 3710061C1
Instances Adjustable Engine Speed Control (PTO) 4-pin:Diagram1
Ambient Air Temperature:Diagram1
Auxiliary Gauges (Secondary):Diagram1
Auxiliary Gauges (Primary):Diagram1
B6.7 - 26 inch Fuel Tank:Diagram1-Combination1
B6.7 - 26 inch Fuel Tank:Diagram1-Combination2
B6.7 - 26 inch Fuel Tank:Diagram1-Combination3
B6.7 - 26 inch Fuel Tank - Secondary:Diagram1
B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
Implemenation:Diagram1-Combination1
B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
Implemenation:Diagram1-Combination2
B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
Implemenation:Diagram1-Combination3
B6.7 - Axle Temperature Monitoring (Single Rear Aux
Gauge):Diagram1
B6.7 - Axle Temperature Monitoring (Single Rear Virtual
Gauge):Diagram1
B6.7 - CAN Layout:Euro 3 Powertrain Standard J1939
(500Kbps)
B6.7 - Current Monitoring (Ammeter):Diagram1-Combination1
B6.7 - Current Monitoring (Ammeter):Diagram1-Combination2
B6.7 - Driver Controlled Locking Differential - RR Axle (Dana w/
one sw):Diagram1
B6.7 - Driver Controlled Locking Differential - RR Axle (Meritor
w/ one sw):Diagram1
B6.7 - Economy Monitor:Diagram1
B6.7 - Engine Oil Pressure:Diagram1
B6.7 - Engine Speed (Tachometer):Diagram1
B6.7 - Engine Warning_MUX:Diagram1
B6.7 - Odometer (via BCM/EGC):Diagram1
B6.7 - Park Brake Controls (Monitoring) (Door Switch City
Horn):Diagram1
B6.7 - PTO - Fuel and Hours:Diagram1
B6.7 - Service Brake Pressure (Auxiliary Gauge):Diagram1
B6.7 - Service Brake Pressure (Virtual Gauge):Diagram1
B6.7 - Starting Aid (Grid Heater):Diagram1
B6.7 - Traction Control (Bendix):Diagram1-Combination1
B6.7 - Traction Control (Bendix):Diagram1-Combination2
B6.7 - Transmission Oil Temperature-Manual Trans:Diagram1



B6.7 - Transmission Oil Temperature-Manual Trans (w/Aux Gauge):Diagram1
B6.7 - Transmission Power Take Off (Auto Trans Single PTO w/21 Parameters):Diagram1
B6.7 - Transmission Power Take Off (Manual Trans Single PTO w/ 21 Parameters):Diagram1
B6.7 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination1
B6.7 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination2
B6.7 - Trip Odometer (w/ECM & TCM):Diagram1
B6.7 - Trip Odometer (Gen 4 Cluster):Diagram1
B6.7 - Vehicle Speedometer System (Automatic XMSN) NA:Diagram1
Compressed Air Supply:Diagram1
Coolant Level Monitoring (No CLA Module):Diagram1
Coolant Level Monitoring (With CLA Module):Diagram1
Coolant Temperature Monitoring (J1939 Comm):Diagram1
DPF - Regen Switch Only:Diagram1
Engine Usage Monitoring (Base) NA:Diagram1
Exterior Lamp Reminder:Diagram1
High Exhaust System Temperature (HEST) Monitoring:Diagram1
Instrument Cluster (Premium):Diagram1-Combination1
Instrument Cluster (Premium):Diagram1-Combination2
Instrument Cluster - Bulb Check:Diagram1
Instrument Cluster - Request and Status:Diagram1
L9 - 26 inch Fuel Tank:Diagram1-Combination1
L9 - 26 inch Fuel Tank:Diagram1-Combination2
L9 - 26 inch Fuel Tank:Diagram1-Combination3
L9 - 26 inch Fuel Tank:Diagram1-Combination4
L9 - 26 inch Fuel Tank:Diagram1-Combination5
L9 - 26 inch Fuel Tank:Diagram1-Combination6
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination1
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination2
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination3
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination4
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination5
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination6
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination7
L9 - Adjustable Engine Speed Control (PTO) 10-pin:Diagram1-Combination1
L9 - Adjustable Engine Speed Control (PTO) 10-pin:Diagram1-Combination2
L9 - Ambient Temperature Monitoring:Diagram1

L9 - Axle Loading (Weight) Rear:Diagram1-Combination1
L9 - Axle Loading (Weight) Rear:Diagram1-Combination2
L9 - Axle Temperature Monitoring (Single Rear Aux Gauge):Diagram1
L9 - Axle Temperature Monitoring (Single Rear Virtual Gauge):Diagram1
L9 - Axle Temperature Monitoring (Tandem Rear Aux Gauge):Diagram1
L9 - Axle Temperature Monitoring (Tandem Rear Virtual Gauge):Diagram1
L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven Lamp:Diagram1-Combination1
L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven Lamp:Diagram1-Combination2
L9 - CAN Layout:Euro 3 Powertrain Standard J1939 (250 Kbps)
L9 - CAN Layout:Euro 5 Powertrain Standard J1939 (250Kbps)
L9 - DPF - With Bistable Inhibit Sw:Diagram1
L9 - DPF - With Monostable Inhibit Sw:Diagram1
L9 - Driver Controlled Locking Differential - FR and RR Axle (Dana w/ one sw):Diagram1
L9 - Driver Controlled Locking Differential - FR and RR Axle (Meritor w/ one sw):Diagram1
L9 - Driver Controlled Locking Differential - FR and RR Axles (Dana w/ two sw):Diagram1
L9 - Driver Controlled Locking Differential - FR and RR Axles (Meritor w/ two sw):Diagram1
L9 - Driver Controlled Locking Differential - RR Axle (Dana w/ one sw):Diagram1
L9 - Driver Controlled Locking Differential - RR Axle (Meritor w/ one sw):Diagram1
L9 - Economy Monitor:Diagram1
L9 - Engine Brake W/ Stalk Shifter:Diagram1
L9 - Engine Oil Level Monitoring:Diagram1
L9 - Engine Oil Pressure:Diagram1
L9 - Engine Oil Temperature (NA Mux):Diagram1
L9 - Engine Oil Temperature(NA MUX AUX Gauge):Diagram1
L9 - Engine Speed (Tachometer):Diagram1
L9 - Engine Usage Monitoring (VID Option):Diagram1
L9 - Engine Warning_MUX:Diagram1
L9 - Jaw Unlock Control:Diagram1
L9 - Jaw Unlock Control W/ SOLENOIDS W/SWITCH PACKS:Diagram1
L9 - Odometer (via BCM/EGC):Diagram1

L9 - Park Brake Controls (Monitoring) (Door Switch City Horn):Diagram1
L9 - Power Divider Lock Control and Monitoring:Diagram1
L9 - PTO - Fuel and Hours:Diagram1
L9 - Rear Suspension Pressure Monitoring (Virtual Gauge):Diagram1-Combination1
L9 - Rear Suspension Pressure Monitoring (Virtual Gauge):Diagram1-Combination2
L9 - Seatbelt Reminder (Warning)(Driver & Passenger in parallel):Diagram1
L9 - Seatbelt Reminder (Warning)(Driver only):Diagram1
L9 - Service Brake Pressure (Auxiliary Gauge):Diagram1
L9 - Service Brake Pressure (Virtual Gauge):Diagram1
L9 - Snow Valve Control:Diagram1-Combination1
L9 - Snow Valve Control:Diagram1-Combination2
L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination1
L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination2
L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination3
L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination4
L9 - Starting Aid (Grid Heater):Diagram1
L9 - Transfer Case - High/Low Air Sol:Diagram1
L9 - Transfer Case - High/Neu/Low Air Sol:Diagram1
L9 - Transmission Oil Temperature-Automatic Trans:Diagram1
L9 - Transmission Oil Temperature-Manual Trans w/Aux Gauge:Diagram1-Combination1
L9 - Transmission Oil Temperature-Manual Transmission:Diagram1-Combination1
L9 - Transmission Power Take Off (Auto Trans Single PTO w/21 Parameters):Diagram1
L9 - Transmission Power Take Off (Auto Trans with Lectradrive):Diagram1
L9 - Transmission Power Take Off (Lectrashift PTO with Manual Trans):Diagram1
L9 - Transmission Power Take Off (Manual Trans Single PTO w/21 Parameters):Diagram1
L9 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination1
L9 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination2

L9 - Transmission Shifter Allison 5th Gen Push Button(SURHD):Diagram1
 L9 - Trip Odometer (w/ECM & TCM):Diagram1
 L9 - Trip Odometer (Gen 4 Cluster):Diagram1
 L9 - Trip Odometer w/VID:Diagram1
 L9 - Vehicle Speedometer System (Automatic XMSN):Diagram1
 L9 - Voltage Monitoring (Voltmeter) (with Aux gauge):Diagram1
 L9 - Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination1
 L9 - Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination2
 Park Brake Control (Monitoring)(GEN IV BCM):Diagram1
 Trans Range Inhibit (J1939 Comm):Diagram1
 Transmission - MODE Selection:Diagram1
 Transmission Oil Temperature-Automatic Trans w/Aux Gauge:Diagram1
 Up Shift Indicator:Diagram1
 Vehicle Speed Limit Override:Diagram1
 Vehicle Speedometer System (Manual XMSN) NA:Diagram1
 Voltage Monitoring (Voltmeter):Diagram1

Mates

MODU-EGC-A003-10-00


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A2	-	-	AA14EE	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	1745.0	-	-	-
A3	-	-	AA13EA	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1965.0	-	-	-
A6	-	-	QA23A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1165.0	-	2	9916
A6	-	-	QA23A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1165.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
A7	-	-	QA23-GT	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	590.0	-	X	-
A9	-	-	-	-	-	-	-	-	-	-	-	-
A9	-	-	WIRE735 121	-	0.0	-	-	-	0.0	-	PIN1	-
A10	-	-	-	-	-	-	-	-	-	-	-	-
A10	-	-	WIRE735 122	-	0.0	-	-	-	0.0	-	PIN1	-
B3	-	-	AE11-GKE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	455.0	-	X	-
B3	-	-	AD11-GKE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	455.0	-	X	-
B4	-	-	MQ98F	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1985.0	-	-	-
B5	-	-	MQ11-GMW	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	3630.0	-	-	-
B8	-	-	BG28C	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1095.0	-	4	1000A
B9	-	-	BG28A	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1095.0	-	1	1000A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B10	-	-	BG28B	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1095.0	-	3	1000A

Connector Name 1500A
 Part Number 3710061C1
 Instances

- B6.7 - Theft Deterrent (Grid Controlled):Diagram1
- Cruise Control (W/ One Telltale 4 Pin):Diagram1-Combination1
- Cruise Control (W/ One Telltale 4 Pin):Diagram1-Combination2
- Door Ajar Reminder (Entry /Exit):4 Door:Diagram1
- Door Ajar Reminder (Entry/Exit):Diagram1
- L9 - Antilock Brake System (ABS) BENDIX 4 Channel Implementation:Diagram1
- L9 - Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination1
- L9 - Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination2
- L9 - Engine Brake Mux Switch:Diagram1
- L9 - Hazard Warning Light N/Trlr Socket:Diagram1-Combination1
- L9 - Hazard Warning Light N/Trlr Socket:Diagram1-Combination2
- L9 - Power Lift Gate:Diagram1
- L9 - Theft Deterrent (Grid Controlled):Diagram1
- L9 - Traction Control (Bendix):Diagram1
- L9 - Vehicle Speed Control (Cruise Control) 10 Pin:Diagram1
- L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination1
- L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination2
- L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination3
- L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination4
- L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination5
- L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination6
- L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination7
- L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination8
- L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination9
- L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination1




L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination2
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination3
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination4
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination5
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination6
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination7
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination8
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination9
 Transmission Power Take Off (Single PTO W/ RPM and Auto Trans):Diagram1
 Transmission Power Take Off (Single PTO W/ RPM and Manual Trans):Diagram1
 Vehicle Speed Control (Cruise Control) 4 Pin:Diagram1

Mates

MODU-EGC-A003-10-00

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A9	-	-	-	-	-	-	-	-	-	-	-	-
A10	-	-	-	-	-	-	-	-	-	-	-	-

Connector Name 1501
 Part Number 2018589C1
 Short Description TRANS MODULE 1
 Instances
 B6.7 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination1
 B6.7 - Transmission (Allison 3K/4K):Diagram1-Combination1
 L9 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination1
 L9 - Auto Neutral (Allison without Multiplex Switch and Confirmation Telltale):Diagram1-Combination1
 L9 - Transmission (Allison 3K/4K):Diagram1-Combination2
 Starter Interlocks (BCM Controlled with Input from Allison 3K/4K TCM):Diagram1-Combination1
 Mates 1235




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	SM92#101	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	3065.0	-	-	-
2	-	-	SR92#103	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2550.0	-	X	-
2	-	-	SN92#103	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2915.0	-	X	-
3	-	-	SM92#105	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	3065.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	SM92#109	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2590.0	-	-	-
4	-	-	LD92#109	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	590.0	-	X	-
4	-	-	LE92#109	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	590.0	-	X	-
4	-	-	LF92#109	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	590.0	-	X	-
5	-	-	SM92#110	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	190.0	-	X	-
5	-	-	SM92#110	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	190.0	-	1	-
6	-	-	TN92#117	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	3100.0	-	25	1702
6	-	-	TM92A117	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	165.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
6	-	-	TN92#117	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	3100.0	-	-	-
6	-	-	TL92#117	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	3065.0	-	-	-
7	-	-	SM92#122	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	3065.0	-	-	-
8	-	-	SM92#123	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3065.0	-	-	-
10	-	-	SM92#130	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	3065.0	-	-	-
11	-	-	SM92#134	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	3100.0	-	-	-
12	-	-	TL92A141	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3100.0	-	20	1702
12	-	-	SY92A141	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3100.0	-	20	1702


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
12	-	-	SY92A141	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3100.0	-	-	-
12	-	-	TL92A141	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3100.0	-	-	-
13	-	-	SM92#143	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	3065.0	-	-	-
14	-	-	SY92#145	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	3100.0	-	-	-
14	-	-	TL92#145	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	3065.0	-	-	-
15	-	-	SR92#119	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	910.0	-	-	-
16	-	-	SR92#124	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	3100.0	-	-	-
17	-	-	SM92#162	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	3065.0	-	-	-
18	-	-	SM92#163	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	3100.0	-	-	-

Connector Name 1501
 Part Number 2018589C1
 Short Description ADD TRANS MODULE 1
 Instances B6.7 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination2
 L9 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination2
 Mates 1235




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
11	-	-	SM92#134	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	3100.0	-	19	1702
11	-	-	PV92#142	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2845.0	-	19	1702

Connector Name 1502
 Part Number 1661601C1
 Short Description TRANS MODULE 2
 Instances B6.7 - Backup Lights (Single Reverse Light) Eaton/Manual
 Trans:Diagram1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	SM92#165	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3100.0	-	7	1702

Connector Name 1502
 Part Number 1661601C1
 Short Description TRANS MODULE 2
 Instances
 B6.7 - Transmission (Allison 3K/4K):Diagram1-Combination1
 L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1:Diagram1-Combination1
 L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2:Diagram1-Combination1
 L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 3:Diagram1-Combination1
 L9 - Transmission (Allison 3K/4K):Diagram1-Combination2
 Mates 1236




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	SM92#164	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	3065.0	-	-	-
2	-	-	SM92#165	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3100.0	-	7	1702
2	-	-	SM92#165	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3100.0	-	-	-
3	-	-	SM92#169	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2590.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
3	-	-	LD92#169	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	590.0	-	X	-
3	-	-	LE92#169	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	590.0	-	X	-
3	-	-	LF92#169	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	590.0	-	X	-
4	-	-	SM92#170	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	190.0	-	X	-
4	-	-	SM92#170	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	190.0	-	1	-
5	-	-	SW92#111	2645921 R1	0.79	18.0	TXL 150C	ORANGE	800.0	-	-	-
6	-	-	SR92A112	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	590.0	-	-	-
6	-	-	ST92A112	2645918 R1	0.79	18.0	TXL 150C	PINK	800.0	-	-	-
7	-	-	SW92#116	2645922 R1	0.79	18.0	TXL 150C	LIGHT BLUE	800.0	-	-	-
8	-	-	SW92#177	2645920 R1	0.79	18.0	TXL 150C	LIGHT GREEN	800.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
9	-	-	SR92A131	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	590.0	-	-	-
9	-	-	ST92#131	2645910 R1	0.79	18.0	TXL 150C	YELLOW 2	800.0	-	-	-
10	-	-	SW92#133	2645910 R1	0.79	18.0	TXL 150C	YELLOW 2	800.0	-	-	-
11	-	-	SW92#136	2645921 R1	0.79	18.0	TXL 150C	ORANGE	800.0	-	-	-
12	-	-	SW92#137	2645919 R1	0.79	18.0	TXL 150C	WHITE	800.0	-	-	-
13	-	-	SR92A158	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	640.0	-	-	-
13	-	-	ST92#158	2645920 R1	0.79	18.0	TXL 150C	LIGHT GREEN	800.0	-	-	-
14	-	-	SW92#171	2645910 R1	0.79	18.0	TXL 150C	YELLOW 2	800.0	-	-	-
15	-	-	SW92#151	2645919 R1	0.79	18.0	TXL 150C	WHITE	800.0	-	-	-
16	-	-	SW92#152	2645920 R1	0.79	18.0	TXL 150C	LIGHT GREEN	800.0	-	-	-
17	-	-	SW31#154	2645915 R1	0.79	18.0	TXL 150C	TAN	800.0	-	-	-

Connector Name 1502
 Part Number 1661603C1
 Short Description ADD TRANS MODULE 2
 Instances B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option
 1:Diagram1-Combination1
 B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option
 2:Diagram1-Combination1
 Mates 1236




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	SM92#165	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3100.0	-	7	1702

Connector Name 1503
 Part Number 3627615C1
 Instances B6.7 - CAN Layout:Euro 3 Powertrain Standard J1939 (500Kbps)
 L9 - CAN Layout:Euro 3 Powertrain Standard J1939 (250 Kbps)
 L9 - CAN Layout:Euro 5 Powertrain Standard J1939 (250Kbps)
 Mates 1237



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	WIRE740248	-	0.0	-	-	-	0.0	-	PIN1	-
4	-	-	WIRE735304	-	0.0	-	-	-	0.0	-	PIN1	-
4	-	-	WIRE735413	-	0.0	-	-	-	0.0	-	PIN1	-
12	-	-	WIRE740247	-	0.0	-	-	-	0.0	-	PIN1	-
12	-	-	WIRE735305	-	0.0	-	-	-	0.0	-	PIN1	-
12	-	-	WIRE735418	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 1503
 Part Number 3627615C1
 Short Description ADD TRANS MODULE 3
 Instances L9 - Transmission (Allison 3K/4K):Diagram1-Combination2
 Mates 1237




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	SA48#139	2645921 R1	0.79	18.0	TXL 150C	ORANGE	2690.0	-	-	-
1	-	-	SL48#139	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1420.0	-	-	-
2	-	-	SW47#140	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	900.0	-	-	-
3	-	-	SA92A120	2645922 R1	0.79	18.0	TXL 150C	LIGHT BLUE	800.0	-	-	-
3	-	-	SV92#120	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	1065.0	-	-	-
5	-	-	SW92#155	2645919 R1	0.79	18.0	TXL 150C	WHITE	800.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
6	-	-	SW92#174	2645922 R1	0.79	18.0	TXL 150C	LIGHT BLUE	800.0	-	-	-
7	-	-	SW92#176	2645910 R1	0.79	18.0	TXL 150C	YELLOW 2	800.0	-	-	-
8	-	-	SW47#125	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3100.0	-	-	-
9	-	-	SA48#159	2645915 R1	0.79	18.0	TXL 150C	TAN	2690.0	-	-	-
9	-	-	SL48#159	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1420.0	-	-	-
10	-	-	SW47#160	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	900.0	-	-	-
11	-	-	SV92#180	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1065.0	-	-	-
11	-	-	SA92#180	2645921 R1	0.79	18.0	TXL 150C	ORANGE	800.0	-	-	-
13	-	-	TL92#142	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	3065.0	-	-	-
13	-	-	TM92A142	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	165.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
14	-	-	SR92#156	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	3100.0	-	-	-
15	-	-	SR92#161	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	3100.0	-	-	-
16	-	-	SR92#175	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	390.0	-	-	-
18	-	-	SW92#118	2645914 R1	0.79	18.0	TXL 150C	GREY	800.0	-	-	-

Connector Name 1600
 Part Number 3598706C1
 Instances B6.7 - Heating Ventilation & Air Conditioning (HVAC):Diagram1
 Mates MODU-BCM-A000-10-00



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B5	-	-	TB74	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3205.0	-	17	1703M
B12	-	-	SA77B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	3205.0	-	20	1703M


Connector Name 1601
 Part Number 3598707C1
 Instances
 B6.7 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination1
 B6.7 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination2
 B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual):Diagram1-Combination1
 B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual):Diagram1-Combination2
 B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual):Diagram1-Combination3
 B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 1:Diagram1-Combination1
 B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 2:Diagram1-Combination1



Mates MODU-BCM-A000-10-00

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E16	-	-	VA92#11 7A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2350.0	-	R3 - 86	1011
F15	-	-	VN70D	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2445.0	-	R5 - 86	1012
F15	-	-	VJ70D	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1985.0	-	X	-
F15	-	-	VG70D	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2350.0	-	R1 - 86	1011

Connector Name 1602
 Part Number 3598705C1
 Instances B6.7 - CAN Layout:Body Standard J1939 (250Kbps)
 B6.7 - Heating Ventilation & Air Conditioning (HVAC):Diagram1
 L9 - CAN Layout:Body Standard J1939 (250Kbps)
 L9 - CAN Layout:Telematics J1708
 L9 - DLB - Remote Power Modules (1 RPM n/ Switch Packs):Diagram 1
 L9 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram 1
 L9 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram 2 - In Cab
 L9 - DLB - Remote Power Modules (2 RPM n/ Switch Pack):Diagram 1
 L9 - DLB - Remote Power Modules (2 RPM n/ Switch Pack):Diagram 2 - In Cab
 L9 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram 1
 L9 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram 2 - In Cab




Mates MODU-BCM-A000-10-00

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E1	-	-	WIRE722843	-	0.0	-	-	-	0.0	-	A	1661
E2	-	-	WIRE722842	-	0.0	-	-	-	0.0	-	A	1660
E5	-	-	KA9A	3510311R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1310.0	-	X	-
E6	-	-	SA6DB	3510310R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	3225.0	-	19	1703M
F5	-	-	-	-	-	-	-	-	-	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F5	-	-	WIRE722 732	-	0.0	-	-	-	0.0	-	PIN1	-
F6	-	-	-	-	-	-	-	-	-	-	-	-
F6	-	-	WIRE722 731	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 1603
 Part Number 3598711C1
 Instances B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual):Diagram1-Combination1
 B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual):Diagram1-Combination2
 B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual):Diagram1-Combination3
 B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 1:Diagram1-Combination1
 B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 2:Diagram1-Combination1
 B6.7 - Heating Ventilation & Air Conditioning (HVAC):Diagram1
 Mates MODU-BCM-A000-10-00




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	VG57T	3510303 R1	4.81	10.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	720.0	-	-	-
A	-	-	YU57A	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	815.0	-	-	-
A	-	-	VG57T	3510303 R1	4.81	10.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	720.0	-	6	1701
B	-	-	VG56T	3510339 R1	4.81	10.0	Thin Wall XLPE Primary Cable	YELLOW 2	720.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	YY56AA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	815.0	-	-	-
B	-	-	YT56AA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	815.0	-	-	-
B	-	-	XZ56AA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	815.0	-	-	-
B	-	-	XV56AA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	815.0	-	-	-
B	-	-	VG56T	3510339 R1	4.81	10.0	Thin Wall XLPE Primary Cable	YELLOW 2	720.0	-	5	1701
C	-	-	SA77	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2865.0	-	65	1703M
D	-	-	YN56A	3510319 R1	1.91	14.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	-	-
D	-	-	YM56A	3510319 R1	1.91	14.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
D	-	-	YL56A	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1180.0	-	-	-
M	-	-	YN57A	3510319 R1	1.91	14.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	-	-
M	-	-	YM57A	3510319 R1	1.91	14.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	-	-
M	-	-	YL57A	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1180.0	-	-	-

Connector Name 1604
 Part Number 3598710C1
 Instances
 B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual):Diagram1-Combination1
 B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual):Diagram1-Combination2
 B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual):Diagram1-Combination3
 B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 1:Diagram1-Combination1
 B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 2:Diagram1-Combination1
 B6.7 - Cab Dome Light W/Classic Trim:Diagram1
 B6.7 - Cab Dome Light W/ Combo in Diamond Trim:Diagram1
 B6.7 - Extended / Crew Cab Dome Light W/ Combo in Classic Trim:Diagram1
 B6.7 - Extended / Crew Cab Dome Light W/ Combo in Diamond Trim:Diagram1




Mates MODU-BCM-A000-10-00

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	VT68TA	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	485.0	-	X	-
D	-	-	VR68T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	485.0	-	X	-
D	-	-	VP68	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	485.0	-	X	-
D	-	-	VM68T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	485.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	VL68T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	485.0	-	X	-
D	-	-	VG68T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	755.0	-	8	1701
F	-	-	VT58	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	455.0	-	X	-
F	-	-	VR58T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	455.0	-	X	-
F	-	-	VP58	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	455.0	-	X	-
F	-	-	VM58T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	455.0	-	X	-
F	-	-	VL58T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	455.0	-	X	-
F	-	-	VG58T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	755.0	-	7	1701
J	-	-	WF63	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	680.0	-	4	2000

Connector Name 1605
 Part Number 373759C2
 Instances BCM (Body Control Module):Connector J8 (Power Feed)
 Mates MODU-BCM-A000-10-00



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	HZ14BC	2644026 R1	18.94	4.0	Std. Wall XLPE Battery Cable	RED	395.0	-	X	-

Connector Name 1606
Part Number 3759005C1
Instances B6.7 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination1
B6.7 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination2
B6.7 - CAN Layout:Cab Standard J1939 (250Kbps)
B6.7 - CAN Layout:Euro 3 Powertrain Standard J1939 (500Kbps)
B6.7 - CAN Layout:HMI Standard J1939 (125Kbps)
B6.7 - Cranking (Starter) GEN4 BCM W/O Thermal Overcrank:Diagram1
B6.7 - Heating Ventilation & Air Conditioning (HVAC):Diagram1
Cooling Fan Control Two-Speed:Diagram1-Combination1
Cooling Fan Control Two-Speed:Diagram1-Combination2
L9 - CAN Layout:Cab Standard J1939 (250Kbps)
L9 - CAN Layout:Euro 3 Powertrain Standard J1939 (250 Kbps)
L9 - CAN Layout:Euro 5 Powertrain Standard J1939 (250Kbps)
L9 - CAN Layout:HMI Standard J1939 (125Kbps)
L9 - Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch:Diagram1-Combination1
L9 - Cranking (Starter) GEN4 BCM W/O Thermal Overcrank:Diagram1-Combination1




Mates MODU-BCM-A000-10-00

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	-	-	-	-	-	-	-	-	-	-
D	-	-	WIRE720026	-	0.0	-	-	-	0.0	-	PIN1	-
E	-	-	-	-	-	-	-	-	-	-	-	-
E	-	-	WIRE720025	-	0.0	-	-	-	0.0	-	PIN1	-
G	-	-	-	-	-	-	-	-	-	-	-	-
G	-	-	WIRE735141	-	0.0	-	-	-	0.0	-	PIN1	-
H	-	-	-	-	-	-	-	-	-	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
H	-	-	WIRE735140	-	0.0	-	-	-	0.0	-	PIN1	-
N	-	-	WIRE1640	-	0.0	-	-	-	0.0	-	PIN1	-
P	-	-	WIRE1639	-	0.0	-	-	-	0.0	-	PIN1	-
T	-	-	LA17	3510324R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	3365.0	-	29	1703M
T	-	-	LG17	3510324R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	3365.0	-	29	1703M

Connector Name 1607
 Part Number 3710061C1
 Instances B6.7 - Heating Ventilation & Air Conditioning (HVAC):Diagram1
 Mates MODU-BCM-A000-10-00



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A10	-	-	SA77D	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2945.0	-	L	1200E
B10	-	-	AA6AM	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	2945.0	-	M	1200E


Connector Name 1620
 Part Number 2007315C1
 Instances IP ZVR Splice Packs - 1620:Diagram1
 Mates SP-ZVR_SPLICE_PACK-B000-10 -A1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AA9Z	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1360.0	-	-	-
B	-	-	NA9CDC	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	515.0	-	-	-
C	-	-	XS9AC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2085.0	-	-	-
D	-	-	ME110B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	990.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	QA9Z	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1360.0	-	-	-
F	-	-	AC9	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	-	-
F	-	-	AB9	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1035.0	-	-	-
G	-	-	KA9B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	220.0	-	X	-
H	-	-	ND9A	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	670.0	-	-	-
J	-	-	QI9BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	4090.0	-	-	-
J	-	-	QW9BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1914.0	-	X	-
K	-	-	VU9ZF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1035.0	-	-	-
K	-	-	NL9ZB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	910.0	-	-	-


Connector Name 1623
 Part Number 2007315C1
 Instances Light Splice Packs - 400/1623/1625:Diagram1
 Mates SP-MARKER_LT_SPLICE_PACK-B 000-10-A1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	YS54	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1205.0	-	-	-
A	-	-	YP54	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1205.0	-	-	-
C	-	-	YS54B	3510305 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BROWN	1080.0	-	5	1700
C	-	-	YP54B	3510305 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BROWN	1080.0	-	5	1700

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	YS58T	3510305 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BROWN	925.0	-	X	-
E	-	-	YS68	3510305 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BROWN	1160.0	-	4	1701
F	-	-	YP58T	3510305 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BROWN	865.0	-	X	-
G	-	-	ZQ68	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	290.0	-	X	-
G	-	-	YP68	3510305 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BROWN	1160.0	-	4	1701
G	-	-	ZN68	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1160.0	-	4	1701
G	-	-	ZP68	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	320.0	-	X	-


Connector Name 1625
 Part Number 3543733C1
 Instances Light Splice Packs - 400/1623/1625:Diagram1
 Mates SP-REAR_TURN_SIGNAL_SPLICE_PACK-B000-10-A1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	YL57C	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1180.0	-	-	-
B	-	-	YL57	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1170.0	-	3	1701
C	-	-	YV57BB	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	1170.0	-	63	1701
C	-	-	YX57BB	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1170.0	-	63	1701


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
E	-	-	YL56A	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1180.0	-	-	-
F	-	-	YL56	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1170.0	-	2	1701
G	-	-	YV56BB	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	1170.0	-	12	1701
G	-	-	YX56BB	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	1170.0	-	12	1701

Connector Name 1650MA
 Part Number 3544066C1
 Instances B6.7 - CAN Layout:Cab Standard J1939 (250Kbps)
 L9 - CAN Layout:Cab Standard J1939 (250Kbps)
 Mates DEV-9PinDiag-0008-00-10-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
H	-	-	WIRE722840	-	0.0	-	-	-	0.0	-	PIN1	-
J	-	-	WIRE722841	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 1650/1650MA
 Part Number 3757649C1
 Instances B6.7 - CAN Layout:Euro 3 Powertrain Standard J1939 (500Kbps)
 L9 - CAN Layout:Euro 3 Powertrain Standard J1939 (250 Kbps)
 L9 - CAN Layout:Euro 5 Powertrain Standard J1939 (250Kbps)
 Mates DEV-9PinDiag-0008-00-10-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	WIRE735138	-	0.0	-	-	-	0.0	-	PIN1	-
D	-	-	WIRE735139	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 1657M
 Part Number 3683465C1
 Instances B6.7 - CAN Layout:Euro 3 Powertrain Standard J1939 (500Kbps)
 L9 - CAN Layout:Euro 3 Powertrain Standard J1939 (250 Kbps)
 L9 - CAN Layout:Euro 5 Powertrain Standard J1939 (250Kbps)
 Mates RES-TERMINATING-POWERTRAIN -500K-0002-00-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE728829	-	0.0	-	-	-	0.0	-	62	1700
B	-	-	WIRE728830	-	0.0	-	-	-	0.0	-	61	1700

Connector Name 1660
 Part Number 2006789C1
 Instances L9 - CAN Layout:Telematics J1708
 Mates SP-IP-B001-00-10-A1-1660




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE722842	-	0.0	-	-	-	0.0	-	E2	1602
F	-	-	WIRE722860	-	0.0	-	-	-	0.0	-	4	8998

Connector Name 1661
 Part Number 2006789C1
 Instances L9 - CAN Layout:Telematics J1708
 Mates SP-IP-B001-00-10-A1-1661



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE722843	-	0.0	-	-	-	0.0	-	E1	1602
F	-	-	WIRE722859	-	0.0	-	-	-	0.0	-	5	8998

Connector Name 1700
Part Number 3595624C1
Instances Auxiliary Power (40A) HSD:Diagram1
B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
Implementation:Diagram1-Combination1
B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
Implementation:Diagram1-Combination2
B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
Implementation:Diagram1-Combination3
B6.7 - CAN Layout:Euro 3 Powertrain Standard J1939
(500Kbps)
B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-
Combination1
B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-
Combination2
B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-
Combination3
B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-
Combination4
B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-
Combination5
B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-
Combination6
B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination1
B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination2
B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination3
B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination4
B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination5
B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination6
B6.7 - Directional Signal (Turn) W/ Less Power Module Tail
Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
B6.7 - Directional Signal (Turn) W/ Less Power Module Tail
Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2
B6.7 - Directional Signal (Turn) W/ Less Power Module Tail
Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
B6.7 - Directional Signal (Turn) W/ Less Power Module Tail
Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
B6.7 - Directional Signal (Turn) W/ Less Power Module Tail
Board W/Hazard SW:Diagram1-Combination1
B6.7 - Directional Signal (Turn) W/ Less Power Module Tail
Board W/Hazard SW:Diagram1-Combination2
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard
SW:Diagram1-Combination1



B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard
SW:Diagram1-Combination2
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination1
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination2
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination3
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination4
B6.7 - Front Fog Lamps:Diagram1-Combination1
B6.7 - Front Fog Lamps:Diagram1-Combination2
B6.7 - Front Fog Lamps:Diagram1-Combination3
B6.7 - Front Marker Lights:Diagram1-Combination1
B6.7 - Front Marker Lights:Diagram1-Combination2
B6.7 - Front Marker Lights W /Plow Lights:Diagram1-
Combination1
B6.7 - Front Marker Lights W /Plow Lights:Diagram1-
Combination2
B6.7 - Front Marker Lights W /Plow Lights:Diagram1-
Combination3
B6.7 - Front Marker Lights W /Plow Lights:Diagram1-
Combination4
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination1
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination2
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination3
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination4
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination5
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination6
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination7
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination8
B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination1
B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination2

B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination3
B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination4
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination1
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination2
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination3
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination4
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination1
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination2
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination3
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination4
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination5
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination6
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination7
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination8
Ground Splice Pack:Diagram1
Ground Splice Pack - 1022 & 1023:Diagram1
L9 - Antilock Brake System (ABS) BENDIX 4 Channel
Implemenation:Diagram1
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination1
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination2
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination3
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination4
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination5
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination6

L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination7
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination8
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination9
L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven
Lamp:Diagram1-Combination1
L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven
Lamp:Diagram1-Combination2
L9 - CAN Layout:ABS Proprietary J1939
L9 - CAN Layout:Euro 3 Powertrain Standard J1939 (250 Kbps)
L9 - CAN Layout:Euro 5 Powertrain Standard J1939 (250Kbps)
L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-
Combination1
L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-
Combination2
L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-
Combination3
L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-
Combination4
L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination1
L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination2
L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination3
L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination4
L9 - City Horn (W/ 10PIN CLK & Park Brake):Diagram1-
Combination1
L9 - City Horn (W/ 10PIN CLK & Park Brake):Diagram1-
Combination2
L9 - City Horn (W/ 10PIN CLK):Diagram1-Combination1
L9 - City Horn (W/ 10PIN CLK):Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-
Combination1
L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-
Combination2

L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
Lights:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
Lights:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
Lights:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
Lights:Diagram1-Combination4
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard
SW:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard
SW:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination4
L9 - Fog Lights (Halogen White):Diagram1-Combination1
L9 - Fog Lights (Halogen White):Diagram1-Combination2
L9 - Fog Lights (LED White):Diagram1-Combination1
L9 - Fog Lights (LED White):Diagram1-Combination2
L9 - Front Fog Lights W CONNECTOR:Diagram1-Combination1
L9 - Front Fog Lights W CONNECTOR:Diagram1-Combination2
L9 - Front Marker Lights:Diagram1-Combination1
L9 - Front Marker Lights:Diagram1-Combination2
L9 - Front Marker Lights W /Plow Lights:Diagram1-Combination1
L9 - Front Marker Lights W /Plow Lights:Diagram1-Combination2
L9 - Front Marker Lights W /Plow Lights:Diagram1-Combination3
L9 - Front Marker Lights W /Plow Lights:Diagram1-Combination4
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination1
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination2
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination3
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination4

L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination5
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination6
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination7
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination8
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination1
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination2
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination3
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination4
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination1
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination2
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination3
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination4
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination1
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination2

L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination3
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination5
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination6
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination7
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination8
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination5
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination6
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination7
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination8
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination5
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination6
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination7
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination8

L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination1
 L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination2
 L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination3
 L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination4
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination1
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination2
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination3
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination4
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination1
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination2
 Light Splice Packs - 400/1623/1625:Diagram1

Mates 1700

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	MA52	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2360.0	-	A	8001LF
1	-	-	MC52	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2360.0	-	A	8001LF
1	-	-	MB52	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2360.0	-	A	8001LF

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
1	-	-	RD52	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2975.0	-	A	8001A
1	-	-	NF52	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2975.0	-	A	8001A
1	-	-	MU52	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2975.0	-	A	8001A
1	-	-	ML52	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2975.0	-	A	8001A
1	-	-	MJ52	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2975.0	-	A	8001A
1	-	-	MF52	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2975.0	-	A	8001A
1	-	-	MN52	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2360.0	-	A	8001LF
1	-	-	MW52	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2360.0	-	A	8001LF

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	RB52	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2360.0	-	A	8001LF
2	-	-	MA53	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2360.0	-	C	8001LF
2	-	-	MB53	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2360.0	-	C	8001LF
2	-	-	MC53	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2360.0	-	C	8001LF
2	-	-	RD53	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2975.0	-	C	8001A
2	-	-	NF53	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2975.0	-	C	8001A
2	-	-	MU53	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2975.0	-	C	8001A
2	-	-	ML53	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2975.0	-	C	8001A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
2	-	-	MJ53	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2975.0	-	C	8001A
2	-	-	MF53	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2975.0	-	C	8001A
2	-	-	MN53	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2360.0	-	C	8001LF
2	-	-	MW53	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2360.0	-	C	8001LF
2	-	-	RB53	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2360.0	-	C	8001LF
3	-	-	MA52D	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3610.0	-	A	8000
3	-	-	MB52D	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3610.0	-	A	8000
3	-	-	MC52D	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3610.0	-	A	8000

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
3	-	-	RD52D	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3710.0	-	A	8000A
3	-	-	NF52D	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3710.0	-	A	8000A
3	-	-	MU52D	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3710.0	-	A	8000A
3	-	-	ML52D	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3710.0	-	A	8000A
3	-	-	MJ52D	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3710.0	-	A	8000A
3	-	-	MF52D	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3710.0	-	A	8000A
3	-	-	MN52D	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3610.0	-	A	8000
3	-	-	MW52D	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3610.0	-	A	8000

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	RB52D	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3610.0	-	A	8000
4	-	-	MA53B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3610.0	-	C	8000
4	-	-	MB53B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3610.0	-	C	8000
4	-	-	RB53B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3610.0	-	C	8000
4	-	-	RD53B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3710.0	-	C	8000A
4	-	-	NF53B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3710.0	-	C	8000A
4	-	-	MU53B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3710.0	-	C	8000A
4	-	-	ML53B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3710.0	-	C	8000A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
4	-	-	MJ53B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3710.0	-	C	8000A
4	-	-	MF53B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3710.0	-	C	8000A
4	-	-	MC53B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3610.0	-	C	8000
4	-	-	MN53B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3610.0	-	C	8000
4	-	-	MW53B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3610.0	-	C	8000
5	-	-	MC54B	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	3075.0	-	X	-
5	-	-	MN54B	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2075.0	-	X	-
5	-	-	MJ54B	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1875.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	MA54B	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2825.0	-	X	-
5	-	-	MF54B	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1825.0	-	X	-
5	-	-	NF54B	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1925.0	-	X	-
5	-	-	RD54B	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1925.0	-	X	-
5	-	-	MB54B	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2875.0	-	X	-
5	-	-	MU54B	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2075.0	-	X	-
5	-	-	ML54B	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2075.0	-	X	-
5	-	-	RB54B	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2925.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	MW54B	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1925.0	-	X	-
5	-	-	RB54B	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2925.0	-	-	-
5	-	-	MC54B	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	3075.0	-	-	-
5	-	-	MA54B	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2825.0	-	-	-
5	-	-	MV54B	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	3075.0	-	-	-
5	-	-	MB54B	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2875.0	-	-	-
8	-	-	RB53E	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	670.0	-	X	-
8	-	-	MC53E	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	620.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
8	-	-	ML53E	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	620.0	-	X	-
8	-	-	RD53E	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	670.0	-	X	-
9	-	-	RD53F	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	670.0	-	X	-
9	-	-	RB53F	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	670.0	-	X	-
9	-	-	ML53F	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	620.0	-	X	-
9	-	-	MC53F	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	620.0	-	X	-
10	-	-	RB52B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	770.0	-	X	-
10	-	-	MC52B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	720.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
10	-	-	ML52B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	720.0	-	X	-
10	-	-	RD52B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	770.0	-	X	-
11	-	-	MC52E	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	720.0	-	X	-
11	-	-	RB52E	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	770.0	-	X	-
11	-	-	ML52E	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	720.0	-	X	-
11	-	-	RD52E	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	770.0	-	X	-
12	-	-	MG103C	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	470.0	-	-	-
13	-	-	MG103D	2643753 R1	3.01	12.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	590.0	-	A	4069

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
14	-	-	MF56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2975.0	-	D	8001A
14	-	-	MJ56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2975.0	-	D	8001A
14	-	-	MB56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2360.0	-	D	8001LF
14	-	-	MA56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2360.0	-	D	8001LF
14	-	-	MU56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1735.0	-	X	-
14	-	-	RD56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1685.0	-	X	-
14	-	-	MN56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1735.0	-	X	-
14	-	-	MW56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1685.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
14	-	-	MC56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1735.0	-	X	-
14	-	-	ML56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1735.0	-	X	-
14	-	-	NF56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1685.0	-	X	-
14	-	-	RB56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2560.0	-	X	-
14	-	-	MJ56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2975.0	-	D	8001LF
14	-	-	MF56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2975.0	-	D	8001LF
15	-	-	MF57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	3710.0	-	D	8000A
15	-	-	MJ57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	3710.0	-	D	8000A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
15	-	-	MB57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	3610.0	-	D	8000
15	-	-	MU57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1465.0	-	X	-
15	-	-	MA57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	4640.0	-	D	8000
15	-	-	RD57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1565.0	-	X	-
15	-	-	MC57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1465.0	-	X	-
15	-	-	MN57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1465.0	-	X	-
15	-	-	NF57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1565.0	-	X	-
15	-	-	RB57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1565.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
15	-	-	MW57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1565.0	-	X	-
15	-	-	ML57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1465.0	-	X	-
15	-	-	MF57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	3710.0	-	D	8000
15	-	-	MJ57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	3710.0	-	D	8000
15	-	-	MB57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	3610.0	-	D	8000A
15	-	-	MA57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	4640.0	-	D	8000A
21	-	-	TB85E	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2005.0	-	A	8301A
21	-	-	MR85E	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1930.0	-	A	8301

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
21	-	-	MX85E	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1880.0	-	A	8301b
21	-	-	MR85E	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1930.0	-	A	9100
21	-	-	AA85	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	640.0	-	-	-
22	-	-	TJ64A	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	2400.0	-	1	8201A
22	-	-	TK64A	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	3150.0	-	1	8201B
22	-	-	TM64A	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	2400.0	-	1	8201C
22	-	-	TG64A	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	4000.0	-	A	8201X
22	-	-	MD64A	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	3400.0	-	A	8201

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
22	-	-	TH64A	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	2550.0	-	1	8201A
23	-	-	TJ64B	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	3160.0	-	1	8200A
23	-	-	TM64B	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	3160.0	-	1	8200C
23	-	-	TK64B	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	3760.0	-	1	8200B
23	-	-	TG64B	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	4740.0	-	A	8200X
23	-	-	MD64B	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	4140.0	-	A	8200
23	-	-	TH64B	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	3310.0	-	1	8200A
24	-	-	TF94BP	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	330.0	-	1	9531F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
27	-	-	ME94	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1670.0	-	A	8500
28	-	-	ME94A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1670.0	-	-	-
28	-	-	MF94AA	3510313 R1	1.91	14.0	Thin Wall XLPE Primary Cable	GREY	150.0	-	-	-
28	-	-	ME94A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1670.0	-	B	8500
29	-	-	ME94B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1670.0	-	C	8500
30	-	-	FB94C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1170.0	-	1	8502
30	-	-	FA94C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1170.0	-	1	8502
30	-	-	FL94C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1170.0	-	1	8502

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
30	-	-	FA94C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1170.0	-	1	8502A
30	-	-	FL94C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1170.0	-	1	8502A
30	-	-	FB94C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1170.0	-	1	8502A
31	-	-	FA94D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1170.0	-	2	8502
31	-	-	FB94D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1170.0	-	2	8502
31	-	-	FL94D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1170.0	-	2	8502
31	-	-	FA94D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1170.0	-	2	8502A
31	-	-	FL94D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1170.0	-	2	8502A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
31	-	-	FB94D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1170.0	-	2	8502A
32	-	-	FB94E	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4135.0	-	1	8503C
32	-	-	FA94E	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4195.0	-	1	8503B
32	-	-	FL94E	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4175.0	-	1	8503A
33	-	-	FB94F	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4135.0	-	2	8503C
33	-	-	FA94F	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4195.0	-	2	8503B
33	-	-	FL94F	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4175.0	-	2	8503A
34	-	-	ME94H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5680.0	-	A	8501

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
35	-	-	ME94J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5680.0	-	-	-
35	-	-	MF94AJ	3510313 R1	1.91	14.0	Thin Wall XLPE Primary Cable	GREY	315.0	-	-	-
35	-	-	ME94J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5680.0	-	B	8501
36	-	-	ME94K	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5680.0	-	C	8501
37	-	-	TF94BY	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	330.0	-	2	9531F
38	-	-	TF94BZ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	330.0	-	3	9531F
39	-	-	TF94BT	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	330.0	-	4	9531F
40	-	-	TF94BU	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	330.0	-	5	9531F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
41	-	-	TF94BS	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	330.0	-	6	9531F
42	-	-	WIRE239 168	-	0.0	-	-	-	0.0	-	3	9524
45	-	-	TF94BR	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	330.0	-	7	9531F
46	-	-	TF94BQ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	330.0	-	8	9531F
47	-	-	WG67-GA	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	3990.0	-	-	-
48	-	-	TF94BW	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	330.0	-	9	9531F
49	-	-	TF94BV	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	330.0	-	10	9531F
50	-	-	ND94SAB	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	1	9524
50	-	-	TV94SAB	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	1	9524

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
50	-	-	WIRE239169	-	0.0	-	-	-	0.0	-	1	9524
51	-	-	WIRE239170	-	0.0	-	-	-	0.0	-	4	9524
60	-	-	ND94SCB	2643680R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	2	9524
60	-	-	TV94SCB	2643680R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	2	9524
60	-	-	WIRE239171	-	0.0	-	-	-	0.0	-	2	9524
61	-	-	WIRE728830	-	0.0	-	-	-	0.0	-	B	1657M
62	-	-	WIRE728829	-	0.0	-	-	-	0.0	-	A	1657M
63	-	-	PM78BC	2643678R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4370.0	-	A	8701A
63	-	-	MT78BC	2643678R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4495.0	-	A	8701
63	-	-	PT78BC	2643678R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4845.0	-	A	8702
63	-	-	PU78BC	2643678R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4720.0	-	A	8702A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
63	-	-	PF78BC	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4845.0	-	A	8702
63	-	-	PR78BC	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4720.0	-	A	8702A
63	-	-	MS78BC	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4495.0	-	A	8701
63	-	-	PJ78BC	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4370.0	-	A	8701A
64	-	-	PG78AC	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3595.0	-	A	8700B
64	-	-	MT78AC	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3245.0	-	A	8700
64	-	-	PU78AC	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3960.0	-	A	8700C
64	-	-	PT78AC	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3595.0	-	A	8700B

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
64	-	-	PS78AC	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3960.0	-	A	8700C
64	-	-	PM78AC	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3725.0	-	A	8700A
69	-	-	TV94SJ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	5	9524
69	-	-	ND94SJ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	5	9524
70	-	-	TV94SK	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	6	9524
70	-	-	ND94SK	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	6	9524
71	-	-	TV94SM	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	7	9524
71	-	-	ND94SM	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	7	9524

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
72	-	-	TV94SN	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	8	9524
72	-	-	ND94SN	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	8	9524
73	-	-	ND94SL	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	9	9524
73	-	-	TV94SL	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	9	9524
74	-	-	ND94SZC	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	10	9524
75	-	-	ND94SVC	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	11	9524
76	-	-	ND94SH	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	12	9524

Connector Name


1700

Part Number

3595625C1

Instances

- Auxiliary Power (40A) HSD:Diagram1
- B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel Implementation:Diagram1-Combination1
- B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel Implementation:Diagram1-Combination2
- B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel Implementation:Diagram1-Combination3
- B6.7 - CAN Layout:Euro 3 Powertrain Standard J1939 (500Kbps)
- B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination1
- B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination2
- B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination3
- B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination4
- B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination5
- B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination6
- B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination1
- B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination2
- B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination3
- B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination4
- B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination5
- B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination6
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination2
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination1



B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard
SW:Diagram1-Combination2
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination1
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination2
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination3
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination4
B6.7 - Front Fog Lamps:Diagram1-Combination1
B6.7 - Front Fog Lamps:Diagram1-Combination2
B6.7 - Front Fog Lamps:Diagram1-Combination3
B6.7 - Front Marker Lights:Diagram1-Combination1
B6.7 - Front Marker Lights:Diagram1-Combination2
B6.7 - Front Marker Lights W /Plow Lights:Diagram1-
Combination1
B6.7 - Front Marker Lights W /Plow Lights:Diagram1-
Combination2
B6.7 - Front Marker Lights W /Plow Lights:Diagram1-
Combination3
B6.7 - Front Marker Lights W /Plow Lights:Diagram1-
Combination4
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination1
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination2
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination3
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination4
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination5
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination6
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination7
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination8
B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination1
B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination2

B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination3
B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination4
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination1
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination2
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination3
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination4
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination1
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination2
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination3
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination4
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination5
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination6
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination7
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination8
Ground Splice Pack:Diagram1
Ground Splice Pack - 1022 & 1023:Diagram1
L9 - Antilock Brake System (ABS) BENDIX 4 Channel
Implemenation:Diagram1
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination1
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination2
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination3
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination4
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination5
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination6

L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination7
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination8
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination9
L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven
Lamp:Diagram1-Combination1
L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven
Lamp:Diagram1-Combination2
L9 - CAN Layout:ABS Proprietary J1939
L9 - CAN Layout:Euro 3 Powertrain Standard J1939 (250 Kbps)
L9 - CAN Layout:Euro 5 Powertrain Standard J1939 (250Kbps)
L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-
Combination1
L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-
Combination2
L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-
Combination3
L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-
Combination4
L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination1
L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination2
L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination3
L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination4
L9 - City Horn (W/ 10PIN CLK & Park Brake):Diagram1-
Combination1
L9 - City Horn (W/ 10PIN CLK & Park Brake):Diagram1-
Combination2
L9 - City Horn (W/ 10PIN CLK):Diagram1-Combination1
L9 - City Horn (W/ 10PIN CLK):Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-
Combination1
L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-
Combination2

L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
Lights:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
Lights:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
Lights:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
Lights:Diagram1-Combination4
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard
SW:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard
SW:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination4
L9 - Fog Lights (Halogen White):Diagram1-Combination1
L9 - Fog Lights (Halogen White):Diagram1-Combination2
L9 - Fog Lights (LED White):Diagram1-Combination1
L9 - Fog Lights (LED White):Diagram1-Combination2
L9 - Front Fog Lights W CONNECTOR:Diagram1-Combination1
L9 - Front Fog Lights W CONNECTOR:Diagram1-Combination2
L9 - Front Marker Lights:Diagram1-Combination1
L9 - Front Marker Lights:Diagram1-Combination2
L9 - Front Marker Lights W /Plow Lights:Diagram1-Combination1
L9 - Front Marker Lights W /Plow Lights:Diagram1-Combination2
L9 - Front Marker Lights W /Plow Lights:Diagram1-Combination3
L9 - Front Marker Lights W /Plow Lights:Diagram1-Combination4
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination1
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination2
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination3
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination4

L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination5
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination6
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination7
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination8
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination1
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination2
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination3
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination4
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination1
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination2
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination3
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination4
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination1
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination2

L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination3
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination5
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination6
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination7
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination8
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination5
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination6
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination7
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination8
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination5
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination6
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination7
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination8

L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination1
 L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination2
 L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination3
 L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination4
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination1
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination2
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination3
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination4
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination1
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination2
 Light Splice Packs - 400/1623/1625:Diagram1

Mates 1700

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	YF52A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	640.0	-	H	J1-1603
1	-	-	YG52AA	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1350.0	-	5	1873D
2	-	-	YF53A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	675.0	-	B	J2-1604

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	YG53AA	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1430.0	-	5	1873F
3	-	-	YF52B	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	640.0	-	L	J1-1603
3	-	-	YG52BA	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1390.0	-	5	1873E
4	-	-	YF53B	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	675.0	-	H	J2-1604
4	-	-	YG53BA	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1470.0	-	5	1873G
5	-	-	YP54B	3510305 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BROWN	1080.0	-	-	-
5	-	-	YS54B	3510305 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BROWN	1080.0	-	-	-
5	-	-	YS54B	3510305 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BROWN	1080.0	-	C	1623

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	YP54B	3510305 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BROWN	1080.0	-	C	1623
8	-	-	YG53AC	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1430.0	-	4	1873F
9	-	-	YG53BC	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1470.0	-	4	1873G
10	-	-	YG52AC	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1350.0	-	4	1873D
11	-	-	YG52BC	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1390.0	-	4	1873E
12	-	-	HU103C	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1280.0	-	1	1873B
13	-	-	HU103D	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1280.0	-	4	1873B
14	-	-	YM56	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	C	J2-1604

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
14	-	-	YN56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	300.0	-	X	-
14	-	-	XZ56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	300.0	-	X	-
14	-	-	YT56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	C	J2-1604
14	-	-	YY56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	300.0	-	X	-
15	-	-	XZ57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	305.0	-	X	-
15	-	-	YK57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	305.0	-	X	-
15	-	-	XV57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	305.0	-	X	-
15	-	-	YH57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	305.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
15	-	-	YQ57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	305.0	-	X	-
15	-	-	YR57	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	K	J2-1604
15	-	-	YT57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	675.0	-	K	J2-1604
15	-	-	YY57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	305.0	-	X	-
21	-	-	AA85	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	640.0	-	E	J1-1603
21	-	-	TB85E	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2005.0	-	-	-
21	-	-	MX85E	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1880.0	-	-	-
21	-	-	MR85E	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1930.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
22	-	-	YJ64A	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	640.0	-	F	J1-1603
23	-	-	YJ64B	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	640.0	-	K	J1-1603
24	-	-	XR94BP	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2440.0	-	4	1402
27	-	-	XA94	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	2	1401
28	-	-	XE94AA	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	335.0	-	X	-
28	-	-	XA94A	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	3	1401
29	-	-	XA94B	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	1	1401
30	-	-	XA94C	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	5	1401

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
31	-	-	XA94D	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	8	1401
32	-	-	XA94E	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	11	1401
33	-	-	XA94F	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	14	1401
34	-	-	XA94H	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	7	1401
35	-	-	XE94AJ	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	335.0	-	X	-
35	-	-	XA94J	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	6	1401
36	-	-	XA94K	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2500.0	-	4	1401
37	-	-	XR94BY	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2440.0	-	6	1402


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
38	-	-	XR94BZ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2440.0	-	7	1402
39	-	-	XR94BT	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2440.0	-	9	1402
40	-	-	XR94BU	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2440.0	-	10	1402
41	-	-	XR94BS	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2440.0	-	13	1402
42	-	-	WIRE239 176	-	0.0	-	-	-	0.0	-	H	1410
45	-	-	XR94BR	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2440.0	-	11	1402
46	-	-	XR94BQ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2440.0	-	14	1402
47	-	-	YC67-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	500.0	-	6	1022
47	-	-	YA67-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	500.0	-	6	1022

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
47	-	-	YD67-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	500.0	-	6	1022
48	-	-	XR94BW	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2440.0	-	12	1402
49	-	-	XR94BV	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2440.0	-	15	1402
50	-	-	XF94SAB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1325.0	-	-	-
50	-	-	WIRE239 177	-	0.0	-	-	-	0.0	-	B	1410
51	-	-	WIRE239 178	-	0.0	-	-	-	0.0	-	L	1410
60	-	-	XF94SCB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1325.0	-	-	-
60	-	-	WIRE239 179	-	0.0	-	-	-	0.0	-	E	1410
61	-	-	WIRE735 143	-	0.0	-	-	-	0.0	-	PIN1	-
62	-	-	WIRE735 142	-	0.0	-	-	-	0.0	-	PIN1	-
63	-	-	RM78AC	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1010.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
64	-	-	RM78AD	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1010.0	-	X	-
69	-	-	XF94SJ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2440.0	-	5	1402
70	-	-	XP94SK	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	670.0	-	X	-
71	-	-	XF94SM	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2570.0	-	9	1403
72	-	-	XF94SN	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2570.0	-	12	1403
73	-	-	XF94SL	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2570.0	-	6	1403
74	-	-	XF94SZC	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2380.0	-	X	-
75	-	-	XF94SVC	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2360.0	-	X	-
76	-	-	XF94SH	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2570.0	-	3	1403

Connector Name 1701F
 Part Number 3595622C1
 Instances

- B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination2
- B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination3
- B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual):Diagram1-Combination2
- B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual):Diagram1-Combination3
- B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 1:Diagram1-Combination1
- B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 2:Diagram1-Combination1
- B6.7 - CAN Layout:ABS Proprietary J1939
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination2
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination2
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination2
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination3
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination4
- B6.7 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram1-Combination1
- B6.7 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram1-Combination2



B6.7 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram1-Combination3
B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination1
B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination2
B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination3
B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination4
B6.7 - Drain Valve Heater:Diagram1-Combination1
B6.7 - Drain Valve Heater:Diagram1-Combination2
B6.7 - Drain Valve Heater:Diagram1-Combination3
B6.7 - Drain Valve Heater:Diagram1-Combination4
B6.7 - Drain Valve Heater:Diagram1-Combination5
B6.7 - Drain Valve Heater:Diagram1-Combination6
B6.7 - Drain Valve Heater:Diagram1-Combination7
B6.7 - Traction Control (Bendix):Diagram1-Combination1
B6.7 - Traction Control (Bendix):Diagram1-Combination2
B6.7 - WORK LIGHT 1 BULB:Diagram1
L9 - 26 inch Fuel Tank:Diagram1-Combination1
L9 - 26 inch Fuel Tank:Diagram1-Combination2
L9 - 26 inch Fuel Tank:Diagram1-Combination3
L9 - 26 inch Fuel Tank:Diagram1-Combination4
L9 - 26 inch Fuel Tank:Diagram1-Combination5
L9 - 26 inch Fuel Tank:Diagram1-Combination6
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination1
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination2
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination3
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination4
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination5
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination6
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination7
L9 - Antilock Brake System (ABS) BENDIX 4 Channel Implementation:Diagram1
L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination1
L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination2
L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination3
L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination4

L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination5
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination6
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination7
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination8
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination9
L9 - Axle Lift Controls:Diagram1-Combination1
L9 - Axle Lift Controls:Diagram1-Combination2
L9 - Axle Lift Controls:Diagram1-Combination3
L9 - Axle Lift Controls:Diagram1-Combination4
L9 - Axle Lift Controls Option 2:Diagram1-Combination1
L9 - Axle Lift Controls Option 2:Diagram1-Combination2
L9 - Axle Temperature Monitoring (Single Rear Aux
Gauge):Diagram1
L9 - Axle Temperature Monitoring (Single Rear Virtual
Gauge):Diagram1
L9 - Axle Temperature Monitoring (Tandem Rear Aux
Gauge):Diagram1
L9 - Axle Temperature Monitoring (Tandem Rear Virtual
Gauge):Diagram1
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option
1:Diagram1-Combination1
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option
1:Diagram1-Combination2
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option
2:Diagram1-Combination1
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option
2:Diagram1-Combination2
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option
3:Diagram1-Combination1
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option
3:Diagram1-Combination2
L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans
Option 1:Diagram1-Combination1
L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans
Option 2:Diagram1-Combination1
L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans
Option 3:Diagram1-Combination1
L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans
Option 4:Diagram1-Combination1

L9 - Body Builder Lighting - Combined Turn and Stop Lamps
(Manual):Diagram1-Combination2
L9 - Body Builder Lighting - Combined Turn and Stop Lamps
(Manual):Diagram1-Combination3
L9 - CAN Layout:ABS Proprietary J1939
L9 - Center Chassis Ground Splice Packs -
8805/8806/8807/8809:Diagram1
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-
Combination1
L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-
Combination2
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
Lights:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
Lights:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
Lights:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
Lights:Diagram1-Combination4
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard
SW:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard
SW:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination4

L9 - DLB - Remote Power Modules (1 RPM n/ Switch Packs):Diagram 1
L9 - DLB - Remote Power Modules (1 RPM n/ Switch Packs):Diagram 2 - In Cab
L9 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram 1
L9 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram 2 - In Cab
L9 - DLB - Remote Power Modules (2 RPM n/ Switch Pack):Diagram 1
L9 - DLB - Remote Power Modules (2 RPM n/ Switch Pack):Diagram 2 - In Cab
L9 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram 1
L9 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram 2 - In Cab
L9 - Drain Valve Heater:Diagram1-Combination1
L9 - Drain Valve Heater:Diagram1-Combination2
L9 - Drain Valve Heater:Diagram1-Combination3
L9 - Drain Valve Heater:Diagram1-Combination4
L9 - Drain Valve Heater:Diagram1-Combination5
L9 - Drain Valve Heater:Diagram1-Combination7
L9 - Drain Valve Heater:Diagram1-Combination8
L9 - Drain Valve Heater:Diagram1-Combination9
L9 - Drain Valve Heater:Diagram1-Combination10
L9 - Hill Start Aid (Bendix):Diagram1-Combination1
L9 - Hill Start Aid (Bendix):Diagram1-Combination2
L9 - Lift Axle Controls (Center Pedestal Controls f/ 1 lift axle):Diagram1-Combination1
L9 - Lift Axle Controls (Center Pedestal Controls f/ 1 lift axle):Diagram1-Combination2
L9 - Lift Axle Controls (Center Pedestal Controls f/ 2 Lift Axles):Diagram1
L9 - Lift Axle Controls (Center Pedestal Controls f/ 3 lift axles):Diagram1
L9 - Power Lift Gate:Diagram1
L9 - Rear Light (LED BOX LAMP Tail Light):Diagram1
L9 - Rear Light (Tail Light):Diagram1
L9 - Rear Lights Stop - Dual Assembly:Diagram1
L9 - Rear Lights Stop - Single Assembly:Diagram1
L9 - RIGHTSIDE AIR DRYER:Diagram1-Combination1
L9 - RIGHTSIDE AIR DRYER:Diagram1-Combination2
L9 - RIGHTSIDE AIR DRYER:Diagram1-Combination3
L9 - RIGHTSIDE AIR DRYER:Diagram1-Combination4

L9 - RIGHTSIDE AIR DRYER:Diagram1-Combination5
 L9 - RIGHTSIDE AIR DRYER:Diagram1-Combination6
 L9 - RIGHTSIDE AIR DRYER:Diagram1-Combination7
 L9 - RIGHTSIDE AIR DRYER:Diagram1-Combination8
 L9 - RIGHTSIDE AIR DRYER:Diagram1-Combination9
 L9 - RIGHTSIDE AIR DRYER:Diagram1-Combination10
 L9 - RIGHTSIDE AIR DRYER:Diagram1-Combination11
 L9 - Traction Control (Bendix):Diagram1
 L9 - Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination1
 L9 - Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination2
 L9 - WORK LIGHT 1 BULB:Diagram1-Combination1
 L9 - WORK LIGHT 1 BULB:Diagram1-Combination2
 L9 - WORK LIGHT W BackUP 1 BULB Option 1:Diagram1-Combination1
 L9 - WORK LIGHT W BackUP 1 BULB Option 1:Diagram1-Combination2
 L9 - WORK LIGHT W BackUP 1 BULB Option 2:Diagram1-Combination1
 L9 - WORK LIGHT W BackUP 1 BULB Option 2:Diagram1-Combination2
 L9 - WORK LIGHT W RKE 1 BULB:Diagram1-Combination1
 L9 - WORK LIGHT W RKE 1 BULB:Diagram1-Combination2
 L9 - Work Lights LED W/ Sw Pack - Day Cab:Diagram1-Combination1
 L9 - Work Lights LED W/ Sw Pack - Day Cab:Diagram1-Combination2
 Light Splice Packs - 400/1623/1625:Diagram1

Mates 1701

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	RK71A	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	4380.0	-	1	9800

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	RK56	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	4380.0	-	2	9800
3	-	-	RK57	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	4380.0	-	3	9800
4	-	-	RK68	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	4380.0	-	4	9800
5	-	-	NC56T	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	4430.0	-	B	9716
6	-	-	NC57T	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4430.0	-	C	9716
7	-	-	NC54T	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	4430.0	-	A	9716
8	-	-	NC68T	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	4455.0	-	B	9715
9	-	-	NC70T	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	4455.0	-	A	9715

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
12	-	-	ND56BB	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	2230.0	-	B	4450M
12	-	-	PV56BB	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	4430.0	-	B	4450AM
12	-	-	ND56BB	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	2230.0	-	-	-
13	-	-	RX9	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1780.0	-	-	-
13	-	-	RX9	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1780.0	-	A	8802
14	-	-	PR94BM	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4380.0	-	24	9800
15	-	-	PR94BN	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4380.0	-	23	9800
16	-	-	MD94BE	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4380.0	-	13	9800

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
17	-	-	MD94BD	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4380.0	-	14	9800
18	-	-	MD94BH	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4380.0	-	15	9800
19	-	-	MD94BF	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4380.0	-	16	9800
20	-	-	MD94BL	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4380.0	-	22	9800
21	-	-	MD94BJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4380.0	-	20	9800
22	-	-	MD94BK	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4380.0	-	21	9800
23	-	-	MD94BA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4380.0	-	17	9800
24	-	-	MD94BB	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4380.0	-	18	9800

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
24	-	-	ZU94-G7	3510313 R1	1.91	14.0	Thin Wall XLPE Primary Cable	GREY	4380.0	-	18	9800
25	-	-	MD94BC	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4380.0	-	19	9800
27	-	-	ZP36B	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	4240.0	-	A	9101
27	-	-	ZL36B	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	4135.0	-	A	9101
27	-	-	ZT36B	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	4510.0	-	A	9101
27	-	-	FG36B	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	5355.0	-	A	9101
27	-	-	ZX36B	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	4370.0	-	A	9101
27	-	-	ZV36B	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	6465.0	-	A	9101

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
29	-	-	FC36A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3885.0	-	A	9101
29	-	-	FA36A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2495.0	-	A	9101
29	-	-	PL36A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4440.0	-	A	9101
29	-	-	FB36A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	4035.0	-	A	9101
29	-	-	FD36A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2125.0	-	A	9101
29	-	-	FF36A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4740.0	-	A	9101
29	-	-	FE36A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4075.0	-	A	9101
31	-	-	AJ39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2610.0	-	A	9900AJ

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
31	-	-	ZN39B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4455.0	-	A	9900C
31	-	-	AC39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3270.0	-	A	9900AC
31	-	-	PA39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2805.0	-	A	9900E
31	-	-	PF39B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4455.0	-	A	9900C
31	-	-	NX39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3410.0	-	A	9900G
31	-	-	AQ39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4280.0	-	A	9900AQ
31	-	-	BA39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2580.0	-	A	9900D
31	-	-	PN39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4105.0	-	A	9900AA

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
31	-	-	AP39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4580.0	-	A	9900AP
31	-	-	AR39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3730.0	-	A	9900AR
31	-	-	NH39B	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	3060.0	-	A	9900A
40	-	-	NQ39A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4460.0	-	A	9200B
40	-	-	BZ39A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1885.0	-	A	9004
40	-	-	NU39A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	6255.0	-	A	9002A
40	-	-	PS39A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5780.0	-	A	9200C
40	-	-	NN39A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3105.0	-	A	9002

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
40	-	-	NK39A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4005.0	-	A	9200A
40	-	-	AH39A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3290.0	-	A	9003
40	-	-	PS39A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5780.0	-	A	9200J
40	-	-	BB39A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2805.0	-	A	9005
40	-	-	2F39A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4465.0	-	A	9002A
40	-	-	BC39A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5230.0	-	A	9200C
40	-	-	NP39A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3005.0	-	A	9001
41	-	-	AK87EA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2000.0	-	1	9746A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
41	-	-	PP87EA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2124.0	-	1	9746
42	-	-	ND56BC	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	2385.0	-	A	4460M
42	-	-	PV56BC	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	4405.0	-	A	4460AM
42	-	-	ND56BC	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	2385.0	-	-	-
43	-	-	MG32A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	4380.0	-	5	9800
44	-	-	RH32	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	4380.0	-	6	9800
51	-	-	RA20	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3860.0	-	6	4410D
51	-	-	ZE20	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4280.0	-	6	4411M4

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
51	-	-	NT20	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4405.0	-	6	4410H
51	-	-	ZE20	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4280.0	-	6	4410H
51	-	-	ZE20	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4280.0	-	6	4410D
54	-	-	WIRE239 188	-	0.0	-	-	-	0.0	-	1	9514D
54	-	-	WIRE239 188	-	0.0	-	-	-	0.0	-	1	9514D/9 514F
55	-	-	WIRE239 189	-	0.0	-	-	-	0.0	-	2	9514D
55	-	-	WIRE239 189	-	0.0	-	-	-	0.0	-	2	9514D/9 514F
56	-	-	WIRE239 190	-	0.0	-	-	-	0.0	-	3	9514D
56	-	-	WIRE239 190	-	0.0	-	-	-	0.0	-	3	9514D/9 514F
57	-	-	WIRE239 191	-	0.0	-	-	-	0.0	-	4	9514D
57	-	-	WIRE239 191	-	0.0	-	-	-	0.0	-	4	9514D/9 514F
58	-	-	NY87DB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2120.0	-	2	9745

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
58	-	-	AB87DA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1875.0	-	2	9745A
59	-	-	NY87MB	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2120.0	-	1	9745
59	-	-	AB87DB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1875.0	-	1	9745A
60	-	-	SJ59ED	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4430.0	-	A	9820M
60	-	-	UC59EF	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	6680.0	-	A	9762
61	-	-	UD59EC	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4510.0	-	A	9763
61	-	-	ZJ94AA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2960.0	-	1	6925
61	-	-	AT94AA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3255.0	-	1	6925A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
63	-	-	ND57BB	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2230.0	-	C	4450M
63	-	-	PV57BB	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4430.0	-	C	4450AM
63	-	-	ND57BB	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2230.0	-	-	-
64	-	-	ND57BC	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2385.0	-	B	4460M
64	-	-	PV57BC	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4405.0	-	B	4460AM
64	-	-	ND57BC	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2385.0	-	-	-
65	-	-	ZJ94AB	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2960.0	-	2	6925
65	-	-	AT94AB	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3255.0	-	2	6925A


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
66	-	-	YL112	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2385.0	-	1	7803
68	-	-	NF65	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2585.0	-	A	9767
68	-	-	UA65	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	4405.0	-	A	9766
70	-	-	RM71N	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2751.0	-	E	9761F
71	-	-	ND68BB	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2230.0	-	A	4450M
71	-	-	PV68BB	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	4430.0	-	A	4450AM
71	-	-	ND68BB	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2230.0	-	-	-
71	-	-	PV68BB	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	4430.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
72	-	-	ND70BB	2643686 R1	1.91	14.0	Std. Wall XLPE Primary Cable	RED	2385.0	-	C	4460M
72	-	-	PV70BB	2643686 R1	1.91	14.0	Std. Wall XLPE Primary Cable	RED	4405.0	-	C	4460AM
73	-	-	ND71BB	2643806 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT BLUE	2230.0	-	E	4450M
73	-	-	PV71BB	2643806 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT BLUE	4430.0	-	E	4450AM
73	-	-	ND71BB	2643806 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT BLUE	2230.0	-	-	-
73	-	-	VE71BZ	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	3355.0	-	-	-
74	-	-	ND54BB	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2230.0	-	D	4450M
74	-	-	PV54BB	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	4430.0	-	D	4450AM

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
74	-	-	PV54BB	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	4430.0	-	-	-
74	-	-	ND54BB	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2230.0	-	-	-

Connector Name 1701F
Part Number 3595622C1
Instances

- B6.7 - 26 inch Fuel Tank:Diagram1-Combination1
- B6.7 - 26 inch Fuel Tank:Diagram1-Combination2
- B6.7 - 26 inch Fuel Tank:Diagram1-Combination3
- B6.7 - 26 inch Fuel Tank - Secondary:Diagram1
- B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel Implemenation:Diagram1-Combination1
- B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel Implemenation:Diagram1-Combination2
- B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel Implemenation:Diagram1-Combination3
- B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 1:Diagram1
- B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 2:Diagram1-Combination1
- B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 2:Diagram1-Combination2
- B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 2:Diagram1-Combination3
- B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 3:Diagram1-Combination1
- B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 3:Diagram1-Combination2
- B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 3:Diagram1-Combination3
- B6.7 - Axle Temperature Monitoring (Single Rear Aux Gauge):Diagram1
- B6.7 - Axle Temperature Monitoring (Single Rear Virtual Gauge):Diagram1
- B6.7 - Back-Up Alarm (Automatic) W/ Tailboard:Diagram1
- B6.7 - Back-Up Alarm (Automatic) W/O Tailboard:Diagram1
- B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1:Diagram1-Combination1
- B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1:Diagram1-Combination2
- B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2:Diagram1-Combination1
- B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2:Diagram1-Combination2
- B6.7 - CAN Layout:Body Standard J1939 (250Kbps)
- B6.7 - Center Chassis Ground Splice Packs - 8802/8805/8807/8809:Diagram1



B6.7 - Driver Controlled Locking Differential - RR Axle (Dana w/
one sw):Diagram1
B6.7 - Driver Controlled Locking Differential - RR Axle (Meritor
w/ one sw):Diagram1
B6.7 - License Plate Light (Tail Light Single Assy) Option
1:Diagram1
B6.7 - License Plate Light (Tail Light Single Assy) Option
2:Diagram1
B6.7 - License Plate Light (Tail Light Single Assy) Option
3:Diagram1
B6.7 - License Plate Light (Tail Light Single Assy) W/Less Power
Module:Diagram1
B6.7 - Rear Lights Stop - Single Assembly:Diagram1
B6.7 - Remote Start/Stop:Diagram1
B6.7 - Remote Start/Stop w/ Emergency Pump:Diagram1
B6.7 - RIGHTSIDE AIR DRYER:Diagram1-Combination1
B6.7 - RIGHTSIDE AIR DRYER:Diagram1-Combination2
B6.7 - RIGHTSIDE AIR DRYER:Diagram1-Combination3
B6.7 - RIGHTSIDE AIR DRYER:Diagram1-Combination4
B6.7 - RIGHTSIDE AIR DRYER:Diagram1-Combination5
B6.7 - RIGHTSIDE AIR DRYER:Diagram1-Combination6
IP ZVR Splice Packs - 1620:Diagram1
L9 - Auxiliary Air Solenoids (1 Normally Closed):Diagram1
L9 - Auxillary Air Solenoids Normally Closed:Combination1
L9 - Auxillary Air Solenoids Normally Closed:Combination2
L9 - Auxillary Air Solenoids Normally Closed:Combination3
L9 - Auxillary Air Solenoids Normally Closed:Combination4
L9 - Auxillary Air Solenoids Normally Closed:Combination5
L9 - Auxillary Air Solenoids Normally Closed:Combination6
L9 - Axle Loading (Weight) Rear:Diagram1-Combination1
L9 - Axle Loading (Weight) Rear:Diagram1-Combination2
L9 - Back-Up Alarm (Automatic) W/ Tailboard:Diagram1
L9 - Back-Up Alarm (Automatic) W/O Tailboard:Diagram1
L9 - Back-Up Alarm (Manual) W/ Tailboard:Diagram1
L9 - Back-Up Alarm (Manual) W/O Tailboard:Diagram1
L9 - Body Builder Lighting - Combined Turn and Stop Lamps
(Automatic):Diagram1-Combination2
L9 - Body Builder Lighting - Combined Turn and Stop Lamps
(Automatic):Diagram1-Combination3
L9 - Body Builder Lighting - Separate Turn and Stop Lamps
(Blunt Cut) Option 1:Diagram1
L9 - Body Builder Lighting - Separate Turn and Stop Lamps
(Blunt Cut) Option 2:Diagram1
L9 - CAN Layout:Body Standard J1939 (250Kbps)

L9 - Driver Controlled Locking Differential - FR and RR Axle
(Dana w/ one sw):Diagram1
L9 - Driver Controlled Locking Differential - FR and RR Axle
(Meritor w/ one sw):Diagram1
L9 - Driver Controlled Locking Differential - FR and RR Axles
(Dana w/ two sw):Diagram1
L9 - Driver Controlled Locking Differential - FR and RR Axles
(Meritor w/ two sw):Diagram1
L9 - Driver Controlled Locking Differential - RR Axle (Dana w/
one sw):Diagram1
L9 - Driver Controlled Locking Differential - RR Axle (Meritor w/
one sw):Diagram1
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination1
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination2
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination3
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination4
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination5
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination6
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination7
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination8
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination9
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination10
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination11
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination12
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination13
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination14
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination15
L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-
Combination1

L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination2
 L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination3
 L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination4
 L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination5
 L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination6
 L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination7
 L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination8
 L9 - License Plate Light (LED BOX LAMP Tail Light):Diagram1
 L9 - License Plate Light (Tail Light Single Assy) Option 1:Diagram1
 L9 - License Plate Light (Tail Light Single Assy) Option 2:Diagram1
 L9 - License Plate Light (Tail Light Single Assy) Option 3:Diagram1
 L9 - License Plate Light (Tail Light Single Assy) Option 4:Diagram1
 L9 - Rear Suspension Pressure Monitoring (Virtual Gauge):Diagram1-Combination1
 L9 - Rear Suspension Pressure Monitoring (Virtual Gauge):Diagram1-Combination2
 L9 - Remote Start/Stop:Diagram1
 L9 - Remote Start/Stop w/ Emergency Pump:Diagram1
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination3
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination4
 L9 - TEM Electric Trailer Brake Controller Activated Stop LT:Diagram1
 L9 - Three Auxillary Air Solenoids:Diagram1-Combination1
 L9 - Three Auxillary Air Solenoids:Diagram1-Combination2
 L9 - Three Auxillary Air Solenoids:Diagram1-Combination3
 L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option 1:Diagram1-Combination1
 L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option 2:Diagram1

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	RK71A	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	4380.0	-	1	9800
2	-	-	RK56	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	4380.0	-	2	9800
3	-	-	RK57	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	4380.0	-	3	9800
4	-	-	RK68	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	4380.0	-	4	9800
4	-	-	RB68	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2875.0	-	D	9303A
5	-	-	NE56T	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	1920.0	-	X	-
5	-	-	NC56T	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	4430.0	-	B	9716
6	-	-	NE57T	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1980.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
6	-	-	NC57T	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4430.0	-	C	9716
7	-	-	NE54T	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	1855.0	-	X	-
7	-	-	NC54T	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	4430.0	-	A	9716
8	-	-	NE68T	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	1805.0	-	X	-
8	-	-	NC68T	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	4455.0	-	B	9715
9	-	-	NE70T	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	1755.0	-	X	-
9	-	-	NC70T	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	4455.0	-	A	9715
10	-	-	NC94T	2643784 R1	4.81	10.0	Std. Wall XLPE Primary Cable	GREY	4455.0	-	C	9715

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
13	-	-	SL9	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2230.0	-	-	-
13	-	-	SL9	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2180.0	-	A	8802
16	-	-	MD94BE	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4380.0	-	13	9800
17	-	-	MD94BD	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4380.0	-	14	9800
18	-	-	MD94BH	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4380.0	-	15	9800
19	-	-	MD94BF	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4380.0	-	16	9800
20	-	-	MD94BL	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4380.0	-	22	9800
21	-	-	MD94BJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4380.0	-	20	9800

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
22	-	-	MD94BK	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4380.0	-	21	9800
23	-	-	MD94BA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4380.0	-	17	9800
24	-	-	MD94BB	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4380.0	-	18	9800
24	-	-	ZU94C	3510313 R1	1.91	14.0	Thin Wall XLPE Primary Cable	GREY	4780.0	-	18	9800
25	-	-	MD94BC	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4380.0	-	19	9800
27	-	-	ZP36B	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	4240.0	-	A	9102C
27	-	-	ZV36B	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	6465.0	-	A	9102V
27	-	-	ZX36B	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	4370.0	-	A	9102X

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
29	-	-	FD36A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2125.0	-	A	9100A
31	-	-	AR39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3730.0	-	A	9900AR
31	-	-	AQ39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4280.0	-	A	9900AQ
31	-	-	AC39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3270.0	-	A	9900AC
31	-	-	AE39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4330.0	-	A	9900AE
31	-	-	AJ39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2610.0	-	A	9900AJ
31	-	-	AP39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4580.0	-	A	9900AP
32	-	-	NG59B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2155.0	-	B	9736

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
33	-	-	NG59C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2155.0	-	C	9736
34	-	-	NG59D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2155.0	-	D	9736
35	-	-	NG59E	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2155.0	-	E	9736
36	-	-	NU59G	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5380.0	-	B	9740
36	-	-	NZ59G	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5730.0	-	B	9740C
36	-	-	2A59G	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4085.0	-	B	9740E
36	-	-	NT59T	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5455.0	-	B	9740E
36	-	-	NS59T	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	6930.0	-	B	9740D

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
36	-	-	BU59G	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4885.0	-	B	9740H
36	-	-	BV59G	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	6530.0	-	B	9740G
36	-	-	RE59G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	4035.0	-	B	9740D
37	-	-	NU59H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5380.0	-	C	9740
37	-	-	NZ59H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5730.0	-	C	9740C
37	-	-	2A59H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4085.0	-	C	9740E
37	-	-	NT59U	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5455.0	-	C	9740E
37	-	-	NS59U	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	6930.0	-	C	9740D

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
37	-	-	BU59H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4885.0	-	C	9740H
37	-	-	RE59H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4035.0	-	C	9740D
37	-	-	BV59H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	6530.0	-	C	9740G
38	-	-	NU59J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5380.0	-	D	9740
38	-	-	2A59J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4085.0	-	D	9740E
38	-	-	NZ59J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5730.0	-	D	9740C
38	-	-	NT59V	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5455.0	-	D	9740E
38	-	-	NS59V	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	6930.0	-	D	9740D

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
38	-	-	RE59J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4035.0	-	D	9740D
38	-	-	BV59J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	6530.0	-	D	9740G
38	-	-	BU59J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4885.0	-	D	9740H
39	-	-	NZ59K	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5730.0	-	E	9740C
39	-	-	2A59K	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4085.0	-	E	9740E
39	-	-	NU59K	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5380.0	-	E	9740
39	-	-	NS59W	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5980.0	-	E	9740D
39	-	-	NT59W	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5455.0	-	E	9740E

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
39	-	-	BV59K	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	6530.0	-	E	9740G
39	-	-	BU59K	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4885.0	-	E	9740H
39	-	-	RE59K	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4035.0	-	E	9740D
42	-	-	ND56BC	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	2385.0	-	A	4460M
42	-	-	PV56BC	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	4405.0	-	A	4460AM
43	-	-	SW104CA	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	4480.0	-	B	9778
44	-	-	RH32	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	4380.0	-	6	9800
44	-	-	SW59CA	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4480.0	-	A	9778

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
45	-	-	RL49A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4380.0	-	8	9800
46	-	-	NR59M	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5980.0	-	B	N04-974 0B
46	-	-	2B59M	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4085.0	-	B	9740F
46	-	-	NW59M	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5480.0	-	B	9740A
46	-	-	NR59M	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5980.0	-	B	9740B
47	-	-	NR59N	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5980.0	-	C	N04-974 0B
47	-	-	2B59N	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4085.0	-	C	9740F
47	-	-	NW59N	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5480.0	-	C	9740A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
47	-	-	NR59N	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5980.0	-	C	9740B
48	-	-	NR59P	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5980.0	-	D	N04-974 0B
48	-	-	2B59P	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4085.0	-	D	9740F
48	-	-	NW59P	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5480.0	-	D	9740A
48	-	-	NR59P	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5980.0	-	D	9740B
49	-	-	NR59Q	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5980.0	-	E	N04-974 0B
49	-	-	2B59Q	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4085.0	-	E	9740F
49	-	-	NW59Q	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5480.0	-	E	9740A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
49	-	-	NR59Q	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5980.0	-	E	9740B
49	-	-	VT94SJ	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1660.0	-	1	9512
50	-	-	MJ49	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4380.0	-	7	9800
52	-	-	WIRE740 271	-	0.0	-	-	-	0.0	-	3	4410L
52	-	-	WIRE740 272	-	0.0	-	-	-	0.0	-	3	4410G
52	-	-	WIRE724 015	-	0.0	-	-	-	0.0	-	4	4410G
52	-	-	WIRE724 016	-	0.0	-	-	-	0.0	-	4	4410L
52	-	-	WIRE722 726	-	0.0	-	-	-	0.0	-	4	4410F
52	-	-	WIRE722 724	-	0.0	-	-	-	0.0	-	4	4410H
52	-	-	WIRE722 725	-	0.0	-	-	-	0.0	-	4	4410D
53	-	-	WIRE740 273	-	0.0	-	-	-	0.0	-	4	4410L
53	-	-	WIRE740 274	-	0.0	-	-	-	0.0	-	4	4410G
53	-	-	WIRE724 013	-	0.0	-	-	-	0.0	-	3	4410L

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
53	-	-	WIRE724014	-	0.0	-	-	-	0.0	-	3	4410G
53	-	-	WIRE722723	-	0.0	-	-	-	0.0	-	3	4410F
53	-	-	WIRE722721	-	0.0	-	-	-	0.0	-	3	4410H
53	-	-	WIRE722722	-	0.0	-	-	-	0.0	-	3	4410D
54	-	-	TG94SAB	2643673R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4555.0	-	1	9514F
54	-	-	TA94SAB	2643673R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2985.0	-	1	9514D
55	-	-	PD61B	2643673R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4405.0	-	C	9865M
55	-	-	TG94SCB	2643673R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4555.0	-	2	9514F
55	-	-	TA94SCB	2643673R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2985.0	-	2	9514D
56	-	-	PD106B	2643673R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4405.0	-	B	9865M


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
57	-	-	PD110B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4405.0	-	A	9865M
64	-	-	ND57BC	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2385.0	-	B	4460M
64	-	-	PV57BC	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4405.0	-	B	4460AM
67	-	-	CB19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2660.0	-	A	9108A
67	-	-	CA19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3535.0	-	A	9108B
67	-	-	CC19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3377.0	-	A	9109
67	-	-	CD19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3670.0	-	A	9108D
67	-	-	CE19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4230.0	-	A	9108E

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
67	-	-	CF19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4825.0	-	A	9108F
67	-	-	CG19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3535.0	-	A	9108J
67	-	-	CN19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3445.0	-	A	9108H
67	-	-	CR19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3610.0	-	A	9108K
67	-	-	CT19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3785.0	-	A	9108L
67	-	-	CV19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3955.0	-	A	9108M
67	-	-	CX19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4155.0	-	A	9108N
67	-	-	CZ19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4805.0	-	A	9108P

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
67	-	-	PU19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4205.0	-	A	9108G
67	-	-	PX19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2285.0	-	A	9108C
67	-	-	CH19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2935.0	-	A	4042A
67	-	-	CP19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3210.0	-	A	4042A
67	-	-	CS19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3435.0	-	A	4042A
67	-	-	CU19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3655.0	-	A	4042A
67	-	-	CW19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3955.0	-	A	4042A
67	-	-	CY19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4505.0	-	A	4042A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
67	-	-	XA19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2845.0	-	A	4042A
67	-	-	XY19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3355.0	-	A	4042A
69	-	-	VT94SK	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1660.0	-	2	9512
71	-	-	PV68BB	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	4430.0	-	A	4450AM
71	-	-	ND68BB	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2230.0	-	A	4450M
72	-	-	ND70BB	2643686 R1	1.91	14.0	Std. Wall XLPE Primary Cable	RED	2385.0	-	C	4460M
72	-	-	PV70BB	2643686 R1	1.91	14.0	Std. Wall XLPE Primary Cable	RED	4405.0	-	C	4460AM
74	-	-	ND54BB	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2230.0	-	D	4450M
74	-	-	PV54BB	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	4430.0	-	D	4450AM

Connector Name 1701
 Part Number RING-E-1-2_0
 Instances L9 - Cranking (Starter) GEN4 BCM W/O Thermal
 Overcrank:Diagram1-Combination1
 Mates MOT-STARTER-5024-01-04



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	14	2645953 R1	18.94	4.0	SGX NFLEX 125	RED	3700.0	-	A	9251

Connector Name


1701

Part Number

3595623C1

Instances

- B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination2
- B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination3
- B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual):Diagram1-Combination2
- B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual):Diagram1-Combination3
- B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 1:Diagram1-Combination1
- B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 2:Diagram1-Combination1
- B6.7 - CAN Layout:ABS Proprietary J1939
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination2
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination2
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination2
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination3
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination4
- B6.7 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram1-Combination1
- B6.7 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram1-Combination2



B6.7 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram1-Combination3
B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination1
B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination2
B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination3
B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination4
B6.7 - Drain Valve Heater:Diagram1-Combination1
B6.7 - Drain Valve Heater:Diagram1-Combination2
B6.7 - Drain Valve Heater:Diagram1-Combination3
B6.7 - Drain Valve Heater:Diagram1-Combination4
B6.7 - Drain Valve Heater:Diagram1-Combination5
B6.7 - Drain Valve Heater:Diagram1-Combination6
B6.7 - Drain Valve Heater:Diagram1-Combination7
B6.7 - Traction Control (Bendix):Diagram1-Combination1
B6.7 - Traction Control (Bendix):Diagram1-Combination2
B6.7 - WORK LIGHT 1 BULB:Diagram1
L9 - 26 inch Fuel Tank:Diagram1-Combination1
L9 - 26 inch Fuel Tank:Diagram1-Combination2
L9 - 26 inch Fuel Tank:Diagram1-Combination3
L9 - 26 inch Fuel Tank:Diagram1-Combination4
L9 - 26 inch Fuel Tank:Diagram1-Combination5
L9 - 26 inch Fuel Tank:Diagram1-Combination6
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination1
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination2
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination3
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination4
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination5
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination6
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination7
L9 - Antilock Brake System (ABS) BENDIX 4 Channel Implementation:Diagram1
L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination1
L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination2
L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination3
L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination4

L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination5
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination6
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination7
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination8
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination9
L9 - Axle Lift Controls:Diagram1-Combination1
L9 - Axle Lift Controls:Diagram1-Combination2
L9 - Axle Lift Controls:Diagram1-Combination3
L9 - Axle Lift Controls:Diagram1-Combination4
L9 - Axle Lift Controls Option 2:Diagram1-Combination1
L9 - Axle Lift Controls Option 2:Diagram1-Combination2
L9 - Axle Temperature Monitoring (Single Rear Aux
Gauge):Diagram1
L9 - Axle Temperature Monitoring (Single Rear Virtual
Gauge):Diagram1
L9 - Axle Temperature Monitoring (Tandem Rear Aux
Gauge):Diagram1
L9 - Axle Temperature Monitoring (Tandem Rear Virtual
Gauge):Diagram1
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option
1:Diagram1-Combination1
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option
1:Diagram1-Combination2
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option
2:Diagram1-Combination1
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option
2:Diagram1-Combination2
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option
3:Diagram1-Combination1
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option
3:Diagram1-Combination2
L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans
Option 1:Diagram1-Combination1
L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans
Option 2:Diagram1-Combination1
L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans
Option 3:Diagram1-Combination1
L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans
Option 4:Diagram1-Combination1

L9 - Body Builder Lighting - Combined Turn and Stop Lamps
(Manual):Diagram1-Combination2
L9 - Body Builder Lighting - Combined Turn and Stop Lamps
(Manual):Diagram1-Combination3
L9 - CAN Layout:ABS Proprietary J1939
L9 - Center Chassis Ground Splice Packs -
8805/8806/8807/8809:Diagram1
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-
Combination1
L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-
Combination2
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
Lights:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
Lights:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
Lights:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
Lights:Diagram1-Combination4
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard
SW:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard
SW:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination4

L9 - DLB - Remote Power Modules (1 RPM n/ Switch Packs):Diagram 1
L9 - DLB - Remote Power Modules (1 RPM n/ Switch Packs):Diagram 2 - In Cab
L9 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram 1
L9 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram 2 - In Cab
L9 - DLB - Remote Power Modules (2 RPM n/ Switch Pack):Diagram 1
L9 - DLB - Remote Power Modules (2 RPM n/ Switch Pack):Diagram 2 - In Cab
L9 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram 1
L9 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram 2 - In Cab
L9 - Drain Valve Heater:Diagram1-Combination1
L9 - Drain Valve Heater:Diagram1-Combination2
L9 - Drain Valve Heater:Diagram1-Combination3
L9 - Drain Valve Heater:Diagram1-Combination4
L9 - Drain Valve Heater:Diagram1-Combination5
L9 - Drain Valve Heater:Diagram1-Combination7
L9 - Drain Valve Heater:Diagram1-Combination8
L9 - Drain Valve Heater:Diagram1-Combination9
L9 - Drain Valve Heater:Diagram1-Combination10
L9 - Hill Start Aid (Bendix):Diagram1-Combination1
L9 - Hill Start Aid (Bendix):Diagram1-Combination2
L9 - Lift Axle Controls (Center Pedestal Controls f/ 1 lift axle):Diagram1-Combination1
L9 - Lift Axle Controls (Center Pedestal Controls f/ 1 lift axle):Diagram1-Combination2
L9 - Lift Axle Controls (Center Pedestal Controls f/ 2 Lift Axles):Diagram1
L9 - Lift Axle Controls (Center Pedestal Controls f/ 3 lift axles):Diagram1
L9 - Power Lift Gate:Diagram1
L9 - Rear Light (LED BOX LAMP Tail Light):Diagram1
L9 - Rear Light (Tail Light):Diagram1
L9 - Rear Lights Stop - Dual Assembly:Diagram1
L9 - Rear Lights Stop - Single Assembly:Diagram1
L9 - RIGHTSIDE AIR DRYER:Diagram1-Combination1
L9 - RIGHTSIDE AIR DRYER:Diagram1-Combination2
L9 - RIGHTSIDE AIR DRYER:Diagram1-Combination3
L9 - RIGHTSIDE AIR DRYER:Diagram1-Combination4

L9 - RIGHTSIDE AIR DRYER:Diagram1-Combination5
 L9 - RIGHTSIDE AIR DRYER:Diagram1-Combination6
 L9 - RIGHTSIDE AIR DRYER:Diagram1-Combination7
 L9 - RIGHTSIDE AIR DRYER:Diagram1-Combination8
 L9 - RIGHTSIDE AIR DRYER:Diagram1-Combination9
 L9 - RIGHTSIDE AIR DRYER:Diagram1-Combination10
 L9 - RIGHTSIDE AIR DRYER:Diagram1-Combination11
 L9 - Traction Control (Bendix):Diagram1
 L9 - Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination1
 L9 - Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination2
 L9 - WORK LIGHT 1 BULB:Diagram1-Combination1
 L9 - WORK LIGHT 1 BULB:Diagram1-Combination2
 L9 - WORK LIGHT W BackUP 1 BULB Option 1:Diagram1-Combination1
 L9 - WORK LIGHT W BackUP 1 BULB Option 1:Diagram1-Combination2
 L9 - WORK LIGHT W BackUP 1 BULB Option 2:Diagram1-Combination1
 L9 - WORK LIGHT W BackUP 1 BULB Option 2:Diagram1-Combination2
 L9 - WORK LIGHT W RKE 1 BULB:Diagram1-Combination1
 L9 - WORK LIGHT W RKE 1 BULB:Diagram1-Combination2
 L9 - Work Lights LED W/ Sw Pack - Day Cab:Diagram1-Combination1
 L9 - Work Lights LED W/ Sw Pack - Day Cab:Diagram1-Combination2
 Light Splice Packs - 400/1623/1625:Diagram1

Mates 1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	ZG71BA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	630.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	ZK71BA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	175.0	-	X	-
1	-	-	ZA71A	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	805.0	-	-	-
1	-	-	ZE71AD	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	805.0	-	-	-
1	-	-	ZC71BK	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	805.0	-	-	-
1	-	-	ZK71A	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	630.0	-	X	-
1	-	-	ZE71AB	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	805.0	-	K	400
2	-	-	YM56A	3510319 R1	1.91	14.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	D	J1-1603
2	-	-	YN56A	3510319 R1	1.91	14.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	D	J1-1603

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	YL56	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1170.0	-	-	-
2	-	-	YL56	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1170.0	-	F	1625
3	-	-	YM57A	3510319 R1	1.91	14.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	M	J1-1603
3	-	-	YN57A	3510319 R1	1.91	14.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	M	J1-1603
3	-	-	YL57	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1170.0	-	-	-
3	-	-	YM57A	3510319 R1	1.91	14.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	-	-
3	-	-	YN57A	3510319 R1	1.91	14.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	-	-
3	-	-	YL57	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1170.0	-	B	1625

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	ZP68A	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	840.0	-	X	-
4	-	-	ZP68	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	320.0	-	X	-
4	-	-	ZQ68A	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1310.0	-	X	-
4	-	-	YP68	3510305 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BROWN	1160.0	-	G	1623
4	-	-	ZN68	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1160.0	-	G	1623
4	-	-	YS68	3510305 R1	0.79	18.0	Thin Wall XLPE Primary Cable	BROWN	1160.0	-	E	1623
5	-	-	YT56T	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	805.0	-	-	-
5	-	-	XZ56T	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	805.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	XV56T	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	805.0	-	-	-
5	-	-	YY56T	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	805.0	-	-	-
5	-	-	VG56T	3510339 R1	4.81	10.0	Thin Wall XLPE Primary Cable	YELLOW 2	720.0	-	B	1603
6	-	-	YT57T	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	805.0	-	-	-
6	-	-	YY57T	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	805.0	-	-	-
6	-	-	VG57T	3510303 R1	4.81	10.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	720.0	-	A	1603
6	-	-	XZ57T	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	805.0	-	-	-
6	-	-	XV57T	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	805.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	VP58T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	300.0	-	X	-
7	-	-	VM58TA	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	300.0	-	X	-
7	-	-	VR58TA	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	300.0	-	X	-
7	-	-	VL58TA	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	300.0	-	X	-
7	-	-	VT58T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	300.0	-	X	-
7	-	-	VG58T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	755.0	-	F	1604
8	-	-	VR68TA	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	270.0	-	X	-
8	-	-	VM68TA	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	270.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
8	-	-	VP68T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	270.0	-	X	-
8	-	-	VL68TA	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	270.0	-	X	-
8	-	-	VT68T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	270.0	-	X	-
8	-	-	VG68T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	755.0	-	D	1604
9	-	-	TK70T	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	2315.0	-	R1 - 87	1011
12	-	-	YV56BB	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	1170.0	-	-	-
12	-	-	YX56BB	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	1170.0	-	-	-
12	-	-	YV56BB	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	1170.0	-	G	1625

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
12	-	-	YX56BB	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	1170.0	-	G	1625
13	-	-	KA9	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	770.0	-	X	-
13	-	-	KA9A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1310.0	-	X	-
14	-	-	XB94BM	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2550.0	-	5	1400
15	-	-	XB94BN	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2550.0	-	4	1400
16	-	-	XA94BE	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	15	1401
17	-	-	XA94BD	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	18	1401
18	-	-	XA94BH	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2550.0	-	10	1400

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
19	-	-	XA94BF	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2550.0	-	11	1400
20	-	-	XA94BL	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	10	1401
21	-	-	XA94BJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	13	1401
22	-	-	XA94BK	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	9	1401
23	-	-	XA94BA	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	17	1401
24	-	-	XA94BB	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	12	1401
25	-	-	XA94BC	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	16	1401
27	-	-	AA36B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1060.0	-	B8	J3-1600

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
29	-	-	AA36A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1060.0	-	B9	J3-1600
31	-	-	KH39	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2525.0	-	-	-
40	-	-	KH39A	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2525.0	-	-	-
41	-	-	HE87EA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1060.0	-	A8	J3-1600
42	-	-	YV56BC	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	805.0	-	-	-
42	-	-	YX56BC	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	805.0	-	-	-
42	-	-	YV56BC	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	805.0	-	H	400
42	-	-	YX56BC	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	805.0	-	H	400

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
43	-	-	NN32B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1060.0	-	B10	J3-1600
44	-	-	NM32A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	1060.0	-	B11	J3-1600
51	-	-	HN20	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2305.0	-	-	-
54	-	-	WIRE239 184	-	0.0	-	-	-	0.0	-	C	1410
55	-	-	WIRE239 185	-	0.0	-	-	-	0.0	-	F	1410
56	-	-	WIRE239 186	-	0.0	-	-	-	0.0	-	J	1410
57	-	-	WIRE239 187	-	0.0	-	-	-	0.0	-	M	1410
58	-	-	HE87D	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	540.0	-	X	-
59	-	-	HE87MB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2525.0	-	-	-
60	-	-	KT59MB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2180.0	-	1	1023A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
60	-	-	KS59MB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2180.0	-	1	1023A
61	-	-	KS59NB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2180.0	-	1	1023B
61	-	-	XQ94AA	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	2520.0	-	2	1402
61	-	-	XN94AA	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	2520.0	-	2	1402
61	-	-	XP94AA	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	2520.0	-	2	1402
63	-	-	YV57BB	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	1170.0	-	-	-
63	-	-	YX57BB	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1170.0	-	-	-
63	-	-	YV57BB	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	1170.0	-	C	1625


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
63	-	-	YX57BB	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1170.0	-	C	1625
64	-	-	YX57BC	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	805.0	-	-	-
64	-	-	YV57BC	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	805.0	-	-	-
64	-	-	YV57BC	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	805.0	-	C	400
64	-	-	YX57BC	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	805.0	-	C	400
65	-	-	XN94AB	2643782 R1	1.91	14.0	Std. Wall XLPE Primary Cable	GREY	2520.0	-	3	1402
66	-	-	KP112	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	720.0	-	J	J1-1603
68	-	-	ZT65	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	G	J1-1603

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
70	-	-	KQ71N	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	805.0	-	-	-
70	-	-	KQ71N	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	805.0	-	L	400
71	-	-	VL68TB	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	270.0	-	X	-
71	-	-	VP68BB	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	270.0	-	X	-
71	-	-	VR68TB	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	270.0	-	X	-
71	-	-	ZP68TB	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	840.0	-	-	-
71	-	-	ZP68TB	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	840.0	-	X	-
72	-	-	VS70TA	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	2410.0	-	R5 - 87	1012

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
72	-	-	VL70TA	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	2410.0	-	R5 - 87	1012
73	-	-	ZG71BB	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	630.0	-	X	-
74	-	-	VR58TB	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	300.0	-	X	-
74	-	-	VL58TB	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	300.0	-	X	-
74	-	-	VP58BB	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	300.0	-	X	-
74	-	-	YS54BB	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	475.0	-	X	-
74	-	-	YP54BB	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	415.0	-	X	-

Connector Name 1701
Part Number 3595623C1
Instances

- B6.7 - 26 inch Fuel Tank:Diagram1-Combination1
- B6.7 - 26 inch Fuel Tank:Diagram1-Combination2
- B6.7 - 26 inch Fuel Tank:Diagram1-Combination3
- B6.7 - 26 inch Fuel Tank - Secondary:Diagram1
- B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel Implemenation:Diagram1-Combination1
- B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel Implemenation:Diagram1-Combination2
- B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel Implemenation:Diagram1-Combination3
- B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 1:Diagram1
- B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 2:Diagram1-Combination1
- B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 2:Diagram1-Combination2
- B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 2:Diagram1-Combination3
- B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 3:Diagram1-Combination1
- B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 3:Diagram1-Combination2
- B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 3:Diagram1-Combination3
- B6.7 - Axle Temperature Monitoring (Single Rear Aux Gauge):Diagram1
- B6.7 - Axle Temperature Monitoring (Single Rear Virtual Gauge):Diagram1
- B6.7 - Back-Up Alarm (Automatic) W/ Tailboard:Diagram1
- B6.7 - Back-Up Alarm (Automatic) W/O Tailboard:Diagram1
- B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1:Diagram1-Combination1
- B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1:Diagram1-Combination2
- B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2:Diagram1-Combination1
- B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2:Diagram1-Combination2
- B6.7 - CAN Layout:Body Standard J1939 (250Kbps)
- B6.7 - Center Chassis Ground Splice Packs - 8802/8805/8807/8809:Diagram1



B6.7 - Driver Controlled Locking Differential - RR Axle (Dana w/ one sw):Diagram1
B6.7 - Driver Controlled Locking Differential - RR Axle (Meritor w/ one sw):Diagram1
B6.7 - License Plate Light (Tail Light Single Assy) Option 1:Diagram1
B6.7 - License Plate Light (Tail Light Single Assy) Option 2:Diagram1
B6.7 - License Plate Light (Tail Light Single Assy) Option 3:Diagram1
B6.7 - License Plate Light (Tail Light Single Assy) W/Less Power Module:Diagram1
B6.7 - Rear Lights Stop - Single Assembly:Diagram1
B6.7 - Remote Start/Stop:Diagram1
B6.7 - Remote Start/Stop w/ Emergency Pump:Diagram1
B6.7 - RIGHTSIDE AIR DRYER:Diagram1-Combination1
B6.7 - RIGHTSIDE AIR DRYER:Diagram1-Combination2
B6.7 - RIGHTSIDE AIR DRYER:Diagram1-Combination3
B6.7 - RIGHTSIDE AIR DRYER:Diagram1-Combination4
B6.7 - RIGHTSIDE AIR DRYER:Diagram1-Combination5
B6.7 - RIGHTSIDE AIR DRYER:Diagram1-Combination6
IP ZVR Splice Packs - 1620:Diagram1
L9 - Auxiliary Air Solenoids (1 Normally Closed):Diagram1
L9 - Auxillary Air Solenoids Normally Closed:Combination1
L9 - Auxillary Air Solenoids Normally Closed:Combination2
L9 - Auxillary Air Solenoids Normally Closed:Combination3
L9 - Auxillary Air Solenoids Normally Closed:Combination4
L9 - Auxillary Air Solenoids Normally Closed:Combination5
L9 - Auxillary Air Solenoids Normally Closed:Combination6
L9 - Axle Loading (Weight) Rear:Diagram1-Combination1
L9 - Axle Loading (Weight) Rear:Diagram1-Combination2
L9 - Back-Up Alarm (Automatic) W/ Tailboard:Diagram1
L9 - Back-Up Alarm (Automatic) W/O Tailboard:Diagram1
L9 - Back-Up Alarm (Manual) W/ Tailboard:Diagram1
L9 - Back-Up Alarm (Manual) W/O Tailboard:Diagram1
L9 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination2
L9 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination3
L9 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 1:Diagram1
L9 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 2:Diagram1
L9 - CAN Layout:Body Standard J1939 (250Kbps)

L9 - Driver Controlled Locking Differential - FR and RR Axle
(Dana w/ one sw):Diagram1
L9 - Driver Controlled Locking Differential - FR and RR Axle
(Meritor w/ one sw):Diagram1
L9 - Driver Controlled Locking Differential - FR and RR Axles
(Dana w/ two sw):Diagram1
L9 - Driver Controlled Locking Differential - FR and RR Axles
(Meritor w/ two sw):Diagram1
L9 - Driver Controlled Locking Differential - RR Axle (Dana w/
one sw):Diagram1
L9 - Driver Controlled Locking Differential - RR Axle (Meritor w/
one sw):Diagram1
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination1
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination2
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination3
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination4
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination5
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination6
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination7
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination8
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination9
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination10
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination11
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination12
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination13
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination14
L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-
Combination15
L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-
Combination1

L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination2
L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination3
L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination4
L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination5
L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination6
L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination7
L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination8
L9 - License Plate Light (LED BOX LAMP Tail Light):Diagram1
L9 - License Plate Light (Tail Light Single Assy) Option 1:Diagram1
L9 - License Plate Light (Tail Light Single Assy) Option 2:Diagram1
L9 - License Plate Light (Tail Light Single Assy) Option 3:Diagram1
L9 - License Plate Light (Tail Light Single Assy) Option 4:Diagram1
L9 - Rear Suspension Pressure Monitoring (Virtual Gauge):Diagram1-Combination1
L9 - Rear Suspension Pressure Monitoring (Virtual Gauge):Diagram1-Combination2
L9 - Remote Start/Stop:Diagram1
L9 - Remote Start/Stop w/ Emergency Pump:Diagram1
L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination3
L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination4
L9 - TEM Electric Trailer Brake Controller Activated Stop LT:Diagram1
L9 - Three Auxillary Air Solenoids:Diagram1-Combination1
L9 - Three Auxillary Air Solenoids:Diagram1-Combination2
L9 - Three Auxillary Air Solenoids:Diagram1-Combination3
L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option 1:Diagram1-Combination1
L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option 2:Diagram1

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	ZG71BA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	630.0	-	X	-
1	-	-	ZK71BA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	175.0	-	X	-
1	-	-	ZC71BK	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	805.0	-	-	-
1	-	-	ZA71A	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	805.0	-	-	-
1	-	-	ZE71AD	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	805.0	-	-	-
2	-	-	YN56A	3510319 R1	1.91	14.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	D	J1-1603
2	-	-	YL56	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1170.0	-	-	-
2	-	-	YM56A	3510319 R1	1.91	14.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	D	J1-1603

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	YL57	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1170.0	-	-	-
3	-	-	YN57A	3510319 R1	1.91	14.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	M	J1-1603
3	-	-	YM57A	3510319 R1	1.91	14.0	Thin Wall XLPE Primary Cable	ORANGE	720.0	-	M	J1-1603
4	-	-	ZQ68A	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1310.0	-	-	-
4	-	-	ZN68	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1160.0	-	-	-
4	-	-	ZP68A	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	840.0	-	X	-
4	-	-	ZQ68A	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1310.0	-	X	-
5	-	-	VG56T	3510339 R1	4.81	10.0	Thin Wall XLPE Primary Cable	YELLOW 2	720.0	-	B	J1-1603

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
6	-	-	VG57T	3510303 R1	4.81	10.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	720.0	-	A	J1-1603
7	-	-	VG58T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	755.0	-	F	J2-1604
8	-	-	VG68T	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	755.0	-	D	J2-1604
9	-	-	TJ70T	3510369 R1	4.81	10.0	Thin Wall XLPE Primary Cable	RED	1120.0	-	X	-
9	-	-	TK70T	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	2315.0	-	R1 - 87	1011
10	-	-	TJ94T	3510357 R1	4.81	10.0	Thin Wall XLPE Primary Cable	DARK BLUE	1300.0	-	C	1923
13	-	-	KA9	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	770.0	-	X	-
16	-	-	XA94BE	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	15	1401

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
17	-	-	XA94BD	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	18	1401
18	-	-	XA94BH	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2550.0	-	10	1400
19	-	-	XA94BF	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2550.0	-	11	1400
20	-	-	XA94BL	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	10	1401
21	-	-	XA94BJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	13	1401
22	-	-	XA94BK	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	9	1401
23	-	-	XA94BA	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	17	1401
24	-	-	XA94BB	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	12	1401

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
25	-	-	XA94BC	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2580.0	-	16	1401
27	-	-	AA36B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1060.0	-	B8	J3-1600
29	-	-	AA36A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1060.0	-	B9	J3-1600
31	-	-	KH39	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2525.0	-	-	-
32	-	-	LS59A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	E12	J5-1602
33	-	-	LT59C	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	F10	J4-1601
34	-	-	LT59D	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	E12	J4-1601
35	-	-	LU59E	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	F8	J4-1601

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
36	-	-	LY59G	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	E13	J4-1601
37	-	-	LY59H	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	F4	J4-1601
38	-	-	LY59J	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	E9	J4-1601
39	-	-	LY59K	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	F5	J4-1601
42	-	-	YV56BC	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	805.0	-	-	-
42	-	-	YX56BC	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	805.0	-	-	-
43	-	-	LF104D	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1080.0	-	F8	J5-1602
44	-	-	NM32A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	1060.0	-	B11	J3-1600


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
44	-	-	LJ104DB	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	2410.0	-	R6 - 87	1012
45	-	-	KN49	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	A3	J7-1607
46	-	-	LW59M	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	F6	J4-1601
46	-	-	LX59M	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	F6	J4-1601
47	-	-	LW59N	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	F7	J4-1601
47	-	-	LX59N	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	F7	J4-1601
48	-	-	LW59P	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	F2	J4-1601
48	-	-	LX59P	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	F2	J4-1601

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
49	-	-	LW59Q	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	F3	J4-1601
49	-	-	XL94SJ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2520.0	-	5	1402
50	-	-	KN49A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	745.0	-	A4	J7-1607
52	-	-	WIRE728 836	-	0.0	-	-	-	0.0	-	PIN1	-
53	-	-	WIRE728 835	-	0.0	-	-	-	0.0	-	PIN1	-
54	-	-	XL94SA	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1405.0	-	-	-
55	-	-	ME61B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	F7	J5-1602
55	-	-	XL94SC	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1405.0	-	-	-
56	-	-	ME106B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1080.0	-	E8	J5-1602

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
57	-	-	ME110B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	990.0	-	-	-
64	-	-	YV57BC	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	805.0	-	-	-
64	-	-	YX57BC	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	805.0	-	-	-
67	-	-	KM18D	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1180.0	-	X	-
67	-	-	KK18B	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1180.0	-	X	-
69	-	-	XM94SK	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2520.0	-	3	1402
71	-	-	VL68TB	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	270.0	-	X	-
71	-	-	VP68BB	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	270.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
71	-	-	VR68TB	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	270.0	-	X	-
72	-	-	VS70TA	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	2410.0	-	R5 - 87	1012
72	-	-	VL70TA	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	2410.0	-	R5 - 87	1012
74	-	-	VL58TB	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	300.0	-	X	-
74	-	-	VP58BB	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	300.0	-	X	-
74	-	-	VR58TB	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	300.0	-	X	-

Connector Name 1702
 Part Number 3595620C1
 Instances Ambient Air Temperature:Diagram1
 B6.7 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination1
 B6.7 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination2
 B6.7 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1
 B6.7 - Backup Lights (Single Reverse Lights) Eaton/Manual Trans Option 1:Diagram1
 B6.7 - Backup Lights (Single Reverse Lights) Eaton/Manual Trans Option 2:Diagram1
 B6.7 - CAN Layout:Euro 3 Powertrain Standard J1939 (500Kbps)
 B6.7 - Cranking (Starter) GEN4 BCM W/O Thermal Overcrank:Diagram1
 B6.7 - Engine (Control) [Cummins Euro]:Diagram1- Base
 B6.7 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 Heating Ventilation & Air Conditioning (HVAC) Auto Temp Control:Diagram1 - HVAC
 L9 - CAN Layout:Euro 3 Powertrain Standard J1939 (250 Kbps)
 L9 - CAN Layout:Euro 5 Powertrain Standard J1939 (250Kbps)
 L9 - Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch:Diagram1-Combination1
 L9 - Cranking (Starter) GEN4 BCM W/O Thermal Overcrank:Diagram1-Combination1
 L9 - Engine (Control) [Cummins Euro]:Diagram1- Base
 Vehicle Acceleration (w/ Two PWR Two GND & Two STS):Diagram1



Mates 1702

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	KK77A	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2060.0	-	2	6201


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	KK77B	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2060.0	-	3	6201
6	-	-	MJ71A	2645921 R1	0.79	18.0	TXL 150C	ORANGE	1990.0	-	1	7500M
7	-	-	MJ71B	2645921 R1	0.79	18.0	TXL 150C	ORANGE	1505.0	-	2	7500M
7	-	-	SM92#165	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3100.0	-	2	1502
10	-	-	KK77	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1860.0	-	B	6200
11	-	-	WIRE735 175	-	0.0	-	-	-	0.0	-	PIN1	-
11	-	-	WIRE740 287	-	0.0	-	-	-	0.0	-	PIN1	-
16	-	-	GB17A	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	1220.0	-	A	6306
16	-	-	GA17	2643752 R1	1.16	16.0	Std. Wall XLPE Primary Cable	PINK	1440.0	-	B	6316M
16	-	-	KA17A	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	2730.0	-	A	6306
17	-	-	WIRE735 165	-	0.0	-	-	-	0.0	-	PIN1	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
17	-	-	WIRE740 284	-	0.0	-	-	-	0.0	-	PIN1	-
18	-	-	KA17	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1120.0	-	40	6000
21	-	-	SR92D103	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	485.0	-	X	-
21	-	-	PR92D103	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1035.0	-	X	-
22	-	-	KA6B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	975.0	-	27	6000
23	-	-	KA99-G1	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	975.0	-	28	6000
25	-	-	RN92#117	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2820.0	-	17	7500A
25	-	-	TN92#117	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	3100.0	-	6	1501
28	-	-	KA99B	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	975.0	-	35	6000

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
30	-	-	KA6A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	575.0	-	-	-
32	-	-	KA99-G	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	575.0	-	-	-
33	-	-	KA99M	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	975.0	-	25	6000
37	-	-	KA13	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	975.0	-	45	6000

Connector Name 1702
 Part Number 3595620C1
 Short Description DASH CONNECTOR
 Instances

- B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1:Diagram1-Combination1
- B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1:Diagram1-Combination2
- B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2:Diagram1-Combination1
- B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2:Diagram1-Combination2
- B6.7 - Transmission Oil Temperature-Manual Trans:Diagram1
- B6.7 - Transmission Oil Temperature-Manual Trans (w/Aux Gauge):Diagram1
- B6.7 - Transmission Power Take Off (Auto Trans Single PTO w/21 Parameters):Diagram1
- B6.7 - Transmission Power Take Off (Manual Trans Single PTO w/ 21 Parameters):Diagram1
- B6.7 - Transmission Power Take Off (Single Input configurable pull up or pull down):Diagram1
- B6.7 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination1
- B6.7 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination2
- L9 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination1
- L9 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination2
- L9 - Auto Neutral (Allison without Multiplex Switch and Confirmation Telltale):Diagram1-Combination1
- L9 - Auto Neutral (Allison without Multiplex Switch and Confirmation Telltale):Diagram1-Combination2
- L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1:Diagram1-Combination1
- L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1:Diagram1-Combination2
- L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2:Diagram1-Combination1
- L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2:Diagram1-Combination2
- L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 3:Diagram1-Combination1



L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 3:Diagram1-Combination2
L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans Option 1:Diagram1-Combination1
L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans Option 2:Diagram1-Combination1
L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans Option 3:Diagram1-Combination1
L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans Option 4:Diagram1-Combination1
L9 - Heating Ventilation & Air Conditioning (HVAC):Diagram1
L9 - Starter Interlock (BCM LSD Controlled w/ Relay & N/ Auto SS)_EATON XMSN:Diagram1
L9 - Transmission Oil Temperature-Manual Trans w/Aux Gauge:Diagram1-Combination1
L9 - Transmission Oil Temperature-Manual Transmission:Diagram1-Combination1
L9 - Transmission Power Take Off (Auto Trans Single PTO w/21 Parameters):Diagram1
L9 - Transmission Power Take Off (Auto Trans with Lectradrive):Diagram1
L9 - Transmission Power Take Off (Lectrashift PTO with Manual Trans):Diagram1
L9 - Transmission Power Take Off (Manual Trans Single PTO w/21 Parameters):Diagram1
L9 - Transmission Power Take Off (Single Input configurable pull up or pull down):Diagram1
L9 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination1
L9 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination2
L9 - Transmission Shifter Allison 5th Gen Push Button(SURHD):Diagram1
L9 - Two Speed Axle (AirShift on Shifter):Diagram1
Light Splice Packs - 400/1623/1625:Diagram1
Starter Interlocks (BCM Controlled with Input from Allison 3K/4K TCM):Diagram1-Combination1
Starter Interlocks (BCM Controlled with Input from Allison 3K/4K TCM):Diagram1-Combination2

Mates

1702

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	KA146-G	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	920.0	-	-	-
3	-	-	KK77A	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2060.0	-	2	6201A
4	-	-	KK77B	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2060.0	-	3	6201A
6	-	-	MJ71A	2645921 R1	0.79	18.0	TXL 150C	ORANGE	1990.0	-	1	P9074
7	-	-	PM92#165	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2820.0	-	65	7500
7	-	-	SM92#165	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3100.0	-	2	1502
7	-	-	MJ71B	2645915 R1	0.79	18.0	TXL 150C	TAN	1990.0	-	2	P9074
7	-	-	TZ92#165	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2545.0	-	-	-
7	-	-	KW71B	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2850.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	TD92#165	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3555.0	-	-	-
10	-	-	KK77	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1860.0	-	B	6200
13	-	-	CA31B	2645915 R1	0.79	18.0	TXL 150C	TAN	2580.0	-	1	7700K
13	-	-	CA31B	2645915 R1	0.79	18.0	TXL 150C	TAN	2580.0	-	1	7700M
14	-	-	MA88	2643687 R1	1.91	14.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2640.0	-	A	7800
19	-	-	PM92#134	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2820.0	-	34	7500
19	-	-	SM92#134	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	3100.0	-	11	1501
19	-	-	PV92#142	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2845.0	-	11	1501
19	-	-	KH17-GC	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	3385.0	-	4	7105


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
19	-	-	PM92#134	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2820.0	-	34	7150
20	-	-	TL92A141	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3100.0	-	12	1501
20	-	-	SY92A141	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3100.0	-	12	1501
20	-	-	RL92A141	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2820.0	-	41	7500
20	-	-	PY92A141	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2820.0	-	41	7500
20	-	-	KH17B	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	3385.0	-	32	7105
21	-	-	PR92D103	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1035.0	-	X	-
21	-	-	SR92D103	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	670.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
21	-	-	KH17C	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	3385.0	-	26	7105
25	-	-	TN92#117	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	3100.0	-	6	1501
25	-	-	RN92#117	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2820.0	-	17	7500
25	-	-	TM92DL	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2935.0	-	X	-
25	-	-	RM92DL	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2640.0	-	X	-
39	-	-	ML93	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2340.0	-	A	7103M
42	-	-	RY14LSC	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	2090.0	-	C	9913B

Connector Name 1702

Part Number 3595621C1

Instances Ambient Air Temperature:Diagram1
 B6.7 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination1
 B6.7 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination2
 B6.7 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1
 B6.7 - Backup Lights (Single Reverse Lights) Eaton/Manual Trans Option 1:Diagram1
 B6.7 - Backup Lights (Single Reverse Lights) Eaton/Manual Trans Option 2:Diagram1
 B6.7 - CAN Layout:Euro 3 Powertrain Standard J1939 (500Kbps)
 B6.7 - Cranking (Starter) GEN4 BCM W/O Thermal Overcrank:Diagram1
 B6.7 - Engine (Control) [Cummins Euro]:Diagram1- Base
 B6.7 - Heating Ventilation & Air Conditioning (HVAC):Diagram1 Heating Ventilation & Air Conditioning (HVAC) Auto Temp Control:Diagram1 - HVAC
 L9 - CAN Layout:Euro 3 Powertrain Standard J1939 (250 Kbps)
 L9 - CAN Layout:Euro 5 Powertrain Standard J1939 (250Kbps)
 L9 - Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch:Diagram1-Combination1
 L9 - Cranking (Starter) GEN4 BCM W/O Thermal Overcrank:Diagram1-Combination1
 L9 - Engine (Control) [Cummins Euro]:Diagram1- Base
 Vehicle Acceleration (w/ Two PWR Two GND & Two STS):Diagram1



Mates 1702

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	SA6DBJ	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1960.0	-	19	1703F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	SA77BJ	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1960.0	-	20	1703F
6	-	-	ZA71BA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1960.0	-	66	1703F
6	-	-	ZH71	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1960.0	-	66	1703F
7	-	-	ZL71AA	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	45	1703F
7	-	-	ZH71AB	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1960.0	-	45	1703F
7	-	-	ZA71BJ	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1840.0	-	-	-
10	-	-	SA77J	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1960.0	-	65	1703F
11	-	-	WIRE722 702	-	0.0	-	-	-	0.0	-	53	1703F
16	-	-	LA17B	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	315.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
16	-	-	LG17BA	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	1840.0	-	29	1703F
17	-	-	WIRE722 703	-	0.0	-	-	-	0.0	-	52	1703F
18	-	-	MB41D	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1840.0	-	25	1703F
21	-	-	GX92#103	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	55	1703F
21	-	-	GY92#103	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	55	1703F
21	-	-	GZ92#103	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	55	1703F
22	-	-	BE97CJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1840.0	-	49	1703F
22	-	-	BD97CJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1840.0	-	49	1703F
23	-	-	BD97BJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1840.0	-	36	1703F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
23	-	-	BE97BJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1840.0	-	36	1703F
25	-	-	VA92#117	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	43	1703F
28	-	-	BE99BJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1840.0	-	47	1703F
28	-	-	BD99BJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1840.0	-	47	1703F
30	-	-	BE97FU	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	VIOLET	1840.0	-	38	1703F
30	-	-	BD97M	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1840.0	-	38	1703F
32	-	-	BE97WC	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1840.0	-	37	1703F
33	-	-	BE97M	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1840.0	-	48	1703F
37	-	-	MA97FA	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	VIOLET	1840.0	-	54	1703F

Connector Name 1702
 Part Number 3595621C1
 Short Description IP / ENGINE INTERCONNECT
 Instances

- B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1:Diagram1-Combination1
- B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1:Diagram1-Combination2
- B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2:Diagram1-Combination1
- B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2:Diagram1-Combination2
- B6.7 - Transmission Oil Temperature-Manual Trans:Diagram1
- B6.7 - Transmission Oil Temperature-Manual Trans (w/Aux Gauge):Diagram1
- B6.7 - Transmission Power Take Off (Auto Trans Single PTO w/21 Parameters):Diagram1
- B6.7 - Transmission Power Take Off (Manual Trans Single PTO w/ 21 Parameters):Diagram1
- B6.7 - Transmission Power Take Off (Single Input configurable pull up or pull down):Diagram1
- B6.7 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination1
- B6.7 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination2
- L9 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination1
- L9 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination2
- L9 - Auto Neutral (Allison without Multiplex Switch and Confirmation Telltale):Diagram1-Combination1
- L9 - Auto Neutral (Allison without Multiplex Switch and Confirmation Telltale):Diagram1-Combination2
- L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1:Diagram1-Combination1
- L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1:Diagram1-Combination2
- L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2:Diagram1-Combination1
- L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2:Diagram1-Combination2
- L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 3:Diagram1-Combination1



L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 3:Diagram1-Combination2
L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans Option 1:Diagram1-Combination1
L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans Option 2:Diagram1-Combination1
L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans Option 3:Diagram1-Combination1
L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans Option 4:Diagram1-Combination1
L9 - Heating Ventilation & Air Conditioning (HVAC):Diagram1
L9 - Starter Interlock (BCM LSD Controlled w/ Relay & N/ Auto SS)_EATON XMSN:Diagram1
L9 - Transmission Oil Temperature-Manual Trans w/Aux Gauge:Diagram1-Combination1
L9 - Transmission Oil Temperature-Manual Transmission:Diagram1-Combination1
L9 - Transmission Power Take Off (Auto Trans Single PTO w/21 Parameters):Diagram1
L9 - Transmission Power Take Off (Auto Trans with Lectradrive):Diagram1
L9 - Transmission Power Take Off (Lectrashift PTO with Manual Trans):Diagram1
L9 - Transmission Power Take Off (Manual Trans Single PTO w/21 Parameters):Diagram1
L9 - Transmission Power Take Off (Single Input configurable pull up or pull down):Diagram1
L9 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination1
L9 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination2
L9 - Transmission Shifter Allison 5th Gen Push Button(SURHD):Diagram1
L9 - Two Speed Axle (AirShift on Shifter):Diagram1
Light Splice Packs - 400/1623/1625:Diagram1
Starter Interlocks (BCM Controlled with Input from Allison 3K/4K TCM):Diagram1-Combination1
Starter Interlocks (BCM Controlled with Input from Allison 3K/4K TCM):Diagram1-Combination2

Mates

1702


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	TC9E	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1635.0	-	X	-
2	-	-	TD9E	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1960.0	-	35	1703F
3	-	-	SA6DBJ	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1960.0	-	19	1703F
4	-	-	SA77BJ	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1960.0	-	20	1703F
6	-	-	ZH71	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1960.0	-	66	1703F
6	-	-	ZA71BA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1960.0	-	66	1703F
7	-	-	ZH71AB	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1960.0	-	45	1703F
7	-	-	ZC92#165	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	45	1703F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	ZJ92#165	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	45	1703F
7	-	-	ZL71AA	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	45	1703F
10	-	-	SA77J	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1960.0	-	65	1703F
13	-	-	NJ31	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	61	1703F
14	-	-	LP88J	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1960.0	-	60	1703F
19	-	-	UD92-GCJ	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1960.0	-	21	1703F
19	-	-	UL92#134	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	21	1703F
19	-	-	UB92#134	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	21	1703F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
20	-	-	UD92BJ	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	28	1703F
20	-	-	LH92#141	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	28	1703F
20	-	-	UB92#141	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	28	1703F
20	-	-	UF92#141	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	28	1703F
21	-	-	GY92#103	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	55	1703F
21	-	-	GX92#103	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	55	1703F
21	-	-	GZ92#103	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	55	1703F
21	-	-	LA17C	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	315.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
25	-	-	VA92#117	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	43	1703F
39	-	-	UJ93	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	56	1703F
42	-	-	HW14LSD	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	1960.0	-	12	1703F

Connector Name 1703F
 Part Number 3595624C1
 Instances Ambient Air Temperature:Diagram1
 B6.7 - 2-Way Radio:Diagram1-Combination1
 B6.7 - 2-Way Radio:Diagram1-Combination2
 B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1:Diagram1-Combination1
 B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1:Diagram1-Combination2
 B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2:Diagram1-Combination1
 B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2:Diagram1-Combination2
 B6.7 - CAN Layout:Body Standard J1939 (250Kbps)
 B6.7 - Current Monitoring (Ammeter):Diagram1-Combination1
 B6.7 - Current Monitoring (Ammeter):Diagram1-Combination2
 B6.7 - Engine (Control) [Cummins Euro]:Diagram1- Base
 L9 - 2-Way Radio:Diagram1-Combination1
 L9 - 2-Way Radio:Diagram1-Combination2
 L9 - CAN Layout:Body Standard J1939 (250Kbps)
 L9 - Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch:Diagram1-Combination1
 L9 - Cranking (Starter) GEN4 BCM W/O Thermal Overcrank:Diagram1-Combination1
 L9 - Engine (Control) [Cummins Euro]:Diagram1- Base
 L9 - Transmission Oil Temperature-Manual Trans w/Aux Gauge:Diagram1-Combination1
 L9 - Transmission Oil Temperature-Manual Transmission:Diagram1-Combination1
 L9 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination1
 L9 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination2
 L9 - Transmission Shifter Allison 5th Gen Push Button(SURHD):Diagram1
 Vehicle Acceleration (w/ Two PWR Two GND & Two STS):Diagram1



Mates 1703M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
1	-	-	SH14HC	3510367 R1	1.91	14.0	Thin Wall XLPE Primary Cable	RED	1955.0	-	4	4060A
1	-	-	SJ14HF	3510367 R1	1.91	14.0	Thin Wall XLPE Primary Cable	RED	1955.0	-	4	4060A
2	-	-	SH11-GA	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	1955.0	-	5	4060A
2	-	-	SJ11-G	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	1955.0	-	5	4060A
16	-	-	MH11-GBA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1880.0	-	12	4087
16	-	-	MJ11-GBD	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2230.0	-	12	4087B
21	-	-	UD92-GCJ	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1960.0	-	19	1702
21	-	-	UL92#134	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	19	1702


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
21	-	-	UB92#134	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	19	1702
24	-	-	MC41EJ	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1835.0	-	8	4060A
25	-	-	MC41	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1835.0	-	3	4060A
25	-	-	MB41D	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1840.0	-	18	1702
27	-	-	MH26DA	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	1880.0	-	6	4087
27	-	-	MJ26DA	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2230.0	-	6	4087B
29	-	-	LA17A	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	1525.0	-	X	-
29	-	-	LG17BA	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	1840.0	-	16	1702
30	-	-	WIRE722 778	-	0.0	-	-	-	0.0	-	7	4087

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
30	-	-	WIRE722782	-	0.0	-	-	-	0.0	-	7	4087B
32	-	-	WIRE722781	-	0.0	-	-	-	0.0	-	8	4087
32	-	-	WIRE722780	-	0.0	-	-	-	0.0	-	8	4087B
35	-	-	TC9AAJ	3510311R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	325.0	-	X	-
36	-	-	BD97BJ	3510347R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1840.0	-	23	1702
36	-	-	BE97BJ	3510347R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1840.0	-	23	1702
37	-	-	BE97WC	3510347R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1840.0	-	32	1702
38	-	-	BE97FU	3510348R1	1.16	16.0	Thin Wall XLPE Primary Cable	VIOLET	1840.0	-	30	1702
38	-	-	BD97M	3510347R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1840.0	-	30	1702
45	-	-	ZC92#165	3510329R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	7	1702

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
45	-	-	ZJ92#165	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	7	1702
47	-	-	BE99BJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1840.0	-	28	1702
47	-	-	BD99BJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1840.0	-	28	1702
48	-	-	BE97M	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1840.0	-	33	1702
49	-	-	BE97CJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1840.0	-	22	1702
49	-	-	BD97CJ	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1840.0	-	22	1702
54	-	-	MA97FA	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	VIOLET	1840.0	-	37	1702
61	-	-	NJ31	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	13	1702

Connector Name 1703F
Part Number 3595624C1
Instances

- B6.7 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination1
- B6.7 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination2
- B6.7 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1
- B6.7 - Backup Lights (Single Reverse Lights) Eaton/Manual Trans Option 1:Diagram1
- B6.7 - Backup Lights (Single Reverse Lights) Eaton/Manual Trans Option 2:Diagram1
- B6.7 - CAN Layout:Euro 3 Powertrain Standard J1939 (500Kbps)
- B6.7 - Cranking (Starter) GEN4 BCM W/O Thermal Overcrank:Diagram1
- B6.7 - Heating Ventilation & Air Conditioning (HVAC):Diagram1
- B6.7 - Transmission Oil Temperature-Manual Trans:Diagram1
- B6.7 - Transmission Oil Temperature-Manual Trans (w/Aux Gauge):Diagram1
- B6.7 - Transmission Power Take Off (Auto Trans Single PTO w/21 Parameters):Diagram1
- B6.7 - Transmission Power Take Off (Manual Trans Single PTO w/ 21 Parameters):Diagram1
- B6.7 - Transmission Power Take Off (Single Input configurable pull up or pull down):Diagram1
- B6.7 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination1
- B6.7 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination2
- Ground Splice Pack:Diagram1
- Ground Splice Pack - 1022 & 1023:Diagram1
- Heating Ventilation & Air Conditioning (HVAC) Auto Temp Control:Diagram1 - HVAC
- L9 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination1
- L9 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination2
- L9 - Auto Neutral (Allison without Multiplex Switch and Confirmation Telltale):Diagram1-Combination1
- L9 - Auto Neutral (Allison without Multiplex Switch and Confirmation Telltale):Diagram1-Combination2



L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1:Diagram1-Combination1
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1:Diagram1-Combination2
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2:Diagram1-Combination1
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2:Diagram1-Combination2
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 3:Diagram1-Combination1
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 3:Diagram1-Combination2
L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans Option 1:Diagram1-Combination1
L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans Option 2:Diagram1-Combination1
L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans Option 3:Diagram1-Combination1
L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans Option 4:Diagram1-Combination1
L9 - CAN Layout:Euro 3 Powertrain Standard J1939 (250 Kbps)
L9 - CAN Layout:Euro 5 Powertrain Standard J1939 (250Kbps)
L9 - Heating Ventilation & Air Conditioning (HVAC):Diagram1
L9 - Snow Valve Control:Diagram1-Combination1
L9 - Snow Valve Control:Diagram1-Combination2
L9 - Starter Interlock (BCM LSD Controlled w/ Relay & N/ Auto SS)_EATON XMSN:Diagram1
L9 - Transmission Power Take Off (Auto Trans Single PTO w/21 Parameters):Diagram1
L9 - Transmission Power Take Off (Auto Trans with Lectradrive):Diagram1
L9 - Transmission Power Take Off (Lectrashift PTO with Manual Trans):Diagram1
L9 - Transmission Power Take Off (Manual Trans Single PTO w/21 Parameters):Diagram1
L9 - Transmission Power Take Off (Single Input configurable pull up or pull down):Diagram1
L9 - Two Speed Axle (AirShift on Shifter):Diagram1
L9 - Windshield Wipers:Diagram1
Light Splice Packs - 400/1623/1625:Diagram1
Starter Interlocks (BCM Controlled with Input from Allison 3K/4K TCM):Diagram1-Combination1
Starter Interlocks (BCM Controlled with Input from Allison 3K/4K TCM):Diagram1-Combination2

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	QA23ED	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2530.0	-	A	4120
3	-	-	QA23ED	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2530.0	-	-	-
4	-	-	QA23BE	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2530.0	-	B	4120
5	-	-	QA23CB	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2530.0	-	C	4120
6	-	-	QA23DE	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2530.0	-	D	4120
7	-	-	QA23EF	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2530.0	-	E	4120
8	-	-	AA82-GJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2080.0	-	C	4500
8	-	-	AA82-GJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2080.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
12	-	-	HW14LSD	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	1960.0	-	42	1702
16	-	-	MH11-GBA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1880.0	-	-	-
16	-	-	MJ11-GBD	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2230.0	-	-	-
17	-	-	TB74J	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1675.0	-	B	6202
19	-	-	SA6DBJ	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1960.0	-	3	1702
20	-	-	SA77BJ	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1960.0	-	4	1702
21	-	-	UL92#134	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	19	1702
21	-	-	UB92#134	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	19	1702

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
21	-	-	UD92-GCJ	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1960.0	-	19	1702
28	-	-	UD92BJ	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	20	1702
28	-	-	LH92#141	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	20	1702
28	-	-	UB92#141	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	20	1702
28	-	-	UF92#141	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	20	1702
29	-	-	LG17BA	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	1840.0	-	16	1702
29	-	-	LA17A	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	1525.0	-	X	-
35	-	-	TC9AAJ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	325.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
35	-	-	TD9E	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1960.0	-	2	1702
35	-	-	TD9E	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1960.0	-	-	-
43	-	-	VA92#117	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	25	1702
45	-	-	ZH71AB	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1960.0	-	7	1702
45	-	-	ZC92#165	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	7	1702
45	-	-	ZJ92#165	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	7	1702
45	-	-	ZL71AA	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	7	1702
52	-	-	WIRE722 703	-	0.0	-	-	-	0.0	-	17	1702
53	-	-	WIRE722 702	-	0.0	-	-	-	0.0	-	11	1702

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
55	-	-	GY92#103	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	21	1702
55	-	-	GX92#103	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	21	1702
55	-	-	GZ92#103	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	21	1702
56	-	-	UJ93	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	39	1702
60	-	-	LP88J	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1960.0	-	14	1702
61	-	-	NJ31	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1960.0	-	13	1702
65	-	-	SA77J	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1960.0	-	10	1702
66	-	-	ZA71BA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1960.0	-	6	1702

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
66	-	-	ZH71	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1960.0	-	6	1702
69	-	-	AA82KJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2080.0	-	D	4500
70	-	-	AA82LJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2080.0	-	E	4500
72	-	-	AA82JJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2080.0	-	B	4500
74	-	-	AA82DJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2080.0	-	A	4500

Connector Name 1703M
Part Number 3595625C1
Instances

- B6.7 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination1
- B6.7 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination2
- B6.7 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1
- B6.7 - Backup Lights (Single Reverse Lights) Eaton/Manual Trans Option 1:Diagram1
- B6.7 - Backup Lights (Single Reverse Lights) Eaton/Manual Trans Option 2:Diagram1
- B6.7 - CAN Layout:Euro 3 Powertrain Standard J1939 (500Kbps)
- B6.7 - Cranking (Starter) GEN4 BCM W/O Thermal Overcrank:Diagram1
- B6.7 - Heating Ventilation & Air Conditioning (HVAC):Diagram1
- B6.7 - Transmission Oil Temperature-Manual Trans:Diagram1
- B6.7 - Transmission Oil Temperature-Manual Trans (w/Aux Gauge):Diagram1
- B6.7 - Transmission Power Take Off (Auto Trans Single PTO w/21 Parameters):Diagram1
- B6.7 - Transmission Power Take Off (Manual Trans Single PTO w/ 21 Parameters):Diagram1
- B6.7 - Transmission Power Take Off (Single Input configurable pull up or pull down):Diagram1
- B6.7 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination1
- B6.7 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination2
- Ground Splice Pack:Diagram1
- Ground Splice Pack - 1022 & 1023:Diagram1
- Heating Ventilation & Air Conditioning (HVAC) Auto Temp Control:Diagram1 - HVAC
- L9 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination1
- L9 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination2
- L9 - Auto Neutral (Allison without Multiplex Switch and Confirmation Telltale):Diagram1-Combination1
- L9 - Auto Neutral (Allison without Multiplex Switch and Confirmation Telltale):Diagram1-Combination2



L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1:Diagram1-Combination1
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1:Diagram1-Combination2
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2:Diagram1-Combination1
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2:Diagram1-Combination2
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 3:Diagram1-Combination1
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 3:Diagram1-Combination2
L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans Option 1:Diagram1-Combination1
L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans Option 2:Diagram1-Combination1
L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans Option 3:Diagram1-Combination1
L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans Option 4:Diagram1-Combination1
L9 - CAN Layout:Euro 3 Powertrain Standard J1939 (250 Kbps)
L9 - CAN Layout:Euro 5 Powertrain Standard J1939 (250Kbps)
L9 - Heating Ventilation & Air Conditioning (HVAC):Diagram1
L9 - Snow Valve Control:Diagram1-Combination1
L9 - Snow Valve Control:Diagram1-Combination2
L9 - Starter Interlock (BCM LSD Controlled w/ Relay & N/ Auto SS)_EATON XMSN:Diagram1
L9 - Transmission Power Take Off (Auto Trans Single PTO w/21 Parameters):Diagram1
L9 - Transmission Power Take Off (Auto Trans with Lectradrive):Diagram1
L9 - Transmission Power Take Off (Lectrashift PTO with Manual Trans):Diagram1
L9 - Transmission Power Take Off (Manual Trans Single PTO w/21 Parameters):Diagram1
L9 - Transmission Power Take Off (Single Input configurable pull up or pull down):Diagram1
L9 - Two Speed Axle (AirShift on Shifter):Diagram1
L9 - Windshield Wipers:Diagram1
Light Splice Packs - 400/1623/1625:Diagram1
Starter Interlocks (BCM Controlled with Input from Allison 3K/4K TCM):Diagram1-Combination1
Starter Interlocks (BCM Controlled with Input from Allison 3K/4K TCM):Diagram1-Combination2

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	QA23-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2245.0	-	X	-
4	-	-	QA23BA	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2005.0	-	X	-
5	-	-	QA23CA	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3520.0	-	R5 - 86	1013
6	-	-	QA23DD	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1090.0	-	X	-
7	-	-	QA23EA	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2035.0	-	X	-
8	-	-	AD82-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2155.0	-	X	-
8	-	-	AE82-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2155.0	-	X	-
12	-	-	HW14LSC	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	2065.0	-	4	1873

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
16	-	-	MJ11-GAD	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1330.0	-	5	1023
16	-	-	MH11-GBD	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1330.0	-	5	1023
17	-	-	TB74	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3205.0	-	B5	J3-1600
17	-	-	TB74	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3205.0	-	B5	1600
19	-	-	SA6DB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	3225.0	-	E6	J5-1602
19	-	-	SA6DB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	3225.0	-	E6	1602
20	-	-	SA77B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	3205.0	-	B12	J3-1600
20	-	-	SA77B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	3205.0	-	B12	1600

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
21	-	-	UB92#13 4A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2395.0	-	B	7900F
21	-	-	UD92-GC	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	3535.0	-	R2 - 85	1014
28	-	-	UF92#14 1A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3365.0	-	M	J6-1606
28	-	-	UB92#14 1A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2890.0	-	M	J6-1606
28	-	-	LH92#14 1A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3365.0	-	M	J6-1606
28	-	-	UD92B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3535.0	-	R2 - 86	1014
29	-	-	LA17	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	3365.0	-	T	1606
29	-	-	LG17	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	3365.0	-	T	1606


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
29	-	-	LG17	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	3365.0	-	T	J6-1606
29	-	-	LA17	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	3365.0	-	T	J6-1606
35	-	-	KA9AA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1915.0	-	X	-
35	-	-	KA9AA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1915.0	-	-	-
43	-	-	VA92#11 7C	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3410.0	-	R3 - 87	1011
45	-	-	ZJ92#16 5A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3505.0	-	R2 - 85	1012
45	-	-	ZC92#16 5A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3505.0	-	R2 - 85	1012
45	-	-	ZH71AC	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2250.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
45	-	-	ZH71AC	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2250.0	-	J	400
52	-	-	WIRE735 105	-	0.0	-	-	-	0.0	-	PIN1	-
52	-	-	WIRE735 103	-	0.0	-	-	-	0.0	-	PIN1	-
52	-	-	WIRE735 101	-	0.0	-	-	-	0.0	-	PIN1	-
53	-	-	WIRE735 104	-	0.0	-	-	-	0.0	-	PIN1	-
53	-	-	WIRE735 100	-	0.0	-	-	-	0.0	-	PIN1	-
53	-	-	WIRE735 102	-	0.0	-	-	-	0.0	-	PIN1	-
55	-	-	GZ92#10 3C	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2355.0	-	X	-
55	-	-	GX92#10 3B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3410.0	-	R3 - 30	1011
56	-	-	UJ93A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3225.0	-	F11	J5-1602
60	-	-	LP88	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3225.0	-	E9	J5-1602

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
61	-	-	NJ31J	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3205.0	-	B7	J3-1600
65	-	-	SA77	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2865.0	-	C	J1-1603
65	-	-	SA77	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2865.0	-	C	1603
66	-	-	ZH71AA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	3620.0	-	-	-
66	-	-	ZA71BB	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	3620.0	-	-	-
69	-	-	AA82K	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	3410.0	-	R5 - 87	1011
70	-	-	AA82L	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	3410.0	-	R5 - 87A	1011
72	-	-	AA82J	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	3410.0	-	R2 - 87A	1011
74	-	-	AA82D	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	3185.0	-	X	-

Connector Name 1703M
 Part Number 3595625C1
 Instances Ambient Air Temperature:Diagram1
 B6.7 - 2-Way Radio:Diagram1-Combination1
 B6.7 - 2-Way Radio:Diagram1-Combination2
 B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1:Diagram1-Combination1
 B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1:Diagram1-Combination2
 B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2:Diagram1-Combination1
 B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2:Diagram1-Combination2
 B6.7 - CAN Layout:Body Standard J1939 (250Kbps)
 B6.7 - Current Monitoring (Ammeter):Diagram1-Combination1
 B6.7 - Current Monitoring (Ammeter):Diagram1-Combination2
 B6.7 - Engine (Control) [Cummins Euro]:Diagram1- Base
 L9 - 2-Way Radio:Diagram1-Combination1
 L9 - 2-Way Radio:Diagram1-Combination2
 L9 - CAN Layout:Body Standard J1939 (250Kbps)
 L9 - Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch:Diagram1-Combination1
 L9 - Cranking (Starter) GEN4 BCM W/O Thermal Overcrank:Diagram1-Combination1
 L9 - Engine (Control) [Cummins Euro]:Diagram1- Base
 L9 - Transmission Oil Temperature-Manual Trans w/Aux Gauge:Diagram1-Combination1
 L9 - Transmission Oil Temperature-Manual Transmission:Diagram1-Combination1
 L9 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination1
 L9 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination2
 L9 - Transmission Shifter Allison 5th Gen Push Button(SURHD):Diagram1
 Vehicle Acceleration (w/ Two PWR Two GND & Two STS):Diagram1

Mates 1703F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	SH14HCA	3510367 R1	1.91	14.0	Thin Wall XLPE Primary Cable	RED	4280.0	-	A	1913
1	-	-	SJ14HFA	3510367 R1	1.91	14.0	Thin Wall XLPE Primary Cable	RED	2785.0	-	A	6900
2	-	-	SH11-GAP	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	4280.0	-	C	1913
2	-	-	SJ11-GA	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	2785.0	-	B	6900
16	-	-	MH11-GBD	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1330.0	-	-	-
16	-	-	MJ11-GAD	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1330.0	-	-	-
21	-	-	UB92#13 4A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2395.0	-	B	7900F
21	-	-	UL92#13 4A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1845.0	-	11	1852

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
24	-	-	MC41E	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2785.0	-	F	3200M
24	-	-	MB41EJ	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2785.0	-	F	3200M
25	-	-	MC41D	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2785.0	-	E	3200M
25	-	-	MB41DJ	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2785.0	-	E	3200M
27	-	-	MH26D	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3445.0	-	-	-
27	-	-	MJ26D	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3445.0	-	-	-
29	-	-	LA17	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	3365.0	-	T	1606
29	-	-	LG17	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	3365.0	-	T	1606
30	-	-	WIRE722 775	-	0.0	-	-	-	0.0	-	L	1025

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
32	-	-	WIRE722776	-	0.0	-	-	-	0.0	-	B	1025
35	-	-	KA9AA	3510311R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1915.0	-	-	-
36	-	-	BE97B	3510347R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	B4	1800
36	-	-	BD97B	3510347R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	B4	1800
37	-	-	BE97WD	3510347R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	B6	1800
37	-	-	BD97NA	3510347R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	B6	1800
38	-	-	BE97F	3510348R1	1.16	16.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	B5	1800
38	-	-	BD97MA	3510347R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	B5	1800
45	-	-	ZC92#165A	3510329R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3505.0	-	R2 - 85	1012

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
45	-	-	ZJ92#16 5A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3505.0	-	R2 - 85	1012
47	-	-	BE99B	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	C4	1800
47	-	-	BD99B	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	C4	1800
48	-	-	BE97MA	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	C6	1800
48	-	-	BD99DA	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	C6	1800
49	-	-	BD97C	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	C5	1800
49	-	-	BE97C	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	C5	1800
54	-	-	MA97F	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	VIOLET	3620.0	-	-	-
61	-	-	NJ31J	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	3205.0	-	B7	J3-1600

Connector Name 1800F
 Part Number 3612512C1
 Short Description CAB HARNESS CONNECTOR
 Instances Adjustable Engine Speed Control (PTO) 4-pin:Diagram1
 B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination1
 B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination2
 B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination3
 B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination4
 B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination5
 B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination6
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination1
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination2
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination3
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination4
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination5
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination6
 B6.7 - Clutch Monitoring (High and Low Switch to BCM):Diagram1
 B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
 B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2
 B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
 B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
 B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination1
 B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination2
 B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination1
 B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination2
 B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination1



B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination2
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination3
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination4
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination1
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination2
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination3
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination4
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination5
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination6
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination7
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination8
B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination1
B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination2
B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination3
B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination4
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination1
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination2
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination3
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination4
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination1
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination2
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination3

B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination4
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination5
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination6
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination7
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination8
B6.7 - Park Brake Controls (Monitoring) (Door Switch City Horn):Diagram1
B6.7 - Service Brake Pressure (Auxiliary Gauge):Diagram1
B6.7 - Service Brake Pressure (Virtual Gauge):Diagram1
B6.7 - Service Brake Switch:Diagram1
Compressed Air Supply:Diagram1
Cruise Control (W/ One Telltale 4 Pin):Diagram1-Combination1
Cruise Control (W/ One Telltale 4 Pin):Diagram1-Combination2
Ground Splice Pack:Diagram1
L9 - Adjustable Engine Speed Control (PTO) 10-pin:Diagram1-Combination1
L9 - Adjustable Engine Speed Control (PTO) 10-pin:Diagram1-Combination2
L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven Lamp:Diagram1-Combination1
L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven Lamp:Diagram1-Combination2
L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination1
L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination2
L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination3
L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination4
L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination1
L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination2
L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination3
L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination4
L9 - City Horn (W/ 10PIN CLK & Park Brake):Diagram1-Combination1
L9 - City Horn (W/ 10PIN CLK & Park Brake):Diagram1-Combination2
L9 - City Horn (W/ 10PIN CLK):Diagram1-Combination1

L9 - City Horn (W/ 10PIN CLK):Diagram1-Combination2
L9 - Clutch Monitoring (High and Low Switch to BCM):Diagram1
L9 - Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination1
L9 - Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination4
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination4
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1

L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination2
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination3
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination4
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination5
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination6
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination7
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination8
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination1
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination2
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination3
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination4
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination1
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination2
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination3
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination4
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination3

L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination1
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination2
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination3
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination5
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination6
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination7
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination8
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination5
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination6
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination7
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination8
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination5

L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination6
L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination7
L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination8
L9 - Park Brake Controls (Monitoring) (Door Switch City Horn):Diagram1
L9 - PARK LIGHTS - W/Marker Interrupt 4 pin clockspring:Diagram1-Combination1
L9 - PARK LIGHTS - W/Marker Interrupt 4 pin clockspring:Diagram1-Combination2
L9 - PARK LIGHTS - W/Marker Interrupt 10pin CLCKSPRING:Diagram1-Combination1
L9 - PARK LIGHTS - W/Marker Interrupt 10pin CLCKSPRING:Diagram1-Combination2
L9 - Service Brake Pressure (Auxiliary Gauge):Diagram1
L9 - Service Brake Pressure (Virtual Gauge):Diagram1
L9 - Service Brake Switch:Diagram1
L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination1
L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination2
L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination3
L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination4
L9 - Vehicle Speed Control (Cruise Control) 10 Pin:Diagram1
L9 - Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination1
L9 - Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination2
L9 - Windshield Wipers:Diagram1
Park Brake Control (Monitoring)(GEN IV BCM):Diagram1
Radio w/Bluetooth:Diagram1-Combination1
Radio w/Bluetooth:Diagram1-Combination2
Radio w/Steering Wheel Pod:Diagram1-Combination1
Radio w/Steering Wheel Pod:Diagram1-Combination2
Vehicle Speed Control (Cruise Control) 4 Pin:Diagram1

Mates

1800

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A1	-	-	BB56A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1065.0	-	1	1810
A2	-	-	BB57A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1065.0	-	2	1810
A3	-	-	BE11-GAA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	550.0	-	X	-
A3	-	-	BL11-GAA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	550.0	-	X	-
A3	-	-	CA11-GAA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	550.0	-	X	-
A3	-	-	BE11-GAA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	550.0	-	-	-
A3	-	-	BG11-GAA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1065.0	-	-	-
A3	-	-	BF11-GAA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1065.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A3	-	-	CB11-GAA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1065.0	-	-	-
A3	-	-	BL11-GAA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	550.0	-	-	-
A3	-	-	CA11-GAA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	550.0	-	-	-
A3	-	-	BF11-GAA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1065.0	-	6	1810
A3	-	-	BG11-GAA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1065.0	-	6	1810
A3	-	-	CB11-GAA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1065.0	-	6	1810
A4	-	-	BV9V	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	450.0	-	X	-
A4	-	-	CB9V	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	450.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A4	-	-	CF9V	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	450.0	-	X	-
A4	-	-	BL9V	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	450.0	-	X	-
A4	-	-	CC9V	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	450.0	-	X	-
A4	-	-	BW9V	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	450.0	-	X	-
A4	-	-	CD9V	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	450.0	-	X	-
A4	-	-	BX9V	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	450.0	-	X	-
A4	-	-	BG9V	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	450.0	-	X	-
A4	-	-	BZ9V	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	450.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A4	-	-	CE9V	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	450.0	-	X	-
A4	-	-	CA9V	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	450.0	-	X	-
A5	-	-	BB87A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1065.0	-	12	1810
A6	-	-	CA70A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	775.0	-	C	1823
A6	-	-	BG70A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	775.0	-	C	1823
A6	-	-	BL70A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	775.0	-	C	1823
A6	-	-	CB70A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	775.0	-	C	1823
A7	-	-	BB52A	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1065.0	-	3	1810

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A8	-	-	BB102A	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1065.0	-	4	1810
B1	-	-	BB82B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1065.0	-	5	1810
B2	-	-	CB40A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	800.0	-	C	1812
B2	-	-	BG40A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	800.0	-	C	1812
B2	-	-	BL40A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	800.0	-	C	1812
B2	-	-	CA40A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	800.0	-	C	1812
B3	-	-	BL6H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	550.0	-	X	-
B3	-	-	BG6H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	550.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B3	-	-	CB6H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	550.0	-	X	-
B3	-	-	CA6H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	550.0	-	X	-
B3	-	-	BZ6HB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	650.0	-	B	1811
B3	-	-	CC6HB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	650.0	-	B	1811
B3	-	-	CE6HB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	650.0	-	B	1811
B3	-	-	BW6HB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	650.0	-	B	1811
B7	-	-	BL44BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	725.0	-	C	1808
B7	-	-	CB44BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	725.0	-	C	1808

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B7	-	-	BW44BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	725.0	-	C	1808
B7	-	-	BG44BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	725.0	-	C	1808
B7	-	-	BZ44BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	725.0	-	C	1808
B7	-	-	CC44BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	725.0	-	C	1808
B7	-	-	CE44BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	725.0	-	C	1808
B7	-	-	CA44BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	725.0	-	C	1808
B9	-	-	CA70	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	775.0	-	C	1824
B9	-	-	CB70	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	775.0	-	C	1824

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B9	-	-	BG70	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	775.0	-	C	1824
B9	-	-	BL70	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	775.0	-	C	1824
B10	-	-	BF85B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B	1809
B10	-	-	BG85B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B	1809
B10	-	-	CB85B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B	1809
B10	-	-	CA85A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	3	1802
B10	-	-	BE85A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	3	1802
B10	-	-	BL85A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	3	1802

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B11	-	-	BZ100	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	2	1802
B11	-	-	BX100	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	2	1802
B11	-	-	CA100	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	2	1802
B11	-	-	CC100	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	2	1802
B11	-	-	CD100	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	2	1802
B11	-	-	BL100	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	2	1802
B12	-	-	BG97	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	A	1809
B12	-	-	BF97	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	A	1809

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B12	-	-	CB97	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	A	1809
B12	-	-	BL97	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	1	1802
B12	-	-	CA97	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	1	1802
B12	-	-	CC97	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	1	1802
B12	-	-	CD97	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	1	1802
B12	-	-	BX97	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	1	1802
B12	-	-	BZ97	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	1	1802
C1	-	-	BB82A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1065.0	-	11	1810

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C2	-	-	CB40F	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	775.0	-	C	1822
C2	-	-	BL40F	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	775.0	-	C	1822
C2	-	-	BG40F	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	775.0	-	C	1822
C2	-	-	CA40F	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	775.0	-	C	1822
C3	-	-	BN94SV	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	425.0	-	X	-
C9	-	-	BB82	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1065.0	-	8	1810
C10	-	-	BN94SZ	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	475.0	-	X	-
C11	-	-	CF97A	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	550.0	-	C	1811


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C11	-	-	CC97A	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	550.0	-	C	1811
C11	-	-	CE97A	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	550.0	-	C	1811
C11	-	-	CA97A	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	550.0	-	C	1811
C11	-	-	CD97A	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	550.0	-	C	1811
C11	-	-	CB97A	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	550.0	-	C	1811
C12	-	-	CC40	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	650.0	-	C	1811
C12	-	-	BW40	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	650.0	-	C	1811
C12	-	-	CA40	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	650.0	-	C	1811

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C12	-	-	CE40	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	650.0	-	C	1811
C12	-	-	CB40	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	650.0	-	C	1811
C12	-	-	BL40	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	650.0	-	C	1811
C12	-	-	BG40	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	650.0	-	C	1811
C12	-	-	BZ40	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	650.0	-	C	1811
D3	-	-	BL62DD	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	1125.0	-	5	1802
D3	-	-	CA62DD	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	1125.0	-	5	1802
D3	-	-	BE62DD	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	1125.0	-	5	1802

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D3	-	-	BF62DD	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	1125.0	-	C	1809
D3	-	-	BG62DD	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	1125.0	-	C	1809
D3	-	-	CB62DD	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	1125.0	-	C	1809
D5	-	-	BN94SE	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	700.0	-	C	9830
D6	-	-	BN94SF	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	600.0	-	C	9830
D7	-	-	CC17J	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	550.0	-	A	1811
D7	-	-	CA17J	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	550.0	-	A	1811
D7	-	-	CF17J	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	550.0	-	A	1811

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D7	-	-	CD17J	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	550.0	-	A	1811
D7	-	-	CE17J	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	550.0	-	A	1811
D7	-	-	CB17J	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	550.0	-	A	1811
D8	-	-	CA17H	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	550.0	-	B	1811
D8	-	-	CD17H	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	550.0	-	B	1811
D8	-	-	CC17H	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	550.0	-	B	1811
D8	-	-	CF17H	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	550.0	-	B	1811
D8	-	-	CB17H	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	550.0	-	B	1811
D8	-	-	CE17H	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	550.0	-	B	1811


Connector Name 1800F
 Part Number 3612512C1
 Short Description CAB HARNESS CONNECTOR
 Instances Vehicle Acceleration (w/ Two PWR Two GND & Two STS):Diagram1
 Mates 1800



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B4	-	-	BB97Y	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	600.0	-	B	1804
B5	-	-	BB99U	4092319 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET/WHITE	600.0	-	D	1804
B6	-	-	BB99W	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	600.0	-	E	1804
C4	-	-	BB99V	4092319 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET/WHITE	600.0	-	A	1804

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C5	-	-	BB97P	4092323 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET/BLACK	600.0	-	C	1804
C6	-	-	BB99E	4092323 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET/BLACK	600.0	-	F	1804

Connector Name 1800
 Part Number 3553649C1
 Short Description DCM CONNECTOR
 Instances Adjustable Engine Speed Control (PTO) 4-pin:Diagram1
 B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination1
 B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination2
 B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination3
 B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination4
 B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination5
 B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination6
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination1
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination2
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination3
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination4
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination5
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination6
 B6.7 - Clutch Monitoring (High and Low Switch to BCM):Diagram1
 B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
 B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2
 B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
 B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
 B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination1
 B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination2
 B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination1
 B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination2
 B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination1



B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination2
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination3
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination4
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination1
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination2
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination3
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination4
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination5
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination6
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination7
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination8
B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination1
B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination2
B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination3
B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination4
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination1
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination2
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination3
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination4
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination1
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination2
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination3

B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination4
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination5
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination6
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination7
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination8
B6.7 - Park Brake Controls (Monitoring) (Door Switch City Horn):Diagram1
B6.7 - Service Brake Pressure (Auxiliary Gauge):Diagram1
B6.7 - Service Brake Pressure (Virtual Gauge):Diagram1
B6.7 - Service Brake Switch:Diagram1
Compressed Air Supply:Diagram1
Cruise Control (W/ One Telltale 4 Pin):Diagram1-Combination1
Cruise Control (W/ One Telltale 4 Pin):Diagram1-Combination2
Ground Splice Pack:Diagram1
L9 - Adjustable Engine Speed Control (PTO) 10-pin:Diagram1-Combination1
L9 - Adjustable Engine Speed Control (PTO) 10-pin:Diagram1-Combination2
L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven Lamp:Diagram1-Combination1
L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven Lamp:Diagram1-Combination2
L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination1
L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination2
L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination3
L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination4
L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination1
L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination2
L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination3
L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination4
L9 - City Horn (W/ 10PIN CLK & Park Brake):Diagram1-Combination1
L9 - City Horn (W/ 10PIN CLK & Park Brake):Diagram1-Combination2
L9 - City Horn (W/ 10PIN CLK):Diagram1-Combination1

L9 - City Horn (W/ 10PIN CLK):Diagram1-Combination2
L9 - Clutch Monitoring (High and Low Switch to BCM):Diagram1
L9 - Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination1
L9 - Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination4
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination4
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1

L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination2
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination3
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination4
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination5
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination6
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination7
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination8
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination1
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination2
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination3
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination4
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination1
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination2
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination3
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination4
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination3

L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination1
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination2
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination3
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination5
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination6
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination7
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination8
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination5
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination6
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination7
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination8
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination5

L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination6
L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination7
L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination8
L9 - Park Brake Controls (Monitoring) (Door Switch City Horn):Diagram1
L9 - PARK LIGHTS - W/Marker Interrupt 4 pin clockspring:Diagram1-Combination1
L9 - PARK LIGHTS - W/Marker Interrupt 4 pin clockspring:Diagram1-Combination2
L9 - PARK LIGHTS - W/Marker Interrupt 10pin CLCKSPRING:Diagram1-Combination1
L9 - PARK LIGHTS - W/Marker Interrupt 10pin CLCKSPRING:Diagram1-Combination2
L9 - Service Brake Pressure (Auxiliary Gauge):Diagram1
L9 - Service Brake Pressure (Virtual Gauge):Diagram1
L9 - Service Brake Switch:Diagram1
L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination1
L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination2
L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination3
L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination4
L9 - Vehicle Speed Control (Cruise Control) 10 Pin:Diagram1
L9 - Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination1
L9 - Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination2
L9 - Windshield Wipers:Diagram1
Park Brake Control (Monitoring)(GEN IV BCM):Diagram1
Radio w/Bluetooth:Diagram1-Combination1
Radio w/Bluetooth:Diagram1-Combination2
Radio w/Steering Wheel Pod:Diagram1-Combination1
Radio w/Steering Wheel Pod:Diagram1-Combination2
Vehicle Speed Control (Cruise Control) 4 Pin:Diagram1

Mates

1800F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
A1	-	-	AA56B	3510316 R1	0.53	20.0	Thin Wall XLPE Primary Cable	ORANGE	1365.0	-	A7	J3-1600
A2	-	-	AA57B	3510316 R1	0.53	20.0	Thin Wall XLPE Primary Cable	ORANGE	1365.0	-	A6	J3-1600
A3	-	-	AE87-GA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	430.0	-	-	-
A3	-	-	AD87-GA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	430.0	-	-	-
A3	-	-	AE87-GA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	430.0	-	X	-
A3	-	-	AD87-GA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	430.0	-	X	-
A4	-	-	KA9C	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	355.0	-	X	-
A5	-	-	HE87A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	475.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
A6	-	-	WB70A	3510364 R1	0.53	20.0	Thin Wall XLPE Primary Cable	RED	1385.0	-	E14	J5-1602
A7	-	-	AA52D	2643768 R1	0.53	20.0	Std. Wall XLPE Primary Cable	YELLOW 2	1365.0	-	A4	J3-1600
A8	-	-	AA102A	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	1365.0	-	A14	J3-1600
B1	-	-	AA82C	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	A11	J3-1600
B2	-	-	NK40A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1365.0	-	B3	J3-1600
B3	-	-	NK6	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1385.0	-	E4	J5-1602
B3	-	-	WC6	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1385.0	-	E4	J5-1602
B7	-	-	WA44	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	A12	J3-1600


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B7	-	-	WE44AA	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	525.0	-	X	-
B9	-	-	XS70	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1385.0	-	E15	J5-1602
B9	-	-	WB70	3510364 R1	0.53	20.0	Thin Wall XLPE Primary Cable	RED	1385.0	-	E15	J5-1602
B10	-	-	AA85A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	A5	J3-1600
B11	-	-	AA150	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	B16	J3-1600
B12	-	-	SN86A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	B1	J3-1600
C1	-	-	AA82B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	A10	J3-1600
C2	-	-	NK40BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	B14	J3-1600

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C3	-	-	XF94SV	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1855.0	-	X	-
C3	-	-	XK94SVE	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1855.0	-	X	-
C3	-	-	XH94SV	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2065.0	-	4	1403
C9	-	-	AA82A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	A9	J3-1600
C10	-	-	XF94SZE	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1875.0	-	X	-
C10	-	-	XH94SZ	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2065.0	-	1	1403
C10	-	-	XK94SZE	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1875.0	-	X	-
C11	-	-	UA97A	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1365.0	-	B4	J3-1600

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C12	-	-	WC40	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1365.0	-	B2	J3-1600
C12	-	-	NK40	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1365.0	-	B2	J3-1600
D3	-	-	AB62DD	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	885.0	-	X	-
D3	-	-	AC62DD	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	885.0	-	X	-
D5	-	-	XF94SE	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2065.0	-	2	1403
D5	-	-	XL94SE	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2065.0	-	2	1403
D6	-	-	XL94SF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2065.0	-	5	1403
D6	-	-	XF94SF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2065.0	-	5	1403

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D7	-	-	LD149AC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	555.0	-	X	-
D8	-	-	UA17B	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1050.0	-	B2	J7-1607

Connector Name 1800
 Part Number 3553649C1
 Short Description DCM CONNECTOR
 Instances Vehicle Acceleration (w/ Two PWR Two GND & Two STS):Diagram1
 Mates 1800F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B4	-	-	BE97B	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	36	1703M
B4	-	-	BD97B	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	36	1703M
B5	-	-	BE97F	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	38	1703M
B5	-	-	BD97MA	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	38	1703M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B6	-	-	BE97WD	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	37	1703M
B6	-	-	BD97NA	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	37	1703M
C4	-	-	BE99B	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	47	1703M
C4	-	-	BD99B	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	47	1703M
C5	-	-	BD97C	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	49	1703M
C5	-	-	BE97C	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	49	1703M
C6	-	-	BE97MA	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	48	1703M
C6	-	-	BD99DA	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	2270.0	-	48	1703M

Connector Name 1802
 Part Number 3608496C1
 Instances

- L9 - Adjustable Engine Speed Control (PTO) 10-pin:Diagram1-Combination1
- L9 - Adjustable Engine Speed Control (PTO) 10-pin:Diagram1-Combination2
- L9 - City Horn (W/ 10PIN CLK & Park Brake):Diagram1-Combination1
- L9 - City Horn (W/ 10PIN CLK & Park Brake):Diagram1-Combination2
- L9 - City Horn (W/ 10PIN CLK):Diagram1-Combination1
- L9 - City Horn (W/ 10PIN CLK):Diagram1-Combination2
- L9 - Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination1
- L9 - Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination2
- L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination1
- L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination2
- L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination3
- L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination4
- L9 - Headlights W/O Lights ON with wipers (LOWW) W/Headlights Interrupt:Diagram1-Combination1
- L9 - Headlights W/O Lights ON with wipers (LOWW) W/Headlights Interrupt:Diagram1-Combination2
- L9 - Headlights W/O Lights ON with wipers (LOWW) W/Headlights Interrupt:Diagram1-Combination3
- L9 - Headlights W/O Lights ON with wipers (LOWW) W/Headlights Interrupt:Diagram1-Combination4
- L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination1
- L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination2
- L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination3
- L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination4
- L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination5



L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
 W/LOWW W/Interrupt:Diagram1-Combination6
 L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
 W/LOWW W/Interrupt:Diagram1-Combination7
 L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
 W/LOWW W/Interrupt:Diagram1-Combination8
 L9 - Headlights W/PlowLights W/O Lights ON with wipers
 (LOWW) W/ Headlights Interrupt:Diagram1-Combination1
 L9 - Headlights W/PlowLights W/O Lights ON with wipers
 (LOWW) W/ Headlights Interrupt:Diagram1-Combination2
 L9 - Headlights W/PlowLights W/O Lights ON with wipers
 (LOWW) W/ Headlights Interrupt:Diagram1-Combination3
 L9 - Headlights W/PlowLights W/O Lights ON with wipers
 (LOWW) W/ Headlights Interrupt:Diagram1-Combination4
 L9 - Headlights W/PlowLights W/O Lights ON with wipers
 (LOWW) W/ Headlights Interrupt:Diagram1-Combination5
 L9 - Headlights W/PlowLights W/O Lights ON with wipers
 (LOWW) W/ Headlights Interrupt:Diagram1-Combination6
 L9 - Headlights W/PlowLights W/O Lights ON with wipers
 (LOWW) W/ Headlights Interrupt:Diagram1-Combination7
 L9 - Headlights W/PlowLights W/O Lights ON with wipers
 (LOWW) W/ Headlights Interrupt:Diagram1-Combination8
 L9 - PARK LIGHTS - W/Marker Interrupt 10pin
 CLCKSPRING:Diagram1-Combination1
 L9 - PARK LIGHTS - W/Marker Interrupt 10pin
 CLCKSPRING:Diagram1-Combination2
 L9 - Vehicle Speed Control (Cruise Control) 10 Pin:Diagram1
 Radio w/Bluetooth:Diagram1-Combination1
 Radio w/Bluetooth:Diagram1-Combination2
 Radio w/Steering Wheel Pod:Diagram1-Combination1
 Radio w/Steering Wheel Pod:Diagram1-Combination2

Mates

DEV-10PIN_CLKSPRING-1005-0 1-03

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	BL97	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B12	1800F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
1	-	-	CA97	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B12	1800F
1	-	-	CC97	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B12	1800F
1	-	-	CD97	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B12	1800F
1	-	-	BX97	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B12	1800F
1	-	-	BZ97	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B12	1800F
2	-	-	BZ100	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B11	1800F
2	-	-	BX100	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B11	1800F
2	-	-	CA100	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B11	1800F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
2	-	-	CC100	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B11	1800F
2	-	-	CD100	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B11	1800F
2	-	-	BL100	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B11	1800F
3	-	-	CA85A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B10	1800F
3	-	-	BE85A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B10	1800F
3	-	-	BL85A	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B10	1800F
4	-	-	BL9VA	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	875.0	-	X	-
4	-	-	CA9VA	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	875.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	BZ9VA	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	875.0	-	X	-
4	-	-	CC9VA	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	875.0	-	X	-
4	-	-	CD9VA	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	875.0	-	X	-
4	-	-	BX9VA	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	875.0	-	X	-
5	-	-	BL62DD	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	1125.0	-	D3	1800F
5	-	-	CA62DD	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	1125.0	-	D3	1800F
5	-	-	BE62DD	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	1125.0	-	D3	1800F
6	-	-	BL62-GDD	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	575.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
6	-	-	BE62-GDD	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	575.0	-	X	-
6	-	-	CA62-GDD	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	575.0	-	X	-


Connector Name 1804
 Part Number 1687790C1
 Instances Vehicle Acceleration (w/ Two PWR Two GND & Two STS):Diagram1
 Mates MODU-ACC_PEDAL-5075-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BB99V	4092319 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET/WHITE	600.0	-	C4	1800F
B	-	-	BB97Y	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	600.0	-	B4	1800F
C	-	-	BB97P	4092323 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET/BLACK	600.0	-	C5	1800F
D	-	-	BB99U	4092319 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET/WHITE	600.0	-	B5	1800F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	BB99W	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	600.0	-	B6	1800F
F	-	-	BB99E	4092323 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET/BLACK	600.0	-	C6	1800F

Connector Name 1808
 Part Number 1661777C1
 Instances B6.7 - Park Brake Controls (Monitoring) (Door Switch City Horn):Diagram1
 L9 - Park Brake Controls (Monitoring) (Door Switch City Horn):Diagram1
 Park Brake Control (Monitoring)(GEN IV BCM):Diagram1
 Mates SW-PARK BRAKE-3022-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	BL44BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	725.0	-	B7	1800F
C	-	-	CB44BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	725.0	-	B7	1800F
C	-	-	BW44BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	725.0	-	B7	1800F
C	-	-	BG44BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	725.0	-	B7	1800F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
C	-	-	BZ44BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	725.0	-	B7	1800F
C	-	-	CC44BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	725.0	-	B7	1800F
C	-	-	CE44BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	725.0	-	B7	1800F
C	-	-	CA44BB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	725.0	-	B7	1800F
D	-	-	BW9VD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	275.0	-	X	-
D	-	-	BG9VD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	275.0	-	X	-
D	-	-	BL9VD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	275.0	-	X	-
D	-	-	CC9VD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	275.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	CE9VD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	275.0	-	X	-
D	-	-	CB9VD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	275.0	-	X	-
D	-	-	CA9VD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	275.0	-	X	-
D	-	-	BZ9VD	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	275.0	-	X	-

Connector Name 1809
Part Number 3547870C1
Instances Adjustable Engine Speed Control (PTO) 4-pin:Diagram1
B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination1
B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination2
B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination3
B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination4
B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination5
B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination6
B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination1
B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination2
B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination3
B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination4
B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination5
B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination6
Cruise Control (W/ One Telltale 4 Pin):Diagram1-Combination1
Cruise Control (W/ One Telltale 4 Pin):Diagram1-Combination2
L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination1
L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination2
L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination3
L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination4
L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination1
L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination2
L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination3
L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination4
L9 - PARK LIGHTS - W/Marker Interrupt 4 pin
clockspring:Diagram1-Combination1
L9 - PARK LIGHTS - W/Marker Interrupt 4 pin
clockspring:Diagram1-Combination2
Vehicle Speed Control (Cruise Control) 4 Pin:Diagram1
Mates DEV-4PIN_CLCKSPRING-1005-0 1-04A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
A	-	-	BG97	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B12	1800F
A	-	-	BF97	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B12	1800F
A	-	-	CB97	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B12	1800F
B	-	-	BF85B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B10	1800F
B	-	-	BG85B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B10	1800F
B	-	-	CB85B	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1125.0	-	B10	1800F
C	-	-	BF62DD	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	1125.0	-	D3	1800F
C	-	-	BG62DD	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	1125.0	-	D3	1800F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	CB62DD	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	1125.0	-	D3	1800F
D	-	-	BV9R	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	875.0	-	X	-
D	-	-	CB9R	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	875.0	-	X	-
D	-	-	BW9R	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	875.0	-	X	-
D	-	-	CE9R	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	875.0	-	X	-
D	-	-	BG9R	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	875.0	-	X	-
D	-	-	CF9R	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	875.0	-	X	-

Connector Name 1810
 Part Number 3539212C1
 Instances

- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination2
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination2
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination2
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination3
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination4
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination2
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination3
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination4
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination5
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination6
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination7
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination8



B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination1
B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination2
B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination3
B6.7 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination4
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination1
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination2
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination3
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination4
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination1
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination2
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination3
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination4
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination5
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination6
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination7
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination8
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-
Combination1
L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-
Combination2

L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
Lights:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
Lights:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
Lights:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
Lights:Diagram1-Combination4
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard
SW:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard
SW:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination4
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination1
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination2
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination3
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination4
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination5
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination6
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination7
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination8
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination1
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination2

L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination3
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination4
L9 - Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination1
L9 - Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination2
L9 - Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination3
L9 - Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination4
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination1
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination2
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination3
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination5
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination6
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination7
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination8

L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination5
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination6
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination7
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination8
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination5
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination6
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination7
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination8
L9 - Windshield Washer Pump & Low Fluid Sensor:Diagram1-
Combination1
L9 - Windshield Washer Pump & Low Fluid Sensor:Diagram1-
Combination2
L9 - Windshield Wipers:Diagram1
SW-MULTIFUNCTION-1016-01-0 4B

Mates


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
1	-	-	BB56A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1065.0	-	A1	1800F
2	-	-	BB57A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1065.0	-	A2	1800F
3	-	-	BB52A	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1065.0	-	A7	1800F
4	-	-	BB102A	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	1065.0	-	A8	1800F
5	-	-	BB82B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1065.0	-	B1	1800F
6	-	-	BE87-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	515.0	-	X	-
6	-	-	BL87-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	515.0	-	X	-
6	-	-	CA87-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	515.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
6	-	-	BF11-GAA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1065.0	-	A3	1800F
6	-	-	BG11-GAA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1065.0	-	A3	1800F
6	-	-	CB11-GAA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1065.0	-	A3	1800F
7	-	-	CA9S	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	815.0	-	X	-
7	-	-	CE9S	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	815.0	-	X	-
7	-	-	CB9S	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	815.0	-	X	-
7	-	-	BX9S	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	815.0	-	X	-
7	-	-	BW9S	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	815.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	BV9S	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	815.0	-	X	-
7	-	-	CD9S	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	815.0	-	X	-
7	-	-	BL9S	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	815.0	-	X	-
7	-	-	BZ9S	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	815.0	-	X	-
7	-	-	BG9S	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	815.0	-	X	-
7	-	-	CC9S	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	815.0	-	X	-
7	-	-	CF9S	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	815.0	-	X	-
8	-	-	BB82	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1065.0	-	C9	1800F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
11	-	-	BB82A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1065.0	-	C1	1800F
12	-	-	BB87A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1065.0	-	A5	1800F

Connector Name 1811
 Part Number 3540757C1
 Instances B6.7 - Clutch Monitoring (High and Low Switch to BCM):Diagram1
 Compressed Air Supply:Diagram1
 L9 - Clutch Monitoring (High and Low Switch to BCM):Diagram1
 Mates SNSR-PRIMARY_PT-3026-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BG9VC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	200.0	-	X	-
A	-	-	BL9VC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	200.0	-	X	-
A	-	-	CA9VC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	200.0	-	X	-
A	-	-	CB9VC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	200.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CC9VC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	200.0	-	X	-
A	-	-	CE9VC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	200.0	-	X	-
A	-	-	BW9VC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	200.0	-	X	-
A	-	-	BZ9VC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	200.0	-	X	-
A	-	-	CC17J	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	550.0	-	D7	1800F
A	-	-	CA17J	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	550.0	-	D7	1800F
A	-	-	CF17J	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	550.0	-	D7	1800F
A	-	-	CD17J	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	550.0	-	D7	1800F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
A	-	-	CE17J	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	550.0	-	D7	1800F
A	-	-	CB17J	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	550.0	-	D7	1800F
B	-	-	CA6HB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	100.0	-	X	-
B	-	-	BL6HB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	100.0	-	X	-
B	-	-	BG6HB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	100.0	-	X	-
B	-	-	CB6HB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	100.0	-	X	-
B	-	-	BZ6HB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	650.0	-	B3	1800F
B	-	-	CC6HB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	650.0	-	B3	1800F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
B	-	-	CE6HB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	650.0	-	B3	1800F
B	-	-	BW6HB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	650.0	-	B3	1800F
B	-	-	CA17H	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	550.0	-	D8	1800F
B	-	-	CD17H	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	550.0	-	D8	1800F
B	-	-	CC17H	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	550.0	-	D8	1800F
B	-	-	CF17H	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	550.0	-	D8	1800F
B	-	-	CB17H	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	550.0	-	D8	1800F
B	-	-	CE17H	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	550.0	-	D8	1800F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
C	-	-	CC40	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	650.0	-	C12	1800F
C	-	-	BW40	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	650.0	-	C12	1800F
C	-	-	CA40	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	650.0	-	C12	1800F
C	-	-	CE40	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	650.0	-	C12	1800F
C	-	-	CB40	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	650.0	-	C12	1800F
C	-	-	BL40	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	650.0	-	C12	1800F
C	-	-	BG40	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	650.0	-	C12	1800F
C	-	-	BZ40	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	650.0	-	C12	1800F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
C	-	-	CF97A	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	550.0	-	C11	1800F
C	-	-	CC97A	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	550.0	-	C11	1800F
C	-	-	CE97A	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	550.0	-	C11	1800F
C	-	-	CA97A	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	550.0	-	C11	1800F
C	-	-	CD97A	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	550.0	-	C11	1800F
C	-	-	CB97A	2643718 R1	0.79	18.0	Std. Wall XLPE Primary Cable	VIOLET	550.0	-	C11	1800F
D	-	-	CC9VB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	300.0	-	X	-
D	-	-	CD9VB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	300.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
D	-	-	CB9VB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	300.0	-	X	-
D	-	-	CE9VB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	300.0	-	X	-
D	-	-	CA9VB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	300.0	-	X	-
D	-	-	CF9VB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	300.0	-	X	-


Connector Name 1812
 Part Number 1678137C1
 Instances Compressed Air Supply:Diagram1
 Mates SNSR-SECONDARY_PT-3026-01- 01B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CA9VE	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	350.0	-	X	-
A	-	-	BL9VE	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	350.0	-	X	-
A	-	-	BG9VE	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	350.0	-	X	-
A	-	-	CB9VE	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	350.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	CA6HA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	250.0	-	X	-
B	-	-	CB6HA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	250.0	-	X	-
B	-	-	BG6HA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	250.0	-	X	-
B	-	-	BL6HA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	250.0	-	X	-
C	-	-	CB40A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	800.0	-	B2	1800F
C	-	-	BG40A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	800.0	-	B2	1800F
C	-	-	BL40A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	800.0	-	B2	1800F
C	-	-	CA40A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	800.0	-	B2	1800F

Connector Name 1820F
 Part Number 1667529C1
 Instances B6.7 - CAN Layout:ABS Proprietary J1939
 L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven Lamp:Diagram1-Combination1
 L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven Lamp:Diagram1-Combination2
 L9 - CAN Layout:ABS Proprietary J1939
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination1
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination2
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination3
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination4




Mates 1820M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BN94SA	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1195.0	-	2	1821
A	-	-	BE94SD	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	0.0	-	2	1821
B	-	-	BE94SB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	0.0	-	3	1821
C	-	-	BN94SC	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1195.0	-	1	1821

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	BE94SC	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	0.0	-	1	1821
D	-	-	BE94SA	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	0.0	-	4	1821

Connector Name 1820M
 Part Number 1667305C1
 Instances B6.7 - CAN Layout:ABS Proprietary J1939
 L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven Lamp:Diagram1-Combination1
 L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven Lamp:Diagram1-Combination2
 L9 - CAN Layout:ABS Proprietary J1939
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination1
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination2
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination3
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination4




Mates 1820F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	XF94SA	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	870.0	-	-	-
A	-	-	WIRE239 193	-	0.0	-	-	-	0.0	-	B	1410
A	-	-	WIRE239 192	-	0.0	-	-	-	0.0	-	C	1410
A	-	-	XL94SAB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	870.0	-	-	-
B	-	-	WIRE239 196	-	0.0	-	-	-	0.0	-	H	1410
B	-	-	WIRE239 197	-	0.0	-	-	-	0.0	-	J	1410

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	XF94SC	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	870.0	-	-	-
C	-	-	WIRE239 194	-	0.0	-	-	-	0.0	-	E	1410
C	-	-	WIRE239 195	-	0.0	-	-	-	0.0	-	F	1410
C	-	-	XL94SCB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	870.0	-	-	-
D	-	-	WIRE239 198	-	0.0	-	-	-	0.0	-	L	1410
D	-	-	WIRE239 199	-	0.0	-	-	-	0.0	-	M	1410

Connector Name 1821
 Part Number 3601800C1
 Instances B6.7 - CAN Layout:ABS Proprietary J1939
 L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven
 Lamp:Diagram1-Combination1
 L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven
 Lamp:Diagram1-Combination2
 L9 - CAN Layout:ABS Proprietary J1939
 L9 - Stability Control (Bendix Straight Truck J1939 Driven
 Lamp):Diagram1-Combination1
 L9 - Stability Control (Bendix Straight Truck J1939 Driven
 Lamp):Diagram1-Combination2
 L9 - Stability Control (Bendix Straight Truck J1939 Driven
 Lamp):Diagram1-Combination3
 L9 - Stability Control (Bendix Straight Truck J1939 Driven
 Lamp):Diagram1-Combination4




Mates SNSR-STEERING_ANGLE-3026-0 1-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	BN94SC	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1195.0	-	C	1820F
1	-	-	BE94SC	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	0.0	-	C	1820F
2	-	-	BN94SA	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1195.0	-	A	1820F
2	-	-	BE94SD	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	0.0	-	A	1820F
3	-	-	-	-	-	-	-	-	-	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	BE94SB	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	0.0	-	B	1820F
4	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	BE94SA	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	0.0	-	D	1820F


Connector Name 1822
 Part Number 1678137C1
 Instances B6.7 - Service Brake Pressure (Auxiliary Gauge):Diagram1
 B6.7 - Service Brake Pressure (Virtual Gauge):Diagram1
 L9 - Service Brake Pressure (Auxiliary Gauge):Diagram1
 L9 - Service Brake Pressure (Virtual Gauge):Diagram1
 Mates SNSR-BRAKE-3027-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CA9VF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	525.0	-	X	-
A	-	-	BL9VF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	525.0	-	X	-
A	-	-	BG9VF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	525.0	-	X	-
A	-	-	CB9VF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	525.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	CA6HC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	625.0	-	X	-
B	-	-	BL6HC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	625.0	-	X	-
B	-	-	BG6HC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	625.0	-	X	-
B	-	-	CB6HC	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	625.0	-	X	-
C	-	-	CB40F	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	775.0	-	C2	1800F
C	-	-	BL40F	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	775.0	-	C2	1800F
C	-	-	BG40F	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	775.0	-	C2	1800F
C	-	-	CA40F	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	775.0	-	C2	1800F


Connector Name 1823
 Part Number 1661777C1
 Instances B6.7 - Service Brake Switch:Diagram1
 L9 - Service Brake Switch:Diagram1
 Mates SW-BRAKE_SWITCH-3028-01-02B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	CA70A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	775.0	-	A6	1800F
C	-	-	BG70A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	775.0	-	A6	1800F
C	-	-	BL70A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	775.0	-	A6	1800F
C	-	-	CB70A	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	775.0	-	A6	1800F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
D	-	-	BG9VG	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	525.0	-	X	-
D	-	-	BL9VG	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	525.0	-	X	-
D	-	-	CA9VG	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	525.0	-	X	-
D	-	-	CB9VG	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	525.0	-	X	-


Connector Name 1824
 Part Number 1661777C1
 Instances B6.7 - Service Brake Switch:Diagram1
 L9 - Service Brake Switch:Diagram1
 Mates SW-BRAKE_SWITCH-3028-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	CA70	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	775.0	-	B9	1800F
C	-	-	CB70	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	775.0	-	B9	1800F
C	-	-	BG70	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	775.0	-	B9	1800F
C	-	-	BL70	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	775.0	-	B9	1800F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	BG9VH	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	525.0	-	X	-
D	-	-	BL9VH	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	525.0	-	X	-
D	-	-	CA9VH	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	525.0	-	X	-
D	-	-	CB9VH	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	525.0	-	X	-

Connector Name 1825F
 Part Number 4064551C1
 Instances B6.7 - CAN Layout:Euro 3 Powertrain Standard J1939 (500Kbps)
 B6.7 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination1
 B6.7 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination2
 L9 - CAN Layout:Euro 3 Powertrain Standard J1939 (250 Kbps)
 L9 - CAN Layout:Euro 5 Powertrain Standard J1939 (250Kbps)
 L9 - Engine Brake W/ Stalk Shifter:Diagram1
 L9 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination1
 L9 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination2
 Mates MODU-SHF-5040-04-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	BD92#134	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1365.0	-	B	7900M
E	-	-	-	-	-	-	-	-	-	-	-	-
E	-	-	WIRE722 746	-	0.0	-	-	-	0.0	-	E	7900M
F	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	WIRE722 747	-	0.0	-	-	-	0.0	-	F	7900M
G	-	-	BD62DC	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1365.0	-	G	7900M
H	-	-	BD92-GAH	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1365.0	-	H	7900M


Connector Name 1852
 Part Number 3605445C91
 Instances L9 - Transmission Shifter Allison 5th Gen Push Button(SURHD):Diagram1
 Mates MODU-SHF-5040-02-02A



90% Dress

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	UL92-GAH	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	715.0	-	-	-
8	-	-	-	-	-	-	-	-	-	-	-	-
11	-	-	UL92#13 4A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1845.0	-	21	1703M
12	-	-	UL92#163	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2435.0	-	-	-
13	-	-	UL92BT	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2195.0	-	-	-
15	-	-	-	-	-	-	-	-	-	-	-	-


Connector Name 1873B
 Part Number 593385C1
 Instances Auxiliary Power (40A) HSD:Diagram1
 Mates RLY-AUX_PWR-2055-04-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	HU103C	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1280.0	-	12	1700
2	-	-	HU103BA	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1375.0	-	-	-
3	-	-	HU103AA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1395.0	-	E14	J4-1601
4	-	-	HU103D	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1280.0	-	13	1700

Connector Name 1873D
 Part Number 593385C1
 Instances

- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination2
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination3
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination4
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination5
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination6
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination7
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination8
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination1
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination2
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination3
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination4
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination5
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination6
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination7
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination8
- L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1
- L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination2
- L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination3
- L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination4



L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination5
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination6
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination7
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination8
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination1
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination2
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination3
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination5
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination6
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination7
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination8
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination5
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination6
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination7
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination8
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination2

L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination3
 L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination4
 L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination5
 L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination6
 L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination7
 L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination8


Mates

RLY-L_HB-1034-01-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	YG52A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1440.0	-	H	J1-1603
2	-	-	YG96-GD	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	645.0	-	X	-
3	-	-	YG96E	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	225.0	-	X	-
4	-	-	YG52AC	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1350.0	-	10	1700
5	-	-	YG52AA	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1350.0	-	1	1700

Connector Name 1873E
 Part Number 593385C1
 Instances

- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination2
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination3
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination4
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination5
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination6
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination7
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination8
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination1
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination2
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination3
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination4
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination5
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination6
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination7
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination8
- L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1
- L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination2
- L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination3
- L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination4



L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination5
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination6
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination7
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination8
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination1
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination2
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination3
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination5
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination6
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination7
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination8
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination5
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination6
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination7
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination8
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination2

L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination3
 L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination4
 L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination5
 L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination6
 L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination7
 L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination8


Mates

RLY-R_HB-1034-01-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	YG52B	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1480.0	-	L	J1-1603
2	-	-	YG96-GC	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	685.0	-	X	-
3	-	-	YG96D	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	265.0	-	X	-
4	-	-	YG52BC	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1390.0	-	11	1700
5	-	-	YG52BA	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1390.0	-	3	1700

Connector Name 1873F
Part Number 593385C1
Instances

- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination2
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination3
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination4
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination5
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination6
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination7
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination8
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination1
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination2
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination3
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination4
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination5
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination6
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination7
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination8
- L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1
- L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination2
- L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination3
- L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination4



L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination5
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination6
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination7
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination8
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination1
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination2
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination3
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination5
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination6
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination7
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination8
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination5
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination6
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination7
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination8
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination2

L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination3
 L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination4
 L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination5
 L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination6
 L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination7
 L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination8


Mates

RLY-L_LB-1034-01-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	YG53A	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1555.0	-	B	J2-1604
2	-	-	YG96-GB	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	725.0	-	X	-
3	-	-	YG96C	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	305.0	-	X	-
4	-	-	YG53AC	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1430.0	-	8	1700
5	-	-	YG53AA	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1430.0	-	2	1700

Connector Name 1873G
 Part Number 593385C1
 Instances

- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination2
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination3
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination4
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination5
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination6
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination7
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination8
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination1
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination2
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination3
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination4
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination5
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination6
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination7
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination8
- L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1
- L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination2
- L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination3
- L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination4



L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination5
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination6
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination7
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination8
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination1
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination2
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination3
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination5
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination6
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination7
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination8
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination5
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination6
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination7
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination8
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination2


L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination3
 L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination4
 L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination5
 L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination6
 L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination7
 L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination8

Mates

RLY-R_LB-1034-01-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	YG53B	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1595.0	-	H	J2-1604
2	-	-	YG96-GA	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	765.0	-	X	-
3	-	-	YG96B	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	345.0	-	X	-
4	-	-	YG53BC	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1470.0	-	9	1700
5	-	-	YG53BA	3510337 R1	1.91	14.0	Thin Wall XLPE Primary Cable	YELLOW 2	1470.0	-	4	1700


Connector Name 1873
 Part Number 593385C1
 Instances L9 - Transmission Power Take Off (Auto Trans with Lectradrive):Diagram1
 L9 - Transmission Power Take Off (Lectrashift PTO with Manual Trans):Diagram1
 Mates RLY_Lectrashift_PTO_5047-0 8-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	HW14LP	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	1310.0	-	-	-
2	-	-	HW12LC	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1425.0	-	E11	J4-1601
3	-	-	HW11-GCB	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	970.0	-	X	-
4	-	-	HW14LSC	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	2065.0	-	12	1703M


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	HW14BC	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	640.0	-	1	9915

Connector Name 1901A
 Part Number 4094648C1
 Instances L9 - Cigar Lighter Aux APO:Diagram1-Combination2
 Mates DEV-APO-2002-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JE14UA	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1465.0	-	-	-
C	-	-	JE11-GUD	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	1760.0	-	1	-


Connector Name 1901
 Part Number 3590298C1
 Instances L9 - Standard APO Aux APO:Diagram1-Combination1
 L9 - Standard APO Aux APO:Diagram1-Combination2
 L9 - Standard APO Aux APO:Diagram1-Combination3
 Mates DEV-APO-2002-01-03A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JE14UA	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1465.0	-	-	-
A	-	-	JC84C	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1715.0	-	-	-
A	-	-	JD86C2	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1395.0	-	-	-
C	-	-	JC11-GAC	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	1210.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	JD11-GCE	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	1270.0	-	X	-
C	-	-	JE11-GUD	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	1760.0	-	X	-

Connector Name 1901
 Part Number 4094648C1
 Instances L9 - Cigar Lighter Aux APO:Diagram1-Combination1
 Mates DEV-APO-2002-01-03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JC84C	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1715.0	-	-	-
C	-	-	JC11-GAC	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	1210.0	-	1	-

Connector Name 1902
 Part Number 3517473C1
 Instances Banana Plugs Receptacle:Diagram1
 Mates DEV-Two_Post-2061-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JB86C	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1270.0	-	-	-
B	-	-	JB11-GCC	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	2145.0	-	-	-

Connector Name 1903B
 Part Number 4094648C1
 Instances L9 - Cigar Lighter Aux APO:Diagram1-Combination3




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JD86C2	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1395.0	-	-	-
C	-	-	JD11-GCE	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	1270.0	-	1	-

Connector Name 1903
 Part Number 3590298C1
 Instances Cigar Lighter:Diagram1
 L9 - Standard APO Aux APO:Diagram1-Combination1
 L9 - Standard APO Aux APO:Diagram1-Combination2
 L9 - Standard APO Aux APO:Diagram1-Combination3
 Standard APO:Diagram1
 Mates DEV-APO-2002-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JA84	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1420.0	-	-	-
C	-	-	JA11-GAF	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	1910.0	-	X	-

Connector Name 1903
 Part Number 4094648C1
 Instances L9 - Cigar Lighter Aux APO:Diagram1-Combination1
 L9 - Cigar Lighter Aux APO:Diagram1-Combination2
 L9 - Cigar Lighter Aux APO:Diagram1-Combination3
 Mates DEV-Cigar_Lighter-2002-01- 02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JA84	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1420.0	-	-	-
C	-	-	JA11-GAF	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	1910.0	-	1	-


Connector Name 1913A
 Part Number BLUNT_SL_VC
 Instances B6.7 - 2-Way Radio:Diagram1-Combination2
 L9 - 2-Way Radio:Diagram1-Combination2

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CZ14HC	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	2620.0	-	A	6900
B	-	-	CZ86P	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2620.0	-	C	6900
C	-	-	CZ11-GAP	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2620.0	-	B	6900

Connector Name 1913
 Part Number BLUNT_SL_VC
 Instances B6.7 - 2-Way Radio:Diagram1-Combination1
 L9 - 2-Way Radio:Diagram1-Combination1
 Mates BLNT 2-WAY RADIO 2022-01-01A


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	SH14HCA	3510367 R1	1.91	14.0	Thin Wall XLPE Primary Cable	RED	4280.0	-	1	1703M
B	-	-	SH86P	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	5440.0	-	-	-
C	-	-	SH11-GAP	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	4280.0	-	2	1703M

Connector Name 1916A
 Part Number 2005836C1
 Instances B6.7 - Speaker:Four Speakers Daycab w/BT w/QC:Diagram1
 B6.7 - Speakers:Four Speakers Daycab n/BT w/QC:Diagram1
 B6.7 - Speakers:Two Speakers n/BT w/QC:Diagram1
 B6.7 - Speakers:Two Speakers w/BT w/QC:Diagram1
 L9 - Speaker:Four Speakers Daycab w/BT w/QC:Diagram1
 L9 - Speakers:Four Speakers Daycab n/BT w/QC:Diagram1
 L9 - Speakers:Two Speakers n/BT w/QC:Diagram1
 L9 - Speakers:Two Speakers w/BT w/QC:Diagram1
 Mates SW-SPKR-2033-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MQ86H	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1265.0	-	13	1300
B	-	-	MQ86J	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1265.0	-	14	1300
F	-	-	MQ86HB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	270.0	-	C	3205M
G	-	-	MQ86JB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	270.0	-	D	3205M

Connector Name 1917F
 Part Number 188393R1
 Instances L9 - Lift Axle Controls (Center Pedestal Controls f/ 1 lift axle):Diagram1-Combination1
 L9 - Lift Axle Controls (Center Pedestal Controls f/ 1 lift axle):Diagram1-Combination2
 L9 - Lift Axle Controls (Center Pedestal Controls f/ 2 Lift Axles):Diagram1
 L9 - Lift Axle Controls (Center Pedestal Controls f/ 3 lift axles):Diagram1
 Mates PAN-Lift_Axle_Controls-300 5-04-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	T71N	2643670 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BLACK	2280.0	-	E	9761M

Connector Name 1923
Part Number BLUNT_SL_VC
Instances L9 - TEM Electric Trailer Brake Controller Activated Stop
LT:Diagram1
Mates BLUNT_CUST_ETB CONTROLLER_MODULE_3043-01- 01A


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TJ14NS	3510296 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BLACK	2050.0	-	-	-
B	-	-	TJ70E	3510369 R1	4.81	10.0	Thin Wall XLPE Primary Cable	RED	820.0	-	X	-
C	-	-	TJ94T	3510357 R1	4.81	10.0	Thin Wall XLPE Primary Cable	DARK BLUE	1300.0	-	10	1701
D	-	-	TJ11-GAM	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	920.0	-	-	-

Connector Name 1935N
 Part Number 3683465C1
 Instances B6.7 - CAN Layout:Body Standard J1939 (250Kbps)
 L9 - CAN Layout:Body Standard J1939 (250Kbps)




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE728834	-	0.0	-	-	-	0.0	-	G	1025
A	-	-	WIRE740263	-	0.0	-	-	-	0.0	-	G	1028
B	-	-	WIRE728833	-	0.0	-	-	-	0.0	-	F	1025
B	-	-	WIRE740264	-	0.0	-	-	-	0.0	-	F	1028

Connector Name 1939-125A
 Part Number 3683465C1
 Instances B6.7 - CAN Layout:HMI Standard J1939 (125Kbps)
 L9 - CAN Layout:HMI Standard J1939 (125Kbps)




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE1637	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE1638	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 1939-125B
 Part Number 3683465C1
 Instances B6.7 - CAN Layout:HMI Standard J1939 (125Kbps)
 L9 - CAN Layout:HMI Standard J1939 (125Kbps)




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE1655	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE1656	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 1939-125C
 Part Number 3683465C1
 Instances B6.7 - CAN Layout:HMI Standard J1939 (125Kbps)
 L9 - CAN Layout:HMI Standard J1939 (125Kbps)




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE722886	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE722887	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 1939-250A
 Part Number 3683465C1
 Instances B6.7 - CAN Layout:Cab Standard J1939 (250Kbps)
 L9 - CAN Layout:Cab Standard J1939 (250Kbps)




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE720028	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE720030	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 1939-250B
 Part Number 3683465C1
 Instances B6.7 - CAN Layout: Cab Standard J1939 (250Kbps)
 L9 - CAN Layout: Cab Standard J1939 (250Kbps)



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE720041	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE720046	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 1939_250C
 Part Number 3683465C1
 Instances B6.7 - CAN Layout:Body Standard J1939 (250Kbps)
 L9 - CAN Layout:Body Standard J1939 (250Kbps)
 Mates TERMINATING RESISTOR




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE728837	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE728838	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 1940
 Part Number BLUNT_SL_VC
 Instances B6.7 - I/O Expansion:Diagram1
 L9 - I/O Expansion:Diagram1
 Mates BLNT-IO_EXPANDER-5083-01-0 1A


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	VU103A	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1125.0	-	F14	J5-1602
B	-	-	VU103B	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1125.0	-	F12	J5-1602
C	-	-	VU103C	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	790.0	-	E2	J4-1601
D	-	-	VU103D	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	790.0	-	E1	J4-1601
E	-	-	VU9ZF	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1035.0	-	-	-

Connector Name 19
 Part Number RING-M-6_0
 Instances B6.7 - Starting Aid (Grid Heater):Diagram1
 L9 - Starting Aid (Grid Heater):Diagram1
 Mates DEV-ISB_ENG-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	37A	2645955 R1	32.19	2.0	SGR 125	RED	1260.0	-	A	20A

Connector Name 19
 Part Number 3752570C1
 Instances L9 - Underhood PDM:PDM - UNDERHOOD
 Mates Fuse-B1-K1-1A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	37A	2645955 R1	32.19	2.0	SGR 125	RED	1260.0	-	-	-

Connector Name 20A
 Part Number RING-E-5-16_0
 Instances B6.7 - Starting Aid (Grid Heater):Diagram1
 L9 - Starting Aid (Grid Heater):Diagram1
 Mates DEV-HEAT_GRID_SOL-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	37A	2645955 R1	32.19	2.0	SGR 125	RED	1260.0	-	-	-

Connector Name 20A
 Part Number RING-E-5-16_0
 Instances B6.7 - Starting Aid (Grid Heater):Diagram1
 L9 - Starting Aid (Grid Heater):Diagram1
 Mates DEV-HEAT_GRID_SOL-01



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	37A	2645955 R1	32.19	2.0	SGR 125	RED	1260.0	-	A	19

Connector Name 2000F
 Part Number 3544687C1
 Short Description ROOF/IP CONNECTION
 Instances
 B6.7 - Cab Dome Light W/Classic Trim:Diagram1
 B6.7 - Cab Dome Light W/ Combo in Diamond Trim:Diagram1
 B6.7 - CB Radio - Power Only:Diagram1
 B6.7 - Extended / Crew Cab Dome Light W/ Combo in Classic Trim:Diagram1
 B6.7 - Extended / Crew Cab Dome Light W/ Combo in Diamond Trim:Diagram1
 Clearance and Identification Lights:Diagram1
 Ground Splice Pack:Diagram1
 Interior Task Lights (Map) - Dome Combo:Diagram1
 Key Switch Accessory:Diagram 1
 L9 - Cab Dome Light W/Classic Trim:Diagram1
 L9 - Cab Dome Light W/ Combo in Diamond Trim:Diagram1
 L9 - CB Radio - Power Only (Single Antenna):Diagram1
 Light Splice Packs - 400/1623/1625:Diagram1




Mates 2000

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	D58T	2643672 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BROWN	2000.0	-	X	-
1	-	-	D58T	2643672 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BROWN	2000.0	-	-	-
2	-	-	D86F	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1717.0	-	A	2500F
2	-	-	-	-	-	-	-	-	-	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
3	-	-	D63-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1950.0	-	X	-
4	-	-	D63D	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	710.0	-	X	-
5	-	-	D63E	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	740.0	-	X	-

Connector Name 2000
 Part Number RING-10_0
 Instances B6.7 - Starting Aid (Grid Heater):Diagram1
 Mates DEV-HEAT_GRID_SOL-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KA18	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1040.0	-	54	6000

Connector Name 2000
 Part Number RING-10_0
 Instances L9 - Starting Aid (Grid Heater):Diagram1
 Mates DEV-HEAT_GRID_SOL-01



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KA18	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1040.0	-	54	6000

Connector Name 2000
 Part Number 3544688C1
 Short Description IP/ROOF CONNECTION
 Instances
 B6.7 - Cab Dome Light W/Classic Trim:Diagram1
 B6.7 - Cab Dome Light W/ Combo in Diamond Trim:Diagram1
 B6.7 - CB Radio - Power Only:Diagram1
 B6.7 - Extended / Crew Cab Dome Light W/ Combo in Classic Trim:Diagram1
 B6.7 - Extended / Crew Cab Dome Light W/ Combo in Diamond Trim:Diagram1
 Clearance and Identification Lights:Diagram1
 Ground Splice Pack:Diagram1
 Interior Task Lights (Map) - Dome Combo:Diagram1
 Key Switch Accessory:Diagram 1
 L9 - Cab Dome Light W/Classic Trim:Diagram1
 L9 - Cab Dome Light W/ Combo in Diamond Trim:Diagram1
 L9 - CB Radio - Power Only (Single Antenna):Diagram1
 Light Splice Packs - 400/1623/1625:Diagram1




Mates 2000F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	YS58TB	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	160.0	-	X	-
1	-	-	YP58TB	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	220.0	-	X	-
2	-	-	SM86F	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2275.0	-	-	-
2	-	-	SM86F	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2275.0	-	31	1017


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	AE63-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	510.0	-	-	-
3	-	-	AD63-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	510.0	-	-	-
3	-	-	AD63-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	510.0	-	X	-
3	-	-	AE63-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	510.0	-	X	-
4	-	-	WF63	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	680.0	-	J	1604
4	-	-	WF63	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	680.0	-	J	J2-1604
5	-	-	AA63BD	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2275.0	-	-	-

Connector Name 2001
 Part Number RING-10_0
 Instances B6.7 - Starting Aid (Grid Heater):Diagram1
 Mates DEV-HEAT_GRID_SOL-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KA18R	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1040.0	-	44	6000

Connector Name 2001
 Part Number RING-10_0
 Instances L9 - Starting Aid (Grid Heater):Diagram1
 Mates DEV-HEAT_GRID_SOL-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KA18S	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	445.0	-	X	-

Connector Name 2002M
 Part Number 1661259C1
 Instances Clearance and Identification Lights:Diagram1
 Mates LT-LEFT_CLEAR-1006-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	D58Z	2643672 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BROWN	860.0	-	X	-
B	-	-	D58-GD	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	810.0	-	X	-

Connector Name 2003M
 Part Number 1661259C1
 Instances Clearance and Identification Lights:Diagram1
 Mates LT-LEFT_IDENT-1006-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	D58M	2643672 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BROWN	360.0	-	X	-
B	-	-	D58-GE	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	310.0	-	X	-

Connector Name 2004M
 Part Number 1661259C1
 Instances Clearance and Identification Lights:Diagram1
 Mates LT-MID_IDENT-1006-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	D58N	2643672 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BROWN	475.0	-	X	-
B	-	-	D58-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	525.0	-	X	-

Connector Name 2005M
 Part Number 1661259C1
 Instances Clearance and Identification Lights:Diagram1
 Mates LT-RIGHT_IDENT-1006-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	D58P	2643672 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BROWN	625.0	-	X	-
B	-	-	D58-GH	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	675.0	-	X	-

Connector Name 2006M
 Part Number 1661259C1
 Instances Clearance and Identification Lights:Diagram1
 Mates LT-RIGHT_CLEAR-1006-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	D58R	2643672 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BROWN	1195.0	-	X	-
B	-	-	D58-GJ	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1245.0	-	X	-

Connector Name 2100M
 Part Number 1661889C1
 Instances B6.7 - Cab Dome Light W/Classic Trim:Diagram1
 B6.7 - Cab Dome Light W/ Combo in Diamond Trim:Diagram1
 B6.7 - Extended / Crew Cab Dome Light W/ Combo in Classic Trim:Diagram1
 B6.7 - Extended / Crew Cab Dome Light W/ Combo in Diamond Trim:Diagram1
 Mates LT-Map_Dome_Combo-2003-01- 07A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	C63E	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1150.0	-	D	2500M
B	-	-	C63-GE	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	980.0	-	X	-
C	-	-	C63D	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1150.0	-	C	2500M

Connector Name 2100M
 Part Number 1661889C1
 Instances Interior Task Lights (Map) - Dome Combo:Diagram1
 L9 - Cab Dome Light W/Classic Trim:Diagram1
 L9 - Cab Dome Light W/ Combo in Diamond Trim:Diagram1
 Mates LT-Map_Dome_Combo_2019-01- 02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	C63E	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1150.0	-	D	2500M
B	-	-	C63-GE	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	980.0	-	X	-
C	-	-	C63D	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1150.0	-	C	2500M

Connector Name 2115M
 Part Number 1661889C1
 Instances B6.7 - Extended / Crew Cab Dome Light W/ Combo in Classic
 Trim:Diagram1
 B6.7 - Extended / Crew Cab Dome Light W/ Combo in Diamond
 Trim:Diagram1
 Mates DEV-Rear_Cab_Dome_Day-02




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	D63EB	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	2375.0	-	X	-
B	-	-	D63-GH	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2505.0	-	X	-
C	-	-	D63DB	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	2405.0	-	X	-

Connector Name 2225
 Part Number 3834322C1
 Instances L9 - Engine Usage Monitoring (VID Option):Diagram1
 L9 - Trip Odometer w/VID:Diagram1
 Mates MODU-VID-2025-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
8	-	-	-	-	-	-	-	-	-	-	-	-
16	-	-	-	-	-	-	-	-	-	-	-	-


Connector Name 23XX
 Part Number 3534156C1
 Short Description DOOR SW/SPEAKER JUMPER
 Instances B6.7 - Speaker:Four Speakers Daycab w/BT w/QC:Diagram1
 B6.7 - Speakers:Four Speakers Daycab n/BT w/QC:Diagram1
 Compressed Air Supply:Diagram1
 Door Ajar Reminder (Entry /Exit):4 Door:Diagram1
 Door Ajar Reminder (Entry/Exit):Diagram1
 L9 - Speaker:Four Speakers Daycab w/BT w/QC:Diagram1
 L9 - Speakers:Four Speakers Daycab n/BT w/QC:Diagram1
 Mates 2312



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	63	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	130.0	-	X	-
B	-	-	9	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	150.0	-	X	-
C	-	-	86BDA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2250.0	-	A	2300
C	-	-	86BDA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2250.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	86CEA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2250.0	-	-	-

Connector Name 2300R
 Part Number 3535769C1
 Instances B6.7 - Speaker:Four Speakers Daycab w/BT w/QC:Diagram1
 B6.7 - Speakers:Four Speakers Daycab n/BT w/QC:Diagram1
 L9 - Speaker:Four Speakers Daycab w/BT w/QC:Diagram1
 L9 - Speakers:Four Speakers Daycab n/BT w/QC:Diagram1
 Mates SPKR-RR-2058-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	86BDA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2250.0	-	-	-
A	-	-	86BDA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2250.0	-	A	2300
B	-	-	86CEA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2250.0	-	B	2300

Connector Name 2300
 Part Number 3535769C1
 Instances B6.7 - Speaker:Four Speakers Daycab w/BT w/QC:Diagram1
 B6.7 - Speakers:Four Speakers Daycab n/BT w/QC:Diagram1
 L9 - Speaker:Four Speakers Daycab w/BT w/QC:Diagram1
 L9 - Speakers:Four Speakers Daycab n/BT w/QC:Diagram1
 Mates SPKR-LR-2058-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	86BDA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2250.0	-	C	23XX
A	-	-	86BDA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2250.0	-	A	2300R
B	-	-	86CEA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2250.0	-	B	2300R

Connector Name 2303F
 Part Number 1661196C1
 Short Description CB RADIO POWER
 Instances B6.7 - CB Radio - Power Only:Diagram1
 L9 - CB Radio - Power Only (Single Antenna):Diagram1
 Mates 2303M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	C86M	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	160.0	-	A	2310
B	-	-	C86-GG	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	160.0	-	A	2311

Connector Name 2303M
 Part Number 1661197C1
 Short Description CB RADIO POWER
 Instances B6.7 - CB Radio - Power Only:Diagram1
 L9 - CB Radio - Power Only (Single Antenna):Diagram1
 Mates 2303F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	C86F	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	930.0	-	A	2500M
B	-	-	C86-GF	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	760.0	-	X	-


Connector Name 2310
 Part Number BLUNT_SL_VC
 Instances B6.7 - CB Radio - Power Only:Diagram1
 L9 - CB Radio - Power Only (Single Antenna):Diagram1
 Mates BLNT-CB+VE-2033-01-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	C86M	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	160.0	-	A	2303F

Connector Name 2311
 Part Number BLUNT_SL_VC
 Instances B6.7 - CB Radio - Power Only:Diagram1
 L9 - CB Radio - Power Only (Single Antenna):Diagram1
 Mates BLNT-CB-VE-2033-01-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	C86-GG	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	160.0	-	B	2303F


Connector Name 2312
 Part Number 3533975C1
 Short Description DOOR SWITCH SPEAKER JUMPER
 Instances B6.7 - Speaker:Four Speakers Daycab w/BT w/QC:Diagram1
 B6.7 - Speakers:Four Speakers Daycab n/BT w/QC:Diagram1
 Compressed Air Supply:Diagram1
 Door Ajar Reminder (Entry /Exit):4 Door:Diagram1
 Door Ajar Reminder (Entry/Exit):Diagram1
 L9 - Speaker:Four Speakers Daycab w/BT w/QC:Diagram1
 L9 - Speakers:Four Speakers Daycab n/BT w/QC:Diagram1
 Mates 23XX



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AA63C	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	4994.0	-	X	-
A	-	-	AA63B	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	616.0	-	X	-
B	-	-	AA9BAA	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	586.0	-	X	-
B	-	-	AA9BAB	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	5024.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	SP86BA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2730.0	-	15	1300
C	-	-	SP86DA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3320.0	-	9	1300
D	-	-	SP86EA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3320.0	-	10	1300
D	-	-	SP86CA	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2730.0	-	16	1300

Connector Name 2500F
 Part Number 3515763C1
 Short Description ROOF/CONSOLE CONNECTION
 Instances
 B6.7 - Cab Dome Light W/Classic Trim:Diagram1
 B6.7 - Cab Dome Light W/ Combo in Diamond Trim:Diagram1
 B6.7 - CB Radio - Power Only:Diagram1
 B6.7 - Extended / Crew Cab Dome Light W/ Combo in Diamond Trim:Diagram1
 Ground Splice Pack:Diagram1
 Interior Task Lights (Map) - Dome Combo:Diagram1
 L9 - Cab Dome Light W/Classic Trim:Diagram1
 L9 - Cab Dome Light W/ Combo in Diamond Trim:Diagram1
 L9 - CB Radio - Power Only (Single Antenna):Diagram1
 Mates 2500M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	D86F	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1717.0	-	2	2000F
B	-	-	D63-GL	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	533.0	-	X	-
C	-	-	D63DA	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1007.0	-	X	-
D	-	-	D63EA	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	977.0	-	X	-

Connector Name 2500F
 Part Number 3515763C1
 Short Description ROOF/CONSOLE CONNECTION
 Instances B6.7 - Extended / Crew Cab Dome Light W/ Combo in Classic Trim:Diagram1
 Mates 2500M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	D63-GL	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	533.0	-	X	-
C	-	-	D63DA	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1007.0	-	X	-
D	-	-	D63EA	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	977.0	-	X	-


Connector Name 2500M
 Part Number 3515762C1
 Short Description CONSOLE/ROOF STANDARD
 Instances
 B6.7 - Cab Dome Light W/Classic Trim:Diagram1
 B6.7 - Cab Dome Light W/ Combo in Diamond Trim:Diagram1
 B6.7 - CB Radio - Power Only:Diagram1
 B6.7 - Extended / Crew Cab Dome Light W/ Combo in Diamond Trim:Diagram1
 Ground Splice Pack:Diagram1
 Interior Task Lights (Map) - Dome Combo:Diagram1
 L9 - Cab Dome Light W/Classic Trim:Diagram1
 L9 - Cab Dome Light W/ Combo in Diamond Trim:Diagram1
 L9 - CB Radio - Power Only (Single Antenna):Diagram1
 Mates 2500F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	C86F	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	930.0	-	A	2303M
B	-	-	C63-GL	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	170.0	-	X	-
B	-	-	C63-GL	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	170.0	-	-	-
C	-	-	C63D	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1150.0	-	C	2100M


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	C63E	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1150.0	-	A	2100M

Connector Name 2500M
 Part Number 3515762C1
 Short Description CONSOLE/ROOF STANDARD
 Instances B6.7 - Extended / Crew Cab Dome Light W/ Combo in Classic Trim:Diagram1
 Mates 2500F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	C63-GL	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	170.0	-	X	-
C	-	-	C63D	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1150.0	-	C	2100M
D	-	-	C63E	2643720 R1	0.79	18.0	Std. Wall XLPE Primary Cable	DARK BLUE	1150.0	-	A	2100M

Connector Name 2505M
 Part Number 3811181C1
 Short Description BLUETOOTH MIC/IP
 Instances Radio w/Bluetooth:Diagram1-Combination1
 Radio w/Bluetooth:Diagram1-Combination2
 Radio w/Bluetooth without Steering Wheel Pod:Diagram1
 Mates 2505




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	86A(-)	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1200.0	-	3	100
2	-	-	86A(+)	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1200.0	-	2	100

Connector Name 2505
 Part Number 3811207C1
 Short Description BLUETOOTH MIC/IP ROOF CONNECTOR
 Instances Radio w/Bluetooth:Diagram1-Combination1
 Radio w/Bluetooth:Diagram1-Combination2
 Radio w/Bluetooth without Steering Wheel Pod:Diagram1
 Mates 2505M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	SR86A(-)	-	0.0	20.0	J1939 .46 WAL	GREEN	1265.0	-	16	1301
2	-	-	SR86A(+)	-	0.0	20.0	J1939 .46 WAL	YELLOW 2	1265.0	-	15	1301


Connector Name 254F
 Part Number 3662108C1
 Short Description MIRROR SWITCH CONN
 Instances Ground Splice Pack:Diagram1
 Ground Splice Pack - 1027:Diagram1
 Mirrors (Power) Control Switch Actuated:Diagram1-
 Combination1
 Panel Dimmer Splice Packs - 1021:Diagram1
 Mates 254M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A1	-	-	RH62D	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	1660.0	-	1	254M
A1	-	-	RH62D	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	1660.0	-	-	-
A2	-	-	RH78VB	3510364 R1	0.53	20.0	Thin Wall XLPE Primary Cable	RED	1660.0	-	2	254M
A3	-	-	RH78K	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1660.0	-	3	254M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A4	-	-	RH78-GD	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	1660.0	-	-	-
A4	-	-	RH78-GD	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	1660.0	-	4	254M
B1	-	-	RH78JA	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1660.0	-	5	254M
B2	-	-	RH78DB	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1660.0	-	6	254M
B3	-	-	RH78C	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1660.0	-	7	254M
B4	-	-	RH78EF	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1660.0	-	8	254M


Connector Name 254M
 Part Number 3510243C1
 Short Description MIRROR CONTROL SWITCH
 Instances Ground Splice Pack:Diagram1
 Ground Splice Pack - 1027:Diagram1
 Mirrors (Power) Control Switch Actuated:Diagram1-
 Combination1
 Panel Dimmer Splice Packs - 1021:Diagram1
 Mates 254F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A1	-	-	EK62D	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	195.0	-	C	3000M
A2	-	-	EK78VB	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	240.0	-	C	3200F
A3	-	-	EK78K	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	175.0	-	X	-
A4	-	-	EK78-GD	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	225.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
B1	-	-	EK78JA	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1015.0	-	B	3000M
B2	-	-	EK78DB	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	195.0	-	D	3000M
B3	-	-	EK78CA	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1015.0	-	A	3000M
B4	-	-	EK78EF	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	195.0	-	E	3000M


Connector Name 254M
 Part Number 3510243C1
 Instances Mirrors (Power) Control Switch Actuated:Diagram1-Combination1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	RH62D	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	1660.0	-	A1	254F
2	-	-	RH78VB	3510364 R1	0.53	20.0	Thin Wall XLPE Primary Cable	RED	1660.0	-	A2	254F
3	-	-	RH78K	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1660.0	-	A3	254F
4	-	-	RH78-GD	3510358 R1	0.53	20.0	Thin Wall XLPE Primary Cable	WHITE	1660.0	-	A4	254F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	RH78JA	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1660.0	-	B1	254F
6	-	-	RH78DB	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1660.0	-	B2	254F
7	-	-	RH78C	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1660.0	-	B3	254F
8	-	-	RH78EF	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1660.0	-	B4	254F

Connector Name 2600
 Part Number 2005835C1
 Instances B6.7 - CAN Layout:HMI Standard J1939 (125Kbps)
 Ground Splice Pack:Diagram1
 L9 - CAN Layout:HMI Standard J1939 (125Kbps)
 Mates 2600



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE565803	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE565802	-	0.0	-	-	-	0.0	-	PIN1	-
E	-	-	81-GD	3510362R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	950.0	-	D	3202R
F	-	-	81-GDA	3510362R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	4900.0	-	D	3202R
H	-	-	W63-GC	3510360R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	360.0	-	X	-


Connector Name 2600
 Part Number 2005835C1
 Short Description IP INTERCONNECT
 Instances Courtesy Light Crew Cab:Diagram1
 Power Door Locks Crew Cab:Diagram1
 Power Windows 4-Door N/W RKE:Diagram1
 Power Windows 4-Door W/RKE:Diagram1
 Mates 2600



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	81D	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	950.0	-	C	3202L
C	-	-	81D	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	950.0	-	C	3202R
D	-	-	81DA	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4900.0	-	C	3202L
D	-	-	81DA	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4900.0	-	C	3202R


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	81-GD	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	950.0	-	D	3202L
E	-	-	81-GD	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	950.0	-	D	3202R
F	-	-	81-GDA	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	4900.0	-	D	3202L
F	-	-	81-GDA	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	4900.0	-	D	3202R
G	-	-	W63CA	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	330.0	-	X	-
H	-	-	W63-GC	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	360.0	-	X	-

Connector Name 2600
 Part Number 2005836C1
 Instances B6.7 - CAN Layout:HMI Standard J1939 (125Kbps)
 Ground Splice Pack:Diagram1
 L9 - CAN Layout:HMI Standard J1939 (125Kbps)
 Mates 2600



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE565800	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE565801	-	0.0	-	-	-	0.0	-	PIN1	-
E	-	-	RD81-GD	3510362R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1895.0	-	X	-
F	-	-	RD81-GDA	3510362R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1895.0	-	X	-
H	-	-	WJ63-GC	3510362R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1940.0	-	X	-


Connector Name 2600
 Part Number 2005836C1
 Short Description DOOR / IP CREW
 Instances Courtesy Light Crew Cab:Diagram1
 Power Door Locks Crew Cab:Diagram1
 Power Windows 4-Door N/W RKE:Diagram1
 Power Windows 4-Door W/RKE:Diagram1
 Mates 2600



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	RD81D	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	3945.0	-	-	-
D	-	-	RD81DA	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	3945.0	-	-	-
E	-	-	RD81-GD	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1895.0	-	X	-
F	-	-	RD81-GDA	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1895.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
G	-	-	WJ63BE	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1845.0	-	X	-
H	-	-	WJ63-GC	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1940.0	-	X	-

Connector Name 3000F
 Part Number 1661201C1
 Short Description IP/DOOR INTERCONNECT 1
 Instances
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood
 Mirrors:Diagram1-Combination1
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood
 Mirrors:Diagram1-Combination2
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood
 Mirrors:Diagram1-Combination3
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood
 Mirrors:Diagram1-Combination4
 Mirrors (Heat) Switch Pack Actuated Relay Driven:Diagram1
 Mirrors (Power) Control Switch Actuated:Diagram1-
 Combination1
 Mirrors (Power) Control Switch Actuated:Diagram1-
 Combination2
 Panel Dimmer Splice Packs - 1021:Diagram1




Mates 3000M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
B	-	-	RF78RJ	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1415.0	-	X	-
C	-	-	RG62DD	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	905.0	-	-	-
C	-	-	RG62DD	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	905.0	-	10	1021
D	-	-	RG78J	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2465.0	-	D	3100F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	RG78M	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2465.0	-	E	3100F
F	-	-	RG78L	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2465.0	-	F	3100F

Connector Name 3000M
 Part Number 1661200C1
 Short Description DOOR/IP INTERCONNECT
 Instances
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood
 Mirrors:Diagram1-Combination1
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood
 Mirrors:Diagram1-Combination2
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood
 Mirrors:Diagram1-Combination3
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood
 Mirrors:Diagram1-Combination4
 Mirrors (Heat) Switch Pack Actuated Relay Driven:Diagram1
 Mirrors (Power) Control Switch Actuated:Diagram1-Combination1
 Mirrors (Power) Control Switch Actuated:Diagram1-Combination2
 Panel Dimmer Splice Packs - 1021:Diagram1




Mates 3000F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	EJ78A	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	G	3000M
B	-	-	EK78A	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	G	3000M
B	-	-	EH78A	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	G	3000M
C	-	-	EJ62DD	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	780.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	EK62D	3510352 R1	0.53	20.0	Thin Wall XLPE Primary Cable	DARK BLUE	195.0	-	A1	254M
C	-	-	EJ62DD	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	780.0	-	-	-
D	-	-	EK78DB	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	195.0	-	B2	254M
D	-	-	EJ78D	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	880.0	-	X	-
E	-	-	EK78EF	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	195.0	-	B4	254M
E	-	-	EJ78E	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	930.0	-	X	-
F	-	-	EJ78F	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	730.0	-	X	-
F	-	-	EK78FK	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	140.0	-	X	-


Connector Name 3000M
 Part Number 1661200C1
 Short Description DOOR/IP INTERCONNECT
 Instances
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood
 Mirrors:Diagram1-Combination1
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood
 Mirrors:Diagram1-Combination2
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood
 Mirrors:Diagram1-Combination3
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood
 Mirrors:Diagram1-Combination4
 Mirrors (Heat) Switch Pack Actuated Relay Driven:Diagram1
 Mirrors (Power) Control Switch Actuated:Diagram1-Combination1
 Mirrors (Power) Control Switch Actuated:Diagram1-Combination2
 Mates 3100F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	EZ78A	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	G	3000M
B	-	-	FK78A	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	G	3000M
D	-	-	FK78D	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	B	3000M
D	-	-	FJ78D	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	B	3000M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
E	-	-	FJ78E	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	A	3000M
E	-	-	FK78E	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	A	3000M
F	-	-	FJ78F	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	F	3000M
F	-	-	FK78F	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	F	3000M

Connector Name 3000M
 Part Number 3538634C1
 Instances L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination1
 L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination2
 L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination3
 L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination4
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination1
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination2
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination3
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination4
 Mirrors (Heat) Switch Pack Actuated Relay Driven:Diagram1
 Mirrors (Heated):Diagram1
 Mirrors (Power) Control Switch Actuated:Diagram1-Combination1
 Mirrors (Power) Control Switch Actuated:Diagram1-Combination2
 Mirrors (Power) Door Pod Actuated:Diagram1




Mates MODU-DS-MIRROR-1019-01-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	EB78G	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	5	3203M
A	-	-	EK78CA	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1015.0	-	B3	254M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	EJ78FB	2643761 R1	0.53	20.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	650.0	-	X	-
B	-	-	EB78C	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	4	3203M
B	-	-	EK78JA	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1015.0	-	B1	254M
B	-	-	EJ78J	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1120.0	-	5	100
F	-	-	EB78H	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	1130.0	-	6	3203M
F	-	-	EJ78R	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1120.0	-	7	100
F	-	-	EK78MK	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	840.0	-	X	-
G	-	-	EJ78A	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	B	3000M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
G	-	-	EK78A	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	B	3000M
G	-	-	EH78A	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	B	3000M
G	-	-	EA78AA	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	1	3203M
H	-	-	EH78-GE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1025.0	-	D	3200F
H	-	-	EJ78-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	490.0	-	X	-
H	-	-	EK78-GH	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	790.0	-	X	-
H	-	-	EA78-GF	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1130.0	-	8	3203M

Connector Name 3000M
 Part Number 3538634C1
 Instances L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination1
 L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination2
 L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination3
 L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination4
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination1
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination2
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination3
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination4
 Mirrors (Heat) Switch Pack Actuated Relay Driven:Diagram1
 Mirrors (Heated):Diagram1
 Mirrors (Power) Control Switch Actuated:Diagram1-Combination1
 Mirrors (Power) Control Switch Actuated:Diagram1-Combination2
 Mirrors (Power) Door Pod Actuated:Diagram1




Mates MODU-PS-MIRROR-1019-01-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	FB78G	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	5	3203M
A	-	-	FJ78E	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	E	3000M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
A	-	-	FK78E	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	E	3000M
B	-	-	FB78C	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	4	3203M
B	-	-	FK78D	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	D	3000M
B	-	-	FJ78D	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	D	3000M
F	-	-	FB78H	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	1130.0	-	6	3203M
F	-	-	FJ78F	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	F	3000M
F	-	-	FK78F	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	F	3000M
G	-	-	EZ78A	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	B	3000M


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
G	-	-	FK78A	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	980.0	-	B	3000M
G	-	-	FA78AA	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	1	3203M
H	-	-	FH78-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1025.0	-	D	3200F
H	-	-	FK78-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1025.0	-	D	3200F
H	-	-	FA78-GF	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1130.0	-	8	3203M

Connector Name 3000M
 Part Number 3538634C1
 Instances Ambient Air Temperature:Diagram1
 Mates MODU-DS-MIRROR-1019-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	ET41D	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	E	3200F
D	-	-	ET41E	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	F	3200F

Connector Name 3001
 Part Number 899167R1
 Instances L9 - Heated Windshield:Diagram1
 Mates HTR-WINDSHIELD-6001-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RK78D	3510295 R1	1.91	14.0	Thin Wall XLPE Primary Cable	BLACK	2460.0	-	R1 - 87	1014


Connector Name 3002M
 Part Number 3767181C1
 Instances Power Windows 4-Door N/W RKE:Diagram1
 Power Windows 4-Door W/RKE:Diagram1
 Mates MOT-DS_WINDOW-2013-01-01B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	F83B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	705.0	-	2	3201M
1	-	-	E83B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	705.0	-	2	3209M
1	-	-	F83B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	705.0	-	2	1032D
2	-	-	E83A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	705.0	-	1	3209M


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	F83A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	705.0	-	1	3201M
2	-	-	F83A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	705.0	-	1	1032D

Connector Name 3004
 Part Number 899167R1
 Instances L9 - Heated Windshield:Diagram1
 Mates HTR-WINDSHIELD-6001-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RK78B	3510295 R1	1.91	14.0	Thin Wall XLPE Primary Cable	BLACK	3595.0	-	R5 - 87	1014

Connector Name 3005
 Part Number 899167R1
 Instances L9 - Heated Windshield:Diagram1
 Mates HTR-WINDSHIELD-6001-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RK78-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2505.0	-	-	-

Connector Name 3100F
 Part Number 1661201C1
 Short Description IP/DOOR INTERCONNECT 2
 Instances
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood
 Mirrors:Diagram1-Combination1
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood
 Mirrors:Diagram1-Combination2
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood
 Mirrors:Diagram1-Combination3
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood
 Mirrors:Diagram1-Combination4
 Mirrors (Heat) Switch Pack Actuated Relay Driven:Diagram1
 Mirrors (Power) Control Switch Actuated:Diagram1-Combination1
 Mirrors (Power) Control Switch Actuated:Diagram1-Combination2
 Mates 3000M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	RF78B	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	X	-
D	-	-	RG78J	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2465.0	-	D	3000F
E	-	-	RG78M	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2465.0	-	E	3000F
F	-	-	RG78L	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2465.0	-	F	3000F

Connector Name 3100M
 Part Number 3767181C1
 Instances Power Windows:Diagram1
 Power Windows 4-Door N/W RKE:Diagram1
 Power Windows 4-Door W/RKE:Diagram1
 Mates MOT-DS_WINDOW-2013-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	FC83B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1300.0	-	2	3201M
1	-	-	EC83B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1300.0	-	2	3201M
2	-	-	EC83A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1300.0	-	1	3201M
2	-	-	FC83A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1300.0	-	1	3201M

Connector Name 3112M
 Part Number 1671610C1
 Instances Power Door Locks Crew Cab:Diagram1
 Mates MOT-RR_DS_LOCK-2016-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	F81A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	3	1032D
B	-	-	F81B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	4	1032D

Connector Name 3200F
 Part Number 1661201C1
 Instances B6.7 - CAN Layout:HMI Standard J1939 (125Kbps)
 L9 - CAN Layout:HMI Standard J1939 (125Kbps)
 Mates 3200M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE196493	-	0.0	-	-	-	0.0	-	3	3202M
A	-	-	WIRE196495	-	0.0	-	-	-	0.0	-	3	3202M
B	-	-	WIRE196492	-	0.0	-	-	-	0.0	-	2	3202M
B	-	-	WIRE196494	-	0.0	-	-	-	0.0	-	2	3202M

Connector Name 3200F
 Part Number 1661201C1
 Instances B6.7 - Remote Keyless Access:Diagram1
 Ground Splice Pack:Diagram1
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood
 Mirrors:Diagram1-Combination1
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood
 Mirrors:Diagram1-Combination2
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood
 Mirrors:Diagram1-Combination3
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood
 Mirrors:Diagram1-Combination4
 L9 - Remote Keyless Access:Diagram1
 Power Door Locks:Diagram1
 Power Door Locks Crew Cab:Diagram1
 Power Windows:Diagram1
 Power Windows 4-Door N/W RKE:Diagram1
 Power Windows 4-Door W/RKE:Diagram1




Mates 3202L

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	FC81A	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1245.0	-	1	3202M
C	-	-	F81D	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1175.0	-	1	1032E
C	-	-	E81D	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1175.0	-	1	3210M
C	-	-	EC81B	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1245.0	-	1	3202M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	EH78-GE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1025.0	-	-	-
D	-	-	FH78-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1025.0	-	-	-
D	-	-	EK78-GJ	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	235.0	-	X	-
D	-	-	EC81-GA	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1245.0	-	-	-
D	-	-	EJ78-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	535.0	-	-	-
D	-	-	FK78-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1025.0	-	-	-
D	-	-	FC81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1245.0	-	-	-
D	-	-	EC81-GA	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1245.0	-	4	3202M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	EJ78-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	535.0	-	X	-
D	-	-	EH78-GE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1025.0	-	H	3000M
D	-	-	FC81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1245.0	-	4	3202M
D	-	-	F81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1175.0	-	4	1032E
D	-	-	E81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1175.0	-	4	3210M

Connector Name 3200F
 Part Number 1661201C1
 Short Description DOOR/IP INTERCONNECT
 Instances
 Ground Splice Pack - 1022 & 1023:Diagram1
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood
 Mirrors:Diagram1-Combination1
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood
 Mirrors:Diagram1-Combination2
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood
 Mirrors:Diagram1-Combination3
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood
 Mirrors:Diagram1-Combination4
 Mirrors (Heat) Switch Pack Actuated Relay Driven:Diagram1
 Mirrors (Heated):Diagram1
 Power Door Locks:Diagram1
 Power Door Locks Crew Cab:Diagram1
 Power Windows:Diagram1
 Power Windows 4-Door N/W RKE:Diagram1
 Power Windows 4-Door W/RKE:Diagram1
 Vehicle Alarm System:Diagram1




Mates 3204M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	FC81A	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1245.0	-	1	3202M
C	-	-	FC81A	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1245.0	-	1	1032E
D	-	-	FH78-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1025.0	-	H	3000M


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	FK78-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1025.0	-	H	3000M
D	-	-	FC81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1245.0	-	4	1032E
D	-	-	FC81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1245.0	-	-	-
D	-	-	FC81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1245.0	-	4	3202M
D	-	-	FH78-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1025.0	-	-	-
D	-	-	FK78-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1025.0	-	-	-

Connector Name 3200F
 Part Number 1661201C1
 Short Description DOOR/IP INTERCONNECT
 Instances Ground Splice Pack - 1027:Diagram1
 Mates 3200M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	EH78-GE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1025.0	-	-	-
D	-	-	EK78-GJ	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	235.0	-	X	-
D	-	-	EC81-GA	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1245.0	-	-	-
D	-	-	EJ78-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	535.0	-	-	-


Connector Name 3200F
 Part Number 1661201C1
 Short Description DOOR/IP INTERCONNECT
 Instances Mirrors (Heat) Switch Pack Actuated Relay Driven:Diagram1
 Mirrors (Heated):Diagram1
 Mirrors (Power) Control Switch Actuated:Diagram1-Combination1
 Mirrors (Power) Control Switch Actuated:Diagram1-Combination2
 Mates 3200M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	EJ78V	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	875.0	-	X	-
C	-	-	EK78VB	3510298 R1	0.53	20.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	240.0	-	A2	254M
C	-	-	EC81B	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1245.0	-	1	3202M
D	-	-	EK78-GJ	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	235.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	EH78-GE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1025.0	-	H	3000M
D	-	-	EJ78-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	535.0	-	X	-
D	-	-	EC81-GA	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1245.0	-	4	3202M

Connector Name 3200F
 Part Number 1661201C1
 Short Description DOOR/IP INTERCONNECT
 Instances Ambient Air Temperature:Diagram1
 Mates 3200M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	ET41D	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	C	3000M
F	-	-	ET41E	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1025.0	-	D	3000M

Connector Name 3200M
 Part Number 1661200C1
 Instances B6.7 - CAN Layout:HMI Standard J1939 (125Kbps)
 L9 - CAN Layout:HMI Standard J1939 (125Kbps)
 Mates 3200F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE1654	-	0.0	-	-	-	0.0	-	PIN1	-
A	-	-	WIRE1644	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE1643	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE1653	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 3200M
 Part Number 1661200C1
 Short Description IP/DOOR INTERCONNECT 2
 Instances Ground Splice Pack - 1027:Diagram1
 Mates 3200F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	RF78-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2125.0	-	12	1027


Connector Name 3200M
 Part Number 1661200C1
 Short Description IP/DOOR INTERCONNECT 2
 Instances Mirrors (Heat) Switch Pack Actuated Relay Driven:Diagram1
 Mirrors (Heated):Diagram1
 Mirrors (Power) Control Switch Actuated:Diagram1-Combination1
 Mirrors (Power) Control Switch Actuated:Diagram1-Combination2
 Mates 3200F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	RC81B	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	2235.0	-	-	-
C	-	-	RD81B	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	2235.0	-	-	-
C	-	-	RG78V	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2235.0	-	-	-
D	-	-	RF78-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2125.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	RD81-GA	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	425.0	-	X	-
D	-	-	RC81-GA	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	425.0	-	X	-

Connector Name 3200M
 Part Number 1661200C1
 Short Description IP/DOOR INTERCONNECT 2
 Instances Ambient Air Temperature:Diagram1
 Mates 3200F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	MC41D	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2785.0	-	25	1703M
E	-	-	MB41DJ	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2785.0	-	25	1703M
F	-	-	MC41E	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2785.0	-	24	1703M
F	-	-	MB41EJ	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2785.0	-	24	1703M

Connector Name 3201F
 Part Number 1667529C1
 Short Description DOOR/ IP COURTESY LIGHT
 Instances Courtesy Light Crew Cab:Diagram1
 Ground Splice Pack:Diagram1
 Mates 3400L




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	E63C	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1500.0	-	A	3400
B	-	-	E63-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1500.0	-	-	-
B	-	-	E63-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1500.0	-	B	3400

Connector Name 3201F
 Part Number 1667529C1
 Short Description DOOR/ IP COURTESY LIGHT
 Instances Courtesy Light Crew Cab:Diagram1
 Ground Splice Pack:Diagram1
 Mates 3400R



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	F63C	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1500.0	-	A	3400
B	-	-	F63-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1500.0	-	-	-
B	-	-	F63-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1500.0	-	B	3400


Connector Name 3201M
 Part Number 3709437C1
 Instances Power Door Locks:Diagram1
 Power Door Locks Crew Cab:Diagram1
 Power Windows:Diagram1
 Power Windows 4-Door N/W RKE:Diagram1
 Power Windows 4-Door W/RKE:Diagram1
 Mates MODU-FRONT-DS_DOOR_POD-201 6-02-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	EC83A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1300.0	-	2	3100M
1	-	-	FC83A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1300.0	-	2	3100M
1	-	-	F83A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	705.0	-	2	3002M
2	-	-	FC83B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1300.0	-	1	3100M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	EC83B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1300.0	-	1	3100M
2	-	-	F83B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	705.0	-	1	3002M
3	-	-	EC81LA	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1760.0	-	A	4101
4	-	-	EC81LB	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1760.0	-	B	4101

Connector Name 3202L
 Part Number 1661200C1
 Instances B6.7 - Remote Keyless Access:Diagram1
 Ground Splice Pack:Diagram1
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood
 Mirrors:Diagram1-Combination1
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood
 Mirrors:Diagram1-Combination2
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood
 Mirrors:Diagram1-Combination3
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood
 Mirrors:Diagram1-Combination4
 L9 - Remote Keyless Access:Diagram1
 Power Door Locks:Diagram1
 Power Door Locks Crew Cab:Diagram1
 Power Windows:Diagram1
 Power Windows 4-Door N/W RKE:Diagram1
 Power Windows 4-Door W/RKE:Diagram1




Mates 3200F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	RC81A	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3045.0	-	-	-
C	-	-	RD81A	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3045.0	-	-	-
C	-	-	RD81B	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	2235.0	-	-	-
C	-	-	81DA	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4900.0	-	D	2600

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	81D	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	950.0	-	C	2600
D	-	-	RC81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2005.0	-	X	-
D	-	-	RD81-GA	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	425.0	-	X	-
D	-	-	RD81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2005.0	-	X	-
D	-	-	RC81-GA	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	425.0	-	X	-
D	-	-	RF78-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	975.0	-	-	-
D	-	-	RF78-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2125.0	-	-	-
D	-	-	81-GDA	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	4900.0	-	F	2600
D	-	-	81-GD	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	950.0	-	E	2600


Connector Name 3202M
 Part Number 3820176C1
 Instances B6.7 - CAN Layout:HMI Standard J1939 (125Kbps)
 B6.7 - Remote Keyless Access:Diagram1
 L9 - CAN Layout:HMI Standard J1939 (125Kbps)
 Power Door Locks:Diagram1
 Power Door Locks Crew Cab:Diagram1
 Power Windows:Diagram1
 Power Windows 4-Door N/W RKE:Diagram1
 Power Windows 4-Door W/RKE:Diagram1
 Mates MODU-PS_DOOR_POD-2016-01-0 2A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	EC81B	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1245.0	-	-	-
1	-	-	FC81A	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1245.0	-	-	-
1	-	-	EC81B	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1245.0	-	C	3200F
1	-	-	F81D	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1175.0	-	C	3208F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	FC81A	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1245.0	-	C	3200F
2	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	WIRE196 492	-	0.0	-	-	-	0.0	-	B	3200F
2	-	-	WIRE196 494	-	0.0	-	-	-	0.0	-	B	3200F
2	-	-	WIRE565 814	-	0.0	-	-	-	0.0	-	A	3208F
3	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	WIRE196 493	-	0.0	-	-	-	0.0	-	A	3200F
3	-	-	WIRE196 495	-	0.0	-	-	-	0.0	-	A	3200F
3	-	-	WIRE565 815	-	0.0	-	-	-	0.0	-	B	3208F
4	-	-	EC81-GA	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1245.0	-	D	3200F
4	-	-	FC81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1245.0	-	D	3200F
4	-	-	F81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1175.0	-	D	3208F

Connector Name 3202M
 Part Number 3820176C1
 Instances B6.7 - Remote Keyless Access:Diagram1
 L9 - Remote Keyless Access:Diagram1
 Mirrors (Heated):Diagram1
 Vehicle Alarm System:Diagram1
 Mates MODU-FRONT-PS_DOOR_POD-201 6-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	FC81A	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1245.0	-	C	3200F
2	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	FC81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1245.0	-	D	3200F

Connector Name 3202M
 Part Number 3820176C1
 Instances Mirrors (Heated):Diagram1
 Mates MODU-FRONT-DS_DOOR_POD-201 6-02-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	EC81B	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1245.0	-	C	3200F
4	-	-	EC81-GA	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1245.0	-	D	3200F

Connector Name 3202R
 Part Number 1661200C1
 Instances B6.7 - CAN Layout:HMI Standard J1939 (125Kbps)
 L9 - CAN Layout:HMI Standard J1939 (125Kbps)
 Mates 3208F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE565807	-	0.0	-	-	-	0.0	-	PIN1	-
A	-	-	WIRE565812	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE565806	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE565813	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 3202R
 Part Number 1661200C1
 Short Description RIGHT REAR DOOR
 Instances Ground Splice Pack:Diagram1
 Power Windows 4-Door N/W RKE:Diagram1
 Power Windows 4-Door W/RKE:Diagram1
 Mates 3208F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	81DA	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	4900.0	-	D	2600
C	-	-	81D	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	950.0	-	C	2600
D	-	-	81-GD	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	950.0	-	E	2600
D	-	-	81-GDA	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	4900.0	-	F	2600


Connector Name 3203M
 Part Number 3709924C1
 Instances L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination1
 L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination2
 L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination3
 L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination4
 Mirrors (Heated):Diagram1
 Mirrors (Power) Door Pod Actuated:Diagram1
 Mates MODU-FRONT-PS_DOOR_POD-201 6-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	FA78AA	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	G	3000M
4	-	-	FB78C	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	B	3000M
5	-	-	FB78G	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	A	3000M
6	-	-	FB78H	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	1130.0	-	F	3000M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
8	-	-	FA78-GF	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1130.0	-	H	3000M


Connector Name 3203M
 Part Number 3709924C1
 Instances L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination1
 L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination2
 L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination3
 L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination4
 Mirrors (Heated):Diagram1
 Mirrors (Power) Door Pod Actuated:Diagram1
 Mates MODU-FRONT-DS_DOOR_POD-201 6-02-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	EA78AA	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	G	3000M
4	-	-	EB78C	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	B	3000M
5	-	-	EB78G	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	A	3000M
6	-	-	EB78H	3510334 R1	0.53	20.0	Thin Wall XLPE Primary Cable	YELLOW 2	1130.0	-	F	3000M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
8	-	-	EA78-GF	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1130.0	-	H	3000M

Connector Name 3204M
 Part Number 1661200C1
 Short Description IP/DOOR INTERCONNECT 1
 Instances
 Ground Splice Pack - 1022 & 1023:Diagram1
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood
 Mirrors:Diagram1-Combination1
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood
 Mirrors:Diagram1-Combination2
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood
 Mirrors:Diagram1-Combination3
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood
 Mirrors:Diagram1-Combination4
 Mirrors (Heat) Switch Pack Actuated Relay Driven:Diagram1
 Mirrors (Heated):Diagram1
 Power Door Locks:Diagram1
 Power Door Locks Crew Cab:Diagram1
 Power Windows:Diagram1
 Power Windows 4-Door N/W RKE:Diagram1
 Power Windows 4-Door W/RKE:Diagram1
 Vehicle Alarm System:Diagram1




Mates 3200F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	RD81A	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3045.0	-	-	-
C	-	-	RC81A	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3045.0	-	-	-
D	-	-	RF78-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	975.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	RD81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2005.0	-	X	-
D	-	-	RC81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2005.0	-	X	-
D	-	-	RF78-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	975.0	-	7	1023


Connector Name 3205F
 Part Number 1667529C1
 Short Description DOOR/ IP COURTESY LIGHT AND SPEAKER
 Instances
 B6.7 - Speaker:Four Speakers Daycab w/BT w/QC:Diagram1
 B6.7 - Speakers:Four Speakers Daycab n/BT w/QC:Diagram1
 B6.7 - Speakers:Two Speakers n/BT w/QC:Diagram1
 B6.7 - Speakers:Two Speakers w/BT w/QC:Diagram1
 Courtesy Light Cab:Diagram1
 Courtesy Light Crew Cab:Diagram1
 Ground Splice Pack:Diagram1
 L9 - Speaker:Four Speakers Daycab w/BT w/QC:Diagram1
 L9 - Speakers:Four Speakers Daycab n/BT w/QC:Diagram1
 L9 - Speakers:Two Speakers n/BT w/QC:Diagram1
 L9 - Speakers:Two Speakers w/BT w/QC:Diagram1
 Mates 3205M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	FD63BC	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1200.0	-	A	3400
A	-	-	ED63BB	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1200.0	-	A	3400
B	-	-	ED63-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1200.0	-	B	3400
B	-	-	FD63-GK	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1200.0	-	B	3400

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
B	-	-	ED63-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1200.0	-	-	-
B	-	-	FD63-GK	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1200.0	-	-	-
C	-	-	ES86H	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	A	3300M
C	-	-	FS86K	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	A	3300MR
D	-	-	FS86L	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	B	3300MR
D	-	-	ES86J	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	B	3300M


Connector Name 3205M
 Part Number 1667305C1
 Short Description IP/DOOR COURTESY LIGHT & SPEAKER
 Instances B6.7 - Speaker:Four Speakers Daycab w/BT w/QC:Diagram1
 B6.7 - Speakers:Four Speakers Daycab n/BT w/QC:Diagram1
 B6.7 - Speakers:Two Speakers n/BT w/QC:Diagram1
 B6.7 - Speakers:Two Speakers w/BT w/QC:Diagram1
 Courtesy Light Cab:Diagram1
 Courtesy Light Crew Cab:Diagram1
 Ground Splice Pack:Diagram1
 L9 - Speaker:Four Speakers Daycab w/BT w/QC:Diagram1
 L9 - Speakers:Four Speakers Daycab n/BT w/QC:Diagram1
 L9 - Speakers:Two Speakers n/BT w/QC:Diagram1
 L9 - Speakers:Two Speakers w/BT w/QC:Diagram1
 Mates 3205F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WJ63BC	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	2255.0	-	X	-
A	-	-	WG63BB	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	190.0	-	X	-
A	-	-	WJ63BB	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	190.0	-	X	-
B	-	-	AD11-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	510.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	AE11-GK	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1935.0	-	X	-
B	-	-	AD11-GK	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1935.0	-	X	-
B	-	-	AE11-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	510.0	-	X	-
C	-	-	MQ86HB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	270.0	-	F	1916A
C	-	-	MQ86K	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1650.0	-	11	1300
D	-	-	MQ86JB	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	270.0	-	G	1916A
D	-	-	MQ86L	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1650.0	-	12	1300

Connector Name 3208F
 Part Number 1661201C1
 Instances B6.7 - CAN Layout:HMI Standard J1939 (125Kbps)
 L9 - CAN Layout:HMI Standard J1939 (125Kbps)
 Mates 3202R



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE565811	-	0.0	-	-	-	0.0	-	2	3210M
A	-	-	WIRE565814	-	0.0	-	-	-	0.0	-	2	3202M
B	-	-	WIRE565810	-	0.0	-	-	-	0.0	-	3	3210M
B	-	-	WIRE565815	-	0.0	-	-	-	0.0	-	3	3202M


Connector Name 3208F
 Part Number 1661201C1
 Short Description DOOR/IP INTERCONNECT
 Instances Ground Splice Pack:Diagram1
 Power Windows 4-Door N/W RKE:Diagram1
 Power Windows 4-Door W/RKE:Diagram1
 Mates 3202R



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	E81D	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1175.0	-	1	3210M
C	-	-	F81D	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1175.0	-	1	3202M
D	-	-	E81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1175.0	-	-	-
D	-	-	F81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1175.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	E81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1175.0	-	4	3210M
D	-	-	F81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1175.0	-	4	3202M

Connector Name 3209M
 Part Number 3709437C1
 Instances Power Door Locks Crew Cab:Diagram1
 Power Windows 4-Door N/W RKE:Diagram1
 Power Windows 4-Door W/RKE:Diagram1
 Mates MODU-REAR-DS_DOOR_POD-2016 -02-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	E83A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	705.0	-	2	3002M
2	-	-	E83B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	705.0	-	1	3002M
3	-	-	E81A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	A	4101
4	-	-	E81B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	B	4101


Connector Name 3210M
 Part Number 3820176C1
 Instances B6.7 - CAN Layout:HMI Standard J1939 (125Kbps)
 L9 - CAN Layout:HMI Standard J1939 (125Kbps)
 Power Door Locks Crew Cab:Diagram1
 Power Windows 4-Door N/W RKE:Diagram1
 Power Windows 4-Door W/RKE:Diagram1
 Mates MODU-REAR-DS_DOOR_POD-2016 -02-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	E81D	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1175.0	-	C	3200F
1	-	-	E81D	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1175.0	-	C	3208F
2	-	-	WIRE565 811	-	0.0	-	-	-	0.0	-	A	3208F
2	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	WIRE565 810	-	0.0	-	-	-	0.0	-	B	3208F
3	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	E81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1175.0	-	D	3200F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	E81-GB	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	1175.0	-	D	3208F

Connector Name 3211M
 Part Number 3709924C1
 Instances Power Door Locks Crew Cab:Diagram1
 Power Windows 4-Door N/W RKE:Diagram1
 Power Windows 4-Door W/RKE:Diagram1
 Mates MODU-REAR-DS_DOOR_POD-2016 -02-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	E11-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	0.0	-	7	3211M
3	-	-	F11-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	0.0	-	7	3211M
7	-	-	E11-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	0.0	-	2	3211M
7	-	-	F11-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	0.0	-	3	3211M

Connector Name 3300MR
 Part Number 3535769C1


Instances B6.7 - Speaker:Four Speakers Daycab w/BT w/QC:Diagram1
 B6.7 - Speakers:Four Speakers Daycab n/BT w/QC:Diagram1
 B6.7 - Speakers:Two Speakers n/BT w/QC:Diagram1
 B6.7 - Speakers:Two Speakers w/BT w/QC:Diagram1
 L9 - Speaker:Four Speakers Daycab w/BT w/QC:Diagram1
 L9 - Speakers:Four Speakers Daycab n/BT w/QC:Diagram1
 L9 - Speakers:Two Speakers n/BT w/QC:Diagram1
 L9 - Speakers:Two Speakers w/BT w/QC:Diagram1

Mates SPKR-RF-2058-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	FS86K	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	C	3205F
B	-	-	FS86L	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	D	3205F

Connector Name 3300M
 Part Number 3535769C1
 Instances B6.7 - Speaker:Four Speakers Daycab w/BT w/QC:Diagram1
 B6.7 - Speakers:Four Speakers Daycab n/BT w/QC:Diagram1
 B6.7 - Speakers:Two Speakers n/BT w/QC:Diagram1
 B6.7 - Speakers:Two Speakers w/BT w/QC:Diagram1
 L9 - Speaker:Four Speakers Daycab w/BT w/QC:Diagram1
 L9 - Speakers:Four Speakers Daycab n/BT w/QC:Diagram1
 L9 - Speakers:Two Speakers n/BT w/QC:Diagram1
 L9 - Speakers:Two Speakers w/BT w/QC:Diagram1
 Mates SPKR-LF-2058-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ES86H	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	C	3205F
B	-	-	ES86J	2643671 R1	0.79	18.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	1050.0	-	D	3205F

Connector Name 3400L
 Part Number 1667305C1
 Short Description REAR LEFT DOOR #2
 Instances Courtesy Light Crew Cab:Diagram1
 Ground Splice Pack:Diagram1
 Mates 3201F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	W63CB	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	620.0	-	X	-
B	-	-	W63-GD	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	590.0	-	X	-

Connector Name 3400R
 Part Number 1667305C1
 Short Description REAR RIGHT DOOR #2
 Instances Courtesy Light Crew Cab:Diagram1
 Ground Splice Pack:Diagram1
 Mates 3201F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	W63CC	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	4570.0	-	X	-
B	-	-	W63-GE	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	4540.0	-	X	-


Connector Name 3400
 Part Number 1661259C1
 Instances Courtesy Light Cab:Diagram1
 Courtesy Light Crew Cab:Diagram1
 Mates LT-LF_COURTESY-2006-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	FD63BC	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1200.0	-	A	3205F
A	-	-	ED63BB	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1200.0	-	A	3205F
A	-	-	F63C	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1500.0	-	A	3201F
A	-	-	E63C	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1500.0	-	A	3201F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
B	-	-	ED63-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1200.0	-	B	3205F
B	-	-	FD63-GK	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1200.0	-	B	3205F
B	-	-	F63-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1500.0	-	B	3201F
B	-	-	E63-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1500.0	-	B	3201F

Connector Name 3500B
 Part Number 239808R1
 Instances Door Ajar Reminder (Entry /Exit):4 Door:Diagram1
 Mates SW-LR_DOOR-2030-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	63A	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	2320.0	-	-	-

Connector Name 3500
 Part Number 239808R1
 Instances Door Ajar Reminder (Entry /Exit):4 Door:Diagram1
 Mates SW-RR_DOOR-2030-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	63A	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	2320.0	-	X	-

Connector Name 3501B
 Part Number 239808R1
 Instances Door Ajar Reminder (Entry /Exit):4 Door:Diagram1
 Mates SW-LR_DOOR-2030-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	9A	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2300.0	-	X	-

Connector Name 3501
 Part Number 239808R1
 Instances Door Ajar Reminder (Entry /Exit):4 Door:Diagram1
 Mates SW-RR_DOOR-2030-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	9A	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2300.0	-	-	-

Connector Name 3502B
 Part Number 239808R1
 Instances Compressed Air Supply:Diagram1
 Door Ajar Reminder (Entry /Exit):4 Door:Diagram1
 Door Ajar Reminder (Entry/Exit):Diagram1
 Mates SW-LF_DOOR-2030-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	9B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1200.0	-	X	-
A	-	-	9B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1200.0	-	-	-

Connector Name 3502
 Part Number 239808R1
 Instances Compressed Air Supply:Diagram1
 Door Ajar Reminder (Entry /Exit):4 Door:Diagram1
 Door Ajar Reminder (Entry/Exit):Diagram1
 Mates SW-RF_DOOR-2030-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	9B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1200.0	-	-	-
A	-	-	9B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1200.0	-	X	-

Connector Name 3503B
 Part Number 239808R1
 Instances Compressed Air Supply:Diagram1
 Door Ajar Reminder (Entry /Exit):4 Door:Diagram1
 Door Ajar Reminder (Entry/Exit):Diagram1
 Mates SW-LF_DOOR-2030-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	63B	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	1180.0	-	X	-

Connector Name 3503
 Part Number 239808R1
 Instances Compressed Air Supply:Diagram1
 Door Ajar Reminder (Entry /Exit):4 Door:Diagram1
 Door Ajar Reminder (Entry/Exit):Diagram1
 Mates SW-RF_DOOR-2030-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	63B	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	1180.0	-	-	-

Connector Name 4004
 Part Number 3525613C1
 Instances B6.7 - Forward Chassis Power:Diagram1
 L9 - Forward Chassis Power:Diagram1
 Mates CP-PTO_MAXI_FUSE



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	MG14L	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	350.0	-	-	-
2	-	-	MG103C	3510302 R1	3.01	12.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	470.0	-	-	-

Connector Name 400
 Part Number 3543733C1
 Instances Light Splice Packs - 400/1623/1625:Diagram1
 Mates SP-TURN_SIGNAL_SPLICE_PACK -B000-10-A1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	YU57A	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	815.0	-	-	-
B	-	-	YT57T	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	805.0	-	-	-
C	-	-	YV57BC	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	805.0	-	64	1701
C	-	-	YX57BC	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	805.0	-	64	1701

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	YY57	2643675 R1	0.79	18.0	Std. Wall XLPE Primary Cable	ORANGE	1870.0	-	-	-
E	-	-	YT56AA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	815.0	-	-	-
F	-	-	YT56T	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	805.0	-	-	-
H	-	-	YV56BC	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	805.0	-	42	1701
H	-	-	YX56BC	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	805.0	-	42	1701
J	-	-	ZH71AC	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2250.0	-	45	1703M
J	-	-	ZL71BA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1805.0	-	-	-
J	-	-	ZJ71AB	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1805.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
K	-	-	ZG71BC	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	175.0	-	X	-
K	-	-	ZE71AB	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	805.0	-	1	1701
K	-	-	ZK71BA	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	175.0	-	X	-
L	-	-	KQ71N	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	805.0	-	70	1701
L	-	-	KU71P	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1820.0	-	-	-
L	-	-	KS71P	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1820.0	-	-	-
L	-	-	KT71P	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1820.0	-	-	-
M	-	-	ZU71D	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1175.0	-	-	-

Connector Name 4028C
 Part Number RING-M-10_0
 Instances Chassis PDM:Diagram1
 Mates Chassis PDM



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	M14A-FL	2643473 R1	4.81	10.0	FUSEABLE LINK	RUST	150.0	-	X	-
1	-	-	N14X-FL	2643473 R1	4.81	10.0	FUSEABLE LINK	RUST	150.0	-	-	-
1	-	-	N14Y-FL	2643116 R1	3.01	12.0	FUSEABLE LINK	BLUE	150.0	-	X	-

Connector Name 4042A
 Part Number 1671610C1
 Instances L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination1
 L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination2
 L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination3
 L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination4
 L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination5
 L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination6
 L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination7
 L9 - Fuel Heater (Vehicle Powered)(Racor):Diagram1-Combination8




Mates DEV-FUEL FILTER ASSY-3036-01-03A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CH19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2935.0	-	67	1701F
A	-	-	CP19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3210.0	-	67	1701F
A	-	-	CS19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3435.0	-	67	1701F
A	-	-	CU19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3655.0	-	67	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
A	-	-	CW19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3955.0	-	67	1701F
A	-	-	CY19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4505.0	-	67	1701F
A	-	-	XA19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2845.0	-	67	1701F
A	-	-	XY19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3355.0	-	67	1701F
B	-	-	CH19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	925.0	-	-	-
B	-	-	CU19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	845.0	-	-	-
B	-	-	CY19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1695.0	-	-	-
B	-	-	CP19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	750.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	CW19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1145.0	-	-	-
B	-	-	XY19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	545.0	-	-	-
B	-	-	CS19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	625.0	-	-	-
B	-	-	XA19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1235.0	-	-	-


Connector Name 4060A
 Part Number 3690369C1
 Short Description FUEL PUMP/AMMETER/TWO WAY RADIO
 Instances
 B6.7 - 2-Way Radio:Diagram1-Combination1
 B6.7 - 2-Way Radio:Diagram1-Combination2
 B6.7 - Current Monitoring (Ammeter):Diagram1-Combination1
 B6.7 - Current Monitoring (Ammeter):Diagram1-Combination2
 L9 - 2-Way Radio:Diagram1-Combination1
 L9 - 2-Way Radio:Diagram1-Combination2
 Mates 4060



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	SH14HC	3510367 R1	1.91	14.0	Thin Wall XLPE Primary Cable	RED	1955.0	-	1	1703F
4	-	-	SJ14HF	3510367 R1	1.91	14.0	Thin Wall XLPE Primary Cable	RED	1955.0	-	1	1703F
5	-	-	SH11-GA	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	1955.0	-	2	1703F
5	-	-	SJ11-G	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	1955.0	-	2	1703F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
6	-	-	MH26A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1615.0	-	11	4087
6	-	-	MJ26A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	625.0	-	11	4087B
7	-	-	MH26B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1615.0	-	10	4087
7	-	-	MJ26B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	625.0	-	10	4087B

Connector Name 4060A
 Part Number 3690369C1
 Short Description FUEL PUMP/AMMETER/TWO WAY RADIO
 Instances Ambient Air Temperature:Diagram1
 Mates 4060



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	MC41	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1835.0	-	25	1703F
8	-	-	MC41EJ	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1835.0	-	24	1703F


Connector Name 4060
 Part Number 6112506C1
 Short Description AAT AMMETER
 Instances
 B6.7 - 2-Way Radio:Diagram1-Combination1
 B6.7 - 2-Way Radio:Diagram1-Combination2
 B6.7 - Current Monitoring (Ammeter):Diagram1-Combination1
 B6.7 - Current Monitoring (Ammeter):Diagram1-Combination2
 L9 - 2-Way Radio:Diagram1-Combination1
 L9 - 2-Way Radio:Diagram1-Combination2
 Mates 4060A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	RA14A	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	2130.0	-	A	9264M
5	-	-	RA14-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	930.0	-	-	-
5	-	-	RA14-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	930.0	-	A	9263F
6	-	-	AE26B	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2675.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	AE26A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2575.0	-	A	6332

Connector Name 4060
 Part Number 6112506C1
 Short Description IP/ENGINE AUX
 Instances Ambient Air Temperature:Diagram1
 Mates 4060A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	VK41	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1245.0	-	40	6000
3	-	-	VM41	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1245.0	-	40	6000
8	-	-	KE41-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	610.0	-	X	-

Connector Name 4060
 Part Number 6112506C1
 Short Description IP/ENGINE AUX
 Instances Coolant Level Monitoring (With CLA Module):Diagram1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
8	-	-	KL41-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	610.0	-	X	-
8	-	-	KY41-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	610.0	-	X	-
8	-	-	KZ41-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	610.0	-	X	-
8	-	-	KE41-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	610.0	-	X	-

Connector Name 4069
 Part Number BLUNT_SL_VC
 Instances Auxiliary Power (40A) HSD:Diagram1
 Mates BLUNT_AUX_PWR_BDY_BDR_205 5-04-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MG103D	2643753 R1	3.01	12.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	590.0	-	13	1700


Connector Name 4087B
 Part Number 3553404C1
 Instances B6.7 - Current Monitoring (Ammeter):Diagram1-Combination2
 L9 - CAN Layout:Body Standard J1939 (250Kbps)
 Mates MODU-PAM-2031-02-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
6	-	-	MJ26DA	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2230.0	-	27	1703F
7	-	-	-	-	-	-	-	-	-	-	-	-
7	-	-	WIRE722 782	-	0.0	-	-	-	0.0	-	30	1703F
8	-	-	-	-	-	-	-	-	-	-	-	-
8	-	-	WIRE722 780	-	0.0	-	-	-	0.0	-	32	1703F
10	-	-	MJ26B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	625.0	-	7	4060A
11	-	-	MJ26A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	625.0	-	6	4060A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
12	-	-	MJ11-GBD	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2230.0	-	16	1703F


Connector Name 4087
 Part Number 3553404C1
 Instances B6.7 - CAN Layout:Body Standard J1939 (250Kbps)
 B6.7 - Current Monitoring (Ammeter):Diagram1-Combination1
 L9 - CAN Layout:Body Standard J1939 (250Kbps)
 Mates MODU-PAM-2031-02-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
6	-	-	MH26DA	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	1880.0	-	27	1703F
7	-	-	-	-	-	-	-	-	-	-	-	-
7	-	-	WIRE722 778	-	0.0	-	-	-	0.0	-	30	1703F
8	-	-	-	-	-	-	-	-	-	-	-	-
8	-	-	WIRE722 781	-	0.0	-	-	-	0.0	-	32	1703F
10	-	-	MH26B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1615.0	-	7	4060A
11	-	-	MH26A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1615.0	-	6	4060A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
12	-	-	MH11-GBA	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1880.0	-	16	1703F


Connector Name 4101
 Part Number 1671610C1
 Instances Power Door Locks:Diagram1
 Power Door Locks Crew Cab:Diagram1
 Mates MOT-PS_LOCK-2016-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	FC81RA	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1760.0	-	3	1032D
A	-	-	EC81LA	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1760.0	-	3	3201M
A	-	-	E81A	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	3	3209M
B	-	-	EC81LB	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1760.0	-	4	3201M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	FC81RB	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1760.0	-	4	1032D
B	-	-	E81B	3510301 R1	1.91	14.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1130.0	-	4	3209M


Connector Name 4120
 Part Number 3522251C1
 Instances L9 - Snow Valve Control:Diagram1-Combination1
 L9 - Snow Valve Control:Diagram1-Combination2
 Mates MOT-Winter_Gear_Motor-5042 -01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	QA23ED	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2530.0	-	3	1703F
B	-	-	QA23BE	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2530.0	-	4	1703F
C	-	-	QA23CB	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2530.0	-	5	1703F
D	-	-	QA23DE	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2530.0	-	6	1703F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	QA23EF	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2530.0	-	7	1703F

Connector Name 4307
 Part Number 3581768C1
 Short Description FORWARD GROUND
 Instances L9 - Forward Chassis Ground Splice Packs - 8800:Diagram1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	MZ11-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	490.0	-	X	-
1	-	-	MY11-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	490.0	-	X	-
1	-	-	TD11-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	490.0	-	X	-
1	-	-	TC11-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	490.0	-	X	-

Connector Name 4320M
 Part Number 3517760C1
 Short Description FWD REMOTE POSITIVE FEED
 Instances
 B6.7 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram1-Combination3
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination1
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination2
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination3
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination4
 Mates 4412F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	M14	2645255 R1	18.94	4.0	SGX FLEX 125C	RED	300.0	-	-	-

Connector Name 4320M
 Part Number 3517760C1
 Short Description FWD REMOTE POSITIVE FEED
 Instances L9 - DLB - Remote Power Modules (2 RPM n/ Switch Pack):Diagram 1
 L9 - DLB - Remote Power Modules (2 RPM n/ Switch Pack):Diagram 2 - In Cab
 L9 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram 1
 L9 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram 2 - In Cab
 Mates 4413F2



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	M14	2645255 R1	18.94	4.0	SGX FLEX 125C	RED	300.0	-	-	-


Connector Name 4410A
 Part Number 3572899C1
 Instances B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination1
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination4
 L9 - DLB - Remote Power Modules (2 RPM n/ Switch Pack):Diagram 1
 L9 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram 1
 Mates MODU-RPM1-2050-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	RC10-GP	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	3095.0	-	2	4410H
2	-	-	N11-GPM	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	370.0	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	N14W	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	370.0	-	6	4410A
6	-	-	RC20A	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3095.0	-	6	4410H


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
6	-	-	N14W	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	370.0	-	-	-

Connector Name 4410A
 Part Number 3572899C1
 Instances B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination3




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	N11-GPM	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	370.0	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	N14W	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	370.0	-	-	-

Connector Name 4410A
 Part Number 3572899C1
 Instances B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination2




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	N11-GPM	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	370.0	-	2	4410B
3	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	N14W	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	370.0	-	6	4410A

Connector Name 4410A
 Part Number 3572899C1
 Instances L9 - DLB - Remote Power Modules (2 RPM n/ Switch Pack):Diagram 2 - In Cab
 L9 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram 2 - In Cab




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	N11-GPM	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	370.0	-	2	4410B
6	-	-	N14W	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	370.0	-	6	4410B

Connector Name 4410B
 Part Number 3572899C1
 Instances B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination1
 L9 - DLB - Remote Power Modules (2 RPM n/ Switch Pack):Diagram 1
 L9 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram 1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	N11-GPM	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	370.0	-	2	4410A
2	-	-	N11-GPM	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	370.0	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	N14W	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	370.0	-	-	-

Connector Name 4410B
 Part Number 3572899C1
 Instances B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination3




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	N11-GPM	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	370.0	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	N14W	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	370.0	-	-	-

Connector Name 4410B
 Part Number 3572899C1
 Instances B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination2
 Mates MODU-RPM2-2050-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	N11-GPM	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	370.0	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	N14W	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	370.0	-	-	-

Connector Name 4410B
 Part Number 3572899C1
 Instances L9 - DLB - Remote Power Modules (2 RPM n/ Switch Pack):Diagram 2 - In Cab
 L9 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram 2 - In Cab




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	N11-GPM	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	370.0	-	2	4410A
3	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	N14W	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	370.0	-	6	4410A

Connector Name 4410DF
 Part Number 3572900C1
 Short Description RPM DATA LINK & PWR-OUTSIDE CAB
 Instances L9 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram 2 - In Cab
 L9 - DLB - Remote Power Modules (2 RPM n/ Switch Pack):Diagram 2 - In Cab
 L9 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram 2 - In Cab
 Mates 4410D




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	10-GR	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	925.0	-	2	4410DM
6	-	-	14C	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	925.0	-	6	4410DM

Connector Name 4410DM
 Part Number 3572899C1
 Instances L9 - DLB - Remote Power Modules (1 RPM n/ Switch Packs):Diagram 2 - In Cab
 L9 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram 2 - In Cab




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	10-GR	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	925.0	-	2	4410F
2	-	-	10-GR	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	925.0	-	2	4410DF
3	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	14C	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	925.0	-	6	4410F
6	-	-	14C	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	925.0	-	6	4410DF

Connector Name 4410DM
 Part Number 3572899C1
 Instances L9 - DLB - Remote Power Modules (2 RPM n/ Switch Pack):Diagram 2 - In Cab
 L9 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram 2 - In Cab




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	10-GR	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	925.0	-	2	4410DF
3	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	14C	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	925.0	-	6	4410DF

Connector Name 4410D
 Part Number 3572899C1
 Instances L9 - CAN Layout:Body Standard J1939 (250Kbps)



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	WIRE722 722	-	0.0	-	-	-	0.0	-	53	1701F
4	-	-	WIRE722 725	-	0.0	-	-	-	0.0	-	52	1701F


Connector Name 4410D
 Part Number 3572899C1
 Instances B6.7 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram1-Combination1
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination1
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination4
 L9 - DLB - Remote Power Modules (1 RPM n/ Switch Packs):Diagram 1
 L9 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram 1
 L9 - DLB - Remote Power Modules (2 RPM n/ Switch Pack):Diagram 1
 L9 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram 1



Mates MODU-RPM1-2050-01-01A


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	RA10-GR	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1850.0	-	-	-
2	-	-	RA10-GR	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1850.0	-	2	4410D
3	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	RA20	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3860.0	-	51	1701F
6	-	-	RA20	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3860.0	-	-	-

Connector Name 4410D
 Part Number 3572899C1
 Short Description REMOTE POWER MODULE DATALINK AND LOGIC POWER
 Instances L9 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram 2 - In Cab
 L9 - DLB - Remote Power Modules (2 RPM n/ Switch Pack):Diagram 2 - In Cab
 L9 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram 2 - In Cab
 Mates 4410DF




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	ZE10-GR	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	3020.0	-	-	-
2	-	-	RA10-GR	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1850.0	-	2	4410D
6	-	-	ZE20	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4280.0	-	51	1701F
6	-	-	RA20	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3860.0	-	51	1701F

Connector Name 4410F
 Part Number 3572899C1
 Instances L9 - CAN Layout:Body Standard J1939 (250Kbps)




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	WIRE722 723	-	0.0	-	-	-	0.0	-	53	1701F
4	-	-	WIRE722 726	-	0.0	-	-	-	0.0	-	52	1701F

Connector Name 4410F
 Part Number 3572900C1
 Short Description REMOTE POWER MODULE DATA LINK & LOGIC POWER
 Instances B6.7 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram1-Combination3
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination3
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination4
 Mates 4410H




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	RJ10-GPM	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2585.0	-	2	4410M
6	-	-	RJ14	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	2585.0	-	6	4410M

Connector Name 4410F
 Part Number 3572900C1
 Short Description REMOTE POWER MODULE DATA LINK & LOGIC POWER
 Instances L9 - DLB - Remote Power Modules (1 RPM n/ Switch Packs):Diagram 1
 L9 - DLB - Remote Power Modules (1 RPM n/ Switch Packs):Diagram 2 - In Cab
 Mates 4410H




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	10-GR	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	925.0	-	2	4410DM
6	-	-	RS14D	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	2685.0	-	6	4410K
6	-	-	RJ14	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	2585.0	-	-	-
6	-	-	14C	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	925.0	-	6	4410DM

Connector Name 4410G
 Part Number 3572899C1
 Instances B6.7 - CAN Layout:Body Standard J1939 (250Kbps)
 L9 - CAN Layout:Body Standard J1939 (250Kbps)




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	WIRE740272	-	0.0	-	-	-	0.0	-	52	1701F
3	-	-	WIRE724014	-	0.0	-	-	-	0.0	-	53	1701F
4	-	-	WIRE740274	-	0.0	-	-	-	0.0	-	53	1701F
4	-	-	WIRE724015	-	0.0	-	-	-	0.0	-	52	1701F

Connector Name 4410H
 Part Number 3572899C1
 Instances L9 - CAN Layout:Body Standard J1939 (250Kbps)
 L9 - Transmission Power Take Off (Auto Trans with
 Lectradrive):Diagram1
 L9 - Transmission Power Take Off (Lectrashift PTO with Manual
 Trans):Diagram1
 Transmission Power Take Off (Single PTO W/ RPM and Auto
 Trans):Diagram1
 Transmission Power Take Off (Single PTO W/ RPM and Manual
 Trans):Diagram1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	WIRE722 721	-	0.0	-	-	-	0.0	-	53	1701F
4	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	WIRE722 724	-	0.0	-	-	-	0.0	-	52	1701F


Connector Name 4410H
 Part Number 3572899C1
 Short Description REMOTE POWER MODULE DATALINK AND LOGIC POWER
 Instances B6.7 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram1-Combination3
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination3
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination4
 Mates 4410F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	RC10-GP	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	3095.0	-	2	4410A
2	-	-	NT10-GS	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	3145.0	-	-	-
6	-	-	RC20A	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3095.0	-	6	4410A
6	-	-	NT20	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4405.0	-	51	1701F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
6	-	-	RC20A	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3095.0	-	-	-

Connector Name 4410H
 Part Number 3572899C1
 Short Description REMOTE POWER MODULE DATALINK AND LOGIC POWER
 Instances L9 - DLB - Remote Power Modules (1 RPM n/ Switch Packs):Diagram 1
 L9 - DLB - Remote Power Modules (1 RPM n/ Switch Packs):Diagram 2 - In Cab
 Mates 4410F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	ZE10-GR	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	3020.0	-	-	-
6	-	-	RC20A	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3095.0	-	-	-
6	-	-	NT20	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4405.0	-	51	1701F
6	-	-	ZE20	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4280.0	-	51	1701F

Connector Name 4410K
 Part Number 3572899C1
 Short Description 2ND AIR SOLENOID 7-PAK
 Instances L9 - DLB - Remote Power Modules (1 RPM n/ Switch Packs):Diagram 1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
6	-	-	RS14D	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	2685.0	-	6	4410F

Connector Name 4410L
 Part Number 3572899C1
 Instances B6.7 - CAN Layout:Body Standard J1939 (250Kbps)
 L9 - CAN Layout:Body Standard J1939 (250Kbps)




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	WIRE740271	-	0.0	-	-	-	0.0	-	52	1701F
3	-	-	WIRE724013	-	0.0	-	-	-	0.0	-	53	1701F
4	-	-	WIRE740273	-	0.0	-	-	-	0.0	-	53	1701F
4	-	-	WIRE724016	-	0.0	-	-	-	0.0	-	52	1701F

Connector Name 4410M
 Part Number 3572899C1
 Instances B6.7 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram1-Combination3
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination3
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination4




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	RJ10-GPM	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2585.0	-	2	4410F
3	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	RJ14	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	2585.0	-	6	4410F

Connector Name 4411F
 Part Number 3517759C1
 Short Description REMOTE POWER MODULE POSITIVE FEED
 Instances B6.7 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram1-Combination3
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination3
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination4
 Mates 4411




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RH14	2644026 R1	18.94	4.0	Std. Wall XLPE Battery Cable	RED	2435.0	-	A	4411M

Connector Name 4411F
 Part Number 3517759C1
 Short Description RPM 1 POSITIVE FEED-OUTSIDE CAB
 Instances L9 - DLB - Remote Power Modules (1 RPM n/ Switch Packs):Diagram 2 - In Cab
 L9 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram 2 - In Cab
 L9 - DLB - Remote Power Modules (2 RPM n/ Switch Pack):Diagram 2 - In Cab
 L9 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram 2 - In Cab
 Mates 4411M4



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	14	2645953 R1	18.94	4.0	SGX NFLEX 125	RED	3700.0	-	A	4411M


Connector Name 4411M1
 Part Number 3517760C1
 Instances B6.7 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram1-Combination1
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination1
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination4
 L9 - DLB - Remote Power Modules (1 RPM n/ Switch Packs):Diagram 1
 L9 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram 1
 L9 - DLB - Remote Power Modules (2 RPM n/ Switch Pack):Diagram 1
 L9 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram 1



Mates MODU-RPM1-2050-01-01A


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	PB14CY	2644026 R1	18.94	4.0	Std. Wall XLPE Battery Cable	RED	2525.0	-	A	4413F1
A	-	-	PB14CY	2644026 R1	18.94	4.0	Std. Wall XLPE Battery Cable	RED	2525.0	-	-	-

Connector Name 4411M2
 Part Number 3517760C1
 Instances B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination1
 L9 - DLB - Remote Power Modules (2 RPM n/ Switch Pack):Diagram 1
 L9 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram 1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	PC14H	2644026 R1	18.94	4.0	Std. Wall XLPE Battery Cable	RED	2525.0	-	A	4412F
A	-	-	PC14H	2644026 R1	18.94	4.0	Std. Wall XLPE Battery Cable	RED	2525.0	-	-	-

Connector Name 4411M2
 Part Number 3517760C1
 Short Description 2ND REMOTE POWER MODULE POSITIVE FEED
 Instances L9 - DLB - Remote Power Modules (2 RPM n/ Switch Pack):Diagram 2 - In Cab
 L9 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram 2 - In Cab
 Mates 4412F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	PC14H	2644026 R1	18.94	4.0	Std. Wall XLPE Battery Cable	RED	2525.0	-	A	4413F2

Connector Name 4411M4
 Part Number 3517760C1
 Short Description REMOTE POWER MODULE POWER FEED 2
 Instances L9 - DLB - Remote Power Modules (1 RPM n/ Switch Packs):Diagram 2 - In Cab
 L9 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram 2 - In Cab
 L9 - DLB - Remote Power Modules (2 RPM n/ Switch Pack):Diagram 2 - In Cab
 L9 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram 2 - In Cab
 Mates 4411F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ZB14CZ	2644026 R1	18.94	4.0	Std. Wall XLPE Battery Cable	RED	3695.0	-	A	4413F1
A	-	-	PB14CY	2644026 R1	18.94	4.0	Std. Wall XLPE Battery Cable	RED	2525.0	-	A	4413F1

Connector Name 4411M4
 Part Number 3572899C1
 Instances B6.7 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram1-Combination2
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination2




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	ZE10-GR	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	3020.0	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	ZE20	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4280.0	-	51	1701F

Connector Name 4411M4_
 Part Number 3517760C1
 Instances B6.7 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram1-Combination2
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination2




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ZB14CZ	2644026 R1	18.94	4.0	Std. Wall XLPE Battery Cable	RED	3695.0	-	A	4413F1

Connector Name 4411M5
 Part Number 3517760C1
 Instances B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination2
 Mates MODU-RPM2-2050-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ZA14H	2644026 R1	18.94	4.0	Std. Wall XLPE Battery Cable	RED	3695.0	-	A	4412F

Connector Name 4411M
 Part Number 3517760C1
 Instances B6.7 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram1-Combination3
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination3
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination4




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RH14	2644026 R1	18.94	4.0	Std. Wall XLPE Battery Cable	RED	2435.0	-	A	4411F

Connector Name 4411M
 Part Number 3517760C1
 Instances L9 - DLB - Remote Power Modules (1 RPM n/ Switch Packs):Diagram 2 - In Cab
 L9 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram 2 - In Cab
 L9 - DLB - Remote Power Modules (2 RPM n/ Switch Pack):Diagram 2 - In Cab
 L9 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram 2 - In Cab




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	14	2645953 R1	18.94	4.0	SGX NFLEX 125	RED	3700.0	-	A	4411F

Connector Name 4411N
 Part Number 3517759C1
 Short Description REMOTE POWER MODULE POSITIVE FEED
 Instances B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination3
 Mates 4414




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TT14	2644026 R1	18.94	4.0	Std. Wall XLPE Battery Cable	RED	2435.0	-	A	R01_441 1P

Connector Name 4411
 Part Number 3517760C1
 Short Description REMOTE PWR MDL +VE FEED
 Instances
 B6.7 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram1-Combination3
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination3
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination4
 Mates 4411F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MN14C	2644026 R1	18.94	4.0	Std. Wall XLPE Battery Cable	RED	3820.0	-	A	4412F

Connector Name 4412F
 Part Number 3517759C1
 Short Description REMOTE POWER MODULE POSITIVE FEED
 Instances
 B6.7 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram1-Combination3
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination1
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination2
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination3
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination4
 Mates 4320M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	PC14H	2644026 R1	18.94	4.0	Std. Wall XLPE Battery Cable	RED	2525.0	-	A	4411M2
A	-	-	ZA14H	2644026 R1	18.94	4.0	Std. Wall XLPE Battery Cable	RED	3695.0	-	A	4411M5
A	-	-	MN14C	2644026 R1	18.94	4.0	Std. Wall XLPE Battery Cable	RED	3820.0	-	A	4411

Connector Name 4412F
 Part Number 3517759C1
 Short Description RPM 2 POSITIVE FEED-OUTSIDE CAB
 Instances L9 - DLB - Remote Power Modules (2 RPM n/ Switch Pack):Diagram 2 - In Cab
 L9 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram 2 - In Cab
 Mates 4411M2



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	14D	2645255 R1	18.94	4.0	SGX FLEX 125C	RED	800.0	-	A	4412M


Connector Name 4412M
 Part Number 3517760C1
 Short Description REMOTE POWER MODULE POSITIVE FEED
 Instances
 B6.7 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram1-Combination1
 B6.7 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram1-Combination2
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination1
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination2
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination3
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination4
 L9 - DLB - Remote Power Modules (1 RPM n/ Switch Packs):Diagram 1
 L9 - DLB - Remote Power Modules (1 RPM n/ Switch Packs):Diagram 2 - In Cab
 L9 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram 1
 L9 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram 2 - In Cab
 L9 - DLB - Remote Power Modules (2 RPM n/ Switch Pack):Diagram 1
 L9 - DLB - Remote Power Modules (2 RPM n/ Switch Pack):Diagram 2 - In Cab
 L9 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram 1
 L9 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram 2 - In Cab



Mates 4413F1


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	N14Z	2645255 R1	18.94	4.0	SGX FLEX 125C	RED	300.0	-	-	-

Connector Name 4412M
 Part Number 3517760C1
 Instances L9 - DLB - Remote Power Modules (2 RPM n/ Switch Pack):Diagram 2 - In Cab
 L9 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram 2 - In Cab



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	14D	2645255 R1	18.94	4.0	SGX FLEX 125C	RED	800.0	-	A	4412F

Connector Name 4413F1
 Part Number 3517759C1
 Short Description REMOTE POWER MODULE POSITIVE FEED
 Instances
 B6.7 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram1-Combination1
 B6.7 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram1-Combination2
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination1
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination2
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination3
 B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination4
 L9 - DLB - Remote Power Modules (1 RPM n/ Switch Packs):Diagram 1
 L9 - DLB - Remote Power Modules (1 RPM n/ Switch Packs):Diagram 2 - In Cab
 L9 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram 1
 L9 - DLB - Remote Power Modules (1 RPM w/ Switch Packs):Diagram 2 - In Cab
 L9 - DLB - Remote Power Modules (2 RPM n/ Switch Pack):Diagram 1
 L9 - DLB - Remote Power Modules (2 RPM n/ Switch Pack):Diagram 2 - In Cab
 L9 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram 1
 L9 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram 2 - In Cab




Mates 4412M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ZB14CZ	2644026 R1	18.94	4.0	Std. Wall XLPE Battery Cable	RED	3695.0	-	A	4411M4_


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	PB14CY	2644026 R1	18.94	4.0	Std. Wall XLPE Battery Cable	RED	2525.0	-	A	4411M1
A	-	-	MU14CA	2645255 R1	18.94	4.0	SGX FLEX 125C	RED	3820.0	-	A	4414
A	-	-	ZB14CZ	2644026 R1	18.94	4.0	Std. Wall XLPE Battery Cable	RED	3695.0	-	A	4411M4
A	-	-	PB14CY	2644026 R1	18.94	4.0	Std. Wall XLPE Battery Cable	RED	2525.0	-	A	4411M4

Connector Name 4413F2
 Part Number 3517759C1
 Short Description REMOTE POWER MODULE POSITIVE FEED
 Instances L9 - DLB - Remote Power Modules (2 RPM n/ Switch Pack):Diagram 1
 L9 - DLB - Remote Power Modules (2 RPM n/ Switch Pack):Diagram 2 - In Cab
 L9 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram 1
 L9 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram 2 - In Cab
 Mates 4320M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	PC14H	2644026 R1	18.94	4.0	Std. Wall XLPE Battery Cable	RED	2525.0	-	A	4411M2

Connector Name 4414
 Part Number 3517760C1
 Short Description REMOTE PWR MDL +VE FEED
 Instances B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs):Diagram1-Combination3
 Mates 4411N



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MU14CA	2645255 R1	18.94	4.0	SGX FLEX 125C	RED	3820.0	-	A	4413F1


Connector Name 4450AM
 Part Number 2039311C91
 Short Description BODY BUILER CONNECTION
 Instances
 B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination3
 B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual):Diagram1-Combination3
 B6.7 - Center Chassis Ground Splice Packs - 8802/8805/8807/8809:Diagram1
 L9 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination3
 L9 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual):Diagram1-Combination3
 Light Splice Packs - 400/1623/1625:Diagram1
 Mates 4450BF



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
A	-	-	PV68BB	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	4430.0	-	71	1701F
B	-	-	PV56BB	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	4430.0	-	12	1701F
C	-	-	PV57BB	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4430.0	-	63	1701F
D	-	-	PV54BB	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	4430.0	-	74	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	PV71BB	2643806 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT BLUE	4430.0	-	73	1701F
G	-	-	PV11-GBB	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	2450.0	-	-	-
G	-	-	PV11-GBB	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	2450.0	-	F	8807

Connector Name 4450BF
 Part Number 2039312C91
 Short Description BODY BUILDER CONNECTION
 Instances
 B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination3
 B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual):Diagram1-Combination3
 B6.7 - Center Chassis Ground Splice Packs - 8802/8805/8807/8809:Diagram1
 L9 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination3
 L9 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual):Diagram1-Combination3
 Light Splice Packs - 400/1623/1625:Diagram1
 Mates 4450AM




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RX68BB	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2625.0	-	A	4460BM
B	-	-	RX56BB	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2625.0	-	B	4460BM
B	-	-	RX56BB	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2625.0	-	-	-
C	-	-	RX57BB	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2625.0	-	C	4460BM

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	RX57BB	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2625.0	-	-	-
D	-	-	RX58BB	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2625.0	-	D	4460BM
E	-	-	RX71BB	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2625.0	-	E	4460BM
E	-	-	RX71BB	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2625.0	-	-	-
G	-	-	RX11-GBB	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	2625.0	-	G	4460BM
G	-	-	RX11-GBB	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	2625.0	-	-	-

Connector Name 4450BM
 Part Number 1686834C1
 Instances


B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps
 (Automatic):Diagram1-Combination3
 B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps
 (Manual):Diagram1-Combination3
 L9 - Body Builder Lighting - Combined Turn and Stop Lamps
 (Automatic):Diagram1-Combination3
 L9 - Body Builder Lighting - Combined Turn and Stop Lamps
 (Manual):Diagram1-Combination3



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RX56BC	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2625.0	-	A	4460BF
A	-	-	RX56BC	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2625.0	-	-	-
B	-	-	RX57BC	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2625.0	-	B	4460BF
B	-	-	RX57BC	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2625.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	RX70BB	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2625.0	-	C	4460BF


Connector Name 4450M
 Part Number 2039311C91
 Instances B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps
 (Automatic):Diagram1-Combination2



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ND68BB	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2230.0	-	71	1701F
B	-	-	ND56BB	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	2230.0	-	12	1701F
C	-	-	ND57BB	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2230.0	-	63	1701F
D	-	-	ND54BB	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2230.0	-	74	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	ND71BB	2643806 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT BLUE	2230.0	-	73	1701F
G	-	-	ND11-GD	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	250.0	-	-	-

Connector Name 4450M
 Part Number 2039311C91
 Instances B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination1
 L9 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination1
 L9 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic):Diagram1-Combination2
 L9 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual):Diagram1-Combination1
 L9 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual):Diagram1-Combination2
 Mates CONN-BODY_BUILDER-1036-01- 02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	VT68TB	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	4160.0	-	X	-
A	-	-	VM68TB	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	4160.0	-	X	-
A	-	-	ND68BB	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2230.0	-	71	1701F
B	-	-	YZ56BB	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	3420.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	YW56BB	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	3420.0	-	-	-
B	-	-	ND56BB	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	2230.0	-	-	-
C	-	-	YZ57BB	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3420.0	-	-	-
C	-	-	YW57BB	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3420.0	-	-	-
C	-	-	ND57BB	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2230.0	-	-	-
D	-	-	VM58TB	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	4130.0	-	X	-
D	-	-	VT58TB	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	4130.0	-	X	-
D	-	-	ND54BB	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2230.0	-	74	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	ZK71BB	3510342 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	3800.0	-	-	-
E	-	-	ND71BB	2643806 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT BLUE	2230.0	-	-	-
E	-	-	ZK71BB	3510342 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	3800.0	-	X	-
G	-	-	YW11-GBJ	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	4010.0	-	-	-
G	-	-	YZ11-GBJ	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	4010.0	-	-	-
G	-	-	ND11-GD	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	250.0	-	-	-
G	-	-	YW11-GBJ	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	4010.0	-	X	-
G	-	-	YZ11-GBJ	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	4010.0	-	X	-


Connector Name 4450M
 Part Number 2039311C91
 Instances B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps
 (Manual):Diagram1-Combination2



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ND68BB	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2230.0	-	71	1701F
B	-	-	ND56BB	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	2230.0	-	-	-
C	-	-	ND57BB	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2230.0	-	-	-
D	-	-	ND54BB	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2230.0	-	74	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	ND71BB	2643806 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT BLUE	2230.0	-	-	-
G	-	-	ND11-GD	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	250.0	-	-	-


Connector Name 4450M
 Part Number 2039311C91
 Instances B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps
 (Manual):Diagram1-Combination1
 Mates CONN-BODY_BUILDER-1036-01- 02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	VM68TB	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	4160.0	-	X	-
A	-	-	VT68TB	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	4160.0	-	X	-
B	-	-	YZ56BB	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	3420.0	-	-	-
B	-	-	YW56BB	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	3420.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	YZ57BB	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3420.0	-	-	-
C	-	-	YW57BB	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3420.0	-	-	-
D	-	-	VM58TB	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	4130.0	-	X	-
D	-	-	VT58TB	3510308 R1	3.01	12.0	Thin Wall XLPE Primary Cable	BROWN	4130.0	-	X	-
E	-	-	ZK71BB	3510342 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	3800.0	-	-	-
G	-	-	YZ11-GBJ	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	4010.0	-	X	-
G	-	-	YW11-GBJ	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	4010.0	-	X	-

Connector Name 4460AM
 Part Number 1686834C1
 Short Description BODY BUILDER TURN/STOP
 Instances B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps
 (Automatic):Diagram1-Combination3
 B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps
 (Manual):Diagram1-Combination3
 L9 - Body Builder Lighting - Combined Turn and Stop Lamps
 (Automatic):Diagram1-Combination3
 L9 - Body Builder Lighting - Combined Turn and Stop Lamps
 (Manual):Diagram1-Combination3
 Light Splice Packs - 400/1623/1625:Diagram1
 Mates 4460BF



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	PV56BC	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	4405.0	-	42	1701F
B	-	-	PV57BC	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4405.0	-	64	1701F
C	-	-	PV70BB	2643686 R1	1.91	14.0	Std. Wall XLPE Primary Cable	RED	4405.0	-	72	1701F


Connector Name 4460BF
 Part Number 3553961C1
 Short Description BODY BUILDER TURN/STOP
 Instances B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps
 (Automatic):Diagram1-Combination3
 B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps
 (Manual):Diagram1-Combination3
 L9 - Body Builder Lighting - Combined Turn and Stop Lamps
 (Automatic):Diagram1-Combination3
 L9 - Body Builder Lighting - Combined Turn and Stop Lamps
 (Manual):Diagram1-Combination3
 Light Splice Packs - 400/1623/1625:Diagram1
 Mates 4460AM



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RX56BC	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2625.0	-	A	4450BM
A	-	-	RX56BC	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2625.0	-	-	-
B	-	-	RX57BC	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2625.0	-	B	4450BM
B	-	-	RX57BC	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2625.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	RX70BB	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2625.0	-	C	4450BM


Connector Name 4460BM
 Part Number 2039311C91
 Instances
 B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps
 (Automatic):Diagram1-Combination3
 B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps
 (Manual):Diagram1-Combination3
 L9 - Body Builder Lighting - Combined Turn and Stop Lamps
 (Automatic):Diagram1-Combination3
 L9 - Body Builder Lighting - Combined Turn and Stop Lamps
 (Manual):Diagram1-Combination3



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RX68BB	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2625.0	-	A	4450BF
B	-	-	RX56BB	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2625.0	-	-	-
B	-	-	RX56BB	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2625.0	-	B	4450BF
C	-	-	RX57BB	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2625.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	RX57BB	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2625.0	-	C	4450BF
D	-	-	RX58BB	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2625.0	-	D	4450BF
E	-	-	RX71BB	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2625.0	-	-	-
E	-	-	RX71BB	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2625.0	-	E	4450BF
G	-	-	RX11-GBB	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	2625.0	-	G	4450BF


Connector Name 4460M
 Part Number 1686834C1
 Instances B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps
 (Automatic):Diagram1-Combination1
 L9 - Body Builder Lighting - Combined Turn and Stop Lamps
 (Automatic):Diagram1-Combination1
 L9 - Body Builder Lighting - Combined Turn and Stop Lamps
 (Automatic):Diagram1-Combination2
 L9 - Body Builder Lighting - Combined Turn and Stop Lamps
 (Manual):Diagram1-Combination1
 L9 - Body Builder Lighting - Combined Turn and Stop Lamps
 (Manual):Diagram1-Combination2
 Mates CONN-BB_TURN_STOP-1036-01- 02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ND56BC	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	2385.0	-	42	1701F
A	-	-	YZ56BC	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	3850.0	-	-	-
A	-	-	YW56BC	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	3850.0	-	-	-
B	-	-	YZ57BC	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3850.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	YW57BC	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3850.0	-	-	-
B	-	-	ND57BC	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2385.0	-	64	1701F
C	-	-	VM70TA	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	5105.0	-	R5 - 87	1012
C	-	-	ND70BB	2643686 R1	1.91	14.0	Std. Wall XLPE Primary Cable	RED	2385.0	-	72	1701F

Connector Name 4460M
 Part Number 1686834C1
 Instances B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps
 (Automatic):Diagram1-Combination2



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ND56BC	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	2385.0	-	42	1701F
B	-	-	ND57BC	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2385.0	-	64	1701F
C	-	-	ND70BB	2643686 R1	1.91	14.0	Std. Wall XLPE Primary Cable	RED	2385.0	-	72	1701F


Connector Name 4460M
 Part Number 1686834C1
 Instances B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps
 (Manual):Diagram1-Combination1
 Mates CONN-BB_TURN_STOP-1036-01- 02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	YZ56BC	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	3850.0	-	-	-
A	-	-	YW56BC	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	3850.0	-	-	-
B	-	-	YW57BC	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3850.0	-	-	-
B	-	-	YZ57BC	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3850.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	VM70TA	3510320 R1	3.01	12.0	Thin Wall XLPE Primary Cable	ORANGE	5105.0	-	R5 - 87	1012

Connector Name 4460M
 Part Number 1686834C1
 Instances B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps
 (Manual):Diagram1-Combination2



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ND56BC	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	2385.0	-	-	-
B	-	-	ND57BC	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2385.0	-	-	-
C	-	-	ND70BB	2643686 R1	1.91	14.0	Std. Wall XLPE Primary Cable	RED	2385.0	-	72	1701F


Connector Name 4500
 Part Number 1661375C2
 Instances L9 - Windshield Wipers:Diagram1
 Mates MOT-WIPER-1031-03-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AA82DJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2080.0	-	74	1703F
B	-	-	AA82JJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2080.0	-	72	1703F
C	-	-	AA82-GJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2080.0	-	8	1703F
D	-	-	AA82KJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2080.0	-	69	1703F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	AA82LJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	2080.0	-	70	1703F

Connector Name 4800
 Part Number 373756C2
 Instances B6.7 - Underhood PDM:PDM - UNDERHOOD
 L9 - Underhood PDM:PDM - UNDERHOOD
 Mates UNDERHOOD PDM



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	HZ14-FL	3961608 R1	7.48	8.0	FUSEABLE LINK	LIGHT BLUE	110.0	-	X	-
A	-	-	MG14L	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	330.0	-	-	-

Connector Name 6000
 Part Number 3614601C1
 Instances B6.7 - CAN Layout:Euro 3 Powertrain Standard J1939 (500Kbps)
 B6.7 - Engine (Control) [Cummins Euro]:Diagram1- Base
 B6.7 - Engine (Control) [Cummins Euro]:Diagram2-Inputs
 B6.7 - Engine (Control) [Cummins Euro]:Diagram3-Outputs
 B6.7 - Starting Aid (Grid Heater):Diagram1
 Coolant Level Monitoring (With CLA Module):Diagram1
 Cooling Fan Control Two-Speed:Diagram1-Combination1
 Cooling Fan Control Two-Speed:Diagram1-Combination2
 L9 - CAN Layout:Euro 5 Powertrain Standard J1939 (250Kbps)
 L9 - Engine Oil Pressure:Diagram1
 L9 - Selective Catalytic Reduction (SCR) - (Euro 4/ Euro 5):Diagram1
 Two Speed Axle (Multiplex SW on Dash):Diagram1
 Mates MODU-ECM-A001-10-03A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	WIRE735170	-	0.0	-	-	-	0.0	-	PIN1	-
1	-	-	WIRE740288	-	0.0	-	-	-	0.0	-	PIN1	-
8	-	-	KR97D	3510347R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1340.0	-	-	-
9	-	-	VK95C	3510330R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	2810.0	-	6	670
9	-	-	VK95C	3510330R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	2810.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
12	-	-	KR48	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1340.0	-	-	-
14	-	-	VK95AB	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2460.0	-	11	674
14	-	-	VK95AB	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2460.0	-	-	-
16	-	-	KR97B	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1340.0	-	-	-
18	-	-	KR97C	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1340.0	-	-	-
19	-	-	KR97	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1340.0	-	-	-
21	-	-	-	-	-	-	-	-	-	-	-	-
21	-	-	WIRE735 164	-	0.0	-	-	-	0.0	-	PIN1	-
21	-	-	WIRE740 283	-	0.0	-	-	-	0.0	-	PIN1	-
22	-	-	KA9	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	770.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
23	-	-	BA47A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2560.0	-	-	-
23	-	-	KM47C	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1960.0	-	-	-
25	-	-	KA99M	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	975.0	-	-	-
26	-	-	KA6	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	680.0	-	-	-
27	-	-	KA6B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	975.0	-	-	-
28	-	-	KA99-G1	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	975.0	-	-	-
30	-	-	KR97A	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1340.0	-	-	-
32	-	-	KA23-G1	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	680.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
33	-	-	BA47	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2560.0	-	-	-
33	-	-	KM47B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1960.0	-	-	-
35	-	-	KA99B	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	975.0	-	-	-
37	-	-	KR99A	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1340.0	-	-	-
38	-	-	KY9-G	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	635.0	-	X	-
38	-	-	KZ9-G	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	635.0	-	X	-
38	-	-	KL9-G	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	635.0	-	X	-
38	-	-	KE9-G	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	635.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
40	-	-	VK41	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1245.0	-	-	-
40	-	-	VM41	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1245.0	-	-	-
41	-	-	KR9A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1340.0	-	-	-
44	-	-	KA18R	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1040.0	-	A	2001
44	-	-	KA18R	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1040.0	-	-	-
45	-	-	KA13	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	975.0	-	37	1702
48	-	-	VK95AH	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	840.0	-	X	-
50	-	-	VK95B	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	2810.0	-	4	670

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
50	-	-	VK95B	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	2810.0	-	-	-
52	-	-	AC23	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	A	600
52	-	-	AC23	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	-	-
54	-	-	KA18	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1040.0	-	A	2000
54	-	-	KA18	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1040.0	-	-	-
55	-	-	EB24	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3240.0	-	-	-
58	-	-	VK95AF	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	1240.0	-	X	-
60	-	-	KY34A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	950.0	-	C	6401M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
60	-	-	KZ34A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	950.0	-	C	6401M
60	-	-	KY34A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	950.0	-	-	-
60	-	-	KZ34A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	950.0	-	-	-
60	-	-	KE34	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1600.0	-	-	-
60	-	-	KL34	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1600.0	-	-	-

Connector Name 6000
 Part Number 3614601C1
 Instances Ambient Air Temperature:Diagram1
 Coolant Level Monitoring (No CLA Module):Diagram1
 Coolant Level Monitoring (With CLA Module):Diagram1
 L9 - CAN Layout:Euro 3 Powertrain Standard J1939 (250 Kbps)
 L9 - Engine (Control) [Cummins Euro]:Diagram1- Base
 L9 - Engine (Control) [Cummins Euro]:Diagram2-Inputs
 L9 - Engine (Control) [Cummins Euro]:Diagram3-Outputs
 L9 - Starting Aid (Grid Heater):Diagram1
 Vehicle Acceleration (w/ Two PWR Two GND & Two STS):Diagram1
 Vehicle Speedometer System (Manual XMSN) NA:Diagram1
 Mates MODU-ECM-A001-10-03A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	WIRE735170	-	0.0	-	-	-	0.0	-	PIN1	-
8	-	-	KR97D	3510347R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1340.0	-	-	-
9	-	-	VK95C	3510330R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	2810.0	-	-	-
12	-	-	KR48	3510311R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1340.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
14	-	-	VK95AB	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2460.0	-	-	-
16	-	-	KR97B	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1340.0	-	-	-
18	-	-	KR97C	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1340.0	-	-	-
19	-	-	KR97	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1340.0	-	-	-
21	-	-	-	-	-	-	-	-	-	-	-	-
21	-	-	WIRE735 164	-	0.0	-	-	-	0.0	-	PIN1	-
22	-	-	KA9	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	770.0	-	-	-
22	-	-	-	-	-	-	-	-	-	-	-	-
23	-	-	KM47C	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1960.0	-	-	-
23	-	-	BA47A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2560.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
23	-	-	KM47C	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1960.0	-	B	7600
25	-	-	KA99M	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	975.0	-	33	1702
25	-	-	KA99M	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	975.0	-	-	-
26	-	-	KA6	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	680.0	-	-	-
27	-	-	KA6B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	975.0	-	22	1702
27	-	-	KA6B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	975.0	-	-	-
28	-	-	KA99-G1	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	975.0	-	23	1702
28	-	-	KA99-G1	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	975.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
30	-	-	KR97A	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1340.0	-	-	-
32	-	-	KA23-G1	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	680.0	-	-	-
33	-	-	BA47	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2560.0	-	-	-
33	-	-	KM47B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1960.0	-	-	-
33	-	-	KM47B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1960.0	-	A	7600
35	-	-	KA99B	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	975.0	-	28	1702
35	-	-	KA99B	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	975.0	-	-	-
37	-	-	KR99A	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	1340.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
38	-	-	KZ9-G	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	635.0	-	X	-
38	-	-	KL9-G	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	635.0	-	X	-
38	-	-	KE9-G	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	635.0	-	-	-
38	-	-	KY9-G	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	635.0	-	X	-
38	-	-	KE9-G	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	635.0	-	X	-
40	-	-	VK41	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1245.0	-	-	-
40	-	-	VM41	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1245.0	-	-	-
40	-	-	KA17	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1120.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
40	-	-	VK41	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1245.0	-	3	4060
40	-	-	VM41	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1245.0	-	3	4060
40	-	-	KA17	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1120.0	-	18	1702
41	-	-	KR9A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1340.0	-	-	-
44	-	-	KA18R	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1040.0	-	X	-
45	-	-	KA13	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	975.0	-	37	1702
46	-	-	-	-	-	-	-	-	-	-	-	-
48	-	-	VK95AH	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	840.0	-	X	-
50	-	-	VK95B	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	2810.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
52	-	-	AC23	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	-	-
54	-	-	KA18	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1040.0	-	-	-
54	-	-	KA18	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	1040.0	-	A	2000
55	-	-	EB24	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	3240.0	-	-	-
58	-	-	VK95AF	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	1240.0	-	X	-
60	-	-	KE34	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1600.0	-	-	-
60	-	-	KL34	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1600.0	-	-	-
60	-	-	KY34A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	950.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
60	-	-	KZ34A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	950.0	-	-	-
60	-	-	KE34	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1600.0	-	1	6401
60	-	-	KL34	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1600.0	-	1	6401

Connector Name 6000
Part Number 3945694C1
Instances Adjustable Engine Speed Control (PTO) 4-pin:Diagram1
B6.7 - 26 inch Fuel Tank:Diagram1-Combination1
B6.7 - 26 inch Fuel Tank:Diagram1-Combination2
B6.7 - 26 inch Fuel Tank:Diagram1-Combination3
B6.7 - 26 inch Fuel Tank - Secondary:Diagram1
B6.7 - Crank Inhibit (Engine Speed Inhibit Only):Diagram1
B6.7 - Driver Controlled Locking Differential - RR Axle (Dana w/
one sw):Diagram1
B6.7 - Driver Controlled Locking Differential - RR Axle (Meritor
w/ one sw):Diagram1
B6.7 - Economy Monitor:Diagram1
B6.7 - Engine Oil Pressure:Diagram1
B6.7 - Engine Speed (Tachometer):Diagram1
B6.7 - Engine Warning_MUX:Diagram1
B6.7 - Odometer (via BCM/EGC):Diagram1
B6.7 - PTO - Fuel and Hours:Diagram1
B6.7 - Rear Lights Stop - Single Assembly:Diagram1
B6.7 - Remote Start/Stop:Diagram1
B6.7 - Remote Start/Stop w/ Emergency Pump:Diagram1
B6.7 - Service Brake Switch:Diagram1
B6.7 - Theft Deterrent (Grid Controlled):Diagram1
B6.7 - Traction Control (Bendix):Diagram1-Combination1
B6.7 - Traction Control (Bendix):Diagram1-Combination2
B6.7 - Transmission Power Take Off (Auto Trans Single PTO
w/21 Parameters):Diagram1
B6.7 - Transmission Power Take Off (Manual Trans Single PTO
w/ 21 Parameters):Diagram1
B6.7 - Trip Odometer (w/ECM & TCM):Diagram1
B6.7 - Trip Odometer (Gen 4 Cluster):Diagram1
B6.7 - Vehicle Speedometer System (Automatic XMSN)
NA:Diagram1
Coolant Temperature Monitoring (J1939 Comm):Diagram1
Cruise Control (W/ One Telltale 4 Pin):Diagram1-Combination1
Cruise Control (W/ One Telltale 4 Pin):Diagram1-Combination2
DPF - Regen Switch Only:Diagram1
Engine Usage Monitoring (Base) NA:Diagram1
Height Control:Diagram1
High Exhaust System Temperature (HEST) Monitoring:Diagram1
L9 - 26 inch Fuel Tank:Diagram1-Combination1
L9 - 26 inch Fuel Tank:Diagram1-Combination2
L9 - 26 inch Fuel Tank:Diagram1-Combination3



L9 - 26 inch Fuel Tank:Diagram1-Combination4
L9 - 26 inch Fuel Tank:Diagram1-Combination5
L9 - 26 inch Fuel Tank:Diagram1-Combination6
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination1
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination2
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination3
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination4
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination5
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination6
L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination7
L9 - Adjustable Engine Speed Control (PTO) 10-pin:Diagram1-Combination1
L9 - Adjustable Engine Speed Control (PTO) 10-pin:Diagram1-Combination2
L9 - Crank Inhibit (Engine Speed Inhibit Only):Diagram1
L9 - Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination1
L9 - Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination2
L9 - DPF - With Bistable Inhibit Sw:Diagram1
L9 - DPF - With Monostable Inhibit Sw:Diagram1
L9 - Driver Controlled Locking Differential - FR and RR Axle (Dana w/ one sw):Diagram1
L9 - Driver Controlled Locking Differential - FR and RR Axle (Meritor w/ one sw):Diagram1
L9 - Driver Controlled Locking Differential - FR and RR Axles (Dana w/ two sw):Diagram1
L9 - Driver Controlled Locking Differential - FR and RR Axles (Meritor w/ two sw):Diagram1
L9 - Driver Controlled Locking Differential - RR Axle (Dana w/ one sw):Diagram1
L9 - Driver Controlled Locking Differential - RR Axle (Meritor w/ one sw):Diagram1
L9 - Economy Monitor:Diagram1
L9 - Engine Brake Mux Switch:Diagram1
L9 - Engine Brake W/ Stalk Shifter:Diagram1
L9 - Engine Oil Level Monitoring:Diagram1
L9 - Engine Oil Temperature (NA Mux):Diagram1
L9 - Engine Oil Temperature(NA MUX AUX Gauge):Diagram1
L9 - Engine Speed (Tachometer):Diagram1
L9 - Engine Usage Monitoring (VID Option):Diagram1
L9 - Engine Warning_MUX:Diagram1
L9 - Exhaust Brake (Cummins):Diagram1
L9 - Fifth Wheel Slide:Diagram1

L9 - Jaw Unlock Control:Diagram1
L9 - Jaw Unlock Control W/ SOLENOIDS W/SWITCH
PACKS:Diagram1
L9 - Odometer (via BCM/EGC):Diagram1
L9 - Power Divider Lock Control and Monitoring:Diagram1
L9 - Power Lift Gate:Diagram1
L9 - PTO - Fuel and Hours:Diagram1
L9 - Rear Axle Load Distribution:Diagram1
L9 - Rear Lights Stop - Dual Assembly:Diagram1
L9 - Rear Lights Stop - Single Assembly:Diagram1
L9 - Remote Start/Stop:Diagram1
L9 - Remote Start/Stop w/ Emergency Pump:Diagram1
L9 - Service Brake Switch:Diagram1
L9 - Snow Valve Control:Diagram1-Combination1
L9 - Snow Valve Control:Diagram1-Combination2
L9 - Theft Deterrent (Grid Controlled):Diagram1
L9 - Traction Control (Bendix):Diagram1
L9 - Transfer Case - High/Low Air Sol:Diagram1
L9 - Transfer Case - High/Neu/Low Air Sol:Diagram1
L9 - Transmission Power Take Off (Auto Trans Single PTO w/21
Parameters):Diagram1
L9 - Transmission Power Take Off (Auto Trans with
Lectradrive):Diagram1
L9 - Transmission Power Take Off (Lectrashift PTO with Manual
Trans):Diagram1
L9 - Transmission Power Take Off (Manual Trans Single PTO
w/21 Parameters):Diagram1
L9 - Trip Odometer (w/ECM & TCM):Diagram1
L9 - Trip Odometer (Gen 4 Cluster):Diagram1
L9 - Trip Odometer w/VID:Diagram1
L9 - Two Speed Axle (AirShift on Shifter):Diagram1
L9 - Vehicle Speed Control (Cruise Control) 10 Pin:Diagram1
L9 - Vehicle Speedometer System (Automatic XMSN):Diagram1
L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-
Combination1
L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-
Combination2
L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-
Combination3
L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-
Combination4
L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-
Combination5

L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination6
 L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination7
 L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination8
 L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination9
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination1
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination2
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination3
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination4
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination5
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination6
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination7
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination8
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination9
 Power Door Locks Crew Cab:Diagram1
 Transmission Power Take Off (Single PTO W/ RPM and Auto Trans):Diagram1
 Transmission Power Take Off (Single PTO W/ RPM and Manual Trans):Diagram1
 Up Shift Indicator:Diagram1
 Vehicle Speed Control (Cruise Control) 4 Pin:Diagram1
 Vehicle Speed Limit Override:Diagram1


Mates

MODU-ECM-A001-10-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-	-	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
22	-	-	-	-	-	-	-	-	-	-	-	-
46	-	-	-	-	-	-	-	-	-	-	-	-

Connector Name 6000
 Part Number 3945694C1
 Instances L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination1
 L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination2
 L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination3
 L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination4
 L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination5
 L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination6
 L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination7
 L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination8
 L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination9
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination1
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination2
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination3
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination4
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination5
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination6
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination7
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination8
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination9
 Mates MODU-ECM-A001-10-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
13	-	-	VA95	3510328 R1	0.53	20.0	Thin Wall XLPE Primary Cable	TAN	1295.0	-	X	-
62	-	-	KB9-G	3510310 R1	0.53	20.0	Thin Wall XLPE Primary Cable	GREY	1470.0	-	-	-


Connector Name 6001
 Part Number 3557533C1
 Instances B6.7 - Engine (Control) [Cummins Euro]:Diagram1- Base
 Mates MODU-ECM-A001-10-03A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	VK10-GL	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	170.0	-	X	-
1	-	-	VM10-GL	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	170.0	-	X	-
2	-	-	VK10-GF	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	170.0	-	X	-
2	-	-	VM10-GF	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	170.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	KA14B	2643695 R1	3.01	12.0	Std. Wall XLPE Primary Cable	RED	930.0	-	X	-
4	-	-	KA14C	2643695 R1	3.01	12.0	Std. Wall XLPE Primary Cable	RED	930.0	-	X	-


Connector Name 6001
 Part Number 3557533C1
 Instances L9 - Engine (Control) [Cummins Euro]:Diagram1- Base
 Mates MODU-ECM-A001-10-03A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	VK10-GL	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	170.0	-	X	-
1	-	-	VM10-GL	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	170.0	-	X	-
2	-	-	VK10-GF	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	170.0	-	X	-
2	-	-	VM10-GF	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	170.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	KA14B	2643695 R1	3.01	12.0	Std. Wall XLPE Primary Cable	RED	930.0	-	X	-
4	-	-	KA14C	2643695 R1	3.01	12.0	Std. Wall XLPE Primary Cable	RED	930.0	-	X	-

Connector Name 600
 Part Number 3522068C1
 Instances Cooling Fan Control Two-Speed:Diagram1-Combination1
 Cooling Fan Control Two-Speed:Diagram1-Combination2
 Mates SOL-FAN_2SPEED-5014-01-04A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AC23	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	52	6000
B	-	-	AC23-G	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	690.0	-	-	-

Connector Name 6018
 Part Number 3952655C1
 Instances Adjustable Engine Speed Control (PTO) 4-pin:Diagram1
 B6.7 - Economy Monitor:Diagram1
 B6.7 - Engine Oil Pressure:Diagram1
 B6.7 - Engine Speed (Tachometer):Diagram1
 B6.7 - Engine Warning_MUX:Diagram1
 B6.7 - Odometer (via BCM/EGC):Diagram1
 B6.7 - PTO - Fuel and Hours:Diagram1
 Cruise Control (W/ One Telltale 4 Pin):Diagram1-Combination1
 Cruise Control (W/ One Telltale 4 Pin):Diagram1-Combination2
 DPF - Regen Switch Only:Diagram1
 Engine Usage Monitoring (Base) NA:Diagram1
 Height Control:Diagram1
 High Exhaust System Temperature (HEST) Monitoring:Diagram1
 L9 - Adjustable Engine Speed Control (PTO) 10-pin:Diagram1-Combination1
 L9 - Adjustable Engine Speed Control (PTO) 10-pin:Diagram1-Combination2
 L9 - Ambient Temperature Monitoring:Diagram1
 L9 - Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination1
 L9 - Cruise Control (W/ One Telltale 10 Pin):Diagram1-Combination2
 L9 - DPF - With Bistable Inhibit Sw:Diagram1
 L9 - DPF - With Monostable Inhibit Sw:Diagram1
 L9 - Fifth Wheel Slide:Diagram1
 L9 - Jaw Unlock Control:Diagram1
 L9 - Jaw Unlock Control W/ SOLENOIDS W/SWITCH PACKS:Diagram1
 L9 - Power Divider Lock Control and Monitoring:Diagram1
 L9 - Transfer Case - High/Low Air Sol:Diagram1
 L9 - Transfer Case - High/Neu/Low Air Sol:Diagram1
 L9 - Vehicle Speed Control (Cruise Control) 10 Pin:Diagram1
 Power Door Locks Crew Cab:Diagram1
 Vehicle Speed Control (Cruise Control) 4 Pin:Diagram1
 Mates MODU-ECM-A001-10-00A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
9	-	-	VL41E	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1375.0	-	-	-
59	-	-	-	-	-	-	-	-	-	-	-	-
63	-	-	AZ9A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	160.0	-	-	-
63	-	-	AP9A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	160.0	-	-	-
63	-	-	AY9A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	160.0	-	-	-
83	-	-	-	-	-	-	-	-	-	-	-	-

Connector Name 6018
 Part Number 3952655C1
 Instances B6.7 - Trip Odometer (Gen 4 Cluster):Diagram1
 Mates MODU-ECM-A001-10-00A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
59	-	-	-	-	-	-	-	-	-	-	-	-
83	-	-	-	-	-	-	-	-	-	-	-	-

Connector Name 6018
 Part Number 3952655C1
 Instances B6.7 - Trip Odometer (w/ECM & TCM):Diagram1
 Mates MODU-ECM-A001-10-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
59	-	-	-	-	-	-	-	-	-	-	-	-
83	-	-	-	-	-	-	-	-	-	-	-	-

Connector Name 6049
 Part Number 3866817C1
 Instances B6.7 - Battery International (4) 12V:Diagram1
 L9 - Battery International (4) 12V:Diagram1
 Mates BTRY-925CCA_1-4005-01-01D




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	14-G	2645235 R1	49.99	0.0	SGX FLEX 125C	BLACK	360.0	-	A	9257
1	-	-	14-G	2645235 R1	49.99	0.0	SGX FLEX 125C	BLACK	360.0	-	1	9256

Connector Name 6051
 Part Number 3866817C1
 Instances B6.7 - Battery International (4) 12V:Diagram1
 L9 - Battery International (4) 12V:Diagram1
 Mates BTRY-925CCA_1-4005-01-01C




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	14	2645953 R1	18.94	4.0	SGX NFLEX 125	RED	3700.0	-	-	-
1	-	-	14	2645953 R1	18.94	4.0	SGX NFLEX 125	RED	3700.0	-	1	9251

Connector Name 6200
 Part Number 1671610C1
 Instances B6.7 - Heating Ventilation & Air Conditioning (HVAC):Diagram1
 Mates DEV-FREON_COMPRESSOR-6003- 04-04A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KK77-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2580.0	-	-	-
B	-	-	KK77	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1860.0	-	10	1702

Connector Name 6200
 Part Number 1671610C1
 Instances Heating Ventilation & Air Conditioning (HVAC) Auto Temp Control:Diagram1 - HVAC
 Mates DEV-FREON_COMPRESSOR-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KK77-G	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	890.0	-	-	-
B	-	-	KK77	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1860.0	-	10	1702

Connector Name 6200
 Part Number 1671610C1
 Instances L9 - Heating Ventilation & Air Conditioning (HVAC):Diagram1
 Mates DEV-FREON_COMPRESSOR-6003- 04-04A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KK77-G	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	890.0	-	-	-
B	-	-	KK77	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1860.0	-	10	1702

Connector Name 6201A
 Part Number 3662921C1
 Instances L9 - Heating Ventilation & Air Conditioning (HVAC):Diagram1
 Mates SNSR-PRESSURE TRANSDUCER-6003-05-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	KK77-ZV	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2035.0	-	-	-
2	-	-	KK77A	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2060.0	-	3	1702
3	-	-	KK77B	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2060.0	-	4	1702

Connector Name 6201
 Part Number 3662921C1
 Instances B6.7 - Heating Ventilation & Air Conditioning (HVAC):Diagram1
 Heating Ventilation & Air Conditioning (HVAC) Auto Temp
 Control:Diagram1 - HVAC
 Mates SNSR-PRESSURE TRANSDUCER-6003-05-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	KK77-ZV	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2035.0	-	-	-
2	-	-	KK77A	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2060.0	-	3	1702
3	-	-	KK77B	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2060.0	-	4	1702

Connector Name 6202
 Part Number 3590299C1
 Instances B6.7 - Heating Ventilation & Air Conditioning (HVAC):Diagram1
 Heating Ventilation & Air Conditioning (HVAC) Auto Temp
 Control:Diagram1 - HVAC
 Mates SNSR-LOW PRESSURE-6003-05-01B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TC9AE	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1350.0	-	X	-
B	-	-	TB74J	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1675.0	-	17	1703F

Connector Name 6202
 Part Number 3590299C1
 Instances L9 - Heating Ventilation & Air Conditioning (HVAC):Diagram1
 Mates SNSR-LOW PRESSURE-6003-05-01B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TC9AE	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1350.0	-	X	-
B	-	-	TB74J	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1675.0	-	17	1703F

Connector Name 6305M
 Part Number RING-M-5_0
 Instances L9 - Cranking (Starter) GEN4 BCM W/ Thermal Overcrank -
 External Switch:Diagram1-Combination1
 Mates MOT-STARTER-5024-01-03




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	GA17D	2643752 R1	1.16	16.0	Std. Wall XLPE Primary Cable	PINK	860.0	-	A	6316M

Connector Name 6305
 Part Number RING-M-12_0
 Instances Chassis PDM:Diagram1
 Mates MOT-STARTER-5024-01-04




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	14	2645248 R1	49.99	0.0	SGX FLEX 125C	RED	360.0	-	A	M8 B

Connector Name 6305
 Part Number RING-M-12_0
 Instances L9 - Cranking (Starter) GEN4 BCM W/ Thermal Overcrank -
 External Switch:Diagram1-Combination1
 Mates MOT-STARTER-5024-01-03



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	14	2645953 R1	18.94	4.0	SGX NFLEX 125	RED	3700.0	-	A	9251


Connector Name 6305
 Part Number RING-M-12_0
 Instances Bosch LH160_LH200 Alternator:Diagram1
 Delco Remy 28SI Alternator W/Sensor:Diagram1
 L9 - Delco Remy 36SI Alternator W/Sensor:Diagram1
 L9 - Leece-Neville - LN 325A Alternator W/Sensor:Diagram1
 L9 - Leece-Neville 320PAH Alternator:Diagram1
 L9 - Leece-Neville AVI160 Alternator:Diagram1
 L9 - Leece-Neville AVI160-210A/240A Alternator W/
 Sensor:Diagram1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WA2-FLB	2643473 R1	4.81	10.0	FUSEABLE LINK	RUST	170.0	-	X	-
A	-	-	WA2-FLA	2643473 R1	4.81	10.0	FUSEABLE LINK	RUST	170.0	-	X	-
A	-	-	WL2-FL	2645990 R1	32.19	2.0	FUSELINK 150	BLACK	170.0	-	X	-
A	-	-	WC2-FLA	3961609 R1	12.52	6.0	FUSELINK 150	TAN	170.0	-	X	-
A	-	-	WG2-FLA	2643473 R1	4.81	10.0	FUSEABLE LINK	RUST	170.0	-	X	-
A	-	-	WG2-FLB	2643473 R1	4.81	10.0	FUSEABLE LINK	RUST	170.0	-	X	-
A	-	-	WD2-FLA	2646034 R1	12.52	6.0	FUSELINK 105	TAN	170.0	-	X	-
A	-	-	WE2-FLB	2643473 R1	4.81	10.0	FUSEABLE LINK	RUST	170.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WE2-FLA	2643473 R1	4.81	10.0	FUSEABLE LINK	RUST	170.0	-	X	-
A	-	-	WK2-FLB	2643473 R1	4.81	10.0	FUSEABLE LINK	RUST	170.0	-	X	-
A	-	-	WK2-FLA	2643473 R1	4.81	10.0	FUSEABLE LINK	RUST	170.0	-	X	-

Connector Name 6306
 Part Number RING-M-6_0
 Instances B6.7 - Cranking (Starter) GEN4 BCM W/O Thermal
 Overcrank:Diagram1
 Mates MOT-STARTER-5024-01-04




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KA17A	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	2730.0	-	16	1702

Connector Name 6306
 Part Number RING-M-6_0
 Instances L9 - Cranking (Starter) GEN4 BCM W/O Thermal
 Overcrank:Diagram1-Combination1
 Mates MOT-STARTER-5024-01-04




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	GB17A	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	1220.0	-	16	1702

Connector Name 6316M
 Part Number 2036583C1
 Instances L9 - Cranking (Starter) GEN4 BCM W/ Thermal Overcrank -
 External Switch:Diagram1-Combination1
 Mates MOT-STARTER-5024-01-03




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	GA17D	2643752 R1	1.16	16.0	Std. Wall XLPE Primary Cable	PINK	860.0	-	A	6305M
B	-	-	GA17	2643752 R1	1.16	16.0	Std. Wall XLPE Primary Cable	PINK	1440.0	-	16	1702

Connector Name 6332M
 Part Number 1664531C1
 Short Description ENG HARNESS AMMETER SENSE
 Instances B6.7 - Battery International (4) 12V:Diagram1
 B6.7 - Current Monitoring (Ammeter):Diagram1-Combination1
 B6.7 - Current Monitoring (Ammeter):Diagram1-Combination2
 Mates 9262F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	N26B	3510333 R1	4.81	10.0	Thin Wall XLPE Primary Cable	TAN	255.0	-	A	9262F
A	-	-	N26B	3510333 R1	4.81	10.0	Thin Wall XLPE Primary Cable	TAN	255.0	-	-	-

Connector Name 6332
 Part Number 1664531C1
 Short Description AMMETER
 Instances B6.7 - Current Monitoring (Ammeter):Diagram1-Combination1
 B6.7 - Current Monitoring (Ammeter):Diagram1-Combination2
 Mates 9262M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AE26A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2575.0	-	7	4060

Connector Name 6335
 Part Number RING-M-12_0
 Instances L9 - Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch:Diagram1-Combination1
 Mates MOT-STARTER-5024-01-03



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	14-G	2645929 R1	18.94	4.0	SGX NFLEX 125	BLACK	4450.0	-	A	9257


Connector Name 6401M
 Part Number 1687789C1
 Instances Coolant Level Monitoring (With CLA Module):Diagram1
 Mates MODU-COOLANT-LEV-5012-05-0 3A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KY6G	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	470.0	-	-	-
A	-	-	KZ6G	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	470.0	-	-	-
B	-	-	KZ34	2643683 R1	1.16	16.0	Std. Wall XLPE Primary Cable	TAN	1485.0	-	A	6401R
B	-	-	KY34	2643683 R1	1.16	16.0	Std. Wall XLPE Primary Cable	TAN	1485.0	-	A	6401R


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	KY34A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	950.0	-	60	6000
C	-	-	KZ34A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	950.0	-	60	6000
D	-	-	KY9B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	505.0	-	X	-
D	-	-	KZ9B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	505.0	-	X	-
E	-	-	KY34B	2643683 R1	1.16	16.0	Std. Wall XLPE Primary Cable	TAN	1485.0	-	B	6401R
E	-	-	KZ34B	2643683 R1	1.16	16.0	Std. Wall XLPE Primary Cable	TAN	1485.0	-	B	6401R

Connector Name 6401R
 Part Number 1671610C1
 Instances Coolant Level Monitoring (With CLA Module):Diagram1
 Mates SNSR-COOLANT-LEV-5012-05-0 3A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KZ34	2643683 R1	1.16	16.0	Std. Wall XLPE Primary Cable	TAN	1485.0	-	B	6401M
A	-	-	KY34	2643683 R1	1.16	16.0	Std. Wall XLPE Primary Cable	TAN	1485.0	-	B	6401M
B	-	-	KY34B	2643683 R1	1.16	16.0	Std. Wall XLPE Primary Cable	TAN	1485.0	-	E	6401M
B	-	-	KZ34B	2643683 R1	1.16	16.0	Std. Wall XLPE Primary Cable	TAN	1485.0	-	E	6401M

Connector Name 6401
 Part Number 3662425C1
 Instances Coolant Level Monitoring (No CLA Module):Diagram1
 Mates SNSR-COOLANT-LEV-5012-04-0 1A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	KE34	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1600.0	-	60	6000
1	-	-	KL34	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1600.0	-	60	6000
2	-	-	KL34-G	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1155.0	-	X	-
2	-	-	KE34-G	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1155.0	-	X	-

Connector Name 6565
 Part Number 3752570C1
 Instances B6.7 - Underhood PDM:PDM - UNDERHOOD
 Mates Fuse-B1-K1-1A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	37A	2645955 R1	32.19	2.0	SGR 125	RED	1260.0	-	-	-

Connector Name 6566
 Part Number 6113338C1
 Instances B6.7 - Underhood PDM:PDM - UNDERHOOD
 L9 - Underhood PDM:PDM - UNDERHOOD
 Mates Fuse-B1-K1-2E



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	KA14A	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	550.0	-	X	-


Connector Name 6567
 Part Number 6113341C1
 Instances B6.7 - Underhood PDM:PDM - UNDERHOOD
 L9 - Underhood PDM:PDM - UNDERHOOD



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	PM14A	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	2025.0	-	X	-
7	-	-	SM14A	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	3025.0	-	X	-
10	-	-	VK14DA	2643686 R1	1.91	14.0	Std. Wall XLPE Primary Cable	RED	480.0	-	-	-
13	-	-	VK14	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	100.0	-	PIN1	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
14	-	-	KN14A	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	300.0	-	-	-

Connector Name 666
 Part Number 3683465C1
 Instances L9 - CAN Layout: Euro 5 Powertrain Standard J1939 (250Kbps)



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE728868	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE728871	-	0.0	-	-	-	0.0	-	PIN1	-


Connector Name 6704
 Part Number 3551896C1
 Instances B6.7 - Engine Ground Distribution - 6704:Diagram1
 L9 - Engine Ground Distribution - 6704:Diagram1
 Mates SP-GROUND_CLEAN-0003-00-10 -K0



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KS10-G	3510363 R1	4.81	10.0	Thin Wall XLPE Primary Cable	WHITE	2545.0	-	-	-
B	-	-	VK10-GA	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	1810.0	-	-	-
E	-	-	SM92#109	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2590.0	-	-	-
E	-	-	PM92#109	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2310.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F	-	-	SM92#169	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2590.0	-	-	-
F	-	-	PM92#169	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2310.0	-	-	-


Connector Name 670
 Part Number 3690369C1
 Instances L9 - CAN Layout:Euro 5 Powertrain Standard J1939 (250Kbps)
 L9 - Selective Catalytic Reduction (SCR) - (Euro 4/ Euro 5):Diagram1
 Mates 677F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	WIRE728845	-	0.0	-	-	-	0.0	-	PIN1	-
2	-	-	WIRE728844	-	0.0	-	-	-	0.0	-	PIN1	-
3	-	-	VL10-GB	3510361R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	2220.0	-	PIN1	-
4	-	-	VK95B	3510330R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	2810.0	-	50	6000
5	-	-	KZ95-G	3510359R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2175.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	KL95-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2175.0	-	X	-
6	-	-	VK95C	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	2810.0	-	9	6000
8	-	-	VK14G	3510367 R1	1.91	14.0	Thin Wall XLPE Primary Cable	RED	3200.0	-	E5	679
9	-	-	WIRE735 403	-	0.0	-	-	-	0.0	-	10	674
9	-	-	WIRE735 406	-	0.0	-	-	-	0.0	-	PIN1	-
9	-	-	WIRE735 414	-	0.0	-	-	-	0.0	-	PIN1	-
10	-	-	WIRE735 404	-	0.0	-	-	-	0.0	-	9	674
10	-	-	WIRE735 409	-	0.0	-	-	-	0.0	-	PIN1	-
10	-	-	WIRE735 412	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 670
 Part Number 3690369C1
 Short Description AFTERTREATMENT INTERCONNECTION
 Instances Coolant Level Monitoring (With CLA Module):Diagram1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	KL95-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2175.0	-	X	-
5	-	-	KZ95-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2175.0	-	X	-

Connector Name 672M
 Part Number 3730560C1
 Instances L9 - CAN Layout:Euro 5 Powertrain Standard J1939 (250Kbps)
 L9 - Selective Catalytic Reduction (SCR) - (Euro 4/ Euro 5):Diagram1
 Mates DEV-NOX_SENSOR-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	WIRE735419	-	0.0	-	-	-	0.0	-	PIN1	-
2	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	WIRE735420	-	0.0	-	-	-	0.0	-	PIN1	-
3	-	-	10-G	2645227R1	61.89	0.0	SGX FLEX 125C	BLACK	180.0	-	-	-
4	-	-	13	2645918R1	0.79	18.0	TXL 150C	PINK	1910.0	-	8	677F

Connector Name 674M
 Part Number 3626435C1
 Instances L9 - Selective Catalytic Reduction (SCR) - (Euro 4/ Euro 5):Diagram1
 Mates DEV-OUTLET_TEMP_SENSOR-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	95A	2645915 R1	0.79	18.0	TXL 150C	TAN	1580.0	-	-	-
2	-	-	9-GA	2645914 R1	0.79	18.0	TXL 150C	GREY	590.0	-	PIN1	-

Connector Name 6747A
 Part Number 3543729C1
 Instances B6.7 - ZVR Splice Packs - 6747:Diagram1
 Mates SP-ZVR_SPLICE_PACK-B000-11 -A1-B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KA146-G	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	920.0	-	-	-
B	-	-	KK77-ZV	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2035.0	-	-	-
C	-	-	ML9TS	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1425.0	-	-	-
D	-	-	CA9T	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2010.0	-	-	-

Connector Name 6747A
 Part Number 3543729C1
 Instances L9 - ZVR Splice Packs - 6747:Diagram1
 Mates SP-ZVR_SPLICE_PACK-B000-11 -A1-B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KA146-G	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	920.0	-	-	-
B	-	-	KK77-ZV	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2035.0	-	-	-
C	-	-	ML9TS	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1425.0	-	-	-
D	-	-	CA9T	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2010.0	-	-	-


Connector Name 6747
 Part Number 3543733C1
 Instances B6.7 - ZVR Splice Packs - 6747:Diagram1
 L9 - ZVR Splice Packs - 6747:Diagram1
 Mates SP-ZVR_SPLICE_PACK-B000-11 -A1-A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KA9	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	770.0	-	-	-
B	-	-	KR9	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	940.0	-	-	-
D	-	-	KA99-G	3510347 R1	0.79	18.0	Thin Wall XLPE Primary Cable	VIOLET	575.0	-	-	-
E	-	-	KA23-G1	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	680.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
F	-	-	AC23-G	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	690.0	-	-	-
G	-	-	EB24-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2840.0	-	X	-
J	-	-	KA6	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	680.0	-	-	-
K	-	-	KR6	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	940.0	-	-	-
L	-	-	KA6A	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	575.0	-	-	-
M	-	-	KY6G	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	470.0	-	-	-
M	-	-	KZ6G	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	470.0	-	-	-

Connector Name 674
 Part Number 6114576C1
 Instances L9 - CAN Layout:Euro 5 Powertrain Standard J1939 (250Kbps)
 Mates 674



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
9	-	-	WIRE728855	-	0.0	-	-	-	0.0	-	PIN1	-
10	-	-	WIRE728854	-	0.0	-	-	-	0.0	-	PIN1	-


Connector Name 674
 Part Number 6114576C1
 Instances L9 - Selective Catalytic Reduction (SCR) - (Euro 4/ Euro 5):Diagram1
 Mates 674



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	95A	2645915 R1	0.79	18.0	TXL 150C	TAN	1580.0	-	1	675
3	-	-	95C	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	1	677
6	-	-	14AA	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	990.0	-	X	-
8	-	-	13A	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	640.0	-	X	-
11	-	-	95B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	860.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
12	-	-	95K	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	860.0	-	4	691

Connector Name 674
 Part Number 6114577C1
 Instances L9 - CAN Layout: Euro 5 Powertrain Standard J1939 (250Kbps)
 Mates 674



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
9	-	-	WIRE735404	-	0.0	-	-	-	0.0	-	10	670
9	-	-	WIRE735410	-	0.0	-	-	-	0.0	-	PIN1	-
9	-	-	WIRE735411	-	0.0	-	-	-	0.0	-	PIN1	-
10	-	-	WIRE735403	-	0.0	-	-	-	0.0	-	9	670
10	-	-	WIRE735407	-	0.0	-	-	-	0.0	-	PIN1	-
10	-	-	WIRE735417	-	0.0	-	-	-	0.0	-	PIN1	-


Connector Name 674
 Part Number 6114577C1
 Instances L9 - Selective Catalytic Reduction (SCR) - (Euro 4/ Euro 5):Diagram1
 Mates 674



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	VK95A	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	2850.0	-	B3	679
3	-	-	VK95D	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	2850.0	-	B6	679
6	-	-	VK14AA	3510367 R1	1.91	14.0	Thin Wall XLPE Primary Cable	RED	2850.0	-	-	-
8	-	-	VK13A	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	2850.0	-	B12	679


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
11	-	-	VK95AB	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2460.0	-	14	6000
12	-	-	VK95AK	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	2220.0	-	X	-

Connector Name 675M
 Part Number 3626435C1
 Instances L9 - Selective Catalytic Reduction (SCR) - (Euro 4/ Euro 5):Diagram1
 Mates DEV-INLET_TEMP_SENSOR-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	95B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	860.0	-	4	677F
2	-	-	9-GB	2645914 R1	0.79	18.0	TXL 150C	GREY	255.0	-	PIN1	-

Connector Name 675
 Part Number 3757487C1
 Instances L9 - Selective Catalytic Reduction (SCR) - (Euro 4/ Euro 5):Diagram1
 Mates DEV-BACKFLOW_HEATER-01



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	95A	2645915 R1	0.79	18.0	TXL 150C	TAN	1580.0	-	2	674
2	-	-	10-GL	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	325.0	-	X	-


Connector Name 677F
 Part Number 6112506C1
 Instances L9 - CAN Layout:Euro 5 Powertrain Standard J1939 (250Kbps)
 L9 - Selective Catalytic Reduction (SCR) - (Euro 4/ Euro 5):Diagram1
 Mates 670



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	WIRE735421	-	0.0	-	-	-	0.0	-	PIN1	-
2	-	-	WIRE735423	-	0.0	-	-	-	0.0	-	PIN1	-
3	-	-	10-G	2645227R1	61.89	0.0	SGX FLEX 125C	BLACK	180.0	-	X	-
4	-	-	95B	3510329R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	860.0	-	1	675M
5	-	-	9-G	2645914R1	0.79	18.0	TXL 150C	GREY	990.0	-	PIN1	-
6	-	-	95A	2645915R1	0.79	18.0	TXL 150C	TAN	1580.0	-	-	-
8	-	-	13	2645918R1	0.79	18.0	TXL 150C	PINK	1910.0	-	4	672M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
9	-	-	WIRE735422	-	0.0	-	-	-	0.0	-	PIN1	-
10	-	-	WIRE735424	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 677
 Part Number 3757487C1
 Instances L9 - Selective Catalytic Reduction (SCR) - (Euro 4/ Euro 5):Diagram1
 Mates DEV-SUCTION_HEATER-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	95C	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	1090.0	-	3	674
2	-	-	10-GM	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	600.0	-	X	-

Connector Name 678
 Part Number 3991593C1
 Instances L9 - CAN Layout:Euro 5 Powertrain Standard J1939 (250Kbps)
 L9 - Selective Catalytic Reduction (SCR) - (Euro 4/ Euro 5):Diagram1
 Mates DEV-TANK_LEVEL_TEMP_SNSR-01

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	WIRE728864	-	0.0	-	-	-	0.0	-	PIN1	-
2	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	WIRE728866	-	0.0	-	-	-	0.0	-	PIN1	-
3	-	-	10-GC	2643681R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	255.0	-	X	-
4	-	-	13E	3510324R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	255.0	-	X	-

Connector Name 679
 Part Number 4085662C92
 Instances B6.7 - Aftertreatment PDM:Diagram1
 L9 - Aftertreatment PDM:Diagram1
 L9 - Selective Catalytic Reduction (SCR) - (Euro 4/ Euro 5):Diagram1
 Mates Fuse-SCR-5AMP




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A1	-	-	VK14M	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	260.0	-	X	-
A3	-	-	VK95AJ	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	630.0	-	X	-
A4	-	-	VK14N	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	260.0	-	X	-
A6	-	-	VK95AL	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	630.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A7	-	-	VK14BA	3510367 R1	1.91	14.0	Thin Wall XLPE Primary Cable	RED	295.0	-	-	-
A9	-	-	VL10-GE	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2795.0	-	PIN1	-
A10	-	-	VK14D	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	0.0	-	-	-
A12	-	-	VL10-GH	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2795.0	-	PIN1	-
B1	-	-	VK95E	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	230.0	-	X	-
B3	-	-	VK95A	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	2850.0	-	2	674
B4	-	-	VK95F	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	230.0	-	X	-
B6	-	-	VK95D	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	2850.0	-	3	674

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
B7	-	-	VK13B	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	605.0	-	X	-
B9	-	-	VK14S	2643686 R1	1.91	14.0	Std. Wall XLPE Primary Cable	RED	0.0	-	E6	679
B10	-	-	VK13C	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	605.0	-	X	-
B12	-	-	VK13A	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	2850.0	-	8	674
E1	-	-	VK14K	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	380.0	-	PIN1	-
E2	-	-	VK14L	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	260.0	-	-	-
E3	-	-	VK14DA	2643686 R1	1.91	14.0	Std. Wall XLPE Primary Cable	RED	480.0	-	-	-
E4	-	-	VK14AA	3510367 R1	1.91	14.0	Thin Wall XLPE Primary Cable	RED	2850.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E5	-	-	VK14G	3510367 R1	1.91	14.0	Thin Wall XLPE Primary Cable	RED	3200.0	-	8	670
E6	-	-	VK14S	2643686 R1	1.91	14.0	Std. Wall XLPE Primary Cable	RED	0.0	-	B9	679
E7	-	-	VK14CA	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	295.0	-	X	-
E8	-	-	VK14D	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	0.0	-	-	-


Connector Name 680
 Part Number 3730724C1
 Instances L9 - CAN Layout:Euro 5 Powertrain Standard J1939 (250Kbps)
 L9 - Selective Catalytic Reduction (SCR) - (Euro 4/ Euro 5):Diagram1
 Mates DEV-DOSER_PUMP_MODULE-01



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
16	-	-	14AB	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	370.0	-	X	-
22	-	-	-	-	-	-	-	-	-	-	-	-
22	-	-	WIRE728 869	-	0.0	-	-	-	0.0	-	PIN1	-
23	-	-	10-GB	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	820.0	-	X	-
28	-	-	-	-	-	-	-	-	-	-	-	-
28	-	-	WIRE728 870	-	0.0	-	-	-	0.0	-	PIN1	-
34	-	-	13F	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	720.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
35	-	-	59	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	365.0	-	1	682
36	-	-	59-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	365.0	-	2	682

Connector Name 682
 Part Number 3730732C1
 Instances L9 - Selective Catalytic Reduction (SCR) - (Euro 4/ Euro 5):Diagram1
 Mates DEV-DOSER_PUMP_MODULE-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	59	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	365.0	-	35	680
2	-	-	59-G	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	365.0	-	36	680

Connector Name 6900
 Part Number 1661198C1
 Short Description 2 WAY RADIO OVERHEAD
 Instances B6.7 - 2-Way Radio:Diagram1-Combination2
 L9 - 2-Way Radio:Diagram1-Combination2
 Mates 6900



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	SJ14HFA	3510367 R1	1.91	14.0	Thin Wall XLPE Primary Cable	RED	2785.0	-	1	1703M
B	-	-	SJ11-GA	3510361 R1	1.91	14.0	Thin Wall XLPE Primary Cable	WHITE	2785.0	-	2	1703M
C	-	-	SJ86P	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2455.0	-	-	-

Connector Name 6900
 Part Number 1661199C1
 Short Description 2-WAY RADIO PROVISION
 Instances B6.7 - 2-Way Radio:Diagram1-Combination2
 L9 - 2-Way Radio:Diagram1-Combination2
 Mates 6900




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CZ14HC	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	2620.0	-	A	1913A
B	-	-	CZ11-GAP	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2620.0	-	C	1913A
C	-	-	CZ86P	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2620.0	-	B	1913A

Connector Name 691
 Part Number 3714731C1
 Instances L9 - Selective Catalytic Reduction (SCR) - (Euro 4/ Euro 5):Diagram1
 Mates DEV-COOLANT_CONTROL_VALVE- 01


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	95B	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	860.0	-	-	-
4	-	-	95K	3510330 R1	1.16	16.0	Thin Wall XLPE Primary Cable	TAN	860.0	-	12	674

Connector Name 6925A
 Part Number 3678796C1
 Instances L9 - Hill Start Aid (Bendix):Diagram1-Combination2
 Mates SOL-HSA-3019-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AT94AA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3255.0	-	61	1701F
2	-	-	AT94AB	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3255.0	-	65	1701F

Connector Name 6925
 Part Number 3678796C1
 Instances L9 - Hill Start Aid (Bendix):Diagram1-Combination1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	ZJ94AA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2960.0	-	61	1701F
2	-	-	ZJ94AB	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2960.0	-	65	1701F

Connector Name 7000
 Part Number RING-M-5_0
 Instances B6.7 - Delco Remy 28SI Alternator W/Sensor:Diagram1
 Delco Remy 28SI Alternator W/Sensor:Diagram1
 L9 - Delco Remy 36SI Alternator W/Sensor:Diagram1
 L9 - Leece-Neville - LN 325A Alternator W/Sensor:Diagram1
 L9 - Leece-Neville AVI1160-210A/240A Alternator W/
 Sensor:Diagram1
 Mates DEV-Delco_Remy_28SI_Altern ator-4004-01-05A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JS1A	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	1330.0	-	B	1F

Connector Name 7103M
 Part Number 1661198C1
 Instances L9 - Two Speed Axle (AirShift on Shifter):Diagram1
 Mates SW-2SPD_Manual_Pressure-50 00-02-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ML93	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2340.0	-	39	1702
C	-	-	ML9TS	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1425.0	-	-	-

Connector Name 7105
 Part Number 3599542C1
 Instances
 B6.7 - Trip Odometer (w/ECM & TCM):Diagram1
 L9 - Hill Start Aid (Bendix):Diagram1-Combination1
 L9 - Hill Start Aid (Bendix):Diagram1-Combination2
 L9 - Rear Lights Stop - Dual Assembly:Diagram1
 L9 - Rear Lights Stop - Single Assembly:Diagram1
 L9 - Remote Start/Stop:Diagram1
 L9 - Remote Start/Stop w/ Emergency Pump:Diagram1
 L9 - Starter Interlock (BCM LSD Controlled w/ Relay & N/ Auto SS)_EATON XMSN:Diagram1
 L9 - Transfer Case - High/Low Air Sol:Diagram1
 L9 - Transfer Case - High/Neu/Low Air Sol:Diagram1
 L9 - Transmission Oil Temperature-Automatic Trans:Diagram1
 L9 - Transmission Power Take Off (Auto Trans Single PTO w/21 Parameters):Diagram1
 L9 - Transmission Power Take Off (Auto Trans with Lectradrive):Diagram1
 L9 - Trip Odometer (w/ECM & TCM):Diagram1
 L9 - Vehicle Speedometer System (Automatic XMSN):Diagram1
 Trans Range Inhibit (J1939 Comm):Diagram1
 Transmission - MODE Selection:Diagram1
 Transmission Oil Temperature-Automatic Trans w/Aux Gauge:Diagram1
 Transmission Power Take Off (Single PTO W/ RPM and Auto Trans):Diagram1




Mates MODU-TCM-A002-10-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
2	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	KH17-GC	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	3385.0	-	19	1702
7	-	-	-	-	-	-	-	-	-	-	-	-
8	-	-	-	-	-	-	-	-	-	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
26	-	-	KH17C	3510324 R1	1.16	16.0	Thin Wall XLPE Primary Cable	PINK	3385.0	-	21	1702
32	-	-	KH17B	2643794 R1	0.79	18.0	Std. Wall XLPE Primary Cable	PINK	3385.0	-	20	1702


Connector Name 7105
 Part Number 3765544C1
 Instances B6.7 - Transmission Power Take Off (Auto Trans Single PTO w/21 Parameters):Diagram1
 B6.7 - Vehicle Speedometer System (Automatic XMSN) NA:Diagram1
 Mates MODU-TCM-A002-10-04



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
11	-	-	-	-	-	-	-	-	-	-	-	-
12	-	-	-	-	-	-	-	-	-	-	-	-

Connector Name 7112
Part Number 3539778C1
Short Description POWERTRAIN/CTR CHASSIS WIF CONNECTION
Instances L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination1
L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination2
L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination3
L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination4
L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination5
L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination6
L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination7
L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination8
L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination9
L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination1
L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination2
L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination3
L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination4
L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination5
L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination6
L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination7
L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination8
L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination9

Mates 7112




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
1	-	-	AY162A	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3845.0	-	1	7113W
1	-	-	AW162A	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3325.0	-	1	7113U
1	-	-	VX95A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3575.0	-	1	7113A
1	-	-	VW95A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2800.0	-	1	7113
1	-	-	BD162A	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3545.0	-	1	7113Y
1	-	-	AZ162A	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	4070.0	-	1	7113X
1	-	-	AU162A	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2885.0	-	1	7113S
1	-	-	AX162A	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3120.0	-	1	7113V

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
1	-	-	AV162A	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3125.0	-	1	7113T
2	-	-	AU162-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2885.0	-	2	7113S
2	-	-	VX95-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3575.0	-	2	7113A
2	-	-	AX162-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3120.0	-	2	7113V
2	-	-	AY162-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3845.0	-	2	7113W
2	-	-	AZ162-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	4070.0	-	2	7113X
2	-	-	BD162-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3545.0	-	2	7113Y
2	-	-	VW95-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2800.0	-	2	7113

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	AW162-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3325.0	-	2	7113U
2	-	-	AV162-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3125.0	-	2	7113T


Connector Name 7112
Part Number 3854645C91
Short Description REMOTE WIF
Instances L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination1
L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination2
L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination3
L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination4
L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination5
L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination6
L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination7
L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination8
L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination9
L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination1
L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination2
L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination3
L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination4
L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination5
L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination6
L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination7
L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination8
L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination9

Mates 7112




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	VA95A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	300.0	-	X	-
2	-	-	VA95-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1625.0	-	-	-

Connector Name 7113A
 Part Number 3590390C1
 Instances L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination2
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination2
 Mates DEV-FUEL FILTER ASSY-3036-01-04A-7113A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	VX95A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3575.0	-	1	7112
2	-	-	VX95-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3575.0	-	2	7112

Connector Name 7113S
 Part Number 3590390C1
 Instances L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination3
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination3
 Mates DEV-FUEL FILTER ASSY-3036-01-04A-7113S




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AU162A	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2885.0	-	1	7112
2	-	-	AU162-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2885.0	-	2	7112

Connector Name 7113T
 Part Number 3590390C1
 Instances L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination4
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination4
 Mates DEV-FUEL FILTER ASSY-3036-01-04A-7113T




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AV162A	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3125.0	-	1	7112
2	-	-	AV162-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3125.0	-	2	7112

Connector Name 7113U
 Part Number 3590390C1
 Instances L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination5
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination5
 Mates DEV-FUEL FILTER ASSY-3036-01-04A-7113U




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AW162A	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3325.0	-	1	7112
2	-	-	AW162-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3325.0	-	2	7112

Connector Name 7113V
 Part Number 3590390C1
 Instances L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination6
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination6
 Mates DEV-FUEL FILTER ASSY-3036-01-04A-7113V




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AX162A	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3120.0	-	1	7112
2	-	-	AX162-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3120.0	-	2	7112

Connector Name 7113W
 Part Number 3590390C1
 Instances L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination7
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination7
 Mates DEV-FUEL FILTER ASSY-3036-01-04A-7113W




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AY162A	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3845.0	-	1	7112
2	-	-	AY162-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3845.0	-	2	7112

Connector Name 7113X
 Part Number 3590390C1
 Instances L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination8
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination8
 Mates DEV-FUEL FILTER ASSY-3036-01-04A-7113X




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AZ162A	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	4070.0	-	1	7112
2	-	-	AZ162-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	4070.0	-	2	7112

Connector Name 7113Y
 Part Number 3590390C1
 Instances L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination9
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination9
 Mates DEV-FUEL FILTER ASSY-3036-01-04A-7113Y




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	BD162A	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3545.0	-	1	7112
2	-	-	BD162-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3545.0	-	2	7112

Connector Name 7113
 Part Number 3590390C1
 Instances L9 - Water In Fuel (WIF) Davco N/ Heater:Diagram1-Combination1
 L9 - Water In Fuel (WIF) Davco W/ Heater:Diagram1-Combination1
 Mates DEV-FUEL FILTER ASSY-3036-01-04A-7113




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	VW95A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2800.0	-	1	7112
2	-	-	VW95-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2800.0	-	2	7112

Connector Name 7150
 Part Number 3605713C1
 Instances L9 - Transfer Case - High/Low Air Sol:Diagram1
 L9 - Transfer Case - High/Neu/Low Air Sol:Diagram1
 Transmission - MODE Selection:Diagram1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
6	-	-	-	-	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-	-	-	-	-

Connector Name 7150
 Part Number 3605713C1
 Instances L9 - Transmission Shifter Allison 5th Gen Push Button(SURHD):Diagram1
 Mates MODU-TCM-A002-10-03




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
6	-	-	-	-	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-	-	-	-	-
34	-	-	PM92#134	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2820.0	-	19	1702

Connector Name 7151
 Part Number 3605713C1
 Instances
 B6.7 - Rear Lights Stop - Single Assembly:Diagram1
 B6.7 - Remote Start/Stop:Diagram1
 B6.7 - Remote Start/Stop w/ Emergency Pump:Diagram1
 B6.7 - Transmission Power Take Off (Auto Trans Single PTO w/21 Parameters):Diagram1
 B6.7 - Vehicle Speedometer System (Automatic XMSN) NA:Diagram1
 L9 - Transfer Case - High/Low Air Sol:Diagram1
 L9 - Transfer Case - High/Neu/Low Air Sol:Diagram1
 L9 - Vehicle Speedometer System (Automatic XMSN):Diagram1
 Trans Range Inhibit (J1939 Comm):Diagram1
 Transmission - MODE Selection:Diagram1
 Mates
 MODU-TCM-A002-10-02



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
6	-	-	-	-	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-	-	-	-	-


Connector Name 71
 Part Number 1677851C1
 Short Description CHASSIS TAIL LIGHT
 Instances L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-Combination1
 L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-Combination2
 L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination1
 L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination2
 L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination3
 L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination4
 L9 - License Plate Light (LED BOX LAMP Tail Light):Diagram1
 L9 - Rear Light (LED BOX LAMP Tail Light):Diagram1
 L9 - Rear Light (Tail Light):Diagram1
 L9 - Rear Lights Stop - Dual Assembly:Diagram1



Mates 9303A


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	56	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	740.0	-	B	73
C	-	-	57	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	1390.0	-	C	72
D	-	-	68	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	190.0	-	X	-
E	-	-	10-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	190.0	-	X	-

Connector Name 72
 Part Number 1661375C2
 Instances L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-Combination1
 L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-Combination2
 L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination1
 L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination2
 L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination3
 L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination4
 L9 - License Plate Light (LED BOX LAMP Tail Light):Diagram1
 L9 - Rear Light (LED BOX LAMP Tail Light):Diagram1
 L9 - Rear Light (Tail Light):Diagram1
 L9 - Rear Lights Stop - Dual Assembly:Diagram1
 Mates LT-RS_TAIL_ASSY-1002-02-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	57	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	1390.0	-	C	71
D	-	-	68B	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1200.0	-	X	-
E	-	-	10-GB	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1200.0	-	X	-

Connector Name 73
 Part Number 1661375C2
 Instances L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-Combination1
 L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-Combination2
 L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination1
 L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination2
 L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination3
 L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination4
 L9 - License Plate Light (LED BOX LAMP Tail Light):Diagram1
 L9 - Rear Light (LED BOX LAMP Tail Light):Diagram1
 L9 - Rear Light (Tail Light):Diagram1
 L9 - Rear Lights Stop - Dual Assembly:Diagram1
 Mates LT-LS_TAIL_ASSY-1002-02-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	56	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	740.0	-	B	71
D	-	-	68A	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	550.0	-	X	-
E	-	-	10-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	550.0	-	X	-

Connector Name 7500A
 Part Number 3605713C1
 Instances B6.7 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination2
 B6.7 - CAN Layout:Euro 3 Powertrain Standard J1939 (500Kbps)
 L9 - CAN Layout:Euro 5 Powertrain Standard J1939 (250Kbps)
 Mates MODU-TCM-A002-10-03




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
3	-	-	PR92#103	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2635.0	-	X	-
8	-	-	WIRE740 276	-	0.0	-	-	-	0.0	-	PIN1	-
8	-	-	WIRE735 408	-	0.0	-	-	-	0.0	-	PIN1	-
17	-	-	RN92#117	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2820.0	-	25	1702
28	-	-	WIRE740 278	-	0.0	-	-	-	0.0	-	PIN1	-
28	-	-	WIRE735 405	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 7500A
 Part Number 3605713C1
 Instances L9 - CAN Layout:Euro 3 Powertrain Standard J1939 (250 Kbps)
 Mates MODU-TCM-A002-10-03



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
8	-	-	WIRE735301	-	0.0	-	-	-	0.0	-	PIN1	-
28	-	-	WIRE735300	-	0.0	-	-	-	0.0	-	PIN1	-


Connector Name 7500M
 Part Number 1661778C1
 Instances
 B6.7 - Back-Up Alarm (Manual) W/ Tailboard:Diagram1
 B6.7 - Back-Up Alarm (Manual) W/O Tailboard:Diagram1
 B6.7 - Backup Lights (Single Reverse Light) Eaton/Manual
 Trans:Diagram1
 B6.7 - Backup Lights (Single Reverse Lights) Eaton/Manual
 Trans Option 1:Diagram1
 B6.7 - Backup Lights (Single Reverse Lights) Eaton/Manual
 Trans Option 2:Diagram1
 B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps
 (Manual):Diagram1-Combination1
 B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps
 (Manual):Diagram1-Combination2
 B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps
 (Manual):Diagram1-Combination3
 L9 - Back-Up Alarm (Manual) W/O Tailboard:Diagram1
 L9 - Body Builder Lighting - Combined Turn and Stop Lamps
 (Manual):Diagram1-Combination1
 L9 - Body Builder Lighting - Combined Turn and Stop Lamps
 (Manual):Diagram1-Combination2
 L9 - Body Builder Lighting - Combined Turn and Stop Lamps
 (Manual):Diagram1-Combination3
 Mates SW-TRANSSWITCH-1023-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	MJ71A	2645921 R1	0.79	18.0	TXL 150C	ORANGE	1990.0	-	6	1702
2	-	-	MJ71B	2645915 R1	0.79	18.0	TXL 150C	TAN	1990.0	-	-	-
2	-	-	MJ71B	2645921 R1	0.79	18.0	TXL 150C	ORANGE	1505.0	-	-	-
2	-	-	MJ71B	2645921 R1	0.79	18.0	TXL 150C	ORANGE	1505.0	-	7	1702

Connector Name 7500
Part Number 3605713C1
Instances

- B6.7 - Rear Lights Stop - Single Assembly:Diagram1
- B6.7 - Remote Start/Stop:Diagram1
- B6.7 - Remote Start/Stop w/ Emergency Pump:Diagram1
- B6.7 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination1
- B6.7 - Trip Odometer (w/ECM & TCM):Diagram1
- L9 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale):Diagram1-Combination2
- L9 - Auto Neutral (Allison without Multiplex Switch and Confirmation Telltale):Diagram1-Combination2
- L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1:Diagram1-Combination2
- L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2:Diagram1-Combination2
- L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 3:Diagram1-Combination2
- L9 - Hill Start Aid (Bendix):Diagram1-Combination1
- L9 - Hill Start Aid (Bendix):Diagram1-Combination2
- L9 - Rear Lights Stop - Dual Assembly:Diagram1
- L9 - Rear Lights Stop - Single Assembly:Diagram1
- L9 - Remote Start/Stop:Diagram1
- L9 - Remote Start/Stop w/ Emergency Pump:Diagram1
- L9 - Transfer Case - High/Low Air Sol:Diagram1
- L9 - Transfer Case - High/Neu/Low Air Sol:Diagram1
- L9 - Transmission (Allison 3K/4K):Diagram1-Combination1
- L9 - Transmission Oil Temperature-Automatic Trans:Diagram1
- L9 - Transmission Power Take Off (Auto Trans Single PTO w/21 Parameters):Diagram1
- L9 - Transmission Power Take Off (Auto Trans with Lectradrive):Diagram1
- L9 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination1
- L9 - Vehicle Speedometer System (Automatic XMSN):Diagram1
- Starter Interlocks (BCM Controlled with Input from Allison 3K/4K TCM):Diagram1-Combination2
- Trans Range Inhibit (J1939 Comm):Diagram1
- Transmission - MODE Selection:Diagram1
- Transmission Oil Temperature-Automatic Trans w/Aux Gauge:Diagram1
- Transmission Power Take Off (Single PTO W/ RPM and Auto Trans):Diagram1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	PR92#101	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2785.0	-	-	-
1	-	-	PN92#101	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2785.0	-	-	-
3	-	-	PR92#103	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2635.0	-	X	-
3	-	-	PN92#103	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2635.0	-	X	-
5	-	-	PM92#105	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2785.0	-	-	-
6	-	-	-	-	-	-	-	-	-	-	-	-
9	-	-	PM92#109	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2310.0	-	-	-
10	-	-	PM92#110	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	910.0	-	X	-
11	-	-	PW92#111	2645921 R1	0.79	18.0	TXL 150C	ORANGE	520.0	-	-	-
12	-	-	PT92A112	2645918 R1	0.79	18.0	TXL 150C	PINK	520.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
12	-	-	PR92A112	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	310.0	-	X	-
16	-	-	PW92#116	2645922 R1	0.79	18.0	TXL 150C	LIGHT BLUE	520.0	-	-	-
17	-	-	RN92#117	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2820.0	-	25	1702
17	-	-	RM92A117	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	180.0	-	X	-
17	-	-	RN92#117	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2820.0	-	-	-
17	-	-	RL92#117	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2785.0	-	-	-
18	-	-	PW92#118	2645914 R1	0.79	18.0	TXL 150C	GREY	520.0	-	-	-
19	-	-	PR92#119	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	630.0	-	-	-
20	-	-	PE92#120	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	785.0	-	-	-
20	-	-	PB92A120	2645922 R1	0.79	18.0	TXL 150C	LIGHT BLUE	520.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
22	-	-	PM92#122	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2785.0	-	-	-
23	-	-	PM92#123	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2785.0	-	-	-
24	-	-	PR92#124	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2820.0	-	-	-
25	-	-	PW47#125	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2820.0	-	-	-
27	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	PM92#130	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2785.0	-	-	-
31	-	-	PT92#131	2645910 R1	0.79	18.0	TXL 150C	YELLOW 2	520.0	-	-	-
31	-	-	PR92A131	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	335.0	-	X	-
33	-	-	PW92#133	2645910 R1	0.79	18.0	TXL 150C	YELLOW 2	520.0	-	-	-
34	-	-	PM92#134	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2820.0	-	19	1702


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
34	-	-	PM92#134	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2820.0	-	-	-
36	-	-	PW92#136	2645921 R1	0.79	18.0	TXL 150C	ORANGE	520.0	-	-	-
37	-	-	PW92#137	2645919 R1	0.79	18.0	TXL 150C	WHITE	520.0	-	-	-
39	-	-	PD48#139	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	1140.0	-	-	-
39	-	-	PB48#139	2645921 R1	0.79	18.0	TXL 150C	ORANGE	2410.0	-	-	-
40	-	-	PW47#140	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	620.0	-	-	-
41	-	-	RL92A141	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2820.0	-	-	-
41	-	-	PY92A141	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2820.0	-	-	-
42	-	-	RL92#142	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2785.0	-	-	-
42	-	-	RM92A142	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	180.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
43	-	-	PM92#143	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2785.0	-	-	-
45	-	-	RL92#145	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2785.0	-	-	-
45	-	-	PY92#145	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2820.0	-	-	-
51	-	-	PW92#151	2645919 R1	0.79	18.0	TXL 150C	WHITE	520.0	-	-	-
52	-	-	PW92#152	2645920 R1	0.79	18.0	TXL 150C	LIGHT GREEN	520.0	-	-	-
54	-	-	PW31#154	2645915 R1	0.79	18.0	TXL 150C	TAN	520.0	-	-	-
55	-	-	PW92#155	2645919 R1	0.79	18.0	TXL 150C	WHITE	520.0	-	-	-
56	-	-	PR92#156	3510323 R1	0.79	18.0	Thin Wall XLPE Primary Cable	PINK	2820.0	-	-	-
58	-	-	PR92A158	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	360.0	-	X	-
58	-	-	PT92#158	2645920 R1	0.79	18.0	TXL 150C	LIGHT GREEN	520.0	-	-	-
59	-	-	PD48#159	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1140.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
59	-	-	PB48#159	2645915 R1	0.79	18.0	TXL 150C	TAN	2410.0	-	-	-
60	-	-	PW47#160	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	620.0	-	-	-
61	-	-	PR92#161	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2820.0	-	-	-
62	-	-	PM92#162	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2785.0	-	-	-
63	-	-	PM92#163	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2820.0	-	-	-
64	-	-	PM92#164	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2785.0	-	-	-
65	-	-	PM92#165	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2820.0	-	7	1702
65	-	-	PM92#165	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2820.0	-	-	-
69	-	-	PM92#169	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2310.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
70	-	-	PM92#170	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	910.0	-	X	-
71	-	-	PW92#171	2645910 R1	0.79	18.0	TXL 150C	YELLOW 2	520.0	-	-	-
74	-	-	PW92#174	2645922 R1	0.79	18.0	TXL 150C	LIGHT BLUE	520.0	-	-	-
75	-	-	PR92#175	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	520.0	-	X	-
76	-	-	PW92#176	2645910 R1	0.79	18.0	TXL 150C	YELLOW 2	520.0	-	-	-
77	-	-	PW92#177	2645920 R1	0.79	18.0	TXL 150C	LIGHT GREEN	520.0	-	-	-
80	-	-	PB92#180	2645921 R1	0.79	18.0	TXL 150C	ORANGE	520.0	-	-	-
80	-	-	PE92#180	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	785.0	-	-	-

Connector Name 7500
 Part Number 3605713C1
 Instances B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option
 1:Diagram1-Combination2
 B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option
 2:Diagram1-Combination2
 Mates MODU-TCM-A002-10-03



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
65	-	-	PM92#165	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2820.0	-	7	1702

Connector Name 7500
 Part Number 3605713C1
 Instances B6.7 - Transmission (Allison 3K/4K):Diagram1-Combination2
 B6.7 - Vehicle Speedometer System (Automatic XMSN)
 NA:Diagram1
 Mates MODU-TCM-A002-10-03



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	PN92#101	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2785.0	-	-	-
1	-	-	VV92#101	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2155.0	-	-	-
2	-	-	VV92#103	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2505.0	-	-	-
2	-	-	PN92#103	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2635.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	PM92#105	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2785.0	-	-	-
6	-	-	-	-	-	-	-	-	-	-	-	-
9	-	-	LB92#109	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	310.0	-	X	-
9	-	-	LA92#109	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	310.0	-	X	-
9	-	-	LC92#109	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	310.0	-	X	-
10	-	-	PM92#110	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	910.0	-	1	-
11	-	-	PW92#111	2645921 R1	0.79	18.0	TXL 150C	ORANGE	520.0	-	-	-
12	-	-	PT92A112	2645918 R1	0.79	18.0	TXL 150C	PINK	520.0	-	-	-
16	-	-	PW92#116	2645922 R1	0.79	18.0	TXL 150C	LIGHT BLUE	520.0	-	-	-
17	-	-	RL92#117	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2785.0	-	-	-
17	-	-	RM92A117	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	180.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
17	-	-	RN92#117	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2820.0	-	-	-
18	-	-	PW92#118	2645914 R1	0.79	18.0	TXL 150C	GREY	520.0	-	-	-
20	-	-	PW92A120	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	520.0	-	-	-
22	-	-	PM92#122	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2785.0	-	-	-
23	-	-	PM92#123	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2785.0	-	-	-
27	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	PM92#130	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2785.0	-	-	-
31	-	-	PT92#131	2645910 R1	0.79	18.0	TXL 150C	YELLOW 2	520.0	-	-	-
33	-	-	PW92#133	2645910 R1	0.79	18.0	TXL 150C	YELLOW 2	520.0	-	-	-
34	-	-	PM92#134	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2820.0	-	-	-
36	-	-	PW92#136	2645921 R1	0.79	18.0	TXL 150C	ORANGE	520.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
37	-	-	PW92#137	2645919 R1	0.79	18.0	TXL 150C	WHITE	520.0	-	-	-
39	-	-	PW48#139	2645921 R1	0.79	18.0	TXL 150C	ORANGE	2140.0	-	-	-
40	-	-	PW47#140	3510299 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	620.0	-	-	-
41	-	-	PY92A141	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2820.0	-	-	-
41	-	-	RL92A141	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2820.0	-	-	-
42	-	-	RM92A142	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	180.0	-	X	-
42	-	-	RL92#142	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	2785.0	-	-	-
43	-	-	PM92#143	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2785.0	-	-	-
45	-	-	PY92#145	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2820.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
45	-	-	RL92#145	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	2785.0	-	-	-
51	-	-	PW92#151	2645919 R1	0.79	18.0	TXL 150C	WHITE	520.0	-	-	-
52	-	-	PW92#152	2645920 R1	0.79	18.0	TXL 150C	LIGHT GREEN	520.0	-	-	-
54	-	-	PW31#154	2645915 R1	0.79	18.0	TXL 150C	TAN	520.0	-	-	-
55	-	-	PW92#155	2645919 R1	0.79	18.0	TXL 150C	WHITE	520.0	-	-	-
58	-	-	PT92#158	2645920 R1	0.79	18.0	TXL 150C	LIGHT GREEN	520.0	-	-	-
59	-	-	PW48#159	2645915 R1	0.79	18.0	TXL 150C	TAN	2140.0	-	-	-
60	-	-	PW47#160	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	620.0	-	-	-
62	-	-	PM92#162	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2785.0	-	-	-
63	-	-	PM92#163	3510335 R1	0.79	18.0	Thin Wall XLPE Primary Cable	YELLOW 2	2820.0	-	-	-
64	-	-	PM92#164	3510341 R1	0.79	18.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2785.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
65	-	-	PM92#165	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2820.0	-	-	-
69	-	-	LB92#169	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	310.0	-	X	-
69	-	-	LA92#169	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	310.0	-	X	-
69	-	-	LC92#169	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	310.0	-	X	-
70	-	-	PM92#170	3510365 R1	0.79	18.0	Thin Wall XLPE Primary Cable	RED	910.0	-	1	-
71	-	-	PW92#171	2645910 R1	0.79	18.0	TXL 150C	YELLOW 2	520.0	-	-	-
74	-	-	PW92#174	2645922 R1	0.79	18.0	TXL 150C	LIGHT BLUE	520.0	-	-	-
76	-	-	PW92#176	2645910 R1	0.79	18.0	TXL 150C	YELLOW 2	520.0	-	-	-
77	-	-	PW92#177	2645920 R1	0.79	18.0	TXL 150C	LIGHT GREEN	520.0	-	-	-
80	-	-	PW92#180	3510317 R1	0.79	18.0	Thin Wall XLPE Primary Cable	ORANGE	520.0	-	-	-

Connector Name 7500
 Part Number 3605713C1
 Instances Starter Interlocks (BCM Controlled with Input from Allison 3K/4K TCM):Diagram1-Combination2
 Mates MODU-TCM-A002-10-03




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
41	-	-	RL92A141	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2820.0	-	20	1702
41	-	-	PY92A141	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2820.0	-	20	1702

Connector Name 7600
 Part Number 3662425C1
 Instances Vehicle Speedometer System (Manual XMSN) NA:Diagram1
 Mates SNSR-VSS-5055-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	KM47B	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1960.0	-	33	6000
B	-	-	KM47C	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1960.0	-	23	6000

Connector Name 7700K
 Part Number 3536864C1
 Instances L9 - Transmission Oil Temperature-Manual Trans w/Aux
 Gauge:Diagram1-Combination1
 L9 - Transmission Oil Temperature-Manual
 Transmission:Diagram1-Combination1
 Mates SNSR-TRANS_OIL_TEMP-5046-0 1-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	CA31B	2645915 R1	0.79	18.0	TXL 150C	TAN	2580.0	-	13	1702
2	-	-	CA9T	2645914 R1	0.79	18.0	TXL 150C	GREY	2720.0	-	-	-

Connector Name 7700M
 Part Number 3536864C1
 Instances B6.7 - Transmission Oil Temperature-Manual Trans:Diagram1
 B6.7 - Transmission Oil Temperature-Manual Trans (w/Aux Gauge):Diagram1
 Mates SNSR-TRANS_OIL_TEMP-5046-0 1-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	CA31B	2645915 R1	0.79	18.0	TXL 150C	TAN	2580.0	-	13	1702
2	-	-	CA9T	2645914 R1	0.79	18.0	TXL 150C	GREY	2720.0	-	-	-

Connector Name 7800

Part Number BLUNT_SL_VC

Instances B6.7 - Transmission Power Take Off (Auto Trans Single PTO
w/21 Parameters):Diagram1
B6.7 - Transmission Power Take Off (Manual Trans Single PTO
w/ 21 Parameters):Diagram1
B6.7 - Transmission Power Take Off (Single Input configurable
pull up or pull down):Diagram1


Mates BLUNT-PTO-5047-03-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MA88	2643687 R1	1.91	14.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2640.0	-	14	1702

Connector Name 7800
 Part Number BLUNT_SL_VC
 Instances L9 - Transmission Power Take Off (Auto Trans Single PTO w/21 Parameters):Diagram1
 L9 - Transmission Power Take Off (Manual Trans Single PTO w/21 Parameters):Diagram1
 L9 - Transmission Power Take Off (Single Input configurable pull up or pull down):Diagram1
 Mates BLUNT-PTO-5047-03-01A


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MA88	2643687 R1	1.91	14.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2640.0	-	14	1702

Connector Name 7801B
 Part Number 3683465C1
 Instances B6.7 - CAN Layout:Euro 3 Powertrain Standard J1939 (500Kbps)
 L9 - CAN Layout:Euro 3 Powertrain Standard J1939 (250 Kbps)




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WIRE740279	-	0.0	-	-	-	0.0	-	PIN1	-
A	-	-	WIRE740285	-	0.0	-	-	-	0.0	-	PIN1	-
A	-	-	WIRE735302	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE740277	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE740281	-	0.0	-	-	-	0.0	-	PIN1	-
B	-	-	WIRE735303	-	0.0	-	-	-	0.0	-	PIN1	-

Connector Name 7803
 Part Number 3950690C1
 Instances L9 - Power Lift Gate:Diagram1
 Mates RLY-Power_Lift_Gate_Relay- 2038-02-01B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	YL112	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2385.0	-	66	1701F
2	-	-	YK112-GD	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	910.0	-	X	-
2	-	-	YJ112-GD	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	945.0	-	X	-
2	-	-	YH112-GD	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1125.0	-	-	-


Connector Name 7900F
 Part Number 4064551C1
 Instances B6.7 - CAN Layout:Euro 3 Powertrain Standard J1939 (500Kbps)
 B6.7 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination1
 B6.7 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination2
 Ground Splice Pack - 1022 & 1023:Diagram1
 L9 - CAN Layout:Euro 3 Powertrain Standard J1939 (250 Kbps)
 L9 - CAN Layout:Euro 5 Powertrain Standard J1939 (250Kbps)
 L9 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination1
 L9 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination2
 Mates 7900M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	UB92#134A	3510329R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	2395.0	-	21	1703M
E	-	-	WIRE735113	-	0.0	-	-	-	0.0	-	PIN1	-
F	-	-	WIRE735114	-	0.0	-	-	-	0.0	-	PIN1	-
G	-	-	UC92DC	3510329R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1845.0	-	-	-
H	-	-	UC92-GAH	3510359R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1265.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
H	-	-	UC92-GAH	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1265.0	-	3	1023


Connector Name 7900M
 Part Number 4064552C1
 Instances B6.7 - CAN Layout:Euro 3 Powertrain Standard J1939 (500Kbps)
 B6.7 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination1
 B6.7 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination2
 Ground Splice Pack - 1022 & 1023:Diagram1
 L9 - CAN Layout:Euro 3 Powertrain Standard J1939 (250 Kbps)
 L9 - CAN Layout:Euro 5 Powertrain Standard J1939 (250Kbps)
 L9 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination1
 L9 - Transmission Shifter (Stalk Shifter Allison):Diagram1-Combination2
 Mates 7900F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	BD92#134	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1365.0	-	B	1825F
E	-	-	WIRE722 746	-	0.0	-	-	-	0.0	-	E	1825F
F	-	-	WIRE722 747	-	0.0	-	-	-	0.0	-	F	1825F
G	-	-	BD62DC	3510353 R1	0.79	18.0	Thin Wall XLPE Primary Cable	DARK BLUE	1365.0	-	G	1825F
H	-	-	BD92-GAH	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1365.0	-	H	1825F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
H	-	-	BD92-GAH	3510359 R1	0.79	18.0	Thin Wall XLPE Primary Cable	WHITE	1365.0	-	-	-


Connector Name 7909
 Part Number 3599542C1
 Instances B6.7 - Transmission Power Take Off (Auto Trans Single PTO w/21 Parameters):Diagram1
 B6.7 - Vehicle Speedometer System (Automatic XMSN) NA:Diagram1
 Mates MODU-TCM-A002-10-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-

Connector Name 8000A
 Part Number 1677851C1
 Instances

- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination2
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination2
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination2
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination3
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination4
- B6.7 - Front Marker Lights W /Plow Lights:Diagram1-Combination1
- B6.7 - Front Marker Lights W /Plow Lights:Diagram1-Combination2
- B6.7 - Front Marker Lights W /Plow Lights:Diagram1-Combination3
- B6.7 - Front Marker Lights W /Plow Lights:Diagram1-Combination4
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination3
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination4
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination7
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination8
- B6.7 - Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination3
- B6.7 - Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination4
- B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination3
- B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination4
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination3
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination4



B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
 (LOWW) W/O Headlights Interrupt:Diagram1-Combination7
 B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
 (LOWW) W/O Headlights Interrupt:Diagram1-Combination8
 L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-
 Combination2
 L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
 W/Hazard SW:Diagram1-Combination2
 L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard
 SW:Diagram1-Combination2
 L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
 Lights:Diagram1-Combination1
 L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
 Lights:Diagram1-Combination2
 L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
 Lights:Diagram1-Combination3
 L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
 Lights:Diagram1-Combination4
 L9 - Front Marker Lights W /Plow Lights:Diagram1-Combination1
 L9 - Front Marker Lights W /Plow Lights:Diagram1-Combination2
 L9 - Front Marker Lights W /Plow Lights:Diagram1-Combination3
 L9 - Front Marker Lights W /Plow Lights:Diagram1-Combination4
 L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
 -10 PIN CLK:Diagram1-Combination3
 L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
 -10 PIN CLK:Diagram1-Combination4
 L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
 -10 PIN CLK:Diagram1-Combination7
 L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
 -10 PIN CLK:Diagram1-Combination8
 L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
 Combination3
 L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
 Combination4
 L9 - Headlights W 10PIN CLK W/LOWW W/O
 Interrupt:Diagram1-Combination3
 L9 - Headlights W 10PIN CLK W/LOWW W/O
 Interrupt:Diagram1-Combination4
 L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
 Headlights Interrupt:Diagram1-Combination3
 L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
 Headlights Interrupt:Diagram1-Combination4
 L9 - Headlights W/O Lights ON with wipers (LOWW) W/
 Headlights Interrupt:Diagram1-Combination3

L9 - Headlights W/O Lights ON with wipers (LOWW) W/
 Headlights Interrupt:Diagram1-Combination4
 L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
 W/LOWW W/Interrupt:Diagram1-Combination3
 L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
 W/LOWW W/Interrupt:Diagram1-Combination4
 L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
 W/LOWW W/Interrupt:Diagram1-Combination7
 L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
 W/LOWW W/Interrupt:Diagram1-Combination8
 L9 - Headlights W/Plowlights W/O Lights ON With Wipers
 (LOWW) W/O Headlights Interrupt:Diagram1-Combination3
 L9 - Headlights W/Plowlights W/O Lights ON With Wipers
 (LOWW) W/O Headlights Interrupt:Diagram1-Combination4
 L9 - Headlights W/Plowlights W/O Lights ON With Wipers
 (LOWW) W/O Headlights Interrupt:Diagram1-Combination7
 L9 - Headlights W/Plowlights W/O Lights ON With Wipers
 (LOWW) W/O Headlights Interrupt:Diagram1-Combination8
 L9 - Headlights W/PlowLights W/O Lights ON with wipers
 (LOWW) W/ Headlights Interrupt:Diagram1-Combination3
 L9 - Headlights W/PlowLights W/O Lights ON with wipers
 (LOWW) W/ Headlights Interrupt:Diagram1-Combination4
 L9 - Headlights W/PlowLights W/O Lights ON with wipers
 (LOWW) W/ Headlights Interrupt:Diagram1-Combination7
 L9 - Headlights W/PlowLights W/O Lights ON with wipers
 (LOWW) W/ Headlights Interrupt:Diagram1-Combination8

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RD52D	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3710.0	-	3	1700
A	-	-	NF52D	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3710.0	-	3	1700

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MU52D	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3710.0	-	3	1700
A	-	-	ML52D	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3710.0	-	3	1700
A	-	-	MJ52D	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3710.0	-	3	1700
A	-	-	MF52D	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3710.0	-	3	1700
B	-	-	MZ11-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	4300.0	-	X	-
B	-	-	MY11-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	4300.0	-	X	-
B	-	-	TD11-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	4300.0	-	X	-
B	-	-	TC11-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	4300.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	RD53B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3710.0	-	4	1700
C	-	-	NF53B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3710.0	-	4	1700
C	-	-	MU53B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3710.0	-	4	1700
C	-	-	ML53B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3710.0	-	4	1700
C	-	-	MJ53B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3710.0	-	4	1700
C	-	-	MF53B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3710.0	-	4	1700
D	-	-	MF57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	3710.0	-	15	1700
D	-	-	MJ57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	3710.0	-	15	1700

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	MU57C	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2245.0	-	X	-
D	-	-	MB57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	3610.0	-	15	1700
D	-	-	MN57C	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2145.0	-	X	-
D	-	-	RB57C	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2045.0	-	X	-
D	-	-	NF57C	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2145.0	-	X	-
D	-	-	MA57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	4640.0	-	15	1700
D	-	-	RD57C	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2145.0	-	X	-
D	-	-	ML57C	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2245.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	MW57C	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2045.0	-	X	-
D	-	-	MC57C	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2145.0	-	X	-
E	-	-	MN54D	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1535.0	-	X	-
E	-	-	MC54D	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1535.0	-	X	-
E	-	-	MW54D	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1685.0	-	X	-
E	-	-	RB54D	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1685.0	-	X	-
E	-	-	MU54D	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1635.0	-	X	-
E	-	-	NF54D	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1785.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	ML54D	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1635.0	-	X	-
E	-	-	RD54D	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1785.0	-	X	-

Connector Name 8000A
 Part Number 1677851C1
 Instances B6.7 - Front Marker Lights:Diagram1-Combination2
 L9 - Front Marker Lights:Diagram1-Combination2
 Mates LT-RS_HEADLIGHT_HAL-1016-1 0-03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	MY11-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	4300.0	-	X	-
E	-	-	ML54D	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1635.0	-	X	-
E	-	-	MF54D	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1885.0	-	X	-
E	-	-	RD54D	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1785.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	MU54D	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1635.0	-	X	-
E	-	-	NF54D	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1785.0	-	X	-
E	-	-	MJ54D	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1835.0	-	X	-

Connector Name 8000
Part Number 1677851C1
Instances

- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination1
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination2
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination5
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination6
- B6.7 - Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination1
- B6.7 - Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination2
- B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination1
- B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination2
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination1
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination2
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination5
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination6
- L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
- L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2



L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination4
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination1
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination2
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination5
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination6
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination1
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination2
L9 - Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination1
L9 - Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination2
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination1

L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
 W/LOWW W/Interrupt:Diagram1-Combination2
 L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
 W/LOWW W/Interrupt:Diagram1-Combination5
 L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
 W/LOWW W/Interrupt:Diagram1-Combination6
 L9 - Headlights W/Plowlights W/O Lights ON With Wipers
 (LOWW) W/O Headlights Interrupt:Diagram1-Combination1
 L9 - Headlights W/Plowlights W/O Lights ON With Wipers
 (LOWW) W/O Headlights Interrupt:Diagram1-Combination2
 L9 - Headlights W/Plowlights W/O Lights ON With Wipers
 (LOWW) W/O Headlights Interrupt:Diagram1-Combination5
 L9 - Headlights W/Plowlights W/O Lights ON With Wipers
 (LOWW) W/O Headlights Interrupt:Diagram1-Combination6
 L9 - Headlights W/PlowLights W/O Lights ON with wipers
 (LOWW) W/ Headlights Interrupt:Diagram1-Combination1
 L9 - Headlights W/PlowLights W/O Lights ON with wipers
 (LOWW) W/ Headlights Interrupt:Diagram1-Combination2
 L9 - Headlights W/PlowLights W/O Lights ON with wipers
 (LOWW) W/ Headlights Interrupt:Diagram1-Combination5
 L9 - Headlights W/PlowLights W/O Lights ON with wipers
 (LOWW) W/ Headlights Interrupt:Diagram1-Combination6

Mates

LT-RS_HEADLIGHT_HAL-1016-1 0-03A


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MA52D	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3610.0	-	3	1700
A	-	-	MB52D	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3610.0	-	3	1700
A	-	-	MC52D	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3610.0	-	3	1700

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MN52D	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3610.0	-	3	1700
A	-	-	MW52D	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3610.0	-	3	1700
A	-	-	RB52D	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3610.0	-	3	1700
B	-	-	TC11-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	4300.0	-	X	-
B	-	-	TD11-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	4300.0	-	X	-
B	-	-	MY11-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	4300.0	-	X	-
B	-	-	MZ11-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	4300.0	-	X	-
C	-	-	MA53B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3610.0	-	4	1700

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	MB53B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3610.0	-	4	1700
C	-	-	RB53B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3610.0	-	4	1700
C	-	-	MC53B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3610.0	-	4	1700
C	-	-	MN53B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3610.0	-	4	1700
C	-	-	MW53B	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3610.0	-	4	1700
D	-	-	MB57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	3610.0	-	15	1700
D	-	-	MA57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	4640.0	-	15	1700
D	-	-	MU57C	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2245.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
D	-	-	MN57C	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2145.0	-	X	-
D	-	-	RB57C	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2045.0	-	X	-
D	-	-	NF57C	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2145.0	-	X	-
D	-	-	RD57C	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2145.0	-	X	-
D	-	-	ML57C	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2245.0	-	X	-
D	-	-	MW57C	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2045.0	-	X	-
D	-	-	MC57C	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2145.0	-	X	-
D	-	-	MF57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	3710.0	-	15	1700
D	-	-	MJ57B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	3710.0	-	15	1700

Connector Name 8000
 Part Number 1677851C1
 Instances B6.7 - Front Marker Lights:Diagram1-Combination1
 L9 - Front Marker Lights:Diagram1-Combination1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	TC11-GA	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	4300.0	-	X	-
E	-	-	MA54D	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1785.0	-	X	-
E	-	-	MB54D	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1735.0	-	X	-
E	-	-	MC54D	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1535.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	MN54D	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1535.0	-	X	-

Connector Name 8001A
 Part Number 1677851C1
 Instances

- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination2
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination2
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination3
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination4
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination3
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination4
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination7
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination8
- B6.7 - Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination3
- B6.7 - Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination4
- B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination3
- B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination4
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination3
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination4
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination7
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination8
- L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-Combination2
- L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination2
- L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination2
- L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination3



L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination4
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination3
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination4
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination7
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination8
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination3
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination4
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination3
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination4
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination3
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination4
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination7
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination8
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination3
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination4
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination7
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination8
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination3


L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination4
 L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination7
 L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination8

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RD52	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2975.0	-	1	1700
A	-	-	NF52	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2975.0	-	1	1700
A	-	-	MU52	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2975.0	-	1	1700
A	-	-	ML52	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2975.0	-	1	1700
A	-	-	MJ52	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2975.0	-	1	1700
A	-	-	MF52	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2975.0	-	1	1700
B	-	-	MZ11-GB	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	3015.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	MY11-GB	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	3015.0	-	X	-
C	-	-	RD53	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2975.0	-	2	1700
C	-	-	NF53	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2975.0	-	2	1700
C	-	-	MU53	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2975.0	-	2	1700
C	-	-	ML53	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2975.0	-	2	1700
C	-	-	MJ53	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2975.0	-	2	1700
C	-	-	MF53	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2975.0	-	2	1700
D	-	-	MU56C	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1240.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	MF56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2975.0	-	14	1700
D	-	-	MJ56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2975.0	-	14	1700
D	-	-	NF56C	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1290.0	-	X	-
D	-	-	RD56C	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1290.0	-	X	-
D	-	-	ML56C	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1240.0	-	X	-

Connector Name 8001A
 Part Number 1677851C1
 Instances B6.7 - Front Marker Lights:Diagram1-Combination2
 L9 - Front Marker Lights:Diagram1-Combination2
 Mates LT-LS_HEADLIGHT_HAL-1016-1 0-03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	MY11-GB	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	3015.0	-	X	-
E	-	-	MU54C	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	900.0	-	X	-
E	-	-	RD54C	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1050.0	-	X	-
E	-	-	MJ54C	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1100.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	MF54C	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1150.0	-	X	-
E	-	-	ML54C	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	900.0	-	X	-
E	-	-	NF54C	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1050.0	-	X	-

Connector Name 8001LF
Part Number 1677851C1
Instances

- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination2
- B6.7 - Front Marker Lights W /Plow Lights:Diagram1-Combination1
- B6.7 - Front Marker Lights W /Plow Lights:Diagram1-Combination2
- B6.7 - Front Marker Lights W /Plow Lights:Diagram1-Combination3
- B6.7 - Front Marker Lights W /Plow Lights:Diagram1-Combination4
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination2
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination5
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination6
- B6.7 - Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination1
- B6.7 - Headlights W 10PIN CLK W/LOWW W/O Interrupt:Diagram1-Combination2
- B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination1
- B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination2



B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination1
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination2
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination5
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination6
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-
Combination1
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
Lights:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
Lights:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
Lights:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow
Lights:Diagram1-Combination4
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard
SW:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
Lights:Diagram1-Combination2
L9 - Front Marker Lights W /Plow Lights:Diagram1-Combination1
L9 - Front Marker Lights W /Plow Lights:Diagram1-Combination2
L9 - Front Marker Lights W /Plow Lights:Diagram1-Combination3
L9 - Front Marker Lights W /Plow Lights:Diagram1-Combination4
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination1
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination2
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination5

L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt
-10 PIN CLK:Diagram1-Combination6
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination1
L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt:Diagram1-
Combination2
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination1
L9 - Headlights W 10PIN CLK W/LOWW W/O
Interrupt:Diagram1-Combination2
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O
Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/O Lights ON with wipers (LOWW) W/
Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination1
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination2
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination5
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK
W/LOWW W/Interrupt:Diagram1-Combination6
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination5
L9 - Headlights W/Plowlights W/O Lights ON With Wipers
(LOWW) W/O Headlights Interrupt:Diagram1-Combination6
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination1
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination5
L9 - Headlights W/PlowLights W/O Lights ON with wipers
(LOWW) W/ Headlights Interrupt:Diagram1-Combination6

Mates

LT-LS_HEADLIGHT_HAL-1016-1 0-03A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MA52	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2360.0	-	1	1700
A	-	-	MC52	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2360.0	-	1	1700
A	-	-	MB52	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2360.0	-	1	1700
A	-	-	MN52	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2360.0	-	1	1700
A	-	-	MW52	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2360.0	-	1	1700
A	-	-	RB52	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2360.0	-	1	1700
B	-	-	TC11-GB	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	3015.0	-	X	-
B	-	-	TD11-GB	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	3015.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	MZ11-GB	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	3015.0	-	X	-
B	-	-	MY11-GB	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	3015.0	-	X	-
C	-	-	MA53	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2360.0	-	2	1700
C	-	-	MB53	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2360.0	-	2	1700
C	-	-	MC53	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2360.0	-	2	1700
C	-	-	MN53	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2360.0	-	2	1700
C	-	-	MW53	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2360.0	-	2	1700
C	-	-	RB53	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2360.0	-	2	1700

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	MB56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2360.0	-	14	1700
D	-	-	MA56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2360.0	-	14	1700
D	-	-	MN56C	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	625.0	-	X	-
D	-	-	MU56C	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1240.0	-	X	-
D	-	-	MC56C	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	625.0	-	X	-
D	-	-	NF56C	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1290.0	-	X	-
D	-	-	RD56C	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1290.0	-	X	-
D	-	-	ML56C	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1240.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	RB56C	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	795.0	-	X	-
D	-	-	MW56C	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	675.0	-	X	-
D	-	-	MJ56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2975.0	-	14	1700
D	-	-	MF56B	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	2975.0	-	14	1700
E	-	-	MN54C	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	865.0	-	X	-
E	-	-	MC54C	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	865.0	-	X	-
E	-	-	MW54C	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	715.0	-	X	-
E	-	-	RB54C	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	715.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
E	-	-	MU54C	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	900.0	-	X	-
E	-	-	NF54C	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1050.0	-	X	-
E	-	-	ML54C	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	900.0	-	X	-
E	-	-	RD54C	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1050.0	-	X	-

Connector Name 8001
 Part Number 1677851C1
 Instances B6.7 - Front Marker Lights:Diagram1-Combination1
 L9 - Front Marker Lights:Diagram1-Combination1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	TC11-GB	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	3015.0	-	X	-
E	-	-	MC54C	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	865.0	-	X	-
E	-	-	MA54C	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	615.0	-	X	-
E	-	-	MB54C	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	665.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	MN54C	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	865.0	-	X	-

Connector Name 8102A
 Part Number 2039311C91
 Instances

- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination3
- B6.7 - Front Marker Lights W /Plow Lights:Diagram1-Combination3
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination3
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination7
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination3
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination7
- L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
- L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination3
- L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination3
- L9 - Front Marker Lights W /Plow Lights:Diagram1-Combination3
- L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination3
- L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination7
- L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination3
- L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination7
- L9 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination3
- L9 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination7
- L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination3
- L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination7




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ML64HI	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2005.0	-	X	-
B	-	-	ML11-GE	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2005.0	-	-	-
B	-	-	MU11-GE	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2005.0	-	-	-
C	-	-	ML64LO	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2105.0	-	X	-
D	-	-	MU56D	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	990.0	-	X	-
D	-	-	ML56D	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	990.0	-	X	-
E	-	-	MU54F	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	650.0	-	X	-
E	-	-	ML54F	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	650.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F	-	-	MU57D	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	1260.0	-	X	-
F	-	-	ML57D	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	1260.0	-	X	-

Connector Name 8102
 Part Number 2039311C91
 Instances

- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination1
- B6.7 - Front Marker Lights W /Plow Lights:Diagram1-Combination1
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination5
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination1
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination5
- L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
- L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination1
- L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination1
- L9 - Front Marker Lights W /Plow Lights:Diagram1-Combination1
- L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination1
- L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination5
- L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination1
- L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination5
- L9 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination1
- L9 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination5
- L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination1
- L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination5




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
A	-	-	MC64HI	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	1640.0	-	X	-
B	-	-	MC11-GE	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1640.0	-	-	-
B	-	-	MN11-GE	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1640.0	-	-	-
C	-	-	MC64LO	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	1740.0	-	X	-
D	-	-	MC56D	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	625.0	-	X	-
D	-	-	MN56D	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	625.0	-	X	-
E	-	-	MN54F	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	865.0	-	X	-
E	-	-	MC54F	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	865.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F	-	-	MC57D	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	895.0	-	X	-
F	-	-	MN57D	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	895.0	-	X	-

Connector Name 8103A
Part Number 2039311C91
Instances

- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination4
- B6.7 - Front Marker Lights W /Plow Lights:Diagram1-Combination4
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination4
- B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination8
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination4
- B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination8
- L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
- L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination4
- L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination4
- L9 - Front Marker Lights W /Plow Lights:Diagram1-Combination4
- L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination4
- L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination8
- L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination4
- L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination8
- L9 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination4
- L9 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination8
- L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination4
- L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination8




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RD64HI	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2900.0	-	X	-
B	-	-	RD11-GE	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2950.0	-	-	-
B	-	-	NF11-GE	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2950.0	-	-	-
C	-	-	RD64LO	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	3000.0	-	X	-
D	-	-	NF56D	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1985.0	-	X	-
D	-	-	RD56D	3510318 R1	1.16	16.0	Thin Wall XLPE Primary Cable	ORANGE	1985.0	-	X	-
E	-	-	NF54F	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1745.0	-	X	-
E	-	-	RD54F	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1745.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F	-	-	NF57D	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2105.0	-	X	-
F	-	-	RD57D	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2105.0	-	X	-

Connector Name 8103
Part Number 2039311C91
Instances B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination2
B6.7 - Front Marker Lights W /Plow Lights:Diagram1-Combination2
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination2
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination6
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination2
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination6
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination2
L9 - Front Marker Lights W /Plow Lights:Diagram1-Combination2
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination2
L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK:Diagram1-Combination6
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination2
L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW W/Interrupt:Diagram1-Combination6
L9 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt:Diagram1-Combination6
L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination2
L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt:Diagram1-Combination6


Mates VD-SNOW_PLOW_LT-1016-12-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RB64HI	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2535.0	-	X	-
B	-	-	RB11-GE	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2680.0	-	-	-
B	-	-	MW11-GE	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2585.0	-	-	-
C	-	-	RB64LO	2643693 R1	1.91	14.0	Std. Wall XLPE Primary Cable	YELLOW 2	2635.0	-	X	-
D	-	-	MW56D	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	1620.0	-	X	-
D	-	-	RB56D	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	1620.0	-	X	-
E	-	-	MW54F	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1660.0	-	X	-
E	-	-	RB54F	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	1660.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F	-	-	MW57D	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	1740.0	-	X	-
F	-	-	RB57D	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	1740.0	-	X	-

Connector Name 8200A
 Part Number 6131286C1
 Instances B6.7 - Front Fog Lamps:Diagram1-Combination1
 L9 - Fog Lights (Halogen White):Diagram1-Combination1
 L9 - Fog Lights (LED White):Diagram1-Combination1
 Mates LT-RS_FOG_FRT-1012-03-03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	TJ64B	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	3160.0	-	23	1700
1	-	-	TH64B	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	3310.0	-	23	1700
2	-	-	TJ64-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2440.0	-	-	-
2	-	-	TH64-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2590.0	-	-	-

Connector Name 8200B
 Part Number 6131286C1
 Instances B6.7 - Front Fog Lamps:Diagram1-Combination2
 L9 - Fog Lights (Halogen White):Diagram1-Combination2
 L9 - Fog Lights (LED White):Diagram1-Combination2




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	TK64B	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	3760.0	-	23	1700
2	-	-	TK64-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	3040.0	-	-	-

Connector Name 8200C
 Part Number 6131286C1
 Instances B6.7 - Front Fog Lamps:Diagram1-Combination3




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	TM64B	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	3160.0	-	23	1700
2	-	-	TM64-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2440.0	-	-	-

Connector Name 8200X
 Part Number 587567C91
 Instances L9 - Front Fog Lights W CONNECTOR:Diagram1-Combination1
 Mates LT-RS_FOG_FRT-1012-03-07A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TG64B	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	4740.0	-	23	1700
B	-	-	TG64-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	3120.0	-	-	-

Connector Name 8200
 Part Number 587567C91
 Instances L9 - Front Fog Lights W CONNECTOR:Diagram1-Combination2




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MD64B	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	4140.0	-	23	1700
B	-	-	MD64-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2520.0	-	-	-

Connector Name 8201A
 Part Number 6131286C1
 Instances B6.7 - Front Fog Lamps:Diagram1-Combination1
 L9 - Fog Lights (Halogen White):Diagram1-Combination1
 L9 - Fog Lights (LED White):Diagram1-Combination1
 Mates LT-LS_FOG_FRT-1012-03-03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	TJ64A	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	2400.0	-	22	1700
1	-	-	TH64A	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	2550.0	-	22	1700
2	-	-	TJ64-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1680.0	-	-	-
2	-	-	TH64-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1830.0	-	-	-

Connector Name 8201B
 Part Number 6131286C1
 Instances B6.7 - Front Fog Lamps:Diagram1-Combination2
 L9 - Fog Lights (Halogen White):Diagram1-Combination2
 L9 - Fog Lights (LED White):Diagram1-Combination2




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	TK64A	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	3150.0	-	22	1700
2	-	-	TK64-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2280.0	-	-	-

Connector Name 8201C
 Part Number 6131286C1
 Instances B6.7 - Front Fog Lamps:Diagram1-Combination3




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	TM64A	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	2400.0	-	22	1700
2	-	-	TM64-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1680.0	-	-	-

Connector Name 8201X
 Part Number 587567C91
 Instances L9 - Front Fog Lights W CONNECTOR:Diagram1-Combination1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TG64A	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	4000.0	-	22	1700
B	-	-	TG64-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2380.0	-	-	-

Connector Name 8201
 Part Number 587567C91
 Instances L9 - Front Fog Lights W CONNECTOR:Diagram1-Combination2
 Mates LT-LS_FOG_FRT-1012-03-07A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MD64A	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	3400.0	-	22	1700
B	-	-	MD64-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1780.0	-	-	-

Connector Name 8301A
 Part Number 1661778C1
 Instances B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination2
 B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination5
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination2
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination5




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TB85E	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2005.0	-	21	1700
B	-	-	TD85-GC	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1665.0	-	-	-
B	-	-	TC85-GC	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1665.0	-	-	-

Connector Name 8301A
 Part Number 1661778C1
 Instances L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination2
 L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination4
 L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination2
 L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination4
 L9 - City Horn (W/ 10PIN CLK & Park Brake):Diagram1-Combination2
 L9 - City Horn (W/ 10PIN CLK):Diagram1-Combination2




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TB85E	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2005.0	-	21	1700
B	-	-	TC85-GC	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1665.0	-	-	-

Connector Name 8301b
 Part Number 1661778C1
 Instances B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination3
 B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination6
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination3
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination6
 Mates HORN-CITYHORN-1005-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MX85E	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1880.0	-	21	1700
B	-	-	ND85-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1540.0	-	-	-
B	-	-	NC85-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1540.0	-	-	-

Connector Name 8301
 Part Number 1661778C1
 Instances B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination1
 B6.7 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination4
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination1
 B6.7 - City Horn (W/ 4PIN CLK):Diagram1-Combination4




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MR85E	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1930.0	-	21	1700
B	-	-	MZ85-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1590.0	-	-	-
B	-	-	MY85-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1590.0	-	-	-

Connector Name 8301
 Part Number 1661778C1
 Instances L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination1
 L9 - City Horn (W/ 4PIN CLK & Park Brake):Diagram1-Combination3
 L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination1
 L9 - City Horn (W/ 4PIN CLK):Diagram1-Combination3
 Mates HORN-CITYHORN-1005-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MR85E	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1930.0	-	21	1700
B	-	-	MY85-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1590.0	-	-	-

Connector Name 8500
 Part Number 1686834C1
 Instances B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1-Combination1
 B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1-Combination2
 B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1-Combination3
 Mates MDL-ABS-3003-01-03C




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ME94	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1670.0	-	27	1700
B	-	-	ME94A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1670.0	-	28	1700
C	-	-	ME94B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1670.0	-	29	1700

Connector Name 8500
 Part Number 1686834C1
 Instances L9 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1
 Mates MDL-ABS-3003-01-03C



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ME94	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1670.0	-	27	1700
B	-	-	ME94A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1670.0	-	28	1700
C	-	-	ME94B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1670.0	-	29	1700


Connector Name 8500
 Part Number 1686834C1
 Instances L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination1
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination2
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination3
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination4
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination5
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination6
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination7
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination8
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination9



Mates MDL-ABS-3003-01-03C


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ME94	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1670.0	-	27	1700
B	-	-	ME94A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1670.0	-	28	1700
C	-	-	ME94B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1670.0	-	29	1700

Connector Name 8501
 Part Number 1686834C1
 Instances B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1-Combination1
 B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1-Combination2
 B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1-Combination3
 Mates MDL-ABS-3003-01-03D




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ME94H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5680.0	-	34	1700
B	-	-	ME94J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5680.0	-	35	1700
C	-	-	ME94K	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5680.0	-	36	1700

Connector Name 8501
 Part Number 1686834C1
 Instances L9 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1
 Mates MDL-ABS-3003-01-03D



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ME94H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5680.0	-	34	1700
B	-	-	ME94J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5680.0	-	35	1700
C	-	-	ME94K	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5680.0	-	36	1700


Connector Name 8501
 Part Number 1686834C1
 Instances L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination1
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination2
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination3
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination4
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination5
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination6
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination7
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination8
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination9



Mates MDL-ABS-3003-01-03D

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ME94H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5680.0	-	34	1700
B	-	-	ME94J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5680.0	-	35	1700
C	-	-	ME94K	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5680.0	-	36	1700

Connector Name 8502A
 Part Number 1684261C1
 Instances L9 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination1
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination2
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination3
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination4
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination5
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination6
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination7
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination8
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination9




Mates SNSR-WS-3003-01-03D

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	FA94C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1170.0	-	30	1700
1	-	-	FL94C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1170.0	-	30	1700
1	-	-	FB94C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1170.0	-	30	1700

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
2	-	-	FA94D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1170.0	-	31	1700
2	-	-	FL94D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1170.0	-	31	1700
2	-	-	FB94D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1170.0	-	31	1700


Connector Name 8502
 Part Number 3539777C1
 Instances B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1-Combination1
 B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1-Combination2
 B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1-Combination3
 Mates SNSR-WS-3003-01-03D_



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	FB94C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1170.0	-	30	1700
1	-	-	FA94C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1170.0	-	30	1700
1	-	-	FL94C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1170.0	-	30	1700
2	-	-	FA94D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1170.0	-	31	1700


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	FB94D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1170.0	-	31	1700
2	-	-	FL94D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1170.0	-	31	1700

Connector Name 8503A
 Part Number 1684261C1
 Instances B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1-Combination1
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination1
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination2
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination3
 Mates SNSR-WS-3003-01-03C_




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	FL94E	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4175.0	-	32	1700
2	-	-	FL94F	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4175.0	-	33	1700

Connector Name 8503A
 Part Number 1684261C1
 Instances L9 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1
 Mates SNSR-WS-3003-01-03C




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	FL94E	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4175.0	-	32	1700
2	-	-	FL94F	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4175.0	-	33	1700

Connector Name 8503B
 Part Number 1684261C1
 Instances B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1-Combination2
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination4
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination5
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination6




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	FA94E	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4195.0	-	32	1700
2	-	-	FA94F	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4195.0	-	33	1700

Connector Name 8503C
 Part Number 1684261C1
 Instances B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1-Combination3
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination7
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination8
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination9




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	FB94E	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4135.0	-	32	1700
2	-	-	FB94F	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4135.0	-	33	1700

Connector Name 8600A
 Part Number 587566C91
 Instances Cooling Fan Control Two-Speed:Diagram1-Combination2




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MZ11-GC	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	2935.0	-	-	-
A	-	-	MY11-GC	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	2935.0	-	-	-

Connector Name 8600
 Part Number 587566C91
 Instances Cooling Fan Control Two-Speed:Diagram1-Combination1
 Mates GND-RADIATOR-5014-01-03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TC11-GC	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	1440.0	-	-	-
A	-	-	TD11-GC	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	1440.0	-	-	-

Connector Name 8700A
 Part Number 587567C91
 Instances L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination2
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination2




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	PM78AC	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3725.0	-	64	1700
B	-	-	PM78-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2090.0	-	X	-

Connector Name 8700B
 Part Number 587567C91
 Instances L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination3
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination3




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	PG78AC	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3595.0	-	64	1700
A	-	-	PT78AC	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3595.0	-	64	1700
B	-	-	PT78-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1960.0	-	X	-

Connector Name 8700C
 Part Number 587567C91
 Instances L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination4
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination4
 Mates MODU-DS-HOOD-MIRROR-1017-0 6-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	PU78AC	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3960.0	-	64	1700
A	-	-	PS78AC	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3960.0	-	64	1700
B	-	-	PU78-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2325.0	-	X	-

Connector Name 8700
 Part Number 587567C91
 Instances L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination1
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MT78AC	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	3245.0	-	64	1700
B	-	-	MT78-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1610.0	-	X	-

Connector Name 8701A
 Part Number 587567C91
 Instances L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination2
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination2




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	PM78BC	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4370.0	-	63	1700
A	-	-	PJ78BC	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4370.0	-	63	1700
B	-	-	PM78-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2735.0	-	X	-

Connector Name 8701
 Part Number 587567C91
 Instances L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination1
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MT78BC	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4495.0	-	63	1700
A	-	-	MS78BC	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4495.0	-	63	1700
B	-	-	MT78-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2895.0	-	X	-

Connector Name 8702A
 Part Number 587567C91
 Instances L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination4
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination4
 Mates MODU-PS-HOOD-MIRROR-1017-0 6-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	PU78BC	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4720.0	-	63	1700
A	-	-	PR78BC	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4720.0	-	63	1700
B	-	-	PU78-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	3085.0	-	X	-

Connector Name 8702
 Part Number 587567C91
 Instances L9 - Heated Mirrors (Hood with Door Pods):Diagram1-Combination3
 L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors:Diagram1-Combination3



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	PT78BC	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4845.0	-	63	1700
A	-	-	PF78BC	2643678 R1	1.16	16.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4845.0	-	63	1700
B	-	-	PT78-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	3210.0	-	X	-

Connector Name 8800
 Part Number 3551896C1
 Instances B6.7 - Forward Chassis Ground Splice Packs - 8800:Diagram1
 Mates SP-0003-00-10-M0A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MY11-GD	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	1480.0	-	X	-
A	-	-	TC85-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1480.0	-	X	-
A	-	-	NC11-GD	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	580.0	-	X	-
B	-	-	MD64-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1780.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	TM64-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1680.0	-	-	-
B	-	-	TJ64-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1680.0	-	-	-
B	-	-	TG64-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2380.0	-	-	-
B	-	-	TK64-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2280.0	-	-	-
C	-	-	TM64-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2440.0	-	-	-
C	-	-	MD64-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2520.0	-	-	-
C	-	-	TG64-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	3120.0	-	-	-
C	-	-	TK64-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	3040.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	TJ64-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2440.0	-	-	-
D	-	-	MU11-GE	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2005.0	-	-	-
D	-	-	MB54-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1640.0	-	-	-
D	-	-	MJ54-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2005.0	-	-	-
D	-	-	ML11-GE	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2005.0	-	-	-
D	-	-	MC11-GE	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1640.0	-	-	-
D	-	-	MN11-GE	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1640.0	-	-	-
D	-	-	MW11-GE	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2585.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	RB11-GE	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2680.0	-	-	-
D	-	-	NF11-GE	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2950.0	-	-	-
D	-	-	RD11-GE	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2950.0	-	-	-
E	-	-	MB54-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2890.0	-	-	-
E	-	-	MJ54-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2765.0	-	-	-
F	-	-	PF78-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	4255.0	-	-	-
F	-	-	PR78-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	4000.0	-	-	-
F	-	-	PS78-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	3240.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F	-	-	PG78-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2875.0	-	-	-
F	-	-	PJ78-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	3650.0	-	-	-
F	-	-	MS78-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	3905.0	-	-	-

Connector Name 8800
 Part Number 3551896C1
 Instances L9 - Forward Chassis Ground Splice Packs - 8800:Diagram1
 Mates SP-0003-00-10-M0A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TC85-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1480.0	-	X	-
A	-	-	MY11-GD	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	1480.0	-	X	-
B	-	-	MD64-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1780.0	-	-	-
B	-	-	TH64-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1830.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	TG64-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2380.0	-	-	-
B	-	-	TK64-GA	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2280.0	-	-	-
C	-	-	TG64-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	3120.0	-	-	-
C	-	-	TH64-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2590.0	-	-	-
C	-	-	MD64-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2520.0	-	-	-
C	-	-	TK64-GB	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	3040.0	-	-	-
D	-	-	RD11-GE	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2950.0	-	-	-
D	-	-	MJ54-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2005.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	MB54-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1640.0	-	-	-
D	-	-	NF11-GE	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2950.0	-	-	-
D	-	-	MC11-GE	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1640.0	-	-	-
D	-	-	MN11-GE	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1640.0	-	-	-
D	-	-	ML11-GE	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2005.0	-	-	-
D	-	-	MU11-GE	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2005.0	-	-	-
D	-	-	MW11-GE	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2585.0	-	-	-
D	-	-	RB11-GE	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2680.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	PG78-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2875.0	-	-	-
E	-	-	MB54-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2890.0	-	-	-
E	-	-	MJ54-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2765.0	-	-	-
E	-	-	PF78-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	4255.0	-	-	-
E	-	-	MS78-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	3905.0	-	-	-
E	-	-	PS78-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	3240.0	-	-	-
E	-	-	PR78-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	4000.0	-	-	-
E	-	-	PJ78-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	3650.0	-	-	-

Connector Name 8802
 Part Number 3551896C1
 Instances B6.7 - Center Chassis Ground Splice Packs -
 8802/8805/8807/8809:Diagram1
 L9 - Center Chassis Ground Splice Packs -
 8805/8806/8807/8809:Diagram1
 Mates SP-0003-00-10-N0B-8802




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RX9	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1780.0	-	13	1701F
A	-	-	SL9	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2180.0	-	13	1701F
B	-	-	FA9-G	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2485.0	-	-	-
B	-	-	FC9-G	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2255.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	FE9-G	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2445.0	-	-	-
B	-	-	FB9-G	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2405.0	-	-	-
B	-	-	FD9-G	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1765.0	-	-	-
B	-	-	FF9-G	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3110.0	-	-	-
B	-	-	FD9A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1915.0	-	-	-
C	-	-	ZT9-GB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2880.0	-	-	-
C	-	-	ZL9-GB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2505.0	-	-	-
C	-	-	FG9-GB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3725.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	ZP9-GB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2610.0	-	-	-
C	-	-	ZX9-GB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2740.0	-	-	-
C	-	-	PL9-G	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2810.0	-	-	-
C	-	-	ZV9-GB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4835.0	-	-	-
C	-	-	ZP9B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2610.0	-	-	-
C	-	-	ZT9B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2880.0	-	-	-
C	-	-	ZX9B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2740.0	-	-	-
C	-	-	ZV9B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4835.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	PP87H	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1764.0	-	-	-
D	-	-	AK8EB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1640.0	-	-	-
D	-	-	AK9EB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1485.0	-	-	-
F	-	-	MF9F	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2750.0	-	-	-
F	-	-	MG9H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2750.0	-	-	-
F	-	-	RH9F	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2750.0	-	11	9800

Connector Name 8805
 Part Number 3551896C1
 Instances B6.7 - Center Chassis Ground Splice Packs -
 8802/8805/8807/8809:Diagram1
 L9 - Center Chassis Ground Splice Packs -
 8805/8806/8807/8809:Diagram1
 Mates SP-0003-00-10-N0D-8805



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	XM59-G	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	1700.0	-	F	8809
B	-	-	NG59A-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1705.0	-	-	-
B	-	-	NM59A-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1705.0	-	-	-
C	-	-	NZ59X-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2920.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	BU59Z-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2075.0	-	-	-
C	-	-	NU59F-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2570.0	-	-	-
C	-	-	2A59F-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1275.0	-	-	-
C	-	-	BV59Y-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	3720.0	-	-	-
C	-	-	RE59F-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1225.0	-	-	-
C	-	-	NT59S-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2245.0	-	-	-
C	-	-	NS59S-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	3720.0	-	-	-
D	-	-	NW59L-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2670.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	2B59L-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1275.0	-	-	-
E	-	-	NR59R-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	3520.0	-	-	-
E	-	-	NS59R-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3182.0	-	-	-
F	-	-	CZ19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1995.0	-	-	-
F	-	-	XA19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1235.0	-	-	-
F	-	-	CH19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	925.0	-	-	-
F	-	-	XY19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	545.0	-	-	-
F	-	-	PX19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1375.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F	-	-	CX19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1345.0	-	-	-
F	-	-	CS19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	625.0	-	-	-
F	-	-	CE19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1420.0	-	-	-
F	-	-	PU19-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1395.0	-	-	-
F	-	-	CT19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	975.0	-	-	-
F	-	-	CW19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1145.0	-	-	-
F	-	-	CA19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1075.0	-	-	-
F	-	-	CV19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1145.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F	-	-	CU19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	845.0	-	-	-
F	-	-	CG19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1525.0	-	-	-
F	-	-	CD19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1210.0	-	-	-
F	-	-	CB19-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1050.0	-	-	-
F	-	-	CC19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	567.0	-	-	-
F	-	-	CY19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1695.0	-	-	-
F	-	-	CF19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2015.0	-	-	-
F	-	-	CN19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1435.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F	-	-	CP19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	750.0	-	-	-
F	-	-	CR19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1150.0	-	-	-
F	-	-	CJ19A-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	850.0	-	-	-
F	-	-	CK19B-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	995.0	-	-	-
F	-	-	CR19H-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	825.0	-	-	-
F	-	-	CM19F-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	625.0	-	-	-
F	-	-	CL19C-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1695.0	-	-	-
F	-	-	CP19D-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1125.0	-	-	-
F	-	-	CH19E-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	975.0	-	-	-


Connector Name 8806
 Part Number 3551896C1
 Instances L9 - Center Chassis Ground Splice Packs -
 8805/8806/8807/8809:Diagram1
 Mates SP-0003-00-10-N0D-8806



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	UK11-GC	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	455.0	-	E	8807
C	-	-	TM59-GB	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2225.0	-	-	-
C	-	-	UD59-GB	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2225.0	-	-	-
D	-	-	TM59-GD	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1071.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	SJ59-GD	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2145.0	-	-	-
F	-	-	MX59-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	275.0	-	X	-
F	-	-	RP59-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2145.0	-	-	-
F	-	-	MV59-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	275.0	-	X	-
F	-	-	RN59-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	4395.0	-	-	-
F	-	-	UC59-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	4395.0	-	-	-

Connector Name 8807
 Part Number 3551896C1
 Instances B6.7 - Center Chassis Ground Splice Packs -
 8802/8805/8807/8809:Diagram1
 Mates SP-0003-00-10-N0C-8807




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	SL11-GA	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	2430.0	-	1	9717B
B	-	-	SL10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2400.0	-	12	9800
C	-	-	AE39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2350.0	-	-	-
C	-	-	AD39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1455.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	AQ39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2300.0	-	-	-
C	-	-	AR39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1750.0	-	-	-
C	-	-	AJ39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	630.0	-	-	-
C	-	-	AC39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1290.0	-	-	-
C	-	-	AP39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2600.0	-	-	-
D	-	-	AH39-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1310.0	-	-	-
D	-	-	NU39-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3875.0	-	-	-
D	-	-	NN39-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1125.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	BZ39-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2110.0	-	-	-
D	-	-	PS39-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3800.0	-	-	-
D	-	-	NQ39-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2480.0	-	-	-
D	-	-	NK39-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2025.0	-	-	-
E	-	-	UC59-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	4395.0	-	-	-
F	-	-	ND11-GD	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	250.0	-	-	-
F	-	-	PV11-GBB	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	2450.0	-	G	4450AM

Connector Name 8807
 Part Number 3551896C1
 Instances L9 - Center Chassis Ground Splice Packs -
 8805/8806/8807/8809:Diagram1
 Mates SP-0003-00-10-N0C-8807



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	SL11-GA	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	2430.0	-	1	9717B
B	-	-	SL10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2400.0	-	-	-
C	-	-	BA39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	600.0	-	-	-
C	-	-	AS39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1730.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	AC39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1290.0	-	-	-
C	-	-	AJ39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	630.0	-	-	-
C	-	-	PA39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1525.0	-	-	-
C	-	-	AR39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1750.0	-	-	-
C	-	-	NX39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1430.0	-	-	-
C	-	-	AG39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2975.0	-	-	-
C	-	-	AF39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2430.0	-	-	-
C	-	-	AQ39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2300.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	NH39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1080.0	-	-	-
C	-	-	AE39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2350.0	-	-	-
C	-	-	AP39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2600.0	-	-	-
C	-	-	PN39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2125.0	-	-	-
C	-	-	AD39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1455.0	-	-	-
C	-	-	PF39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2475.0	-	-	-
C	-	-	ZN39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2475.0	-	-	-
D	-	-	NK39-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2025.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	BZ39-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2695.0	-	-	-
D	-	-	BB39-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	825.0	-	-	-
D	-	-	NN39-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1125.0	-	-	-
D	-	-	2F39-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2485.0	-	-	-
D	-	-	NP39-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1025.0	-	-	-
D	-	-	BC39-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3250.0	-	-	-
D	-	-	PS39-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3800.0	-	-	-
D	-	-	AH39-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1310.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	NQ39-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2480.0	-	-	-
E	-	-	UK11-GC	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	455.0	-	A	8806
F	-	-	ND11-GD	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	250.0	-	-	-
F	-	-	PV11-GBB	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	2450.0	-	-	-


Connector Name 8809
 Part Number 3551896C1
 Instances B6.7 - Center Chassis Ground Splice Packs -
 8802/8805/8807/8809:Diagram1
 Mates SP-0003-00-10-N0A-8809



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	SL11-GB	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	1710.0	-	1	9717B
C	-	-	RB10-GR	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1850.0	-	-	-
C	-	-	ZE10-GR	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	3020.0	-	-	-
C	-	-	NL10-GS	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	3145.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	YU11-GD	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	265.0	-	X	-
D	-	-	YS112-GD	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2025.0	-	-	-
D	-	-	YM65-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1325.0	-	-	-
E	-	-	RL49-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3120.0	-	9	9800
F	-	-	XM59-G	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	1700.0	-	A	8805

Connector Name 8809
 Part Number 3551896C1
 Instances L9 - Center Chassis Ground Splice Packs -
 8805/8806/8807/8809:Diagram1
 Mates SP-0003-00-10-N0A-8809




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	SL11-GB	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	1710.0	-	1	9717B
C	-	-	ZE10-GR	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	3020.0	-	-	-
C	-	-	RA10-GR	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1850.0	-	-	-
C	-	-	RB10-GR	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1850.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	NT10-GS	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	3145.0	-	-	-
C	-	-	NL10-GS	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	3145.0	-	-	-
D	-	-	YH112-GD	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1125.0	-	-	-
D	-	-	YK11-GD	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	215.0	-	X	-
D	-	-	YN65-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	3145.0	-	-	-
D	-	-	YS112-GD	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2025.0	-	-	-
D	-	-	YT11-GD	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	300.0	-	X	-
D	-	-	YJ11-GD	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	180.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	YU11-GD	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	265.0	-	X	-
D	-	-	YM65-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1325.0	-	-	-
E	-	-	RL49-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3120.0	-	-	-
F	-	-	XM59-G	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	1700.0	-	A	8805

Connector Name 8881
 Part Number 3553404C1
 Instances L9 - CAN Layout:Body Standard J1939 (250Kbps)
 Mates MODU-VDR-2037-XX




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
5	-	-	WIRE728843	-	0.0	-	-	-	0.0	-	E	1028
8	-	-	WIRE728842	-	0.0	-	-	-	0.0	-	H	1028

Connector Name 8998
 Part Number 3553404C1
 Instances L9 - CAN Layout:Body Standard J1939 (250Kbps)
 L9 - CAN Layout:Telematics J1708
 Mates MODU-VDR-2037-XX




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	WIRE722 860	-	0.0	-	-	-	0.0	-	F	1660
5	-	-	WIRE722 859	-	0.0	-	-	-	0.0	-	F	1661
6	-	-	WIRE728 840	-	0.0	-	-	-	0.0	-	H	1028
7	-	-	WIRE728 841	-	0.0	-	-	-	0.0	-	E	1028

Connector Name 9001
 Part Number 1671610C1
 Instances L9 - Drain Valve Heater:Diagram1-Combination1
 Mates HTR-DRAIN_VALVE-3042-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NP39A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3005.0	-	40	1701F
B	-	-	NP39-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1025.0	-	-	-

Connector Name 9002A
 Part Number 1671610C1
 Instances B6.7 - Drain Valve Heater:Diagram1-Combination2
 L9 - Drain Valve Heater:Diagram1-Combination3
 Mates HTR-DRAIN_VALVE-3042-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NU39A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	6255.0	-	40	1701F
A	-	-	2F39A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4465.0	-	40	1701F
B	-	-	NU39-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3875.0	-	-	-
B	-	-	2F39-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2485.0	-	-	-

Connector Name 9002
 Part Number 1671610C1
 Instances B6.7 - Drain Valve Heater:Diagram1-Combination1
 L9 - Drain Valve Heater:Diagram1-Combination2




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NN39A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3105.0	-	40	1701F
B	-	-	NN39-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1125.0	-	-	-

Connector Name 9003
 Part Number 1671610C1
 Instances B6.7 - Drain Valve Heater:Diagram1-Combination3
 L9 - Drain Valve Heater:Diagram1-Combination4




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AH39A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3290.0	-	40	1701F
B	-	-	AH39-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1310.0	-	-	-

Connector Name 9004
 Part Number 1671610C1
 Instances B6.7 - Drain Valve Heater:Diagram1-Combination4




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BZ39A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1885.0	-	40	1701F
B	-	-	BZ39-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2110.0	-	-	-

Connector Name 9005
 Part Number 1671610C1
 Instances L9 - Drain Valve Heater:Diagram1-Combination5




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BB39A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2805.0	-	40	1701F
B	-	-	BB39-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	825.0	-	-	-

Connector Name 9100A
 Part Number 1661778C1
 Instances B6.7 - 26 inch Fuel Tank - Secondary:Diagram1
 Mates SNSR-FUEL_LEVEL-3017-05-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	FD36A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2125.0	-	29	1701F
B	-	-	FD9A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1915.0	-	-	-

Connector Name 9100
 Part Number 1661778C1
 Instances L9 - City Horn (W/ 10PIN CLK & Park Brake):Diagram1-Combination1
 L9 - City Horn (W/ 10PIN CLK):Diagram1-Combination1
 Mates HORN-CITYHORN-1005-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	MR85E	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1930.0	-	21	1700
B	-	-	MY85-GA	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1590.0	-	-	-

Connector Name 9101
 Part Number 1661778C1
 Instances L9 - 26 inch Fuel Tank:Diagram1-Combination1
 L9 - 26 inch Fuel Tank:Diagram1-Combination2
 L9 - 26 inch Fuel Tank:Diagram1-Combination3
 L9 - 26 inch Fuel Tank:Diagram1-Combination4
 L9 - 26 inch Fuel Tank:Diagram1-Combination5
 L9 - 26 inch Fuel Tank:Diagram1-Combination6
 L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination1
 L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination2
 L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination3
 L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination4
 L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination5
 L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination6
 L9 - 26 inch Fuel Tank - Secondary:Diagram1-Combination7
 Mates SNSR-FUEL_LEVEL-3017-05-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ZP36B	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	4240.0	-	27	1701F
A	-	-	ZL36B	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	4135.0	-	27	1701F
A	-	-	ZT36B	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	4510.0	-	27	1701F
A	-	-	FG36B	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	5355.0	-	27	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ZX36B	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	4370.0	-	27	1701F
A	-	-	ZV36B	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	6465.0	-	27	1701F
A	-	-	FC36A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	3885.0	-	29	1701F
A	-	-	FA36A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2495.0	-	29	1701F
A	-	-	PL36A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4440.0	-	29	1701F
A	-	-	FB36A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	4035.0	-	29	1701F
A	-	-	FD36A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2125.0	-	29	1701F
A	-	-	FF36A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4740.0	-	29	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	FE36A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4075.0	-	29	1701F
B	-	-	ZL9-GB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2505.0	-	-	-
B	-	-	ZP9-GB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2610.0	-	-	-
B	-	-	ZV9-GB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4835.0	-	-	-
B	-	-	ZT9-GB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2880.0	-	-	-
B	-	-	FG9-GB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3725.0	-	-	-
B	-	-	ZX9-GB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2740.0	-	-	-
B	-	-	FA9-G	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2485.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	FF9-G	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3110.0	-	-	-
B	-	-	FD9-G	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1765.0	-	-	-
B	-	-	FC9-G	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2255.0	-	-	-
B	-	-	FB9-G	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2405.0	-	-	-
B	-	-	FE9-G	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2445.0	-	-	-
B	-	-	PL9-G	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2810.0	-	-	-

Connector Name 9102C
 Part Number 1661778C1
 Instances B6.7 - 26 inch Fuel Tank:Diagram1-Combination1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ZP36B	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	4240.0	-	27	1701F
B	-	-	ZP9B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2610.0	-	-	-

Connector Name 9102V
 Part Number 1661778C1
 Instances B6.7 - 26 inch Fuel Tank:Diagram1-Combination2
 Mates SNSR-FUEL_LEVEL-3017-05-01




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ZV36B	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	6465.0	-	27	1701F
B	-	-	ZV9B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4835.0	-	-	-

Connector Name 9102X
 Part Number 1661778C1
 Instances B6.7 - 26 inch Fuel Tank:Diagram1-Combination3




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ZX36B	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	4370.0	-	27	1701F
B	-	-	ZX9B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2740.0	-	-	-

Connector Name 9108A
 Part Number 587567C91
 Instances L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-Combination1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CB19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2660.0	-	67	1701F
B	-	-	CB19-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1050.0	-	-	-

Connector Name 9108B
 Part Number 587567C91
 Instances L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-Combination2




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CA19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3535.0	-	67	1701F
B	-	-	CA19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1075.0	-	-	-

Connector Name 9108C
 Part Number 587567C91
 Instances L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-Combination3




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	PX19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2285.0	-	67	1701F
B	-	-	PX19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1375.0	-	-	-

Connector Name 9108D
 Part Number 587567C91
 Instances L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-Combination4




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CD19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3670.0	-	67	1701F
B	-	-	CD19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1210.0	-	-	-

Connector Name 9108E
 Part Number 587567C91
 Instances L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-Combination5




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CE19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4230.0	-	67	1701F
B	-	-	CE19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1420.0	-	-	-

Connector Name 9108F
 Part Number 587567C91
 Instances L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-Combination6




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CF19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4825.0	-	67	1701F
B	-	-	CF19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	2015.0	-	-	-

Connector Name 9108G
 Part Number 587567C91
 Instances L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-Combination7




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	PU19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4205.0	-	67	1701F
B	-	-	PU19-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1395.0	-	-	-

Connector Name 9108H
 Part Number 587567C91
 Instances L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-Combination8




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CN19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3445.0	-	67	1701F
B	-	-	CN19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1435.0	-	-	-

Connector Name 9108J
 Part Number 587567C91
 Instances L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-Combination9




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CG19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3535.0	-	67	1701F
B	-	-	CG19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1525.0	-	-	-

Connector Name 9108K
 Part Number 587567C91
 Instances L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-Combination10




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CR19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3610.0	-	67	1701F
B	-	-	CR19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1150.0	-	-	-

Connector Name 9108L
 Part Number 587567C91
 Instances L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-Combination11




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CT19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3785.0	-	67	1701F
B	-	-	CT19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	975.0	-	-	-

Connector Name 9108M
 Part Number 587567C91
 Instances L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-Combination12




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CV19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3955.0	-	67	1701F
B	-	-	CV19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1145.0	-	-	-

Connector Name 9108N
 Part Number 587567C91
 Instances L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-Combination13




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CX19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4155.0	-	67	1701F
B	-	-	CX19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1345.0	-	-	-

Connector Name 9108P
 Part Number 587567C91
 Instances L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-Combination14




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CZ19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4805.0	-	67	1701F
B	-	-	CZ19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	1995.0	-	-	-

Connector Name 9109
 Part Number 587567C91
 Instances L9 - Fuel Heater (Vehicle Powered)(Davco):Diagram1-Combination15
 Mates DEV-FUEL FILTER ASSY-3036-01-08:A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	CC19	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3377.0	-	67	1701F
B	-	-	CC19-G	3510360 R1	1.16	16.0	Thin Wall XLPE Primary Cable	WHITE	567.0	-	-	-

Connector Name 9200A
 Part Number 1671610C1
 Instances B6.7 - Drain Valve Heater:Diagram1-Combination5
 L9 - Drain Valve Heater:Diagram1-Combination7




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NK39A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4005.0	-	40	1701F
B	-	-	NK39-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2025.0	-	-	-

Connector Name 9200B
 Part Number 1671610C1
 Instances B6.7 - Drain Valve Heater:Diagram1-Combination6
 L9 - Drain Valve Heater:Diagram1-Combination8




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NQ39A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4460.0	-	40	1701F
B	-	-	NQ39-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2480.0	-	-	-

Connector Name 9200C
 Part Number 1671610C1
 Instances B6.7 - Drain Valve Heater:Diagram1-Combination7
 L9 - Drain Valve Heater:Diagram1-Combination9




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	PS39A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5780.0	-	40	1701F
A	-	-	BC39A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5230.0	-	40	1701F
B	-	-	PS39-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3800.0	-	-	-
B	-	-	BC39-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3250.0	-	-	-

Connector Name 9200J
 Part Number 1671610C1
 Instances L9 - Drain Valve Heater:Diagram1-Combination10




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	PS39A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5780.0	-	40	1701F
B	-	-	PS39-GF	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3800.0	-	-	-

Connector Name 9250
 Part Number 3866817C1
 Instances B6.7 - Battery International (4) 12V:Diagram1
 L9 - Battery International (4) 12V:Diagram1
 Mates BTRY-925CCA_1-4005-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	1/0	2645235 R1	49.99	0.0	SGX FLEX 125C	BLACK	210.0	-	-	-


Connector Name 9251
 Part Number 3866817C1
 Instances B6.7 - Battery International (4) 12V:Diagram1
 B6.7 - Cranking (Starter) GEN4 BCM W/O Thermal
 Overcrank:Diagram1
 L9 - Battery International (4) 12V:Diagram1
 L9 - Cranking (Starter) GEN4 BCM W/ Thermal Overcrank -
 External Switch:Diagram1-Combination1
 L9 - Cranking (Starter) GEN4 BCM W/O Thermal
 Overcrank:Diagram1-Combination1
 Mates BTRY-925CCA_1-4005-01-01B



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	14	2645953 R1	18.94	4.0	SGX NFLEX 125	RED	3700.0	-	A	945
1	-	-	1/0	2645235 R1	49.99	0.0	SGX FLEX 125C	BLACK	210.0	-	-	-
1	-	-	14	2645953 R1	18.94	4.0	SGX NFLEX 125	RED	3700.0	-	1	6051
1	-	-	N14KB	3510369 R1	4.81	10.0	Thin Wall XLPE Primary Cable	RED	274.0	-	-	-
A	-	-	14	2645953 R1	18.94	4.0	SGX NFLEX 125	RED	3700.0	-	A	1701
A	-	-	14	2645953 R1	18.94	4.0	SGX NFLEX 125	RED	3700.0	-	A	6305

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	14	2645953 R1	18.94	4.0	SGX NFLEX 125	RED	3700.0	-	A	1201


Connector Name 9256
 Part Number 3866817C1
 Instances B6.7 - Battery International (4) 12V:Diagram1
 L9 - Battery International (4) 12V:Diagram1
 Mates BTRY-925CCA_1-4005-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	N14-G	2643788 R1	4.81	10.0	Std. Wall XLPE Primary Cable	WHITE	230.0	-	-	-
1	-	-	N14-GA	2643788 R1	4.81	10.0	Std. Wall XLPE Primary Cable	WHITE	230.0	-	-	-
1	-	-	N97-GB	2643788 R1	4.81	10.0	Std. Wall XLPE Primary Cable	WHITE	230.0	-	-	-
1	-	-	1/0	2645235 R1	49.99	0.0	SGX FLEX 125C	BLACK	210.0	-	A	9257
1	-	-	14-G	2645235 R1	49.99	0.0	SGX FLEX 125C	BLACK	360.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	N26B	3510333 R1	4.81	10.0	Thin Wall XLPE Primary Cable	TAN	255.0	-	-	-
1	-	-	14-G	2645235 R1	49.99	0.0	SGX FLEX 125C	BLACK	360.0	-	1	6049

Connector Name 9257
 Part Number 3866817C1
 Instances B6.7 - Battery International (4) 12V:Diagram1
 B6.7 - Cranking (Starter) GEN4 BCM W/O Thermal
 Overcrank:Diagram1
 L9 - Battery International (4) 12V:Diagram1
 L9 - Cranking (Starter) GEN4 BCM W/ Thermal Overcrank -
 External Switch:Diagram1-Combination1
 L9 - Cranking (Starter) GEN4 BCM W/O Thermal
 Overcrank:Diagram1-Combination1
 Mates BTRY-925CCA_1-4005-01-01B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	14-G	2645929 R1	18.94	4.0	SGX NFLEX 125	BLACK	4450.0	-	A	1200
A	-	-	1/0	2645235 R1	49.99	0.0	SGX FLEX 125C	BLACK	210.0	-	1	9256
A	-	-	14-G	2645235 R1	49.99	0.0	SGX FLEX 125C	BLACK	360.0	-	1	6049
A	-	-	N14-GD	3510363 R1	4.81	10.0	Thin Wall XLPE Primary Cable	WHITE	230.0	-	-	-
A	-	-	14-G	2645929 R1	18.94	4.0	SGX NFLEX 125	BLACK	4450.0	-	A	6335
A	-	-	14-G	2645929 R1	18.94	4.0	SGX NFLEX 125	BLACK	4450.0	-	A	K03_STARTER_GND

Connector Name 9262F
 Part Number 1669834C1
 Short Description AMMETER CONNECTOR
 Instances B6.7 - Battery International (4) 12V:Diagram1
 B6.7 - Current Monitoring (Ammeter):Diagram1-Combination1
 B6.7 - Current Monitoring (Ammeter):Diagram1-Combination2
 Mates 6332M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	N26B	3510333 R1	4.81	10.0	Thin Wall XLPE Primary Cable	TAN	255.0	-	A	6332M
A	-	-	N26B	3510333 R1	4.81	10.0	Thin Wall XLPE Primary Cable	TAN	255.0	-	A	9262M

Connector Name 9262M
 Part Number 1664531C1
 Short Description BATTERY AMMETER SENSE
 Instances B6.7 - Current Monitoring (Ammeter):Diagram1-Combination1
 B6.7 - Current Monitoring (Ammeter):Diagram1-Combination2
 Mates 6332




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	N26B	3510333 R1	4.81	10.0	Thin Wall XLPE Primary Cable	TAN	255.0	-	A	9262F

Connector Name 9263F
 Part Number 1669834C1
 Short Description 2-WAY RADIO BATT GND
 Instances B6.7 - 2-Way Radio:Diagram1-Combination1
 B6.7 - 2-Way Radio:Diagram1-Combination2
 Mates 9263M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RA14-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	930.0	-	5	4060

Connector Name 9263M
 Part Number 1664531C1
 Short Description 2-WAY RADIO NEGATIVE CONN
 Instances B6.7 - 2-Way Radio:Diagram1-Combination1
 B6.7 - 2-Way Radio:Diagram1-Combination2
 Mates 9263F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	N14-GD	3510363 R1	4.81	10.0	Thin Wall XLPE Primary Cable	WHITE	230.0	-	-	-

Connector Name 9264F
 Part Number 1669834C1
 Short Description 2-WAY RADIO POSITIVE CONN
 Instances B6.7 - 2-Way Radio:Diagram1-Combination1
 B6.7 - 2-Way Radio:Diagram1-Combination2
 L9 - 2-Way Radio:Diagram1-Combination1
 L9 - 2-Way Radio:Diagram1-Combination2
 Mates 9264M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	N14HC	3510369 R1	4.81	10.0	Thin Wall XLPE Primary Cable	RED	225.0	-	2	9265

Connector Name 9264M
 Part Number 1664531C1
 Short Description 2-WAY RADIO BATTERY POWER
 Instances B6.7 - 2-Way Radio:Diagram1-Combination1
 B6.7 - 2-Way Radio:Diagram1-Combination2
 L9 - 2-Way Radio:Diagram1-Combination1
 L9 - 2-Way Radio:Diagram1-Combination2
 Mates 9264F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RA14A	3510368 R1	3.01	12.0	Thin Wall XLPE Primary Cable	RED	2130.0	-	4	4060

Connector Name 9265
 Part Number 3512967C1
 Instances B6.7 - 2-Way Radio:Diagram1-Combination1
 B6.7 - 2-Way Radio:Diagram1-Combination2
 L9 - 2-Way Radio:Diagram1-Combination1
 L9 - 2-Way Radio:Diagram1-Combination2
 Mates CP-2WAY_RADIO_FUSE



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	N14HB	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	210.0	-	-	-
2	-	-	N14HC	3510369 R1	4.81	10.0	Thin Wall XLPE Primary Cable	RED	225.0	-	A	9264F

Connector Name 9303A
 Part Number 1661375C2
 Instances
 B6.7 - Back-Up Alarm (Automatic) W/ Tailboard:Diagram1
 B6.7 - Back-Up Alarm (Automatic) W/O Tailboard:Diagram1
 B6.7 - Back-Up Alarm (Manual) W/ Tailboard:Diagram1
 B6.7 - Back-Up Alarm (Manual) W/O Tailboard:Diagram1
 B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1:Diagram1-Combination1
 B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1:Diagram1-Combination2
 B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2:Diagram1-Combination1
 B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2:Diagram1-Combination2
 B6.7 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1
 B6.7 - Backup Lights (Single Reverse Lights) Eaton/Manual Trans Option 1:Diagram1
 B6.7 - Backup Lights (Single Reverse Lights) Eaton/Manual Trans Option 2:Diagram1
 B6.7 - License Plate Light (Tail Light Single Assy) Option 1:Diagram1
 B6.7 - License Plate Light (Tail Light Single Assy) Option 2:Diagram1
 B6.7 - License Plate Light (Tail Light Single Assy) Option 3:Diagram1
 B6.7 - License Plate Light (Tail Light Single Assy) W/Less Power Module:Diagram1
 B6.7 - Rear Lights Stop - Single Assembly:Diagram1
 L9 - Back-Up Alarm (Automatic) W/O Tailboard:Diagram1
 L9 - Back-Up Alarm (Manual) W/O Tailboard:Diagram1




Mates ALRM-REVERSE-3009-02-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RB71	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2875.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RB71	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2875.0	-	1	9800
B	-	-	RB56	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2875.0	-	2	9800
C	-	-	RB57	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2875.0	-	3	9800
D	-	-	RB68	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2875.0	-	4	9800
E	-	-	RB10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2875.0	-	12	9800

Connector Name 9303A
 Part Number 1661375C2
 Instances

- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination2
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination2
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination2
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination3
- B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination4
- L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
- L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2
- L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
- L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
- L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination1
- L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination2
- L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination1
- L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination2




L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
 Lights:Diagram1-Combination1
 L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
 Lights:Diagram1-Combination2
 L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
 Lights:Diagram1-Combination3
 L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow
 Lights:Diagram1-Combination4

Mates

LT-TAIL-ASSY-1002-01-05A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
B	-	-	RB56	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2875.0	-	2	9800
C	-	-	RB57	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2875.0	-	3	9800
E	-	-	RB10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2875.0	-	12	9800

Connector Name 9303A
 Part Number 1661375C2
 Short Description STOP TAIL AND TURN
 Instances L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-Combination1
 L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-Combination2
 L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination1
 L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination2
 L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination3
 L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination4
 L9 - License Plate Light (LED BOX LAMP Tail Light):Diagram1
 L9 - Rear Light (LED BOX LAMP Tail Light):Diagram1
 L9 - Rear Light (Tail Light):Diagram1
 L9 - Rear Lights Stop - Dual Assembly:Diagram1




Mates 71

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	RB56	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2875.0	-	2	9800
C	-	-	RB57	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2875.0	-	3	9800
D	-	-	RB68	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2875.0	-	4	9800
D	-	-	RB68	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2875.0	-	4	1701F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	RB10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2875.0	-	12	9800

Connector Name 9303D
 Part Number 587574C91
 Short Description STOP TURN AND BACKUP LIGHT
 Instances B6.7 - Backup Lights (Single Reverse Light) Eaton/Manual
 Trans:Diagram1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
F	-	-	AF11-GTL	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2875.0	-	12	9800

Connector Name 9303
 Part Number 1661375C2
 Instances L9 - Back-Up Alarm (Automatic) W/ Tailboard:Diagram1
 L9 - Back-Up Alarm (Manual) W/ Tailboard:Diagram1
 L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option
 1:Diagram1-Combination1
 L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option
 1:Diagram1-Combination2
 L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option
 2:Diagram1-Combination1
 L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option
 2:Diagram1-Combination2
 L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option
 3:Diagram1-Combination1
 L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option
 3:Diagram1-Combination2
 L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans
 Option 1:Diagram1-Combination1
 L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans
 Option 2:Diagram1-Combination1
 L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans
 Option 3:Diagram1-Combination1
 L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans
 Option 4:Diagram1-Combination1
 L9 - License Plate Light (Tail Light Single Assy) Option
 1:Diagram1
 L9 - License Plate Light (Tail Light Single Assy) Option
 2:Diagram1
 L9 - License Plate Light (Tail Light Single Assy) Option
 3:Diagram1
 L9 - License Plate Light (Tail Light Single Assy) Option
 4:Diagram1
 L9 - Rear Lights Stop - Single Assembly:Diagram1
 Mates LT-TAIL ASSY-1002-01-04




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RB71	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2875.0	-	1	9800
B	-	-	RB57	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2875.0	-	3	9800
C	-	-	RB56	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2875.0	-	2	9800
D	-	-	RB68	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2875.0	-	4	9800
E	-	-	RB10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2875.0	-	12	9800

Connector Name 945
 Part Number 3866817C1
 Instances B6.7 - Battery International (4) 12V:Diagram1
 B6.7 - Delco Remy 28SI Alternator W/Sensor:Diagram1
 Delco Remy 28SI Alternator W/Sensor:Diagram1
 L9 - Battery International (4) 12V:Diagram1
 L9 - Delco Remy 36SI Alternator W/Sensor:Diagram1
 L9 - Leece-Neville - LN 325A Alternator W/Sensor:Diagram1
 L9 - Leece-Neville AVI160-210A/240A Alternator W/
 Sensor:Diagram1
 Mates BTRY-925CCA_1-4005-01-01D




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	JS1B	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	220.0	-	A	1F
A	-	-	14	2645953 R1	18.94	4.0	SGX NFLEX 125	RED	3700.0	-	1	9251
A	-	-	7B	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	250.0	-	-	-
A	-	-	14	2645953 R1	18.94	4.0	SGX NFLEX 125	RED	3700.0	-	-	-

Connector Name 9501
 Part Number 1684261C1
 Instances L9 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1
 Mates SNSR-WS-3003-01-03B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	RC94A	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	965.0	-	13	9800
2	-	-	RC94B	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	965.0	-	14	9800

Connector Name 9501
 Part Number 3539777C1
 Instances B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1-Combination1
 B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1-Combination2
 B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1-Combination3
 Mates SNSR-WS-3003-01-03B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	RC94A	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	965.0	-	13	9800
2	-	-	RC94B	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	965.0	-	14	9800

Connector Name 9502
 Part Number 1686834C1
 Instances B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1-Combination1
 B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1-Combination2
 B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1-Combination3
 L9 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1
 Mates MDL-ABS-3003-01-03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RC94E	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	965.0	-	17	9800
B	-	-	RC94F	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	965.0	-	18	9800
C	-	-	RC94H	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	965.0	-	19	9800

Connector Name 9503
 Part Number 1684261C1
 Instances L9 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1
 Mates SNSR-WS-3003-01-03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	RC94C	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	1500.0	-	15	9800
2	-	-	RC94D	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	1500.0	-	16	9800

Connector Name 9503
 Part Number 3539777C1
 Instances B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1-Combination1
 B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1-Combination2
 B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1-Combination3
 Mates SNSR-WS-3003-01-03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	RC94C	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	1500.0	-	15	9800
2	-	-	RC94D	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	1500.0	-	16	9800

Connector Name 9504
 Part Number 1686834C1
 Instances B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1-Combination1
 B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1-Combination2
 B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1-Combination3
 L9 - Antilock Brake System (ABS) BENDIX 4 Channel
 Implementation:Diagram1
 Mates MDL-ABS-3003-01-03B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RC94J	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	VIOLET	1400.0	-	20	9800
B	-	-	RC94K	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1400.0	-	21	9800
C	-	-	RC94L	3510342 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	1400.0	-	22	9800

Connector Name 9510B
 Part Number 1678137C1
 Instances L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven
 Lamp:Diagram1-Combination1
 L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven
 Lamp:Diagram1-Combination2
 Mates SNSR-SUSPENSION_PT-3026-01 -03A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TD94SZC	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1935.0	-	A	9510M
B	-	-	TD94SH	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1935.0	-	C	9510M
C	-	-	TD94SVC	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1935.0	-	B	9510M

Connector Name 9510M
 Part Number 1667741C1
 Short Description RSP TRANSDUCER
 Instances L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven Lamp:Diagram1-Combination1
 L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven Lamp:Diagram1-Combination2
 Mates 9510




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TD94SZC	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1935.0	-	A	9510B
B	-	-	TD94SVC	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1935.0	-	C	9510B
C	-	-	TD94SH	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	1935.0	-	B	9510B

Connector Name 9510
 Part Number 1667740C1
 Short Description RSP TRANSDUCER
 Instances L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven Lamp:Diagram1-Combination1
 L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven Lamp:Diagram1-Combination2
 Mates 9510M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WA94SZC	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4540.0	-	10	9524
B	-	-	WA94SVC	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4540.0	-	11	9524
C	-	-	WA94SH	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4540.0	-	12	9524

Connector Name 9512
 Part Number 3678796C1
 Instances
 B6.7 - Traction Control (Bendix):Diagram1-Combination1
 B6.7 - Traction Control (Bendix):Diagram1-Combination2
 L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven Lamp:Diagram1-Combination1
 L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven Lamp:Diagram1-Combination2
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination1
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination2
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination3
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination4




Mates SOL-TCV_BENDIX-3026-01-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	WA94SJ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1695.0	-	5	9524
1	-	-	RD94BE	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	410.0	-	24	9800
1	-	-	UD94BE	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	1865.0	-	24	9800
1	-	-	VT94SJ	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1660.0	-	49	1701F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	WA94SK	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1695.0	-	6	9524
2	-	-	RD94BD	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	410.0	-	23	9800
2	-	-	UD94BD	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1865.0	-	23	9800
2	-	-	VT94SK	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1660.0	-	69	1701F

Connector Name 9513
 Part Number 1686834C1
 Instances L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven
 Lamp:Diagram1-Combination1
 L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven
 Lamp:Diagram1-Combination2
 Mates MDL-TRAILER-3026-01-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	WA94SM	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1845.0	-	7	9524
B	-	-	WA94SN	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1845.0	-	8	9524
C	-	-	WA94SL	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1845.0	-	9	9524

Connector Name 9514D/9514F
 Part Number 3601685C1
 Instances L9 - CAN Layout:ABS Proprietary J1939




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	WIRE239188	-	0.0	-	-	-	0.0	-	54	1701F
2	-	-	WIRE239189	-	0.0	-	-	-	0.0	-	55	1701F
3	-	-	WIRE239190	-	0.0	-	-	-	0.0	-	56	1701F
4	-	-	WIRE239191	-	0.0	-	-	-	0.0	-	57	1701F

Connector Name 9514D
 Part Number 3601685C1
 Instances B6.7 - CAN Layout:ABS Proprietary J1939
 L9 - Stability Control (Bendix Straight Truck J1939 Driven
 Lamp):Diagram1-Combination3
 Mates SNSR-YAW_RATE-3026-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	WIRE239188	-	0.0	-	-	-	0.0	-	54	1701F
1	-	-	TA94SAB	2643673R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2985.0	-	54	1701F
2	-	-	WIRE239189	-	0.0	-	-	-	0.0	-	55	1701F
2	-	-	TA94SCB	2643673R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2985.0	-	55	1701F
3	-	-	WIRE239190	-	0.0	-	-	-	0.0	-	56	1701F
3	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	WIRE239191	-	0.0	-	-	-	0.0	-	57	1701F
4	-	-	-	-	-	-	-	-	-	-	-	-

Connector Name 9514F
 Part Number 3601685C1
 Instances L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination4




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	TG94SAB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4555.0	-	54	1701F
2	-	-	TG94SCB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4555.0	-	55	1701F

Connector Name 9514H
 Part Number 3601685C1
 Instances L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven
 Lamp:Diagram1-Combination2
 L9 - Stability Control (Bendix Straight Truck J1939 Driven
 Lamp):Diagram1-Combination2
 Mates SNSR-YAW_RATE-3026-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	WC94SAB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4615.0	-	1	9524
2	-	-	WC94SCB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4615.0	-	2	9524
3	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-

Connector Name 9514/9514H
 Part Number 3601685C1
 Instances L9 - CAN Layout:ABS Proprietary J1939
 Mates SNSR-YAW_RATE-3026-01-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	WIRE239174	-	0.0	-	-	-	0.0	-	1	9524
2	-	-	WIRE239175	-	0.0	-	-	-	0.0	-	3	9524
3	-	-	WIRE239172	-	0.0	-	-	-	0.0	-	2	9524
4	-	-	WIRE239173	-	0.0	-	-	-	0.0	-	4	9524

Connector Name 9514
 Part Number 3601685C1
 Instances L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven
 Lamp:Diagram1-Combination1
 L9 - Stability Control (Bendix Straight Truck J1939 Driven
 Lamp):Diagram1-Combination1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	WG94SAB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3045.0	-	1	9524
2	-	-	WG94SCB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3045.0	-	2	9524
3	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-

Connector Name 9524
 Part Number 3549412C1
 Instances L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven Lamp:Diagram1-Combination1
 L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven Lamp:Diagram1-Combination2
 L9 - CAN Layout:ABS Proprietary J1939
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination1
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination2
 Mates 9524




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	ND94SAB	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	50	1700
1	-	-	TV94SAB	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	50	1700
1	-	-	WIRE239 169	-	0.0	-	-	-	0.0	-	50	1700
2	-	-	ND94SCB	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	60	1700
2	-	-	TV94SCB	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	60	1700

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	WIRE239171	-	0.0	-	-	-	0.0	-	60	1700
3	-	-	WIRE239168	-	0.0	-	-	-	0.0	-	42	1700
4	-	-	WIRE239170	-	0.0	-	-	-	0.0	-	51	1700
5	-	-	TV94SJ	2643680R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	69	1700
5	-	-	ND94SJ	2643680R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	69	1700
6	-	-	TV94SK	2643680R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	70	1700
6	-	-	ND94SK	2643680R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	70	1700
7	-	-	TV94SM	2643680R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	71	1700
7	-	-	ND94SM	2643680R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	71	1700
8	-	-	TV94SN	2643680R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	72	1700

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
8	-	-	ND94SN	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	72	1700
9	-	-	ND94SL	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	73	1700
9	-	-	TV94SL	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	73	1700
10	-	-	ND94SZC	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	74	1700
11	-	-	ND94SVC	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	75	1700
12	-	-	ND94SH	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	250.0	-	76	1700

Connector Name 9524
 Part Number 3576268C1
 Instances L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven Lamp:Diagram1-Combination1
 L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven Lamp:Diagram1-Combination2
 L9 - CAN Layout:ABS Proprietary J1939
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination1
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination2
 Mates 9524




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	WG94SAB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3045.0	-	1	9514
1	-	-	WC94SAB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4615.0	-	1	9514H
1	-	-	WIRE239 174	-	0.0	-	-	-	0.0	-	1	9514/9514H
2	-	-	WC94SCB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4615.0	-	2	9514H
2	-	-	WG94SCB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	3045.0	-	2	9514

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
2	-	-	WIRE239 172	-	0.0	-	-	-	0.0	-	3	9514/95 14H
3	-	-	WIRE239 175	-	0.0	-	-	-	0.0	-	2	9514/95 14H
4	-	-	WIRE239 173	-	0.0	-	-	-	0.0	-	4	9514/95 14H
5	-	-	WA94SJ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1695.0	-	1	9512
6	-	-	WA94SK	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1695.0	-	2	9512
7	-	-	WA94SM	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1845.0	-	A	9513
8	-	-	WA94SN	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1845.0	-	B	9513
9	-	-	WA94SL	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1845.0	-	C	9513
10	-	-	WA94SZC	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4540.0	-	A	9510
11	-	-	WA94SVC	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4540.0	-	B	9510

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
12	-	-	WA94SH	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4540.0	-	C	9510

Connector Name 9531F
 Part Number 6112506C1
 Short Description BENDIX 6S/6M CONNECTOR

Instances
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination1
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination2
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination3
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination4
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination5
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination6
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination7
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination8
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination9




Mates 9531M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	TF94BP	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	330.0	-	24	1700
2	-	-	TF94BY	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	330.0	-	37	1700
3	-	-	TF94BZ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	330.0	-	38	1700

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	TF94BT	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	330.0	-	39	1700
5	-	-	TF94BU	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	330.0	-	40	1700
6	-	-	TF94BS	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	330.0	-	41	1700
7	-	-	TF94BR	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	330.0	-	45	1700
8	-	-	TF94BQ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	330.0	-	46	1700
9	-	-	TF94BW	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	330.0	-	48	1700
10	-	-	TF94BV	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	330.0	-	49	1700

Connector Name 9531M
 Part Number 3690369C1
 Short Description BENDIX 6S/6M ABS CONNECTOR
 Instances L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination1
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination2
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination3
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination4
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination5
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination6
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination7
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination8
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination9




Mates 9531F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AA94BP	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4455.0	-	1	9532F
2	-	-	AA94BY	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4455.0	-	2	9532F
3	-	-	AA94BZ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4455.0	-	3	9532F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	AA94BT	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4455.0	-	4	9532F
5	-	-	AA94BU	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4455.0	-	5	9532F
6	-	-	AA94BS	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4455.0	-	6	9532F
7	-	-	AA94BR	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4455.0	-	7	9532F
8	-	-	AA94BQ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4455.0	-	8	9532F
9	-	-	AA94BW	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4455.0	-	9	9532F
10	-	-	AA94BV	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4455.0	-	10	9532F

Connector Name 9532F
 Part Number 6112506C1
 Short Description BENDIX 6 CHANNEL ABS CONNECTOR
 Instances L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination1
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination2
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination3
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination4
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination5
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination6
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination7
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination8
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination9



Mates 9532M


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AA94BP	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4455.0	-	1	9531M
2	-	-	AA94BY	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4455.0	-	2	9531M
3	-	-	AA94BZ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4455.0	-	3	9531M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	AA94BT	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4455.0	-	4	9531M
5	-	-	AA94BU	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4455.0	-	5	9531M
6	-	-	AA94BS	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4455.0	-	6	9531M
7	-	-	AA94BR	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4455.0	-	7	9531M
7	-	-	UG94A	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1325.0	-	-	-
8	-	-	AA94BQ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4455.0	-	8	9531M
8	-	-	UG94B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1325.0	-	-	-
9	-	-	AA94BW	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4455.0	-	9	9531M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
9	-	-	UG94F	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2060.0	-	-	-
10	-	-	AA94BV	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4455.0	-	10	9531M
10	-	-	UG94G	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2060.0	-	-	-

Connector Name 9532M
 Part Number 3690369C1
 Short Description BENDIX 6S/6M

Instances
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination1
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination2
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination3
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination4
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination5
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination6
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination7
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination8
 L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination9



Mates 9532F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	UG94C	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1365.0	-	C	9548
1	-	-	UL94C	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1715.0	-	C	9558
1	-	-	UP94C	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1450.0	-	C	9548A


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	UG94D	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1365.0	-	B	9548
2	-	-	UL94D	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1715.0	-	B	9558
2	-	-	UP94D	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1450.0	-	B	9548A
3	-	-	UG94E	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1365.0	-	A	9548
3	-	-	UL94E	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1715.0	-	A	9558
3	-	-	UP94E	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1450.0	-	A	9548A
4	-	-	UG94K	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1910.0	-	B	9550
4	-	-	UL94K	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2440.0	-	B	9561

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
4	-	-	UP94K	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2325.0	-	B	9550A
5	-	-	UG94H	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1910.0	-	C	9550
5	-	-	UL94H	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2440.0	-	C	9561
5	-	-	UP94H	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2325.0	-	C	9550A
6	-	-	UG94L	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1910.0	-	A	9550
6	-	-	UL94L	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2440.0	-	A	9561
6	-	-	UP94L	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2325.0	-	A	9550A
7	-	-	AA94BR	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4455.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
7	-	-	UG94A	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1325.0	-	1	9549
7	-	-	UL94A	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1815.0	-	1	9559
7	-	-	UP94A	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1490.0	-	1	9549A
8	-	-	AA94BQ	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4455.0	-	-	-
8	-	-	UG94B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1325.0	-	2	9549
8	-	-	UL94B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1815.0	-	2	9559
8	-	-	UP94B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1490.0	-	2	9549A
9	-	-	AA94BW	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4455.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
9	-	-	UG94F	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2060.0	-	1	9551
9	-	-	UL94F	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2415.0	-	1	9560
9	-	-	UP94F	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2335.0	-	1	9551A
10	-	-	AA94BV	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4455.0	-	-	-
10	-	-	UG94G	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2060.0	-	2	9551
10	-	-	UL94G	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2415.0	-	2	9560
10	-	-	UP94G	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2335.0	-	2	9551A

Connector Name 9540A
 Part Number 3539777C1
 Instances L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination3
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination6
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination9




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	UP94R	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1560.0	-	13	9800
2	-	-	UP94S	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	1560.0	-	14	9800

Connector Name 9540
 Part Number 3539777C1
 Instances L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination1
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination4
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination7
 Mates SNSR-WS-3003-01-04D




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	UG94R	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1860.0	-	13	9800
2	-	-	UG94S	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	1860.0	-	14	9800

Connector Name 9541A
 Part Number 1686834C1
 Instances L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination3
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination6
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination9




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	UP94M	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	1640.0	-	17	9800
B	-	-	UP94N	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	1640.0	-	18	9800
C	-	-	UP94P	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1640.0	-	19	9800

Connector Name 9541
 Part Number 1686834C1
 Instances L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination1
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination4
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination7
 Mates MDL-ABS-3003-01-04C




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	UG94M	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	1660.0	-	17	9800
B	-	-	UG94N	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	1660.0	-	18	9800
C	-	-	UG94P	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1660.0	-	19	9800

Connector Name 9542A
 Part Number 3539777C1
 Instances L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination3
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination6
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination9




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	UP94W	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	3385.0	-	15	9800
2	-	-	UP94X	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	3385.0	-	16	9800

Connector Name 9542
 Part Number 3539777C1
 Instances L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination1
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination4
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination7
 Mates SNSR-WS-3003-01-04A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	UG94W	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	2910.0	-	15	9800
2	-	-	UG94X	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	2910.0	-	16	9800

Connector Name 9543A
 Part Number 1686834C1
 Instances L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination3
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination6
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination9




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	UP94T	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	VIOLET	3330.0	-	20	9800
B	-	-	UP94U	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3330.0	-	21	9800
C	-	-	UP94V	3510342 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	3330.0	-	22	9800

Connector Name 9543
 Part Number 1686834C1
 Instances L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination1
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination4
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination7
 Mates MDL-ABS-3003-01-04D




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	UG94T	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	VIOLET	2860.0	-	20	9800
B	-	-	UG94U	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2860.0	-	21	9800
C	-	-	UG94V	3510342 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2860.0	-	22	9800

Connector Name 9548A
 Part Number 1686834C1
 Instances L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination3
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination6
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination9




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	UP94E	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1450.0	-	3	9532M
B	-	-	UP94D	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1450.0	-	2	9532M
C	-	-	UP94C	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1450.0	-	1	9532M

Connector Name 9548
 Part Number 1686834C1
 Instances L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination1
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination4
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination7
 Mates MDL-ABS-3003-01-06A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	UG94E	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1365.0	-	3	9532M
B	-	-	UG94D	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1365.0	-	2	9532M
C	-	-	UG94C	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1365.0	-	1	9532M

Connector Name 9549A
 Part Number 3539777C1
 Instances L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination3
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination6
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination9




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	UP94A	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1490.0	-	7	9532M
2	-	-	UP94B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1490.0	-	8	9532M

Connector Name 9549
 Part Number 3539777C1
 Instances L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination1
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination4
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination7
 Mates SNSR-WS-3003-01-06A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	UG94A	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1325.0	-	7	9532M
2	-	-	UG94B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1325.0	-	8	9532M

Connector Name 9550A
 Part Number 1686834C1
 Instances L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination3
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination6
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination9




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	UP94L	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2325.0	-	6	9532M
B	-	-	UP94K	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2325.0	-	4	9532M
C	-	-	UP94H	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2325.0	-	5	9532M

Connector Name 9550
 Part Number 1686834C1
 Instances L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination1
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination4
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination7
 Mates MDL-ABS-3003-01-06B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	UG94L	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1910.0	-	6	9532M
B	-	-	UG94K	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1910.0	-	4	9532M
C	-	-	UG94H	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1910.0	-	5	9532M

Connector Name 9551A
 Part Number 3539777C1
 Instances L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination3
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination6
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination9




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	UP94F	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2335.0	-	9	9532M
2	-	-	UP94G	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2335.0	-	10	9532M

Connector Name 9551
 Part Number 3539777C1
 Instances L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination1
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination4
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination7
 Mates SNSR-WS-3003-01-06B




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	UG94F	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2060.0	-	9	9532M
2	-	-	UG94G	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2060.0	-	10	9532M

Connector Name 9556
 Part Number 1686834C1
 Instances L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination2
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination5
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination8




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	UL94M	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	1310.0	-	17	9800
B	-	-	UL94N	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	1310.0	-	18	9800
C	-	-	UL94P	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1310.0	-	19	9800

Connector Name 9557
 Part Number 3539777C1
 Instances L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination2
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination5
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination8




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	UL94R	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1410.0	-	13	9800
2	-	-	UL94S	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	1410.0	-	14	9800

Connector Name 9558
 Part Number 1686834C1
 Instances L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination2
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination5
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination8




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	UL94E	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1715.0	-	3	9532M
B	-	-	UL94D	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1715.0	-	2	9532M
C	-	-	UL94C	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1715.0	-	1	9532M

Connector Name 9559
 Part Number 3539777C1
 Instances L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination2
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination5
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination8




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	UL94A	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1815.0	-	7	9532M
2	-	-	UL94B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1815.0	-	8	9532M

Connector Name 9560
 Part Number 3539777C1
 Instances L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination2
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination5
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination8




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	UL94F	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2415.0	-	9	9532M
2	-	-	UL94G	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2415.0	-	10	9532M

Connector Name 9561
 Part Number 1686834C1
 Instances L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination2
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination5
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination8




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	UL94L	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2440.0	-	6	9532M
B	-	-	UL94K	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2440.0	-	4	9532M
C	-	-	UL94H	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2440.0	-	5	9532M

Connector Name 9562
 Part Number 1686834C1
 Instances L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination2
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination5
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination8




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	UL94T	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	VIOLET	2615.0	-	20	9800
B	-	-	UL94U	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2615.0	-	21	9800
C	-	-	UL94V	3510342 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2615.0	-	22	9800

Connector Name 9563
 Part Number 3539777C1
 Instances L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination2
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination5
 L9 - Antilock Brake System (ABS) Bendix 6 Channel
 Implementation:Diagram1-Combination8



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	UL94W	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	2865.0	-	15	9800
2	-	-	UL94X	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	2865.0	-	16	9800

Connector Name 9715F
 Part Number 1667732C1
 Short Description TRAILER SOCKET 1
 Instances
 B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 1:Diagram1-Combination1
 B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 2:Diagram1-Combination1
 L9 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 1:Diagram1
 L9 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 2:Diagram1
 L9 - TEM Electric Trailer Brake Controller Activated Stop LT:Diagram1
 L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option 1:Diagram1-Combination1
 L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option 2:Diagram1




Mates 9715

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RG70	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	2306.0	-	F	9724
A	-	-	TW70	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	2306.0	-	F	9724A
A	-	-	TW70	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	2306.0	-	E	9724A
A	-	-	RG70	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	2306.0	-	E	9724

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	RG68	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2306.0	-	E	9724
B	-	-	TW68	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2306.0	-	E	9724A
B	-	-	TW68	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2306.0	-	F	9724A
B	-	-	RG68	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2306.0	-	F	9724
C	-	-	TW94	2643784 R1	4.81	10.0	Std. Wall XLPE Primary Cable	GREY	2306.0	-	G	9724A

Connector Name 9715
 Part Number 1667733C1
 Short Description TRAILER SOCKET 1
 Instances
 B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 1:Diagram1-Combination1
 B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 2:Diagram1-Combination1
 L9 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 1:Diagram1
 L9 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 2:Diagram1
 L9 - TEM Electric Trailer Brake Controller Activated Stop LT:Diagram1
 L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option 1:Diagram1-Combination1
 L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option 2:Diagram1




Mates 9715F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NE70F	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	2700.0	-	X	-
A	-	-	NC70T	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	4455.0	-	9	1701F
B	-	-	NC68T	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	4455.0	-	8	1701F
B	-	-	NE68F	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2650.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	NC94T	2643784 R1	4.81	10.0	Std. Wall XLPE Primary Cable	GREY	4455.0	-	10	1701F


Connector Name 9716M1
 Part Number 1667733C1
 Short Description TRAILER SOCKET 2
 Instances L9 - Body Builder Lighting - Separate Turn and Stop Lamps
 (Blunt Cut) Option 1:Diagram1
 L9 - Body Builder Lighting - Separate Turn and Stop Lamps
 (Blunt Cut) Option 2:Diagram1
 Mates 9716



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RG58	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2331.0	-	D	9724
A	-	-	TW58	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2331.0	-	D	9724A
B	-	-	RG56	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	2331.0	-	B	9724
B	-	-	TW56	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	2331.0	-	B	9724A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	RG57	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2331.0	-	C	9724
C	-	-	TW57	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2331.0	-	C	9724A


Connector Name 9716M1
 Part Number 1667733C1
 Short Description TRAILER SOCKET 2
 Instances L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option 1:Diagram1-Combination1
 L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option 2:Diagram1
 Mates 9716



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RG58	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2331.0	-	D	9724
A	-	-	TW58	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2331.0	-	D	9724A
B	-	-	RG56	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	2331.0	-	B	9724
B	-	-	TW56	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	2331.0	-	B	9724A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	RG57	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2331.0	-	C	9724
C	-	-	TW57	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2331.0	-	C	9724A


Connector Name 9716M
 Part Number 1667733C1
 Short Description TRAILER SOCKET 2
 Instances B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps
 (Blunt Cut) Option 1:Diagram1-Combination1
 B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps
 (Blunt Cut) Option 2:Diagram1-Combination1
 Mates 9716



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TW58	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2331.0	-	B	9724A
A	-	-	RG58	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2331.0	-	B	9724
B	-	-	TW56	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	2331.0	-	C	9724A
B	-	-	RG56	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	2331.0	-	C	9724


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	TW57	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2331.0	-	D	9724A
C	-	-	RG57	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2331.0	-	D	9724

Connector Name 9716
 Part Number 1667732C1
 Short Description TRAILER SOCKET 2
 Instances B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps
 (Blunt Cut) Option 1:Diagram1-Combination1
 B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps
 (Blunt Cut) Option 2:Diagram1-Combination1
 Mates 9716M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NC54T	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	4430.0	-	7	1701F
B	-	-	NC56T	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	4430.0	-	5	1701F
C	-	-	NC57T	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4430.0	-	6	1701F


Connector Name 9716
 Part Number 1667732C1
 Short Description TRAILER SOCKET 2
 Instances L9 - Body Builder Lighting - Separate Turn and Stop Lamps
 (Blunt Cut) Option 1:Diagram1
 L9 - Body Builder Lighting - Separate Turn and Stop Lamps
 (Blunt Cut) Option 2:Diagram1
 Mates 9716M1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NE54F	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2575.0	-	X	-
A	-	-	NC54T	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	4430.0	-	7	1701F
B	-	-	NE56F	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	2510.0	-	X	-
B	-	-	NC56T	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	4430.0	-	5	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	NE57F	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2450.0	-	X	-
C	-	-	NC57T	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4430.0	-	6	1701F


Connector Name 9716
 Part Number 1667732C1
 Short Description TRAILER SOCKET 2
 Instances L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option 1:Diagram1-Combination1
 L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option 2:Diagram1
 Mates 9716M1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NE54F	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2575.0	-	X	-
A	-	-	NC54T	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	4430.0	-	7	1701F
B	-	-	NE56F	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	2510.0	-	X	-
B	-	-	NC56T	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	4430.0	-	5	1701F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	NE57F	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2450.0	-	X	-
C	-	-	NC57T	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	4430.0	-	6	1701F

Connector Name 9717F1
 Part Number 3537133C1
 Short Description TRAILER GROUND
 Instances B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps
 (Blunt Cut) Option 1:Diagram1-Combination1
 L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric
 Trailer Brakes) Option 2:Diagram1
 Mates 9717_




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TW10	2643789 R1	7.48	8.0	Std. Wall XLPE Primary Cable	WHITE	2356.0	-	A	9724A

Connector Name 9717F
 Part Number 3517817C1
 Short Description TRAILER GROUND
 Instances
 B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps
 (Blunt Cut) Option 2:Diagram1-Combination1
 L9 - Body Builder Lighting - Separate Turn and Stop Lamps
 (Blunt Cut) Option 1:Diagram1
 L9 - Body Builder Lighting - Separate Turn and Stop Lamps
 (Blunt Cut) Option 2:Diagram1
 L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric
 Trailer Brakes) Option 1:Diagram1-Combination1
 Mates 9717




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RG10	2643789 R1	7.48	8.0	Std. Wall XLPE Primary Cable	WHITE	2356.0	-	A	9724
A	-	-	TW10	2643789 R1	7.48	8.0	Std. Wall XLPE Primary Cable	WHITE	2356.0	-	A	9724A

Connector Name 9717
 Part Number 3700151C1
 Short Description TRAILER GROUND 2
 Instances
 B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 2:Diagram1-Combination1
 L9 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 1:Diagram1
 L9 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 2:Diagram1
 L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option 1:Diagram1-Combination1
 Mates 9717F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NE10F	2643789 R1	7.48	8.0	Std. Wall XLPE Primary Cable	WHITE	2400.0	-	-	-
A	-	-	NC10D-G	2643789 R1	7.48	8.0	Std. Wall XLPE Primary Cable	WHITE	5180.0	-	-	-
A	-	-	NC10D	2643789 R1	7.48	8.0	Std. Wall XLPE Primary Cable	WHITE	4780.0	-	-	-

Connector Name 9717_
 Part Number 3700151C1
 Instances B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 1:Diagram1-Combination1
 L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option 2:Diagram1
 Mates 9717F1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NE10F	2643789 R1	7.48	8.0	Std. Wall XLPE Primary Cable	WHITE	2400.0	-	-	-
A	-	-	NC10D	2643789 R1	7.48	8.0	Std. Wall XLPE Primary Cable	WHITE	4780.0	-	-	-
A	-	-	NC10D-G	2643789 R1	7.48	8.0	Std. Wall XLPE Primary Cable	WHITE	5180.0	-	-	-

Connector Name 9719
 Part Number 3543888C1
 Short Description WORK LIGHT
 Instances
 B6.7 - WORK LIGHT 1 BULB:Diagram1
 L9 - WORK LIGHT 1 BULB:Diagram1-Combination1
 L9 - WORK LIGHT 1 BULB:Diagram1-Combination2
 L9 - WORK LIGHT W BackUP 1 BULB Option 1:Diagram1-Combination1
 L9 - WORK LIGHT W BackUP 1 BULB Option 1:Diagram1-Combination2
 L9 - WORK LIGHT W BackUP 1 BULB Option 2:Diagram1-Combination1
 L9 - WORK LIGHT W BackUP 1 BULB Option 2:Diagram1-Combination2
 L9 - WORK LIGHT W RKE 1 BULB:Diagram1-Combination1
 L9 - WORK LIGHT W RKE 1 BULB:Diagram1-Combination2
 L9 - Work Lights LED W/ Sw Pack - Day Cab:Diagram1-Combination1
 L9 - Work Lights LED W/ Sw Pack - Day Cab:Diagram1-Combination2




Mates 9767

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	J65	-	1.16	16.0	Std. Wall XLPE Primary Cable	BLACK	2800.0	-	A	9720
A	-	-	J65	-	1.16	16.0	Std. Wall XLPE Primary Cable	BLACK	2800.0	-	-	-
A	-	-	J65	-	1.16	16.0	Std. Wall XLPE Primary Cable	BLACK	2800.0	-	A	9720A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	J11-GK	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2800.0	-	B	9720
B	-	-	J11-GK	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2800.0	-	-	-
B	-	-	J11-GK	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2800.0	-	B	9720A


Connector Name 9720A
 Part Number 3543888C1
 Instances L9 - WORK LIGHT 1 BULB:Diagram1-Combination1
 L9 - WORK LIGHT W BackUP 1 BULB Option 2:Diagram1-Combination1
 L9 - WORK LIGHT W RKE 1 BULB:Diagram1-Combination2
 L9 - Work Lights LED W/ Sw Pack - Day Cab:Diagram1-Combination2
 Mates LT-LED-WORK_DAY-1032-01-05A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	J65	-	1.16	16.0	Std. Wall XLPE Primary Cable	BLACK	2800.0	-	-	-
A	-	-	J65	-	1.16	16.0	Std. Wall XLPE Primary Cable	BLACK	2800.0	-	A	9720
A	-	-	J65	-	1.16	16.0	Std. Wall XLPE Primary Cable	BLACK	2800.0	-	A	9719
B	-	-	J11-GK	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2800.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	J11-GK	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2800.0	-	B	9720
B	-	-	J11-GK	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2800.0	-	B	9719

Connector Name 9720
 Part Number 3543888C1
 Instances B6.7 - WORK LIGHT 1 BULB:Diagram1
 L9 - WORK LIGHT 1 BULB:Diagram1-Combination2
 L9 - WORK LIGHT W BackUP 1 BULB Option 1:Diagram1-Combination1
 L9 - WORK LIGHT W BackUP 1 BULB Option 1:Diagram1-Combination2
 L9 - WORK LIGHT W BackUP 1 BULB Option 2:Diagram1-Combination2
 L9 - WORK LIGHT W RKE 1 BULB:Diagram1-Combination1
 L9 - Work Lights LED W/ Sw Pack - Day Cab:Diagram1-Combination1
 Mates LT-Work_Light-1032-03-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	J65	-	1.16	16.0	Std. Wall XLPE Primary Cable	BLACK	2800.0	-	A	9719
A	-	-	J65	-	1.16	16.0	Std. Wall XLPE Primary Cable	BLACK	2800.0	-	A	9720A
A	-	-	J65	-	1.16	16.0	Std. Wall XLPE Primary Cable	BLACK	2800.0	-	-	-
B	-	-	J11-GK	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2800.0	-	B	9719

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	J11-GK	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2800.0	-	B	9720A
B	-	-	J11-GK	-	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2800.0	-	-	-

Connector Name 9724A
 Part Number BLUNT_SL_VC
 Instances B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps
 (Blunt Cut) Option 1:Diagram1-Combination1
 L9 - Body Builder Lighting - Separate Turn and Stop Lamps
 (Blunt Cut) Option 1:Diagram1
 L9 - TEM Electric Trailer Brake Controller Activated Stop
 LT:Diagram1
 L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric
 Trailer Brakes) Option 2:Diagram1
 Mates BLNT-EOF_BODY_CIRCUIT-1036 -04-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TW10	2643789 R1	7.48	8.0	Std. Wall XLPE Primary Cable	WHITE	2356.0	-	A	9717F1
A	-	-	TW10	2643789 R1	7.48	8.0	Std. Wall XLPE Primary Cable	WHITE	2356.0	-	A	9717F
B	-	-	TW56	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	2331.0	-	B	9716M1
B	-	-	TW58	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2331.0	-	A	9716M
C	-	-	TW57	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2331.0	-	C	9716M1
C	-	-	TW56	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	2331.0	-	B	9716M


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
D	-	-	TW58	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2331.0	-	A	9716M1
D	-	-	TW57	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2331.0	-	C	9716M
E	-	-	TW68	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2306.0	-	B	9715F
E	-	-	TW70	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	2306.0	-	A	9715F
F	-	-	TW70	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	2306.0	-	A	9715F
F	-	-	TW68	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2306.0	-	B	9715F
G	-	-	TW94	2643784 R1	4.81	10.0	Std. Wall XLPE Primary Cable	GREY	2306.0	-	C	9715F

Connector Name 9724
Part Number BLUNT_SL_VC
Instances B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps
(Blunt Cut) Option 2:Diagram1-Combination1
L9 - Body Builder Lighting - Separate Turn and Stop Lamps
(Blunt Cut) Option 2:Diagram1
L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric
Trailer Brakes) Option 1:Diagram1-Combination1
L9 - Transmission Power Take Off (Auto Trans with
Lectradrive):Diagram1
L9 - Transmission Power Take Off (Lectrashift PTO with Manual
Trans):Diagram1
Mates BLUNT-PTO-5047-08-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RY14LSA	2643670 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BLACK	2970.0	-	B	9913B
A	-	-	RG10	2643789 R1	7.48	8.0	Std. Wall XLPE Primary Cable	WHITE	2356.0	-	A	9717F
B	-	-	RY14LSB	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	2970.0	-	A	9913B
B	-	-	RG56	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	2331.0	-	B	9716M1
B	-	-	RG58	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2331.0	-	A	9716M

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	RG57	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2331.0	-	C	9716M1
C	-	-	RG56	2643802 R1	4.81	10.0	Std. Wall XLPE Primary Cable	YELLOW 2	2331.0	-	B	9716M
D	-	-	RG58	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2331.0	-	A	9716M1
D	-	-	RG57	2643776 R1	4.81	10.0	Std. Wall XLPE Primary Cable	LIGHT GREEN	2331.0	-	C	9716M
E	-	-	RG68	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2306.0	-	B	9715F
E	-	-	RG70	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	2306.0	-	A	9715F
F	-	-	RG70	2643698 R1	4.81	10.0	Std. Wall XLPE Primary Cable	RED	2306.0	-	A	9715F
F	-	-	RG68	2643779 R1	4.81	10.0	Std. Wall XLPE Primary Cable	BROWN	2306.0	-	B	9715F

Connector Name 9736
 Part Number 1661375C2
 Instances B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 1:Diagram1
 B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 2:Diagram1-Combination1
 B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 2:Diagram1-Combination2
 B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 2:Diagram1-Combination3
 B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 3:Diagram1-Combination1
 B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 3:Diagram1-Combination2
 B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 3:Diagram1-Combination3




Mates SOL-AIR_4_PACK1-3004-01-01A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NG59A-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1705.0	-	-	-
B	-	-	NG59B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2155.0	-	32	1701F
C	-	-	NG59C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2155.0	-	33	1701F
D	-	-	NG59D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2155.0	-	34	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	NG59E	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2155.0	-	35	1701F


Connector Name 9736
 Part Number 1661375C2
 Instances L9 - Auxillary Air Solenoids (1 Normally Closed):Diagram1
 L9 - Auxillary Air Solenoids Normally Closed:Combination1
 L9 - Auxillary Air Solenoids Normally Closed:Combination2
 L9 - Auxillary Air Solenoids Normally Closed:Combination3
 L9 - Auxillary Air Solenoids Normally Closed:Combination4
 L9 - Auxillary Air Solenoids Normally Closed:Combination5
 L9 - Auxillary Air Solenoids Normally Closed:Combination6
 Mates SOL-AIR_4_PACK1-3004-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NG59A-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1705.0	-	-	-
B	-	-	NG59B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2155.0	-	32	1701F
C	-	-	NG59C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2155.0	-	33	1701F
D	-	-	NG59D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2155.0	-	34	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	NG59E	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2155.0	-	35	1701F


Connector Name 9736
 Part Number 1661375C2
 Instances L9 - Three Auxillary Air Solenoids:Diagram1-Combination1
 L9 - Three Auxillary Air Solenoids:Diagram1-Combination2
 L9 - Three Auxillary Air Solenoids:Diagram1-Combination3
 Mates SOL-AIR_4_PACK1-3004-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NG59A-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1705.0	-	-	-
B	-	-	NG59B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2155.0	-	32	1701F
C	-	-	NG59C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2155.0	-	33	1701F
D	-	-	NG59D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2155.0	-	34	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	NG59E	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2155.0	-	35	1701F


Connector Name 9740A
 Part Number 1661375C2
 Instances L9 - Three Auxillary Air Solenoids:Diagram1-Combination3



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NW59L-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2670.0	-	-	-
B	-	-	NW59M	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5480.0	-	46	1701F
C	-	-	NW59N	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5480.0	-	47	1701F
D	-	-	NW59P	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5480.0	-	48	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	NW59Q	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5480.0	-	49	1701F


Connector Name 9740B
 Part Number 1661375C2
 Instances B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 3:Diagram1-Combination1
 B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 3:Diagram1-Combination2
 B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 3:Diagram1-Combination3
 Mates SOL-AIR_4_PACK3-3004-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NR59R-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	3520.0	-	-	-
B	-	-	NR59M	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5980.0	-	46	1701F
C	-	-	NR59N	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5980.0	-	47	1701F
D	-	-	NR59P	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5980.0	-	48	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	NR59Q	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5980.0	-	49	1701F


Connector Name 9740C
 Part Number 1661375C2
 Instances B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option
 2:Diagram1-Combination1
 B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option
 3:Diagram1-Combination1
 L9 - Auxillary Air Solenoids Normally Closed:Combination2
 L9 - Three Auxillary Air Solenoids:Diagram1-Combination2



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NZ59X-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2920.0	-	-	-
B	-	-	NZ59G	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5730.0	-	36	1701F
C	-	-	NZ59H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5730.0	-	37	1701F
D	-	-	NZ59J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5730.0	-	38	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	NZ59K	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5730.0	-	39	1701F


Connector Name 9740D
 Part Number 1661375C2
 Instances B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option
 2:Diagram1-Combination2
 B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option
 3:Diagram1-Combination2
 Mates SOL-AIR_4_PACK2-3004-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NS59S-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	3720.0	-	-	-
B	-	-	NS59T	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	6930.0	-	36	1701F
C	-	-	NS59U	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	6930.0	-	37	1701F
D	-	-	NS59V	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	6930.0	-	38	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	NS59W	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5980.0	-	39	1701F


Connector Name 9740D
 Part Number 1661375C2
 Instances L9 - Auxillary Air Solenoids Normally Closed:Combination3



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RE59F-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1225.0	-	-	-
B	-	-	RE59G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	4035.0	-	36	1701F
C	-	-	RE59H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4035.0	-	37	1701F
D	-	-	RE59J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4035.0	-	38	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	RE59K	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4035.0	-	39	1701F


Connector Name 9740E
 Part Number 1661375C2
 Instances B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option
 2:Diagram1-Combination3
 B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option
 3:Diagram1-Combination3



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NT59S-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2245.0	-	-	-
B	-	-	NT59T	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5455.0	-	36	1701F
C	-	-	NT59U	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5455.0	-	37	1701F
D	-	-	NT59V	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5455.0	-	38	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	NT59W	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5455.0	-	39	1701F


Connector Name 9740E
 Part Number 1661375C2
 Instances L9 - Auxillary Air Solenoids Normally Closed:Combination4
 L9 - Three Auxillary Air Solenoids:Diagram1-Combination1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	2A59F-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1275.0	-	-	-
B	-	-	2A59G	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4085.0	-	36	1701F
C	-	-	2A59H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4085.0	-	37	1701F
D	-	-	2A59J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4085.0	-	38	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	2A59K	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4085.0	-	39	1701F


Connector Name 9740F
 Part Number 1661375C2
 Instances L9 - Three Auxillary Air Solenoids:Diagram1-Combination1
 Mates SOL-AIR_4_PACK3-3004-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	2B59L-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	1275.0	-	-	-
B	-	-	2B59M	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4085.0	-	46	1701F
C	-	-	2B59N	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4085.0	-	47	1701F
D	-	-	2B59P	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4085.0	-	48	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	2B59Q	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4085.0	-	49	1701F


Connector Name 9740G
 Part Number 1661375C2
 Instances L9 - Auxillary Air Solenoids Normally Closed:Combination5



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BV59Y-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	3720.0	-	-	-
B	-	-	BV59G	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	6530.0	-	36	1701F
C	-	-	BV59H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	6530.0	-	37	1701F
D	-	-	BV59J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	6530.0	-	38	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	BV59K	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	6530.0	-	39	1701F


Connector Name 9740H
 Part Number 1661375C2
 Instances L9 - Auxillary Air Solenoids Normally Closed:Combination6
 Mates SOL-AIR_4_PACK2-3004-01-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BU59Z-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2075.0	-	-	-
B	-	-	BU59G	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4885.0	-	36	1701F
C	-	-	BU59H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4885.0	-	37	1701F
D	-	-	BU59J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4885.0	-	38	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	BU59K	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4885.0	-	39	1701F


Connector Name 9740
 Part Number 1661375C2
 Instances L9 - Auxillary Air Solenoids Normally Closed:Combination1
 L9 - Three Auxillary Air Solenoids:Diagram1-Combination3



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NU59F-G	2643689 R1	1.91	14.0	Std. Wall XLPE Primary Cable	WHITE	2570.0	-	-	-
B	-	-	NU59G	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5380.0	-	36	1701F
C	-	-	NU59H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5380.0	-	37	1701F
D	-	-	NU59J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5380.0	-	38	1701F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	NU59K	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	5380.0	-	39	1701F

Connector Name 9745A
 Part Number 3536864C1
 Instances L9 - Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination2




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AB87DB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1875.0	-	59	1701F
2	-	-	AB87DA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1875.0	-	58	1701F

Connector Name 9745
 Part Number 3536864C1
 Instances L9 - Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination1
 Mates DEV-Low_Washer_Fluid_Senso r-1029-05-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	NY87MB	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2120.0	-	59	1701F
2	-	-	NY87DB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2120.0	-	58	1701F

Connector Name 9746A
 Part Number 3554317C1
 Instances L9 - Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination2




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	AK87EA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2000.0	-	41	1701F
2	-	-	AK8EB	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1640.0	-	-	-

Connector Name 9746
 Part Number 3554317C1
 Instances L9 - Windshield Washer Pump & Low Fluid Sensor:Diagram1-Combination1
 Mates DEV-Low_Washer_Fluid_Senso r-1029-05-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	PP87EA	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	2124.0	-	41	1701F
2	-	-	PP87H	3510311 R1	0.79	18.0	Thin Wall XLPE Primary Cable	GREY	1764.0	-	-	-


Connector Name 9761F
 Part Number 3522252C1
 Short Description LIFT AXLE
 Instances
 L9 - Lift Axle Controls (Center Pedestal Controls f/ 1 lift axle):Diagram1-Combination1
 L9 - Lift Axle Controls (Center Pedestal Controls f/ 1 lift axle):Diagram1-Combination2
 L9 - Lift Axle Controls (Center Pedestal Controls f/ 2 Lift Axles):Diagram1
 L9 - Lift Axle Controls (Center Pedestal Controls f/ 3 lift axles):Diagram1
 Light Splice Packs - 400/1623/1625:Diagram1
 Mates 9761M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RR59EC	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2691.0	-	A	9763
A	-	-	RS59EF	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4861.0	-	A	9762
A	-	-	RP59ED	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2611.0	-	A	9820M
B	-	-	RR59EF	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4861.0	-	A	9762

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
C	-	-	TM59ED	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1537.0	-	A	9764
E	-	-	RM71N	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2751.0	-	70	1701F

Connector Name 9761M
 Part Number 3522251C1
 Short Description CHASSIS CONNECTOR
 Instances
 L9 - Lift Axle Controls (Center Pedestal Controls f/ 1 lift axle):Diagram1-Combination1
 L9 - Lift Axle Controls (Center Pedestal Controls f/ 1 lift axle):Diagram1-Combination2
 L9 - Lift Axle Controls (Center Pedestal Controls f/ 2 Lift Axles):Diagram1
 L9 - Lift Axle Controls (Center Pedestal Controls f/ 3 lift axles):Diagram1
 Light Splice Packs - 400/1623/1625:Diagram1
 Mates 9761F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	T59MB	2643670 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BLACK	2130.0	-	A	1027F
B	-	-	T59NB	2643670 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BLACK	2130.0	-	B	1027F
C	-	-	T59PB	2643670 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BLACK	2130.0	-	C	1027F
E	-	-	T71N	2643670 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BLACK	2280.0	-	A	1917F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
E	-	-	T71N	2643670 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BLACK	2280.0	-	-	-

Connector Name 9762F
 Part Number 3543888C1
 Short Description LIFT AXLE CONN


Instances
 L9 - Axle Lift Controls:Diagram1-Combination1
 L9 - Axle Lift Controls:Diagram1-Combination3
 L9 - Axle Lift Controls Option 2:Diagram1-Combination1
 L9 - Axle Lift Controls Option 2:Diagram1-Combination2
 L9 - Lift Axle Controls (Center Pedestal Controls f/ 1 lift axle):Diagram1-Combination1
 L9 - Lift Axle Controls (Center Pedestal Controls f/ 2 Lift Axles):Diagram1
 L9 - Lift Axle Controls (Center Pedestal Controls f/ 3 lift axles):Diagram1

Mates 9762




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	59	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1300.0	-	A	9762M
B	-	-	59-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1300.0	-	B	9762M

Connector Name 9762M
 Part Number 1661778C1
 Instances
 L9 - Axle Lift Controls:Diagram1-Combination1
 L9 - Axle Lift Controls:Diagram1-Combination3
 L9 - Axle Lift Controls Option 2:Diagram1-Combination1
 L9 - Axle Lift Controls Option 2:Diagram1-Combination2
 L9 - Lift Axle Controls (Center Pedestal Controls f/ 1 lift axle):Diagram1-Combination1
 L9 - Lift Axle Controls (Center Pedestal Controls f/ 2 Lift Axles):Diagram1
 L9 - Lift Axle Controls (Center Pedestal Controls f/ 3 lift axles):Diagram1



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	59	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1300.0	-	A	9762F
B	-	-	59-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1300.0	-	B	9762F


Connector Name 9762
 Part Number 1661778C1
 Short Description FIRST PUSHER AXLE
 Instances
 L9 - Axle Lift Controls:Diagram1-Combination1
 L9 - Axle Lift Controls:Diagram1-Combination3
 L9 - Axle Lift Controls Option 2:Diagram1-Combination1
 L9 - Axle Lift Controls Option 2:Diagram1-Combination2
 L9 - Lift Axle Controls (Center Pedestal Controls f/ 1 lift axle):Diagram1-Combination1
 L9 - Lift Axle Controls (Center Pedestal Controls f/ 2 Lift Axles):Diagram1
 L9 - Lift Axle Controls (Center Pedestal Controls f/ 3 lift axles):Diagram1
 Mates 9762F



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	UC59EF	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	6680.0	-	60	1701F
A	-	-	RR59EF	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4861.0	-	B	9761F
A	-	-	RS59EF	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4861.0	-	A	9761F
B	-	-	UC59-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	4395.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	MV59-GC	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	4120.0	-	X	-
B	-	-	RN59-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	4395.0	-	-	-
B	-	-	MX59-GC	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	4120.0	-	X	-


Connector Name 9763
 Part Number 1661778C1
 Instances L9 - Axle Lift Controls Option 2:Diagram1-Combination1
 L9 - Axle Lift Controls Option 2:Diagram1-Combination2
 L9 - Lift Axle Controls (Center Pedestal Controls f/ 2 Lift Axles):Diagram1
 L9 - Lift Axle Controls (Center Pedestal Controls f/ 3 lift axles):Diagram1
 Mates SOL-Lift_Axle_2-3021-03-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RR59EC	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2691.0	-	A	9761F
A	-	-	UD59EC	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4510.0	-	61	1701F
B	-	-	TM59-GB	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2225.0	-	-	-
B	-	-	UD59-GB	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2225.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	MX59-GB	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2350.0	-	X	-

Connector Name 9764
 Part Number 1661778C1
 Instances L9 - Lift Axle Controls (Center Pedestal Controls f/ 3 lift axles):Diagram1
 Mates SOL-Lift_Axle_3-3021-03-03A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	TM59ED	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1537.0	-	C	9761F
B	-	-	TM59-GD	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1071.0	-	-	-


Connector Name 9766
 Part Number 1661778C1
 Short Description WORK LIGHT
 Instances L9 - WORK LIGHT 1 BULB:Diagram1-Combination1
 L9 - WORK LIGHT W BackUP 1 BULB Option 1:Diagram1-Combination2
 L9 - WORK LIGHT W BackUP 1 BULB Option 2:Diagram1-Combination1
 L9 - WORK LIGHT W RKE 1 BULB:Diagram1-Combination2
 L9 - Work Lights LED W/ Sw Pack - Day Cab:Diagram1-Combination2
 Mates 9766



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	UA65	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	4405.0	-	68	1701F
B	-	-	YK65-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2930.0	-	X	-
B	-	-	YT65-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2845.0	-	X	-
B	-	-	YN65-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	3145.0	-	-	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	YT65-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2845.0	-	-	-

Connector Name 9766
 Part Number 3543888C1
 Short Description WORK LIGHT
 Instances L9 - WORK LIGHT 1 BULB:Diagram1-Combination1
 L9 - WORK LIGHT W BackUP 1 BULB Option 1:Diagram1-Combination2
 L9 - WORK LIGHT W BackUP 1 BULB Option 2:Diagram1-Combination1
 L9 - WORK LIGHT W RKE 1 BULB:Diagram1-Combination2
 L9 - Work Lights LED W/ Sw Pack - Day Cab:Diagram1-Combination2
 Mates 9766



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	SZ65	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2625.0	-	A	9767
B	-	-	SZ65-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2625.0	-	B	9767

Connector Name 9767
 Part Number 1661778C1
 Short Description WORK LIGHT
 Instances
 B6.7 - WORK LIGHT 1 BULB:Diagram1
 L9 - WORK LIGHT 1 BULB:Diagram1-Combination1
 L9 - WORK LIGHT 1 BULB:Diagram1-Combination2
 L9 - WORK LIGHT W BackUP 1 BULB Option 1:Diagram1-Combination1
 L9 - WORK LIGHT W BackUP 1 BULB Option 1:Diagram1-Combination2
 L9 - WORK LIGHT W BackUP 1 BULB Option 2:Diagram1-Combination1
 L9 - WORK LIGHT W BackUP 1 BULB Option 2:Diagram1-Combination2
 L9 - WORK LIGHT W RKE 1 BULB:Diagram1-Combination1
 L9 - WORK LIGHT W RKE 1 BULB:Diagram1-Combination2
 L9 - Work Lights LED W/ Sw Pack - Day Cab:Diagram1-Combination1
 L9 - Work Lights LED W/ Sw Pack - Day Cab:Diagram1-Combination2




Mates 9719

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	SZ65	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2625.0	-	A	9766
A	-	-	NF65	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	2585.0	-	68	1701F
B	-	-	YJ65-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1145.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	SZ65-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2625.0	-	B	9766
B	-	-	YM65-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1325.0	-	-	-
B	-	-	YU65-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1060.0	-	X	-
B	-	-	YU65-G	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1060.0	-	-	-


Connector Name 9775F
 Part Number 1667740C1
 Short Description LOAD INDICATOR TO CENTER CHASSIS
 Instances L9 - Axle Loading (Weight) Rear:Diagram1-Combination1
 L9 - Axle Loading (Weight) Rear:Diagram1-Combination2
 L9 - Rear Suspension Pressure Monitoring (Virtual Gauge):Diagram1-Combination1
 L9 - Rear Suspension Pressure Monitoring (Virtual Gauge):Diagram1-Combination2
 Mates 9865M



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RT9M	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2960.0	-	A	9830
A	-	-	RU9N	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1960.0	-	A	9830
A	-	-	RU9N	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1960.0	-	A	9832
B	-	-	RT6H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2960.0	-	B	9830

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	RU6J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1960.0	-	B	9830
B	-	-	RU6J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1960.0	-	B	9832
C	-	-	RT61C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2960.0	-	C	9830
C	-	-	RU61D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1960.0	-	C	9830
C	-	-	RU61D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1960.0	-	C	9832


Connector Name 9778
 Part Number 587567C91
 Instances B6.7 - Remote Start/Stop:Diagram1
 B6.7 - Remote Start/Stop w/ Emergency Pump:Diagram1
 L9 - Remote Start/Stop:Diagram1
 L9 - Remote Start/Stop w/ Emergency Pump:Diagram1
 Mates CONN-BODY_BUILDER_REMOTE_S /S-5038-02-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	SW59CA	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4480.0	-	44	1701F
B	-	-	SW104CA	3510354 R1	1.16	16.0	Thin Wall XLPE Primary Cable	DARK BLUE	4480.0	-	43	1701F

Connector Name 9800
 Part Number 3558022C1
 Short Description CONNECTION TO CENTER HARNESS
 Instances

- B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel Implementation:Diagram1-Combination1
- B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel Implementation:Diagram1-Combination2
- B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel Implementation:Diagram1-Combination3
- B6.7 - Axle Temperature Monitoring (Single Rear Aux Gauge):Diagram1
- B6.7 - Axle Temperature Monitoring (Single Rear Virtual Gauge):Diagram1
- B6.7 - Back-Up Alarm (Automatic) W/ Tailboard:Diagram1
- B6.7 - Back-Up Alarm (Automatic) W/O Tailboard:Diagram1
- B6.7 - Back-Up Alarm (Manual) W/ Tailboard:Diagram1
- B6.7 - Back-Up Alarm (Manual) W/O Tailboard:Diagram1
- B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1:Diagram1-Combination1
- B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1:Diagram1-Combination2
- B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2:Diagram1-Combination1
- B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2:Diagram1-Combination2
- B6.7 - Backup Lights (Single Reverse Light) Eaton/Manual Trans:Diagram1
- B6.7 - Backup Lights (Single Reverse Lights) Eaton/Manual Trans Option 1:Diagram1
- B6.7 - Backup Lights (Single Reverse Lights) Eaton/Manual Trans Option 2:Diagram1
- B6.7 - Center Chassis Ground Splice Packs - 8802/8805/8807/8809:Diagram1
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination1



B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination2
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination1
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination2
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination1
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination2
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination3
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination4
B6.7 - Driver Controlled Locking Differential - RR Axle (Dana w/ one sw):Diagram1
B6.7 - Driver Controlled Locking Differential - RR Axle (Meritor w/ one sw):Diagram1
B6.7 - License Plate Light (Tail Light Single Assy) Option 1:Diagram1
B6.7 - License Plate Light (Tail Light Single Assy) Option 2:Diagram1
B6.7 - License Plate Light (Tail Light Single Assy) Option 3:Diagram1
B6.7 - License Plate Light (Tail Light Single Assy) W/Less Power Module:Diagram1
B6.7 - Rear Lights Stop - Single Assembly:Diagram1
B6.7 - Traction Control (Bendix):Diagram1-Combination1
B6.7 - Traction Control (Bendix):Diagram1-Combination2
L9 - Antilock Brake System (ABS) BENDIX 4 Channel Implementation:Diagram1
L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination1
L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination2
L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination3
L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination4
L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination5
L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination6

L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination7
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination8
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination9
L9 - Axle Temperature Monitoring (Single Rear Aux
Gauge):Diagram1
L9 - Axle Temperature Monitoring (Single Rear Virtual
Gauge):Diagram1
L9 - Axle Temperature Monitoring (Tandem Rear Aux
Gauge):Diagram1
L9 - Axle Temperature Monitoring (Tandem Rear Virtual
Gauge):Diagram1
L9 - Back-Up Alarm (Automatic) W/ Tailboard:Diagram1
L9 - Back-Up Alarm (Automatic) W/O Tailboard:Diagram1
L9 - Back-Up Alarm (Manual) W/ Tailboard:Diagram1
L9 - Back-Up Alarm (Manual) W/O Tailboard:Diagram1
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option
1:Diagram1-Combination1
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option
1:Diagram1-Combination2
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option
2:Diagram1-Combination1
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option
2:Diagram1-Combination2
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option
3:Diagram1-Combination1
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option
3:Diagram1-Combination2
L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans
Option 1:Diagram1-Combination1
L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans
Option 2:Diagram1-Combination1
L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans
Option 3:Diagram1-Combination1
L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans
Option 4:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3

L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination4
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination4
L9 - Driver Controlled Locking Differential - FR and RR Axle (Dana w/ one sw):Diagram1
L9 - Driver Controlled Locking Differential - FR and RR Axle (Meritor w/ one sw):Diagram1
L9 - Driver Controlled Locking Differential - FR and RR Axles (Dana w/ two sw):Diagram1
L9 - Driver Controlled Locking Differential - FR and RR Axles (Meritor w/ two sw):Diagram1
L9 - Driver Controlled Locking Differential - RR Axle (Dana w/ one sw):Diagram1
L9 - Driver Controlled Locking Differential - RR Axle (Meritor w/ one sw):Diagram1
L9 - License Plate Light (LED BOX LAMP Tail Light):Diagram1

L9 - License Plate Light (Tail Light Single Assy) Option 1:Diagram1
 L9 - License Plate Light (Tail Light Single Assy) Option 2:Diagram1
 L9 - License Plate Light (Tail Light Single Assy) Option 3:Diagram1
 L9 - License Plate Light (Tail Light Single Assy) Option 4:Diagram1
 L9 - Rear Light (LED BOX LAMP Tail Light):Diagram1
 L9 - Rear Light (Tail Light):Diagram1
 L9 - Rear Lights Stop - Dual Assembly:Diagram1
 L9 - Rear Lights Stop - Single Assembly:Diagram1
 L9 - Traction Control (Bendix):Diagram1
 Light Splice Packs - 400/1623/1625:Diagram1

Mates 9800

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	RB71	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2875.0	-	A	9303
1	-	-	RB71	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2875.0	-	A	9303A
1	-	-	RB71	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2875.0	-	-	-
2	-	-	RB56	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2875.0	-	B	9303A
2	-	-	RB56	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2875.0	-	C	9303

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
2	-	-	RB56	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2875.0	-	-	-
3	-	-	RB57	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2875.0	-	C	9303A
3	-	-	RB57	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2875.0	-	B	9303
3	-	-	RB57	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	2875.0	-	-	-
4	-	-	RB68	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2875.0	-	D	9303
4	-	-	RB68	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2875.0	-	D	9303A
4	-	-	RB68	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	2875.0	-	-	-
5	-	-	RM32A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	1860.0	-	1	9813

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
6	-	-	RM32	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2510.0	-	1	9813
6	-	-	RL32	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2510.0	-	1	9813
7	-	-	RO49	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2260.0	-	A	9814
7	-	-	AJ49	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2660.0	-	A	9814A
8	-	-	RO49A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2130.0	-	A	9815
8	-	-	RN49A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2130.0	-	A	9815
8	-	-	AJ49A	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2560.0	-	A	9815A
8	-	-	AP49A	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2560.0	-	A	9815A

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
9	-	-	RO10-GB	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	510.0	-	X	-
9	-	-	RN49-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2130.0	-	B	9815
9	-	-	AJ10-GB	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	360.0	-	X	-
9	-	-	RN49-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2130.0	-	-	-
9	-	-	AP49-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2560.0	-	-	-
9	-	-	AP49-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2560.0	-	B	9815A
11	-	-	RL9C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2510.0	-	2	9813
11	-	-	RM9B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	635.0	-	X	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
11	-	-	RL9C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2510.0	-	-	-
11	-	-	UC9C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1860.0	-	-	-
12	-	-	RB10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2875.0	-	E	9303
12	-	-	RB10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2875.0	-	E	9303A
12	-	-	AF11-GTL	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2875.0	-	F	9303D
12	-	-	RB10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2875.0	-	-	-
12	-	-	AF11-GTL	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2875.0	-	-	-
13	-	-	RC94A	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	965.0	-	1	9501

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
13	-	-	UG94R	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1860.0	-	1	9540
13	-	-	UL94R	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1410.0	-	1	9557
13	-	-	UP94R	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	1560.0	-	1	9540A
14	-	-	RC94B	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	965.0	-	2	9501
14	-	-	UG94S	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	1860.0	-	2	9540
14	-	-	UP94S	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	1560.0	-	2	9540A
14	-	-	UL94S	2643682 R1	1.16	16.0	Std. Wall XLPE Primary Cable	ORANGE	1410.0	-	2	9557
15	-	-	RC94C	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	1500.0	-	1	9503

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
15	-	-	UL94W	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	2865.0	-	1	9563
15	-	-	UP94W	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	3385.0	-	1	9542A
15	-	-	UG94W	2643721 R1	1.16	16.0	Std. Wall XLPE Primary Cable	DARK BLUE	2910.0	-	1	9542
16	-	-	RC94D	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	1500.0	-	2	9503
16	-	-	UG94X	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	2910.0	-	2	9542
16	-	-	UP94X	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	3385.0	-	2	9542A
16	-	-	UL94X	2643684 R1	1.16	16.0	Std. Wall XLPE Primary Cable	YELLOW 2	2865.0	-	2	9563
17	-	-	RC94E	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	965.0	-	A	9502

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
17	-	-	UP94M	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	1640.0	-	A	9541A
17	-	-	UL94M	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	1310.0	-	A	9556
17	-	-	UG94M	3510294 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BLACK	1660.0	-	A	9541
18	-	-	RC94F	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	965.0	-	B	9502
18	-	-	UG94N	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	1660.0	-	B	9541
18	-	-	UL94N	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	1310.0	-	B	9556
18	-	-	UP94N	3510366 R1	1.16	16.0	Thin Wall XLPE Primary Cable	RED	1640.0	-	B	9541A
19	-	-	RC94H	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	965.0	-	C	9502


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
19	-	-	UP94P	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1640.0	-	C	9541A
19	-	-	UG94P	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1660.0	-	C	9541
19	-	-	UL94P	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1310.0	-	C	9556
20	-	-	RC94J	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	VIOLET	1400.0	-	A	9504
20	-	-	UL94T	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	VIOLET	2615.0	-	A	9562
20	-	-	UP94T	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	VIOLET	3330.0	-	A	9543A
20	-	-	UG94T	3510348 R1	1.16	16.0	Thin Wall XLPE Primary Cable	VIOLET	2860.0	-	A	9543
21	-	-	RC94K	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	1400.0	-	B	9504

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
21	-	-	UP94U	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	3330.0	-	B	9543A
21	-	-	UL94U	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2615.0	-	B	9562
21	-	-	UG94U	3510300 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT GREEN	2860.0	-	B	9543
22	-	-	RC94L	3510342 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	1400.0	-	C	9504
22	-	-	UP94V	3510342 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	3330.0	-	C	9543A
22	-	-	UL94V	3510342 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2615.0	-	C	9562
22	-	-	UG94V	3510342 R1	1.16	16.0	Thin Wall XLPE Primary Cable	LIGHT BLUE	2860.0	-	C	9543
23	-	-	RD94BD	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	410.0	-	2	9512

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
23	-	-	UD94BD	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	1865.0	-	2	9512
23	-	-	RD94BD	3510306 R1	1.16	16.0	Thin Wall XLPE Primary Cable	BROWN	410.0	-	2	P1898
24	-	-	RD94BE	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	410.0	-	1	9512
24	-	-	UD94BE	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	1865.0	-	1	9512
24	-	-	RD94BE	3510336 R1	1.16	16.0	Thin Wall XLPE Primary Cable	YELLOW 2	410.0	-	1	P1898

Connector Name 9800
 Part Number 3558026C1
 Short Description CONNECTION TO REAR CHASSIS HARNESS
 Instances

- B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
Implementation:Diagram1-Combination1
- B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
Implementation:Diagram1-Combination2
- B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel
Implementation:Diagram1-Combination3
- B6.7 - Axle Temperature Monitoring (Single Rear Aux
Gauge):Diagram1
- B6.7 - Axle Temperature Monitoring (Single Rear Virtual
Gauge):Diagram1
- B6.7 - Back-Up Alarm (Automatic) W/ Tailboard:Diagram1
- B6.7 - Back-Up Alarm (Automatic) W/O Tailboard:Diagram1
- B6.7 - Back-Up Alarm (Manual) W/ Tailboard:Diagram1
- B6.7 - Back-Up Alarm (Manual) W/O Tailboard:Diagram1
- B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option
1:Diagram1-Combination1
- B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option
1:Diagram1-Combination2
- B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option
2:Diagram1-Combination1
- B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option
2:Diagram1-Combination2
- B6.7 - Backup Lights (Single Reverse Light) Eaton/Manual
Trans:Diagram1
- B6.7 - Backup Lights (Single Reverse Lights) Eaton/Manual
Trans Option 1:Diagram1
- B6.7 - Backup Lights (Single Reverse Lights) Eaton/Manual
Trans Option 2:Diagram1
- B6.7 - Center Chassis Ground Splice Packs -
8802/8805/8807/8809:Diagram1
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail
Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail
Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail
Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail
Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
- B6.7 - Directional Signal (Turn) W/ Less Power Module Tail
Board W/Hazard SW:Diagram1-Combination1



B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination2
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination1
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination2
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination1
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination2
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination3
B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination4
B6.7 - Driver Controlled Locking Differential - RR Axle (Dana w/ one sw):Diagram1
B6.7 - Driver Controlled Locking Differential - RR Axle (Meritor w/ one sw):Diagram1
B6.7 - License Plate Light (Tail Light Single Assy) Option 1:Diagram1
B6.7 - License Plate Light (Tail Light Single Assy) Option 2:Diagram1
B6.7 - License Plate Light (Tail Light Single Assy) Option 3:Diagram1
B6.7 - License Plate Light (Tail Light Single Assy) W/Less Power Module:Diagram1
B6.7 - Rear Lights Stop - Single Assembly:Diagram1
B6.7 - Traction Control (Bendix):Diagram1-Combination1
B6.7 - Traction Control (Bendix):Diagram1-Combination2
L9 - Antilock Brake System (ABS) BENDIX 4 Channel Implementation:Diagram1
L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination1
L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination2
L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination3
L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination4
L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination5
L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation:Diagram1-Combination6

L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination7
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination8
L9 - Antilock Brake System (ABS) Bendix 6 Channel
Implementation:Diagram1-Combination9
L9 - Axle Temperature Monitoring (Single Rear Aux
Gauge):Diagram1
L9 - Axle Temperature Monitoring (Single Rear Virtual
Gauge):Diagram1
L9 - Axle Temperature Monitoring (Tandem Rear Aux
Gauge):Diagram1
L9 - Axle Temperature Monitoring (Tandem Rear Virtual
Gauge):Diagram1
L9 - Back-Up Alarm (Automatic) W/ Tailboard:Diagram1
L9 - Back-Up Alarm (Automatic) W/O Tailboard:Diagram1
L9 - Back-Up Alarm (Manual) W/ Tailboard:Diagram1
L9 - Back-Up Alarm (Manual) W/O Tailboard:Diagram1
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option
1:Diagram1-Combination1
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option
1:Diagram1-Combination2
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option
2:Diagram1-Combination1
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option
2:Diagram1-Combination2
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option
3:Diagram1-Combination1
L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option
3:Diagram1-Combination2
L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans
Option 1:Diagram1-Combination1
L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans
Option 2:Diagram1-Combination1
L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans
Option 3:Diagram1-Combination1
L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans
Option 4:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board
W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination3

L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS:Diagram1-Combination4
L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ LED BOX LAMPS:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights:Diagram1-Combination4
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination1
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination2
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination3
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights:Diagram1-Combination4
L9 - Driver Controlled Locking Differential - FR and RR Axle (Dana w/ one sw):Diagram1
L9 - Driver Controlled Locking Differential - FR and RR Axle (Meritor w/ one sw):Diagram1
L9 - Driver Controlled Locking Differential - FR and RR Axles (Dana w/ two sw):Diagram1
L9 - Driver Controlled Locking Differential - FR and RR Axles (Meritor w/ two sw):Diagram1
L9 - Driver Controlled Locking Differential - RR Axle (Dana w/ one sw):Diagram1
L9 - Driver Controlled Locking Differential - RR Axle (Meritor w/ one sw):Diagram1
L9 - License Plate Light (LED BOX LAMP Tail Light):Diagram1

L9 - License Plate Light (Tail Light Single Assy) Option 1:Diagram1
 L9 - License Plate Light (Tail Light Single Assy) Option 2:Diagram1
 L9 - License Plate Light (Tail Light Single Assy) Option 3:Diagram1
 L9 - License Plate Light (Tail Light Single Assy) Option 4:Diagram1
 L9 - Rear Light (LED BOX LAMP Tail Light):Diagram1
 L9 - Rear Light (Tail Light):Diagram1
 L9 - Rear Lights Stop - Dual Assembly:Diagram1
 L9 - Rear Lights Stop - Single Assembly:Diagram1
 L9 - Traction Control (Bendix):Diagram1
 Light Splice Packs - 400/1623/1625:Diagram1

Mates 9800


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	RK71A	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	4380.0	-	1	1701F
2	-	-	RK56	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	4380.0	-	2	1701F
3	-	-	RK57	2643690 R1	1.91	14.0	Std. Wall XLPE Primary Cable	ORANGE	4380.0	-	3	1701F
4	-	-	RK68	2643688 R1	1.91	14.0	Std. Wall XLPE Primary Cable	BROWN	4380.0	-	4	1701F
5	-	-	MG32A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	4380.0	-	43	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
6	-	-	RH32	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	4380.0	-	44	1701F
7	-	-	MJ49	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4380.0	-	50	1701F
8	-	-	RL49A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4380.0	-	45	1701F
9	-	-	RL49-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3120.0	-	-	-
9	-	-	RL49-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	3120.0	-	E	8809
11	-	-	RH9F	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2750.0	-	-	-
11	-	-	RH9F	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2750.0	-	F	8802
12	-	-	SL10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2400.0	-	-	-

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
12	-	-	SL10-G	3510362 R1	3.01	12.0	Thin Wall XLPE Primary Cable	WHITE	2400.0	-	B	8807
13	-	-	MD94BE	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4380.0	-	16	1701F
14	-	-	MD94BD	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4380.0	-	17	1701F
15	-	-	MD94BH	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4380.0	-	18	1701F
16	-	-	MD94BF	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4380.0	-	19	1701F
17	-	-	MD94BA	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4380.0	-	23	1701F
18	-	-	MD94BB	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4380.0	-	24	1701F
18	-	-	ZU94C	3510313 R1	1.91	14.0	Thin Wall XLPE Primary Cable	GREY	4780.0	-	24	1701F

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
18	-	-	ZU94-G7	3510313 R1	1.91	14.0	Thin Wall XLPE Primary Cable	GREY	4380.0	-	24	1701F
19	-	-	MD94BC	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4380.0	-	25	1701F
20	-	-	MD94BJ	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4380.0	-	21	1701F
21	-	-	MD94BK	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4380.0	-	22	1701F
22	-	-	MD94BL	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4380.0	-	20	1701F
23	-	-	PR94BN	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4380.0	-	15	1701F
24	-	-	PR94BM	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	4380.0	-	14	1701F


Connector Name 9813
 Part Number 3536864C1
 Instances B6.7 - Axle Temperature Monitoring (Single Rear Aux Gauge):Diagram1
 B6.7 - Axle Temperature Monitoring (Single Rear Virtual Gauge):Diagram1
 L9 - Axle Temperature Monitoring (Single Rear Aux Gauge):Diagram1
 L9 - Axle Temperature Monitoring (Single Rear Virtual Gauge):Diagram1
 L9 - Axle Temperature Monitoring (Tandem Rear Aux Gauge):Diagram1
 L9 - Axle Temperature Monitoring (Tandem Rear Virtual Gauge):Diagram1
 Mates SNSR-RR_Axl_Temp-3008-02-0 1A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	RM32	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2510.0	-	6	9800
1	-	-	RL32	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	2510.0	-	6	9800
1	-	-	RM32A	2643676 R1	0.79	18.0	Std. Wall XLPE Primary Cable	TAN	1860.0	-	5	9800
2	-	-	RM9	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1875.0	-	X	-


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connect or
2	-	-	RL9C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2510.0	-	11	9800
2	-	-	RM9A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1575.0	-	X	-

Connector Name 9814A
 Part Number 3593684C91
 Instances L9 - Driver Controlled Locking Differential - FR and RR Axle
 (Meritor w/ one sw):Diagram1
 L9 - Driver Controlled Locking Differential - FR and RR Axles
 (Meritor w/ two sw):Diagram1
 Mates SW-FR_Diff_Lock-3012-03-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AJ49	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2660.0	-	7	9800
B	-	-	AJ49-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2300.0	-	X	-

Connector Name 9814
 Part Number 587567C91
 Instances L9 - Driver Controlled Locking Differential - FR and RR Axle
 (Dana w/ one sw):Diagram1
 L9 - Driver Controlled Locking Differential - FR and RR Axles
 (Dana w/ two sw):Diagram1
 Mates SW-FR_DIFF_LOCK-3012-03-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RO49	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2260.0	-	7	9800
B	-	-	RO49-G	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1750.0	-	X	-

Connector Name 9815A
 Part Number 3593684C91
 Instances B6.7 - Driver Controlled Locking Differential - RR Axle (Meritor w/ one sw):Diagram1
 L9 - Driver Controlled Locking Differential - FR and RR Axle (Meritor w/ one sw):Diagram1
 L9 - Driver Controlled Locking Differential - FR and RR Axles (Meritor w/ two sw):Diagram1
 L9 - Driver Controlled Locking Differential - RR Axle (Meritor w/ one sw):Diagram1
 Mates SW-RR_Diff_Lock-3012-03-02A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AJ49A	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2560.0	-	8	9800
A	-	-	AP49A	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2560.0	-	8	9800
B	-	-	AJ49-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2200.0	-	X	-
B	-	-	AP49-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2560.0	-	9	9800

Connector Name 9815
 Part Number 587567C91
 Instances B6.7 - Driver Controlled Locking Differential - RR Axle (Dana w/
 one sw):Diagram1
 L9 - Driver Controlled Locking Differential - FR and RR Axle
 (Dana w/ one sw):Diagram1
 L9 - Driver Controlled Locking Differential - FR and RR Axles
 (Dana w/ two sw):Diagram1
 L9 - Driver Controlled Locking Differential - RR Axle (Dana w/
 one sw):Diagram1
 Mates SW-RR_DIFF_LOCK-3012-05-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RO49A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2130.0	-	8	9800
A	-	-	RN49A	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2130.0	-	8	9800
B	-	-	RO49-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	1620.0	-	X	-
B	-	-	RN49-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2130.0	-	9	9800

Connector Name 9820F
 Part Number 3543888C1
 Short Description SHRINK SLEEVE FOR J1939 (1)
 Instances L9 - Axle Lift Controls:Diagram1-Combination2
 L9 - Axle Lift Controls:Diagram1-Combination4
 Mates 9820M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RR59DC	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2830.0	-	A	9824
B	-	-	RR59DD	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2830.0	-	B	9824

Connector Name 9820F
 Part Number 3543888C1
 Short Description SHRINK SLEEVE FOR J1939 (1)
 Instances L9 - Lift Axle Controls (Center Pedestal Controls f/ 1 lift axle):Diagram1-Combination2
 Mates 9820M




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RR59DC	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2830.0	-	A	9824
B	-	-	RR59DD	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2830.0	-	B	9824

Connector Name 9820M
 Part Number 1661778C1
 Short Description LIFT AXLES
 Instances L9 - Axle Lift Controls:Diagram1-Combination2
 L9 - Axle Lift Controls:Diagram1-Combination4
 Mates 9820F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	SJ59ED	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4430.0	-	60	1701F
B	-	-	SJ59-GD	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2145.0	-	-	-

Connector Name 9820M
 Part Number 1661778C1
 Short Description LIFT AXLES
 Instances L9 - Lift Axle Controls (Center Pedestal Controls f/ 1 lift axle):Diagram1-Combination2
 Mates 9820F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RP59ED	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2611.0	-	A	9761F
B	-	-	RP59-GA	2643674 R1	0.79	18.0	Std. Wall XLPE Primary Cable	WHITE	2145.0	-	-	-

Connector Name 9824
 Part Number 1661778C1
 Instances L9 - Axle Lift Controls:Diagram1-Combination2
 L9 - Axle Lift Controls:Diagram1-Combination4
 L9 - Lift Axle Controls (Center Pedestal Controls f/ 1 lift
 axle):Diagram1-Combination2
 Mates SOL-Lift_Axle_1-3021-03-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RR59DC	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2830.0	-	A	9820F
B	-	-	RR59DD	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2830.0	-	B	9820F

Connector Name 9830
 Part Number 1678137C1
 Instances L9 - Axle Loading (Weight) Rear:Diagram1-Combination1
 L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven Lamp:Diagram1-Combination1
 L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven Lamp:Diagram1-Combination2
 L9 - Rear Suspension Pressure Monitoring (Virtual Gauge):Diagram1-Combination1
 L9 - Rear Suspension Pressure Monitoring (Virtual Gauge):Diagram1-Combination2
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination1
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination2
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination3
 L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp):Diagram1-Combination4




Mates SNSR-SECONDARY_PT-3026-01- 01B

Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BN94SZB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	125.0	-	X	-
A	-	-	BN94SZA	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	475.0	-	X	-
A	-	-	RT9M	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2960.0	-	A	9775F
A	-	-	RU9N	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1960.0	-	A	9775F


Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
B	-	-	BN94SVB	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	175.0	-	X	-
B	-	-	BN94SVA	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	425.0	-	X	-
B	-	-	RT6H	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2960.0	-	B	9775F
B	-	-	RU6J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1960.0	-	B	9775F
C	-	-	BN94SF	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	600.0	-	D6	1800F
C	-	-	BN94SE	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	700.0	-	D5	1800F
C	-	-	RT61C	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	2960.0	-	C	9775F
C	-	-	RU61D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1960.0	-	C	9775F

Connector Name 9832
 Part Number 1678137C1
 Instances L9 - Axle Loading (Weight) Rear:Diagram1-Combination2
 Mates SNSR-RRAXLE-3007-03-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RU9N	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1960.0	-	A	9775F
B	-	-	RU6J	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1960.0	-	B	9775F
C	-	-	RU61D	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	1960.0	-	C	9775F

Connector Name 9865M
 Part Number 1667741C1
 Short Description LOAD INDICATOR
 Instances L9 - Axle Loading (Weight) Rear:Diagram1-Combination1
 L9 - Axle Loading (Weight) Rear:Diagram1-Combination2
 L9 - Rear Suspension Pressure Monitoring (Virtual Gauge):Diagram1-Combination1
 L9 - Rear Suspension Pressure Monitoring (Virtual Gauge):Diagram1-Combination2
 Mates 9775F




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	PD110B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4405.0	-	57	1701F
B	-	-	PD106B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4405.0	-	56	1701F
C	-	-	PD61B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4405.0	-	55	1701F

Connector Name 9900AA
 Part Number 1673790C1
 Instances L9 - RIGHTSIDE AIR DRYER:Diagram1-Combination2




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	PN39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4105.0	-	31	1701F
B	-	-	PN39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2125.0	-	-	-

Connector Name 9900AC
 Part Number 1673790C1
 Instances B6.7 - RIGHTSIDE AIR DRYER:Diagram1-Combination1
 L9 - RIGHTSIDE AIR DRYER:Diagram1-Combination3




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AC39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3270.0	-	31	1701F
B	-	-	AC39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1290.0	-	-	-

Connector Name 9900AE
 Part Number 1673790C1
 Short Description O/S LEFT RAIL AIR DRYER
 Instances B6.7 - RIGHTSIDE AIR DRYER:Diagram1-Combination2
 Mates HTR-AIR_DRYER-3002-02-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AE39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4330.0	-	31	1701F
B	-	-	AE39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2350.0	-	-	-

Connector Name 9900AJ
 Part Number 1673790C1
 Instances B6.7 - RIGHTSIDE AIR DRYER:Diagram1-Combination3
 L9 - RIGHTSIDE AIR DRYER:Diagram1-Combination4




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AJ39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2610.0	-	31	1701F
B	-	-	AJ39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	630.0	-	-	-

Connector Name 9900AP
 Part Number 1673790C1
 Instances B6.7 - RIGHTSIDE AIR DRYER:Diagram1-Combination4
 L9 - RIGHTSIDE AIR DRYER:Diagram1-Combination5




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AP39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4580.0	-	31	1701F
B	-	-	AP39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2600.0	-	-	-

Connector Name 9900AQ
 Part Number 1673790C1
 Instances B6.7 - RIGHTSIDE AIR DRYER:Diagram1-Combination5
 L9 - RIGHTSIDE AIR DRYER:Diagram1-Combination6




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AQ39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	4280.0	-	31	1701F
B	-	-	AQ39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2300.0	-	-	-

Connector Name 9900AR
 Part Number 1673790C1
 Instances B6.7 - RIGHTSIDE AIR DRYER:Diagram1-Combination6
 L9 - RIGHTSIDE AIR DRYER:Diagram1-Combination7




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	AR39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3730.0	-	31	1701F
B	-	-	AR39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1750.0	-	-	-

Connector Name 9900A
 Part Number 1673790C1
 Instances L9 - RIGHTSIDE AIR DRYER:Diagram1-Combination1




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NH39B	3510312 R1	1.16	16.0	Thin Wall XLPE Primary Cable	GREY	3060.0	-	31	1701F
B	-	-	NH39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1080.0	-	-	-

Connector Name 9900C
 Part Number 1673790C1
 Instances L9 - RIGHTSIDE AIR DRYER:Diagram1-Combination8




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	ZN39B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4455.0	-	31	1701F
A	-	-	PF39B	2643673 R1	0.79	18.0	Std. Wall XLPE Primary Cable	GREY	4455.0	-	31	1701F
B	-	-	PF39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2475.0	-	-	-
B	-	-	ZN39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	2475.0	-	-	-

Connector Name 9900D
 Part Number 1673790C1
 Instances L9 - RIGHTSIDE AIR DRYER:Diagram1-Combination9




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	BA39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2580.0	-	31	1701F
B	-	-	BA39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	600.0	-	-	-

Connector Name 9900E
 Part Number 1673790C1
 Instances L9 - RIGHTSIDE AIR DRYER:Diagram1-Combination10




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	PA39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	2805.0	-	31	1701F
B	-	-	PA39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1525.0	-	-	-

Connector Name 9900G
 Part Number 1673790C1
 Instances L9 - RIGHTSIDE AIR DRYER:Diagram1-Combination11




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	NX39B	2643680 R1	1.16	16.0	Std. Wall XLPE Primary Cable	GREY	3410.0	-	31	1701F
B	-	-	NX39-GB	2643681 R1	1.16	16.0	Std. Wall XLPE Primary Cable	WHITE	1430.0	-	-	-

Connector Name 9913B
 Part Number 587570C91
 Instances L9 - Transmission Power Take Off (Auto Trans with Lectradrive):Diagram1
 L9 - Transmission Power Take Off (Lectrashift PTO with Manual Trans):Diagram1
 Mates CONN_LECTRASHIFT-PTO_5047- 08-01A




Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
A	-	-	RY14LSB	2643759 R1	0.79	18.0	Std. Wall XLPE Primary Cable	RED	2970.0	-	B	9724
B	-	-	RY14LSA	2643670 R1	0.79	18.0	Std. Wall XLPE Primary Cable	BLACK	2970.0	-	A	9724
C	-	-	RY14LSC	2643787 R1	3.01	12.0	Std. Wall XLPE Primary Cable	WHITE	2090.0	-	42	1702

Connector Name 9915
 Part Number 3539777C1
 Instances L9 - Transmission Power Take Off (Auto Trans with Lectradrive):Diagram1
 L9 - Transmission Power Take Off (Lectrashift PTO with Manual Trans):Diagram1
 Mates DIODE_PTO_Lectrashift_5047 -08-01A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	HW14BC	2643760 R1	1.16	16.0	Std. Wall XLPE Primary Cable	RED	640.0	-	4	1873
2	-	-	HW11-GCK	3510313 R1	1.91	14.0	Thin Wall XLPE Primary Cable	GREY	1010.0	-	X	-

Connector Name 9916
 Part Number 4105324C1
 Instances L9 - Snow Valve Control:Diagram1-Combination1
 L9 - Snow Valve Control:Diagram1-Combination2
 Mates DIOD-SNOW_VALV-5042-01-02A



Name	Terminal Part Number	V-Min	Name	Wire Part Number	Wire CSA	Wire Spec	Wire Material description	Wire Color Description	Wire Length	End2 Terminal Part Number	End2 Pin Name	End2 Connector
1	-	-	QA23DC	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	240.0	-	X	-
2	-	-	QA23A	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	1165.0	-	A6	1500A
3	-	-	QA23BD	3510329 R1	0.79	18.0	Thin Wall XLPE Primary Cable	TAN	875.0	-	X	-

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2	
8A5BA(+)	18	YL	TXL	3572112R1	3683465C1	1939_2	A	N/A	3683466C1	3573833C1	
8A5BA(+)	18	YL	TXL	3572112R1		BS18	-	2644000R1			
8A5BA(-)	18	GN	TXL	3572112R1	3683465C1	1939_2	B	N/A	3683466C1	3573833C1	
8A5BA(-)	18	GN	TXL	3572112R1		BS19	-	2644000R1			
8A5BB(+)	18	YL	TXL	3572112R1	3598705C1		1602	F6	N/A	1618846C1	1618847C1
8A5BB(+)	18	YL	TXL	3572112R1		BS18	-	2644000R1			
8A5BB(-)	18	GN	TXL	3572112R1	3598705C1		1602	F5	N/A	1618846C1	1618847C1
8A5BB(-)	18	GN	TXL	3572112R1		BS19	-	2644000R1			
8A5BC(+)	18	YL	TXL	3572112R1	3601838C1		1024	M	N/A	361839C1	
8A5BC(+)	18	YL	TXL	3572112R1		BS18	-	2644000R1			
8A5BC(-)	18	GN	TXL	3572112R1	3601838C1		1024	A	N/A	361839C1	
8A5BC(-)	18	GN	TXL	3572112R1		BS19	-	2644000R1			
8A5BD(+)	18	YL	TXL	3572112R1	3601838C1		1024	K	N/A	361839C1	
8A5BD(+)	18	YL	TXL	3572112R1	3601838C1		1024	J	N/A	361839C1	
8A5BD(-)	18	GN	TXL	3572112R1	3601838C1		1024	C	N/A	361839C1	
8A5BD(-)	18	GN	TXL	3572112R1	3601838C1		1024	D	N/A	361839C1	
8A5BE(+)	18	YL	TXL	3572112R1	3601838C1		1024	G	N/A	361839C1	
8A5BE(+)	18	YL	TXL	3572112R1	3601838C1		1028	M	N/A	361839C1	
8A5BE(-)	18	GN	TXL	3572112R1	3601838C1		1024	F	N/A	361839C1	
8A5BE(-)	18	GN	TXL	3572112R1	3601838C1		1028	A	N/A	361839C1	
8A5BF(+)	18	YL	TXL	3572112R1	3601838C1		1028	K	N/A	361839C1	
8A5BF(+)	18	YL	TXL	3572112R1	3601838C1		1028	J	N/A	361839C1	
8A5BF(-)	18	GN	TXL	3572112R1	3601838C1		1028	C	N/A	361839C1	
8A5BF(-)	18	GN	TXL	3572112R1	3601838C1		1028	D	N/A	361839C1	
8A5BG(+)	18	YL	TXL	3572112R1	3601838C1		1028	G	N/A	361839C1	
8A5BG(+)	18	YL	TXL	3572112R1	3601838C1		1025	M	N/A	361839C1	
8A5BG(-)	18	GN	TXL	3572112R1	3601838C1		1028	F	N/A	361839C1	
8A5BG(-)	18	GN	TXL	3572112R1	3601838C1		1025	A	N/A	361839C1	
8A5BH(+)	18	YL	TXL	3572112R1	3601838C1		1025	K	N/A	361839C1	
8A5BH(+)	18	YL	TXL	3572112R1	3601838C1		1025	J	N/A	361839C1	
8A5BH(-)	18	GN	TXL	3572112R1	3601838C1		1025	C	N/A	361839C1	
8A5BH(-)	18	GN	TXL	3572112R1	3601838C1		1025	D	N/A	361839C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
8A5BJ(+)	18	YL	TXL	3572112R1	3601838C1	1025	G	N/A	361839C1	
8A5BJ(+)	18	YL	TXL	3572112R1	3683465C1	1935N	A	N/A	3683466C1	3573833C1
8A5BJ(-)	18	GN	TXL	3572112R1	3601838C1	1025	F	N/A	361839C1	
8A5BJ(-)	18	GN	TXL	3572112R1	3683465C1	1935N	B	N/A	3683466C1	3573833C1
9A5BA(+)	18	YL	TXL	3572112R1	3683465C1	1939_2	A	N/A	3683466C1	3573833C1
9A5BA(+)	18	YL	TXL	3572112R1		BS18	-	2644000R1		
9A5BA(-)	18	GN	TXL	3572112R1	3683465C1	1939_2	B	N/A	3683466C1	3573833C1
9A5BA(-)	18	GN	TXL	3572112R1		BS19	-	2644000R1		
9A5BB(+)	18	YL	TXL	3572112R1	3598705C1	1602	F6	N/A	1618846C1	1618847C1
9A5BB(+)	18	YL	TXL	3572112R1		BS18	-	2644000R1		
9A5BB(-)	18	GN	TXL	3572112R1	3598705C1	1602	F5	N/A	1618846C1	1618847C1
9A5BB(-)	18	GN	TXL	3572112R1		BS19	-	2644000R1		
9A5BC(+)	18	YL	TXL	3572112R1	3601838C1	1024	M	N/A	361839C1	
9A5BC(+)	18	YL	TXL	3572112R1		BS18	-	2644000R1		
9A5BC(-)	18	GN	TXL	3572112R1	3601838C1	1024	A	N/A	361839C1	
9A5BC(-)	18	GN	TXL	3572112R1		BS19	-	2644000R1		
9A5BD(+)	18	YL	TXL	3572112R1	3601838C1	1024	K	N/A	361839C1	
9A5BD(+)	18	YL	TXL	3572112R1	3601838C1	1024	J	N/A	361839C1	
9A5BD(-)	18	GN	TXL	3572112R1	3601838C1	1024	C	N/A	361839C1	
9A5BD(-)	18	GN	TXL	3572112R1	3601838C1	1024	D	N/A	361839C1	
9A5BE(+)	18	YL	TXL	3572112R1	3601838C1	1024	G	N/A	361839C1	
9A5BE(+)	18	YL	TXL	3572112R1	3601838C1	1028	M	N/A	361839C1	
9A5BE(-)	18	GN	TXL	3572112R1	3601838C1	1024	F	N/A	361839C1	
9A5BE(-)	18	GN	TXL	3572112R1	3601838C1	1028	A	N/A	361839C1	
9A5BF(+)	18	YL	TXL	3572112R1	3601838C1	1028	K	N/A	361839C1	
9A5BF(+)	18	YL	TXL	3572112R1	3601838C1	1028	J	N/A	361839C1	
9A5BF(-)	18	GN	TXL	3572112R1	3601838C1	1028	C	N/A	361839C1	
9A5BF(-)	18	GN	TXL	3572112R1	3601838C1	1028	D	N/A	361839C1	
9A5BG(+)	18	YL	TXL	3572112R1	3601838C1	1028	G	N/A	361839C1	
9A5BG(+)	18	YL	TXL	3572112R1	3683465C1	1935N	A	N/A	3683466C1	3573833C1
9A5BG(-)	18	GN	TXL	3572112R1	3601838C1	1028	F	N/A	361839C1	
9A5BG(-)	18	GN	TXL	3572112R1	3683465C1	1935N	B	N/A	3683466C1	3573833C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
9B5F(+)	18	YL	TXL	3572112R1	3544688C1	2000	10	N/A		
9B5F(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
9B5F(-)	18	GN	TXL	3572112R1	3544688C1	2000	9	N/A		
9B5F(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
9B5G(+)	18	YL	TXL	3572112R1	3710061C1	1500A	A9	N/A	3539892C1	3539893C1
9B5G(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
9B5G(-)	18	GN	TXL	3572112R1	3710061C1	1500A	A10	N/A	3539892C1	3539893C1
9B5G(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
9B5H(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
9B5H(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
9B5H(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
9B5H(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
9B5J(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
9B5J(+)	18	YL	TXL	3572112R1	4064551C1	7900F	E	N/A		
9B5J(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
9B5J(-)	18	GN	TXL	3572112R1	4064551C1	7900F	F	N/A		
9B5K(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
9B5K(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
9B5K(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
9B5K(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
9B5N(+)	18	YL	TXL	3572112R1	3596926C1	1400	8	N/A	356239C1	
9B5N(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
9B5N(-)	18	GN	TXL	3572112R1	3596926C1	1400	7	N/A	356239C1	
9B5N(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
9B5P(+)	18	YL	TXL	3572112R1	3595625C1	1703M	53	N/A		
9B5P(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
9B5P(-)	18	GN	TXL	3572112R1	3595625C1	1703M	52	N/A		
9B5P(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
9B5R(+)	18	YL	TXL	3572112R1	3595624C1	1703F	53	SWS_N_REQ		
9B5R(+)	18	YL	TXL	3572112R1	3595621C1	1702	11	N/A	3598918C1	3598919C1
9B5R(-)	18	GN	TXL	3572112R1	3595624C1	1703F	52	SWS_N_REQ		
9B5R(-)	18	GN	TXL	3572112R1	3595621C1	1702	17	N/A	3598918C1	3598919C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
9C5F(+)	18	YL	TXL	3572112R1	3544688C1	2000	10	N/A		
9C5F(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
9C5F(-)	18	GN	TXL	3572112R1	3544688C1	2000	9	N/A		
9C5F(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
9C5G(+)	18	YL	TXL	3572112R1	3710061C1	1500A	A9	N/A	3539892C1	3539893C1
9C5G(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
9C5G(-)	18	GN	TXL	3572112R1	3710061C1	1500A	A10	N/A	3539892C1	3539893C1
9C5G(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
9C5H(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
9C5H(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
9C5H(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
9C5H(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
9C5N(+)	18	YL	TXL	3572112R1	3596926C1	1400	8	N/A	356239C1	
9C5N(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
9C5N(-)	18	GN	TXL	3572112R1	3596926C1	1400	7	N/A	356239C1	
9C5N(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
9C5P(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
9C5P(+)	18	YL	TXL	3572112R1	3595625C1	1703M	53	N/A		
9C5P(-)	18	GN	TXL	3572112R1	3595625C1	1703M	52	N/A		
9C5P(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
9C5R(+)	18	YL	TXL	3572112R1	3595624C1	1703F	53	SWS_N_REQ		
9C5R(+)	18	YL	TXL	3572112R1	3595621C1	1702	11	N/A	3598918C1	3598919C1
9C5R(-)	18	GN	TXL	3572112R1	3595624C1	1703F	52	SWS_N_REQ		
9C5R(-)	18	GN	TXL	3572112R1	3595621C1	1702	17	N/A	3598918C1	3598919C1
9D5A(+)	18	YL	TXL	3572112R1	3595625C1	1700	62	N/A		
9D5A(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
9D5A(-)	18	GN	TXL	3572112R1	3595625C1	1700	61	N/A		
9D5A(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
9D5B(+)	18	YL	TXL	3572112R1	3759005C1	1606	H	N/A	3573833C1	
9D5B(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
9D5B(-)	18	GN	TXL	3572112R1	3759005C1	1606	G	N/A	3573833C1	
9D5B(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
9D5C(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
9D5C(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
9D5C(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
9D5C(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
9D5D(+)	18	YL	TXL	3572112R1	3757649C1		1650	Conne	ti N/A	
9D5D(+)	18	YL	TXL	3572112R1	A	AS34	-	2644000		
9D5D(-)	18	GN	TXL	3572112R1	3757649C1		1650	Conne	ti N/A	
9D5D(-)	18	GN	TXL	3572112R1	A	AS35	-	2644000		
9D5E(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
9D5E(+)	18	YL	TXL	3572112R1	3540613C1	16B	K	N/A	354615C1	
9D5E(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
9D5E(-)	18	GN	TXL	3572112R1	3540613C1	16B	J	N/A	354615C1	
9E5BA(+)	18	YL	TXL	3572112R1	3759005C1		1606	P	N/A	3573833C1
9E5BA(+)	18	YL	TXL	3572112R1		AS5	-	2644000R1		
9E5BA(-)	18	GN	TXL	3572112R1	3759005C1		1606	N	N/A	3573833C1
9E5BA(-)	18	GN	TXL	3572112R1		AS4	-	2644000R1		
9E5BB(+)	18	YL	TXL	3572112R1	3683465C1	1939-1	A	N/A	3683466C1	3573833C1
9E5BB(+)	18	YL	TXL	3572112R1		AS5	-	2644000R1		
9E5BB(-)	18	GN	TXL	3572112R1	3683465C1	1939-1	B	N/A	3683466C1	3573833C1
9E5BB(-)	18	GN	TXL	3572112R1		AS4	-	2644000R1		
9E5BC(+)	18	YL	TXL	3572112R1		AS5	-	2644000R1		
9E5BC(+)	18	YL	TXL	3572112R1		BS15	-	2644000R1		
9E5BC(-)	18	GN	TXL	3572112R1		AS4	-	2644000R1		
9E5BC(-)	18	GN	TXL	3572112R1		BS16	-	2644000R1		
9E5BF(+)	18	YL	TXL	3572112R1	4063156C1	0009B	B	N/A		
9E5BF(+)	18	YL	TXL	3572112R1		BS15	-	2644000R1		
9E5BF(-)	18	GN	TXL	3572112R1	4063156C1	0009B	C	N/A		
9E5BF(-)	18	GN	TXL	3572112R1		BS16	-	2644000R1		
9E5BG(+)	18	YL	TXL	3572112R1	3522071C1	1101M	5	N/A		
9E5BG(+)	18	YL	TXL	3572112R1		BS15	-	2644000R1		
9E5BG(-)	18	GN	TXL	3572112R1	3522071C1	1101M	6	N/A		
9E5BG(-)	18	GN	TXL	3572112R1		BS16	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
9E5BH(+)	18	YL	TXL	3572112R1	3768593C1	1101F	5	N/A		
9E5BH(+)	18	YL	TXL	3572112R1	3683465C1	1939-1	A	N/A	3683466C1	3573833C1
9E5BH(-)	18	GN	TXL	3572112R1	3768593C1	1101F	6	N/A		
9E5BH(-)	18	GN	TXL	3572112R1	3683465C1	1939-1	B	N/A	3683466C1	3573833C1
9F5BA(+)	18	YL	TXL	3572112R1	3683465C1	1939_2	A	N/A	3683466C1	3573833C1
9F5BA(+)	18	YL	TXL	3572112R1		BS18	-	2644000R1		
9F5BA(-)	18	GN	TXL	3572112R1	3683465C1	1939_2	B	N/A	3683466C1	3573833C1
9F5BA(-)	18	GN	TXL	3572112R1		BS19	-	2644000R1		
9F5BB(+)	18	YL	TXL	3572112R1	3598705C1		1602 F6	N/A	1618846C1	1618847C1
9F5BB(+)	18	YL	TXL	3572112R1		BS18	-	2644000R1		
9F5BB(-)	18	GN	TXL	3572112R1	3598705C1		1602 F5	N/A	1618846C1	1618847C1
9F5BB(-)	18	GN	TXL	3572112R1		BS19	-	2644000R1		
9F5BC(+)	18	YL	TXL	3572112R1	3601838C1		1028 M	N/A	361839C1	
9F5BC(+)	18	YL	TXL	3572112R1		BS18	-	2644000R1		
9F5BC(-)	18	GN	TXL	3572112R1	3601838C1		1028 A	N/A	361839C1	
9F5BC(-)	18	GN	TXL	3572112R1		BS19	-	2644000R1		
9F5BD(+)	18	YL	TXL	3572112R1	3601838C1		1028 K	N/A	361839C1	
9F5BD(+)	18	YL	TXL	3572112R1	3601838C1		1028 J	N/A	361839C1	
9F5BD(-)	18	GN	TXL	3572112R1	3601838C1		1028 C	N/A	361839C1	
9F5BD(-)	18	GN	TXL	3572112R1	3601838C1		1028 D	N/A	361839C1	
9F5BE(+)	18	YL	TXL	3572112R1	3601838C1		1028 G	N/A	361839C1	
9F5BE(+)	18	YL	TXL	3572112R1	3601838C1		1025 M	N/A	361839C1	
9F5BE(-)	18	GN	TXL	3572112R1	3601838C1		1028 F	N/A	361839C1	
9F5BE(-)	18	GN	TXL	3572112R1	3601838C1		1025 A	N/A	361839C1	
9F5BF(+)	18	YL	TXL	3572112R1	3601838C1		1025 K	N/A	361839C1	
9F5BF(+)	18	YL	TXL	3572112R1	3601838C1		1025 J	N/A	361839C1	
9F5BF(-)	18	GN	TXL	3572112R1	3601838C1		1025 C	N/A	361839C1	
9F5BF(-)	18	GN	TXL	3572112R1	3601838C1		1025 D	N/A	361839C1	
9F5BG(+)	18	YL	TXL	3572112R1	3601838C1		1025 G	N/A	361839C1	
9F5BG(+)	18	YL	TXL	3572112R1	3683465C1	1935N	A	N/A	3683466C1	3573833C1
9F5BG(-)	18	GN	TXL	3572112R1	3601838C1		1025 F	N/A	361839C1	
9F5BG(-)	18	GN	TXL	3572112R1	3683465C1	1935N	B	N/A	3683466C1	3573833C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
9G5BA(+)	18	YL	TXL	3572112R1	3759005C1	1606	P	N/A	3573833C1	
9G5BA(+)	18	YL	TXL	3572112R1		AS5	-	2644000R1		
9G5BA(-)	18	GN	TXL	3572112R1	3759005C1	1606	N	N/A	3573833C1	
9G5BA(-)	18	GN	TXL	3572112R1		AS4	-	2644000R1		
9G5BB(+)	18	YL	TXL	3572112R1	3683465C1	1939-1	A	N/A	3683466C1	3573833C1
9G5BB(+)	18	YL	TXL	3572112R1		AS5	-	2644000R1		
9G5BB(-)	18	GN	TXL	3572112R1	3683465C1	1939-1	B	N/A	3683466C1	3573833C1
9G5BB(-)	18	GN	TXL	3572112R1		AS4	-	2644000R1		
9G5BC(+)	18	YL	TXL	3572112R1		AS10	-	2644000R1		
9G5BC(+)	18	YL	TXL	3572112R1		AS5	-	2644000R1		
9G5BC(-)	18	GN	TXL	3572112R1		AS11	-	2644000R1		
9G5BC(-)	18	GN	TXL	3572112R1		AS4	-	2644000R1		
9G5BD(+)	18	YL	TXL	3572112R1		AS10	-	2644000R1		
9G5BD(+)	18	YL	TXL	3572112R1	1661200C1	3200M	B	N/A		
9G5BD(-)	18	GN	TXL	3572112R1		AS11	-	2644000R1		
9G5BD(-)	18	GN	TXL	3572112R1	1661200C1	3200M	A	N/A		
9G5BE(+)	18	YL	TXL	3572112R1		AS10	-	2644000R1		
9G5BE(+)	18	YL	TXL	3572112R1		BS15	-	2644000R1		
9G5BE(-)	18	GN	TXL	3572112R1		AS11	-	2644000R1		
9G5BE(-)	18	GN	TXL	3572112R1		BS16	-	2644000R1		
9G5BF(+)	18	YL	TXL	3572112R1	4063156C1	0009B	B	N/A		
9G5BF(+)	18	YL	TXL	3572112R1		BS15	-	2644000R1		
9G5BF(-)	18	GN	TXL	3572112R1	4063156C1	0009B	C	N/A		
9G5BF(-)	18	GN	TXL	3572112R1		BS16	-	2644000R1		
9G5BG(+)	18	YL	TXL	3572112R1	3522071C1	1101M	5	N/A		
9G5BG(+)	18	YL	TXL	3572112R1		BS15	-	2644000R1		
9G5BG(-)	18	GN	TXL	3572112R1	3522071C1	1101M	6	N/A		
9G5BG(-)	18	GN	TXL	3572112R1		BS16	-	2644000R1		
9G5BH(+)	18	YL	TXL	3572112R1	3768593C1	1101F	5	N/A		
9G5BH(+)	18	YL	TXL	3572112R1		LS3	-	2644000R1		
9G5BH(-)	18	GN	TXL	3572112R1	3768593C1	1101F	6	N/A		
9G5BH(-)	18	GN	TXL	3572112R1		LS4	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
9G5BJ(+)	18	YL	TXL	3572112R1	3683465C1	1939-1	A	N/A	3683466C1	3573833C1
9G5BJ(+)	18	YL	TXL	3572112R1		LS3	-	2644000R1		
9G5BJ(-)	18	GN	TXL	3572112R1	3683465C1	1939-1	B	N/A	3683466C1	3573833C1
9G5BJ(-)	18	GN	TXL	3572112R1		LS4	-	2644000R1		
9G5BK(+)	18	YL	TXL	3572112R1	1661200C1	3204M	B	N/A		
9G5BK(+)	18	YL	TXL	3572112R1		LS3	-	2644000R1		
9G5BK(-)	18	GN	TXL	3572112R1	1661200C1	3204M	A	N/A		
9G5BK(-)	18	GN	TXL	3572112R1		LS4	-	2644000R1		
9H5BA(+)	18	YL	TXL	3572112R1	3759005C1		1606 P	N/A	3573833C1	
9H5BA(+)	18	YL	TXL	3572112R1		AS5	-	2644000R1		
9H5BA(-)	18	GN	TXL	3572112R1	3759005C1		1606 N	N/A	3573833C1	
9H5BA(-)	18	GN	TXL	3572112R1		AS4	-	2644000R1		
9H5BB(+)	18	YL	TXL	3572112R1	3683465C1	1939-1	A	N/A	3683466C1	3573833C1
9H5BB(+)	18	YL	TXL	3572112R1		AS5	-	2644000R1		
9H5BB(-)	18	GN	TXL	3572112R1	3683465C1	1939-1	B	N/A	3683466C1	3573833C1
9H5BB(-)	18	GN	TXL	3572112R1		AS4	-	2644000R1		
9H5BC(+)	18	YL	TXL	3572112R1		BS15	-	2644000R1		
9H5BC(+)	18	YL	TXL	3572112R1		AS5	-	2644000R1		
9H5BC(-)	18	GN	TXL	3572112R1		AS4	-	2644000R1		
9H5BC(-)	18	GN	TXL	3572112R1		BS16	-	2644000R1		
9H5BF(+)	18	YL	TXL	3572112R1	4063156C1		9 B	N/A		
9H5BF(+)	18	YL	TXL	3572112R1		BS15	-	2644000R1		
9H5BF(-)	18	GN	TXL	3572112R1	4063156C1		9 C	N/A		
9H5BF(-)	18	GN	TXL	3572112R1		BS16	-	2644000R1		
9H5BG(+)	18	YL	TXL	3572112R1	3522071C1	1101M	5	N/A		
9H5BG(+)	18	YL	TXL	3572112R1		BS15	-	2644000R1		
9H5BG(-)	18	GN	TXL	3572112R1	3522071C1	1101M	6	N/A		
9H5BG(-)	18	GN	TXL	3572112R1		BS16	-	2644000R1		
9H5BH(+)	18	YL	TXL	3572112R1	3768593C1	1101F	5	N/A		
9H5BH(+)	18	YL	TXL	3572112R1	3683465C1	1939-1	A	N/A	3683466C1	3573833C1
9H5BH(-)	18	GN	TXL	3572112R1	3768593C1	1101F	6	N/A		
9H5BH(-)	18	GN	TXL	3572112R1	3683465C1	1939-1	B	N/A	3683466C1	3573833C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
9J5BA(+)	18	YL	TXL	3572112R1	3595623C1	1701	52	N/A		
9J5BA(+)	18	YL	TXL	3572112R1		BS18	-	2644000R1		
9J5BA(-)	18	GN	TXL	3572112R1	3595623C1	1701	53	N/A		
9J5BA(-)	18	GN	TXL	3572112R1		BS19	-	2644000R1		
9J5BB(+)	18	YL	TXL	3572112R1	3598705C1	1602	F6	N/A	1618846C1	1618847C1
9J5BB(+)	18	YL	TXL	3572112R1		BS18	-	2644000R1		
9J5BB(-)	18	GN	TXL	3572112R1	3598705C1	1602	F5	N/A	1618846C1	1618847C1
9J5BB(-)	18	GN	TXL	3572112R1		BS19	-	2644000R1		
9J5BC(+)	18	YL	TXL	3572112R1	3601838C1	1028	M	N/A	361839C1	
9J5BC(+)	18	YL	TXL	3572112R1		BS18	-	2644000R1		
9J5BC(-)	18	GN	TXL	3572112R1	3601838C1	1028	A	N/A	361839C1	
9J5BC(-)	18	GN	TXL	3572112R1		BS19	-	2644000R1		
9J5BD(+)	18	YL	TXL	3572112R1	3601838C1	1028	K	N/A	361839C1	
9J5BD(+)	18	YL	TXL	3572112R1	3601838C1	1028	J	N/A	361839C1	
9J5BD(-)	18	GN	TXL	3572112R1	3601838C1	1028	C	N/A	361839C1	
9J5BD(-)	18	GN	TXL	3572112R1	3601838C1	1028	D	N/A	361839C1	
9J5BE(+)	18	YL	TXL	3572112R1	3601838C1	1028	G	N/A	361839C1	
9J5BE(+)	18	YL	TXL	3572112R1	3601838C1	1025	M	N/A	361839C1	
9J5BE(-)	18	GN	TXL	3572112R1	3601838C1	1028	F	N/A	361839C1	
9J5BE(-)	18	GN	TXL	3572112R1	3601838C1	1025	A	N/A	361839C1	
9J5BF(+)	18	YL	TXL	3572112R1	3601838C1	1025	K	N/A	361839C1	
9J5BF(+)	18	YL	TXL	3572112R1	3601838C1	1025	J	N/A	361839C1	
9J5BF(-)	18	GN	TXL	3572112R1	3601838C1	1025	C	N/A	361839C1	
9J5BF(-)	18	GN	TXL	3572112R1	3601838C1	1025	D	N/A	361839C1	
9J5BG(+)	18	YL	TXL	3572112R1	3601838C1	1025	G	N/A	361839C1	
9J5BG(+)	18	YL	TXL	3572112R1	3683465C1	1935N	A	N/A	3683466C1	3573833C1
9J5BG(-)	18	GN	TXL	3572112R1	3601838C1	1025	F	N/A	361839C1	
9J5BG(-)	18	GN	TXL	3572112R1	3683465C1	1935N	B	N/A	3683466C1	3573833C1
9K5A(+)	18	YL	TXL	3572112R1	3683465C1	1939_5	A	N/A	3683466C1	3573833C1
9K5A(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
9K5A(-)	18	GN	TXL	3572112R1	3683465C1	1939_5	B	N/A	3683466C1	3573833C1
9K5A(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
9K5B(+)	18	YL	TXL	3572112R1	3759005C1	1606	H	N/A	3573833C1	
9K5B(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
9K5B(-)	18	GN	TXL	3572112R1	3759005C1	1606	G	N/A	3573833C1	
9K5B(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
9K5C(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
9K5C(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
9K5C(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
9K5C(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
9K5D(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
9K5D(+)	18	YL	TXL	3572112R1	3757649C1	1650	Conne	ti N/A		
9K5D(-)	18	GN	TXL	3572112R1	3757649C1	1650	Conne	ti N/A		
9K5D(-)	18	GN	TXL	3572112R1	A	AS35	-	2644000		
9K5E(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
9K5E(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
9K5E(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
9K5E(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
9K5G(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
9K5G(+)	18	YL	TXL	3572112R1	3710061C1	1500A	A9	N/A	3539892C1	3539893C1
9K5G(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
9K5G(-)	18	GN	TXL	3572112R1	3710061C1	1500A	A10	N/A	3539892C1	3539893C1
9K5H(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
9K5H(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
9K5H(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
9K5H(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
9K5N(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
9K5N(+)	18	YL	TXL	3572112R1	3596926C1	1400	8	N/A	356239C1	
9K5N(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
9K5N(-)	18	GN	TXL	3572112R1	3596926C1	1400	7	N/A	356239C1	
9K5P(+)	18	YL	TXL	3572112R1	3595625C1	1703M	53	N/A		
9K5P(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
9K5P(-)	18	GN	TXL	3572112R1	3595625C1	1703M	52	N/A		
9K5P(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
9K5R(+)	18	YL	TXL	3572112R1	3595624C1	1703F	53	SWS_N_REQ		
9K5R(+)	18	YL	TXL	3572112R1	3595621C1		1702	N/A	3598918C1	3598919C1
9K5R(-)	18	GN	TXL	3572112R1	3595624C1	1703F	52	SWS_N_REQ		
9K5R(-)	18	GN	TXL	3572112R1	3595621C1		1702	N/A	3598918C1	3598919C1
9L5BA(+)	18	YL	TXL	3572112R1	3759005C1		1606	N/A	3573833C1	
9L5BA(+)	18	YL	TXL	3572112R1		AS5	-	2644000R1		
9L5BA(-)	18	GN	TXL	3572112R1	3759005C1		1606	N/A	3573833C1	
9L5BA(-)	18	GN	TXL	3572112R1		AS4	-	2644000R1		
9L5BB(+)	18	YL	TXL	3572112R1	3683465C1	1939-1	A	N/A	3683466C1	3573833C1
9L5BB(+)	18	YL	TXL	3572112R1		AS5	-	2644000R1		
9L5BB(-)	18	GN	TXL	3572112R1	3683465C1	1939-1	B	N/A	3683466C1	3573833C1
9L5BB(-)	18	GN	TXL	3572112R1		AS4	-	2644000R1		
9L5BC(+)	18	YL	TXL	3572112R1		AS5	-	2644000R1		
9L5BC(+)	18	YL	TXL	3572112R1		AS10	-	2644000R1		
9L5BC(-)	18	GN	TXL	3572112R1		AS4	-	2644000R1		
9L5BC(-)	18	GN	TXL	3572112R1		AS11	-	2644000R1		
9L5BD(+)	18	YL	TXL	3572112R1	1661200C1	3200M	B	N/A		
9L5BD(+)	18	YL	TXL	3572112R1		AS10	-	2644000R1		
9L5BD(-)	18	GN	TXL	3572112R1	1661200C1	3200M	A	N/A		
9L5BD(-)	18	GN	TXL	3572112R1		AS11	-	2644000R1		
9L5BE(+)	18	YL	TXL	3572112R1		AS10	-	2644000R1		
9L5BE(+)	18	YL	TXL	3572112R1		BS15	-	2644000R1		
9L5BE(-)	18	GN	TXL	3572112R1		AS11	-	2644000R1		
9L5BE(-)	18	GN	TXL	3572112R1		BS16	-	2644000R1		
9L5BF(+)	18	YL	TXL	3572112R1	4063156C1		9	N/A		
9L5BF(+)	18	YL	TXL	3572112R1		BS15	-	2644000R1		
9L5BF(-)	18	GN	TXL	3572112R1	4063156C1		9	N/A		
9L5BF(-)	18	GN	TXL	3572112R1		BS16	-	2644000R1		
9L5BG(+)	18	YL	TXL	3572112R1		BS15	-	2644000R1		
9L5BG(+)	18	YL	TXL	3572112R1	3522071C1	1101M	5	N/A		
9L5BG(-)	18	GN	TXL	3572112R1		BS16	-	2644000R1		
9L5BG(-)	18	GN	TXL	3572112R1	3522071C1	1101M	6	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
9L5BH(+)	18	YL	TXL	3572112R1	3768593C1	1101F	5	N/A		
9L5BH(+)	18	YL	TXL	3572112R1		LS3	-	2644000R1		
9L5BH(-)	18	GN	TXL	3572112R1	3768593C1	1101F	6	N/A		
9L5BH(-)	18	GN	TXL	3572112R1		LS4	-	2644000R1		
9L5BJ(+)	18	YL	TXL	3572112R1	3683465C1	1939-1	A	N/A	3683466C1	3573833C1
9L5BJ(+)	18	YL	TXL	3572112R1		LS3	-	2644000R1		
9L5BJ(-)	18	GN	TXL	3572112R1	3683465C1	1939-1	B	N/A	3683466C1	3573833C1
9L5BJ(-)	18	GN	TXL	3572112R1		LS4	-	2644000R1		
9L5CK(+)	18	YL	TXL	3572112R1	1661200C1	3204M	B	N/A		
9L5CK(+)	18	YL	TXL	3572112R1		LS3	-	2644000R1		
9L5CK(-)	18	GN	TXL	3572112R1	1661200C1	3204M	A	N/A		
9L5CK(-)	18	GN	TXL	3572112R1		LS4	-	2644000R1		
9M5A(+)	18	YL	TXL	3572112R1	3683465C1	1939_5	A	N/A	3683466C1	3573833C1
9M5A(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
9M5A(-)	18	GN	TXL	3572112R1	3683465C1	1939_5	B	N/A	3683466C1	3573833C1
9M5A(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
9M5B(+)	18	YL	TXL	3572112R1	3759005C1		1606	H	N/A	3573833C1
9M5B(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
9M5B(-)	18	GN	TXL	3572112R1	3759005C1		1606	G	N/A	3573833C1
9M5B(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
9M5C(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
9M5C(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
9M5C(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
9M5C(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
9M5D(+)	18	YL	TXL	3572112R1	3757649C1		1650	Conne	ti N/A	
9M5D(+)	18	YL	TXL	3572112R1	A	AS34	-	2644000		
9M5D(-)	18	GN	TXL	3572112R1	3757649C1		1650	Conne	ti N/A	
9M5D(-)	18	GN	TXL	3572112R1	A	AS35	-	2644000		
9M5E(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
9M5E(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
9M5E(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
9M5E(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
9M5G(+)	18	YL	TXL	3572112R1	3710061C1	1500A	A9	N/A	3539892C1	3539893C1
9M5G(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
9M5G(-)	18	GN	TXL	3572112R1	3710061C1	1500A	A10	N/A	3539892C1	3539893C1
9M5G(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
9M5H(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
9M5H(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
9M5H(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
9M5H(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
9M5J(+)	18	YL	TXL	3572112R1	4064551C1	7900F	E	N/A		
9M5J(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
9M5J(-)	18	GN	TXL	3572112R1	4064551C1	7900F	F	N/A		
9M5J(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
9M5K(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
9M5K(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
9M5K(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
9M5K(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
9M5N(+)	18	YL	TXL	3572112R1	3557922C1		1420 3	N/A	354912C1	
9M5N(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
9M5N(-)	18	GN	TXL	3572112R1	3557922C1		1420 1	N/A	354912C1	
9M5N(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
9M5P(+)	18	YL	TXL	3572112R1	3595625C1	1703M	53	N/A		
9M5P(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
9M5P(-)	18	GN	TXL	3572112R1	3595625C1	1703M	52	N/A		
9M5P(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
9M5R(+)	18	YL	TXL	3572112R1	3595624C1	1703F	53	SWS_N_REQ		
9M5R(+)	18	YL	TXL	3572112R1	3595621C1		1702 11	N/A	3598918C1	3598919C1
9M5R(-)	18	GN	TXL	3572112R1	3595624C1	1703F	52	SWS_N_REQ		
9M5R(-)	18	GN	TXL	3572112R1	3595621C1		1702 17	N/A	3598918C1	3598919C1
9N5A(+)	18	YL	TXL	3572112R1	3683465C1	1939_5	A	N/A	3683466C1	3573833C1
9N5A(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
9N5A(-)	18	GN	TXL	3572112R1	3683465C1	1939_5	B	N/A	3683466C1	3573833C1
9N5A(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
9N5B(+)	18	YL	TXL	3572112R1	3759005C1	1606	H	N/A	3573833C1	
9N5B(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
9N5B(-)	18	GN	TXL	3572112R1	3759005C1	1606	G	N/A	3573833C1	
9N5B(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
9N5C(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
9N5C(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
9N5C(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
9N5C(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
9N5D(+)	18	YL	TXL	3572112R1	3757649C1	1650	Conne	ti N/A		
9N5D(+)	18	YL	TXL	3572112R1	A	AS34	-	2644000		
9N5D(-)	18	GN	TXL	3572112R1	3757649C1	1650	Conne	ti N/A		
9N5D(-)	18	GN	TXL	3572112R1	A	AS35	-	2644000		
9N5E(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
9N5E(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
9N5E(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
9N5E(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
9N5G(+)	18	YL	TXL	3572112R1	3710061C1	1500A	A9	N/A	3539892C1	3539893C1
9N5G(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
9N5G(-)	18	GN	TXL	3572112R1	3710061C1	1500A	A10	N/A	3539892C1	3539893C1
9N5G(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
9N5H(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
9N5H(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
9N5H(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
9N5H(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
9N5J(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
9N5J(+)	18	YL	TXL	3572112R1	4064551C1	7900F	E	N/A		
9N5J(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
9N5J(-)	18	GN	TXL	3572112R1	4064551C1	7900F	F	N/A		
9N5K(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
9N5K(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
9N5K(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
9N5K(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2	
9N5N(+)	18	YL	TXL	3572112R1	3596926C1	1400	8	N/A	356239C1		
9N5N(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1			
9N5N(-)	18	GN	TXL	3572112R1	3596926C1	1400	7	N/A	356239C1		
9N5N(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1			
9N5P(+)	18	YL	TXL	3572112R1	3595625C1	1703M	53	N/A			
9N5P(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1			
9N5P(-)	18	GN	TXL	3572112R1	3595625C1	1703M	52	N/A			
9N5P(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1			
9N5R(+)	18	YL	TXL	3572112R1	3595624C1	1703F	53	SWS_N_REQ			
9N5R(+)	18	YL	TXL	3572112R1	3595621C1		1702	N/A	3598918C1	3598919C1	
9N5R(-)	18	GN	TXL	3572112R1	3595624C1	1703F	52	SWS_N_REQ			
9N5R(-)	18	GN	TXL	3572112R1	3595621C1		1702	N/A	3598918C1	3598919C1	
9P5BA(+)	18	YL	TXL	3572112R1	3683465C1	1939_2	A	N/A	3683466C1	3573833C1	
9P5BA(+)	18	YL	TXL	3572112R1		BS18	-	2644000R1			
9P5BA(-)	18	GN	TXL	3572112R1	3683465C1	1939_2	B	N/A	3683466C1	3573833C1	
9P5BA(-)	18	GN	TXL	3572112R1		BS19	-	2644000R1			
9P5BB(+)	18	YL	TXL	3572112R1	3598705C1		1602	F6	N/A	1618846C1	1618847C1
9P5BB(+)	18	YL	TXL	3572112R1		BS18	-	2644000R1			
9P5BB(-)	18	GN	TXL	3572112R1	3598705C1		1602	F5	N/A	1618846C1	1618847C1
9P5BB(-)	18	GN	TXL	3572112R1		BS19	-	2644000R1			
9P5BC(+)	18	YL	TXL	3572112R1	3601838C1		1024	M	N/A	361839C1	
9P5BC(+)	18	YL	TXL	3572112R1		BS18	-	2644000R1			
9P5BC(-)	18	GN	TXL	3572112R1	3601838C1		1024	A	N/A	361839C1	
9P5BC(-)	18	GN	TXL	3572112R1		BS19	-	2644000R1			
9P5BD(+)	18	YL	TXL	3572112R1	3601838C1		1024	K	N/A	361839C1	
9P5BD(+)	18	YL	TXL	3572112R1	3601838C1		1024	J	N/A	361839C1	
9P5BD(-)	18	GN	TXL	3572112R1	3601838C1		1024	C	N/A	361839C1	
9P5BD(-)	18	GN	TXL	3572112R1	3601838C1		1024	D	N/A	361839C1	
9P5BE(+)	18	YL	TXL	3572112R1	3601838C1		1024	G	N/A	361839C1	
9P5BE(+)	18	YL	TXL	3572112R1	3601838C1		1028	M	N/A	361839C1	
9P5BE(-)	18	GN	TXL	3572112R1	3601838C1		1024	F	N/A	361839C1	
9P5BE(-)	18	GN	TXL	3572112R1	3601838C1		1028	A	N/A	361839C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
9P5BF(+)	18	YL	TXL	3572112R1	3601838C1	1028	K	N/A	361839C1	
9P5BF(+)	18	YL	TXL	3572112R1	3601838C1	1028	J	N/A	361839C1	
9P5BF(-)	18	GN	TXL	3572112R1	3601838C1	1028	C	N/A	361839C1	
9P5BF(-)	18	GN	TXL	3572112R1	3601838C1	1028	D	N/A	361839C1	
9P5BG(+)	18	YL	TXL	3572112R1	3601838C1	1028	G	N/A	361839C1	
9P5BG(+)	18	YL	TXL	3572112R1	3601838C1	1025	M	N/A	361839C1	
9P5BG(-)	18	GN	TXL	3572112R1	3601838C1	1028	F	N/A	361839C1	
9P5BG(-)	18	GN	TXL	3572112R1	3601838C1	1025	A	N/A	361839C1	
9P5BH(+)	18	YL	TXL	3572112R1	3601838C1	1025	K	N/A	361839C1	
9P5BH(+)	18	YL	TXL	3572112R1	3601838C1	1025	J	N/A	361839C1	
9P5BH(-)	18	GN	TXL	3572112R1	3601838C1	1025	C	N/A	361839C1	
9P5BH(-)	18	GN	TXL	3572112R1	3601838C1	1025	D	N/A	361839C1	
9P5BJ(+)	18	YL	TXL	3572112R1	3601838C1	1025	G	N/A	361839C1	
9P5BJ(+)	18	YL	TXL	3572112R1	3683465C1	1935N	A	N/A	3683466C1	3573833C1
9P5BJ(-)	18	GN	TXL	3572112R1	3601838C1	1025	F	N/A	361839C1	
9P5BJ(-)	18	GN	TXL	3572112R1	3683465C1	1935N	B	N/A	3683466C1	3573833C1
9Q5A(+)	18	YL	TXL	3572112R1	3683465C1	1939_5	A	N/A	3683466C1	3573833C1
9Q5A(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
9Q5A(-)	18	GN	TXL	3572112R1	3683465C1	1939_5	B	N/A	3683466C1	3573833C1
9Q5A(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
9Q5B(+)	18	YL	TXL	3572112R1	3759005C1	1606	H	N/A	3573833C1	
9Q5B(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
9Q5B(-)	18	GN	TXL	3572112R1	3759005C1	1606	G	N/A	3573833C1	
9Q5B(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
9Q5C(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
9Q5C(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
9Q5C(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
9Q5C(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
9Q5D(+)	18	YL	TXL	3572112R1	3757649C1	1650	Conne	ti N/A		
9Q5D(+)	18	YL	TXL	3572112R1	A	AS34	-	2644000		
9Q5D(-)	18	GN	TXL	3572112R1	3757649C1	1650	Conne	ti N/A		
9Q5D(-)	18	GN	TXL	3572112R1	A	AS35	-	2644000		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
9Q5E(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
9Q5E(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
9Q5E(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
9Q5E(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
9Q5G(+)	18	YL	TXL	3572112R1	3710061C1	1500A	A9	N/A	3539892C1	3539893C1
9Q5G(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
9Q5G(-)	18	GN	TXL	3572112R1	3710061C1	1500A	A10	N/A	3539892C1	3539893C1
9Q5G(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
9Q5H(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
9Q5H(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
9Q5H(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
9Q5H(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
9Q5J(+)	18	YL	TXL	3572112R1	3605446C91	1852	8	N/A		
9Q5J(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
9Q5J(-)	18	GN	TXL	3572112R1	3605446C91	1852	15	N/A		
9Q5J(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
9Q5K(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
9Q5K(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
9Q5K(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
9Q5K(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
9Q5N(+)	18	YL	TXL	3572112R1	3557922C1	1420	3	N/A	354912C1	
9Q5N(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
9Q5N(-)	18	GN	TXL	3572112R1	3557922C1	1420	1	N/A	354912C1	
9Q5N(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
9Q5P(+)	18	YL	TXL	3572112R1	3595625C1	1703M	53	N/A		
9Q5P(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
9Q5P(-)	18	GN	TXL	3572112R1	3595625C1	1703M	52	N/A		
9Q5P(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
9Q5R(+)	18	YL	TXL	3572112R1	3595624C1	1703F	53	SWS_N_REQ		
9Q5R(+)	18	YL	TXL	3572112R1	3595621C1	1702	11	N/A	3598918C1	3598919C1
9Q5R(-)	18	GN	TXL	3572112R1	3595624C1	1703F	52	SWS_N_REQ		
9Q5R(-)	18	GN	TXL	3572112R1	3595621C1	1702	17	N/A	3598918C1	3598919C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
9R5A(+)	18	YL	TXL	3572112R1	3683465C1	1939_5	A	N/A	3683466C1	3573833C1
9R5A(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
9R5A(-)	18	GN	TXL	3572112R1	3683465C1	1939_5	B	N/A	3683466C1	3573833C1
9R5A(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
9R5B(+)	18	YL	TXL	3572112R1	3759005C1		1606	H	N/A	3573833C1
9R5B(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
9R5B(-)	18	GN	TXL	3572112R1	3759005C1		1606	G	N/A	3573833C1
9R5B(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
9R5C(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
9R5C(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
9R5C(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
9R5C(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
9R5D(+)	18	YL	TXL	3572112R1	3544066C1	1650MA	C	N/A		
9R5D(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
9R5D(-)	18	GN	TXL	3572112R1	3544066C1	1650MA	D	N/A		
9R5D(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
9R5E(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
9R5E(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
9R5E(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
9R5E(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
9R5G(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
9R5G(+)	18	YL	TXL	3572112R1	3710061C1	1500A	A9	N/A	3539892C1	3539893C1
9R5G(-)	18	GN	TXL	3572112R1	3710061C1	1500A	A10	N/A	3539892C1	3539893C1
9R5G(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
9R5H(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
9R5H(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
9R5H(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
9R5H(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
9R5N(+)	18	YL	TXL	3572112R1	3557922C1		1420	3	N/A	354912C1
9R5N(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
9R5N(-)	18	GN	TXL	3572112R1	3557922C1		1420	1	N/A	354912C1
9R5N(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
9R5P(+)	18	YL	TXL	3572112R1	3595625C1	1703M	53	N/A		
9R5P(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
9R5P(-)	18	GN	TXL	3572112R1	3595625C1	1703M	52	N/A		
9R5P(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
9R5R(+)	18	YL	TXL	3572112R1	3595624C1	1703F	53	SWS_N_REQ		
9R5R(+)	18	YL	TXL	3572112R1	3595621C1		1702	11	N/A	3598918C1 3598919C1
9R5R(-)	18	GN	TXL	3572112R1	3595624C1	1703F	52	SWS_N_REQ		
9R5R(-)	18	GN	TXL	3572112R1	3595621C1		1702	17	N/A	3598918C1 3598919C1
9S5AA(+)	18	YL	TXL	3572112R1	3759005C1		1606	E	N/A	3573833C1
9S5AA(+)	18	YL	TXL	3572112R1		AS14	-	2644000R1		
9S5AA(-)	18	GN	TXL	3572112R1	3759005C1		1606	D	N/A	3573833C1
9S5AA(-)	18	GN	TXL	3572112R1		AS13	-	2644000R1		
9S5AB(+)	18	YL	TXL	3572112R1	3683465C1	1939-2	A	N/A	3683466C1	3573833C1
9S5AB(+)	18	YL	TXL	3572112R1		AS14	-	2644000R1		
9S5AB(-)	18	GN	TXL	3572112R1	3683465C1	1939-2	B	N/A	3683466C1	3573833C1
9S5AB(-)	18	GN	TXL	3572112R1		AS13	-	2644000R1		
9S5AC(+)	18	YL	TXL	3572112R1		AS14	-	2644000R1		
9S5AC(+)	18	YL	TXL	3572112R1		AS36	-	2644000R1		
9S5AC(-)	18	GN	TXL	3572112R1		AS13	-	2644000R1		
9S5AC(-)	18	GN	TXL	3572112R1		AS37	-	2644000R1		
9S5AD(+)	18	YL	TXL	3572112R1	3757649C1		1650	Conne	ti N/A	
9S5AD(+)	18	YL	TXL	3572112R1	A	AS36	-	2644000		
9S5AD(-)	18	GN	TXL	3572112R1	3757649C1		1650	Conne	ti N/A	
9S5AD(-)	18	GN	TXL	3572112R1	A	AS37	-	2644000		
9S5AE(+)	18	YL	TXL	3572112R1		AS36	-	2644000R1		
9S5AE(+)	18	YL	TXL	3572112R1		BS13	-	2644000R1		
9S5AE(-)	18	GN	TXL	3572112R1		AS37	-	2644000R1		
9S5AE(-)	18	GN	TXL	3572112R1		BS14	-	2644000R1		
9S5AF(+)	20	YL	193	3858761R1	3768152C1	1200A	7	N/A		
9S5AF(+)	20	YL	193	3858761R1		BS13	-	2644000R1		
9S5AF(-)	20	GN	193	3858761R1	3768152C1	1200A	8	N/A		
9S5AF(-)	20	GN	193	3858761R1		BS14	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
9S5AG(+)	18	YL	TXL	3572112R1		BS13	-	2644000R1		
9S5AG(+)	18	YL	TXL	3572112R1		JS6	-	2644000R1		
9S5AG(-)	18	GN	TXL	3572112R1		BS14	-	2644000R1		
9S5AG(-)	18	GN	TXL	3572112R1		JS8	-	2644000R1		
9S5AH(+)	18	YL	TXL	3572112R1	3597143C1		1300	1	N/A	
9S5AH(+)	18	YL	TXL	3572112R1		JS6	-	2644000R1		
9S5AH(-)	18	GN	TXL	3572112R1	3597143C1		1300	2	N/A	
9S5AH(-)	18	GN	TXL	3572112R1		JS8	-	2644000R1		
9S5AJ(+)	18	YL	TXL	3572112R1		JS6	-	2644000R1		
9S5AJ(+)	18	YL	TXL	3572112R1	3683465C1	1939-2	A	N/A	3683466C1	3573833C1
9S5AJ(-)	18	GN	TXL	3572112R1		JS8	-	2644000R1		
9S5AJ(-)	18	GN	TXL	3572112R1	3683465C1	1939-2	B	N/A	3683466C1	3573833C1
9T5AA(+)	18	YL	TXL	3572112R1	3759005C1		1606	E	N/A	3573833C1
9T5AA(+)	18	YL	TXL	3572112R1		AS14	-	2644000R1		
9T5AA(-)	18	GN	TXL	3572112R1	3759005C1		1606	D	N/A	3573833C1
9T5AA(-)	18	GN	TXL	3572112R1		AS13	-	2644000R1		
9T5AB(+)	18	YL	TXL	3572112R1	3683465C1	1939-2	A	N/A	3683466C1	3573833C1
9T5AB(+)	18	YL	TXL	3572112R1		AS14	-	2644000R1		
9T5AB(-)	18	GN	TXL	3572112R1	3683465C1	1939-2	B	N/A	3683466C1	3573833C1
9T5AB(-)	18	GN	TXL	3572112R1		AS13	-	2644000R1		
9T5AC(+)	18	YL	TXL	3572112R1		AS14	-	2644000R1		
9T5AC(+)	18	YL	TXL	3572112R1		AS36	-	2644000R1		
9T5AC(-)	18	GN	TXL	3572112R1		AS13	-	2644000R1		
9T5AC(-)	18	GN	TXL	3572112R1		AS37	-	2644000R1		
9T5AD(+)	18	YL	TXL	3572112R1	3757649C1		1650	Conne	ti N/A	
9T5AD(+)	18	YL	TXL	3572112R1	A	AS36	-	2644000		
9T5AD(-)	18	GN	TXL	3572112R1	3757649C1		1650	Conne	ti N/A	
9T5AD(-)	18	GN	TXL	3572112R1	A	AS37	-	2644000		
9T5AE(+)	18	YL	TXL	3572112R1		AS36	-	2644000R1		
9T5AE(+)	18	YL	TXL	3572112R1		BS13	-	2644000R1		
9T5AE(-)	18	GN	TXL	3572112R1		AS37	-	2644000R1		
9T5AE(-)	18	GN	TXL	3572112R1		BS14	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
9T5AF(+)	20	YL	193	3858761R1		BS13	-	2644000R1		
9T5AF(+)	20	YL	193	3858761R1	3768152C1	1200A	7	N/A		
9T5AF(-)	20	GN	193	3858761R1		BS14	-	2644000R1		
9T5AF(-)	20	GN	193	3858761R1	3768152C1	1200A	8	N/A		
9T5AG(+)	18	YL	TXL	3572112R1		BS13	-	2644000R1		
9T5AG(+)	18	YL	TXL	3572112R1	3601838C1		1026	M	N/A	361839C1
9T5AG(-)	18	GN	TXL	3572112R1		BS14	-	2644000R1		
9T5AG(-)	18	GN	TXL	3572112R1	3601838C1		1026	A	N/A	361839C1
9T5AH(+)	18	YL	TXL	3572112R1	3601838C1		1026	K	N/A	361839C1
9T5AH(+)	18	YL	TXL	3572112R1	3601838C1		1026	J	N/A	361839C1
9T5AH(-)	18	GN	TXL	3572112R1	3601838C1		1026	C	N/A	361839C1
9T5AH(-)	18	GN	TXL	3572112R1	3601838C1		1026	D	N/A	361839C1
9T5AJ(+)	18	YL	TXL	3572112R1		JS6	-	2644000R1		
9T5AJ(+)	18	YL	TXL	3572112R1	3601838C1		1026	G	N/A	361839C1
9T5AJ(-)	18	GN	TXL	3572112R1		JS8	-	2644000R1		
9T5AJ(-)	18	GN	TXL	3572112R1	3601838C1		1026	F	N/A	361839C1
9T5AK(+)	18	YL	TXL	3572112R1		JS6	-	2644000R1		
9T5AK(+)	18	YL	TXL	3572112R1	3597143C1		1300	1	N/A	
9T5AK(-)	18	GN	TXL	3572112R1		JS8	-	2644000R1		
9T5AK(-)	18	GN	TXL	3572112R1	3597143C1		1300	2	N/A	
9T5AL(+)	18	YL	TXL	3572112R1		JS6	-	2644000R1		
9T5AL(+)	18	YL	TXL	3572112R1	3683465C1		1939-2	A	N/A	3683466C1 3573833C1
9T5AL(-)	18	GN	TXL	3572112R1		JS8	-	2644000R1		
9T5AL(-)	18	GN	TXL	3572112R1	3683465C1		1939-2	B	N/A	3683466C1 3573833C1
9U5A(+)	18	YL	TXL	3572112R1	3683465C1		1939_5	A	N/A	3683466C1 3573833C1
9U5A(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
9U5A(-)	18	GN	TXL	3572112R1	3683465C1		1939_5	B	N/A	3683466C1 3573833C1
9U5A(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
9U5B(+)	18	YL	TXL	3572112R1	3759005C1		1606	H	N/A	3573833C1
9U5B(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
9U5B(-)	18	GN	TXL	3572112R1	3759005C1		1606	G	N/A	3573833C1
9U5B(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
9U5C(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
9U5C(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
9U5C(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
9U5C(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
9U5D(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
9U5D(+)	18	YL	TXL	3572112R1	3757649C1		1650	Conne	ti N/A	
9U5D(-)	18	GN	TXL	3572112R1	3757649C1		1650	Conne	ti N/A	
9U5D(-)	18	GN	TXL	3572112R1	A	AS35	-	2644000		
9U5E(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
9U5E(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
9U5E(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
9U5E(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
9U5G(+)	18	YL	TXL	3572112R1	3710061C1	1500A	A9	N/A	3539892C1	3539893C1
9U5G(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
9U5G(-)	18	GN	TXL	3572112R1	3710061C1	1500A	A10	N/A	3539892C1	3539893C1
9U5G(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
9U5H(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
9U5H(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
9U5H(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
9U5H(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
9U5N(+)	18	YL	TXL	3572112R1	3557922C1		1420	3	N/A	354912C1
9U5N(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
9U5N(-)	18	GN	TXL	3572112R1	3557922C1		1420	1	N/A	354912C1
9U5N(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
9U5P(+)	18	YL	TXL	3572112R1	3595625C1	1703M		53	N/A	
9U5P(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
9U5P(-)	18	GN	TXL	3572112R1	3595625C1	1703M		52	N/A	
9U5P(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
9U5PJ(+)	18	YL	TXL	3572112R1	3595624C1	1703F		53	SWS_N_REQ	
9U5PJ(+)	18	YL	TXL	3572112R1	3595621C1		1702	11	N/A	3598918C1 3598919C1
9U5PJ(-)	18	GN	TXL	3572112R1	3595624C1	1703F		52	SWS_N_REQ	
9U5PJ(-)	18	GN	TXL	3572112R1	3595621C1		1702	17	N/A	3598918C1 3598919C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
9V5BA(+)	18	YL	TXL	3572112R1	3759005C1	1606	P	N/A	3573833C1	
9V5BA(+)	18	YL	TXL	3572112R1		AS5	-	2644000R1		
9V5BA(-)	18	GN	TXL	3572112R1	3759005C1	1606	N	N/A	3573833C1	
9V5BA(-)	18	GN	TXL	3572112R1		AS4	-	2644000R1		
9V5BB(+)	18	YL	TXL	3572112R1	2005836C1	2600	B	N/A	2654C1	
9V5BB(+)	18	YL	TXL	3572112R1		AS5	-	2644000R1		
9V5BB(-)	18	GN	TXL	3572112R1	2005836C1	2600	A	N/A	2654C1	
9V5BB(-)	18	GN	TXL	3572112R1		AS4	-	2644000R1		
9V5BC(+)	18	YL	TXL	3572112R1		AS5	-	2644000R1		
9V5BC(+)	18	YL	TXL	3572112R1		AS10	-	2644000R1		
9V5BC(-)	18	GN	TXL	3572112R1		AS4	-	2644000R1		
9V5BC(-)	18	GN	TXL	3572112R1		AS11	-	2644000R1		
9V5BD(+)	18	YL	TXL	3572112R1	1661200C1	3200M	B	N/A		
9V5BD(+)	18	YL	TXL	3572112R1		AS10	-	2644000R1		
9V5BD(-)	18	GN	TXL	3572112R1	1661200C1	3200M	A	N/A		
9V5BD(-)	18	GN	TXL	3572112R1		AS11	-	2644000R1		
9V5BE(+)	18	YL	TXL	3572112R1		AS10	-	2644000R1		
9V5BE(+)	18	YL	TXL	3572112R1		BS15	-	2644000R1		
9V5BE(-)	18	GN	TXL	3572112R1		AS11	-	2644000R1		
9V5BE(-)	18	GN	TXL	3572112R1		BS16	-	2644000R1		
9V5BF(+)	18	YL	TXL	3572112R1	4063156C1		9 B	N/A		
9V5BF(+)	18	YL	TXL	3572112R1		BS15	-	2644000R1		
9V5BF(-)	18	GN	TXL	3572112R1	4063156C1		9 C	N/A		
9V5BF(-)	18	GN	TXL	3572112R1		BS16	-	2644000R1		
9V5BG(+)	18	YL	TXL	3572112R1		BS15	-	2644000R1		
9V5BG(+)	18	YL	TXL	3572112R1	3522071C1	1101M	5	N/A		
9V5BG(-)	18	GN	TXL	3572112R1		BS16	-	2644000R1		
9V5BG(-)	18	GN	TXL	3572112R1	3522071C1	1101M	6	N/A		
9V5BH(+)	18	YL	TXL	3572112R1	3768593C1	1101F	5	N/A		
9V5BH(+)	18	YL	TXL	3572112R1		LS3	-	2644000R1		
9V5BH(-)	18	GN	TXL	3572112R1	3768593C1	1101F	6	N/A		
9V5BH(-)	18	GN	TXL	3572112R1		LS4	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
9V5BJ(+)	18	YL	TXL	3572112R1	3683465C1	1939-1	A	N/A	3683466C1	3573833C1
9V5BJ(+)	18	YL	TXL	3572112R1		LS3	-	2644000R1		
9V5BJ(-)	18	GN	TXL	3572112R1	3683465C1	1939-1	B	N/A	3683466C1	3573833C1
9V5BJ(-)	18	GN	TXL	3572112R1		LS4	-	2644000R1		
9V5CK(+)	18	YL	TXL	3572112R1	1661200C1	3204M	B	N/A		
9V5CK(+)	18	YL	TXL	3572112R1		LS3	-	2644000R1		
9V5CK(-)	18	GN	TXL	3572112R1	1661200C1	3204M	A	N/A		
9V5CK(-)	18	GN	TXL	3572112R1		LS4	-	2644000R1		
9W5AA(+)	18	YL	TXL	3572112R1	3759005C1		1606 E	N/A	3573833C1	
9W5AA(+)	18	YL	TXL	3572112R1		AS14	-	2644000R1		
9W5AA(-)	18	GN	TXL	3572112R1	3759005C1		1606 D	N/A	3573833C1	
9W5AA(-)	18	GN	TXL	3572112R1		AS13	-	2644000R1		
9W5AB(+)	18	YL	TXL	3572112R1	3683465C1	1939-2	A	N/A	3683466C1	3573833C1
9W5AB(+)	18	YL	TXL	3572112R1		AS14	-	2644000R1		
9W5AB(-)	18	GN	TXL	3572112R1	3683465C1	1939-2	B	N/A	3683466C1	3573833C1
9W5AB(-)	18	GN	TXL	3572112R1		AS13	-	2644000R1		
9W5AC(+)	18	YL	TXL	3572112R1		AS36	-	2644000R1		
9W5AC(+)	18	YL	TXL	3572112R1		AS14	-	2644000R1		
9W5AC(-)	18	GN	TXL	3572112R1		AS37	-	2644000R1		
9W5AC(-)	18	GN	TXL	3572112R1		AS13	-	2644000R1		
9W5AD(+)	18	YL	TXL	3572112R1		AS36	-	2644000R1		
9W5AD(+)	18	YL	TXL	3572112R1	3544066C1	1650MA	H	N/A		
9W5AD(-)	18	GN	TXL	3572112R1		AS37	-	2644000R1		
9W5AD(-)	18	GN	TXL	3572112R1	3544066C1	1650MA	J	N/A		
9W5AE(+)	18	YL	TXL	3572112R1		AS36	-	2644000R1		
9W5AE(+)	18	YL	TXL	3572112R1		BS13	-	2644000R1		
9W5AE(-)	18	GN	TXL	3572112R1		AS37	-	2644000R1		
9W5AE(-)	18	GN	TXL	3572112R1		BS14	-	2644000R1		
9W5AF(+)	20	YL	193	3858761R1	3768152C1	1200A	7	N/A		
9W5AF(+)	20	YL	193	3858761R1		BS13	-	2644000R1		
9W5AF(-)	20	GN	193	3858761R1	3768152C1	1200A	8	N/A		
9W5AF(-)	20	GN	193	3858761R1		BS14	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
9W5AG(+)	18	YL	TXL	3572112R1		JS6	-	2644000R1		
9W5AG(+)	18	YL	TXL	3572112R1		BS13	-	2644000R1		
9W5AG(-)	18	GN	TXL	3572112R1		JS8	-	2644000R1		
9W5AG(-)	18	GN	TXL	3572112R1		BS14	-	2644000R1		
9W5AH(+)	18	YL	TXL	3572112R1		JS6	-	2644000R1		
9W5AH(+)	18	YL	TXL	3572112R1	3597143C1		1300	1	N/A	
9W5AH(-)	18	GN	TXL	3572112R1		JS8	-	2644000R1		
9W5AH(-)	18	GN	TXL	3572112R1	3597143C1		1300	2	N/A	
9W5AJ(+)	18	YL	TXL	3572112R1		JS6	-	2644000R1		
9W5AJ(+)	18	YL	TXL	3572112R1	3683465C1	1939-2		A	N/A	3683466C1 3573833C1
9W5AJ(-)	18	GN	TXL	3572112R1		JS8	-	2644000R1		
9W5AJ(-)	18	GN	TXL	3572112R1	3683465C1	1939-2		B	N/A	3683466C1 3573833C1
9X5BA(+)	18	YL	TXL	3572112R1	3595623C1		1701	52	N/A	
9X5BA(+)	18	YL	TXL	3572112R1		BS18	-	2644000R1		
9X5BA(-)	18	GN	TXL	3572112R1	3595623C1		1701	53	N/A	
9X5BA(-)	18	GN	TXL	3572112R1		BS19	-	2644000R1		
9X5BB(+)	18	YL	TXL	3572112R1	3598705C1		1602	F6	N/A	1618846C1 1618847C1
9X5BB(+)	18	YL	TXL	3572112R1		BS18	-	2644000R1		
9X5BB(-)	18	GN	TXL	3572112R1	3598705C1		1602	F5	N/A	1618846C1 1618847C1
9X5BB(-)	18	GN	TXL	3572112R1		BS19	-	2644000R1		
9X5BC(+)	18	YL	TXL	3572112R1	3601838C1		1024	M	N/A	361839C1
9X5BC(+)	18	YL	TXL	3572112R1		BS18	-	2644000R1		
9X5BC(-)	18	GN	TXL	3572112R1	3601838C1		1024	A	N/A	361839C1
9X5BC(-)	18	GN	TXL	3572112R1		BS19	-	2644000R1		
9X5BD(+)	18	YL	TXL	3572112R1	3601838C1		1024	K	N/A	361839C1
9X5BD(+)	18	YL	TXL	3572112R1	3601838C1		1024	J	N/A	361839C1
9X5BD(-)	18	GN	TXL	3572112R1	3601838C1		1024	C	N/A	361839C1
9X5BD(-)	18	GN	TXL	3572112R1	3601838C1		1024	D	N/A	361839C1
9X5BE(+)	18	YL	TXL	3572112R1	3601838C1		1024	G	N/A	361839C1
9X5BE(+)	18	YL	TXL	3572112R1	3601838C1		1028	M	N/A	361839C1
9X5BE(-)	18	GN	TXL	3572112R1	3601838C1		1024	F	N/A	361839C1
9X5BE(-)	18	GN	TXL	3572112R1	3601838C1		1028	A	N/A	361839C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
9X5BF(+)	18	YL	TXL	3572112R1	3601838C1	1028	K	N/A	361839C1	
9X5BF(+)	18	YL	TXL	3572112R1	3601838C1	1028	J	N/A	361839C1	
9X5BF(-)	18	GN	TXL	3572112R1	3601838C1	1028	C	N/A	361839C1	
9X5BF(-)	18	GN	TXL	3572112R1	3601838C1	1028	D	N/A	361839C1	
9X5BG(+)	18	YL	TXL	3572112R1	3601838C1	1028	G	N/A	361839C1	
9X5BG(+)	18	YL	TXL	3572112R1	3683465C1	1935N	A	N/A	3683466C1	3573833C1
9X5BG(-)	18	GN	TXL	3572112R1	3601838C1	1028	F	N/A	361839C1	
9X5BG(-)	18	GN	TXL	3572112R1	3683465C1	1935N	B	N/A	3683466C1	3573833C1
9Y5AA(+)	18	YL	TXL	3572112R1	3759005C1	1606	E	N/A	3573833C1	
9Y5AA(+)	18	YL	TXL	3572112R1		AS14	-	2644000R1		
9Y5AA(-)	18	GN	TXL	3572112R1	3759005C1	1606	D	N/A	3573833C1	
9Y5AA(-)	18	GN	TXL	3572112R1		AS13	-	2644000R1		
9Y5AB(+)	18	YL	TXL	3572112R1	3683465C1	1939-2	A	N/A	3683466C1	3573833C1
9Y5AB(+)	18	YL	TXL	3572112R1		AS14	-	2644000R1		
9Y5AB(-)	18	GN	TXL	3572112R1	3683465C1	1939-2	B	N/A	3683466C1	3573833C1
9Y5AB(-)	18	GN	TXL	3572112R1		AS13	-	2644000R1		
9Y5AC(+)	18	YL	TXL	3572112R1		AS36	-	2644000R1		
9Y5AC(+)	18	YL	TXL	3572112R1		AS14	-	2644000R1		
9Y5AC(-)	18	GN	TXL	3572112R1		AS37	-	2644000R1		
9Y5AC(-)	18	GN	TXL	3572112R1		AS13	-	2644000R1		
9Y5AD(+)	18	YL	TXL	3572112R1		AS36	-	2644000R1		
9Y5AD(+)	18	YL	TXL	3572112R1	3544066C1	1650MA	H	N/A		
9Y5AD(-)	18	GN	TXL	3572112R1		AS37	-	2644000R1		
9Y5AD(-)	18	GN	TXL	3572112R1	3544066C1	1650MA	J	N/A		
9Y5AE(+)	18	YL	TXL	3572112R1		AS36	-	2644000R1		
9Y5AE(+)	18	YL	TXL	3572112R1		BS13	-	2644000R1		
9Y5AE(-)	18	GN	TXL	3572112R1		AS37	-	2644000R1		
9Y5AE(-)	18	GN	TXL	3572112R1		BS14	-	2644000R1		
9Y5AF(+)	20	YL	193	3858761R1	3768152C1	1200A	7	N/A		
9Y5AF(+)	20	YL	193	3858761R1		BS13	-	2644000R1		
9Y5AF(-)	20	GN	193	3858761R1	3768152C1	1200A	8	N/A		
9Y5AF(-)	20	GN	193	3858761R1		BS14	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
9Y5AG(+)	18	YL	TXL	3572112R1	3601838C1	1026	M	N/A	361839C1	
9Y5AG(+)	18	YL	TXL	3572112R1		BS13	-	2644000R1		
9Y5AG(-)	18	GN	TXL	3572112R1	3601838C1	1026	A	N/A	361839C1	
9Y5AG(-)	18	GN	TXL	3572112R1		BS14	-	2644000R1		
9Y5AH(+)	18	YL	TXL	3572112R1	3601838C1	1026	K	N/A	361839C1	
9Y5AH(+)	18	YL	TXL	3572112R1	3601838C1	1026	J	N/A	361839C1	
9Y5AH(-)	18	GN	TXL	3572112R1	3601838C1	1026	C	N/A	361839C1	
9Y5AH(-)	18	GN	TXL	3572112R1	3601838C1	1026	D	N/A	361839C1	
9Y5AJ(+)	18	YL	TXL	3572112R1		JS6	-	2644000R1		
9Y5AJ(+)	18	YL	TXL	3572112R1	3601838C1	1026	G	N/A	361839C1	
9Y5AJ(-)	18	GN	TXL	3572112R1		JS8	-	2644000R1		
9Y5AJ(-)	18	GN	TXL	3572112R1	3601838C1	1026	F	N/A	361839C1	
9Y5AK(+)	18	YL	TXL	3572112R1		JS6	-	2644000R1		
9Y5AK(+)	18	YL	TXL	3572112R1	3597143C1	1300	1	N/A		
9Y5AK(-)	18	GN	TXL	3572112R1		JS8	-	2644000R1		
9Y5AK(-)	18	GN	TXL	3572112R1	3597143C1	1300	2	N/A		
9Y5AL(+)	18	YL	TXL	3572112R1		JS6	-	2644000R1		
9Y5AL(+)	18	YL	TXL	3572112R1	3683465C1	1939-2	A	N/A	3683466C1	3573833C1
9Y5AL(-)	18	GN	TXL	3572112R1		JS8	-	2644000R1		
9Y5AL(-)	18	GN	TXL	3572112R1	3683465C1	1939-2	B	N/A	3683466C1	3573833C1
9Z5BA(+)	18	YL	TXL	3572112R1	3759005C1	1606	P	N/A	3573833C1	
9Z5BA(+)	18	YL	TXL	3572112R1		AS5	-	2644000R1		
9Z5BA(-)	18	GN	TXL	3572112R1	3759005C1	1606	N	N/A	3573833C1	
9Z5BA(-)	18	GN	TXL	3572112R1		AS4	-	2644000R1		
9Z5BB(+)	18	YL	TXL	3572112R1	2005836C1	2600	B	N/A	2654C1	
9Z5BB(+)	18	YL	TXL	3572112R1		AS5	-	2644000R1		
9Z5BB(-)	18	GN	TXL	3572112R1	2005836C1	2600	A	N/A	2654C1	
9Z5BB(-)	18	GN	TXL	3572112R1		AS4	-	2644000R1		
9Z5BC(+)	18	YL	TXL	3572112R1		AS10	-	2644000R1		
9Z5BC(+)	18	YL	TXL	3572112R1		AS5	-	2644000R1		
9Z5BC(-)	18	GN	TXL	3572112R1		AS11	-	2644000R1		
9Z5BC(-)	18	GN	TXL	3572112R1		AS4	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
9Z5BD(+)	18	YL	TXL	3572112R1		AS10	-	2644000R1		
9Z5BD(+)	18	YL	TXL	3572112R1	1661200C1	3200M	B	N/A		
9Z5BD(-)	18	GN	TXL	3572112R1		AS11	-	2644000R1		
9Z5BD(-)	18	GN	TXL	3572112R1	1661200C1	3200M	A	N/A		
9Z5BE(+)	18	YL	TXL	3572112R1		AS10	-	2644000R1		
9Z5BE(+)	18	YL	TXL	3572112R1		BS15	-	2644000R1		
9Z5BE(-)	18	GN	TXL	3572112R1		AS11	-	2644000R1		
9Z5BE(-)	18	GN	TXL	3572112R1		BS16	-	2644000R1		
9Z5BF(+)	18	YL	TXL	3572112R1		BS15	-	2644000R1		
9Z5BF(+)	18	YL	TXL	3572112R1	4063156C1	0009B	B	N/A		
9Z5BF(-)	18	GN	TXL	3572112R1		BS16	-	2644000R1		
9Z5BF(-)	18	GN	TXL	3572112R1	4063156C1	0009B	C	N/A		
9Z5BG(+)	18	YL	TXL	3572112R1		BS15	-	2644000R1		
9Z5BG(+)	18	YL	TXL	3572112R1	3522071C1	1101M	5	N/A		
9Z5BG(-)	18	GN	TXL	3572112R1		BS16	-	2644000R1		
9Z5BG(-)	18	GN	TXL	3572112R1	3522071C1	1101M	6	N/A		
9Z5BH(+)	18	YL	TXL	3572112R1		LS3	-	2644000R1		
9Z5BH(+)	18	YL	TXL	3572112R1	3768593C1	1101F	5	N/A		
9Z5BH(-)	18	GN	TXL	3572112R1		LS4	-	2644000R1		
9Z5BH(-)	18	GN	TXL	3572112R1	3768593C1	1101F	6	N/A		
9Z5BJ(+)	18	YL	TXL	3572112R1		LS3	-	2644000R1		
9Z5BJ(+)	18	YL	TXL	3572112R1	3683465C1	1939-1	A	N/A	3683466C1	3573833C1
9Z5BJ(-)	18	GN	TXL	3572112R1		LS4	-	2644000R1		
9Z5BJ(-)	18	GN	TXL	3572112R1	3683465C1	1939-1	B	N/A	3683466C1	3573833C1
9Z5BK(+)	18	YL	TXL	3572112R1		LS3	-	2644000R1		
9Z5BK(+)	18	YL	TXL	3572112R1	1661200C1	3204M	B	N/A		
9Z5BK(-)	18	GN	TXL	3572112R1		LS4	-	2644000R1		
9Z5BK(-)	18	GN	TXL	3572112R1	1661200C1	3204M	A	N/A		
AA102A	20	YL	TXL	3510334R1	3598706C1		1600	A14	N/A	1618846C1 1618847C1
AA102A	20	YL	TXL	3510334R1	3553649C1		1800	A8	N/A	355365C1
AA11-GKC	12	WH	TXL	3510362R1		1004B		1	2644038R1	
AA11-GKC	12	WH	TXL	3510362R1	3598710C1		1604	E	N/A	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
AA13EA	18	PK	TXL	3510323R1	3710061C1	1500A	A3	N/A	3539892C1	3539893C1
AA13EA	18	PK	TXL	3510323R1	3768015C1		1015 23	N/A	376816C1	
AA14EE	16	RD	TXL	3510366R1	3710061C1	1500A	A2	N/A	3539892C1	3539893C1
AA14EE	16	RD	TXL	3510366R1	3768015C1		1010 13	N/A	376816C1	
AA14MUX	18	RD	TXL	3510365R1	3522071C1	1101M	10	N/A		
AA14MUX	18	RD	TXL	3510365R1	3768015C1		1010 31	N/A	376816C1	
AA150	20	GY	TXL	3510310R1	3598706C1	1600	B16	N/A	1618846C1	1618847C1
AA150	20	GY	TXL	3510310R1	3553649C1	1800	B11	N/A	355365C1	
AA36A	18	TN	TXL	3510329R1	3598706C1	1600	B9	N/A	1618846C1	1618847C1
AA36A	18	TN	TXL	3510329R1	3595623C1	1701	29	N/A		
AA36B	18	TN	TXL	3510329R1	3598706C1	1600	B8	N/A	1618846C1	1618847C1
AA36B	18	TN	TXL	3510329R1	3595623C1	1701	27	N/A		
AA52D	20	YL	GXL	2643768R1	3598706C1	1600	A4	N/A	1618846C1	1618847C1
AA52D	20	YL	GXL	2643768R1	3553649C1	1800	A7	N/A	355365C1	
AA56B	20	OR	TXL	3510316R1	3598706C1	1600	A7	N/A	1618846C1	1618847C1
AA56B	20	OR	TXL	3510316R1	3553649C1	1800	A1	N/A	355365C1	
AA57B	20	OR	TXL	3510316R1	3598706C1	1600	A6	N/A	1618846C1	1618847C1
AA57B	20	OR	TXL	3510316R1	3553649C1	1800	A2	N/A	355365C1	
AA60A	18	OR	TXL	3510317R1	3710061C1	1607	A6	N/A	3539892C1	3539893C1
AA60A	18	OR	TXL	3510317R1	3767197C1	1202	C	N/A	1661263C1	354454C1
AA63A	16	LTBL	TXL	3510342R1	3598706C1	1600	A13	N/A	1618846C1	1618847C1
AA63A	16	LTBL	TXL	3510342R1		AS8	-	2644000R1		
AA63B	16	DKBL	TXL	3510354R1	3533975C1		2312 A	N/A	3534158C1	
AA63B	16	DKBL	TXL	3510354R1		AS8	-	2644000R1		
AA63BD	18	DKBL	TXL	3510353R1	3544688C1	2000	5	N/A		
AA63BD	18	DKBL	TXL	3510353R1	3768015C1		1017 15	N/A	376816C1	
AA63C	16	DKBL	TXL	3510354R1	3533975C1		2313 A	N/A	3534158C1	
AA63C	16	DKBL	TXL	3510354R1		AS8	-	2644000R1		
AA6AM	20	GY	TXL	3510310R1	4057658C1	1200E	M	N/A		
AA6AM	20	GY	TXL	3510310R1	3710061C1		1607 B10	N/A	3539892C1	3539893C1
AA73A	20	LTGN	TXL	3510298R1	3768152C1	1200A	1	N/A		
AA73A	20	LTGN	TXL	3510298R1		DS5	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
AA73B	20	LTGN	TXL	3510298R1	3768152C1	1200A	12	N/A		
AA73B	20	LTGN	TXL	3510298R1		DS5	-	2644000R1		
AA73C	20	LTGN	TXL	3510298R1	3768015C1		1018	N/A	376816C1	
AA73C	20	LTGN	TXL	3510298R1		DS5	-	2644000R1		
AA74A1	20	LTGN	TXL	3510298R1	3768153C1	1200B	13	N/A		
AA74A1	20	LTGN	TXL	3510298R1	4057658C1	1200E	A	N/A		
AA74A2	20	LTGN	TXL	3510298R1	3768152C1	1200A	9	N/A		
AA74A2	20	LTGN	TXL	3510298R1	4057658C1	1200E	B	N/A		
AA74A3	20	LTGN	TXL	3510298R1	3768153C1	1200B	14	N/A		
AA74A3	20	LTGN	TXL	3510298R1	4057658C1	1200E	C	N/A		
AA74A4	20	LTGN	TXL	3510298R1	3768153C1	1200B	15	N/A		
AA74A4	20	LTGN	TXL	3510298R1	4057658C1	1200E	D	N/A		
AA74A5	20	LTGN	TXL	3510298R1	3768153C1	1200B	16	N/A		
AA74A5	20	LTGN	TXL	3510298R1	4057658C1	1200E	E	N/A		
AA74B1	20	LTGN	TXL	3510298R1	3768153C1	1200B	1	N/A		
AA74B1	20	LTGN	TXL	3510298R1	4057658C1	1200E	F	N/A		
AA74B2	20	LTGN	TXL	3510298R1	3768152C1	1200A	10	N/A		
AA74B2	20	LTGN	TXL	3510298R1	4057658C1	1200E	G	N/A		
AA74B3	20	LTGN	TXL	3510298R1	3768153C1	1200B	2	N/A		
AA74B3	20	LTGN	TXL	3510298R1	4057658C1	1200E	H	N/A		
AA74B4	20	LTGN	TXL	3510298R1	3768153C1	1200B	3	N/A		
AA74B4	20	LTGN	TXL	3510298R1	4057658C1	1200E	J	N/A		
AA74B5	20	LTGN	TXL	3510298R1	3768153C1	1200B	12	N/A		
AA74B5	20	LTGN	TXL	3510298R1	4057658C1	1200E	K	N/A		
AA74C1	20	LTGN	TXL	3510298R1	4057474C1	1200C	A	N/A		
AA74C1	20	LTGN	TXL	3510298R1	3768153C1	1200B	4	N/A		
AA74C2	20	LTGN	TXL	3510298R1	3768152C1	1200A	18	N/A		
AA74C2	20	LTGN	TXL	3510298R1	4057474C1	1200C	B	N/A		
AA74C3	20	LTGN	TXL	3510298R1	4057474C1	1200C	C	N/A		
AA74C3	20	LTGN	TXL	3510298R1	3768153C1	1200B	5	N/A		
AA74C4	20	LTGN	TXL	3510298R1	4057474C1	1200C	D	N/A		
AA74C4	20	LTGN	TXL	3510298R1	3768153C1	1200B	6	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
AA74C5	20	LTGN	TXL	3510298R1	4057474C1	1200C	E	N/A		
AA74C5	20	LTGN	TXL	3510298R1	3768153C1	1200B	7	N/A		
AA74D1	20	LTGN	TXL	3510298R1	3768153C1	1200B	21	N/A		
AA74D1	20	LTGN	TXL	3510298R1	4057474C1	1200C	F	N/A		
AA74D2	20	LTGN	TXL	3510298R1	3768152C1	1200A	21	N/A		
AA74D2	20	LTGN	TXL	3510298R1	4057474C1	1200C	G	N/A		
AA74D3	20	LTGN	TXL	3510298R1	3768153C1	1200B	22	N/A		
AA74D3	20	LTGN	TXL	3510298R1	4057474C1	1200C	H	N/A		
AA74D4	20	LTGN	TXL	3510298R1	3768152C1	1200A	22	N/A		
AA74D4	20	LTGN	TXL	3510298R1	4057474C1	1200C	J	N/A		
AA74D5	20	LTGN	TXL	3510298R1	3768152C1	1200A	11	N/A		
AA74D5	20	LTGN	TXL	3510298R1	4057474C1	1200C	K	N/A		
AA74E1	20	LTGN	TXL	3510298R1	3768153C1	1200B	8	N/A		
AA74E1	20	LTGN	TXL	3510298R1	4057474C1	1200C	L	N/A		
AA74E2	20	LTGN	TXL	3510298R1	3768152C1	1200A	19	N/A		
AA74E2	20	LTGN	TXL	3510298R1	4057474C1	1200C	M	N/A		
AA74E3	20	LTGN	TXL	3510298R1	3768153C1	1200B	9	N/A		
AA74E3	20	LTGN	TXL	3510298R1	4057474C1	1200C	N	N/A		
AA74E4	20	LTGN	TXL	3510298R1	3768153C1	1200B	10	N/A		
AA74E4	20	LTGN	TXL	3510298R1	4057474C1	1200C	P	N/A		
AA74E5	20	LTGN	TXL	3510298R1	3768153C1	1200B	11	N/A		
AA74E5	20	LTGN	TXL	3510298R1	4057474C1	1200C	S	N/A		
AA75B	20	LTGN	TXL	3510298R1	3768152C1	1200A	5	N/A		
AA75B	20	LTGN	TXL	3510298R1	4057658C1	1200E	P	N/A		
AA82	16	GY	TXL	3510312R1	3598710C1		1604	A	N/A	
AA82	16	GY	TXL	3510312R1		DS17	-		2644000R1	
AA82-GJ	16	GY	TXL	3510312R1	3595624C1	1703F	8		SWS_N_REQ	
AA82-GJ	16	GY	TXL	3510312R1	1661375C2		4500	C	1652325C1	1661376C1
AA82A	20	GY	TXL	3510310R1	3598706C1		1600	A9	N/A	1618846C1 1618847C1
AA82A	20	GY	TXL	3510310R1	3553649C1		1800	C9	N/A	355365C1
AA82B	20	GY	TXL	3510310R1	3598706C1		1600	A10	N/A	1618846C1 1618847C1
AA82B	20	GY	TXL	3510310R1	3553649C1		1800	C1	N/A	355365C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
AA82C	20	GY	TXL	3510310R1	3598706C1	1600	A11	N/A	1618846C1	1618847C1
AA82C	20	GY	TXL	3510310R1	3553649C1	1800	B1	N/A	355365C1	
AA82D	16	GY	TXL	3510312R1	3595625C1	1703M	74	N/A		
AA82D	16	GY	TXL	3510312R1		DS17	-	2644000R1		
AA82DJ	16	GY	TXL	3510312R1	3595624C1	1703F	74	SWS_N_REQ		
AA82DJ	16	GY	TXL	3510312R1	1661375C2	4500	A	1652325C1	1661376C1	
AA82E	16	GY	TXL	3510312R1	3768010C1	1011	R2 -	7 N/A	376811C1	
AA82E	16	GY	TXL	3510312R1	A	DS17	-	2644000R		
AA82F	18	GY	TXL	3510311R1	3598707C1	1601	E7	N/A	1618846C1	1618847C1
AA82F	18	GY	TXL	3510311R1	3768010C1	1011	R2 -	6 N/A	376811C1	
AA82H	18	GY	TXL	3510311R1	3598707C1	1601	E6	N/A	1618846C1	1618847C1
AA82H	18	GY	TXL	3510311R1	3768010C1	1011	R5 -	6 N/A	376811C1	
AA82J	16	GY	TXL	3510312R1	3768010C1	1011	R2 -	7A N/A	376811C1	
AA82J	16	GY	TXL	3510312R1	3595625C	1703M	72	N/A		
AA82JJ	16	GY	TXL	3510312R1	3595624C1	1703F	72	SWS_N_REQ		
AA82JJ	16	GY	TXL	3510312R1	1661375C2	4500	B	1652325C1	1661376C1	
AA82K	16	GY	TXL	3510312R1	3595625C1	1703M	69	N/A		
AA82K	16	GY	TXL	3510312R1	3768010C1	1011	R5 -	7 N/A	376811C1	
AA82KJ	16	GY	TXL	3510312R1	3595624C1	1703F	69	SWS_N_REQ		
AA82KJ	16	GY	TXL	3510312R1	1661375C2	4500	D	1652325C1	1661376C1	
AA82L	16	GY	TXL	3510312R1	3595625C1	1703M	70	N/A		
AA82L	16	GY	TXL	3510312R1	3768010C1	1011	R5 -	7A N/A	376811C1	
AA82LJ	16	GY	TXL	3510312R1	3595624C1	1703F	70	SWS_N_REQ		
AA82LJ	16	GY	TXL	3510312R1	1661375C2	4500	E	1652325C1	1661376C1	
AA82M	16	GY	TXL	3510312R1	3768010C1	1011	R2 -	5 N/A	376811C1	
AA82M	16	GY	TXL	3510312R1	A	DS17	-	2644000R		
AA82N	18	GY	TXL	3510311R1	3768010C1	1011	R5 -	5 N/A	376811C1	
AA82N	18	GY	TXL	3510311R1	A	DS17	-	2644000R		
AA82P	16	GY	TXL	3510312R1	3768010C1	1011	R5 -	0 N/A	376811C1	
AA82P	16	GY	TXL	3510312R1	3768010C1	1011	R2 -	30 N/A	376811C1	
AA85	16	GY	TXL	3510312R1	3598711C1	1603	E	N/A	3573833C1	
AA85	16	GY	TXL	3510312R1	3595625C1	1700	21	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
AA85A	20	GY	TXL	3510310R1	3598706C1	1600	A5	N/A	1618846C1	1618847C1
AA85A	20	GY	TXL	3510310R1	3553649C1	1800	B10	N/A	355365C1	
AA9B	18	GY	TXL	3510311R1	3598705C1	1602	E7	N/A	1618846C1	1618847C1
AA9B	18	GY	TXL	3510311R1		AS9	-	2644000R1		
AA9BAA	16	GY	TXL	3510312R1	3533975C1	2312	B	N/A	3534158C1	
AA9BAA	16	GY	TXL	3510312R1		AS9	-	2644000R1		
AA9BAB	16	GY	TXL	3510312R1	3533975C1	2313	B	N/A	3534158C1	
AA9BAB	16	GY	TXL	3510312R1		AS9	-	2644000R1		
AA9Z	18	GY	TXL	3510311R1	3598705C1	1602	E3	N/A	1618846C1	1618847C1
AA9Z	18	GY	TXL	3510311R1	2007315C1	1620	A	N/A	27316C1	
AB11-GN	18	WH	TXL	3510359R1	4063156C1	9	J	N/A		
AB11-GN	18	WH	TXL	3510359R1	3613769C1	1022	2	N/A		
AB13D	18	PK	TXL	3510323R1	4063156C1	9	A	N/A		
AB13D	18	PK	TXL	3510323R1	3768015C1	1015	16	N/A	376816C1	
AB14D	18	RD	TXL	3510365R1	4063156C1	9	S	N/A		
AB14D	18	RD	TXL	3510365R1	3768015C1	1010	8	N/A	376816C1	
AB50	18	YL	TXL	3510335R1	3598705C1	1602	E11	N/A	1618846C1	1618847C1
AB50	18	YL	TXL	3510335R1	4063156C1	9	P	N/A		
AB60C	18	OR	TXL	3510317R1	3767197C1	1202	B	N/A	1661263C1	354454C1
AB60C	18	OR	TXL	3510317R1		AS23	-	2644000R1		
AB62	18	DKBL	TXL	3510353R1	4063156C1	9	L	N/A		
AB62	18	DKBL	TXL	3510353R1		AS23	-	2644000R1		
AB62DA	16	DKBL	TXL	3510354R1	3613769C1	1021	1	N/A		
AB62DA	16	DKBL	TXL	3510354R1	4063156C1	9	M	N/A		
AB62DD	18	DKBL	TXL	3510353R1	3553649C1	1800	D3	N/A	355365C1	
AB62DD	18	DKBL	TXL	3510353R1		AS23	-	2644000R1		
AB9	18	GY	TXL	3510311R1	4063156C1	9	R	N/A		
AB9	18	GY	TXL	3510311R1	2007315C1	1620	F	N/A	27316C1	
AC11-GN	18	WH	TXL	3510359R1	4063156C1	0009B	J	N/A		
AC11-GN	18	WH	TXL	3510359R1	3613769C1	1022	2	N/A		
AC13D	18	PK	TXL	3510323R1	4063156C1	0009B	A	N/A		
AC13D	18	PK	TXL	3510323R1	3768015C1	1015	16	N/A	376816C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
AC14D	18	RD	TXL	3510365R1	4063156C1	0009B	S	N/A		
AC14D	18	RD	TXL	3510365R1	3768015C1	1010	8	N/A	376816C1	
AC50	18	YL	TXL	3510335R1	3598705C1	1602	E11	N/A	1618846C1	1618847C1
AC50	18	YL	TXL	3510335R1	4063156C1	0009B	P	N/A		
AC60C	18	OR	TXL	3510317R1	3767197C1	1202	B	N/A	1661263C1	354454C1
AC60C	18	OR	TXL	3510317R1		DS68	-	2644000R1		
AC62	18	DKBL	TXL	3510353R1	4063156C1	0009B	L	N/A		
AC62	18	DKBL	TXL	3510353R1		DS68	-	2644000R1		
AC62DA	16	DKBL	TXL	3510354R1	3613769C1	1021	1	N/A		
AC62DA	16	DKBL	TXL	3510354R1	4063156C1	0009B	M	N/A		
AC62DD	18	DKBL	TXL	3510353R1	3553649C1	1800	D3	N/A	355365C1	
AC62DD	18	DKBL	TXL	3510353R1		DS68	-	2644000R1		
AC9	18	GY	TXL	3510311R1	4063156C1	0009B	R	N/A		
AC9	18	GY	TXL	3510311R1	2007315C1	1620	F	N/A	27316C1	
AD11-G	18	WH	TXL	3510359R1	1667305C1	3205M	B	N/A	1661263C1	
AD11-G	18	WH	TXL	3510359R1		BS11	-	2644000R1		
AD11-GAC	18	WH	TXL	3510359R1	3598705C1	1602	E16	N/A	1618846C1	1618847C1
AD11-GAC	18	WH	TXL	3510359R1		BS11	-	2644000R1		
AD11-GK	18	WH	TXL	3510359R1	1667305C1	3206M	B	N/A	1661263C1	
AD11-GK	18	WH	TXL	3510359R1		BS11	-	2644000R1		
AD11-GKD	18	WH	TXL	3510359R1	3522071C1	1101M	8	N/A		
AD11-GKD	18	WH	TXL	3510359R1		DS33	-	2644000R1		
AD11-GKE	16	WH	TXL	3510360R1	3710061C1	1500A	B3	N/A	3539892C1	3539893C1
AD11-GKE	16	WH	TXL	3510360R1		BS11	-	2644000R1		
AD11-GR	18	WH	TXL	3510359R1		DS33	-	2644000R1		
AD11-GR	18	WH	TXL	3510359R1	3768010C1	1011	R4 -	5 N/A	376811C1	
AD11-GS	12	WH	TXL	3510362R1		BS5	-	2644000R1		
AD11-GS	12	WH	TXL	3510362R1		DS33	-	2644000R1		
AD11-GT	10	WH	GXL	2643788R1		1005	1	2644005R1		
AD11-GT	10	WH	GXL	2643788R1		BS5	-	2644000R1		
AD11-GX	12	WH	TXL	3510362R1		BS5	-	2644000R1		
AD11-GX	12	WH	TXL	3510362R1		BS11	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
AD11-GY	18	WH	TXL	3510359R1		DS33	-	2644000R1		
AD11-GY	18	WH	TXL	3510359R1	3768010C1	1014	R4 -	5 N/A	376811C1	
AD11-GZ	18	WH	TXL	3510359R1		DS33	-	2644000R1		
AD11-GZ	18	WH	TXL	3510359R1	4100070C1	1016	R2-85	N/A		
AD60-G	18	WH	TXL	3510359R1	3767197C1	1202	A	N/A	1661263C1	354454C1
AD60-G	18	WH	TXL	3510359R1		DS33	-	2644000R1		
AD63-GA	16	WH	TXL	3510360R1	3544688C1	2000	3	N/A		
AD63-GA	16	WH	TXL	3510360R1		BS11	-	2644000R1		
AD74-G	20	WH	TXL	3510358R1	3768152C1	1200A	2	N/A		
AD74-G	20	WH	TXL	3510358R1		DS33	-	2644000R1		
AD74-GA	20	WH	TXL	3510358R1	3768152C1	1200A	13	N/A		
AD74-GA	20	WH	TXL	3510358R1		DS33	-	2644000R1		
AD75-G	12	WH	TXL	3510362R1	4061870C1	1200D	B	N/A	464677C1	
AD75-G	12	WH	TXL	3510362R1		DS33	-	2644000R1		
AD82-G	16	WH	TXL	3510360R1	3595625C1	1703M	8	N/A		
AD82-G	16	WH	TXL	3510360R1		DS33	-	2644000R1		
AD87-GA	18	WH	TXL	3510359R1	3553649C1	1800	A3	N/A	355365C1	
AD87-GA	18	WH	TXL	3510359R1		BS11	-	2644000R1		
AD98-G	18	WH	TXL	3510359R1	3757649C1	1650	Conne	ti N/A		
AD98-G	18	WH	TXL	3510359R1	A	BS11	-	2644000		
AD98H	18	RD	TXL	3510365R1	3757649C1	1650	Conne	ti N/A		
AD98H	18	RD	TXL	3510365R1	3768015C	1010	7	N/A		
AE11-G	18	WH	TXL	3510359R1	1667305C1	3205M	B	N/A	1661263C1	
AE11-G	18	WH	TXL	3510359R1		BS11	-	2644000R1		
AE11-GAC	18	WH	TXL	3510359R1	3598705C1	1602	E16	N/A	1618846C1	1618847C1
AE11-GAC	18	WH	TXL	3510359R1		BS11	-	2644000R1		
AE11-GK	18	WH	TXL	3510359R1	1667305C1	3206M	B	N/A	1661263C1	
AE11-GK	18	WH	TXL	3510359R1		BS11	-	2644000R1		
AE11-GKD	18	WH	TXL	3510359R1	3522071C1	1101M	8	N/A		
AE11-GKD	18	WH	TXL	3510359R1		DS33	-	2644000R1		
AE11-GKE	16	WH	TXL	3510360R1	3710061C1	1500A	B3	N/A	3539892C1	3539893C1
AE11-GKE	16	WH	TXL	3510360R1		BS11	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
AE11-GR	18	WH	TXL	3510359R1		DS33	-	2644000R1		
AE11-GR	18	WH	TXL	3510359R1	3768010C1	1011	R4 -	5 N/A	376811C1	
AE11-GS	12	WH	TXL	3510362R1		BS5	-	2644000R1		
AE11-GS	12	WH	TXL	3510362R1		DS33	-	2644000R1		
AE11-GT	10	WH	GXL	2643788R1		1005	1	2644005R1		
AE11-GT	10	WH	GXL	2643788R1		BS5	-	2644000R1		
AE11-GX	12	WH	TXL	3510362R1		BS5	-	2644000R1		
AE11-GX	12	WH	TXL	3510362R1		BS11	-	2644000R1		
AE11-GY	18	WH	TXL	3510359R1		DS33	-	2644000R1		
AE11-GY	18	WH	TXL	3510359R1	3768010C1	1014	R4 -	5 N/A	376811C1	
AE11-GZ	18	WH	TXL	3510359R1		DS33	-	2644000R1		
AE11-GZ	18	WH	TXL	3510359R1	4100070C1	1016	R2-85	N/A		
AE60-G	18	WH	TXL	3510359R1	3767197C1	1202	A	N/A	1661263C1	354454C1
AE60-G	18	WH	TXL	3510359R1		DS33	-	2644000R1		
AE63-GA	16	WH	TXL	3510360R1	3544688C1	2000	3	N/A		
AE63-GA	16	WH	TXL	3510360R1		BS11	-	2644000R1		
AE74-G	20	WH	TXL	3510358R1	3768152C1	1200A	2	N/A		
AE74-G	20	WH	TXL	3510358R1		DS33	-	2644000R1		
AE74-GA	20	WH	TXL	3510358R1	3768152C1	1200A	13	N/A		
AE74-GA	20	WH	TXL	3510358R1		DS33	-	2644000R1		
AE75-G	12	WH	TXL	3510362R1	4061870C1	1200D	B	N/A	464677C1	
AE75-G	12	WH	TXL	3510362R1		DS33	-	2644000R1		
AE82-G	16	WH	TXL	3510360R1	3595625C1	1703M	8	N/A		
AE82-G	16	WH	TXL	3510360R1		DS33	-	2644000R1		
AE87-GA	18	WH	TXL	3510359R1	3553649C1	1800	A3	N/A	355365C1	
AE87-GA	18	WH	TXL	3510359R1		BS11	-	2644000R1		
AE98-G	18	WH	TXL	3510359R1	3544066C1	1650MA	A	N/A		
AE98-G	18	WH	TXL	3510359R1		BS11	-	2644000R1		
AE98H	18	RD	TXL	3510365R1	3544066C1	1650MA	B	N/A		
AE98H	18	RD	TXL	3510365R1	3768015C1	1010	7	N/A	376816C1	
AF3BD(+)	18	DKBL	TXL	3510353R1	3598705C1	1602	E2	N/A	1618846C1	1618847C1
AF3BD(+)	18	DKBL	TXL	3510353R1	2006789C1	1660	A	N/A	26792C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
AF3BD(-)	18	GY	TXL	3510311R1	3598705C1	1602	E1	N/A	1618846C1	1618847C1
AF3BD(-)	18	GY	TXL	3510311R1	2006789C1	1661	A	N/A	26792C1	
BD97B	18	VT	TXL	3510347R1	3595625C1	1703M	36	N/A		
BD97B	18	VT	TXL	3510347R1	3553649C1	1800	B4	N/A	355365C1	
BD97BJ	18	VT	TXL	3510347R1	3595621C1	1702	23	N/A	3598918C1	3598919C1
BD97BJ	18	VT	TXL	3510347R1	3595624C1	1703F	36	SWS_N_REQ		
BD97C	18	VT	TXL	3510347R1	3553649C1	1800	C5	N/A	355365C1	
BD97C	18	VT	TXL	3510347R1	3595625C1	1703M	49	N/A		
BD97CJ	18	VT	TXL	3510347R1	3595621C1	1702	22	N/A	3598918C1	3598919C1
BD97CJ	18	VT	TXL	3510347R1	3595624C1	1703F	49	SWS_N_REQ		
BD97M	18	VT	TXL	3510347R1	3595621C1	1702	30	N/A	3598918C1	3598919C1
BD97M	18	VT	TXL	3510347R1	3595624C1	1703F	38	SWS_N_REQ		
BD97MA	18	VT	TXL	3510347R1	3595625C1	1703M	38	N/A		
BD97MA	18	VT	TXL	3510347R1	3553649C1	1800	B5	N/A	355365C1	
BD97N	18	VT	TXL	3510347R1	3595621C1	1702	29	N/A	3598918C1	3598919C1
BD97N	18	VT	TXL	3510347R1	3595624C1	1703F	37	SWS_N_REQ		
BD97NA	18	VT	TXL	3510347R1	3595625C1	1703M	37	N/A		
BD97NA	18	VT	TXL	3510347R1	3553649C1	1800	B6	N/A	355365C1	
BD99B	18	VT	TXL	3510347R1	3595625C1	1703M	47	N/A		
BD99B	18	VT	TXL	3510347R1	3553649C1	1800	C4	N/A	355365C1	
BD99BJ	18	VT	TXL	3510347R1	3595621C1	1702	28	N/A	3598918C1	3598919C1
BD99BJ	18	VT	TXL	3510347R1	3595624C1	1703F	47	SWS_N_REQ		
BD99D	18	VT	TXL	3510347R1	3595621C1	1702	24	N/A	3598918C1	3598919C1
BD99D	18	VT	TXL	3510347R1	3595624C1	1703F	48	SWS_N_REQ		
BD99DA	18	VT	TXL	3510347R1	3595625C1	1703M	48	N/A		
BD99DA	18	VT	TXL	3510347R1	3553649C1	1800	C6	N/A	355365C1	
BE97B	18	VT	TXL	3510347R1	3595625C1	1703M	36	N/A		
BE97B	18	VT	TXL	3510347R1	3553649C1	1800	B4	N/A	355365C1	
BE97BJ	18	VT	TXL	3510347R1	3595621C1	1702	23	N/A	3598918C1	3598919C1
BE97BJ	18	VT	TXL	3510347R1	3595624C1	1703F	36	SWS_N_REQ		
BE97C	18	VT	TXL	3510347R1	3595625C1	1703M	49	N/A		
BE97C	18	VT	TXL	3510347R1	3553649C1	1800	C5	N/A	355365C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
BE97CJ	18	VT	TXL	3510347R1	3595621C1	1702	22	N/A	3598918C1	3598919C1
BE97CJ	18	VT	TXL	3510347R1	3595624C1	1703F	49	SWS_N_REQ		
BE97F	16	VT	TXL	3510348R1	3595625C1	1703M	38	N/A		
BE97F	16	VT	TXL	3510348R1	3553649C1	1800	B5	N/A	355365C1	
BE97FU	16	VT	TXL	3510348R1	3595621C1	1702	30	N/A	3598918C1	3598919C1
BE97FU	16	VT	TXL	3510348R1	3595624C1	1703F	38	SWS_N_REQ		
BE97M	18	VT	TXL	3510347R1	3595621C1	1702	33	N/A	3598918C1	3598919C1
BE97M	18	VT	TXL	3510347R1	3595624C1	1703F	48	SWS_N_REQ		
BE97MA	18	VT	TXL	3510347R1	3595625C1	1703M	48	N/A		
BE97MA	18	VT	TXL	3510347R1	3553649C1	1800	C6	N/A	355365C1	
BE97WC	18	VT	TXL	3510347R1	3595621C1	1702	32	N/A	3598918C1	3598919C1
BE97WC	18	VT	TXL	3510347R1	3595624C1	1703F	37	SWS_N_REQ		
BE97WD	18	VT	TXL	3510347R1	3595625C1	1703M	37	N/A		
BE97WD	18	VT	TXL	3510347R1	3553649C1	1800	B6	N/A	355365C1	
BE99B	18	VT	TXL	3510347R1	3595625C1	1703M	47	N/A		
BE99B	18	VT	TXL	3510347R1	3553649C1	1800	C4	N/A	355365C1	
BE99BJ	18	VT	TXL	3510347R1	3595621C1	1702	28	N/A	3598918C1	3598919C1
BE99BJ	18	VT	TXL	3510347R1	3595624C1	1703F	47	SWS_N_REQ		
BG28A	20	TN	TXL	3510328R1	3710061C1	1500A	B9	N/A	3539892C1	3539893C1
BG28A	20	TN	TXL	3510328R1	4063415C1	1000A	1	N/A		
BG28B	20	TN	TXL	3510328R1	3710061C1	1500A	B10	N/A	3539892C1	3539893C1
BG28B	20	TN	TXL	3510328R1	4063415C1	1000A	3	N/A		
BG28C	20	TN	TXL	3510328R1	3710061C1	1500A	B8	N/A	3539892C1	3539893C1
BG28C	20	TN	TXL	3510328R1	4063415C1	1000A	4	N/A		
CD14	4	RD	SGX	2644026R1		1002	1	2644002R1		
CD14	4	RD	SGX	2644026R1		DS15	-	2644000R1		
CD14A	6	RD	SGX	2643702R1		DS15	-	2644000R1		
CD14A	6	RD	SGX	2643702R1		DS50	-	2644000R1		
CD14AB	12	RD	TXL	3510368R1		DS50	-	2644000R1		
CD14AB	12	RD	TXL	3510368R1	3768015C1	1010	2	N/A	376816C1	
CD14AC	12	RD	TXL	3510368R1		DS50	-	2644000R1		
CD14AC	12	RD	TXL	3510368R1	3768015C1	1010	10	N/A	376816C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
CD14AD	12	RD	TXL	3510368R1		DS50	-	2644000R1		
CD14AD	12	RD	TXL	3510368R1	3768015C1	1010	18	N/A	376816C1	
CD14AE	12	RD	TXL	3510368R1		DS50	-	2644000R1		
CD14AE	12	RD	TXL	3510368R1	3768015C1	1010	26	N/A	376816C1	
CD14AF	12	RD	TXL	3510368R1		DS50	-	2644000R1		
CD14AF	12	RD	TXL	3510368R1	3768015C1	1010	34	N/A	376816C1	
CD14AG	12	RD	TXL	3510368R1		DS50	-	2644000R1		
CD14AG	12	RD	TXL	3510368R1	3768015C1	1017	4	N/A	376816C1	
CD14B	8	RD	TXL	3525611R1		DS15	-	2644000R1		
CD14B	8	RD	TXL	3525611R1		DS51	-	2644000R1		
CD14BA	12	RD	TXL	3510368R1		DS51	-	2644000R1		
CD14BA	12	RD	TXL	3510368R1	3768015C1	1018	18	N/A	376816C1	
CD14BB	12	RD	TXL	3510368R1		DS51	-	2644000R1		
CD14BB	12	RD	TXL	3510368R1	3768015C1	1018	11	N/A	376816C1	
CD14BC	12	RD	TXL	3510368R1		DS51	-	2644000R1		
CD14BC	12	RD	TXL	3510368R1	3768015C1	1018	12	N/A	376816C1	
CD14BD	12	RD	TXL	3510368R1		DS51	-	2644000R1		
CD14BD	12	RD	TXL	3510368R1	3768015C1	1018	3	N/A	376816C1	
CD14BE	12	RD	TXL	3510368R1		DS51	-	2644000R1		
CD14BE	12	RD	TXL	3510368R1	3768015C1	1018	4	N/A	376816C1	
CD14BG	12	RD	TXL	3510368R1	3768015C1	1018	2	N/A	376816C1	
CD14BG	12	RD	TXL	3510368R1		DS51	-	2644000R1		
CD14C	8	RD	TXL	3525611R1		DS12	-	2644000R1		
CD14C	8	RD	TXL	3525611R1	4100070C1	1016	R1-30	N/A		
CD14CA	8	RD	TXL	3525611R1	4100070C1	1016	R1-87	N/A		
CD14CA	8	RD	TXL	3525611R1		DS53	-	2644000R1		
CD14CB	12	RD	TXL	3510368R1		DS53	-	2644000R1		
CD14CB	12	RD	TXL	3510368R1	3768015C1	1017	10	N/A	376816C1	
CD14CC	12	RD	TXL	3510368R1		DS53	-	2644000R1		
CD14CC	12	RD	TXL	3510368R1	3768015C1	1017	17	N/A	376816C1	
CD14CD	12	RD	TXL	3510368R1		DS53	-	2644000R1		
CD14CD	12	RD	TXL	3510368R1	3768015C1	1017	18	N/A	376816C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
CD14CE	12	RD	TXL	3510368R1		DS53	-	2644000R1		
CD14CE	12	RD	TXL	3510368R1	3768015C1	1017	19	N/A	376816C1	
CD14CF	12	RD	TXL	3510368R1		DS53	-	2644000R1		
CD14CF	12	RD	TXL	3510368R1	3768015C1	1017	20	N/A	376816C1	
CD14CG	12	RD	TXL	3510368R1		DS53	-	2644000R1		
CD14CG	12	RD	TXL	3510368R1	3768015C1	1017	1	N/A	376816C1	
CD14CH	12	RD	TXL	3510368R1		DS53	-	2644000R1		
CD14CH	12	RD	TXL	3510368R1	3768015C1	1017	2	N/A	376816C1	
CD14CJ	12	RD	TXL	3510368R1	3768015C1	1018	10	N/A	376816C1	
CD14CJ	12	RD	TXL	3510368R1		DS53	-	2644000R1		
CD14D	4	RD	SGX	2644026R1		1003	1	2644002R1		
CD14D	4	RD	SGX	2644026R1		DS12	-	2644000R1		
CD14DA	10	RD	TXL	3510369R1		DS15	-	2644000R1		
CD14DA	10	RD	TXL	3510369R1	3768010C1	1011	R4 -	0 N/A	376811C1	
CD14DB	10	RD	TXL	3510369R1		DS12	-	2644000R1		
CD14DB	10	RD	TXL	3510369R1	3768010C1	1014	R4 -	0 N/A	376811C1	
CD14DC	8	RD	TXL	3525611R1		DS12	-	2644000R1		
CD14DC	8	RD	TXL	3525611R1	4100070C1	1016	R2-30	N/A		
DB149A	18	GY	TXL	3510311R1	3546518C1	1100	D	N/A	3546519C1	
DB149A	18	GY	TXL	3510311R1	3598706C1	1600	A16	N/A	1618846C1	1618847C1
DC149A	18	GY	TXL	3510311R1	3546518C1	1100MA	D	N/A	3546519C1	
DC149A	18	GY	TXL	3510311R1	3598706C1	1600	A16	N/A	1618846C1	1618847C1
DD13A	14	GY	TXL	3510313R1	6099045C1	8884B	1	N/A		
DD13A	14	GY	TXL	3510313R1	3546518C1	1100	D	N/A	3546519C1	
DD13FAL	14	BN	GXL	2643688R1	6099045C1	8884B	2	N/A		
DD13FAL	14	BN	GXL	2643688R1		AS29	-	2644000R1		
DD13FAM	18	BN	TXL	3510305R1	3598706C1	1600	A16	N/A	1618846C1	1618847C1
DD13FAM	18	BN	TXL	3510305R1		AS29	-	2644000R1		
DE13DD	18	PK	TXL	3510323R1	3759005C1	1606	B	N/A	3573833C1	
DE13DD	18	PK	TXL	3510323R1		DS59	-	2644000R1		
DE13DE	18	PK	TXL	3510323R1	4100070C1	1016	R2-86	N/A		
DE13DE	18	PK	TXL	3510323R1		DS59	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
DE13DF	18	PK	TXL	3510323R1	3768010C1	1014	R4 -	6 N/A	376811C1	
DE13DF	18	PK	TXL	3510323R1	A	DS59	-	2644000R		
DF13DD	18	PK	TXL	3510323R1	3759005C1	1606	B	N/A	3573833C1	
DF13DD	18	PK	TXL	3510323R1		DS59	-	2644000R1		
DF13DE	18	PK	TXL	3510323R1	4100070C1	1016	R2-86	N/A		
DF13DE	18	PK	TXL	3510323R1		DS59	-	2644000R1		
DF13DF	18	PK	TXL	3510323R1	3768010C1	1014	R4 -	6 N/A	376811C1	
DF13DF	18	PK	TXL	3510323R1	A	DS59	-	2644000R		
DF13DU	18	GY	TXL	3510311R1	3768010C1	1012	R6 -	6 N/A	376811C1	
DF13DU	18	GY	TXL	3510311R1	A	DS59	-	2644000R		
DG149A	18	GY	TXL	3510311R1	3598706C1	1600	A16	N/A	1618846C1	1618847C1
DG149A	18	GY	TXL	3510311R1	3546518C1	1100	D	N/A	3546519C1	
DH13	14	GY	TXL	3510313R1	6099045C1	8884B	1	N/A		
DH13	14	GY	TXL	3510313R1	3546518C1	1100	D	N/A	3546519C1	
DH13A	14	GY	TXL	3510313R1	6099045C1	8884B	2	N/A		
DH13A	14	GY	TXL	3510313R1		AS29	-	2644000R1		
DH13C	18	GY	TXL	3510311R1	3598706C1	1600	A16	N/A	1618846C1	1618847C1
DH13C	18	GY	TXL	3510311R1		AS29	-	2644000R1		
DJ13-GFF	18	WH	TXL	3510359R1	3768010C1	1012	R1 -	5 N/A	376811C1	
DJ13-GFF	18	WH	TXL	3510359R1	A	BS8	-	N/A		
DJ13DG	12	PK	TXL	3510326R1	3768010C1	1014	R4 -	7 N/A	376811C1	
DJ13DG	12	PK	TXL	3510326R1	3768015C1	1018	34	N/A	376816C1	
DJ13DH	8	RD	TXL	3525611R1	4100070C1	1016	R2-87	N/A		
DJ13DH	8	RD	TXL	3525611R1		DS55	-	2644000R1		
DJ13DJ	12	PK	TXL	3510326R1	3768015C1	1015	2	N/A	376816C1	
DJ13DJ	12	PK	TXL	3510326R1		DS55	-	2644000R1		
DJ13DK	12	PK	TXL	3510326R1	3768015C1	1015	10	N/A	376816C1	
DJ13DK	12	PK	TXL	3510326R1		DS55	-	2644000R1		
DJ13DL	12	PK	TXL	3510326R1	3768015C1	1015	18	N/A	376816C1	
DJ13DL	12	PK	TXL	3510326R1		DS55	-	2644000R1		
DJ13DM	12	PK	TXL	3510326R1	3768015C1	1015	26	N/A	376816C1	
DJ13DM	12	PK	TXL	3510326R1		DS55	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
DJ13DN	12	PK	TXL	3510326R1	3768015C1	1015	34	N/A	376816C1	
DJ13DN	12	PK	TXL	3510326R1		DS55	-	2644000R1		
DJ13DP	12	PK	TXL	3510326R1	3768015C1	1018	26	N/A	376816C1	
DJ13DP	12	PK	TXL	3510326R1		DS55	-	2644000R1		
DJ13DR	18	PK	TXL	3510323R1	3768015C1	1015	7	N/A	376816C1	
DJ13DR	18	PK	TXL	3510323R1	3768010C1	1012	R1 -	6 N/A	376811C1	
DJ13DT	12	PK	TXL	3510326R1		DS55	-	2644000R1		
DJ13DT	12	PK	TXL	3510326R1	3768015C1	1017	34	N/A	376816C1	
DL11-GAR	18	WH	TXL	3510359R1	3613769C1	1023	12	N/A		
DL11-GAR	18	WH	TXL	3510359R1	3544677C1	1926	B	N/A	3544678C1	
DL13AB	18	PK	TXL	3510323R1	3768015C1	1015	14	N/A	376816C1	
DL13AB	18	PK	TXL	3510323R1		DS72	-	2644000R1		
DL13BA	18	PK	TXL	3510323R1	3544677C1	1926	A	N/A	3544678C1	
DL13BA	18	PK	TXL	3510323R1		DS72	-	2644000R1		
DL13BB	18	PK	TXL	3510323R1	3710061C1	1500A	A6	N/A	3539892C1	3539893C1
DL13BB	18	PK	TXL	3510323R1		DS72	-	2644000R1		
DL179	18	WH	TXL	3510359R1	3544677C1	1926	E	N/A	3544678C1	
DL179	18	WH	TXL	3510359R1	3710061C1	1500A	A7	N/A	3539892C1	3539893C1
DL5V(+)	18	YL	TXL	3572112R1	3544677C1	1926	C	N/A	3544678C1	
DL5V(+)	18	YL	TXL	3572112R1	3601838C1	1025	L	N/A	361839C1	
DL5V(-)	18	GN	TXL	3572112R1	3544677C1	1926	D	N/A	3544678C1	
DL5V(-)	18	GN	TXL	3572112R1	3601838C1	1025	B	N/A	361839C1	
EB15	18	RD	TXL	3510365R1	3546518C1	1100	A	N/A	3546519C1	
EB15	18	RD	TXL	3510365R1	3768015C1	1010	15	N/A	376816C1	
EC149	18	GY	TXL	3510311R1	3598706C1	1600	A1	N/A	1618846C1	1618847C1
EC149	18	GY	TXL	3510311R1	3546518C1	1100	C	N/A	3546519C1	
ED149	18	GY	TXL	3510311R1	3598706C1	1600	A1	N/A	1618846C1	1618847C1
ED149	18	GY	TXL	3510311R1	3546518C1	1100MA	C	N/A	3546519C1	
EE15	18	RD	TXL	3510365R1	3546518C1	1100MA	A	N/A	3546519C1	
EE15	18	RD	TXL	3510365R1	3768015C1	1010	15	N/A	376816C1	
EH12C	18	LTBL	TXL	3510341R1	3759005C1	1606	A	N/A	3573833C1	
EH12C	18	LTBL	TXL	3510341R1	3768010C1	1011	R4 -	6 N/A	376811C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
EH12D	12	LTBL	TXL	3510344R1	3768010C1	1011	R4 -	7 N/A	376811C1	
EH12D	12	LTBL	TXL	3510344R1	B	DS54	-	2644000R		
EH12E	18	LTBL	TXL	3510341R1	3768015C1	1017	26	N/A	376816C1	
EH12E	18	LTBL	TXL	3510341R1		DS54	-	2644000R1		
EH12F	12	LTBL	TXL	3510344R1	3768015C1	1017	27	N/A	376816C1	
EH12F	12	LTBL	TXL	3510344R1		DS54	-	2644000R1		
EH12G	16	LTBL	TXL	3510342R1	3768015C1	1017	28	N/A	376816C1	
EH12G	16	LTBL	TXL	3510342R1		DS54	-	2644000R1		
EH12H	16	LTBL	TXL	3510342R1		DS54	-	2644000R1		
EH12H	16	LTBL	TXL	3510342R1	3768015C1	1017	25	N/A	376816C1	
EH12J	18	LTBL	TXL	3510341R1	3768015C1	1017	3	N/A	376816C1	
EH12J	18	LTBL	TXL	3510341R1		DS54	-	2644000R1		
EJ12C	18	LTBL	TXL	3510341R1	3759005C1	1606	A	N/A	3573833C1	
EJ12C	18	LTBL	TXL	3510341R1		DS18	-	2644000R1		
EJ12D	12	LTBL	TXL	3510344R1	3768010C1	1011	R4 -	7 N/A	376811C1	
EJ12D	12	LTBL	TXL	3510344R1	B	DS54	-	2644000R		
EJ12E	18	LTBL	TXL	3510341R1	3768015C1	1017	26	N/A	376816C1	
EJ12E	18	LTBL	TXL	3510341R1		DS54	-	2644000R1		
EJ12F	12	LTBL	TXL	3510344R1	3768015C1	1017	27	N/A	376816C1	
EJ12F	12	LTBL	TXL	3510344R1		DS54	-	2644000R1		
EJ12G	16	LTBL	TXL	3510342R1	3768015C1	1017	28	N/A	376816C1	
EJ12G	16	LTBL	TXL	3510342R1		DS54	-	2644000R1		
EJ12H	16	LTBL	TXL	3510342R1		DS54	-	2644000R1		
EJ12H	16	LTBL	TXL	3510342R1	3768015C1	1017	25	N/A	376816C1	
EJ12J	18	LTBL	TXL	3510341R1		DS54	-	2644000R1		
EJ12J	18	LTBL	TXL	3510341R1	3768015C1	1017	3	N/A	376816C1	
EJ12S	18	LTBL	TXL	3510341R1	3768010C1	1011	R4 -	6 N/A	376811C1	
EJ12S	18	LTBL	TXL	3510341R1	A	DS18	-	2644000R		
EJ12T	18	LTBL	TXL	3510341R1	3768010C1	1012	R4 -	6 N/A	376811C1	
EJ12T	18	LTBL	TXL	3510341R1	A	DS18	-	2644000R		
EK149	14	GY	TXL	3510313R1	3546518C1	1100	C	N/A	3546519C1	
EK149	14	GY	TXL	3510313R1	6099045C1	8884B	3	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
EK149A	14	GY	TXL	3510313R1		PS10	-	2644000R1		
EK149A	14	GY	TXL	3510313R1	6099045C1	8884B	4	N/A		
EK149B	18	LTBL	TXL	3510341R1		PS10	-	2644000R1		
EK149B	18	LTBL	TXL	3510341R1	3598706C1	1600	A1	N/A	1618846C1	1618847C1
FA11-GAA	6	WH	SGX	2643790R1		1004	1	2644002R1		
FA11-GAA	6	WH	SGX	2643790R1		BS8	-	N/A		
FB11-GBA	14	WH	TXL	3510361R1	3613769C1	1022	1	N/A		
FB11-GBA	14	WH	TXL	3510361R1		BS10	-	2644000R1		
FB11-GCB	14	WH	TXL	3510361R1	3613769C1	1023	1	N/A		
FB11-GCB	14	WH	TXL	3510361R1		BS10	-	2644000R1		
FB11-GCC	14	WH	TXL	3510361R1	3613769C1	1027	1	N/A		
FB11-GCC	14	WH	TXL	3510361R1		BS10	-	2644000R1		
FB11-GKJ	6	WH	SGX	2643790R1		1005A	1	2644002R1		
FB11-GKJ	6	WH	SGX	2643790R1		BS10	-	2644000R1		
GB5A(+)	18	YL	TXL	3572112R1	3683465C1	1939_5	A	N/A	3683466C1	3573833C1
GB5A(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GB5A(-)	18	GN	TXL	3572112R1	3683465C1	1939_5	B	N/A	3683466C1	3573833C1
GB5A(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GB5B(+)	18	YL	TXL	3572112R1	3759005C1	1606	H	N/A	3573833C1	
GB5B(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GB5B(-)	18	GN	TXL	3572112R1	3759005C1	1606	G	N/A	3573833C1	
GB5B(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GB5C(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GB5C(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GB5C(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GB5C(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GB5D(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GB5D(+)	18	YL	TXL	3572112R1	3757649C1	1650	Conne	ti N/A		
GB5D(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GB5D(-)	18	GN	TXL	3572112R1	3757649C1	1650	Conne	ti N/A		
GB5E(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GB5E(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
GB5E(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GB5E(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GB5G(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
GB5G(+)	18	YL	TXL	3572112R1	3710061C1	1500A	A9	N/A	3539892C1	3539893C1
GB5G(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GB5G(-)	18	GN	TXL	3572112R1	3710061C1	1500A	A10	N/A	3539892C1	3539893C1
GB5H(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
GB5H(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
GB5H(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GB5H(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
GB5J(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
GB5J(+)	18	YL	TXL	3572112R1	3605446C91		1852 8	N/A		
GB5J(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
GB5J(-)	18	GN	TXL	3572112R1	3605446C91		1852 15	N/A		
GB5K(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
GB5K(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
GB5K(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
GB5K(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
GB5N(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
GB5N(+)	18	YL	TXL	3572112R1	3596926C1		1400 8	N/A	356239C1	
GB5N(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
GB5N(-)	18	GN	TXL	3572112R1	3596926C1		1400 7	N/A	356239C1	
GB5P(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
GB5P(+)	18	YL	TXL	3572112R1	3595625C1	1703M	53	N/A		
GB5P(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
GB5P(-)	18	GN	TXL	3572112R1	3595625C1	1703M	52	N/A		
GB5R(+)	18	YL	TXL	3572112R1	3595624C1	1703F	53	SWS_N_REQ		
GB5R(+)	18	YL	TXL	3572112R1	3595621C1		1702 11	N/A	3598918C1	3598919C1
GB5R(-)	18	GN	TXL	3572112R1	3595624C1	1703F	52	SWS_N_REQ		
GB5R(-)	18	GN	TXL	3572112R1	3595621C1		1702 17	N/A	3598918C1	3598919C1
GC5BA(+)	18	YL	TXL	3572112R1	3683465C1	1939_2	A	N/A	3683466C1	3573833C1
GC5BA(+)	18	YL	TXL	3572112R1		BS18	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
GC5BA(-)	18	GN	TXL	3572112R1	3683465C1	1939_2	B	N/A	3683466C1	3573833C1
GC5BA(-)	18	GN	TXL	3572112R1		BS19	-	2644000R1		
GC5BB(+)	18	YL	TXL	3572112R1	3598705C1	1602	F6	N/A	1618846C1	1618847C1
GC5BB(+)	18	YL	TXL	3572112R1		BS18	-	2644000R1		
GC5BB(-)	18	GN	TXL	3572112R1	3598705C1	1602	F5	N/A	1618846C1	1618847C1
GC5BB(-)	18	GN	TXL	3572112R1		BS19	-	2644000R1		
GC5BC(+)	18	YL	TXL	3572112R1	3601838C1	1024	M	N/A	361839C1	
GC5BC(+)	18	YL	TXL	3572112R1		BS18	-	2644000R1		
GC5BC(-)	18	GN	TXL	3572112R1	3601838C1	1024	A	N/A	361839C1	
GC5BC(-)	18	GN	TXL	3572112R1		BS19	-	2644000R1		
GC5BD(+)	18	YL	TXL	3572112R1	3601838C1	1024	K	N/A	361839C1	
GC5BD(+)	18	YL	TXL	3572112R1	3601838C1	1024	J	N/A	361839C1	
GC5BD(-)	18	GN	TXL	3572112R1	3601838C1	1024	C	N/A	361839C1	
GC5BD(-)	18	GN	TXL	3572112R1	3601838C1	1024	D	N/A	361839C1	
GC5BE(+)	18	YL	TXL	3572112R1	3601838C1	1024	G	N/A	361839C1	
GC5BE(+)	18	YL	TXL	3572112R1	3601838C1	1028	M	N/A	361839C1	
GC5BE(-)	18	GN	TXL	3572112R1	3601838C1	1024	F	N/A	361839C1	
GC5BE(-)	18	GN	TXL	3572112R1	3601838C1	1028	A	N/A	361839C1	
GC5BF(+)	18	YL	TXL	3572112R1	3601838C1	1028	K	N/A	361839C1	
GC5BF(+)	18	YL	TXL	3572112R1	3601838C1	1028	J	N/A	361839C1	
GC5BF(-)	18	GN	TXL	3572112R1	3601838C1	1028	C	N/A	361839C1	
GC5BF(-)	18	GN	TXL	3572112R1	3601838C1	1028	D	N/A	361839C1	
GC5BG(+)	18	YL	TXL	3572112R1	3601838C1	1028	G	N/A	361839C1	
GC5BG(+)	18	YL	TXL	3572112R1	3601838C1	1025	M	N/A	361839C1	
GC5BG(-)	18	GN	TXL	3572112R1	3601838C1	1028	F	N/A	361839C1	
GC5BG(-)	18	GN	TXL	3572112R1	3601838C1	1025	A	N/A	361839C1	
GC5BH(+)	18	YL	TXL	3572112R1	3601838C1	1025	K	N/A	361839C1	
GC5BH(+)	18	YL	TXL	3572112R1	3601838C1	1025	J	N/A	361839C1	
GC5BH(-)	18	GN	TXL	3572112R1	3601838C1	1025	C	N/A	361839C1	
GC5BH(-)	18	GN	TXL	3572112R1	3601838C1	1025	D	N/A	361839C1	
GC5BJ(+)	18	YL	TXL	3572112R1	3601838C1	1025	G	N/A	361839C1	
GC5BJ(+)	18	YL	TXL	3572112R1	3595625C1	1700	37	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
GC5BJ(-)	18	GN	TXL	3572112R1	3601838C1	1025	F	N/A	361839C1	
GC5BJ(-)	18	GN	TXL	3572112R1	3595625C1	1700	38	N/A		
GD5BA(+)	18	YL	TXL	3572112R1		BS18	-	2644000R1		
GD5BA(+)	18	YL	TXL	3572112R1	3595623C1	1701	52	N/A		
GD5BA(-)	18	GN	TXL	3572112R1		BS19	-	2644000R1		
GD5BA(-)	18	GN	TXL	3572112R1	3595623C1	1701	53	N/A		
GD5BB(+)	18	YL	TXL	3572112R1		BS18	-	2644000R1		
GD5BB(+)	18	YL	TXL	3572112R1	3598705C1	1602	F6	N/A	1618846C1	1618847C1
GD5BB(-)	18	GN	TXL	3572112R1		BS19	-	2644000R1		
GD5BB(-)	18	GN	TXL	3572112R1	3598705C1	1602	F5	N/A	1618846C1	1618847C1
GD5BC(+)	18	YL	TXL	3572112R1		BS18	-	2644000R1		
GD5BC(+)	18	YL	TXL	3572112R1	3601838C1	1024	M	N/A	361839C1	
GD5BC(-)	18	GN	TXL	3572112R1		BS19	-	2644000R1		
GD5BC(-)	18	GN	TXL	3572112R1	3601838C1	1024	A	N/A	361839C1	
GD5BD(+)	18	YL	TXL	3572112R1	3601838C1	1024	K	N/A	361839C1	
GD5BD(+)	18	YL	TXL	3572112R1	3601838C1	1024	J	N/A	361839C1	
GD5BD(-)	18	GN	TXL	3572112R1	3601838C1	1024	D	N/A	361839C1	
GD5BD(-)	18	GN	TXL	3572112R1	3601838C1	1024	C	N/A	361839C1	
GD5BE(+)	18	YL	TXL	3572112R1	3601838C1	1024	G	N/A	361839C1	
GD5BE(+)	18	YL	TXL	3572112R1	3601838C1	1028	M	N/A	361839C1	
GD5BE(-)	18	GN	TXL	3572112R1	3601838C1	1024	F	N/A	361839C1	
GD5BE(-)	18	GN	TXL	3572112R1	3601838C1	1028	A	N/A	361839C1	
GD5BF(+)	18	YL	TXL	3572112R1	3601838C1	1028	K	N/A	361839C1	
GD5BF(+)	18	YL	TXL	3572112R1	3601838C1	1028	J	N/A	361839C1	
GD5BF(-)	18	GN	TXL	3572112R1	3601838C1	1028	C	N/A	361839C1	
GD5BF(-)	18	GN	TXL	3572112R1	3601838C1	1028	D	N/A	361839C1	
GD5BG(+)	18	YL	TXL	3572112R1	3601838C1	1028	G	N/A	361839C1	
GD5BG(+)	18	YL	TXL	3572112R1	3601838C1	1025	M	N/A	361839C1	
GD5BG(-)	18	GN	TXL	3572112R1	3601838C1	1028	F	N/A	361839C1	
GD5BG(-)	18	GN	TXL	3572112R1	3601838C1	1025	A	N/A	361839C1	
GD5BH(+)	18	YL	TXL	3572112R1	3601838C1	1025	K	N/A	361839C1	
GD5BH(+)	18	YL	TXL	3572112R1	3601838C1	1025	J	N/A	361839C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
GD5BH(-)	18	GN	TXL	3572112R1	3601838C1	1025	D	N/A	361839C1	
GD5BH(-)	18	GN	TXL	3572112R1	3601838C1	1025	C	N/A	361839C1	
GD5BJ(+)	18	YL	TXL	3572112R1	3601838C1	1025	G	N/A	361839C1	
GD5BJ(+)	18	YL	TXL	3572112R1	3595625C1	1700	37	N/A		
GD5BJ(-)	18	GN	TXL	3572112R1	3601838C1	1025	F	N/A	361839C1	
GD5BJ(-)	18	GN	TXL	3572112R1	3595625C1	1700	38	N/A		
GE5A(+)	18	YL	TXL	3572112R1	3595623C1	1701	62	N/A		
GE5A(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GE5A(-)	18	GN	TXL	3572112R1	3595623C1	1701	61	N/A		
GE5A(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GE5B(+)	18	YL	TXL	3572112R1	3759005C1	1606	H	N/A	3573833C1	
GE5B(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GE5B(-)	18	GN	TXL	3572112R1	3759005C1	1606	G	N/A	3573833C1	
GE5B(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GE5C(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GE5C(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GE5C(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GE5C(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GE5D(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GE5D(+)	18	YL	TXL	3572112R1	3757649C1	1650	Conne	ti N/A		
GE5D(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GE5D(-)	18	GN	TXL	3572112R1	3757649C1	1650	Conne	ti N/A		
GE5E(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GE5E(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
GE5E(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GE5E(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GE5G(+)	18	YL	TXL	3572112R1	3710061C1	1500A	A9	N/A	3539892C1	3539893C1
GE5G(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
GE5G(-)	18	GN	TXL	3572112R1	3710061C1	1500A	A10	N/A	3539892C1	3539893C1
GE5G(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GE5P(+)	18	YL	TXL	3572112R1	3595625C1	1703M	53	N/A		
GE5P(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
GE5P(-)	18	GN	TXL	3572112R1	3595625C1	1703M	52	N/A		
GE5P(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GE5R(+)	18	YL	TXL	3572112R1	3595624C1	1703F	53	SWS_N_REQ		
GE5R(+)	18	YL	TXL	3572112R1	3595621C1		1702	N/A	3598918C1	3598919C1
GE5R(-)	18	GN	TXL	3572112R1	3595624C1	1703F	52	SWS_N_REQ		
GE5R(-)	18	GN	TXL	3572112R1	3595621C1		1702	N/A	3598918C1	3598919C1
GF5F(+)	18	YL	TXL	3572112R1	3544688C1		2000	N/A		
GF5F(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
GF5F(-)	18	GN	TXL	3572112R1	3544688C1		2000	N/A		
GF5F(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GF5G(+)	18	YL	TXL	3572112R1	3710061C1	1500A	A9	N/A	3539892C1	3539893C1
GF5G(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
GF5G(-)	18	GN	TXL	3572112R1	3710061C1	1500A	A10	N/A	3539892C1	3539893C1
GF5G(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GF5H(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
GF5H(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
GF5H(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GF5H(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
GF5J(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
GF5J(+)	18	YL	TXL	3572112R1	3605446C91		1852	N/A		
GF5J(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
GF5J(-)	18	GN	TXL	3572112R1	3605446C91		1852	N/A		
GF5K(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
GF5K(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
GF5K(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
GF5K(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
GF5N(+)	18	YL	TXL	3572112R1	3596926C1		1400	N/A	356239C1	
GF5N(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
GF5N(-)	18	GN	TXL	3572112R1	3596926C1		1400	N/A	356239C1	
GF5N(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
GF5P(+)	18	YL	TXL	3572112R1	3595625C1	1703M	53	N/A		
GF5P(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
GF5P(-)	18	GN	TXL	3572112R1	3595625C1	1703M	52	N/A		
GF5P(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
GF5R(+)	18	YL	TXL	3572112R1	3595624C1	1703F	53	SWS_N_REQ		
GF5R(+)	18	YL	TXL	3572112R1	3595621C1		1702	N/A	3598918C1	3598919C1
GF5R(-)	18	GN	TXL	3572112R1	3595624C1	1703F	52	SWS_N_REQ		
GF5R(-)	18	GN	TXL	3572112R1	3595621C1		1702	N/A	3598918C1	3598919C1
GG5A(+)	18	YL	TXL	3572112R1	3595623C1		1701	N/A		
GG5A(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GG5A(-)	18	GN	TXL	3572112R1	3595623C1		1701	N/A		
GG5A(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GG5B(+)	18	YL	TXL	3572112R1	3759005C1		1606	N/A	3573833C1	
GG5B(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GG5B(-)	18	GN	TXL	3572112R1	3759005C1		1606	N/A	3573833C1	
GG5B(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GG5C(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GG5C(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GG5C(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GG5C(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GG5D(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GG5D(+)	18	YL	TXL	3572112R1	3757649C1		1650	Conne ti N/A		
GG5D(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GG5D(-)	18	GN	TXL	3572112R1	3757649C1		1650	Conne ti N/A		
GG5E(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GG5E(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
GG5E(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GG5E(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GG5G(+)	18	YL	TXL	3572112R1	3710061C1	1500A	A9	N/A	3539892C1	3539893C1
GG5G(+)	18	YL	TXL	3572112R1			CS3	-	2644000R1	
GG5G(-)	18	GN	TXL	3572112R1	3710061C1	1500A	A10	N/A	3539892C1	3539893C1
GG5G(-)	18	GN	TXL	3572112R1			CS4	-	2644000R1	
GG5H(+)	18	YL	TXL	3572112R1			DS30	-	2644000R1	
GG5H(+)	18	YL	TXL	3572112R1			CS3	-	2644000R1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
GG5H(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
GG5H(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GG5J(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
GG5J(+)	18	YL	TXL	3572112R1	4064551C1	7900F	E	N/A		
GG5J(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
GG5J(-)	18	GN	TXL	3572112R1	4064551C1	7900F	F	N/A		
GG5P(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
GG5P(+)	18	YL	TXL	3572112R1	3595625C1	1703M	53	N/A		
GG5P(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
GG5P(-)	18	GN	TXL	3572112R1	3595625C1	1703M	52	N/A		
GG5R(+)	18	YL	TXL	3572112R1	3595621C1		1702 11	N/A	3598918C1	3598919C1
GG5R(+)	18	YL	TXL	3572112R1	3595624C1	1703F	53	SWS_N_REQ		
GG5R(-)	18	GN	TXL	3572112R1	3595621C1		1702 17	N/A	3598918C1	3598919C1
GG5R(-)	18	GN	TXL	3572112R1	3595624C1	1703F	52	SWS_N_REQ		
GH5A(+)	18	YL	TXL	3572112R1	3683465C1	1939_5	A	N/A	3683466C1	3573833C1
GH5A(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GH5A(-)	18	GN	TXL	3572112R1	3683465C1	1939_5	B	N/A	3683466C1	3573833C1
GH5A(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GH5B(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GH5B(+)	18	YL	TXL	3572112R1	3759005C1		1606 H	N/A	3573833C1	
GH5B(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GH5B(-)	18	GN	TXL	3572112R1	3759005C1		1606 G	N/A	3573833C1	
GH5C(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GH5C(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GH5C(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GH5C(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GH5D(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GH5D(+)	18	YL	TXL	3572112R1	3757649C1		1650 Conne	ti N/A		
GH5D(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GH5D(-)	18	GN	TXL	3572112R1	3757649C1		1650 Conne	ti N/A		
GH5E(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GH5E(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
GH5E(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GH5E(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GH5G(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
GH5G(+)	18	YL	TXL	3572112R1	3710061C1	1500A	A9	N/A	3539892C1	3539893C1
GH5G(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GH5G(-)	18	GN	TXL	3572112R1	3710061C1	1500A	A10	N/A	3539892C1	3539893C1
GH5P(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
GH5P(+)	18	YL	TXL	3572112R1	3595625C1	1703M	53	N/A		
GH5P(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GH5P(-)	18	GN	TXL	3572112R1	3595625C1	1703M	52	N/A		
GH5R(+)	18	YL	TXL	3572112R1	3595624C1	1703F	53	SWS_N_REQ		
GH5R(+)	18	YL	TXL	3572112R1	3595621C1		1702 11	N/A	3598918C1	3598919C1
GH5R(-)	18	GN	TXL	3572112R1	3595624C1	1703F	52	SWS_N_REQ		
GH5R(-)	18	GN	TXL	3572112R1	3595621C1		1702 17	N/A	3598918C1	3598919C1
GJ5A(+)	18	YL	TXL	3572112R1	3683465C1	1939_5	A	N/A	3683466C1	3573833C1
GJ5A(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GJ5A(-)	18	GN	TXL	3572112R1	3683465C1	1939_5	B	N/A	3683466C1	3573833C1
GJ5A(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GJ5B(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GJ5B(+)	18	YL	TXL	3572112R1	3759005C1		1606 H	N/A	3573833C1	
GJ5B(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GJ5B(-)	18	GN	TXL	3572112R1	3759005C1		1606 G	N/A	3573833C1	
GJ5C(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GJ5C(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GJ5C(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GJ5C(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GJ5D(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GJ5D(+)	18	YL	TXL	3572112R1	3757649C1		1650 Conne	ti N/A		
GJ5D(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GJ5D(-)	18	GN	TXL	3572112R1	3757649C1		1650 Conne	ti N/A		
GJ5E(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GJ5E(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2	
GJ5E(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1			
GJ5E(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1			
GJ5G(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1			
GJ5G(+)	18	YL	TXL	3572112R1	3710061C1	1500A	A9	N/A	3539892C1	3539893C1	
GJ5G(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1			
GJ5G(-)	18	GN	TXL	3572112R1	3710061C1	1500A	A10	N/A	3539892C1	3539893C1	
GJ5H(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1			
GJ5H(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1			
GJ5H(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1			
GJ5H(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1			
GJ5J(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1			
GJ5J(+)	18	YL	TXL	3572112R1	4064551C1	7900F	E	N/A			
GJ5J(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1			
GJ5J(-)	18	GN	TXL	3572112R1	4064551C1	7900F	F	N/A			
GJ5P(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1			
GJ5P(+)	18	YL	TXL	3572112R1	3595625C1	1703M	53	N/A			
GJ5P(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1			
GJ5P(-)	18	GN	TXL	3572112R1	3595625C1	1703M	52	N/A			
GJ5R(+)	18	YL	TXL	3572112R1	3595624C1	1703F	53	SWS_N_REQ			
GJ5R(+)	18	YL	TXL	3572112R1	3595621C1		1702	11	N/A	3598918C1	3598919C1
GJ5R(-)	18	GN	TXL	3572112R1	3595624C1	1703F	52	SWS_N_REQ			
GJ5R(-)	18	GN	TXL	3572112R1	3595621C1		1702	17	N/A	3598918C1	3598919C1
GK5A(+)	18	YL	TXL	3572112R1	3683465C1	1939_5	A	N/A	3683466C1	3573833C1	
GK5A(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1			
GK5A(-)	18	GN	TXL	3572112R1	3683465C1	1939_5	B	N/A	3683466C1	3573833C1	
GK5A(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1			
GK5B(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1			
GK5B(+)	18	YL	TXL	3572112R1	3759005C1		1606	H	N/A	3573833C1	
GK5B(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1			
GK5B(-)	18	GN	TXL	3572112R1	3759005C1		1606	G	N/A	3573833C1	
GK5C(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1			
GK5C(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1			

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2	
GK5C(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1			
GK5C(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1			
GK5D(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1			
GK5D(+)	18	YL	TXL	3572112R1	3544066C1	1650MA	C	N/A			
GK5D(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1			
GK5D(-)	18	GN	TXL	3572112R1	3544066C1	1650MA	D	N/A			
GK5E(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1			
GK5E(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1			
GK5E(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1			
GK5E(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1			
GK5G(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1			
GK5G(+)	18	YL	TXL	3572112R1	3710061C1	1500A	A9	N/A	3539892C1	3539893C1	
GK5G(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1			
GK5G(-)	18	GN	TXL	3572112R1	3710061C1	1500A	A10	N/A	3539892C1	3539893C1	
GK5P(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1			
GK5P(+)	18	YL	TXL	3572112R1	3595625C1	1703M	53	N/A			
GK5P(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1			
GK5P(-)	18	GN	TXL	3572112R1	3595625C1	1703M	52	N/A			
GK5R(+)	18	YL	TXL	3572112R1	3595624C1	1703F	53	SWS_N_REQ			
GK5R(+)	18	YL	TXL	3572112R1	3595621C1		1702	11	N/A	3598918C1	3598919C1
GK5R(-)	18	GN	TXL	3572112R1	3595624C1	1703F	52	SWS_N_REQ			
GK5R(-)	18	GN	TXL	3572112R1	3595621C1		1702	17	N/A	3598918C1	3598919C1
GL5A(+)	18	YL	TXL	3572112R1	3683465C1	1939_5	A	N/A	3683466C1	3573833C1	
GL5A(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1			
GL5A(-)	18	GN	TXL	3572112R1	3683465C1	1939_5	B	N/A	3683466C1	3573833C1	
GL5A(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1			
GL5B(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1			
GL5B(+)	18	YL	TXL	3572112R1	3759005C1		1606	H	N/A	3573833C1	
GL5B(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1			
GL5B(-)	18	GN	TXL	3572112R1	3759005C1		1606	G	N/A	3573833C1	
GL5C(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1			
GL5C(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1			

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2	
GL5C(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1			
GL5C(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1			
GL5D(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1			
GL5D(+)	18	YL	TXL	3572112R1	3544066C1	1650MA	C	N/A			
GL5D(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1			
GL5D(-)	18	GN	TXL	3572112R1	3544066C1	1650MA	D	N/A			
GL5E(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1			
GL5E(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1			
GL5E(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1			
GL5E(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1			
GL5G(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1			
GL5G(+)	18	YL	TXL	3572112R1	3710061C1	1500A	A9	N/A	3539892C1	3539893C1	
GL5G(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1			
GL5G(-)	18	GN	TXL	3572112R1	3710061C1	1500A	A10	N/A	3539892C1	3539893C1	
GL5H(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1			
GL5H(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1			
GL5H(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1			
GL5H(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1			
GL5J(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1			
GL5J(+)	18	YL	TXL	3572112R1	4064551C1	7900F	E	N/A			
GL5J(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1			
GL5J(-)	18	GN	TXL	3572112R1	4064551C1	7900F	F	N/A			
GL5P(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1			
GL5P(+)	18	YL	TXL	3572112R1	3595625C1	1703M	53	N/A			
GL5P(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1			
GL5P(-)	18	GN	TXL	3572112R1	3595625C1	1703M	52	N/A			
GL5R(+)	18	YL	TXL	3572112R1	3595624C1	1703F	53	SWS_N_REQ			
GL5R(+)	18	YL	TXL	3572112R1	3595621C1		1702	11	N/A	3598918C1	3598919C1
GL5R(-)	18	GN	TXL	3572112R1	3595624C1	1703F	52	SWS_N_REQ			
GL5R(-)	18	GN	TXL	3572112R1	3595621C1		1702	17	N/A	3598918C1	3598919C1
GM5A(+)	18	YL	TXL	3572112R1	3683465C1	1939_5	A	N/A	3683466C1	3573833C1	
GM5A(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1			

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
GM5A(-)	18	GN	TXL	3572112R1	3683465C1	1939_5	B	N/A	3683466C1	3573833C1
GM5A(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GM5B(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GM5B(+)	18	YL	TXL	3572112R1	3759005C1		1606	H	N/A	3573833C1
GM5B(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GM5B(-)	18	GN	TXL	3572112R1	3759005C1		1606	G	N/A	3573833C1
GM5C(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GM5C(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GM5C(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GM5C(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GM5D(+)	18	YL	TXL	3572112R1	3544066C1	1650MA		C	N/A	
GM5D(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GM5D(-)	18	GN	TXL	3572112R1	3544066C1	1650MA		D	N/A	
GM5D(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GM5E(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GM5E(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
GM5E(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GM5E(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GM5G(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
GM5G(+)	18	YL	TXL	3572112R1	3710061C1	1500A		A9	N/A	3539892C1 3539893C1
GM5G(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GM5G(-)	18	GN	TXL	3572112R1	3710061C1	1500A		A10	N/A	3539892C1 3539893C1
GM5H(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
GM5H(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
GM5H(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GM5H(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
GM5N(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
GM5N(+)	18	YL	TXL	3572112R1	3596926C1		1400	8	N/A	356239C1
GM5N(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
GM5N(-)	18	GN	TXL	3572112R1	3596926C1		1400	7	N/A	356239C1
GM5P(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
GM5P(+)	18	YL	TXL	3572112R1	3595625C1	1703M		53	N/A	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
GM5P(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
GM5P(-)	18	GN	TXL	3572112R1	3595625C1	1703M	52	N/A		
GM5R(+)	18	YL	TXL	3572112R1	3595624C1	1703F	53	SWS_N_REQ		
GM5R(+)	18	YL	TXL	3572112R1	3595621C1		1702	N/A	3598918C1	3598919C1
GM5R(-)	18	GN	TXL	3572112R1	3595624C1	1703F	52	SWS_N_REQ		
GM5R(-)	18	GN	TXL	3572112R1	3595621C1		1702	N/A	3598918C1	3598919C1
GN5A(+)	18	YL	TXL	3572112R1	3683465C1	1939_5	A	N/A	3683466C1	3573833C1
GN5A(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GN5A(-)	18	GN	TXL	3572112R1	3683465C1	1939_5	B	N/A	3683466C1	3573833C1
GN5A(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GN5B(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GN5B(+)	18	YL	TXL	3572112R1	3759005C1		1606	H	N/A	3573833C1
GN5B(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GN5B(-)	18	GN	TXL	3572112R1	3759005C1		1606	G	N/A	3573833C1
GN5C(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GN5C(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GN5C(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GN5C(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GN5D(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GN5D(+)	18	YL	TXL	3572112R1	3544066C1	1650MA	C	N/A		
GN5D(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GN5D(-)	18	GN	TXL	3572112R1	3544066C1	1650MA	D	N/A		
GN5E(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GN5E(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
GN5E(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GN5E(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GN5G(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
GN5G(+)	18	YL	TXL	3572112R1	3710061C1	1500A	A9	N/A	3539892C1	3539893C1
GN5G(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GN5G(-)	18	GN	TXL	3572112R1	3710061C1	1500A	A10	N/A	3539892C1	3539893C1
GN5H(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
GN5H(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
GN5H(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GN5H(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
GN5J(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
GN5J(+)	18	YL	TXL	3572112R1	4064551C1	7900F	E	N/A		
GN5J(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
GN5J(-)	18	GN	TXL	3572112R1	4064551C1	7900F	F	N/A		
GN5K(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
GN5K(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
GN5K(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
GN5K(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
GN5N(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
GN5N(+)	18	YL	TXL	3572112R1	3596926C1		1400 8	N/A	356239C1	
GN5N(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
GN5N(-)	18	GN	TXL	3572112R1	3596926C1		1400 7	N/A	356239C1	
GN5P(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
GN5P(+)	18	YL	TXL	3572112R1	3595625C1	1703M	53	N/A		
GN5P(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
GN5P(-)	18	GN	TXL	3572112R1	3595625C1	1703M	52	N/A		
GN5R(+)	18	YL	TXL	3572112R1	3595624C1	1703F	53	SWS_N_REQ		
GN5R(+)	18	YL	TXL	3572112R1	3595621C1		1702 11	N/A	3598918C1	3598919C1
GN5R(-)	18	GN	TXL	3572112R1	3595624C1	1703F	52	SWS_N_REQ		
GN5R(-)	18	GN	TXL	3572112R1	3595621C1		1702 17	N/A	3598918C1	3598919C1
GP5A(+)	18	YL	TXL	3572112R1	3683465C1	1939_5	A	N/A	3683466C1	3573833C1
GP5A(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GP5A(-)	18	GN	TXL	3572112R1	3683465C1	1939_5	B	N/A	3683466C1	3573833C1
GP5A(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GP5B(+)	18	YL	TXL	3572112R1	3759005C1		1606 H	N/A	3573833C1	
GP5B(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GP5B(-)	18	GN	TXL	3572112R1	3759005C1		1606 G	N/A	3573833C1	
GP5B(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GP5C(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GP5C(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
GP5C(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GP5C(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GP5D(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GP5D(+)	18	YL	TXL	3572112R1	3544066C1	1650MA	C	N/A		
GP5D(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GP5D(-)	18	GN	TXL	3572112R1	3544066C1	1650MA	D	N/A		
GP5E(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GP5E(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
GP5E(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GP5E(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GP5G(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
GP5G(+)	18	YL	TXL	3572112R1	3710061C1	1500A	A9	N/A	3539892C1	3539893C1
GP5G(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GP5G(-)	18	GN	TXL	3572112R1	3710061C1	1500A	A10	N/A	3539892C1	3539893C1
GP5H(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
GP5H(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
GP5H(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GP5H(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
GP5J(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
GP5J(+)	18	YL	TXL	3572112R1	4064551C1	7900F	E	N/A		
GP5J(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
GP5J(-)	18	GN	TXL	3572112R1	4064551C1	7900F	F	N/A		
GP5K(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
GP5K(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
GP5K(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
GP5K(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
GP5N(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
GP5N(+)	18	YL	TXL	3572112R1	3557922C1		1420	3	N/A	354912C1
GP5N(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
GP5N(-)	18	GN	TXL	3572112R1	3557922C1		1420	1	N/A	354912C1
GP5P(+)	18	YL	TXL	3572112R1		MS1	-	2644000R1		
GP5P(+)	18	YL	TXL	3572112R1	3595625C1	1703M	53	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
GP5P(-)	18	GN	TXL	3572112R1		MS2	-	2644000R1		
GP5P(-)	18	GN	TXL	3572112R1	3595625C1	1703M	52	N/A		
GP5R(+)	18	YL	TXL	3572112R1	3595624C1	1703F	53	SWS_N_REQ		
GP5R(+)	18	YL	TXL	3572112R1	3595621C1		1702	N/A	3598918C1	3598919C1
GP5R(-)	18	GN	TXL	3572112R1	3595624C1	1703F	52	SWS_N_REQ		
GP5R(-)	18	GN	TXL	3572112R1	3595621C1		1702	N/A	3598918C1	3598919C1
GQ5A(+)	18	YL	TXL	3572112R1	3595623C1		1701	N/A		
GQ5A(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GQ5A(-)	18	GN	TXL	3572112R1	3595623C1		1701	N/A		
GQ5A(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GQ5B(+)	18	YL	TXL	3572112R1	3759005C1		1606	N/A	3573833C1	
GQ5B(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GQ5B(-)	18	GN	TXL	3572112R1	3759005C1		1606	N/A	3573833C1	
GQ5B(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GQ5C(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GQ5C(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GQ5C(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GQ5C(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GQ5D(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GQ5D(+)	18	YL	TXL	3572112R1	3544066C1	1650MA	C	N/A		
GQ5D(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GQ5D(-)	18	GN	TXL	3572112R1	3544066C1	1650MA	D	N/A		
GQ5E(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GQ5E(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
GQ5E(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GQ5E(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GQ5G(+)	18	YL	TXL	3572112R1	3710061C1	1500A	A9	N/A	3539892C1	3539893C1
GQ5G(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
GQ5G(-)	18	GN	TXL	3572112R1	3710061C1	1500A	A10	N/A	3539892C1	3539893C1
GQ5G(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GQ5P(+)	18	YL	TXL	3572112R1	3595625C1	1703M	53	N/A		
GQ5P(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
GQ5P(-)	18	GN	TXL	3572112R1	3595625C1	1703M	52	N/A		
GQ5P(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GQ5R(+)	18	YL	TXL	3572112R1	3595624C1	1703F	53	SWS_N_REQ		
GQ5R(+)	18	YL	TXL	3572112R1	3595621C1		1702	N/A	3598918C1	3598919C1
GQ5R(-)	18	GN	TXL	3572112R1	3595624C1	1703F	52	SWS_N_REQ		
GQ5R(-)	18	GN	TXL	3572112R1	3595621C1		1702	N/A	3598918C1	3598919C1
GT5A(+)	18	YL	TXL	3572112R1	3595623C1		1701	N/A		
GT5A(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GT5A(-)	18	GN	TXL	3572112R1	3595623C1		1701	N/A		
GT5A(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GT5B(+)	18	YL	TXL	3572112R1	3759005C1		1606	N/A	3573833C1	
GT5B(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GT5B(-)	18	GN	TXL	3572112R1	3759005C1		1606	N/A	3573833C1	
GT5B(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GT5C(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GT5C(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GT5C(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GT5C(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GT5D(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GT5D(+)	18	YL	TXL	3572112R1	3544066C1	1650MA	C	N/A		
GT5D(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GT5D(-)	18	GN	TXL	3572112R1	3544066C1	1650MA	D	N/A		
GT5E(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GT5E(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
GT5E(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GT5E(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GT5G(+)	18	YL	TXL	3572112R1	3710061C1	1500A	A9	N/A	3539892C1	3539893C1
GT5G(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
GT5G(-)	18	GN	TXL	3572112R1	3710061C1	1500A	A10	N/A	3539892C1	3539893C1
GT5G(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GT5H(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
GT5H(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
GT5H(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
GT5H(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GT5J(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
GT5J(+)	18	YL	TXL	3572112R1	4064551C1	7900F	E	N/A		
GT5J(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
GT5J(-)	18	GN	TXL	3572112R1	4064551C1	7900F	F	N/A		
GT5P(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
GT5P(+)	18	YL	TXL	3572112R1	3595625C1	1703M	53	N/A		
GT5P(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
GT5P(-)	18	GN	TXL	3572112R1	3595625C1	1703M	52	N/A		
GT5R(+)	18	YL	TXL	3572112R1	3595621C1		1702 11	N/A	3598918C1	3598919C1
GT5R(+)	18	YL	TXL	3572112R1	3595624C1	1703F	53	SWS_N_REQ		
GT5R(-)	18	GN	TXL	3572112R1	3595621C1		1702 17	N/A	3598918C1	3598919C1
GT5R(-)	18	GN	TXL	3572112R1	3595624C1	1703F	52	SWS_N_REQ		
GU5A(+)	18	YL	TXL	3572112R1	3683465C1	1939_5	A	N/A	3683466C1	3573833C1
GU5A(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GU5A(-)	18	GN	TXL	3572112R1	3683465C1	1939_5	B	N/A	3683466C1	3573833C1
GU5A(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GU5B(+)	18	YL	TXL	3572112R1	3759005C1		1606 H	N/A	3573833C1	
GU5B(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GU5B(-)	18	GN	TXL	3572112R1	3759005C1		1606 G	N/A	3573833C1	
GU5B(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GU5C(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GU5C(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GU5C(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GU5C(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GU5D(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GU5D(+)	18	YL	TXL	3572112R1	3757649C1		1650 Conne	ti N/A		
GU5D(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GU5D(-)	18	GN	TXL	3572112R1	3757649C1		1650 Conne	ti N/A		
GU5E(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GU5E(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
GU5E(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GU5E(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GU5G(+)	18	YL	TXL	3572112R1	3710061C1	1500A	A9	N/A	3539892C1	3539893C1
GU5G(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
GU5G(-)	18	GN	TXL	3572112R1	3710061C1	1500A	A10	N/A	3539892C1	3539893C1
GU5G(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GU5H(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
GU5H(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
GU5H(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
GU5H(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GU5J(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
GU5J(+)	18	YL	TXL	3572112R1	3605446C91		1852 8	N/A		
GU5J(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
GU5J(-)	18	GN	TXL	3572112R1	3605446C91		1852 15	N/A		
GU5P(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
GU5P(+)	18	YL	TXL	3572112R1	3595625C1	1703M	53	N/A		
GU5P(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
GU5P(-)	18	GN	TXL	3572112R1	3595625C1	1703M	52	N/A		
GU5R(+)	18	YL	TXL	3572112R1	3595621C1		1702 11	N/A	3598918C1	3598919C1
GU5R(+)	18	YL	TXL	3572112R1	3595624C1	1703F	53	SWS_N_REQ		
GU5R(-)	18	GN	TXL	3572112R1	3595621C1		1702 17	N/A	3598918C1	3598919C1
GU5R(-)	18	GN	TXL	3572112R1	3595624C1	1703F	52	SWS_N_REQ		
GV5A(+)	18	YL	TXL	3572112R1	3595623C1		1701 62	N/A		
GV5A(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GV5A(-)	18	GN	TXL	3572112R1	3595623C1		1701 61	N/A		
GV5A(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GV5B(+)	18	YL	TXL	3572112R1	3759005C1		1606 H	N/A	3573833C1	
GV5B(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		
GV5B(-)	18	GN	TXL	3572112R1	3759005C1		1606 G	N/A	3573833C1	
GV5B(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GV5C(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GV5C(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
GV5C(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GV5C(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1		
GV5D(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GV5D(+)	18	YL	TXL	3572112R1	3757649C1	1650	Conne	ti N/A		
GV5D(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GV5D(-)	18	GN	TXL	3572112R1	3757649C1	1650	Conne	ti N/A		
GV5E(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1		
GV5E(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
GV5E(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1		
GV5E(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GV5G(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
GV5G(+)	18	YL	TXL	3572112R1	3710061C1	1500A	A9	N/A	3539892C1	3539893C1
GV5G(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GV5G(-)	18	GN	TXL	3572112R1	3710061C1	1500A	A10	N/A	3539892C1	3539893C1
GV5H(+)	18	YL	TXL	3572112R1		CS3	-	2644000R1		
GV5H(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
GV5H(-)	18	GN	TXL	3572112R1		CS4	-	2644000R1		
GV5H(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
GV5J(+)	18	YL	TXL	3572112R1	3605446C91	1852	8	N/A		
GV5J(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
GV5J(-)	18	GN	TXL	3572112R1	3605446C91	1852	15	N/A		
GV5J(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
GV5P(+)	18	YL	TXL	3572112R1	3595625C1	1703M	53	N/A		
GV5P(+)	18	YL	TXL	3572112R1		DS30	-	2644000R1		
GV5P(-)	18	GN	TXL	3572112R1	3595625C1	1703M	52	N/A		
GV5P(-)	18	GN	TXL	3572112R1		DS32	-	2644000R1		
GV5R(+)	18	YL	TXL	3572112R1	3595624C1	1703F	53	SWS_N_REQ		
GV5R(+)	18	YL	TXL	3572112R1	3595621C1	1702	11	N/A	3598918C1	3598919C1
GV5R(-)	18	GN	TXL	3572112R1	3595624C1	1703F	52	SWS_N_REQ		
GV5R(-)	18	GN	TXL	3572112R1	3595621C1	1702	17	N/A	3598918C1	3598919C1
GW5A(+)	18	YL	TXL	3572112R1	3595625C1	1700	62	N/A		
GW5A(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2	
GW5A(-)	18	GN	TXL	3572112R1	3595625C1	1700	61	N/A			
GW5A(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1			
GW5B(+)	18	YL	TXL	3572112R1	3759005C1	1606	H	N/A	3573833C1		
GW5B(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1			
GW5B(-)	18	GN	TXL	3572112R1	3759005C1	1606	G	N/A	3573833C1		
GW5B(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1			
GW5C(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1			
GW5C(+)	18	YL	TXL	3572112R1		AS17	-	2644000R1			
GW5C(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1			
GW5C(-)	18	GN	TXL	3572112R1		AS18	-	2644000R1			
GW5D(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1			
GW5D(+)	18	YL	TXL	3572112R1	3544066C1	1650MA	C	N/A			
GW5D(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1			
GW5D(-)	18	GN	TXL	3572112R1	3544066C1	1650MA	D	N/A			
GW5E(+)	18	YL	TXL	3572112R1		AS34	-	2644000R1			
GW5E(+)	18	YL	TXL	3572112R1	3540613C1	16B	K	N/A	354615C1		
GW5E(-)	18	GN	TXL	3572112R1		AS35	-	2644000R1			
GW5E(-)	18	GN	TXL	3572112R1	3540613C1	16B	J	N/A	354615C1		
GX92#103	18	TN	TXL	3510329R1	3595624C1	1703F	55	SWS_N_REQ			
GX92#103	18	TN	TXL	3510329R1	3595621C1		1702	21	N/A	3598918C1	3598919C1
GX92#103B	18	TN	TXL	3510329R1	3768010C1		1011	R3 -	0 N/A	376811C1	
GX92#103B	18	TN	TXL	3510329R1	3595625C1	1703M	55	N/A			
GY92#103	18	TN	TXL	3510329R1	3595621C1		1702	21	N/A	3598918C1	3598919C1
GY92#103	18	TN	TXL	3510329R1	3595624C1	1703F	55	SWS_N_REQ			
GY92#103A	18	TN	TXL	3510329R1	3595625C1	1703M	55	N/A			
GY92#103A	18	TN	TXL	3510329R1	3928059C1		423	2	N/A		
GZ92#103	18	TN	TXL	3510329R1	3595624C1	1703F	55	SWS_N_REQ			
GZ92#103	18	TN	TXL	3510329R1	3595621C1		1702	21	N/A	3598918C1	3598919C1
GZ92#103A	18	TN	TXL	3510329R1		DS73	-	2644000R1			
GZ92#103A	18	TN	TXL	3510329R1	3928059C1		423	2	N/A		
GZ92#103B	18	TN	TXL	3510329R1		DS73	-	2644000R1			
GZ92#103B	18	TN	TXL	3510329R1	3768010C1		1011	R3 -	0 N/A	376811C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
GZ92#103C	18	TN	TXL	3510329R1		DS73	-	2644000R1		
GZ92#103C	18	TN	TXL	3510329R1	3595625C1	1703M	55	N/A		
HB103	6	RD	SGX	2643702R1		AS24	-	2644000R1		
HB103	6	RD	SGX	2643702R1		BS23	-	2644000R1		
HB103-FL	10	RS	FUS	2643473R1			1822	1	2644005R1	
HB103-FL	10	RS	FUS	2643473R1		AS24	-	2644000R1		
HB103A	12	RD	GXL	2643695R1		BS23	-	2644000R1		
HB103A	12	RD	GXL	2643695R1	3534572C1		6969	A1	N/A	353685C1 3599541C1
HB103B	12	RD	GXL	2643695R1		BS23	-	2644000R1		
HB103B	12	RD	GXL	2643695R1	3534572C1		6969	A2	N/A	353685C1 3599541C1
HB103C	12	RD	GXL	2643695R1		BS23	-	2644000R1		
HB103C	12	RD	GXL	2643695R1	3534572C1		6969	A3	N/A	353685C1 3599541C1
HB103D	12	RD	GXL	2643695R1	3534572C1		6969	B1	N/A	353685C1 3599541C1
HB103D	12	RD	GXL	2643695R1	3534572C1		6969	J1	N/A	353685C1 3599541C1
HB103E	12	RD	GXL	2643695R1	3534572C1		6969	B2	N/A	353685C1 3599541C1
HB103E	12	RD	GXL	2643695R1	3534572C1		6969	E1	N/A	353685C1 3599541C1
HB103F	12	RD	GXL	2643695R1	3534572C1		6969	B3	N/A	353685C1 3599541C1
HB103F	12	RD	GXL	2643695R1	3534572C1		6969	E3	N/A	353685C1 3599541C1
HB103J	18	LTGN	GXL	2643671R1	3598707C1		1601	F6	N/A	1618846C1 1618847C1
HB103J	18	LTGN	GXL	2643671R1	3534572C1		6969	G1	N/A	353685C1 3599541C1
HB103K	18	LTGN	GXL	2643671R1	3598707C1		1601	F7	N/A	1618846C1 1618847C1
HB103K	18	LTGN	GXL	2643671R1	3534572C1		6969	C1	N/A	353685C1 3599541C1
HB103L	18	LTGN	GXL	2643671R1	3598707C1		1601	F2	N/A	1618846C1 1618847C1
HB103L	18	LTGN	GXL	2643671R1	3534572C1		6969	C3	N/A	353685C1 3599541C1
HB103M	12	LTGN	GXL	2643753R1	3595625C1		1700	65	N/A	
HB103M	12	LTGN	GXL	2643753R1	3534572C1		6969	G2	N/A	353685C1 3599541C1
HB103N	12	LTGN	GXL	2643753R1	3595625C1		1700	66	N/A	
HB103N	12	LTGN	GXL	2643753R1	3534572C1		6969	C2	N/A	353685C1 3599541C1
HB103P	12	LTGN	GXL	2643753R1	3595625C1		1700	67	N/A	
HB103P	12	LTGN	GXL	2643753R1	3534572C1		6969	C4	N/A	353685C1 3599541C1
HB11FGAP	16	WH	GXL	2643681R1		BS8	-	N/A		
HB11FGAP	16	WH	GXL	2643681R1		BS24	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
HB11G-GN	18	WH	GXL	2643674R1	3534572C1	6969	J2	N/A	353685C1	3599541C1
HB11G-GN	18	WH	GXL	2643674R1		BS24	-	2644000R1		
HB11H-GP	18	WH	GXL	2643674R1	3534572C1	6969	E2	N/A	353685C1	3599541C1
HB11H-GP	18	WH	GXL	2643674R1		BS24	-	2644000R1		
HB11J-GR	18	WH	GXL	2643674R1	3534572C1	6969	E4	N/A	353685C1	3599541C1
HB11J-GR	18	WH	GXL	2643674R1		BS24	-	2644000R1		
HC103-FL	10	RS	FUS	2643473R1		1822	1	2644005R1		
HC103-FL	10	RS	FUS	2643473R1		AS24	-	2644000R1		
HC103S	6	RD	SGX	2643702R1		1870	1	2644054R1		
HC103S	6	RD	SGX	2643702R1		AS24	-	2644000R1		
HD62-GA	18	WH	TXL	3510359R1	3928059C1	1029	11	N/A		
HD62-GA	18	WH	TXL	3510359R1	3613769C1	1022	10	N/A		
HD62DE	18	DKBL	TXL	3510353R1	3928059C1	1029	12	N/A		
HD62DE	18	DKBL	TXL	3510353R1	3613769C1	1021	8	N/A		
HD85AA	18	GY	TXL	3510311R1	3768015C1	1017	7	N/A	376816C1	
HD85AA	18	GY	TXL	3510311R1	3928059C1	1029	2	N/A		
HD85AB	18	GY	TXL	3510311R1	3595623C1	1701	28	N/A		
HD85AB	18	GY	TXL	3510311R1	3928059C1	1029	4	N/A		
HE87A	20	GY	TXL	3510310R1		BS7	-	2644000R1		
HE87A	20	GY	TXL	3510310R1	3553649C1	1800	A5	N/A	355365C1	
HE87B	20	GY	TXL	3510310R1		BS7	-	2644000R1		
HE87B	20	GY	TXL	3510310R1	3598706C1	1600	A15	N/A	1618846C1	1618847C1
HE87D	18	GY	TXL	3510311R1		BS7	-	2644000R1		
HE87D	18	GY	TXL	3510311R1	3595623C1	1701	58	N/A		
HE87EA	18	GY	TXL	3510311R1	3598706C1	1600	A8	N/A	1618846C1	1618847C1
HE87EA	18	GY	TXL	3510311R1	3595623C1	1701	41	N/A		
HE87MB	18	GY	TXL	3510311R1	3595623C1	1701	59	N/A		
HE87MB	18	GY	TXL	3510311R1	3768015C1	1015	6	N/A	376816C1	
HGTEM1	16	GY	TXL	3510312R1	3598707C1	1	E1	N/A	1618846C1	1618847C1
HGTEM1	16	GY	TXL	3510312R1	3595625C1	1700	52	N/A		
HGTEM2	16	GY	TXL	3510312R1	3598707C1	1	E2	N/A	1618846C1	1618847C1
HGTEM2	16	GY	TXL	3510312R1	3595625C1	1700	53	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
HGTEM3	16	GY	TXL	3510312R1	3598707C1	1	E3	N/A	1618846C1	1618847C1
HGTEM3	16	GY	TXL	3510312R1	3595625C1	1700	54	N/A		
HGTEM4	16	GY	TXL	3510312R1	3598707C1	1	E4	N/A	1618846C1	1618847C1
HGTEM4	16	GY	TXL	3510312R1	3595625C1	1700	55	N/A		
HGTEM5	16	GY	TXL	3510312R1	3598707C1	1	E5	N/A	1618846C1	1618847C1
HGTEM5	16	GY	TXL	3510312R1	3595625C1	1700	56	N/A		
HGTEM6	16	GY	TXL	3510312R1	3598707C1	1	E6	N/A	1618846C1	1618847C1
HGTEM6	16	GY	TXL	3510312R1	3595625C1	1700	57	N/A		
HGTEM7	16	GY	TXL	3510312R1	3598707C1	1	E7	N/A	1618846C1	1618847C1
HGTEM7	16	GY	TXL	3510312R1	3595625C1	1700	58	N/A		
HGTEM8	16	GY	TXL	3510312R1	3598707C1	1	E8	N/A	1618846C1	1618847C1
HGTEM8	16	GY	TXL	3510312R1	3595625C1	1700	59	N/A		
HJ87A	18	GY	TXL	3510311R1	3553649C1	1800	A5	N/A	355365C1	
HJ87A	18	GY	TXL	3510311R1		BS6	-	2644000R1		
HJ87B	20	GY	TXL	3510310R1	3598706C1	1600	A15	N/A	1618846C1	1618847C1
HJ87B	20	GY	TXL	3510310R1		BS6	-	2644000R1		
HJ87BA	18	GY	TXL	3510311R1	3595625C1	1700	20	N/A		
HJ87BA	18	GY	TXL	3510311R1		BS6	-	2644000R1		
HJ87KA	18	GY	TXL	3510311R1	3595625C1	1700	19	N/A		
HJ87KA	18	GY	TXL	3510311R1	3768015C1	1015	6	N/A	376816C1	
HK87C	18	GY	TXL	3510311R1	3598706C1	1600	A8	N/A	1618846C1	1618847C1
HK87C	18	GY	TXL	3510311R1	3595625C1	1700	17	N/A		
HN20	16	LTGN	TXL	3510300R1	3595623C1	1701	51	N/A		
HN20	16	LTGN	TXL	3510300R1	3768015C1	1010	32	N/A	376816C1	
HR11-GCB	18	WH	TXL	3510359R1		BS8	-	N/A		
HR11-GCB	18	WH	TXL	3510359R1	593385C1	1873	R1-86	N/A	593387C1	
HR13X	16	PK	TXL	3510324R1	3768015C1	1018	29	N/A	376816C1	
HR13X	16	PK	TXL	3510324R1	593385C1	1873	R1-85	N/A	593387C1	
HR72-GY	12	WH	TXL	3510362R1		BS8	-	N/A		
HR72-GY	12	WH	TXL	3510362R1	587568C91	1872	B	589391C1		
HR72A	12	OR	TXL	3510320R1	593385C1	1873	R1-87	N/A	593387C1	
HR72A	12	OR	TXL	3510320R1	587568C91	1872	A	589391C1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
HR72C	12	OR	TXL	3510320R1	3768015C1	1018	22	N/A	376816C1	
HR72C	12	OR	TXL	3510320R1	593385C1	1873	R1-30	N/A	593387C1	
HU103AA	18	LTGN	TXL	3510299R1	3598707C1	1601	E14	N/A	1618846C1	1618847C1
HU103AA	18	LTGN	TXL	3510299R1	593385C1	1873B	R1-86	N/A	593387C1	
HU103BA	16	LTGN	GXL	2643678R1	3613769C1	1027	8	N/A		
HU103BA	16	LTGN	GXL	2643678R1	593385C1	1873B	R1-85	N/A	593387C1	
HU103C	10	LTGN	GXL	2643776R1	3595625C1	1700	12	N/A		
HU103C	10	LTGN	GXL	2643776R1	593385C1	1873B	R1-30	N/A	593387C1	
HU103D	12	LTGN	TXL	3510302R1	3595625C1	1700	13	N/A		
HU103D	12	LTGN	TXL	3510302R1	593385C1	1873B	R1-87	N/A	593387C1	
HW11-GCB	18	WH	TXL	3510359R1		BS8	-	N/A		
HW11-GCB	18	WH	TXL	3510359R1	593385C1	1873	R1-86	N/A	593387C1	
HW11-GCK	14	GY	TXL	3510313R1		BS8	-	N/A		
HW11-GCK	14	GY	TXL	3510313R1	3866308C1	9915	2	N/A	1684263C1	
HW12LC	18	PK	TXL	3510323R1	3598707C1	1601	E11	N/A	1618846C1	1618847C1
HW12LC	18	PK	TXL	3510323R1	593385C1	1873	R1-85	N/A	593387C1	
HW14BC	16	RD	GXL	2643760R1	3866308C1	9915	1	N/A	1684263C1	
HW14BC	16	RD	GXL	2643760R1	593385C1	1873	R1-87	N/A	593387C1	
HW14LP	10	RD	GXL	2643698R1	3595625C1	1700	12	N/A		
HW14LP	10	RD	GXL	2643698R1	593385C1	1873	R1-30	N/A	593387C1	
HW14LSC	12	RD	TXL	3510368R1	3595625C1	1703M	12	N/A		
HW14LSC	12	RD	TXL	3510368R1	593385C1	1873	R1-87	N/A	593387C1	
HW14LSD	12	RD	TXL	3510368R1	3595624C1	1703F	12	SWS_N_REQ		
HW14LSD	12	RD	TXL	3510368R1	3595621C1	1702	42	N/A	3598918C1	3598919C1
HZ14-FL	8	LTBL	FUS	3961608R1		AS25	-	2644000R1		
HZ14-FL	8	LTBL	FUS	3961608R1		4800	1	2644054R1		
HZ14BC	4	RD	SGX	2644026R1		AS25	-	2644000R1		
HZ14BC	4	RD	SGX	2644026R1		1605	A	2644004R1		
JA11-GAF	14	WH	TXL	3510361R1	4094648C1	1903	C	N/A	3557682C1	
JA11-GAF	14	WH	TXL	3510361R1		BS8	-	N/A		
JA11-GUC	20	WH	TXL	3510358R1	3768147C1	1904	1	N/A		
JA11-GUC	20	WH	TXL	3510358R1		BS8	-	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
JA13UA	20	PK	TXL	3510322R1	3768015C1	1018	38	N/A	376816C1	
JA13UA	20	PK	TXL	3510322R1	3768147C1	1904	2	N/A		
JA84	14	LTGN	TXL	3510301R1	3768015C1	1017	23	N/A	376816C1	
JA84	14	LTGN	TXL	3510301R1	4094648C1	1903	A	N/A	3557682C1	
JB11-GCC	14	WH	TXL	3510361R1	3613769C1	1023	4	N/A		
JB11-GCC	14	WH	TXL	3510361R1	3517473C1	1902	B	N/A		
JB86C	14	LTGN	TXL	3510301R1	3768015C1	1017	14	N/A	376816C1	
JB86C	14	LTGN	TXL	3510301R1	3517473C1	1902	A	N/A		
JC11-GAC	14	WH	TXL	3510361R1	4094648C1	1901	C	N/A	3557682C1	
JC11-GAC	14	WH	TXL	3510361R1		BS8	-	N/A		
JC11-GUB	20	WH	TXL	3510358R1	3768147C1	1905	1	N/A		
JC11-GUB	20	WH	TXL	3510358R1		BS8	-	N/A		
JC13UC	20	PK	TXL	3510322R1	3768015C1	1017	39	N/A	376816C1	
JC13UC	20	PK	TXL	3510322R1	3768147C1	1905	2	N/A		
JC84C	14	LTGN	TXL	3510301R1	3768015C1	1018	24	N/A	376816C1	
JC84C	14	LTGN	TXL	3510301R1	4094648C1	1901	A	N/A	3557682C1	
JD11-GCE	14	WH	TXL	3510361R1	4094648C1	1903B	C	N/A	3557682C1	
JD11-GCE	14	WH	TXL	3510361R1		BS8	-	N/A		
JD86C2	14	LTGN	TXL	3510301R1	4094648C1	1903B	A	N/A	3557682C1	
JD86C2	14	LTGN	TXL	3510301R1	3768015C1	1018	6	N/A	376816C1	
JE11-GUB	20	WH	TXL	3510358R1	3768147C1	1905A	1	N/A		
JE11-GUB	20	WH	TXL	3510358R1		BS8	-	N/A		
JE11-GUD	20	WH	TXL	3510358R1	4094648C1	1901A	C	N/A	3557682C1	
JE11-GUD	20	WH	TXL	3510358R1		BS8	-	N/A		
JE13U	20	PK	TXL	3510322R1	3768015C1	1017	39	N/A	376816C1	
JE13U	20	PK	TXL	3510322R1	3768147C1	1905A	2	N/A		
JE14UA	14	LTGN	TXL	3510301R1	3768015C1	1018	24	N/A	376816C1	
JE14UA	14	LTGN	TXL	3510301R1	4094648C1	1901A	A	N/A	3557682C1	
KA60B	18	GY	TXL	3510311R1	3767197C1	1202	D	N/A	1661263C1	354454C1
KA60B	18	GY	TXL	3510311R1		DS31	-	2644000R1		
KA9	18	GY	TXL	3510311R1	3595623C1	1701	13	N/A		
KA9	18	GY	TXL	3510311R1		CS1	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
KA9A	18	GY	TXL	3510311R1	3598705C1	1602	E5	N/A	1618846C1	1618847C1
KA9A	18	GY	TXL	3510311R1		DS31	-	2644000R1		
KA9AA	18	GY	TXL	3510311R1	3595625C1	1703M	35	N/A		
KA9AA	18	GY	TXL	3510311R1		DS31	-	2644000R1		
KA9B	18	GY	TXL	3510311R1	2007315C1		1620	G	N/A	27316C1
KA9B	18	GY	TXL	3510311R1		CS1	-	2644000R1		
KA9BB	18	GY	TXL	3510311R1	3595625C1		1700	18	N/A	
KA9BB	18	GY	TXL	3510311R1		CS1	-	2644000R1		
KA9C	18	GY	TXL	3510311R1	3553649C1		1800	A4	N/A	355365C1
KA9C	18	GY	TXL	3510311R1		DS31	-	2644000R1		
KB01DAL	10	BK	TXL	3510297R1	4095571C1	8884E		1	N/A	3756423C1
KB01DAL	10	BK	TXL	3510297R1	6099041C1	8884A		1	N/A	
KB05DAL	12	WH	GXL	2643787R1	4095571C1	8884E		4	N/A	3756423C1
KB05DAL	12	WH	GXL	2643787R1	6099041C1	8884A		5	N/A	
KB06DAL	12	RD	TXL	3510368R1	3754532C1	8884F		8	N/A	
KB06DAL	12	RD	TXL	3510368R1	6099041C1	8884A		6	N/A	
KB07D15	18	GY	TXL	3510311R1	6099043C1	8884M		P	N/A	
KB07D15	18	GY	TXL	3510311R1	BLUNT_SL_V		7002	C	N/A	
KB07DAL	12	GY	TXL	3510314R1	3754532C1	8884F		10	N/A	
KB07DAL	12	GY	TXL	3510314R1	6099041C1	8884A		7	N/A	
KB07EAL	18	GY	TXL	3510311R1	6099045C1	8884B		7	N/A	
KB07EAL	18	GY	TXL	3510311R1	6099042C1	8884C		P	N/A	
KB08D14	18	VT	TXL	3510347R1	6099043C1	8884M		O	N/A	
KB08D14	18	VT	TXL	3510347R1	BLUNT_SL_V		7002	B	N/A	
KB08DAL	12	DKBL	GXL	2643815R1	4095571C1	8884E		2	N/A	3756423C1
KB08DAL	12	DKBL	GXL	2643815R1	6099041C1	8884A		8	N/A	
KB08EAL	18	VT	TXL	3510347R1	6099045C1	8884B		8	N/A	
KB08EAL	18	VT	TXL	3510347R1	6099042C1	8884C		O	N/A	
KB09D13	18	YL	TXL	3510335R1	6099043C1	8884M		N	N/A	
KB09D13	18	YL	TXL	3510335R1	BLUNT_SL_V		7002	A	N/A	
KB09DAL	14	WH	TXL	3510361R1	3754532C1	8884F		12	N/A	
KB09DAL	14	WH	TXL	3510361R1	6099041C1	8884A		9	N/A	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
KB09EAL	18	YL	TXL	3510335R1	6099045C1	8884B	9	N/A		
KB09EAL	18	YL	TXL	3510335R1	6099042C1	8884C	N	N/A		
KB10D12	18	YL	TXL	3510335R1	6099043C1	8884M	M	N/A		
KB10D12	18	YL	TXL	3510335R1	BLUNT_SL_V		7001	M	N/A	
KB10DAL	14	WH	TXL	3510361R1	3754532C1	8884F	14	N/A		
KB10DAL	14	WH	TXL	3510361R1	6099041C1	8884A	10	N/A		
KB10EAL	18	YL	TXL	3510335R1	6099045C1	8884B	10	N/A		
KB10EAL	18	YL	TXL	3510335R1	6099042C1	8884C	M	N/A		
KB11D11	18	OR	TXL	3510317R1	6099043C1	8884M	L	N/A		
KB11D11	18	OR	TXL	3510317R1	BLUNT_SL_V		7001	L	N/A	
KB11DAL	14	WH	TXL	3510361R1	3754532C1	8884F	16	N/A		
KB11DAL	14	WH	TXL	3510361R1	6099041C1	8884A	11	N/A		
KB11EAL	18	OR	TXL	3510317R1	6099045C1	8884B	11	N/A		
KB11EAL	18	OR	TXL	3510317R1	6099042C1	8884C	L	N/A		
KB12D10	18	OR	TXL	3510317R1	6099043C1	8884M	K	N/A		
KB12D10	18	OR	TXL	3510317R1	BLUNT_SL_V		7001	K	N/A	
KB12EAL	18	OR	TXL	3510317R1	6099045C1	8884B	12	N/A		
KB12EAL	18	OR	TXL	3510317R1	6099042C1	8884C	K	N/A		
KB13D9	18	PK	TXL	3510323R1	6099043C1	8884M	J	N/A		
KB13D9	18	PK	TXL	3510323R1	BLUNT_SL_V		7001	J	N/A	
KB13EAL	18	PK	TXL	3510323R1	6099045C1	8884B	13	N/A		
KB13EAL	18	PK	TXL	3510323R1	6099042C1	8884C	J	N/A		
KB14D8	18	BK	TXL	3510293R1	6099043C1	8884M	H	N/A		
KB14D8	18	BK	TXL	3510293R1	BLUNT_SL_V		7001	H	N/A	
KB14DAL	14	WH	TXL	3510361R1	3754532C1	8884F	18	N/A		
KB14DAL	14	WH	TXL	3510361R1	6099041C1	8884A	14	N/A		
KB14EAL	18	BK	TXL	3510293R1	6099045C1	8884B	14	N/A		
KB14EAL	18	BK	TXL	3510293R1	6099042C1	8884C	H	N/A		
KB15D7	18	LTGN	TXL	3510299R1	6099043C1	8884M	G	N/A		
KB15D7	18	LTGN	TXL	3510299R1	BLUNT_SL_V		7001	G	N/A	
KB15DAL	14	WH	TXL	3510361R1	3754532C1	8884F	3	N/A		
KB15DAL	14	WH	TXL	3510361R1	6099041C1	8884A	15	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
KB15EAL	18	LTGN	TXL	3510299R1	6099045C1	8884B	15	N/A		
KB15EAL	18	LTGN	TXL	3510299R1	6099042C1	8884C	G	N/A		
KB16D6	18	DKBL	TXL	3510353R1	6099043C1	8884M	F	N/A		
KB16D6	18	DKBL	TXL	3510353R1	BLUNT_SL_V		7001	F	N/A	
KB16EAL	18	DKBL	TXL	3510353R1	6099045C1	8884B	16	N/A		
KB16EAL	18	DKBL	TXL	3510353R1	6099042C1	8884C	F	N/A		
KB17D21	18	VT	TXL	3510347R1	6099043C1	8884M	V	N/A		
KB17D21	18	VT	TXL	3510347R1	BLUNT_SL_V		7002	J	N/A	
KB17EAL	18	VT	TXL	3510347R1	6099045C1	8884B	17	N/A		
KB17EAL	18	VT	TXL	3510347R1	6099042C1	8884C	V	N/A		
KB18D20	18	RD	TXL	3510365R1	6099043C1	8884M	U	N/A		
KB18D20	18	RD	TXL	3510365R1	BLUNT_SL_V		7002	H	N/A	
KB18EAL	18	RD	TXL	3510365R1	6099045C1	8884B	18	N/A		
KB18EAL	18	RD	TXL	3510365R1	6099042C1	8884C	U	N/A		
KB19D19	18	TN	TXL	3510329R1	6099043C1	8884M	T	N/A		
KB19D19	18	TN	TXL	3510329R1	BLUNT_SL_V		7002	G	N/A	
KB19EAL	18	TN	TXL	3510329R1	6099045C1	8884B	19	N/A		
KB19EAL	18	TN	TXL	3510329R1	6099042C1	8884C	T	N/A		
KB20D18	18	LTGN	TXL	3510299R1	6099043C1	8884M	S	N/A		
KB20D18	18	LTGN	TXL	3510299R1	BLUNT_SL_V		7002	F	N/A	
KB20EAL	18	LTGN	TXL	3510299R1	6099045C1	8884B	20	N/A		
KB20EAL	18	LTGN	TXL	3510299R1	6099042C1	8884C	S	N/A		
KB22D2	18	WH	TXL	3510359R1	6099043C1	8884M	B	N/A		
KB22D2	18	WH	TXL	3510359R1	BLUNT_SL_V		7001	B	N/A	
KB22EAL	18	WH	TXL	3510359R1	6099045C1	8884B	22	N/A		
KB22EAL	18	WH	TXL	3510359R1	6099042C1	8884C	B	N/A		
KB23D3	18	RD	TXL	3510365R1	6099043C1	8884M	C	N/A		
KB23D3	18	RD	TXL	3510365R1	BLUNT_SL_V		7001	C	N/A	
KB23EAL	18	RD	TXL	3510365R1	6099045C1	8884B	23	N/A		
KB23EAL	18	RD	TXL	3510365R1	6099042C1	8884C	C	N/A		
KB25EAL	18	WH	TXL	3510359R1	3754532C1	8884F	4	N/A		
KB25EAL	18	WH	TXL	3510359R1	6099045C1	8884B	25	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
KB26D22	18	RD	TXL	3510365R1	6099043C1	8884M	W	N/A		
KB26D22	18	RD	TXL	3510365R1	BLUNT_SL_V		7002	K	N/A	
KB26EAL	18	RD	TXL	3510365R1	6099045C1	8884B	26	N/A		
KB26EAL	18	RD	TXL	3510365R1	6099042C1	8884C	W	N/A		
KB27D4	18	BN	TXL	3510305R1	6099043C1	8884M	D	N/A		
KB27D4	18	BN	TXL	3510305R1	BLUNT_SL_V		7001	D	N/A	
KB27EAL	18	BN	TXL	3510305R1	6099045C1	8884B	27	N/A		
KB27EAL	18	BN	TXL	3510305R1	6099042C1	8884C	D	N/A		
KB28EAL	18	BN	TXL	3510305R1	6099045C1	8884B	28	N/A		
KB28EAL	18	BN	TXL	3510305R1	3754532C1	8884F	5	N/A		
KB29D5	18	BN	TXL	3510305R1	6099043C1	8884M	E	N/A		
KB29D5	18	BN	TXL	3510305R1	BLUNT_SL_V		7001	E	N/A	
KB29EAL	18	BN	TXL	3510305R1	6099045C1	8884B	29	N/A		
KB29EAL	18	BN	TXL	3510305R1	6099042C1	8884C	E	N/A		
KB5AL(+)	18	YL	TXL	3572112R1	6099041C1	8884A	12	N/A		
KB5AL(+)	18	YL	TXL	3572112R1	3601838C1		1024	L	N/A	361839C1
KB5AL(-)	18	GN	TXL	3572112R1	6099041C1	8884A	13	N/A		
KB5AL(-)	18	GN	TXL	3572112R1	3601838C1		1024	B	N/A	361839C1
KB5CCB(+)	18	YL	TXL	3572112R1	3602454C1	8884D	A	N/A		165575C1
KB5CCB(+)	18	YL	TXL	3572112R1	3601838C1		1024	H	N/A	361839C1
KB5CCB(-)	18	GN	TXL	3572112R1	3602454C1	8884D	B	N/A		165575C1
KB5CCB(-)	18	GN	TXL	3572112R1	3601838C1		1024	E	N/A	361839C1
KB5CCC(+)	18	YL	TXL	3572112R1	3602454C1	8884G	A	N/A		165575C1
KB5CCC(+)	18	YL	TXL	3572112R1	3601838C1		1028	L	N/A	361839C1
KB5CCC(-)	18	GN	TXL	3572112R1	3602454C1	8884G	B	N/A		165575C1
KB5CCC(-)	18	GN	TXL	3572112R1	3601838C1		1028	B	N/A	361839C1
KB5D17	18	LTGN	TXL	3510299R1	6099043C1	8884M	R	N/A		
KB5D17	18	LTGN	TXL	3510299R1	BLUNT_SL_V		7002	E	N/A	
KB5EAL	18	LTGN	TXL	3510299R1	6099045C1	8884B	5	N/A		
KB5EAL	18	LTGN	TXL	3510299R1	6099042C1	8884C	R	N/A		
KB62D1	18	BK	TXL	3510293R1	6099043C1	8884M	A	N/A		
KB62D1	18	BK	TXL	3510293R1	BLUNT_SL_V		7001	A	N/A	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
KB62EAL	18	BK	TXL	3510293R1	6099042C1	8884C	A	N/A		
KB62EAL	18	BK	TXL	3510293R1	3613769C1		1021	6	N/A	
KB6D16	18	BK	TXL	3510293R1	6099043C1	8884M	Q	N/A		
KB6D16	18	BK	TXL	3510293R1	BLUNT_SL_V		7002	D	N/A	
KB6EAL	18	BK	TXL	3510293R1	6099045C1	8884B	6	N/A		
KB6EAL	18	BK	TXL	3510293R1	6099042C1	8884C	Q	N/A		
KH39	16	GY	TXL	3510312R1	3595623C1		1701	31	N/A	
KH39	16	GY	TXL	3510312R1	3768015C1		1015	38	N/A	376816C1
KH39A	16	GY	TXL	3510312R1	3595623C1		1701	40	N/A	
KH39A	16	GY	TXL	3510312R1	3768015C1		1015	30	N/A	376816C1
KK18	16	GY	TXL	3510312R1	3768010C1		1011	R6 -	0 N/A	376811C1
KK18	16	GY	TXL	3510312R1	A	DS71	-		2644000R	
KK18-GB	18	WH	TXL	3510359R1	3768010C1		1011	R6 -	6 N/A	376811C1
KK18-GB	18	WH	TXL	3510359R1	3613769C1		1022	4	N/A	
KK18A	18	GY	TXL	3510311R1	3768010C1		1011	R6 -	5 N/A	376811C1
KK18A	18	GY	TXL	3510311R1	3598707C1		1601	F12	N/A	1618846C1 1618847C1
KK18B	16	GY	TXL	3510312R1	3595623C1		1701	67	N/A	
KK18B	16	GY	TXL	3510312R1		DS71	-		2644000R1	
KK18C	16	GY	TXL	3510312R1	3595625C1		1700	6	N/A	
KK18C	16	GY	TXL	3510312R1		DS71	-		2644000R1	
KK18V	16	GY	TXL	3510312R1	3768010C1		1011	R6 -	7 N/A	376811C1
KK18V	16	GY	TXL	3510312R1	3768015C1		1017	21	N/A	376816C1
KL18-GB	18	WH	TXL	3510359R1	3768010C1		1011	R6 -	6 N/A	376811C1
KL18-GB	18	WH	TXL	3510359R1	3613769C1		1022	4	N/A	
KL18A	16	GY	TXL	3510312R1	3595624C1	1703F	11		SWS_N_REQ	
KL18A	16	GY	TXL	3510312R1	3595621C1		1702	34	N/A	3598918C1 3598919C1
KL18C	16	GY	TXL	3510312R1	3768010C1		1011	R6 -	0 N/A	376811C1
KL18C	16	GY	TXL	3510312R1	3595625C1	1703M	11		N/A	
KL18D	18	GY	TXL	3510311R1	3768010C1		1011	R6 -	5 N/A	376811C1
KL18D	18	GY	TXL	3510311R1	3598707C1		1601	F12	N/A	1618846C1 1618847C1
KL18V	16	GY	TXL	3510312R1	3768010C1		1011	R6 -	7 N/A	376811C1
KL18V	16	GY	TXL	3510312R1	3768015C1		1017	21	N/A	376816C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
KM18	16	GY	TXL	3510312R1	3768010C1	1011	R6 -	0 N/A	376811C1	
KM18	16	GY	TXL	3510312R1	A	DS71	-	2644000R		
KM18-GB	18	WH	TXL	3510359R1	3768010C1	1011	R6 -	6 N/A	376811C1	
KM18-GB	18	WH	TXL	3510359R1	3613769C1	1022	4	N/A		
KM18A	16	GY	TXL	3510312R1	3595624C1	1703F	11	SWS_N_REQ		
KM18A	16	GY	TXL	3510312R1	3595621C1	1702	34	N/A	3598918C1	3598919C1
KM18C	16	GY	TXL	3510312R1	3595625C1	1703M	11	N/A		
KM18C	16	GY	TXL	3510312R1		DS71	-	2644000R1		
KM18D	16	GY	TXL	3510312R1	3595623C1	1701	67	N/A		
KM18D	16	GY	TXL	3510312R1		DS71	-	2644000R1		
KM18E	18	GY	TXL	3510311R1	3768010C1	1011	R6 -	5 N/A	376811C1	
KM18E	18	GY	TXL	3510311R1	3598707C1	1601	F12	N/A	1618846C1	1618847C1
KM18V	16	GY	TXL	3510312R1	3768010C1	1011	R6 -	7 N/A	376811C1	
KM18V	16	GY	TXL	3510312R1	3768015C1	1017	21	N/A	376816C1	
KN49	18	GY	TXL	3510311R1	3595623C1	1701	45	N/A		
KN49	18	GY	TXL	3510311R1	3710061C1	1607	A3	N/A	3539892C1	3539893C1
KN49A	18	GY	TXL	3510311R1	3595623C1	1701	50	N/A		
KN49A	18	GY	TXL	3510311R1	3710061C1	1607	A4	N/A	3539892C1	3539893C1
KP112	16	GY	TXL	3510312R1	3598711C1	1603	J	N/A	3573833C1	
KP112	16	GY	TXL	3510312R1	3595623C1	1701	66	N/A		
KQ71N	16	OR	TXL	3510318R1	3595623C1	1701	70	N/A		
KQ71N	16	OR	TXL	3510318R1	3543733C1	400	L	3535424C1	3543732C1	
KR59-GBN	16	WH	TXL	3510360R1		BS8	-	N/A		
KR59-GBN	16	WH	TXL	3510360R1	1661889C1	1227	C	N/A	166189C1	
KR59H	18	GY	TXL	3510311R1		LS8	-	2644000R1		
KR59H	18	GY	TXL	3510311R1	1661889C1	1227	A	N/A	166189C1	
KR59J	18	GY	TXL	3510311R1	3768015C1	1015	13	N/A	376816C1	
KR59J	18	GY	TXL	3510311R1		LS8	-	2644000R1		
KR59K	18	GY	TXL	3510311R1		LS8	-	2644000R1		
KR59K	18	GY	TXL	3510311R1	1661889C1	1227	B	N/A	166189C1	
KS59-GA	18	WH	TXL	3510359R1	3928059C1	1108	11	N/A		
KS59-GA	18	WH	TXL	3510359R1		DS10	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
KS59-GB	18	WH	TXL	3510359R1	3928059C1	1023A	11	N/A		
KS59-GB	18	WH	TXL	3510359R1		DS10	-	2644000R1		
KS59-GBA	18	WH	TXL	3510359R1	3928059C1		1108	9	N/A	
KS59-GBA	18	WH	TXL	3510359R1		DS10	-	2644000R1		
KS59-GBP	16	WH	TXL	3510360R1		BS8	-	N/A		
KS59-GBP	16	WH	TXL	3510360R1		DS10	-	2644000R1		
KS59-GC	18	WH	TXL	3510359R1	3768010C1		1013	R4 -	5 N/A	376811C1
KS59-GC	18	WH	TXL	3510359R1	A	DS10	-	2644000R		
KS59-GCA	18	WH	TXL	3510359R1	3768010C1		1013	R3 -	5 N/A	376811C1
KS59-GCA	18	WH	TXL	3510359R1	A	DS10	-	2644000R		
KS59-GDA	18	WH	TXL	3510359R1	3928059C1	1023B		11	N/A	
KS59-GDA	18	WH	TXL	3510359R1		DS10	-	2644000R1		
KS59JB	18	GY	TXL	3510311R1	3768015C1		1015	13	N/A	376816C1
KS59JB	18	GY	TXL	3510311R1		DS43	-	2644000R1		
KS59JC	18	GY	TXL	3510311R1	3768010C1		1013	R4 -	0 N/A	376811C1
KS59JC	18	GY	TXL	3510311R1	A	DS43	-	2644000R		
KS59JD	18	GY	TXL	3510311R1	3928059C1		1108	2	N/A	
KS59JD	18	GY	TXL	3510311R1		DS43	-	2644000R1		
KS59KB	18	GY	TXL	3510311R1	3768010C1		1013	R3 -	7A N/A	376811C1
KS59KB	18	GY	TXL	3510311R1	B	DS11	-	2644000		
KS59KC	18	GY	TXL	3510311R1	3768010C1		1013	R4 -	7 N/A	376811C1
KS59KC	18	GY	TXL	3510311R1	A	DS42	-	2644000R		
KS59KD	18	GY	TXL	3510311R1	3768010C1		1013	R3 -	0 N/A	376811C1
KS59KD	18	GY	TXL	3510311R1	A	DS42	-	2644000R		
KS59KE	18	GY	TXL	3510311R1	3928059C1		1108	4	N/A	
KS59KE	18	GY	TXL	3510311R1		DS42	-	2644000R1		
KS59KF	18	GY	TXL	3510311R1	3768010C1		1013	R4 -	6 N/A	376811C1
KS59KF	18	GY	TXL	3510311R1	A	DS42	-	2644000R		
KS59MB	18	GY	TXL	3510311R1	3595623C1		1701	60	N/A	
KS59MB	18	GY	TXL	3510311R1	3928059C1	1023A		1	N/A	
KS59NB	18	GY	TXL	3510311R1	3595623C1		1701	61	N/A	
KS59NB	18	GY	TXL	3510311R1	3928059C1	1023B		1	N/A	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
KS59SB	18	GY	TXL	3510311R1	3928059C1	1023A	2	N/A		
KS59SB	18	GY	TXL	3510311R1		DS11	-	2644000R1		
KS59TA	18	GY	TXL	3510311R1	3928059C1		1108	10	N/A	
KS59TA	18	GY	TXL	3510311R1		DS11	-	2644000R1		
KS59U	18	GY	TXL	3510311R1	3928059C1	1023B	2	N/A		
KS59U	18	GY	TXL	3510311R1		DS11	-	2644000R1		
KS62DA	16	DKBL	TXL	3510354R1	3613769C1		1021	3	N/A	
KS62DA	16	DKBL	TXL	3510354R1		DS44	-	2644000R1		
KS62P	18	DKBL	TXL	3510353R1	3928059C1	1023B	12	N/A		
KS62P	18	DKBL	TXL	3510353R1		DS44	-	2644000R1		
KS62Q	18	DKBL	TXL	3510353R1	3928059C1		1108	12	N/A	
KS62Q	18	DKBL	TXL	3510353R1		DS44	-	2644000R1		
KS62R	18	DKBL	TXL	3510353R1	3928059C1	1023A	12	N/A		
KS62R	18	DKBL	TXL	3510353R1		DS44	-	2644000R1		
KS71P	18	GY	TXL	3510311R1	3768010C1		1013	R3 -	6 N/A	376811C1
KS71P	18	GY	TXL	3510311R1	3543733C1		400	L	3535424C	3543732C1
KT59-GA	18	WH	TXL	3510359R1	3928059C1		1108	11	N/A	
KT59-GA	18	WH	TXL	3510359R1		DS10	-	2644000R1		
KT59-GB	18	WH	TXL	3510359R1	3928059C1	1023A	11	N/A		
KT59-GB	18	WH	TXL	3510359R1		DS10	-	2644000R1		
KT59-GBA	18	WH	TXL	3510359R1	3928059C1		1108	9	N/A	
KT59-GBA	18	WH	TXL	3510359R1		DS10	-	2644000R1		
KT59-GBP	16	WH	TXL	3510360R1		BS8	-	N/A		
KT59-GBP	16	WH	TXL	3510360R1		DS10	-	2644000R1		
KT59-GM	18	WH	TXL	3510359R1	3768010C1		1013	R3 -	5 N/A	376811C1
KT59-GM	18	WH	TXL	3510359R1	B	DS10	-	2644000R		
KT59-GMA	18	WH	TXL	3510359R1	3768010C1		1013	R4 -	5 N/A	376811C1
KT59-GMA	18	WH	TXL	3510359R1	B	DS10	-	2644000R		
KT59JB	18	GY	TXL	3510311R1	3768015C1		1015	13	N/A	376816C1
KT59JB	18	GY	TXL	3510311R1		DS43	-	2644000R1		
KT59JC	18	GY	TXL	3510311R1	3768010C1		1013	R4 -	0 N/A	376811C1
KT59JC	18	GY	TXL	3510311R1	A	DS43	-	2644000R		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
KT59JD	18	GY	TXL	3510311R1	3928059C1	1108	2	N/A		
KT59JD	18	GY	TXL	3510311R1		DS43	-	2644000R1		
KT59KA	18	GY	TXL	3510311R1	3768010C1	1013	R3 -	7A N/A	376811C1	
KT59KA	18	GY	TXL	3510311R1	B	DS11	-	2644000		
KT59KC	18	GY	TXL	3510311R1	3768010C1	1013	R4 -	7 N/A	376811C1	
KT59KC	18	GY	TXL	3510311R1	A	DS42	-	2644000R		
KT59KD	18	GY	TXL	3510311R1	3768010C1	1013	R3 -	0 N/A	376811C1	
KT59KD	18	GY	TXL	3510311R1	A	DS42	-	2644000R		
KT59KE	18	GY	TXL	3510311R1	3928059C1	1108	4	N/A		
KT59KE	18	GY	TXL	3510311R1		DS42	-	2644000R1		
KT59KF	18	GY	TXL	3510311R1	3768010C1	1013	R4 -	6 N/A	376811C1	
KT59KF	18	GY	TXL	3510311R1	A	DS42	-	2644000R		
KT59MB	18	GY	TXL	3510311R1	3595623C1	1701	60	N/A		
KT59MB	18	GY	TXL	3510311R1	3928059C1	1023A	1	N/A		
KT59SB	18	GY	TXL	3510311R1	3928059C1	1023A	2	N/A		
KT59SB	18	GY	TXL	3510311R1		DS11	-	2644000R1		
KT59TA	18	GY	TXL	3510311R1	3928059C1	1108	10	N/A		
KT59TA	18	GY	TXL	3510311R1		DS11	-	2644000R1		
KT62D	16	DKBL	TXL	3510354R1	3928059C1	1023A	12	N/A		
KT62D	16	DKBL	TXL	3510354R1		DS44	-	2644000R1		
KT62DA	16	DKBL	TXL	3510354R1	3613769C1	1021	3	N/A		
KT62DA	16	DKBL	TXL	3510354R1		DS44	-	2644000R1		
KT62DB	16	DKBL	TXL	3510354R1	3928059C1	1108	12	N/A		
KT62DB	16	DKBL	TXL	3510354R1		DS44	-	2644000R1		
KT71P	18	GY	TXL	3510311R1	3768010C1	1013	R3 -	6 N/A	376811C1	
KT71P	18	GY	TXL	3510311R1	3543733C1	400	L	3535424C	3543732C1	
KU59-GA	18	WH	TXL	3510359R1	3928059C1	1108	11	N/A		
KU59-GA	18	WH	TXL	3510359R1		DS10	-	2644000R1		
KU59-GB	18	WH	TXL	3510359R1	3928059C1	1023A	11	N/A		
KU59-GB	18	WH	TXL	3510359R1		DS10	-	2644000R1		
KU59-GBP	16	WH	TXL	3510360R1		BS8	-	N/A		
KU59-GBP	16	WH	TXL	3510360R1		DS10	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
KU59-GDA	18	WH	TXL	3510359R1	3928059C1	1023B	11	N/A		
KU59-GDA	18	WH	TXL	3510359R1		DS10	-	2644000R1		
KU59-GDB	18	WH	TXL	3510359R1	3928059C1	1023C	11	N/A		
KU59-GDB	18	WH	TXL	3510359R1		DS10	-	2644000R1		
KU59-GM	18	WH	TXL	3510359R1	3768010C1		1013	R3 -	5 N/A	376811C1
KU59-GM	18	WH	TXL	3510359R1	B	DS10	-	2644000R		
KU59-GMA	18	WH	TXL	3510359R1	3768010C1		1013	R4 -	5 N/A	376811C1
KU59-GMA	18	WH	TXL	3510359R1	B	DS10	-	2644000R		
KU59GEA	18	WH	TXL	3510359R1	3928059C1		1108	9	N/A	
KU59GEA	18	WH	TXL	3510359R1		DS10	-	2644000R1		
KU59JB	18	GY	TXL	3510311R1	3768015C1		1015	13	N/A	376816C1
KU59JB	18	GY	TXL	3510311R1		DS43	-	2644000R1		
KU59JC	18	GY	TXL	3510311R1	3768010C1		1013	R4 -	0 N/A	376811C1
KU59JC	18	GY	TXL	3510311R1	A	DS43	-	2644000R		
KU59JD	18	GY	TXL	3510311R1	3928059C1		1108	2	N/A	
KU59JD	18	GY	TXL	3510311R1		DS43	-	2644000R1		
KU59KA	18	GY	TXL	3510311R1	3768010C1		1013	R3 -	7A N/A	376811C1
KU59KA	18	GY	TXL	3510311R1	B	DS11	-	2644000		
KU59KC	18	GY	TXL	3510311R1	3768010C1		1013	R4 -	7 N/A	376811C1
KU59KC	18	GY	TXL	3510311R1	A	DS42	-	2644000R		
KU59KD	18	GY	TXL	3510311R1	3768010C1		1013	R3 -	0 N/A	376811C1
KU59KD	18	GY	TXL	3510311R1	A	DS42	-	2644000R		
KU59KE	18	GY	TXL	3510311R1	3928059C1		1108	4	N/A	
KU59KE	18	GY	TXL	3510311R1		DS42	-	2644000R1		
KU59KF	18	GY	TXL	3510311R1	3768010C1		1013	R4 -	6 N/A	376811C1
KU59KF	18	GY	TXL	3510311R1	A	DS42	-	2644000R		
KU59MB	18	GY	TXL	3510311R1	3595623C1		1701	60	N/A	
KU59MB	18	GY	TXL	3510311R1	3928059C1	1023A		1	N/A	
KU59NB	18	GY	TXL	3510311R1	3595623C1		1701	61	N/A	
KU59NB	18	GY	TXL	3510311R1	3928059C1	1023B		1	N/A	
KU59NC	18	GY	TXL	3510311R1	3595623C1		1701	62	N/A	
KU59NC	18	GY	TXL	3510311R1	3928059C1	1023C		1	N/A	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
KU59SA	18	GY	TXL	3510311R1	3928059C1	1023A	2	N/A		
KU59SA	18	GY	TXL	3510311R1		DS11	-	2644000R1		
KU59SB	18	GY	TXL	3510311R1	3928059C1	1023B	2	N/A		
KU59SB	18	GY	TXL	3510311R1		DS11	-	2644000R1		
KU59SC	18	GY	TXL	3510311R1	3928059C1	1023C	2	N/A		
KU59SC	18	GY	TXL	3510311R1		DS11	-	2644000R1		
KU59TA	18	GY	TXL	3510311R1	3928059C1		1108	10	N/A	
KU59TA	18	GY	TXL	3510311R1		DS11	-	2644000R1		
KU62DA	16	DKBL	TXL	3510354R1	3613769C1		1021	3	N/A	
KU62DA	16	DKBL	TXL	3510354R1		DS44	-	2644000R1		
KU62P	18	DKBL	TXL	3510353R1	3928059C1	1023B	12	N/A		
KU62P	18	DKBL	TXL	3510353R1		DS44	-	2644000R1		
KU62Q	18	DKBL	TXL	3510353R1	3928059C1		1108	12	N/A	
KU62Q	18	DKBL	TXL	3510353R1		DS44	-	2644000R1		
KU62R	18	DKBL	TXL	3510353R1	3928059C1	1023A	12	N/A		
KU62R	18	DKBL	TXL	3510353R1		DS44	-	2644000R1		
KU62S	18	DKBL	TXL	3510353R1	3928059C1	1023C	12	N/A		
KU62S	18	DKBL	TXL	3510353R1		DS44	-	2644000R1		
KU71P	18	GY	TXL	3510311R1	3768010C1		1013	R3 -	6 N/A	376811C1
KU71P	18	GY	TXL	3510311R1	3543733C1		400	L	3535424C	3543732C1
LA17	16	PK	TXL	3510324R1	3759005C1		1606	T	N/A	3573833C1
LA17	16	PK	TXL	3510324R1	3595625C1	1703M		29	N/A	
LA17A	16	PK	TXL	3510324R1	3595624C1	1703F		29	SWS_N_REQ	
LA17A	16	PK	TXL	3510324R1		PS11		-	2644000R1	
LA17B	16	PK	TXL	3510324R1	3595621C1		1702	16	N/A	3598918C1 3598919C1
LA17B	16	PK	TXL	3510324R1		PS11		-	2644000R1	
LA17C	16	PK	TXL	3510324R1	3595621C1		1702	21	N/A	3598918C1 3598919C1
LA17C	16	PK	TXL	3510324R1		PS11		-	2644000R1	
LB17BA	18	PK	TXL	3510323R1	3768015C1		1010	40	N/A	376816C1
LB17BA	18	PK	TXL	3510323R1	3553649C1		1800	D7	N/A	355365C1
LB17H	18	PK	TXL	3510323R1	3759005C1		1606	S	N/A	3573833C1
LB17H	18	PK	TXL	3510323R1	3546518C1		1100	B	N/A	3546519C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
LC17HA	18	PK	TXL	3510323R1	3759005C1	1606	S	N/A	3573833C1	
LC17HA	18	PK	TXL	3510323R1	3546518C1	1100	B	N/A	3546519C1	
LD149AA	18	GY	TXL	3510311R1	3759005C1	1606	S	N/A	3573833C1	
LD149AA	18	GY	TXL	3510311R1		ES2	-	2644000R1		
LD149AB	18	GY	TXL	3510311R1	6099045C1	8884B	21	N/A		
LD149AB	18	GY	TXL	3510311R1		ES2	-	2644000R1		
LD149AC	18	GY	TXL	3510311R1	3553649C1	1800	D7	N/A	355365C1	
LD149AC	18	GY	TXL	3510311R1		ES2	-	2644000R1		
LD149B	16	GY	TXL	3510312R1	3546518C1	1100	B	N/A	3546519C1	
LD149B	16	GY	TXL	3510312R1		ES2	-	2644000R1		
LE149AA	18	GY	TXL	3510311R1	3759005C1	1606	S	N/A	3573833C1	
LE149AA	18	GY	TXL	3510311R1		ES2	-	2644000R1		
LE149AB	18	GY	TXL	3510311R1	6099045C1	8884B	21	N/A		
LE149AB	18	GY	TXL	3510311R1		ES2	-	2644000R1		
LE149B	16	GY	TXL	3510312R1	3546518C1	1100	B	N/A	3546519C1	
LE149B	16	GY	TXL	3510312R1		ES2	-	2644000R1		
LF104CB	18	DKBL	GXL	2643720R1	3710061C1	1607	B5	N/A	3539892C1	3539893C1
LF104CB	18	DKBL	GXL	2643720R1	3595625C1	1700	44	N/A		
LF104CC	18	DKBL	TXL	3510353R1	3710061C1	1607	B9	N/A	3539892C1	3539893C1
LF104CC	18	DKBL	TXL	3510353R1	3595625C1	1700	43	N/A		
LF104D	18	DKBL	TXL	3510353R1	3598705C1	1602	F8	N/A	1618846C1	1618847C1
LF104D	18	DKBL	TXL	3510353R1	3595623C1	1701	43	N/A		
LG17	16	PK	TXL	3510324R1	3759005C1	1606	T	N/A	3573833C1	
LG17	16	PK	TXL	3510324R1	3595625C1	1703M	29	N/A		
LG17BA	16	PK	TXL	3510324R1	3595624C1	1703F	29	SWS_N_REQ		
LG17BA	16	PK	TXL	3510324R1	3595621C1	1702	16	N/A	3598918C1	3598919C1
LH149B	18	GY	TXL	3510311R1	3759005C1	1606	S	N/A	3573833C1	
LH149B	18	GY	TXL	3510311R1	3546518C1	1100MA	B	N/A	3546519C1	
LH92#141	18	TN	TXL	3510329R1	3595624C1	1703F	28	SWS_N_REQ		
LH92#141	18	TN	TXL	3510329R1	3595621C1	1702	20	N/A	3598918C1	3598919C1
LH92#141A	18	TN	TXL	3510329R1	3759005C1	1606	M	N/A	3573833C1	
LH92#141A	18	TN	TXL	3510329R1	3595625C1	1703M	28	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
LJ104DA	16	DKBL	TXL	3510354R1	3768010C1	1012	R6 -	0 N/A	376811C1	
LJ104DA	16	DKBL	TXL	3510354R1	3768015C1	1017	13	N/A	376816C1	
LJ104DB	16	DKBL	TXL	3510354R1	3768010C1	1012	R6 -	7 N/A	376811C1	
LJ104DB	16	DKBL	TXL	3510354R1	3595623C1	1701	44	N/A		
LJ104DC	18	DKBL	TXL	3510353R1	3768010C1	1012	R6 -	5 N/A	376811C1	
LJ104DC	18	DKBL	TXL	3510353R1	3598707C1	1601	E1	N/A	1618846C1	1618847C1
LL13B	16	PK	TXL	3510324R1	BLUNT_SL_V	1916	A	SWS_N_REQ		
LL13B	16	PK	TXL	3510324R1	3768015C1	1015	31	N/A	376816C1	
LL14G	16	RD	TXL	3510366R1	BLUNT_SL_V	1919	A	N/A		
LL14G	16	RD	TXL	3510366R1	3768015C1	1018	7	N/A	376816C1	
LP88	18	LTGN	TXL	3510299R1	3595625C1	1703M	60	N/A		
LP88	18	LTGN	TXL	3510299R1	3598705C1	1602	E9	N/A	1618846C1	1618847C1
LP88J	18	LTGN	TXL	3510299R1	3595621C1	1702	14	N/A	3598918C1	3598919C1
LP88J	18	LTGN	TXL	3510299R1	3595624C1	1703F	60	SWS_N_REQ		
LQ88A	18	LTGN	TXL	3510299R1	3759005C1	1606	R	N/A	3573833C1	
LQ88A	18	LTGN	TXL	3510299R1	3595625C1	1703M	59	N/A		
LQ88AJ	18	LTGN	TXL	3510299R1	3595624C1	1703F	59	SWS_N_REQ		
LQ88AJ	18	LTGN	TXL	3510299R1	3595621C1	1702	41	N/A	3598918C1	3598919C1
LS59A	18	GY	TXL	3510311R1	3598705C1	1602	E12	N/A	1618846C1	1618847C1
LS59A	18	GY	TXL	3510311R1	3595623C1	1701	32	N/A		
LT59C	18	GY	TXL	3510311R1	3598707C1	1601	F10	N/A	1618846C1	1618847C1
LT59C	18	GY	TXL	3510311R1	3595623C1	1701	33	N/A		
LT59D	18	GY	TXL	3510311R1	3598707C1	1601	E12	N/A	1618846C1	1618847C1
LT59D	18	GY	TXL	3510311R1	3595623C1	1701	34	N/A		
LU59E	18	GY	TXL	3510311R1	3598707C1	1601	F8	N/A	1618846C1	1618847C1
LU59E	18	GY	TXL	3510311R1	3595623C1	1701	35	N/A		
LW59M	18	GY	TXL	3510311R1	3598707C1	1601	F6	N/A	1618846C1	1618847C1
LW59M	18	GY	TXL	3510311R1	3595623C1	1701	46	N/A		
LW59N	18	GY	TXL	3510311R1	3598707C1	1601	F7	N/A	1618846C1	1618847C1
LW59N	18	GY	TXL	3510311R1	3595623C1	1701	47	N/A		
LW59P	18	GY	TXL	3510311R1	3598707C1	1601	F2	N/A	1618846C1	1618847C1
LW59P	18	GY	TXL	3510311R1	3595623C1	1701	48	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
LW59Q	18	GY	TXL	3510311R1	3598707C1	1601	F3	N/A	1618846C1	1618847C1
LW59Q	18	GY	TXL	3510311R1	3595623C1	1701	49	N/A		
LX59M	18	GY	TXL	3510311R1	3598707C1	1601	F6	N/A	1618846C1	1618847C1
LX59M	18	GY	TXL	3510311R1	3595623C1	1701	46	N/A		
LX59N	18	GY	TXL	3510311R1	3598707C1	1601	F7	N/A	1618846C1	1618847C1
LX59N	18	GY	TXL	3510311R1	3595623C1	1701	47	N/A		
LX59P	18	GY	TXL	3510311R1	3598707C1	1601	F2	N/A	1618846C1	1618847C1
LX59P	18	GY	TXL	3510311R1	3595623C1	1701	48	N/A		
LX59Q	18	GY	TXL	3510311R1	3598707C1	1601	F3	N/A	1618846C1	1618847C1
LX59Q	18	GY	TXL	3510311R1	3595623C1	1701	44	N/A		
LY59G	18	GY	TXL	3510311R1	3598707C1	1601	E13	N/A	1618846C1	1618847C1
LY59G	18	GY	TXL	3510311R1	3595623C1	1701	36	N/A		
LY59H	18	GY	TXL	3510311R1	3598707C1	1601	F4	N/A	1618846C1	1618847C1
LY59H	18	GY	TXL	3510311R1	3595623C1	1701	37	N/A		
LY59J	18	GY	TXL	3510311R1	3598707C1	1601	E9	N/A	1618846C1	1618847C1
LY59J	18	GY	TXL	3510311R1	3595623C1	1701	38	N/A		
LY59K	18	GY	TXL	3510311R1	3598707C1	1601	F5	N/A	1618846C1	1618847C1
LY59K	18	GY	TXL	3510311R1	3595623C1	1701	39	N/A		
LZ59S	18	GY	TXL	3510311R1	3598707C1	1601	E10	N/A	1618846C1	1618847C1
LZ59S	18	GY	TXL	3510311R1	3595623C1	1701	54	N/A		
LZ59T	18	GY	TXL	3510311R1	3598707C1	1601	E15	N/A	1618846C1	1618847C1
LZ59T	18	GY	TXL	3510311R1	3595623C1	1701	55	N/A		
LZ59V	18	GY	TXL	3510311R1	3598707C1	1601	F14	N/A	1618846C1	1618847C1
LZ59V	18	GY	TXL	3510311R1	3595623C1	1701	56	N/A		
LZ59W	18	GY	TXL	3510311R1	3598707C1	1601	F9	N/A	1618846C1	1618847C1
LZ59W	18	GY	TXL	3510311R1	3595623C1	1701	57	N/A		
MA97F	16	VT	TXL	3510348R1	3768015C1	1015	32	N/A	376816C1	
MA97F	16	VT	TXL	3510348R1	3595625C1	1703M	54	N/A		
MA97FA	16	VT	TXL	3510348R1	3595624C1	1703F	54	SWS_N_REQ		
MA97FA	16	VT	TXL	3510348R1	3595621C1	1702	37	N/A	3598918C1	3598919C1
MB41D	18	TN	TXL	3510329R1	3595624C1	1703F	25	SWS_N_REQ		
MB41D	18	TN	TXL	3510329R1	3595621C1	1702	18	N/A	3598918C1	3598919C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
MB41DJ	18	TN	TXL	3510329R1	3595625C1	1703M	25	N/A		
MB41DJ	18	TN	TXL	3510329R1	1661200C1	3200M	E	N/A		
MB41E	18	TN	TXL	3510329R1	3595621C1		1702 15	N/A	3598918C1	3598919C1
MB41E	18	TN	TXL	3510329R1	3595624C1	1703F	24	SWS_N_REQ		
MB41EJ	18	TN	TXL	3510329R1	1661200C1	3200M	F	N/A		
MB41EJ	18	TN	TXL	3510329R1	3595625C1	1703M	24	N/A		
MC41	18	TN	TXL	3510329R1	3595624C1	1703F	25	SWS_N_REQ		
MC41	18	TN	TXL	3510329R1	3690369C1	4060A	3	SWS_N_REQ		
MC41D	18	TN	TXL	3510329R1	3595625C1	1703M	25	N/A		
MC41D	18	TN	TXL	3510329R1	1661200C1	3200M	E	N/A		
MC41E	18	TN	TXL	3510329R1	1661200C1	3200M	F	N/A		
MC41E	18	TN	TXL	3510329R1	3595625C1	1703M	24	N/A		
MC41EJ	18	TN	TXL	3510329R1	3690369C1	4060A	8	SWS_N_REQ		
MC41EJ	18	TN	TXL	3510329R1	3595624C1	1703F	24	SWS_N_REQ		
MD13Z	16	PK	TXL	3510324R1	3595624C1	1703F	13	SWS_N_REQ		
MD13Z	16	PK	TXL	3510324R1	3690369C1	4060A	10	SWS_N_REQ		
MD13ZA	16	PK	TXL	3510324R1	3595625C1	1703M	13	N/A		
MD13ZA	16	PK	TXL	3510324R1	3768015C1		1017 40	N/A	376816C1	
ME106B	18	GY	TXL	3510311R1	3598705C1		1602 E8	N/A	1618846C1	1618847C1
ME106B	18	GY	TXL	3510311R1	3595623C1		1701 56	N/A		
ME110B	18	GY	TXL	3510311R1	3595623C1		1701 57	N/A		
ME110B	18	GY	TXL	3510311R1	2007315C1		1620 D	N/A	27316C1	
ME61B	18	GY	TXL	3510311R1	3595623C1		1701 55	N/A		
ME61B	18	GY	TXL	3510311R1	3598705C1		1602 F7	N/A	1618846C1	1618847C1
MH11-GBA	18	WH	TXL	3510359R1	3595624C1	1703F	16	SWS_N_REQ		
MH11-GBA	18	WH	TXL	3510359R1	3553404C1		4087 12	SWS_N_REQ	355346C1	
MH11-GBD	18	WH	TXL	3510359R1	3613769C1		1023 5	N/A		
MH11-GBD	18	WH	TXL	3510359R1	3595625C1	1703M	16	N/A		
MH26A	18	TN	TXL	3510329R1	3690369C1	4060A	6	SWS_N_REQ		
MH26A	18	TN	TXL	3510329R1	3553404C1		4087 11	SWS_N_REQ	355346C1	
MH26B	18	TN	TXL	3510329R1	3690369C1	4060A	7	SWS_N_REQ		
MH26B	18	TN	TXL	3510329R1	3553404C1		4087 10	SWS_N_REQ	355346C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
MH26D	18	TN	GXL	2643676R1	3768015C1	1017	16	N/A	376816C1	
MH26D	18	TN	GXL	2643676R1	3595625C1	1703M	27	N/A		
MH26DA	18	TN	GXL	2643676R1	3595624C1	1703F	27	SWS_N_REQ		
MH26DA	18	TN	GXL	2643676R1	3553404C1	4087	6	SWS_N_REQ	355346C1	
MH5CC(+)	18	YL	TXL	3572112R1	3595624C1	1703F	30	SWS_N_REQ		
MH5CC(+)	18	YL	TXL	3572112R1	3553404C1	4087	7	SWS_N_REQ	355346C1	
MH5CC(-)	18	GN	TXL	3572112R1	3595624C1	1703F	32	SWS_N_REQ		
MH5CC(-)	18	GN	TXL	3572112R1	3553404C1	4087	8	SWS_N_REQ	355346C1	
MH5CCA(+)	18	YL	TXL	3572112R1	3601838C1	1025	L	N/A	361839C1	
MH5CCA(+)	18	YL	TXL	3572112R1	3595625C1	1703M	30	N/A		
MH5CCA(-)	18	GN	TXL	3572112R1	3601838C1	1025	B	N/A	361839C1	
MH5CCA(-)	18	GN	TXL	3572112R1	3595625C1	1703M	32	N/A		
MJ11-GAD	18	WH	TXL	3510359R1	3613769C1	1023	5	N/A		
MJ11-GAD	18	WH	TXL	3510359R1	3595625C1	1703M	16	N/A		
MJ11-GBD	18	WH	TXL	3510359R1	3595624C1	1703F	16	SWS_N_REQ		
MJ11-GBD	18	WH	TXL	3510359R1	3553404C1	4087B	12	SWS_N_REQ	355346C1	
MJ26A	18	TN	TXL	3510329R1	3690369C1	4060A	6	SWS_N_REQ		
MJ26A	18	TN	TXL	3510329R1	3553404C1	4087B	11	SWS_N_REQ	355346C1	
MJ26B	18	TN	TXL	3510329R1	3690369C1	4060A	7	SWS_N_REQ		
MJ26B	18	TN	TXL	3510329R1	3553404C1	4087B	10	SWS_N_REQ	355346C1	
MJ26D	18	TN	GXL	2643676R1	3768015C1	1017	16	N/A	376816C1	
MJ26D	18	TN	GXL	2643676R1	3595625C1	1703M	27	N/A		
MJ26DA	18	TN	GXL	2643676R1	3595624C1	1703F	27	SWS_N_REQ		
MJ26DA	18	TN	GXL	2643676R1	3553404C1	4087B	6	SWS_N_REQ	355346C1	
MJ5CC(+)	18	YL	TXL	3572112R1	3595624C1	1703F	30	SWS_N_REQ		
MJ5CC(+)	18	YL	TXL	3572112R1	3553404C1	4087B	7	SWS_N_REQ	355346C1	
MJ5CC(-)	18	GN	TXL	3572112R1	3595624C1	1703F	32	SWS_N_REQ		
MJ5CC(-)	18	GN	TXL	3572112R1	3553404C1	4087B	8	SWS_N_REQ	355346C1	
MJ5CCA(+)	18	YL	TXL	3572112R1	3601838C1	1025	L	N/A	361839C1	
MJ5CCA(+)	18	YL	TXL	3572112R1	3595625C1	1703M	30	N/A		
MJ5CCA(-)	18	GN	TXL	3572112R1	3601838C1	1025	B	N/A	361839C1	
MJ5CCA(-)	18	GN	TXL	3572112R1	3595625C1	1703M	32	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
MK11-GTS	20	WH	TXL	3510358R1	4089980C1	1349	3	N/A		
MK11-GTS	20	WH	TXL	3510358R1		BS8	-	N/A		
MK13TS	20	PK	TXL	3510322R1	4089980C1	1349	2	N/A		
MK13TS	20	PK	TXL	3510322R1	3768015C1	1015	5	N/A	376816C1	
MK14TS	20	RD	TXL	3510364R1	4089980C1	1349	1	N/A		
MK14TS	20	RD	TXL	3510364R1	3768015C1	1010	37	N/A	376816C1	
MK5TS(+)	20	YL	193	3858761R1	3601838C1	1025	H	N/A	361839C1	
MK5TS(+)	20	YL	193	3858761R1	3598293C1	1350	1	N/A		
MK5TS(-)	20	GN	193	3858761R1	3601838C1	1025	E	N/A	361839C1	
MK5TS(-)	20	GN	193	3858761R1	3598293C1	1350	6	N/A		
ML11-G	8	WH	GXL	2643789R1		1005B	1	2644005R1		
ML11-G	8	WH	GXL	2643789R1		1910G	1	2644054R1		
ML11-GBE	16	WH	TXL	3510360R1	3613769C1	1023	6	N/A		
ML11-GBE	16	WH	TXL	3510360R1	1667305C1	1910A	B	N/A	1661263C1	
ML14EA	16	RD	TXL	3510366R1	1667305C1	1910A	A	N/A	1661263C1	
ML14EA	16	RD	TXL	3510366R1	3768015C1	1010	37	N/A	376816C1	
ML3BE(+)	18	DKBL	TXL	3510353R1	1667305C1	1910A	C	N/A	1661263C1	
ML3BE(+)	18	DKBL	TXL	3510353R1	2006789C1	1660	E	N/A	26792C1	
ML3BE(-)	18	GY	TXL	3510311R1	1667305C1	1910A	D	N/A	1661263C1	
ML3BE(-)	18	GY	TXL	3510311R1	2006789C1	1661	E	N/A	26792C1	
MM11-GBE	14	WH	TXL	3510361R1	3554818C1	1938M	A	N/A	3554821C1	
MM11-GBE	14	WH	TXL	3510361R1	3613769C1	1027	3	N/A		
MM11-GBH	18	WH	TXL	3510359R1	2011340C1	1939	D	N/A	211364C1	
MM11-GBH	18	WH	TXL	3510359R1	3613769C1	1027	4	N/A		
MM13EE	18	PK	TXL	3510323R1	2011340C1	1939	E	N/A	211364C1	
MM13EE	18	PK	TXL	3510323R1	3768015C1	1015	5	N/A	376816C1	
MM14EA	14	RD	GXL	2643686R1	3554818C1	1938M	B	N/A	3554821C1	
MM14EA	14	RD	GXL	2643686R1		DS61	-	2644000R1		
MM14EB	18	RD	GXL	2643759R1	3768015C1	1010	37	N/A	376816C1	
MM14EB	18	RD	GXL	2643759R1		DS61	-	2644000R1		
MM14ED	18	RD	GXL	2643759R1	2011340C1	1939	C	N/A	211364C1	
MM14ED	18	RD	GXL	2643759R1		DS61	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
MM3BD(+)	18	DKBL	TXL	3510353R1	3553404C1	1939M	4	N/A	355346C1	
MM3BD(+)	18	DKBL	TXL	3510353R1	2006789C1		1660	E	N/A	26792C1
MM3BD(-)	18	GY	TXL	3510311R1	3553404C1	1939M	5	N/A	355346C1	
MM3BD(-)	18	GY	TXL	3510311R1	2006789C1		1661	E	N/A	26792C1
MN5BF(+)	18	YL	TXL	3572112R1	3601838C1		1025	H	N/A	361839C1
MN5BF(+)	18	YL	TXL	3572112R1	3553404C1	1939M	12	N/A	355346C1	
MN5BF(-)	18	GN	TXL	3572112R1	3601838C1		1025	E	N/A	361839C1
MN5BF(-)	18	GN	TXL	3572112R1	3553404C1	1939M	11	N/A	355346C1	
MP11-G	8	WH	GXL	2643789R1		1005B	1	2644005R1		
MP11-G	8	WH	GXL	2643789R1		1910G	1	2644054R1		
MP11-GBE	16	WH	TXL	3510360R1	3613769C1		1023	6	N/A	
MP11-GBE	16	WH	TXL	3510360R1	1667305C1	1910A	B	N/A	1661263C1	
MP14EA	16	RD	TXL	3510366R1	1667305C1	1910A	A	N/A	1661263C1	
MP14EA	16	RD	TXL	3510366R1	3768015C1		1010	37	N/A	376816C1
MP5CG(+)	18	YL	TXL	3572112R1	3601838C1		1025	H	N/A	361839C1
MP5CG(+)	18	YL	TXL	3572112R1	1667305C1	1910A	C	N/A	1661263C1	
MP5CG(-)	18	GN	TXL	3572112R1	3601838C1		1025	E	N/A	361839C1
MP5CG(-)	18	GN	TXL	3572112R1	1667305C1	1910A	D	N/A	1661263C1	
MQ11-GBE	16	WH	TXL	3510360R1	3613769C1		1023	6	N/A	
MQ11-GBE	16	WH	TXL	3510360R1	1661199C1	1918A	C	N/A		
MQ11-GMW	20	WH	TXL	3510358R1	3710061C1	1500A	B5	N/A	3539892C1	3539893C1
MQ11-GMW	20	WH	TXL	3510358R1	2005836C1	1919A	B	N/A	2654C1	
MQ13EE	16	PK	TXL	3510324R1	1661199C1	1918A	B	N/A		
MQ13EE	16	PK	TXL	3510324R1	3768015C1		1015	5	N/A	376816C1
MQ14ED	16	RD	TXL	3510366R1	1661199C1	1918A	A	N/A		
MQ14ED	16	RD	TXL	3510366R1	3768015C1		1010	37	N/A	376816C1
MQ3BE(+)	18	DKBL	TXL	3510353R1	2005836C1	1919A	C	N/A	2654C1	
MQ3BE(+)	18	DKBL	TXL	3510353R1	2006789C1		1660	E	N/A	26792C1
MQ3BE(-)	18	GY	TXL	3510311R1	2005836C1	1919A	D	N/A	2654C1	
MQ3BE(-)	18	GY	TXL	3510311R1	2006789C1		1661	E	N/A	26792C1
MQ86-GD1	18	WH	TXL	3510359R1	2005836C1	1916A	E	N/A	2654C1	
MQ86-GD1	18	WH	TXL	3510359R1		KS1	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2	
MQ86-GD2	18	WH	TXL	3510359R1	1661259C1	1917	B	N/A	1661263C1		
MQ86-GD2	18	WH	TXL	3510359R1		KS1	-	2644000R1			
MQ86-GD3	18	WH	TXL	3510359R1	2005836C1	1919A	E	N/A	2654C1		
MQ86-GD3	18	WH	TXL	3510359R1		KS1	-	2644000R1			
MQ86H	18	LTGN	TXL	3510299R1	2005836C1	1916A	A	N/A	2654C1		
MQ86H	18	LTGN	TXL	3510299R1	3597143C1		1300	13	N/A		
MQ86HA	18	LTGN	TXL	3510299R1	2005836C1	1916A	C	N/A	2654C1		
MQ86HA	18	LTGN	TXL	3510299R1	2005836C1	1919A	F	N/A	2654C1		
MQ86HB	18	LTGN	TXL	3510299R1	1667305C1	3205M	C	N/A	1661263C1		
MQ86HB	18	LTGN	TXL	3510299R1	2005836C1	1916A	F	N/A	2654C1		
MQ86J	18	LTGN	TXL	3510299R1	2005836C1	1916A	B	N/A	2654C1		
MQ86J	18	LTGN	TXL	3510299R1	3597143C1		1300	14	N/A		
MQ86JA	18	LTGN	TXL	3510299R1	2005836C1	1916A	D	N/A	2654C1		
MQ86JA	18	LTGN	TXL	3510299R1	2005836C1	1919A	G	N/A	2654C1		
MQ86JB	18	LTGN	TXL	3510299R1	1667305C1	3205M	D	N/A	1661263C1		
MQ86JB	18	LTGN	TXL	3510299R1	2005836C1	1916A	G	N/A	2654C1		
MQ86K	18	LTGN	TXL	3510299R1	1667305C1	3206M	C	N/A	1661263C1		
MQ86K	18	LTGN	TXL	3510299R1	3597143C1		1300	11	N/A		
MQ86L	18	LTGN	TXL	3510299R1	1667305C1	3206M	D	N/A	1661263C1		
MQ86L	18	LTGN	TXL	3510299R1	3597143C1		1300	12	N/A		
MQ86RCD	18	LTGN	TXL	3510299R1	2005836C1	1919A	A	N/A	2654C1		
MQ86RCD	18	LTGN	TXL	3510299R1	1661259C1		1917	A	N/A	1661263C1	
MQ98F	20	TN	TXL	3510328R1	3710061C1	1500A	B4	N/A	3539892C1	3539893C1	
MQ98F	20	TN	TXL	3510328R1	3768015C1		1018	40	N/A	376816C1	
MR5BF(+)	18	YL	TXL	3572112R1	3601838C1		1025	H	N/A	361839C1	
MR5BF(+)	18	YL	TXL	3572112R1	1667741C1	1937N		A	N/A	1667771C1	
MR5BF(-)	18	GN	TXL	3572112R1	3601838C1		1025	E	N/A	361839C1	
MR5BF(-)	18	GN	TXL	3572112R1	1667741C1	1937N		C	N/A	1667771C1	
NA11-GKF	20	WH	TXL	3510358R1	4063041C1		1020	4	N/A	237987C1	
NA11-GKF	20	WH	TXL	3510358R1	3613769C1		1027	2	N/A		
NA28D	20	TN	TXL	3510328R1	3710061C1		1607	A9	N/A	3539892C1	3539893C1
NA28D	20	TN	TXL	3510328R1	4063041C1		1020	1	N/A	237987C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
NA62F	20	DKBL	TXL	3510352R1	4063041C1	1020	3	N/A	237987C1	
NA62F	20	DKBL	TXL	3510352R1	3613769C1	1021	12	N/A		
NA9CDC	20	GY	TXL	3510310R1	2007315C1	1620	B	N/A	27316C1	
NA9CDC	20	GY	TXL	3510310R1	4063041C1	1020	2	N/A	237987C1	
NC12B	20	LTBL	TXL	3510340R1	3833917C1	2224	3	N/A		
NC12B	20	LTBL	TXL	3510340R1	3768015C1	1017	32	N/A	376816C1	
ND10AA	20	WH	TXL	3510358R1	3833917C1	2224	2	N/A		
ND10AA	20	WH	TXL	3510358R1		JS1	-	2644000R1		
ND10AB	20	WH	TXL	3510358R1	3833917C1	2224	5	N/A		
ND10AB	20	WH	TXL	3510358R1		JS1	-	2644000R1		
ND10AC	20	WH	TXL	3510358R1		JS1	-	2644000R1		
ND10AC	20	WH	TXL	3510358R1	3834322C1	2225	10	N/A		
ND10AD	20	LTGN	TXL	3510298R1		JS1	-	2644000R1		
ND10AD	20	LTGN	TXL	3510298R1	3834322C1	2225	15	N/A		
ND11-GAL	16	WH	TXL	3510360R1		JS1	-	2644000R1		
ND11-GAL	16	WH	TXL	3510360R1		BS8	-	N/A		
ND9A	20	WH	TXL	3510358R1	2007315C1	1620	H	N/A	27316C1	
ND9A	20	WH	TXL	3510358R1	3834322C1	2225	1	N/A		
NE14A	20	PK	TXL	3510322R1	3833917C1	2224	1	N/A		
NE14A	20	PK	TXL	3510322R1	3768015C1	1017	13	N/A	376816C1	
NE86AA	20	LTGN	TXL	3510298R1	3834322C1	2225	11	N/A		
NE86AA	20	LTGN	TXL	3510298R1	3600061C1	1301	7	N/A		
NE86AB	20	LTGN	TXL	3510298R1	3834322C1	2225	12	N/A		
NE86AB	20	LTGN	TXL	3510298R1	3600061C1	1301	10	N/A		
NE86AC	20	LTGN	TXL	3510298R1	3834322C1	2225	13	N/A		
NE86AC	20	LTGN	TXL	3510298R1	3600061C1	1301	9	N/A		
NE86AD	20	LTGN	TXL	3510298R1	3834322C1	2225	14	N/A		
NE86AD	20	LTGN	TXL	3510298R1	3600061C1	1301	11	N/A		
NG5L(+)	20	YL	193	3858761R1	3834322C1	2225	8	N/A		
NG5L(+)	20	YL	193	3858761R1	3601838C1	1026	H	N/A	361839C1	
NG5L(-)	20	GN	193	3858761R1	3834322C1	2225	16	N/A		
NG5L(-)	20	GN	193	3858761R1	3601838C1	1026	E	N/A	361839C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
NJ31	18	TN	TXL	3510329R1	3595624C1	1703F	61	SWS_N_REQ		
NJ31	18	TN	TXL	3510329R1	3595621C1		1702	13	N/A	3598918C1 3598919C1
NJ31J	18	TN	TXL	3510329R1	3598706C1		1600	B7	N/A	1618846C1 1618847C1
NJ31J	18	TN	TXL	3510329R1	3595625C1	1703M		61	N/A	
NK40	18	GY	GXL	2643673R1	3598706C1		1600	B2	N/A	1618846C1 1618847C1
NK40	18	GY	GXL	2643673R1	3553649C1		1800	C12	N/A	355365C1
NK40A	18	GY	GXL	2643673R1	3598706C1		1600	B3	N/A	1618846C1 1618847C1
NK40A	18	GY	GXL	2643673R1	3553649C1		1800	B2	N/A	355365C1
NK40BB	18	GY	TXL	3510311R1	3598706C1		1600	B14	N/A	1618846C1 1618847C1
NK40BB	18	GY	TXL	3510311R1	3553649C1		1800	C2	N/A	355365C1
NK6	18	GY	GXL	2643673R1	3598705C1		1602	E4	N/A	1618846C1 1618847C1
NK6	18	GY	GXL	2643673R1	3553649C1		1800	B3	N/A	355365C1
NL40	18	GY	GXL	2643673R1	3598706C1		1600	B2	N/A	1618846C1 1618847C1
NL40	18	GY	GXL	2643673R1	3595625C1		1700	29	N/A	
NL6A	18	GY	GXL	2643673R1	3598705C1		1602	E8	N/A	1618846C1 1618847C1
NL6A	18	GY	GXL	2643673R1	3595625C1		1700	28	N/A	
NL9ZB	18	GY	TXL	3510311R1	2007315C1		1620	K	N/A	27316C1
NL9ZB	18	GY	TXL	3510311R1	3595625C1		1700	27	N/A	
NM32A	18	TN	GXL	2643676R1	3598706C1		1600	B11	N/A	1618846C1 1618847C1
NM32A	18	TN	GXL	2643676R1	3595623C1		1701	44	N/A	
NN32B	18	TN	TXL	3510329R1	3598706C1		1600	B10	N/A	1618846C1 1618847C1
NN32B	18	TN	TXL	3510329R1	3595623C1		1701	43	N/A	
NP11-GA	18	WH	TXL	3510359R1	3613769C1		1022	12	N/A	
NP11-GA	18	WH	TXL	3510359R1		DS49		-	2644000R1	
NP11-GC	18	WH	TXL	3510359R1	3704182C1		1950	6	N/A	
NP11-GC	18	WH	TXL	3510359R1		DS49		-	2644000R1	
NP11-GD	18	WH	TXL	3510359R1	3704144C1		1928	4	N/A	
NP11-GD	18	WH	TXL	3510359R1		DS49		-	2644000R1	
NP13DCB	18	PK	TXL	3510323R1	3704182C1		1950	4	N/A	
NP13DCB	18	PK	TXL	3510323R1		DS48		-	2644000R1	
NP13DCG	18	PK	TXL	3510323R1	3768015C1		1018	31	N/A	376816C1
NP13DCG	18	PK	TXL	3510323R1		DS48		-	2644000R1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
NP13DCH	18	PK	TXL	3510323R1	3704144C1	1928	1	N/A		
NP13DCH	18	PK	TXL	3510323R1		DS48	-	2644000R1		
NP14DCA	18	RD	TXL	3510365R1	3704182C1	1950	2	N/A		
NP14DCA	18	RD	TXL	3510365R1		DS47	-	2644000R1		
NP14DCE	18	RD	GXL	2643759R1	3768015C1	1017	5	N/A	376816C1	
NP14DCE	18	RD	GXL	2643759R1		DS47	-	2644000R1		
NP14DCF	18	RD	TXL	3510365R1	3704144C1	1928	3	N/A		
NP14DCF	18	RD	TXL	3510365R1		DS47	-	2644000R1		
NP5DZ(+)	18	YL	TXL	3572112R1	3704182C1	1950	8	N/A		
NP5DZ(+)	18	YL	TXL	3572112R1	3601838C1	1026	L	N/A	361839C1	
NP5DZ(-)	18	GN	TXL	3572112R1	3704182C1	1950	9	N/A		
NP5DZ(-)	18	GN	TXL	3572112R1	3601838C1	1026	B	N/A	361839C1	
NP91	20	-	TXL	3510292R1	3704182C1	1950	16	N/A		
NP91	20	-	TXL	3510292R1	3704144C1	1928	2	N/A		
NZ22-GAN	16	WH	TXL	3510360R1	3595625C1	1700	26	N/A		
NZ22-GAN	16	WH	TXL	3510360R1	3613769C1	1023	8	N/A		
NZ22AA	16	PK	TXL	3510324R1	3768015C1	1018	37	N/A	376816C1	
NZ22AA	16	PK	TXL	3510324R1	3595625C1	1700	17	N/A		
PA47T	18	GY	TXL	3510311R1	3595624C1	1703F	31	SWS_N_REQ		
PA47T	18	GY	TXL	3510311R1	3595621C1	1702	38	N/A	3598918C1	3598919C1
PA47TA	16	GY	GXL	2643680R1	BLUNT_SL_V	1945	A	N/A		
PA47TA	16	GY	GXL	2643680R1	3595625C1	1703M	31	N/A		
PB97DF	18	VT	TXL	3510347R1	3768015C1	1017	37	N/A	376816C1	
PB97DF	18	VT	TXL	3510347R1	3595625C1	1703M	31	N/A		
PB97DG	18	VT	TXL	3510347R1	3595624C1	1703F	31	SWS_N_REQ		
PB97DG	18	VT	TXL	3510347R1	3595621C1	1702	38	N/A	3598918C1	3598919C1
PC92-GAJ	18	WH	TXL	3510359R1		DS64	-	2644000R1		
PC92-GAJ	18	WH	TXL	3510359R1	3768010C1	1012	R3 -	5 N/A	376811C1	
PC92-GN1	18	WH	GXL	2643674R1	593385C1	1873C	R1-85	N/A	593387C1	
PC92-GN1	18	WH	GXL	2643674R1		DS64	-	2644000R1		
PC92-GN2	18	WH	TXL	3510359R1	3613769C1	1023	11	N/A		
PC92-GN2	18	WH	TXL	3510359R1		DS64	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
PC92A1	18	TN	TXL	3510329R1	3595625C1	1703M	11	N/A		
PC92A1	18	TN	TXL	3510329R1	3768010C1		1012	R3 - 7 N/A	376811C1	
PC92A18	16	TN	GXL	2643683R1	3768010C1		1012	R3 - 0 N/A	376811C1	
PC92A18	16	TN	GXL	2643683R1	3595625C1	1703M	14	N/A		
PC92A18A	16	TN	GXL	2643683R1	3595621C1		1702	34 N/A	3598918C1	3598919C1
PC92A18A	16	TN	GXL	2643683R1	3595624C1	1703F	14	SWS_N_REQ		
PC92A2	18	TN	TXL	3510329R1	3595624C1	1703F	11	SWS_N_REQ		
PC92A2	18	TN	TXL	3510329R1	3595621C1		1702	27 N/A	3598918C1	3598919C1
PC92A20	16	TN	GXL	2643683R1	593385C1	1873C		R1-30 N/A	593387C1	
PC92A20	16	TN	GXL	2643683R1	3595625C1	1703M		15 N/A		
PC92A20A	16	TN	GXL	2643683R1	3595621C1		1702	1 N/A	3598918C1	3598919C1
PC92A20A	16	TN	GXL	2643683R1	3595624C1	1703F		15 SWS_N_REQ		
PC92A3	18	TN	GXL	2643676R1	3595625C1	1703M		43 N/A		
PC92A3	18	TN	GXL	2643676R1	593385C1	1873C		R1-87 N/A	593387C1	
PC92A3A	18	TN	GXL	2643676R1	3595621C1		1702	26 N/A	3598918C1	3598919C1
PC92A3A	18	TN	GXL	2643676R1	3595624C1	1703F		43 SWS_N_REQ		
PC92DN	18	TN	GXL	2643676R1		DS65		- 2644000R1		
PC92DN	18	TN	GXL	2643676R1	3768010C1		1012	R3 - 6 N/A	376811C1	
PC92DN1	18	TN	GXL	2643676R1		DS65		- 2644000R1		
PC92DN1	18	TN	GXL	2643676R1	593385C1	1873C		R1-86 N/A	593387C1	
PC92DN2	18	TN	GXL	2643676R1	3595624C1	1703F		58 SWS_N_REQ		
PC92DN2	18	TN	GXL	2643676R1	3595621C1		1702	25 N/A	3598918C1	3598919C1
PC92DN3	18	TN	GXL	2643676R1		DS65		- 2644000R1		
PC92DN3	18	TN	GXL	2643676R1	3595625C1	1703M		58 N/A		
QA11-GAD	18	WH	TXL	3510359R1	3928059C1		1107	11 N/A		
QA11-GAD	18	WH	TXL	3510359R1		DS70		- 2644000R1		
QA11-GAM	18	WH	TXL	3510359R1		BS8		- N/A		
QA11-GAM	18	WH	TXL	3510359R1		DS70		- 2644000R1		
QA11-GCH	18	WH	TXL	3510359R1	3768010C1		1013	R5 - 7A N/A	376811C1	
QA11-GCH	18	WH	TXL	3510359R1	A	DS70		- 2644000		
QA11-GCJ	18	WH	TXL	3510359R1	3768010C1		1013	R6 - 7A N/A	376811C1	
QA11-GCJ	18	WH	TXL	3510359R1	A	DS70		- 2644000		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
QA11-GM	18	WH	TXL	3510359R1	3768010C1	1013	R2 -	6 N/A	376811C1	
QA11-GM	18	WH	TXL	3510359R1	A	DS70	-	2644000R		
QA13A	18	PK	TXL	3510323R1	3768015C1	1018	32	N/A	376816C1	
QA13A	18	PK	TXL	3510323R1		DS2	-	2644000R1		
QA13B	18	PK	TXL	3510323R1	3768010C1	1013	R2 -	0 N/A	376811C1	
QA13B	18	PK	TXL	3510323R1	A	DS2	-	2644000R		
QA13C	18	PK	TXL	3510323R1	3768010C1	1013	R5 -	7 N/A	376811C1	
QA13C	18	PK	TXL	3510323R1	A	DS2	-	2644000R		
QA13DA	18	PK	TXL	3510323R1	3768010C1	1013	R6 -	7 N/A	376811C1	
QA13DA	18	PK	TXL	3510323R1	A	DS2	-	2644000R		
QA13DB	18	PK	TXL	3510323R1	3928059C1	1107	10	N/A		
QA13DB	18	PK	TXL	3510323R1		DS2	-	2644000R1		
QA23-G	18	WH	TXL	3510359R1	3595625C1	1703M	3	N/A		
QA23-G	18	WH	TXL	3510359R1		DS70	-	2644000R1		
QA23-GT	18	WH	TXL	3510359R1	3710061C1	1500A	B7	N/A	3539892C1	3539893C1
QA23-GT	18	WH	TXL	3510359R1		DS70	-	2644000R1		
QA23A	18	TN	TXL	3510329R1	3710061C1	1500A	B6	N/A	3539892C1	3539893C1
QA23A	18	TN	TXL	3510329R1	2206665C1	9916	2	N/A		
QA23BA	18	TN	TXL	3510329R1	3595625C1	1703M	4	N/A		
QA23BA	18	TN	TXL	3510329R1		DS3	-	2644000R1		
QA23BC	18	TN	TXL	3510329R1	3768010C1	1013	R5 -	0 N/A	376811C1	
QA23BC	18	TN	TXL	3510329R1	B	DS3	-	2644000R		
QA23BD	18	TN	TXL	3510329R1	2206665C1	9916	3	N/A		
QA23BD	18	TN	TXL	3510329R1		DS3	-	2644000R1		
QA23BE	18	TN	TXL	3510329R1	3522251C1	4120	B	3568570C1	3522253C1	
QA23BE	18	TN	TXL	3510329R1	3595624C1	1703F	4	SWS_N_REQ		
QA23CA	18	TN	TXL	3510329R1	3595625C1	1703M	5	N/A		
QA23CA	18	TN	TXL	3510329R1	3768010C1	1013	R5 -	6 N/A	376811C1	
QA23CB	18	TN	TXL	3510329R1	3522251C1	4120	C	3568570C1	3522253C1	
QA23CB	18	TN	TXL	3510329R1	3595624C1	1703F	5	SWS_N_REQ		
QA23DA	18	TN	TXL	3510329R1	3768010C1	1013	R2 -	7 N/A	376811C1	
QA23DA	18	TN	TXL	3510329R1	3768010C1	1013	R5 -	85 N/A	376811C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
QA23DB	18	TN	TXL	3510329R1	3768010C1	1013	R6 -	0 N/A	376811C1	
QA23DB	18	TN	TXL	3510329R1	B	LS2	-	2644000R		
QA23DC	18	TN	TXL	3510329R1	2206665C1	9916	1	N/A		
QA23DC	18	TN	TXL	3510329R1		LS2	-	2644000R1		
QA23DD	18	PK	TXL	3510323R1	3595625C1	1703M	6	N/A		
QA23DD	18	PK	TXL	3510323R1		LS2	-	2644000R1		
QA23DE	18	PK	TXL	3510323R1	3522251C1	4120	D	3568570C1	3522253C1	
QA23DE	18	PK	TXL	3510323R1	3595624C1	1703F	6	SWS_N_REQ		
QA23EA	18	TN	TXL	3510329R1	3595625C1	1703M	7	N/A		
QA23EA	18	TN	TXL	3510329R1		DS1	-	2644000R1		
QA23EB	18	TN	TXL	3510329R1	3768010C1	1013	R6 -	6 N/A	376811C1	
QA23EB	18	TN	TXL	3510329R1	A	DS1	-	2644000R		
QA23EC	18	TN	TXL	3510329R1	3928059C1	1107	9	N/A		
QA23EC	18	TN	TXL	3510329R1		DS1	-	2644000R1		
QA23ED	18	TN	TXL	3510329R1	3522251C1	4120	A	3568570C1	3522253C1	
QA23ED	18	TN	TXL	3510329R1	3595624C1	1703F	3	SWS_N_REQ		
QA23EF	18	TN	TXL	3510329R1	3522251C1	4120	E	3568570C1	3522253C1	
QA23EF	18	TN	TXL	3510329R1	3595624C1	1703F	7	SWS_N_REQ		
QA23F	18	TN	TXL	3510329R1	3598711C1	1603	J	N/A	3573833C1	
QA23F	18	TN	TXL	3510329R1	3768010C1	1013	R2 -	5 N/A	376811C1	
QA23H	18	TN	TXL	3510329R1	3768010C1	1013	R2 -	7A N/A	376811C1	
QA23H	18	TN	TXL	3510329R1	3768010C	1013	R6	85 N/A		
QA62K	18	DKBL	TXL	3510353R1	3928059C1	1107	12	N/A		
QA62K	18	DKBL	TXL	3510353R1	3613769C1	1021	13	N/A		
QA9Z	18	GY	TXL	3510311R1	2007315C1	1620	E	N/A	27316C1	
QA9Z	18	GY	TXL	3510311R1	3928059C1	1107	1	N/A		
QA9ZC	18	GY	TXL	3510311R1	3598705C1	1602	F13	N/A	1618846C1	1618847C1
QA9ZC	18	GY	TXL	3510311R1	3928059C1	1107	2	N/A		
QC105	18	LTGN	TXL	3510299R1	3768015C1	1018	30	N/A	376816C1	
QC105	18	LTGN	TXL	3510299R1	587567C91	1918	B	N/A		
QC105-GAP	18	WH	TXL	3510359R1		BS8	-	N/A		
QC105-GAP	18	WH	TXL	3510359R1	587567C91	1918	A	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
QD105-GA	16	WH	TXL	3510360R1	587567C91	1935	A	N/A		
QD105-GA	16	WH	TXL	3510360R1		AS3	-	2644000R1		
QD105-GB	16	WH	TXL	3510360R1	587567C91	1918	A	N/A		
QD105-GB	16	WH	TXL	3510360R1		AS3	-	2644000R1		
QD105-GCP	16	WH	TXL	3510360R1	3613769C1	1022	13	N/A		
QD105-GCP	16	WH	TXL	3510360R1		AS3	-	2644000R1		
QD105A	16	LTGN	TXL	3510300R1	587567C91	1935	B	N/A		
QD105A	16	LTGN	TXL	3510300R1		AS7	-	2644000R1		
QD105B	16	LTGN	TXL	3510300R1	587567C91	1918	B	N/A		
QD105B	16	LTGN	TXL	3510300R1		AS7	-	2644000R1		
QD105C	16	LTGN	TXL	3510300R1	3768015C1	1018	30	N/A	376816C1	
QD105C	16	LTGN	TXL	3510300R1		AS7	-	2644000R1		
QE11-GCN	12	WH	TXL	3510362R1		BS8	-	N/A		
QE11-GCN	12	WH	TXL	3510362R1		AS28	-	2644000R1		
QE11-GP	12	WH	TXL	3510362R1	587567C91	1918	B	N/A		
QE11-GP	12	WH	TXL	3510362R1		AS28	-	2644000R1		
QE11-GR	12	WH	TXL	3510362R1	587567C91	1935	B	N/A		
QE11-GR	12	WH	TXL	3510362R1		AS28	-	2644000R1		
QE14A	12	RD	TXL	3510368R1	3768015C1	1017	6	N/A	376816C1	
QE14A	12	RD	TXL	3510368R1		AS27	-	2644000R1		
QE14B	12	RD	TXL	3510368R1	587567C91	1918	A	N/A		
QE14B	12	RD	TXL	3510368R1		AS27	-	2644000R1		
QE14C	12	RD	TXL	3510368R1	587567C91	1935	A	N/A		
QE14C	12	RD	TXL	3510368R1		AS27	-	2644000R1		
QF11-GCN	12	WH	TXL	3510362R1		BS8	-	N/A		
QF11-GCN	12	WH	TXL	3510362R1	587567C91	1918	B	N/A		
QF14A	12	RD	TXL	3510368R1	3768015C1	1017	6	N/A	376816C1	
QF14A	12	RD	TXL	3510368R1	587567C91	1918	A	N/A		
QG11-GC	18	WH	TXL	3510359R1	1661260C1	3000	B	N/A	1661264C1	
QG11-GC	18	WH	TXL	3510359R1	3586750C1	8999	3	N/A	355346C1	
QG11-GCA	18	WH	TXL	3510359R1	1661260C1	3000	A	N/A	1661264C1	
QG11-GCA	18	WH	TXL	3510359R1	3613769C1	8995	5	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
QG11-GJ	18	WH	TXL	3510359R1	1661259C1	3002	B	N/A	1661263C1	
QG11-GJ	18	WH	TXL	3510359R1	3586750C1	8999	10	N/A	355346C1	
QG11-GJA	18	WH	TXL	3510359R1	1661259C1	3002	A	N/A	1661263C1	
QG11-GJA	18	WH	TXL	3510359R1	3613769C1	8995	11	N/A		
QH11-GD	18	WH	TXL	3510359R1	3586750C1	8999	4	N/A	355346C1	
QH11-GD	18	WH	TXL	3510359R1	2018590C1	8997	2	N/A		
QH11-GDA	18	WH	TXL	3510359R1	3613769C1	8995	6	N/A		
QH11-GDA	18	WH	TXL	3510359R1	2018590C1	8997	1	N/A		
QH11-GE	18	WH	TXL	3510359R1	3586750C1	8999	5	N/A	355346C1	
QH11-GE	18	WH	TXL	3510359R1	2018590C1	8997	6	N/A		
QH11-GEA	18	WH	TXL	3510359R1	3613769C1	8995	7	N/A		
QH11-GEA	18	WH	TXL	3510359R1	2018590C1	8997	5	N/A		
QH11-GK	18	WH	TXL	3510359R1	3586750C1	8999	9	N/A	355346C1	
QH11-GK	18	WH	TXL	3510359R1	2018590C1	8997	4	N/A		
QH11-GKA	18	WH	TXL	3510359R1	3613769C1	8995	12	N/A		
QH11-GKA	18	WH	TXL	3510359R1	2018590C1	8997	3	N/A		
QH11-GL	18	WH	TXL	3510359R1	3586750C1	8999	8	N/A	355346C1	
QH11-GL	18	WH	TXL	3510359R1	2018590C1	8997	8	N/A		
QH11-GLA	18	WH	TXL	3510359R1	3613769C1	8995	13	N/A		
QH11-GLA	18	WH	TXL	3510359R1	2018590C1	8997	7	N/A		
QJ79A	18	GY	TXL	3510311R1	1661260C1	1112	A	N/A	1661264C1	
QJ79A	18	GY	TXL	3510311R1	3598706C1	1600	A2	N/A	1618846C1	1618847C1
QJ9BB	18	GY	TXL	3510311R1	1661260C1	1112	B	N/A	1661264C1	
QJ9BB	18	GY	TXL	3510311R1	2007315C1	1620	J	N/A	27316C1	
QJ11-GF	18	WH	TXL	3510359R1	3586750C1	8999	6	N/A	355346C1	
QJ11-GF	18	WH	TXL	3510359R1	2018590C1	8997	10	N/A		
QJ11-GFA	18	WH	TXL	3510359R1	3613769C1	8995	8	N/A		
QJ11-GFA	18	WH	TXL	3510359R1	2018590C1	8997	9	N/A		
QJ11-GM	18	WH	TXL	3510359R1	3586750C1	8999	7	N/A	355346C1	
QJ11-GM	18	WH	TXL	3510359R1	2018590C1	8997	12	N/A		
QJ11-GMA	18	WH	TXL	3510359R1	3613769C1	8995	14	N/A		
QJ11-GMA	18	WH	TXL	3510359R1	2018590C1	8997	11	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
QK11-GA	18	WH	TXL	3510359R1	1661260C1	2997	B	N/A	1661264C1	
QK11-GA	18	WH	TXL	3510359R1	3586750C1	8882	1	N/A	355346C1	
QK11-GAA	18	WH	TXL	3510359R1	1661260C1	2997	A	N/A	1661264C1	
QK11-GAA	18	WH	TXL	3510359R1	3613769C1	8995	3	N/A		
QK11-GAN	14	WH	GXL	2643689R1		BS8	-	N/A		
QK11-GAN	14	WH	GXL	2643689R1	3613769C1	8995	1	N/A		
QK11-GB	18	WH	TXL	3510359R1	1661260C1	2999	B	N/A	1661264C1	
QK11-GB	18	WH	TXL	3510359R1	3586750C1	8882	2	N/A	355346C1	
QK11-GBA	18	WH	TXL	3510359R1	1661260C1	2999	A	N/A	1661264C1	
QK11-GBA	18	WH	TXL	3510359R1	3613769C1	8995	4	N/A		
QK11-GG	18	WH	TXL	3510359R1	1661259C1	2996	B	N/A	1661263C1	
QK11-GG	18	WH	TXL	3510359R1	3586750C1	8882	12	N/A	355346C1	
QK11-GGA	18	WH	TXL	3510359R1	1661259C1	2996	A	N/A	1661263C1	
QK11-GGA	18	WH	TXL	3510359R1	3613769C1	8995	9	N/A		
QK11-GH	18	WH	TXL	3510359R1	1661259C1	2998	B	N/A	1661263C1	
QK11-GH	18	WH	TXL	3510359R1	3586750C1	8882	11	N/A	355346C1	
QK11-GHA	18	WH	TXL	3510359R1	1661259C1	2998	A	N/A	1661263C1	
QK11-GHA	18	WH	TXL	3510359R1	3613769C1	8995	10	N/A		
QL11-A	18	WH	TXL	3510359R1	3613769C1	8995	2	N/A		
QL11-A	18	WH	TXL	3510359R1		BS27	-	2644000R1		
QL11-AA	18	WH	TXL	3510359R1	1661200C1	8883	C	N/A		
QL11-AA	18	WH	TXL	3510359R1		BS27	-	2644000R1		
QL11-AB	18	WH	TXL	3510359R1	3553404C1	8881	12	N/A	355346C1	
QL11-AB	18	WH	TXL	3510359R1		BS27	-	2644000R1		
QL13A	18	RD	TXL	3510365R1	3768015C1	1018	30	N/A	376816C1	
QL13A	18	RD	TXL	3510365R1		DS45	-	2644000R1		
QL13AA	18	RD	TXL	3510365R1	3553404C1	8881	10	N/A	355346C1	
QL13AA	18	RD	TXL	3510365R1		DS45	-	2644000R1		
QL13RB	18	RD	TXL	3510365R1	1661200C1	8883	D	N/A		
QL13RB	18	RD	TXL	3510365R1		DS45	-	2644000R1		
QL5(+)	18	YL	TXL	3572112R1	3601838C1	1028	H	N/A	361839C1	
QL5(+)	18	YL	TXL	3572112R1	3553404C1	8881	8	N/A	355346C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
QL5(-)	18	GN	TXL	3572112R1	3601838C1	1028	E	N/A	361839C1	
QL5(-)	18	GN	TXL	3572112R1	3553404C1	8881	5	N/A	355346C1	
QL5A	18	GN	TXL	3572112R1	3553404C1	8881	6	N/A	355346C1	
QL5A	18	GN	TXL	3572112R1	1661200C1	8883	A	N/A		
QL5B	18	YL	TXL	3572112R1	3553404C1	8881	7	N/A	355346C1	
QL5B	18	YL	TXL	3572112R1	1661200C1	8883	B	N/A		
QM11-GC	18	WH	TXL	3510359R1	1661260C1	3000	B	N/A	1661264C1	
QM11-GC	18	WH	TXL	3510359R1	3586750C1	8882	6	N/A	355346C1	
QM11-GCA	18	WH	TXL	3510359R1	1661260C1	3000	A	N/A	1661264C1	
QM11-GCA	18	WH	TXL	3510359R1	3613769C1	8995	5	N/A		
QM11-GJ	18	WH	TXL	3510359R1	1661259C1	3002	B	N/A	1661263C1	
QM11-GJ	18	WH	TXL	3510359R1	3586750C1	8882	7	N/A	355346C1	
QM11-GJA	18	WH	TXL	3510359R1	1661259C1	3002	A	N/A	1661263C1	
QM11-GJA	18	WH	TXL	3510359R1	3613769C1	8995	11	N/A		
QN11-GD	18	WH	TXL	3510359R1	3586750C1	8882	3	N/A	355346C1	
QN11-GD	18	WH	TXL	3510359R1	2018590C1	8997	2	N/A		
QN11-GDA	18	WH	TXL	3510359R1	3613769C1	8995	6	N/A		
QN11-GDA	18	WH	TXL	3510359R1	2018590C1	8997	1	N/A		
QN11-GK	18	WH	TXL	3510359R1	3586750C1	8882	10	N/A	355346C1	
QN11-GK	18	WH	TXL	3510359R1	2018590C1	8997	4	N/A		
QN11-GKA	18	WH	TXL	3510359R1	3613769C1	8995	12	N/A		
QN11-GKA	18	WH	TXL	3510359R1	2018590C1	8997	3	N/A		
QN11-GLA	18	WH	TXL	3510359R1	3613769C1	8995	13	N/A		
QN11-GLA	18	WH	TXL	3510359R1	2018590C1	8997	7	N/A		
QP11-GF	18	WH	TXL	3510359R1	3586750C1	8882	4	N/A	355346C1	
QP11-GF	18	WH	TXL	3510359R1	2018590C1	8997	10	N/A		
QP11-GFA	18	WH	TXL	3510359R1	3613769C1	8995	8	N/A		
QP11-GFA	18	WH	TXL	3510359R1	2018590C1	8997	9	N/A		
QP11-GM	18	WH	TXL	3510359R1	3586750C1	8882	9	N/A	355346C1	
QP11-GM	18	WH	TXL	3510359R1	2018590C1	8997	12	N/A		
QP11-GMA	18	WH	TXL	3510359R1	3613769C1	8995	14	N/A		
QP11-GMA	18	WH	TXL	3510359R1	2018590C1	8997	11	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
QQ11-GE	18	WH	TXL	3510359R1	3586750C1	8882	5	N/A	355346C1	
QQ11-GE	18	WH	TXL	3510359R1	2018590C1	8997	6	N/A		
QQ11-GEA	18	WH	TXL	3510359R1	3613769C1	8995	7	N/A		
QQ11-GEA	18	WH	TXL	3510359R1	2018590C1	8997	5	N/A		
QQ11-GL	18	WH	TXL	3510359R1	3586750C1	8882	8	N/A	355346C1	
QQ11-GL	18	WH	TXL	3510359R1	2018590C1	8997	8	N/A		
QR11-G	18	WH	TXL	3510359R1	3613769C1	8995	2	N/A		
QR11-G	18	WH	TXL	3510359R1	3553404C1	8881	12	N/A	355346C1	
QR13AA	18	RD	TXL	3510365R1	3553404C1	8881	10	N/A	355346C1	
QR13AA	18	RD	TXL	3510365R1	3768015C1	1018	30	N/A	376816C1	
QR5(+)	18	YL	TXL	3572112R1	3601838C1	1028	H	N/A	361839C1	
QR5(+)	18	YL	TXL	3572112R1	3553404C1	8881	8	N/A	355346C1	
QR5(-)	18	GN	TXL	3572112R1	3601838C1	1028	E	N/A	361839C1	
QR5(-)	18	GN	TXL	3572112R1	3553404C1	8881	5	N/A	355346C1	
QS11-G	18	WH	TXL	3510359R1	3613769C1	8995	2	N/A		
QS11-G	18	WH	TXL	3510359R1	3553404C1	8998	12	N/A	355346C1	
QS11-GA	18	WH	TXL	3510359R1	1661260C1	2997	B	N/A	1661264C1	
QS11-GA	18	WH	TXL	3510359R1	3586750C1	8999	1	N/A	355346C1	
QS11-GAA	18	WH	TXL	3510359R1	1661260C1	2997	A	N/A	1661264C1	
QS11-GAA	18	WH	TXL	3510359R1	3613769C1	8995	3	N/A		
QS11-GAN	14	WH	GXL	2643689R1		BS8	-	N/A		
QS11-GAN	14	WH	GXL	2643689R1	3613769C1	8995	1	N/A		
QS11-GB	18	WH	TXL	3510359R1	1661260C1	2999	B	N/A	1661264C1	
QS11-GB	18	WH	TXL	3510359R1	3586750C1	8999	2	N/A	355346C1	
QS11-GBA	18	WH	TXL	3510359R1	1661260C1	2999	A	N/A	1661264C1	
QS11-GBA	18	WH	TXL	3510359R1	3613769C1	8995	4	N/A		
QS11-GG	18	WH	TXL	3510359R1	1661259C1	2996	B	N/A	1661263C1	
QS11-GG	18	WH	TXL	3510359R1	3586750C1	8999	12	N/A	355346C1	
QS11-GGA	18	WH	TXL	3510359R1	1661259C1	2996	A	N/A	1661263C1	
QS11-GGA	18	WH	TXL	3510359R1	3613769C1	8995	9	N/A		
QS11-GH	18	WH	TXL	3510359R1	1661259C1	2998	B	N/A	1661263C1	
QS11-GH	18	WH	TXL	3510359R1	3586750C1	8999	11	N/A	355346C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
QS11-GHA	18	WH	TXL	3510359R1	1661259C1	2998	A	N/A	1661263C1	
QS11-GHA	18	WH	TXL	3510359R1	3613769C1	8995	10	N/A		
QS13R	18	RD	TXL	3510365R1	3768015C1	1018	30	N/A	376816C1	
QS13R	18	RD	TXL	3510365R1	3553404C1	8998	10	N/A	355346C1	
QS3D(+)	20	DKBL	TXL	3510352R1	3553404C1	8998	4	N/A	355346C1	
QS3D(+)	20	DKBL	TXL	3510352R1	2006789C1	1660	F	N/A	26792C1	
QS3D(-)	20	GY	TXL	3510310R1	3553404C1	8998	5	N/A	355346C1	
QS3D(-)	20	GY	TXL	3510310R1	2006789C1	1661	F	N/A	26792C1	
QS5B(+)	18	YL	TXL	3572112R1	3601838C1	1028	H	N/A	361839C1	
QS5B(+)	18	YL	TXL	3572112R1	3553404C1	8998	6	N/A	355346C1	
QS5B(-)	18	GN	TXL	3572112R1	3601838C1	1028	E	N/A	361839C1	
QS5B(-)	18	GN	TXL	3572112R1	3553404C1	8998	7	N/A	355346C1	
QT11-GE	18	WH	TXL	3510359R1	3586750C1	8882	4	N/A	355346C1	
QT11-GE	18	WH	TXL	3510359R1	2018590C1	8997	6	N/A		
QT11-GEA	18	WH	TXL	3510359R1	3613769C1	8995	7	N/A		
QT11-GEA	18	WH	TXL	3510359R1	2018590C1	8997	5	N/A		
QT11-GL	18	WH	TXL	3510359R1	3586750C1	8882	9	N/A	355346C1	
QT11-GL	18	WH	TXL	3510359R1	2018590C1	8997	8	N/A		
QU11-G	18	WH	TXL	3510359R1	3613769C1	8995	2	N/A		
QU11-G	18	WH	TXL	3510359R1		JS9	-	2644000R1		
QU11-G1	18	WH	TXL	3510359R1	1661200C1	8883	C	N/A		
QU11-G1	18	WH	TXL	3510359R1		JS9	-	2644000R1		
QU11-G2	18	WH	TXL	3510359R1	3553404C1	8881	12	N/A	355346C1	
QU11-G2	18	WH	TXL	3510359R1		JS9	-	2644000R1		
QU11-G3	18	WH	TXL	3510359R1	3553404C1	8998	12	N/A	355346C1	
QU11-G3	18	WH	TXL	3510359R1		JS9	-	2644000R1		
QU11-GA	18	WH	TXL	3510359R1	1661260C1	2997	B	N/A	1661264C1	
QU11-GA	18	WH	TXL	3510359R1		DS4	-	2644000R1		
QU11-GA1	18	WH	TXL	3510359R1	3586750C1	8999	1	N/A	355346C1	
QU11-GA1	18	WH	TXL	3510359R1		DS4	-	2644000R1		
QU11-GA2	18	WH	TXL	3510359R1	3586750C1	8882	1	N/A	355346C1	
QU11-GA2	18	WH	TXL	3510359R1		DS4	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
QU11-GAA	18	WH	TXL	3510359R1	1661260C1	2997	A	N/A	1661264C1	
QU11-GAA	18	WH	TXL	3510359R1	3613769C1	8995	3	N/A		
QU11-GAN	14	WH	GXL	2643689R1		BS8	-	N/A		
QU11-GAN	14	WH	GXL	2643689R1	3613769C1	8995	1	N/A		
QU11-GB	18	WH	TXL	3510359R1	1661260C1	2999	B	N/A	1661264C1	
QU11-GB	18	WH	TXL	3510359R1		DS46	-	2644000R1		
QU11-GB1	18	WH	TXL	3510359R1	3586750C1	8999	2	N/A	355346C1	
QU11-GB1	18	WH	TXL	3510359R1		DS46	-	2644000R1		
QU11-GB2	18	WH	TXL	3510359R1	3586750C1	8882	2	N/A	355346C1	
QU11-GB2	18	WH	TXL	3510359R1		DS46	-	2644000R1		
QU11-GBA	18	WH	TXL	3510359R1	1661260C1	2999	A	N/A	1661264C1	
QU11-GBA	18	WH	TXL	3510359R1	3613769C1	8995	4	N/A		
QU11-GG	18	WH	TXL	3510359R1	1661259C1	2996	B	N/A	1661263C1	
QU11-GG	18	WH	TXL	3510359R1		JS7	-	2644000R1		
QU11-GG1	18	WH	TXL	3510359R1	3586750C1	8999	12	N/A	355346C1	
QU11-GG1	18	WH	TXL	3510359R1		JS7	-	2644000R1		
QU11-GG2	18	WH	TXL	3510359R1	3586750C1	8882	12	N/A	355346C1	
QU11-GG2	18	WH	TXL	3510359R1		JS7	-	2644000R1		
QU11-GGA	18	WH	TXL	3510359R1	1661259C1	2996	A	N/A	1661263C1	
QU11-GGA	18	WH	TXL	3510359R1	3613769C1	8995	9	N/A		
QU11-GH	18	WH	TXL	3510359R1	1661259C1	2998	B	N/A	1661263C1	
QU11-GH	18	WH	TXL	3510359R1		AS32	-	2644000R1		
QU11-GH1	18	WH	TXL	3510359R1	3586750C1	8999	11	N/A	355346C1	
QU11-GH1	18	WH	TXL	3510359R1		AS32	-	2644000R1		
QU11-GH2	18	WH	TXL	3510359R1	3586750C1	8882	11	N/A	355346C1	
QU11-GH2	18	WH	TXL	3510359R1		AS32	-	2644000R1		
QU11-GHA	18	WH	TXL	3510359R1	1661259C1	2998	A	N/A	1661263C1	
QU11-GHA	18	WH	TXL	3510359R1	3613769C1	8995	10	N/A		
QU14R	18	RD	TXL	3510365R1	3768015C1	1018	30	N/A	376816C1	
QU14R	18	RD	TXL	3510365R1		DS45	-	2644000R1		
QU14RA	18	RD	TXL	3510365R1	3553404C1	8881	10	N/A	355346C1	
QU14RA	18	RD	TXL	3510365R1		DS45	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
QU14RB	18	RD	TXL	3510365R1	1661200C1	8883	D	N/A		
QU14RB	18	RD	TXL	3510365R1		DS45	-	2644000R1		
QU14RC	18	RD	TXL	3510365R1	3553404C1	8998	10	N/A	355346C1	
QU14RC	18	RD	TXL	3510365R1		DS45	-	2644000R1		
QU3D(+)	20	DKBL	TXL	3510352R1	3553404C1	8998	4	N/A	355346C1	
QU3D(+)	20	DKBL	TXL	3510352R1	2006789C1	1660	F	N/A	26792C1	
QU3D(-)	20	GY	TXL	3510310R1	3553404C1	8998	5	N/A	355346C1	
QU3D(-)	20	GY	TXL	3510310R1	2006789C1	1661	F	N/A	26792C1	
QU5(+)	18	YL	TXL	3572112R1	3601838C1	1028	H	N/A	361839C1	
QU5(+)	18	YL	TXL	3572112R1		LS11	-	2644000R1		
QU5(-)	18	GN	TXL	3572112R1	3601838C1	1028	E	N/A	361839C1	
QU5(-)	18	GN	TXL	3572112R1		LS12	-	2644000R1		
QU5A	18	GN	TXL	3572112R1	3553404C1	8881	6	N/A	355346C1	
QU5A	18	GN	TXL	3572112R1	1661200C1	8883	A	N/A		
QU5A(+)	18	YL	TXL	3572112R1	3553404C1	8881	8	N/A	355346C1	
QU5A(+)	18	YL	TXL	3572112R1		LS11	-	2644000R1		
QU5A(-)	18	GN	TXL	3572112R1	3553404C1	8881	5	N/A	355346C1	
QU5A(-)	18	GN	TXL	3572112R1		LS12	-	2644000R1		
QU5B	18	YL	TXL	3572112R1	3553404C1	8881	7	N/A	355346C1	
QU5B	18	YL	TXL	3572112R1	1661200C1	8883	B	N/A		
QU5B(+)	18	YL	TXL	3572112R1	3553404C1	8998	6	N/A	355346C1	
QU5B(+)	18	YL	TXL	3572112R1		LS11	-	2644000R1		
QU5B(-)	18	GN	TXL	3572112R1	3553404C1	8998	7	N/A	355346C1	
QU5B(-)	18	GN	TXL	3572112R1		LS12	-	2644000R1		
QV11-GD	18	WH	TXL	3510359R1	2018590C1	8997	2	N/A		
QV11-GD	18	WH	TXL	3510359R1		KS4	-	2644000R1		
QV11-GD1	18	WH	TXL	3510359R1	3586750C1	8999	4	N/A	355346C1	
QV11-GD1	18	WH	TXL	3510359R1		KS4	-	2644000R1		
QV11-GD2	18	WH	TXL	3510359R1	3586750C1	8882	3	N/A	355346C1	
QV11-GD2	18	WH	TXL	3510359R1		KS4	-	2644000R1		
QV11-GDA	18	WH	TXL	3510359R1	3613769C1	8995	6	N/A		
QV11-GDA	18	WH	TXL	3510359R1	2018590C1	8997	1	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
QV11-GE	18	WH	TXL	3510359R1	2018590C1	8997	6	N/A		
QV11-GE	18	WH	TXL	3510359R1		KS6	-	2644000R1		
QV11-GE1	18	WH	TXL	3510359R1	3586750C1	8999	5	N/A	355346C1	
QV11-GE1	18	WH	TXL	3510359R1		KS6	-	2644000R1		
QV11-GE2	18	WH	TXL	3510359R1	3586750C1	8882	5	N/A	355346C1	
QV11-GE2	18	WH	TXL	3510359R1		KS6	-	2644000R1		
QV11-GEA	18	WH	TXL	3510359R1	3613769C1	8995	7	N/A		
QV11-GEA	18	WH	TXL	3510359R1	2018590C1	8997	5	N/A		
QV11-GF	18	WH	TXL	3510359R1	2018590C1	8997	10	N/A		
QV11-GF	18	WH	TXL	3510359R1		AS6	-	2644000R1		
QV11-GF1	18	WH	TXL	3510359R1	3586750C1	8999	6	N/A	355346C1	
QV11-GF1	18	WH	TXL	3510359R1		AS6	-	2644000R1		
QV11-GF2	18	WH	TXL	3510359R1	3586750C1	8882	4	N/A	355346C1	
QV11-GF2	18	WH	TXL	3510359R1		AS6	-	2644000R1		
QV11-GFA	18	WH	TXL	3510359R1	3613769C1	8995	8	N/A		
QV11-GFA	18	WH	TXL	3510359R1	2018590C1	8997	9	N/A		
QV11-GK	18	WH	TXL	3510359R1	2018590C1	8997	4	N/A		
QV11-GK	18	WH	TXL	3510359R1		KS7	-	2644000R1		
QV11-GK1	18	WH	TXL	3510359R1	3586750C1	8999	9	N/A	355346C1	
QV11-GK1	18	WH	TXL	3510359R1		KS7	-	2644000R1		
QV11-GK2	18	WH	TXL	3510359R1	3586750C1	8882	10	N/A	355346C1	
QV11-GK2	18	WH	TXL	3510359R1		KS7	-	2644000R1		
QV11-GKA	18	WH	TXL	3510359R1	3613769C1	8995	12	N/A		
QV11-GKA	18	WH	TXL	3510359R1	2018590C1	8997	3	N/A		
QV11-GL	18	WH	TXL	3510359R1	2018590C1	8997	8	N/A		
QV11-GL	18	WH	TXL	3510359R1		KS8	-	2644000R1		
QV11-GL1	18	WH	TXL	3510359R1	3586750C1	8999	8	N/A	355346C1	
QV11-GL1	18	WH	TXL	3510359R1		KS8	-	2644000R1		
QV11-GL2	18	WH	TXL	3510359R1	3586750C1	8882	8	N/A	355346C1	
QV11-GL2	18	WH	TXL	3510359R1		KS8	-	2644000R1		
QV11-GLA	18	WH	TXL	3510359R1	3613769C1	8995	13	N/A		
QV11-GLA	18	WH	TXL	3510359R1	2018590C1	8997	7	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
QV11-GM	18	WH	TXL	3510359R1	2018590C1	8997	12	N/A		
QV11-GM	18	WH	TXL	3510359R1		KS9	-	2644000R1		
QV11-GM1	18	WH	TXL	3510359R1	3586750C1	8999	7	N/A	355346C1	
QV11-GM1	18	WH	TXL	3510359R1		KS9	-	2644000R1		
QV11-GM2	18	WH	TXL	3510359R1	3586750C1	8882	9	N/A	355346C1	
QV11-GM2	18	WH	TXL	3510359R1		KS9	-	2644000R1		
QV11-GMA	18	WH	TXL	3510359R1	3613769C1	8995	14	N/A		
QV11-GMA	18	WH	TXL	3510359R1	2018590C1	8997	11	N/A		
QW79A	18	GY	TXL	3510311R1	3598706C1	1600	A2	N/A	1618846C1	1618847C1
QW79A	18	GY	TXL	3510311R1		AS2	-	2644000R1		
QW79B	18	GY	GXL	2643673R1	1661260C1	1112	A	N/A	1661264C1	
QW79B	18	GY	GXL	2643673R1		AS2	-	2644000R1		
QW79C	18	GY	GXL	2643673R1	1661260C1	1113	A	N/A	1661264C1	
QW79C	18	GY	GXL	2643673R1		AS2	-	2644000R1		
QW9BB	18	GY	TXL	3510311R1	2007315C1	1620	J	N/A	27316C1	
QW9BB	18	GY	TXL	3510311R1		AS1	-	2644000R1		
QW9BC	18	GY	GXL	2643673R1	1661260C1	1112	B	N/A	1661264C1	
QW9BC	18	GY	GXL	2643673R1		AS1	-	2644000R1		
QW9BD	18	GY	GXL	2643673R1	1661260C1	1113	B	N/A	1661264C1	
QW9BD	18	GY	GXL	2643673R1		AS1	-	2644000R1		
QX11-GD1	18	WH	TXL	3510359R1	3586750C1	8882	3	N/A	355346C1	
QX11-GD1	18	WH	TXL	3510359R1		KS4	-	2644000R1		
QX11-GD2	18	WH	TXL	3510359R1	2018590C1	8997	2	N/A		
QX11-GD2	18	WH	TXL	3510359R1		KS4	-	2644000R1		
QX11-GD3	18	WH	TXL	3510359R1	3586750C1	8999	4	N/A	355346C1	
QX11-GD3	18	WH	TXL	3510359R1		KS4	-	2644000R1		
QX11-GDA	18	WH	TXL	3510359R1	3613769C1	8995	6	N/A		
QX11-GDA	18	WH	TXL	3510359R1	2018590C1	8997	1	N/A		
QX11-GE1	18	WH	TXL	3510359R1	3586750C1	8882	5	N/A	355346C1	
QX11-GE1	18	WH	TXL	3510359R1		KS6	-	2644000R1		
QX11-GE2	18	WH	TXL	3510359R1	2018590C1	8997	6	N/A		
QX11-GE2	18	WH	TXL	3510359R1		KS6	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
QX11-GE3	18	WH	TXL	3510359R1	3586750C1	8999	5	N/A	355346C1	
QX11-GE3	18	WH	TXL	3510359R1		KS6	-	2644000R1		
QX11-GEA	18	WH	TXL	3510359R1	3613769C1	8995	7	N/A		
QX11-GEA	18	WH	TXL	3510359R1	2018590C1	8997	5	N/A		
QX11-GK1	18	WH	TXL	3510359R1	3586750C1	8882	10	N/A	355346C1	
QX11-GK1	18	WH	TXL	3510359R1		KS7	-	2644000R1		
QX11-GK2	18	WH	TXL	3510359R1	2018590C1	8997	4	N/A		
QX11-GK2	18	WH	TXL	3510359R1		KS7	-	2644000R1		
QX11-GK3	18	WH	TXL	3510359R1	3586750C1	8999	9	N/A	355346C1	
QX11-GK3	18	WH	TXL	3510359R1		KS7	-	2644000R1		
QX11-GKA	18	WH	TXL	3510359R1	3613769C1	8995	12	N/A		
QX11-GKA	18	WH	TXL	3510359R1	2018590C1	8997	3	N/A		
QX11-GL1	18	WH	TXL	3510359R1	3586750C1	8882	8	N/A	355346C1	
QX11-GL1	18	WH	TXL	3510359R1		KS8	-	2644000R1		
QX11-GL2	18	WH	TXL	3510359R1	2018590C1	8997	8	N/A		
QX11-GL2	18	WH	TXL	3510359R1		KS8	-	2644000R1		
QX11-GL3	18	WH	TXL	3510359R1	3586750C1	8999	8	N/A	355346C1	
QX11-GL3	18	WH	TXL	3510359R1		KS8	-	2644000R1		
QX11-GLA	18	WH	TXL	3510359R1	3613769C1	8995	13	N/A		
QX11-GLA	18	WH	TXL	3510359R1	2018590C1	8997	7	N/A		
QY11-GF1	18	WH	TXL	3510359R1	3586750C1	8882	4	N/A	355346C1	
QY11-GF1	18	WH	TXL	3510359R1		KS5	-	2644000R1		
QY11-GF2	18	WH	TXL	3510359R1	2018590C1	8997	10	N/A		
QY11-GF2	18	WH	TXL	3510359R1		KS5	-	2644000R1		
QY11-GF3	18	WH	TXL	3510359R1	3586750C1	8999	6	N/A	355346C1	
QY11-GF3	18	WH	TXL	3510359R1		KS5	-	2644000R1		
QY11-GFA	18	WH	TXL	3510359R1	3613769C1	8995	8	N/A		
QY11-GFA	18	WH	TXL	3510359R1	2018590C1	8997	9	N/A		
QY11-GM1	18	WH	TXL	3510359R1	3586750C1	8882	9	N/A	355346C1	
QY11-GM1	18	WH	TXL	3510359R1		AS32	-	2644000R1		
QY11-GM2	18	WH	TXL	3510359R1	2018590C1	8997	12	N/A		
QY11-GM2	18	WH	TXL	3510359R1		AS32	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
QY11-GM3	18	WH	TXL	3510359R1	3586750C1	8999	7	N/A	355346C1	
QY11-GM3	18	WH	TXL	3510359R1		AS32	-	2644000R1		
QY11-GMA	18	WH	TXL	3510359R1	3613769C1	8995	14	N/A		
QY11-GMA	18	WH	TXL	3510359R1	2018590C1	8997	11	N/A		
QZ11-G	18	WH	TXL	3510359R1	3613769C1	8995	2	N/A		
QZ11-G	18	WH	TXL	3510359R1	3553404C1	8998	12	N/A	355346C1	
QZ11-GA1	18	WH	TXL	3510359R1	3586750C1	8882	1	N/A	355346C1	
QZ11-GA1	18	WH	TXL	3510359R1		KS6	-	2644000R1		
QZ11-GA2	18	WH	TXL	3510359R1	1661260C1	2997	B	N/A	1661264C1	
QZ11-GA2	18	WH	TXL	3510359R1		KS6	-	2644000R1		
QZ11-GA3	18	WH	TXL	3510359R1	3586750C1	8999	1	N/A	355346C1	
QZ11-GA3	18	WH	TXL	3510359R1		KS6	-	2644000R1		
QZ11-GAA	18	WH	TXL	3510359R1	1661260C1	2997	A	N/A	1661264C1	
QZ11-GAA	18	WH	TXL	3510359R1	3613769C1	8995	3	N/A		
QZ11-GAN	18	WH	TXL	3510359R1		BS8	-	N/A		
QZ11-GAN	18	WH	TXL	3510359R1	3553404C1	8881	12	N/A	355346C1	
QZ11-GAP	14	WH	GXL	2643689R1		BS8	-	N/A		
QZ11-GAP	14	WH	GXL	2643689R1	3613769C1	8995	1	N/A		
QZ11-GB1	18	WH	TXL	3510359R1	3586750C1	8882	2	N/A	355346C1	
QZ11-GB1	18	WH	TXL	3510359R1		KS7	-	2644000R1		
QZ11-GB2	18	WH	TXL	3510359R1	1661260C1	2999	B	N/A	1661264C1	
QZ11-GB2	18	WH	TXL	3510359R1		KS7	-	2644000R1		
QZ11-GB3	18	WH	TXL	3510359R1	3586750C1	8999	2	N/A	355346C1	
QZ11-GB3	18	WH	TXL	3510359R1		KS7	-	2644000R1		
QZ11-GBA	18	WH	TXL	3510359R1	1661260C1	2999	A	N/A	1661264C1	
QZ11-GBA	18	WH	TXL	3510359R1	3613769C1	8995	4	N/A		
QZ11-GG1	18	WH	TXL	3510359R1	3586750C1	8882	12	N/A	355346C1	
QZ11-GG1	18	WH	TXL	3510359R1		KS8	-	2644000R1		
QZ11-GG2	18	WH	TXL	3510359R1	1661259C1	2996	B	N/A	1661263C1	
QZ11-GG2	18	WH	TXL	3510359R1		KS8	-	2644000R1		
QZ11-GG3	18	WH	TXL	3510359R1	3586750C1	8999	12	N/A	355346C1	
QZ11-GG3	18	WH	TXL	3510359R1		KS8	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
QZ11-GGA	18	WH	TXL	3510359R1	1661259C1	2996	A	N/A	1661263C1	
QZ11-GGA	18	WH	TXL	3510359R1	3613769C1	8995	9	N/A		
QZ11-GH1	18	WH	TXL	3510359R1	3586750C1	8882	11	N/A	355346C1	
QZ11-GH1	18	WH	TXL	3510359R1		KS9	-	2644000R1		
QZ11-GH2	18	WH	TXL	3510359R1	1661259C1	2998	B	N/A	1661263C1	
QZ11-GH2	18	WH	TXL	3510359R1		KS9	-	2644000R1		
QZ11-GH3	18	WH	TXL	3510359R1	3586750C1	8999	11	N/A	355346C1	
QZ11-GH3	18	WH	TXL	3510359R1		KS9	-	2644000R1		
QZ11-GHA	18	WH	TXL	3510359R1	1661259C1	2998	A	N/A	1661263C1	
QZ11-GHA	18	WH	TXL	3510359R1	3613769C1	8995	10	N/A		
QZ13R1	18	RD	TXL	3510365R1	3553404C1	8881	10	N/A	355346C1	
QZ13R1	18	RD	TXL	3510365R1		AS33	-	2644000R1		
QZ13R2	18	RD	TXL	3510365R1	3553404C1	8998	10	N/A	355346C1	
QZ13R2	18	RD	TXL	3510365R1		AS33	-	2644000R1		
QZ13R3	18	RD	TXL	3510365R1	3768015C1	1018	30	N/A	376816C1	
QZ13R3	18	RD	TXL	3510365R1		AS33	-	2644000R1		
QZ3D(+)	20	DKBL	TXL	3510352R1	3553404C1	8998	4	N/A	355346C1	
QZ3D(+)	20	DKBL	TXL	3510352R1	2006789C1	1660	F	N/A	26792C1	
QZ3D(-)	20	GY	TXL	3510310R1	3553404C1	8998	5	N/A	355346C1	
QZ3D(-)	20	GY	TXL	3510310R1	2006789C1	1661	F	N/A	26792C1	
QZ5D1(+)	18	YL	TXL	3572112R1	3553404C1	8881	8	N/A	355346C1	
QZ5D1(+)	18	YL	TXL	3572112R1		LS13	-	2644000R1		
QZ5D1(-)	18	GN	TXL	3572112R1	3553404C1	8881	5	N/A	355346C1	
QZ5D1(-)	18	GN	TXL	3572112R1		LS14	-	2644000R1		
QZ5D2(+)	18	YL	TXL	3572112R1	3553404C1	8998	6	N/A	355346C1	
QZ5D2(+)	18	YL	TXL	3572112R1		LS13	-	2644000R1		
QZ5D2(-)	18	GN	TXL	3572112R1	3553404C1	8998	7	N/A	355346C1	
QZ5D2(-)	18	GN	TXL	3572112R1		LS14	-	2644000R1		
QZ5D3(+)	18	YL	TXL	3572112R1	3601838C1	1028	H	N/A	361839C1	
QZ5D3(+)	18	YL	TXL	3572112R1		LS13	-	2644000R1		
QZ5D3(-)	18	GN	TXL	3572112R1	3601838C1	1028	E	N/A	361839C1	
QZ5D3(-)	18	GN	TXL	3572112R1		LS14	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
RA28B	18	TN	TXL	3510329R1	3595624C1	1703F	18	SWS_N_REQ		
RA28B	18	TN	TXL	3510329R1	3595621C1	1702	12	N/A	3598918C1	3598919C1
RA28BA	18	TN	TXL	3510329R1	3598705C1	1602	F9	N/A	1618846C1	1618847C1
RA28BA	18	TN	TXL	3510329R1	3595625C1	1703M	18	N/A		
RC81-G	10	WH	GXL	2643788R1		1004A	1	2644002R1		
RC81-G	10	WH	GXL	2643788R1		BS12	-	2644000R1		
RC81-GA	12	WH	TXL	3510362R1	1661200C1	3200M	D	N/A		
RC81-GA	12	WH	TXL	3510362R1		BS12	-	2644000R1		
RC81-GB	12	WH	TXL	3510362R1	1661200C1	3204M	D	N/A		
RC81-GB	12	WH	TXL	3510362R1		BS12	-	2644000R1		
RC81A	12	LTGN	TXL	3510302R1	1661200C1	3204M	C	N/A		
RC81A	12	LTGN	TXL	3510302R1	3768015C1	1010	38	N/A	376816C1	
RC81B	12	RD	TXL	3510368R1	3768015C1	1010	30	N/A	376816C1	
RC81B	12	RD	TXL	3510368R1	1661200C1	3200M	C	N/A		
RD81-G	10	WH	GXL	2643788R1		1004A	1	2644002R1		
RD81-G	10	WH	GXL	2643788R1		BS12	-	2644000R1		
RD81-GA	12	WH	TXL	3510362R1	1661200C1	3200M	D	N/A		
RD81-GA	12	WH	TXL	3510362R1		BS12	-	2644000R1		
RD81-GB	12	WH	TXL	3510362R1	1661200C1	3204M	D	N/A		
RD81-GB	12	WH	TXL	3510362R1		BS12	-	2644000R1		
RD81-GD	12	WH	TXL	3510362R1	2005836C1	2600	E	N/A	2654C1	
RD81-GD	12	WH	TXL	3510362R1		BS12	-	2644000R1		
RD81-GDA	12	WH	TXL	3510362R1	2005836C1	2600	F	N/A	2654C1	
RD81-GDA	12	WH	TXL	3510362R1		BS12	-	2644000R1		
RD81A	12	LTGN	TXL	3510302R1	1661200C1	3204M	C	N/A		
RD81A	12	LTGN	TXL	3510302R1	3768015C1	1010	38	N/A	376816C1	
RD81B	12	RD	TXL	3510368R1	3768015C1	1010	30	N/A	376816C1	
RD81B	12	RD	TXL	3510368R1	1661200C1	3200M	C	N/A		
RD81D	12	RD	TXL	3510368R1	2005836C1	2600	C	N/A	2654C1	
RD81D	12	RD	TXL	3510368R1	3768015C1	1018	15	N/A	376816C1	
RD81DA	12	RD	TXL	3510368R1	2005836C1	2600	D	N/A	2654C1	
RD81DA	12	RD	TXL	3510368R1	3768015C1	1018	16	N/A	376816C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
RF78	16	LTGN	TXL	3510300R1	3768010C1	1013	R1 -	7 N/A	376811C1	
RF78	16	LTGN	TXL	3510300R1	B	JS3	-	2644000R		
RF78-GA	16	WH	TXL	3510360R1	3613769C1	1027	12	N/A		
RF78-GA	16	WH	TXL	3510360R1	1661200C1	3200M	D	N/A		
RF78-GB	16	WH	TXL	3510360R1	1661200C1	3204M	D	N/A		
RF78-GB	16	WH	TXL	3510360R1	3613769C1	1023	7	N/A		
RF78B	16	LTGN	TXL	3510300R1	1661201C1	3100F	B	N/A		
RF78B	16	LTGN	TXL	3510300R1		JS3	-	2644000R1		
RF78RJ	16	LTGN	TXL	3510300R1	1661201C1	3000F	B	N/A		
RF78RJ	16	LTGN	TXL	3510300R1		JS3	-	2644000R1		
RF78RP	16	LTGN	TXL	3510300R1	3768010C1	1013	R1 -	0 N/A	376811C1	
RF78RP	16	LTGN	TXL	3510300R1	3768015C1	1015	22	N/A	376816C1	
RF78RR	18	WH	TXL	3510359R1	3768010C1	1013	R1 -	5 N/A	376811C1	
RF78RR	18	WH	TXL	3510359R1	3613769C1	1022	8	N/A		
RG62DD	18	DKBL	TXL	3510353R1	1661201C1	3000F	C	N/A		
RG62DD	18	DKBL	TXL	3510353R1	3613769C1	1021	10	N/A		
RG78J	18	LTGN	TXL	3510299R1	1661201C1	3000F	D	N/A		
RG78J	18	LTGN	TXL	3510299R1	1661201C1	3100F	D	N/A		
RG78L	18	LTGN	TXL	3510299R1	1661201C1	3000F	F	N/A		
RG78L	18	LTGN	TXL	3510299R1	1661201C1	3100F	F	N/A		
RG78M	18	LTGN	TXL	3510299R1	1661201C1	3000F	E	N/A		
RG78M	18	LTGN	TXL	3510299R1	1661201C1	3100F	E	N/A		
RG78V	12	LTGN	TXL	3510302R1	3768015C1	1010	30	N/A	376816C1	
RG78V	12	LTGN	TXL	3510302R1	1661200C1	3200M	C	N/A		
RH62D	20	DKBL	TXL	3510352R1	3662108C1	254F	A1	N/A		
RH62D	20	DKBL	TXL	3510352R1	3510243C1	254M	A1	N/A		
RH78-GD	20	WH	TXL	3510358R1	3662108C1	254F	A4	N/A		
RH78-GD	20	WH	TXL	3510358R1	3510243C1	254M	A4	N/A		
RH78C	20	LTGN	TXL	3510298R1	3662108C1	254F	B3	N/A		
RH78C	20	LTGN	TXL	3510298R1	3510243C1	254M	B3	N/A		
RH78DB	20	LTGN	TXL	3510298R1	3662108C1	254F	B2	N/A		
RH78DB	20	LTGN	TXL	3510298R1	3510243C1	254M	B2	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
RH78EF	20	LTGN	TXL	3510298R1	3662108C1	254F	B4	N/A		
RH78EF	20	LTGN	TXL	3510298R1	3510243C1	254M	B4	N/A		
RH78JA	20	LTGN	TXL	3510298R1	3662108C1	254F	B1	N/A		
RH78JA	20	LTGN	TXL	3510298R1	3510243C1	254M	B1	N/A		
RH78K	20	LTGN	TXL	3510298R1	3662108C1	254F	A3	N/A		
RH78K	20	LTGN	TXL	3510298R1	3510243C1	254M	A3	N/A		
RH78VB	20	RD	TXL	3510364R1	3662108C1	254F	A2	N/A		
RH78VB	20	RD	TXL	3510364R1	3510243C1	254M	A2	N/A		
RK78-GC	18	WH	TXL	3510359R1	3613769C1		1027 13	N/A		
RK78-GC	18	WH	TXL	3510359R1	3768010C1		1014 R1 -	5 N/A	376811C1	
RK78-GD	18	WH	TXL	3510359R1	3768010C1		1014 R5 -	5 N/A	376811C1	
RK78-GD	18	WH	TXL	3510359R1	3613769C1		1027 14	N/A		
RK78-GE	12	WH	TXL	3510362R1		BS8	-	N/A		
RK78-GE	12	WH	TXL	3510362R1	899167R1		3005 A	N/A		
RK78BC	16	LTGN	TXL	3510300R1	3768010C1		1014 R1 -	6 N/A	376811C1	
RK78BC	16	LTGN	TXL	3510300R1	A	DS66	-	2644000R		
RK78BD	16	LTGN	TXL	3510300R1		DS66	-	2644000R1		
RK78BD	16	LTGN	TXL	3510300R1	3598707C1		1601 F16	N/A	1618846C1	1618847C1
RK78D	14	BK	TXL	3510295R1	899167R1		3001 A	N/A		
RK78D	14	BK	TXL	3510295R1	3768010C1		1014 R5 -	7 N/A	376811C1	
RK78E	14	LTGN	TXL	3510301R1	3768010C1		1014 R5 -	0 N/A	376811C1	
RK78E	14	LTGN	TXL	3510301R1	3768015C1		1018 22	N/A	376816C1	
RK78F	18	LTGN	TXL	3510299R1		DS66	-	2644000R1		
RK78F	18	LTGN	TXL	3510299R1	3768010C1		1014 R5 -	6 N/A	376811C1	
RK78G	16	LTGN	TXL	3510300R1	3768010C1		1014 R1 -	0 N/A	376811C1	
RK78G	16	LTGN	TXL	3510300R1	3768015C1		1017 16	N/A	376816C1	
RK78H	14	BK	TXL	3510295R1	3768010C1		1014 R1 -	7 N/A	376811C1	
RK78H	14	BK	TXL	3510295R1	899167R1		3004 A	N/A		
RL78AA	16	LTGN	TXL	3510300R1	3768010C1		1014 R6 -	0 N/A	376811C1	
RL78AA	16	LTGN	TXL	3510300R1	3768015C1		1017 38	N/A	376816C1	
RL78AB	16	LTGN	TXL	3510300R1	3768010C1		1014 R6 -	7 N/A	376811C1	
RL78AB	16	LTGN	TXL	3510300R1	3595625C1		1700 63	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
RL78RN	18	WH	TXL	3510359R1	3768010C1	1014	R6 -	5 N/A	376811C1	
RL78RN	18	WH	TXL	3510359R1	3613769C1	1022	3	N/A		
RM78AA	16	LTGN	TXL	3510300R1	3768010C1	1014	R6 -	0 N/A	376811C1	
RM78AA	16	LTGN	TXL	3510300R1	3768015C1	1017	38	N/A	376816C1	
RM78AB	16	LTGN	TXL	3510300R1	3768010C1	1014	R6 -	7 N/A	376811C1	
RM78AB	16	LTGN	TXL	3510300R1	A	DS69	-	2644000R		
RM78AC	16	LTGN	TXL	3510300R1	3595625C1	1700	63	N/A		
RM78AC	16	LTGN	TXL	3510300R1		DS69	-	2644000R1		
RM78AD	16	LTGN	TXL	3510300R1	3595625C1	1700	64	N/A		
RM78AD	16	LTGN	TXL	3510300R1		DS69	-	2644000R1		
RM78RM	18	WH	TXL	3510359R1	3768010C1	1014	R6 -	5 N/A	376811C1	
RM78RM	18	WH	TXL	3510359R1	3613769C1	1022	3	N/A		
RN78RC	18	LTGN	TXL	3510299R1	3598707C1	1601	F13	N/A	1618846C1	1618847C1
RN78RC	18	LTGN	TXL	3510299R1		DS63	-	2644000R1		
RN78RD	18	LTGN	TXL	3510299R1	3768010C1	1014	R6 -	6 N/A	376811C1	
RN78RD	18	LTGN	TXL	3510299R1	A	DS63	-	2644000R		
RN78RK	18	LTGN	TXL	3510299R1	3768010C1	1013	R1 -	6 N/A	376811C1	
RN78RK	18	LTGN	TXL	3510299R1	A	DS63	-	2644000R		
RP78RC	18	LTGN	TXL	3510299R1	3768010C1	1013	R1 -	6 N/A	376811C1	
RP78RC	18	LTGN	TXL	3510299R1	3598707C1	1601	F13	N/A	1618846C1	1618847C1
RR78RC	18	LTGN	TXL	3510299R1	3598707C1	1601	F13	N/A	1618846C1	1618847C1
RR78RC	18	LTGN	TXL	3510299R1	3768010C1	1014	R6 -	6 N/A	376811C1	
SA6DB	20	GY	TXL	3510310R1	3595625C1	1703M	19	N/A		
SA6DB	20	GY	TXL	3510310R1	3598705C1	1602	E6	N/A	1618846C1	1618847C1
SA6DBJ	20	GY	TXL	3510310R1	3595621C1	1702	3	N/A	3598918C1	3598919C1
SA6DBJ	20	GY	TXL	3510310R1	3595624C1	1703F	19	SWS_N_REQ		
SA77	16	LTGN	GXL	2643678R1	3598711C1	1603	C	N/A	3573833C1	
SA77	16	LTGN	GXL	2643678R1	3595625C1	1703M	65	N/A		
SA77B	20	GY	TXL	3510310R1	3598706C1	1600	B12	N/A	1618846C1	1618847C1
SA77B	20	GY	TXL	3510310R1	3595625C1	1703M	20	N/A		
SA77BA	20	LTGN	TXL	3510298R1	3710061C1	1607	A12	N/A	3539892C1	3539893C1
SA77BA	20	LTGN	TXL	3510298R1	3595625C1	1703M	23	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
SA77BAJ	20	LTGN	TXL	3510298R1	3595624C1	1703F	23	SWS_N_REQ		
SA77BAJ	20	LTGN	TXL	3510298R1	3595621C1	1702	42	N/A	3598918C1	3598919C1
SA77BJ	20	LTGN	TXL	3510298R1	3595624C1	1703F	20	SWS_N_REQ		
SA77BJ	20	LTGN	TXL	3510298R1	3595621C1	1702	4	N/A	3598918C1	3598919C1
SA77D	20	LTGN	TXL	3510298R1	4057658C1	1200E	L	N/A		
SA77D	20	LTGN	TXL	3510298R1	3710061C1	1607	A10	N/A	3539892C1	3539893C1
SA77J	16	LTGN	GXL	2643678R1	3595624C1	1703F	65	SWS_N_REQ		
SA77J	16	LTGN	GXL	2643678R1	3595621C1	1702	10	N/A	3598918C1	3598919C1
SH11-GA	14	WH	TXL	3510361R1	3595624C1	1703F	2	SWS_N_REQ		
SH11-GA	14	WH	TXL	3510361R1	3690369C1	4060A	5	SWS_N_REQ		
SH11-GAP	14	WH	TXL	3510361R1	BLUNT_SL_V	1914	B	SWS_N_REQ		
SH11-GAP	14	WH	TXL	3510361R1	3595625C1	1703M	2	N/A		
SH14HC	14	RD	TXL	3510367R1	3595624C1	1703F	1	SWS_N_REQ		
SH14HC	14	RD	TXL	3510367R1	3690369C1	4060A	4	SWS_N_REQ		
SH14HCA	14	RD	TXL	3510367R1	BLUNT_SL_V	1913	B	SWS_N_REQ		
SH14HCA	14	RD	TXL	3510367R1	3595625C1	1703M	1	N/A		
SH86P	16	LTGN	TXL	3510300R1	BLUNT_SL_V	1915	B	SWS_N_REQ		
SH86P	16	LTGN	TXL	3510300R1	3768015C1	1015	21	N/A	376816C1	
SJ11-G	14	WH	TXL	3510361R1	3595624C1	1703F	2	SWS_N_REQ		
SJ11-G	14	WH	TXL	3510361R1	3690369C1	4060A	5	SWS_N_REQ		
SJ11-GA	14	WH	TXL	3510361R1	1661198C1	6900	B	N/A		
SJ11-GA	14	WH	TXL	3510361R1	3595625C1	1703M	2	N/A		
SJ14HF	14	RD	TXL	3510367R1	3690369C1	4060A	4	SWS_N_REQ		
SJ14HF	14	RD	TXL	3510367R1	3595624C1	1703F	1	SWS_N_REQ		
SJ14HFA	14	RD	TXL	3510367R1	3595625C1	1703M	1	N/A		
SJ14HFA	14	RD	TXL	3510367R1	1661198C1	6900	A	N/A		
SJ86P	16	LTGN	TXL	3510300R1	3768015C1	1015	21	N/A	376816C1	
SJ86P	16	LTGN	TXL	3510300R1	1661198C1	6900	C	N/A		
SK11-GAP	14	WH	TXL	3510361R1		4081A	1	2644038R1		
SK11-GAP	14	WH	TXL	3510361R1	BLUNT_SL_V	1914	B	SWS_N_REQ		
SK14HC	14	RD	TXL	3510367R1	BLUNT_SL_V	1913	B	SWS_N_REQ		
SK14HC	14	RD	TXL	3510367R1	3595625C1	1703M	1	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
SK14HD	14	RD	TXL	3510367R1	3595624C1	1703F	1	SWS_N_REQ		
SK14HD	14	RD	TXL	3510367R1	3595621C1	1702	9	N/A	3598918C1	3598919C1
SK86P	16	LTGN	TXL	3510300R1	3768015C1	1015	21	N/A	376816C1	
SK86P	16	LTGN	TXL	3510300R1	BLUNT_SL_V	1915	B	SWS_N_REQ		
SL11GAP	14	WH	TXL	3510361R1		4081A	1	2644038R1		
SL11GAP	14	WH	TXL	3510361R1	1661198C1	6900	B	N/A		
SL14HD	16	LTGN	TXL	3510300R1	3595625C1	1703M	1	N/A		
SL14HD	16	LTGN	TXL	3510300R1	1661198C1	6900	A	N/A		
SL14HF	14	RD	TXL	3510367R1	3595621C1	1702	9	N/A	3598918C1	3598919C1
SL14HF	14	RD	TXL	3510367R1	3595624C1	1703F	1	SWS_N_REQ		
SL86P	16	LTGN	TXL	3510300R1	3768015C1	1015	21	N/A	376816C1	
SL86P	16	LTGN	TXL	3510300R1	1661198C1	6900	C	N/A		
SM86-G	18	WH	TXL	3510359R1		BS8	-	N/A		
SM86-G	18	WH	TXL	3510359R1	3597143C1	1300	8	N/A		
SM86AE	18	LTGN	TXL	3510299R1	3597143C1	1300	4	N/A		
SM86AE	18	LTGN	TXL	3510299R1	3768015C1	1017	30	N/A	376816C1	
SM86F	18	LTGN	TXL	3510299R1	3544688C1	2000	2	N/A		
SM86F	18	LTGN	TXL	3510299R1	3768015C1	1017	31	N/A	376816C1	
SM86P	18	LTGN	TXL	3510299R1	3597143C1	1300	7	N/A		
SM86P	18	LTGN	TXL	3510299R1	3768015C1	1010	29	N/A	376816C1	
SN86A	18	GY	TXL	3510311R1	3598706C1	1600	B1	N/A	1618846C1	1618847C1
SN86A	18	GY	TXL	3510311R1	3553649C1	1800	B12	N/A	355365C1	
SP86BA	18	LTGN	TXL	3510299R1	3533975C1	2312	C	N/A	3534158C1	
SP86BA	18	LTGN	TXL	3510299R1	3597143C1	1300	15	N/A		
SP86CA	18	LTGN	TXL	3510299R1	3533975C1	2312	D	N/A	3534158C1	
SP86CA	18	LTGN	TXL	3510299R1	3597143C1	1300	16	N/A		
SP86DA	18	LTGN	TXL	3510299R1	3533975C1	2313	C	N/A	3534158C1	
SP86DA	18	LTGN	TXL	3510299R1	3597143C1	1300	9	N/A		
SP86EA	18	LTGN	TXL	3510299R1	3533975C1	2313	D	N/A	3534158C1	
SP86EA	18	LTGN	TXL	3510299R1	3597143C1	1300	10	N/A		
SQ86H	18	LTGN	TXL	3510299R1	3597143C1	1300	13	N/A		
SQ86H	18	LTGN	TXL	3510299R1	1667305C1	3205M	C	N/A	1661263C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
SQ86J	18	LTGN	TXL	3510299R1	3597143C1	1300	14	N/A		
SQ86J	18	LTGN	TXL	3510299R1	1667305C1	3205M	D	N/A	1661263C1	
SQ86K	18	LTGN	TXL	3510299R1	3597143C1	1300	11	N/A		
SQ86K	18	LTGN	TXL	3510299R1	1667305C1	3206M	C	N/A	1661263C1	
SQ86L	18	LTGN	TXL	3510299R1	3597143C1	1300	12	N/A		
SQ86L	18	LTGN	TXL	3510299R1	1667305C1	3206M	D	N/A	1661263C1	
SR86A(+)	20	LTGN	TXL	3510298R1	3811207C1	2505	2	N/A		
SR86A(+)	20	LTGN	TXL	3510298R1	3600061C1	1301	15	N/A		
SR86A(-)	20	LTGN	TXL	3510298R1	3811207C1	2505	1	N/A		
SR86A(-)	20	LTGN	TXL	3510298R1	3600061C1	1301	16	N/A		
TA75A	20	LTGN	TXL	3510298R1	3768152C1	1200A	6	N/A		
TA75A	20	LTGN	TXL	3510298R1		DS28	-	2644000R1		
TA75AA	18	LTGN	TXL	3510299R1	3598706C1	1600	B15	N/A	1618846C1	1618847C1
TA75AA	18	LTGN	TXL	3510299R1		DS28	-	2644000R1		
TA75AB	18	LTGN	TXL	3510299R1	4057658C1	1200E	N	N/A		
TA75AB	18	LTGN	TXL	3510299R1		DS28	-	2644000R1		
TA75AC	12	RD	GXL	2643695R1	3768015C1	1010	14	N/A	376816C1	
TA75AC	12	RD	GXL	2643695R1	4061870C1	1200D	A	N/A	464677C1	
TB74	18	LTGN	TXL	3510299R1	3598706C1	1600	B5	N/A	1618846C1	1618847C1
TB74	18	LTGN	TXL	3510299R1	3595625C1	1703M	17	N/A		
TB74J	18	LTGN	TXL	3510299R1	3595624C1	1703F	17	SWS_N_REQ		
TB74J	18	LTGN	TXL	3510299R1	3590299C1	6202	B	3568570C1	1661874C1	
TC9AAJ	18	GY	TXL	3510311R1	3595624C1	1703F	35	SWS_N_REQ		
TC9AAJ	18	GY	TXL	3510311R1		PS3	-	2644000R1		
TC9AE	18	GY	TXL	3510311R1	3590299C1	6202	A	3568570C1	1661874C1	
TC9AE	18	GY	TXL	3510311R1		PS3	-	2644000R1		
TC9E	18	GY	TXL	3510311R1	3595621C1	1702	2	N/A	3598918C1	3598919C1
TC9E	18	GY	TXL	3510311R1		PS3	-	2644000R1		
TD9E	18	GY	TXL	3510311R1	3595624C1	1703F	35	SWS_N_REQ		
TD9E	18	GY	TXL	3510311R1	3595621C1	1702	2	N/A	3598918C1	3598919C1
TE94T	12	GY	TXL	3510314R1	3595623C1	1701	10	N/A		
TE94T	12	GY	TXL	3510314R1	3768010C1	1012	R1 -	7 N/A	376811C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
TF72V	12	GY	TXL	3510314R1	3595623C1	1701	11	N/A		
TF72V	12	GY	TXL	3510314R1	3768010C1	1012	R1 -	7 N/A	376811C1	
TH14SC	12	RD	TXL	3510368R1	3768010C1	1012	R4 -	0 N/A	376811C1	
TH14SC	12	RD	TXL	3510368R1	3768015C1	1017	22	N/A	376816C1	
TH72	18	OR	TXL	3510317R1	3768010C1	1012	R4 -	5 N/A	376811C1	
TH72	18	OR	TXL	3510317R1	3598707C1	1601	E11	N/A	1618846C1	1618847C1
TH72-GA	18	WH	TXL	3510359R1	3768010C1	1012	R4 -	6 N/A	376811C1	
TH72-GA	18	WH	TXL	3510359R1	3613769C1	1022	9	N/A		
TH72A	12	OR	TXL	3510320R1	3768010C1	1012	R4 -	7 N/A	376811C1	
TH72A	12	OR	TXL	3510320R1	3595623C1	1701	11	N/A		
TJ11-GAM	16	WH	TXL	3510360R1	BLUNT_SL_V	1923	D	SWS_N_REQ		
TJ11-GAM	16	WH	TXL	3510360R1	3613769C1	1022	14	N/A		
TJ14NS	12	BK	TXL	3510296R1	BLUNT_SL_V	1923	A	SWS_N_REQ		
TJ14NS	12	BK	TXL	3510296R1	3768015C1	1017	8	N/A	376816C1	
TJ70E	10	RD	TXL	3510369R1	BLUNT_SL_V	1923	B	SWS_N_REQ		
TJ70E	10	RD	TXL	3510369R1		DS56	-	2644000R1		
TJ70ER	18	RD	TXL	3510365R1	3759005C1	1606	L	N/A	3573833C1	
TJ70ER	18	RD	TXL	3510365R1		DS56	-	2644000R1		
TJ70ET	10	RD	TXL	3510369R1	3768010C1	1011	R1 -	7 N/A	376811C1	
TJ70ET	10	RD	TXL	3510369R1	A	DS56	-	2644000R		
TJ70T	10	RD	TXL	3510369R1	3595623C1	1701	9	N/A		
TJ70T	10	RD	TXL	3510369R1		DS56	-	2644000R1		
TJ94T	10	DKBL	TXL	3510357R1	BLUNT_SL_V	1923	C	SWS_N_REQ		
TJ94T	10	DKBL	TXL	3510357R1	3595623C1	1701	10	N/A		
TK70T	12	OR	TXL	3510320R1	3768010C1	1011	R1 -	7 N/A	376811C1	
TK70T	12	OR	TXL	3510320R1	3595623C1	1701	9	N/A		
UA17B	18	PK	TXL	3510323R1	3710061C1	1607	B2	N/A	3539892C1	3539893C1
UA17B	18	PK	TXL	3510323R1	3553649C1	1800	D8	N/A	355365C1	
UA97A	18	VT	TXL	3510347R1	3598706C1	1600	B4	N/A	1618846C1	1618847C1
UA97A	18	VT	TXL	3510347R1	3553649C1	1800	C11	N/A	355365C1	
UB92#134	18	TN	TXL	3510329R1	3595621C1	1702	19	N/A	3598918C1	3598919C1
UB92#134	18	TN	TXL	3510329R1	3595624C1	1703F	21	SWS_N_REQ		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
UB92#134A	18	TN	TXL	3510329R1	3595625C1	1703M	21	N/A		
UB92#134A	18	TN	TXL	3510329R1	4064551C1	7900F	B	N/A		
UB92#141	18	TN	TXL	3510329R1	3595621C1		1702	20	N/A	3598918C1 3598919C1
UB92#141	18	TN	TXL	3510329R1	3595624C1	1703F		28	SWS_N_REQ	
UB92#141A	18	TN	TXL	3510329R1	3595625C1	1703M		28	N/A	
UB92#141A	18	TN	TXL	3510329R1	3759005C1		1606	M	N/A	3573833C1
UB92#163	16	PK	TXL	3510324R1	3595624C1	1703F		42	SWS_N_REQ	
UB92#163	16	PK	TXL	3510324R1	3595621C1		1702	8	N/A	3598918C1 3598919C1
UB92#163A	16	PK	TXL	3510324R1	3768015C1		1018	39	N/A	376816C1
UB92#163A	16	PK	TXL	3510324R1	3595625C1	1703M		42	N/A	
UC92-GAH	18	WH	TXL	3510359R1	3613769C1		1023	3	N/A	
UC92-GAH	18	WH	TXL	3510359R1	4064551C1	7900F		H	N/A	
UC92DC	18	TN	TXL	3510329R1	3768015C1		1010	21	N/A	376816C1
UC92DC	18	TN	TXL	3510329R1	4064551C1	7900F		G	N/A	
UD13A	16	PK	GXL	2643752R1	3595625C1	1703M		42	N/A	
UD13A	16	PK	GXL	2643752R1	3768015C1		1018	39	N/A	376816C1
UD13AJ	16	PK	GXL	2643752R1	3595621C1		1702	8	N/A	3598918C1 3598919C1
UD13AJ	16	PK	GXL	2643752R1	3595624C1	1703F		42	SWS_N_REQ	
UD14A	18	RD	TXL	3510365R1	3768015C1		1010	5	N/A	376816C1
UD14A	18	RD	TXL	3510365R1	3768010C1		1014	R2 -	0 N/A	376811C1
UD17B	18	PK	TXL	3510323R1	3768010C1		1014	R2 -	7 N/A	376811C1
UD17B	18	PK	TXL	3510323R1	3759005C1		1606	M	N/A	3573833C1
UD92-GC	18	WH	TXL	3510359R1	3768010C1		1014	R2 -	5 N/A	376811C1
UD92-GC	18	WH	TXL	3510359R1	3595625C1	1703M		21	N/A	
UD92-GCJ	18	WH	TXL	3510359R1	3595624C1	1703F		21	SWS_N_REQ	
UD92-GCJ	18	WH	TXL	3510359R1	3595621C1		1702	19	N/A	3598918C1 3598919C1
UD92B	18	TN	TXL	3510329R1	3595625C1	1703M		28	N/A	
UD92B	18	TN	TXL	3510329R1	3768010C1		1014	R2 -	6 N/A	376811C1
UD92BJ	18	TN	TXL	3510329R1	3595621C1		1702	20	N/A	3598918C1 3598919C1
UD92BJ	18	TN	TXL	3510329R1	3595624C1	1703F		28	SWS_N_REQ	
UE92	18	TN	TXL	3510329R1	3595625C1	1703M		33	N/A	
UE92	18	TN	TXL	3510329R1	4064551C1	7900F		C	N/A	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
UE92AA	18	GY	TXL	3510311R1	3595625C1	1703M	34	N/A		
UE92AA	18	GY	TXL	3510311R1	4064551C1	7900F	D	N/A		
UE92AJ	18	GY	TXL	3510311R1	3595621C1		1702	40	N/A	3598918C1 3598919C1
UE92AJ	18	GY	TXL	3510311R1	3595624C1	1703F	34	SWS_N_REQ		
UE92J	18	TN	TXL	3510329R1	3595621C1		1702	39	N/A	3598918C1 3598919C1
UE92J	18	TN	TXL	3510329R1	3595624C1	1703F	33	SWS_N_REQ		
UF62A	18	DKBL	TXL	3510353R1	3613769C1		1021	14	N/A	
UF62A	18	DKBL	TXL	3510353R1	3540756C1	422F	C	3568570C1	354758C1	
UF92#141	18	TN	TXL	3510329R1	3595624C1	1703F		28	SWS_N_REQ	
UF92#141	18	TN	TXL	3510329R1	3595621C1		1702	20	N/A	3598918C1 3598919C1
UF92#141A	18	TN	TXL	3510329R1	3595625C1	1703M		28	N/A	
UF92#141A	18	TN	TXL	3510329R1	3759005C1		1606	M	N/A	3573833C1
UF92#163	16	TN	TXL	3510330R1	3595621C1		1702	8	N/A	3598918C1 3598919C1
UF92#163	16	TN	TXL	3510330R1	3595624C1	1703F		42	SWS_N_REQ	
UF92#163A	16	TN	TXL	3510330R1	3540756C1	422F		A	1661872C1	354758C1
UF92#163A	16	TN	TXL	3510330R1		DS57		-	2644000R1	
UF92#163B	16	TN	TXL	3510330R1	3768015C1		1018	39	N/A	376816C1
UF92#163B	16	TN	TXL	3510330R1		DS57		-	2644000R1	
UF92#163C	16	TN	TXL	3510330R1	3595625C1	1703M		42	N/A	
UF92#163C	16	TN	TXL	3510330R1		DS57		-	2644000R1	
UF92-GAH	18	WH	TXL	3510359R1	3613769C1		1023	13	N/A	
UF92-GAH	18	WH	TXL	3510359R1	3540756C1	422F		D	3568570C1	354758C1
UF92D	18	TN	TXL	3510329R1	3598707C1		1601	E8	N/A	1618846C1 1618847C1
UF92D	18	TN	TXL	3510329R1	3540756C1	422F		B	3568570C1	354758C1
UG92#161	18	TN	TXL	3510329R1	3595624C1	1703F		56	SWS_N_REQ	
UG92#161	18	TN	TXL	3510329R1	3595621C1		1702	12	N/A	3598918C1 3598919C1
UG92#161A	18	TN	TXL	3510329R1	3598707C1		1601	E4	N/A	1618846C1 1618847C1
UG92#161A	18	TN	TXL	3510329R1	3595625C1	1703M		56	N/A	
UH44J	18	GY	TXL	3510311R1	1667741C1		425	C	3568570C1	1667771C1
UH44J	18	GY	TXL	3510311R1	3595625C1		1700	47	N/A	
UH44L	18	GY	TXL	3510311R1	1667741C1		425	B	3568570C1	1667771C1
UH44L	18	GY	TXL	3510311R1	3595625C1		1700	61	N/A	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
UH91-GAH	18	WH	TXL	3510359R1	1667741C1	425	A	3568570C1	1667771C1	
UH91-GAH	18	WH	TXL	3510359R1	3613769C1	1023	9	N/A		
UJ93	18	TN	TXL	3510329R1	3595624C1	1703F	56	SWS_N_REQ		
UJ93	18	TN	TXL	3510329R1	3595621C1	1702	39	N/A	3598918C1	3598919C1
UJ93A	18	TN	TXL	3510329R1	3598705C1	1602	F11	N/A	1618846C1	1618847C1
UJ93A	18	TN	TXL	3510329R1	3595625C1	1703M	56	N/A		
UK92A	18	TN	TXL	3510329R1	3595624C1	1703F	22	SWS_N_REQ		
UK92A	18	TN	TXL	3510329R1	3595621C1	1702	1	N/A	3598918C1	3598919C1
UK92C	18	TN	TXL	3510329R1	4064551C1	7900F	B	N/A		
UK92C	18	TN	TXL	3510329R1	3595625C1	1703M	22	N/A		
UL62Z	18	DKBL	TXL	3510353R1	3613769C1	1021	2	N/A		
UL62Z	18	DKBL	TXL	3510353R1	3605446C91	1852	3	N/A		
UL92#134	18	TN	TXL	3510329R1	3595621C1	1702	19	N/A	3598918C1	3598919C1
UL92#134	18	TN	TXL	3510329R1	3595624C1	1703F	21	SWS_N_REQ		
UL92#134A	18	TN	TXL	3510329R1	3595625C1	1703M	21	N/A		
UL92#134A	18	TN	TXL	3510329R1	3605446C91	1852	11	N/A		
UL92#163	18	TN	TXL	3510329R1	3605446C91	1852	12	N/A		
UL92#163	18	TN	TXL	3510329R1	3768015C1	1018	39	N/A	376816C1	
UL92#163A	16	PK	TXL	3510324R1	3768015C1	1015	24	N/A	376816C1	
UL92#163A	16	PK	TXL	3510324R1	3595625C1	1703M	42	N/A		
UL92#163B	16	PK	TXL	3510324R1	3595621C1	1702	8	N/A	3598918C1	3598919C1
UL92#163B	16	PK	TXL	3510324R1	3595624C1	1703F	42	SWS_N_REQ		
UL92-GAH	18	WH	TXL	3510359R1	3613769C1	1023	3	N/A		
UL92-GAH	18	WH	TXL	3510359R1	3605446C91	1852	5	N/A		
UL92BT	18	TN	TXL	3510329R1	3605446C91	1852	13	N/A		
UL92BT	18	TN	TXL	3510329R1	3768015C1	1010	5	N/A	376816C1	
UN62A	18	DKBL	TXL	3510353R1	3613769C1	1021	14	N/A		
UN62A	18	DKBL	TXL	3510353R1	3540756C1	7900	C	N/A	354758C1	
UN92-GAH	18	WH	TXL	3510359R1	3613769C1	1023	13	N/A		
UN92-GAH	18	WH	TXL	3510359R1	3540756C1	7900	D	N/A	354758C1	
UN92D	18	TN	TXL	3510329R1	3598707C1	1601	E8	N/A	1618846C1	1618847C1
UN92D	18	TN	TXL	3510329R1	3540756C1	7900	B	N/A	354758C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
UN92YD	16	TN	TXL	3510330R1	3540756C1	7900	A	N/A	354758C1	
UN92YD	16	TN	TXL	3510330R1	3768015C1	1015	24	N/A	376816C1	
VA92#117	18	TN	TXL	3510329R1	3595621C1	1702	25	N/A	3598918C1	3598919C1
VA92#117	18	TN	TXL	3510329R1	3595624C1	1703F	43	SWS_N_REQ		
VA92#117A	18	TN	TXL	3510329R1	3768010C1	1011	R3 -	6 N/A	376811C1	
VA92#117A	18	TN	TXL	3510329R1	3598707C1	1601	E16	N/A	1618846C1	1618847C1
VA92#117B	18	TN	TXL	3510329R1	3768010C1	1011	R3 -	5 N/A	376811C1	
VA92#117B	18	TN	TXL	3510329R1	3613769C1	1027	6	N/A		
VA92#117C	18	TN	TXL	3510329R1	3768010C1	1011	R3 -	7 N/A	376811C1	
VA92#117C	18	TN	TXL	3510329R1	3595625C1	1703M	43	N/A		
VB62RA	18	TN	TXL	3510329R1	3613769C1	1021	7	N/A		
VB62RA	18	TN	TXL	3510329R1		DS58	-	2644000R1		
VB62RB	18	TN	TXL	3510329R1	3928059C1	423	12	N/A		
VB62RB	18	TN	TXL	3510329R1		DS58	-	2644000R1		
VB62RC	18	TN	TXL	3510329R1	3928059C1	424	12	N/A		
VB62RC	18	TN	TXL	3510329R1		DS58	-	2644000R1		
VB92#112	18	TN	TXL	3510329R1	3595624C1	1703F	62	SWS_N_REQ		
VB92#112	18	TN	TXL	3510329R1	3595621C1	1702	41	N/A	3598918C1	3598919C1
VB92#112A	18	TN	TXL	3510329R1	3519221C91	422	C	3517771C1		
VB92#112A	18	TN	TXL	3510329R1	3595625C1	1703M	62	N/A		
VB92#156	18	TN	TXL	3510329R1	3595621C1	1702	31	N/A	3598918C1	3598919C1
VB92#156	18	TN	TXL	3510329R1	3595624C1	1703F	57	SWS_N_REQ		
VB92#156A	18	TN	TXL	3510329R1	3595625C1	1703M	57	N/A		
VB92#156A	18	TN	TXL	3510329R1	3519221C91	422	B	3517771C1		
VB92#158	18	TN	TXL	3510329R1	3595621C1	1702	26	N/A	3598918C1	3598919C1
VB92#158	18	TN	TXL	3510329R1	3595624C1	1703F	58	SWS_N_REQ		
VB92#158A	18	TN	TXL	3510329R1	3595625C1	1703M	58	N/A		
VB92#158A	18	TN	TXL	3510329R1	3519221C91	422	A	3517771C1		
VB92#161	18	TN	TXL	3510329R1	3595621C1	1702	39	N/A	3598918C1	3598919C1
VB92#161	18	TN	TXL	3510329R1	3595624C1	1703F	56	SWS_N_REQ		
VB92#161A	18	TN	TXL	3510329R1	3595625C1	1703M	56	N/A		
VB92#161A	18	TN	TXL	3510329R1	3928059C1	423	4	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
VB92-GAL	18	WH	TXL	3510359R1	3613769C1	1027	11	N/A		
VB92-GAL	18	WH	TXL	3510359R1	3928059C1	424	11	N/A		
VB92-GAP	18	WH	TXL	3510359R1	3613769C1	1027	9	N/A		
VB92-GAP	18	WH	TXL	3510359R1	3928059C1	423	11	N/A		
VB92RE	18	TN	TXL	3510329R1		GS5	-	2644000R1		
VB92RE	18	TN	TXL	3510329R1	587571C91	421	A	3517771C1		
VB92RF	18	TN	TXL	3510329R1		GS5	-	2644000R1		
VB92RF	18	TN	TXL	3510329R1	3928059C1	424	2	N/A		
VB92RH	18	TN	TXL	3510329R1		GS5	-	2644000R1		
VB92RH	18	TN	TXL	3510329R1	587571C91	421	C	3517771C1		
VB92RJ	18	TN	TXL	3510329R1	3928059C1	424	4	N/A		
VB92RJ	18	TN	TXL	3510329R1	587571C91	421	D	3517771C1		
VG56T	10	YL	TXL	3510339R1	3598711C1	1603	B	N/A	3573833C1	
VG56T	10	YL	TXL	3510339R1	3595623C1	1701	5	N/A		
VG57T	10	LTGN	TXL	3510303R1	3598711C1	1603	A	N/A	3573833C1	
VG57T	10	LTGN	TXL	3510303R1	3595623C1	1701	6	N/A		
VG58T	12	BN	TXL	3510308R1	3598710C1	1604	F	N/A		
VG58T	12	BN	TXL	3510308R1	3595623C1	1701	7	N/A		
VG68T	12	BN	TXL	3510308R1	3598710C1	1604	D	N/A		
VG68T	12	BN	TXL	3510308R1	3595623C1	1701	8	N/A		
VG70-GT	18	WH	TXL	3510359R1	3768010C1	1011	R1 -	5 N/A	376811C1	
VG70-GT	18	WH	TXL	3510359R1	3613769C1	1022	11	N/A		
VG70D	18	OR	TXL	3510317R1	3768010C1	1011	R1 -	6 N/A	376811C1	
VG70D	18	OR	TXL	3510317R1	3598707C1	1601	F15	N/A	1618846C1	1618847C1
VG70J	12	OR	TXL	3510320R1	3768010C1	1011	R1 -	0 N/A	376811C1	
VG70J	12	OR	TXL	3510320R1	3768015C1	1010	6	N/A	376816C1	
VH94TV	12	GY	GXL	2643783R1	3768010C1	1012	R1 -	0 N/A	376811C1	
VH94TV	12	GY	GXL	2643783R1	3768015C1	1010	22	N/A	376816C1	
VJ70-GT	18	WH	TXL	3510359R1	3768010C1	1011	R1 -	5 N/A	376811C1	
VJ70-GT	18	WH	TXL	3510359R1	3613769C1	1022	11	N/A		
VJ70-GV	18	WH	TXL	3510359R1	3768010C1	1012	R5 -	5 N/A	376811C1	
VJ70-GV	18	WH	TXL	3510359R1	3613769C1	1022	7	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
VJ70D	18	OR	TXL	3510317R1		DS60	-	2644000R1		
VJ70D	18	OR	TXL	3510317R1	3598707C1	1601	F15	N/A	1618846C1	1618847C1
VJ70DA	18	OR	TXL	3510317R1		DS60	-	2644000R1		
VJ70DA	18	OR	TXL	3510317R1	3768010C1	1011	R1 -	6 N/A	376811C1	
VJ70DB	18	OR	TXL	3510317R1		DS60	-	2644000R1		
VJ70DB	18	OR	TXL	3510317R1	3768010C1	1012	R5 -	6 N/A	376811C1	
VJ70J	12	OR	TXL	3510320R1	3768010C1	1011	R1 -	0 N/A	376811C1	
VJ70J	12	OR	TXL	3510320R1	3768015C1	1010	6	N/A	376816C1	
VJ70JA	12	OR	TXL	3510320R1	3768010C1	1012	R5 -	0 N/A	376811C1	
VJ70JA	12	OR	TXL	3510320R1	3768015C1	1018	14	N/A	376816C1	
VK12-GCL	18	WH	TXL	3510359R1	3768010C1	1012	R4 -	5 N/A	376811C1	
VK12-GCL	18	WH	TXL	3510359R1	3613769C1	1022	5	N/A		
VK14BA	16	RD	TXL	3510366R1	3768015C1	1017	22	N/A	376816C1	
VK14BA	16	RD	TXL	3510366R1	3768010C1	1012	R4 -	0 N/A	376811C1	
VL12BB	16	LTBL	TXL	3510342R1	3768010C1	1012	R4 -	7 N/A	376811C1	
VL12BB	16	LTBL	TXL	3510342R1	3595623C1	1701	75	N/A		
VL58T	12	BN	TXL	3510308R1	3598710C1	1604	F	N/A		
VL58T	12	BN	TXL	3510308R1		AS38	-	2644000R1		
VL58TA	12	BN	TXL	3510308R1	3595623C1	1701	7	N/A		
VL58TA	12	BN	TXL	3510308R1		AS38	-	2644000R1		
VL58TB	12	BN	TXL	3510308R1	3595623C1	1701	74	N/A		
VL58TB	12	BN	TXL	3510308R1		AS38	-	2644000R1		
VL68T	12	BN	TXL	3510308R1	3598710C1	1604	D	N/A		
VL68T	12	BN	TXL	3510308R1		AS39	-	2644000R1		
VL68TA	12	BN	TXL	3510308R1	3595623C1	1701	8	N/A		
VL68TA	12	BN	TXL	3510308R1		AS39	-	2644000R1		
VL68TB	12	BN	TXL	3510308R1	3595623C1	1701	71	N/A		
VL68TB	12	BN	TXL	3510308R1		AS39	-	2644000R1		
VL70TA	12	OR	TXL	3510320R1	3768010C1	1012	R5 -	7 N/A	376811C1	
VL70TA	12	OR	TXL	3510320R1	3595623C1	1701	72	N/A		
VM12BB	16	LTBL	TXL	3510342R1	3768010C1	1012	R4 -	7 N/A	376811C1	
VM12BB	16	LTBL	TXL	3510342R1	2039311C9	4450M	F	1652325C		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
VM58T	12	BN	TXL	3510308R1	3598710C1	1604	F	N/A		
VM58T	12	BN	TXL	3510308R1		AS38	-	2644000R1		
VM58TA	12	BN	TXL	3510308R1	3595623C1	1701	7	N/A		
VM58TA	12	BN	TXL	3510308R1		AS38	-	2644000R1		
VM58TB	12	BN	TXL	3510308R1	2039311C91	4450M	D	589391C1	239342C1	
VM58TB	12	BN	TXL	3510308R1		AS38	-	2644000R1		
VM68T	12	BN	TXL	3510308R1	3598710C1	1604	D	N/A		
VM68T	12	BN	TXL	3510308R1		AS39	-	2644000R1		
VM68TA	12	BN	TXL	3510308R1	3595623C1	1701	8	N/A		
VM68TA	12	BN	TXL	3510308R1		AS39	-	2644000R1		
VM68TB	12	BN	TXL	3510308R1	2039311C91	4450M	A	589391C1	239342C1	
VM68TB	12	BN	TXL	3510308R1		AS39	-	2644000R1		
VM70TA	12	OR	TXL	3510320R1	3768010C1	1012	R5 -	7 N/A	376811C1	
VM70TA	12	OR	TXL	3510320R1	1686834C1	4460M	C	589391C1	166448C1	
VN70-GV	18	WH	TXL	3510359R1	3768010C1	1012	R5 -	5 N/A	376811C1	
VN70-GV	18	WH	TXL	3510359R1	3613769C1	1022	7	N/A		
VN70D	18	OR	TXL	3510317R1	3598707C1	1601	F15	N/A	1618846C1	1618847C1
VN70D	18	OR	TXL	3510317R1	3768010C1	1012	R5 -	6 N/A	376811C1	
VN70JA	12	OR	TXL	3510320R1	3768015C1	1018	14	N/A	376816C1	
VN70JA	12	OR	TXL	3510320R1	3768010C1	1012	R5 -	0 N/A	376811C1	
VP12BB	16	LTBL	TXL	3510342R1	3595623C1	1701	75	N/A		
VP12BB	16	LTBL	TXL	3510342R1	3768010C1	1012	R4 -	7 N/A	376811C1	
VP58	12	BN	TXL	3510308R1	3598710C1	1604	F	N/A		
VP58	12	BN	TXL	3510308R1		AS38	-	2644000R1		
VP58BB	12	BN	TXL	3510308R1	3595623C1	1701	74	N/A		
VP58BB	12	BN	TXL	3510308R1		AS38	-	2644000R1		
VP58T	12	BN	TXL	3510308R1	3595623C1	1701	7	N/A		
VP58T	12	BN	TXL	3510308R1		AS38	-	2644000R1		
VP68	12	BN	TXL	3510308R1	3598710C1	1604	D	N/A		
VP68	12	BN	TXL	3510308R1		AS39	-	2644000R1		
VP68BB	12	BN	TXL	3510308R1	3595623C1	1701	71	N/A		
VP68BB	12	BN	TXL	3510308R1		AS39	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
VP68T	12	BN	TXL	3510308R1	3595623C1	1701	8	N/A		
VP68T	12	BN	TXL	3510308R1		AS39	-	2644000R1		
VQ042DAL	12	OR	GXL	2643755R1		DS62	-	2644000R1		
VQ042DAL	12	OR	GXL	2643755R1	4095571C1	8884E	3	N/A	3756423C1	
VQ04DAL	14	RD	TXL	3510367R1		DS62	-	2644000R1		
VQ04DAL	14	RD	TXL	3510367R1	6099041C1	8884A	4	N/A		
VQ70TA	12	OR	TXL	3510320R1		DS62	-	2644000R1		
VQ70TA	12	OR	TXL	3510320R1	3768010C1		1012	R5 - 7 N/A	376811C1	
VQ70TB	12	OR	TXL	3510320R1		DS62	-	2644000R1		
VQ70TB	12	OR	TXL	3510320R1	3595623C1		1701	72 N/A		
VR12BB	16	LTBL	TXL	3510342R1	3768010C1		1012	R4 - 7 N/A	376811C1	
VR12BB	16	LTBL	TXL	3510342R1	3595623C1		1701	75 N/A		
VR58T	12	BN	TXL	3510308R1		AS38	-	2644000R1		
VR58T	12	BN	TXL	3510308R1	3598710C1		1604	F N/A		
VR58TA	12	BN	TXL	3510308R1		AS38	-	2644000R1		
VR58TA	12	BN	TXL	3510308R1	3595623C1		1701	7 N/A		
VR58TB	12	BN	TXL	3510308R1		AS38	-	2644000R1		
VR58TB	12	BN	TXL	3510308R1	3595623C1		1701	74 N/A		
VR68T	12	BN	TXL	3510308R1		AS39	-	2644000R1		
VR68T	12	BN	TXL	3510308R1	3598710C1		1604	D N/A		
VR68TA	12	BN	TXL	3510308R1		AS39	-	2644000R1		
VR68TA	12	BN	TXL	3510308R1	3595623C1		1701	8 N/A		
VR68TB	16	BN	TXL	3510306R1		AS39	-	2644000R1		
VR68TB	16	BN	TXL	3510306R1	3595623C1		1701	71 N/A		
VS70TA	12	OR	TXL	3510320R1	3768010C1		1012	R5 - 7 N/A	376811C1	
VS70TA	12	OR	TXL	3510320R1	3595623C1		1701	72 N/A		
VT12BB	16	LTBL	TXL	3510342R1	3768010C1		1012	R4 - 7 N/A	376811C1	
VT12BB	16	LTBL	TXL	3510342R1	2039311C9	4450M	F	1652325C		
VT58	12	BN	TXL	3510308R1	3598710C1		1604	F N/A		
VT58	12	BN	TXL	3510308R1		AS38	-	2644000R1		
VT58T	12	BN	TXL	3510308R1	3595623C1		1701	7 N/A		
VT58T	12	BN	TXL	3510308R1		AS38	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
VT58TB	12	BN	TXL	3510308R1	2039311C91	4450M	D	589391C1	239342C1	
VT58TB	12	BN	TXL	3510308R1		AS38	-	2644000R1		
VT68T	12	BN	TXL	3510308R1	3595623C1	1701	8	N/A		
VT68T	12	BN	TXL	3510308R1		AS39	-	2644000R1		
VT68TA	12	BN	TXL	3510308R1	3598710C1	1604	D	N/A		
VT68TA	12	BN	TXL	3510308R1		AS39	-	2644000R1		
VT68TB	12	BN	TXL	3510308R1	2039311C91	4450M	A	589391C1	239342C1	
VT68TB	12	BN	TXL	3510308R1		AS39	-	2644000R1		
VU103A	18	LTGN	TXL	3510299R1	BLUNT_SL_V	1940	A	N/A		
VU103A	18	LTGN	TXL	3510299R1	3598705C1	1602	F14	N/A	1618846C1	1618847C1
VU103B	18	LTGN	TXL	3510299R1	BLUNT_SL_V	1940	B	N/A		
VU103B	18	LTGN	TXL	3510299R1	3598705C1	1602	F12	N/A	1618846C1	1618847C1
VU103C	18	LTGN	TXL	3510299R1	BLUNT_SL_V	1940	C	N/A		
VU103C	18	LTGN	TXL	3510299R1	3598707C1	1601	E2	N/A	1618846C1	1618847C1
VU103D	18	LTGN	TXL	3510299R1	BLUNT_SL_V	1940	D	N/A		
VU103D	18	LTGN	TXL	3510299R1	3598707C1	1601	E1	N/A	1618846C1	1618847C1
VU9ZF	18	GY	TXL	3510311R1	BLUNT_SL_V	1940	E	N/A		
VU9ZF	18	GY	TXL	3510311R1	2007315C1	1620	K	N/A	27316C1	
VV44A	18	GY	GXL	2643673R1	BLUNT_SL_V	1941	A	N/A		
VV44A	18	GY	GXL	2643673R1	3598707C1	1601	F1	N/A	1618846C1	1618847C1
VW11-GBE	16	WH	TXL	3510360R1	3616085C1	1921	4	N/A		
VW11-GBE	16	WH	TXL	3510360R1	3613769C1	1023	6	N/A		
VW11-GEF	14	WH	TXL	3510361R1	3554818C1	1924	A	N/A	3554821C1	
VW11-GEF	14	WH	TXL	3510361R1	3613769C1	1023	14	N/A		
VW13EE	16	PK	TXL	3510324R1	3616085C1	1921	3	N/A		
VW13EE	16	PK	TXL	3510324R1	3768015C1	1015	5	N/A	376816C1	
VW14EA	16	RD	GXL	2643760R1	3616085C1	1921	5	N/A		
VW14EA	16	RD	GXL	2643760R1	3768015C1	1010	37	N/A	376816C1	
VW14ED	14	RD	GXL	2643686R1	3554818C1	1924	B	N/A	3554821C1	
VW14ED	14	RD	GXL	2643686R1	3768015C1	1010	24	N/A	376816C1	
VW5CC(+)	18	YL	TXL	3572112R1	3616085C1	1921	7	N/A		
VW5CC(+)	18	YL	TXL	3572112R1	3601838C1	1025	H	N/A	361839C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
VW5CC(-)	18	GN	TXL	3572112R1	3616085C1	1921	2	N/A		
VW5CC(-)	18	GN	TXL	3572112R1	3601838C1	1025	E	N/A	361839C1	
WA44	16	GY	TXL	3510312R1	3598706C1	1600	A12	N/A	1618846C1	1618847C1
WA44	16	GY	TXL	3510312R1	3553649C1	1800	B7	N/A	355365C1	
WB70	20	RD	TXL	3510364R1	3598705C1	1602	E14	N/A	1618846C1	1618847C1
WB70	20	RD	TXL	3510364R1	3553649C1	1800	B9	N/A	355365C1	
WB70A	20	RD	TXL	3510364R1	3598705C1	1602	E15	N/A	1618846C1	1618847C1
WB70A	20	RD	TXL	3510364R1	3553649C1	1800	A6	N/A	355365C1	
WC40	18	GY	TXL	3510311R1	3598706C1	1600	B2	N/A	1618846C1	1618847C1
WC40	18	GY	TXL	3510311R1	3553649C1	1800	C12	N/A	355365C1	
WC44	16	GY	TXL	3510312R1	3598707C1	1601	F1	N/A	1618846C1	1618847C1
WC44	16	GY	TXL	3510312R1	3595623C1	1701	69	N/A		
WC44D	18	GY	TXL	3510311R1	3598705C1	1602	F15	N/A	1618846C1	1618847C1
WC44D	18	GY	TXL	3510311R1	3595623C1	1701	58	N/A		
WC6	20	GY	TXL	3510310R1	3598705C1	1602	E4	N/A	1618846C1	1618847C1
WC6	20	GY	TXL	3510310R1	3553649C1	1800	B3	N/A	355365C1	
WD44Y	16	GY	TXL	3510312R1	3595625C1	1700	47	N/A		
WD44Y	16	GY	TXL	3510312R1	3768015C1	1015	8	N/A	376816C1	
WE24EAL	18	BK	TXL	3510293R1	6099045C1	8884B	24	N/A		
WE24EAL	18	BK	TXL	3510293R1		ES1	-	2644000R1		
WE44AA	16	GY	TXL	3510312R1	3553649C1	1800	B7	N/A	355365C1	
WE44AA	16	GY	TXL	3510312R1		ES1	-	2644000R1		
WE44AB	16	GY	TXL	3510312R1	3598706C1	1600	A12	N/A	1618846C1	1618847C1
WE44AB	16	GY	TXL	3510312R1		ES1	-	2644000R1		
WF63	18	DKBL	TXL	3510353R1	3598710C1	1604	J	N/A		
WF63	18	DKBL	TXL	3510353R1	3544688C1	2000	4	N/A		
WG63	18	DKBL	TXL	3510353R1	3598710C1	1604	J	N/A		
WG63	18	DKBL	TXL	3510353R1		AS21	-	2644000R1		
WG63BB	18	DKBL	TXL	3510353R1	1667305C1	3205M	A	N/A	1661263C1	
WG63BB	18	DKBL	TXL	3510353R1		AS21	-	2644000R1		
WG63BC	18	DKBL	TXL	3510353R1	1667305C1	3206M	A	N/A	1661263C1	
WG63BC	18	DKBL	TXL	3510353R1		AS21	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
WG63BD	18	DKBL	TXL	3510353R1	3544688C1	2000	4	N/A		
WG63BD	18	DKBL	TXL	3510353R1		AS21	-	2644000R1		
WJ63	18	DKBL	TXL	3510353R1	3598710C1	1604	J	N/A		
WJ63	18	DKBL	TXL	3510353R1		AS21	-	2644000R1		
WJ63-GC	12	WH	TXL	3510362R1	2005836C1	2600	H	N/A	2654C1	
WJ63-GC	12	WH	TXL	3510362R1		BS8	-	N/A		
WJ63BB	18	DKBL	TXL	3510353R1	1667305C1	3205M	A	N/A	1661263C1	
WJ63BB	18	DKBL	TXL	3510353R1		AS21	-	2644000R1		
WJ63BC	18	DKBL	TXL	3510353R1	1667305C1	3206M	A	N/A	1661263C1	
WJ63BC	18	DKBL	TXL	3510353R1		AS21	-	2644000R1		
WJ63BD	18	DKBL	TXL	3510353R1	3544688C1	2000	4	N/A		
WJ63BD	18	DKBL	TXL	3510353R1		AS21	-	2644000R1		
WJ63BE	18	DKBL	TXL	3510353R1	2005836C1	2600	G	N/A	2654C1	
WJ63BE	18	DKBL	TXL	3510353R1		AS21	-	2644000R1		
XA94	16	GY	TXL	3510312R1	3596929C1	1401	2	N/A		
XA94	16	GY	TXL	3510312R1	3595625C1	1700	27	N/A		
XA94-GA	12	WH	TXL	3510362R1		4081	1	2644038R1		
XA94-GA	12	WH	TXL	3510362R1	3596926C1	1400	1	N/A	356239C1	
XA94A	16	GY	TXL	3510312R1	3596929C1	1401	3	N/A		
XA94A	16	GY	TXL	3510312R1	3595625C1	1700	28	N/A		
XA94AY	12	GY	TXL	3510314R1	3596926C1	1400	16	N/A	356239C1	
XA94AY	12	GY	TXL	3510314R1	3768015C1	1010	39	N/A	376816C1	
XA94B	16	GY	TXL	3510312R1	3596929C1	1401	1	N/A		
XA94B	16	GY	TXL	3510312R1	3595625C1	1700	29	N/A		
XA94BA	16	GY	TXL	3510312R1	3596929C1	1401	17	N/A		
XA94BA	16	GY	TXL	3510312R1	3595623C1	1701	23	N/A		
XA94BB	16	GY	TXL	3510312R1	3596929C1	1401	12	N/A		
XA94BB	16	GY	TXL	3510312R1	3595623C1	1701	24	N/A		
XA94BC	16	GY	TXL	3510312R1	3596929C1	1401	16	N/A		
XA94BC	16	GY	TXL	3510312R1	3595623C1	1701	25	N/A		
XA94BD	16	GY	TXL	3510312R1	3596929C1	1401	18	N/A		
XA94BD	16	GY	TXL	3510312R1	3595623C1	1701	17	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
XA94BE	16	GY	TXL	3510312R1	3596929C1	1401	15	N/A		
XA94BE	16	GY	TXL	3510312R1	3595623C1	1701	16	N/A		
XA94BF	16	GY	TXL	3510312R1	3596926C1	1400	11	N/A	356239C1	
XA94BF	16	GY	TXL	3510312R1	3595623C1	1701	19	N/A		
XA94BH	16	GY	TXL	3510312R1	3596926C1	1400	10	N/A	356239C1	
XA94BH	16	GY	TXL	3510312R1	3595623C1	1701	18	N/A		
XA94BJ	16	GY	TXL	3510312R1	3596929C1	1401	13	N/A		
XA94BJ	16	GY	TXL	3510312R1	3595623C1	1701	21	N/A		
XA94BK	16	GY	TXL	3510312R1	3596929C1	1401	9	N/A		
XA94BK	16	GY	TXL	3510312R1	3595623C1	1701	22	N/A		
XA94BL	16	GY	TXL	3510312R1	3596929C1	1401	10	N/A		
XA94BL	16	GY	TXL	3510312R1	3595623C1	1701	20	N/A		
XA94C	16	GY	TXL	3510312R1	3596929C1	1401	5	N/A		
XA94C	16	GY	TXL	3510312R1	3595625C1	1700	30	N/A		
XA94D	16	GY	TXL	3510312R1	3596929C1	1401	8	N/A		
XA94D	16	GY	TXL	3510312R1	3595625C1	1700	31	N/A		
XA94E	16	GY	TXL	3510312R1	3596929C1	1401	11	N/A		
XA94E	16	GY	TXL	3510312R1	3595625C1	1700	32	N/A		
XA94F	16	GY	TXL	3510312R1	3596929C1	1401	14	N/A		
XA94F	16	GY	TXL	3510312R1	3595625C1	1700	33	N/A		
XA94H	16	GY	TXL	3510312R1	3596929C1	1401	7	N/A		
XA94H	16	GY	TXL	3510312R1	3595625C1	1700	34	N/A		
XA94J	16	GY	TXL	3510312R1	3596929C1	1401	6	N/A		
XA94J	16	GY	TXL	3510312R1	3595625C1	1700	35	N/A		
XA94K	16	GY	TXL	3510312R1	3596929C1	1401	4	N/A		
XA94K	16	GY	TXL	3510312R1	3595625C1	1700	36	N/A		
XA94V	18	GY	TXL	3510311R1	3596926C1	1400	3	N/A	356239C1	
XA94V	18	GY	TXL	3510311R1	3768015C1	1015	37	N/A	376816C1	
XB94BM	16	GY	TXL	3510312R1	3596926C1	1400	5	N/A	356239C1	
XB94BM	16	GY	TXL	3510312R1	3595623C1	1701	14	N/A		
XB94BN	16	GY	TXL	3510312R1	3596926C1	1400	4	N/A	356239C1	
XB94BN	16	GY	TXL	3510312R1	3595623C1	1701	15	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
XC44A	18	GY	TXL	3510311R1	3595623C1	1701	21	N/A		
XC44A	18	GY	TXL	3510311R1	3518182C1	1109	1	N/A	3518184C1	
XC90-D	14	GY	TXL	3510313R1		4081	1	2644038R1		
XC90-D	14	GY	TXL	3510313R1		HS1	-	2644000R1		
XC90-K	18	GY	TXL	3510311R1	3595623C1	1701	60	N/A		
XC90-K	18	GY	TXL	3510311R1		HS1	-	2644000R1		
XC90-M	18	GY	TXL	3510311R1	3518182C1	1109	2	N/A	3518184C1	
XC90-M	18	GY	TXL	3510311R1		HS1	-	2644000R1		
XD90-GD	14	GY	TXL	3510313R1		4081	1	2644038R1		
XD90-GD	14	GY	TXL	3510313R1	3595623C1	1701	60	N/A		
XE94-GC	12	WH	GXL	2643787R1		4081	1	2644038R1		
XE94-GC	12	WH	GXL	2643787R1		BS28	-	2644000R1		
XE94AA	14	GY	GXL	2643782R1	3595625C1	1700	28	N/A		
XE94AA	14	GY	GXL	2643782R1		BS28	-	2644000R1		
XE94AB	14	GY	GXL	2643782R1	3595625C1	1700	27	N/A		
XE94AB	14	GY	GXL	2643782R1	3557921C1	1421	3	N/A	356239C1	
XE94AC	18	GY	TXL	3510311R1	3595625C1	1700	30	N/A		
XE94AC	18	GY	TXL	3510311R1	3557921C1	1421	12	N/A	356239C1	
XE94AD	18	GY	TXL	3510311R1	3595625C1	1700	31	N/A		
XE94AD	18	GY	TXL	3510311R1	3557921C1	1421	15	N/A	356239C1	
XE94AE	18	GY	TXL	3510311R1	3595625C1	1700	32	N/A		
XE94AE	18	GY	TXL	3510311R1	3557921C1	1421	10	N/A	356239C1	
XE94AF	18	GY	TXL	3510311R1	3595625C1	1700	33	N/A		
XE94AF	18	GY	TXL	3510311R1	3557921C1	1421	13	N/A	356239C1	
XE94AH	14	GY	GXL	2643782R1	3595625C1	1700	36	N/A		
XE94AH	14	GY	GXL	2643782R1	3557921C1	1421	4	N/A	356239C1	
XE94AJ	14	GY	GXL	2643782R1	3595625C1	1700	35	N/A		
XE94AJ	14	GY	GXL	2643782R1		BS28	-	2644000R1		
XE94AK	14	GY	GXL	2643782R1	3595625C1	1700	34	N/A		
XE94AK	14	GY	GXL	2643782R1	3557921C1	1421	1	N/A	356239C1	
XE94AL	14	GY	GXL	2643782R1	3595625C1	1700	29	N/A		
XE94AL	14	GY	GXL	2643782R1	3557921C1	1421	6	N/A	356239C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
XE94AY	14	GY	GXL	2643782R1	3557922C1	1420	8	N/A	354912C1	
XE94AY	14	GY	GXL	2643782R1	3768015C1	1010	39	N/A	376816C1	
XE94G1	18	WH	TXL	3510359R1	3557922C1	1420	4	N/A	354912C1	
XE94G1	18	WH	TXL	3510359R1		BS28	-	2644000R1		
XE94G2	16	WH	TXL	3510360R1	3557922C1	1420	9	N/A	354912C1	
XE94G2	16	WH	TXL	3510360R1		BS28	-	2644000R1		
XE94G6	14	WH	GXL	2643689R1	3595623C1	1701	25	N/A		
XE94G6	14	WH	GXL	2643689R1		BS28	-	2644000R1		
XE94G7	14	WH	GXL	2643689R1	3595623C1	1701	24	N/A		
XE94G7	14	WH	GXL	2643689R1		BS28	-	2644000R1		
XE94V	14	GY	GXL	2643782R1	3557922C1	1420	7	N/A	354912C1	
XE94V	14	GY	GXL	2643782R1	3768015C1	1015	37	N/A	376816C1	
XE94WL	18	GY	TXL	3510311R1	3595623C1	1701	14	N/A		
XE94WL	18	GY	TXL	3510311R1	3557921C1	1421	11	N/A	356239C1	
XE94WM	18	GY	TXL	3510311R1	3595623C1	1701	15	N/A		
XE94WM	18	GY	TXL	3510311R1	3557921C1	1421	14	N/A	356239C1	
XE94WN	14	GY	GXL	2643782R1	3595623C1	1701	18	N/A		
XE94WN	14	GY	GXL	2643782R1	3557921C1	1421	5	N/A	356239C1	
XE94WR	14	GY	GXL	2643782R1	3595623C1	1701	19	N/A		
XE94WR	14	GY	GXL	2643782R1	3557921C1	1421	2	N/A	356239C1	
XE94WS	18	GY	TXL	3510311R1	3595623C1	1701	22	N/A		
XE94WS	18	GY	TXL	3510311R1	3557921C1	1421	17	N/A	356239C1	
XE94WT	18	GY	TXL	3510311R1	3595623C1	1701	23	N/A		
XE94WT	18	GY	TXL	3510311R1	3557921C1	1421	18	N/A	356239C1	
XE94WU	14	GY	TXL	3510313R1	3595623C1	1701	17	N/A		
XE94WU	14	GY	TXL	3510313R1	3557921C1	1421	9	N/A	356239C1	
XE94WW	14	GY	GXL	2643782R1	3595623C1	1701	16	N/A		
XE94WW	14	GY	GXL	2643782R1	3557921C1	1421	8	N/A	356239C1	
XF94SA	20	GY	TXL	3510310R1	3601838C1	1410	C	N/A	361839C1	
XF94SA	20	GY	TXL	3510310R1	1667305C1	1820M	A	N/A	1661263C1	
XF94SAA	18	GY	TXL	3510311R1	3596927C1	1403	11	N/A		
XF94SAA	18	GY	TXL	3510311R1	3601838C1	1410	A	N/A	361839C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
XF94SAB	18	GY	TXL	3510311R1	3601838C1	1410	B	N/A	361839C1	
XF94SAB	18	GY	TXL	3510311R1	3595625C1	1700	50	N/A		
XF94SB	20	GY	TXL	3510310R1	3601838C1	1410	J	N/A	361839C1	
XF94SB	20	GY	TXL	3510310R1	1667305C1	1820M	B	N/A	1661263C1	
XF94SBA	18	GY	TXL	3510311R1	3596927C1	1403	8	N/A		
XF94SBA	18	GY	TXL	3510311R1	3601838C1	1410	G	N/A	361839C1	
XF94SBB	18	GY	TXL	3510311R1	3601838C1	1410	H	N/A	361839C1	
XF94SBB	18	GY	TXL	3510311R1	3595625C1	1700	42	N/A		
XF94SC	20	GY	TXL	3510310R1	3601838C1	1410	F	N/A	361839C1	
XF94SC	20	GY	TXL	3510310R1	1667305C1	1820M	C	N/A	1661263C1	
XF94SCA	18	GY	TXL	3510311R1	3596927C1	1403	10	N/A		
XF94SCA	18	GY	TXL	3510311R1	3601838C1	1410	D	N/A	361839C1	
XF94SCB	18	GY	TXL	3510311R1	3601838C1	1410	E	N/A	361839C1	
XF94SCB	18	GY	TXL	3510311R1	3595625C1	1700	60	N/A		
XF94SD	20	GY	TXL	3510310R1	3601838C1	1410	M	N/A	361839C1	
XF94SD	20	GY	TXL	3510310R1	1667305C1	1820M	D	N/A	1661263C1	
XF94SDA	18	LTGN	TXL	3510299R1	3596927C1	1403	7	N/A		
XF94SDA	18	LTGN	TXL	3510299R1	3601838C1	1410	K	N/A	361839C1	
XF94SDB	18	GY	TXL	3510311R1	3595625C1	1700	51	N/A		
XF94SDB	18	GY	TXL	3510311R1	3601838C1	1410	L	N/A	361839C1	
XF94SE	18	GY	TXL	3510311R1	3596927C1	1403	2	N/A		
XF94SE	18	GY	TXL	3510311R1	3553649C1	1800	D5	N/A	355365C1	
XF94SF	18	GY	TXL	3510311R1	3596927C1	1403	5	N/A		
XF94SF	18	GY	TXL	3510311R1	3553649C1	1800	D6	N/A	355365C1	
XF94SH	18	GY	TXL	3510311R1	3596927C1	1403	3	N/A		
XF94SH	18	GY	TXL	3510311R1	3595625C1	1700	76	N/A		
XF94SJ	16	GY	GXL	2643680R1	3596928C1	1402	5	N/A		
XF94SJ	16	GY	GXL	2643680R1	3595625C1	1700	69	N/A		
XF94SL	16	GY	GXL	2643680R1	3596927C1	1403	6	N/A		
XF94SL	16	GY	GXL	2643680R1	3595625C1	1700	73	N/A		
XF94SM	16	GY	GXL	2643680R1	3596927C1	1403	9	N/A		
XF94SM	16	GY	GXL	2643680R1	3595625C1	1700	71	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
XF94SN	16	GY	GXL	2643680R1	3596927C1	1403	12	N/A		
XF94SN	16	GY	GXL	2643680R1	3595625C1	1700	72	N/A		
XF94SV	16	GY	TXL	3510312R1	3553649C1	1800	C3	N/A	355365C1	
XF94SV	16	GY	TXL	3510312R1		PS1	-	2644000R1		
XF94SVC	16	GY	TXL	3510312R1	3595625C1	1700	75	N/A		
XF94SVC	16	GY	TXL	3510312R1		PS1	-	2644000R1		
XF94SVD	16	GY	TXL	3510312R1	3596927C1	1403	4	N/A		
XF94SVD	16	GY	TXL	3510312R1		PS1	-	2644000R1		
XF94SZC	16	GY	TXL	3510312R1	3595625C1	1700	74	N/A		
XF94SZC	16	GY	TXL	3510312R1		PS2	-	2644000R1		
XF94SZD	16	GY	TXL	3510312R1	3596927C1	1403	1	N/A		
XF94SZD	16	GY	TXL	3510312R1		PS2	-	2644000R1		
XF94SZE	16	GY	TXL	3510312R1	3553649C1	1800	C10	N/A	355365C1	
XF94SZE	16	GY	TXL	3510312R1		PS2	-	2644000R1		
XG94SL	18	GY	TXL	3510311R1	3596927C1	1403	6	N/A		
XG94SL	18	GY	TXL	3510311R1	3595623C1	1701	46	N/A		
XG94SM	16	GY	GXL	2643680R1	3596927C1	1403	9	N/A		
XG94SM	16	GY	GXL	2643680R1	3595623C1	1701	47	N/A		
XG94SN	18	GY	TXL	3510311R1	3596927C1	1403	12	N/A		
XG94SN	18	GY	TXL	3510311R1	3595623C1	1701	48	N/A		
XH94SV	18	GY	TXL	3510311R1	3596927C1	1403	4	N/A		
XH94SV	18	GY	TXL	3510311R1	3553649C1	1800	C3	N/A	355365C1	
XH94SZ	18	GY	TXL	3510311R1	3596927C1	1403	1	N/A		
XH94SZ	18	GY	TXL	3510311R1	3553649C1	1800	C10	N/A	355365C1	
XJ94SK	18	GY	TXL	3510311R1	3596928C1	1402	3	N/A		
XJ94SK	18	GY	TXL	3510311R1	3595625C1	1700	70	N/A		
XK94SH	18	GY	TXL	3510311R1	3596927C1	1403	3	N/A		
XK94SH	18	GY	TXL	3510311R1	3595623C1	1701	62	N/A		
XK94SVC	18	GY	TXL	3510311R1	3595623C1	1701	61	N/A		
XK94SVC	18	GY	TXL	3510311R1		PS1	-	2644000R1		
XK94SVD	18	GY	TXL	3510311R1	3596927C1	1403	4	N/A		
XK94SVD	18	GY	TXL	3510311R1		PS1	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
XK94SVE	18	GY	TXL	3510311R1	3553649C1	1800	C3	N/A	355365C1	
XK94SVE	18	GY	TXL	3510311R1		PS1	-	2644000R1		
XK94SZC	18	GY	TXL	3510311R1	3595623C1	1701	60	N/A		
XK94SZC	18	GY	TXL	3510311R1		PS2	-	2644000R1		
XK94SZD	18	GY	TXL	3510311R1	3596927C1	1403	1	N/A		
XK94SZD	18	GY	TXL	3510311R1		PS2	-	2644000R1		
XK94SZE	18	GY	TXL	3510311R1	3553649C1	1800	C10	N/A	355365C1	
XK94SZE	18	GY	TXL	3510311R1		PS2	-	2644000R1		
XL94SA	20	GY	TXL	3510310R1	3601838C1	1410	C	N/A	361839C1	
XL94SA	20	GY	TXL	3510310R1	3595623C1	1701	54	N/A		
XL94SAA	18	GY	TXL	3510311R1	3601838C1	1410	A	N/A	361839C1	
XL94SAA	18	GY	TXL	3510311R1	3596927C1	1403	11	N/A		
XL94SAB	18	GY	TXL	3510311R1	3601838C1	1410	B	N/A	361839C1	
XL94SAB	18	GY	TXL	3510311R1	1667305C1	1820M	A	N/A	1661263C1	
XL94SB	20	GY	TXL	3510310R1	3601838C1	1410	J	N/A	361839C1	
XL94SB	20	GY	TXL	3510310R1	3595623C1	1701	56	N/A		
XL94SBA	18	GY	TXL	3510311R1	3596927C1	1403	8	N/A		
XL94SBA	18	GY	TXL	3510311R1	3601838C1	1410	G	N/A	361839C1	
XL94SBB	18	GY	TXL	3510311R1	3601838C1	1410	H	N/A	361839C1	
XL94SBB	18	GY	TXL	3510311R1	1667305C1	1820M	B	N/A	1661263C1	
XL94SC	20	GY	TXL	3510310R1	3601838C1	1410	F	N/A	361839C1	
XL94SC	20	GY	TXL	3510310R1	3595623C1	1701	55	N/A		
XL94SCA	18	GY	TXL	3510311R1	3596927C1	1403	10	N/A		
XL94SCA	18	GY	TXL	3510311R1	3601838C1	1410	D	N/A	361839C1	
XL94SCB	18	GY	TXL	3510311R1	3601838C1	1410	E	N/A	361839C1	
XL94SCB	18	GY	TXL	3510311R1	1667305C1	1820M	C	N/A	1661263C1	
XL94SD	20	GY	TXL	3510310R1	3601838C1	1410	M	N/A	361839C1	
XL94SD	20	GY	TXL	3510310R1	3595623C1	1701	57	N/A		
XL94SDA	18	LTGN	TXL	3510299R1	3596927C1	1403	7	N/A		
XL94SDA	18	LTGN	TXL	3510299R1	3601838C1	1410	K	N/A	361839C1	
XL94SDB	18	GY	TXL	3510311R1	3601838C1	1410	L	N/A	361839C1	
XL94SDB	18	GY	TXL	3510311R1	1667305C1	1820M	D	N/A	1661263C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
XL94SE	18	GY	TXL	3510311R1	3596927C1	1403	2	N/A		
XL94SE	18	GY	TXL	3510311R1	3553649C1	1800	D5	N/A	355365C1	
XL94SF	18	GY	TXL	3510311R1	3596927C1	1403	5	N/A		
XL94SF	18	GY	TXL	3510311R1	3553649C1	1800	D6	N/A	355365C1	
XL94SJ	16	GY	GXL	2643680R1	3596928C1	1402	5	N/A		
XL94SJ	16	GY	GXL	2643680R1	3595623C1	1701	49	N/A		
XM94SK	18	GY	TXL	3510311R1	3596928C1	1402	3	N/A		
XM94SK	18	GY	TXL	3510311R1	3595623C1	1701	69	N/A		
XN94AA	14	GY	GXL	2643782R1	3596928C1	1402	2	N/A		
XN94AA	14	GY	GXL	2643782R1	3595623C1	1701	61	N/A		
XN94AB	14	GY	GXL	2643782R1	3596928C1	1402	3	N/A		
XN94AB	14	GY	GXL	2643782R1	3595623C1	1701	65	N/A		
XP94AA	14	GY	GXL	2643782R1	3596928C1	1402	2	N/A		
XP94AA	14	GY	GXL	2643782R1	3595623C1	1701	61	N/A		
XP94AB	16	GY	GXL	2643680R1	3595623C1	1701	65	N/A		
XP94AB	16	GY	GXL	2643680R1		CS2	-	2644000R1		
XP94AC	16	GY	GXL	2643680R1	3596928C1	1402	3	N/A		
XP94AC	16	GY	GXL	2643680R1		CS2	-	2644000R1		
XP94SK	16	GY	GXL	2643680R1	3595625C1	1700	70	N/A		
XP94SK	16	GY	GXL	2643680R1		CS2	-	2644000R1		
XQ94AA	14	GY	GXL	2643782R1	3596928C1	1402	2	N/A		
XQ94AA	14	GY	GXL	2643782R1	3595623C1	1701	61	N/A		
XQ94AB	14	GY	GXL	2643782R1	3595623C1	1701	65	N/A		
XQ94AB	14	GY	GXL	2643782R1		BS17	-	2644000R1		
XQ94AC	16	GY	GXL	2643680R1	3596927C1	1403	3	N/A		
XQ94AC	16	GY	GXL	2643680R1		BS17	-	2644000R1		
XQ94SK	16	GY	GXL	2643680R1	3595623C1	1701	69	N/A		
XQ94SK	16	GY	GXL	2643680R1		BS17	-	2644000R1		
XR94BP	16	GY	TXL	3510312R1	3596928C1	1402	4	N/A		
XR94BP	16	GY	TXL	3510312R1	3595625C1	1700	24	N/A		
XR94BQ	16	GY	TXL	3510312R1	3596928C1	1402	14	N/A		
XR94BQ	16	GY	TXL	3510312R1	3595625C1	1700	46	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
XR94BR	16	GY	TXL	3510312R1	3596928C1	1402	11	N/A		
XR94BR	16	GY	TXL	3510312R1	3595625C1	1700	45	N/A		
XR94BS	16	GY	TXL	3510312R1	3596928C1	1402	13	N/A		
XR94BS	16	GY	TXL	3510312R1	3595625C1	1700	41	N/A		
XR94BT	16	GY	TXL	3510312R1	3596928C1	1402	9	N/A		
XR94BT	16	GY	TXL	3510312R1	3595625C1	1700	39	N/A		
XR94BU	16	GY	TXL	3510312R1	3596928C1	1402	10	N/A		
XR94BU	16	GY	TXL	3510312R1	3595625C1	1700	40	N/A		
XR94BV	16	GY	TXL	3510312R1	3596928C1	1402	15	N/A		
XR94BV	16	GY	TXL	3510312R1	3595625C1	1700	49	N/A		
XR94BW	16	GY	TXL	3510312R1	3596928C1	1402	12	N/A		
XR94BW	16	GY	TXL	3510312R1	3595625C1	1700	48	N/A		
XR94BY	16	GY	TXL	3510312R1	3596928C1	1402	6	N/A		
XR94BY	16	GY	TXL	3510312R1	3595625C1	1700	37	N/A		
XR94BZ	16	GY	TXL	3510312R1	3596928C1	1402	7	N/A		
XR94BZ	16	GY	TXL	3510312R1	3595625C1	1700	38	N/A		
XS014	10	RD	TXL	3510369R1	1661747C91	6068	1	N/A		
XS014	10	RD	TXL	3510369R1		PS7	-	2644000R1		
XS090F	10	GY	TXL	3510315R1	1661747C91	6068	4	N/A		
XS090F	10	GY	TXL	3510315R1		6067	1	2644002R1		
XS14B	8	GY	GXL	2643785R1	3537133C1	6066	A	3537135C1		
XS14B	8	GY	GXL	2643785R1		PS7	-	2644000R1		
XS70	18	GY	TXL	3510311R1	3598705C1	1602	E14	N/A	1618846C1	1618847C1
XS70	18	GY	TXL	3510311R1	3553649C1	1800	B9	N/A	355365C1	
XS90-G	16	WH	GXL	2643681R1	2036584C1	6061	B	SWS_N_REQ		
XS90-G	16	WH	GXL	2643681R1		PS5	-	2644000R1		
XS90-GA	12	WH	GXL	2643787R1		6062	1	2644038R1		
XS90-GA	12	WH	GXL	2643787R1		PS5	-	2644000R1		
XS90-GM	10	WH	GXL	2643788R1		6069	1	2644005R1		
XS90-GM	10	WH	GXL	2643788R1		PS5	-	2644000R1		
XS90A	16	GY	TXL	3510312R1	1661747C91	6068	2	N/A		
XS90A	16	GY	TXL	3510312R1		PS8	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
XS90CA	16	GY	GXL	2643680R1	2036584C1	6061	A	SWS_N_REQ		
XS90CA	16	GY	GXL	2643680R1		PS6	-	2644000R1		
XS90H	14	GY	GXL	2643782R1	1667639C1	6060	A	SWS_N_REQ		
XS90H	14	GY	GXL	2643782R1		6067	1	2644002R1		
XS90HA	16	GY	GXL	2643680R1	1667639C1	6060	B	SWS_N_REQ		
XS90HA	16	GY	GXL	2643680R1	3595624C1	1703F	39	SWS_N_REQ		
XS90HB	18	GY	TXL	3510311R1	3598706C1	1600	B10	N/A	1618846C1	1618847C1
XS90HB	18	GY	TXL	3510311R1	3595625C1	1703M	39	N/A		
XS90J	18	GY	TXL	3510311R1	3598707C1	1601	F9	N/A	1618846C1	1618847C1
XS90J	18	GY	TXL	3510311R1	598839C1	6071	B	N/A		
XS90K	16	GY	TXL	3510312R1	1661747C91	6068	5	N/A		
XS90K	16	GY	TXL	3510312R1	3595624C1	1703F	9	SWS_N_REQ		
XS90KA	16	GY	TXL	3510312R1	598839C1	6071	C	N/A		
XS90KA	16	GY	TXL	3510312R1	3595625C1	1703M	9	N/A		
XS90L	16	GY	TXL	3510312R1	3602747C1	6065	1	SWS_N_REQ	3539784C1	
XS90L	16	GY	TXL	3510312R1	3595624C1	1703F	10	SWS_N_REQ		
XS90LA	16	GY	TXL	3510312R1	598839C1	6071	A	N/A		
XS90LA	16	GY	TXL	3510312R1	3595625C1	1703M	10	N/A		
XS90M	18	GY	TXL	3510311R1	3598706C1	1600	B6	N/A	1618846C1	1618847C1
XS90M	18	GY	TXL	3510311R1	3595625C1	1703M	41	N/A		
XS90MA	18	GY	TXL	3510311R1	3595624C1	1703F	41	SWS_N_REQ		
XS90MA	18	GY	TXL	3510311R1		PS8	-	2644000R1		
XS90N	16	GY	TXL	3510312R1	3602747C1	6065	2	SWS_N_REQ	3539784C1	
XS90N	16	GY	TXL	3510312R1		PS9	-	2644000R1		
XS90NA	14	GY	GXL	2643782R1	1667639C1	6070	A	SWS_N_REQ		
XS90NA	14	GY	GXL	2643782R1		PS7	-	2644000R1		
XS90NB	14	GY	GXL	2643782R1	1667639C1	6070	B	SWS_N_REQ		
XS90NB	14	GY	GXL	2643782R1		PS9	-	2644000R1		
XS90P	18	GY	GXL	2643673R1	2036583C1	6063	B	SWS_N_REQ		
XS90P	18	GY	GXL	2643673R1	3595624C1	1703F	26	SWS_N_REQ		
XS90PA	18	GY	GXL	2643673R1	3595625C1	1703M	26	N/A		
XS90PA	18	GY	GXL	2643673R1	3598705C1	1602	F16	N/A	1618846C1	1618847C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
XS94L	12	GY	TXL	3510314R1	3768015C1	1010	39	N/A	376816C1	
XS94L	12	GY	TXL	3510314R1	3595623C1	1701	26	N/A		
XS94L(+)	18	GY	TXL	3510311R1	3595625C1	1700	30	N/A		
XS94L(+)	18	GY	TXL	3510311R1	3595623C1	1701	14	N/A		
XS94L(-)	18	GY	TXL	3510311R1	3595625C1	1700	31	N/A		
XS94L(-)	18	GY	TXL	3510311R1	3595623C1	1701	15	N/A		
XS94R(+)	18	GY	TXL	3510311R1	3595625C1	1700	35	N/A		
XS94R(+)	18	GY	TXL	3510311R1	3595623C1	1701	16	N/A		
XS94R(-)	18	GY	TXL	3510311R1	3595625C1	1700	36	N/A		
XS94R(-)	18	GY	TXL	3510311R1	3595623C1	1701	17	N/A		
XS9AB	18	GY	TXL	3510311R1	2036583C1	6063	A	SWS_N_REQ		
XS9AB	18	GY	TXL	3510311R1	3595624C1	1703F	63	SWS_N_REQ		
XS9AC	18	GY	TXL	3510311R1	3595625C1	1703M	63	N/A		
XS9AC	18	GY	TXL	3510311R1	2007315C1	1620	C	N/A	27316C1	
XT10GV	18	WH	TXL	3510359R1	3595625C1	1700	38	N/A		
XT10GV	18	WH	TXL	3510359R1	3595623C1	1701	25	N/A		
XT3C(+)	18	DKBL	TXL	3510353R1	3595623C1	1701	19	N/A		
XT3C(+)	18	DKBL	TXL	3510353R1	2006789C1	1660	C	N/A	26792C1	
XT3C(-)	18	GY	TXL	3510311R1	3595623C1	1701	18	N/A		
XT3C(-)	18	GY	TXL	3510311R1	2006789C1	1661	C	N/A	26792C1	
XT40A	14	GY	TXL	3510313R1	593385C1	1873H	R1-30	N/A	593387C1	
XT40A	14	GY	TXL	3510313R1	3768015C1	1018	8	N/A	376816C1	
XT40B	14	GY	TXL	3510313R1	593385C1	1873H	R1-87	N/A	593387C1	
XT40B	14	GY	TXL	3510313R1	3595625C1	1700	50	N/A		
XT90D	18	GY	TXL	3510311R1	3595625C1	1700	33	N/A		
XT90D	18	GY	TXL	3510311R1	3595623C1	1701	22	N/A		
XT90E	18	GY	TXL	3510311R1	3768015C1	1015	37	N/A	376816C1	
XT90E	18	GY	TXL	3510311R1		DS67	-	2644000R1		
XT90F	18	GY	TXL	3510311R1	3595623C1	1701	24	N/A		
XT90F	18	GY	TXL	3510311R1		DS67	-	2644000R1		
XT90G	18	GY	TXL	3510311R1	593385C1	1873H	R1-86	N/A	593387C1	
XT90G	18	GY	TXL	3510311R1		DS67	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
XT90HC	18	GY	TXL	3510311R1	593385C1	1873H	R1-85	N/A	593387C1	
XT90HC	18	GY	TXL	3510311R1	3613769C1	1027	7	N/A		
XT90R	18	GY	TXL	3510311R1	3595625C1	1700	32	N/A		
XT90R	18	GY	TXL	3510311R1	3595623C1	1701	23	N/A		
XU10-GV	18	WH	TXL	3510359R1	3595625C1	1700	38	N/A		
XU10-GV	18	WH	TXL	3510359R1	3595623C1	1701	25	N/A		
XU3C(+)	18	DKBL	TXL	3510353R1	3595623C1	1701	19	N/A		
XU3C(+)	18	DKBL	TXL	3510353R1	2006789C1	1660	C	N/A	26792C1	
XU3C(-)	18	DKBL	TXL	3510353R1	3595623C1	1701	18	N/A		
XU3C(-)	18	DKBL	TXL	3510353R1	2006789C1	1661	C	N/A	26792C1	
XU90D	18	GY	TXL	3510311R1	3595625C1	1700	33	N/A		
XU90D	18	GY	TXL	3510311R1	3595623C1	1701	22	N/A		
XU90E	18	GY	TXL	3510311R1	3768015C1	1015	37	N/A	376816C1	
XU90E	18	GY	TXL	3510311R1	3595623C1	1701	24	N/A		
XU90R	18	GY	TXL	3510311R1	3595625C1	1700	32	N/A		
XU90R	18	GY	TXL	3510311R1	3595623C1	1701	23	N/A		
XV56	16	OR	TXL	3510318R1	3598710C1	1604	C	N/A		
XV56	16	OR	TXL	3510318R1	3595625C1	1700	14	N/A		
XV56AA	16	OR	TXL	3510318R1	3598711C1	1603	B	N/A	3573833C1	
XV56AA	16	OR	TXL	3510318R1	3543733C1	400	E	3535424C1	3543732C1	
XV56T	16	OR	TXL	3510318R1	3595623C1	1701	5	N/A		
XV56T	16	OR	TXL	3510318R1	3543733C1	400	F	3535424C1	3543732C1	
XV57	16	OR	TXL	3510318R1	3598710C1	1604	K	N/A		
XV57	16	OR	TXL	3510318R1		BS26	-	2644000R1		
XV57B	16	OR	TXL	3510318R1	3595625C1	1700	15	N/A		
XV57B	16	OR	TXL	3510318R1		BS26	-	2644000R1		
XV57C	18	OR	TXL	3510317R1	3673259C1	1942F	4	N/A	353599C1	
XV57C	18	OR	TXL	3510317R1		BS26	-	2644000R1		
XV57T	16	OR	TXL	3510318R1	3543733C1	400	B	3535424C1	3543732C1	
XV57T	16	OR	TXL	3510318R1	3595623C1	1701	6	N/A		
XX24EAL	18	BN	TXL	3510305R1	6099045C1	8884B	24	N/A		
XX24EAL	18	BN	TXL	3510305R1		DS35	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
XX44A	18	GY	TXL	3510311R1	3595623C1	1701	21	N/A		
XX44A	18	GY	TXL	3510311R1		DS35	-	2644000R1		
XX44AA	18	GY	TXL	3510311R1	3518182C1	1109A	1	N/A	3518184C1	
XX44AA	18	GY	TXL	3510311R1		DS35	-	2644000R1		
XX90-D	14	GY	TXL	3510313R1		4081	1	2644038R1		
XX90-D	14	GY	TXL	3510313R1		HS1	-	2644000R1		
XX90-K	18	GY	TXL	3510311R1	3595623C1	1701	60	N/A		
XX90-K	18	GY	TXL	3510311R1		HS1	-	2644000R1		
XX90-M	18	GY	TXL	3510311R1	3518182C1	1109A	2	N/A	3518184C1	
XX90-M	18	GY	TXL	3510311R1		HS1	-	2644000R1		
XY58DA	18	BN	TXL	3510305R1	1661201C1	3000F	A	N/A		
XY58DA	18	BN	TXL	3510305R1	2007315C1		1623	D	N/A	27316C1
XY58DB	18	BN	TXL	3510305R1	1661201C1	3100F	A	N/A		
XY58DB	18	BN	TXL	3510305R1	2007315C1		1623	E	N/A	27316C1
XZ56	16	OR	TXL	3510318R1	3598710C1		1604	C	N/A	
XZ56	16	OR	TXL	3510318R1		AS26	-	2644000R1		
XZ56AA	16	OR	TXL	3510318R1	3598711C1		1603	B	N/A	3573833C1
XZ56AA	16	OR	TXL	3510318R1	3543733C1		400	E	3535424C1	3543732C1
XZ56B	16	OR	TXL	3510318R1	3595625C1		1700	14	N/A	
XZ56B	16	OR	TXL	3510318R1		AS26	-	2644000R1		
XZ56D	18	OR	TXL	3510317R1	1661201C1	3000F	A	N/A		
XZ56D	18	OR	TXL	3510317R1		AS26	-	2644000R1		
XZ56T	16	OR	TXL	3510318R1	3543733C1		400	F	3535424C1	3543732C1
XZ56T	16	OR	TXL	3510318R1	3595623C1		1701	5	N/A	
XZ57	16	OR	TXL	3510318R1	3598710C1		1604	K	N/A	
XZ57	16	OR	TXL	3510318R1		BS26	-	2644000R1		
XZ57B	16	OR	TXL	3510318R1	3595625C1		1700	15	N/A	
XZ57B	16	OR	TXL	3510318R1		BS26	-	2644000R1		
XZ57D	18	OR	TXL	3510317R1	1661201C1	3100F	A	N/A		
XZ57D	18	OR	TXL	3510317R1		BS26	-	2644000R1		
XZ57T	16	OR	TXL	3510318R1	3543733C1		400	B	3535424C1	3543732C1
XZ57T	16	OR	TXL	3510318R1	3595623C1		1701	6	N/A	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
YA67-G	16	WH	TXL	3510360R1	3613769C1	1022	6	N/A		
YA67-G	16	WH	TXL	3510360R1	3595625C1	1700	47	N/A		
YA67A	16	PK	TXL	3510324R1	3768015C1	1015	29	N/A	376816C1	
YA67A	16	PK	TXL	3510324R1	3595625C1	1700	24	N/A		
YB67TA	18	PK	TXL	3510323R1	3768015C1	1015	39	N/A	376816C1	
YB67TA	18	PK	TXL	3510323R1	3595623C1	1701	5	N/A		
YB67U	18	GY	GXL	2643673R1	3673259C1	1942F	3	N/A	353599C1	
YB67U	18	GY	GXL	2643673R1	3595623C1	1701	6	N/A		
YB67V	18	GY	GXL	2643673R1	3673259C1	1942F	1	N/A	353599C1	
YB67V	18	GY	GXL	2643673R1	3595623C1	1701	9	N/A		
YB67W	18	GY	GXL	2643673R1	3673259C1	1942F	2	N/A	353599C1	
YB67W	18	GY	GXL	2643673R1	3595623C1	1701	10	N/A		
YC67-G	16	WH	TXL	3510360R1	3613769C1	1022	6	N/A		
YC67-G	16	WH	TXL	3510360R1	3595625C1	1700	47	N/A		
YC67A	16	PK	TXL	3510324R1	3768015C1	1015	29	N/A	376816C1	
YC67A	16	PK	TXL	3510324R1	3595625C1	1700	20	N/A		
YD11-GBP	18	WH	TXL	3510359R1	3613769C1	1023	10	N/A		
YD11-GBP	18	WH	TXL	3510359R1		DS14	-	2644000R1		
YD11COG	18	WH	TXL	3510359R1	3540613C1	16B	D	N/A	354615C1	
YD11COG	18	WH	TXL	3510359R1		DS14	-	2644000R1		
YD11COG1	18	WH	TXL	3510359R1	3928059C1	1126M	2	N/A		
YD11COG1	18	WH	TXL	3510359R1		DS14	-	2644000R1		
YD13COG	16	PK	TXL	3510324R1	3540613C1	16B	C	N/A	354615C1	
YD13COG	16	PK	TXL	3510324R1		AS19	-	2644000R1		
YD14CSB	16	RD	TXL	3510366R1	3540613C1	16B	H	N/A	354615C1	
YD14CSB	16	RD	TXL	3510366R1	3768015C1	1010	16	N/A	376816C1	
YD5DA(+)	18	YL	TXL	3572112R1	3540613C1	16B	F	N/A	354615C1	
YD5DA(+)	18	YL	TXL	3572112R1	3595625C1	1700	25	N/A		
YD5DA(-)	18	GN	TXL	3572112R1	3540613C1	16B	E	N/A	354615C1	
YD5DA(-)	18	GN	TXL	3572112R1	3595625C1	1700	26	N/A		
YD62A	18	DKBL	TXL	3510353R1	3613769C1	1021	4	N/A		
YD62A	18	DKBL	TXL	3510353R1	3928059C1	1126M	12	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
YD67-G	18	WH	TXL	3510359R1	3613769C1	1022	6	N/A		
YD67-G	18	WH	TXL	3510359R1	3595625C1	1700	47	N/A		
YD67A	16	PK	TXL	3510324R1	3768015C1	1015	40	N/A	376816C1	
YD67A	16	PK	TXL	3510324R1		AS19	-	2644000R1		
YD67COG	18	GY	TXL	3510311R1	3540613C1	16B	G	N/A	354615C1	
YD67COG	18	GY	TXL	3510311R1		DS13	-	2644000R1		
YD67COG1	18	GY	TXL	3510311R1	3928059C1	1126M	1	N/A		
YD67COG1	18	GY	TXL	3510311R1		DS13	-	2644000R1		
YD67COG2	18	GY	TXL	3510311R1	3928059C1	1126M	4	N/A		
YD67COG2	18	GY	TXL	3510311R1		DS13	-	2644000R1		
YD67NB	16	VT	TXL	3510348R1	3928059C1	1126M	11	N/A		
YD67NB	16	VT	TXL	3510348R1		DS14	-	2644000R1		
YD67Y	18	PK	TXL	3510323R1	3595625C1	1700	24	N/A		
YD67Y	18	PK	TXL	3510323R1		AS19	-	2644000R1		
YF52A	14	YL	TXL	3510337R1	3595625C1	1700	1	N/A		
YF52A	14	YL	TXL	3510337R1	3598711C1	1603	H	N/A	3573833C1	
YF52B	14	YL	TXL	3510337R1	3595625C1	1700	3	N/A		
YF52B	14	YL	TXL	3510337R1	3598711C1	1603	L	N/A	3573833C1	
YF53A	14	YL	TXL	3510337R1	3598710C1	1604	B	N/A		
YF53A	14	YL	TXL	3510337R1	3595625C1	1700	2	N/A		
YF53B	14	YL	TXL	3510337R1	3598710C1	1604	H	N/A		
YF53B	14	YL	TXL	3510337R1	3595625C1	1700	4	N/A		
YG52A	14	YL	TXL	3510337R1	3598711C1	1603	H	N/A	3573833C1	
YG52A	14	YL	TXL	3510337R1	593385C1	1873D	R1-30	N/A	593387C1	
YG52AA	14	YL	TXL	3510337R1	3595625C1	1700	1	N/A		
YG52AA	14	YL	TXL	3510337R1	593385C1	1873D	R1-87	N/A	593387C1	
YG52AC	14	YL	TXL	3510337R1	593385C1	1873D	R1-87	N/A	593387C1	
YG52AC	14	YL	TXL	3510337R1	3595625C1	1700	10	N/A		
YG52B	14	YL	TXL	3510337R1	3598711C1	1603	L	N/A	3573833C1	
YG52B	14	YL	TXL	3510337R1	593385C1	1873E	R1-30	N/A	593387C1	
YG52BA	14	YL	TXL	3510337R1	3595625C1	1700	3	N/A		
YG52BA	14	YL	TXL	3510337R1	593385C1	1873E	R1-87	N/A	593387C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
YG52BC	14	YL	TXL	3510337R1	593385C1	1873E	R1-87	N/A	593387C1	
YG52BC	14	YL	TXL	3510337R1	3595625C1	1700	11	N/A		
YG53A	14	YL	TXL	3510337R1	3598710C1	1604	B	N/A		
YG53A	14	YL	TXL	3510337R1	593385C1	1873F	R1-30	N/A	593387C1	
YG53AA	14	YL	TXL	3510337R1	3595625C1	1700	2	N/A		
YG53AA	14	YL	TXL	3510337R1	593385C1	1873F	R1-87	N/A	593387C1	
YG53AC	14	YL	TXL	3510337R1	593385C1	1873F	R1-87	N/A	593387C1	
YG53AC	14	YL	TXL	3510337R1	3595625C1	1700	8	N/A		
YG53B	14	YL	TXL	3510337R1	3598710C1	1604	H	N/A		
YG53B	14	YL	TXL	3510337R1	593385C1	1873G	R1-30	N/A	593387C1	
YG53BA	14	YL	TXL	3510337R1	3595625C1	1700	4	N/A		
YG53BA	14	YL	TXL	3510337R1	593385C1	1873G	R1-87	N/A	593387C1	
YG53BC	14	YL	TXL	3510337R1	593385C1	1873G	R1-87	N/A	593387C1	
YG53BC	14	YL	TXL	3510337R1	3595625C1	1700	9	N/A		
YG96-GA	18	YL	TXL	3510335R1	593385C1	1873G	R1-85	N/A	593387C1	
YG96-GA	18	YL	TXL	3510335R1		HS4	-	2644000R1		
YG96-GB	18	YL	TXL	3510335R1	593385C1	1873F	R1-85	N/A	593387C1	
YG96-GB	18	YL	TXL	3510335R1		HS4	-	2644000R1		
YG96-GC	18	YL	TXL	3510335R1	593385C1	1873E	R1-85	N/A	593387C1	
YG96-GC	18	YL	TXL	3510335R1		HS4	-	2644000R1		
YG96-GD	18	YL	TXL	3510335R1	593385C1	1873D	R1-85	N/A	593387C1	
YG96-GD	18	YL	TXL	3510335R1		HS4	-	2644000R1		
YG96-GE	18	YL	TXL	3510335R1	3613769C1	1023	2	N/A		
YG96-GE	18	YL	TXL	3510335R1		HS4	-	2644000R1		
YG96A	18	YL	TXL	3510335R1	3598705C1	1602	E13	N/A	1618846C1	1618847C1
YG96A	18	YL	TXL	3510335R1		ES7	-	2644000R1		
YG96B	18	YL	TXL	3510335R1	593385C1	1873G	R1-86	N/A	593387C1	
YG96B	18	YL	TXL	3510335R1		ES7	-	2644000R1		
YG96C	18	YL	TXL	3510335R1	593385C1	1873F	R1-86	N/A	593387C1	
YG96C	18	YL	TXL	3510335R1		ES7	-	2644000R1		
YG96D	18	YL	TXL	3510335R1	593385C1	1873E	R1-86	N/A	593387C1	
YG96D	18	YL	TXL	3510335R1		ES7	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
YG96E	18	YL	TXL	3510335R1	593385C1	1873D	R1-86	N/A	593387C1	
YG96E	18	YL	TXL	3510335R1		ES7	-	2644000R1		
YH57	16	OR	TXL	3510318R1	3598710C1	1604	K	N/A		
YH57	16	OR	TXL	3510318R1		BS26	-	2644000R1		
YH57B	16	OR	TXL	3510318R1	3595625C1	1700	15	N/A		
YH57B	16	OR	TXL	3510318R1		BS26	-	2644000R1		
YH57D	18	OR	TXL	3510317R1	1661201C1	3100F	A	N/A		
YH57D	18	OR	TXL	3510317R1		BS26	-	2644000R1		
YJ64A	16	YL	TXL	3510336R1	3598711C1	1603	F	N/A	3573833C1	
YJ64A	16	YL	TXL	3510336R1	3595625C1	1700	22	N/A		
YJ64B	16	YL	TXL	3510336R1	3598711C1	1603	K	N/A	3573833C1	
YJ64B	16	YL	TXL	3510336R1	3595625C1	1700	23	N/A		
YK57	16	OR	TXL	3510318R1	3598710C1	1604	K	N/A		
YK57	16	OR	TXL	3510318R1		BS26	-	2644000R1		
YK57B	16	OR	TXL	3510318R1	3595625C1	1700	15	N/A		
YK57B	16	OR	TXL	3510318R1		BS26	-	2644000R1		
YK57C	18	OR	TXL	3510317R1	3673259C1	1942F	4	N/A	353599C1	
YK57C	18	OR	TXL	3510317R1		BS26	-	2644000R1		
YK57D	18	OR	TXL	3510317R1	1661201C1	3100F	A	N/A		
YK57D	18	OR	TXL	3510317R1		BS26	-	2644000R1		
YL56	16	OR	TXL	3510318R1	3595623C1	1701	2	N/A		
YL56	16	OR	TXL	3510318R1	3543733C1	1625	F	3535424C1	3543732C1	
YL56A	16	OR	TXL	3510318R1	3598711C1	1603	D	N/A	3573833C1	
YL56A	16	OR	TXL	3510318R1	3543733C1	1625	E	3535424C1	3543732C1	
YL57	16	OR	TXL	3510318R1	3595623C1	1701	3	N/A		
YL57	16	OR	TXL	3510318R1	3543733C1	1625	B	3535424C1	3543732C1	
YL57C	16	OR	TXL	3510318R1	3598711C1	1603	M	N/A	3573833C1	
YL57C	16	OR	TXL	3510318R1	3543733C1	1625	A	3535424C1	3543732C1	
YM56	16	OR	TXL	3510318R1	3598710C1	1604	C	N/A		
YM56	16	OR	TXL	3510318R1	3595625C1	1700	14	N/A		
YM56A	14	OR	TXL	3510319R1	3598711C1	1603	D	N/A	3573833C1	
YM56A	14	OR	TXL	3510319R1	3595623C1	1701	2	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
YM57A	14	OR	TXL	3510319R1	3598711C1	1603	M	N/A	3573833C1	
YM57A	14	OR	TXL	3510319R1	3595623C1	1701	3	N/A		
YN56	18	OR	TXL	3510317R1	3598710C1	1604	C	N/A		
YN56	18	OR	TXL	3510317R1		AS26	-	2644000R1		
YN56A	14	OR	TXL	3510319R1	3598711C1	1603	D	N/A	3573833C1	
YN56A	14	OR	TXL	3510319R1	3595623C1	1701	2	N/A		
YN56B	16	OR	TXL	3510318R1	3595625C1	1700	14	N/A		
YN56B	16	OR	TXL	3510318R1		AS26	-	2644000R1		
YN56D	18	OR	TXL	3510317R1	1661201C1	3000F	A	N/A		
YN56D	18	OR	TXL	3510317R1		AS26	-	2644000R1		
YN57A	14	OR	TXL	3510319R1	3598711C1	1603	M	N/A	3573833C1	
YN57A	14	OR	TXL	3510319R1	3595623C1	1701	3	N/A		
YP54	16	BN	TXL	3510306R1	3598710C1	1604	G	N/A		
YP54	16	BN	TXL	3510306R1	2007315C1	1623	A	N/A	27316C1	
YP54B	18	BN	TXL	3510305R1	3595625C1	1700	5	N/A		
YP54B	18	BN	TXL	3510305R1	2007315C1	1623	C	N/A	27316C1	
YP58T	18	BN	TXL	3510305R1	3544688C1	2000	1	N/A		
YP58T	18	BN	TXL	3510305R1	2007315C1	1623	F	N/A	27316C1	
YQ57	16	OR	TXL	3510318R1		BS26	-	2644000R1		
YQ57	16	OR	TXL	3510318R1	3598710C1	1604	K	N/A		
YQ57B	16	OR	TXL	3510318R1		BS26	-	2644000R1		
YQ57B	16	OR	TXL	3510318R1	3595625C1	1700	15	N/A		
YQ57C	18	OR	TXL	3510317R1		BS26	-	2644000R1		
YQ57C	18	OR	TXL	3510317R1	3673259C1	1942F	4	N/A	353599C1	
YR57	16	OR	TXL	3510318R1	3595625C1	1700	15	N/A		
YR57	16	OR	TXL	3510318R1	3598710C1	1604	K	N/A		
YS54	16	BN	TXL	3510306R1	3598710C1	1604	G	N/A		
YS54	16	BN	TXL	3510306R1	2007315C1	1623	A	N/A	27316C1	
YS54B	18	BN	TXL	3510305R1	3595625C1	1700	5	N/A		
YS54B	18	BN	TXL	3510305R1	2007315C1	1623	C	N/A	27316C1	
YS58T	18	BN	TXL	3510305R1	3544688C1	2000	1	N/A		
YS58T	18	BN	TXL	3510305R1	2007315C1	1623	D	N/A	27316C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
YT56AA	16	OR	TXL	3510318R1	3598711C1	1603	B	N/A	3573833C1	
YT56AA	16	OR	TXL	3510318R1	3543733C1	400	E	3535424C1	3543732C1	
YT56B	16	OR	TXL	3510318R1	3598710C1	1604	C	N/A		
YT56B	16	OR	TXL	3510318R1	3595625C1	1700	14	N/A		
YT56T	16	OR	TXL	3510318R1	3543733C1	400	F	3535424C1	3543732C1	
YT56T	16	OR	TXL	3510318R1	3595623C1	1701	5	N/A		
YT57B	16	OR	TXL	3510318R1	3595625C1	1700	15	N/A		
YT57B	16	OR	TXL	3510318R1	3598710C1	1604	K	N/A		
YT57T	16	OR	TXL	3510318R1	3543733C1	400	B	3535424C1	3543732C1	
YT57T	16	OR	TXL	3510318R1	3595623C1	1701	6	N/A		
YU57A	16	OR	TXL	3510318R1	3598711C1	1603	A	N/A	3573833C1	
YU57A	16	OR	TXL	3510318R1	3543733C1	400	A	3535424C1	3543732C1	
YV56BB	16	YL	TXL	3510336R1	3595623C1	1701	12	N/A		
YV56BB	16	YL	TXL	3510336R1	3543733C1	1625	G	3535424C1	3543732C1	
YV56BC	16	YL	TXL	3510336R1	3595623C1	1701	42	N/A		
YV56BC	16	YL	TXL	3510336R1	3543733C1	400	H	3535424C1	3543732C1	
YV57BB	16	TN	TXL	3510330R1	3595623C1	1701	63	N/A		
YV57BB	16	TN	TXL	3510330R1	3543733C1	1625	C	3535424C1	3543732C1	
YV57BC	16	LTGN	TXL	3510300R1	3595623C1	1701	64	N/A		
YV57BC	16	LTGN	TXL	3510300R1	3543733C1	400	C	3535424C1	3543732C1	
YW11-GBJ	12	WH	TXL	3510362R1		BS8	-	N/A		
YW11-GBJ	12	WH	TXL	3510362R1	2039311C91	4450M	G	589391C1	239342C1	
YW56BB	16	YL	TXL	3510336R1	3543733C1	1625	G	3535424C1	3543732C1	
YW56BB	16	YL	TXL	3510336R1	2039311C91	4450M	B	1652325C1	239342C1	
YW56BC	16	YL	TXL	3510336R1	3543733C1	400	G	3535424C1	3543732C1	
YW56BC	16	YL	TXL	3510336R1	1686834C1	4460M	A	1652325C1	166448C1	
YW57BB	16	LTGN	TXL	3510300R1	3543733C1	1625	C	3535424C1	3543732C1	
YW57BB	16	LTGN	TXL	3510300R1	2039311C91	4450M	C	1652325C1	239342C1	
YW57BC	16	LTGN	TXL	3510300R1	3543733C1	400	C	3535424C1	3543732C1	
YW57BC	16	LTGN	TXL	3510300R1	1686834C1	4460M	B	1652325C1	166448C1	
YX56BB	16	YL	TXL	3510336R1	3595623C1	1701	12	N/A		
YX56BB	16	YL	TXL	3510336R1	3543733C1	1625	G	3535424C1	3543732C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
YX56BC	16	YL	TXL	3510336R1	3595623C1	1701	42	N/A		
YX56BC	16	YL	TXL	3510336R1	3543733C1	400	H	3535424C1	3543732C1	
YX57BB	16	LTGN	TXL	3510300R1	3595623C1	1701	63	N/A		
YX57BB	16	LTGN	TXL	3510300R1	3543733C1	1625	C	3535424C1	3543732C1	
YX57BC	16	LTGN	TXL	3510300R1	3595623C1	1701	64	N/A		
YX57BC	16	LTGN	TXL	3510300R1	3543733C1	400	C	3535424C1	3543732C1	
YX70B	12	YL	TXL	3510338R1	3598710C1	1604	D	N/A		
YX70B	12	YL	TXL	3510338R1	3595623C1	1701	72	N/A		
YY56	16	OR	TXL	3510318R1	3598710C1	1604	C	N/A		
YY56	16	OR	TXL	3510318R1		AS26	-	2644000R1		
YY56AA	16	OR	TXL	3510318R1	3598711C1	1603	B	N/A	3573833C1	
YY56AA	16	OR	TXL	3510318R1	3543733C1	400	E	3535424C1	3543732C1	
YY56B	16	OR	TXL	3510318R1	3595625C1	1700	14	N/A		
YY56B	16	OR	TXL	3510318R1		AS26	-	2644000R1		
YY56D	18	OR	TXL	3510317R1	1661201C1	3000F	A	N/A		
YY56D	18	OR	TXL	3510317R1		AS26	-	2644000R1		
YY56T	16	OR	TXL	3510318R1	3543733C1	400	F	3535424C1	3543732C1	
YY56T	16	OR	TXL	3510318R1	3595623C1	1701	5	N/A		
YY57	16	OR	TXL	3510318R1	3598710C1	1604	K	N/A		
YY57	16	OR	TXL	3510318R1		BS26	-	2644000R1		
YY57B	16	OR	TXL	3510318R1	3595625C1	1700	15	N/A		
YY57B	16	OR	TXL	3510318R1		BS26	-	2644000R1		
YY57C	18	OR	TXL	3510317R1	3673259C1	1942F	4	N/A	353599C1	
YY57C	18	OR	TXL	3510317R1		BS26	-	2644000R1		
YY57D	18	OR	TXL	3510317R1	1661201C1	3100F	A	N/A		
YY57D	18	OR	TXL	3510317R1		BS26	-	2644000R1		
YY57T	16	OR	TXL	3510318R1	3543733C1	400	B	3535424C1	3543732C1	
YY57T	16	OR	TXL	3510318R1	3595623C1	1701	6	N/A		
YZ11-GBJ	12	WH	TXL	3510362R1		BS8	-	N/A		
YZ11-GBJ	12	WH	TXL	3510362R1	2039311C91	4450M	G	589391C1	239342C1	
YZ56BB	16	YL	TXL	3510336R1	3543733C1	1625	G	3535424C1	3543732C1	
YZ56BB	16	YL	TXL	3510336R1	2039311C91	4450M	B	1652325C1	239342C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
YZ56BC	16	YL	TXL	3510336R1	3543733C1	400	G	3535424C1	3543732C1	
YZ56BC	16	YL	TXL	3510336R1	1686834C1	4460M	A	1652325C1	166448C1	
YZ57BB	16	LTGN	TXL	3510300R1	3543733C1	1625	C	3535424C1	3543732C1	
YZ57BB	16	LTGN	TXL	3510300R1	2039311C91	4450M	C	1652325C1	239342C1	
YZ57BC	16	LTGN	TXL	3510300R1	3543733C1	400	C	3535424C1	3543732C1	
YZ57BC	16	LTGN	TXL	3510300R1	1686834C1	4460M	B	1652325C1	166448C1	
YZ70B	12	YL	TXL	3510338R1	3598710C1	1604	D	N/A		
YZ70B	12	YL	TXL	3510338R1	1686834C1	4460M	C	589391C1	166448C1	
ZA71A	16	OR	TXL	3510318R1	3595623C1	1701	1	N/A		
ZA71A	16	OR	TXL	3510318R1	3543733C1	400	K	3535424C1	3543732C1	
ZA71BA	16	OR	TXL	3510318R1	3595624C1	1703F	66	SWS_N_REQ		
ZA71BA	16	OR	TXL	3510318R1	3595621C1	1702	6	N/A	3598918C1	3598919C1
ZA71BB	16	OR	TXL	3510318R1	3768015C1	1015	15	N/A	376816C1	
ZA71BB	16	OR	TXL	3510318R1	3595625C1	1703M	66	N/A		
ZA71BJ	16	OR	TXL	3510318R1	3595621C1	1702	7	N/A	3598918C1	3598919C1
ZA71BJ	16	OR	TXL	3510318R1	3595624C1	1703F	44	SWS_N_REQ		
ZA71BK	16	OR	TXL	3510318R1	3595625C1	1703M	44	N/A		
ZA71BK	16	OR	TXL	3510318R1	3543733C1	400	J	3535424C1	3543732C1	
ZB50A	18	YL	TXL	3510335R1	1661259C1	1052	B	N/A	1661263C1	
ZB50A	18	YL	TXL	3510335R1	4063156C1	9	H	N/A		
ZB50B	18	YL	TXL	3510335R1	1661259C1	1052	A	N/A	1661263C1	
ZB50B	18	YL	TXL	3510335R1	4063156C1	9	E	N/A		
ZC71	16	OR	TXL	3510318R1	3768015C1	1015	15	N/A	376816C1	
ZC71	16	OR	TXL	3510318R1		DS24	-	2644000R1		
ZC71A	18	OR	TXL	3510317R1	3768010C1	1012	R2 -	0 N/A	376811C1	
ZC71A	18	OR	TXL	3510317R1	B	DS24	-	2644000R		
ZC71B	18	WH	TXL	3510359R1	3768010C1	1012	R2 -	6 N/A	376811C1	
ZC71B	18	WH	TXL	3510359R1	B	DS24	-	2644000R		
ZC71BA	16	OR	TXL	3510318R1	3543733C1	400	J	3535424C1	3543732C1	
ZC71BA	16	OR	TXL	3510318R1	3768010C1	1012	R2 -	7 N/A	376811C1	
ZC71BK	16	OR	TXL	3510318R1	3543733C1	400	K	3535424C1	3543732C1	
ZC71BK	16	OR	TXL	3510318R1	3595623C1	1701	1	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
ZC92#165	18	TN	TXL	3510329R1	3595624C1	1703F	45	SWS_N_REQ		
ZC92#165	18	TN	TXL	3510329R1	3595621C1	1702	7	N/A	3598918C1	3598919C1
ZC92#165A	18	TN	TXL	3510329R1	3768010C1	1012	R2 -	5 N/A	376811C1	
ZC92#165A	18	TN	TXL	3510329R1	3595625C1	1703M	45	N/A		
ZD50A	18	YL	TXL	3510335R1	1661259C1	1052	B	N/A	1661263C1	
ZD50A	18	YL	TXL	3510335R1	4063156C1	0009B	H	N/A		
ZD50B	18	YL	TXL	3510335R1	1661259C1	1052	A	N/A	1661263C1	
ZD50B	18	YL	TXL	3510335R1	4063156C1	0009B	E	N/A		
ZE71AD	16	OR	TXL	3510318R1	3595623C1	1701	1	N/A		
ZE71AD	16	OR	TXL	3510318R1	3543733C1	400	K	3535424C1	3543732C1	
ZG71BA	16	OR	TXL	3510318R1		BS25	-	2644000R1		
ZG71BA	16	OR	TXL	3510318R1	3595623C1	1701	1	N/A		
ZG71BB	16	OR	TXL	3510318R1		BS25	-	2644000R1		
ZG71BB	16	OR	TXL	3510318R1	3595623C1	1701	73	N/A		
ZG71BC	16	OR	TXL	3510318R1		BS25	-	2644000R1		
ZG71BC	16	OR	TXL	3510318R1	3543733C1	400	K	3535424C1	3543732C1	
ZH71	16	OR	TXL	3510318R1	3595624C1	1703F	66	SWS_N_REQ		
ZH71	16	OR	TXL	3510318R1	3595621C1	1702	6	N/A	3598918C1	3598919C1
ZH71AA	16	OR	TXL	3510318R1	3595625C1	1703M	66	N/A		
ZH71AA	16	OR	TXL	3510318R1	3768015C1	1015	15	N/A	376816C1	
ZH71AB	16	OR	TXL	3510318R1	3595621C1	1702	7	N/A	3598918C1	3598919C1
ZH71AB	16	OR	TXL	3510318R1	3595624C1	1703F	45	SWS_N_REQ		
ZH71AC	16	OR	TXL	3510318R1	3595625C1	1703M	45	N/A		
ZH71AC	16	OR	TXL	3510318R1	3543733C1	400	J	3535424C1	3543732C1	
ZJ71	16	OR	TXL	3510318R1	3768015C1	1015	15	N/A	376816C1	
ZJ71	16	OR	TXL	3510318R1		DS24	-	2644000R1		
ZJ71A	18	OR	TXL	3510317R1	3768010C1	1012	R2 -	0 N/A	376811C1	
ZJ71A	18	OR	TXL	3510317R1	B	DS24	-	2644000R		
ZJ71AB	16	OR	TXL	3510318R1	3768010C1	1012	R2 -	7 N/A	376811C1	
ZJ71AB	16	OR	TXL	3510318R1	3543733C1	400	J	3535424C	3543732C1	
ZJ71B	18	WH	TXL	3510359R1	3768010C1	1012	R2 -	6 N/A	376811C1	
ZJ71B	18	WH	TXL	3510359R1	B	DS24	-	2644000R		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
ZJ92#165	18	TN	TXL	3510329R1	3595624C1	1703F	45	SWS_N_REQ		
ZJ92#165	18	TN	TXL	3510329R1	3595621C1	1702	7	N/A	3598918C1	3598919C1
ZJ92#165A	18	TN	TXL	3510329R1	3768010C1	1012	R2 -	5 N/A	376811C1	
ZJ92#165A	18	TN	TXL	3510329R1	3595625C1	1703M	45	N/A		
ZK71BA	16	OR	TXL	3510318R1	3595623C1	1701	1	N/A		
ZK71BA	16	OR	TXL	3510318R1		BS25	-	2644000R1		
ZK71BB	16	LTBL	TXL	3510342R1	2039311C91	4450M	E	1652325C1	239342C1	
ZK71BB	16	LTBL	TXL	3510342R1		BS25	-	2644000R1		
ZK71CB	16	OR	TXL	3510318R1	3543733C1	400	K	3535424C1	3543732C1	
ZK71CB	16	OR	TXL	3510318R1		BS25	-	2644000R1		
ZL71	16	OR	TXL	3510318R1	3768015C1	1015	15	N/A	376816C1	
ZL71	16	OR	TXL	3510318R1	3768010C1	1012	R2 -	0 N/A	376811C1	
ZL71AA	18	TN	TXL	3510329R1	3595624C1	1703F	45	SWS_N_REQ		
ZL71AA	18	TN	TXL	3510329R1	3595621C1	1702	7	N/A	3598918C1	3598919C1
ZL71AB	18	TN	TXL	3510329R1	3595625C1	1703M	45	N/A		
ZL71AB	18	TN	TXL	3510329R1	3768010C1	1012	R2 -	6 N/A	376811C1	
ZL71AC	16	OR	TXL	3510318R1	3543733C1	400	J	3535424C1	3543732C1	
ZL71AC	16	OR	TXL	3510318R1	3768010C1	1012	R2 -	7 N/A	376811C1	
ZL71B	18	WH	TXL	3510359R1	3595625C1	1703M	1	N/A		
ZL71B	18	WH	TXL	3510359R1	3768010C1	1012	R2 -	5 N/A	376811C1	
ZL71C	18	WH	TXL	3510359R1	3595624C1	1703F	1	SWS_N_REQ		
ZL71C	18	WH	TXL	3510359R1	3595621C1	1702	9	N/A	3598918C1	3598919C1
ZN68	16	BN	TXL	3510306R1	3595623C1	1701	4	N/A		
ZN68	16	BN	TXL	3510306R1	2007315C1	1623	G	N/A	27316C1	
ZP68	16	BN	TXL	3510306R1	2007315C1	1623	G	N/A	27316C1	
ZP68	16	BN	TXL	3510306R1		DS6	-	2644000R1		
ZP68A	16	BN	TXL	3510306R1	3595623C1	1701	4	N/A		
ZP68A	16	BN	TXL	3510306R1		DS6	-	2644000R1		
ZP68TB	16	BN	TXL	3510306R1	3595623C1	1701	71	N/A		
ZP68TB	16	BN	TXL	3510306R1		DS6	-	2644000R1		
ZQ68	16	BN	TXL	3510306R1	2007315C1	1623	G	N/A	27316C1	
ZQ68	16	BN	TXL	3510306R1		GS8	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
ZQ68A	16	BN	TXL	3510306R1	3595623C1	1701	4	N/A		
ZQ68A	16	BN	TXL	3510306R1		GS8	-	2644000R1		
ZQ68TB	16	BN	TXL	3510306R1	2039311C91	4450M	A	1652325C1	239342C1	
ZQ68TB	16	BN	TXL	3510306R1		GS8	-	2644000R1		
ZR12-GA	16	WH	TXL	3510360R1	3928059C1		1106	11	N/A	
ZR12-GA	16	WH	TXL	3510360R1		MS3	-	2644000R1		
ZR12-GB	12	WH	TXL	3510362R1	3554817C1		2021	B	N/A	355482C1
ZR12-GB	12	WH	TXL	3510362R1		MS3	-	2644000R1		
ZR12-GC	16	WH	TXL	3510360R1	3613769C1		1027	5	N/A	
ZR12-GC	16	WH	TXL	3510360R1		MS3	-	2644000R1		
ZR12-GD	16	WH	TXL	3510360R1	3768010C1		1014	R3 -	5 N/A	376811C1
ZR12-GD	16	WH	TXL	3510360R1	B	MS3	-	2644000R		
ZR12-GE	18	WH	TXL	3510359R1	3928059C1		1106	9	N/A	
ZR12-GE	18	WH	TXL	3510359R1		MS3	-	2644000R1		
ZR12U	12	LTBL	TXL	3510344R1	3768010C1		1014	R3 -	7 N/A	376811C1
ZR12U	12	LTBL	TXL	3510344R1	3554817C1		2021	A	N/A	355482C1
ZR12Z	12	LTBL	TXL	3510344R1	3768010C1		1014	R3 -	0 N/A	376811C1
ZR12Z	12	LTBL	TXL	3510344R1	3768015C1		1017	24	N/A	376816C1
ZR12ZA	18	LTBL	TXL	3510341R1	3768015C1		1017	29	N/A	376816C1
ZR12ZA	18	LTBL	TXL	3510341R1	3928059C1		1106	2	N/A	
ZR12ZB	18	LTBL	TXL	3510341R1	3928059C1		1106	4	N/A	
ZR12ZB	18	LTBL	TXL	3510341R1	3768010C1		1014	R3 -	6 N/A	376811C1
ZR12ZC	18	LTBL	TXL	3510341R1	3928059C1		1106	10	N/A	
ZR12ZC	18	LTBL	TXL	3510341R1	3928059C1		1106	12	N/A	
ZR62DJ	18	DKBL	TXL	3510353R1	3928059C1		1106	12	N/A	
ZR62DJ	18	DKBL	TXL	3510353R1	3613769C1		1021	5	N/A	
ZT65	16	OR	TXL	3510318R1	3598711C1		1603	G	N/A	3573833C1
ZT65	16	OR	TXL	3510318R1	3595623C1		1701	68	N/A	
ZU71D	18	OR	TXL	3510317R1	3598705C1		1602	F10	N/A	1618846C1 1618847C1
ZU71D	18	OR	TXL	3510317R1	3543733C1		400	M	3535424C1	3543732C1
[MLBRN]	22	-	TXL	V-22-TXL	PAS8(1 2)		20A	2		
[MLBRN]	22	-	TXL	V-22-TXL	PAS8(1 2)		21A	2		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
[MLGRN]	22	-	TXL	V-22-TXL	PAS8(1	2)	20A	3		
[MLGRN]	22	-	TXL	V-22-TXL	PAS8(1	2)	21A	3		
[MLGRY]	22	-	TXL	V-22-TXL	PAS8(1	2)	20A	5		
[MLGRY]	22	-	TXL	V-22-TXL	PAS8(1	2)	21A	5		
[MLRED]	22	-	TXL	V-22-TXL	PAS8(1	2)	20A	8		
[MLRED]	22	-	TXL	V-22-TXL	PAS8(1	2)	21A	8		
[MLWHT]	22	-	TXL	V-22-TXL	PAS8(1	2)	20A	1		
[MLWHT]	22	-	TXL	V-22-TXL	PAS8(1	2)	21A	1		
[MLYEL]	22	-	TXL	V-22-TXL	PAS8(1	2)	20A	4		
[MLYEL]	22	-	TXL	V-22-TXL	PAS8(1	2)	21A	4		
[MPBRN]	22	-	TXL	V-22-TXL	PAS8(1	2)	20A	2		
[MPBRN]	22	-	TXL	V-22-TXL	PAS8(1	2)	21A	2		
[MPGRN]	22	-	TXL	V-22-TXL	PAS8(1	2)	20A	3		
[MPGRN]	22	-	TXL	V-22-TXL	PAS8(1	2)	21A	3		
[MPGRY]	22	-	TXL	V-22-TXL	PAS8(1	2)	20A	5		
[MPGRY]	22	-	TXL	V-22-TXL	PAS8(1	2)	21A	5		
[MPRED]	22	-	TXL	V-22-TXL	PAS8(1	2)	20A	8		
[MPRED]	22	-	TXL	V-22-TXL	PAS8(1	2)	21A	8		
[MPWHT]	22	-	TXL	V-22-TXL	PAS8(1	2)	20A	1		
[MPWHT]	22	-	TXL	V-22-TXL	PAS8(1	2)	21A	1		
[MPYEL]	22	-	TXL	V-22-TXL	PAS8(1	2)	20A	4		
[MPYEL]	22	-	TXL	V-22-TXL	PAS8(1	2)	21A	4		
[SECORE]	NONE	-	NON	V-COAXWIRE	PAS2(1	2)	2A	1		
[SECORE]	NONE	-	NON	V-COAXWIRE	PAS2(1	2)	1A	1		
[SESHLD]	NONE	-	NON	V-COAXWIRE	PAS2(1	2)	2A	2		
[SESHLD]	NONE	-	NON	V-COAXWIRE	PAS2(1	2)	1A	2		
[SFCORE]	NONE	-	NON	V-COAXWIRE	PAS2(1	2)	3A	1		
[SFCORE]	NONE	-	NON	V-COAXWIRE	PAS2(1	2)	4A	1		
[SFSHLD]	NONE	-	NON	V-COAXWIRE	PAS2(1	2)	3A	2		
[SFSHLD]	NONE	-	NON	V-COAXWIRE	PAS2(1	2)	4A	2		
[XS90B]	16	-	GXL	V-16-GXL	PAS2(A	B)	6064	B		
[XS90B]	16	-	GXL	V-16-GXL		PS8	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
[XS90C]	16	-	GXL	V-16-GXL	PAS2(A	B)	6064	A		
[XS90C]	16	-	GXL	V-16-GXL		PS6	-	2644000R1		
BB102A	18	YL	TXL	3510335R1	3612512C1	1800F	A8	N/A	3612513C1	3553652C1
BB102A	18	YL	TXL	3510335R1	3539212C1		1810 4	N/A		
BB52A	18	YL	TXL	3510335R1	3612512C1	1800F	A7	N/A	3612513C1	3553652C1
BB52A	18	YL	TXL	3510335R1	3539212C1		1810 3	N/A		
BB56A	18	OR	TXL	3510317R1	3612512C1	1800F	A1	N/A	3612513C1	3553652C1
BB56A	18	OR	TXL	3510317R1	3539212C1		1810 1	N/A		
BB57A	18	OR	TXL	3510317R1	3612512C1	1800F	A2	N/A	3612513C1	3553652C1
BB57A	18	OR	TXL	3510317R1	3539212C1		1810 2	N/A		
BB82	18	GY	TXL	3510311R1	3612512C1	1800F	C9	N/A	3612513C1	3553652C1
BB82	18	GY	TXL	3510311R1	3539212C1		1810 8	N/A		
BB82A	18	GY	TXL	3510311R1	3612512C1	1800F	C1	N/A	3612513C1	3553652C1
BB82A	18	GY	TXL	3510311R1	3539212C1		1810 11	N/A		
BB82B	18	GY	TXL	3510311R1	3612512C1	1800F	B1	N/A	3612513C1	3553652C1
BB82B	18	GY	TXL	3510311R1	3539212C1		1810 5	N/A		
BB87A	18	GY	TXL	3510311R1	3612512C1	1800F	A5	N/A	3612513C1	3553652C1
BB87A	18	GY	TXL	3510311R1	3539212C1		1810 12	N/A		
BB97P	18	VT/BK	GXL	4092323R1	3612512C1	1800F	C5	N/A	3612513C1	3553652C1
BB97P	18	VT/BK	GXL	4092323R1	1673744C1		1804 3	N/A		
BB97Y	18	VT	GXL	2643718R1	3612512C1	1800F	B4	N/A	3612513C1	3553652C1
BB97Y	18	VT	GXL	2643718R1	1673744C1		1804 2	N/A		
BB99E	18	VT/BK	GXL	4092323R1	3612512C1	1800F	C6	N/A	3612513C1	3553652C1
BB99E	18	VT/BK	GXL	4092323R1	1673744C1		1804 6	N/A		
BB99U	18	VT/WH	GXL	4092319R1	3612512C1	1800F	B5	N/A	3612513C1	3553652C1
BB99U	18	VT/WH	GXL	4092319R1	1673744C1		1804 4	N/A		
BB99V	18	VT/WH	GXL	4092319R1	3612512C1	1800F	C4	N/A	3612513C1	3553652C1
BB99V	18	VT/WH	GXL	4092319R1	1673744C1		1804 1	N/A		
BB99W	18	VT	GXL	2643718R1	3612512C1	1800F	B6	N/A	3612513C1	3553652C1
BB99W	18	VT	GXL	2643718R1	1673744C1		1804 5	N/A		
BD5FA(+)	18	YL	TXL	3572112R1	4064551C1	1825F	E	N/A		
BD5FA(+)	18	YL	TXL	3572112R1	4064552C1	7900M	E	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
BD5FA(-)	18	GN	TXL	3572112R1	4064551C1	1825F	F	N/A		
BD5FA(-)	18	GN	TXL	3572112R1	4064552C1	7900M	F	N/A		
BD62DC	18	DKBL	TXL	3510353R1	4064551C1	1825F	G	N/A		
BD62DC	18	DKBL	TXL	3510353R1	4064552C1	7900M	G	N/A		
BD92	18	TN	TXL	3510329R1	4064551C1	1825F	C	N/A		
BD92	18	TN	TXL	3510329R1	4064552C1	7900M	C	N/A		
BD92#134	18	TN	TXL	3510329R1	4064551C1	1825F	B	N/A		
BD92#134	18	TN	TXL	3510329R1	4064552C1	7900M	B	N/A		
BD92-GAH	18	WH	TXL	3510359R1	4064551C1	1825F	H	N/A		
BD92-GAH	18	WH	TXL	3510359R1	4064552C1	7900M	H	N/A		
BD9ZA	18	GY	TXL	3510311R1	4064551C1	1825F	D	N/A		
BD9ZA	18	GY	TXL	3510311R1	4064552C1	7900M	D	N/A		
BE11-GAA	18	WH	TXL	3510359R1	3612512C1	1800F	A3	N/A	3612513C1	3553652C1
BE11-GAA	18	WH	TXL	3510359R1		SDS1	-	2644000R1		
BE62-GDD	18	WH	TXL	3510359R1	3608496C1		1802 6	N/A		
BE62-GDD	18	WH	TXL	3510359R1		SDS1	-	2644000R1		
BE62DD	20	DKBL	TXL	3510352R1	3612512C1	1800F	D3	N/A	3612513C1	3553652C1
BE62DD	20	DKBL	TXL	3510352R1	3608496C1		1802 5	N/A		
BE85A	20	GY	TXL	3510310R1	3612512C1	1800F	B10	N/A	3612513C1	3553652C1
BE85A	20	GY	TXL	3510310R1	3608496C1		1802 3	N/A		
BE87-G	18	WH	TXL	3510359R1	3539212C1		1810 6	N/A		
BE87-G	18	WH	TXL	3510359R1		SDS1	-	2644000R1		
BF11-GAA	18	WH	TXL	3510359R1	3612512C1	1800F	A3	N/A	3612513C1	3553652C1
BF11-GAA	18	WH	TXL	3510359R1	3539212C1		1810 6	N/A		
BF62DD	20	DKBL	TXL	3510352R1	3612512C1	1800F	D3	N/A	3612513C1	3553652C1
BF62DD	20	DKBL	TXL	3510352R1	3547870C1		1809 C	N/A	3515764C1	
BF85B	20	GY	TXL	3510310R1	3612512C1	1800F	B10	N/A	3612513C1	3553652C1
BF85B	20	GY	TXL	3510310R1	3547870C1		1809 B	N/A	3515764C1	
BF97	20	GY	TXL	3510310R1	3612512C1	1800F	B12	N/A	3612513C1	3553652C1
BF97	20	GY	TXL	3510310R1	3547870C1		1809 A	N/A	3515764C1	
BG11-GAA	18	WH	TXL	3510359R1	3612512C1	1800F	A3	N/A	3612513C1	3553652C1
BG11-GAA	18	WH	TXL	3510359R1	3539212C1		1810 6	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
BG40	18	GY	TXL	3510311R1	3612512C1	1800F	C12	N/A	3612513C1	3553652C1
BG40	18	GY	TXL	3510311R1	1678137C1		1811	C	N/A	
BG40A	18	GY	TXL	3510311R1	1678137C1		1812	C	N/A	
BG40A	18	GY	TXL	3510311R1	3612512C1	1800F	B2	N/A	3612513C1	3553652C1
BG40F	18	GY	TXL	3510311R1	3612512C1	1800F	C2	N/A	3612513C1	3553652C1
BG40F	18	GY	TXL	3510311R1	1678137C1		1822	C	N/A	
BG44BB	18	GY	TXL	3510311R1	3612512C1	1800F	B7	N/A	3612513C1	3553652C1
BG44BB	18	GY	TXL	3510311R1	1661777C1		1813	C	N/A	1661873C1
BG62DD	20	DKBL	TXL	3510352R1	3612512C1	1800F	D3	N/A	3612513C1	3553652C1
BG62DD	20	DKBL	TXL	3510352R1	3547870C1		1809	C	N/A	3515764C1
BG6H	18	GY	GXL	2643673R1	3612512C1	1800F	B3	N/A	3612513C1	3553652C1
BG6H	18	GY	GXL	2643673R1		SCS1	-	2644000R1		
BG6HA	18	GY	TXL	3510311R1	1678137C1		1812	B	N/A	
BG6HA	18	GY	TXL	3510311R1		SCS1	-	2644000R1		
BG6HB	18	GY	TXL	3510311R1	1678137C1		1811	B	N/A	
BG6HB	18	GY	TXL	3510311R1		SCS1	-	2644000R1		
BG6HC	18	GY	TXL	3510311R1	1678137C1		1822	B	N/A	
BG6HC	18	GY	TXL	3510311R1		SCS1	-	2644000R1		
BG70	18	OR	TXL	3510317R1	3612512C1	1800F	B9	N/A	3612513C1	3553652C1
BG70	18	OR	TXL	3510317R1	1661777C1		1824	C	N/A	1661873C1
BG70A	18	OR	TXL	3510317R1	3612512C1	1800F	A6	N/A	3612513C1	3553652C1
BG70A	18	OR	TXL	3510317R1	1661777C1		1823	C	N/A	1661873C1
BG85B	20	GY	TXL	3510310R1	3612512C1	1800F	B10	N/A	3612513C1	3553652C1
BG85B	20	GY	TXL	3510310R1	3547870C1		1809	B	N/A	3515764C1
BG97	20	GY	TXL	3510310R1	3612512C1	1800F	B12	N/A	3612513C1	3553652C1
BG97	20	GY	TXL	3510310R1	3547870C1		1809	A	N/A	3515764C1
BG9R	18	GY	TXL	3510311R1	3547870C1		1809	D	N/A	3515764C1
BG9R	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
BG9S	18	GY	TXL	3510311R1	3539212C1		1810	7	N/A	
BG9S	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
BG9V	18	GY	GXL	2643673R1	3612512C1	1800F	A4	N/A	3612513C1	3553652C1
BG9V	18	GY	GXL	2643673R1		SCS2	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
BG9VC	18	GY	TXL	3510311R1	1678137C1	1811	A	N/A		
BG9VC	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
BG9VD	18	GY	TXL	3510311R1	1661777C1	1813	D	N/A	1661873C1	
BG9VD	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
BG9VE	18	GY	TXL	3510311R1	1678137C1	1812	A	N/A		
BG9VE	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
BG9VF	18	GY	TXL	3510311R1	1678137C1	1822	A	N/A		
BG9VF	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
BG9VG	18	GY	TXL	3510311R1	1661777C1	1823	D	N/A	1661873C1	
BG9VG	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
BG9VH	18	GY	TXL	3510311R1	1661777C1	1824	D	N/A	1661873C1	
BG9VH	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
BL100	20	GY	TXL	3510310R1	3612512C1	1800F	B11	N/A	3612513C1	3553652C1
BL100	20	GY	TXL	3510310R1	3608496C1		1802	2	N/A	
BL11-GAA	18	WH	GXL	2643674R1	3612512C1	1800F	A3	N/A	3612513C1	3553652C1
BL11-GAA	18	WH	GXL	2643674R1		SDS1	-	2644000R1		
BL40	18	GY	TXL	3510311R1	3612512C1	1800F	C12	N/A	3612513C1	3553652C1
BL40	18	GY	TXL	3510311R1	1678137C1		1811	C	N/A	
BL40A	18	GY	TXL	3510311R1	3612512C1	1800F	B2	N/A	3612513C1	3553652C1
BL40A	18	GY	TXL	3510311R1	1678137C1		1812	C	N/A	
BL40F	18	GY	TXL	3510311R1	3612512C1	1800F	C2	N/A	3612513C1	3553652C1
BL40F	18	GY	TXL	3510311R1	1678137C1		1822	C	N/A	
BL44BB	18	GY	TXL	3510311R1	3612512C1	1800F	B7	N/A	3612513C1	3553652C1
BL44BB	18	GY	TXL	3510311R1	1661777C1		1813	C	N/A	1661873C1
BL62-GDD	18	WH	TXL	3510359R1	3608496C1		1802	6	N/A	
BL62-GDD	18	WH	TXL	3510359R1		SDS1	-	2644000R1		
BL62DD	20	DKBL	TXL	3510352R1	3612512C1	1800F	D3	N/A	3612513C1	3553652C1
BL62DD	20	DKBL	TXL	3510352R1	3608496C1		1802	5	N/A	
BL6H	18	GY	GXL	2643673R1	3612512C1	1800F	B3	N/A	3612513C1	3553652C1
BL6H	18	GY	GXL	2643673R1		SCS1	-	2644000R1		
BL6HA	18	GY	TXL	3510311R1	1678137C1		1812	B	N/A	
BL6HA	18	GY	TXL	3510311R1		SCS1	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
BL6HB	18	GY	TXL	3510311R1	1678137C1	1811	B	N/A		
BL6HB	18	GY	TXL	3510311R1		SCS1	-	2644000R1		
BL6HC	18	GY	TXL	3510311R1	1678137C1	1822	B	N/A		
BL6HC	18	GY	TXL	3510311R1		SCS1	-	2644000R1		
BL70	18	OR	TXL	3510317R1	3612512C1	1800F	B9	N/A	3612513C1	3553652C1
BL70	18	OR	TXL	3510317R1	1661777C1		1824	N/A	1661873C1	
BL70A	18	OR	TXL	3510317R1	3612512C1	1800F	A6	N/A	3612513C1	3553652C1
BL70A	18	OR	TXL	3510317R1	1661777C1		1823	N/A	1661873C1	
BL85A	20	GY	TXL	3510310R1	3612512C1	1800F	B10	N/A	3612513C1	3553652C1
BL85A	20	GY	TXL	3510310R1	3608496C1		1802	3	N/A	
BL87-G	18	WH	TXL	3510359R1	3539212C1		1810	6	N/A	
BL87-G	18	WH	TXL	3510359R1		SDS1	-	2644000R1		
BL97	20	GY	TXL	3510310R1	3612512C1	1800F	B12	N/A	3612513C1	3553652C1
BL97	20	GY	TXL	3510310R1	3608496C1		1802	1	N/A	
BL9S	18	GY	TXL	3510311R1	3539212C1		1810	7	N/A	
BL9S	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
BL9V	18	GY	GXL	2643673R1	3612512C1	1800F	A4	N/A	3612513C1	3553652C1
BL9V	18	GY	GXL	2643673R1		SCS2	-	2644000R1		
BL9VA	20	GY	TXL	3510310R1	3608496C1		1802	4	N/A	
BL9VA	20	GY	TXL	3510310R1		SCS2	-	2644000R1		
BL9VC	18	GY	TXL	3510311R1	1678137C1		1811	A	N/A	
BL9VC	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
BL9VD	18	GY	TXL	3510311R1	1661777C1		1813	D	N/A	1661873C1
BL9VD	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
BL9VE	18	GY	TXL	3510311R1	1678137C1		1812	A	N/A	
BL9VE	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
BL9VF	18	GY	TXL	3510311R1	1678137C1		1822	A	N/A	
BL9VF	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
BL9VG	18	GY	TXL	3510311R1	1661777C1		1823	D	N/A	1661873C1
BL9VG	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
BL9VH	18	GY	TXL	3510311R1	1661777C1		1824	D	N/A	1661873C1
BL9VH	18	GY	TXL	3510311R1		SCS2	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
BN94SA	20	GY	TXL	3510310R1	3601800C1	1821	2	N/A		
BN94SA	20	GY	TXL	3510310R1	1667529C1	1820F	A	N/A	166753C1	
BN94SB	20	GY	TXL	3510310R1	3601800C1	1821	3	N/A		
BN94SB	20	GY	TXL	3510310R1	1667529C1	1820F	B	N/A	166753C1	
BN94SC	20	GY	TXL	3510310R1	3601800C1	1821	1	N/A		
BN94SC	20	GY	TXL	3510310R1	1667529C1	1820F	C	N/A	166753C1	
BN94SD	20	GY	TXL	3510310R1	3601800C1	1821	4	N/A		
BN94SD	20	GY	TXL	3510310R1	1667529C1	1820F	D	N/A	166753C1	
BN94SE	18	GY	GXL	2643673R1	3612512C1	1800F	D5	N/A	3612513C1	3553652C1
BN94SE	18	GY	GXL	2643673R1	1678137C1		1826	C	N/A	
BN94SF	18	GY	GXL	2643673R1	3612512C1	1800F	D6	N/A	3612513C1	3553652C1
BN94SF	18	GY	GXL	2643673R1	1678137C1		1828	C	N/A	
BN94SV	18	GY	GXL	2643673R1	3612512C1	1800F	C3	N/A	3612513C1	3553652C1
BN94SV	18	GY	GXL	2643673R1		SCS3	-	2644000R1		
BN94SVA	18	GY	GXL	2643673R1	1678137C1		1826	B	N/A	
BN94SVA	18	GY	GXL	2643673R1		SCS3	-	2644000R1		
BN94SVB	18	GY	GXL	2643673R1	1678137C1		1828	B	N/A	
BN94SVB	18	GY	GXL	2643673R1		SCS3	-	2644000R1		
BN94SZ	18	GY	GXL	2643673R1	3612512C1	1800F	C10	N/A	3612513C1	3553652C1
BN94SZ	18	GY	GXL	2643673R1		SCS4	-	2644000R1		
BN94SZA	18	GY	GXL	2643673R1	1678137C1		1826	A	N/A	
BN94SZA	18	GY	GXL	2643673R1		SCS4	-	2644000R1		
BN94Szb	18	GY	GXL	2643673R1	1678137C1		1828	A	N/A	
BN94Szb	18	GY	GXL	2643673R1		SCS4	-	2644000R1		
BV44BB	18	WH	GXL	2643674R1	3612512C1	1800F	B7	N/A	3612513C1	3553652C1
BV44BB	18	WH	GXL	2643674R1	1661259C1	1815A	A	N/A	1661263C1	
BV70	18	OR	TXL	3510317R1	3612512C1	1800F	B9	N/A	3612513C1	3553652C1
BV70	18	OR	TXL	3510317R1	2036584C1	1814A	A	N/A		
BV9R	18	GY	TXL	3510311R1	3547870C1		1809	D	N/A	3515764C1
BV9R	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
BV9S	18	GY	TXL	3510311R1	3539212C1		1810	7	N/A	
BV9S	18	GY	TXL	3510311R1		SCS2	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
BV9V	18	GY	TXL	3510311R1	3612512C1	1800F	A4	N/A	3612513C1	3553652C1
BV9V	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
BV9VF	18	GY	GXL	2643673R1	2036584C1	1814A	B	N/A		
BV9VF	18	GY	GXL	2643673R1		SCS2	-	2644000R1		
BVBLK1	18	BK	GXL	2643670R1	1661259C1	1815A	B	N/A	1661263C1	
BVBLK1	18	BK	GXL	2643670R1		SCS2	-	2644000R1		
BW40	18	GY	TXL	3510311R1	3612512C1	1800F	C12	N/A	3612513C1	3553652C1
BW40	18	GY	TXL	3510311R1	1678137C1		1811	C	N/A	
BW44BB	18	GY	TXL	3510311R1	3612512C1	1800F	B7	N/A	3612513C1	3553652C1
BW44BB	18	GY	TXL	3510311R1	1661777C1		1813	C	N/A	1661873C1
BW6HB	18	GY	TXL	3510311R1	1678137C1		1811	B	N/A	
BW6HB	18	GY	TXL	3510311R1	3612512C1	1800F	B3	N/A	3612513C1	3553652C1
BW70	18	OR	TXL	3510317R1	3612512C1	1800F	B9	N/A	3612513C1	3553652C1
BW70	18	OR	TXL	3510317R1	2036584C1	1814A	A	N/A		
BW9R	18	GY	TXL	3510311R1	3547870C1		1809	D	N/A	3515764C1
BW9R	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
BW9S	18	GY	TXL	3510311R1	3539212C1		1810	7	N/A	
BW9S	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
BW9V	18	GY	TXL	3510311R1	3612512C1	1800F	A4	N/A	3612513C1	3553652C1
BW9V	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
BW9VC	18	GY	TXL	3510311R1	1678137C1		1811	A	N/A	
BW9VC	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
BW9VD	18	GY	TXL	3510311R1	1661777C1		1813	D	N/A	1661873C1
BW9VD	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
BW9VF	18	GY	GXL	2643673R1	2036584C1	1814A	B	N/A		
BW9VF	18	GY	GXL	2643673R1		SCS2	-	2644000R1		
BX100	20	GY	TXL	3510310R1	3612512C1	1800F	B11	N/A	3612513C1	3553652C1
BX100	20	GY	TXL	3510310R1	3608496C1		1802	2	N/A	
BX44BB	18	WH	GXL	2643674R1	3612512C1	1800F	B7	N/A	3612513C1	3553652C1
BX44BB	18	WH	GXL	2643674R1	1661259C1	1815A	A	N/A	1661263C1	
BX70	18	OR	TXL	3510317R1	3612512C1	1800F	B9	N/A	3612513C1	3553652C1
BX70	18	OR	TXL	3510317R1	2036584C1	1814A	A	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
BX97	20	GY	TXL	3510310R1	3612512C1	1800F	B12	N/A	3612513C1	3553652C1
BX97	20	GY	TXL	3510310R1	3608496C1		1802 1	N/A		
BX9S	18	GY	TXL	3510311R1	3539212C1		1810 7	N/A		
BX9S	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
BX9V	18	GY	TXL	3510311R1	3612512C1	1800F	A4	N/A	3612513C1	3553652C1
BX9V	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
BX9VA	20	GY	TXL	3510310R1		SCS2	-	2644000R1		
BX9VA	20	GY	TXL	3510310R1	3608496C1		1802 4	N/A		
BX9VF	18	GY	GXL	2643673R1	2036584C1	1814A	B	N/A		
BX9VF	18	GY	GXL	2643673R1		SCS2	-	2644000R1		
BXBLK1	18	BK	GXL	2643670R1	1661259C1	1815A	B	N/A	1661263C1	
BXBLK1	18	BK	GXL	2643670R1		SCS2	-	2644000R1		
BZ100	20	GY	TXL	3510310R1	3612512C1	1800F	B11	N/A	3612513C1	3553652C1
BZ100	20	GY	TXL	3510310R1	3608496C1		1802 2	N/A		
BZ40	18	GY	TXL	3510311R1	3612512C1	1800F	C12	N/A	3612513C1	3553652C1
BZ40	18	GY	TXL	3510311R1	1678137C1		1811 C	N/A		
BZ44BB	18	GY	TXL	3510311R1	3612512C1	1800F	B7	N/A	3612513C1	3553652C1
BZ44BB	18	GY	TXL	3510311R1	1661777C1		1813 C	N/A	1661873C1	
BZ6HB	18	GY	TXL	3510311R1	1678137C1		1811 B	N/A		
BZ6HB	18	GY	TXL	3510311R1	3612512C1	1800F	B3	N/A	3612513C1	3553652C1
BZ70	18	OR	TXL	3510317R1	3612512C1	1800F	B9	N/A	3612513C1	3553652C1
BZ70	18	OR	TXL	3510317R1	2036584C1	1814A	A	N/A		
BZ97	20	GY	TXL	3510310R1	3612512C1	1800F	B12	N/A	3612513C1	3553652C1
BZ97	20	GY	TXL	3510310R1	3608496C1		1802 1	N/A		
BZ9S	18	GY	TXL	3510311R1	3539212C1		1810 7	N/A		
BZ9S	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
BZ9V	18	GY	TXL	3510311R1	3612512C1	1800F	A4	N/A	3612513C1	3553652C1
BZ9V	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
BZ9VA	20	GY	TXL	3510310R1		SCS2	-	2644000R1		
BZ9VA	20	GY	TXL	3510310R1	3608496C1		1802 4	N/A		
BZ9VC	18	GY	TXL	3510311R1	1678137C1		1811 A	N/A		
BZ9VC	18	GY	TXL	3510311R1		SCS2	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
BZ9VD	18	GY	TXL	3510311R1	1661777C1	1813	D	N/A	1661873C1	
BZ9VD	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
BZ9VF	18	GY	GXL	2643673R1	2036584C1	1814A	B	N/A		
BZ9VF	18	GY	GXL	2643673R1		SCS2	-	2644000R1		
CA100	20	GY	TXL	3510310R1	3612512C1	1800F	B11	N/A	3612513C1	3553652C1
CA100	20	GY	TXL	3510310R1	3608496C1		1802	N/A		
CA11-GAA	18	WH	GXL	2643674R1	3612512C1	1800F	A3	N/A	3612513C1	3553652C1
CA11-GAA	18	WH	GXL	2643674R1		SDS1	-	2644000R1		
CA17H	18	PK	TXL	3510323R1	3612512C1	1800F	D8	N/A	3612513C1	3553652C1
CA17H	18	PK	TXL	3510323R1	3540757C1		1807	N/A	354758C1	
CA17J	18	PK	TXL	3510323R1	3612512C1	1800F	D7	N/A	3612513C1	3553652C1
CA17J	18	PK	TXL	3510323R1	3540757C1		1807	N/A	354758C1	
CA40	18	GY	TXL	3510311R1	3612512C1	1800F	C12	N/A	3612513C1	3553652C1
CA40	18	GY	TXL	3510311R1	1678137C1		1811	N/A		
CA40A	18	GY	TXL	3510311R1	3612512C1	1800F	B2	N/A	3612513C1	3553652C1
CA40A	18	GY	TXL	3510311R1	1678137C1		1812	N/A		
CA40F	18	GY	TXL	3510311R1	3612512C1	1800F	C2	N/A	3612513C1	3553652C1
CA40F	18	GY	TXL	3510311R1	1678137C1		1822	N/A		
CA44BB	18	GY	TXL	3510311R1	3612512C1	1800F	B7	N/A	3612513C1	3553652C1
CA44BB	18	GY	TXL	3510311R1	1661777C1		1813	N/A	1661873C1	
CA62-GDD	18	WH	TXL	3510359R1	3608496C1		1802	N/A		
CA62-GDD	18	WH	TXL	3510359R1		SDS1	-	2644000R1		
CA62DD	20	DKBL	TXL	3510352R1	3612512C1	1800F	D3	N/A	3612513C1	3553652C1
CA62DD	20	DKBL	TXL	3510352R1	3608496C1		1802	N/A		
CA6H	18	GY	GXL	2643673R1	3612512C1	1800F	B3	N/A	3612513C1	3553652C1
CA6H	18	GY	GXL	2643673R1		SCS1	-	2644000R1		
CA6HA	18	GY	TXL	3510311R1	1678137C1		1812	N/A		
CA6HA	18	GY	TXL	3510311R1		SCS1	-	2644000R1		
CA6HB	18	GY	TXL	3510311R1	1678137C1		1811	N/A		
CA6HB	18	GY	TXL	3510311R1		SCS1	-	2644000R1		
CA6HC	18	GY	TXL	3510311R1	1678137C1		1822	N/A		
CA6HC	18	GY	TXL	3510311R1		SCS1	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
CA70	18	OR	TXL	3510317R1	3612512C1	1800F	B9	N/A	3612513C1	3553652C1
CA70	18	OR	TXL	3510317R1	1661777C1		1824	C	N/A	1661873C1
CA70A	18	OR	TXL	3510317R1	3612512C1	1800F	A6	N/A	3612513C1	3553652C1
CA70A	18	OR	TXL	3510317R1	1661777C1		1823	C	N/A	1661873C1
CA85A	20	GY	TXL	3510310R1	3612512C1	1800F	B10	N/A	3612513C1	3553652C1
CA85A	20	GY	TXL	3510310R1	3608496C1		1802	3	N/A	
CA87-G	18	WH	TXL	3510359R1	3539212C1		1810	6	N/A	
CA87-G	18	WH	TXL	3510359R1		SDS1	-		2644000R1	
CA97	20	GY	TXL	3510310R1	3612512C1	1800F	B12	N/A	3612513C1	3553652C1
CA97	20	GY	TXL	3510310R1	3608496C1		1802	1	N/A	
CA97A	18	VT	GXL	2643718R1	3612512C1	1800F	C11	N/A	3612513C1	3553652C1
CA97A	18	VT	GXL	2643718R1	3540757C1		1807	C	N/A	354758C1
CA9S	18	GY	TXL	3510311R1	3539212C1		1810	7	N/A	
CA9S	18	GY	TXL	3510311R1		SCS2	-		2644000R1	
CA9V	18	GY	GXL	2643673R1	3612512C1	1800F	A4	N/A	3612513C1	3553652C1
CA9V	18	GY	GXL	2643673R1		SCS2	-		2644000R1	
CA9VA	20	GY	TXL	3510310R1	3608496C1		1802	4	N/A	
CA9VA	20	GY	TXL	3510310R1		SCS2	-		2644000R1	
CA9VB	18	GY	TXL	3510311R1	3540757C1		1807	D	N/A	354758C1
CA9VB	18	GY	TXL	3510311R1		SCS2	-		2644000R1	
CA9VC	18	GY	TXL	3510311R1	1678137C1		1811	A	N/A	
CA9VC	18	GY	TXL	3510311R1		SCS2	-		2644000R1	
CA9VD	18	GY	TXL	3510311R1	1661777C1		1813	D	N/A	1661873C1
CA9VD	18	GY	TXL	3510311R1		SCS2	-		2644000R1	
CA9VE	18	GY	TXL	3510311R1	1678137C1		1812	A	N/A	
CA9VE	18	GY	TXL	3510311R1		SCS2	-		2644000R1	
CA9VF	18	GY	TXL	3510311R1	1678137C1		1822	A	N/A	
CA9VF	18	GY	TXL	3510311R1		SCS2	-		2644000R1	
CA9VG	18	GY	TXL	3510311R1	1661777C1		1823	D	N/A	1661873C1
CA9VG	18	GY	TXL	3510311R1		SCS2	-		2644000R1	
CA9VH	18	GY	TXL	3510311R1	1661777C1		1824	D	N/A	1661873C1
CA9VH	18	GY	TXL	3510311R1		SCS2	-		2644000R1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
CB11-GAA	18	WH	TXL	3510359R1	3612512C1	1800F	A3	N/A	3612513C1	3553652C1
CB11-GAA	18	WH	TXL	3510359R1	3539212C1		1810 6	N/A		
CB17H	18	PK	TXL	3510323R1	3612512C1	1800F	D8	N/A	3612513C1	3553652C1
CB17H	18	PK	TXL	3510323R1	3540757C1		1807 B	N/A	354758C1	
CB17J	18	PK	TXL	3510323R1	3612512C1	1800F	D7	N/A	3612513C1	3553652C1
CB17J	18	PK	TXL	3510323R1	3540757C1		1807 A	N/A	354758C1	
CB40	18	GY	TXL	3510311R1	3612512C1	1800F	C12	N/A	3612513C1	3553652C1
CB40	18	GY	TXL	3510311R1	1678137C1		1811 C	N/A		
CB40A	18	GY	TXL	3510311R1	1678137C1		1812 C	N/A		
CB40A	18	GY	TXL	3510311R1	3612512C1	1800F	B2	N/A	3612513C1	3553652C1
CB40F	18	GY	TXL	3510311R1	3612512C1	1800F	C2	N/A	3612513C1	3553652C1
CB40F	18	GY	TXL	3510311R1	1678137C1		1822 C	N/A		
CB44BB	18	GY	TXL	3510311R1	3612512C1	1800F	B7	N/A	3612513C1	3553652C1
CB44BB	18	GY	TXL	3510311R1	1661777C1		1813 C	N/A	1661873C1	
CB62DD	20	DKBL	TXL	3510352R1	3612512C1	1800F	D3	N/A	3612513C1	3553652C1
CB62DD	20	DKBL	TXL	3510352R1	3547870C1		1809 C	N/A	3515764C1	
CB6H	18	GY	GXL	2643673R1	3612512C1	1800F	B3	N/A	3612513C1	3553652C1
CB6H	18	GY	GXL	2643673R1		SCS1	-	2644000R1		
CB6HA	18	GY	TXL	3510311R1	1678137C1		1812 B	N/A		
CB6HA	18	GY	TXL	3510311R1		SCS1	-	2644000R1		
CB6HB	18	GY	TXL	3510311R1	1678137C1		1811 B	N/A		
CB6HB	18	GY	TXL	3510311R1		SCS1	-	2644000R1		
CB6HC	18	GY	TXL	3510311R1	1678137C1		1822 B	N/A		
CB6HC	18	GY	TXL	3510311R1		SCS1	-	2644000R1		
CB70	18	OR	TXL	3510317R1	3612512C1	1800F	B9	N/A	3612513C1	3553652C1
CB70	18	OR	TXL	3510317R1	1661777C1		1824 C	N/A	1661873C1	
CB70A	18	OR	TXL	3510317R1	3612512C1	1800F	A6	N/A	3612513C1	3553652C1
CB70A	18	OR	TXL	3510317R1	1661777C1		1823 C	N/A	1661873C1	
CB85B	20	GY	TXL	3510310R1	3612512C1	1800F	B10	N/A	3612513C1	3553652C1
CB85B	20	GY	TXL	3510310R1	3547870C1		1809 B	N/A	3515764C1	
CB97	20	GY	TXL	3510310R1	3612512C1	1800F	B12	N/A	3612513C1	3553652C1
CB97	20	GY	TXL	3510310R1	3547870C1		1809 A	N/A	3515764C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
CB97A	18	VT	GXL	2643718R1	3612512C1	1800F	C11	N/A	3612513C1	3553652C1
CB97A	18	VT	GXL	2643718R1	3540757C1		1807	C	N/A	354758C1
CB9R	18	GY	TXL	3510311R1	3547870C1		1809	D	N/A	3515764C1
CB9R	18	GY	TXL	3510311R1		SCS2	-		2644000R1	
CB9S	18	GY	TXL	3510311R1	3539212C1		1810	7	N/A	
CB9S	18	GY	TXL	3510311R1		SCS2	-		2644000R1	
CB9V	18	GY	GXL	2643673R1	3612512C1	1800F	A4	N/A	3612513C1	3553652C1
CB9V	18	GY	GXL	2643673R1		SCS2	-		2644000R1	
CB9VB	18	GY	TXL	3510311R1	3540757C1		1807	D	N/A	354758C1
CB9VB	18	GY	TXL	3510311R1		SCS2	-		2644000R1	
CB9VC	18	GY	TXL	3510311R1	1678137C1		1811	A	N/A	
CB9VC	18	GY	TXL	3510311R1		SCS2	-		2644000R1	
CB9VD	18	GY	TXL	3510311R1	1661777C1		1813	D	N/A	1661873C1
CB9VD	18	GY	TXL	3510311R1		SCS2	-		2644000R1	
CB9VE	18	GY	TXL	3510311R1	1678137C1		1812	A	N/A	
CB9VE	18	GY	TXL	3510311R1		SCS2	-		2644000R1	
CB9VF	18	GY	TXL	3510311R1	1678137C1		1822	A	N/A	
CB9VF	18	GY	TXL	3510311R1		SCS2	-		2644000R1	
CB9VG	18	GY	TXL	3510311R1	1661777C1		1823	D	N/A	1661873C1
CB9VG	18	GY	TXL	3510311R1		SCS2	-		2644000R1	
CB9VH	18	GY	TXL	3510311R1	1661777C1		1824	D	N/A	1661873C1
CB9VH	18	GY	TXL	3510311R1		SCS2	-		2644000R1	
CC100	20	GY	TXL	3510310R1	3612512C1	1800F	B11	N/A	3612513C1	3553652C1
CC100	20	GY	TXL	3510310R1	3608496C1		1802	2	N/A	
CC17H	18	PK	TXL	3510323R1	3612512C1	1800F	D8	N/A	3612513C1	3553652C1
CC17H	18	PK	TXL	3510323R1	3540757C1		1807	B	N/A	354758C1
CC17J	18	PK	TXL	3510323R1	3612512C1	1800F	D7	N/A	3612513C1	3553652C1
CC17J	18	PK	TXL	3510323R1	3540757C1		1807	A	N/A	354758C1
CC40	18	GY	TXL	3510311R1	3612512C1	1800F	C12	N/A	3612513C1	3553652C1
CC40	18	GY	TXL	3510311R1	1678137C1		1811	C	N/A	
CC44BB	18	GY	TXL	3510311R1	3612512C1	1800F	B7	N/A	3612513C1	3553652C1
CC44BB	18	GY	TXL	3510311R1	1661777C1		1813	C	N/A	1661873C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
CC6HB	18	GY	TXL	3510311R1	1678137C1	1811	B	N/A		
CC6HB	18	GY	TXL	3510311R1	3612512C1	1800F	B3	N/A	3612513C1	3553652C1
CC70	18	OR	TXL	3510317R1	3612512C1	1800F	B9	N/A	3612513C1	3553652C1
CC70	18	OR	TXL	3510317R1	2036584C1	1814A	A	N/A		
CC97	20	GY	TXL	3510310R1	3612512C1	1800F	B12	N/A	3612513C1	3553652C1
CC97	20	GY	TXL	3510310R1	3608496C1	1802	1	N/A		
CC97A	18	VT	GXL	2643718R1	3612512C1	1800F	C11	N/A	3612513C1	3553652C1
CC97A	18	VT	GXL	2643718R1	3540757C1	1807	C	N/A	354758C1	
CC9S	18	GY	TXL	3510311R1	3539212C1	1810	7	N/A		
CC9S	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
CC9V	18	GY	TXL	3510311R1	3612512C1	1800F	A4	N/A	3612513C1	3553652C1
CC9V	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
CC9VA	20	GY	TXL	3510310R1		SCS2	-	2644000R1		
CC9VA	20	GY	TXL	3510310R1	3608496C1	1802	4	N/A		
CC9VB	18	GY	TXL	3510311R1	3540757C1	1807	D	N/A	354758C1	
CC9VB	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
CC9VC	18	GY	TXL	3510311R1	1678137C1	1811	A	N/A		
CC9VC	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
CC9VD	18	GY	TXL	3510311R1	1661777C1	1813	D	N/A	1661873C1	
CC9VD	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
CC9VF	18	GY	GXL	2643673R1	2036584C1	1814A	B	N/A		
CC9VF	18	GY	GXL	2643673R1		SCS2	-	2644000R1		
CD100	20	GY	TXL	3510310R1	3612512C1	1800F	B11	N/A	3612513C1	3553652C1
CD100	20	GY	TXL	3510310R1	3608496C1	1802	2	N/A		
CD17H	18	PK	TXL	3510323R1	3612512C1	1800F	D8	N/A	3612513C1	3553652C1
CD17H	18	PK	TXL	3510323R1	3540757C1	1807	B	N/A	354758C1	
CD17J	18	PK	TXL	3510323R1	3612512C1	1800F	D7	N/A	3612513C1	3553652C1
CD17J	18	PK	TXL	3510323R1	3540757C1	1807	A	N/A	354758C1	
CD44BB	18	WH	GXL	2643674R1	3612512C1	1800F	B7	N/A	3612513C1	3553652C1
CD44BB	18	WH	GXL	2643674R1	1661259C1	1815A	A	N/A	1661263C1	
CD70	18	OR	TXL	3510317R1	3612512C1	1800F	B9	N/A	3612513C1	3553652C1
CD70	18	OR	TXL	3510317R1	2036584C1	1814A	A	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
CD97	20	GY	TXL	3510310R1	3612512C1	1800F	B12	N/A	3612513C1	3553652C1
CD97	20	GY	TXL	3510310R1	3608496C1		1802 1	N/A		
CD97A	18	VT	GXL	2643718R1	3612512C1	1800F	C11	N/A	3612513C1	3553652C1
CD97A	18	VT	GXL	2643718R1	3540757C1		1807 C	N/A	354758C1	
CD9S	18	GY	TXL	3510311R1	3539212C1		1810 7	N/A		
CD9S	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
CD9V	18	GY	TXL	3510311R1	3612512C1	1800F	A4	N/A	3612513C1	3553652C1
CD9V	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
CD9VA	20	GY	TXL	3510310R1		SCS2	-	2644000R1		
CD9VA	20	GY	TXL	3510310R1	3608496C1		1802 4	N/A		
CD9VB	18	GY	TXL	3510311R1	3540757C1		1807 D	N/A	354758C1	
CD9VB	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
CD9VF	18	GY	GXL	2643673R1	2036584C1	1814A	B	N/A		
CD9VF	18	GY	GXL	2643673R1		SCS2	-	2644000R1		
CDBLK1	18	BK	GXL	2643670R1	1661259C1	1815A	B	N/A	1661263C1	
CDBLK1	18	BK	GXL	2643670R1		SCS2	-	2644000R1		
CE17H	18	PK	TXL	3510323R1	3612512C1	1800F	D8	N/A	3612513C1	3553652C1
CE17H	18	PK	TXL	3510323R1	3540757C1		1807 B	N/A	354758C1	
CE17J	18	PK	TXL	3510323R1	3612512C1	1800F	D7	N/A	3612513C1	3553652C1
CE17J	18	PK	TXL	3510323R1	3540757C1		1807 A	N/A	354758C1	
CE40	18	GY	TXL	3510311R1	3612512C1	1800F	C12	N/A	3612513C1	3553652C1
CE40	18	GY	TXL	3510311R1	1678137C1		1811 C	N/A		
CE44BB	18	GY	TXL	3510311R1	3612512C1	1800F	B7	N/A	3612513C1	3553652C1
CE44BB	18	GY	TXL	3510311R1	1661777C1		1813 C	N/A	1661873C1	
CE6HB	18	GY	TXL	3510311R1	1678137C1		1811 B	N/A		
CE6HB	18	GY	TXL	3510311R1	3612512C1	1800F	B3	N/A	3612513C1	3553652C1
CE70	18	OR	TXL	3510317R1	3612512C1	1800F	B9	N/A	3612513C1	3553652C1
CE70	18	OR	TXL	3510317R1	2036584C1	1814A	A	N/A		
CE97A	18	VT	GXL	2643718R1	3612512C1	1800F	C11	N/A	3612513C1	3553652C1
CE97A	18	VT	GXL	2643718R1	3540757C1		1807 C	N/A	354758C1	
CE9R	18	GY	TXL	3510311R1	3547870C1		1809 D	N/A	3515764C1	
CE9R	18	GY	TXL	3510311R1		SCS2	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
CE9S	18	GY	TXL	3510311R1	3539212C1	1810	7	N/A		
CE9S	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
CE9V	18	GY	TXL	3510311R1	3612512C1	1800F	A4	N/A	3612513C1	3553652C1
CE9V	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
CE9VB	18	GY	TXL	3510311R1	3540757C1		1807	D	N/A	354758C1
CE9VB	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
CE9VC	18	GY	TXL	3510311R1	1678137C1		1811	A	N/A	
CE9VC	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
CE9VD	18	GY	TXL	3510311R1	1661777C1		1813	D	N/A	1661873C1
CE9VD	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
CE9VF	18	GY	GXL	2643673R1	2036584C1	1814A	B	N/A		
CE9VF	18	GY	GXL	2643673R1		SCS2	-	2644000R1		
CF17H	18	PK	TXL	3510323R1	3612512C1	1800F	D8	N/A	3612513C1	3553652C1
CF17H	18	PK	TXL	3510323R1	3540757C1		1807	B	N/A	354758C1
CF17J	18	PK	TXL	3510323R1	3612512C1	1800F	D7	N/A	3612513C1	3553652C1
CF17J	18	PK	TXL	3510323R1	3540757C1		1807	A	N/A	354758C1
CF44BB	18	WH	GXL	2643674R1	3612512C1	1800F	B7	N/A	3612513C1	3553652C1
CF44BB	18	WH	GXL	2643674R1	1661259C1	1815A	A	N/A	1661263C1	
CF70	18	OR	TXL	3510317R1	3612512C1	1800F	B9	N/A	3612513C1	3553652C1
CF70	18	OR	TXL	3510317R1	2036584C1	1814A	A	N/A		
CF97A	18	VT	GXL	2643718R1	3612512C1	1800F	C11	N/A	3612513C1	3553652C1
CF97A	18	VT	GXL	2643718R1	3540757C1		1807	C	N/A	354758C1
CF9R	18	GY	TXL	3510311R1	3547870C1		1809	D	N/A	3515764C1
CF9R	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
CF9S	18	GY	TXL	3510311R1	3539212C1		1810	7	N/A	
CF9S	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
CF9V	18	GY	TXL	3510311R1	3612512C1	1800F	A4	N/A	3612513C1	3553652C1
CF9V	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
CF9VB	18	GY	TXL	3510311R1	3540757C1		1807	D	N/A	354758C1
CF9VB	18	GY	TXL	3510311R1		SCS2	-	2644000R1		
CF9VF	18	GY	GXL	2643673R1	2036584C1	1814A	B	N/A		
CF9VF	18	GY	GXL	2643673R1		SCS2	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
CFBLK1	18	BK	GXL	2643670R1	1661259C1	1815A	B	N/A	1661263C1	
CFBLK1	18	BK	GXL	2643670R1		SCS2	-	2644000R1		
AB6A	20	GY	TXL	3510310R1	3945694C1	6000	8	SWS_N_REQ	3743662C1	
AB6A	20	GY	TXL	3510310R1		SS34	-	2644000R1		
AB6B	18	GY	TXL	3510311R1	3595620C1	1702	30	SWS_N_REQ	3598916C1	3598917C1
AB6B	18	GY	TXL	3510311R1		SS34	-	2644000R1		
AB6C	18	TN	150	2645915R1	3573078C1	8600	5	SWS_N_REQ		
AB6C	18	TN	150	2645915R1		SS6	-	2644000R1		
AB6D	18	GY	TXL	3510311R1		SS6	-	2644000R1		
AB6D	18	GY	TXL	3510311R1		SS34	-	2644000R1		
AB6E	18	GY	TXL	3510311R1	3586750C1	7207F	8	N/A	355346C1	
AB6E	18	GY	TXL	3510311R1		SS34	-	2644000R1		
AB6G	18	GY	TXL	3510311R1	1687789C1	6401M	A	3517771C1	1661376C1	
AB6G	18	GY	TXL	3510311R1		SS6	-	2644000R1		
AC23	20	TN	TXL	3510328R1	3945694C1	6000	78	SWS_N_REQ	3743662C1	
AC23	20	TN	TXL	3510328R1	3522068C1	600	A	3568570C1	1661874C1	
AC23-G	20	TN	TXL	3510328R1	3543733C1	6747	G	3535423C1	3543732C1	
AC23-G	20	TN	TXL	3510328R1	3522068C1	600	B	3568570C1	1661874C1	
AD41	18	TN	TXL	3510329R1	6112506C1	4060	3	SWS_N_REQ		
AD41	18	TN	TXL	3510329R1		SS71	-	2644000R1		
AD41-G	18	TN	TXL	3510329R1	6112506C1	4060	8	SWS_N_REQ		
AD41-G	18	TN	TXL	3510329R1	3543733C1	6747	D	3535424C1	3543732C1	
AD41A	20	TN	TXL	3510328R1		SS71	-	2644000R1		
AD41A	20	TN	TXL	3510328R1	3945694C1	6000	65	SWS_N_REQ	3743662C1	
AE26A	18	TN	GXL	2643676R1	6112506C1	4060	7	SWS_N_REQ		
AE26A	18	TN	GXL	2643676R1	1664531C1	6332	A	1652325C1	167553C1	
AE26B	18	TN	GXL	2643676R1	6112506C1	4060	6	SWS_N_REQ		
AE26B	18	TN	GXL	2643676R1		6335	A	2644038R1		
AF6A	20	GY	TXL	3510310R1	3945694C1	6000	8	SWS_N_REQ	3743662C1	
AF6A	20	GY	TXL	3510310R1		SS38	-	2644000R1		
AF6B	18	GY	TXL	3510311R1	3595620C1	1702	30	SWS_N_REQ	3598916C1	3598917C1
AF6B	18	GY	TXL	3510311R1		SS38	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
AF6C	20	TN	150	4073403R1	3573078C1	8600	5	SWS_N_REQ		
AF6C	20	TN	150	4073403R1		SS37	-	2644000R1		
AF6D	18	GY	TXL	3510311R1		SS38	-	2644000R1		
AF6D	18	GY	TXL	3510311R1		SS37	-	2644000R1		
AF6G	18	GY	TXL	3510311R1	1687789C1	6401M	A	3517771C1	1661376C1	
AF6G	18	GY	TXL	3510311R1		SS37	-	2644000R1		
AG11-G1	10	WH	TXL	3510363R1		6304	A	2644005R1		
AG11-G1	10	WH	TXL	3510363R1		SS8	-	2644000R1		
AG18D	18	WH	TXL	3510359R1	3512331C91	6710	5	3517771C1	3515185C1	
AG18D	18	WH	TXL	3510359R1		SS8	-	2644000R1		
AG18E	10	WH	TXL	3510363R1	6105358C1	6709	2	SWS_N_REQ		
AG18E	10	WH	TXL	3510363R1		SS8	-	2644000R1		
AG77-G	18	WH	TXL	3510359R1	1671610C1	6200	A	3517771C1	167168C1	
AG77-G	18	WH	TXL	3510359R1		SS8	-	2644000R1		
AH77-G	18	WH	TXL	3510359R1		6304A	A	2644038R1		
AH77-G	18	WH	TXL	3510359R1	1671610C1	6200	A	3517771C1	167168C1	
AP11-G1	10	WH	GXL	2643788R1		SS4	-	2644000R1		
AP11-G1	10	WH	GXL	2643788R1		6304	A	2644005R1		
AP18D	18	WH	TXL	3510359R1		SS4	-	2644000R1		
AP18D	18	WH	TXL	3510359R1	3512331C91	6710	5	3517771C1	3515185C1	
AP18E	10	WH	TXL	3510363R1	6105358C1	6709	2	SWS_N_REQ		
AP18E	10	WH	TXL	3510363R1		SS4	-	2644000R1		
BA47	20	GY	TXL	3510310R1	3945694C1	6000	60	SWS_N_REQ	3743662C1	
BA47	20	GY	TXL	3510310R1	1661778C1	7703	A	3568570C1	1661874C1	
BA47A	20	GY	TXL	3510310R1	3945694C1	6000	59	SWS_N_REQ	3743662C1	
BA47A	20	GY	TXL	3510310R1	1661778C1	7703	B	3568570C1	1661874C1	
CA31B	18	TN	TXL	3510329R1	3595620C1	1702	13	SWS_N_REQ	3598916C1	3598917C1
CA31B	18	TN	TXL	3510329R1	3536864C1	7700M	1	3536867C1		
CA9T	18	GY	TXL	3510311R1	3543733C1	6747	M	3535424C1	3543732C1	
CA9T	18	GY	TXL	3510311R1	3536864C1	7700M	2	3536867C1		
KA10-G	10	WH	GXL	2643788R1		6305	A	2644005R1		
KA10-G	10	WH	GXL	2643788R1		SS49	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
KA10-GA	16	WH	TXL	3510360R1	3945694C1	6000	49	SWS_N_REQ	3743662C1	
KA10-GA	16	WH	TXL	3510360R1		SS49	-	2644000R1		
KA10-GB	16	WH	TXL	3510360R1	3945694C1	6000	50	SWS_N_REQ	3743662C1	
KA10-GB	16	WH	TXL	3510360R1		SS49	-	2644000R1		
KA10-GC	16	WH	TXL	3510360R1	3945694C1	6000	51	SWS_N_REQ	3743662C1	
KA10-GC	16	WH	TXL	3510360R1		SS52	-	2644000R1		
KA10-GD	16	WH	TXL	3510360R1	3945694C1	6000	52	SWS_N_REQ	3743662C1	
KA10-GD	16	WH	TXL	3510360R1		SS52	-	2644000R1		
KA10-GE	16	WH	TXL	3510360R1	3945694C1	6000	73	SWS_N_REQ	3743662C1	
KA10-GE	16	WH	TXL	3510360R1		SS52	-	2644000R1		
KA10-GF	10	WH	GXL	2643788R1		SS52	-	2644000R1		
KA10-GF	10	WH	GXL	2643788R1		SS49	-	2644000R1		
KA13	16	PK	TXL	3510324R1	3595620C1	1702	37	SWS_N_REQ	3598916C1	3598917C1
KA13	16	PK	TXL	3510324R1		SS43	-	2644000R1		
KA13A	14	PK	GXL	2643691R1	1667639C1	6100	B	SWS_N_REQ		
KA13A	14	PK	GXL	2643691R1		SS32	-	2644000R1		
KA13B	18	PK	TXL	3510323R1	3945694C1	6000	5	SWS_N_REQ	3743662C1	
KA13B	18	PK	TXL	3510323R1		SS32	-	2644000R1		
KA13C	14	PK	GXL	2643691R1	1667639C1	6100	A	SWS_N_REQ		
KA13C	14	PK	GXL	2643691R1		SS43	-	2644000R1		
KA146-G	16	GY	TXL	3510312R1	3595620C1	1702	2	SWS_N_REQ	3598916C1	3598917C1
KA146-G	16	GY	TXL	3510312R1	3543733C1	6747	J	3535424C1	3543732C1	
KA14A	10	RD	GXL	2643698R1	6113338C1	6566	1	6113347C1		
KA14A	10	RD	GXL	2643698R1		SS1	-	2644000R1		
KA14A1	16	RD	TXL	3510366R1	3945694C1	6000	28	SWS_N_REQ	3743662C1	
KA14A1	16	RD	TXL	3510366R1		SS26	-	2644000R1		
KA14A2	16	RD	TXL	3510366R1	3945694C1	6000	27	SWS_N_REQ	3743662C1	
KA14A2	16	RD	TXL	3510366R1		SS26	-	2644000R1		
KA14A3	16	RD	TXL	3510366R1	3945694C1	6000	26	SWS_N_REQ	3743662C1	
KA14A3	16	RD	TXL	3510366R1		SS24	-	2644000R1		
KA14A4	16	RD	TXL	3510366R1	3945694C1	6000	25	SWS_N_REQ	3743662C1	
KA14A4	16	RD	TXL	3510366R1		SS24	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
KA14A5	16	RD	TXL	3510366R1	3945694C1	6000	1	SWS_N_REQ	3743662C1	
KA14A5	16	RD	TXL	3510366R1		SS1	-	2644000R1		
KA14A6	10	RD	GXL	2643698R1		SS26	-	2644000R1		
KA14A6	10	RD	GXL	2643698R1		SS24	-	2644000R1		
KA14A7	10	RD	GXL	2643698R1		SS26	-	2644000R1		
KA14A7	10	RD	GXL	2643698R1		SS1	-	2644000R1		
KA17A	16	PK	TXL	3510324R1		6306	A	2644038R1		
KA17A	16	PK	TXL	3510324R1	3595620C1	1702	16	SWS_N_REQ	3598916C1	3598917C1
KA18	18	PK	TXL	3510323R1	3945694C1	6000	75	SWS_N_REQ	3743662C1	
KA18	18	PK	TXL	3510323R1		2000	A	2644038R1		
KA18R	18	PK	TXL	3510323R1	3945694C1	6000	76	SWS_N_REQ	3743662C1	
KA18R	18	PK	TXL	3510323R1		SS31	-	2644000R1		
KA18S	18	PK	TXL	3510323R1		2001	A	2644038R1		
KA18S	18	PK	TXL	3510323R1		SS31	-	2644000R1		
KA18T	18	PK	TXL	3510323R1	3595620C1	1702	40	SWS_N_REQ	3598916C1	3598917C1
KA18T	18	PK	TXL	3510323R1		SS31	-	2644000R1		
KA95A	20	TN	TXL	3510328R1	3945694C1	6000	79	SWS_N_REQ	3743662C1	
KA95A	20	TN	TXL	3510328R1	3765646C92	679	B10	3517771C1		
KA95AA	20	TN	TXL	3510328R1	3945694C1	6000	57	SWS_N_REQ	3743662C1	
KA95AA	20	TN	TXL	3510328R1	3543733C1	6747	E	3535423C1	3543732C1	
KA95GBA	16	BK	TXL	3510294R1	3765646C92	679	B1	1652325C1		
KA95GBA	16	BK	TXL	3510294R1		SS10	-	2644000R1		
KA95GBB	16	BK	TXL	3510294R1	3765646C92	679	B4	1652325C1		
KA95GBB	16	BK	TXL	3510294R1		SS10	-	2644000R1		
KA95GBD	16	BK	TXL	3510294R1	3765646C92	679	B7	1652325C1		
KA95GBD	16	BK	TXL	3510294R1		SS10	-	2644000R1		
KA95GBE	16	BK	TXL	3510294R1	3945694C1	6000	3	SWS_N_REQ	3743662C1	
KA95GBE	16	BK	TXL	3510294R1		SS10	-	2644000R1		
KA95H1	16	PK	TXL	3510324R1	3765646C92	679	A1	1652325C1		
KA95H1	16	PK	TXL	3510324R1		SS13	-	2644000R1		
KA95H2	16	PK	TXL	3510324R1	3765646C92	679	A3	1652325C1		
KA95H2	16	PK	TXL	3510324R1		SS33	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
KA95H3	16	PK	TXL	3510324R1	3765646C92	679	A4	1652325C1		
KA95H3	16	PK	TXL	3510324R1		SS13	-	2644000R1		
KA95H4	16	PK	TXL	3510324R1	3765646C92	679	A6	1652325C1		
KA95H4	16	PK	TXL	3510324R1		SS33	-	2644000R1		
KA95H5	16	PK	TXL	3510324R1	3765646C92	679	A7	1652325C1		
KA95H5	16	PK	TXL	3510324R1		SS13	-	2644000R1		
KA95H6	16	PK	TXL	3510324R1	3765646C92	679	A9	1652325C1		
KA95H6	16	PK	TXL	3510324R1		SS33	-	2644000R1		
KA95H7	16	PK	TXL	3510324R1	3765646C92	679	E1	1652325C1		
KA95H7	16	PK	TXL	3510324R1		SS94	-	2644000R1		
KA95H8	16	PK	TXL	3510324R1		SS33	-	2644000R1		
KA95H8	16	PK	TXL	3510324R1		SS94	-	2644000R1		
KA95H9	18	PK	TXL	3510323R1		SS13	-	2644000R1		
KA95H9	18	PK	TXL	3510323R1		SS94	-	2644000R1		
KA95P	16	PK	TXL	3510324R1	3765646C92	679	A10	1652325C1		
KA95P	16	PK	TXL	3510324R1	3765646C92	679	E3	1652325C1		
KA95PA	14	PK	TXL	3510325R1	3765646C92	679	D10	1652325C1		
KA95PA	14	PK	TXL	3510325R1		SS96	-	2644000R1		
KA95PB	14	PK	TXL	3510325R1	3765646C92	679	E5	1652325C1		
KA95PB	14	PK	TXL	3510325R1		SS96	-	2644000R1		
KA95PC	16	PK	TXL	3510324R1	3765646C92	679	D12	1652325C1		
KA95PC	16	PK	TXL	3510324R1		SS96	-	2644000R1		
KA95TB	18	GY	TXL	3510311R1	6114576C1	8500	5	SWS_N_REQ		
KA95TB	18	GY	TXL	3510311R1	3765646C92	679	E10	3517771C1		
KB9-G	20	GY	TXL	3510310R1	3945694C1	6000	62	SWS_N_REQ	3743662C1	
KB9-G	20	GY	TXL	3510310R1	3543733C1	6747	A	3535423C1	3543732C1	
KC9A-G	20	GY	TXL	3510310R1		SS7	-	2644000R1		
KC9A-G	20	GY	TXL	3510310R1	3945694C1	6000	62	SWS_N_REQ	3743662C1	
KC9B-G	20	GY	TXL	3510310R1		SS7	-	2644000R1		
KC9B-G	20	GY	TXL	3510310R1	3543733C1	6747	A	3535423C1	3543732C1	
KC9C-G	20	GY	TXL	3510310R1		SS7	-	2644000R1		
KC9C-G	20	GY	TXL	3510310R1	3586750C1	7207F	10	N/A	355346C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
KE10A	10	BK	GXL	2643773R1	1667732C1	500	B	1667735C1	1667734C1	
KE10A	10	BK	GXL	2643773R1		SS16	-	2644000R1		
KE10B	18	BK	TXL	3510293R1	3605713C1	7151	9	SWS_N_REQ	366525C1	
KE10B	18	BK	TXL	3510293R1		SS16	-	2644000R1		
KE10C	18	BK	TXL	3510293R1	3605713C1	7151	69	SWS_N_REQ	366525C1	
KE10C	18	BK	TXL	3510293R1		SS16	-	2644000R1		
KF46C	20	GY	TXL	3510310R1	3945694C1	6000	90	SWS_N_REQ	3743662C1	
KF46C	20	GY	TXL	3510310R1	3586750C1	7207F	9	N/A	355346C1	
KF97XH	20	VT	TXL	3510346R1	3945694C1	6000	83	SWS_N_REQ	3743662C1	
KF97XH	20	VT	TXL	3510346R1	3586750C1	7207F	7	N/A	355346C1	
KH47#125	18	GY	TXL	3510311R1	3605713C1	7500	25	SWS_N_REQ	366525C1	
KH47#125	18	GY	TXL	3510311R1	3595620C1	1702	38	SWS_N_REQ	3598916C1	3598917C1
KJ47#125	18	GY	TXL	3510311R1	3627615C1	1503	8	N/A		
KJ47#125	18	GY	TXL	3510311R1	3595620C1	1702	38	SWS_N_REQ	3598916C1	3598917C1
KK77	18	LTGN	TXL	3510299R1	3595620C1	1702	10	SWS_N_REQ	3598916C1	3598917C1
KK77	18	LTGN	TXL	3510299R1	1671610C1	6200	B	3517771C1	167168C1	
KK77-ZV	18	LTGN	TXL	3510299R1	3543733C1	6747	L	3535424C1	3543732C1	
KK77-ZV	18	LTGN	TXL	3510299R1	1678137C1	6201	A	N/A		
KK77A	18	LTGN	TXL	3510299R1	3595620C1	1702	3	SWS_N_REQ	3598916C1	3598917C1
KK77A	18	LTGN	TXL	3510299R1	1678137C1	6201	B	N/A		
KK77B	18	LTGN	TXL	3510299R1	3595620C1	1702	4	SWS_N_REQ	3598916C1	3598917C1
KK77B	18	LTGN	TXL	3510299R1	1678137C1	6201	C	N/A		
KM47B	20	GY	TXL	3510310R1	3945694C1	6000	60	SWS_N_REQ	3743662C1	
KM47B	20	GY	TXL	3510310R1	3554317C1	7601	2	3756268C1		
KM47C	20	GY	TXL	3510310R1	3945694C1	6000	59	SWS_N_REQ	3743662C1	
KM47C	20	GY	TXL	3510310R1	3554317C1	7601	1	3756268C1		
KN14A	12	RD	TXL	3510368R1	6113341C1	6567	14	3509903C1		
KN14A	12	RD	TXL	3510368R1	1671610C1	9932M	A	589391C1	167168C1	
KP6A	20	TN	TXL	3510328R1	3945694C1	6000	8	SWS_N_REQ	3743662C1	
KP6A	20	TN	TXL	3510328R1		SS28	-	2644000R1		
KP6B	18	TN	TXL	3510329R1	3595620C1	1702	30	SWS_N_REQ	3598916C1	3598917C1
KP6B	18	TN	TXL	3510329R1		SS28	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
KP6C	18	TN	150	2645915R1	3573078C1	8600	5	SWS_N_REQ		
KP6C	18	TN	150	2645915R1		SS28	-	2644000R1		
KP6D	18	TN	TXL	3510329R1	3586750C1	7207F	8	N/A	355346C1	
KP6D	18	TN	TXL	3510329R1		SS28	-	2644000R1		
KR46A	20	GY	TXL	3510310R1	3945694C1	6000	19	SWS_N_REQ	3743662C1	
KR46A	20	GY	TXL	3510310R1	3586750C1	7207F	2	N/A	355346C1	
KR46B	20	GY	TXL	3510310R1	3945694C1	6000	12	SWS_N_REQ	3743662C1	
KR46B	20	GY	TXL	3510310R1	3586750C1	7207F	4	N/A	355346C1	
KR97AR	20	VT	TXL	3510346R1	3945694C1	6000	30	SWS_N_REQ	3743662C1	
KR97AR	20	VT	TXL	3510346R1	3586750C1	7207F	5	N/A	355346C1	
KR97XC	20	TN	TXL	3510328R1	3945694C1	6000	70	SWS_N_REQ	3743662C1	
KR97XC	20	TN	TXL	3510328R1	3586750C1	7207F	11	N/A	355346C1	
KR97XG	20	GY	TXL	3510310R1	3945694C1	6000	66	SWS_N_REQ	3743662C1	
KR97XG	20	GY	TXL	3510310R1	3586750C1	7207F	6	N/A	355346C1	
KR99A	20	VT	TXL	3510346R1	3945694C1	6000	63	SWS_N_REQ	3743662C1	
KR99A	20	VT	TXL	3510346R1	3586750C1	7207F	12	N/A	355346C1	
KR99C	20	VT	TXL	3510346R1	3945694C1	6000	94	SWS_N_REQ	3743662C1	
KR99C	20	VT	TXL	3510346R1	3586750C1	7207F	1	N/A	355346C1	
KR99F	20	VT	TXL	3510346R1	3945694C1	6000	67	SWS_N_REQ	3743662C1	
KR99F	20	VT	TXL	3510346R1	3586750C1	7207F	3	N/A	355346C1	
KS10-G1	10	WH	TXL	3510363R1	3551896C1	6704	A	589390C1	354454C1	3551897C1
KS10-G1	10	WH	TXL	3510363R1	1667732C1	500	A	1667735C1	1667734C1	
KT34	20	TN	TXL	3510328R1		SS18	-	2644000R1		
KT34	20	TN	TXL	3510328R1	3945694C1	6000	35	SWS_N_REQ	3743662C1	
KT34-G	18	TN	TXL	3510329R1	3662425C1	6401	B	3554318C1	3662518C1	
KT34-G	18	TN	TXL	3510329R1	3543733C1	6747	C	3535424C1	3543732C1	
KT34A	18	TN	TXL	3510329R1		SS18	-	2644000R1		
KT34A	18	TN	TXL	3510329R1	3662425C1	6401	A	3554318C1	3662518C1	
KT9A	20	TN	150	4073403R1	3945694C1	6000	32	SWS_N_REQ	3743662C1	
KT9A	20	TN	150	4073403R1	3573078C1	8600	7	SWS_N_REQ		
KW5(+)	20	YL	193	3858761R1	3945694C1	6000	22	SWS_N_REQ	3743662C1	
KW5(+)	20	YL	193	3858761R1		SS3	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
KW5(-)	20	GN	193	3858761R1	3945694C1	6000	46	SWS_N_REQ	3743662C1	
KW5(-)	20	GN	193	3858761R1		SS5	-	2644000R1		
KW5A(+)	18	YL	TXL	3572112R1	3595620C1	1702	11	SWS_N_REQ	3598916C1	3598917C1
KW5A(+)	18	YL	TXL	3572112R1		SS3	-	2644000R1		
KW5A(-)	18	GN	TXL	3572112R1	3595620C1	1702	17	SWS_N_REQ	3598916C1	3598917C1
KW5A(-)	18	GN	TXL	3572112R1		SS5	-	2644000R1		
KW5B(+)	18	YL	TXL	3572112R1	3683465C1	7801A	A	3535424C1	3683466C1	3573833C1
KW5B(+)	18	YL	TXL	3572112R1		SS3	-	2644000R1		
KW5B(-)	18	GN	TXL	3572112R1	3683465C1	7801A	B	3535424C1	3683466C1	3573833C1
KW5B(-)	18	GN	TXL	3572112R1		SS5	-	2644000R1		
KZ34	16	TN	GXL	2643683R1	1687789C1	6401M	B	1652325C1	1661376C1	
KZ34	16	TN	GXL	2643683R1	1671610C1	6401R	A	1652325C1	167168C1	
KZ34A	20	TN	TXL	3510328R1	3945694C1	6000	35	SWS_N_REQ	3743662C1	
KZ34A	20	TN	TXL	3510328R1	1687789C1	6401M	C	3517771C1	1661376C1	
KZ34B	16	TN	GXL	2643683R1	1687789C1	6401M	E	1652325C1	1661376C1	
KZ34B	16	TN	GXL	2643683R1	1671610C1	6401R	B	1652325C1	167168C1	
KZ9A	20	TN	150	4073403R1	3945694C1	6000	32	SWS_N_REQ	3743662C1	
KZ9A	20	TN	150	4073403R1		SS11	-	2644000R1		
KZ9B	18	GY	TXL	3510311R1	1687789C1	6401M	D	3517771C1	1661376C1	
KZ9B	18	GY	TXL	3510311R1		SS11	-	2644000R1		
KZ9C	20	TN	150	4073403R1	3573078C1	8600	7	SWS_N_REQ		
KZ9C	20	TN	150	4073403R1		SS11	-	2644000R1		
LA10-GG	10	WH	GXL	2643788R1	1667732C1	500	B	1667735C1	1667734C1	
LA10-GG	10	WH	GXL	2643788R1		SS53	-	2644000R1		
LA92#109	18	WH	TXL	3510359R1	3605713C1	7500	9	SWS_N_REQ	366525C1	
LA92#109	18	WH	TXL	3510359R1		SS53	-	2644000R1		
LA92#169	18	WH	TXL	3510359R1	3605713C1	7500	69	SWS_N_REQ	366525C1	
LA92#169	18	WH	TXL	3510359R1		SS53	-	2644000R1		
LB10-GG	10	WH	GXL	2643788R1	1667732C1	500	B	1667735C1	1667734C1	
LB10-GG	10	WH	GXL	2643788R1		SS54	-	2644000R1		
LB92#109	18	WH	TXL	3510359R1	2018589C1	1501	4	N/A		
LB92#109	18	WH	TXL	3510359R1		SS54	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
LB92#169	18	WH	TXL	3510359R1	1661601C1	1502	3	N/A		
LB92#169	18	WH	TXL	3510359R1		SS54	-	2644000R1		
MA88	14	LTGN	GXL	2643687R1	BLUNT_SL_V	7800	A	SWS_N_REQ		
MA88	14	LTGN	GXL	2643687R1	3595620C1	1702	14	SWS_N_REQ	3598916C1	3598917C1
MJ71A	18	OR	150	2645921R1	3595620C1	1702	6	SWS_N_REQ	3598916C1	3598917C1
MJ71A	18	OR	150	2645921R1	1661778C1	7500M	A	3568570C1	1661874C1	
MJ71B	18	TN	150	2645915R1	3595620C1	1702	7	SWS_N_REQ	3598916C1	3598917C1
MJ71B	18	TN	150	2645915R1	1661778C1	7500M	B	3568570C1	1661874C1	
ML93	18	TN	GXL	2643676R1	3595620C1	1702	39	SWS_N_REQ	3598916C1	3598917C1
ML93	18	TN	GXL	2643676R1	1661198C1	7103M	A	N/A		
ML9TS	18	GY	TXL	3510311R1	3543733C1	6747	K	3535424C1	3543732C1	
ML9TS	18	GY	TXL	3510311R1	1661198C1	7103M	C	N/A		
PB5#106	18	YL	TXL	3572112R1	3605713C1	7151	6	SWS_N_REQ	366525C1	
PB5#106	18	YL	TXL	3572112R1		SS69	-	2644000R1		
PB5#127	18	GN	TXL	3572112R1	3605713C1	7151	27	SWS_N_REQ	366525C1	
PB5#127	18	GN	TXL	3572112R1		SS67	-	2644000R1		
PB5A(+)	18	YL	TXL	3572112R1	3595620C1	1702	11	SWS_N_REQ	3598916C1	3598917C1
PB5A(+)	18	YL	TXL	3572112R1		SS80	-	2644000R1		
PB5A(-)	18	GN	TXL	3572112R1	3595620C1	1702	17	SWS_N_REQ	3598916C1	3598917C1
PB5A(-)	18	GN	TXL	3572112R1		SS77	-	2644000R1		
PB5B(+)	20	YL	193	3858761R1	3945694C1	6000	22	SWS_N_REQ	3743662C1	
PB5B(+)	20	YL	193	3858761R1		SS80	-	2644000R1		
PB5B(-)	20	GN	193	3858761R1	3945694C1	6000	46	SWS_N_REQ	3743662C1	
PB5B(-)	20	GN	193	3858761R1		SS77	-	2644000R1		
PB5C(+)	18	YL	TXL	3572112R1		SS80	-	2644000R1		
PB5C(+)	18	YL	TXL	3572112R1		SS69	-	2644000R1		
PB5C(-)	18	GN	TXL	3572112R1		SS77	-	2644000R1		
PB5C(-)	18	GN	TXL	3572112R1		SS67	-	2644000R1		
PB5D(+)	18	YL	TXL	3572112R1	3683465C1	7801B	A	3535424C1	3683466C1	3573833C1
PB5D(+)	18	YL	TXL	3572112R1		SS69	-	2644000R1		
PB5D(-)	18	GN	TXL	3572112R1	3683465C1	7801B	B	3535424C1	3683466C1	3573833C1
PB5D(-)	18	GN	TXL	3572112R1		SS67	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
PC5#106	18	YL	TXL	3572112R1	3605713C1	7500	6	SWS_N_REQ	366525C1	
PC5#106	18	YL	TXL	3572112R1		SS84	-	2644000R1		
PC5#127	18	GN	TXL	3572112R1	3605713C1	7500	27	SWS_N_REQ	366525C1	
PC5#127	18	GN	TXL	3572112R1		SS83	-	2644000R1		
PC5A(+)	18	YL	TXL	3572112R1	3683465C1	7801B	A	3535424C1	3683466C1	3573833C1
PC5A(+)	18	YL	TXL	3572112R1		SS84	-	2644000R1		
PC5A(-)	18	GN	TXL	3572112R1	3683465C1	7801B	B	3535424C1	3683466C1	3573833C1
PC5A(-)	18	GN	TXL	3572112R1		SS83	-	2644000R1		
PC5C(+)	18	YL	TXL	3572112R1		SS84	-	2644000R1		
PC5C(+)	18	YL	TXL	3572112R1		SS82	-	2644000R1		
PC5C(-)	18	GN	TXL	3572112R1		SS83	-	2644000R1		
PC5C(-)	18	GN	TXL	3572112R1		SS81	-	2644000R1		
PC5D(+)	20	YL	193	3858761R1	3945694C1	6000	22	SWS_N_REQ	3743662C1	
PC5D(+)	20	YL	193	3858761R1		SS82	-	2644000R1		
PC5D(-)	20	GN	193	3858761R1	3945694C1	6000	46	SWS_N_REQ	3743662C1	
PC5D(-)	20	GN	193	3858761R1		SS81	-	2644000R1		
PC5E(+)	18	YL	TXL	3572112R1	3595620C1	1702	11	SWS_N_REQ	3598916C1	3598917C1
PC5E(+)	18	YL	TXL	3572112R1		SS82	-	2644000R1		
PC5E(-)	18	GN	TXL	3572112R1	3595620C1	1702	17	SWS_N_REQ	3598916C1	3598917C1
PC5E(-)	18	GN	TXL	3572112R1		SS81	-	2644000R1		
PG92#123	18	LTGN	TXL	3510299R1	3605713C1	7151	23	SWS_N_REQ	366525C1	
PG92#123	18	LTGN	TXL	3510299R1		SS35	-	2644000R1		
PG92#145	18	OR	TXL	3510317R1	3605713C1	7151	45	SWS_N_REQ	366525C1	
PG92#145	18	OR	TXL	3510317R1		SS36	-	2644000R1		
PG92A123	18	LTGN	TXL	3510299R1	3525872C1	7205F	F	3568570C1	3525873C1	3525875C1
PG92A123	18	LTGN	TXL	3510299R1		SS35	-	2644000R1		
PG92A145	18	OR	TXL	3510317R1	3525872C1	7205F	G	3568570C1	3525873C1	3525875C1
PG92A145	18	OR	TXL	3510317R1		SS36	-	2644000R1		
PG92B123	18	LTGN	TXL	3510299R1	3595620C1	1702	25	SWS_N_REQ	3598916C1	3598917C1
PG92B123	18	LTGN	TXL	3510299R1		SS35	-	2644000R1		
PG92B145	18	OR	TXL	3510317R1	3595620C1	1702	6	SWS_N_REQ	3598916C1	3598917C1
PG92B145	18	OR	TXL	3510317R1		SS36	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
PH14A	12	RD	TXL	3510368R1	6113341C1	6567	7	3509903C1		
PH14A	12	RD	TXL	3510368R1		SS15	-	2644000R1		
PH14B	18	RD	TXL	3510365R1	3605713C1	7151	10	SWS_N_REQ	366525C1	
PH14B	18	RD	TXL	3510365R1		SS15	-	2644000R1		
PH14C	18	RD	TXL	3510365R1	3605713C1	7151	70	SWS_N_REQ	366525C1	
PH14C	18	RD	TXL	3510365R1		SS15	-	2644000R1		
PH92#111	18	OR	TXL	3510317R1	3605714C1	7350	14	N/A	366526C1	
PH92#111	18	OR	TXL	3510317R1	3605713C1	7151	11	SWS_N_REQ	366525C1	
PH92#114	18	GY	TXL	3510311R1	3605714C1	7350	20	N/A	366526C1	
PH92#114	18	GY	TXL	3510311R1	3605713C1	7151	14	SWS_N_REQ	366525C1	
PH92#117	18	LTBL	TXL	3510341R1	3605714C1	7350	4	N/A	366526C1	
PH92#117	18	LTBL	TXL	3510341R1	3605713C1	7151	17	SWS_N_REQ	366525C1	
PH92#120	18	LTBL	TXL	3510341R1	3605713C1	7151	20	SWS_N_REQ	366525C1	
PH92#120	18	LTBL	TXL	3510341R1	3594124C91	7607M	B	3554318C1		
PH92#133	18	YL	TXL	3510335R1	3605714C1	7350	2	N/A	366526C1	
PH92#133	18	YL	TXL	3510335R1	3605713C1	7151	33	SWS_N_REQ	366525C1	
PH92#134	18	WH	TXL	3510359R1	3605714C1	7350	23	N/A	366526C1	
PH92#134	18	WH	TXL	3510359R1	3605713C1	7151	34	SWS_N_REQ	366525C1	
PH92#136	18	OR	TXL	3510317R1	3605714C1	7350	17	N/A	366526C1	
PH92#136	18	OR	TXL	3510317R1	3605713C1	7151	36	SWS_N_REQ	366525C1	
PH92#138	18	OR	TXL	3510317R1	3605714C1	7350	18	N/A	366526C1	
PH92#138	18	OR	TXL	3510317R1	3605713C1	7151	38	SWS_N_REQ	366525C1	
PH92#139	18	OR	TXL	3510317R1	3605713C1	7151	39	SWS_N_REQ	366525C1	
PH92#139	18	OR	TXL	3510317R1	3594124C91	7604M	B	3554318C1		
PH92#140	18	LTGN	TXL	3510299R1	3610533C1	7600M	B	3554318C1	361532C1	
PH92#140	18	LTGN	TXL	3510299R1	3605713C1	7151	40	SWS_N_REQ	366525C1	
PH92#142	18	WH	TXL	3510359R1	3605713C1	7151	42	SWS_N_REQ	366525C1	
PH92#142	18	WH	TXL	3510359R1	3595620C1	1702	19	SWS_N_REQ	3598916C1	3598917C1
PH92#151	18	WH	TXL	3510359R1	3605714C1	7350	3	N/A	366526C1	
PH92#151	18	WH	TXL	3510359R1	3605713C1	7151	51	SWS_N_REQ	366525C1	
PH92#152	18	LTGN	TXL	3510299R1	3605714C1	7350	1	N/A	366526C1	
PH92#152	18	LTGN	TXL	3510299R1	3605713C1	7151	52	SWS_N_REQ	366525C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
PH92#153	18	YL	TXL	3510335R1	3605714C1	7350	21	N/A	366526C1	
PH92#153	18	YL	TXL	3510335R1	3605713C1	7151	53	SWS_N_REQ	366525C1	
PH92#154	18	TN	TXL	3510329R1	3605714C1	7350	8	N/A	366526C1	
PH92#154	18	TN	TXL	3510329R1	3605713C1	7151	54	SWS_N_REQ	366525C1	
PH92#155	18	WH	TXL	3510359R1	3605714C1	7350	15	N/A	366526C1	
PH92#155	18	WH	TXL	3510359R1	3605713C1	7151	55	SWS_N_REQ	366525C1	
PH92#157	18	WH	TXL	3510359R1	3605714C1	7350	6	N/A	366526C1	
PH92#157	18	WH	TXL	3510359R1	3605713C1	7151	57	SWS_N_REQ	366525C1	
PH92#158	18	LTGN	TXL	3510299R1	3605714C1	7350	9	N/A	366526C1	
PH92#158	18	LTGN	TXL	3510299R1	3605713C1	7151	58	SWS_N_REQ	366525C1	
PH92#159	18	TN	TXL	3510329R1	3605713C1	7151	59	SWS_N_REQ	366525C1	
PH92#159	18	TN	TXL	3510329R1	3594124C91	7604M	A	3554318C1		
PH92#160	18	YL	TXL	3510335R1	3610533C1	7600M	A	3554318C1	361532C1	
PH92#160	18	YL	TXL	3510335R1	3605713C1	7151	60	SWS_N_REQ	366525C1	
PH92#161	18	TN	TXL	3510329R1	3605713C1	7151	61	SWS_N_REQ	366525C1	
PH92#161	18	TN	TXL	3510329R1	3595620C1	1702	12	SWS_N_REQ	3598916C1	3598917C1
PH92#163	18	YL	TXL	3510335R1	3605713C1	7151	63	SWS_N_REQ	366525C1	
PH92#163	18	YL	TXL	3510335R1	3595620C1	1702	8	SWS_N_REQ	3598916C1	3598917C1
PH92#165	18	TN	TXL	3510329R1	3605713C1	7151	65	SWS_N_REQ	366525C1	
PH92#165	18	TN	TXL	3510329R1	3595620C1	1702	7	SWS_N_REQ	3598916C1	3598917C1
PH92#171	18	YL	TXL	3510335R1	3605714C1	7350	16	N/A	366526C1	
PH92#171	18	YL	TXL	3510335R1	3605713C1	7151	71	SWS_N_REQ	366525C1	
PH92#173	18	LTBL	TXL	3510341R1	3605714C1	7350	22	N/A	366526C1	
PH92#173	18	LTBL	TXL	3510341R1	3605713C1	7151	73	SWS_N_REQ	366525C1	
PH92#174	18	LTBL	TXL	3510341R1	3605714C1	7350	19	N/A	366526C1	
PH92#174	18	LTBL	TXL	3510341R1	3605713C1	7151	74	SWS_N_REQ	366525C1	
PH92#176	18	YL	TXL	3510335R1	3605714C1	7350	24	N/A	366526C1	
PH92#176	18	YL	TXL	3510335R1	3605713C1	7151	76	SWS_N_REQ	366525C1	
PH92#177	18	LTBL	TXL	3510341R1	3605714C1	7350	11	N/A	366526C1	
PH92#177	18	LTBL	TXL	3510341R1	3605713C1	7151	77	SWS_N_REQ	366525C1	
PH92#178	18	WH	TXL	3510359R1	3605714C1	7350	10	N/A	366526C1	
PH92#178	18	WH	TXL	3510359R1	3605713C1	7151	78	SWS_N_REQ	366525C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
PH92#179	18	PK	TXL	3510323R1	3605714C1	7350	7	N/A	366526C1	
PH92#179	18	PK	TXL	3510323R1	3605713C1	7151	79	SWS_N_REQ	366525C1	
PH92#180	18	OR	TXL	3510317R1	3605713C1	7151	80	SWS_N_REQ	366525C1	
PH92#180	18	OR	TXL	3510317R1	3594124C91	7607M	A	3554318C1		
PH92A131	18	YL	TXL	3510335R1	3605714C1	7350	13	N/A	366526C1	
PH92A131	18	YL	TXL	3510335R1	3605713C1	7151	31	SWS_N_REQ	366525C1	
PH92A137	18	WH	TXL	3510359R1	3605714C1	7350	12	N/A	366526C1	
PH92A137	18	WH	TXL	3510359R1	3605713C1	7151	37	SWS_N_REQ	366525C1	
PH92A141	18	TN	TXL	3510329R1	3605713C1	7151	41	SWS_N_REQ	366525C1	
PH92A141	18	TN	TXL	3510329R1	3595620C1	1702	20	SWS_N_REQ	3598916C1	3598917C1
PK92#101	18	LTBL	TXL	3510341R1	3605713C1	7151	1	SWS_N_REQ	366525C1	
PK92#101	18	LTBL	TXL	3510341R1	3525872C1	7205F	E	3568570C1	3525873C1	3525875C1
PK92#103	18	YL	TXL	3510335R1	3605713C1	7151	3	SWS_N_REQ	366525C1	
PK92#103	18	YL	TXL	3510335R1		SS14	-	2644000R1		
PK92#105	18	OR	TXL	3510317R1	3605713C1	7151	5	SWS_N_REQ	366525C1	
PK92#105	18	OR	TXL	3510317R1	3525872C1	7205F	H	3568570C1	3525873C1	3525875C1
PK92#143	18	LTBL	TXL	3510341R1	3605713C1	7151	43	SWS_N_REQ	366525C1	
PK92#143	18	LTBL	TXL	3510341R1	3525872C1	7205F	B	3568570C1	3525873C1	3525875C1
PK92#150	18	PK	TXL	3510323R1	3605713C1	7151	50	SWS_N_REQ	366525C1	
PK92#150	18	PK	TXL	3510323R1	3525872C1	7205F	C	3568570C1	3525873C1	3525875C1
PK92B103	18	YL	TXL	3510335R1	3595620C1	1702	21	SWS_N_REQ	3598916C1	3598917C1
PK92B103	18	YL	TXL	3510335R1		SS14	-	2644000R1		
PK92C103	18	YL	TXL	3510335R1	3525872C1	7205F	A	3568570C1	3525873C1	3525875C1
PK92C103	18	YL	TXL	3510335R1		SS14	-	2644000R1		
PM14A	12	RD	TXL	3510368R1	6113341C1	6567	7	3509903C1		
PM14A	12	RD	TXL	3510368R1		SS61	-	2644000R1		
PM92#105	18	OR	TXL	3510317R1	3605713C1	7500	5	SWS_N_REQ	366525C1	
PM92#105	18	OR	TXL	3510317R1	3525872C1	7205F	F	3568570C1	3525873C1	3525875C1
PM92#110	18	RD	TXL	3510365R1	3605713C1	7500	10	SWS_N_REQ	366525C1	
PM92#110	18	RD	TXL	3510365R1		SS61	-	2644000R1		
PM92#122	18	YL	TXL	3510335R1	3605713C1	7500	22	SWS_N_REQ	366525C1	
PM92#122	18	YL	TXL	3510335R1	3525872C1	7205F	E	3568570C1	3525873C1	3525875C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
PM92#123	18	LTGN	TXL	3510299R1	3605713C1	7500	23	SWS_N_REQ	366525C1	
PM92#123	18	LTGN	TXL	3510299R1	3525874C1	7206F	H	3568570C1		
PM92#130	18	YL	TXL	3510335R1	3605713C1	7500	30	SWS_N_REQ	366525C1	
PM92#130	18	YL	TXL	3510335R1	3525874C1	7206F	G	3568570C1		
PM92#134	18	YL	TXL	3510335R1	3605713C1	7500	34	SWS_N_REQ	366525C1	
PM92#134	18	YL	TXL	3510335R1	3595620C1	1702	19	SWS_N_REQ	3598916C1	3598917C1
PM92#143	18	LTBL	TXL	3510341R1	3605713C1	7500	43	SWS_N_REQ	366525C1	
PM92#143	18	LTBL	TXL	3510341R1	3525874C1	7206F	D	3568570C1		
PM92#162	18	YL	TXL	3510335R1	3605713C1	7500	62	SWS_N_REQ	366525C1	
PM92#162	18	YL	TXL	3510335R1	3525872C1	7205F	H	3568570C1	3525873C1	3525875C1
PM92#163	18	YL	TXL	3510335R1	3605713C1	7500	63	SWS_N_REQ	366525C1	
PM92#163	18	YL	TXL	3510335R1	3595620C1	1702	8	SWS_N_REQ	3598916C1	3598917C1
PM92#164	18	LTBL	TXL	3510341R1	3605713C1	7500	64	SWS_N_REQ	366525C1	
PM92#164	18	LTBL	TXL	3510341R1	3525872C1	7205F	G	3568570C1	3525873C1	3525875C1
PM92#165	18	TN	TXL	3510329R1	3605713C1	7500	65	SWS_N_REQ	366525C1	
PM92#165	18	TN	TXL	3510329R1	3595620C1	1702	7	SWS_N_REQ	3598916C1	3598917C1
PM92#170	18	RD	TXL	3510365R1	3605713C1	7500	70	SWS_N_REQ	366525C1	
PM92#170	18	RD	TXL	3510365R1		SS61	-	2644000R1		
PN92#101	18	LTBL	TXL	3510341R1	3605713C1	7500	1	SWS_N_REQ	366525C1	
PN92#101	18	LTBL	TXL	3510341R1	3525874C1	7206F	A	3568570C1		
PN92#103	18	YL	TXL	3510335R1	3605713C1	7500	3	SWS_N_REQ	366525C1	
PN92#103	18	YL	TXL	3510335R1		SS59	-	2644000R1		
PN92B103	18	YL	TXL	3510335R1	3525872C1	7205F	A	3568570C1	3525873C1	3525875C1
PN92B103	18	YL	TXL	3510335R1		SS59	-	2644000R1		
PN92C103	18	YL	TXL	3510335R1	3525874C1	7206F	C	3568570C1		
PN92C103	18	YL	TXL	3510335R1		SS59	-	2644000R1		
PR92#101	18	LTBL	TXL	3510341R1	3605713C1	7500	1	SWS_N_REQ	366525C1	
PR92#101	18	LTBL	TXL	3510341R1	3525874C1	7206F	A	3568570C1		
PR92#103	18	YL	TXL	3510335R1	3605713C1	7500	3	SWS_N_REQ	366525C1	
PR92#103	18	YL	TXL	3510335R1		SS63	-	2644000R1		
PR92#115	18	WH	TXL	3510359R1	3868820C1	7213	A	3554318C1	361532C1	
PR92#115	18	WH	TXL	3510359R1	3605713C1	7500	15	SWS_N_REQ	366525C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
PR92#119	18	LTBL	TXL	3510341R1	3868823C1	7212	A	3554318C1	361532C1	
PR92#119	18	LTBL	TXL	3510341R1	3605713C1	7500	19	SWS_N_REQ	366525C1	
PR92#124	18	WH	TXL	3510359R1	3605713C1	7500	24	SWS_N_REQ	366525C1	
PR92#124	18	WH	TXL	3510359R1	3595620C1		1702	SWS_N_REQ	3598916C1	3598917C1
PR92#175	18	OR	TXL	3510317R1		SS86	-	2644000R1		
PR92#175	18	OR	TXL	3510317R1	3605713C1	7500	75	SWS_N_REQ	366525C1	
PR92A112	18	PK	TXL	3510323R1	3605713C1	7500	12	SWS_N_REQ	366525C1	
PR92A112	18	PK	TXL	3510323R1		SS87	-	2644000R1		
PR92A131	18	YL	TXL	3510335R1		SS88	-	2644000R1		
PR92A131	18	YL	TXL	3510335R1	3605713C1	7500	31	SWS_N_REQ	366525C1	
PR92A158	18	LTGN	TXL	3510299R1	3605713C1	7500	58	SWS_N_REQ	366525C1	
PR92A158	18	LTGN	TXL	3510299R1		SS89	-	2644000R1		
PR92A175	18	OR	GXL	2643675R1		SS86	-	2644000R1		
PR92A175	18	OR	GXL	2643675R1	3524377C1	7211	A	N/A		
PR92B103	18	YL	TXL	3510335R1	3525872C1	7205F	A	3568570C1	3525873C1	3525875C1
PR92B103	18	YL	TXL	3510335R1		SS63	-	2644000R1		
PR92B112	18	PK	TXL	3510323R1	3595620C1	1702	41	SWS_N_REQ	3598916C1	3598917C1
PR92B112	18	PK	TXL	3510323R1		SS87	-	2644000R1		
PR92B131	18	YL	150	2645910R1		SS88	-	2644000R1		
PR92B131	18	YL	150	2645910R1	3605715C1	7250M	11	N/A	366532C1	
PR92B158	18	LTGN	150	2645920R1	3605715C1	7250M	19	N/A	366532C1	
PR92B158	18	LTGN	150	2645920R1		SS89	-	2644000R1		
PR92C103	18	YL	TXL	3510335R1	3525874C1	7206F	C	3568570C1		
PR92C103	18	YL	TXL	3510335R1		SS63	-	2644000R1		
PR92C112	18	PK	150	2645918R1	3605715C1	7250M	16	N/A	366532C1	
PR92C112	18	PK	150	2645918R1		SS87	-	2644000R1		
PR92C131	18	YL	TXL	3510335R1		SS88	-	2644000R1		
PR92C131	18	YL	TXL	3510335R1	3868823C1	7212	B	3554318C1	361532C1	
PR92C158	18	LTGN	GXL	2643671R1	3524377C1	7211	B	N/A		
PR92C158	18	LTGN	GXL	2643671R1		SS89	-	2644000R1		
PR92D103	18	YL	TXL	3510335R1	3595620C1	1702	21	SWS_N_REQ	3598916C1	3598917C1
PR92D103	18	YL	TXL	3510335R1		SS63	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
PR92D131	18	YL	TXL	3510335R1		SS88	-	2644000R1		
PR92D131	18	YL	TXL	3510335R1	3868820C1	7213	B	3554318C1	361532C1	
PR92D158	18	LTGN	TXL	3510299R1	3595620C1	1702	26	SWS_N_REQ	3598916C1	3598917C1
PR92D158	18	LTGN	TXL	3510299R1		SS89	-	2644000R1		
PT92#131	18	YL	150	2645910R1	3605715C1	7250M	11	N/A	366532C1	
PT92#131	18	YL	150	2645910R1	3605713C1	7500	31	SWS_N_REQ	366525C1	
PT92#158	18	LTGN	150	2645920R1	3605715C1	7250M	19	N/A	366532C1	
PT92#158	18	LTGN	150	2645920R1	3605713C1	7500	58	SWS_N_REQ	366525C1	
PT92A112	18	PK	150	2645918R1	3605715C1	7250M	16	N/A	366532C1	
PT92A112	18	PK	150	2645918R1	3605713C1	7500	12	SWS_N_REQ	366525C1	
PU92#123	18	LTGN	TXL	3510299R1	1661601C1	1502	2	N/A		
PU92#123	18	LTGN	TXL	3510299R1		SS119	-	2644000R1		
PU92#145	18	OR	TXL	3510317R1	3627615C1	1503	8	N/A		
PU92#145	18	OR	TXL	3510317R1		SS118	-	2644000R1		
PU92A123	18	LTGN	TXL	3510299R1	3525872C1	7205F	F	3568570C1	3525873C1	3525875C1
PU92A123	18	LTGN	TXL	3510299R1		SS119	-	2644000R1		
PU92A145	18	OR	TXL	3510317R1	3525872C1	7205F	G	3568570C1	3525873C1	3525875C1
PU92A145	18	OR	TXL	3510317R1		SS118	-	2644000R1		
PU92B123	18	LTGN	TXL	3510299R1	3595620C1	1702	25	SWS_N_REQ	3598916C1	3598917C1
PU92B123	18	LTGN	TXL	3510299R1		SS119	-	2644000R1		
PU92B145	18	OR	TXL	3510317R1	3595620C1	1702	6	SWS_N_REQ	3598916C1	3598917C1
PU92B145	18	OR	TXL	3510317R1		SS118	-	2644000R1		
PV14A	12	RD	TXL	3510368R1	6113341C1	6567	7	3575783C1		
PV14A	12	RD	TXL	3510368R1		SS111	-	2644000R1		
PV14B	18	RD	TXL	3510365R1	2018589C1	1501	5	N/A		
PV14B	18	RD	TXL	3510365R1		SS111	-	2644000R1		
PV14C	18	RD	TXL	3510365R1	1661601C1	1502	1	N/A		
PV14C	18	RD	TXL	3510365R1		SS111	-	2644000R1		
PV92#111	18	OR	TXL	3510317R1	3605714C1	7350	14	N/A	366526C1	
PV92#111	18	OR	TXL	3510317R1	1661601C1	1502	3	N/A		
PV92#114	18	GY	TXL	3510311R1	3605714C1	7350	20	N/A	366526C1	
PV92#114	18	GY	TXL	3510311R1	1661601C1	1502	4	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
PV92#117	18	LTBL	TXL	3510341R1	3605714C1	7350	4	N/A	366526C1	
PV92#117	18	LTBL	TXL	3510341R1	1661601C1	1502	5	N/A		
PV92#120	18	LTBL	TXL	3510341R1	3594124C91	7607M	B	3554318C1		
PV92#120	18	LTBL	TXL	3510341R1	2018589C1	1501	6	N/A		
PV92#133	18	YL	TXL	3510335R1	3605714C1	7350	2	N/A	366526C1	
PV92#133	18	YL	TXL	3510335R1	1661601C1	1502	6	N/A		
PV92#134	18	WH	TXL	3510359R1	3605714C1	7350	23	N/A	366526C1	
PV92#134	18	WH	TXL	3510359R1	1661601C1	1502	7	N/A		
PV92#136	18	OR	TXL	3510317R1	3605714C1	7350	17	N/A	366526C1	
PV92#136	18	OR	TXL	3510317R1	1661601C1	1502	8	N/A		
PV92#138	18	OR	TXL	3510317R1	3605714C1	7350	18	N/A	366526C1	
PV92#138	18	OR	TXL	3510317R1	1661601C1	1502	9	N/A		
PV92#139	18	OR	TXL	3510317R1	3594124C91	7604M	B	3554318C1		
PV92#139	18	OR	TXL	3510317R1	2018589C1	1501	9	N/A		
PV92#140	18	LTGN	TXL	3510299R1	3610533C1	7600M	B	3554318C1	361532C1	
PV92#140	18	LTGN	TXL	3510299R1	2018589C1	1501	14	N/A		
PV92#142	18	WH	TXL	3510359R1	3595620C1	1702	19	SWS_N_REQ	3598916C1	3598917C1
PV92#142	18	WH	TXL	3510359R1	2018589C1	1501	11	N/A		
PV92#151	18	WH	TXL	3510359R1	3605714C1	7350	3	N/A	366526C1	
PV92#151	18	WH	TXL	3510359R1	1661601C1	1502	11	N/A		
PV92#152	18	LTGN	TXL	3510299R1	3605714C1	7350	1	N/A	366526C1	
PV92#152	18	LTGN	TXL	3510299R1	1661601C1	1502	12	N/A		
PV92#153	18	YL	TXL	3510335R1	3605714C1	7350	21	N/A	366526C1	
PV92#153	18	YL	TXL	3510335R1	1661601C1	1502	13	N/A		
PV92#154	18	TN	TXL	3510329R1	3605714C1	7350	8	N/A	366526C1	
PV92#154	18	TN	TXL	3510329R1	1661601C1	1502	14	N/A		
PV92#155	18	WH	TXL	3510359R1	3605714C1	7350	15	N/A	366526C1	
PV92#155	18	WH	TXL	3510359R1	1661601C1	1502	15	N/A		
PV92#157	18	WH	TXL	3510359R1	3605714C1	7350	6	N/A	366526C1	
PV92#157	18	WH	TXL	3510359R1	1661601C1	1502	16	N/A		
PV92#158	18	LTGN	TXL	3510299R1	3605714C1	7350	9	N/A	366526C1	
PV92#158	18	LTGN	TXL	3510299R1	1661601C1	1502	17	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
PV92#159	18	TN	TXL	3510329R1	3594124C91	7604M	A	3554318C1		
PV92#159	18	TN	TXL	3510329R1	2018589C1	1501	10	N/A		
PV92#160	18	YL	TXL	3510335R1	3610533C1	7600M	A	3554318C1	361532C1	
PV92#160	18	YL	TXL	3510335R1	2018589C1	1501	15	N/A		
PV92#161	18	TN	TXL	3510329R1	3595620C1	1702	12	SWS_N_REQ	3598916C1	3598917C1
PV92#161	18	TN	TXL	3510329R1	3627615C1	1503	15	N/A		
PV92#163	18	YL	TXL	3510335R1	3595620C1	1702	8	SWS_N_REQ	3598916C1	3598917C1
PV92#163	18	YL	TXL	3510335R1	2018589C1	1501	16	N/A		
PV92#165	18	TN	TXL	3510329R1	3595620C1	1702	7	SWS_N_REQ	3598916C1	3598917C1
PV92#165	18	TN	TXL	3510329R1	2018589C1	1501	17	N/A		
PV92#171	18	YL	TXL	3510335R1	3605714C1	7350	16	N/A	366526C1	
PV92#171	18	YL	TXL	3510335R1	3627615C1	1503	1	N/A		
PV92#173	18	LTBL	TXL	3510341R1	3605714C1	7350	22	N/A	366526C1	
PV92#173	18	LTBL	TXL	3510341R1	3627615C1	1503	2	N/A		
PV92#174	18	LTBL	TXL	3510341R1	3605714C1	7350	19	N/A	366526C1	
PV92#174	18	LTBL	TXL	3510341R1	3627615C1	1503	3	N/A		
PV92#176	18	YL	TXL	3510335R1	3605714C1	7350	24	N/A	366526C1	
PV92#176	18	YL	TXL	3510335R1	3627615C1	1503	4	N/A		
PV92#177	18	LTBL	TXL	3510341R1	3605714C1	7350	11	N/A	366526C1	
PV92#177	18	LTBL	TXL	3510341R1	3627615C1	1503	5	N/A		
PV92#178	18	WH	TXL	3510359R1	3605714C1	7350	10	N/A	366526C1	
PV92#178	18	WH	TXL	3510359R1	3627615C1	1503	6	N/A		
PV92#179	18	PK	TXL	3510323R1	3605714C1	7350	7	N/A	366526C1	
PV92#179	18	PK	TXL	3510323R1	3627615C1	1503	7	N/A		
PV92#180	18	OR	TXL	3510317R1	3594124C91	7607M	A	3554318C1		
PV92#180	18	OR	TXL	3510317R1	2018589C1	1501	7	N/A		
PV92A141	18	TN	TXL	3510329R1	3595620C1	1702	20	SWS_N_REQ	3598916C1	3598917C1
PV92A141	18	TN	TXL	3510329R1	1661601C1	1502	10	N/A		
PW31#154	18	TN	150	2645915R1	3605715C1	7250M	18	N/A	366532C1	
PW31#154	18	TN	150	2645915R1	3605713C1	7500	54	SWS_N_REQ	366525C1	
PW47#140	18	LTGN	TXL	3510299R1	3610533C1	7605M	B	3554318C1	361532C1	
PW47#140	18	LTGN	TXL	3510299R1	3605713C1	7500	40	SWS_N_REQ	366525C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
PW47#160	18	YL	TXL	3510335R1	3610533C1	7605M	A	3554318C1	361532C1	
PW47#160	18	YL	TXL	3510335R1	3605713C1		7500	60	SWS_N_REQ	366525C1
PW48#139	18	OR	150	2645921R1	3610533C1	7603M		B	3554318C1	361532C1
PW48#139	18	OR	150	2645921R1	3605713C1		7500	39	SWS_N_REQ	366525C1
PW48#159	18	TN	150	2645915R1	3610533C1	7603M		A	3554318C1	361532C1
PW48#159	18	TN	150	2645915R1	3605713C1		7500	59	SWS_N_REQ	366525C1
PW92#111	18	OR	150	2645921R1	3605715C1	7250M		1	N/A	366532C1
PW92#111	18	OR	150	2645921R1	3605713C1		7500	11	SWS_N_REQ	366525C1
PW92#116	18	LTBL	150	2645922R1	3605715C1	7250M		15	N/A	366532C1
PW92#116	18	LTBL	150	2645922R1	3605713C1		7500	16	SWS_N_REQ	366525C1
PW92#118	18	GY	150	2645914R1	3605715C1	7250M		17	N/A	366532C1
PW92#118	18	GY	150	2645914R1	3605713C1		7500	18	SWS_N_REQ	366525C1
PW92#133	18	YL	150	2645910R1	3605715C1	7250M		9	N/A	366532C1
PW92#133	18	YL	150	2645910R1	3605713C1		7500	33	SWS_N_REQ	366525C1
PW92#136	18	OR	150	2645921R1	3605715C1	7250M		4	N/A	366532C1
PW92#136	18	OR	150	2645921R1	3605713C1		7500	36	SWS_N_REQ	366525C1
PW92#137	18	WH	150	2645919R1	3605715C1	7250M		12	N/A	366532C1
PW92#137	18	WH	150	2645919R1	3605713C1		7500	37	SWS_N_REQ	366525C1
PW92#151	18	WH	150	2645919R1	3605715C1	7250M		10	N/A	366532C1
PW92#151	18	WH	150	2645919R1	3605713C1		7500	51	SWS_N_REQ	366525C1
PW92#152	18	LTGN	150	2645920R1	3605715C1	7250M		5	N/A	366532C1
PW92#152	18	LTGN	150	2645920R1	3605713C1		7500	52	SWS_N_REQ	366525C1
PW92#155	18	WH	150	2645919R1	3605715C1	7250M		2	N/A	366532C1
PW92#155	18	WH	150	2645919R1	3605713C1		7500	55	SWS_N_REQ	366525C1
PW92#171	18	YL	150	2645910R1	3605715C1	7250M		6	N/A	366532C1
PW92#171	18	YL	150	2645910R1	3605713C1		7500	71	SWS_N_REQ	366525C1
PW92#174	18	LTBL	150	2645922R1	3605715C1	7250M		8	N/A	366532C1
PW92#174	18	LTBL	150	2645922R1	3605713C1		7500	74	SWS_N_REQ	366525C1
PW92#176	18	YL	150	2645910R1	3605715C1	7250M		20	N/A	366532C1
PW92#176	18	YL	150	2645910R1	3605713C1		7500	76	SWS_N_REQ	366525C1
PW92#177	18	LTGN	150	2645920R1	3605715C1	7250M		3	N/A	366532C1
PW92#177	18	LTGN	150	2645920R1	3605713C1		7500	77	SWS_N_REQ	366525C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2	
PW92#180	18	OR	150	2645921R1	3605715C1	7250M	13	N/A	366532C1		
PW92#180	18	OR	150	2645921R1	3605713C1		7500	80	SWS_N_REQ	366525C1	
PW92A120	18	LTBL	150	2645922R1	3605715C1	7250M	14	N/A	366532C1		
PW92A120	18	LTBL	150	2645922R1	3605713C1		7500	20	SWS_N_REQ	366525C1	
PX92A131	18	YL	TXL	3510335R1	3605714C1		7350	13	N/A	366526C1	
PX92A131	18	YL	TXL	3510335R1	3627615C1		1503	14	N/A		
PX92A137	18	WH	TXL	3510359R1	3605714C1		7350	12	N/A	366526C1	
PX92A137	18	WH	TXL	3510359R1	3627615C1		1503	16	N/A		
PY92#145	18	OR	TXL	3510317R1	3605713C1		7500	45	SWS_N_REQ	366525C1	
PY92#145	18	OR	TXL	3510317R1	3595620C1		1702	6	SWS_N_REQ	3598916C1	3598917C1
PY92A141	18	TN	TXL	3510329R1	3605713C1		7500	41	SWS_N_REQ	366525C1	
PY92A141	18	TN	TXL	3510329R1	3595620C1		1702	20	SWS_N_REQ	3598916C1	3598917C1
RA14-G	12	WH	TXL	3510362R1	6112506C1		4060	5	SWS_N_REQ		
RA14-G	12	WH	TXL	3510362R1	1669834C1	9263F		A	589391C1	167553C1	
RA14A	12	RD	TXL	3510368R1	6112506C1		4060	4	SWS_N_REQ		
RA14A	12	RD	TXL	3510368R1	1664531C1	9264M		A	589391C1	167553C1	
RL92#117	18	LTBL	TXL	3510341R1	3605713C1		7500	17	SWS_N_REQ	366525C1	
RL92#117	18	LTBL	TXL	3510341R1	3525874C1	7206F		B	3568570C1		
RL92#142	18	WH	TXL	3510359R1	3605713C1		7500	42	SWS_N_REQ	366525C1	
RL92#142	18	WH	TXL	3510359R1	3525874C1	7206F		E	3568570C1		
RL92#145	18	OR	TXL	3510317R1	3605713C1		7500	45	SWS_N_REQ	366525C1	
RL92#145	18	OR	TXL	3510317R1	3525874C1	7206F		F	3568570C1		
RL92A141	18	TN	TXL	3510329R1	3605713C1		7500	41	SWS_N_REQ	366525C1	
RL92A141	18	TN	TXL	3510329R1	3595620C1		1702	20	SWS_N_REQ	3598916C1	3598917C1
RM92A117	18	LTBL	TXL	3510341R1	3605713C1		7500	17	SWS_N_REQ	366525C1	
RM92A117	18	LTBL	TXL	3510341R1		SS62		-	2644000R1		
RM92A142	18	WH	TXL	3510359R1	3605713C1		7500	42	SWS_N_REQ	366525C1	
RM92A142	18	WH	TXL	3510359R1		SS62		-	2644000R1		
RM92DL	18	LTBL	TXL	3510341R1	3595620C1		1702	25	SWS_N_REQ	3598916C1	3598917C1
RM92DL	18	LTBL	TXL	3510341R1		SS62		-	2644000R1		
RN92#117	18	LTBL	TXL	3510341R1	3605713C1		7500	17	SWS_N_REQ	366525C1	
RN92#117	18	LTBL	TXL	3510341R1	3595620C1		1702	25	SWS_N_REQ	3598916C1	3598917C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
RS92#101	18	LTBL	TXL	3510341R1	2018589C1	1501	1	N/A		
RS92#101	18	LTBL	TXL	3510341R1	3525872C1	7205F	E	3568570C1	3525873C1	3525875C1
RS92#103	18	YL	TXL	3510335R1	2018589C1	1501	2	N/A		
RS92#103	18	YL	TXL	3510335R1		SS117	-	2644000R1		
RS92#105	18	OR	TXL	3510317R1	2018589C1	1501	3	N/A		
RS92#105	18	OR	TXL	3510317R1	3525872C1	7205F	H	3568570C1	3525873C1	3525875C1
RS92#143	18	LTBL	TXL	3510341R1	2018589C1	1501	12	N/A		
RS92#143	18	LTBL	TXL	3510341R1	3525872C1	7205F	B	3568570C1	3525873C1	3525875C1
RS92#150	18	PK	TXL	3510323R1	2018589C1	1501	13	N/A		
RS92#150	18	PK	TXL	3510323R1	3525872C1	7205F	C	3568570C1	3525873C1	3525875C1
RS92B103	18	YL	TXL	3510335R1	3595620C1	1702	21	SWS_N_REQ	3598916C1	3598917C1
RS92B103	18	YL	TXL	3510335R1		SS117	-	2644000R1		
RS92C103	18	YL	TXL	3510335R1	3525872C1	7205F	A	3568570C1	3525873C1	3525875C1
RS92C103	18	YL	TXL	3510335R1		SS117	-	2644000R1		
RT5#106	18	YL	TXL	3572112R1	3627615C1	1503	10	N/A		
RT5#106	18	YL	TXL	3572112R1		SS113	-	2644000R1		
RT5#127	18	GN	TXL	3572112R1	3627615C1	1503	9	N/A		
RT5#127	18	GN	TXL	3572112R1		SS114	-	2644000R1		
RT5A(+)	18	YL	TXL	3572112R1	3595620C1	1702	11	SWS_N_REQ	3598916C1	3598917C1
RT5A(+)	18	YL	TXL	3572112R1		SS116	-	2644000R1		
RT5A(-)	18	GN	TXL	3572112R1	3595620C1	1702	17	SWS_N_REQ	3598916C1	3598917C1
RT5A(-)	18	GN	TXL	3572112R1		SS115	-	2644000R1		
RT5B(+)	20	YL	193	3858761R1	3945694C1	6000	22	SWS_N_REQ	3743662C1	
RT5B(+)	20	YL	193	3858761R1		SS116	-	2644000R1		
RT5B(-)	20	GN	193	3858761R1	3945694C1	6000	46	SWS_N_REQ	3743662C1	
RT5B(-)	20	GN	193	3858761R1		SS115	-	2644000R1		
RT5C(+)	18	YL	TXL	3572112R1		SS116	-	2644000R1		
RT5C(+)	18	YL	TXL	3572112R1		SS113	-	2644000R1		
RT5C(-)	18	GN	TXL	3572112R1		SS115	-	2644000R1		
RT5C(-)	18	GN	TXL	3572112R1		SS114	-	2644000R1		
RT5D(+)	18	YL	TXL	3572112R1	3683465C1	7801M	A	3535424C1	3683466C1	3573833C1
RT5D(+)	18	YL	TXL	3572112R1		SS113	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
RT5D(-)	18	GN	TXL	3572112R1	3683465C1	7801M	B	3535424C1	3683466C1	3573833C1
RT5D(-)	18	GN	TXL	3572112R1		SS114	-	2644000R1		
RU10A	10	BK	GXL	2643773R1	1667732C1	500	B	1667735C1	1667734C1	
RU10A	10	BK	GXL	2643773R1		SS112	-	2644000R1		
RU10B	18	BK	TXL	3510293R1	2018589C1	1501	4	N/A		
RU10B	18	BK	TXL	3510293R1		SS112	-	2644000R1		
RU10C	18	BK	TXL	3510293R1	2018589C1	1501	18	N/A		
RU10C	18	BK	TXL	3510293R1		SS112	-	2644000R1		
SB5#106	18	YL	TXL	3572112R1	3627615C1	1503	12	N/A		
SB5#106	18	YL	TXL	3572112R1		SS92	-	2644000R1		
SB5#127	18	GN	TXL	3572112R1	3627615C1	1503	4	N/A		
SB5#127	18	GN	TXL	3572112R1		SS91	-	2644000R1		
SB5A(+)	18	YL	TXL	3572112R1	3595620C1	1702	11	SWS_N_REQ	3598916C1	3598917C1
SB5A(+)	18	YL	TXL	3572112R1		SS90	-	2644000R1		
SB5A(-)	18	GN	TXL	3572112R1	3595620C1	1702	17	SWS_N_REQ	3598916C1	3598917C1
SB5A(-)	18	GN	TXL	3572112R1		SS85	-	2644000R1		
SB5B(+)	20	YL	193	3858761R1	3945694C1	6000	22	SWS_N_REQ	3743662C1	
SB5B(+)	20	YL	193	3858761R1		SS90	-	2644000R1		
SB5B(-)	20	GN	193	3858761R1	3945694C1	6000	46	SWS_N_REQ	3743662C1	
SB5B(-)	20	GN	193	3858761R1		SS85	-	2644000R1		
SB5C(+)	18	YL	TXL	3572112R1	3683465C1	7801M	A	3535424C1	3683466C1	3573833C1
SB5C(+)	18	YL	TXL	3572112R1		SS92	-	2644000R1		
SB5C(-)	18	GN	TXL	3572112R1	3683465C1	7801M	B	3535424C1	3683466C1	3573833C1
SB5C(-)	18	GN	TXL	3572112R1		SS91	-	2644000R1		
SB5E(+)	18	YL	TXL	3572112R1		SS92	-	2644000R1		
SB5E(+)	18	YL	TXL	3572112R1		SS90	-	2644000R1		
SB5E(-)	18	GN	TXL	3572112R1		SS91	-	2644000R1		
SB5E(-)	18	GN	TXL	3572112R1		SS85	-	2644000R1		
SM14A	12	RD	TXL	3510368R1	6113341C1	6567	7	3509903C1		
SM14A	12	RD	TXL	3510368R1		SS66	-	2644000R1		
SM92#101	18	LTBL	TXL	3510341R1	3525874C1	7206F	A	3568570C1		
SM92#101	18	LTBL	TXL	3510341R1	2018589C1	1501	1	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2	
SM92#105	18	OR	TXL	3510317R1	3525872C1	7205F	F	3568570C1	3525873C1	3525875C1	
SM92#105	18	OR	TXL	3510317R1	2018589C1		1501	3	N/A		
SM92#110	18	RD	TXL	3510365R1	2018589C1		1501	5	N/A		
SM92#110	18	RD	TXL	3510365R1		SS66		-	2644000R1		
SM92#122	18	YL	TXL	3510335R1	3525872C1	7205F	E	3568570C1	3525873C1	3525875C1	
SM92#122	18	YL	TXL	3510335R1	2018589C1		1501	7	N/A		
SM92#123	18	LTGN	TXL	3510299R1	3525874C1	7206F	H	3568570C1			
SM92#123	18	LTGN	TXL	3510299R1	2018589C1		1501	8	N/A		
SM92#130	18	WH	TXL	3510359R1	3525874C1	7206F	G	3568570C1			
SM92#130	18	WH	TXL	3510359R1	2018589C1		1501	10	N/A		
SM92#134	18	YL	TXL	3510335R1	3595620C1		1702	19	SWS_N_REQ	3598916C1	3598917C1
SM92#134	18	YL	TXL	3510335R1	2018589C1		1501	11	N/A		
SM92#143	18	LTBL	TXL	3510341R1	3525874C1	7206F	D	3568570C1			
SM92#143	18	LTBL	TXL	3510341R1	2018589C1		1501	13	N/A		
SM92#162	18	YL	TXL	3510335R1	3525872C1	7205F	H	3568570C1	3525873C1	3525875C1	
SM92#162	18	YL	TXL	3510335R1	2018589C1		1501	17	N/A		
SM92#163	18	YL	TXL	3510335R1	3595620C1		1702	8	SWS_N_REQ	3598916C1	3598917C1
SM92#163	18	YL	TXL	3510335R1	2018589C1		1501	18	N/A		
SM92#164	18	LTBL	TXL	3510341R1	3525872C1	7205F	G	3568570C1	3525873C1	3525875C1	
SM92#164	18	LTBL	TXL	3510341R1	1661601C1		1502	1	N/A		
SM92#165	18	TN	TXL	3510329R1	3595620C1		1702	7	SWS_N_REQ	3598916C1	3598917C1
SM92#165	18	TN	TXL	3510329R1	1661601C1		1502	2	N/A		
SM92#170	18	RD	TXL	3510365R1	1661601C1		1502	4	N/A		
SM92#170	18	RD	TXL	3510365R1		SS66		-	2644000R1		
SN92#103	18	YL	TXL	3510335R1	2018589C1		1501	2	N/A		
SN92#103	18	YL	TXL	3510335R1		SS60		-	2644000R1		
SN92B103	18	YL	TXL	3510335R1	3525872C1	7205F	A	3568570C1	3525873C1	3525875C1	
SN92B103	18	YL	TXL	3510335R1		SS60		-	2644000R1		
SN92C103	18	YL	TXL	3510335R1	3525874C1	7206F	C	3568570C1			
SN92C103	18	YL	TXL	3510335R1		SS60		-	2644000R1		
SR92#103	18	YL	TXL	3510335R1	2018589C1		1501	2	N/A		
SR92#103	18	YL	TXL	3510335R1		SS40		-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
SR92#115	18	WH	TXL	3510359R1	3868820C1	7213	A	3554318C1	361532C1	
SR92#115	18	WH	TXL	3510359R1	2018589C1	1501	9	N/A		
SR92#119	18	LTBL	TXL	3510341R1	3868823C1	7212	A	3554318C1	361532C1	
SR92#119	18	LTBL	TXL	3510341R1	2018589C1	1501	15	N/A		
SR92#124	18	WH	TXL	3510359R1	3595620C1	1702	27	SWS_N_REQ	3598916C1	3598917C1
SR92#124	18	WH	TXL	3510359R1	2018589C1	1501	16	N/A		
SR92#156	18	PK	TXL	3510323R1	3627615C1	1503	14	N/A		
SR92#156	18	PK	TXL	3510323R1	3595620C1	1702	31	SWS_N_REQ	3598916C1	3598917C1
SR92#161	18	OR	TXL	3510317R1	3627615C1	1503	15	N/A		
SR92#161	18	OR	TXL	3510317R1	3595620C1	1702	39	SWS_N_REQ	3598916C1	3598917C1
SR92#175	18	OR	TXL	3510317R1		SS73	-	2644000R1		
SR92#175	18	OR	TXL	3510317R1	3627615C1	1503	16	N/A		
SR92A112	18	PK	TXL	3510323R1	1661601C1	1502	6	N/A		
SR92A112	18	PK	TXL	3510323R1		SS74	-	2644000R1		
SR92A131	18	PK	TXL	3510323R1	1661601C1	1502	9	N/A		
SR92A131	18	PK	TXL	3510323R1		SS75	-	2644000R1		
SR92A158	18	LTGN	TXL	3510299R1	1661601C1	1502	13	N/A		
SR92A158	18	LTGN	TXL	3510299R1		SS76	-	2644000R1		
SR92A175	18	OR	GXL	2643675R1		SS73	-	2644000R1		
SR92A175	18	OR	GXL	2643675R1	3524377C1	7211	A	N/A		
SR92B103	18	YL	TXL	3510335R1	3525872C1	7205F	A	3568570C1	3525873C1	3525875C1
SR92B103	18	YL	TXL	3510335R1		SS40	-	2644000R1		
SR92B112	18	PK	TXL	3510323R1	3595620C1	1702	41	SWS_N_REQ	3598916C1	3598917C1
SR92B112	18	PK	TXL	3510323R1		SS74	-	2644000R1		
SR92B131	18	YL	150	2645910R1	3605715C1	7250M	11	N/A	366532C1	
SR92B131	18	YL	150	2645910R1		SS75	-	2644000R1		
SR92B158	18	LTGN	150	2645920R1	3605715C1	7250M	19	N/A	366532C1	
SR92B158	18	LTGN	150	2645920R1		SS76	-	2644000R1		
SR92C103	18	YL	TXL	3510335R1	3525874C1	7206F	C	3568570C1		
SR92C103	18	YL	TXL	3510335R1		SS40	-	2644000R1		
SR92C112	18	PK	150	2645918R1	3605715C1	7250M	16	N/A	366532C1	
SR92C112	18	PK	150	2645918R1		SS74	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
SR92C131	18	YL	TXL	3510335R1	3868823C1	7212	B	3554318C1	361532C1	
SR92C131	18	YL	TXL	3510335R1		SS75	-	2644000R1		
SR92C158	18	LTGN	GXL	2643671R1	3524377C1	7211	B	N/A		
SR92C158	18	LTGN	GXL	2643671R1		SS76	-	2644000R1		
SR92D103	18	YL	TXL	3510335R1	3595620C1	1702	21	SWS_N_REQ	3598916C1	3598917C1
SR92D103	18	YL	TXL	3510335R1		SS40	-	2644000R1		
SR92D131	18	YL	TXL	3510335R1	3868820C1	7213	B	3554318C1	361532C1	
SR92D131	18	YL	TXL	3510335R1		SS75	-	2644000R1		
SR92D158	18	LTGN	TXL	3510299R1	3595620C1	1702	26	SWS_N_REQ	3598916C1	3598917C1
SR92D158	18	LTGN	TXL	3510299R1		SS76	-	2644000R1		
ST92#131	18	YL	150	2645910R1	3605715C1	7250M	11	N/A	366532C1	
ST92#131	18	YL	150	2645910R1	1661601C1		1502	9	N/A	
ST92#158	18	LTGN	150	2645920R1	3605715C1	7250M		19	N/A	366532C1
ST92#158	18	LTGN	150	2645920R1	1661601C1		1502	13	N/A	
ST92A112	18	PK	150	2645918R1	3605715C1	7250M		16	N/A	366532C1
ST92A112	18	PK	150	2645918R1	1661601C1		1502	6	N/A	
SW31#154	18	TN	150	2645915R1	3605715C1	7250M		18	N/A	366532C1
SW31#154	18	TN	150	2645915R1	1661601C1		1502	17	N/A	
SW47#140	18	LTGN	TXL	3510299R1	3627615C1		1503	2	N/A	
SW47#140	18	LTGN	TXL	3510299R1	3610533C1	7605M	B	3554318C1	361532C1	
SW47#160	18	YL	TXL	3510335R1	3627615C1		1503	10	N/A	
SW47#160	18	YL	TXL	3510335R1	3610533C1	7605M	A	3554318C1	361532C1	
SW48#139	18	OR	150	2645921R1	3627615C1		1503	1	N/A	
SW48#139	18	OR	150	2645921R1	3610533C1	7603M	B	3554318C1	361532C1	
SW48#159	18	TN	150	2645915R1	3627615C1		1503	9	N/A	
SW48#159	18	TN	150	2645915R1	3610533C1	7603M	A	3554318C1	361532C1	
SW92#111	18	OR	150	2645921R1	3605715C1	7250M		1	N/A	366532C1
SW92#111	18	OR	150	2645921R1	1661601C1		1502	5	N/A	
SW92#116	18	LTBL	150	2645922R1	3605715C1	7250M		15	N/A	366532C1
SW92#116	18	LTBL	150	2645922R1	1661601C1		1502	7	N/A	
SW92#118	18	GY	150	2645914R1	3627615C1		1503	18	N/A	
SW92#118	18	GY	150	2645914R1	3605715C1	7250M		17	N/A	366532C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
SW92#133	18	YL	150	2645910R1	3605715C1	7250M	9	N/A	366532C1	
SW92#133	18	YL	150	2645910R1	1661601C1		1502	10	N/A	
SW92#136	18	OR	150	2645921R1	3605715C1	7250M	4	N/A	366532C1	
SW92#136	18	OR	150	2645921R1	1661601C1		1502	11	N/A	
SW92#137	18	WH	150	2645919R1	3605715C1	7250M	12	N/A	366532C1	
SW92#137	18	WH	150	2645919R1	1661601C1		1502	12	N/A	
SW92#151	18	WH	150	2645919R1	3605715C1	7250M	10	N/A	366532C1	
SW92#151	18	WH	150	2645919R1	1661601C1		1502	15	N/A	
SW92#152	18	LTGN	150	2645920R1	3605715C1	7250M	5	N/A	366532C1	
SW92#152	18	LTGN	150	2645920R1	1661601C1		1502	16	N/A	
SW92#155	18	WH	150	2645919R1	3627615C1		1503	5	N/A	
SW92#155	18	WH	150	2645919R1	3605715C1	7250M	2	N/A	366532C1	
SW92#171	18	YL	150	2645910R1	3605715C1	7250M	6	N/A	366532C1	
SW92#171	18	YL	150	2645910R1	1661601C1		1502	14	N/A	
SW92#174	18	LTBL	150	2645922R1	3627615C1		1503	6	N/A	
SW92#174	18	LTBL	150	2645922R1	3605715C1	7250M	8	N/A	366532C1	
SW92#176	18	YL	150	2645910R1	3627615C1		1503	7	N/A	
SW92#176	18	YL	150	2645910R1	3605715C1	7250M	20	N/A	366532C1	
SW92#177	18	LTGN	150	2645920R1	3605715C1	7250M	3	N/A	366532C1	
SW92#177	18	LTGN	150	2645920R1	1661601C1		1502	8	N/A	
SW92#180	18	OR	150	2645921R1	3627615C1		1503	11	N/A	
SW92#180	18	OR	150	2645921R1	3605715C1	7250M	13	N/A	366532C1	
SW92A120	18	LTBL	150	2645922R1	3627615C1		1503	3	N/A	
SW92A120	18	LTBL	150	2645922R1	3605715C1	7250M	14	N/A	366532C1	
SY92#145	18	OR	TXL	3510317R1	3595620C1		1702	6	SWS_N_REQ	3598916C1 3598917C1
SY92#145	18	OR	TXL	3510317R1	2018589C1		1501	14	N/A	
SY92A141	18	TN	TXL	3510329R1	3595620C1		1702	20	SWS_N_REQ	3598916C1 3598917C1
SY92A141	18	TN	TXL	3510329R1	2018589C1		1501	12	N/A	
TL92#117	18	LTBL	TXL	3510341R1	3525874C1	7206F	B	3568570C1		
TL92#117	18	LTBL	TXL	3510341R1	2018589C1		1501	6	N/A	
TL92#142	18	WH	TXL	3510359R1	3627615C1		1503	13	N/A	
TL92#142	18	WH	TXL	3510359R1	3525874C1	7206F	E	3568570C1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
TL92#145	18	OR	TXL	3510317R1	3525874C1	7206F	F	3568570C1		
TL92#145	18	OR	TXL	3510317R1	2018589C1		1501	14	N/A	
TL92A141	18	TN	TXL	3510329R1	3595620C1		1702	20	SWS_N_REQ	3598916C1 3598917C1
TL92A141	18	TN	TXL	3510329R1	2018589C1		1501	12	N/A	
TM92A117	18	LTBL	TXL	3510341R1	2018589C1		1501	6	N/A	
TM92A117	18	LTBL	TXL	3510341R1		SS64	-		2644000R1	
TM92A142	18	WH	TXL	3510359R1	3627615C1		1503	13	N/A	
TM92A142	18	WH	TXL	3510359R1		SS64	-		2644000R1	
TM92DL	18	LTBL	TXL	3510341R1	3595620C1		1702	25	SWS_N_REQ	3598916C1 3598917C1
TM92DL	18	LTBL	TXL	3510341R1		SS64	-		2644000R1	
TN92#117	18	LTBL	TXL	3510341R1	3595620C1		1702	25	SWS_N_REQ	3598916C1 3598917C1
TN92#117	18	LTBL	TXL	3510341R1	2018589C1		1501	6	N/A	
VA95	20	TN	TXL	3510328R1		SS20	-		2644000R1	
VA95	20	TN	TXL	3510328R1	3945694C1		6000	13	SWS_N_REQ	3743662C1
VA95-G	18	WH	GXL	2643674R1	3854645C91		7112	2	N/A	
VA95-G	18	WH	GXL	2643674R1	3543733C1		6747	B	3535424C1	3543732C1
VA95A	18	TN	GXL	2643676R1		SS20	-		2644000R1	
VA95A	18	TN	GXL	2643676R1	3854645C91		7112	1	N/A	
VB18A	18	WH	TXL	3510359R1	3595620C1		1702	34	SWS_N_REQ	3598916C1 3598917C1
VB18A	18	WH	TXL	3510359R1	3512331C91		6710	2	3517771C1	3515185C1
VB18B	10	PK	TXL	3510327R1	6105358C1		6709	1	SWS_N_REQ	
VB18B	10	PK	TXL	3510327R1	3512331C91		6710	4	589390C1	3515185C1
VB18C	10	PK	TXL	3510327R1		SS93	-		2644000R1	
VB18C	10	PK	TXL	3510327R1	3512331C91		6710	1	589390C1	3515185C1
VB18G	10	PK	GXL	2643699R1	6113338C1		6566	3	6113347C1	
VB18G	10	PK	GXL	2643699R1		SS93	-		2644000R1	
VB95	20	TN	TXL	3510328R1		SS17	-		2644000R1	
VB95	20	TN	TXL	3510328R1	3945694C1		6000	13	SWS_N_REQ	3743662C1
VB95-G	18	WH	GXL	2643674R1	3850892C1	1874A		2	SWS_N_REQ	3539784C1
VB95-G	18	WH	GXL	2643674R1	3543733C1		6747	B	3535424C1	3543732C1
VB95A	18	TN	GXL	2643676R1		SS17	-		2644000R1	
VB95A	18	TN	GXL	2643676R1	3850892C1	1874A		1	SWS_N_REQ	3539784C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
VG6A	20	TN	TXL	3510328R1	3945694C1	6000	8	SWS_N_REQ	3743662C1	
VG6A	20	TN	TXL	3510328R1		SS30	-	2644000R1		
VG6B	18	TN	TXL	3510329R1	3595620C1	1702	30	SWS_N_REQ	3598916C1	3598917C1
VG6B	18	TN	TXL	3510329R1		SS30	-	2644000R1		
VG6C	18	TN	150	2645915R1	3573078C1	8600	5	SWS_N_REQ		
VG6C	18	TN	150	2645915R1		SS30	-	2644000R1		
VJ10-G1	16	WH	150	2645912R1	6114577C1	674	11	N/A		
VJ10-G1	16	WH	150	2645912R1	3551896C1	6704	B	1652325C1	354454C1	3551897C1
VJ10-G2	14	WH	150	2645973R1	3573078C1	8600	11	SWS_N_REQ		
VJ10-G2	14	WH	150	2645973R1	3551896C1	6704	C	1652325C1	354454C1	3551897C1
VJ10-G3	18	WH	TXL	3510359R1	6114576C1	8500	13	SWS_N_REQ		
VJ10-G3	18	WH	TXL	3510359R1	3551896C1	6704	D	3517771C1	354454C1	3551897C1
VJ10-G4	16	WH	GXL	2643681R1	3765646C92	679	A12	1652325C1		
VJ10-G4	16	WH	GXL	2643681R1	3551896C1	6704	E	1652325C1	354454C1	3551897C1
VJ10-G5	16	WH	GXL	2643681R1	6114577C1	674	10	N/A		
VJ10-G5	16	WH	GXL	2643681R1	3551896C1	6704	F	1652325C1	354454C1	3551897C1
VJ13A	14	PK	150	4082181R1	3573078C1	8600	12	SWS_N_REQ		
VJ13A	14	PK	150	4082181R1		SS97	-	2644000R1		
VJ13B	18	PK	TXL	3510323R1	6114576C1	8500	6	SWS_N_REQ		
VJ13B	18	PK	TXL	3510323R1		SS97	-	2644000R1		
VJ13R	16	PK	150	2645913R1	6114577C1	674	12	N/A		
VJ13R	16	PK	150	2645913R1		SS97	-	2644000R1		
VJ14	16	RD	TXL	3510366R1	3765646C92	679	E2	1652325C1		
VJ14	16	RD	TXL	3510366R1		SS98	-	2644000R1		
VJ14A	12	RD	TXL	3510368R1	6113341C1	6567	13	3509903C1		
VJ14A	12	RD	TXL	3510368R1		SS98	-	2644000R1		
VJ14B	16	RD	TXL	3510366R1	6113341C1	6567	1	3509903C1		
VJ14B	16	RD	TXL	3510366R1	3765646C92	679	E4	1652325C1		
VJ14C	14	RD	TXL	3510367R1	3765646C92	679	E6	1652325C1		
VJ14C	14	RD	TXL	3510367R1		SS98	-	2644000R1		
VJ5A(+)	18	YL	193	2645917R1	6114576C1	8500	2	SWS_N_REQ		
VJ5A(+)	18	YL	193	2645917R1	3573078C1	8600	9	SWS_N_REQ		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
VJ5A(-)	18	GN	193	2645917R1	6114576C1	8500	9	SWS_N_REQ		
VJ5A(-)	18	GN	193	2645917R1	3573078C1	8600	10	SWS_N_REQ		
VJ5B(+)	18	YL	193	2645917R1	6114577C1	674	13	N/A		
VJ5B(+)	18	YL	193	2645917R1	3573078C1	8600	13	SWS_N_REQ		
VJ5B(-)	18	GN	193	2645917R1	6114577C1	674	14	N/A		
VJ5B(-)	18	GN	193	2645917R1	3573078C1	8600	14	SWS_N_REQ		
VJ95	20	TN	150	4073403R1	3945694C1	6000	41	SWS_N_REQ	3743662C1	
VJ95	20	TN	150	4073403R1	3573078C1	8600	3	SWS_N_REQ		
VJ95A	20	TN	150	4073403R1	3945694C1	6000	42	SWS_N_REQ	3743662C1	
VJ95A	20	TN	150	4073403R1	3573078C1	8600	4	SWS_N_REQ		
VJ95A1	20	TN	TXL	3510328R1	3945694C1	6000	39	SWS_N_REQ	3743662C1	
VJ95A1	20	TN	TXL	3510328R1		SS99	-	2644000R1		
VJ95AB	20	TN	TXL	3510328R1	6114577C1	674	5	N/A		
VJ95AB	20	TN	TXL	3510328R1	3945694C1	6000	82	SWS_N_REQ	3743662C1	
VJ95AC	18	TN	TXL	3510329R1	6114577C1	674	6	N/A		
VJ95AC	18	TN	TXL	3510329R1	3543733C1	6747	F	3535424C1	3543732C1	
VJ95AR1	18	TN	TXL	3510329R1	6114577C1	674	4	N/A		
VJ95AR1	18	TN	TXL	3510329R1		SS12	-	2644000R1		
VJ95AR2	18	TN	TXL	3510329R1	6114576C1	8500	8	SWS_N_REQ		
VJ95AR2	18	TN	TXL	3510329R1		SS12	-	2644000R1		
VJ95AR3	16	TN	TXL	3510330R1	3765646C92	679	B12	1652325C1		
VJ95AR3	16	TN	TXL	3510330R1		SS12	-	2644000R1		
VJ95AS1	18	TN	TXL	3510329R1	6114577C1	674	7	N/A		
VJ95AS1	18	TN	TXL	3510329R1		SS99	-	2644000R1		
VJ95AS3	16	TN	TXL	3510330R1	3765646C92	679	B3	1652325C1		
VJ95AS3	16	TN	TXL	3510330R1		SS99	-	2644000R1		
VJ95AT1	18	TN	TXL	3510329R1	6114577C1	674	8	N/A		
VJ95AT1	18	TN	TXL	3510329R1		SS100	-	2644000R1		
VJ95AT3	16	TN	TXL	3510330R1	3765646C92	679	B6	1652325C1		
VJ95AT3	16	TN	TXL	3510330R1		SS100	-	2644000R1		
VJ95AU2	20	TN	TXL	3510328R1	3945694C1	6000	40	SWS_N_REQ	3743662C1	
VJ95AU2	20	TN	TXL	3510328R1		SS101	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
VJ95AU3	16	TN	TXL	3510330R1	3765646C92	679	B9	1652325C1		
VJ95AU3	16	TN	TXL	3510330R1		SS101	-	2644000R1		
VJ95B	20	TN	TXL	3510328R1	3945694C1	6000	38	SWS_N_REQ	3743662C1	
VJ95B	20	TN	TXL	3510328R1		SS100	-	2644000R1		
VJ95C	18	TN	TXL	3510329R1	6114577C1	674	9	N/A		
VJ95C	18	TN	TXL	3510329R1		SS101	-	2644000R1		
VJ95EH	18	TN	150	2645915R1	3945694C1	6000	77	SWS_N_REQ	3743662C1	
VJ95EH	18	TN	150	2645915R1	3573078C1	8600	2	SWS_N_REQ		
VJ95EL	18	TN	150	2645915R1	3945694C1	6000	53	SWS_N_REQ	3743662C1	
VJ95EL	18	TN	150	2645915R1	3573078C1	8600	1	SWS_N_REQ		
VJ95F	20	TN	TXL	3510328R1	3945694C1	6000	6	SWS_N_REQ	3743662C1	
VJ95F	20	TN	TXL	3510328R1	6114577C1	674	2	N/A		
VJ95K	20	TN	150	4073403R1	3945694C1	6000	16	SWS_N_REQ	3743662C1	
VJ95K	20	TN	150	4073403R1	3573078C1	8600	8	SWS_N_REQ		
VJ95KD	14	RD	TXL	3510367R1	3765646C92	679	E12	1652325C1		
VJ95KD	14	RD	TXL	3510367R1		SS97	-	2644000R1		
VJ95MC	20	TN	TXL	3510328R1	6114577C1	674	3	N/A		
VJ95MC	20	TN	TXL	3510328R1	6114576C1	8500	1	SWS_N_REQ		
VJ95N	20	TN	TXL	3510328R1	6114577C1	674	1	N/A		
VJ95N	20	TN	TXL	3510328R1	3945694C1	6000	54	SWS_N_REQ	3743662C1	
VJ97B	20	VT	TXL	3510346R1	3945694C1	6000	33	SWS_N_REQ	3743662C1	
VJ97B	20	VT	TXL	3510346R1	3595620C1	1702	23	SWS_N_REQ	3598916C1	3598917C1
VJ97C	20	VT	TXL	3510346R1	3945694C1	6000	9	SWS_N_REQ	3743662C1	
VJ97C	20	VT	TXL	3510346R1	3595620C1	1702	22	SWS_N_REQ	3598916C1	3598917C1
VJ97M	20	VT	TXL	3510346R1	3945694C1	6000	64	SWS_N_REQ	3743662C1	
VJ97M	20	VT	TXL	3510346R1	3595620C1	1702	33	SWS_N_REQ	3598916C1	3598917C1
VJ97N	20	VT	TXL	3510346R1	3945694C1	6000	61	SWS_N_REQ	3743662C1	
VJ97N	20	VT	TXL	3510346R1	3595620C1	1702	32	SWS_N_REQ	3598916C1	3598917C1
VJ99B	20	VT	TXL	3510346R1	3945694C1	6000	10	SWS_N_REQ	3743662C1	
VJ99B	20	VT	TXL	3510346R1	3595620C1	1702	28	SWS_N_REQ	3598916C1	3598917C1
WA2	2	RD	SGX	3592739R1		1001	A	3812582R1		
WA2	2	RD	SGX	3592739R1		SS42	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
WA2-FLA	10	RS	FUS	2643473R1		SS42	-	2644000R1		
WA2-FLA	10	RS	FUS	2643473R1		1201	A	2644054R1		
WA2-FLB	10	RS	FUS	2643473R1		SS42	-	2644000R1		
WA2-FLB	10	RS	FUS	2643473R1		1201	A	2644054R1		
WA2-G	2	WH	SGX	3592741R1		1000	A	3812582R1		
WA2-G	2	WH	SGX	3592741R1		1200	A	2644004R1		
WB2	1	RD	SGX	3592740R1		1011	A	2643308R1		
WB2	1	RD	SGX	3592740R1		SS2	-	2644000R1		
WB2-FL	6	TN	FUS	2646034R1		SS2	-	2644000R1		
WB2-FL	6	TN	FUS	2646034R1		1301	A	2644054R1		
WB2-G	1	WH	SGX	3592742R1		1010	A	3812582R1		
WB2-G	1	WH	SGX	3592742R1		1300	A	2644004R1		
WC2	0	RD	SGX	2645228R1		1061	A	3812583R1		
WC2	0	RD	SGX	2645228R1		SS57	-	2644000R1		
WC2-FL	2	BK	FUS	2645990R1		1401	A	2644004R1		
WC2-FL	2	BK	FUS	2645990R1		SS57	-	2644000R1		
WC2-G	0	BK	SGX	2645227R1		1400	A	3812583R1		
WC2-G	0	BK	SGX	2645227R1		1060	1	2643308R1		
WD2	1	RD	SGX	3592740R1		1021	A	2643308R1		
WD2	1	RD	SGX	3592740R1		SS9	-	2644000R1		
WD2-FL	6	TN	FUS	2646034R1		SS9	-	2644000R1		
WD2-FL	6	TN	FUS	2646034R1		1301	A	2644054R1		
WD2-G	1	WH	SGX	3592742R1		1020	A	2643308R1		
WD2-G	1	WH	SGX	3592742R1		1300	A	2644004R1		
WE2	1	RD	SGX	3592740R1		1031	A	2643308R1		
WE2	1	RD	SGX	3592740R1		SS21	-	2644000R1		
WE2-FL	6	TN	FUS	2646034R1		SS21	-	2644000R1		
WE2-FL	6	TN	FUS	2646034R1		1301	A	2644054R1		
WE2-G	1	WH	SGX	3592742R1		1030	A	2643308R1		
WE2-G	1	WH	SGX	3592742R1		1300	A	2644004R1		
WF2	1	RD	SGX	3592740R1		1041	A	2643308R1		
WF2	1	RD	SGX	3592740R1		SS41	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
WF2-FL	6	TN	FUS	2646034R1		SS41	-	2644000R1		
WF2-FL	6	TN	FUS	2646034R1		1301	A	2644054R1		
WF2-G	1	WH	SGX	3592742R1		1040	A	3812582R1		
WF2-G	1	WH	SGX	3592742R1		1300	A	2644004R1		
WG2	2	RD	SGX	3592739R1		1051	A	3812582R1		
WG2	2	RD	SGX	3592739R1		SS56	-	2644000R1		
WG2-FLA	10	RS	FUS	2643473R1		SS56	-	2644000R1		
WG2-FLA	10	RS	FUS	2643473R1		1201	A	2644054R1		
WG2-FLB	10	RS	FUS	2643473R1		SS56	-	2644000R1		
WG2-FLB	10	RS	FUS	2643473R1		1201	A	2644054R1		
WG2-G	2	WH	SGX	3592741R1		1050	A	3812582R1		
WG2-G	2	WH	SGX	3592741R1		1200	A	2644004R1		
WK2	2	RD	SGX	3592739R1		1071	A	2644004R1		
WK2	2	RD	SGX	3592739R1		SS55	-	2644000R1		
WK2-FLA	10	RS	FUS	2643473R1		SS55	-	2644000R1		
WK2-FLA	10	RS	FUS	2643473R1		1601	A	2644054R1		
WK2-FLB	10	RS	FUS	2643473R1		SS55	-	2644000R1		
WK2-FLB	10	RS	FUS	2643473R1		1601	A	2644054R1		
WK2-G	2	WH	SGX	3592741R1		1070	A	2644004R1		
WK2-G	2	WH	SGX	3592741R1		1600	A	2644004R1		
WL2	0	RD	SGX	2645228R1		1081	A	3812583R1		
WL2	0	RD	SGX	2645228R1		SS58	-	2644000R1		
WL2-FL	2	BK	FUS	2645990R1		1701	A	2644004R1		
WL2-FL	2	BK	FUS	2645990R1		SS58	-	2644000R1		
WL2-G	0	BK	SGX	2645227R1		1080	A	3812583R1		
WL2-G	0	BK	SGX	2645227R1		1700	A	3812583R1		
WM2	2	RD	SGX	3592739R1		SS108	-	2644000R1		
WM2	2	RD	SGX	3592739R1		1001	A	3812582R1		
WM2-FLA	10	RS	FUS	2643473R1		1201A	A	2644054R1		
WM2-FLA	10	RS	FUS	2643473R1		SS108	-	2644000R1		
WM2-FLB	10	RS	FUS	2643473R1		1201A	A	2644054R1		
WM2-FLB	10	RS	FUS	2643473R1		SS108	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
WM2-G	2	WH	SGX	3592741R1		1200A	A	2644004R1		
WM2-G	2	WH	SGX	3592741R1		1000	A	3812582R1		
WP2	1	RD	SGX	3592740R1		SS104	-	2644000R1		
WP2	1	RD	SGX	3592740R1		1011	A	2643308R1		
WP2-FL	6	TN	FUS	2646034R1		1301A	A	2644054R1		
WP2-FL	6	TN	FUS	2646034R1		SS104	-	2644000R1		
WP2-G	1	WH	SGX	3592742R1		1300A	A	2644004R1		
WP2-G	1	WH	SGX	3592742R1		1010	A	3812582R1		
WR2	0	RD	SGX	2645228R1		SS110	-	2644000R1		
WR2	0	RD	SGX	2645228R1		1061	A	3812583R1		
WR2-FL	2	BK	FUS	2645990R1		1401A	A	2644004R1		
WR2-FL	2	BK	FUS	2645990R1		SS110	-	2644000R1		
WR2-G	0	BK	SGX	2645227R1		1400A	A	3812583R1		
WR2-G	0	BK	SGX	2645227R1		1060	1	2643308R1		
WS2	1	RD	SGX	3592740R1		SS105	-	2644000R1		
WS2	1	RD	SGX	3592740R1		1021	A	2643308R1		
WS2-FL	6	TN	FUS	2646034R1		1301A	A	2644054R1		
WS2-FL	6	TN	FUS	2646034R1		SS105	-	2644000R1		
WS2-G	1	WH	SGX	3592742R1		1300A	A	2644004R1		
WS2-G	1	WH	SGX	3592742R1		1020	A	2643308R1		
WT2	1	RD	SGX	3592740R1		SS106	-	2644000R1		
WT2	1	RD	SGX	3592740R1		1031	A	2643308R1		
WT2-FL	6	TN	FUS	2646034R1		1301A	A	2644054R1		
WT2-FL	6	TN	FUS	2646034R1		SS106	-	2644000R1		
WT2-G	1	WH	SGX	3592742R1		1300A	A	2644004R1		
WT2-G	1	WH	SGX	3592742R1		1030	A	2643308R1		
WU2	1	RD	SGX	3592740R1		SS107	-	2644000R1		
WU2	1	RD	SGX	3592740R1		1041	A	2643308R1		
WU2-FL	6	TN	FUS	2646034R1		1301A	A	2644054R1		
WU2-FL	6	TN	FUS	2646034R1		SS107	-	2644000R1		
WU2-G	1	WH	SGX	3592742R1		1300A	A	2644004R1		
WU2-G	1	WH	SGX	3592742R1		1040	A	3812582R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
WV2	2	RD	SGX	3592739R1		SS109	-	2644000R1		
WV2	2	RD	SGX	3592739R1		1051	A	3812582R1		
WV2-FLA	10	RS	FUS	2643473R1		1201A	A	2644054R1		
WV2-FLA	10	RS	FUS	2643473R1		SS109	-	2644000R1		
WV2-FLB	10	RS	FUS	2643473R1		1201A	A	2644054R1		
WV2-FLB	10	RS	FUS	2643473R1		SS109	-	2644000R1		
WV2-G	2	WH	SGX	3592741R1		1200A	A	2644004R1		
WV2-G	2	WH	SGX	3592741R1		1050	A	3812582R1		
WW2	2	RD	SGX	3592739R1		SS102	-	2644000R1		
WW2	2	RD	SGX	3592739R1		1071	A	2644004R1		
WW2-FLA	10	RS	FUS	2643473R1		1601A	A	2644054R1		
WW2-FLA	10	RS	FUS	2643473R1		SS102	-	2644000R1		
WW2-FLB	10	RS	FUS	2643473R1		1601A	A	2644054R1		
WW2-FLB	10	RS	FUS	2643473R1		SS102	-	2644000R1		
WW2-G	2	WH	SGX	3592741R1		1070	A	2644004R1		
WW2-G	2	WH	SGX	3592741R1		1600A	A	2644004R1		
WX2	0	RD	SGX	2645228R1		SS103	-	2644000R1		
WX2	0	RD	SGX	2645228R1		1081	A	3812583R1		
WX2-FL	2	BK	FUS	2645990R1		1701A	A	2644004R1		
WX2-FL	2	BK	FUS	2645990R1		SS103	-	2644000R1		
WX2-G	0	BK	SGX	2645227R1		1700A	A	3812583R1		
WX2-G	0	BK	SGX	2645227R1		1080	A	3812583R1		
FA94C	18	GY	GXL	2643673R1	3595624C1	1700	30	N/A		
FA94C	18	GY	GXL	2643673R1	1684261C1	8502	1	N/A	1684263C1	
FA94D	18	GY	GXL	2643673R1	3595624C1	1700	31	N/A		
FA94D	18	GY	GXL	2643673R1	1684261C1	8502	2	N/A	1684263C1	
FA94E	18	GY	GXL	2643673R1	3595624C1	1700	32	N/A		
FA94E	18	GY	GXL	2643673R1	1684261C1	8503B	1	N/A	1684263C1	
FA94F	18	GY	GXL	2643673R1	3595624C1	1700	33	N/A		
FA94F	18	GY	GXL	2643673R1	1684261C1	8503B	2	N/A	1684263C1	
FB94C	18	GY	GXL	2643673R1	3595624C1	1700	30	N/A		
FB94C	18	GY	GXL	2643673R1	1684261C1	8502	1	N/A	1684263C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
FB94D	18	GY	GXL	2643673R1	3595624C1	1700	31	N/A		
FB94D	18	GY	GXL	2643673R1	1684261C1	8502	2	N/A	1684263C1	
FB94E	18	GY	GXL	2643673R1	3595624C1	1700	32	N/A		
FB94E	18	GY	GXL	2643673R1	1684261C1	8503C	1	N/A	1684263C1	
FB94F	18	GY	GXL	2643673R1	3595624C1	1700	33	N/A		
FB94F	18	GY	GXL	2643673R1	1684261C1	8503C	2	N/A	1684263C1	
FD94AC	18	GY	TXL	3510311R1	6111844C1	8506A	1	6111843C1		
FD94AC	18	GY	TXL	3510311R1	3595624C1	1700	30	N/A		
FD94AD	18	GY	TXL	3510311R1	6111844C1	8506A	2	6111843C1		
FD94AD	18	GY	TXL	3510311R1	3595624C1	1700	31	N/A		
FD94AE	18	GY	TXL	3510311R1	6111844C1	8507A	1	6111843C1		
FD94AE	18	GY	TXL	3510311R1	3595624C1	1700	32	N/A		
FD94AF	18	GY	TXL	3510311R1	6111844C1	8507A	2	6111843C1		
FD94AF	18	GY	TXL	3510311R1	3595624C1	1700	33	N/A		
FE94AC	18	GY	TXL	3510311R1	6111844C1	8506A	1	6111843C1		
FE94AC	18	GY	TXL	3510311R1	3595624C1	1700	30	N/A		
FE94AD	18	GY	TXL	3510311R1	6111844C1	8506A	2	6111843C1		
FE94AD	18	GY	TXL	3510311R1	3595624C1	1700	31	N/A		
FE94AE	18	GY	TXL	3510311R1	6111844C1	8507B	1	6111843C1		
FE94AE	18	GY	TXL	3510311R1	3595624C1	1700	32	N/A		
FE94AF	18	GY	TXL	3510311R1	6111844C1	8507B	2	6111843C1		
FE94AF	18	GY	TXL	3510311R1	3595624C1	1700	33	N/A		
FF94AC	18	GY	TXL	3510311R1	6111844C1	8506A	1	6111843C1		
FF94AC	18	GY	TXL	3510311R1	3595624C1	1700	30	N/A		
FF94AD	18	GY	TXL	3510311R1	6111844C1	8506A	2	6111843C1		
FF94AD	18	GY	TXL	3510311R1	3595624C1	1700	31	N/A		
FF94AE	18	GY	TXL	3510311R1	6111844C1	8507C	1	6111843C1		
FF94AE	18	GY	TXL	3510311R1	3595624C1	1700	32	N/A		
FF94AF	18	GY	TXL	3510311R1	6111844C1	8507C	2	6111843C1		
FF94AF	18	GY	TXL	3510311R1	3595624C1	1700	33	N/A		
FL94C	18	GY	GXL	2643673R1	3595624C1	1700	30	N/A		
FL94C	18	GY	GXL	2643673R1	1684261C1	8502	1	N/A	1684263C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
FL94D	18	GY	GXL	2643673R1	3595624C1	1700	31	N/A		
FL94D	18	GY	GXL	2643673R1	1684261C1	8502	2	N/A	1684263C1	
FL94E	18	GY	GXL	2643673R1	3595624C1	1700	32	N/A		
FL94E	18	GY	GXL	2643673R1	1684261C1	8503A	1	N/A	1684263C1	
FL94F	18	GY	GXL	2643673R1	3595624C1	1700	33	N/A		
FL94F	18	GY	GXL	2643673R1	1684261C1	8503A	2	N/A	1684263C1	
MA52	14	YL	GXL	2643693R1	3595624C1	1700	1	N/A		
MA52	14	YL	GXL	2643693R1	1661375C2	8001	A	589391C1	1661376C1	
MA52D	14	YL	GXL	2643693R1	3595624C1	1700	3	N/A		
MA52D	14	YL	GXL	2643693R1	1661375C2	8000	A	589391C1	1661376C1	
MA53	14	YL	GXL	2643693R1	3595624C1	1700	2	N/A		
MA53	14	YL	GXL	2643693R1	1661375C2	8001	C	589391C1	1661376C1	
MA53B	14	YL	GXL	2643693R1	3595624C1	1700	4	N/A		
MA53B	14	YL	GXL	2643693R1	1661375C2	8000	C	589391C1	1661376C1	
MA54B	14	BN	GXL	2643688R1	3595624C1	1700	5	N/A		
MA54B	14	BN	GXL	2643688R1		SS34	-	2644000R1		
MA54C	14	BN	GXL	2643688R1	1661375C2	8001	E	589391C1	1661376C1	
MA54C	14	BN	GXL	2643688R1		SS34	-	2644000R1		
MA54D	14	BN	GXL	2643688R1	1661375C2	8000	E	589391C1	1661376C1	
MA54D	14	BN	GXL	2643688R1		SS34	-	2644000R1		
MA56B	16	OR	TXL	3510318R1	3595624C1	1700	14	N/A		
MA56B	16	OR	TXL	3510318R1	1661375C2	8001	D	1652325C1	1661376C1	
MA57B	16	OR	TXL	3510318R1	3595624C1	1700	15	N/A		
MA57B	16	OR	TXL	3510318R1	1661375C2	8000	D	1652325C1	1661376C1	
MB52	14	YL	GXL	2643693R1	3595624C1	1700	1	N/A		
MB52	14	YL	GXL	2643693R1	1661375C2	8001	A	589391C1	1661376C1	
MB52D	14	YL	GXL	2643693R1	3595624C1	1700	3	N/A		
MB52D	14	YL	GXL	2643693R1	1661375C2	8000	A	589391C1	1661376C1	
MB53	14	YL	GXL	2643693R1	3595624C1	1700	2	N/A		
MB53	14	YL	GXL	2643693R1	1661375C2	8001	C	589391C1	1661376C1	
MB53B	14	YL	GXL	2643693R1	3595624C1	1700	4	N/A		
MB53B	14	YL	GXL	2643693R1	1661375C2	8000	C	589391C1	1661376C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
MB54-GA	16	WH	GXL	2643681R1	3551896C1	8800	D	N/A	354454C1	3551897C1
MB54-GA	16	WH	GXL	2643681R1	1661778C1	8150	B	1661872C1	1661874C1	
MB54-GB	16	WH	GXL	2643681R1	3551896C1	8800	E	N/A	354454C1	3551897C1
MB54-GB	16	WH	GXL	2643681R1	1661778C1	8151	B	1661872C1	1661874C1	
MB54B	14	BN	GXL	2643688R1	3595624C1	1700	5	N/A		
MB54B	14	BN	GXL	2643688R1		SS36	-	2644000R1		
MB54C	14	BN	GXL	2643688R1	1661375C2	8001	E	589391C1	1661376C1	
MB54C	14	BN	GXL	2643688R1		SS36	-	2644000R1		
MB54D	14	BN	GXL	2643688R1	1661375C2	8000	E	589391C1	1661376C1	
MB54D	14	BN	GXL	2643688R1		SS36	-	2644000R1		
MB54H	16	BN	GXL	2643679R1	1661778C1	8150	A	1661872C1	1661874C1	
MB54H	16	BN	GXL	2643679R1		SS36	-	2644000R1		
MB54J	16	BN	GXL	2643679R1	1661778C1	8151	A	1661872C1	1661874C1	
MB54J	16	BN	GXL	2643679R1		SS36	-	2644000R1		
MB56B	16	OR	TXL	3510318R1	3595624C1	1700	14	N/A		
MB56B	16	OR	TXL	3510318R1	1661375C2	8001	D	1652325C1	1661376C1	
MB57B	16	OR	TXL	3510318R1	3595624C1	1700	15	N/A		
MB57B	16	OR	TXL	3510318R1	1661375C2	8000	D	1652325C1	1661376C1	
MC11-GE	14	WH	GXL	2643689R1	3551896C1	8800	D	N/A	354454C1	3551897C1
MC11-GE	14	WH	GXL	2643689R1	2039311C91	8102	B	589391C1	239342C1	
MC52	14	YL	GXL	2643693R1	3595624C1	1700	1	N/A		
MC52	14	YL	GXL	2643693R1	1661375C2	8001	A	589391C1	1661376C1	
MC52B	14	YL	GXL	2643693R1	3595624C1	1700	10	N/A		
MC52B	14	YL	GXL	2643693R1		SS8	-	2644000R1		
MC52D	14	YL	GXL	2643693R1	3595624C1	1700	3	N/A		
MC52D	14	YL	GXL	2643693R1	1661375C2	8000	A	589391C1	1661376C1	
MC52E	14	YL	GXL	2643693R1	3595624C1	1700	11	N/A		
MC52E	14	YL	GXL	2643693R1		SS8	-	2644000R1		
MC53	14	YL	GXL	2643693R1	3595624C1	1700	2	N/A		
MC53	14	YL	GXL	2643693R1	1661375C2	8001	C	589391C1	1661376C1	
MC53B	14	YL	GXL	2643693R1	3595624C1	1700	4	N/A		
MC53B	14	YL	GXL	2643693R1	1661375C2	8000	C	589391C1	1661376C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
MC53E	14	YL	GXL	2643693R1	3595624C1	1700	8	N/A		
MC53E	14	YL	GXL	2643693R1		SS29	-	2644000R1		
MC53F	14	YL	GXL	2643693R1	3595624C1	1700	9	N/A		
MC53F	14	YL	GXL	2643693R1		SS29	-	2644000R1		
MC54B	14	BN	GXL	2643688R1	3595624C1	1700	5	N/A		
MC54B	14	BN	GXL	2643688R1		SS13	-	2644000R1		
MC54C	14	BN	GXL	2643688R1	1661375C2	8001	E	589391C1	1661376C1	
MC54C	14	BN	GXL	2643688R1		SS13	-	2644000R1		
MC54D	14	BN	GXL	2643688R1	1661375C2	8000	E	589391C1	1661376C1	
MC54D	14	BN	GXL	2643688R1		SS13	-	2644000R1		
MC54F	14	BN	GXL	2643688R1	2039311C91	8102	E	589391C1	239342C1	
MC54F	14	BN	GXL	2643688R1		SS13	-	2644000R1		
MC56B	16	OR	TXL	3510318R1	3595624C1	1700	14	N/A		
MC56B	16	OR	TXL	3510318R1		SS5	-	2644000R1		
MC56C	16	OR	GXL	2643682R1	1661375C2	8001	D	1652325C1	1661376C1	
MC56C	16	OR	GXL	2643682R1		SS5	-	2644000R1		
MC56D	16	OR	GXL	2643682R1	2039311C91	8102	D	1652325C1	239342C1	
MC56D	16	OR	GXL	2643682R1		SS5	-	2644000R1		
MC57B	16	OR	TXL	3510318R1	3595624C1	1700	15	N/A		
MC57B	16	OR	TXL	3510318R1		SS23	-	2644000R1		
MC57C	16	OR	GXL	2643682R1	1661375C2	8000	D	1652325C1	1661376C1	
MC57C	16	OR	GXL	2643682R1		SS23	-	2644000R1		
MC57D	16	OR	GXL	2643682R1	2039311C91	8102	F	1652325C1	239342C1	
MC57D	16	OR	GXL	2643682R1		SS23	-	2644000R1		
MC64HI	14	YL	GXL	2643693R1	2039311C91	8102	A	589391C1	239342C1	
MC64HI	14	YL	GXL	2643693R1		SS8	-	2644000R1		
MC64LO	14	YL	GXL	2643693R1	2039311C91	8102	C	589391C1	239342C1	
MC64LO	14	YL	GXL	2643693R1		SS29	-	2644000R1		
MD64-GA	16	WH	TXL	3510360R1	3551896C1	8800	B	N/A	354454C1	3551897C1
MD64-GA	16	WH	TXL	3510360R1	587567C91	8201	B	N/A		
MD64-GB	16	WH	TXL	3510360R1	3551896C1	8800	C	N/A	354454C1	3551897C1
MD64-GB	16	WH	TXL	3510360R1	587567C91	8200	B	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
MD64A	16	YL	TXL	3510336R1	3595624C1	1700	22	N/A		
MD64A	16	YL	TXL	3510336R1	587567C91	8201	A	N/A		
MD64B	16	YL	TXL	3510336R1	3595624C1	1700	23	N/A		
MD64B	16	YL	TXL	3510336R1	587567C91	8200	A	N/A		
ME94	18	GY	GXL	2643673R1	3595624C1	1700	27	N/A		
ME94	18	GY	GXL	2643673R1	1686834C1	8500	A	N/A	166448C1	
ME94A	18	GY	GXL	2643673R1	3595624C1	1700	28	N/A		
ME94A	18	GY	GXL	2643673R1	1686834C1	8500	B	N/A	166448C1	
ME94B	18	GY	GXL	2643673R1	3595624C1	1700	29	N/A		
ME94B	18	GY	GXL	2643673R1	1686834C1	8500	C	N/A	166448C1	
ME94H	18	GY	GXL	2643673R1	3595624C1	1700	34	N/A		
ME94H	18	GY	GXL	2643673R1	1686834C1	8501	A	N/A	166448C1	
ME94J	18	GY	GXL	2643673R1	3595624C1	1700	35	N/A		
ME94J	18	GY	GXL	2643673R1	1686834C1	8501	B	N/A	166448C1	
ME94K	18	GY	GXL	2643673R1	3595624C1	1700	36	N/A		
ME94K	18	GY	GXL	2643673R1	1686834C1	8501	C	N/A	166448C1	
MF52	14	YL	GXL	2643693R1	3595624C1	1700	1	N/A		
MF52	14	YL	GXL	2643693R1	1661375C2	8001A	A	N/A	1661376C1	
MF52D	14	YL	GXL	2643693R1	3595624C1	1700	3	N/A		
MF52D	14	YL	GXL	2643693R1	1661375C2	8000A	A	N/A	1661376C1	
MF53	14	YL	GXL	2643693R1	3595624C1	1700	2	N/A		
MF53	14	YL	GXL	2643693R1	1661375C2	8001A	C	N/A	1661376C1	
MF53B	14	YL	GXL	2643693R1	3595624C1	1700	4	N/A		
MF53B	14	YL	GXL	2643693R1	1661375C2	8000A	C	N/A	1661376C1	
MF54B	14	BN	GXL	2643688R1	3595624C1	1700	5	N/A		
MF54B	14	BN	GXL	2643688R1		SS35	-	2644000R1		
MF54C	14	BN	GXL	2643688R1	1661375C2	8001A	E	N/A	1661376C1	
MF54C	14	BN	GXL	2643688R1		SS35	-	2644000R1		
MF54D	14	BN	GXL	2643688R1	1661375C2	8000A	E	N/A	1661376C1	
MF54D	14	BN	GXL	2643688R1		SS35	-	2644000R1		
MF56B	16	OR	TXL	3510318R1	3595624C1	1700	14	N/A		
MF56B	16	OR	TXL	3510318R1	1661375C2	8001A	D	N/A	1661376C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
MF57B	16	OR	TXL	3510318R1	3595624C1	1700	15	N/A		
MF57B	16	OR	TXL	3510318R1	1661375C2	8000A	D	N/A	1661376C1	
MG103C	12	LTGN	TXL	3510302R1	3595624C1	1700	12	N/A		
MG103C	12	LTGN	TXL	3510302R1	3525613C1	4004	B	3541256C1		
MG103D	12	LTGN	GXL	2643753R1	BLUNT_SL_V	4069	A	N/A		
MG103D	12	LTGN	GXL	2643753R1	3595624C1	1700	13	N/A		
MG14L	10	RD	TXL	3510369R1		4007A	1	2644005R1		
MG14L	10	RD	TXL	3510369R1	3525613C1	4004	A	3541256C1		
MH94AA	14	GY	TXL	3510313R1	3919376C1	8508A	2	N/A		
MH94AA	14	GY	TXL	3510313R1	3595624C1	1700	28	N/A		
MH94AB	14	GY	TXL	3510313R1	3919376C1	8508A	3	N/A		
MH94AB	14	GY	TXL	3510313R1	3595624C1	1700	27	N/A		
MH94AH	14	GY	TXL	3510313R1	3919376C1	8509A	1	N/A		
MH94AH	14	GY	TXL	3510313R1	3595624C1	1700	36	N/A		
MH94AJ	14	GY	TXL	3510313R1	3919376C1	8509A	2	N/A		
MH94AJ	14	GY	TXL	3510313R1	3595624C1	1700	35	N/A		
MH94AK	14	GY	TXL	3510313R1	3919376C1	8509A	3	N/A		
MH94AK	14	GY	TXL	3510313R1	3595624C1	1700	34	N/A		
MH94AL	14	GY	TXL	3510313R1	3919376C1	8508A	1	N/A		
MH94AL	14	GY	TXL	3510313R1	3595624C1	1700	29	N/A		
MJ52	14	YL	GXL	2643693R1	3595624C1	1700	1	N/A		
MJ52	14	YL	GXL	2643693R1	1661375C2	8001A	A	N/A	1661376C1	
MJ52D	14	YL	GXL	2643693R1	3595624C1	1700	3	N/A		
MJ52D	14	YL	GXL	2643693R1	1661375C2	8000A	A	N/A	1661376C1	
MJ53	14	YL	GXL	2643693R1	3595624C1	1700	2	N/A		
MJ53	14	YL	GXL	2643693R1	1661375C2	8001A	C	N/A	1661376C1	
MJ53B	14	YL	GXL	2643693R1	3595624C1	1700	4	N/A		
MJ53B	14	YL	GXL	2643693R1	1661375C2	8000A	C	N/A	1661376C1	
MJ54-GA	16	WH	GXL	2643681R1	3551896C1	8800	D	N/A	354454C1	3551897C1
MJ54-GA	16	WH	GXL	2643681R1	1661778C1	8150A	B	1661872C1	1661874C1	
MJ54-GB	16	WH	GXL	2643681R1	3551896C1	8800	E	N/A	354454C1	3551897C1
MJ54-GB	16	WH	GXL	2643681R1	1661778C1	8151A	B	1661872C1	1661874C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
MJ54B	14	BN	GXL	2643688R1	3595624C1	1700	5	N/A		
MJ54B	14	BN	GXL	2643688R1		SS37	-	2644000R1		
MJ54C	14	BN	GXL	2643688R1	1661375C2	8001A	E	N/A	1661376C1	
MJ54C	14	BN	GXL	2643688R1		SS37	-	2644000R1		
MJ54D	14	BN	GXL	2643688R1	1661375C2	8000A	E	N/A	1661376C1	
MJ54D	14	BN	GXL	2643688R1		SS37	-	2644000R1		
MJ54H	16	BN	GXL	2643679R1	1661778C1	8150A	A	1661872C1	1661874C1	
MJ54H	16	BN	GXL	2643679R1		SS37	-	2644000R1		
MJ54J	16	BN	GXL	2643679R1	1661778C1	8151A	A	1661872C1	1661874C1	
MJ54J	16	BN	GXL	2643679R1		SS37	-	2644000R1		
MJ56B	16	OR	TXL	3510318R1	3595624C1	1700	14	N/A		
MJ56B	16	OR	TXL	3510318R1	1661375C2	8001A	D	N/A	1661376C1	
MJ57B	16	OR	TXL	3510318R1	3595624C1	1700	15	N/A		
MJ57B	16	OR	TXL	3510318R1	1661375C2	8000A	D	N/A	1661376C1	
ML11-GE	14	WH	GXL	2643689R1	3551896C1	8800	D	N/A	354454C1	3551897C1
ML11-GE	14	WH	GXL	2643689R1	2039311C91	8102A	B	589391C1	239342C1	
ML52	14	YL	GXL	2643693R1	3595624C1	1700	1	N/A		
ML52	14	YL	GXL	2643693R1	1661375C2	8001A	A	N/A	1661376C1	
ML52B	14	YL	GXL	2643693R1	3595624C1	1700	10	N/A		
ML52B	14	YL	GXL	2643693R1		SS9	-	2644000R1		
ML52D	14	YL	GXL	2643693R1	3595624C1	1700	3	N/A		
ML52D	14	YL	GXL	2643693R1	1661375C2	8000A	A	N/A	1661376C1	
ML52E	14	YL	GXL	2643693R1	3595624C1	1700	11	N/A		
ML52E	14	YL	GXL	2643693R1		SS9	-	2644000R1		
ML53	14	YL	GXL	2643693R1	3595624C1	1700	2	N/A		
ML53	14	YL	GXL	2643693R1	1661375C2	8001A	C	N/A	1661376C1	
ML53B	14	YL	GXL	2643693R1	3595624C1	1700	4	N/A		
ML53B	14	YL	GXL	2643693R1	1661375C2	8000A	C	N/A	1661376C1	
ML53E	14	YL	GXL	2643693R1	3595624C1	1700	8	N/A		
ML53E	14	YL	GXL	2643693R1		SS30	-	2644000R1		
ML53F	14	YL	GXL	2643693R1	3595624C1	1700	9	N/A		
ML53F	14	YL	GXL	2643693R1		SS30	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
ML54B	14	BN	GXL	2643688R1	3595624C1	1700	5	N/A		
ML54B	14	BN	GXL	2643688R1		SS28	-	2644000R1		
ML54C	14	BN	GXL	2643688R1	1661375C2	8001A	E	N/A	1661376C1	
ML54C	14	BN	GXL	2643688R1		SS28	-	2644000R1		
ML54D	14	BN	GXL	2643688R1	1661375C2	8000A	E	N/A	1661376C1	
ML54D	14	BN	GXL	2643688R1		SS28	-	2644000R1		
ML54F	14	BN	GXL	2643688R1	2039311C91	8102A	E	589391C1	239342C1	
ML54F	14	BN	GXL	2643688R1		SS28	-	2644000R1		
ML56B	16	OR	TXL	3510318R1	3595624C1	1700	14	N/A		
ML56B	16	OR	TXL	3510318R1		SS33	-	2644000R1		
ML56C	16	OR	TXL	3510318R1	1661375C2	8001A	D	N/A	1661376C1	
ML56C	16	OR	TXL	3510318R1		SS33	-	2644000R1		
ML56D	16	OR	TXL	3510318R1	2039311C91	8102A	D	1652325C1	239342C1	
ML56D	16	OR	TXL	3510318R1		SS33	-	2644000R1		
ML57B	16	OR	TXL	3510318R1	3595624C1	1700	15	N/A		
ML57B	16	OR	TXL	3510318R1		SS24	-	2644000R1		
ML57C	16	OR	TXL	3510318R1	1661375C2	8000A	D	N/A	1661376C1	
ML57C	16	OR	TXL	3510318R1		SS24	-	2644000R1		
ML57D	14	OR	GXL	2643690R1	2039311C91	8102A	F	589391C1	239342C1	
ML57D	14	OR	GXL	2643690R1		SS24	-	2644000R1		
ML64HI	14	YL	GXL	2643693R1	2039311C91	8102A	A	589391C1	239342C1	
ML64HI	14	YL	GXL	2643693R1		SS9	-	2644000R1		
ML64LO	14	YL	GXL	2643693R1	2039311C91	8102A	C	589391C1	239342C1	
ML64LO	14	YL	GXL	2643693R1		SS30	-	2644000R1		
MN11-GE	14	WH	GXL	2643689R1	3551896C1	8800	D	N/A	354454C1	3551897C1
MN11-GE	14	WH	GXL	2643689R1	2039311C91	8102	B	589391C1	239342C1	
MN52	14	YL	GXL	2643693R1	3595624C1	1700	1	N/A		
MN52	14	YL	GXL	2643693R1	1661375C2	8001	A	589391C1	1661376C1	
MN52D	14	YL	GXL	2643693R1	3595624C1	1700	3	N/A		
MN52D	14	YL	GXL	2643693R1	1661375C2	8000	A	589391C1	1661376C1	
MN53	14	YL	GXL	2643693R1	3595624C1	1700	2	N/A		
MN53	14	YL	GXL	2643693R1	1661375C2	8001	C	589391C1	1661376C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
MN53B	14	YL	GXL	2643693R1	3595624C1	1700	4	N/A		
MN53B	14	YL	GXL	2643693R1	1661375C2	8000	C	589391C1	1661376C1	
MN54B	14	BN	GXL	2643688R1	3595624C1	1700	5	N/A		
MN54B	14	BN	GXL	2643688R1		SS52	-	2644000R1		
MN54C	14	BN	GXL	2643688R1	1661375C2	8001	E	589391C1	1661376C1	
MN54C	14	BN	GXL	2643688R1		SS52	-	2644000R1		
MN54D	14	BN	GXL	2643688R1	1661375C2	8000	E	589391C1	1661376C1	
MN54D	14	BN	GXL	2643688R1		SS52	-	2644000R1		
MN54F	14	BN	GXL	2643688R1	2039311C91	8102	E	589391C1	239342C1	
MN54F	14	BN	GXL	2643688R1		SS52	-	2644000R1		
MN56B	16	OR	TXL	3510318R1	3595624C1	1700	14	N/A		
MN56B	16	OR	TXL	3510318R1		SS48	-	2644000R1		
MN56C	16	OR	GXL	2643682R1	1661375C2	8001	D	1652325C1	1661376C1	
MN56C	16	OR	GXL	2643682R1		SS48	-	2644000R1		
MN56D	16	OR	GXL	2643682R1	2039311C91	8102	D	1652325C1	239342C1	
MN56D	16	OR	GXL	2643682R1		SS48	-	2644000R1		
MN57B	16	OR	TXL	3510318R1	3595624C1	1700	15	N/A		
MN57B	16	OR	TXL	3510318R1		SS44	-	2644000R1		
MN57C	16	OR	GXL	2643682R1	1661375C2	8000	D	1652325C1	1661376C1	
MN57C	16	OR	GXL	2643682R1		SS44	-	2644000R1		
MN57D	16	OR	GXL	2643682R1	2039311C91	8102	F	1652325C1	239342C1	
MN57D	16	OR	GXL	2643682R1		SS44	-	2644000R1		
MN64HI	14	YL	GXL	2643693R1	3595624C1	1700	9	N/A		
MN64HI	14	YL	GXL	2643693R1	2039311C91	8102	A	589391C1	239342C1	
MN64LO	14	YL	GXL	2643693R1	3595624C1	1700	8	N/A		
MN64LO	14	YL	GXL	2643693R1	2039311C91	8102	C	589391C1	239342C1	
MR85E	16	GY	GXL	2643680R1	3595624C1	1700	21	N/A		
MR85E	16	GY	GXL	2643680R1	1661778C1	8301	A	1661872C1	1661874C1	
MS78-GB	16	WH	GXL	2643681R1	3551896C1	8800	F	N/A	354454C1	3551897C1
MS78-GB	16	WH	GXL	2643681R1	587567C91	8701	B	N/A		
MS78BC	16	LTGN	GXL	2643678R1	3595624C1	1700	63	N/A		
MS78BC	16	LTGN	GXL	2643678R1	587567C91	8701	A	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
MT78-GA	16	WH	GXL	2643681R1	587567C91	8700	B	1652325C1		
MT78-GA	16	WH	GXL	2643681R1		SS38	-	2644000R1		
MT78-GB	16	WH	GXL	2643681R1	587567C91	8701	B	N/A		
MT78-GB	16	WH	GXL	2643681R1		SS38	-	2644000R1		
MT78-GC	16	WH	GXL	2643681R1		4308	1	2644005R1		
MT78-GC	16	WH	GXL	2643681R1		SS38	-	2644000R1		
MT78AC	16	LTGN	GXL	2643678R1	3595624C1	1700	64	N/A		
MT78AC	16	LTGN	GXL	2643678R1	587567C91	8700	A	1652325C1		
MT78BC	16	LTGN	GXL	2643678R1	3595624C1	1700	63	N/A		
MT78BC	16	LTGN	GXL	2643678R1	587567C91	8701	A	N/A		
MU11-GE	14	WH	GXL	2643689R1	3551896C1	8800	D	N/A	354454C1	3551897C1
MU11-GE	14	WH	GXL	2643689R1	2039311C91	8102A	B	589391C1	239342C1	
MU52	14	YL	GXL	2643693R1	3595624C1	1700	1	N/A		
MU52	14	YL	GXL	2643693R1	1661375C2	8001A	A	N/A	1661376C1	
MU52D	14	YL	GXL	2643693R1	3595624C1	1700	3	N/A		
MU52D	14	YL	GXL	2643693R1	1661375C2	8000A	A	N/A	1661376C1	
MU53	14	YL	GXL	2643693R1	3595624C1	1700	2	N/A		
MU53	14	YL	GXL	2643693R1	1661375C2	8001A	C	N/A	1661376C1	
MU53B	14	YL	GXL	2643693R1	3595624C1	1700	4	N/A		
MU53B	14	YL	GXL	2643693R1	1661375C2	8000A	C	N/A	1661376C1	
MU54B	14	BN	GXL	2643688R1	3595624C1	1700	5	N/A		
MU54B	14	BN	GXL	2643688R1		SS53	-	2644000R1		
MU54C	14	BN	GXL	2643688R1	1661375C2	8001A	E	N/A	1661376C1	
MU54C	14	BN	GXL	2643688R1		SS53	-	2644000R1		
MU54D	14	BN	GXL	2643688R1	1661375C2	8000A	E	N/A	1661376C1	
MU54D	14	BN	GXL	2643688R1		SS53	-	2644000R1		
MU54F	14	BN	GXL	2643688R1	2039311C91	8102A	E	589391C1	239342C1	
MU54F	14	BN	GXL	2643688R1		SS53	-	2644000R1		
MU56B	16	OR	TXL	3510318R1	3595624C1	1700	14	N/A		
MU56B	16	OR	TXL	3510318R1		SS49	-	2644000R1		
MU56C	16	OR	GXL	2643682R1	1661375C2	8001A	D	N/A	1661376C1	
MU56C	16	OR	GXL	2643682R1		SS49	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
MU56D	16	OR	GXL	2643682R1	2039311C91	8102A	D	1652325C1	239342C1	
MU56D	16	OR	GXL	2643682R1		SS49	-	2644000R1		
MU57B	16	OR	TXL	3510318R1	3595624C1	1700	15	N/A		
MU57B	16	OR	TXL	3510318R1		SS45	-	2644000R1		
MU57C	16	OR	GXL	2643682R1	1661375C2	8000A	D	N/A	1661376C1	
MU57C	16	OR	GXL	2643682R1		SS45	-	2644000R1		
MU57D	16	OR	GXL	2643682R1	2039311C91	8102A	F	1652325C1	239342C1	
MU57D	16	OR	GXL	2643682R1		SS45	-	2644000R1		
MU64HI	14	YL	GXL	2643693R1	3595624C1	1700	9	N/A		
MU64HI	14	YL	GXL	2643693R1	2039311C91	8102A	A	589391C1	239342C1	
MU64LO	14	YL	GXL	2643693R1	3595624C1	1700	8	N/A		
MU64LO	14	YL	GXL	2643693R1	2039311C91	8102A	C	589391C1	239342C1	
MW11-GE	14	WH	GXL	2643689R1	3551896C1	8800	D	N/A	354454C1	3551897C1
MW11-GE	14	WH	GXL	2643689R1	2039311C91	8103	B	589391C1	239342C1	
MW52	14	YL	GXL	2643693R1	3595624C1	1700	1	N/A		
MW52	14	YL	GXL	2643693R1	1661375C2	8001	A	589391C1	1661376C1	
MW52D	14	YL	GXL	2643693R1	3595624C1	1700	3	N/A		
MW52D	14	YL	GXL	2643693R1	1661375C2	8000	A	589391C1	1661376C1	
MW53	14	YL	GXL	2643693R1	3595624C1	1700	2	N/A		
MW53	14	YL	GXL	2643693R1	1661375C2	8001	C	589391C1	1661376C1	
MW53B	14	YL	GXL	2643693R1	3595624C1	1700	4	N/A		
MW53B	14	YL	GXL	2643693R1	1661375C2	8000	C	589391C1	1661376C1	
MW54B	14	BN	GXL	2643688R1	3595624C1	1700	5	N/A		
MW54B	14	BN	GXL	2643688R1		SS50	-	2644000R1		
MW54C	14	BN	GXL	2643688R1	1661375C2	8001	E	589391C1	1661376C1	
MW54C	14	BN	GXL	2643688R1		SS50	-	2644000R1		
MW54D	14	BN	GXL	2643688R1	1661375C2	8000	E	589391C1	1661376C1	
MW54D	14	BN	GXL	2643688R1		SS50	-	2644000R1		
MW54F	14	BN	GXL	2643688R1	2039311C91	8103	E	589391C1	239342C1	
MW54F	14	BN	GXL	2643688R1		SS50	-	2644000R1		
MW56B	16	OR	TXL	3510318R1	3595624C1	1700	14	N/A		
MW56B	16	OR	TXL	3510318R1		SS46	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
MW56C	16	OR	GXL	2643682R1	1661375C2	8001	D	1652325C1	1661376C1	
MW56C	16	OR	GXL	2643682R1		SS46	-	2644000R1		
MW56D	16	OR	GXL	2643682R1	2039311C91	8103	D	1652325C1	239342C1	
MW56D	16	OR	GXL	2643682R1		SS46	-	2644000R1		
MW57B	16	OR	TXL	3510318R1	3595624C1	1700	15	N/A		
MW57B	16	OR	TXL	3510318R1		SS42	-	2644000R1		
MW57C	16	OR	GXL	2643682R1	1661375C2	8000	D	1652325C1	1661376C1	
MW57C	16	OR	GXL	2643682R1		SS42	-	2644000R1		
MW57D	16	OR	GXL	2643682R1	2039311C91	8103	F	1652325C1	239342C1	
MW57D	16	OR	GXL	2643682R1		SS42	-	2644000R1		
MW64HI	14	YL	GXL	2643693R1	3595624C1	1700	9	N/A		
MW64HI	14	YL	GXL	2643693R1	2039311C91	8103	A	589391C1	239342C1	
MW64LO	14	YL	GXL	2643693R1	3595624C1	1700	8	N/A		
MW64LO	14	YL	GXL	2643693R1	2039311C91	8103	C	589391C1	239342C1	
MX85E	16	GY	GXL	2643680R1	3595624C1	1700	21	N/A		
MX85E	16	GY	GXL	2643680R1	1661778C1	8301B	A	1661872C1	1661874C1	
MY11-G	12	WH	TXL	3510362R1		4307	1	2644005R1		
MY11-G	12	WH	TXL	3510362R1		SS10	-	2644027R1		
MY11-GA	14	WH	GXL	2643689R1	1661375C2	8000A	B	N/A	1661376C1	
MY11-GA	14	WH	GXL	2643689R1		SS10	-	2644027R1		
MY11-GB	14	WH	GXL	2643689R1	1661375C2	8001A	B	N/A	1661376C1	
MY11-GB	14	WH	GXL	2643689R1		SS10	-	2644027R1		
MY11-GC	12	WH	GXL	2643787R1	587566C91	8600A	A	589390C1		
MY11-GC	12	WH	GXL	2643787R1		SS10	-	2644027R1		
MY11-GD	12	WH	GXL	2643787R1	3551896C1	8800	A	N/A	354454C1	3551897C1
MY11-GD	12	WH	GXL	2643787R1		SS10	-	2644027R1		
MY85-GA	16	WH	GXL	2643681R1	1661778C1	8301	B	1661872C1	1661874C1	
MY85-GA	16	WH	GXL	2643681R1		SS10	-	2644027R1		
MZ11-G	12	WH	TXL	3510362R1		4307	1	2644005R1		
MZ11-G	12	WH	TXL	3510362R1		SS54	-	2644000R1		
MZ11-GA	14	WH	GXL	2643689R1	1661375C2	8000A	B	N/A	1661376C1	
MZ11-GA	14	WH	GXL	2643689R1		SS54	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
MZ11-GB	14	WH	GXL	2643689R1	1661375C2	8001A	B	N/A	1661376C1	
MZ11-GB	14	WH	GXL	2643689R1		SS54	-	2644000R1		
MZ11-GC	12	WH	GXL	2643787R1	587566C91	8600A	A	589390C1		
MZ11-GC	12	WH	GXL	2643787R1		SS54	-	2644000R1		
MZ85-GA	16	WH	GXL	2643681R1	1661778C1	8301	B	1661872C1	1661874C1	
MZ85-GA	16	WH	GXL	2643681R1		SS54	-	2644000R1		
NC11-G	12	WH	TXL	3510362R1		4307	1	2644005R1		
NC11-G	12	WH	TXL	3510362R1		SS55	-	2644027R1		
NC11-GA	14	WH	GXL	2643689R1	1661375C2	8000A	B	N/A	1661376C1	
NC11-GA	14	WH	GXL	2643689R1		SS55	-	2644027R1		
NC11-GB	14	WH	GXL	2643689R1	1661375C2	8001A	B	N/A	1661376C1	
NC11-GB	14	WH	GXL	2643689R1		SS55	-	2644027R1		
NC11-GC	12	WH	GXL	2643787R1	587566C91	8600A	A	589390C1		
NC11-GC	12	WH	GXL	2643787R1		SS55	-	2644027R1		
NC11-GD	12	WH	GXL	2643787R1	3551896C1	8800	A	N/A	354454C1	3551897C1
NC11-GD	12	WH	GXL	2643787R1		SS55	-	2644027R1		
NC85-GA	16	WH	GXL	2643681R1	1661778C1	8301B	B	1661872C1	1661874C1	
NC85-GA	16	WH	GXL	2643681R1		SS55	-	2644027R1		
ND11-G	12	WH	TXL	3510362R1		4307	1	2644005R1		
ND11-G	12	WH	TXL	3510362R1		SS56	-	2644000R1		
ND11-GA	14	WH	GXL	2643689R1	1661375C2	8000A	B	N/A	1661376C1	
ND11-GA	14	WH	GXL	2643689R1		SS56	-	2644000R1		
ND11-GB	14	WH	GXL	2643689R1	1661375C2	8001A	B	N/A	1661376C1	
ND11-GB	14	WH	GXL	2643689R1		SS56	-	2644000R1		
ND11-GC	12	WH	GXL	2643787R1	587566C91	8600A	A	589390C1		
ND11-GC	12	WH	GXL	2643787R1		SS56	-	2644000R1		
ND85-GA	16	WH	GXL	2643681R1	1661778C1	8301B	B	1661872C1	1661874C1	
ND85-GA	16	WH	GXL	2643681R1		SS56	-	2644000R1		
NF11-GE	14	WH	GXL	2643689R1	3551896C1	8800	D	N/A	354454C1	3551897C1
NF11-GE	14	WH	GXL	2643689R1	2039311C91	8103A	B	589391C1	239342C1	
NF52	14	YL	GXL	2643693R1	3595624C1	1700	1	N/A		
NF52	14	YL	GXL	2643693R1	1661375C2	8001A	A	N/A	1661376C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
NF52D	14	YL	GXL	2643693R1	3595624C1	1700	3	N/A		
NF52D	14	YL	GXL	2643693R1	1661375C2	8000A	A	N/A	1661376C1	
NF53	14	YL	GXL	2643693R1	3595624C1	1700	2	N/A		
NF53	14	YL	GXL	2643693R1	1661375C2	8001A	C	N/A	1661376C1	
NF53B	14	YL	GXL	2643693R1	3595624C1	1700	4	N/A		
NF53B	14	YL	GXL	2643693R1	1661375C2	8000A	C	N/A	1661376C1	
NF54B	14	BN	GXL	2643688R1	3595624C1	1700	5	N/A		
NF54B	14	BN	GXL	2643688R1		SS51	-	2644000R1		
NF54C	14	BN	GXL	2643688R1	1661375C2	8001A	E	N/A	1661376C1	
NF54C	14	BN	GXL	2643688R1		SS51	-	2644000R1		
NF54D	14	BN	GXL	2643688R1	1661375C2	8000A	E	N/A	1661376C1	
NF54D	14	BN	GXL	2643688R1		SS51	-	2644000R1		
NF54F	14	BN	GXL	2643688R1	2039311C91	8103A	E	589391C1	239342C1	
NF54F	14	BN	GXL	2643688R1		SS51	-	2644000R1		
NF56B	16	OR	TXL	3510318R1	3595624C1	1700	14	N/A		
NF56B	16	OR	TXL	3510318R1		SS47	-	2644000R1		
NF56C	16	OR	GXL	2643682R1	1661375C2	8001A	D	N/A	1661376C1	
NF56C	16	OR	GXL	2643682R1		SS47	-	2644000R1		
NF56D	16	OR	GXL	2643682R1	2039311C91	8103A	D	1652325C1	239342C1	
NF56D	16	OR	GXL	2643682R1		SS47	-	2644000R1		
NF57B	16	OR	TXL	3510318R1	3595624C1	1700	15	N/A		
NF57B	16	OR	TXL	3510318R1		SS43	-	2644000R1		
NF57C	16	OR	GXL	2643682R1	1661375C2	8000A	D	N/A	1661376C1	
NF57C	16	OR	GXL	2643682R1		SS43	-	2644000R1		
NF57D	16	OR	GXL	2643682R1	2039311C91	8103A	F	1652325C1	239342C1	
NF57D	16	OR	GXL	2643682R1		SS43	-	2644000R1		
NF64HI	14	YL	GXL	2643693R1	3595624C1	1700	9	N/A		
NF64HI	14	YL	GXL	2643693R1	2039311C91	8103A	A	589391C1	239342C1	
NF64LO	14	YL	GXL	2643693R1	3595624C1	1700	8	N/A		
NF64LO	14	YL	GXL	2643693R1	2039311C91	8103A	C	589391C1	239342C1	
NK5C(+)	18	YL	TXL	3572112R1	3683465C1	1657M	A	N/A	3683466C1	3573833C1
NK5C(+)	18	YL	TXL	3572112R1	3595624C1	1700	62	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
NK5C(-)	18	GN	TXL	3572112R1	3683465C1	1657M	B	N/A	3683466C1	3573833C1
NK5C(-)	18	GN	TXL	3572112R1	3595624C1	1700	61	N/A		
NR104CB	18	DKBL	GXL	2643720R1	3595624C1	1700	44	N/A		
NR104CB	18	DKBL	GXL	2643720R1	587568C91	8805	B	1652325C1		
NR104CC	18	DKBL	GXL	2643720R1	3595624C1	1700	43	N/A		
NR104CC	18	DKBL	GXL	2643720R1	587568C91	8805	A	1652325C1		
NS104CB	18	DKBL	GXL	2643720R1	3595624C1	1700	44	N/A		
NS104CB	18	DKBL	GXL	2643720R1	587568C91	8805A	B	1652325C1		
NS104CC	18	DKBL	GXL	2643720R1	3595624C1	1700	43	N/A		
NS104CC	18	DKBL	GXL	2643720R1	587568C91	8805A	A	1652325C1		
PF78-GB	16	WH	GXL	2643681R1	3551896C1	8800	F	N/A	354454C1	3551897C1
PF78-GB	16	WH	GXL	2643681R1	587567C91	8702	B	N/A		
PF78BC	16	LTGN	GXL	2643678R1	3595624C1	1700	63	N/A		
PF78BC	16	LTGN	GXL	2643678R1	587567C91	8702	A	N/A		
PG78-GA	16	WH	GXL	2643681R1	3551896C1	8800	F	N/A	354454C1	3551897C1
PG78-GA	16	WH	GXL	2643681R1	587567C91	8700B	B	1652325C1		
PG78AC	16	LTGN	GXL	2643678R1	3595624C1	1700	64	N/A		
PG78AC	16	LTGN	GXL	2643678R1	587567C91	8700B	A	1652325C1		
PJ78-GB	16	WH	GXL	2643681R1	3551896C1	8800	F	N/A	354454C1	3551897C1
PJ78-GB	16	WH	GXL	2643681R1	587567C91	8701A	B	N/A		
PJ78BC	16	LTGN	GXL	2643678R1	3595624C1	1700	63	N/A		
PJ78BC	16	LTGN	GXL	2643678R1	587567C91	8701A	A	N/A		
PM78-GA	16	WH	GXL	2643681R1	587567C91	8700A	B	1652325C1		
PM78-GA	16	WH	GXL	2643681R1		SS39	-	2644000R1		
PM78-GB	16	WH	GXL	2643681R1	587567C91	8701A	B	N/A		
PM78-GB	16	WH	GXL	2643681R1		SS39	-	2644000R1		
PM78-GC	16	WH	GXL	2643681R1		4308	1	2644005R1		
PM78-GC	16	WH	GXL	2643681R1		SS39	-	2644000R1		
PM78AC	16	LTGN	GXL	2643678R1	3595624C1	1700	64	N/A		
PM78AC	16	LTGN	GXL	2643678R1	587567C91	8700A	A	1652325C1		
PM78BC	16	LTGN	GXL	2643678R1	3595624C1	1700	63	N/A		
PM78BC	16	LTGN	GXL	2643678R1	587567C91	8701A	A	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
PR78-GB	16	WH	GXL	2643681R1	3551896C1	8800	F	N/A	354454C1	3551897C1
PR78-GB	16	WH	GXL	2643681R1	587567C91	8702A	B	N/A		
PR78BC	16	LTGN	GXL	2643678R1	3595624C1	1700	63	N/A		
PR78BC	16	LTGN	GXL	2643678R1	587567C91	8702A	A	N/A		
PS78-GA	16	WH	GXL	2643681R1	3551896C1	8800	F	N/A	354454C1	3551897C1
PS78-GA	16	WH	GXL	2643681R1	587567C91	8700C	B	1652325C1		
PS78AC	16	LTGN	GXL	2643678R1	3595624C1	1700	64	N/A		
PS78AC	16	LTGN	GXL	2643678R1	587567C91	8700C	A	1652325C1		
RB11-GE	14	WH	GXL	2643689R1	3551896C1	8800	D	N/A	354454C1	3551897C1
RB11-GE	14	WH	GXL	2643689R1	2039311C91	8103	B	589391C1	239342C1	
RB52	14	YL	GXL	2643693R1	3595624C1	1700	1	N/A		
RB52	14	YL	GXL	2643693R1	1661375C2	8001	A	589391C1	1661376C1	
RB52B	14	YL	GXL	2643693R1	3595624C1	1700	10	N/A		
RB52B	14	YL	GXL	2643693R1		SS31	-	2644000R1		
RB52D	14	YL	GXL	2643693R1	3595624C1	1700	3	N/A		
RB52D	14	YL	GXL	2643693R1	1661375C2	8000	A	589391C1	1661376C1	
RB52E	14	YL	GXL	2643693R1	3595624C1	1700	11	N/A		
RB52E	14	YL	GXL	2643693R1		SS31	-	2644000R1		
RB53	14	YL	GXL	2643693R1	3595624C1	1700	2	N/A		
RB53	14	YL	GXL	2643693R1	1661375C2	8001	C	589391C1	1661376C1	
RB53B	14	YL	GXL	2643693R1	3595624C1	1700	4	N/A		
RB53B	14	YL	GXL	2643693R1	1661375C2	8000	C	589391C1	1661376C1	
RB53E	14	YL	GXL	2643693R1	3595624C1	1700	8	N/A		
RB53E	14	YL	GXL	2643693R1		SS40	-	2644000R1		
RB53F	14	YL	GXL	2643693R1	3595624C1	1700	9	N/A		
RB53F	14	YL	GXL	2643693R1		SS40	-	2644000R1		
RB54B	14	BN	GXL	2643688R1	3595624C1	1700	5	N/A		
RB54B	14	BN	GXL	2643688R1		SS4	-	2644000R1		
RB54C	14	BN	GXL	2643688R1	1661375C2	8001	E	589391C1	1661376C1	
RB54C	14	BN	GXL	2643688R1		SS4	-	2644000R1		
RB54D	14	BN	GXL	2643688R1	1661375C2	8000	E	589391C1	1661376C1	
RB54D	14	BN	GXL	2643688R1		SS4	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
RB54F	14	BN	GXL	2643688R1	2039311C91	8103	E	589391C1	239342C1	
RB54F	14	BN	GXL	2643688R1		SS4	-	2644000R1		
RB56B	16	OR	TXL	3510318R1	3595624C1	1700	14	N/A		
RB56B	16	OR	TXL	3510318R1		SS25	-	2644000R1		
RB56C	16	OR	GXL	2643682R1	1661375C2	8001	D	1652325C1	1661376C1	
RB56C	16	OR	GXL	2643682R1		SS25	-	2644000R1		
RB56D	16	OR	GXL	2643682R1	2039311C91	8103	D	1652325C1	239342C1	
RB56D	16	OR	GXL	2643682R1		SS25	-	2644000R1		
RB57B	16	OR	TXL	3510318R1	3595624C1	1700	15	N/A		
RB57B	16	OR	TXL	3510318R1		SS3	-	2644000R1		
RB57C	16	OR	GXL	2643682R1	1661375C2	8000	D	1652325C1	1661376C1	
RB57C	16	OR	GXL	2643682R1		SS3	-	2644000R1		
RB57D	16	OR	GXL	2643682R1	2039311C91	8103	F	1652325C1	239342C1	
RB57D	16	OR	GXL	2643682R1		SS3	-	2644000R1		
RB64HI	14	YL	GXL	2643693R1	2039311C91	8103	A	589391C1	239342C1	
RB64HI	14	YL	GXL	2643693R1		SS31	-	2644000R1		
RB64LO	14	YL	GXL	2643693R1	2039311C91	8103	C	589391C1	239342C1	
RB64LO	14	YL	GXL	2643693R1		SS40	-	2644000R1		
RCTEM1	16	GY	TXL	3510312R1	3601924C1	7220	1	SWS_N_REQ	361925C1	
RCTEM1	16	GY	TXL	3510312R1	3595624C1	1700	52	N/A		
RCTEM2	16	GY	TXL	3510312R1	3601924C1	7220	2	SWS_N_REQ	361925C1	
RCTEM2	16	GY	TXL	3510312R1	3595624C1	1700	53	N/A		
RCTEM3	16	GY	TXL	3510312R1	3601924C1	7220	3	SWS_N_REQ	361925C1	
RCTEM3	16	GY	TXL	3510312R1	3595624C1	1700	54	N/A		
RCTEM4	16	GY	TXL	3510312R1	3601924C1	7220	4	SWS_N_REQ	361925C1	
RCTEM4	16	GY	TXL	3510312R1	3595624C1	1700	55	N/A		
RCTEM5	16	GY	TXL	3510312R1	3601924C1	7220	5	SWS_N_REQ	361925C1	
RCTEM5	16	GY	TXL	3510312R1	3595624C1	1700	56	N/A		
RCTEM6	16	GY	TXL	3510312R1	3601924C1	7220	6	SWS_N_REQ	361925C1	
RCTEM6	16	GY	TXL	3510312R1	3595624C1	1700	57	N/A		
RCTEM7	16	GY	TXL	3510312R1	3601924C1	7220	7	SWS_N_REQ	361925C1	
RCTEM7	16	GY	TXL	3510312R1	3595624C1	1700	58	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
RCTEM8	16	GY	TXL	3510312R1	3601924C1	7220	8	SWS_N_REQ	361925C1	
RCTEM8	16	GY	TXL	3510312R1	3595624C1	1700	59	N/A		
RD11-GE	14	WH	GXL	2643689R1	3551896C1	8800	D	N/A	354454C1	3551897C1
RD11-GE	14	WH	GXL	2643689R1	2039311C91	8103A	B	589391C1	239342C1	
RD52	14	YL	GXL	2643693R1	3595624C1	1700	1	N/A		
RD52	14	YL	GXL	2643693R1	1661375C2	8001A	A	N/A	1661376C1	
RD52B	14	YL	GXL	2643693R1	3595624C1	1700	10	N/A		
RD52B	14	YL	GXL	2643693R1		SS32	-	2644000R1		
RD52D	14	YL	GXL	2643693R1	3595624C1	1700	3	N/A		
RD52D	14	YL	GXL	2643693R1	1661375C2	8000A	A	N/A	1661376C1	
RD52E	14	YL	GXL	2643693R1	3595624C1	1700	11	N/A		
RD52E	14	YL	GXL	2643693R1		SS32	-	2644000R1		
RD53	14	YL	GXL	2643693R1	3595624C1	1700	2	N/A		
RD53	14	YL	GXL	2643693R1	1661375C2	8001A	C	N/A	1661376C1	
RD53B	14	YL	GXL	2643693R1	3595624C1	1700	4	N/A		
RD53B	14	YL	GXL	2643693R1	1661375C2	8000A	C	N/A	1661376C1	
RD53E	14	YL	GXL	2643693R1	3595624C1	1700	8	N/A		
RD53E	14	YL	GXL	2643693R1		SS41	-	2644000R1		
RD53F	14	YL	GXL	2643693R1	3595624C1	1700	9	N/A		
RD53F	14	YL	GXL	2643693R1		SS41	-	2644000R1		
RD54B	14	BN	GXL	2643688R1	3595624C1	1700	5	N/A		
RD54B	14	BN	GXL	2643688R1		SS27	-	2644000R1		
RD54C	14	BN	GXL	2643688R1	1661375C2	8001A	E	N/A	1661376C1	
RD54C	14	BN	GXL	2643688R1		SS27	-	2644000R1		
RD54D	14	BN	GXL	2643688R1	1661375C2	8000A	E	N/A	1661376C1	
RD54D	14	BN	GXL	2643688R1		SS27	-	2644000R1		
RD54F	14	BN	GXL	2643688R1	2039311C91	8103A	E	589391C1	239342C1	
RD54F	14	BN	GXL	2643688R1		SS27	-	2644000R1		
RD56B	16	OR	TXL	3510318R1	3595624C1	1700	14	N/A		
RD56B	16	OR	TXL	3510318R1		SS26	-	2644000R1		
RD56C	16	OR	TXL	3510318R1	1661375C2	8001A	D	N/A	1661376C1	
RD56C	16	OR	TXL	3510318R1		SS26	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
RD56D	16	OR	TXL	3510318R1	2039311C91	8103A	D	1652325C1	239342C1	
RD56D	16	OR	TXL	3510318R1		SS26	-	2644000R1		
RD57B	16	OR	TXL	3510318R1	3595624C1	1700	15	N/A		
RD57B	16	OR	TXL	3510318R1		SS22	-	2644000R1		
RD57C	16	OR	TXL	3510318R1	1661375C2	8000A	D	N/A	1661376C1	
RD57C	16	OR	TXL	3510318R1		SS22	-	2644000R1		
RD57D	16	OR	GXL	2643682R1	2039311C91	8103A	F	1652325C1	239342C1	
RD57D	16	OR	GXL	2643682R1		SS22	-	2644000R1		
RD64HI	14	YL	GXL	2643693R1	2039311C91	8103A	A	589391C1	239342C1	
RD64HI	14	YL	GXL	2643693R1		SS32	-	2644000R1		
RD64LO	14	YL	GXL	2643693R1	2039311C91	8103A	C	589391C1	239342C1	
RD64LO	14	YL	GXL	2643693R1		SS41	-	2644000R1		
SE103M	12	LTGN	GXL	2643753R1	BLUNT_SL_V	7230	A	SWS_N_REQ		
SE103M	12	LTGN	GXL	2643753R1	3595624C1	1700	65	N/A		
SE103N	12	LTGN	GXL	2643753R1	BLUNT_SL_V	7230	B	SWS_N_REQ		
SE103N	12	LTGN	GXL	2643753R1	3595624C1	1700	66	N/A		
SE103P	12	LTGN	GXL	2643753R1	BLUNT_SL_V	7230	C	SWS_N_REQ		
SE103P	12	LTGN	GXL	2643753R1	3595624C1	1700	67	N/A		
TB85E	16	GY	GXL	2643680R1	3595624C1	1700	21	N/A		
TB85E	16	GY	GXL	2643680R1	1661778C1	8301A	A	1661872C1	1661874C1	
TC11-G	12	WH	TXL	3510362R1		4307	1	2644005R1		
TC11-G	12	WH	TXL	3510362R1		SS6	-	2644000R1		
TC11-GA	14	WH	GXL	2643689R1	1661375C2	8000	B	589391C1	1661376C1	
TC11-GA	14	WH	GXL	2643689R1		SS6	-	2644000R1		
TC11-GB	14	WH	GXL	2643689R1	1661375C2	8001	B	589391C1	1661376C1	
TC11-GB	14	WH	GXL	2643689R1		SS6	-	2644000R1		
TC11-GC	12	WH	GXL	2643787R1		4005C	1	2644005R1		
TC11-GC	12	WH	GXL	2643787R1	587566C91	8600	A	589390C1		
TC85-GB	16	WH	GXL	2643681R1	3551896C1	8800	A	N/A	354454C1	3551897C1
TC85-GB	16	WH	GXL	2643681R1		SS6	-	2644000R1		
TC85-GC	16	WH	GXL	2643681R1	1661778C1	8301A	B	1661872C1	1661874C1	
TC85-GC	16	WH	GXL	2643681R1		SS6	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
TD11-G	12	WH	TXL	3510362R1		4307	1	2644005R1		
TD11-G	12	WH	TXL	3510362R1		SS7	-	2644000R1		
TD11-GA	14	WH	GXL	2643689R1	1661375C2	8000	B	589391C1	1661376C1	
TD11-GA	14	WH	GXL	2643689R1		SS7	-	2644000R1		
TD11-GB	14	WH	GXL	2643689R1	1661375C2	8001	B	589391C1	1661376C1	
TD11-GB	14	WH	GXL	2643689R1		SS7	-	2644000R1		
TD11-GC	12	WH	GXL	2643787R1		4005C	1	2644005R1		
TD11-GC	12	WH	GXL	2643787R1	587566C91	8600	A	589390C1		
TD85-GC	16	WH	GXL	2643681R1	1661778C1	8301A	B	1661872C1	1661874C1	
TD85-GC	16	WH	GXL	2643681R1		SS7	-	2644000R1		
TG64-GA	16	WH	TXL	3510360R1	3551896C1	8800	B	N/A	354454C1	3551897C1
TG64-GA	16	WH	TXL	3510360R1	587567C91	8201X	B	1652325C1		
TG64-GB	16	WH	TXL	3510360R1	3551896C1	8800	C	N/A	354454C1	3551897C1
TG64-GB	16	WH	TXL	3510360R1	587567C91	8200X	B	1652325C1		
TG64A	16	YL	TXL	3510336R1	3595624C1	1700	22	N/A		
TG64A	16	YL	TXL	3510336R1	587567C91	8201X	A	1652325C1		
TG64B	16	YL	TXL	3510336R1	3595624C1	1700	23	N/A		
TG64B	16	YL	TXL	3510336R1	587567C91	8200X	A	1652325C1		
TJ64-GA	16	WH	TXL	3510360R1	6131286C1	8201A	2	4080000C1		
TJ64-GA	16	WH	TXL	3510360R1	3551896C1	8800	B	N/A	354454C1	3551897C1
TJ64-GB	16	WH	TXL	3510360R1	6131286C1	8200A	2	4080000C1		
TJ64-GB	16	WH	TXL	3510360R1	3551896C1	8800	C	N/A	354454C1	3551897C1
TJ64A	16	YL	TXL	3510336R1	6131286C1	8201A	1	4080000C1		
TJ64A	16	YL	TXL	3510336R1	3595624C1	1700	22	N/A		
TJ64B	16	YL	TXL	3510336R1	6131286C1	8200A	1	4080000C1		
TJ64B	16	YL	TXL	3510336R1	3595624C1	1700	23	N/A		
TK64-GA	16	WH	TXL	3510360R1	6131286C1	8201B	2	4080000C1		
TK64-GA	16	WH	TXL	3510360R1	3551896C1	8800	B	N/A	354454C1	3551897C1
TK64-GB	16	WH	TXL	3510360R1	6131286C1	8200B	2	4080000C1		
TK64-GB	16	WH	TXL	3510360R1	3551896C1	8800	C	N/A	354454C1	3551897C1
TK64A	16	WH	TXL	3510360R1	6131286C1	8201B	1	4080000C1		
TK64A	16	WH	TXL	3510360R1	3595624C1	1700	22	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
TK64B	16	YL	TXL	3510336R1	6131286C1	8200B	1	4080000C1		
TK64B	16	YL	TXL	3510336R1	3595624C1	1700	23	N/A		
TM64-GA	16	WH	TXL	3510360R1	6131286C1	8201C	2	4080000C1		
TM64-GA	16	WH	TXL	3510360R1	3551896C1	8800	B	N/A	354454C1	3551897C1
TM64-GB	16	WH	TXL	3510360R1	6131286C1	8200C	2	4080000C1		
TM64-GB	16	WH	TXL	3510360R1	3551896C1	8800	C	N/A	354454C1	3551897C1
TM64A	16	YL	TXL	3510336R1	6131286C1	8201C	1	4080000C1		
TM64A	16	YL	TXL	3510336R1	3595624C1	1700	22	N/A		
TM64B	16	YL	TXL	3510336R1	6131286C1	8200C	1	4080000C1		
TM64B	16	YL	TXL	3510336R1	3595624C1	1700	23	N/A		
A123AL	18	GY	TXL	3510311R1	6099045C1	8883	23	SWS_N_REQ		
A123AL	18	GY	TXL	3510311R1	3838727C1	8885	6	SWS_N_REQ		
A125AL	18	GY	GXL	2643673R1	6099045C1	8883	25	SWS_N_REQ		
A125AL	18	GY	GXL	2643673R1	3838727C1	8885	7	SWS_N_REQ		
A223AL	18	GY	TXL	3510311R1	6099045C1	8883	23	SWS_N_REQ		
A223AL	18	GY	TXL	3510311R1	3838727C1	8885	11	SWS_N_REQ		
AB87DA	16	GY	GXL	2643680R1	3595622C1	1701F	58	SWS_N_REQ		
AB87DA	16	GY	GXL	2643680R1	3536864C1	9745A	1	3536868C1		
AB87DB	18	GY	GXL	2643673R1	3595622C1	1701F	59	SWS_N_REQ		
AB87DB	18	GY	GXL	2643673R1	3536864C1	9745A	2	3536868C1		
AC39-GB	16	WH	GXL	2643681R1	3551896C1	8807	C	1652325C1	354454C1	3551897C1
AC39-GB	16	WH	GXL	2643681R1	1673790C1	9900AC	B	1652325C1	1673791C1	
AC39B	16	GY	GXL	2643680R1	3595622C1	1701F	31	SWS_N_REQ		
AC39B	16	GY	GXL	2643680R1	1673790C1	9900AC	A	1652325C1	1673791C1	
AD39-GB	16	WH	GXL	2643681R1	3551896C1	8807	C	1652325C1	354454C1	3551897C1
AD39-GB	16	WH	GXL	2643681R1	1673790C1	9900AD	B	1652325C1	1673791C1	
AD39B	16	GY	GXL	2643680R1	3595622C1	1701F	31	SWS_N_REQ		
AD39B	16	GY	GXL	2643680R1	1673790C1	9900AD	A	1652325C1	1673791C1	
AE39-GB	16	WH	GXL	2643681R1	3551896C1	8807	C	1652325C1	354454C1	3551897C1
AE39-GB	16	WH	GXL	2643681R1	1673790C1	9900AE	B	1652325C1	1673791C1	
AE39B	16	GY	GXL	2643680R1	3595622C1	1701F	31	SWS_N_REQ		
AE39B	16	GY	GXL	2643680R1	1673790C1	9900AE	A	1652325C1	1673791C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
AH39-GF	18	WH	GXL	2643674R1	3551896C1	8807	D	1652325C1	354454C1	3551897C1
AH39-GF	18	WH	GXL	2643674R1	1671610C1	9003	B	1652325C1	167168C1	
AH39A	18	GY	GXL	2643673R1	3595622C1	1701F	40	SWS_N_REQ		
AH39A	18	GY	GXL	2643673R1	1671610C1	9003	A	1652325C1	167168C1	
AJ39-GB	16	WH	GXL	2643681R1	3551896C1	8807	C	1652325C1	354454C1	3551897C1
AJ39-GB	16	WH	GXL	2643681R1	1673790C1	9900AJ	B	1652325C1	1673791C1	
AJ39B	16	GY	GXL	2643680R1	3595622C1	1701F	31	SWS_N_REQ		
AJ39B	16	GY	GXL	2643680R1	1673790C1	9900AJ	A	1652325C1	1673791C1	
AK87EA	18	GY	TXL	3510311R1	3595622C1	1701F	41	SWS_N_REQ		
AK87EA	18	GY	TXL	3510311R1	3554317C1	9746A	1	3554318C1		
AK9EB	18	GY	TXL	3510311R1	3554317C1	9746A	2	3554318C1		
AK9EB	18	GY	TXL	3510311R1	3551896C1	8802	D	3517771C1	354454C1	3551897C1
AL1AL	12	GY	GXL	2643783R1	BLUNT_SL_V	8886	A	SWS_N_REQ		
AL1AL	12	GY	GXL	2643783R1	6099045C1	8883	1	SWS_N_REQ		
AL20AL	18	GY	TXL	3510311R1	6099045C1	8883	20	SWS_N_REQ		
AL20AL	18	GY	TXL	3510311R1	3838727C1	8885	1	SWS_N_REQ		
AL21AL	18	GY	GXL	2643673R1	6099045C1	8883	21	SWS_N_REQ		
AL21AL	18	GY	GXL	2643673R1	3838727C1	8885	5	SWS_N_REQ		
AL24AL	18	GY	TXL	3510311R1	6099045C1	8883	24	SWS_N_REQ		
AL24AL	18	GY	TXL	3510311R1	3838727C1	8885	3	SWS_N_REQ		
AL2AL	14	GY	GXL	2643782R1	BLUNT_SL_V	8886	B	SWS_N_REQ		
AL2AL	14	GY	GXL	2643782R1	6099045C1	8883	2	SWS_N_REQ		
AL5AL	18	GY	GXL	2643673R1	6099045C1	8883	5	SWS_N_REQ		
AL5AL	18	GY	GXL	2643673R1	3838727C1	8885	12	SWS_N_REQ		
AL6AL	18	GY	GXL	2643673R1	6099045C1	8883	6	SWS_N_REQ		
AL6AL	18	GY	GXL	2643673R1	3838727C1	8885	8	SWS_N_REQ		
AL7AL	18	GY	GXL	2643673R1	6099045C1	8883	7	SWS_N_REQ		
AL7AL	18	GY	GXL	2643673R1	3838727C1	8885	10	SWS_N_REQ		
AL8AL	18	GY	GXL	2643673R1	6099045C1	8883	8	SWS_N_REQ		
AL8AL	18	GY	GXL	2643673R1	3838727C1	8885	4	SWS_N_REQ		
AL9AL	18	GY	GXL	2643673R1	6099045C1	8883	9	SWS_N_REQ		
AL9AL	18	GY	GXL	2643673R1	3838727C1	8885	2	SWS_N_REQ		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
AM10AL	18	GY	TXL	3510311R1	6099045C1	8883	10	SWS_N_REQ		
AM10AL	18	GY	TXL	3510311R1	3525874C1	8887	G	3568570C1		
AM12AL	18	GY	TXL	3510311R1	6099045C1	8883	12	SWS_N_REQ		
AM12AL	18	GY	TXL	3510311R1	3525874C1	8887	B	3568570C1		
AM13AL	18	GY	TXL	3510311R1	6099045C1	8883	13	SWS_N_REQ		
AM13AL	18	GY	TXL	3510311R1	3525874C1	8887	C	3568570C1		
AM15AL	18	GY	TXL	3510311R1	6099045C1	8883	15	SWS_N_REQ		
AM15AL	18	GY	TXL	3510311R1	3525874C1	8887	E	3568570C1		
AM16AL	18	GY	TXL	3510311R1	6099045C1	8883	16	SWS_N_REQ		
AM16AL	18	GY	TXL	3510311R1	3525874C1	8887	F	3568570C1		
AM18AL	18	GY	TXL	3510311R1	6099045C1	8883	18	SWS_N_REQ		
AM18AL	18	GY	TXL	3510311R1	3525874C1	8887	A	3568570C1		
AN10AL	18	GY	TXL	3510311R1	6099045C1	8883	10	SWS_N_REQ		
AN10AL	18	GY	TXL	3510311R1	3525872C1	8888	F	3568570C1	3525873C1	3525875C1
AN11AL	18	GY	TXL	3510311R1	6099045C1	8883	11	SWS_N_REQ		
AN11AL	18	GY	TXL	3510311R1	3525872C1	8888	B	3568570C1	3525873C1	3525875C1
AN12AL	18	GY	TXL	3510311R1	6099045C1	8883	12	SWS_N_REQ		
AN12AL	18	GY	TXL	3510311R1	3525872C1	8888	D	3568570C1	3525873C1	3525875C1
AN14AL	18	GY	TXL	3510311R1	6099045C1	8883	14	SWS_N_REQ		
AN14AL	18	GY	TXL	3510311R1	3525872C1	8888	E	3568570C1	3525873C1	3525875C1
AN15AL	18	GY	TXL	3510311R1	6099045C1	8883	15	SWS_N_REQ		
AN15AL	18	GY	TXL	3510311R1	3525872C1	8888	A	3568570C1	3525873C1	3525875C1
AN17AL	18	GY	TXL	3510311R1	6099045C1	8883	17	SWS_N_REQ		
AN17AL	18	GY	TXL	3510311R1	3525872C1	8888	G	3568570C1	3525873C1	3525875C1
AN18AL	18	GY	TXL	3510311R1	6099045C1	8883	18	SWS_N_REQ		
AN18AL	18	GY	TXL	3510311R1	3525872C1	8888	C	3568570C1	3525873C1	3525875C1
AP39-GB	16	WH	GXL	2643681R1	3551896C1	8807	C	1652325C1	354454C1	3551897C1
AP39-GB	16	WH	GXL	2643681R1	1673790C1	9900AP	B	1652325C1	1673791C1	
AP39B	16	GY	GXL	2643680R1	3595622C1	1701F	31	SWS_N_REQ		
AP39B	16	GY	GXL	2643680R1	1673790C1	9900AP	A	1652325C1	1673791C1	
AQ39-GB	16	WH	GXL	2643681R1	3551896C1	8807	C	1652325C1	354454C1	3551897C1
AQ39-GB	16	WH	GXL	2643681R1	1673790C1	9900AQ	B	1652325C1	1673791C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
AQ39B	16	GY	GXL	2643680R1	3595622C1	1701F	31	SWS_N_REQ		
AQ39B	16	GY	GXL	2643680R1	1673790C1	9900AQ	A	1652325C1	1673791C1	
AR39-GB	16	WH	GXL	2643681R1	3551896C1		8807	1652325C1	354454C1	3551897C1
AR39-GB	16	WH	GXL	2643681R1	1673790C1	9900AR	B	1652325C1	1673791C1	
AR39B	16	GY	GXL	2643680R1	3595622C1	1701F	31	SWS_N_REQ		
AR39B	16	GY	GXL	2643680R1	1673790C1	9900AR	A	1652325C1	1673791C1	
BZ39-GF	18	WH	GXL	2643674R1	3551896C1		8807	1652325C1	354454C1	3551897C1
BZ39-GF	18	WH	GXL	2643674R1	1671610C1		9004	1652325C1	167168C1	
BZ39A	18	GY	GXL	2643673R1	3595622C1	1701F	40	SWS_N_REQ		
BZ39A	18	GY	GXL	2643673R1	1671610C1		9004	1652325C1	167168C1	
CA19	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
CA19	16	GY	GXL	2643680R1	587567C91	9108A	A	1652325C1		
CA19-G	16	WH	TXL	3510360R1	3551896C1		8805	1652325C1	354454C1	3551897C1
CA19-G	16	WH	TXL	3510360R1	587567C91	9108A	B	1652325C1		
CB19	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
CB19	16	GY	GXL	2643680R1	587567C91	9108B	A	1652325C1		
CB19-G	16	WH	TXL	3510360R1	3551896C1		8805	1652325C1	354454C1	3551897C1
CB19-G	16	WH	TXL	3510360R1	587567C91	9108B	B	1652325C1		
CD19	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
CD19	16	GY	GXL	2643680R1	587567C91	9108D	A	1652325C1		
CD19-G	16	WH	TXL	3510360R1	3551896C1		8805	1652325C1	354454C1	3551897C1
CD19-G	16	WH	TXL	3510360R1	587567C91	9108D	B	1652325C1		
CE19	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
CE19	16	GY	GXL	2643680R1	587567C91	9108E	A	1652325C1		
CE19-G	16	WH	TXL	3510360R1	3551896C1		8805	1652325C1	354454C1	3551897C1
CE19-G	16	WH	TXL	3510360R1	587567C91	9108E	B	1652325C1		
CF19	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
CF19	16	GY	GXL	2643680R1	587567C91	9108F	A	1652325C1		
CF19-G	16	WH	TXL	3510360R1	3551896C1		8805	1652325C1	354454C1	3551897C1
CF19-G	16	WH	TXL	3510360R1	587567C91	9108F	B	1652325C1		
CG19	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
CG19	16	GY	GXL	2643680R1	587567C91	9108C	A	1652325C1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
CG19-G	16	WH	TXL	3510360R1	3551896C1	8805	F	1652325C1	354454C1	3551897C1
CG19-G	16	WH	TXL	3510360R1	587567C91	9108C	B	1652325C1		
CH19E	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
CH19E	16	GY	GXL	2643680R1	1671610C1	4042E	A	1652325C1	167168C1	
CH19E-G	16	WH	GXL	2643681R1	3551896C1	8805	F	1652325C1	354454C1	3551897C1
CH19E-G	16	WH	GXL	2643681R1	1671610C1	4042E	B	1652325C1	167168C1	
CJ19A	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
CJ19A	16	GY	GXL	2643680R1	1671610C1	4042A	A	1652325C1	167168C1	
CJ19A-G	16	WH	GXL	2643681R1	3551896C1	8805	F	1652325C1	354454C1	3551897C1
CJ19A-G	16	WH	GXL	2643681R1	1671610C1	4042A	B	1652325C1	167168C1	
CK19B	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
CK19B	16	GY	GXL	2643680R1	1671610C1	4042B	A	1652325C1	167168C1	
CK19B-G	16	WH	GXL	2643681R1	3551896C1	8805	F	1652325C1	354454C1	3551897C1
CK19B-G	16	WH	GXL	2643681R1	1671610C1	4042B	B	1652325C1	167168C1	
CL19C	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
CL19C	16	GY	GXL	2643680R1	1671610C1	4042C	A	1652325C1	167168C1	
CL19C-G	16	WH	GXL	2643681R1	3551896C1	8805	F	1652325C1	354454C1	3551897C1
CL19C-G	16	WH	GXL	2643681R1	1671610C1	4042C	B	1652325C1	167168C1	
CM19F	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
CM19F	16	GY	GXL	2643680R1	1671610C1	4042F	A	1652325C1	167168C1	
CM19F-G	16	WH	GXL	2643681R1	3551896C1	8805	F	1652325C1	354454C1	3551897C1
CM19F-G	16	WH	GXL	2643681R1	1671610C1	4042F	B	1652325C1	167168C1	
CN19	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
CN19	16	GY	GXL	2643680R1	587567C91	9108H	A	1652325C1		
CN19-G	16	WH	TXL	3510360R1	3551896C1	8805	F	1652325C1	354454C1	3551897C1
CN19-G	16	WH	TXL	3510360R1	587567C91	9108H	B	1652325C1		
CP19D	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
CP19D	16	GY	GXL	2643680R1	1671610C1	4042D	A	1652325C1	167168C1	
CP19D-G	16	WH	GXL	2643681R1	3551896C1	8805	F	1652325C1	354454C1	3551897C1
CP19D-G	16	WH	GXL	2643681R1	1671610C1	4042D	B	1652325C1	167168C1	
CR19H	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
CR19H	16	GY	GXL	2643680R1	1671610C1	4042G	A	1652325C1	167168C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
CR19H-G	16	WH	GXL	2643681R1	3551896C1	8805	F	1652325C1	354454C1	3551897C1
CR19H-G	16	WH	GXL	2643681R1	1671610C1	4042G	B	1652325C1	167168C1	
EV12-G	18	WH	GXL	2643674R1		9780	1	2644038R1		
EV12-G	18	WH	GXL	2643674R1	3595622C1	1701F	70	SWS_N_REQ		
EV12-GA	18	WH	GXL	2643674R1		9780A	1	2644038R1		
EV12-GA	18	WH	GXL	2643674R1	3551896C1	8805	D	1652325C1	354454C1	3551897C1
FD36A	18	TN	GXL	2643676R1	3595622C1	1701F	29	SWS_N_REQ		
FD36A	18	TN	GXL	2643676R1	1661778C1	9100A	A	1661872C1	1661874C1	
FD9A	18	GY	GXL	2643673R1	3551896C1	8802	B	1652325C1	354454C1	3551897C1
FD9A	18	GY	GXL	2643673R1	1661778C1	9100A	B	1661872C1	1661874C1	
LM14CX	4	RD	SGX	2644026R1	3517760C1	4411A7	A	SWS_N_REQ		
LM14CX	4	RD	SGX	2644026R1	3517759C1	4413A4	A	SWS_N_REQ		
MD94BA	16	GY	GXL	2643680R1	3595622C1	1701F	23	SWS_N_REQ		
MD94BA	16	GY	GXL	2643680R1	3558026C1	9800	17	3509903C1	355856C1	
MD94BB	16	GY	TXL	3510312R1	3595622C1	1701F	24	SWS_N_REQ		
MD94BB	16	GY	TXL	3510312R1	3558026C1	9800	18	3509903C1	355856C1	
MD94BC	16	GY	TXL	3510312R1	3595622C1	1701F	25	SWS_N_REQ		
MD94BC	16	GY	TXL	3510312R1	3558026C1	9800	19	3509903C1	355856C1	
MD94BD	16	GY	GXL	2643680R1	3595622C1	1701F	17	SWS_N_REQ		
MD94BD	16	GY	GXL	2643680R1	3558026C1	9800	14	3509903C1	355856C1	
MD94BE	16	GY	GXL	2643680R1	3595622C1	1701F	16	SWS_N_REQ		
MD94BE	16	GY	GXL	2643680R1	3558026C1	9800	13	3509903C1	355856C1	
MD94BF	16	GY	TXL	3510312R1	3595622C1	1701F	19	SWS_N_REQ		
MD94BF	16	GY	TXL	3510312R1	3558026C1	9800	16	3509903C1	355856C1	
MD94BH	16	GY	TXL	3510312R1	3595622C1	1701F	18	SWS_N_REQ		
MD94BH	16	GY	TXL	3510312R1	3558026C1	9800	15	3509903C1	355856C1	
MD94BJ	16	GY	TXL	3510312R1	3595622C1	1701F	21	SWS_N_REQ		
MD94BJ	16	GY	TXL	3510312R1	3558026C1	9800	20	3509903C1	355856C1	
MD94BK	16	GY	TXL	3510312R1	3595622C1	1701F	22	SWS_N_REQ		
MD94BK	16	GY	TXL	3510312R1	3558026C1	9800	21	3509903C1	355856C1	
MD94BL	16	GY	TXL	3510312R1	3595622C1	1701F	20	SWS_N_REQ		
MD94BL	16	GY	TXL	3510312R1	3558026C1	9800	22	3509903C1	355856C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
ML42	16	GY	GXL	2643680R1	3595622C1	1701F	65	SWS_N_REQ		
ML42	16	GY	GXL	2643680R1	587567C91	9754	A	1652325C1		
ML42-G	18	WH	GXL	2643674R1	3551896C1	8807	E	1652325C1	354454C1	3551897C1
ML42-G	18	WH	GXL	2643674R1	587567C91	9754	B	1652325C1		
ML47A	16	GY	GXL	2643680R1	3543888C1	9750	A	1661872C1		
ML47A	16	GY	GXL	2643680R1	2036583C1	9755	A	SWS_N_REQ		
ML47B	16	GY	GXL	2643680R1	3543888C1	9750	B	1661872C1		
ML47B	16	GY	GXL	2643680R1	2036583C1	9755	B	SWS_N_REQ		
MM47C	16	GY	GXL	2643680R1	3543888C1	9750	A	1661872C1		
MM47C	16	GY	GXL	2643680R1	2036583C1	9756	A	SWS_N_REQ		
MM47D	16	GY	GXL	2643680R1	3543888C1	9750	B	1661872C1		
MM47D	16	GY	GXL	2643680R1	2036583C1	9756	B	SWS_N_REQ		
MP14C	4	RD	SGX	2644026R1	3517760C1	4411A8	A	SWS_N_REQ		
MP14C	4	RD	SGX	2644026R1	3517759C1	4412A2	A	SWS_N_REQ		
MY14CA	4	RD	SGX	2644026R1	3517760C1	4411A9	A	SWS_N_REQ		
MY14CA	4	RD	SGX	2644026R1	3517759C1	4412A1	A	SWS_N_REQ		
NC10D-G	8	WH	GXL	2643789R1		9717A	1	2644005R1		
NC10D-G	8	WH	GXL	2643789R1	3700151C1	9717	A	3537135C1		
NC54T	10	BN	GXL	2643779R1	3595622C1	1701F	7	SWS_N_REQ		
NC54T	10	BN	GXL	2643779R1	1667732C1	9716	A	1667735C1	1667734C1	
NC56T	10	YL	GXL	2643802R1	3595622C1	1701F	5	SWS_N_REQ		
NC56T	10	YL	GXL	2643802R1	1667732C1	9716	B	1667735C1	1667734C1	
NC57T	10	LTGN	GXL	2643776R1	3595622C1	1701F	6	SWS_N_REQ		
NC57T	10	LTGN	GXL	2643776R1	1667732C1	9716	C	1667735C1	1667734C1	
NC68T	10	BN	GXL	2643779R1	3595622C1	1701F	8	SWS_N_REQ		
NC68T	10	BN	GXL	2643779R1	1667733C1	9715	B	1667735C1	1667734C1	
NC70T	10	RD	GXL	2643698R1	3595622C1	1701F	9	SWS_N_REQ		
NC70T	10	RD	GXL	2643698R1	1667733C1	9715	A	1667735C1	1667734C1	
NC94T	10	GY	GXL	2643784R1	3595622C1	1701F	10	SWS_N_REQ		
NC94T	10	GY	GXL	2643784R1	1667733C1	9715	C	1667735C1	1667734C1	
ND11-GD	12	WH	GXL	2643787R1	3551896C1	8807	F	589390C1	354454C1	3551897C1
ND11-GD	12	WH	GXL	2643787R1	2039311C91	4450M	G	589390C1	239342C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2	
ND12BB	14	LTBL	GXL	2643694R1	3595622C1	1701F	75	SWS_N_REQ			
ND12BB	14	LTBL	GXL	2643694R1	2039311C91	4450M	F	589391C1	239342C1		
ND54BB	14	BN	GXL	2643688R1	3595622C1	1701F	74	SWS_N_REQ			
ND54BB	14	BN	GXL	2643688R1	2039311C91	4450M	D	589391C1	239342C1		
ND56BB	16	YL	GXL	2643684R1	3595622C1	1701F	12	SWS_N_REQ			
ND56BB	16	YL	GXL	2643684R1	2039311C91	4450M	B	1652325C1	239342C1		
ND56BC	16	YL	GXL	2643684R1	3595622C1	1701F	42	SWS_N_REQ			
ND56BC	16	YL	GXL	2643684R1	1686834C1	4460M	A	1652325C1	166448C1		
ND57BB	16	LTGN	GXL	2643678R1	3595622C1	1701F	63	SWS_N_REQ			
ND57BB	16	LTGN	GXL	2643678R1	2039311C91	4450M	C	1652325C1	239342C1		
ND57BC	16	LTGN	GXL	2643678R1	3595622C1	1701F	64	SWS_N_REQ			
ND57BC	16	LTGN	GXL	2643678R1	1686834C1	4460M	B	1652325C1	166448C1		
ND68BB	14	BN	GXL	2643688R1	3595622C1	1701F	71	SWS_N_REQ			
ND68BB	14	BN	GXL	2643688R1	2039311C91	4450M	A	589391C1	239342C1		
ND70BB	14	RD	GXL	2643686R1	3595622C1	1701F	72	SWS_N_REQ			
ND70BB	14	RD	GXL	2643686R1	1686834C1	4460M	C	589391C1	166448C1		
ND71BB	16	LTBL	GXL	2643806R1	3595622C1	1701F	73	SWS_N_REQ			
ND71BB	16	LTBL	GXL	2643806R1	2039311C91	4450M	E	1652325C1	239342C1		
NF65	16	OR	GXL	2643682R1	3595622C1	1701F	68	SWS_N_REQ			
NF65	16	OR	GXL	2643682R1	1661778C1	9718A	A	1661872C1	1661874C1		
NG59A-G	14	WH	GXL	2643689R1	3551896C1		8805	B	589391C1	354454C1	3551897C1
NG59A-G	14	WH	GXL	2643689R1	1661375C2		9736	A	589391C1	1661376C1	
NG59B	18	GY	GXL	2643673R1	3595622C1	1701F		32	SWS_N_REQ		
NG59B	18	GY	GXL	2643673R1	1661375C2		9736	B	1652325C1	1661376C1	
NG59C	18	GY	GXL	2643673R1	3595622C1	1701F		33	SWS_N_REQ		
NG59C	18	GY	GXL	2643673R1	1661375C2		9736	C	1652325C1	1661376C1	
NG59D	18	GY	GXL	2643673R1	3595622C1	1701F		34	SWS_N_REQ		
NG59D	18	GY	GXL	2643673R1	1661375C2		9736	D	1652325C1	1661376C1	
NG59E	18	GY	GXL	2643673R1	3595622C1	1701F		35	SWS_N_REQ		
NG59E	18	GY	GXL	2643673R1	1661375C2		9736	E	1652325C1	1661376C1	
NK39-GF	18	WH	GXL	2643674R1	3551896C1		8807	D	1652325C1	354454C1	3551897C1
NK39-GF	18	WH	GXL	2643674R1	1671610C1	9200A		B	1652325C1	167168C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2	
NK39A	18	GY	GXL	2643673R1	3595622C1	1701F	40	SWS_N_REQ			
NK39A	18	GY	GXL	2643673R1	1671610C1	9200A	A	1652325C1	167168C1		
NL10-GS	14	WH	GXL	2643689R1	3572899C1	4410L	2	SWS_N_REQ	25242C1		
NL10-GS	14	WH	GXL	2643689R1	3551896C1		8809	C	589391C1	354454C1	3551897C1
NL20	16	LTGN	GXL	2643678R1	3595622C1	1701F	51	SWS_N_REQ			
NL20	16	LTGN	GXL	2643678R1	3572899C1	4410L	6	SWS_N_REQ	25242C1		
NL5E(+)	18	YL	TXL	3572112R1	3595622C1	1701F	52	SWS_N_REQ			
NL5E(+)	18	YL	TXL	3572112R1	3572899C1	4410L	3	SWS_N_REQ	25242C1		
NL5E(-)	18	GN	TXL	3572112R1	3595622C1	1701F	53	SWS_N_REQ			
NL5E(-)	18	GN	TXL	3572112R1	3572899C1	4410L	4	SWS_N_REQ	25242C1		
NM59A-G	16	WH	GXL	2643681R1	3551896C1		8805	B	1652325C1	354454C1	3551897C1
NM59A-G	16	WH	GXL	2643681R1	3522068C1		9737	B	1661872C1	1661874C1	
NM59B	18	GY	GXL	2643673R1	3595622C1	1701F	32	SWS_N_REQ			
NM59B	18	GY	GXL	2643673R1	3522068C1		9737	A	1661872C1	1661874C1	
NN39-GF	18	WH	GXL	2643674R1	3551896C1		8807	D	1652325C1	354454C1	3551897C1
NN39-GF	18	WH	GXL	2643674R1	1671610C1		9002	B	1652325C1	167168C1	
NN39A	18	GY	GXL	2643673R1	3595622C1	1701F	40	SWS_N_REQ			
NN39A	18	GY	GXL	2643673R1	1671610C1		9002	A	1652325C1	167168C1	
NQ39-GF	18	WH	GXL	2643674R1	3551896C1		8807	D	1652325C1	354454C1	3551897C1
NQ39-GF	18	WH	GXL	2643674R1	1671610C1	9200B	B	1652325C1	167168C1		
NQ39A	18	GY	GXL	2643673R1	3595622C1	1701F	40	SWS_N_REQ			
NQ39A	18	GY	GXL	2643673R1	1671610C1	9200B	A	1652325C1	167168C1		
NR59M	18	GY	GXL	2643673R1	3595622C1	1701F	46	SWS_N_REQ			
NR59M	18	GY	GXL	2643673R1	1661375C2	9740B	B	1652325C1	1661376C1		
NR59N	18	GY	GXL	2643673R1	3595622C1	1701F	47	SWS_N_REQ			
NR59N	18	GY	GXL	2643673R1	1661375C2	9740B	C	1652325C1	1661376C1		
NR59P	18	GY	GXL	2643673R1	3595622C1	1701F	48	SWS_N_REQ			
NR59P	18	GY	GXL	2643673R1	1661375C2	9740B	D	1652325C1	1661376C1		
NR59Q	18	GY	GXL	2643673R1	3595622C1	1701F	49	SWS_N_REQ			
NR59Q	18	GY	GXL	2643673R1	1661375C2	9740B	E	1652325C1	1661376C1		
NR59R-G	14	WH	GXL	2643689R1	3551896C1		8805	E	589391C1	354454C1	3551897C1
NR59R-G	14	WH	GXL	2643689R1	1661375C2	9740B	A	589391C1	1661376C1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
NS59S-G	14	WH	GXL	2643689R1	3551896C1	8805	C	589391C1	354454C1	3551897C1
NS59S-G	14	WH	GXL	2643689R1	1661375C2	9740D	A	589391C1	1661376C1	
NS59T	18	GY	GXL	2643673R1	3595622C1	1701F	36	SWS_N_REQ		
NS59T	18	GY	GXL	2643673R1	1661375C2	9740D	B	1652325C1	1661376C1	
NS59U	18	GY	GXL	2643673R1	3595622C1	1701F	37	SWS_N_REQ		
NS59U	18	GY	GXL	2643673R1	1661375C2	9740D	C	1652325C1	1661376C1	
NS59V	18	GY	GXL	2643673R1	3595622C1	1701F	38	SWS_N_REQ		
NS59V	18	GY	GXL	2643673R1	1661375C2	9740D	D	1652325C1	1661376C1	
NS59W	18	GY	GXL	2643673R1	3595622C1	1701F	39	SWS_N_REQ		
NS59W	18	GY	GXL	2643673R1	1661375C2	9740D	E	1652325C1	1661376C1	
NT59S-G	14	WH	GXL	2643689R1	3551896C1	8805	C	589391C1	354454C1	3551897C1
NT59S-G	14	WH	GXL	2643689R1	1661375C2	9740E	A	589391C1	1661376C1	
NT59T	18	GY	GXL	2643673R1	3595622C1	1701F	36	SWS_N_REQ		
NT59T	18	GY	GXL	2643673R1	1661375C2	9740E	B	1652325C1	1661376C1	
NT59U	18	GY	GXL	2643673R1	3595622C1	1701F	37	SWS_N_REQ		
NT59U	18	GY	GXL	2643673R1	1661375C2	9740E	C	1652325C1	1661376C1	
NT59V	18	GY	GXL	2643673R1	3595622C1	1701F	38	SWS_N_REQ		
NT59V	18	GY	GXL	2643673R1	1661375C2	9740E	D	1652325C1	1661376C1	
NT59W	18	GY	GXL	2643673R1	3595622C1	1701F	39	SWS_N_REQ		
NT59W	18	GY	GXL	2643673R1	1661375C2	9740E	E	1652325C1	1661376C1	
NU39-GF	18	WH	GXL	2643674R1	3551896C1	8807	D	1652325C1	354454C1	3551897C1
NU39-GF	18	WH	GXL	2643674R1	1671610C1	9002A	B	1652325C1	167168C1	
NU39A	18	GY	GXL	2643673R1	3595622C1	1701F	40	SWS_N_REQ		
NU39A	18	GY	GXL	2643673R1	1671610C1	9002A	A	1652325C1	167168C1	
NZ59G	18	GY	GXL	2643673R1	3595622C1	1701F	36	SWS_N_REQ		
NZ59G	18	GY	GXL	2643673R1	1661375C2	9740C	B	1652325C1	1661376C1	
NZ59H	18	GY	GXL	2643673R1	3595622C1	1701F	37	SWS_N_REQ		
NZ59H	18	GY	GXL	2643673R1	1661375C2	9740C	C	1652325C1	1661376C1	
NZ59J	18	GY	GXL	2643673R1	3595622C1	1701F	38	SWS_N_REQ		
NZ59J	18	GY	GXL	2643673R1	1661375C2	9740C	D	1652325C1	1661376C1	
NZ59K	18	GY	GXL	2643673R1	3595622C1	1701F	39	SWS_N_REQ		
NZ59K	18	GY	GXL	2643673R1	1661375C2	9740C	E	1652325C1	1661376C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
NZ59X-G	14	WH	GXL	2643689R1	3551896C1	8805	C	589391C1	354454C1	3551897C1
NZ59X-G	14	WH	GXL	2643689R1	1661375C2	9740C	A	589391C1	1661376C1	
PD106B	18	GY	GXL	2643673R1	3595622C1	1701F	56	SWS_N_REQ		
PD106B	18	GY	GXL	2643673R1	1667741C1	9865M	B	1661872C1	1667771C1	
PD110B	18	GY	GXL	2643673R1	3595622C1	1701F	57	SWS_N_REQ		
PD110B	18	GY	GXL	2643673R1	1667741C1	9865M	A	1661872C1	1667771C1	
PD61B	18	GY	GXL	2643673R1	3595622C1	1701F	55	SWS_N_REQ		
PD61B	18	GY	GXL	2643673R1	1667741C1	9865M	C	1661872C1	1667771C1	
PG14H	4	RD	SGX	2644026R1	3517760C1	4411A1	A	SWS_N_REQ		
PG14H	4	RD	SGX	2644026R1	3517759C1	4413A3	A	SWS_N_REQ		
PH14CY	4	RD	SGX	2644026R1	3517760C1	4411A2	A	SWS_N_REQ		
PH14CY	4	RD	SGX	2644026R1	3517759C1	4413A2	A	SWS_N_REQ		
PJ14E	4	RD	SGX	2644026R1	3517760C1	4411A3	A	SWS_N_REQ		
PJ14E	4	RD	SGX	2644026R1	3517759C1	4413A1	A	SWS_N_REQ		
PR94BM	16	GY	TXL	3510312R1	3595622C1	1701F	14	SWS_N_REQ		
PR94BM	16	GY	TXL	3510312R1	3558026C1	9800	24	3509903C1	355856C1	
PR94BN	16	GY	TXL	3510312R1	3595622C1	1701F	15	SWS_N_REQ		
PR94BN	16	GY	TXL	3510312R1	3558026C1	9800	23	3509903C1	355856C1	
PS39-GF	18	WH	GXL	2643674R1	3551896C1	8807	D	1652325C1	354454C1	3551897C1
PS39-GF	18	WH	GXL	2643674R1	1671610C1	9200C	B	1652325C1	167168C1	
PS39A	18	GY	GXL	2643673R1	3595622C1	1701F	40	SWS_N_REQ		
PS39A	18	GY	GXL	2643673R1	1671610C1	9200C	A	1652325C1	167168C1	
PV11-GBB	12	WH	GXL	2643787R1	3551896C1	8807	F	589390C1	354454C1	3551897C1
PV11-GBB	12	WH	GXL	2643787R1	2039311C91	4450AM	G	589390C1	239342C1	
PV12BB	14	LTBL	GXL	2643694R1	3595622C1	1701F	75	SWS_N_REQ		
PV12BB	14	LTBL	GXL	2643694R1	2039311C91	4450AM	F	589391C1	239342C1	
PV54BB	14	BN	GXL	2643688R1	3595622C1	1701F	74	SWS_N_REQ		
PV54BB	14	BN	GXL	2643688R1	2039311C91	4450AM	D	589391C1	239342C1	
PV56BB	16	YL	GXL	2643684R1	3595622C1	1701F	12	SWS_N_REQ		
PV56BB	16	YL	GXL	2643684R1	2039311C91	4450AM	B	1652325C1	239342C1	
PV56BC	16	YL	GXL	2643684R1	3595622C1	1701F	42	SWS_N_REQ		
PV56BC	16	YL	GXL	2643684R1	1686834C1	4460AM	A	1652325C1	166448C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
PV57BB	16	LTGN	GXL	2643678R1	3595622C1	1701F	63	SWS_N_REQ		
PV57BB	16	LTGN	GXL	2643678R1	2039311C91	4450AM	C	1652325C1	239342C1	
PV57BC	16	LTGN	GXL	2643678R1	3595622C1	1701F	64	SWS_N_REQ		
PV57BC	16	LTGN	GXL	2643678R1	1686834C1	4460AM	B	1652325C1	166448C1	
PV68BB	14	BN	GXL	2643688R1	3595622C1	1701F	71	SWS_N_REQ		
PV68BB	14	BN	GXL	2643688R1	2039311C91	4450AM	A	589391C1	239342C1	
PV70BB	14	RD	GXL	2643686R1	3595622C1	1701F	72	SWS_N_REQ		
PV70BB	14	RD	GXL	2643686R1	1686834C1	4460AM	C	589391C1	166448C1	
PV71BB	16	LTBL	GXL	2643806R1	3595622C1	1701F	73	SWS_N_REQ		
PV71BB	16	LTBL	GXL	2643806R1	2039311C91	4450AM	E	1652325C1	239342C1	
RB10-GR	14	WH	GXL	2643689R1	3572899C1	4410G	2	SWS_N_REQ	25242C1	
RB10-GR	14	WH	GXL	2643689R1	3551896C1		8809 C	589391C1	354454C1	3551897C1
RB20	16	LTGN	GXL	2643678R1	3595622C1	1701F	51	SWS_N_REQ		
RB20	16	LTGN	GXL	2643678R1	3572899C1	4410G	6	SWS_N_REQ	25242C1	
RB5E(+)	18	YL	TXL	3572112R1	3595622C1	1701F	52	SWS_N_REQ		
RB5E(+)	18	YL	TXL	3572112R1	3572899C1	4410G	3	SWS_N_REQ	25242C1	
RB5E(-)	18	GN	TXL	3572112R1	3595622C1	1701F	53	SWS_N_REQ		
RB5E(-)	18	GN	TXL	3572112R1	3572899C1	4410G	4	SWS_N_REQ	25242C1	
RD10-GP	14	WH	GXL	2643689R1	3572899C1	4410L	2	SWS_N_REQ	25242C1	
RD10-GP	14	WH	GXL	2643689R1	3572899C1	4410J	2	SWS_N_REQ	25242C1	
RD20A	16	LTGN	GXL	2643678R1	3572899C1	4410L	6	SWS_N_REQ	25242C1	
RD20A	16	LTGN	GXL	2643678R1	3572899C1	4410J	6	SWS_N_REQ	25242C1	
RD5F(+)	18	YL	TXL	3572112R1	3572899C1	4410L	3	SWS_N_REQ	25242C1	
RD5F(+)	18	YL	TXL	3572112R1	3572899C1	4410J	3	SWS_N_REQ	25242C1	
RD5F(-)	18	GN	TXL	3572112R1	3572899C1	4410L	4	SWS_N_REQ	25242C1	
RD5F(-)	18	GN	TXL	3572112R1	3572899C1	4410J	4	SWS_N_REQ	25242C1	
RH32	18	TN	GXL	2643676R1	3595622C1	1701F	44	SWS_N_REQ		
RH32	18	TN	GXL	2643676R1	3558026C1		9800 6	3509903C1	355856C1	
RH9F	18	GY	GXL	2643673R1	3558026C1		9800 11	3509903C1	355856C1	
RH9F	18	GY	GXL	2643673R1	3551896C1		8802 F	1652325C1	354454C1	3551897C1
RK56	14	OR	GXL	2643690R1	3595622C1	1701F	2	SWS_N_REQ		
RK56	14	OR	GXL	2643690R1	3558026C1		9800 2	3575783C1	355856C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
RK57	14	OR	GXL	2643690R1	3595622C1	1701F	3	SWS_N_REQ		
RK57	14	OR	GXL	2643690R1	3558026C1		9800	3575783C1	355856C1	
RK68	14	BN	GXL	2643688R1	3595622C1	1701F	4	SWS_N_REQ		
RK68	14	BN	GXL	2643688R1	3558026C1		9800	3575783C1	355856C1	
RK71A	14	OR	GXL	2643690R1	3595622C1	1701F	1	SWS_N_REQ		
RK71A	14	OR	GXL	2643690R1	3558026C1		9800	3575783C1	355856C1	
RL49-G	18	WH	GXL	2643674R1	3558026C1		9800	3509903C1	355856C1	
RL49-G	18	WH	GXL	2643674R1	3551896C1		8809	1652325C1	354454C1	3551897C1
RL49A	18	GY	GXL	2643673R1	3595622C1	1701F	45	SWS_N_REQ		
RL49A	18	GY	GXL	2643673R1	3558026C1		9800	3509903C1	355856C1	
SL10-G	12	WH	TXL	3510362R1	3558026C1		9800	3575783C1	355856C1	
SL10-G	12	WH	TXL	3510362R1	3551896C1		8807	589391C1	354454C1	3551897C1
SL11-GA	12	WH	GXL	2643787R1		9717B	1	2644005R1		
SL11-GA	12	WH	GXL	2643787R1	3551896C1		8807	589390C1	354454C1	3551897C1
SL11-GB	12	WH	GXL	2643787R1		9717B	1	2644005R1		
SL11-GB	12	WH	GXL	2643787R1	3551896C1		8809	589390C1	354454C1	3551897C1
SL9	16	GY	GXL	2643680R1	3595622C1	1701F	13	SWS_N_REQ		
SL9	16	GY	GXL	2643680R1	3551896C1		8802	1652325C1	354454C1	3551897C1
SW104CA	16	DKBL	TXL	3510354R1	3595622C1	1701F	43	SWS_N_REQ		
SW104CA	16	DKBL	TXL	3510354R1	587567C91		9778	1652325C1		
SW59CA	16	GY	TXL	3510312R1	3595622C1	1701F	44	SWS_N_REQ		
SW59CA	16	GY	TXL	3510312R1	587567C91		9778	1652325C1		
SZ72	10	OR	TXL	3510321R1	3595622C1	1701F	11	SWS_N_REQ		
SZ72	10	OR	TXL	3510321R1	1664531C1		9722	589390C1	167553C1	
TA94SAB	18	GY	GXL	2643673R1	3601685C1	9514D	1	3601687C1		
TA94SAB	18	GY	GXL	2643673R1	3595622C1	1701F	54	SWS_N_REQ		
TA94SBB	18	GY	GXL	2643673R1	3601685C1	9514D	3	3601687C1		
TA94SBB	18	GY	GXL	2643673R1	3595622C1	1701F	56	SWS_N_REQ		
TA94SCB	18	GY	GXL	2643673R1	3601685C1	9514D	2	3601687C1		
TA94SCB	18	GY	GXL	2643673R1	3595622C1	1701F	55	SWS_N_REQ		
TA94SDB	18	GY	GXL	2643673R1	3601685C1	9514D	4	3601687C1		
TA94SDB	18	GY	GXL	2643673R1	3595622C1	1701F	57	SWS_N_REQ		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
TR42	16	GY	GXL	2643680R1	3595622C1	1701F	65	SWS_N_REQ		
TR42	16	GY	GXL	2643680R1	3626435C1	9754F	1	SWS_N_REQ		
TR42-G	16	WH	GXL	2643681R1	3551896C1		8807	E	1652325C1	354454C1 3551897C1
TR42-G	16	WH	GXL	2643681R1	3626435C1	9754F	2	SWS_N_REQ		
TR47A	16	GY	GXL	2643680R1	3543888C1		9750	A	1661872C1	
TR47A	16	GY	GXL	2643680R1	2036583C1	9755D		A	SWS_N_REQ	
TR47B	16	GY	GXL	2643680R1	3543888C1		9750	B	1661872C1	
TR47B	16	GY	GXL	2643680R1	2036583C1	9755D		B	SWS_N_REQ	
UC59-GA	18	WH	GXL	2643674R1	3551896C1		8807	E	1652325C1	354454C1 3551897C1
UC59-GA	18	WH	GXL	2643674R1	1661778C1		9762	B	1661872C1	1661874C1
UC59EF	18	GY	GXL	2643673R1	3595622C1	1701F		60	SWS_N_REQ	
UC59EF	18	GY	GXL	2643673R1	1661778C1		9762	A	1661872C1	1661874C1
VA95-GA	18	WH	GXL	2643674R1	3602747C1		7113	2	SWS_N_REQ	3539784C1
VA95-GA	18	WH	GXL	2643674R1	3539778C1		7112	2	SWS_N_REQ	3539785C1
VA95A	18	TN	GXL	2643676R1	3602747C1		7113	1	SWS_N_REQ	3539784C1
VA95A	18	TN	GXL	2643676R1	3539778C1		7112	1	SWS_N_REQ	3539785C1
VB95-GA	18	WH	GXL	2643674R1	3602747C1	7113B		2	SWS_N_REQ	3539784C1
VB95-GA	18	WH	GXL	2643674R1	3539778C1		7112	2	SWS_N_REQ	3539785C1
VB95A	18	TN	GXL	2643676R1	3602747C1	7113B		1	SWS_N_REQ	3539784C1
VB95A	18	TN	GXL	2643676R1	3539778C1		7112	1	SWS_N_REQ	3539785C1
VC95-GA	18	WH	GXL	2643674R1	3602747C1	7113D		2	SWS_N_REQ	3539784C1
VC95-GA	18	WH	GXL	2643674R1	3539778C1		7112	2	SWS_N_REQ	3539785C1
VC95A	18	TN	GXL	2643676R1	3602747C1	7113D		1	SWS_N_REQ	3539784C1
VC95A	18	TN	GXL	2643676R1	3539778C1		7112	1	SWS_N_REQ	3539785C1
VD95-GA	18	WH	GXL	2643674R1	3602747C1	7113F		2	SWS_N_REQ	3539784C1
VD95-GA	18	WH	GXL	2643674R1	3539778C1		7112	2	SWS_N_REQ	3539785C1
VD95A	18	TN	GXL	2643676R1	3602747C1	7113F		1	SWS_N_REQ	3539784C1
VD95A	18	TN	GXL	2643676R1	3539778C1		7112	1	SWS_N_REQ	3539785C1
VE95-GA	18	WH	GXL	2643674R1	3977821C1	7113A		2	SWS_N_REQ	
VE95-GA	18	WH	GXL	2643674R1	3539778C1		7112	2	SWS_N_REQ	3539785C1
VE95A	18	TN	GXL	2643676R1	3977821C1	7113A		1	SWS_N_REQ	
VE95A	18	TN	GXL	2643676R1	3539778C1		7112	1	SWS_N_REQ	3539785C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
VF95-GA	18	WH	GXL	2643674R1	3977821C1	7113C	2	SWS_N_REQ		
VF95-GA	18	WH	GXL	2643674R1	3539778C1		7112	SWS_N_REQ	3539785C1	
VF95A	18	TN	GXL	2643676R1	3977821C1	7113C	1	SWS_N_REQ		
VF95A	18	TN	GXL	2643676R1	3539778C1		7112	SWS_N_REQ	3539785C1	
VG95-GA	18	WH	GXL	2643674R1	3977821C1	7113E	2	SWS_N_REQ		
VG95-GA	18	WH	GXL	2643674R1	3539778C1		7112	SWS_N_REQ	3539785C1	
VG95A	18	TN	GXL	2643676R1	3977821C1	7113E	1	SWS_N_REQ		
VG95A	18	TN	GXL	2643676R1	3539778C1		7112	SWS_N_REQ	3539785C1	
VH95-GA	18	WH	GXL	2643674R1	3977821C1	7113G	2	SWS_N_REQ		
VH95-GA	18	WH	GXL	2643674R1	3539778C1		7112	SWS_N_REQ	3539785C1	
VH95A	18	TN	GXL	2643676R1	3977821C1	7113G	1	SWS_N_REQ		
VH95A	18	TN	GXL	2643676R1	3539778C1		7112	SWS_N_REQ	3539785C1	
VK95-GA	18	WH	GXL	2643674R1	3602747C1	7113H	2	SWS_N_REQ	3539784C1	
VK95-GA	18	WH	GXL	2643674R1	3539778C1		7112	SWS_N_REQ	3539785C1	
VK95A	18	TN	GXL	2643676R1	3602747C1	7113H	1	SWS_N_REQ	3539784C1	
VK95A	18	TN	GXL	2643676R1	3539778C1		7112	SWS_N_REQ	3539785C1	
VL95-GA	18	WH	GXL	2643674R1	3977821C1	7113J	2	SWS_N_REQ		
VL95-GA	18	WH	GXL	2643674R1	3539778C1		7112	SWS_N_REQ	3539785C1	
VL95A	18	TN	GXL	2643676R1	3977821C1	7113J	1	SWS_N_REQ		
VL95A	18	TN	GXL	2643676R1	3539778C1		7112	SWS_N_REQ	3539785C1	
VM95-GA	18	WH	GXL	2643674R1	3602747C1	7113K	2	SWS_N_REQ	3539784C1	
VM95-GA	18	WH	GXL	2643674R1	3539778C1		7112	SWS_N_REQ	3539785C1	
VM95A	18	TN	GXL	2643676R1	3602747C1	7113K	1	SWS_N_REQ	3539784C1	
VM95A	18	TN	GXL	2643676R1	3539778C1		7112	SWS_N_REQ	3539785C1	
VN95-GA	18	WH	GXL	2643674R1	3977821C1	7113L	2	SWS_N_REQ		
VN95-GA	18	WH	GXL	2643674R1	3539778C1		7112	SWS_N_REQ	3539785C1	
VN95A	18	TN	GXL	2643676R1	3977821C1	7113L	1	SWS_N_REQ		
VN95A	18	TN	GXL	2643676R1	3539778C1		7112	SWS_N_REQ	3539785C1	
VP95-GA	18	WH	GXL	2643674R1	3602747C1	7113M	2	SWS_N_REQ	3539784C1	
VP95-GA	18	WH	GXL	2643674R1	3539778C1		7112	SWS_N_REQ	3539785C1	
VP95A	18	TN	GXL	2643676R1	3602747C1	7113M	1	SWS_N_REQ	3539784C1	
VP95A	18	TN	GXL	2643676R1	3539778C1		7112	SWS_N_REQ	3539785C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
VS95-GA	18	WH	GXL	2643674R1	3977821C1	7113N	2	SWS_N_REQ		
VS95-GA	18	WH	GXL	2643674R1	3539778C1		7112	SWS_N_REQ	3539785C1	
VS95A	18	TN	GXL	2643676R1	3977821C1	7113N	1	SWS_N_REQ		
VS95A	18	TN	GXL	2643676R1	3539778C1		7112	SWS_N_REQ	3539785C1	
VT94SJ	18	GY	GXL	2643673R1	3678796C1	9512C	1	3601687C1		
VT94SJ	18	GY	GXL	2643673R1	3595622C1	1701F	49	SWS_N_REQ		
VT94SK	18	GY	GXL	2643673R1	3678796C1	9512C	2	3601687C1		
VT94SK	18	GY	GXL	2643673R1	3595622C1	1701F	69	SWS_N_REQ		
XM59-G	12	WH	GXL	2643787R1	3551896C1		8809	F	589390C1	354454C1 3551897C1
XM59-G	12	WH	GXL	2643787R1	3551896C1		8805	A	589390C1	354454C1 3551897C1
YM65-G	16	WH	GXL	2643681R1	3551896C1		8809	D	1652325C1	354454C1 3551897C1
YM65-G	16	WH	GXL	2643681R1	1661778C1	9718A	B	1661872C1	1661874C1	
YP112	16	GY	GXL	2643680R1	3950690C1	7803A	1	SWS_N_REQ		
YP112	16	GY	GXL	2643680R1	3595622C1	1701F	66	SWS_N_REQ		
YS112-GD	16	WH	TXL	3510360R1	3950690C1	7803A	2	SWS_N_REQ		
YS112-GD	16	WH	TXL	3510360R1	3551896C1		8809	D	1652325C1	354454C1 3551897C1
YU11-GD	16	WH	GXL	2643681R1	3551896C1		8809	D	1652325C1	354454C1 3551897C1
YU11-GD	16	WH	GXL	2643681R1		SS2	-	2644000R1		
YU112-GD	16	WH	TXL	3510360R1	3950690C1	7803A	2	SWS_N_REQ		
YU112-GD	16	WH	TXL	3510360R1		SS2	-	2644000R1		
YU65-G	16	WH	GXL	2643681R1	1661778C1	9718A	B	1661872C1	1661874C1	
YU65-G	16	WH	GXL	2643681R1		SS2	-	2644000R1		
ZE10-GR	14	WH	GXL	2643689R1	3572899C1	4410F	2	SWS_N_REQ	25242C1	
ZE10-GR	14	WH	GXL	2643689R1	3551896C1		8809	C	589391C1	354454C1 3551897C1
ZE20	16	LTGN	GXL	2643678R1	3595622C1	1701F	51	SWS_N_REQ		
ZE20	16	LTGN	GXL	2643678R1	3572899C1	4410F	6	SWS_N_REQ	25242C1	
ZE5E(+)	18	YL	TXL	3572112R1	3595622C1	1701F	52	SWS_N_REQ		
ZE5E(+)	18	YL	TXL	3572112R1	3572899C1	4410F	3	SWS_N_REQ	25242C1	
ZE5E(-)	18	GN	TXL	3572112R1	3595622C1	1701F	54	SWS_N_REQ		
ZE5E(-)	18	GN	TXL	3572112R1	3572899C1	4410F	4	SWS_N_REQ	25242C1	
ZF14H	4	RD	SGX	2644026R1	3517760C1	4411A4	A	SWS_N_REQ		
ZF14H	4	RD	SGX	2644026R1	3517759C1	4413A3	A	SWS_N_REQ		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2	
ZG14CZ	4	RD	SGX	2644026R1	3517760C1	4411A5	A	SWS_N_REQ			
ZG14CZ	4	RD	SGX	2644026R1	3517759C1	4413A2	A	SWS_N_REQ			
ZM14E	4	RD	SGX	2644026R1	3517760C1	4411A6	A	SWS_N_REQ			
ZM14E	4	RD	SGX	2644026R1	3517759C1	4413A1	A	SWS_N_REQ			
ZP36B	18	TN	GXL	2643676R1	3595622C1	1701F	27	SWS_N_REQ			
ZP36B	18	TN	GXL	2643676R1	1661778C1	9102C	A	1661872C1	1661874C1		
ZP9B	18	GY	GXL	2643673R1	3551896C1		8802	C	1652325C1	354454C1	3551897C1
ZP9B	18	GY	GXL	2643673R1	1661778C1	9102C	B	1661872C1	1661874C1		
ZQ10-GA	18	WH	GXL	2643674R1	3551896C1		8809	B	1652325C1	354454C1	3551897C1
ZQ10-GA	18	WH	GXL	2643674R1	3522068C1	9102D	A	1661872C1	1661874C1		
ZQ37C	16	TN	GXL	2643683R1	3595622C1	1701F	76	SWS_N_REQ			
ZQ37C	16	TN	GXL	2643683R1	3522068C1	9102D	B	1661872C1	1661874C1		
ZS10-GA	18	WH	GXL	2643674R1	3551896C1		8809	B	1652325C1	354454C1	3551897C1
ZS10-GA	18	WH	GXL	2643674R1	3522068C1	9102B	A	1661872C1	1661874C1		
ZS37C	16	TN	GXL	2643683R1	3595622C1	1701F	76	SWS_N_REQ			
ZS37C	16	TN	GXL	2643683R1	3522068C1	9102B	B	1661872C1	1661874C1		
ZT36B	18	TN	GXL	2643676R1	3595622C1	1701F	27	SWS_N_REQ			
ZT36B	18	TN	GXL	2643676R1	1661778C1	9102E	A	1661872C1	1661874C1		
ZT9B	18	GY	GXL	2643673R1	3551896C1		8802	C	1652325C1	354454C1	3551897C1
ZT9B	18	GY	GXL	2643673R1	1661778C1	9102E	B	1661872C1	1661874C1		
ZU94A	14	GY	TXL	3510313R1	3595622C1	1701F	25	SWS_N_REQ			
ZU94A	14	GY	TXL	3510313R1	3558026C1		9800	21	3509903C1	355856C1	
ZU94C	14	GY	TXL	3510313R1	3595622C1	1701F	24	SWS_N_REQ			
ZU94C	14	GY	TXL	3510313R1	3558026C1		9800	18	3509903C1	355856C1	
ZU94WL	16	GY	TXL	3510312R1	3595622C1	1701F	14	SWS_N_REQ			
ZU94WL	16	GY	TXL	3510312R1	3558026C1		9800	13	3509903C1	355856C1	
ZU94WM	16	GY	TXL	3510312R1	3595622C1	1701F	15	SWS_N_REQ			
ZU94WM	16	GY	TXL	3510312R1	3558026C1		9800	14	3509903C1	355856C1	
ZU94WN	14	GY	TXL	3510313R1	3595622C1	1701F	18	SWS_N_REQ			
ZU94WN	14	GY	TXL	3510313R1	3558026C1		9800	19	3509903C1	355856C1	
ZU94WR	14	GY	TXL	3510313R1	3595622C1	1701F	19	SWS_N_REQ			
ZU94WR	14	GY	TXL	3510313R1	3558026C1		9800	17	3509903C1	355856C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
ZU94WS	16	GY	TXL	3510312R1	3595622C1	1701F	22	SWS_N_REQ		
ZU94WS	16	GY	TXL	3510312R1	3558026C1		9800	3509903C1	355856C1	
ZU94WT	16	GY	TXL	3510312R1	3595622C1	1701F	23	SWS_N_REQ		
ZU94WT	16	GY	TXL	3510312R1	3558026C1		9800	3509903C1	355856C1	
ZU94WU	14	GY	TXL	3510313R1	3595622C1	1701F	17	SWS_N_REQ		
ZU94WU	14	GY	TXL	3510313R1	3558026C1		9800	3509903C1	355856C1	
ZU94WW	14	GY	TXL	3510313R1	3595622C1	1701F	16	SWS_N_REQ		
ZU94WW	14	GY	TXL	3510313R1	3558026C1		9800	3509903C1	355856C1	
ZV36B	18	TN	GXL	2643676R1	3595622C1	1701F	27	SWS_N_REQ		
ZV36B	18	TN	GXL	2643676R1	1661778C1	9102V	A	1661872C1	1661874C1	
ZV9B	18	GY	GXL	2643673R1	3551896C1		8802	1652325C1	354454C1	3551897C1
ZV9B	18	GY	GXL	2643673R1	1661778C1	9102V	B	1661872C1	1661874C1	
ZW10-GA	18	WH	GXL	2643674R1	3551896C1		8809	1652325C1	354454C1	3551897C1
ZW10-GA	18	WH	GXL	2643674R1	3522068C1	9102W	A	1661872C1	1661874C1	
ZW37C	16	TN	GXL	2643683R1	3595622C1	1701F	76	SWS_N_REQ		
ZW37C	16	TN	GXL	2643683R1	3522068C1	9102W	B	1661872C1	1661874C1	
ZX36B	18	TN	GXL	2643676R1	3595622C1	1701F	27	SWS_N_REQ		
ZX36B	18	TN	GXL	2643676R1	1661778C1	9102X	A	1661872C1	1661874C1	
ZX9B	18	GY	GXL	2643673R1	3551896C1		8802	1652325C1	354454C1	3551897C1
ZX9B	18	GY	GXL	2643673R1	1661778C1	9102X	B	1661872C1	1661874C1	
AD94P	16	GY	GXL	2643680R1	3539777C1	9501A	1	SWS_N_REQ	3539784C1	
AD94P	16	GY	GXL	2643680R1	3519462C1	9516M	1	UNDEF	168951C1	
AD94Q	16	GY	GXL	2643680R1	3539777C1	9501A	2	SWS_N_REQ	3539784C1	
AD94Q	16	GY	GXL	2643680R1	3519462C1	9516M	2	UNDEF	168951C1	
AD94R	16	GY	GXL	2643680R1	3539777C1	9503A	1	SWS_N_REQ	3539784C1	
AD94R	16	GY	GXL	2643680R1	3519462C1	9516M	3	UNDEF	168951C1	
AD94S	16	GY	GXL	2643680R1	3539777C1	9503A	2	SWS_N_REQ	3539784C1	
AD94S	16	GY	GXL	2643680R1	3519462C1	9516M	4	UNDEF	168951C1	
AD94T	16	GY	GXL	2643680R1	3519462C1	9516M	5	UNDEF	168951C1	
AD94T	16	GY	GXL	2643680R1	1686834C1		9506	1652325C1	166448C1	
AD94U	16	GY	GXL	2643680R1	3519462C1	9516M	6	UNDEF	168951C1	
AD94U	16	GY	GXL	2643680R1	1686834C1		9506	1652325C1	166448C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
AD94V	16	GY	GXL	2643680R1	3519462C1	9516M	7	UNDEF	168951C1	
AD94V	16	GY	GXL	2643680R1	1686834C1	9506	C	1652325C1	166448C1	
AE94LA	16	GY	GXL	2643680R1	3558022C1	9800	17	3509903C1	355856C1	
AE94LA	16	GY	GXL	2643680R1	1686834C1	9502A	A	1652325C1	166448C1	
AE94LB	16	GY	GXL	2643680R1	3558022C1	9800	18	3509903C1	355856C1	
AE94LB	16	GY	GXL	2643680R1	1686834C1	9502A	B	1652325C1	166448C1	
AE94LC	16	GY	GXL	2643680R1	3558022C1	9800	19	3509903C1	355856C1	
AE94LC	16	GY	GXL	2643680R1	1686834C1	9502A	C	1652325C1	166448C1	
AE94RJ	16	GY	GXL	2643680R1	3558022C1	9800	20	3509903C1	355856C1	
AE94RJ	16	GY	GXL	2643680R1	1686834C1	9504A	A	1652325C1	166448C1	
AE94RK	16	GY	GXL	2643680R1	3558022C1	9800	21	3509903C1	355856C1	
AE94RK	16	GY	GXL	2643680R1	1686834C1	9504A	B	1652325C1	166448C1	
AE94RL	16	GY	GXL	2643680R1	3558022C1	9800	22	3509903C1	355856C1	
AE94RL	16	GY	GXL	2643680R1	1686834C1	9504A	C	1652325C1	166448C1	
AF11-GTL	12	WH	TXL	3510362R1	3558022C1	9800	12	3575783C1	355856C1	
AF11-GTL	12	WH	TXL	3510362R1	587574C91	9303D	F	589391C1		
AF56	14	OR	GXL	2643690R1	3558022C1	9800	2	3575783C1	355856C1	
AF56	14	OR	GXL	2643690R1	587574C91	9303D	B	589391C1		
AF57	14	OR	GXL	2643690R1	3558022C1	9800	3	3575783C1	355856C1	
AF57	14	OR	GXL	2643690R1	587574C91	9303D	C	589391C1		
AF68	14	BN	GXL	2643688R1	3558022C1	9800	4	3575783C1	355856C1	
AF68	14	BN	GXL	2643688R1	587574C91	9303D	D	589391C1		
AF70	14	OR	GXL	2643690R1	3558022C1	9800	6	3575783C1	355856C1	
AF70	14	OR	GXL	2643690R1	587574C91	9303D	E	589391C1		
AF71	14	OR	GXL	2643690R1	3558022C1	9800	1	3575783C1	355856C1	
AF71	14	OR	GXL	2643690R1	587574C91	9303D	A	589391C1		
AJ10-GB	18	WH	GXL	2643674R1	3558022C1	9800	9	3509903C1	355856C1	
AJ10-GB	18	WH	GXL	2643674R1		SS1	-	2644000R1		
AJ49	18	WH	GXL	2643674R1	3593684C91	9814A	A	1652325C1		
AJ49	18	WH	GXL	2643674R1	3558022C1	9800	7	3509903C1	355856C1	
AJ49-G	18	WH	GXL	2643674R1	3593684C91	9814A	B	1652325C1		
AJ49-G	18	WH	GXL	2643674R1		SS1	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
AJ49-GA	18	WH	GXL	2643674R1	3593684C91	9815A	B	1652325C1		
AJ49-GA	18	WH	GXL	2643674R1		SS1	-	2644000R1		
AJ49A	18	WH	GXL	2643674R1	3593684C91	9815A	A	1652325C1		
AJ49A	18	WH	GXL	2643674R1	3558022C1	9800	8	3509903C1	355856C1	
AL94A	16	GY	GXL	2643680R1	3576268C1	9524	1	UNDEF	3576263C1	
AL94A	16	GY	GXL	2643680R1	3539777C1	9549	1	SWS_N_REQ	3539784C1	
AL94B	16	GY	GXL	2643680R1	3576268C1	9524	9	UNDEF	3576263C1	
AL94B	16	GY	GXL	2643680R1	3539777C1	9549	2	SWS_N_REQ	3539784C1	
AL94C	16	GY	GXL	2643680R1	3576268C1	9524	7	UNDEF	3576263C1	
AL94C	16	GY	GXL	2643680R1	1686834C1	9548	C	1652325C1	166448C1	
AL94D	16	GY	GXL	2643680R1	3576268C1	9524	5	UNDEF	3576263C1	
AL94D	16	GY	GXL	2643680R1	1686834C1	9548	B	1652325C1	166448C1	
AL94E	16	GY	GXL	2643680R1	3576268C1	9524	2	UNDEF	3576263C1	
AL94E	16	GY	GXL	2643680R1	1686834C1	9548	A	1652325C1	166448C1	
AL94F	16	GY	GXL	2643680R1	3576268C1	9524	4	UNDEF	3576263C1	
AL94F	16	GY	GXL	2643680R1	3539777C1	9551	1	SWS_N_REQ	3539784C1	
AL94G	16	GY	GXL	2643680R1	3576268C1	9524	12	UNDEF	3576263C1	
AL94G	16	GY	GXL	2643680R1	3539777C1	9551	2	SWS_N_REQ	3539784C1	
AL94H	16	GY	GXL	2643680R1	3576268C1	9524	8	UNDEF	3576263C1	
AL94H	16	GY	GXL	2643680R1	1686834C1	9550	C	1652325C1	166448C1	
AL94K	16	GY	GXL	2643680R1	3576268C1	9524	6	UNDEF	3576263C1	
AL94K	16	GY	GXL	2643680R1	1686834C1	9550	B	1652325C1	166448C1	
AL94L	16	GY	GXL	2643680R1	3576268C1	9524	3	UNDEF	3576263C1	
AL94L	16	GY	GXL	2643680R1	1686834C1	9550	A	1652325C1	166448C1	
AL94M	16	BK	TXL	3510294R1	3558022C1	9800	17	3509903C1	355856C1	
AL94M	16	BK	TXL	3510294R1	1686834C1	9541	A	1652325C1	166448C1	
AL94N	16	RD	TXL	3510366R1	3558022C1	9800	18	3509903C1	355856C1	
AL94N	16	RD	TXL	3510366R1	1686834C1	9541	B	1652325C1	166448C1	
AL94P	16	BN	TXL	3510306R1	3558022C1	9800	19	3509903C1	355856C1	
AL94P	16	BN	TXL	3510306R1	1686834C1	9541	C	1652325C1	166448C1	
AL94R	16	GY	GXL	2643680R1	3558022C1	9800	13	3509903C1	355856C1	
AL94R	16	GY	GXL	2643680R1	3539777C1	9540	1	SWS_N_REQ	3539784C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
AL94S	16	OR	GXL	2643682R1	3558022C1	9800	14	3509903C1	355856C1	
AL94S	16	OR	GXL	2643682R1	3539777C1	9540	2	SWS_N_REQ	3539784C1	
AL94T	16	VT	TXL	3510348R1	3558022C1	9800	20	3509903C1	355856C1	
AL94T	16	VT	TXL	3510348R1	1686834C1	9543	A	1652325C1	166448C1	
AL94U	16	LTGN	TXL	3510300R1	3558022C1	9800	21	3509903C1	355856C1	
AL94U	16	LTGN	TXL	3510300R1	1686834C1	9543	B	1652325C1	166448C1	
AL94V	16	LTBL	TXL	3510342R1	3558022C1	9800	22	3509903C1	355856C1	
AL94V	16	LTBL	TXL	3510342R1	1686834C1	9543	C	1652325C1	166448C1	
AL94W	16	DKBL	GXL	2643721R1	3558022C1	9800	15	3509903C1	355856C1	
AL94W	16	DKBL	GXL	2643721R1	3539777C1	9542	1	SWS_N_REQ	3539784C1	
AL94X	16	YL	GXL	2643684R1	3558022C1	9800	16	3509903C1	355856C1	
AL94X	16	YL	GXL	2643684R1	3539777C1	9542	2	SWS_N_REQ	3539784C1	
AP49-GA	18	WH	GXL	2643674R1	3593684C91	9815A	B	1652325C1		
AP49-GA	18	WH	GXL	2643674R1	3558022C1	9800	9	3509903C1	355856C1	
AP49A	18	WH	GXL	2643674R1	3593684C91	9815A	A	1652325C1		
AP49A	18	WH	GXL	2643674R1	3558022C1	9800	8	3509903C1	355856C1	
RB10-G	12	WH	TXL	3510362R1	3558022C1	9800	12	3575783C1	355856C1	
RB10-G	12	WH	TXL	3510362R1	1661375C2	9303A	E	589391C1	1661376C1	
RB56	14	OR	GXL	2643690R1	3558022C1	9800	2	3575783C1	355856C1	
RB56	14	OR	GXL	2643690R1	1661375C2	9303A	B	589391C1	1661376C1	
RB57	14	OR	GXL	2643690R1	3558022C1	9800	3	3575783C1	355856C1	
RB57	14	OR	GXL	2643690R1	1661375C2	9303A	C	589391C1	1661376C1	
RB68	14	BN	GXL	2643688R1	3558022C1	9800	4	3575783C1	355856C1	
RB68	14	BN	GXL	2643688R1	1661375C2	9303A	D	589391C1	1661376C1	
RB71	14	OR	GXL	2643690R1	3558022C1	9800	1	3575783C1	355856C1	
RB71	14	OR	GXL	2643690R1	1661375C2	9303A	A	589391C1	1661376C1	
RC94A	16	GY	GXL	2643680R1	3558022C1	9800	13	3509903C1	355856C1	
RC94A	16	GY	GXL	2643680R1	3539777C1	9501	1	SWS_N_REQ	3539784C1	
RC94B	16	OR	GXL	2643682R1	3558022C1	9800	14	3509903C1	355856C1	
RC94B	16	OR	GXL	2643682R1	3539777C1	9501	2	SWS_N_REQ	3539784C1	
RC94C	16	DKBL	GXL	2643721R1	3558022C1	9800	15	3509903C1	355856C1	
RC94C	16	DKBL	GXL	2643721R1	3539777C1	9503	1	SWS_N_REQ	3539784C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
RC94D	16	YL	GXL	2643684R1	3558022C1	9800	16	3509903C1	355856C1	
RC94D	16	YL	GXL	2643684R1	3539777C1	9503	2	SWS_N_REQ	3539784C1	
RC94E	16	BK	TXL	3510294R1	3558022C1	9800	17	3509903C1	355856C1	
RC94E	16	BK	TXL	3510294R1	1686834C1	9502	A	1652325C1	166448C1	
RC94F	16	RD	TXL	3510366R1	3558022C1	9800	18	3509903C1	355856C1	
RC94F	16	RD	TXL	3510366R1	1686834C1	9502	B	1652325C1	166448C1	
RC94H	16	BN	TXL	3510306R1	3558022C1	9800	19	3509903C1	355856C1	
RC94H	16	BN	TXL	3510306R1	1686834C1	9502	C	1652325C1	166448C1	
RC94J	16	VT	TXL	3510348R1	3558022C1	9800	20	3509903C1	355856C1	
RC94J	16	VT	TXL	3510348R1	1686834C1	9504	A	1652325C1	166448C1	
RC94K	16	LTGN	TXL	3510300R1	3558022C1	9800	21	3509903C1	355856C1	
RC94K	16	LTGN	TXL	3510300R1	1686834C1	9504	B	1652325C1	166448C1	
RC94L	16	LTBL	TXL	3510342R1	3558022C1	9800	22	3509903C1	355856C1	
RC94L	16	LTBL	TXL	3510342R1	1686834C1	9504	C	1652325C1	166448C1	
RD94BD	16	BN	TXL	3510306R1	3678796C1	4950	1	3601687C1		
RD94BD	16	BN	TXL	3510306R1	3558022C1	9800	23	3509903C1	355856C1	
RD94BE	16	YL	TXL	3510336R1	3678796C1	4950	2	3601687C1		
RD94BE	16	YL	TXL	3510336R1	3558022C1	9800	24	3509903C1	355856C1	
RF10A	8	WH	GXL	2643789R1	3517817C1	9778F	A	SWS_N_REQ		
RF10A	8	WH	GXL	2643789R1	3517817C1	9717F	A	SWS_N_REQ		
RF56A	10	YL	GXL	2643802R1	1667733C1	9716M	B	1667735C1	1667734C1	
RF56A	10	YL	GXL	2643802R1	1667732C1	9779F	B	1667735C1	1667734C1	
RF57A	10	LTGN	GXL	2643776R1	1667733C1	9716M	C	1667735C1	1667734C1	
RF57A	10	LTGN	GXL	2643776R1	1667732C1	9779F	C	1667735C1	1667734C1	
RF58A	10	BK	GXL	2643773R1	1667733C1	9716M	A	1667735C1	1667734C1	
RF58A	10	BK	GXL	2643773R1	1667732C1	9779F	A	1667735C1	1667734C1	
RF68A	10	BN	GXL	2643779R1	1667733C1	9780M	B	1667735C1	1667734C1	
RF68A	10	BN	GXL	2643779R1	1667732C1	9715F	B	1667735C1	1667734C1	
RF70A	10	RD	GXL	2643698R1	1667733C1	9780M	A	1667735C1	1667734C1	
RF70A	10	RD	GXL	2643698R1	1667732C1	9715F	A	1667735C1	1667734C1	
RF94A	10	DKBL	GXL	2643816R1	1667733C1	9780M	C	1667735C1	1667734C1	
RF94A	10	DKBL	GXL	2643816R1	1667732C1	9715F	C	1667735C1	1667734C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
RG10	8	WH	GXL	2643789R1	BLUNT_SL_V	9724	A	SWS_N_REQ		
RG10	8	WH	GXL	2643789R1	3517817C1	9717F	A	SWS_N_REQ		
RG56	10	YL	GXL	2643802R1	BLUNT_SL_V	9724	C	SWS_N_REQ		
RG56	10	YL	GXL	2643802R1	1667733C1	9716M	B	1667735C1	1667734C1	
RG57	10	LTGN	GXL	2643776R1	BLUNT_SL_V	9724	D	SWS_N_REQ		
RG57	10	LTGN	GXL	2643776R1	1667733C1	9716M	C	1667735C1	1667734C1	
RG58	10	BN	GXL	2643779R1	BLUNT_SL_V	9724	B	SWS_N_REQ		
RG58	10	BN	GXL	2643779R1	1667733C1	9716M	A	1667735C1	1667734C1	
RG68	10	BN	GXL	2643779R1	BLUNT_SL_V	9724	F	SWS_N_REQ		
RG68	10	BN	GXL	2643779R1	1667732C1	9715F	B	1667735C1	1667734C1	
RG70	10	RD	GXL	2643698R1	BLUNT_SL_V	9724	E	SWS_N_REQ		
RG70	10	RD	GXL	2643698R1	1667732C1	9715F	A	1667735C1	1667734C1	
RG94	10	GY	GXL	2643784R1	BLUNT_SL_V	9724	G	SWS_N_REQ		
RG94	10	GY	GXL	2643784R1	1667732C1	9715F	C	1667735C1	1667734C1	
RH14	4	RD	SGX	2644026R1	3517760C1	4411M	A	SWS_N_REQ		
RH14	4	RD	SGX	2644026R1	3517759C1	4411F	A	SWS_N_REQ		
RJ1(+)	18	YL	TXL	3572112R1	3572900C1	4410F	3	UNDEF	25243C1	
RJ1(+)	18	YL	TXL	3572112R1	3572899C1	4410M	3	SWS_N_REQ	25242C1	
RJ1(-)	18	GN	TXL	3572112R1	3572900C1	4410F	4	UNDEF	25243C1	
RJ1(-)	18	GN	TXL	3572112R1	3572899C1	4410M	4	SWS_N_REQ	25242C1	
RJ10-GPM	14	WH	GXL	2643689R1	3572900C1	4410F	2	UNDEF	25243C1	
RJ10-GPM	14	WH	GXL	2643689R1	3572899C1	4410M	2	SWS_N_REQ	25242C1	
RJ14	16	RD	GXL	2643760R1	3572900C1	4410F	6	UNDEF	25243C1	
RJ14	16	RD	GXL	2643760R1	3572899C1	4410M	6	SWS_N_REQ	25242C1	
RJ59	14	GY	GXL	2643782R1	3572900C1	4410F	1	UNDEF	25243C1	
RJ59	14	GY	GXL	2643782R1	3572899C1	4410M	1	SWS_N_REQ	25242C1	
RK10-GPP	14	WH	GXL	2643689R1	3572899C1	4410M	2	SWS_N_REQ	25242C1	
RK10-GPP	14	WH	GXL	2643689R1	3572899C1	4410L	2	SWS_N_REQ	25242C1	
RK14E	16	RD	GXL	2643760R1	3572899C1	4410M	6	SWS_N_REQ	25242C1	
RK14E	16	RD	GXL	2643760R1	3572899C1	4410L	6	SWS_N_REQ	25242C1	
RK1B(+)	18	YL	TXL	3572112R1	3572899C1	4410M	3	SWS_N_REQ	25242C1	
RK1B(+)	18	YL	TXL	3572112R1	3572899C1	4410L	3	SWS_N_REQ	25242C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
RK1B(-)	18	GN	TXL	3572112R1	3572899C1	4410M	4	SWS_N_REQ	25242C1	
RK1B(-)	18	GN	TXL	3572112R1	3572899C1	4410L	4	SWS_N_REQ	25242C1	
RK59D	14	GY	GXL	2643782R1	3572899C1	4410M	1	SWS_N_REQ	25242C1	
RK59D	14	GY	GXL	2643782R1	3572899C1	4410L	1	SWS_N_REQ	25242C1	
RL32	18	TN	GXL	2643676R1	3558022C1		9800	6	3509903C1	355856C1
RL32	18	TN	GXL	2643676R1	3536864C1		9812	1	3536868C1	
RL9C	18	GY	GXL	2643673R1	3558022C1		9800	11	3509903C1	355856C1
RL9C	18	GY	GXL	2643673R1	3536864C1		9812	2	3536868C1	
RM32	18	TN	GXL	2643676R1	3558022C1		9800	6	3509903C1	355856C1
RM32	18	TN	GXL	2643676R1	3536864C1		9812	1	3536868C1	
RM32A	18	TN	GXL	2643676R1	3558022C1		9800	5	3509903C1	355856C1
RM32A	18	TN	GXL	2643676R1	3536864C1		9811	1	3536868C1	
RM9	18	GY	GXL	2643673R1	3536864C1		9812	2	3536868C1	
RM9	18	GY	GXL	2643673R1		SFS1		-	2644000R1	
RM9A	18	GY	GXL	2643673R1	3536864C1		9811	2	3536868C1	
RM9A	18	GY	GXL	2643673R1		SFS1		-	2644000R1	
RM9B	18	GY	GXL	2643673R1	3558022C1		9800	11	3509903C1	355856C1
RM9B	18	GY	GXL	2643673R1		SFS1		-	2644000R1	
RN49-GA	18	WH	GXL	2643674R1	3558022C1		9800	9	3509903C1	355856C1
RN49-GA	18	WH	GXL	2643674R1	587567C91		9815	B	1652325C1	
RN49A	18	GY	GXL	2643673R1	3558022C1		9800	8	3509903C1	355856C1
RN49A	18	GY	GXL	2643673R1	587567C91		9815	A	1652325C1	
RO10-GB	18	WH	GXL	2643674R1	3558022C1		9800	9	3509903C1	355856C1
RO10-GB	18	WH	GXL	2643674R1		SBS1		-	2644000R1	
RO49	18	GY	GXL	2643673R1	3558022C1		9800	7	3509903C1	355856C1
RO49	18	GY	GXL	2643673R1	587567C91		9814	A	1652325C1	
RO49-G	18	WH	GXL	2643674R1	587567C91		9814	B	1652325C1	
RO49-G	18	WH	GXL	2643674R1		SBS1		-	2644000R1	
RO49-GA	18	WH	GXL	2643674R1	587567C91		9815	B	1652325C1	
RO49-GA	18	WH	GXL	2643674R1		SBS1		-	2644000R1	
RO49A	18	GY	GXL	2643673R1	3558022C1		9800	8	3509903C1	355856C1
RO49A	18	GY	GXL	2643673R1	587567C91		9815	A	1652325C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
RP36	18	TN	GXL	2643676R1	3558022C1	9800	5	3509903C1	355856C1	
RP36	18	TN	GXL	2643676R1	1661778C1	9100	A	1661872C1	1661874C1	
RP9D	18	GY	GXL	2643673R1	3558022C1	9800	10	3509903C1	355856C1	
RP9D	18	GY	GXL	2643673R1	1661778C1	9100	B	1661872C1	1661874C1	
RR59DC	18	GY	GXL	2643673R1	3543888C1	9820F	A	1661872C1		
RR59DC	18	GY	GXL	2643673R1	1661778C1	9824	A	1661872C1	1661874C1	
RR59DD	18	GY	GXL	2643673R1	3543888C1	9820F	B	1661872C1		
RR59DD	18	GY	GXL	2643673R1	1661778C1	9824	B	1661872C1	1661874C1	
RS10-GPN	14	WH	GXL	2643689R1	3572900C1	4410F	2	UNDEF	25243C1	
RS10-GPN	14	WH	GXL	2643689R1	3572899C1	4410K	2	SWS_N_REQ	25242C1	
RS14D	16	RD	GXL	2643760R1	3572900C1	4410F	6	UNDEF	25243C1	
RS14D	16	RD	GXL	2643760R1	3572899C1	4410K	6	SWS_N_REQ	25242C1	
RS1A(+)	18	YL	TXL	3572112R1	3572900C1	4410F	3	UNDEF	25243C1	
RS1A(+)	18	YL	TXL	3572112R1	3572899C1	4410K	3	SWS_N_REQ	25242C1	
RS1A(-)	18	GN	TXL	3572112R1	3572900C1	4410F	4	UNDEF	25243C1	
RS1A(-)	18	GN	TXL	3572112R1	3572899C1	4410K	4	SWS_N_REQ	25242C1	
RS59C	14	GY	GXL	2643782R1	3572900C1	4410F	1	UNDEF	25243C1	
RS59C	14	GY	GXL	2643782R1	3572899C1	4410K	1	SWS_N_REQ	25242C1	
RT61C	18	GY	GXL	2643673R1	1678137C1	9830	C	UNDEF		
RT61C	18	GY	GXL	2643673R1	1667740C1	9775F	C	1661872C1	1667771C1	
RT6H	18	GY	GXL	2643673R1	1678137C1	9830	B	UNDEF		
RT6H	18	GY	GXL	2643673R1	1667740C1	9775F	B	1661872C1	1667771C1	
RT9M	18	GY	GXL	2643673R1	1678137C1	9830	A	UNDEF		
RT9M	18	GY	GXL	2643673R1	1667740C1	9775F	A	1661872C1	1667771C1	
RU61D	18	GY	GXL	2643673R1	1678137C1	9832	C	UNDEF		
RU61D	18	GY	GXL	2643673R1	1667740C1	9775F	C	1661872C1	1667771C1	
RU6J	18	GY	GXL	2643673R1	1678137C1	9832	B	UNDEF		
RU6J	18	GY	GXL	2643673R1	1667740C1	9775F	B	1661872C1	1667771C1	
RU9N	18	GY	GXL	2643673R1	1678137C1	9832	A	UNDEF		
RU9N	18	GY	GXL	2643673R1	1667740C1	9775F	A	1661872C1	1667771C1	
RX11-GBB	12	WH	GXL	2643787R1	2039312C91	4450BF	G	589390C1		
RX11-GBB	12	WH	GXL	2643787R1	2039311C91	4460BM	G	589390C1	239342C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
RX12BB	14	LTBL	GXL	2643694R1	2039312C91	4450BF	F	589391C1		
RX12BB	14	LTBL	GXL	2643694R1	2039311C91	4460BM	F	589391C1	239342C1	
RX56BB	16	OR	GXL	2643682R1	2039312C91	4450BF	B	1652325C1		
RX56BB	16	OR	GXL	2643682R1	2039311C91	4460BM	B	1652325C1	239342C1	
RX56BC	16	OR	GXL	2643682R1	3553961C1	4460BF	A	1652325C1	355419C1	
RX56BC	16	OR	GXL	2643682R1	1686834C1	4450BM	A	1652325C1	166448C1	
RX57BB	16	OR	GXL	2643682R1	2039312C91	4450BF	C	1652325C1		
RX57BB	16	OR	GXL	2643682R1	2039311C91	4460BM	C	1652325C1	239342C1	
RX57BC	16	OR	GXL	2643682R1	3553961C1	4460BF	B	1652325C1	355419C1	
RX57BC	16	OR	GXL	2643682R1	1686834C1	4450BM	B	1652325C1	166448C1	
RX58BB	14	BN	GXL	2643688R1	2039312C91	4450BF	D	589391C1		
RX58BB	14	BN	GXL	2643688R1	2039311C91	4460BM	D	589391C1	239342C1	
RX68BB	14	BN	GXL	2643688R1	2039312C91	4450BF	A	589391C1		
RX68BB	14	BN	GXL	2643688R1	2039311C91	4460BM	A	589391C1	239342C1	
RX70BB	14	OR	GXL	2643690R1	3553961C1	4460BF	C	589391C1	355419C1	
RX70BB	14	OR	GXL	2643690R1	1686834C1	4450BM	C	589391C1	166448C1	
RX71BB	16	OR	GXL	2643682R1	2039312C91	4450BF	E	1652325C1		
RX71BB	16	OR	GXL	2643682R1	2039311C91	4460BM	E	1652325C1	239342C1	
SV10A	8	WH	GXL	2643789R1	3517817C1	9778F	A	SWS_N_REQ		
SV10A	8	WH	GXL	2643789R1	3517817C1	9717F	A	SWS_N_REQ		
SV56A	10	YL	GXL	2643802R1	1667733C1	9716M	B	1667735C1	1667734C1	
SV56A	10	YL	GXL	2643802R1	1667732C1	9779F	B	1667735C1	1667734C1	
SV57A	10	LTGN	GXL	2643776R1	1667733C1	9716M	C	1667735C1	1667734C1	
SV57A	10	LTGN	GXL	2643776R1	1667732C1	9779F	C	1667735C1	1667734C1	
SV58A	10	BK	GXL	2643773R1	1667733C1	9716M	A	1667735C1	1667734C1	
SV58A	10	BK	GXL	2643773R1	1667732C1	9779F	A	1667735C1	1667734C1	
SV68A	10	BN	GXL	2643779R1	1667733C1	9780M	B	1667735C1	1667734C1	
SV68A	10	BN	GXL	2643779R1	1667732C1	9715F	B	1667735C1	1667734C1	
SV70A	10	RD	GXL	2643698R1	1667733C1	9780M	A	1667735C1	1667734C1	
SV70A	10	RD	GXL	2643698R1	1667732C1	9715F	A	1667735C1	1667734C1	
SV94A	10	DKBL	GXL	2643816R1	1667733C1	9780M	C	1667735C1	1667734C1	
SV94A	10	DKBL	GXL	2643816R1	1667732C1	9715F	C	1667735C1	1667734C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
SW72EB	10	LTGN	TXL	3510303R1	BLUNT_SL_V	9724	H	SWS_N_REQ		
SW72EB	10	LTGN	TXL	3510303R1	1669834C1	9722	A	589390C1	167553C1	
SZ65	16	OR	GXL	2643682R1	3543888C1	9766	A	1661872C1		
SZ65	16	OR	GXL	2643682R1	1661778C1	9767	A	1661872C1	1661874C1	
SZ65-G	16	WH	GXL	2643681R1	3543888C1	9766	B	1661872C1		
SZ65-G	16	WH	GXL	2643681R1	1661778C1	9767	B	1661872C1	1661874C1	
TA94A	16	LTGN	TXL	3510300R1	3576268C1	9524	6	UNDEF	3576263C1	
TA94A	16	LTGN	TXL	3510300R1	1686834C1	9504	B	1652325C1	166448C1	
TA94B	16	LTBL	TXL	3510342R1	3576268C1	9524	8	UNDEF	3576263C1	
TA94B	16	LTBL	TXL	3510342R1	1686834C1	9504	C	1652325C1	166448C1	
TA94C	16	VT	TXL	3510348R1	3576268C1	9524	3	UNDEF	3576263C1	
TA94C	16	VT	TXL	3510348R1	1686834C1	9504	A	1652325C1	166448C1	
TA94D	16	BN	TXL	3510306R1	3576268C1	9524	7	UNDEF	3576263C1	
TA94D	16	BN	TXL	3510306R1	1686834C1	9502	C	1652325C1	166448C1	
TA94E	16	RD	TXL	3510366R1	3576268C1	9524	5	UNDEF	3576263C1	
TA94E	16	RD	TXL	3510366R1	1686834C1	9502	B	1652325C1	166448C1	
TA94F	16	BK	TXL	3510294R1	3576268C1	9524	2	UNDEF	3576263C1	
TA94F	16	BK	TXL	3510294R1	1686834C1	9502	A	1652325C1	166448C1	
TA94G	16	GY	GXL	2643680R1	3576268C1	9524	1	UNDEF	3576263C1	
TA94G	16	GY	GXL	2643680R1	3539777C1	9501	1	SWS_N_REQ	3539784C1	
TA94H	16	OR	GXL	2643682R1	3576268C1	9524	9	UNDEF	3576263C1	
TA94H	16	OR	GXL	2643682R1	3539777C1	9501	2	SWS_N_REQ	3539784C1	
TA94J	16	DKBL	GXL	2643721R1	3576268C1	9524	4	UNDEF	3576263C1	
TA94J	16	DKBL	GXL	2643721R1	3539777C1	9503	1	SWS_N_REQ	3539784C1	
TA94K	16	YL	GXL	2643684R1	3576268C1	9524	12	UNDEF	3576263C1	
TA94K	16	YL	GXL	2643684R1	3539777C1	9503	2	SWS_N_REQ	3539784C1	
TA94M	16	GY	GXL	2643680R1	3558022C1	9800	13	3509903C1	355856C1	
TA94M	16	GY	GXL	2643680R1	3539777C1	9521	1	SWS_N_REQ	3539784C1	
TA94N	16	OR	GXL	2643682R1	3558022C1	9800	14	3509903C1	355856C1	
TA94N	16	OR	GXL	2643682R1	3539777C1	9521	2	SWS_N_REQ	3539784C1	
TA94PP	16	DKBL	GXL	2643721R1	3558022C1	9800	15	3509903C1	355856C1	
TA94PP	16	DKBL	GXL	2643721R1	3539777C1	9523	1	SWS_N_REQ	3539784C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
TA94RR	16	YL	GXL	2643684R1	3558022C1	9800	16	3509903C1	355856C1	
TA94RR	16	YL	GXL	2643684R1	3539777C1	9523	2	SWS_N_REQ	3539784C1	
TA94SS	16	BK	TXL	3510294R1	3558022C1	9800	17	3509903C1	355856C1	
TA94SS	16	BK	TXL	3510294R1	1686834C1	9520	A	1652325C1	166448C1	
TA94TT	16	RD	TXL	3510366R1	3558022C1	9800	18	3509903C1	355856C1	
TA94TT	16	RD	TXL	3510366R1	1686834C1	9520	B	1652325C1	166448C1	
TA94UU	16	BN	TXL	3510306R1	3558022C1	9800	19	3509903C1	355856C1	
TA94UU	16	BN	TXL	3510306R1	1686834C1	9520	C	1652325C1	166448C1	
TA94VV	16	VT	TXL	3510348R1	3558022C1	9800	20	3509903C1	355856C1	
TA94VV	16	VT	TXL	3510348R1	1686834C1	9522	A	1652325C1	166448C1	
TA94W	16	LTGN	TXL	3510300R1	3558022C1	9800	21	3509903C1	355856C1	
TA94W	16	LTGN	TXL	3510300R1	1686834C1	9522	B	1652325C1	166448C1	
TA94X	16	LTBL	TXL	3510342R1	3558022C1	9800	22	3509903C1	355856C1	
TA94X	16	LTBL	TXL	3510342R1	1686834C1	9522	C	1652325C1	166448C1	
TC94SH	16	GY	TXL	3510312R1	1678137C1	9510A	C	UNDEF		
TC94SH	16	GY	TXL	3510312R1	1667741C1	9510M	C	1661872C1	1667771C1	
TC94SVC	16	GY	TXL	3510312R1	1678137C1	9510A	B	UNDEF		
TC94SVC	16	GY	TXL	3510312R1	1667741C1	9510M	B	1661872C1	1667771C1	
TC94SZC	16	GY	TXL	3510312R1	1678137C1	9510A	A	UNDEF		
TC94SZC	16	GY	TXL	3510312R1	1667741C1	9510M	A	1661872C1	1667771C1	
TD94SH	16	GY	TXL	3510312R1	1678137C1	9510B	C	UNDEF		
TD94SH	16	GY	TXL	3510312R1	1667741C1	9510M	C	1661872C1	1667771C1	
TD94SVC	16	GY	TXL	3510312R1	1678137C1	9510B	B	UNDEF		
TD94SVC	16	GY	TXL	3510312R1	1667741C1	9510M	B	1661872C1	1667771C1	
TD94SZC	16	GY	TXL	3510312R1	1678137C1	9510B	A	UNDEF		
TD94SZC	16	GY	TXL	3510312R1	1667741C1	9510M	A	1661872C1	1667771C1	
TF94SH	16	GY	TXL	3510312R1	1678137C1	9510C	C	UNDEF		
TF94SH	16	GY	TXL	3510312R1	1667741C1	9510M	C	1661872C1	1667771C1	
TF94SVC	16	GY	TXL	3510312R1	1678137C1	9510C	B	UNDEF		
TF94SVC	16	GY	TXL	3510312R1	1667741C1	9510M	B	1661872C1	1667771C1	
TF94SZC	16	GY	TXL	3510312R1	1678137C1	9510C	A	UNDEF		
TF94SZC	16	GY	TXL	3510312R1	1667741C1	9510M	A	1661872C1	1667771C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
TG41	16	TN	GXL	2643683R1	3522068C1	7751	A	1661872C1	1661874C1	
TG41	16	TN	GXL	2643683R1	3518183C1	7750	1	SWS_N_REQ	3518174C1	
TG41-G	16	TN	GXL	2643683R1	3522068C1	7751	B	1661872C1	1661874C1	
TG41-G	16	TN	GXL	2643683R1	3518183C1	7750	2	SWS_N_REQ	3518174C1	
TK94SH	16	GY	TXL	3510312R1	1678137C1	9510D	C	UNDEF		
TK94SH	16	GY	TXL	3510312R1	1667741C1	9510M	C	1661872C1	1667771C1	
TK94SVC	16	GY	TXL	3510312R1	1678137C1	9510D	B	UNDEF		
TK94SVC	16	GY	TXL	3510312R1	1667741C1	9510M	B	1661872C1	1667771C1	
TK94SZC	16	GY	TXL	3510312R1	1678137C1	9510D	A	UNDEF		
TK94SZC	16	GY	TXL	3510312R1	1667741C1	9510M	A	1661872C1	1667771C1	
TT14	4	RD	SGX	2644026R1	3517760C1	4411P	A	SWS_N_REQ		
TT14	4	RD	SGX	2644026R1	3517759C1	4411N	A	SWS_N_REQ		
TU12	14	LTBL	GXL	2643694R1	2039312C91	9729	F	589391C1		
TU12	14	LTBL	GXL	2643694R1	1667733C1	9727	C	1671603C1	1667734C1	
TU56	16	YL	GXL	2643684R1	2039312C91	9729	B	1652325C1		
TU56	16	YL	GXL	2643684R1	1667732C1	9726	B	1664232C1	1667734C1	
TU57	16	LTGN	GXL	2643678R1	2039312C91	9729	C	1652325C1		
TU57	16	LTGN	GXL	2643678R1	1667732C1	9726	C	1664232C1	1667734C1	
TU58	14	BK	GXL	2643685R1	2039312C91	9729	D	589391C1		
TU58	14	BK	GXL	2643685R1	1667732C1	9726	A	1671603C1	1667734C1	
TU68	14	BN	GXL	2643688R1	2039312C91	9729	A	589391C1		
TU68	14	BN	GXL	2643688R1	1667733C1	9727	B	1671603C1	1667734C1	
TU71	16	OR	GXL	2643682R1	2039312C91	9729	E	1652325C1		
TU71	16	OR	GXL	2643682R1	1667733C1	9727	A	1664232C1	1667734C1	
TV10A	8	WH	GXL	2643789R1	3537133C1	9778F1	A	3537135C1		
TV10A	8	WH	GXL	2643789R1	3537133C1	9717F1	A	3537135C1		
TV56A	10	YL	GXL	2643802R1	1667733C1	9716M1	B	1667735C1	1667734C1	
TV56A	10	YL	GXL	2643802R1	1667732C1	9779F1	B	1667735C1	1667734C1	
TV57A	10	LTGN	GXL	2643776R1	1667733C1	9716M1	C	1667735C1	1667734C1	
TV57A	10	LTGN	GXL	2643776R1	1667732C1	9779F1	C	1667735C1	1667734C1	
TV58A	10	BK	GXL	2643773R1	1667733C1	9716M1	A	1667735C1	1667734C1	
TV58A	10	BK	GXL	2643773R1	1667732C1	9779F1	A	1667735C1	1667734C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
TV68A	10	BN	GXL	2643779R1	1667733C1	9780M1	B	1667735C1	1667734C1	
TV68A	10	BN	GXL	2643779R1	1667732C1	9715F1	B	1667735C1	1667734C1	
TV70A	10	RD	GXL	2643698R1	1667733C1	9780M1	A	1667735C1	1667734C1	
TV70A	10	RD	GXL	2643698R1	1667732C1	9715F1	A	1667735C1	1667734C1	
TV94A	10	DKBL	GXL	2643816R1	1667733C1	9780M1	C	1667735C1	1667734C1	
TV94A	10	DKBL	GXL	2643816R1	1667732C1	9715F1	C	1667735C1	1667734C1	
TW10	8	WH	GXL	2643789R1	BLUNT_SL_V	9724A	A	SWS_N_REQ		
TW10	8	WH	GXL	2643789R1	3537133C1	9717F1	A	3537135C1		
TW56	10	YL	GXL	2643802R1	BLUNT_SL_V	9724A	C	SWS_N_REQ		
TW56	10	YL	GXL	2643802R1	1667733C1	9716M1	B	1667735C1	1667734C1	
TW57	10	LTGN	GXL	2643776R1	BLUNT_SL_V	9724A	D	SWS_N_REQ		
TW57	10	LTGN	GXL	2643776R1	1667733C1	9716M1	C	1667735C1	1667734C1	
TW58	10	BN	GXL	2643779R1	BLUNT_SL_V	9724A	B	SWS_N_REQ		
TW58	10	BN	GXL	2643779R1	1667733C1	9716M1	A	1667735C1	1667734C1	
TW68	10	BN	GXL	2643779R1	BLUNT_SL_V	9724A	F	SWS_N_REQ		
TW68	10	BN	GXL	2643779R1	1667732C1	9715F1	B	1667735C1	1667734C1	
TW70	10	RD	GXL	2643698R1	BLUNT_SL_V	9724A	E	SWS_N_REQ		
TW70	10	RD	GXL	2643698R1	1667732C1	9715F1	A	1667735C1	1667734C1	
TW94	10	GY	GXL	2643784R1	BLUNT_SL_V	9724A	G	SWS_N_REQ		
TW94	10	GY	GXL	2643784R1	1667732C1	9715F1	C	1667735C1	1667734C1	
TZ10A	8	WH	GXL	2643789R1	3537133C1	9778F1	A	3537135C1		
TZ10A	8	WH	GXL	2643789R1	3537133C1	9717F1	A	3537135C1		
TZ56A	10	YL	GXL	2643802R1	1667733C1	9716M1	B	1667735C1	1667734C1	
TZ56A	10	YL	GXL	2643802R1	1667732C1	9779F1	B	1667735C1	1667734C1	
TZ57A	10	LTGN	GXL	2643776R1	1667733C1	9716M1	C	1667735C1	1667734C1	
TZ57A	10	LTGN	GXL	2643776R1	1667732C1	9779F1	C	1667735C1	1667734C1	
TZ58A	10	BK	GXL	2643773R1	1667733C1	9716M1	A	1667735C1	1667734C1	
TZ58A	10	BK	GXL	2643773R1	1667732C1	9779F1	A	1667735C1	1667734C1	
TZ68A	10	BN	GXL	2643779R1	1667733C1	9780M1	B	1667735C1	1667734C1	
TZ68A	10	BN	GXL	2643779R1	1667732C1	9715F1	B	1667735C1	1667734C1	
TZ70A	10	RD	GXL	2643698R1	1667733C1	9780M1	A	1667735C1	1667734C1	
TZ70A	10	RD	GXL	2643698R1	1667732C1	9715F1	A	1667735C1	1667734C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
TZ94A	10	DKBL	GXL	2643816R1	1667733C1	9780M1	C	1667735C1	1667734C1	
TZ94A	10	DKBL	GXL	2643816R1	1667732C1	9715F1	C	1667735C1	1667734C1	
UA72EB	10	LTGN	TXL	3510303R1	BLUNT_SL_V	9724A	H	SWS_N_REQ		
UA72EB	10	LTGN	TXL	3510303R1	1669834C1	9722	A	589390C1	167553C1	
UB10B	8	WH	GXL	2643789R1	3537133C1	9776F	A	3537135C1		
UB10B	8	WH	GXL	2643789R1	3537133C1	9714F	A	3537135C1		
UB94T	10	DKBL	GXL	2643816R1	2031522C1	9782M	A	2025427C1	233927C1	
UB94T	10	DKBL	GXL	2643816R1	2031520C1	9782F	A	2025427C1	233927C1	
UB94TA	12	YL	GXL	2643756R1	2031522C1	9782M	B	2025428C1	233927C1	
UB94TA	12	YL	GXL	2643756R1	2031520C1	9782F	B	2025428C1	233927C1	
UC32	18	TN	GXL	2643676R1	3558022C1	9800	6	3509903C1	355856C1	
UC32	18	TN	GXL	2643676R1	3536864C1	9811	1	3536868C1		
UC9C	18	GY	GXL	2643673R1	3558022C1	9800	11	3509903C1	355856C1	
UC9C	18	GY	GXL	2643673R1	3536864C1	9811	2	3536868C1		
UD94BD	16	BN	TXL	3510306R1	3678796C1	4952	1	3601687C1		
UD94BD	16	BN	TXL	3510306R1	3558022C1	9800	23	3509903C1	355856C1	
UD94BE	16	YL	TXL	3510336R1	3678796C1	4952	2	3601687C1		
UD94BE	16	YL	TXL	3510336R1	3558022C1	9800	24	3509903C1	355856C1	
UF94A	16	GY	GXL	2643680R1	3690369C1	9532M	7	SWS_N_REQ		
UF94A	16	GY	GXL	2643680R1	3539777C1	9501	1	SWS_N_REQ	3539784C1	
UF94B	16	GY	GXL	2643680R1	3690369C1	9532M	8	SWS_N_REQ		
UF94B	16	GY	GXL	2643680R1	3539777C1	9501	2	SWS_N_REQ	3539784C1	
UF94BP	16	BN	TXL	3510306R1	3558022C1	9800	19	3509903C1	355856C1	
UF94BP	16	BN	TXL	3510306R1	1686834C1	9520	C	1652325C1	166448C1	
UF94BQ	16	OR	GXL	2643682R1	3558022C1	9800	14	3509903C1	355856C1	
UF94BQ	16	OR	GXL	2643682R1	3539777C1	9521	2	SWS_N_REQ	3539784C1	
UF94BR	16	GY	GXL	2643680R1	3558022C1	9800	13	3509903C1	355856C1	
UF94BR	16	GY	GXL	2643680R1	3539777C1	9521	1	SWS_N_REQ	3539784C1	
UF94BS	16	VT	TXL	3510348R1	3558022C1	9800	20	3509903C1	355856C1	
UF94BS	16	VT	TXL	3510348R1	1686834C1	9522	A	1652325C1	166448C1	
UF94BT	16	LTGN	TXL	3510300R1	3558022C1	9800	21	3509903C1	355856C1	
UF94BT	16	LTGN	TXL	3510300R1	1686834C1	9522	B	1652325C1	166448C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
UF94BU	16	LTBL	TXL	3510342R1	3558022C1	9800	22	3509903C1	355856C1	
UF94BU	16	LTBL	TXL	3510342R1	1686834C1	9522	C	1652325C1	166448C1	
UF94BV	16	YL	GXL	2643684R1	3558022C1	9800	16	3509903C1	355856C1	
UF94BV	16	YL	GXL	2643684R1	3539777C1	9523	2	SWS_N_REQ	3539784C1	
UF94BW	16	DKBL	GXL	2643721R1	3558022C1	9800	15	3509903C1	355856C1	
UF94BW	16	DKBL	GXL	2643721R1	3539777C1	9523	1	SWS_N_REQ	3539784C1	
UF94BY	16	RD	TXL	3510366R1	3558022C1	9800	18	3509903C1	355856C1	
UF94BY	16	RD	TXL	3510366R1	1686834C1	9520	B	1652325C1	166448C1	
UF94BZ	16	BK	TXL	3510294R1	3558022C1	9800	17	3509903C1	355856C1	
UF94BZ	16	BK	TXL	3510294R1	1686834C1	9520	A	1652325C1	166448C1	
UF94C	16	GY	GXL	2643680R1	3690369C1	9532M	9	SWS_N_REQ		
UF94C	16	GY	GXL	2643680R1	3539777C1	9503	1	SWS_N_REQ	3539784C1	
UF94D	16	GY	GXL	2643680R1	3690369C1	9532M	10	SWS_N_REQ		
UF94D	16	GY	GXL	2643680R1	3539777C1	9503	2	SWS_N_REQ	3539784C1	
UF94E	16	GY	GXL	2643680R1	3690369C1	9532M	3	SWS_N_REQ		
UF94E	16	GY	GXL	2643680R1	1686834C1	9502	A	1652325C1	166448C1	
UF94F	16	GY	GXL	2643680R1	3690369C1	9532M	2	SWS_N_REQ		
UF94F	16	GY	GXL	2643680R1	1686834C1	9502	B	1652325C1	166448C1	
UF94H	16	GY	GXL	2643680R1	3690369C1	9532M	1	SWS_N_REQ		
UF94H	16	GY	GXL	2643680R1	1686834C1	9502	C	1652325C1	166448C1	
UF94J	16	GY	GXL	2643680R1	3690369C1	9532M	6	SWS_N_REQ		
UF94J	16	GY	GXL	2643680R1	1686834C1	9504	A	1652325C1	166448C1	
UF94K	16	GY	GXL	2643680R1	3690369C1	9532M	4	SWS_N_REQ		
UF94K	16	GY	GXL	2643680R1	1686834C1	9504	B	1652325C1	166448C1	
UF94L	16	GY	GXL	2643680R1	3690369C1	9532M	5	SWS_N_REQ		
UF94L	16	GY	GXL	2643680R1	1686834C1	9504	C	1652325C1	166448C1	
UG94A	16	GY	GXL	2643680R1	3690369C1	9532M	7	SWS_N_REQ		
UG94A	16	GY	GXL	2643680R1	3539777C1	9549	1	SWS_N_REQ	3539784C1	
UG94B	16	GY	GXL	2643680R1	3690369C1	9532M	8	SWS_N_REQ		
UG94B	16	GY	GXL	2643680R1	3539777C1	9549	2	SWS_N_REQ	3539784C1	
UG94C	16	GY	GXL	2643680R1	3690369C1	9532M	1	SWS_N_REQ		
UG94C	16	GY	GXL	2643680R1	1686834C1	9548	C	1652325C1	166448C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
UG94D	16	GY	GXL	2643680R1	3690369C1	9532M	2	SWS_N_REQ		
UG94D	16	GY	GXL	2643680R1	1686834C1	9548	B	1652325C1	166448C1	
UG94E	16	GY	GXL	2643680R1	3690369C1	9532M	3	SWS_N_REQ		
UG94E	16	GY	GXL	2643680R1	1686834C1	9548	A	1652325C1	166448C1	
UG94F	16	GY	GXL	2643680R1	3690369C1	9532M	9	SWS_N_REQ		
UG94F	16	GY	GXL	2643680R1	3539777C1	9551	1	SWS_N_REQ	3539784C1	
UG94G	16	GY	GXL	2643680R1	3690369C1	9532M	10	SWS_N_REQ		
UG94G	16	GY	GXL	2643680R1	3539777C1	9551	2	SWS_N_REQ	3539784C1	
UG94H	16	GY	GXL	2643680R1	3690369C1	9532M	5	SWS_N_REQ		
UG94H	16	GY	GXL	2643680R1	1686834C1	9550	C	1652325C1	166448C1	
UG94K	16	GY	GXL	2643680R1	3690369C1	9532M	4	SWS_N_REQ		
UG94K	16	GY	GXL	2643680R1	1686834C1	9550	B	1652325C1	166448C1	
UG94L	16	GY	GXL	2643680R1	3690369C1	9532M	6	SWS_N_REQ		
UG94L	16	GY	GXL	2643680R1	1686834C1	9550	A	1652325C1	166448C1	
UG94M	16	BK	TXL	3510294R1	3558022C1	9800	17	3509903C1	355856C1	
UG94M	16	BK	TXL	3510294R1	1686834C1	9541	A	1652325C1	166448C1	
UG94N	16	RD	TXL	3510366R1	3558022C1	9800	18	3509903C1	355856C1	
UG94N	16	RD	TXL	3510366R1	1686834C1	9541	B	1652325C1	166448C1	
UG94P	16	BN	TXL	3510306R1	3558022C1	9800	19	3509903C1	355856C1	
UG94P	16	BN	TXL	3510306R1	1686834C1	9541	C	1652325C1	166448C1	
UG94R	16	GY	GXL	2643680R1	3558022C1	9800	13	3509903C1	355856C1	
UG94R	16	GY	GXL	2643680R1	3539777C1	9540	1	SWS_N_REQ	3539784C1	
UG94S	16	OR	GXL	2643682R1	3558022C1	9800	14	3509903C1	355856C1	
UG94S	16	OR	GXL	2643682R1	3539777C1	9540	2	SWS_N_REQ	3539784C1	
UG94T	16	VT	TXL	3510348R1	3558022C1	9800	20	3509903C1	355856C1	
UG94T	16	VT	TXL	3510348R1	1686834C1	9543	A	1652325C1	166448C1	
UG94U	16	LTGN	TXL	3510300R1	3558022C1	9800	21	3509903C1	355856C1	
UG94U	16	LTGN	TXL	3510300R1	1686834C1	9543	B	1652325C1	166448C1	
UG94V	16	LTBL	TXL	3510342R1	3558022C1	9800	22	3509903C1	355856C1	
UG94V	16	LTBL	TXL	3510342R1	1686834C1	9543	C	1652325C1	166448C1	
UG94W	16	DKBL	GXL	2643721R1	3558022C1	9800	15	3509903C1	355856C1	
UG94W	16	DKBL	GXL	2643721R1	3539777C1	9542	1	SWS_N_REQ	3539784C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
UG94X	16	YL	GXL	2643684R1	3558022C1	9800	16	3509903C1	355856C1	
UG94X	16	YL	GXL	2643684R1	3539777C1	9542	2	SWS_N_REQ	3539784C1	
UJ94G6M	14	GY	TXL	3510313R1	3919376C1	9519A	2	3601687C1		
UJ94G6M	14	GY	TXL	3510313R1	3558022C1	9800	21	3509903C1	355856C1	
UJ94G7M	14	GY	TXL	3510313R1	3919376C1	9518A	2	3601687C1		
UJ94G7M	14	GY	TXL	3510313R1	3558022C1	9800	18	3509903C1	355856C1	
UJ94WL	18	GY	TXL	3510311R1	6111844C1	9516A	1	6111843C1		
UJ94WL	18	GY	TXL	3510311R1	3558022C1	9800	13	3532128C1	355856C1	
UJ94WM	18	GY	TXL	3510311R1	6111844C1	9516A	2	6111843C1		
UJ94WM	18	GY	TXL	3510311R1	3558022C1	9800	14	3532128C1	355856C1	
UJ94WNM	14	GY	TXL	3510313R1	3919376C1	9518A	1	3601687C1		
UJ94WNM	14	GY	TXL	3510313R1	3558022C1	9800	17	3509903C1	355856C1	
UJ94WRM	14	GY	TXL	3510313R1	3919376C1	9518A	3	3601687C1		
UJ94WRM	14	GY	TXL	3510313R1	3558022C1	9800	19	3509903C1	355856C1	
UJ94WS	18	GY	TXL	3510311R1	6111844C1	9517A	1	6111843C1		
UJ94WS	18	GY	TXL	3510311R1	3558022C1	9800	15	3532128C1	355856C1	
UJ94WT	18	GY	TXL	3510311R1	6111844C1	9517A	2	6111843C1		
UJ94WT	18	GY	TXL	3510311R1	3558022C1	9800	16	3532128C1	355856C1	
UJ94WUM	14	GY	TXL	3510313R1	3919376C1	9519A	1	3601687C1		
UJ94WUM	14	GY	TXL	3510313R1	3558022C1	9800	20	3509903C1	355856C1	
UJ94WWM	14	GY	TXL	3510313R1	3919376C1	9519A	3	3601687C1		
UJ94WWM	14	GY	TXL	3510313R1	3558022C1	9800	22	3509903C1	355856C1	
UL94A	16	GY	GXL	2643680R1	3690369C1	9532M	7	SWS_N_REQ		
UL94A	16	GY	GXL	2643680R1	3539777C1	9559	1	SWS_N_REQ	3539784C1	
UL94B	16	GY	GXL	2643680R1	3690369C1	9532M	8	SWS_N_REQ		
UL94B	16	GY	GXL	2643680R1	3539777C1	9559	2	SWS_N_REQ	3539784C1	
UL94C	16	GY	GXL	2643680R1	3690369C1	9532M	1	SWS_N_REQ		
UL94C	16	GY	GXL	2643680R1	1686834C1	9558	C	1652325C1	166448C1	
UL94D	16	GY	GXL	2643680R1	3690369C1	9532M	2	SWS_N_REQ		
UL94D	16	GY	GXL	2643680R1	1686834C1	9558	B	1652325C1	166448C1	
UL94E	16	GY	GXL	2643680R1	3690369C1	9532M	3	SWS_N_REQ		
UL94E	16	GY	GXL	2643680R1	1686834C1	9558	A	1652325C1	166448C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
UL94F	16	GY	GXL	2643680R1	3690369C1	9532M	9	SWS_N_REQ		
UL94F	16	GY	GXL	2643680R1	3539777C1	9560	1	SWS_N_REQ	3539784C1	
UL94G	16	GY	GXL	2643680R1	3690369C1	9532M	10	SWS_N_REQ		
UL94G	16	GY	GXL	2643680R1	3539777C1	9560	2	SWS_N_REQ	3539784C1	
UL94H	16	GY	GXL	2643680R1	3690369C1	9532M	5	SWS_N_REQ		
UL94H	16	GY	GXL	2643680R1	1686834C1	9561	C	1652325C1	166448C1	
UL94K	16	GY	GXL	2643680R1	3690369C1	9532M	4	SWS_N_REQ		
UL94K	16	GY	GXL	2643680R1	1686834C1	9561	B	1652325C1	166448C1	
UL94L	16	GY	GXL	2643680R1	3690369C1	9532M	6	SWS_N_REQ		
UL94L	16	GY	GXL	2643680R1	1686834C1	9561	A	1652325C1	166448C1	
UL94M	16	BK	TXL	3510294R1	3558022C1	9800	17	3509903C1	355856C1	
UL94M	16	BK	TXL	3510294R1	1686834C1	9556	A	1652325C1	166448C1	
UL94N	16	RD	TXL	3510366R1	3558022C1	9800	18	3509903C1	355856C1	
UL94N	16	RD	TXL	3510366R1	1686834C1	9556	B	1652325C1	166448C1	
UL94P	16	BN	TXL	3510306R1	3558022C1	9800	19	3509903C1	355856C1	
UL94P	16	BN	TXL	3510306R1	1686834C1	9556	C	1652325C1	166448C1	
UL94R	16	GY	GXL	2643680R1	3558022C1	9800	13	3509903C1	355856C1	
UL94R	16	GY	GXL	2643680R1	3539777C1	9557	1	SWS_N_REQ	3539784C1	
UL94S	16	OR	GXL	2643682R1	3558022C1	9800	14	3509903C1	355856C1	
UL94S	16	OR	GXL	2643682R1	3539777C1	9557	2	SWS_N_REQ	3539784C1	
UL94T	16	VT	TXL	3510348R1	3558022C1	9800	20	3509903C1	355856C1	
UL94T	16	VT	TXL	3510348R1	1686834C1	9562	A	1652325C1	166448C1	
UL94U	16	LTGN	TXL	3510300R1	3558022C1	9800	21	3509903C1	355856C1	
UL94U	16	LTGN	TXL	3510300R1	1686834C1	9562	B	1652325C1	166448C1	
UL94V	16	LTBL	TXL	3510342R1	3558022C1	9800	22	3509903C1	355856C1	
UL94V	16	LTBL	TXL	3510342R1	1686834C1	9562	C	1652325C1	166448C1	
UL94W	16	DKBL	GXL	2643721R1	3558022C1	9800	15	3509903C1	355856C1	
UL94W	16	DKBL	GXL	2643721R1	3539777C1	9563	1	SWS_N_REQ	3539784C1	
UL94X	16	YL	GXL	2643684R1	3558022C1	9800	16	3509903C1	355856C1	
UL94X	16	YL	GXL	2643684R1	3539777C1	9563	2	SWS_N_REQ	3539784C1	
UP94A	16	GY	GXL	2643680R1	3690369C1	9532M	7	SWS_N_REQ		
UP94A	16	GY	GXL	2643680R1	3539777C1	9549A	1	SWS_N_REQ	3539784C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
UP94B	16	GY	GXL	2643680R1	3690369C1	9532M	8	SWS_N_REQ		
UP94B	16	GY	GXL	2643680R1	3539777C1	9549A	2	SWS_N_REQ	3539784C1	
UP94C	16	GY	GXL	2643680R1	3690369C1	9532M	1	SWS_N_REQ		
UP94C	16	GY	GXL	2643680R1	1686834C1	9548A	C	1652325C1	166448C1	
UP94D	16	GY	GXL	2643680R1	3690369C1	9532M	2	SWS_N_REQ		
UP94D	16	GY	GXL	2643680R1	1686834C1	9548A	B	1652325C1	166448C1	
UP94E	16	GY	GXL	2643680R1	3690369C1	9532M	3	SWS_N_REQ		
UP94E	16	GY	GXL	2643680R1	1686834C1	9548A	A	1652325C1	166448C1	
UP94F	16	GY	GXL	2643680R1	3690369C1	9532M	9	SWS_N_REQ		
UP94F	16	GY	GXL	2643680R1	3539777C1	9551A	1	SWS_N_REQ	3539784C1	
UP94G	16	GY	GXL	2643680R1	3690369C1	9532M	10	SWS_N_REQ		
UP94G	16	GY	GXL	2643680R1	3539777C1	9551A	2	SWS_N_REQ	3539784C1	
UP94H	16	GY	GXL	2643680R1	3690369C1	9532M	5	SWS_N_REQ		
UP94H	16	GY	GXL	2643680R1	1686834C1	9550A	C	1652325C1	166448C1	
UP94K	16	GY	GXL	2643680R1	3690369C1	9532M	4	SWS_N_REQ		
UP94K	16	GY	GXL	2643680R1	1686834C1	9550A	B	1652325C1	166448C1	
UP94L	16	GY	GXL	2643680R1	3690369C1	9532M	6	SWS_N_REQ		
UP94L	16	GY	GXL	2643680R1	1686834C1	9550A	A	1652325C1	166448C1	
UP94M	16	BK	TXL	3510294R1	3558022C1		9800	3509903C1	355856C1	
UP94M	16	BK	TXL	3510294R1	1686834C1	9541A	A	1652325C1	166448C1	
UP94N	16	RD	TXL	3510366R1	3558022C1		9800	3509903C1	355856C1	
UP94N	16	RD	TXL	3510366R1	1686834C1	9541A	B	1652325C1	166448C1	
UP94P	16	BN	TXL	3510306R1	3558022C1		9800	3509903C1	355856C1	
UP94P	16	BN	TXL	3510306R1	1686834C1	9541A	C	1652325C1	166448C1	
UP94R	16	GY	GXL	2643680R1	3558022C1		9800	3509903C1	355856C1	
UP94R	16	GY	GXL	2643680R1	3539777C1	9540A	1	SWS_N_REQ	3539784C1	
UP94S	16	OR	GXL	2643682R1	3558022C1		9800	3509903C1	355856C1	
UP94S	16	OR	GXL	2643682R1	3539777C1	9540A	2	SWS_N_REQ	3539784C1	
UP94T	16	VT	TXL	3510348R1	3558022C1		9800	3509903C1	355856C1	
UP94T	16	VT	TXL	3510348R1	1686834C1	9543A	A	1652325C1	166448C1	
UP94U	16	LTGN	TXL	3510300R1	3558022C1		9800	3509903C1	355856C1	
UP94U	16	LTGN	TXL	3510300R1	1686834C1	9543A	B	1652325C1	166448C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
UP94V	16	LTBL	TXL	3510342R1	3558022C1	9800	22	3509903C1	355856C1	
UP94V	16	LTBL	TXL	3510342R1	1686834C1	9543A	C	1652325C1	166448C1	
UP94W	16	DKBL	GXL	2643721R1	3558022C1	9800	15	3509903C1	355856C1	
UP94W	16	DKBL	GXL	2643721R1	3539777C1	9542A	1	SWS_N_REQ	3539784C1	
UP94X	16	YL	GXL	2643684R1	3558022C1	9800	16	3509903C1	355856C1	
UP94X	16	YL	GXL	2643684R1	3539777C1	9542A	2	SWS_N_REQ	3539784C1	
US94C	16	GY	GXL	2643680R1	3690369C1	9532M	1	SWS_N_REQ		
US94C	16	GY	GXL	2643680R1	1686834C1	9548	C	1652325C1	166448C1	
US94D	16	GY	GXL	2643680R1	3690369C1	9532M	2	SWS_N_REQ		
US94D	16	GY	GXL	2643680R1	1686834C1	9548	B	1652325C1	166448C1	
US94E	16	GY	GXL	2643680R1	3690369C1	9532M	3	SWS_N_REQ		
US94E	16	GY	GXL	2643680R1	1686834C1	9548	A	1652325C1	166448C1	
US94H	16	GY	GXL	2643680R1	3690369C1	9532M	5	SWS_N_REQ		
US94H	16	GY	GXL	2643680R1	1686834C1	9550B	C	1652325C1	166448C1	
US94K	16	GY	GXL	2643680R1	3690369C1	9532M	4	SWS_N_REQ		
US94K	16	GY	GXL	2643680R1	1686834C1	9550B	B	1652325C1	166448C1	
US94L	16	GY	GXL	2643680R1	3690369C1	9532M	6	SWS_N_REQ		
US94L	16	GY	GXL	2643680R1	1686834C1	9550B	A	1652325C1	166448C1	
US94M	16	BK	TXL	3510294R1	3558022C1	9800	17	3509903C1	355856C1	
US94M	16	BK	TXL	3510294R1	1686834C1	9541B	A	1652325C1	166448C1	
US94N	16	RD	TXL	3510366R1	3558022C1	9800	18	3509903C1	355856C1	
US94N	16	RD	TXL	3510366R1	1686834C1	9541B	B	1652325C1	166448C1	
US94P	16	BN	TXL	3510306R1	3558022C1	9800	19	3509903C1	355856C1	
US94P	16	BN	TXL	3510306R1	1686834C1	9541B	C	1652325C1	166448C1	
US94R	16	GY	GXL	2643680R1	3558022C1	9800	13	3509903C1	355856C1	
US94R	16	GY	GXL	2643680R1	3539777C1	9540B	1	SWS_N_REQ	3539784C1	
US94S	16	OR	GXL	2643682R1	3558022C1	9800	14	3509903C1	355856C1	
US94S	16	OR	GXL	2643682R1	3539777C1	9540B	2	SWS_N_REQ	3539784C1	
UV94A	16	GY	GXL	2643680R1	3690369C1	9532M	7	SWS_N_REQ		
UV94A	16	GY	GXL	2643680R1	3539777C1	9549B	1	SWS_N_REQ	3539784C1	
UV94B	16	GY	GXL	2643680R1	3690369C1	9532M	8	SWS_N_REQ		
UV94B	16	GY	GXL	2643680R1	3539777C1	9549B	2	SWS_N_REQ	3539784C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
UV94F	16	GY	GXL	2643680R1	3690369C1	9532M	9	SWS_N_REQ		
UV94F	16	GY	GXL	2643680R1	3539777C1	9551	1	SWS_N_REQ	3539784C1	
UV94G	16	GY	GXL	2643680R1	3690369C1	9532M	10	SWS_N_REQ		
UV94G	16	GY	GXL	2643680R1	3539777C1	9551	2	SWS_N_REQ	3539784C1	
UV94T	16	VT	TXL	3510348R1	3558022C1	9800	20	3509903C1	355856C1	
UV94T	16	VT	TXL	3510348R1	1686834C1	9543C	A	1652325C1	166448C1	
UV94U	16	LTGN	TXL	3510300R1	3558022C1	9800	21	3509903C1	355856C1	
UV94U	16	LTGN	TXL	3510300R1	1686834C1	9543C	B	1652325C1	166448C1	
UV94V	16	LTBL	TXL	3510342R1	3558022C1	9800	22	3509903C1	355856C1	
UV94V	16	LTBL	TXL	3510342R1	1686834C1	9543C	C	1652325C1	166448C1	
UV94W	16	DKBL	GXL	2643721R1	3558022C1	9800	15	3509903C1	355856C1	
UV94W	16	DKBL	GXL	2643721R1	3539777C1	9542C	1	SWS_N_REQ	3539784C1	
UV94X	16	YL	GXL	2643684R1	3558022C1	9800	16	3509903C1	355856C1	
UV94X	16	YL	GXL	2643684R1	3539777C1	9542C	2	SWS_N_REQ	3539784C1	
VB68BJ	16	BN	TXL	3510306R1	3626438C1	4962	2	SWS_N_REQ		
VB68BJ	16	BN	TXL	3510306R1	1686834C1	9720A	B	1652325C1	166448C1	
VB70BJ	16	OR	TXL	3510318R1	3626438C1	4962	1	SWS_N_REQ		
VB70BJ	16	OR	TXL	3510318R1	1686834C1	9720A	A	1652325C1	166448C1	
VD11-G	8	WH	GXL	2643789R1	3517817C1	9728	A	SWS_N_REQ		
VD11-G	8	WH	GXL	2643789R1		SS2	-	2644000R1		
VD11-GA	10	WH	TXL	3510363R1	2039312C91	9729	G	589390C1		
VD11-GA	10	WH	TXL	3510363R1		SS2	-	2644000R1		
VE11-G	8	WH	GXL	2643789R1	3537133C1	9728F	A	3537135C1		
VE11-G	8	WH	GXL	2643789R1		SS3	-	2644000R1		
VE11-GA	10	WH	TXL	3510363R1	2039312C91	9729	G	589390C1		
VE11-GA	10	WH	TXL	3510363R1		SS3	-	2644000R1		
[RE94M]	18	-	GXL	V-18-GXL	3558022C1	9800	13	3509903C1	355856C1	
[RE94M]	18	-	GXL	V-18-GXL	PAS2(1 2)		9911	1		
[RE94N]	18	-	GXL	V-18-GXL	3558022C1	9800	14	3509903C1	355856C1	
[RE94N]	18	-	GXL	V-18-GXL	PAS2(1 2)		9911	2		
[RE94P]	18	-	GXL	V-18-GXL	3558022C1	9800	15	3509903C1	355856C1	
[RE94P]	18	-	GXL	V-18-GXL	PAS2(1 2)		9505	1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
[RE94R]	18	-	GXL	V-18-GXL	3558022C1	9800	16	3509903C1	355856C1	
[RE94R]	18	-	GXL	V-18-GXL	PAS2(1	2)	9505	2		
[RV94G6]	18	-	GXL	V-18-GXL	3558022C1	9800	21	3509903C1	355856C1	
[RV94G6]	18	-	GXL	V-18-GXL	PAS3(1	2)	9519	2		
[RV94G7]	18	-	GXL	V-18-GXL	3558022C1	9800	18	3509903C1	355856C1	
[RV94G7]	18	-	GXL	V-18-GXL	PAS3(1	2)	9518	2		
[RV94WL]	18	-	GXL	V-18-GXL	3558022C1	9800	13	3509903C1	355856C1	
[RV94WL]	18	-	GXL	V-18-GXL	PAS2(1	2)	9516	1		
[RV94WM]	18	-	GXL	V-18-GXL	3558022C1	9800	14	3509903C1	355856C1	
[RV94WM]	18	-	GXL	V-18-GXL	PAS2(1	2)	9516	2		
[RV94WN]	18	-	GXL	V-18-GXL	3558022C1	9800	17	3509903C1	355856C1	
[RV94WN]	18	-	GXL	V-18-GXL	PAS3(1	2)	9518	1		
[RV94WR]	18	-	GXL	V-18-GXL	3558022C1	9800	19	3509903C1	355856C1	
[RV94WR]	18	-	GXL	V-18-GXL	PAS3(1	2)	9518	3		
[RV94WS]	18	-	GXL	V-18-GXL	3558022C1	9800	15	3509903C1	355856C1	
[RV94WS]	18	-	GXL	V-18-GXL	PAS2(1	2)	9517	1		
[RV94WT]	18	-	GXL	V-18-GXL	3558022C1	9800	16	3509903C1	355856C1	
[RV94WT]	18	-	GXL	V-18-GXL	PAS2(1	2)	9517	2		
[RV94WU]	18	-	GXL	V-18-GXL	3558022C1	9800	20	3509903C1	355856C1	
[RV94WU]	18	-	GXL	V-18-GXL	PAS3(1	2)	9519	1		
[RV94WW]	18	-	GXL	V-18-GXL	3558022C1	9800	22	3509903C1	355856C1	
[RV94WW]	18	-	GXL	V-18-GXL	PAS3(1	2)	9519	3		
[RW94WX]	18	-	GXL	V-18-GXL	PAS2(1	2)	4951	1		
[RW94WX]	18	-	GXL	V-18-GXL	3558022C1	9800	23	3509903C1	355856C1	
[RW94WZ]	18	-	GXL	V-18-GXL	PAS2(1	2)	4951	2		
[RW94WZ]	18	-	GXL	V-18-GXL	3558022C1	9800	24	3509903C1	355856C1	
[UH94A]	18	-	GXL	V-18-GXL	3690369C1	9533M	2	SWS_N_REQ		
[UH94A]	18	-	GXL	V-18-GXL	PAS3(1	2)	9544	3		
[UH94B]	18	-	GXL	V-18-GXL	3690369C1	9533M	1	SWS_N_REQ		
[UH94B]	18	-	GXL	V-18-GXL	PAS3(1	2)	9544	1		
[UH94C]	18	-	GXL	V-18-GXL	PAS3(1	2)	9546	3		
[UH94C]	18	-	GXL	V-18-GXL	3690369C1	9533M	4	SWS_N_REQ		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
[UH94D]	18	-	GXL	V-18-GXL	PAS3(1	2)	9546	1		
[UH94D]	18	-	GXL	V-18-GXL	3690369C1	9533M	5	SWS_N_REQ		
[UH94E]	18	-	GXL	V-18-GXL	PAS2(1	2)	9545	1		
[UH94E]	18	-	GXL	V-18-GXL	3690369C1	9533M	7	SWS_N_REQ		
[UH94F]	18	-	GXL	V-18-GXL	PAS2(1	2)	9545	2		
[UH94F]	18	-	GXL	V-18-GXL	3690369C1	9533M	8	SWS_N_REQ		
[UH94G6]	18	-	GXL	V-18-GXL	3690369C1	9533M	3	SWS_N_REQ		
[UH94G6]	18	-	GXL	V-18-GXL	PAS3(1	2)	9544	2		
[UH94G7]	18	-	GXL	V-18-GXL	PAS3(1	2)	9546	2		
[UH94G7]	18	-	GXL	V-18-GXL	3690369C1	9533M	6	SWS_N_REQ		
[UH94G8]	18	-	GXL	V-18-GXL	3558022C1	9800	18	3509903C1	355856C1	
[UH94G8]	18	-	GXL	V-18-GXL	PAS3(1	2)	9553	2		
[UH94G9]	18	-	GXL	V-18-GXL	3558022C1	9800	21	3509903C1	355856C1	
[UH94G9]	18	-	GXL	V-18-GXL	PAS3(1	2)	9555	2		
[UH94H]	18	-	GXL	V-18-GXL	3690369C1	9533M	10	SWS_N_REQ		
[UH94H]	18	-	GXL	V-18-GXL	PAS2(1	2)	9547	2		
[UH94J]	18	-	GXL	V-18-GXL	3558022C1	9800	13	3509903C1	355856C1	
[UH94J]	18	-	GXL	V-18-GXL	PAS2(1	2)	9552	1		
[UH94K]	18	-	GXL	V-18-GXL	3558022C1	9800	14	3509903C1	355856C1	
[UH94K]	18	-	GXL	V-18-GXL	PAS2(1	2)	9552	2		
[UH94L]	18	-	GXL	V-18-GXL	3558022C1	9800	17	3509903C1	355856C1	
[UH94L]	18	-	GXL	V-18-GXL	PAS3(1	2)	9553	1		
[UH94M]	18	-	GXL	V-18-GXL	3558022C1	9800	19	3509903C1	355856C1	
[UH94M]	18	-	GXL	V-18-GXL	PAS3(1	2)	9553	3		
[UH94N]	18	-	GXL	V-18-GXL	3690369C1	9533M	9	SWS_N_REQ		
[UH94N]	18	-	GXL	V-18-GXL	PAS2(1	2)	9547	1		
[UH94P]	18	-	GXL	V-18-GXL	3558022C1	9800	20	3509903C1	355856C1	
[UH94P]	18	-	GXL	V-18-GXL	PAS3(1	2)	9555	1		
[UH94S]	18	-	GXL	V-18-GXL	3558022C1	9800	22	3509903C1	355856C1	
[UH94S]	18	-	GXL	V-18-GXL	PAS3(1	2)	9555	3		
[UH94T]	18	-	GXL	V-18-GXL	PAS2(1	2)	9554	1		
[UH94T]	18	-	GXL	V-18-GXL	3558022C1	9800	15	3509903C1	355856C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
[UH94U]	18	-	GXL	V-18-GXL	PAS2(1	2)	9554	2		
[UH94U]	18	-	GXL	V-18-GXL	3558022C1		9800 16	3509903C1	355856C1	
[UM94A]	18	-	GXL	V-18-GXL	PAS3(1	2)	9564	3		
[UM94A]	18	-	GXL	V-18-GXL	3690369C1	9533M	2	SWS_N_REQ		
[UM94B]	18	-	GXL	V-18-GXL	PAS3(1	2)	9564	1		
[UM94B]	18	-	GXL	V-18-GXL	3690369C1	9533M	1	SWS_N_REQ		
[UM94C]	18	-	GXL	V-18-GXL	PAS3(1	2)	9570	3		
[UM94C]	18	-	GXL	V-18-GXL	3690369C1	9533M	4	SWS_N_REQ		
[UM94D]	18	-	GXL	V-18-GXL	PAS3(1	2)	9570	1		
[UM94D]	18	-	GXL	V-18-GXL	3690369C1	9533M	5	SWS_N_REQ		
[UM94E]	18	-	GXL	V-18-GXL	3690369C1	9533M	7	SWS_N_REQ		
[UM94E]	18	-	GXL	V-18-GXL	PAS2(1	2)	9565	1		
[UM94F]	18	-	GXL	V-18-GXL	3690369C1	9533M	8	SWS_N_REQ		
[UM94F]	18	-	GXL	V-18-GXL	PAS2(1	2)	9565	2		
[UM94G6]	18	-	GXL	V-18-GXL	PAS3(1	2)	9564	2		
[UM94G6]	18	-	GXL	V-18-GXL	3690369C1	9533M	3	SWS_N_REQ		
[UM94G7]	18	-	GXL	V-18-GXL	PAS3(1	2)	9570	2		
[UM94G7]	18	-	GXL	V-18-GXL	3690369C1	9533M	6	SWS_N_REQ		
[UM94G8]	18	-	GXL	V-18-GXL	3558022C1		9800 18	3509903C1	355856C1	
[UM94G8]	18	-	GXL	V-18-GXL	PAS3(1	2)	9566	2		
[UM94G9]	18	-	GXL	V-18-GXL	PAS3(1	2)	9569	2		
[UM94G9]	18	-	GXL	V-18-GXL	3558022C1		9800 21	3509903C1	355856C1	
[UM94H]	18	-	GXL	V-18-GXL	3690369C1	9533M	10	SWS_N_REQ		
[UM94H]	18	-	GXL	V-18-GXL	PAS2(1	2)	9571	2		
[UM94J]	18	-	GXL	V-18-GXL	PAS2(1	2)	9567	1		
[UM94J]	18	-	GXL	V-18-GXL	3558022C1		9800 13	3509903C1	355856C1	
[UM94K]	18	-	GXL	V-18-GXL	PAS2(1	2)	9567	2		
[UM94K]	18	-	GXL	V-18-GXL	3558022C1		9800 14	3509903C1	355856C1	
[UM94L]	18	-	GXL	V-18-GXL	3558022C1		9800 17	3509903C1	355856C1	
[UM94L]	18	-	GXL	V-18-GXL	PAS3(1	2)	9566	1		
[UM94M]	18	-	GXL	V-18-GXL	3558022C1		9800 19	3509903C1	355856C1	
[UM94M]	18	-	GXL	V-18-GXL	PAS3(1	2)	9566	3		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
[UM94N]	18	-	GXL	V-18-GXL	3690369C1	9533M	9	SWS_N_REQ		
[UM94N]	18	-	GXL	V-18-GXL	PAS2(1	2)	9571	1		
[UM94P]	18	-	GXL	V-18-GXL	PAS3(1	2)	9569	1		
[UM94P]	18	-	GXL	V-18-GXL	3558022C1		9800	20	3509903C1	355856C1
[UM94S]	18	-	GXL	V-18-GXL	PAS3(1	2)	9569	3		
[UM94S]	18	-	GXL	V-18-GXL	3558022C1		9800	22	3509903C1	355856C1
[UM94T]	18	-	GXL	V-18-GXL	PAS2(1	2)	9568	1		
[UM94T]	18	-	GXL	V-18-GXL	3558022C1		9800	15	3509903C1	355856C1
[UM94U]	18	-	GXL	V-18-GXL	PAS2(1	2)	9568	2		
[UM94U]	18	-	GXL	V-18-GXL	3558022C1		9800	16	3509903C1	355856C1
AA95AA	20	TN	TXL	3510328R1	6114577C1		674	6	N/A	
AA95AA	20	TN	TXL	3510328R1	3945694C1		6000	57	SWS_N_REQ	3743662C1
AB6A	20	GY	TXL	3510310R1	3945694C1		6000	8	SWS_N_REQ	3743662C1
AB6A	20	GY	TXL	3510310R1		SS34		-	N/A	
AB6B	18	GY	TXL	3510311R1	3595620C1		1702	30	N/A	3598916C1
AB6B	18	GY	TXL	3510311R1		SS34		-	N/A	
AB6C	18	GY	TXL	3510311R1	3586750C1		7207F	8	N/A	355346C1
AB6C	18	GY	TXL	3510311R1		SS34		-	N/A	
AB6D	18	TN	150	2645915R1	3573078C1		670A	5	SWS_N_REQ	
AB6D	18	TN	150	2645915R1		SS34		-	N/A	
AB6G	18	GY	TXL	3510311R1	1687789C1		6401M	A	3517771C1	1661376C1
AB6G	18	GY	TXL	3510311R1		SS34		-	N/A	
AC23	20	TN	TXL	3510328R1	3945694C1		6000	78	SWS_N_REQ	3743662C1
AC23	20	TN	TXL	3510328R1	3522068C1		600	A	3568570C1	1661874C1
AC23-G	20	TN	TXL	3510328R1	3522068C1		600	B	3568570C1	1661874C1
AC23-G	20	TN	TXL	3510328R1		SS44		-	N/A	
AC23-G1	20	TN	TXL	3510328R1	3945694C1		6000	57	SWS_N_REQ	3743662C1
AC23-G1	20	TN	TXL	3510328R1		SS44		-	N/A	
AC95AB	20	TN	TXL	3510328R1	6114577C1		674	6	N/A	
AC95AB	20	TN	TXL	3510328R1		SS44		-	N/A	
AE26A	10	WH	TXL	3510363R1	6112506C1		4060	7	N/A	
AE26A	10	WH	TXL	3510363R1	1667732C1		500	C	1667735C1	1667734C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
AE26B	18	TN	GXL	2643676R1	6112506C1	4060	6	N/A		
AE26B	18	TN	GXL	2643676R1		6335	1	2644038R1		
AF6A	20	GY	TXL	3510310R1	3945694C1	6000	8	SWS_N_REQ	3743662C1	
AF6A	20	GY	TXL	3510310R1		SS38	-	N/A		
AF6B	18	GY	TXL	3510311R1	3595620C1	1702	30	N/A	3598916C1	3598917C1
AF6B	18	GY	TXL	3510311R1		SS38	-	N/A		
AF6D	18	TN	150	2645915R1	3573078C1	670A	5	SWS_N_REQ		
AF6D	18	TN	150	2645915R1		SS38	-	N/A		
AF6G	18	GY	TXL	3510311R1	1687789C1	6401M	A	3517771C1	1661376C1	
AF6G	18	GY	TXL	3510311R1		SS38	-	N/A		
AH6A	20	GY	TXL	3510310R1	3945694C1	6000	8	SWS_N_REQ	3743662C1	
AH6A	20	GY	TXL	3510310R1		SS7	-	N/A		
AH6B	18	GY	TXL	3510311R1	3595620C1	1702	30	N/A	3598916C1	3598917C1
AH6B	18	GY	TXL	3510311R1		SS7	-	N/A		
AH6C	18	GY	TXL	3510311R1	3586750C1	7207F	7	N/A	355346C1	
AH6C	18	GY	TXL	3510311R1		SS7	-	N/A		
AH6D	18	TN	150	2645915R1	3573078C1	670A	5	SWS_N_REQ		
AH6D	18	TN	150	2645915R1		SS7	-	N/A		
BA47	20	GY	TXL	3510310R1	3945694C1	6000	60	SWS_N_REQ	3743662C1	
BA47	20	GY	TXL	3510310R1	1661778C1	7703	A	3568570C1	1661874C1	
BA47A	20	GY	TXL	3510310R1	3945694C1	6000	59	SWS_N_REQ	3743662C1	
BA47A	20	GY	TXL	3510310R1	1661778C1	7703	B	3568570C1	1661874C1	
CA31B	18	TN	150	2645915R1	3595620C1	1702	13	N/A	3598916C1	3598917C1
CA31B	18	TN	150	2645915R1	3536864C1	7700M	1	3536867C1		
CA9T	18	GY	150	2645914R1	3543733C1	6747	M	3535424C1	3543732C1	
CA9T	18	GY	150	2645914R1	3536864C1	7700M	2	3536867C1		
FM28	18	TN	GXL	2643676R1	3522068C1	6703A	B	1661872C1	1661874C1	
FM28	18	TN	GXL	2643676R1	3595620C1	1702	12	N/A	3598916C1	3598917C1
FM9C	18	GY	GXL	2643673R1	3522068C1	6703A	A	1661872C1	1661874C1	
FM9C	18	GY	GXL	2643673R1	3543733C1	6747	M	3535424C1	3543732C1	
GA17	16	PK	GXL	2643752R1	3595620C1	1702	16	N/A	3598916C1	3598917C1
GA17	16	PK	GXL	2643752R1	2036583C1	6316M	B	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
GA17D	16	PK	GXL	2643752R1		6305M	1	2644038R1		
GA17D	16	PK	GXL	2643752R1	2036583C1	6316M	A	N/A		
GB17A	16	PK	TXL	3510324R1		6306	1	2644038R1		
GB17A	16	PK	TXL	3510324R1	3595620C1	1702	16	N/A	3598916C1	3598917C1
JS1A	16	RD	TXL	3510366R1	3565207C1	1F	B	N/A		
JS1A	16	RD	TXL	3510366R1		7000	1	2644038R1		
JS1B	16	RD	TXL	3510366R1		7100	1	2644005R1		
JS1B	16	RD	TXL	3510366R1	3565207C1	1F	A	N/A		
JT1A	16	TN	GXL	2643683R1	3626435C1	7200	1	SWS_N_REQ		
JT1A	16	TN	GXL	2643683R1		7000	1	2644038R1		
KA10-G	10	WH	GXL	2643788R1		6305	1	2644005R1		
KA10-G	10	WH	GXL	2643788R1		SS49	-	2644000R1		
KA10-GA	16	WH	TXL	3510360R1	3945694C1	6000	49	SWS_N_REQ	3743662C1	
KA10-GA	16	WH	TXL	3510360R1		SS49	-	2644000R1		
KA10-GB	16	WH	TXL	3510360R1	3945694C1	6000	50	SWS_N_REQ	3743662C1	
KA10-GB	16	WH	TXL	3510360R1		SS49	-	2644000R1		
KA10-GC	16	WH	TXL	3510360R1	3945694C1	6000	51	SWS_N_REQ	3743662C1	
KA10-GC	16	WH	TXL	3510360R1		SS2	-	2644000R1		
KA10-GD	16	WH	TXL	3510360R1	3945694C1	6000	52	SWS_N_REQ	3743662C1	
KA10-GD	16	WH	TXL	3510360R1		SS2	-	2644000R1		
KA10-GE	16	WH	TXL	3510360R1	3945694C1	6000	73	SWS_N_REQ	3743662C1	
KA10-GE	16	WH	TXL	3510360R1		SS2	-	2644000R1		
KA10-GF	10	WH	GXL	2643788R1		SS2	-	2644000R1		
KA10-GF	10	WH	GXL	2643788R1		SS49	-	2644000R1		
KA13A	14	PK	GXL	2643691R1	1667639C1	6100	B	SWS_N_REQ		
KA13A	14	PK	GXL	2643691R1		SS32	-	2644000R1		
KA13B	18	PK	TXL	3510323R1	3945694C1	6000	5	SWS_N_REQ	3743662C1	
KA13B	18	PK	TXL	3510323R1		SS32	-	2644000R1		
KA146-G	16	GY	TXL	3510312R1	3595620C1	1702	2	N/A	3598916C1	3598917C1
KA146-G	16	GY	TXL	3510312R1	3543733C1	6747	J	3535424C1	3543732C1	
KA14A	10	RD	GXL	2643698R1	6113338C1	6566	1	6113347C1		
KA14A	10	RD	GXL	2643698R1		SS26	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
KA14A1	16	RD	TXL	3510366R1	3945694C1	6000	28	SWS_N_REQ	3743662C1	
KA14A1	16	RD	TXL	3510366R1		SS26	-	2644000R1		
KA14A2	16	RD	TXL	3510366R1	3945694C1	6000	27	SWS_N_REQ	3743662C1	
KA14A2	16	RD	TXL	3510366R1		SS26	-	2644000R1		
KA14A3	16	RD	TXL	3510366R1	3945694C1	6000	26	SWS_N_REQ	3743662C1	
KA14A3	16	RD	TXL	3510366R1		SS24	-	2644000R1		
KA14A4	16	RD	TXL	3510366R1	3945694C1	6000	25	SWS_N_REQ	3743662C1	
KA14A4	16	RD	TXL	3510366R1		SS24	-	2644000R1		
KA14A5	16	RD	TXL	3510366R1	3945694C1	6000	1	SWS_N_REQ	3743662C1	
KA14A5	16	RD	TXL	3510366R1		SS24	-	2644000R1		
KA14A6	10	RD	GXL	2643698R1		SS26	-	2644000R1		
KA14A6	10	RD	GXL	2643698R1		SS24	-	2644000R1		
KA14AA	18	RD	TXL	3510365R1	3765646C92	690	E2	3517771C1		
KA14AA	18	RD	TXL	3510365R1		SS27	-	2644000R1		
KA14B	16	RD	TXL	3510366R1	3765646C92	690	E4	1652325C1		
KA14B	16	RD	TXL	3510366R1	6113341C1	6567	1	3509903C1		
KA14C	10	RD	TXL	3510369R1	3765646C92	690	E6	589390C1		
KA14C	10	RD	TXL	3510369R1		SS27	-	2644000R1		
KA14D	12	RD	TXL	3510368R1	6113341C1	6567	13	3509903C1		
KA14D	12	RD	TXL	3510368R1		SS27	-	2644000R1		
KA18	18	PK	TXL	3510323R1	3945694C1	6000	75	SWS_N_REQ	3743662C1	
KA18	18	PK	TXL	3510323R1		2000	1	2644038R1		
KA18R	18	PK	TXL	3510323R1	3945694C1	6000	76	SWS_N_REQ	3743662C1	
KA18R	18	PK	TXL	3510323R1		SS31	-	2644000R1		
KA18S	18	PK	TXL	3510323R1		2001	1	2644038R1		
KA18S	18	PK	TXL	3510323R1		SS31	-	2644000R1		
KA18T	18	PK	TXL	3510323R1	3595620C1	1702	40	N/A	3598916C1	3598917C1
KA18T	18	PK	TXL	3510323R1		SS31	-	2644000R1		
KA41	18	TN	TXL	3510329R1	6112506C1	4060	3	N/A		
KA41	18	TN	TXL	3510329R1		SS4	-	N/A		
KA41-G	18	TN	TXL	3510329R1	6112506C1	4060	8	N/A		
KA41-G	18	TN	TXL	3510329R1	3543733C1	6747	D	3535424C1	3543732C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
KA41A	20	TN	TXL	3510328R1		SS4	-	N/A		
KA41A	20	TN	TXL	3510328R1	3945694C1	6000	65	SWS_N_REQ	3743662C1	
KA95GBA	18	BK	TXL	3510293R1	3765646C92	690	B1	3517771C1		
KA95GBA	18	BK	TXL	3510293R1		SS9	-	2644000R1		
KA95GBB	18	BK	TXL	3510293R1	3765646C92	690	B4	3517771C1		
KA95GBB	18	BK	TXL	3510293R1		SS9	-	2644000R1		
KA95GBC	16	TN	TXL	3510330R1		SS9	-	2644000R1		
KA95GBC	16	TN	TXL	3510330R1		SS11	-	2644000R1		
KA95GBD	18	BK	TXL	3510293R1	3765646C92	690	B7	3517771C1		
KA95GBD	18	BK	TXL	3510293R1		SS11	-	2644000R1		
KA95GBE	16	TN	TXL	3510330R1	3945694C1	6000	3	SWS_N_REQ	3743662C1	
KA95GBE	16	TN	TXL	3510330R1		SS11	-	2644000R1		
KA95H1	18	PK	TXL	3510323R1	3765646C92	690	A1	3517771C1		
KA95H1	18	PK	TXL	3510323R1		SS8	-	N/A		
KA95H2	18	PK	TXL	3510323R1	3765646C92	690	A3	3517771C1		
KA95H2	18	PK	TXL	3510323R1		SS8	-	N/A		
KA95H3	18	PK	TXL	3510323R1	3765646C92	690	A4	3517771C1		
KA95H3	18	PK	TXL	3510323R1		SS8	-	N/A		
KA95H4	18	PK	TXL	3510323R1	3765646C92	690	A6	3517771C1		
KA95H4	18	PK	TXL	3510323R1		SS8	-	N/A		
KA95H5	18	PK	TXL	3510323R1	3765646C92	690	A7	3517771C1		
KA95H5	18	PK	TXL	3510323R1		SS8	-	N/A		
KA95H6	18	PK	TXL	3510323R1	3765646C92	690	A9	3517771C1		
KA95H6	18	PK	TXL	3510323R1		SS8	-	N/A		
KA95H7	18	PK	TXL	3510323R1	3765646C92	690	E1	3517771C1		
KA95H7	18	PK	TXL	3510323R1		SS8	-	N/A		
KA95P	18	RD	TXL	3510365R1	3765646C92	690	A10	3517771C1		
KA95P	18	RD	TXL	3510365R1	3765646C92	690	E3	3517771C1		
KA95PA	10	PK	TXL	3510327R1	3765646C92	690	D10	589390C1		
KA95PA	10	PK	TXL	3510327R1		SS10	-	2644027R1		
KA95PB	10	PK	TXL	3510327R1	3765646C92	690	E5	589390C1		
KA95PB	10	PK	TXL	3510327R1		SS10	-	2644027R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
KA95PC	10	PK	TXL	3510327R1	3765646C92	690	D12	589390C1		
KA95PC	10	PK	TXL	3510327R1		SS10	-	2644027R1		
KA95SB	20	TN	TXL	3510328R1	3945694C1	6000	79	SWS_N_REQ	3743662C1	
KA95SB	20	TN	TXL	3510328R1	3765646C92	690	A12	3517771C1		
KA95TB	18	GY	TXL	3510311R1	6114576C1	8500	5	SWS_N_REQ		
KA95TB	18	GY	TXL	3510311R1	3765646C92	690	E10	3517771C1		
KB9-G	20	GY	TXL	3510310R1	3945694C1	6000	62	SWS_N_REQ	3743662C1	
KB9-G	20	GY	TXL	3510310R1	3543733C1	6747	A	3535423C1	3543732C1	
KD10-G5	10	WH	TXL	3510363R1	1667732C1	500	A	1667735C1	1667734C1	
KD10-G5	10	WH	TXL	3510363R1	3551896C1	6704	A	589390C1	354454C1	3551897C1
KE11-G1	16	WH	TXL	3510360R1	3543733C1	6747	E	3535424C1	3543732C1	
KE11-G1	16	WH	TXL	3510360R1		6304	1	2644038R1		
KF46C	20	GY	TXL	3510310R1	3586750C1	7207F	9	N/A	355346C1	
KF46C	20	GY	TXL	3510310R1	3945694C1	6000	90	SWS_N_REQ	3743662C1	
KF97XH	20	PL	TXL	3510346R1	3586750C1	7207F	7	N/A	355346C1	
KF97XH	20	PL	TXL	3510346R1	3945694C1	6000	83	SWS_N_REQ	3743662C1	
KG31	18	TN	TXL	3510329R1	3595620C1	1702	13	N/A	3598916C1	3598917C1
KG31	18	TN	TXL	3510329R1	3536864C1	7700L	1	3536867C1		
KG31R	18	GY	GXL	2643673R1	3536864C1	7700L	2	3536868C1		
KG31R	18	GY	GXL	2643673R1	3551896C1	6704	B	1652325C1	354454C1	3551897C1
KH10-G	10	WH	TXL	3510363R1	3577412C1	7501	1	N/A	3577413C1	
KH10-G	10	WH	TXL	3510363R1		SS40	-	2644027R1		
KH10-GA	8	WH	GXL	2643789R1		4007	1	2644054R1		
KH10-GA	8	WH	GXL	2643789R1		SS40	-	2644027R1		
KH10-GE	14	WH	TXL	3510361R1	3599542C1	7105	36	N/A		
KH10-GE	14	WH	TXL	3510361R1		SS40	-	2644027R1		
KH11-G1	16	WH	TXL	3510360R1		SS40	-	2644027R1		
KH11-G1	16	WH	TXL	3510360R1	3543733C1	6747	E	3535424C1	3543732C1	
KH13A	14	PK	GXL	2643691R1	3599542C1	7105	35	N/A		
KH13A	14	PK	GXL	2643691R1	3595620C1	1702	8	N/A	3598916C1	3598917C1
KH14A	12	RD	TXL	3510368R1	6113341C1	6567	7	3575783C1		
KH14A	12	RD	TXL	3510368R1	3599542C1	7105	38	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
KH14S	10	RD	GXL	2643698R1		SS46	-	2644000R1		
KH14S	10	RD	GXL	2643698R1	6113338C1	6566	3	6113347C1		
KH14SA	10	RD	TXL	3510369R1	3577412C1	7501	2	N/A	3577413C1	
KH14SA	10	RD	TXL	3510369R1		SS46	-	2644000R1		
KH17-GC	18	WH	TXL	3510359R1	3599542C1	7105	4	N/A		
KH17-GC	18	WH	TXL	3510359R1	3595620C1	1702	19	N/A	3598916C1	3598917C1
KH17B	18	PK	TXL	3510323R1	3599542C1	7105	32	N/A		
KH17B	18	PK	TXL	3510323R1	3595620C1	1702	20	N/A	3598916C1	3598917C1
KH17C	18	PK	TXL	3510323R1	3599542C1	7105	26	N/A		
KH17C	18	PK	TXL	3510323R1	3595620C1	1702	21	N/A	3598916C1	3598917C1
KH5TC(+)	18	YL	TXL	3572112R1	3599542C1	7105	28	N/A		
KH5TC(+)	18	YL	TXL	3572112R1	6112506C1	4060	1	N/A		
KH5TC(-)	18	GN	TXL	3572112R1	3599542C1	7105	27	N/A		
KH5TC(-)	18	GN	TXL	3572112R1	6112506C1	4060	2	N/A		
KH71	16	OR	TXL	3510318R1	1661778C1	7500W	A	1661872C1	1661874C1	
KH71	16	OR	TXL	3510318R1	3595620C1	1702	6	N/A	3598916C1	3598917C1
KH71A	16	OR	TXL	3510318R1	1661778C1	7500W	B	1661872C1	1661874C1	
KH71A	16	OR	TXL	3510318R1	3595620C1	1702	7	N/A	3598916C1	3598917C1
KH92ER	18	TN	TXL	3510329R1	3599542C1	7105	31	N/A		
KH92ER	18	TN	TXL	3510329R1	3595620C1	1702	31	N/A	3598916C1	3598917C1
KH92J	18	TN	TXL	3510329R1	3599542C1	7105	25	N/A		
KH92J	18	TN	TXL	3510329R1	3595620C1	1702	39	N/A	3598916C1	3598917C1
KJ31	18	TN	TXL	3510329R1	3536864C1	7700A	1	3536867C1		
KJ31	18	TN	TXL	3510329R1	3595620C1	1702	13	N/A	3598916C1	3598917C1
KJ31R	18	GY	GXL	2643673R1	3536864C1	7700A	2	3536868C1		
KJ31R	18	GY	GXL	2643673R1	3551896C1	6704	B	1652325C1	354454C1	3551897C1
KK77	18	LTGN	TXL	3510299R1	3595620C1	1702	10	N/A	3598916C1	3598917C1
KK77	18	LTGN	TXL	3510299R1	1671610C1	6200	B	3517771C1	167168C1	
KK77-G	18	LTGN	TXL	3510299R1	3543733C1	6747	F	3535424C1	3543732C1	
KK77-G	18	LTGN	TXL	3510299R1	1671610C1	6200	A	3517771C1	167168C1	
KK77-ZV	18	LTGN	TXL	3510299R1	3543733C1	6747	L	3535424C1	3543732C1	
KK77-ZV	18	LTGN	TXL	3510299R1	1678137C1	6201	A	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
KK77A	18	LTGN	TXL	3510299R1	3595620C1	1702	3	N/A	3598916C1	3598917C1
KK77A	18	LTGN	TXL	3510299R1	1678137C1	6201	B	N/A		
KK77B	18	LTGN	TXL	3510299R1	3595620C1	1702	4	N/A	3598916C1	3598917C1
KK77B	18	LTGN	TXL	3510299R1	1678137C1	6201	C	N/A		
KM47B	20	GY	TXL	3510310R1	3945694C1	6000	60	SWS_N_REQ	3743662C1	
KM47B	20	GY	TXL	3510310R1	3662425C1	7601	B	3756268C1	3662518C1	
KM47C	20	GY	TXL	3510310R1	3945694C1	6000	59	SWS_N_REQ	3743662C1	
KM47C	20	GY	TXL	3510310R1	3662425C1	7601	A	3756268C1	3662518C1	
KN14A	12	RD	TXL	3510368R1	6113341C1	6567	14	3509903C1		
KN14A	12	RD	TXL	3510368R1	1671610C1	9932M	A	589391C1	167168C1	
KP6A	20	GY	TXL	3510310R1	3945694C1	6000	8	SWS_N_REQ	3743662C1	
KP6A	20	GY	TXL	3510310R1		SS28	-	N/A		
KP6B	18	GY	TXL	3510311R1	3595620C1	1702	30	N/A	3598916C1	3598917C1
KP6B	18	GY	TXL	3510311R1		SS28	-	N/A		
KP6C	18	GY	TXL	3510311R1	3586750C1	7207F	8	N/A	355346C1	
KP6C	18	GY	TXL	3510311R1		SS28	-	N/A		
KP6D	18	TN	150	2645915R1	3573078C1	670A	5	SWS_N_REQ		
KP6D	18	TN	150	2645915R1		SS28	-	N/A		
KR46A	20	GY	TXL	3510310R1	3945694C1	6000	19	SWS_N_REQ	3743662C1	
KR46A	20	GY	TXL	3510310R1	3586750C1	7207F	2	N/A	355346C1	
KR46B	20	GY	TXL	3510310R1	3945694C1	6000	12	SWS_N_REQ	3743662C1	
KR46B	20	GY	TXL	3510310R1	3586750C1	7207F	4	N/A	355346C1	
KR97AR	20	PL	TXL	3510346R1	3945694C1	6000	30	SWS_N_REQ	3743662C1	
KR97AR	20	PL	TXL	3510346R1	3586750C1	7207F	5	N/A	355346C1	
KR97XC	20	TN	TXL	3510328R1	3945694C1	6000	70	SWS_N_REQ	3743662C1	
KR97XC	20	TN	TXL	3510328R1	3586750C1	7207F	11	N/A	355346C1	
KR97XG	20	GY	TXL	3510310R1	3945694C1	6000	66	SWS_N_REQ	3743662C1	
KR97XG	20	GY	TXL	3510310R1	3586750C1	7207F	6	N/A	355346C1	
KR99A	20	PL	TXL	3510346R1	3945694C1	6000	63	SWS_N_REQ	3743662C1	
KR99A	20	PL	TXL	3510346R1	3586750C1	7207F	12	N/A	355346C1	
KR99C	20	PL	TXL	3510346R1	3945694C1	6000	94	SWS_N_REQ	3743662C1	
KR99C	20	PL	TXL	3510346R1	3586750C1	7207F	1	N/A	355346C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2	
KR99F	20	PL	TXL	3510346R1	3945694C1	6000	67	SWS_N_REQ	3743662C1		
KR99F	20	PL	TXL	3510346R1	3586750C1	7207F	3	N/A	355346C1		
KR9B	20	GY	TXL	3510310R1	3586750C1	7207F	10	N/A	355346C1		
KR9B	20	GY	TXL	3510310R1	3543733C1		6747	G	3535423C1	3543732C1	
KS10-G6	10	WH	TXL	3510363R1	1667732C1		500	B	1667735C1	1667734C1	
KS10-G6	10	WH	TXL	3510363R1	3551896C1	6704B		A	589390C1	354454C1	3551897C1
KT34	20	TN	TXL	3510328R1			SS71	-	N/A		
KT34	20	TN	TXL	3510328R1	3945694C1		6000	35	SWS_N_REQ	3743662C1	
KT34-G	18	TN	TXL	3510329R1	3662425C1		6401	B	3554318C1	3662518C1	
KT34-G	18	TN	TXL	3510329R1	3543733C1		6747	C	3535424C1	3543732C1	
KT34A	18	TN	TXL	3510329R1			SS71	-	N/A		
KT34A	18	TN	TXL	3510329R1	3662425C1		6401	A	3554318C1	3662518C1	
KT9	18	GY	150	2645914R1	3573078C1	670A		7	SWS_N_REQ		
KT9	18	GY	150	2645914R1			SS33	-	N/A		
KT9A	20	GY	TXL	3510310R1	3945694C1		6000	32	SWS_N_REQ	3743662C1	
KT9A	20	GY	TXL	3510310R1			SS33	-	N/A		
KV13	16	PK	TXL	3510324R1	3595620C1		1702	37	N/A	3598916C1	3598917C1
KV13	16	PK	TXL	3510324R1			SS41	-	2644000R1		
KV13C	14	PK	GXL	2643691R1	1667639C1		6100	A	SWS_N_REQ		
KV13C	14	PK	GXL	2643691R1			SS41	-	2644000R1		
KW5(+)	20	YL	193	3858761R1	3945694C1		6000	22	SWS_N_REQ	3743662C1	
KW5(+)	20	YL	193	3858761R1			SS3	-	N/A		
KW5(-)	20	GN	193	3858761R1	3945694C1		6000	46	SWS_N_REQ	3743662C1	
KW5(-)	20	GN	193	3858761R1			SS5	-	N/A		
KW5A(+)	18	YL	TXL	3572112R1	3595620C1		1702	11	N/A	3598916C1	3598917C1
KW5A(+)	18	YL	TXL	3572112R1			SS3	-	N/A		
KW5A(-)	18	GN	TXL	3572112R1	3595620C1		1702	17	N/A	3598916C1	3598917C1
KW5A(-)	18	GN	TXL	3572112R1			SS5	-	N/A		
KW5B(+)	18	YL	TXL	3572112R1	3683465C1	7801A		A	3535424C1	3683466C1	3573833C1
KW5B(+)	18	YL	TXL	3572112R1			SS3	-	N/A		
KW5B(-)	18	GN	TXL	3572112R1	3683465C1	7801A		B	3535424C1	3683466C1	3573833C1
KW5B(-)	18	GN	TXL	3572112R1			SS5	-	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2	
KX5B(+)	18	YL	TXL	3572112R1	3683465C1	7801M	A	3535424C1	3683466C1	3573833C1	
KX5B(+)	18	YL	TXL	3572112R1		SS37	-	2644000R1			
KX5B(-)	18	GN	TXL	3572112R1	3683465C1	7801M	B	3535424C1	3683466C1	3573833C1	
KX5B(-)	18	GN	TXL	3572112R1		SS35	-	2644000R1			
KX5R(+)	18	YL	TXL	3572112R1	3595620C1		1702	11	N/A	3598916C1	3598917C1
KX5R(+)	18	YL	TXL	3572112R1		SS39	-	2644000R1			
KX5R(-)	18	GN	TXL	3572112R1	3595620C1		1702	17	N/A	3598916C1	3598917C1
KX5R(-)	18	GN	TXL	3572112R1		SS36	-	2644000R1			
KX5S(+)	20	YL	193	3858761R1	3945694C1		6000	22	SWS_N_REQ	3743662C1	
KX5S(+)	20	YL	193	3858761R1		SS39	-	2644000R1			
KX5S(-)	20	GN	193	3858761R1	3945694C1		6000	46	SWS_N_REQ	3743662C1	
KX5S(-)	20	GN	193	3858761R1		SS36	-	2644000R1			
KX5TA(+)	18	YL	TXL	3572112R1		SS37	-	2644000R1			
KX5TA(+)	18	YL	TXL	3572112R1		SS39	-	2644000R1			
KX5TA(-)	18	GN	TXL	3572112R1		SS35	-	2644000R1			
KX5TA(-)	18	GN	TXL	3572112R1		SS36	-	2644000R1			
KX5V(+)	18	YL	TXL	3572112R1	3599542C1		7105	3	N/A		
KX5V(+)	18	YL	TXL	3572112R1		SS37	-	2644000R1			
KX5V(-)	18	GN	TXL	3572112R1	3599542C1		7105	2	N/A		
KX5V(-)	18	GN	TXL	3572112R1		SS35	-	2644000R1			
KY46A	20	GY	TXL	3510310R1	3945694C1		6000	19	SWS_N_REQ	3743662C1	
KY46A	20	GY	TXL	3510310R1	3586750C1	7207F		2	N/A	355346C1	
KY46B	20	GY	TXL	3510310R1	3945694C1		6000	12	SWS_N_REQ	3743662C1	
KY46B	20	GY	TXL	3510310R1	3586750C1	7207F		4	N/A	355346C1	
KY97AR	20	PL	TXL	3510346R1	3945694C1		6000	30	SWS_N_REQ	3743662C1	
KY97AR	20	PL	TXL	3510346R1	3586750C1	7207F		5	N/A	355346C1	
KY97XC	20	TN	TXL	3510328R1	3945694C1		6000	70	SWS_N_REQ	3743662C1	
KY97XC	20	TN	TXL	3510328R1	3586750C1	7207F		9	N/A	355346C1	
KY97XG	20	GY	TXL	3510310R1	3945694C1		6000	66	SWS_N_REQ	3743662C1	
KY97XG	20	GY	TXL	3510310R1	3586750C1	7207F		3	N/A	355346C1	
KY99A	20	PL	TXL	3510346R1	3945694C1		6000	63	SWS_N_REQ	3743662C1	
KY99A	20	PL	TXL	3510346R1	3586750C1	7207F		8	N/A	355346C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
KY99B	20	PL	TXL	3510346R1	3945694C1	6000	90	SWS_N_REQ	3743662C1	
KY99B	20	PL	TXL	3510346R1	3586750C1	7207F	10	N/A	355346C1	
KY99C	20	PL	TXL	3510346R1	3945694C1	6000	94	SWS_N_REQ	3743662C1	
KY99C	20	PL	TXL	3510346R1	3586750C1	7207F	11	N/A	355346C1	
KY99F	20	PL	TXL	3510346R1	3945694C1	6000	67	SWS_N_REQ	3743662C1	
KY99F	20	PL	TXL	3510346R1	3586750C1	7207F	12	N/A	355346C1	
KY9B-G	20	GY	TXL	3510310R1	3586750C1	7207F	6	N/A	355346C1	
KY9B-G	20	GY	TXL	3510310R1	3543733C1	6747	G	3535423C1	3543732C1	
KZ34	16	TN	GXL	2643683R1	1687789C1	6401M	B	1652325C1	1661376C1	
KZ34	16	TN	GXL	2643683R1	1671610C1	6401R	A	1652325C1	167168C1	
KZ34A	20	TN	TXL	3510328R1	3945694C1	6000	35	SWS_N_REQ	3743662C1	
KZ34A	20	TN	TXL	3510328R1	1687789C1	6401M	C	3517771C1	1661376C1	
KZ34B	16	TN	GXL	2643683R1	1687789C1	6401M	E	1652325C1	1661376C1	
KZ34B	16	TN	GXL	2643683R1	1671610C1	6401R	B	1652325C1	167168C1	
KZ9	18	GY	150	2645914R1	3573078C1	670A	7	SWS_N_REQ		
KZ9	18	GY	150	2645914R1		SS29	-	N/A		
KZ9A	20	GY	TXL	3510310R1	3945694C1	6000	32	SWS_N_REQ	3743662C1	
KZ9A	20	GY	TXL	3510310R1		SS29	-	N/A		
KZ9B	18	GY	TXL	3510311R1	1687789C1	6401M	D	3517771C1	1661376C1	
KZ9B	18	GY	TXL	3510311R1		SS29	-	N/A		
MA88	14	LTGN	GXL	2643687R1	BLUNT_SL_V	7800	A	SWS_N_REQ		
MA88	14	LTGN	GXL	2643687R1	3595620C1	1702	14	N/A	3598916C1	3598917C1
MJ71A	18	OR	150	2645921R1	3595620C1	1702	6	N/A	3598916C1	3598917C1
MJ71A	18	OR	150	2645921R1	1661778C1	7500M	A	3568570C1	1661874C1	
MJ71B	18	TN	150	2645915R1	3595620C1	1702	7	N/A	3598916C1	3598917C1
MJ71B	18	TN	150	2645915R1	1661778C1	7500M	B	3568570C1	1661874C1	
ML93	18	TN	GXL	2643676R1	3595620C1	1702	39	N/A	3598916C1	3598917C1
ML93	18	TN	GXL	2643676R1	1661198C1	7103M	A	N/A		
ML9TS	18	GY	TXL	3510311R1	3543733C1	6747	K	3535424C1	3543732C1	
ML9TS	18	GY	TXL	3510311R1	1661198C1	7103M	C	N/A		
PB48#139	18	OR	150	2645921R1	3610533C1	7603M	B	3554318C1	361532C1	
PB48#139	18	OR	150	2645921R1	3605713C1	7500	39	SWS_N_REQ	366525C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
PB48#159	18	TN	150	2645915R1	3610533C1	7603M	A	3554318C1	361532C1	
PB48#159	18	TN	150	2645915R1	3605713C1	7500	59	SWS_N_REQ	366525C1	
PB92#180	18	OR	150	2645921R1	3605715C1	7250M	13	N/A	366532C1	
PB92#180	18	OR	150	2645921R1	3605713C1	7500	80	SWS_N_REQ	366525C1	
PB92A120	18	LTBL	150	2645922R1	3605715C1	7250M	14	N/A	366532C1	
PB92A120	18	LTBL	150	2645922R1	3605713C1	7500	20	SWS_N_REQ	366525C1	
PC5#106	18	YL	TXL	3572112R1	3605713C1	7500	6	SWS_N_REQ	366525C1	
PC5#106	18	YL	TXL	3572112R1		SS84	-	2644000R1		
PC5#127	18	GN	TXL	3572112R1	3605713C1	7500	27	SWS_N_REQ	366525C1	
PC5#127	18	GN	TXL	3572112R1		SS83	-	2644000R1		
PC5A(+)	18	YL	TXL	3572112R1	3683465C1	7801M	A	3535424C1	3683466C1	3573833C1
PC5A(+)	18	YL	TXL	3572112R1		SS84	-	2644000R1		
PC5A(-)	18	GN	TXL	3572112R1	3683465C1	7801M	B	3535424C1	3683466C1	3573833C1
PC5A(-)	18	GN	TXL	3572112R1		SS83	-	2644000R1		
PC5C(+)	18	YL	TXL	3572112R1		SS84	-	2644000R1		
PC5C(+)	18	YL	TXL	3572112R1		SS82	-	N/A		
PC5C(-)	18	GN	TXL	3572112R1		SS83	-	2644000R1		
PC5C(-)	18	GN	TXL	3572112R1		SS81	-	N/A		
PC5D(+)	20	YL	193	3858761R1	3945694C1	6000	22	SWS_N_REQ	3743662C1	
PC5D(+)	20	YL	193	3858761R1		SS82	-	N/A		
PC5D(-)	20	GN	193	3858761R1	3945694C1	6000	46	SWS_N_REQ	3743662C1	
PC5D(-)	20	GN	193	3858761R1		SS81	-	N/A		
PC5E(+)	18	YL	TXL	3572112R1	3595620C1	1702	11	N/A	3598916C1	3598917C1
PC5E(+)	18	YL	TXL	3572112R1		SS82	-	N/A		
PC5E(-)	18	GN	TXL	3572112R1	3595620C1	1702	17	N/A	3598916C1	3598917C1
PC5E(-)	18	GN	TXL	3572112R1		SS81	-	N/A		
PD48#139	18	OR	TXL	3510317R1	3610533C1	7603	B	3554318C1	361532C1	
PD48#139	18	OR	TXL	3510317R1	3605713C1	7500	39	SWS_N_REQ	366525C1	
PD48#159	18	TN	TXL	3510329R1	3610533C1	7603	A	3554318C1	361532C1	
PD48#159	18	TN	TXL	3510329R1	3605713C1	7500	59	SWS_N_REQ	366525C1	
PE92#120	18	DKBL	TXL	3510353R1	3610533C1	7615	B	3554318C1	361532C1	
PE92#120	18	DKBL	TXL	3510353R1	3605713C1	7500	20	SWS_N_REQ	366525C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
PE92#180	18	OR	TXL	3510317R1	3610533C1	7615	A	3554318C1	361532C1	
PE92#180	18	OR	TXL	3510317R1	3605713C1	7500	80	SWS_N_REQ	366525C1	
PM14A	12	RD	TXL	3510368R1	6113341C1	6567	7	3509903C1		
PM14A	12	RD	TXL	3510368R1		SS61	-	2644000R1		
PM92#105	18	OR	TXL	3510317R1	3605713C1	7500	5	SWS_N_REQ	366525C1	
PM92#105	18	OR	TXL	3510317R1	3525872C1	7205F	F	3568570C1	3525873C1	3525875C1
PM92#109	18	WH	TXL	3510359R1	3605713C1	7500	9	SWS_N_REQ	366525C1	
PM92#109	18	WH	TXL	3510359R1	3551896C1	6704	D	3517771C1	354454C1	3551897C1
PM92#110	18	RD	TXL	3510365R1	3605713C1	7500	10	SWS_N_REQ	366525C1	
PM92#110	18	RD	TXL	3510365R1		SS61	-	2644000R1		
PM92#122	18	YL	TXL	3510335R1	3605713C1	7500	22	SWS_N_REQ	366525C1	
PM92#122	18	YL	TXL	3510335R1	3525872C1	7205F	E	3568570C1	3525873C1	3525875C1
PM92#123	18	LTGN	TXL	3510299R1	3605713C1	7500	23	SWS_N_REQ	366525C1	
PM92#123	18	LTGN	TXL	3510299R1	3525874C1	7206F	H	3568570C1		
PM92#130	18	YL	TXL	3510335R1	3605713C1	7500	30	SWS_N_REQ	366525C1	
PM92#130	18	YL	TXL	3510335R1	3525874C1	7206F	G	3568570C1		
PM92#134	18	YL	TXL	3510335R1	3605713C1	7500	34	SWS_N_REQ	366525C1	
PM92#134	18	YL	TXL	3510335R1	3595620C1	1702	19	N/A	3598916C1	3598917C1
PM92#143	18	LTBL	TXL	3510341R1	3605713C1	7500	43	SWS_N_REQ	366525C1	
PM92#143	18	LTBL	TXL	3510341R1	3525874C1	7206F	D	3568570C1		
PM92#162	18	YL	TXL	3510335R1	3605713C1	7500	62	SWS_N_REQ	366525C1	
PM92#162	18	YL	TXL	3510335R1	3525872C1	7205F	H	3568570C1	3525873C1	3525875C1
PM92#163	18	YL	TXL	3510335R1	3605713C1	7500	63	SWS_N_REQ	366525C1	
PM92#163	18	YL	TXL	3510335R1	3595620C1	1702	8	N/A	3598916C1	3598917C1
PM92#164	18	LTBL	TXL	3510341R1	3605713C1	7500	64	SWS_N_REQ	366525C1	
PM92#164	18	LTBL	TXL	3510341R1	3525872C1	7205F	G	3568570C1	3525873C1	3525875C1
PM92#165	18	TN	TXL	3510329R1	3605713C1	7500	65	SWS_N_REQ	366525C1	
PM92#165	18	TN	TXL	3510329R1	3595620C1	1702	7	N/A	3598916C1	3598917C1
PM92#169	18	WH	TXL	3510359R1	3605713C1	7500	69	SWS_N_REQ	366525C1	
PM92#169	18	WH	TXL	3510359R1	3551896C1	6704	E	3517771C1	354454C1	3551897C1
PM92#170	18	RD	TXL	3510365R1	3605713C1	7500	70	SWS_N_REQ	366525C1	
PM92#170	18	RD	TXL	3510365R1		SS61	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
PN92#101	18	LTBL	TXL	3510341R1	3605713C1	7500	1	SWS_N_REQ	366525C1	
PN92#101	18	LTBL	TXL	3510341R1	3525874C1	7206F	A	3568570C1		
PN92#103	18	YL	TXL	3510335R1	3605713C1	7500	3	SWS_N_REQ	366525C1	
PN92#103	18	YL	TXL	3510335R1		SS59	-	2644000R1		
PN92B103	18	YL	TXL	3510335R1	3525872C1	7205F	A	3568570C1	3525873C1	3525875C1
PN92B103	18	YL	TXL	3510335R1		SS59	-	2644000R1		
PN92C103	18	YL	TXL	3510335R1	3525874C1	7206F	C	3568570C1		
PN92C103	18	YL	TXL	3510335R1		SS59	-	2644000R1		
PR92#101	18	LTBL	TXL	3510341R1	3605713C1	7500	1	SWS_N_REQ	366525C1	
PR92#101	18	LTBL	TXL	3510341R1	3525874C1	7206F	A	3568570C1		
PR92#103	18	YL	TXL	3510335R1	3605713C1	7500	3	SWS_N_REQ	366525C1	
PR92#103	18	YL	TXL	3510335R1		SS63	-	2644000R1		
PR92#115	18	WH	TXL	3510359R1	3868820C1	7213	A	3554318C1	361532C1	
PR92#115	18	WH	TXL	3510359R1	3605713C1	7500	15	SWS_N_REQ	366525C1	
PR92#119	18	LTBL	TXL	3510341R1	3868823C1	7212	A	3554318C1	361532C1	
PR92#119	18	LTBL	TXL	3510341R1	3605713C1	7500	19	SWS_N_REQ	366525C1	
PR92#124	18	WH	TXL	3510359R1	3605713C1	7500	24	SWS_N_REQ	366525C1	
PR92#124	18	WH	TXL	3510359R1	3595620C1	1702	27	N/A	3598916C1	3598917C1
PR92#156	18	PK	TXL	3510323R1	3605713C1	7500	56	SWS_N_REQ	366525C1	
PR92#156	18	PK	TXL	3510323R1	3595620C1	1702	31	N/A	3598916C1	3598917C1
PR92#161	18	OR	TXL	3510317R1	3605713C1	7500	61	SWS_N_REQ	366525C1	
PR92#161	18	OR	TXL	3510317R1	3595620C1	1702	39	N/A	3598916C1	3598917C1
PR92#175	18	OR	TXL	3510317R1		SS86	-	2644000R1		
PR92#175	18	OR	TXL	3510317R1	3605713C1	7500	75	SWS_N_REQ	366525C1	
PR92A112	18	PK	TXL	3510323R1	3605713C1	7500	12	SWS_N_REQ	366525C1	
PR92A112	18	PK	TXL	3510323R1		SS87	-	2644000R1		
PR92A131	18	YL	TXL	3510335R1	3605713C1	7500	31	SWS_N_REQ	366525C1	
PR92A131	18	YL	TXL	3510335R1		SS88	-	2644000R1		
PR92A158	18	LTGN	TXL	3510299R1	3605713C1	7500	58	SWS_N_REQ	366525C1	
PR92A158	18	LTGN	TXL	3510299R1		SS89	-	2644000R1		
PR92A175	18	OR	GXL	2643675R1		SS86	-	2644000R1		
PR92A175	18	OR	GXL	2643675R1	3524377C1	7211	A	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2	
PR92B103	18	YL	TXL	3510335R1	3525872C1	7205F	A	3568570C1	3525873C1	3525875C1	
PR92B103	18	YL	TXL	3510335R1		SS63	-	2644000R1			
PR92B112	18	PK	TXL	3510323R1	3595620C1		1702	41	N/A	3598916C1	3598917C1
PR92B112	18	PK	TXL	3510323R1		SS87	-	2644000R1			
PR92B131	18	YL	150	2645910R1	3605715C1	7250M		11	N/A	366532C1	
PR92B131	18	YL	150	2645910R1		SS88	-	2644000R1			
PR92B158	18	LTGN	150	2645920R1	3605715C1	7250M		19	N/A	366532C1	
PR92B158	18	LTGN	150	2645920R1		SS89	-	2644000R1			
PR92C103	18	YL	TXL	3510335R1	3525874C1	7206F		C	3568570C1		
PR92C103	18	YL	TXL	3510335R1		SS63	-	2644000R1			
PR92C112	18	PK	150	2645918R1	3605715C1	7250M		16	N/A	366532C1	
PR92C112	18	PK	150	2645918R1		SS87	-	2644000R1			
PR92C131	18	YL	TXL	3510335R1	3868823C1		7212	B	3554318C1	361532C1	
PR92C131	18	YL	TXL	3510335R1		SS88	-	2644000R1			
PR92C158	18	LTGN	GXL	2643671R1	3524377C1		7211	B	N/A		
PR92C158	18	LTGN	GXL	2643671R1		SS89	-	2644000R1			
PR92D103	18	YL	TXL	3510335R1	3595620C1		1702	21	N/A	3598916C1	3598917C1
PR92D103	18	YL	TXL	3510335R1		SS63	-	2644000R1			
PR92D131	18	YL	TXL	3510335R1	3868820C1		7213	B	3554318C1	361532C1	
PR92D131	18	YL	TXL	3510335R1		SS88	-	2644000R1			
PR92D158	18	LTGN	TXL	3510299R1	3595620C1		1702	26	N/A	3598916C1	3598917C1
PR92D158	18	LTGN	TXL	3510299R1		SS89	-	2644000R1			
PT92#131	18	YL	150	2645910R1	3605715C1	7250M		11	N/A	366532C1	
PT92#131	18	YL	150	2645910R1	3605713C1		7500	31	SWS_N_REQ	366525C1	
PT92#158	18	LTGN	150	2645920R1	3605715C1	7250M		19	N/A	366532C1	
PT92#158	18	LTGN	150	2645920R1	3605713C1		7500	58	SWS_N_REQ	366525C1	
PT92A112	18	PK	150	2645918R1	3605715C1	7250M		16	N/A	366532C1	
PT92A112	18	PK	150	2645918R1	3605713C1		7500	12	SWS_N_REQ	366525C1	
PW31#154	18	TN	150	2645915R1	3605715C1	7250M		18	N/A	366532C1	
PW31#154	18	TN	150	2645915R1	3605713C1		7500	54	SWS_N_REQ	366525C1	
PW47#125	18	GY	TXL	3510311R1	3605713C1		7500	25	SWS_N_REQ	366525C1	
PW47#125	18	GY	TXL	3510311R1	3595620C1		1702	38	N/A	3598916C1	3598917C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
PW47#140	18	LTGN	TXL	3510299R1	3610533C1	7605M	B	3554318C1	361532C1	
PW47#140	18	LTGN	TXL	3510299R1	3605713C1	7500	40	SWS_N_REQ	366525C1	
PW47#160	18	YL	TXL	3510335R1	3610533C1	7605M	A	3554318C1	361532C1	
PW47#160	18	YL	TXL	3510335R1	3605713C1	7500	60	SWS_N_REQ	366525C1	
PW92#111	18	OR	150	2645921R1	3605715C1	7250M	1	N/A	366532C1	
PW92#111	18	OR	150	2645921R1	3605713C1	7500	11	SWS_N_REQ	366525C1	
PW92#116	18	LTBL	150	2645922R1	3605715C1	7250M	15	N/A	366532C1	
PW92#116	18	LTBL	150	2645922R1	3605713C1	7500	16	SWS_N_REQ	366525C1	
PW92#118	18	GY	150	2645914R1	3605715C1	7250M	17	N/A	366532C1	
PW92#118	18	GY	150	2645914R1	3605713C1	7500	18	SWS_N_REQ	366525C1	
PW92#133	18	YL	150	2645910R1	3605715C1	7250M	9	N/A	366532C1	
PW92#133	18	YL	150	2645910R1	3605713C1	7500	33	SWS_N_REQ	366525C1	
PW92#136	18	OR	150	2645921R1	3605715C1	7250M	4	N/A	366532C1	
PW92#136	18	OR	150	2645921R1	3605713C1	7500	36	SWS_N_REQ	366525C1	
PW92#137	18	WH	150	2645919R1	3605715C1	7250M	12	N/A	366532C1	
PW92#137	18	WH	150	2645919R1	3605713C1	7500	37	SWS_N_REQ	366525C1	
PW92#151	18	WH	150	2645919R1	3605715C1	7250M	10	N/A	366532C1	
PW92#151	18	WH	150	2645919R1	3605713C1	7500	51	SWS_N_REQ	366525C1	
PW92#152	18	LTGN	150	2645920R1	3605715C1	7250M	5	N/A	366532C1	
PW92#152	18	LTGN	150	2645920R1	3605713C1	7500	52	SWS_N_REQ	366525C1	
PW92#155	18	WH	150	2645919R1	3605715C1	7250M	2	N/A	366532C1	
PW92#155	18	WH	150	2645919R1	3605713C1	7500	55	SWS_N_REQ	366525C1	
PW92#171	18	YL	150	2645910R1	3605715C1	7250M	6	N/A	366532C1	
PW92#171	18	YL	150	2645910R1	3605713C1	7500	71	SWS_N_REQ	366525C1	
PW92#174	18	LTBL	150	2645922R1	3605715C1	7250M	8	N/A	366532C1	
PW92#174	18	LTBL	150	2645922R1	3605713C1	7500	74	SWS_N_REQ	366525C1	
PW92#176	18	YL	150	2645910R1	3605715C1	7250M	20	N/A	366532C1	
PW92#176	18	YL	150	2645910R1	3605713C1	7500	76	SWS_N_REQ	366525C1	
PW92#177	18	LTGN	150	2645920R1	3605715C1	7250M	3	N/A	366532C1	
PW92#177	18	LTGN	150	2645920R1	3605713C1	7500	77	SWS_N_REQ	366525C1	
PY92#145	18	OR	TXL	3510317R1	3605713C1	7500	45	SWS_N_REQ	366525C1	
PY92#145	18	OR	TXL	3510317R1	3595620C1	1702	6	N/A	3598916C1	3598917C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
PY92A141	18	TN	TXL	3510329R1	3605713C1	7500	41	SWS_N_REQ	366525C1	
PY92A141	18	TN	TXL	3510329R1	3595620C1	1702	20	N/A	3598916C1	3598917C1
RA14-G	12	WH	TXL	3510362R1	6112506C1	4060	5	N/A		
RA14-G	12	WH	TXL	3510362R1	3551896C1	6704	F	589391C1	354454C1	3551897C1
RA14A	12	RD	TXL	3510368R1	6112506C1	4060	4	N/A		
RA14A	12	RD	TXL	3510368R1	1664531C1	9264M	A	589391C1	167553C1	
RB14A	14	RD	TXL	3510367R1	3595620C1	1702	5	N/A	3598916C1	3598917C1
RB14A	14	RD	TXL	3510367R1	6113341C1	6567	10	3509903C1		
RL92#117	18	LTBL	TXL	3510341R1	3605713C1	7500	17	SWS_N_REQ	366525C1	
RL92#117	18	LTBL	TXL	3510341R1	3525874C1	7206F	B	3568570C1		
RL92#142	18	WH	TXL	3510359R1	3605713C1	7500	42	SWS_N_REQ	366525C1	
RL92#142	18	WH	TXL	3510359R1	3525874C1	7206F	E	3568570C1		
RL92#145	18	OR	TXL	3510317R1	3605713C1	7500	45	SWS_N_REQ	366525C1	
RL92#145	18	OR	TXL	3510317R1	3525874C1	7206F	F	3568570C1		
RL92A141	18	TN	TXL	3510329R1	3605713C1	7500	41	SWS_N_REQ	366525C1	
RL92A141	18	TN	TXL	3510329R1	3595620C1	1702	20	N/A	3598916C1	3598917C1
RM92A117	18	LTBL	TXL	3510341R1	3605713C1	7500	17	SWS_N_REQ	366525C1	
RM92A117	18	LTBL	TXL	3510341R1		SS62	-	2644000R1		
RM92A142	18	WH	TXL	3510359R1	3605713C1	7500	42	SWS_N_REQ	366525C1	
RM92A142	18	WH	TXL	3510359R1		SS62	-	2644000R1		
RM92DL	18	LTBL	TXL	3510341R1	3595620C1	1702	25	N/A	3598916C1	3598917C1
RM92DL	18	LTBL	TXL	3510341R1		SS62	-	2644000R1		
RN92#117	18	LTBL	TXL	3510341R1	3605713C1	7500	17	SWS_N_REQ	366525C1	
RN92#117	18	LTBL	TXL	3510341R1	3595620C1	1702	25	N/A	3598916C1	3598917C1
RY14LSA	18	BK	GXL	2643670R1	BLUNT_SL_V	9724	B	N/A		
RY14LSA	18	BK	GXL	2643670R1	587570C91	9913B	A	1652325C1		
RY14LSB	18	RD	GXL	2643759R1	BLUNT_SL_V	9724	A	N/A		
RY14LSB	18	RD	GXL	2643759R1	587570C91	9913B	B	1652325C1		
RY14LSC	12	WH	GXL	2643787R1	3595620C1	1702	42	N/A	3598916C1	3598917C1
RY14LSC	12	WH	GXL	2643787R1	587570C91	9913B	C	589390C1		
SA48#139	18	OR	150	2645921R1	3627615C1	1503	1	N/A		
SA48#139	18	OR	150	2645921R1	3610533C1	7603M	B	3554318C1	361532C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
SA48#159	18	TN	150	2645915R1	3627615C1	1503	9	N/A		
SA48#159	18	TN	150	2645915R1	3610533C1	7603M	A	3554318C1	361532C1	
SA92#180	18	OR	150	2645921R1	3627615C1		1503	N/A		
SA92#180	18	OR	150	2645921R1	3605715C1	7250M	13	N/A	366532C1	
SA92A120	18	LTBL	150	2645922R1	3627615C1		1503	N/A		
SA92A120	18	LTBL	150	2645922R1	3605715C1	7250M	14	N/A	366532C1	
SB5#106	18	YL	TXL	3572112R1	3627615C1		1503	N/A		
SB5#106	18	YL	TXL	3572112R1		SS92	-	2644000R1		
SB5#127	18	GN	TXL	3572112R1	3627615C1		1503	N/A		
SB5#127	18	GN	TXL	3572112R1		SS91	-	2644000R1		
SB5A(+)	18	YL	TXL	3572112R1	3595620C1		1702	N/A	3598916C1	3598917C1
SB5A(+)	18	YL	TXL	3572112R1		SS90	-	N/A		
SB5A(-)	18	GN	TXL	3572112R1	3595620C1		1702	N/A	3598916C1	3598917C1
SB5A(-)	18	GN	TXL	3572112R1		SS85	-	N/A		
SB5B(+)	20	YL	193	3858761R1	3945694C1		6000	22	SWS_N_REQ	3743662C1
SB5B(+)	20	YL	193	3858761R1		SS90	-	N/A		
SB5B(-)	20	GN	193	3858761R1	3945694C1		6000	46	SWS_N_REQ	3743662C1
SB5B(-)	20	GN	193	3858761R1		SS85	-	N/A		
SB5C(+)	18	YL	TXL	3572112R1	3683465C1	7801M	A	3535424C1	3683466C1	3573833C1
SB5C(+)	18	YL	TXL	3572112R1		SS92	-	2644000R1		
SB5C(-)	18	GN	TXL	3572112R1	3683465C1	7801M	B	3535424C1	3683466C1	3573833C1
SB5C(-)	18	GN	TXL	3572112R1		SS91	-	2644000R1		
SB5E(+)	18	YL	TXL	3572112R1		SS92	-	2644000R1		
SB5E(+)	18	YL	TXL	3572112R1		SS90	-	N/A		
SB5E(-)	18	GN	TXL	3572112R1		SS91	-	2644000R1		
SB5E(-)	18	GN	TXL	3572112R1		SS85	-	N/A		
SL48#139	18	OR	TXL	3510317R1	3610533C1		7603	B	3554318C1	361532C1
SL48#139	18	OR	TXL	3510317R1	3627615C1		1503	1	N/A	
SL48#159	18	TN	TXL	3510329R1	3610533C1		7603	A	3554318C1	361532C1
SL48#159	18	TN	TXL	3510329R1	3627615C1		1503	9	N/A	
SM14A	12	RD	TXL	3510368R1	6113341C1		6567	7	3509903C1	
SM14A	12	RD	TXL	3510368R1		SS66	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
SM92#101	18	LTBL	TXL	3510341R1	3525874C1	7206F	A	3568570C1		
SM92#101	18	LTBL	TXL	3510341R1	2018589C1	1501	1	N/A		
SM92#105	18	OR	TXL	3510317R1	3525872C1	7205F	F	3568570C1	3525873C1	3525875C1
SM92#105	18	OR	TXL	3510317R1	2018589C1	1501	3	N/A		
SM92#109	18	WH	TXL	3510359R1	3551896C1	6704	D	3517771C1	354454C1	3551897C1
SM92#109	18	WH	TXL	3510359R1	2018589C1	1501	4	N/A		
SM92#110	18	RD	TXL	3510365R1	2018589C1	1501	5	N/A		
SM92#110	18	RD	TXL	3510365R1		SS66	-	2644000R1		
SM92#122	18	YL	TXL	3510335R1	3525872C1	7205F	E	3568570C1	3525873C1	3525875C1
SM92#122	18	YL	TXL	3510335R1	2018589C1	1501	7	N/A		
SM92#123	18	LTGN	TXL	3510299R1	3525874C1	7206F	H	3568570C1		
SM92#123	18	LTGN	TXL	3510299R1	2018589C1	1501	8	N/A		
SM92#130	18	WH	TXL	3510359R1	3525874C1	7206F	G	3568570C1		
SM92#130	18	WH	TXL	3510359R1	2018589C1	1501	10	N/A		
SM92#134	18	YL	TXL	3510335R1	3595620C1	1702	19	N/A	3598916C1	3598917C1
SM92#134	18	YL	TXL	3510335R1	2018589C1	1501	11	N/A		
SM92#143	18	LTBL	TXL	3510341R1	3525874C1	7206F	D	3568570C1		
SM92#143	18	LTBL	TXL	3510341R1	2018589C1	1501	13	N/A		
SM92#162	18	YL	TXL	3510335R1	3525872C1	7205F	H	3568570C1	3525873C1	3525875C1
SM92#162	18	YL	TXL	3510335R1	2018589C1	1501	17	N/A		
SM92#163	18	YL	TXL	3510335R1	3595620C1	1702	8	N/A	3598916C1	3598917C1
SM92#163	18	YL	TXL	3510335R1	2018589C1	1501	18	N/A		
SM92#164	18	LTBL	TXL	3510341R1	3525872C1	7205F	G	3568570C1	3525873C1	3525875C1
SM92#164	18	LTBL	TXL	3510341R1	1661601C1	1502	1	N/A		
SM92#165	18	TN	TXL	3510329R1	3595620C1	1702	7	N/A	3598916C1	3598917C1
SM92#165	18	TN	TXL	3510329R1	1661601C1	1502	2	N/A		
SM92#169	18	WH	TXL	3510359R1	3551896C1	6704	E	3517771C1	354454C1	3551897C1
SM92#169	18	WH	TXL	3510359R1	1661601C1	1502	3	N/A		
SM92#170	18	RD	TXL	3510365R1	1661601C1	1502	4	N/A		
SM92#170	18	RD	TXL	3510365R1		SS66	-	2644000R1		
SN92#103	18	YL	TXL	3510335R1	2018589C1	1501	2	N/A		
SN92#103	18	YL	TXL	3510335R1		SS60	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
SN92B103	18	YL	TXL	3510335R1	3525872C1	7205F	A	3568570C1	3525873C1	3525875C1
SN92B103	18	YL	TXL	3510335R1		SS60	-	2644000R1		
SN92C103	18	YL	TXL	3510335R1	3525874C1	7206F	C	3568570C1		
SN92C103	18	YL	TXL	3510335R1		SS60	-	2644000R1		
SR92#103	18	YL	TXL	3510335R1	2018589C1		1501 2	N/A		
SR92#103	18	YL	TXL	3510335R1		SS52	-	2644000R1		
SR92#115	18	WH	TXL	3510359R1	3868820C1	7213	A	3554318C1	361532C1	
SR92#115	18	WH	TXL	3510359R1	2018589C1		1501 9	N/A		
SR92#119	18	LTBL	TXL	3510341R1	3868823C1	7212	A	3554318C1	361532C1	
SR92#119	18	LTBL	TXL	3510341R1	2018589C1		1501 15	N/A		
SR92#124	18	WH	TXL	3510359R1	3595620C1		1702 27	N/A	3598916C1	3598917C1
SR92#124	18	WH	TXL	3510359R1	2018589C1		1501 16	N/A		
SR92#156	18	PK	TXL	3510323R1	3627615C1		1503 14	N/A		
SR92#156	18	PK	TXL	3510323R1	3595620C1		1702 31	N/A	3598916C1	3598917C1
SR92#161	18	OR	TXL	3510317R1	3627615C1		1503 15	N/A		
SR92#161	18	OR	TXL	3510317R1	3595620C1		1702 39	N/A	3598916C1	3598917C1
SR92#175	18	OR	TXL	3510317R1		SS73	-	2644000R1		
SR92#175	18	OR	TXL	3510317R1	3627615C1		1503 16	N/A		
SR92A112	18	PK	TXL	3510323R1	1661601C1		1502 6	N/A		
SR92A112	18	PK	TXL	3510323R1		SS74	-	2644000R1		
SR92A131	18	PK	TXL	3510323R1	1661601C1		1502 9	N/A		
SR92A131	18	PK	TXL	3510323R1		SS75	-	2644000R1		
SR92A158	18	LTGN	TXL	3510299R1	1661601C1		1502 13	N/A		
SR92A158	18	LTGN	TXL	3510299R1		SS76	-	2644000R1		
SR92A175	18	OR	GXL	2643675R1		SS73	-	2644000R1		
SR92A175	18	OR	GXL	2643675R1	3524377C1		7211 A	N/A		
SR92B103	18	YL	TXL	3510335R1	3525872C1	7205F	A	3568570C1	3525873C1	3525875C1
SR92B103	18	YL	TXL	3510335R1		SS52	-	2644000R1		
SR92B112	18	PK	TXL	3510323R1	3595620C1		1702 41	N/A	3598916C1	3598917C1
SR92B112	18	PK	TXL	3510323R1		SS74	-	2644000R1		
SR92B131	18	YL	150	2645910R1	3605715C1	7250M	11	N/A	366532C1	
SR92B131	18	YL	150	2645910R1		SS75	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2	
SR92B158	18	LTGN	150	2645920R1	3605715C1	7250M	19	N/A	366532C1		
SR92B158	18	LTGN	150	2645920R1		SS76	-	2644000R1			
SR92C103	18	YL	TXL	3510335R1	3525874C1	7206F	C	3568570C1			
SR92C103	18	YL	TXL	3510335R1		SS52	-	2644000R1			
SR92C112	18	PK	150	2645918R1	3605715C1	7250M	16	N/A	366532C1		
SR92C112	18	PK	150	2645918R1		SS74	-	2644000R1			
SR92C131	18	YL	TXL	3510335R1	3868823C1		7212	B	3554318C1	361532C1	
SR92C131	18	YL	TXL	3510335R1		SS75	-	2644000R1			
SR92C158	18	LTGN	GXL	2643671R1	3524377C1		7211	B	N/A		
SR92C158	18	LTGN	GXL	2643671R1		SS76	-	2644000R1			
SR92D103	18	YL	TXL	3510335R1	3595620C1		1702	21	N/A	3598916C1	3598917C1
SR92D103	18	YL	TXL	3510335R1		SS52	-	2644000R1			
SR92D131	18	YL	TXL	3510335R1	3868820C1		7213	B	3554318C1	361532C1	
SR92D131	18	YL	TXL	3510335R1		SS75	-	2644000R1			
SR92D158	18	LTGN	TXL	3510299R1	3595620C1		1702	26	N/A	3598916C1	3598917C1
SR92D158	18	LTGN	TXL	3510299R1		SS76	-	2644000R1			
ST92#131	18	YL	150	2645910R1	3605715C1	7250M		11	N/A	366532C1	
ST92#131	18	YL	150	2645910R1	1661601C1		1502	9	N/A		
ST92#158	18	LTGN	150	2645920R1	3605715C1	7250M		19	N/A	366532C1	
ST92#158	18	LTGN	150	2645920R1	1661601C1		1502	13	N/A		
ST92A112	18	PK	150	2645918R1	3605715C1	7250M		16	N/A	366532C1	
ST92A112	18	PK	150	2645918R1	1661601C1		1502	6	N/A		
SV92#120	18	LTBL	TXL	3510341R1	3610533C1		7615	B	3554318C1	361532C1	
SV92#120	18	LTBL	TXL	3510341R1	3627615C1		1503	3	N/A		
SV92#180	18	OR	TXL	3510317R1	3610533C1		7615	A	3554318C1	361532C1	
SV92#180	18	OR	TXL	3510317R1	3627615C1		1503	11	N/A		
SW31#154	18	TN	150	2645915R1	3605715C1	7250M		18	N/A	366532C1	
SW31#154	18	TN	150	2645915R1	1661601C1		1502	17	N/A		
SW47#125	18	GY	TXL	3510311R1	3627615C1		1503	8	N/A		
SW47#125	18	GY	TXL	3510311R1	3595620C1		1702	38	N/A	3598916C1	3598917C1
SW47#140	18	LTGN	TXL	3510299R1	3627615C1		1503	2	N/A		
SW47#140	18	LTGN	TXL	3510299R1	3610533C1	7605M		B	3554318C1	361532C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
SW47#160	18	YL	TXL	3510335R1	3627615C1	1503	10	N/A		
SW47#160	18	YL	TXL	3510335R1	3610533C1	7605M	A	3554318C1	361532C1	
SW92#111	18	OR	150	2645921R1	3605715C1	7250M	1	N/A	366532C1	
SW92#111	18	OR	150	2645921R1	1661601C1		1502	N/A		
SW92#116	18	LTBL	150	2645922R1	3605715C1	7250M	15	N/A	366532C1	
SW92#116	18	LTBL	150	2645922R1	1661601C1		1502	N/A		
SW92#118	18	GY	150	2645914R1	3627615C1		1503	N/A		
SW92#118	18	GY	150	2645914R1	3605715C1	7250M	17	N/A	366532C1	
SW92#133	18	YL	150	2645910R1	3605715C1	7250M	9	N/A	366532C1	
SW92#133	18	YL	150	2645910R1	1661601C1		1502	N/A		
SW92#136	18	OR	150	2645921R1	3605715C1	7250M	4	N/A	366532C1	
SW92#136	18	OR	150	2645921R1	1661601C1		1502	N/A		
SW92#137	18	WH	150	2645919R1	3605715C1	7250M	12	N/A	366532C1	
SW92#137	18	WH	150	2645919R1	1661601C1		1502	N/A		
SW92#151	18	WH	150	2645919R1	3605715C1	7250M	10	N/A	366532C1	
SW92#151	18	WH	150	2645919R1	1661601C1		1502	N/A		
SW92#152	18	LTGN	150	2645920R1	3605715C1	7250M	5	N/A	366532C1	
SW92#152	18	LTGN	150	2645920R1	1661601C1		1502	N/A		
SW92#155	18	WH	150	2645919R1	3627615C1		1503	N/A		
SW92#155	18	WH	150	2645919R1	3605715C1	7250M	2	N/A	366532C1	
SW92#171	18	YL	150	2645910R1	3605715C1	7250M	6	N/A	366532C1	
SW92#171	18	YL	150	2645910R1	1661601C1		1502	N/A		
SW92#174	18	LTBL	150	2645922R1	3627615C1		1503	N/A		
SW92#174	18	LTBL	150	2645922R1	3605715C1	7250M	8	N/A	366532C1	
SW92#176	18	YL	150	2645910R1	3627615C1		1503	N/A		
SW92#176	18	YL	150	2645910R1	3605715C1	7250M	20	N/A	366532C1	
SW92#177	18	LTGN	150	2645920R1	3605715C1	7250M	3	N/A	366532C1	
SW92#177	18	LTGN	150	2645920R1	1661601C1		1502	N/A		
SY92#145	18	OR	TXL	3510317R1	3595620C1		1702	N/A	3598916C1	3598917C1
SY92#145	18	OR	TXL	3510317R1	2018589C1		1501	N/A		
SY92A141	18	TN	TXL	3510329R1	3595620C1		1702	N/A	3598916C1	3598917C1
SY92A141	18	TN	TXL	3510329R1	2018589C1		1501	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
TL92#117	18	LTBL	TXL	3510341R1	3525874C1	7206F	B	3568570C1		
TL92#117	18	LTBL	TXL	3510341R1	2018589C1	1501	6	N/A		
TL92#142	18	WH	TXL	3510359R1	3627615C1	1503	13	N/A		
TL92#142	18	WH	TXL	3510359R1	3525874C1	7206F	E	3568570C1		
TL92#145	18	OR	TXL	3510317R1	3525874C1	7206F	F	3568570C1		
TL92#145	18	OR	TXL	3510317R1	2018589C1	1501	14	N/A		
TL92A141	18	TN	TXL	3510329R1	3595620C1	1702	20	N/A	3598916C1	3598917C1
TL92A141	18	TN	TXL	3510329R1	2018589C1	1501	12	N/A		
TM92A117	18	LTBL	TXL	3510341R1	2018589C1	1501	6	N/A		
TM92A117	18	LTBL	TXL	3510341R1		SS64	-	2644000R1		
TM92A142	18	WH	TXL	3510359R1	3627615C1	1503	13	N/A		
TM92A142	18	WH	TXL	3510359R1		SS64	-	2644000R1		
TM92DL	18	LTBL	TXL	3510341R1	3595620C1	1702	25	N/A	3598916C1	3598917C1
TM92DL	18	LTBL	TXL	3510341R1		SS64	-	2644000R1		
TN92#117	18	LTBL	TXL	3510341R1	3595620C1	1702	25	N/A	3598916C1	3598917C1
TN92#117	18	LTBL	TXL	3510341R1	2018589C1	1501	6	N/A		
VA95	20	TN	TXL	3510328R1		SS20	-	N/A		
VA95	20	TN	TXL	3510328R1	3945694C1	6000	13	SWS_N_REQ	3743662C1	
VA95-G	18	WH	GXL	2643674R1	3854645C91	7112	2	N/A		
VA95-G	18	WH	GXL	2643674R1	3543733C1	6747	B	3535424C1	3543732C1	
VA95A	18	TN	GXL	2643676R1		SS20	-	N/A		
VA95A	18	TN	GXL	2643676R1	3854645C91	7112	1	N/A		
VG6A	20	PL	TXL	3510346R1	3945694C1	6000	8	SWS_N_REQ	3743662C1	
VG6A	20	PL	TXL	3510346R1		SS30	-	N/A		
VG6B	18	PL	TXL	3510347R1	3595620C1	1702	30	N/A	3598916C1	3598917C1
VG6B	18	PL	TXL	3510347R1		SS30	-	N/A		
VG6D	18	TN	150	2645915R1	3573078C1	670A	5	SWS_N_REQ		
VG6D	18	TN	150	2645915R1		SS30	-	N/A		
VJ10-G1	16	WH	GXL	2643681R1	3551896C1	6704B	B	1652325C1	354454C1	3551897C1
VJ10-G1	16	WH	GXL	2643681R1	6114577C1	674	11	N/A		
VJ10-G2	14	WH	150	2645973R1	3551896C1	6704B	C	1652325C1	354454C1	3551897C1
VJ10-G2	14	WH	150	2645973R1	3573078C1	670A	11	SWS_N_REQ		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
VJ10-G3	16	WH	GXL	2643681R1	3551896C1	6704B	D	1652325C1	354454C1	3551897C1
VJ10-G3	16	WH	GXL	2643681R1	3765646C92		690	B10	1652325C1	
VJ10-G4	16	WH	GXL	2643681R1	3551896C1	6704B	E	1652325C1	354454C1	3551897C1
VJ10-G4	16	WH	GXL	2643681R1	6114577C1		674	10	N/A	
VJ10-G5	16	BK	TXL	3510294R1	3551896C1	6704B	F	1652325C1	354454C1	3551897C1
VJ10-G5	16	BK	TXL	3510294R1	6114576C1		8500	13	SWS_N_REQ	
VJ13AA	18	PK	TXL	3510323R1	6114577C1		674	12	N/A	
VJ13AA	18	PK	TXL	3510323R1		SS21	-		2644000R1	
VJ13AB	18	RD	TXL	3510365R1	6114576C1		8500	6	SWS_N_REQ	
VJ13AB	18	RD	TXL	3510365R1		SS21	-		2644000R1	
VJ13R2	10	PK	TXL	3510327R1		SS22	-		2644000R1	
VJ13R2	10	PK	TXL	3510327R1		SS21	-		2644000R1	
VJ13RA	12	PK	150	4085639R1	3573078C1	670A		12	SWS_N_REQ	
VJ13RA	12	PK	150	4085639R1		SS22	-		2644000R1	
VJ5(+)	18	YL	193	2645917R1	6114577C1		674	13	N/A	
VJ5(+)	18	YL	193	2645917R1	3573078C1	670A		13	SWS_N_REQ	
VJ5(-)	18	GN	193	2645917R1	6114577C1		674	14	N/A	
VJ5(-)	18	GN	193	2645917R1	3573078C1	670A		14	SWS_N_REQ	
VJ95KD	10	TN	TXL	3510333R1	3765646C92		690	E12	589390C1	
VJ95KD	10	TN	TXL	3510333R1		SS21	-		2644000R1	
VJ97B	20	PL	TXL	3510346R1	3945694C1		6000	33	SWS_N_REQ	3743662C1
VJ97B	20	PL	TXL	3510346R1	3595620C1		1702	23	N/A	3598916C1
VJ97C	20	PL	TXL	3510346R1	3945694C1		6000	9	SWS_N_REQ	3743662C1
VJ97C	20	PL	TXL	3510346R1	3595620C1		1702	22	N/A	3598916C1
VJ97M	20	PL	TXL	3510346R1	3945694C1		6000	64	SWS_N_REQ	3743662C1
VJ97M	20	PL	TXL	3510346R1	3595620C1		1702	33	N/A	3598916C1
VJ97N	20	PL	TXL	3510346R1	3945694C1		6000	61	SWS_N_REQ	3743662C1
VJ97N	20	PL	TXL	3510346R1	3595620C1		1702	32	N/A	3598916C1
VJ99B	20	PL	TXL	3510346R1	3945694C1		6000	10	SWS_N_REQ	3743662C1
VJ99B	20	PL	TXL	3510346R1	3595620C1		1702	28	N/A	3598916C1
VK5A(+)	18	YL	193	2645917R1	6114576C1		8500	2	SWS_N_REQ	
VK5A(+)	18	YL	193	2645917R1	3573078C1	670A		9	SWS_N_REQ	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
VK5A(-)	18	GN	193	2645917R1	6114576C1	8500	9	SWS_N_REQ		
VK5A(-)	18	GN	193	2645917R1	3573078C1	670A	10	SWS_N_REQ		
VK95BA	20	TN	150	4073403R1	3945694C1	6000	41	SWS_N_REQ	3743662C1	
VK95BA	20	TN	150	4073403R1	3573078C1	670A	3	SWS_N_REQ		
VK95BC	20	TN	150	4073403R1	3945694C1	6000	42	SWS_N_REQ	3743662C1	
VK95BC	20	TN	150	4073403R1	3573078C1	670A	4	SWS_N_REQ		
VK95DVH	20	TN	150	4073403R1	3945694C1	6000	77	SWS_N_REQ	3743662C1	
VK95DVH	20	TN	150	4073403R1	3573078C1	670A	2	SWS_N_REQ		
VK95DVL	20	TN	150	4073403R1	3945694C1	6000	53	SWS_N_REQ	3743662C1	
VK95DVL	20	TN	150	4073403R1	3573078C1	670A	1	SWS_N_REQ		
VK95K	20	TN	150	4073403R1	3945694C1	6000	16	SWS_N_REQ	3743662C1	
VK95K	20	TN	150	4073403R1	3573078C1	670A	8	SWS_N_REQ		
VL95AC	20	TN	TXL	3510328R1	6114577C1	674	5	N/A		
VL95AC	20	TN	TXL	3510328R1	3945694C1	6000	82	SWS_N_REQ	3743662C1	
VL95AR1	18	TN	TXL	3510329R1	6114577C1	674	4	N/A		
VL95AR1	18	TN	TXL	3510329R1		SS25	-	2644000R1		
VL95AR2	18	RD	TXL	3510365R1	6114576C1	8500	8	SWS_N_REQ		
VL95AR2	18	RD	TXL	3510365R1		SS25	-	2644000R1		
VL95AR3	18	TN	TXL	3510329R1	3765646C92	690	B12	3517771C1		
VL95AR3	18	TN	TXL	3510329R1		SS25	-	2644000R1		
VL95AS1	18	TN	TXL	3510329R1	6114577C1	674	7	N/A		
VL95AS1	18	TN	TXL	3510329R1		SS15	-	N/A		
VL95AS2	20	TN	TXL	3510328R1	3945694C1	6000	39	SWS_N_REQ	3743662C1	
VL95AS2	20	TN	TXL	3510328R1		SS15	-	N/A		
VL95AS3	18	TN	TXL	3510329R1	3765646C92	690	B3	3517771C1		
VL95AS3	18	TN	TXL	3510329R1		SS15	-	N/A		
VL95AT1	18	TN	TXL	3510329R1	6114577C1	674	8	N/A		
VL95AT1	18	TN	TXL	3510329R1		SS13	-	N/A		
VL95AT2	20	TN	TXL	3510328R1	3945694C1	6000	38	SWS_N_REQ	3743662C1	
VL95AT2	20	TN	TXL	3510328R1		SS13	-	N/A		
VL95AT3	18	TN	TXL	3510329R1	3765646C92	690	B6	3517771C1		
VL95AT3	18	TN	TXL	3510329R1		SS13	-	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
VL95AU1	18	TN	TXL	3510329R1	6114577C1	674	9	N/A		
VL95AU1	18	TN	TXL	3510329R1		SS12	-	N/A		
VL95AU2	20	TN	TXL	3510328R1	3945694C1	6000	40	SWS_N_REQ	3743662C1	
VL95AU2	20	TN	TXL	3510328R1		SS12	-	N/A		
VL95AU3	18	TN	TXL	3510329R1	3765646C92	690	B9	3517771C1		
VL95AU3	18	TN	TXL	3510329R1		SS12	-	N/A		
VL95E	20	TN	TXL	3510328R1	6114577C1	674	1	N/A		
VL95E	20	TN	TXL	3510328R1	3945694C1	6000	54	SWS_N_REQ	3743662C1	
VL95F	20	TN	TXL	3510328R1	6114577C1	674	2	N/A		
VL95F	20	TN	TXL	3510328R1	3945694C1	6000	6	SWS_N_REQ	3743662C1	
VL95H	18	TN	TXL	3510329R1	6114577C1	674	3	N/A		
VL95H	18	TN	TXL	3510329R1	6114576C1	8500	1	SWS_N_REQ		
VW46A	20	GY	TXL	3510310R1	3586750C1	7208F	2	N/A	355346C1	
VW46A	20	GY	TXL	3510310R1	3945694C1	6000	19	SWS_N_REQ	3743662C1	
VW46B	20	GY	TXL	3510310R1	3586750C1	7208F	4	N/A	355346C1	
VW46B	20	GY	TXL	3510310R1	3945694C1	6000	12	SWS_N_REQ	3743662C1	
VW97AR	20	PL	TXL	3510346R1	3586750C1	7208F	5	N/A	355346C1	
VW97AR	20	PL	TXL	3510346R1	3945694C1	6000	30	SWS_N_REQ	3743662C1	
VW97XC	20	TN	TXL	3510328R1	3586750C1	7208F	11	N/A	355346C1	
VW97XC	20	TN	TXL	3510328R1	3945694C1	6000	70	SWS_N_REQ	3743662C1	
VW97XG	20	GY	TXL	3510310R1	3586750C1	7208F	6	N/A	355346C1	
VW97XG	20	GY	TXL	3510310R1	3945694C1	6000	66	SWS_N_REQ	3743662C1	
VW97XH	20	PL	TXL	3510346R1	3586750C1	7208F	7	N/A	355346C1	
VW97XH	20	PL	TXL	3510346R1	3945694C1	6000	83	SWS_N_REQ	3743662C1	
VW99A	20	PL	TXL	3510346R1	3586750C1	7208F	12	N/A	355346C1	
VW99A	20	PL	TXL	3510346R1	3945694C1	6000	63	SWS_N_REQ	3743662C1	
VW99B	20	GY	TXL	3510310R1	3586750C1	7208F	9	N/A	355346C1	
VW99B	20	GY	TXL	3510310R1	3945694C1	6000	90	SWS_N_REQ	3743662C1	
VW99C	20	PL	TXL	3510346R1	3586750C1	7208F	1	N/A	355346C1	
VW99C	20	PL	TXL	3510346R1	3945694C1	6000	94	SWS_N_REQ	3743662C1	
VW99F	20	PL	TXL	3510346R1	3586750C1	7208F	3	N/A	355346C1	
VW99F	20	PL	TXL	3510346R1	3945694C1	6000	67	SWS_N_REQ	3743662C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2	
VW9B-G	20	GY	TXL	3510310R1	3586750C1	7208F	10	N/A	355346C1		
VW9B-G	20	GY	TXL	3510310R1	3543733C1		6747	G	3535423C1	3543732C1	
VX6A	20	GY	TXL	3510310R1		SS96	-	2644000R1			
VX6A	20	GY	TXL	3510310R1	3945694C1		6000	8	SWS_N_REQ	3743662C1	
VX6B	18	GY	TXL	3510311R1		SS96	-	2644000R1			
VX6B	18	GY	TXL	3510311R1	3595620C1		1702	30	N/A	3598916C1	3598917C1
VX6C	18	GY	TXL	3510311R1	3586750C1	7208F		8	N/A	355346C1	
VX6C	18	GY	TXL	3510311R1		SS96	-	2644000R1			
VX6D	18	TN	150	2645915R1		SS96	-	2644000R1			
VX6D	18	TN	150	2645915R1	3573078C1	670A		5	SWS_N_REQ		
WA2	2	RD	SGX	3592739R1			1001	1	3812582R1		
WA2	2	RD	SGX	3592739R1		SS42		-	N/A		
WA2-FLA	10	RS	FUS	2643473R1		SS42		-	N/A		
WA2-FLA	10	RS	FUS	2643473R1			1201	1	2644054R1		
WA2-FLB	10	RS	FUS	2643473R1		SS42		-	N/A		
WA2-FLB	10	RS	FUS	2643473R1			1201	1	2644054R1		
WA2-G	2	WH	SGX	3592741R1			1000	1	3812582R1		
WA2-G	2	WH	SGX	3592741R1			1200	1	2644004R1		
WB2	1	RD	SGX	3592740R1			1011	1	2643308R1		
WB2	1	RD	SGX	3592740R1		SS17		-	N/A		
WB2-FLA	8	LTBL	FUS	3961608R1		SS17		-	N/A		
WB2-FLA	8	LTBL	FUS	3961608R1			1301	1	3812582R1		
WB2-FLB	8	LTBL	FUS	3961608R1		SS17		-	N/A		
WB2-FLB	8	LTBL	FUS	3961608R1			1301	1	3812582R1		
WB2-G	1	WH	SGX	3592742R1			1010	1	2643308R1		
WB2-G	1	WH	SGX	3592742R1			1300	1	2644002R1		
WF2	1	RD	SGX	3592740R1			1041	1	2643308R1		
WF2	1	RD	SGX	3592740R1		SS58		-	N/A		
WF2-FLA	8	LTBL	FUS	3961608R1		SS58		-	N/A		
WF2-FLA	8	LTBL	FUS	3961608R1			1301	1	3812582R1		
WF2-FLB	8	LTBL	FUS	3961608R1		SS58		-	N/A		
WF2-FLB	8	LTBL	FUS	3961608R1			1301	1	3812582R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
WF2-G	1	WH	SGX	3592742R1		1040	1	3812582R1		
WF2-G	1	WH	SGX	3592742R1		1300	1	2644002R1		
WG2	1	RD	SGX	3592740R1		1051	1	2643308R1		
WG2	1	RD	SGX	3592740R1		SS14	-	N/A		
WG2-FLA	8	LTBL	FUS	3961608R1		SS14	-	N/A		
WG2-FLA	8	LTBL	FUS	3961608R1		1301	1	3812582R1		
WG2-FLB	8	LTBL	FUS	3961608R1		SS14	-	N/A		
WG2-FLB	8	LTBL	FUS	3961608R1		1301	1	3812582R1		
WG2-G	1	WH	SGX	3592742R1		1050	1	3812582R1		
WG2-G	1	WH	SGX	3592742R1		1300	1	2644002R1		
WK2	2	RD	SGX	3592739R1		1071	1	3812582R1		
WK2	2	RD	SGX	3592739R1		SS43	-	2644000R1		
WK2-FLA	10	RS	FUS	2643473R1		SS43	-	2644000R1		
WK2-FLA	10	RS	FUS	2643473R1		1201	1	2644054R1		
WK2-FLB	10	RS	FUS	2643473R1		SS43	-	2644000R1		
WK2-FLB	10	RS	FUS	2643473R1		1201	1	2644054R1		
WK2-G	2	WH	SGX	3592741R1		1070	1	3812582R1		
WK2-G	2	WH	SGX	3592741R1		1200	1	2644004R1		
WL2	0	RD	SGX	2645228R1		1081	1	3812583R1		
WL2	0	RD	SGX	2645228R1		SS57	-	N/A		
WL2-FLA	10	RS	FUS	2643473R1		1701	1	2644054R1		
WL2-FLA	10	RS	FUS	2643473R1		SS57	-	N/A		
WL2-FLB	10	RS	FUS	2643473R1		1701	1	2644054R1		
WL2-FLB	10	RS	FUS	2643473R1		SS57	-	N/A		
WL2-FLC	10	RS	FUS	2643473R1		1703	1	2644054R1		
WL2-FLC	10	RS	FUS	2643473R1		SS57	-	N/A		
WL2-FLD	10	RS	FUS	2643473R1		1703	1	2644054R1		
WL2-FLD	10	RS	FUS	2643473R1		SS57	-	N/A		
WL2-G	0	BK	SGX	2645227R1		1080	1	3812583R1		
WL2-G	0	BK	SGX	2645227R1		1700	1	2643308R1		
WX2	2	RD	SGX	3592739R1		1013	1	3812582R1		
WX2	2	RD	SGX	3592739R1		SS42	-	N/A		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
WX2-FLA	10	RS	FUS	2643473R1		SS42	-	N/A		
WX2-FLA	10	RS	FUS	2643473R1		1201	1	2644054R1		
WX2-FLB	10	RS	FUS	2643473R1		SS42	-	N/A		
WX2-FLB	10	RS	FUS	2643473R1		1201	1	2644054R1		
WX2-G	2	WH	SGX	3592741R1		1073	1	3812582R1		
WX2-G	2	WH	SGX	3592741R1		1200	1	2644004R1		
YA41-GE	10	WH	TXL	3510363R1		SS93	-	2644000R1		
YA41-GE	10	WH	TXL	3510363R1	3551896C1	6704	A	589390C1	354454C1	3551897C1
YA41-GF	10	WH	TXL	3510363R1		SS93	-	2644000R1		
YA41-GF	10	WH	TXL	3510363R1	3551896C1	6704B	A	589390C1	354454C1	3551897C1
YA41-GH	4	WH	SGX	2644025R1		6704A	1	3812582R1		
YA41-GH	4	WH	SGX	2644025R1		SS93	-	2644000R1		
FA94C	18	GY	GXL	2643673R1	3595624C1	1700	30	SWS_N_REQ		
FA94C	18	GY	GXL	2643673R1	1684261C1	8502	1	N/A	1684263C1	
FA94D	18	GY	GXL	2643673R1	3595624C1	1700	31	SWS_N_REQ		
FA94D	18	GY	GXL	2643673R1	1684261C1	8502	2	N/A	1684263C1	
FA94E	18	GY	GXL	2643673R1	3595624C1	1700	32	SWS_N_REQ		
FA94E	18	GY	GXL	2643673R1	1684261C1	8503B	1	N/A	1684263C1	
FA94F	18	GY	GXL	2643673R1	3595624C1	1700	33	SWS_N_REQ		
FA94F	18	GY	GXL	2643673R1	1684261C1	8503B	2	N/A	1684263C1	
FB94C	18	GY	GXL	2643673R1	3595624C1	1700	30	SWS_N_REQ		
FB94C	18	GY	GXL	2643673R1	1684261C1	8502	1	N/A	1684263C1	
FB94D	18	GY	GXL	2643673R1	3595624C1	1700	31	SWS_N_REQ		
FB94D	18	GY	GXL	2643673R1	1684261C1	8502	2	N/A	1684263C1	
FB94E	18	GY	GXL	2643673R1	3595624C1	1700	32	SWS_N_REQ		
FB94E	18	GY	GXL	2643673R1	1684261C1	8503C	1	N/A	1684263C1	
FB94F	18	GY	GXL	2643673R1	3595624C1	1700	33	SWS_N_REQ		
FB94F	18	GY	GXL	2643673R1	1684261C1	8503C	2	N/A	1684263C1	
FD94AC	18	GY	TXL	3510311R1	6111844C1	8506A	1	6111843C1		
FD94AC	18	GY	TXL	3510311R1	3595624C1	1700	30	SWS_N_REQ		
FD94AD	18	GY	TXL	3510311R1	6111844C1	8506A	2	6111843C1		
FD94AD	18	GY	TXL	3510311R1	3595624C1	1700	31	SWS_N_REQ		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
FD94AE	18	GY	TXL	3510311R1	6111844C1	8507A	1	6111843C1		
FD94AE	18	GY	TXL	3510311R1	3595624C1		1700	SWS_N_REQ		
FD94AF	18	GY	TXL	3510311R1	6111844C1	8507A	2	6111843C1		
FD94AF	18	GY	TXL	3510311R1	3595624C1		1700	SWS_N_REQ		
FE94AC	18	GY	TXL	3510311R1	6111844C1	8506A	1	6111843C1		
FE94AC	18	GY	TXL	3510311R1	3595624C1		1700	SWS_N_REQ		
FE94AD	18	GY	TXL	3510311R1	6111844C1	8506A	2	6111843C1		
FE94AD	18	GY	TXL	3510311R1	3595624C1		1700	SWS_N_REQ		
FE94AE	18	GY	TXL	3510311R1	6111844C1	8507B	1	6111843C1		
FE94AE	18	GY	TXL	3510311R1	3595624C1		1700	SWS_N_REQ		
FE94AF	18	GY	TXL	3510311R1	6111844C1	8507B	2	6111843C1		
FE94AF	18	GY	TXL	3510311R1	3595624C1		1700	SWS_N_REQ		
FF94AC	18	GY	TXL	3510311R1	6111844C1	8506A	1	6111843C1		
FF94AC	18	GY	TXL	3510311R1	3595624C1		1700	SWS_N_REQ		
FF94AD	18	GY	TXL	3510311R1	6111844C1	8506A	2	6111843C1		
FF94AD	18	GY	TXL	3510311R1	3595624C1		1700	SWS_N_REQ		
FF94AE	18	GY	TXL	3510311R1	6111844C1	8507C	1	6111843C1		
FF94AE	18	GY	TXL	3510311R1	3595624C1		1700	SWS_N_REQ		
FF94AF	18	GY	TXL	3510311R1	6111844C1	8507C	2	6111843C1		
FF94AF	18	GY	TXL	3510311R1	3595624C1		1700	SWS_N_REQ		
FL94C	18	GY	GXL	2643673R1	3595624C1		1700	SWS_N_REQ		
FL94C	18	GY	GXL	2643673R1	1684261C1		8502	N/A	1684263C1	
FL94D	18	GY	GXL	2643673R1	3595624C1		1700	SWS_N_REQ		
FL94D	18	GY	GXL	2643673R1	1684261C1		8502	N/A	1684263C1	
FL94E	18	GY	GXL	2643673R1	3595624C1		1700	SWS_N_REQ		
FL94E	18	GY	GXL	2643673R1	1684261C1	8503A	1	N/A	1684263C1	
FL94F	18	GY	GXL	2643673R1	3595624C1		1700	SWS_N_REQ		
FL94F	18	GY	GXL	2643673R1	1684261C1	8503A	2	N/A	1684263C1	
MA52	14	YL	GXL	2643693R1	3595624C1		1700	SWS_N_REQ		
MA52	14	YL	GXL	2643693R1	1661375C2		8001	589391C1	1661376C1	
MA52D	14	YL	GXL	2643693R1	3595624C1		1700	SWS_N_REQ		
MA52D	14	YL	GXL	2643693R1	1661375C2		8000	589391C1	1661376C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
MA53	14	YL	GXL	2643693R1	3595624C1	1700	2	SWS_N_REQ		
MA53	14	YL	GXL	2643693R1	1661375C2	8001	C	589391C1	1661376C1	
MA53B	14	YL	GXL	2643693R1	3595624C1	1700	4	SWS_N_REQ		
MA53B	14	YL	GXL	2643693R1	1661375C2	8000	C	589391C1	1661376C1	
MA54B	14	BN	GXL	2643688R1	3595624C1	1700	5	SWS_N_REQ		
MA54B	14	BN	GXL	2643688R1		SES1	-	2644000R1		
MA54C	14	BN	GXL	2643688R1	1661375C2	8001	E	589391C1	1661376C1	
MA54C	14	BN	GXL	2643688R1		SES1	-	2644000R1		
MA54D	14	BN	GXL	2643688R1	1661375C2	8000	E	589391C1	1661376C1	
MA54D	14	BN	GXL	2643688R1		SES1	-	2644000R1		
MA56B	16	OR	TXL	3510318R1	3595624C1	1700	14	SWS_N_REQ		
MA56B	16	OR	TXL	3510318R1	1661375C2	8001	D	1652325C1	1661376C1	
MA57B	16	OR	TXL	3510318R1	3595624C1	1700	15	SWS_N_REQ		
MA57B	16	OR	TXL	3510318R1	1661375C2	8000	D	1652325C1	1661376C1	
MB52	14	YL	GXL	2643693R1	3595624C1	1700	1	SWS_N_REQ		
MB52	14	YL	GXL	2643693R1	1661375C2	8001	A	589391C1	1661376C1	
MB52D	14	YL	GXL	2643693R1	3595624C1	1700	3	SWS_N_REQ		
MB52D	14	YL	GXL	2643693R1	1661375C2	8000	A	589391C1	1661376C1	
MB53	14	YL	GXL	2643693R1	3595624C1	1700	2	SWS_N_REQ		
MB53	14	YL	GXL	2643693R1	1661375C2	8001	C	589391C1	1661376C1	
MB53B	14	YL	GXL	2643693R1	3595624C1	1700	4	SWS_N_REQ		
MB53B	14	YL	GXL	2643693R1	1661375C2	8000	C	589391C1	1661376C1	
MB54-GA	16	WH	GXL	2643681R1	3551896C1	8800	D	1652325C1	354454C1	3551897C1
MB54-GA	16	WH	GXL	2643681R1	1661778C1	8150	B	1661872C1	1661874C1	
MB54-GB	16	WH	GXL	2643681R1	3551896C1	8800	E	1652325C1	354454C1	3551897C1
MB54-GB	16	WH	GXL	2643681R1	1661778C1	8151	B	1661872C1	1661874C1	
MB54B	14	BN	GXL	2643688R1	3595624C1	1700	5	SWS_N_REQ		
MB54B	14	BN	GXL	2643688R1		SES2	-	2644000R1		
MB54C	14	BN	GXL	2643688R1	1661375C2	8001	E	589391C1	1661376C1	
MB54C	14	BN	GXL	2643688R1		SES2	-	2644000R1		
MB54D	14	BN	GXL	2643688R1	1661375C2	8000	E	589391C1	1661376C1	
MB54D	14	BN	GXL	2643688R1		SES2	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
MB54H	16	BN	GXL	2643679R1	1661778C1	8150	A	1661872C1	1661874C1	
MB54H	16	BN	GXL	2643679R1		SES2	-	2644000R1		
MB54J	16	BN	GXL	2643679R1	1661778C1	8151	A	1661872C1	1661874C1	
MB54J	16	BN	GXL	2643679R1		SES2	-	2644000R1		
MB56B	16	OR	TXL	3510318R1	3595624C1	1700	14	SWS_N_REQ		
MB56B	16	OR	TXL	3510318R1	1661375C2	8001	D	1652325C1	1661376C1	
MB57B	16	OR	TXL	3510318R1	3595624C1	1700	15	SWS_N_REQ		
MB57B	16	OR	TXL	3510318R1	1661375C2	8000	D	1652325C1	1661376C1	
MC11-GE	14	WH	GXL	2643689R1	3551896C1	8800	D	589391C1	354454C1	3551897C1
MC11-GE	14	WH	GXL	2643689R1	2039311C91	8102	B	589391C1	239342C1	
MC52	14	YL	GXL	2643693R1	3595624C1	1700	1	SWS_N_REQ		
MC52	14	YL	GXL	2643693R1	1661375C2	8001	A	589391C1	1661376C1	
MC52B	14	YL	GXL	2643693R1	3595624C1	1700	10	SWS_N_REQ		
MC52B	14	YL	GXL	2643693R1		SS8	-	2644000R1		
MC52D	14	YL	GXL	2643693R1	3595624C1	1700	3	SWS_N_REQ		
MC52D	14	YL	GXL	2643693R1	1661375C2	8000	A	589391C1	1661376C1	
MC52E	14	YL	GXL	2643693R1	3595624C1	1700	11	SWS_N_REQ		
MC52E	14	YL	GXL	2643693R1		SS8	-	2644000R1		
MC53	14	YL	GXL	2643693R1	3595624C1	1700	2	SWS_N_REQ		
MC53	14	YL	GXL	2643693R1	1661375C2	8001	C	589391C1	1661376C1	
MC53B	14	YL	GXL	2643693R1	3595624C1	1700	4	SWS_N_REQ		
MC53B	14	YL	GXL	2643693R1	1661375C2	8000	C	589391C1	1661376C1	
MC53E	14	YL	GXL	2643693R1	3595624C1	1700	8	SWS_N_REQ		
MC53E	14	YL	GXL	2643693R1		SS27	-	2644000R1		
MC53F	14	YL	GXL	2643693R1	3595624C1	1700	9	SWS_N_REQ		
MC53F	14	YL	GXL	2643693R1		SS27	-	2644000R1		
MC54B	14	BN	GXL	2643688R1	3595624C1	1700	5	SWS_N_REQ		
MC54B	14	BN	GXL	2643688R1		SS13	-	2644000R1		
MC54C	14	BN	GXL	2643688R1	1661375C2	8001	E	589391C1	1661376C1	
MC54C	14	BN	GXL	2643688R1		SS13	-	2644000R1		
MC54D	14	BN	GXL	2643688R1	1661375C2	8000	E	589391C1	1661376C1	
MC54D	14	BN	GXL	2643688R1		SS13	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
MC54F	14	BN	GXL	2643688R1	2039311C91	8102	E	589391C1	239342C1	
MC54F	14	BN	GXL	2643688R1		SS13	-	2644000R1		
MC56B	16	OR	TXL	3510318R1	3595624C1	1700	14	SWS_N_REQ		
MC56B	16	OR	TXL	3510318R1		SGS1	-	2644000R1		
MC56C	16	OR	GXL	2643682R1	1661375C2	8001	D	1652325C1	1661376C1	
MC56C	16	OR	GXL	2643682R1		SGS1	-	2644000R1		
MC56D	16	OR	GXL	2643682R1	2039311C91	8102	D	1652325C1	239342C1	
MC56D	16	OR	GXL	2643682R1		SGS1	-	2644000R1		
MC57B	16	OR	TXL	3510318R1	3595624C1	1700	15	SWS_N_REQ		
MC57B	16	OR	TXL	3510318R1		SDS4	-	2644000R1		
MC57C	16	OR	GXL	2643682R1	1661375C2	8000	D	1652325C1	1661376C1	
MC57C	16	OR	GXL	2643682R1		SDS4	-	2644000R1		
MC57D	16	OR	GXL	2643682R1	2039311C91	8102	F	1652325C1	239342C1	
MC57D	16	OR	GXL	2643682R1		SDS4	-	2644000R1		
MC64HI	14	YL	GXL	2643693R1	2039311C91	8102	A	589391C1	239342C1	
MC64HI	14	YL	GXL	2643693R1		SS8	-	2644000R1		
MC64LO	14	YL	GXL	2643693R1	2039311C91	8102	C	589391C1	239342C1	
MC64LO	14	YL	GXL	2643693R1		SS27	-	2644000R1		
MD64-GA	16	WH	TXL	3510360R1	3551896C1	8800	B	1652325C1	354454C1	3551897C1
MD64-GA	16	WH	TXL	3510360R1	587567C91	8201	B	1652325C1		
MD64-GB	16	WH	GXL	2643681R1	3551896C1	8800	C	1652325C1	354454C1	3551897C1
MD64-GB	16	WH	GXL	2643681R1	587567C91	8200	B	1652325C1		
MD64A	16	YL	GXL	2643684R1	3595624C1	1700	22	SWS_N_REQ		
MD64A	16	YL	GXL	2643684R1	587567C91	8201	A	1652325C1		
MD64B	16	YL	GXL	2643684R1	3595624C1	1700	23	SWS_N_REQ		
MD64B	16	YL	GXL	2643684R1	587567C91	8200	A	1652325C1		
ME94	18	GY	GXL	2643673R1	3595624C1	1700	27	SWS_N_REQ		
ME94	18	GY	GXL	2643673R1	1686834C1	8500	A	1652325C1	166448C1	
ME94A	18	GY	GXL	2643673R1	3595624C1	1700	28	SWS_N_REQ		
ME94A	18	GY	GXL	2643673R1	1686834C1	8500	B	1652325C1	166448C1	
ME94B	18	GY	GXL	2643673R1	3595624C1	1700	29	SWS_N_REQ		
ME94B	18	GY	GXL	2643673R1	1686834C1	8500	C	1652325C1	166448C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
ME94H	18	GY	GXL	2643673R1	3595624C1	1700	34	SWS_N_REQ		
ME94H	18	GY	GXL	2643673R1	1686834C1	8501	A	1652325C1	166448C1	
ME94J	18	GY	GXL	2643673R1	3595624C1	1700	35	SWS_N_REQ		
ME94J	18	GY	GXL	2643673R1	1686834C1	8501	B	1652325C1	166448C1	
ME94K	18	GY	GXL	2643673R1	3595624C1	1700	36	SWS_N_REQ		
ME94K	18	GY	GXL	2643673R1	1686834C1	8501	C	1652325C1	166448C1	
MF52	14	YL	GXL	2643693R1	3595624C1	1700	1	SWS_N_REQ		
MF52	14	YL	GXL	2643693R1	1661375C2	8001A	A	589391C1	1661376C1	
MF52D	14	YL	GXL	2643693R1	3595624C1	1700	3	SWS_N_REQ		
MF52D	14	YL	GXL	2643693R1	1661375C2	8000A	A	589391C1	1661376C1	
MF53	14	YL	GXL	2643693R1	3595624C1	1700	2	SWS_N_REQ		
MF53	14	YL	GXL	2643693R1	1661375C2	8001A	C	589391C1	1661376C1	
MF53B	14	YL	GXL	2643693R1	3595624C1	1700	4	SWS_N_REQ		
MF53B	14	YL	GXL	2643693R1	1661375C2	8000A	C	589391C1	1661376C1	
MF54B	14	BN	GXL	2643688R1	3595624C1	1700	5	SWS_N_REQ		
MF54B	14	BN	GXL	2643688R1		SS41	-	2644000R1		
MF54C	14	BN	GXL	2643688R1	1661375C2	8001A	E	589391C1	1661376C1	
MF54C	14	BN	GXL	2643688R1		SS41	-	2644000R1		
MF54D	14	BN	GXL	2643688R1	1661375C2	8000A	E	589391C1	1661376C1	
MF54D	14	BN	GXL	2643688R1		SS41	-	2644000R1		
MF56B	16	OR	TXL	3510318R1	3595624C1	1700	14	SWS_N_REQ		
MF56B	16	OR	TXL	3510318R1	1661375C2	8001A	D	1652325C1	1661376C1	
MF57B	16	OR	TXL	3510318R1	3595624C1	1700	15	SWS_N_REQ		
MF57B	16	OR	TXL	3510318R1	1661375C2	8000A	D	1652325C1	1661376C1	
MG103C	12	LTGN	TXL	3510302R1	3595624C1	1700	12	SWS_N_REQ		
MG103C	12	LTGN	TXL	3510302R1	3525613C1	4004	B	3541256C1		
MG103D	12	LTGN	GXL	2643753R1	BLUNT_SL_V	4069	A	SWS_N_REQ		
MG103D	12	LTGN	GXL	2643753R1	3595624C1	1700	13	SWS_N_REQ		
MG14L	10	RD	TXL	3510369R1		4007A	1	2644005R1		
MG14L	10	RD	TXL	3510369R1	3525613C1	4004	A	3541256C1		
MH94AA	14	GY	TXL	3510313R1	3919376C1	8508A	2	3601687C1		
MH94AA	14	GY	TXL	3510313R1	3595624C1	1700	28	SWS_N_REQ		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2	
MH94AB	14	GY	TXL	3510313R1	3919376C1	8508A	3	3601687C1			
MH94AB	14	GY	TXL	3510313R1	3595624C1		1700	27	SWS_N_REQ		
MH94AH	14	GY	TXL	3510313R1	3919376C1	8509A	1	3601687C1			
MH94AH	14	GY	TXL	3510313R1	3595624C1		1700	36	SWS_N_REQ		
MH94AJ	14	GY	TXL	3510313R1	3919376C1	8509A	2	3601687C1			
MH94AJ	14	GY	TXL	3510313R1	3595624C1		1700	35	SWS_N_REQ		
MH94AK	14	GY	TXL	3510313R1	3919376C1	8509A	3	3601687C1			
MH94AK	14	GY	TXL	3510313R1	3595624C1		1700	34	SWS_N_REQ		
MH94AL	14	GY	TXL	3510313R1	3919376C1	8508A	1	3601687C1			
MH94AL	14	GY	TXL	3510313R1	3595624C1		1700	29	SWS_N_REQ		
MJ52	14	YL	GXL	2643693R1	3595624C1		1700	1	SWS_N_REQ		
MJ52	14	YL	GXL	2643693R1	1661375C2	8001A	A	589391C1	1661376C1		
MJ52D	14	YL	GXL	2643693R1	3595624C1		1700	3	SWS_N_REQ		
MJ52D	14	YL	GXL	2643693R1	1661375C2	8000A	A	589391C1	1661376C1		
MJ53	14	YL	GXL	2643693R1	3595624C1		1700	2	SWS_N_REQ		
MJ53	14	YL	GXL	2643693R1	1661375C2	8001A	C	589391C1	1661376C1		
MJ53B	14	YL	GXL	2643693R1	3595624C1		1700	4	SWS_N_REQ		
MJ53B	14	YL	GXL	2643693R1	1661375C2	8000A	C	589391C1	1661376C1		
MJ54-GA	16	WH	GXL	2643681R1	3551896C1		8800	D	1652325C1	354454C1	3551897C1
MJ54-GA	16	WH	GXL	2643681R1	1661778C1	8150A	B	1661872C1	1661874C1		
MJ54-GB	16	WH	GXL	2643681R1	3551896C1		8800	E	1652325C1	354454C1	3551897C1
MJ54-GB	16	WH	GXL	2643681R1	1661778C1	8151A	B	1661872C1	1661874C1		
MJ54B	14	BN	GXL	2643688R1	3595624C1		1700	5	SWS_N_REQ		
MJ54B	14	BN	GXL	2643688R1		SS42	-	2644000R1			
MJ54C	14	BN	GXL	2643688R1	1661375C2	8001A	E	589391C1	1661376C1		
MJ54C	14	BN	GXL	2643688R1		SS42	-	2644000R1			
MJ54D	14	BN	GXL	2643688R1	1661375C2	8000A	E	589391C1	1661376C1		
MJ54D	14	BN	GXL	2643688R1		SS42	-	2644000R1			
MJ54H	16	BN	GXL	2643679R1	1661778C1	8150A	A	1661872C1	1661874C1		
MJ54H	16	BN	GXL	2643679R1		SS42	-	2644000R1			
MJ54J	16	BN	GXL	2643679R1	1661778C1	8151A	A	1661872C1	1661874C1		
MJ54J	16	BN	GXL	2643679R1		SS42	-	2644000R1			

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
MJ56B	16	OR	TXL	3510318R1	3595624C1	1700	14	SWS_N_REQ		
MJ56B	16	OR	TXL	3510318R1	1661375C2	8001A	D	1652325C1	1661376C1	
MJ57B	16	OR	TXL	3510318R1	3595624C1	1700	15	SWS_N_REQ		
MJ57B	16	OR	TXL	3510318R1	1661375C2	8000A	D	1652325C1	1661376C1	
ML11-GE	14	WH	GXL	2643689R1	3551896C1	8800	D	589391C1	354454C1	3551897C1
ML11-GE	14	WH	GXL	2643689R1	2039311C91	8102A	B	589391C1	239342C1	
ML52	14	YL	GXL	2643693R1	3595624C1	1700	1	SWS_N_REQ		
ML52	14	YL	GXL	2643693R1	1661375C2	8001A	A	589391C1	1661376C1	
ML52B	14	YL	GXL	2643693R1	3595624C1	1700	10	SWS_N_REQ		
ML52B	14	YL	GXL	2643693R1		SS40	-	2644000R1		
ML52D	14	YL	GXL	2643693R1	3595624C1	1700	3	SWS_N_REQ		
ML52D	14	YL	GXL	2643693R1	1661375C2	8000A	A	589391C1	1661376C1	
ML52E	14	YL	GXL	2643693R1	3595624C1	1700	11	SWS_N_REQ		
ML52E	14	YL	GXL	2643693R1		SS40	-	2644000R1		
ML53	14	YL	GXL	2643693R1	3595624C1	1700	2	SWS_N_REQ		
ML53	14	YL	GXL	2643693R1	1661375C2	8001A	C	589391C1	1661376C1	
ML53B	14	YL	GXL	2643693R1	3595624C1	1700	4	SWS_N_REQ		
ML53B	14	YL	GXL	2643693R1	1661375C2	8000A	C	589391C1	1661376C1	
ML53E	14	YL	GXL	2643693R1	3595624C1	1700	8	SWS_N_REQ		
ML53E	14	YL	GXL	2643693R1		SS35	-	2644000R1		
ML53F	14	YL	GXL	2643693R1	3595624C1	1700	9	SWS_N_REQ		
ML53F	14	YL	GXL	2643693R1		SS35	-	2644000R1		
ML54B	14	BN	GXL	2643688R1	3595624C1	1700	5	SWS_N_REQ		
ML54B	14	BN	GXL	2643688R1		SS39	-	2644000R1		
ML54C	14	BN	GXL	2643688R1	1661375C2	8001A	E	589391C1	1661376C1	
ML54C	14	BN	GXL	2643688R1		SS39	-	2644000R1		
ML54D	14	BN	GXL	2643688R1	1661375C2	8000A	E	589391C1	1661376C1	
ML54D	14	BN	GXL	2643688R1		SS39	-	2644000R1		
ML54F	14	BN	GXL	2643688R1	2039311C91	8102A	E	589391C1	239342C1	
ML54F	14	BN	GXL	2643688R1		SS39	-	2644000R1		
ML56B	16	OR	TXL	3510318R1	3595624C1	1700	14	SWS_N_REQ		
ML56B	16	OR	TXL	3510318R1		SS36	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
ML56C	16	OR	TXL	3510318R1	1661375C2	8001A	D	1652325C1	1661376C1	
ML56C	16	OR	TXL	3510318R1		SS36	-	2644000R1		
ML56D	16	OR	TXL	3510318R1	2039311C91	8102A	D	1652325C1	239342C1	
ML56D	16	OR	TXL	3510318R1		SS36	-	2644000R1		
ML57B	16	OR	TXL	3510318R1	3595624C1		1700 15	SWS_N_REQ		
ML57B	16	OR	TXL	3510318R1		SS38	-	2644000R1		
ML57C	16	OR	TXL	3510318R1	1661375C2	8000A	D	1652325C1	1661376C1	
ML57C	16	OR	TXL	3510318R1		SS38	-	2644000R1		
ML57D	14	OR	GXL	2643690R1	2039311C91	8102A	F	589391C1	239342C1	
ML57D	14	OR	GXL	2643690R1		SS38	-	2644000R1		
ML64HI	14	YL	GXL	2643693R1	2039311C91	8102A	A	589391C1	239342C1	
ML64HI	14	YL	GXL	2643693R1		SS40	-	2644000R1		
ML64LO	14	YL	GXL	2643693R1	2039311C91	8102A	C	589391C1	239342C1	
ML64LO	14	YL	GXL	2643693R1		SS35	-	2644000R1		
MN11-GE	14	WH	GXL	2643689R1	3551896C1		8800 D	589391C1	354454C1	3551897C1
MN11-GE	14	WH	GXL	2643689R1	2039311C91		8102 B	589391C1	239342C1	
MN52	14	YL	GXL	2643693R1	3595624C1		1700 1	SWS_N_REQ		
MN52	14	YL	GXL	2643693R1	1661375C2		8001 A	589391C1	1661376C1	
MN52D	14	YL	GXL	2643693R1	3595624C1		1700 3	SWS_N_REQ		
MN52D	14	YL	GXL	2643693R1	1661375C2		8000 A	589391C1	1661376C1	
MN53	14	YL	GXL	2643693R1	3595624C1		1700 2	SWS_N_REQ		
MN53	14	YL	GXL	2643693R1	1661375C2		8001 C	589391C1	1661376C1	
MN53B	14	YL	GXL	2643693R1	3595624C1		1700 4	SWS_N_REQ		
MN53B	14	YL	GXL	2643693R1	1661375C2		8000 C	589391C1	1661376C1	
MN54B	14	BN	GXL	2643688R1	3595624C1		1700 5	SWS_N_REQ		
MN54B	14	BN	GXL	2643688R1		SS26	-	2644000R1		
MN54C	14	BN	GXL	2643688R1	1661375C2		8001 E	589391C1	1661376C1	
MN54C	14	BN	GXL	2643688R1		SS26	-	2644000R1		
MN54D	14	BN	GXL	2643688R1	1661375C2		8000 E	589391C1	1661376C1	
MN54D	14	BN	GXL	2643688R1		SS26	-	2644000R1		
MN54F	14	BN	GXL	2643688R1	2039311C91		8102 E	589391C1	239342C1	
MN54F	14	BN	GXL	2643688R1		SS26	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
MN56B	16	OR	TXL	3510318R1	3595624C1	1700	14	SWS_N_REQ		
MN56B	16	OR	TXL	3510318R1		SS23	-	2644000R1		
MN56C	16	OR	GXL	2643682R1	1661375C2	8001	D	1652325C1	1661376C1	
MN56C	16	OR	GXL	2643682R1		SS23	-	2644000R1		
MN56D	16	OR	GXL	2643682R1	2039311C91	8102	D	1652325C1	239342C1	
MN56D	16	OR	GXL	2643682R1		SS23	-	2644000R1		
MN57B	16	OR	TXL	3510318R1	3595624C1	1700	15	SWS_N_REQ		
MN57B	16	OR	TXL	3510318R1		SS22	-	2644000R1		
MN57C	16	OR	GXL	2643682R1	1661375C2	8000	D	1652325C1	1661376C1	
MN57C	16	OR	GXL	2643682R1		SS22	-	2644000R1		
MN57D	16	OR	GXL	2643682R1	2039311C91	8102	F	1652325C1	239342C1	
MN57D	16	OR	GXL	2643682R1		SS22	-	2644000R1		
MN64HI	14	YL	GXL	2643693R1	3595624C1	1700	9	SWS_N_REQ		
MN64HI	14	YL	GXL	2643693R1	2039311C91	8102	A	589391C1	239342C1	
MN64LO	14	YL	GXL	2643693R1	3595624C1	1700	8	SWS_N_REQ		
MN64LO	14	YL	GXL	2643693R1	2039311C91	8102	C	589391C1	239342C1	
MR85E	16	GY	GXL	2643680R1	3595624C1	1700	21	SWS_N_REQ		
MR85E	16	GY	GXL	2643680R1	1661778C1	8301	A	1661872C1	1661874C1	
MS78-GB	16	WH	GXL	2643681R1	3551896C1	8800	E	1652325C1	354454C1	3551897C1
MS78-GB	16	WH	GXL	2643681R1	587567C91	8701	B	1652325C1		
MS78BC	16	LTGN	GXL	2643678R1	3595624C1	1700	63	SWS_N_REQ		
MS78BC	16	LTGN	GXL	2643678R1	587567C91	8701	A	1652325C1		
MT78-GA	16	WH	GXL	2643681R1	587567C91	8700	B	1652325C1		
MT78-GA	16	WH	GXL	2643681R1		SDS1	-	2644000R1		
MT78-GB	16	WH	GXL	2643681R1	587567C91	8701	B	1652325C1		
MT78-GB	16	WH	GXL	2643681R1		SDS1	-	2644000R1		
MT78-GC	16	WH	GXL	2643681R1		4308	1	2644038R1		
MT78-GC	16	WH	GXL	2643681R1		SDS1	-	2644000R1		
MT78AC	16	LTGN	GXL	2643678R1	3595624C1	1700	64	SWS_N_REQ		
MT78AC	16	LTGN	GXL	2643678R1	587567C91	8700	A	1652325C1		
MT78BC	16	LTGN	GXL	2643678R1	3595624C1	1700	63	SWS_N_REQ		
MT78BC	16	LTGN	GXL	2643678R1	587567C91	8701	A	1652325C1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
MU11-GE	14	WH	GXL	2643689R1	3551896C1	8800	D	589391C1	354454C1	3551897C1
MU11-GE	14	WH	GXL	2643689R1	2039311C91	8102A	B	589391C1	239342C1	
MU52	14	YL	GXL	2643693R1	3595624C1	1700	1	SWS_N_REQ		
MU52	14	YL	GXL	2643693R1	1661375C2	8001A	A	589391C1	1661376C1	
MU52D	14	YL	GXL	2643693R1	3595624C1	1700	3	SWS_N_REQ		
MU52D	14	YL	GXL	2643693R1	1661375C2	8000A	A	589391C1	1661376C1	
MU53	14	YL	GXL	2643693R1	3595624C1	1700	2	SWS_N_REQ		
MU53	14	YL	GXL	2643693R1	1661375C2	8001A	C	589391C1	1661376C1	
MU53B	14	YL	GXL	2643693R1	3595624C1	1700	4	SWS_N_REQ		
MU53B	14	YL	GXL	2643693R1	1661375C2	8000A	C	589391C1	1661376C1	
MU54B	14	BN	GXL	2643688R1	3595624C1	1700	5	SWS_N_REQ		
MU54B	14	BN	GXL	2643688R1		SS48	-	2644000R1		
MU54C	14	BN	GXL	2643688R1	1661375C2	8001A	E	589391C1	1661376C1	
MU54C	14	BN	GXL	2643688R1		SS48	-	2644000R1		
MU54D	14	BN	GXL	2643688R1	1661375C2	8000A	E	589391C1	1661376C1	
MU54D	14	BN	GXL	2643688R1		SS48	-	2644000R1		
MU54F	14	BN	GXL	2643688R1	2039311C91	8102A	E	589391C1	239342C1	
MU54F	14	BN	GXL	2643688R1		SS48	-	2644000R1		
MU56B	16	OR	TXL	3510318R1	3595624C1	1700	14	SWS_N_REQ		
MU56B	16	OR	TXL	3510318R1		SS37	-	2644000R1		
MU56C	16	OR	TXL	3510318R1	1661375C2	8001A	D	1652325C1	1661376C1	
MU56C	16	OR	TXL	3510318R1		SS37	-	2644000R1		
MU56D	16	OR	TXL	3510318R1	2039311C91	8102A	D	1652325C1	239342C1	
MU56D	16	OR	TXL	3510318R1		SS37	-	2644000R1		
MU57B	16	OR	TXL	3510318R1	3595624C1	1700	15	SWS_N_REQ		
MU57B	16	OR	TXL	3510318R1		SS47	-	2644000R1		
MU57C	16	OR	TXL	3510318R1	1661375C2	8000A	D	1652325C1	1661376C1	
MU57C	16	OR	TXL	3510318R1		SS47	-	2644000R1		
MU57D	14	OR	GXL	2643690R1	2039311C91	8102A	F	589391C1	239342C1	
MU57D	14	OR	GXL	2643690R1		SS47	-	2644000R1		
MU64HI	14	YL	GXL	2643693R1	3595624C1	1700	9	SWS_N_REQ		
MU64HI	14	YL	GXL	2643693R1	2039311C91	8102A	A	589391C1	239342C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
MU64LO	14	YL	GXL	2643693R1	3595624C1	1700	8	SWS_N_REQ		
MU64LO	14	YL	GXL	2643693R1	2039311C91	8102A	C	589391C1	239342C1	
MW11-GE	14	WH	GXL	2643689R1	3551896C1	8800	D	589391C1	354454C1	3551897C1
MW11-GE	14	WH	GXL	2643689R1	2039311C91	8103	B	589391C1	239342C1	
MW52	14	YL	GXL	2643693R1	3595624C1	1700	1	SWS_N_REQ		
MW52	14	YL	GXL	2643693R1	1661375C2	8001	A	589391C1	1661376C1	
MW52D	14	YL	GXL	2643693R1	3595624C1	1700	3	SWS_N_REQ		
MW52D	14	YL	GXL	2643693R1	1661375C2	8000	A	589391C1	1661376C1	
MW53	14	YL	GXL	2643693R1	3595624C1	1700	2	SWS_N_REQ		
MW53	14	YL	GXL	2643693R1	1661375C2	8001	C	589391C1	1661376C1	
MW53B	14	YL	GXL	2643693R1	3595624C1	1700	4	SWS_N_REQ		
MW53B	14	YL	GXL	2643693R1	1661375C2	8000	C	589391C1	1661376C1	
MW54B	14	BN	GXL	2643688R1	3595624C1	1700	5	SWS_N_REQ		
MW54B	14	BN	GXL	2643688R1		SS25	-	2644000R1		
MW54C	14	BN	GXL	2643688R1	1661375C2	8001	E	589391C1	1661376C1	
MW54C	14	BN	GXL	2643688R1		SS25	-	2644000R1		
MW54D	14	BN	GXL	2643688R1	1661375C2	8000	E	589391C1	1661376C1	
MW54D	14	BN	GXL	2643688R1		SS25	-	2644000R1		
MW54F	14	BN	GXL	2643688R1	2039311C91	8103	E	589391C1	239342C1	
MW54F	14	BN	GXL	2643688R1		SS25	-	2644000R1		
MW56B	16	OR	TXL	3510318R1	3595624C1	1700	14	SWS_N_REQ		
MW56B	16	OR	TXL	3510318R1		SS24	-	2644000R1		
MW56C	16	OR	GXL	2643682R1	1661375C2	8001	D	1652325C1	1661376C1	
MW56C	16	OR	GXL	2643682R1		SS24	-	2644000R1		
MW56D	16	OR	GXL	2643682R1	2039311C91	8103	D	1652325C1	239342C1	
MW56D	16	OR	GXL	2643682R1		SS24	-	2644000R1		
MW57B	16	OR	TXL	3510318R1	3595624C1	1700	15	SWS_N_REQ		
MW57B	16	OR	TXL	3510318R1		SS9	-	2644000R1		
MW57C	16	OR	GXL	2643682R1	1661375C2	8000	D	1652325C1	1661376C1	
MW57C	16	OR	GXL	2643682R1		SS9	-	2644000R1		
MW57D	16	OR	GXL	2643682R1	2039311C91	8103	F	1652325C1	239342C1	
MW57D	16	OR	GXL	2643682R1		SS9	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
MW64HI	14	YL	GXL	2643693R1	3595624C1	1700	9	SWS_N_REQ		
MW64HI	14	YL	GXL	2643693R1	2039311C91	8103	A	589391C1	239342C1	
MW64LO	14	YL	GXL	2643693R1	3595624C1	1700	8	SWS_N_REQ		
MW64LO	14	YL	GXL	2643693R1	2039311C91	8103	C	589391C1	239342C1	
MY11-G	12	WH	TXL	3510362R1		4307	1	2644038R1		
MY11-G	12	WH	TXL	3510362R1		SS10	-	2644027R1		
MY11-GA	14	WH	GXL	2643689R1	1661375C2	8000A	B	589391C1	1661376C1	
MY11-GA	14	WH	GXL	2643689R1		SS10	-	2644027R1		
MY11-GB	14	WH	GXL	2643689R1	1661375C2	8001A	B	589391C1	1661376C1	
MY11-GB	14	WH	GXL	2643689R1		SS10	-	2644027R1		
MY11-GC	12	WH	GXL	2643787R1	587566C91	8600A	A	589390C1		
MY11-GC	12	WH	GXL	2643787R1		SS10	-	2644027R1		
MY11-GD	12	WH	GXL	2643787R1	3551896C1	8800	A	589390C1	354454C1	3551897C1
MY11-GD	12	WH	GXL	2643787R1		SS10	-	2644027R1		
MY85-GA	16	WH	GXL	2643681R1	1661778C1	8301	B	1661872C1	1661874C1	
MY85-GA	16	WH	GXL	2643681R1		SS10	-	2644027R1		
MZ11-G	12	WH	TXL	3510362R1		4307	1	2644038R1		
MZ11-G	12	WH	TXL	3510362R1		SBS3	-	2644000R1		
MZ11-GA	14	WH	GXL	2643689R1	1661375C2	8000A	B	589391C1	1661376C1	
MZ11-GA	14	WH	GXL	2643689R1		SBS3	-	2644000R1		
MZ11-GB	14	WH	GXL	2643689R1	1661375C2	8001A	B	589391C1	1661376C1	
MZ11-GB	14	WH	GXL	2643689R1		SBS3	-	2644000R1		
MZ11-GC	12	WH	GXL	2643787R1	587566C91	8600A	A	589390C1		
MZ11-GC	12	WH	GXL	2643787R1		SBS3	-	2644000R1		
MZ85-GA	16	WH	GXL	2643681R1	1661778C1	8301	B	1661872C1	1661874C1	
MZ85-GA	16	WH	GXL	2643681R1		SBS3	-	2644000R1		
ND94SAB	16	GY	GXL	2643680R1	3595624C1	1700	50	SWS_N_REQ		
ND94SAB	16	GY	GXL	2643680R1	3549412C1	9524	1	N/A	3564169C1	
ND94SBB	16	GY	GXL	2643680R1	3595624C1	1700	42	SWS_N_REQ		
ND94SBB	16	GY	GXL	2643680R1	3549412C1	9524	3	N/A	3564169C1	
ND94SCB	16	GY	GXL	2643680R1	3595624C1	1700	60	SWS_N_REQ		
ND94SCB	16	GY	GXL	2643680R1	3549412C1	9524	2	N/A	3564169C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
ND94SDB	16	GY	GXL	2643680R1	3595624C1	1700	51	SWS_N_REQ		
ND94SDB	16	GY	GXL	2643680R1	3549412C1	9524	4	N/A	3564169C1	
ND94SH	16	GY	GXL	2643680R1	3595624C1	1700	76	SWS_N_REQ		
ND94SH	16	GY	GXL	2643680R1	3549412C1	9524	12	N/A	3564169C1	
ND94SJ	16	GY	GXL	2643680R1	3595624C1	1700	69	SWS_N_REQ		
ND94SJ	16	GY	GXL	2643680R1	3549412C1	9524	5	N/A	3564169C1	
ND94SK	16	GY	GXL	2643680R1	3595624C1	1700	70	SWS_N_REQ		
ND94SK	16	GY	GXL	2643680R1	3549412C1	9524	6	N/A	3564169C1	
ND94SL	16	GY	GXL	2643680R1	3595624C1	1700	73	SWS_N_REQ		
ND94SL	16	GY	GXL	2643680R1	3549412C1	9524	9	N/A	3564169C1	
ND94SM	16	GY	GXL	2643680R1	3595624C1	1700	71	SWS_N_REQ		
ND94SM	16	GY	GXL	2643680R1	3549412C1	9524	7	N/A	3564169C1	
ND94SN	16	GY	GXL	2643680R1	3595624C1	1700	72	SWS_N_REQ		
ND94SN	16	GY	GXL	2643680R1	3549412C1	9524	8	N/A	3564169C1	
ND94SVC	16	GY	GXL	2643680R1	3595624C1	1700	75	SWS_N_REQ		
ND94SVC	16	GY	GXL	2643680R1	3549412C1	9524	11	N/A	3564169C1	
ND94SZC	16	GY	GXL	2643680R1	3595624C1	1700	74	SWS_N_REQ		
ND94SZC	16	GY	GXL	2643680R1	3549412C1	9524	10	N/A	3564169C1	
NF11-GE	14	WH	GXL	2643689R1	3551896C1	8800	D	589391C1	354454C1	3551897C1
NF11-GE	14	WH	GXL	2643689R1	2039311C91	8103A	B	589391C1	239342C1	
NF52	14	YL	GXL	2643693R1	3595624C1	1700	1	SWS_N_REQ		
NF52	14	YL	GXL	2643693R1	1661375C2	8001A	A	589391C1	1661376C1	
NF52D	14	YL	GXL	2643693R1	3595624C1	1700	3	SWS_N_REQ		
NF52D	14	YL	GXL	2643693R1	1661375C2	8000A	A	589391C1	1661376C1	
NF53	14	YL	GXL	2643693R1	3595624C1	1700	2	SWS_N_REQ		
NF53	14	YL	GXL	2643693R1	1661375C2	8001A	C	589391C1	1661376C1	
NF53B	14	YL	GXL	2643693R1	3595624C1	1700	4	SWS_N_REQ		
NF53B	14	YL	GXL	2643693R1	1661375C2	8000A	C	589391C1	1661376C1	
NF54B	14	BN	GXL	2643688R1	3595624C1	1700	5	SWS_N_REQ		
NF54B	14	BN	GXL	2643688R1		SS45	-	2644000R1		
NF54C	14	BN	GXL	2643688R1	1661375C2	8001A	E	589391C1	1661376C1	
NF54C	14	BN	GXL	2643688R1		SS45	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
NF54D	14	BN	GXL	2643688R1	1661375C2	8000A	E	589391C1	1661376C1	
NF54D	14	BN	GXL	2643688R1		SS45	-	2644000R1		
NF54F	14	BN	GXL	2643688R1	2039311C91	8103A	E	589391C1	239342C1	
NF54F	14	BN	GXL	2643688R1		SS45	-	2644000R1		
NF56B	16	OR	TXL	3510318R1	3595624C1		1700	14	SWS_N_REQ	
NF56B	16	OR	TXL	3510318R1		SS46	-	2644000R1		
NF56C	16	OR	TXL	3510318R1	1661375C2	8001A	D	1652325C1	1661376C1	
NF56C	16	OR	TXL	3510318R1		SS46	-	2644000R1		
NF56D	16	OR	TXL	3510318R1	2039311C91	8103A	D	1652325C1	239342C1	
NF56D	16	OR	TXL	3510318R1		SS46	-	2644000R1		
NF57B	16	OR	TXL	3510318R1	3595624C1		1700	15	SWS_N_REQ	
NF57B	16	OR	TXL	3510318R1		SS44	-	2644000R1		
NF57C	16	OR	TXL	3510318R1	1661375C2	8000A	D	1652325C1	1661376C1	
NF57C	16	OR	TXL	3510318R1		SS44	-	2644000R1		
NF57D	16	OR	GXL	2643682R1	2039311C91	8103A	F	1652325C1	239342C1	
NF57D	16	OR	GXL	2643682R1		SS44	-	2644000R1		
NF64HI	14	YL	GXL	2643693R1	3595624C1		1700	9	SWS_N_REQ	
NF64HI	14	YL	GXL	2643693R1	2039311C91	8103A	A	589391C1	239342C1	
NF64LO	14	YL	GXL	2643693R1	3595624C1		1700	8	SWS_N_REQ	
NF64LO	14	YL	GXL	2643693R1	2039311C91	8103A	C	589391C1	239342C1	
NK5C(+)	18	YL	TXL	3572112R1	3595624C1		1700	62	SWS_N_REQ	
NK5C(+)	18	YL	TXL	3572112R1	1667741C1	1657M	A	3568570C1	1667771C1	
NK5C(-)	18	GN	TXL	3572112R1	3595624C1		1700	61	SWS_N_REQ	
NK5C(-)	18	GN	TXL	3572112R1	1667741C1	1657M	C	3568570C1	1667771C1	
NR104CB	18	DKBL	GXL	2643720R1	3595624C1		1700	44	SWS_N_REQ	
NR104CB	18	DKBL	GXL	2643720R1	587568C91		8805	B	1652325C1	
NR104CC	18	DKBL	GXL	2643720R1	3595624C1		1700	43	SWS_N_REQ	
NR104CC	18	DKBL	GXL	2643720R1	587568C91		8805	A	1652325C1	
NS104CB	18	DKBL	GXL	2643720R1	3595624C1		1700	44	SWS_N_REQ	
NS104CB	18	DKBL	GXL	2643720R1	587568C91	8805A	B	1652325C1		
NS104CC	18	DKBL	GXL	2643720R1	3595624C1		1700	43	SWS_N_REQ	
NS104CC	18	DKBL	GXL	2643720R1	587568C91	8805A	A	1652325C1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
PF78-GB	16	WH	GXL	2643681R1	3551896C1	8800	E	1652325C1	354454C1	3551897C1
PF78-GB	16	WH	GXL	2643681R1	587567C91	8702	B	1652325C1		
PF78BC	16	LTGN	GXL	2643678R1	3595624C1	1700	63	SWS_N_REQ		
PF78BC	16	LTGN	GXL	2643678R1	587567C91	8702	A	1652325C1		
PG78-GA	16	WH	GXL	2643681R1	3551896C1	8800	E	1652325C1	354454C1	3551897C1
PG78-GA	16	WH	GXL	2643681R1	587567C91	8700B	B	1652325C1		
PG78AC	16	LTGN	GXL	2643678R1	3595624C1	1700	64	SWS_N_REQ		
PG78AC	16	LTGN	GXL	2643678R1	587567C91	8700B	A	1652325C1		
PJ78-GB	16	WH	GXL	2643681R1	3551896C1	8800	E	1652325C1	354454C1	3551897C1
PJ78-GB	16	WH	GXL	2643681R1	587567C91	8701A	B	1652325C1		
PJ78BC	16	LTGN	GXL	2643678R1	3595624C1	1700	63	SWS_N_REQ		
PJ78BC	16	LTGN	GXL	2643678R1	587567C91	8701A	A	1652325C1		
PM78-GA	16	WH	GXL	2643681R1	587567C91	8700A	B	1652325C1		
PM78-GA	16	WH	GXL	2643681R1		SS43	-	2644000R1		
PM78-GB	16	WH	GXL	2643681R1	587567C91	8701A	B	1652325C1		
PM78-GB	16	WH	GXL	2643681R1		SS43	-	2644000R1		
PM78-GC	16	WH	GXL	2643681R1		4308	1	2644038R1		
PM78-GC	16	WH	GXL	2643681R1		SS43	-	2644000R1		
PM78AC	16	LTGN	GXL	2643678R1	3595624C1	1700	64	SWS_N_REQ		
PM78AC	16	LTGN	GXL	2643678R1	587567C91	8700A	A	1652325C1		
PM78BC	16	LTGN	GXL	2643678R1	3595624C1	1700	63	SWS_N_REQ		
PM78BC	16	LTGN	GXL	2643678R1	587567C91	8701A	A	1652325C1		
PR78-GB	16	WH	GXL	2643681R1	3551896C1	8800	E	1652325C1	354454C1	3551897C1
PR78-GB	16	WH	GXL	2643681R1	587567C91	8702A	B	1652325C1		
PR78BC	16	LTGN	GXL	2643678R1	3595624C1	1700	63	SWS_N_REQ		
PR78BC	16	LTGN	GXL	2643678R1	587567C91	8702A	A	1652325C1		
PS78-GA	16	WH	GXL	2643681R1	3551896C1	8800	E	1652325C1	354454C1	3551897C1
PS78-GA	16	WH	GXL	2643681R1	587567C91	8700C	B	1652325C1		
PS78AC	16	LTGN	GXL	2643678R1	3595624C1	1700	64	SWS_N_REQ		
PS78AC	16	LTGN	GXL	2643678R1	587567C91	8700C	A	1652325C1		
PT78-GA	16	WH	GXL	2643681R1	587567C91	8702	B	1652325C1		
PT78-GA	16	WH	GXL	2643681R1		SS1	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
PT78-GB	16	WH	GXL	2643681R1	587567C91	8700B	B	1652325C1		
PT78-GB	16	WH	GXL	2643681R1		SS1	-	2644000R1		
PT78-GC	16	WH	GXL	2643681R1		4308	1	2644038R1		
PT78-GC	16	WH	GXL	2643681R1		SS1	-	2644000R1		
PT78AC	16	LTGN	GXL	2643678R1	3595624C1	1700	64	SWS_N_REQ		
PT78AC	16	LTGN	GXL	2643678R1	587567C91	8700B	A	1652325C1		
PT78BC	16	LTGN	GXL	2643678R1	3595624C1	1700	63	SWS_N_REQ		
PT78BC	16	LTGN	GXL	2643678R1	587567C91	8702	A	1652325C1		
PU78-GA	16	WH	GXL	2643681R1	587567C91	8702A	B	1652325C1		
PU78-GA	16	WH	GXL	2643681R1		SS2	-	2644000R1		
PU78-GB	16	WH	GXL	2643681R1	587567C91	8700C	B	1652325C1		
PU78-GB	16	WH	GXL	2643681R1		SS2	-	2644000R1		
PU78-GC	16	WH	GXL	2643681R1		4308	1	2644038R1		
PU78-GC	16	WH	GXL	2643681R1		SS2	-	2644000R1		
PU78AC	16	LTGN	GXL	2643678R1	3595624C1	1700	64	SWS_N_REQ		
PU78AC	16	LTGN	GXL	2643678R1	587567C91	8700C	A	1652325C1		
PU78BC	16	LTGN	GXL	2643678R1	3595624C1	1700	63	SWS_N_REQ		
PU78BC	16	LTGN	GXL	2643678R1	587567C91	8702A	A	1652325C1		
RB11-GE	14	WH	GXL	2643689R1	3551896C1	8800	D	589391C1	354454C1	3551897C1
RB11-GE	14	WH	GXL	2643689R1	2039311C91	8103	B	589391C1	239342C1	
RB52	14	YL	GXL	2643693R1	3595624C1	1700	1	SWS_N_REQ		
RB52	14	YL	GXL	2643693R1	1661375C2	8001	A	589391C1	1661376C1	
RB52B	14	YL	GXL	2643693R1	3595624C1	1700	10	SWS_N_REQ		
RB52B	14	YL	GXL	2643693R1		SS28	-	2644000R1		
RB52D	14	YL	GXL	2643693R1	3595624C1	1700	3	SWS_N_REQ		
RB52D	14	YL	GXL	2643693R1	1661375C2	8000	A	589391C1	1661376C1	
RB52E	14	YL	GXL	2643693R1	3595624C1	1700	11	SWS_N_REQ		
RB52E	14	YL	GXL	2643693R1		SS28	-	2644000R1		
RB53	14	YL	GXL	2643693R1	3595624C1	1700	2	SWS_N_REQ		
RB53	14	YL	GXL	2643693R1	1661375C2	8001	C	589391C1	1661376C1	
RB53B	14	YL	GXL	2643693R1	3595624C1	1700	4	SWS_N_REQ		
RB53B	14	YL	GXL	2643693R1	1661375C2	8000	C	589391C1	1661376C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
RB53E	14	YL	GXL	2643693R1	3595624C1	1700	8	SWS_N_REQ		
RB53E	14	YL	GXL	2643693R1		SS29	-	2644000R1		
RB53F	14	YL	GXL	2643693R1	3595624C1	1700	9	SWS_N_REQ		
RB53F	14	YL	GXL	2643693R1		SS29	-	2644000R1		
RB54B	14	BN	GXL	2643688R1	3595624C1	1700	5	SWS_N_REQ		
RB54B	14	BN	GXL	2643688R1		SS4	-	2644000R1		
RB54C	14	BN	GXL	2643688R1	1661375C2	8001	E	589391C1	1661376C1	
RB54C	14	BN	GXL	2643688R1		SS4	-	2644000R1		
RB54D	14	BN	GXL	2643688R1	1661375C2	8000	E	589391C1	1661376C1	
RB54D	14	BN	GXL	2643688R1		SS4	-	2644000R1		
RB54F	14	BN	GXL	2643688R1	2039311C91	8103	E	589391C1	239342C1	
RB54F	14	BN	GXL	2643688R1		SS4	-	2644000R1		
RB56B	16	OR	TXL	3510318R1	3595624C1	1700	14	SWS_N_REQ		
RB56B	16	OR	TXL	3510318R1		SS5	-	2644000R1		
RB56C	16	OR	GXL	2643682R1	1661375C2	8001	D	1652325C1	1661376C1	
RB56C	16	OR	GXL	2643682R1		SS5	-	2644000R1		
RB56D	16	OR	GXL	2643682R1	2039311C91	8103	D	1652325C1	239342C1	
RB56D	16	OR	GXL	2643682R1		SS5	-	2644000R1		
RB57B	16	OR	TXL	3510318R1	3595624C1	1700	15	SWS_N_REQ		
RB57B	16	OR	TXL	3510318R1		SS3	-	2644000R1		
RB57C	16	OR	GXL	2643682R1	1661375C2	8000	D	1652325C1	1661376C1	
RB57C	16	OR	GXL	2643682R1		SS3	-	2644000R1		
RB57D	16	OR	GXL	2643682R1	2039311C91	8103	F	1652325C1	239342C1	
RB57D	16	OR	GXL	2643682R1		SS3	-	2644000R1		
RB64HI	14	YL	GXL	2643693R1	2039311C91	8103	A	589391C1	239342C1	
RB64HI	14	YL	GXL	2643693R1		SS28	-	2644000R1		
RB64LO	14	YL	GXL	2643693R1	2039311C91	8103	C	589391C1	239342C1	
RB64LO	14	YL	GXL	2643693R1		SS29	-	2644000R1		
RCTEM1	16	GY	TXL	3510312R1	3601924C1	7220	1	SWS_N_REQ	361925C1	
RCTEM1	16	GY	TXL	3510312R1	3595624C1	1700	52	SWS_N_REQ		
RCTEM2	16	GY	TXL	3510312R1	3601924C1	7220	2	SWS_N_REQ	361925C1	
RCTEM2	16	GY	TXL	3510312R1	3595624C1	1700	53	SWS_N_REQ		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
RCTEM3	16	GY	TXL	3510312R1	3601924C1	7220	3	SWS_N_REQ	361925C1	
RCTEM3	16	GY	TXL	3510312R1	3595624C1	1700	54	SWS_N_REQ		
RCTEM4	16	GY	TXL	3510312R1	3601924C1	7220	4	SWS_N_REQ	361925C1	
RCTEM4	16	GY	TXL	3510312R1	3595624C1	1700	55	SWS_N_REQ		
RCTEM5	16	GY	TXL	3510312R1	3601924C1	7220	5	SWS_N_REQ	361925C1	
RCTEM5	16	GY	TXL	3510312R1	3595624C1	1700	56	SWS_N_REQ		
RCTEM6	16	GY	TXL	3510312R1	3601924C1	7220	6	SWS_N_REQ	361925C1	
RCTEM6	16	GY	TXL	3510312R1	3595624C1	1700	57	SWS_N_REQ		
RCTEM7	16	GY	TXL	3510312R1	3601924C1	7220	7	SWS_N_REQ	361925C1	
RCTEM7	16	GY	TXL	3510312R1	3595624C1	1700	58	SWS_N_REQ		
RCTEM8	16	GY	TXL	3510312R1	3601924C1	7220	8	SWS_N_REQ	361925C1	
RCTEM8	16	GY	TXL	3510312R1	3595624C1	1700	59	SWS_N_REQ		
RD11-GE	14	WH	GXL	2643689R1	3551896C1	8800	D	589391C1	354454C1	3551897C1
RD11-GE	14	WH	GXL	2643689R1	2039311C91	8103A	B	589391C1	239342C1	
RD52	14	YL	GXL	2643693R1	3595624C1	1700	1	SWS_N_REQ		
RD52	14	YL	GXL	2643693R1	1661375C2	8001A	A	589391C1	1661376C1	
RD52B	14	YL	GXL	2643693R1	3595624C1	1700	10	SWS_N_REQ		
RD52B	14	YL	GXL	2643693R1		SS31	-	2644000R1		
RD52D	14	YL	GXL	2643693R1	3595624C1	1700	3	SWS_N_REQ		
RD52D	14	YL	GXL	2643693R1	1661375C2	8000A	A	589391C1	1661376C1	
RD52E	14	YL	GXL	2643693R1	3595624C1	1700	11	SWS_N_REQ		
RD52E	14	YL	GXL	2643693R1		SS31	-	2644000R1		
RD53	14	YL	GXL	2643693R1	3595624C1	1700	2	SWS_N_REQ		
RD53	14	YL	GXL	2643693R1	1661375C2	8001A	C	589391C1	1661376C1	
RD53B	14	YL	GXL	2643693R1	3595624C1	1700	4	SWS_N_REQ		
RD53B	14	YL	GXL	2643693R1	1661375C2	8000A	C	589391C1	1661376C1	
RD53E	14	YL	GXL	2643693R1	3595624C1	1700	8	SWS_N_REQ		
RD53E	14	YL	GXL	2643693R1		SS34	-	2644000R1		
RD53F	14	YL	GXL	2643693R1	3595624C1	1700	9	SWS_N_REQ		
RD53F	14	YL	GXL	2643693R1		SS34	-	2644000R1		
RD54B	14	BN	GXL	2643688R1	3595624C1	1700	5	SWS_N_REQ		
RD54B	14	BN	GXL	2643688R1		SS32	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
RD54C	14	BN	GXL	2643688R1	1661375C2	8001A	E	589391C1	1661376C1	
RD54C	14	BN	GXL	2643688R1		SS32	-	2644000R1		
RD54D	14	BN	GXL	2643688R1	1661375C2	8000A	E	589391C1	1661376C1	
RD54D	14	BN	GXL	2643688R1		SS32	-	2644000R1		
RD54F	14	BN	GXL	2643688R1	2039311C91	8103A	E	589391C1	239342C1	
RD54F	14	BN	GXL	2643688R1		SS32	-	2644000R1		
RD56B	16	OR	TXL	3510318R1	3595624C1		1700 14	SWS_N_REQ		
RD56B	16	OR	TXL	3510318R1		SS33	-	2644000R1		
RD56C	16	OR	TXL	3510318R1	1661375C2	8001A	D	1652325C1	1661376C1	
RD56C	16	OR	TXL	3510318R1		SS33	-	2644000R1		
RD56D	16	OR	TXL	3510318R1	2039311C91	8103A	D	1652325C1	239342C1	
RD56D	16	OR	TXL	3510318R1		SS33	-	2644000R1		
RD57B	16	OR	TXL	3510318R1	3595624C1		1700 15	SWS_N_REQ		
RD57B	16	OR	TXL	3510318R1		SS30	-	2644000R1		
RD57C	16	OR	TXL	3510318R1	1661375C2	8000A	D	1652325C1	1661376C1	
RD57C	16	OR	TXL	3510318R1		SS30	-	2644000R1		
RD57D	16	OR	GXL	2643682R1	2039311C91	8103A	F	1652325C1	239342C1	
RD57D	16	OR	GXL	2643682R1		SS30	-	2644000R1		
RD64HI	14	YL	GXL	2643693R1	2039311C91	8103A	A	589391C1	239342C1	
RD64HI	14	YL	GXL	2643693R1		SS31	-	2644000R1		
RD64LO	14	YL	GXL	2643693R1	2039311C91	8103A	C	589391C1	239342C1	
RD64LO	14	YL	GXL	2643693R1		SS34	-	2644000R1		
SE103M	12	LTGN	GXL	2643753R1	BLUNT_SL_V		7230 A	SWS_N_REQ		
SE103M	12	LTGN	GXL	2643753R1	3595624C1		1700 65	SWS_N_REQ		
SE103N	12	LTGN	GXL	2643753R1	BLUNT_SL_V		7230 B	SWS_N_REQ		
SE103N	12	LTGN	GXL	2643753R1	3595624C1		1700 66	SWS_N_REQ		
SE103P	12	LTGN	GXL	2643753R1	BLUNT_SL_V		7230 C	SWS_N_REQ		
SE103P	12	LTGN	GXL	2643753R1	3595624C1		1700 67	SWS_N_REQ		
SH19A	16	GY	GXL	2643680R1	3626436C1		9301 1	N/A		
SH19A	16	GY	GXL	2643680R1	3595624C1		1700 6	SWS_N_REQ		
TB85E	16	GY	GXL	2643680R1	3595624C1		1700 21	SWS_N_REQ		
TB85E	16	GY	GXL	2643680R1	1661778C1	8301A	A	1661872C1	1661874C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
TC11-G	12	WH	TXL	3510362R1		4307	1	2644038R1		
TC11-G	12	WH	TXL	3510362R1		SS6	-	2644000R1		
TC11-GA	14	WH	GXL	2643689R1	1661375C2	8000	B	589391C1	1661376C1	
TC11-GA	14	WH	GXL	2643689R1		SS6	-	2644000R1		
TC11-GB	14	WH	GXL	2643689R1	1661375C2	8001	B	589391C1	1661376C1	
TC11-GB	14	WH	GXL	2643689R1		SS6	-	2644000R1		
TC11-GC	12	WH	GXL	2643787R1		4005C	1	2644005R1		
TC11-GC	12	WH	GXL	2643787R1	587566C91	8600	A	589390C1		
TC85-GB	16	WH	GXL	2643681R1	3551896C1	8800	A	1652325C1	354454C1	3551897C1
TC85-GB	16	WH	GXL	2643681R1		SS6	-	2644000R1		
TC85-GC	16	WH	GXL	2643681R1	1661778C1	8301A	B	1661872C1	1661874C1	
TC85-GC	16	WH	GXL	2643681R1		SS6	-	2644000R1		
TD11-G	12	WH	TXL	3510362R1		4307	1	2644038R1		
TD11-G	12	WH	TXL	3510362R1		SS7	-	2644000R1		
TD11-GA	14	WH	GXL	2643689R1	1661375C2	8000	B	589391C1	1661376C1	
TD11-GA	14	WH	GXL	2643689R1		SS7	-	2644000R1		
TD11-GB	14	WH	GXL	2643689R1	1661375C2	8001	B	589391C1	1661376C1	
TD11-GB	14	WH	GXL	2643689R1		SS7	-	2644000R1		
TD11-GC	12	WH	GXL	2643787R1		4005C	1	2644005R1		
TD11-GC	12	WH	GXL	2643787R1	587566C91	8600	A	589390C1		
TD85-GC	16	WH	GXL	2643681R1	1661778C1	8301A	B	1661872C1	1661874C1	
TD85-GC	16	WH	GXL	2643681R1		SS7	-	2644000R1		
TF94BP	16	GY	GXL	2643680R1	6112506C1	9531F	1	SWS_N_REQ		
TF94BP	16	GY	GXL	2643680R1	3595624C1	1700	24	SWS_N_REQ		
TF94BQ	16	GY	GXL	2643680R1	6112506C1	9531F	8	SWS_N_REQ		
TF94BQ	16	GY	GXL	2643680R1	3595624C1	1700	46	SWS_N_REQ		
TF94BR	16	GY	GXL	2643680R1	6112506C1	9531F	7	SWS_N_REQ		
TF94BR	16	GY	GXL	2643680R1	3595624C1	1700	45	SWS_N_REQ		
TF94BS	16	GY	GXL	2643680R1	6112506C1	9531F	6	SWS_N_REQ		
TF94BS	16	GY	GXL	2643680R1	3595624C1	1700	41	SWS_N_REQ		
TF94BT	16	GY	GXL	2643680R1	6112506C1	9531F	4	SWS_N_REQ		
TF94BT	16	GY	GXL	2643680R1	3595624C1	1700	39	SWS_N_REQ		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
TF94BU	16	GY	GXL	2643680R1	6112506C1	9531F	5	SWS_N_REQ		
TF94BU	16	GY	GXL	2643680R1	3595624C1		1700	40	SWS_N_REQ	
TF94BV	16	GY	GXL	2643680R1	6112506C1	9531F		10	SWS_N_REQ	
TF94BV	16	GY	GXL	2643680R1	3595624C1		1700	49	SWS_N_REQ	
TF94BW	16	GY	GXL	2643680R1	6112506C1	9531F		9	SWS_N_REQ	
TF94BW	16	GY	GXL	2643680R1	3595624C1		1700	48	SWS_N_REQ	
TF94BY	16	GY	GXL	2643680R1	6112506C1	9531F		2	SWS_N_REQ	
TF94BY	16	GY	GXL	2643680R1	3595624C1		1700	37	SWS_N_REQ	
TF94BZ	16	GY	GXL	2643680R1	6112506C1	9531F		3	SWS_N_REQ	
TF94BZ	16	GY	GXL	2643680R1	3595624C1		1700	38	SWS_N_REQ	
TG64-GA	16	WH	TXL	3510360R1	3551896C1		8800	B	1652325C1	354454C1 3551897C1
TG64-GA	16	WH	TXL	3510360R1	587567C91	8201X		B	1652325C1	
TG64-GB	16	WH	TXL	3510360R1	3551896C1		8800	C	1652325C1	354454C1 3551897C1
TG64-GB	16	WH	TXL	3510360R1	587567C91	8200X		B	1652325C1	
TG64A	16	YL	GXL	2643684R1	3595624C1		1700	22	SWS_N_REQ	
TG64A	16	YL	GXL	2643684R1	587567C91	8201X		A	1652325C1	
TG64B	16	YL	GXL	2643684R1	3595624C1		1700	23	SWS_N_REQ	
TG64B	16	YL	GXL	2643684R1	587567C91	8200X		A	1652325C1	
TH64-GA	16	WH	TXL	3510360R1	6131286C1	8201A		2	4080000C1	
TH64-GA	16	WH	TXL	3510360R1	3551896C1		8800	B	1652325C1	354454C1 3551897C1
TH64-GB	16	WH	TXL	3510360R1	6131286C1	8200A		2	4080000C1	
TH64-GB	16	WH	TXL	3510360R1	3551896C1		8800	C	1652325C1	354454C1 3551897C1
TH64A	16	YL	TXL	3510336R1	6131286C1	8201A		1	4080000C1	
TH64A	16	YL	TXL	3510336R1	3595624C1		1700	22	SWS_N_REQ	
TH64B	16	YL	TXL	3510336R1	6131286C1	8200A		1	4080000C1	
TH64B	16	YL	TXL	3510336R1	3595624C1		1700	23	SWS_N_REQ	
TK64-GA	16	WH	TXL	3510360R1	6131286C1	8201B		2	4080000C1	
TK64-GA	16	WH	TXL	3510360R1	3551896C1		8800	B	1652325C1	354454C1 3551897C1
TK64-GB	16	WH	TXL	3510360R1	6131286C1	8200B		2	4080000C1	
TK64-GB	16	WH	TXL	3510360R1	3551896C1		8800	C	1652325C1	354454C1 3551897C1
TK64A	16	YL	TXL	3510336R1	6131286C1	8201B		1	4080000C1	
TK64A	16	YL	TXL	3510336R1	3595624C1		1700	22	SWS_N_REQ	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
TK64B	16	YL	TXL	3510336R1	6131286C1	8200B	1	4080000C1		
TK64B	16	YL	TXL	3510336R1	3595624C1		1700	SWS_N_REQ		
TV94SAB	16	GY	GXL	2643680R1	3595624C1		1700	SWS_N_REQ		
TV94SAB	16	GY	GXL	2643680R1	3549412C1		9524	N/A	3564169C1	
TV94SBB	16	GY	GXL	2643680R1	3595624C1		1700	SWS_N_REQ		
TV94SBB	16	GY	GXL	2643680R1	3549412C1		9524	N/A	3564169C1	
TV94SCB	16	GY	GXL	2643680R1	3595624C1		1700	SWS_N_REQ		
TV94SCB	16	GY	GXL	2643680R1	3549412C1		9524	N/A	3564169C1	
TV94SDB	16	GY	GXL	2643680R1	3595624C1		1700	SWS_N_REQ		
TV94SDB	16	GY	GXL	2643680R1	3549412C1		9524	N/A	3564169C1	
TV94SJ	16	GY	GXL	2643680R1	3595624C1		1700	SWS_N_REQ		
TV94SJ	16	GY	GXL	2643680R1	3549412C1		9524	N/A	3564169C1	
TV94SK	16	GY	GXL	2643680R1	3595624C1		1700	SWS_N_REQ		
TV94SK	16	GY	GXL	2643680R1	3549412C1		9524	N/A	3564169C1	
TV94SL	16	GY	GXL	2643680R1	3595624C1		1700	SWS_N_REQ		
TV94SL	16	GY	GXL	2643680R1	3549412C1		9524	N/A	3564169C1	
TV94SM	16	GY	GXL	2643680R1	3595624C1		1700	SWS_N_REQ		
TV94SM	16	GY	GXL	2643680R1	3549412C1		9524	N/A	3564169C1	
TV94SN	16	GY	GXL	2643680R1	3595624C1		1700	SWS_N_REQ		
TV94SN	16	GY	GXL	2643680R1	3549412C1		9524	N/A	3564169C1	
2A59F-G	14	WH	GXL	2643689R1	3551896C1		8805	589391C1	354454C1	3551897C1
2A59F-G	14	WH	GXL	2643689R1	1661375C2	9740E	A	589391C1	1661376C1	
2A59G	18	GY	GXL	2643673R1	3595622C1	1701F	36	SWS_N_REQ		
2A59G	18	GY	GXL	2643673R1	1661375C2	9740E	B	1652325C1	1661376C1	
2A59H	18	GY	GXL	2643673R1	3595622C1	1701F	37	SWS_N_REQ		
2A59H	18	GY	GXL	2643673R1	1661375C2	9740E	C	1652325C1	1661376C1	
2A59J	18	GY	GXL	2643673R1	3595622C1	1701F	38	SWS_N_REQ		
2A59J	18	GY	GXL	2643673R1	1661375C2	9740E	D	1652325C1	1661376C1	
2A59K	18	GY	GXL	2643673R1	3595622C1	1701F	39	SWS_N_REQ		
2A59K	18	GY	GXL	2643673R1	1661375C2	9740E	E	1652325C1	1661376C1	
2B59L-G	14	WH	GXL	2643689R1	3551896C1		8805	589391C1	354454C1	3551897C1
2B59L-G	14	WH	GXL	2643689R1	1661375C2	9740F	A	589391C1	1661376C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
2B59M	18	GY	GXL	2643673R1	3595622C1	1701F	46	SWS_N_REQ		
2B59M	18	GY	GXL	2643673R1	1661375C2	9740F	B	1652325C1	1661376C1	
2B59N	18	GY	GXL	2643673R1	3595622C1	1701F	47	SWS_N_REQ		
2B59N	18	GY	GXL	2643673R1	1661375C2	9740F	C	1652325C1	1661376C1	
2B59P	18	GY	GXL	2643673R1	3595622C1	1701F	48	SWS_N_REQ		
2B59P	18	GY	GXL	2643673R1	1661375C2	9740F	D	1652325C1	1661376C1	
2B59Q	18	GY	GXL	2643673R1	3595622C1	1701F	49	SWS_N_REQ		
2B59Q	18	GY	GXL	2643673R1	1661375C2	9740F	E	1652325C1	1661376C1	
2F39-GF	18	WH	GXL	2643674R1	3551896C1		8807	1652325C1	354454C1	3551897C1
2F39-GF	18	WH	GXL	2643674R1	1671610C1	9002A	B	1652325C1	167168C1	
2F39A	18	GY	GXL	2643673R1	3595622C1	1701F	40	SWS_N_REQ		
2F39A	18	GY	GXL	2643673R1	1671610C1	9002A	A	1652325C1	167168C1	
AA94BP	16	GY	GXL	2643680R1	6112506C1	9532F	1	SWS_N_REQ		
AA94BP	16	GY	GXL	2643680R1	3690369C1	9531M	1	SWS_N_REQ		
AA94BQ	16	GY	GXL	2643680R1	6112506C1	9532F	8	SWS_N_REQ		
AA94BQ	16	GY	GXL	2643680R1	3690369C1	9531M	8	SWS_N_REQ		
AA94BR	16	GY	GXL	2643680R1	6112506C1	9532F	7	SWS_N_REQ		
AA94BR	16	GY	GXL	2643680R1	3690369C1	9531M	7	SWS_N_REQ		
AA94BS	16	GY	GXL	2643680R1	6112506C1	9532F	6	SWS_N_REQ		
AA94BS	16	GY	GXL	2643680R1	3690369C1	9531M	6	SWS_N_REQ		
AA94BT	16	GY	GXL	2643680R1	6112506C1	9532F	4	SWS_N_REQ		
AA94BT	16	GY	GXL	2643680R1	3690369C1	9531M	4	SWS_N_REQ		
AA94BU	16	GY	GXL	2643680R1	6112506C1	9532F	5	SWS_N_REQ		
AA94BU	16	GY	GXL	2643680R1	3690369C1	9531M	5	SWS_N_REQ		
AA94BV	16	GY	GXL	2643680R1	6112506C1	9532F	10	SWS_N_REQ		
AA94BV	16	GY	GXL	2643680R1	3690369C1	9531M	10	SWS_N_REQ		
AA94BW	16	GY	GXL	2643680R1	6112506C1	9532F	9	SWS_N_REQ		
AA94BW	16	GY	GXL	2643680R1	3690369C1	9531M	9	SWS_N_REQ		
AA94BY	16	GY	GXL	2643680R1	6112506C1	9532F	2	SWS_N_REQ		
AA94BY	16	GY	GXL	2643680R1	3690369C1	9531M	2	SWS_N_REQ		
AA94BZ	16	GY	GXL	2643680R1	6112506C1	9532F	3	SWS_N_REQ		
AA94BZ	16	GY	GXL	2643680R1	3690369C1	9531M	3	SWS_N_REQ		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
AB87DA	16	GY	GXL	2643680R1	3595622C1	1701F	58	SWS_N_REQ		
AB87DA	16	GY	GXL	2643680R1	3536864C1	9745A	1	3536868C1		
AB87DB	18	GY	GXL	2643673R1	3595622C1	1701F	59	SWS_N_REQ		
AB87DB	18	GY	GXL	2643673R1	3536864C1	9745A	2	3536868C1		
AC39-GB	16	WH	GXL	2643681R1	3551896C1		8807	1652325C1	354454C1	3551897C1
AC39-GB	16	WH	GXL	2643681R1	1673790C1	9900AC	B	1652325C1	1673791C1	
AC39B	16	GY	GXL	2643680R1	3595622C1	1701F	31	SWS_N_REQ		
AC39B	16	GY	GXL	2643680R1	1673790C1	9900AC	A	1652325C1	1673791C1	
AD39-GB	16	WH	GXL	2643681R1	3551896C1		8807	1652325C1	354454C1	3551897C1
AD39-GB	16	WH	GXL	2643681R1	1673790C1	9900AD	B	1652325C1	1673791C1	
AD39B	16	GY	GXL	2643680R1	3595622C1	1701F	31	SWS_N_REQ		
AD39B	16	GY	GXL	2643680R1	1673790C1	9900AD	A	1652325C1	1673791C1	
AE39-GB	16	WH	GXL	2643681R1	3551896C1		8807	1652325C1	354454C1	3551897C1
AE39-GB	16	WH	GXL	2643681R1	1673790C1	9900AE	B	1652325C1	1673791C1	
AE39B	16	GY	GXL	2643680R1	3595622C1	1701F	31	SWS_N_REQ		
AE39B	16	GY	GXL	2643680R1	1673790C1	9900AE	A	1652325C1	1673791C1	
AF39-GB	16	WH	GXL	2643681R1	3551896C1		8807	1652325C1	354454C1	3551897C1
AF39-GB	16	WH	GXL	2643681R1	1673790C1	9900AF	B	1652325C1	1673791C1	
AF39B	16	GY	GXL	2643680R1	3595622C1	1701F	31	SWS_N_REQ		
AF39B	16	GY	GXL	2643680R1	1673790C1	9900AF	A	1652325C1	1673791C1	
AG39-GB	16	WH	GXL	2643681R1	3551896C1		8807	1652325C1	354454C1	3551897C1
AG39-GB	16	WH	GXL	2643681R1	1673790C1	9900AG	B	1652325C1	1673791C1	
AG39B	16	GY	GXL	2643680R1	3595622C1	1701F	31	SWS_N_REQ		
AG39B	16	GY	GXL	2643680R1	1673790C1	9900AG	A	1652325C1	1673791C1	
AH39-GF	18	WH	GXL	2643674R1	3551896C1		8807	1652325C1	354454C1	3551897C1
AH39-GF	18	WH	GXL	2643674R1	1671610C1		9003	1652325C1	167168C1	
AH39A	18	GY	GXL	2643673R1	3595622C1	1701F	40	SWS_N_REQ		
AH39A	18	GY	GXL	2643673R1	1671610C1		9003	1652325C1	167168C1	
AJ39-GB	16	WH	GXL	2643681R1	3551896C1		8807	1652325C1	354454C1	3551897C1
AJ39-GB	16	WH	GXL	2643681R1	1673790C1	9900AJ	B	1652325C1	1673791C1	
AJ39B	16	GY	GXL	2643680R1	3595622C1	1701F	31	SWS_N_REQ		
AJ39B	16	GY	GXL	2643680R1	1673790C1	9900AJ	A	1652325C1	1673791C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
AK87EA	18	GY	TXL	3510311R1	3595622C1	1701F	41	SWS_N_REQ		
AK87EA	18	GY	TXL	3510311R1	3554317C1	9746A	1	3554318C1		
AK8EB	18	GY	TXL	3510311R1	3554317C1	9746A	2	3554318C1		
AK8EB	18	GY	TXL	3510311R1	3551896C1	8802	D	3517771C1	354454C1	3551897C1
AL1AL	12	GY	GXL	2643783R1	BLUNT_SL_V	8886	A	SWS_N_REQ		
AL1AL	12	GY	GXL	2643783R1	6099045C1	8883	1	SWS_N_REQ		
AL20AL	18	GY	TXL	3510311R1	6099045C1	8883	20	SWS_N_REQ		
AL20AL	18	GY	TXL	3510311R1	3838727C1	8885	1	SWS_N_REQ		
AL21AL	18	GY	GXL	2643673R1	6099045C1	8883	21	SWS_N_REQ		
AL21AL	18	GY	GXL	2643673R1	3838727C1	8885	5	SWS_N_REQ		
AL23AL	18	GY	TXL	3510311R1	6099045C1	8883	23	SWS_N_REQ		
AL23AL	18	GY	TXL	3510311R1	3838727C1	8885	11	SWS_N_REQ		
AL24AL	18	GY	TXL	3510311R1	6099045C1	8883	24	SWS_N_REQ		
AL24AL	18	GY	TXL	3510311R1	3838727C1	8885	3	SWS_N_REQ		
AL2AL	14	GY	GXL	2643782R1	BLUNT_SL_V	8886	B	SWS_N_REQ		
AL2AL	14	GY	GXL	2643782R1	6099045C1	8883	2	SWS_N_REQ		
AL5AL	18	GY	GXL	2643673R1	6099045C1	8883	5	SWS_N_REQ		
AL5AL	18	GY	GXL	2643673R1	3838727C1	8885	12	SWS_N_REQ		
AL6AL	18	GY	GXL	2643673R1	6099045C1	8883	6	SWS_N_REQ		
AL6AL	18	GY	GXL	2643673R1	3838727C1	8885	8	SWS_N_REQ		
AL7AL	18	GY	GXL	2643673R1	6099045C1	8883	7	SWS_N_REQ		
AL7AL	18	GY	GXL	2643673R1	3838727C1	8885	10	SWS_N_REQ		
AL8AL	18	GY	GXL	2643673R1	6099045C1	8883	8	SWS_N_REQ		
AL8AL	18	GY	GXL	2643673R1	3838727C1	8885	4	SWS_N_REQ		
AL9AL	18	GY	GXL	2643673R1	6099045C1	8883	9	SWS_N_REQ		
AL9AL	18	GY	GXL	2643673R1	3838727C1	8885	2	SWS_N_REQ		
AM10AL	18	GY	TXL	3510311R1	6099045C1	8883	10	SWS_N_REQ		
AM10AL	18	GY	TXL	3510311R1	3525874C1	8887	G	3568570C1		
AM12AL	18	GY	TXL	3510311R1	6099045C1	8883	12	SWS_N_REQ		
AM12AL	18	GY	TXL	3510311R1	3525874C1	8887	B	3568570C1		
AM13AL	18	GY	TXL	3510311R1	6099045C1	8883	13	SWS_N_REQ		
AM13AL	18	GY	TXL	3510311R1	3525874C1	8887	C	3568570C1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
AM15AL	18	GY	TXL	3510311R1	6099045C1	8883	15	SWS_N_REQ		
AM15AL	18	GY	TXL	3510311R1	3525874C1	8887	E	3568570C1		
AM16AL	18	GY	TXL	3510311R1	6099045C1	8883	16	SWS_N_REQ		
AM16AL	18	GY	TXL	3510311R1	3525874C1	8887	F	3568570C1		
AM18AL	18	GY	TXL	3510311R1	6099045C1	8883	18	SWS_N_REQ		
AM18AL	18	GY	TXL	3510311R1	3525874C1	8887	A	3568570C1		
AN10AL	18	GY	TXL	3510311R1	6099045C1	8883	10	SWS_N_REQ		
AN10AL	18	GY	TXL	3510311R1	3525872C1	8888	F	3568570C1	3525873C1	3525875C1
AN11AL	18	GY	TXL	3510311R1	6099045C1	8883	11	SWS_N_REQ		
AN11AL	18	GY	TXL	3510311R1	3525872C1	8888	B	3568570C1	3525873C1	3525875C1
AN12AL	18	GY	TXL	3510311R1	6099045C1	8883	12	SWS_N_REQ		
AN12AL	18	GY	TXL	3510311R1	3525872C1	8888	D	3568570C1	3525873C1	3525875C1
AN14AL	18	GY	TXL	3510311R1	6099045C1	8883	14	SWS_N_REQ		
AN14AL	18	GY	TXL	3510311R1	3525872C1	8888	E	3568570C1	3525873C1	3525875C1
AN15AL	18	GY	TXL	3510311R1	6099045C1	8883	15	SWS_N_REQ		
AN15AL	18	GY	TXL	3510311R1	3525872C1	8888	A	3568570C1	3525873C1	3525875C1
AN17AL	18	GY	TXL	3510311R1	6099045C1	8883	17	SWS_N_REQ		
AN17AL	18	GY	TXL	3510311R1	3525872C1	8888	G	3568570C1	3525873C1	3525875C1
AN18AL	18	GY	TXL	3510311R1	6099045C1	8883	18	SWS_N_REQ		
AN18AL	18	GY	TXL	3510311R1	3525872C1	8888	C	3568570C1	3525873C1	3525875C1
AP39-GB	16	WH	GXL	2643681R1	3551896C1	8807	C	1652325C1	354454C1	3551897C1
AP39-GB	16	WH	GXL	2643681R1	1673790C1	9900AP	B	1652325C1	1673791C1	
AP39B	16	GY	GXL	2643680R1	3595622C1	1701F	31	SWS_N_REQ		
AP39B	16	GY	GXL	2643680R1	1673790C1	9900AP	A	1652325C1	1673791C1	
AQ39-GB	16	WH	GXL	2643681R1	3551896C1	8807	C	1652325C1	354454C1	3551897C1
AQ39-GB	16	WH	GXL	2643681R1	1673790C1	9900AQ	B	1652325C1	1673791C1	
AQ39B	16	GY	GXL	2643680R1	3595622C1	1701F	31	SWS_N_REQ		
AQ39B	16	GY	GXL	2643680R1	1673790C1	9900AQ	A	1652325C1	1673791C1	
AR39-GB	16	WH	GXL	2643681R1	3551896C1	8807	C	1652325C1	354454C1	3551897C1
AR39-GB	16	WH	GXL	2643681R1	1673790C1	9900AR	B	1652325C1	1673791C1	
AR39B	16	GY	GXL	2643680R1	3595622C1	1701F	31	SWS_N_REQ		
AR39B	16	GY	GXL	2643680R1	1673790C1	9900AR	A	1652325C1	1673791C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
AS39-GB	16	WH	GXL	2643681R1	3551896C1	8807	C	1652325C1	354454C1	3551897C1
AS39-GB	16	WH	GXL	2643681R1	1673790C1	9900V	B	1652325C1	1673791C1	
AS39B	16	GY	GXL	2643680R1	3595622C1	1701F	31	SWS_N_REQ		
AS39B	16	GY	GXL	2643680R1	1673790C1	9900V	A	1652325C1	1673791C1	
AT94AA	16	GY	GXL	2643680R1	3595622C1	1701F	61	SWS_N_REQ		
AT94AA	16	GY	GXL	2643680R1	3678796C1	6925A	1	3601687C1		
AT94AB	16	GY	GXL	2643680R1	3595622C1	1701F	65	SWS_N_REQ		
AT94AB	16	GY	GXL	2643680R1	3678796C1	6925A	2	3601687C1		
AU162-GA	18	WH	GXL	2643674R1	3590390C1	7113S	2	3536868C1		
AU162-GA	18	WH	GXL	2643674R1	3539778C1		7112	SWS_N_REQ	3539785C1	
AU162A	18	WH	GXL	2643674R1	3590390C1	7113S	1	3536868C1		
AU162A	18	WH	GXL	2643674R1	3539778C1		7112	SWS_N_REQ	3539785C1	
AV162-GA	18	WH	GXL	2643674R1	3590390C1	7113T	2	3536868C1		
AV162-GA	18	WH	GXL	2643674R1	3539778C1		7112	SWS_N_REQ	3539785C1	
AV162A	18	WH	GXL	2643674R1	3590390C1	7113T	1	3536868C1		
AV162A	18	WH	GXL	2643674R1	3539778C1		7112	SWS_N_REQ	3539785C1	
AW162-GA	18	WH	GXL	2643674R1	3590390C1	7113U	2	3536868C1		
AW162-GA	18	WH	GXL	2643674R1	3539778C1		7112	SWS_N_REQ	3539785C1	
AW162A	18	WH	GXL	2643674R1	3590390C1	7113U	1	3536868C1		
AW162A	18	WH	GXL	2643674R1	3539778C1		7112	SWS_N_REQ	3539785C1	
AX162-GA	18	WH	GXL	2643674R1	3590390C1	7113V	2	3536868C1		
AX162-GA	18	WH	GXL	2643674R1	3539778C1		7112	SWS_N_REQ	3539785C1	
AX162A	18	WH	GXL	2643674R1	3590390C1	7113V	1	3536868C1		
AX162A	18	WH	GXL	2643674R1	3539778C1		7112	SWS_N_REQ	3539785C1	
AY162-GA	18	WH	GXL	2643674R1	3590390C1	7113W	2	3536868C1		
AY162-GA	18	WH	GXL	2643674R1	3539778C1		7112	SWS_N_REQ	3539785C1	
AY162A	18	WH	GXL	2643674R1	3590390C1	7113W	1	3536868C1		
AY162A	18	WH	GXL	2643674R1	3539778C1		7112	SWS_N_REQ	3539785C1	
AZ162-GA	18	WH	GXL	2643674R1	3590390C1	7113X	2	3536868C1		
AZ162-GA	18	WH	GXL	2643674R1	3539778C1		7112	SWS_N_REQ	3539785C1	
AZ162A	18	WH	GXL	2643674R1	3590390C1	7113X	1	3536868C1		
AZ162A	18	WH	GXL	2643674R1	3539778C1		7112	SWS_N_REQ	3539785C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
BA39-GB	16	WH	GXL	2643681R1	3551896C1	8807	C	1652325C1	354454C1	3551897C1
BA39-GB	16	WH	GXL	2643681R1	1673790C1	9900D	B	1652325C1	1673791C1	
BA39B	16	GY	GXL	2643680R1	3595622C1	1701F	31	SWS_N_REQ		
BA39B	16	GY	GXL	2643680R1	1673790C1	9900D	A	1652325C1	1673791C1	
BB39-G	18	WH	GXL	2643674R1	3551896C1	8807	D	1652325C1	354454C1	3551897C1
BB39-G	18	WH	GXL	2643674R1	1671610C1	9005	B	1652325C1	167168C1	
BB39A	18	GY	GXL	2643673R1	3595622C1	1701F	40	SWS_N_REQ		
BB39A	18	GY	GXL	2643673R1	1671610C1	9005	A	1652325C1	167168C1	
BC39-GF	18	WH	GXL	2643674R1	3551896C1	8807	D	1652325C1	354454C1	3551897C1
BC39-GF	18	WH	GXL	2643674R1	1671610C1	9200C	B	1652325C1	167168C1	
BC39A	18	GY	GXL	2643673R1	3595622C1	1701F	40	SWS_N_REQ		
BC39A	18	GY	GXL	2643673R1	1671610C1	9200C	A	1652325C1	167168C1	
BD162-GA	18	WH	GXL	2643674R1	3590390C1	7113Y	2	3536868C1		
BD162-GA	18	WH	GXL	2643674R1	3539778C1	7112	2	SWS_N_REQ	3539785C1	
BD162A	18	WH	GXL	2643674R1	3590390C1	7113Y	1	3536868C1		
BD162A	18	WH	GXL	2643674R1	3539778C1	7112	1	SWS_N_REQ	3539785C1	
BE42	16	GY	GXL	2643680R1	3595622C1	1701F	65	SWS_N_REQ		
BE42	16	GY	GXL	2643680R1	587567C91	1003	A	1652325C1		
BE42-G	18	WH	GXL	2643674R1	3551896C1	8807	E	1652325C1	354454C1	3551897C1
BE42-G	18	WH	GXL	2643674R1	587567C91	1003	B	1652325C1		
BF11-GT2	16	WH	GXL	2643681R1	3551896C1	8807	D	1652325C1	354454C1	3551897C1
BF11-GT2	16	WH	GXL	2643681R1	3522068C1	1002	A	1661872C1	1661874C1	
BG11-GT1	16	WH	GXL	2643681R1	3522068C1	1002	B	1661872C1	1661874C1	
BG11-GT1	16	WH	GXL	2643681R1	587567C91	1001	B	1652325C1		
BG13TC1	16	PK	GXL	2643752R1	3595622C1	1701F	76	SWS_N_REQ		
BG13TC1	16	PK	GXL	2643752R1	587567C91	1001	A	1652325C1		
BH47A	16	GY	GXL	2643680R1	3543888C1	9750A	A	1661872C1		
BH47A	16	GY	GXL	2643680R1	2036583C1	1004	A	SWS_N_REQ		
BH47B	16	GY	GXL	2643680R1	3543888C1	9750A	B	1661872C1		
BH47B	16	GY	GXL	2643680R1	2036583C1	1004	B	SWS_N_REQ		
BU59G	18	GY	GXL	2643673R1	3595622C1	1701F	36	SWS_N_REQ		
BU59G	18	GY	GXL	2643673R1	1661375C2	9740H	B	1652325C1	1661376C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2	
BU59H	18	GY	GXL	2643673R1	3595622C1	1701F	37	SWS_N_REQ			
BU59H	18	GY	GXL	2643673R1	1661375C2	9740H	C	1652325C1	1661376C1		
BU59J	18	GY	GXL	2643673R1	3595622C1	1701F	38	SWS_N_REQ			
BU59J	18	GY	GXL	2643673R1	1661375C2	9740H	D	1652325C1	1661376C1		
BU59K	18	GY	GXL	2643673R1	3595622C1	1701F	39	SWS_N_REQ			
BU59K	18	GY	GXL	2643673R1	1661375C2	9740H	E	1652325C1	1661376C1		
BU59Z-G	14	WH	GXL	2643689R1	3551896C1		8805	C	589391C1	354454C1	3551897C1
BU59Z-G	14	WH	GXL	2643689R1	1661375C2	9740H	A	589391C1	1661376C1		
BV59G	18	GY	GXL	2643673R1	3595622C1	1701F	36	SWS_N_REQ			
BV59G	18	GY	GXL	2643673R1	1661375C2	9740G	B	1652325C1	1661376C1		
BV59H	18	GY	GXL	2643673R1	3595622C1	1701F	37	SWS_N_REQ			
BV59H	18	GY	GXL	2643673R1	1661375C2	9740G	C	1652325C1	1661376C1		
BV59J	18	GY	GXL	2643673R1	3595622C1	1701F	38	SWS_N_REQ			
BV59J	18	GY	GXL	2643673R1	1661375C2	9740G	D	1652325C1	1661376C1		
BV59K	18	GY	GXL	2643673R1	3595622C1	1701F	39	SWS_N_REQ			
BV59K	18	GY	GXL	2643673R1	1661375C2	9740G	E	1652325C1	1661376C1		
BV59Y-G	14	WH	GXL	2643689R1	3551896C1		8805	C	589391C1	354454C1	3551897C1
BV59Y-G	14	WH	GXL	2643689R1	1661375C2	9740G	A	589391C1	1661376C1		
BZ39-G	18	WH	GXL	2643674R1	3551896C1		8807	D	1652325C1	354454C1	3551897C1
BZ39-G	18	WH	GXL	2643674R1	1671610C1		9004	B	1652325C1	167168C1	
BZ39A	18	GY	GXL	2643673R1	3595622C1	1701F	40	SWS_N_REQ			
BZ39A	18	GY	GXL	2643673R1	1671610C1		9004	A	1652325C1	167168C1	
CA19	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ			
CA19	16	GY	GXL	2643680R1	587567C91	9108B	A	1652325C1			
CA19-G	16	WH	TXL	3510360R1	3551896C1		8805	F	1652325C1	354454C1	3551897C1
CA19-G	16	WH	TXL	3510360R1	587567C91	9108B	B	1652325C1			
CB19	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ			
CB19	16	GY	GXL	2643680R1	587567C91	9108A	A	1652325C1			
CB19-G	16	WH	GXL	2643681R1	3551896C1		8805	F	1652325C1	354454C1	3551897C1
CB19-G	16	WH	GXL	2643681R1	587567C91	9108A	B	1652325C1			
CC19	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ			
CC19	16	GY	GXL	2643680R1	587567C91		9109	A	1652325C1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
CC19-G	16	WH	TXL	3510360R1	3551896C1	8805	F	1652325C1	354454C1	3551897C1
CC19-G	16	WH	TXL	3510360R1	587567C91	9109	B	1652325C1		
CD19	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
CD19	16	GY	GXL	2643680R1	587567C91	9108D	A	1652325C1		
CD19-G	16	WH	TXL	3510360R1	3551896C1	8805	F	1652325C1	354454C1	3551897C1
CD19-G	16	WH	TXL	3510360R1	587567C91	9108D	B	1652325C1		
CE19	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
CE19	16	GY	GXL	2643680R1	587567C91	9108E	A	1652325C1		
CE19-G	16	WH	TXL	3510360R1	3551896C1	8805	F	1652325C1	354454C1	3551897C1
CE19-G	16	WH	TXL	3510360R1	587567C91	9108E	B	1652325C1		
CF19	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
CF19	16	GY	GXL	2643680R1	587567C91	9108F	A	1652325C1		
CF19-G	16	WH	TXL	3510360R1	3551896C1	8805	F	1652325C1	354454C1	3551897C1
CF19-G	16	WH	TXL	3510360R1	587567C91	9108F	B	1652325C1		
CG19	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
CG19	16	GY	GXL	2643680R1	587567C91	9108J	A	1652325C1		
CG19-G	16	WH	TXL	3510360R1	3551896C1	8805	F	1652325C1	354454C1	3551897C1
CG19-G	16	WH	TXL	3510360R1	587567C91	9108J	B	1652325C1		
CH19	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
CH19	16	GY	GXL	2643680R1	1671610C1	4042E	A	1652325C1	167168C1	
CH19-G	16	WH	TXL	3510360R1	3551896C1	8805	F	1652325C1	354454C1	3551897C1
CH19-G	16	WH	TXL	3510360R1	1671610C1	4042E	B	1652325C1	167168C1	
CN19	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
CN19	16	GY	GXL	2643680R1	587567C91	9108H	A	1652325C1		
CN19-G	16	WH	TXL	3510360R1	3551896C1	8805	F	1652325C1	354454C1	3551897C1
CN19-G	16	WH	TXL	3510360R1	587567C91	9108H	B	1652325C1		
CP19	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
CP19	16	GY	GXL	2643680R1	1671610C1	4042F	A	1652325C1	167168C1	
CP19-G	16	WH	TXL	3510360R1	3551896C1	8805	F	1652325C1	354454C1	3551897C1
CP19-G	16	WH	TXL	3510360R1	1671610C1	4042F	B	1652325C1	167168C1	
CR19	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
CR19	16	GY	GXL	2643680R1	587567C91	9108K	A	1652325C1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
CR19-G	16	WH	TXL	3510360R1	3551896C1	8805	F	1652325C1	354454C1	3551897C1
CR19-G	16	WH	TXL	3510360R1	587567C91	9108K	B	1652325C1		
CS19	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
CS19	16	GY	GXL	2643680R1	1671610C1	4042G	A	1652325C1	167168C1	
CS19-G	16	WH	TXL	3510360R1	3551896C1	8805	F	1652325C1	354454C1	3551897C1
CS19-G	16	WH	TXL	3510360R1	1671610C1	4042G	B	1652325C1	167168C1	
CT19	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
CT19	16	GY	GXL	2643680R1	587567C91	9108L	A	1652325C1		
CT19-G	16	WH	TXL	3510360R1	3551896C1	8805	F	1652325C1	354454C1	3551897C1
CT19-G	16	WH	TXL	3510360R1	587567C91	9108L	B	1652325C1		
CU19	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
CU19	16	GY	GXL	2643680R1	1671610C1	4042H	A	1652325C1	167168C1	
CU19-G	16	WH	TXL	3510360R1	3551896C1	8805	F	1652325C1	354454C1	3551897C1
CU19-G	16	WH	TXL	3510360R1	1671610C1	4042H	B	1652325C1	167168C1	
CV19	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
CV19	16	GY	GXL	2643680R1	587567C91	9108M	A	1652325C1		
CV19-G	16	WH	TXL	3510360R1	3551896C1	8805	F	1652325C1	354454C1	3551897C1
CV19-G	16	WH	TXL	3510360R1	587567C91	9108M	B	1652325C1		
CW19	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
CW19	16	GY	GXL	2643680R1	1671610C1	4042J	A	1652325C1	167168C1	
CW19-G	16	WH	TXL	3510360R1	3551896C1	8805	F	1652325C1	354454C1	3551897C1
CW19-G	16	WH	TXL	3510360R1	1671610C1	4042J	B	1652325C1	167168C1	
CX19	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
CX19	16	GY	GXL	2643680R1	587567C91	9108N	A	1652325C1		
CX19-G	16	WH	TXL	3510360R1	3551896C1	8805	F	1652325C1	354454C1	3551897C1
CX19-G	16	WH	TXL	3510360R1	587567C91	9108N	B	1652325C1		
CY19	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
CY19	16	GY	GXL	2643680R1	1671610C1	4042K	A	1652325C1	167168C1	
CY19-G	16	WH	TXL	3510360R1	3551896C1	8805	F	1652325C1	354454C1	3551897C1
CY19-G	16	WH	TXL	3510360R1	1671610C1	4042K	B	1652325C1	167168C1	
CZ19	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
CZ19	16	GY	GXL	2643680R1	587567C91	9108P	A	1652325C1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
CZ19-G	16	WH	TXL	3510360R1	3551896C1	8805	F	1652325C1	354454C1	3551897C1
CZ19-G	16	WH	TXL	3510360R1	587567C91	9108P	B	1652325C1		
EV12-G	18	WH	GXL	2643674R1		9780	1	2644038R1		
EV12-G	18	WH	GXL	2643674R1	3595622C1	1701F	70	SWS_N_REQ		
EV12-GA	18	WH	GXL	2643674R1		9780A	1	2644038R1		
EV12-GA	18	WH	GXL	2643674R1	3551896C1	8805	D	1652325C1	354454C1	3551897C1
FA36A	18	GY	GXL	2643673R1	3595622C1	1701F	29	SWS_N_REQ		
FA36A	18	GY	GXL	2643673R1	1661778C1	9100	A	1661872C1	1661874C1	
FA9-G	18	GY	GXL	2643673R1	3551896C1	8802	B	1652325C1	354454C1	3551897C1
FA9-G	18	GY	GXL	2643673R1	1661778C1	9100	B	1661872C1	1661874C1	
FB36A	18	TN	GXL	2643676R1	3595622C1	1701F	29	SWS_N_REQ		
FB36A	18	TN	GXL	2643676R1	1661778C1	9101	A	1661872C1	1661874C1	
FB9-G	18	GY	GXL	2643673R1	3551896C1	8802	B	1652325C1	354454C1	3551897C1
FB9-G	18	GY	GXL	2643673R1	1661778C1	9101	B	1661872C1	1661874C1	
FC36A	18	TN	GXL	2643676R1	3595622C1	1701F	29	SWS_N_REQ		
FC36A	18	TN	GXL	2643676R1	1661778C1	9102	A	1661872C1	1661874C1	
FC9-G	18	GY	GXL	2643673R1	3551896C1	8802	B	1652325C1	354454C1	3551897C1
FC9-G	18	GY	GXL	2643673R1	1661778C1	9102	B	1661872C1	1661874C1	
FD36A	18	GY	GXL	2643673R1	3595622C1	1701F	29	SWS_N_REQ		
FD36A	18	GY	GXL	2643673R1	1661778C1	9100A	A	1661872C1	1661874C1	
FD9-G	18	GY	GXL	2643673R1	3551896C1	8802	B	1652325C1	354454C1	3551897C1
FD9-G	18	GY	GXL	2643673R1	1661778C1	9100A	B	1661872C1	1661874C1	
FE36A	18	GY	GXL	2643673R1	3595622C1	1701F	29	SWS_N_REQ		
FE36A	18	GY	GXL	2643673R1	1661778C1	9100B	A	1661872C1	1661874C1	
FE9-G	18	GY	GXL	2643673R1	3551896C1	8802	B	1652325C1	354454C1	3551897C1
FE9-G	18	GY	GXL	2643673R1	1661778C1	9100B	B	1661872C1	1661874C1	
FF36A	18	GY	GXL	2643673R1	3595622C1	1701F	29	SWS_N_REQ		
FF36A	18	GY	GXL	2643673R1	1661778C1	9100D	A	1661872C1	1661874C1	
FF9-G	18	GY	GXL	2643673R1	3551896C1	8802	B	1652325C1	354454C1	3551897C1
FF9-G	18	GY	GXL	2643673R1	1661778C1	9100D	B	1661872C1	1661874C1	
FG36B	18	TN	GXL	2643676R1	3595622C1	1701F	27	SWS_N_REQ		
FG36B	18	TN	GXL	2643676R1	1661778C1	9102G	A	1661872C1	1661874C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
FG9-GB	18	GY	GXL	2643673R1	3551896C1	8802	C	1652325C1	354454C1	3551897C1
FG9-GB	18	GY	GXL	2643673R1	1661778C1	9102G	B	1661872C1	1661874C1	
LL14CX	4	RD	SGX	2644026R1	3517760C1	4411M7	A	SWS_N_REQ		
LL14CX	4	RD	SGX	2644026R1	3517759C1	4413F4	A	SWS_N_REQ		
LM14CX	4	RD	SGX	2644026R1	3517760C1	4411A7	A	SWS_N_REQ		
LM14CX	4	RD	SGX	2644026R1	3517759C1	4413A4	A	SWS_N_REQ		
MD94BA	16	GY	GXL	2643680R1	3595622C1	1701F	23	SWS_N_REQ		
MD94BA	16	GY	GXL	2643680R1	3558026C1	9800	17	3509903C1	355856C1	
MD94BB	16	GY	TXL	3510312R1	3595622C1	1701F	24	SWS_N_REQ		
MD94BB	16	GY	TXL	3510312R1	3558026C1	9800	18	3509903C1	355856C1	
MD94BC	16	GY	TXL	3510312R1	3595622C1	1701F	25	SWS_N_REQ		
MD94BC	16	GY	TXL	3510312R1	3558026C1	9800	19	3509903C1	355856C1	
MD94BD	16	GY	GXL	2643680R1	3595622C1	1701F	17	SWS_N_REQ		
MD94BD	16	GY	GXL	2643680R1	3558026C1	9800	14	3509903C1	355856C1	
MD94BE	16	GY	GXL	2643680R1	3595622C1	1701F	16	SWS_N_REQ		
MD94BE	16	GY	GXL	2643680R1	3558026C1	9800	13	3509903C1	355856C1	
MD94BF	16	GY	TXL	3510312R1	3595622C1	1701F	19	SWS_N_REQ		
MD94BF	16	GY	TXL	3510312R1	3558026C1	9800	16	3509903C1	355856C1	
MD94BH	16	GY	TXL	3510312R1	3595622C1	1701F	18	SWS_N_REQ		
MD94BH	16	GY	TXL	3510312R1	3558026C1	9800	15	3509903C1	355856C1	
MD94BJ	16	GY	TXL	3510312R1	3595622C1	1701F	21	SWS_N_REQ		
MD94BJ	16	GY	TXL	3510312R1	3558026C1	9800	20	3509903C1	355856C1	
MD94BK	16	GY	TXL	3510312R1	3595622C1	1701F	22	SWS_N_REQ		
MD94BK	16	GY	TXL	3510312R1	3558026C1	9800	21	3509903C1	355856C1	
MD94BL	16	GY	TXL	3510312R1	3595622C1	1701F	20	SWS_N_REQ		
MD94BL	16	GY	TXL	3510312R1	3558026C1	9800	22	3509903C1	355856C1	
MF9F	18	GY	GXL	2643673R1	3558026C1	9800	11	3509903C1	355856C1	
MF9F	18	GY	GXL	2643673R1	3551896C1	8802	F	1652325C1	354454C1	3551897C1
MG32A	18	TN	GXL	2643676R1	3595622C1	1701F	43	SWS_N_REQ		
MG32A	18	TN	GXL	2643676R1	3558026C1	9800	5	3509903C1	355856C1	
MG9H	18	GY	GXL	2643673R1	3558026C1	9800	11	3509903C1	355856C1	
MG9H	18	GY	GXL	2643673R1	3551896C1	8802	F	1652325C1	354454C1	3551897C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
MJ49	18	GY	GXL	2643673R1	3595622C1	1701F	50	SWS_N_REQ		
MJ49	18	GY	GXL	2643673R1	3558026C1	9800	7	3509903C1	355856C1	
ML42	16	GY	GXL	2643680R1	3595622C1	1701F	65	SWS_N_REQ		
ML42	16	GY	GXL	2643680R1	587567C91	9754	A	1652325C1		
ML47A	16	GY	GXL	2643680R1	3543888C1	9750	A	1661872C1		
ML47A	16	GY	GXL	2643680R1	2036583C1	9755	A	SWS_N_REQ		
ML47B	16	GY	GXL	2643680R1	3543888C1	9750	B	1661872C1		
ML47B	16	GY	GXL	2643680R1	2036583C1	9755	B	SWS_N_REQ		
MM47C	16	GY	GXL	2643680R1	3543888C1	9750	A	1661872C1		
MM47C	16	GY	GXL	2643680R1	2036583C1	9756	A	SWS_N_REQ		
MM47D	16	GY	GXL	2643680R1	3543888C1	9750	B	1661872C1		
MM47D	16	GY	GXL	2643680R1	2036583C1	9756	B	SWS_N_REQ		
MN14C	4	RD	SGX	2644026R1	3517760C1	4411	A	SWS_N_REQ		
MN14C	4	RD	SGX	2644026R1	3517759C1	4413F	A	SWS_N_REQ		
MP14C	4	RD	SGX	2644026R1	3517760C1	4411A8	A	SWS_N_REQ		
MP14C	4	RD	SGX	2644026R1	3517759C1	4412A2	A	SWS_N_REQ		
MU14CA	4	RD	SGX	2645255R1	3517760C1	4414	A	SWS_N_REQ		
MU14CA	4	RD	SGX	2645255R1	3517759C1	4413F3	A	SWS_N_REQ		
MV59-GA	18	WH	GXL	2643674R1	3551896C1	8806	F	1652325C1	354454C1	3551897C1
MV59-GA	18	WH	GXL	2643674R1		SS4	-	2644000R1		
MV59-GC	18	WH	GXL	2643674R1	1661778C1	9762	B	1661872C1	1661874C1	
MV59-GC	18	WH	GXL	2643674R1		SS4	-	2644000R1		
MV59-GD	18	WH	GXL	2643674R1	1661778C1	9820M	B	1661872C1	1661874C1	
MV59-GD	18	WH	GXL	2643674R1		SS4	-	2644000R1		
MV59ED	18	GY	GXL	2643673R1	3522252C1	9761F	B	1661872C1	3522253C1	
MV59ED	18	GY	GXL	2643673R1	1661778C1	9820M	A	1661872C1	1661874C1	
MX59-GA	18	WH	GXL	2643674R1	3551896C1	8806	F	1652325C1	354454C1	3551897C1
MX59-GA	18	WH	GXL	2643674R1		SS5	-	2644000R1		
MX59-GB	18	WH	GXL	2643674R1	1661778C1	9763	B	1661872C1	1661874C1	
MX59-GB	18	WH	GXL	2643674R1		SS5	-	2644000R1		
MX59-GC	18	WH	GXL	2643674R1	1661778C1	9762	B	1661872C1	1661874C1	
MX59-GC	18	WH	GXL	2643674R1		SS5	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
MY14CA	4	RD	SGX	2644026R1	3517760C1	4411A9	A	SWS_N_REQ		
MY14CA	4	RD	SGX	2644026R1	3517759C1	4412A1	A	SWS_N_REQ		
NA10F	8	WH	GXL	2643789R1		9717A	1	2644005R1		
NA10F	8	WH	GXL	2643789R1	3537133C1	9778F	A	3537135C1		
NA54T	10	BN	GXL	2643779R1	3595622C1	1701F	7	SWS_N_REQ		
NA54T	10	BN	GXL	2643779R1	1667732C1	9779F	A	1667735C1	1667734C1	
NA56T	10	YL	GXL	2643802R1	3595622C1	1701F	5	SWS_N_REQ		
NA56T	10	YL	GXL	2643802R1	1667732C1	9779F	B	1667735C1	1667734C1	
NA57T	10	LTGN	GXL	2643776R1	3595622C1	1701F	6	SWS_N_REQ		
NA57T	10	LTGN	GXL	2643776R1	1667732C1	9779F	C	1667735C1	1667734C1	
NA68T	10	BN	GXL	2643779R1	3595622C1	1701F	8	SWS_N_REQ		
NA68T	10	BN	GXL	2643779R1	1667733C1	9780M	B	1667735C1	1667734C1	
NA70T	10	RD	GXL	2643698R1	3595622C1	1701F	9	SWS_N_REQ		
NA70T	10	RD	GXL	2643698R1	1667733C1	9780M	A	1667735C1	1667734C1	
NA94T	10	GY	GXL	2643784R1	3595622C1	1701F	10	SWS_N_REQ		
NA94T	10	GY	GXL	2643784R1	1667733C1	9780M	C	1667735C1	1667734C1	
NB10A	8	WH	GXL	2643789R1		9717A	1	2644005R1		
NB10A	8	WH	GXL	2643789R1		STS4	-	2644000R1		
NB10B	8	WH	GXL	2643789R1	3537133C1	9778F	A	3537135C1		
NB10B	8	WH	GXL	2643789R1		STS4	-	2644000R1		
NB10C	8	WH	GXL	2643789R1	3537133C1	9783F	A	3537135C1		
NB10C	8	WH	GXL	2643789R1		STS4	-	2644000R1		
NB54B	10	BN	GXL	2643779R1	1667732C1	9779F	A	1667735C1	1667734C1	
NB54B	10	BN	GXL	2643779R1		SES6	-	2644027R1		
NB54C	10	BN	GXL	2643779R1	1667732C1	9782F	A	1667735C1	1667734C1	
NB54C	10	BN	GXL	2643779R1		SES6	-	2644027R1		
NB54T	10	BN	GXL	2643779R1	3595622C1	1701F	7	SWS_N_REQ		
NB54T	10	BN	GXL	2643779R1		SES6	-	2644027R1		
NB56B	10	YL	GXL	2643802R1	1667732C1	9779F	B	1667735C1	1667734C1	
NB56B	10	YL	GXL	2643802R1		SRS8	-	2644027R1		
NB56C	10	YL	GXL	2643802R1	1667732C1	9782F	B	1667735C1	1667734C1	
NB56C	10	YL	GXL	2643802R1		SRS8	-	2644027R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
NB56T	10	YL	GXL	2643802R1	3595622C1	1701F	5	SWS_N_REQ		
NB56T	10	YL	GXL	2643802R1		SRS8	-	2644027R1		
NB57B	10	LTGN	GXL	2643776R1	1667732C1	9779F	C	1667735C1	1667734C1	
NB57B	10	LTGN	GXL	2643776R1		STS3	-	2644027R1		
NB57C	10	LTGN	GXL	2643776R1	1667732C1	9782F	C	1667735C1	1667734C1	
NB57C	10	LTGN	GXL	2643776R1		STS3	-	2644027R1		
NB57T	10	LTGN	GXL	2643776R1	3595622C1	1701F	6	SWS_N_REQ		
NB57T	10	LTGN	GXL	2643776R1		STS3	-	2644027R1		
NB68B	10	BN	GXL	2643779R1	1667733C1	9780M	B	1667735C1	1667734C1	
NB68B	10	BN	GXL	2643779R1		SES5	-	2644027R1		
NB68C	10	BN	GXL	2643779R1	1667733C1	9781M	B	1667735C1	1667734C1	
NB68C	10	BN	GXL	2643779R1		SES5	-	2644027R1		
NB68T	10	BN	GXL	2643779R1	3595622C1	1701F	8	SWS_N_REQ		
NB68T	10	BN	GXL	2643779R1		SES5	-	2644027R1		
NB70B	10	RD	GXL	2643698R1	1667733C1	9780M	A	1667735C1	1667734C1	
NB70B	10	RD	GXL	2643698R1		SES4	-	2644027R1		
NB70C	10	RD	GXL	2643698R1	1667733C1	9781M	A	1667735C1	1667734C1	
NB70C	10	RD	GXL	2643698R1		SES4	-	2644027R1		
NB70T	10	RD	GXL	2643698R1	3595622C1	1701F	9	SWS_N_REQ		
NB70T	10	RD	GXL	2643698R1		SES4	-	2644027R1		
NB72	12	OR	GXL	2643755R1	3595622C1	1701F	11	SWS_N_REQ		
NB72	12	OR	GXL	2643755R1	1667733C1	9781M	C	1671603C1	1667734C1	
NB94T	10	GY	GXL	2643784R1	3595622C1	1701F	10	SWS_N_REQ		
NB94T	10	GY	GXL	2643784R1	1667733C1	9780M	C	1667735C1	1667734C1	
NC10D	8	WH	GXL	2643789R1		9717A	1	2644005R1		
NC10D	8	WH	GXL	2643789R1	3700151C1		9717	A	3537135C1	
NC54T	10	BN	GXL	2643779R1	3595622C1	1701F	7	SWS_N_REQ		
NC54T	10	BN	GXL	2643779R1	1667732C1		9716	A	1667735C1	1667734C1
NC56T	10	YL	GXL	2643802R1	3595622C1	1701F	5	SWS_N_REQ		
NC56T	10	YL	GXL	2643802R1	1667732C1		9716	B	1667735C1	1667734C1
NC57T	10	LTGN	GXL	2643776R1	3595622C1	1701F	6	SWS_N_REQ		
NC57T	10	LTGN	GXL	2643776R1	1667732C1		9716	C	1667735C1	1667734C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
NC68T	10	BN	GXL	2643779R1	3595622C1	1701F	8	SWS_N_REQ		
NC68T	10	BN	GXL	2643779R1	1667733C1		9715	1667735C1	1667734C1	
NC70T	10	RD	GXL	2643698R1	3595622C1	1701F	9	SWS_N_REQ		
NC70T	10	RD	GXL	2643698R1	1667733C1		9715	1667735C1	1667734C1	
NC94T	10	GY	GXL	2643784R1	3595622C1	1701F	10	SWS_N_REQ		
NC94T	10	GY	GXL	2643784R1	1667733C1		9715	1667735C1	1667734C1	
ND11-GD	12	WH	GXL	2643787R1	3551896C1		8807	589390C1	354454C1	3551897C1
ND11-GD	12	WH	GXL	2643787R1	2039311C91	4450M	G	589390C1	239342C1	
ND12BB	14	LTBL	GXL	2643694R1	3595622C1	1701F	75	SWS_N_REQ		
ND12BB	14	LTBL	GXL	2643694R1	2039311C91	4450M	F	589391C1	239342C1	
ND54BB	14	BN	GXL	2643688R1	3595622C1	1701F	74	SWS_N_REQ		
ND54BB	14	BN	GXL	2643688R1	2039311C91	4450M	D	589391C1	239342C1	
ND56BB	16	YL	GXL	2643684R1	3595622C1	1701F	12	SWS_N_REQ		
ND56BB	16	YL	GXL	2643684R1	2039311C91	4450M	B	1652325C1	239342C1	
ND56BC	16	YL	GXL	2643684R1	3595622C1	1701F	42	SWS_N_REQ		
ND56BC	16	YL	GXL	2643684R1	1686834C1	4460M	A	1652325C1	166448C1	
ND57BB	16	LTGN	GXL	2643678R1	3595622C1	1701F	63	SWS_N_REQ		
ND57BB	16	LTGN	GXL	2643678R1	2039311C91	4450M	C	1652325C1	239342C1	
ND57BC	16	LTGN	GXL	2643678R1	3595622C1	1701F	64	SWS_N_REQ		
ND57BC	16	LTGN	GXL	2643678R1	1686834C1	4460M	B	1652325C1	166448C1	
ND68BB	14	BN	GXL	2643688R1	3595622C1	1701F	71	SWS_N_REQ		
ND68BB	14	BN	GXL	2643688R1	2039311C91	4450M	A	589391C1	239342C1	
ND70BB	14	RD	GXL	2643686R1	3595622C1	1701F	72	SWS_N_REQ		
ND70BB	14	RD	GXL	2643686R1	1686834C1	4460M	C	589391C1	166448C1	
ND71BB	16	LTBL	GXL	2643806R1	3595622C1	1701F	73	SWS_N_REQ		
ND71BB	16	LTBL	GXL	2643806R1	2039311C91	4450M	E	1652325C1	239342C1	
NE10D	8	WH	GXL	2643789R1		9717A	1	2644005R1		
NE10D	8	WH	GXL	2643789R1		STS2	-	2644027R1		
NE10E	8	WH	GXL	2643789R1	3537133C1	9778F	A	3537135C1		
NE10E	8	WH	GXL	2643789R1		STS2	-	2644027R1		
NE10F	8	WH	GXL	2643789R1	3700151C1		9717	3537135C1		
NE10F	8	WH	GXL	2643789R1		STS2	-	2644027R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
NE54E	10	BN	GXL	2643779R1	1667732C1	9779F	A	1667735C1	1667734C1	
NE54E	10	BN	GXL	2643779R1		SES3	-	2644027R1		
NE54F	10	BN	GXL	2643779R1	1667732C1	9716	A	1667735C1	1667734C1	
NE54F	10	BN	GXL	2643779R1		SES3	-	2644027R1		
NE54T	10	BN	GXL	2643779R1	3595622C1	1701F	7	SWS_N_REQ		
NE54T	10	BN	GXL	2643779R1		SES3	-	2644027R1		
NE56E	10	YL	GXL	2643802R1	1667732C1	9779F	B	1667735C1	1667734C1	
NE56E	10	YL	GXL	2643802R1		SRS7	-	2644027R1		
NE56F	10	YL	GXL	2643802R1	1667732C1	9716	B	1667735C1	1667734C1	
NE56F	10	YL	GXL	2643802R1		SRS7	-	2644027R1		
NE56T	10	YL	GXL	2643802R1	3595622C1	1701F	5	SWS_N_REQ		
NE56T	10	YL	GXL	2643802R1		SRS7	-	2644027R1		
NE57E	10	LTGN	GXL	2643776R1	1667732C1	9779F	C	1667735C1	1667734C1	
NE57E	10	LTGN	GXL	2643776R1		STS1	-	2644027R1		
NE57F	10	LTGN	GXL	2643776R1	1667732C1	9716	C	1667735C1	1667734C1	
NE57F	10	LTGN	GXL	2643776R1		STS1	-	2644027R1		
NE57T	10	LTGN	GXL	2643776R1	3595622C1	1701F	6	SWS_N_REQ		
NE57T	10	LTGN	GXL	2643776R1		STS1	-	2644027R1		
NE68E	10	BN	GXL	2643779R1	1667733C1	9780M	B	1667735C1	1667734C1	
NE68E	10	BN	GXL	2643779R1		SES2	-	2644027R1		
NE68F	10	BN	GXL	2643779R1	1667733C1	9715	B	1667735C1	1667734C1	
NE68F	10	BN	GXL	2643779R1		SES2	-	2644027R1		
NE68T	10	BN	GXL	2643779R1	3595622C1	1701F	8	SWS_N_REQ		
NE68T	10	BN	GXL	2643779R1		SES2	-	2644027R1		
NE70E	10	RD	GXL	2643698R1	1667733C1	9780M	A	1667735C1	1667734C1	
NE70E	10	RD	GXL	2643698R1		SES1	-	2644027R1		
NE70F	10	RD	GXL	2643698R1	1667733C1	9715	A	1667735C1	1667734C1	
NE70F	10	RD	GXL	2643698R1		SES1	-	2644027R1		
NE70T	10	RD	GXL	2643698R1	3595622C1	1701F	9	SWS_N_REQ		
NE70T	10	RD	GXL	2643698R1		SES1	-	2644027R1		
NE94E	10	GY	GXL	2643784R1	1667733C1	9780M	C	1667735C1	1667734C1	
NE94E	10	GY	GXL	2643784R1		SES9	-	2644027R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
NE94F	10	GY	GXL	2643784R1	1667733C1	9715	C	1667735C1	1667734C1	
NE94F	10	GY	GXL	2643784R1		SES9	-	2644027R1		
NE94T	10	GY	GXL	2643784R1	3595622C1	1701F	10	SWS_N_REQ		
NE94T	10	GY	GXL	2643784R1		SES9	-	2644027R1		
NF65	16	OR	GXL	2643682R1	3595622C1	1701F	68	SWS_N_REQ		
NF65	16	OR	GXL	2643682R1	1661778C1	9718A	A	1661872C1	1661874C1	
NG59A-G	14	WH	GXL	2643689R1	3551896C1	8805	B	589391C1	354454C1	3551897C1
NG59A-G	14	WH	GXL	2643689R1	1661375C2	9736	A	589391C1	1661376C1	
NG59B	18	GY	GXL	2643673R1	3595622C1	1701F	32	SWS_N_REQ		
NG59B	18	GY	GXL	2643673R1	1661375C2	9736	B	1652325C1	1661376C1	
NG59C	18	GY	GXL	2643673R1	3595622C1	1701F	33	SWS_N_REQ		
NG59C	18	GY	GXL	2643673R1	1661375C2	9736	C	1652325C1	1661376C1	
NG59D	18	GY	GXL	2643673R1	3595622C1	1701F	34	SWS_N_REQ		
NG59D	18	GY	GXL	2643673R1	1661375C2	9736	D	1652325C1	1661376C1	
NG59E	18	GY	GXL	2643673R1	3595622C1	1701F	35	SWS_N_REQ		
NG59E	18	GY	GXL	2643673R1	1661375C2	9736	E	1652325C1	1661376C1	
NH39-GB	16	WH	GXL	2643681R1	3551896C1	8807	C	1652325C1	354454C1	3551897C1
NH39-GB	16	WH	GXL	2643681R1	1673790C1	9900A	B	1652325C1	1673791C1	
NH39B	16	GY	TXL	3510312R1	3595622C1	1701F	31	SWS_N_REQ		
NH39B	16	GY	TXL	3510312R1	1673790C1	9900A	A	1652325C1	1673791C1	
NK39-GF	18	WH	GXL	2643674R1	3551896C1	8807	D	1652325C1	354454C1	3551897C1
NK39-GF	18	WH	GXL	2643674R1	1671610C1	9200A	B	1652325C1	167168C1	
NK39A	18	GY	GXL	2643673R1	3595622C1	1701F	40	SWS_N_REQ		
NK39A	18	GY	GXL	2643673R1	1671610C1	9200A	A	1652325C1	167168C1	
NL10-GS	14	WH	GXL	2643689R1	3572899C1	4410L	2	SWS_N_REQ	25242C1	
NL10-GS	14	WH	GXL	2643689R1	3551896C1	8809	C	589391C1	354454C1	3551897C1
NL20	16	LTGN	GXL	2643678R1	3595622C1	1701F	51	SWS_N_REQ		
NL20	16	LTGN	GXL	2643678R1	3572899C1	4410L	6	SWS_N_REQ	25242C1	
NL5E(+)	18	YL	TXL	3572112R1	3595622C1	1701F	52	SWS_N_REQ		
NL5E(+)	18	YL	TXL	3572112R1	3572899C1	4410L	3	SWS_N_REQ	25242C1	
NL5E(-)	18	GN	TXL	3572112R1	3595622C1	1701F	53	SWS_N_REQ		
NL5E(-)	18	GN	TXL	3572112R1	3572899C1	4410L	4	SWS_N_REQ	25242C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
NM59A-G	16	WH	GXL	2643681R1	3551896C1	8805	B	1652325C1	354454C1	3551897C1
NM59A-G	16	WH	GXL	2643681R1	3522068C1	9737	B	1661872C1	1661874C1	
NN39-GF	18	WH	GXL	2643674R1	3551896C1	8807	D	1652325C1	354454C1	3551897C1
NN39-GF	18	WH	GXL	2643674R1	1671610C1	9002	B	1652325C1	167168C1	
NN39A	18	GY	GXL	2643673R1	3595622C1	1701F	40	SWS_N_REQ		
NN39A	18	GY	GXL	2643673R1	1671610C1	9002	A	1652325C1	167168C1	
NP39-GF	18	WH	GXL	2643674R1	3551896C1	8807	D	1652325C1	354454C1	3551897C1
NP39-GF	18	WH	GXL	2643674R1	1671610C1	9001	B	1652325C1	167168C1	
NP39A	18	GY	GXL	2643673R1	3595622C1	1701F	40	SWS_N_REQ		
NP39A	18	GY	GXL	2643673R1	1671610C1	9001	A	1652325C1	167168C1	
NQ39-GF	18	WH	GXL	2643674R1	3551896C1	8807	D	1652325C1	354454C1	3551897C1
NQ39-GF	18	WH	GXL	2643674R1	1671610C1	9200B	B	1652325C1	167168C1	
NQ39A	18	GY	GXL	2643673R1	3595622C1	1701F	40	SWS_N_REQ		
NQ39A	18	GY	GXL	2643673R1	1671610C1	9200B	A	1652325C1	167168C1	
NR59M	18	GY	GXL	2643673R1	3595622C1	1701F	46	SWS_N_REQ		
NR59M	18	GY	GXL	2643673R1	1661375C2	9740B	B	1652325C1	1661376C1	
NR59N	18	GY	GXL	2643673R1	3595622C1	1701F	47	SWS_N_REQ		
NR59N	18	GY	GXL	2643673R1	1661375C2	9740B	C	1652325C1	1661376C1	
NR59P	18	GY	GXL	2643673R1	3595622C1	1701F	48	SWS_N_REQ		
NR59P	18	GY	GXL	2643673R1	1661375C2	9740B	D	1652325C1	1661376C1	
NR59Q	18	GY	GXL	2643673R1	3595622C1	1701F	49	SWS_N_REQ		
NR59Q	18	GY	GXL	2643673R1	1661375C2	9740B	E	1652325C1	1661376C1	
NR59R-G	14	WH	GXL	2643689R1	3551896C1	8805	E	589391C1	354454C1	3551897C1
NR59R-G	14	WH	GXL	2643689R1	1661375C2	9740B	A	589391C1	1661376C1	
NS59R-G	18	WH	GXL	2643674R1	3551896C1	8805	E	1652325C1	354454C1	3551897C1
NS59R-G	18	WH	GXL	2643674R1	1661375C2	9740B	A	1652325C1	1661376C1	
NS59S	18	GY	GXL	2643673R1	3595622C1	1701F	54	SWS_N_REQ		
NS59S	18	GY	GXL	2643673R1	1661375C2	9740B	B	1652325C1	1661376C1	
NS59T	18	GY	GXL	2643673R1	3595622C1	1701F	55	SWS_N_REQ		
NS59T	18	GY	GXL	2643673R1	1661375C2	9740B	C	1652325C1	1661376C1	
NS59V	18	GY	GXL	2643673R1	3595622C1	1701F	56	SWS_N_REQ		
NS59V	18	GY	GXL	2643673R1	1661375C2	9740B	D	1652325C1	1661376C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
NS59W	18	GY	GXL	2643673R1	3595622C1	1701F	57	SWS_N_REQ		
NS59W	18	GY	GXL	2643673R1	1661375C2	9740B	E	1652325C1	1661376C1	
NT10-GS	14	WH	GXL	2643689R1	3572899C1	4410H	2	SWS_N_REQ	25242C1	
NT10-GS	14	WH	GXL	2643689R1	3551896C1		8809	C	589391C1	354454C1 3551897C1
NT20	16	LTGN	GXL	2643678R1	3595622C1	1701F	51	SWS_N_REQ		
NT20	16	LTGN	GXL	2643678R1	3572899C1	4410H	6	SWS_N_REQ	25242C1	
NT5E(+)	18	YL	TXL	3572112R1	3595622C1	1701F	52	SWS_N_REQ		
NT5E(+)	18	YL	TXL	3572112R1	3572899C1	4410H	3	SWS_N_REQ	25242C1	
NT5E(-)	18	GN	TXL	3572112R1	3595622C1	1701F	53	SWS_N_REQ		
NT5E(-)	18	GN	TXL	3572112R1	3572899C1	4410H	4	SWS_N_REQ	25242C1	
NU59F-G	14	WH	GXL	2643689R1	3551896C1		8805	C	589391C1	354454C1 3551897C1
NU59F-G	14	WH	GXL	2643689R1	1661375C2		9740	A	589391C1	1661376C1
NU59G	18	GY	GXL	2643673R1	3595622C1	1701F	36	SWS_N_REQ		
NU59G	18	GY	GXL	2643673R1	1661375C2		9740	B	1652325C1	1661376C1
NU59H	18	GY	GXL	2643673R1	3595622C1	1701F	37	SWS_N_REQ		
NU59H	18	GY	GXL	2643673R1	1661375C2		9740	C	1652325C1	1661376C1
NU59J	18	GY	GXL	2643673R1	3595622C1	1701F	38	SWS_N_REQ		
NU59J	18	GY	GXL	2643673R1	1661375C2		9740	D	1652325C1	1661376C1
NU59K	18	GY	GXL	2643673R1	3595622C1	1701F	39	SWS_N_REQ		
NU59K	18	GY	GXL	2643673R1	1661375C2		9740	E	1652325C1	1661376C1
NV11A-GD	12	WH	GXL	2643787R1	BLUNT_SL_V	4450E	A	SWS_N_REQ		
NV11A-GD	12	WH	GXL	2643787R1	2039312C91	4450D	G	589390C1		
NV12BBA	14	LTBL	GXL	2643694R1	BLUNT_SL_V	4450E	A	SWS_N_REQ		
NV12BBA	14	LTBL	GXL	2643694R1	2039312C91	4450D	F	589391C1		
NV54BBA	14	BN	GXL	2643688R1	BLUNT_SL_V	4450E	A	SWS_N_REQ		
NV54BBA	14	BN	GXL	2643688R1	2039312C91	4450D	D	589391C1		
NV56BBA	16	YL	GXL	2643684R1	BLUNT_SL_V	4450E	A	SWS_N_REQ		
NV56BBA	16	YL	GXL	2643684R1	2039312C91	4450D	B	1652325C1		
NV56BCA	16	YL	GXL	2643684R1	BLUNT_SL_V	4460E	A	SWS_N_REQ		
NV56BCA	16	YL	GXL	2643684R1	3553961C1	4460D	A	1652325C1	355419C1	
NV57BBA	16	LTGN	GXL	2643678R1	BLUNT_SL_V	4450E	A	SWS_N_REQ		
NV57BBA	16	LTGN	GXL	2643678R1	2039312C91	4450D	C	1652325C1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2	
NV57BCA	16	LTGN	GXL	2643678R1	BLUNT_SL_V	4460E	A	SWS_N_REQ			
NV57BCA	16	LTGN	GXL	2643678R1	3553961C1	4460D	B	1652325C1	355419C1		
NV68BBA	14	BN	GXL	2643688R1	BLUNT_SL_V	4450E	A	SWS_N_REQ			
NV68BBA	14	BN	GXL	2643688R1	2039312C91	4450D	A	589391C1			
NV70BBA	14	RD	GXL	2643686R1	BLUNT_SL_V	4460E	A	SWS_N_REQ			
NV70BBA	14	RD	GXL	2643686R1	3553961C1	4460D	C	589391C1	355419C1		
NV71BBA	16	LTBL	GXL	2643806R1	BLUNT_SL_V	4450E	A	SWS_N_REQ			
NV71BBA	16	LTBL	GXL	2643806R1	2039312C91	4450D	E	1652325C1			
NW59L-G	14	WH	GXL	2643689R1	3551896C1		8805	D	589391C1	354454C1	3551897C1
NW59L-G	14	WH	GXL	2643689R1	1661375C2	9740A		A	589391C1	1661376C1	
NW59M	18	GY	GXL	2643673R1	3595622C1	1701F		46	SWS_N_REQ		
NW59M	18	GY	GXL	2643673R1	1661375C2	9740A		B	1652325C1	1661376C1	
NW59N	18	GY	GXL	2643673R1	3595622C1	1701F		47	SWS_N_REQ		
NW59N	18	GY	GXL	2643673R1	1661375C2	9740A		C	1652325C1	1661376C1	
NW59P	18	GY	GXL	2643673R1	3595622C1	1701F		48	SWS_N_REQ		
NW59P	18	GY	GXL	2643673R1	1661375C2	9740A		D	1652325C1	1661376C1	
NW59Q	18	GY	GXL	2643673R1	3595622C1	1701F		49	SWS_N_REQ		
NW59Q	18	GY	GXL	2643673R1	1661375C2	9740A		E	1652325C1	1661376C1	
NX39-GB	16	WH	GXL	2643681R1	3551896C1		8807	C	1652325C1	354454C1	3551897C1
NX39-GB	16	WH	GXL	2643681R1	1673790C1	9900G		B	1652325C1	1673791C1	
NX39B	16	GY	GXL	2643680R1	3595622C1	1701F		31	SWS_N_REQ		
NX39B	16	GY	GXL	2643680R1	1673790C1	9900G		A	1652325C1	1673791C1	
NY87DB	18	GY	GXL	2643673R1	3595622C1	1701F		58	SWS_N_REQ		
NY87DB	18	GY	GXL	2643673R1	3536864C1		9745	2	3536868C1		
NY87MB	16	GY	GXL	2643680R1	3595622C1	1701F		59	SWS_N_REQ		
NY87MB	16	GY	GXL	2643680R1	3536864C1		9745	1	3536868C1		
NZ59G	18	GY	GXL	2643673R1	3595622C1	1701F		36	SWS_N_REQ		
NZ59G	18	GY	GXL	2643673R1	1661375C2	9740C		B	1652325C1	1661376C1	
NZ59H	18	GY	GXL	2643673R1	3595622C1	1701F		37	SWS_N_REQ		
NZ59H	18	GY	GXL	2643673R1	1661375C2	9740C		C	1652325C1	1661376C1	
NZ59J	18	GY	GXL	2643673R1	3595622C1	1701F		38	SWS_N_REQ		
NZ59J	18	GY	GXL	2643673R1	1661375C2	9740C		D	1652325C1	1661376C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
NZ59K	18	GY	GXL	2643673R1	3595622C1	1701F	39	SWS_N_REQ		
NZ59K	18	GY	GXL	2643673R1	1661375C2	9740C	E	1652325C1	1661376C1	
NZ59X-G	14	WH	GXL	2643689R1	3551896C1		8805	589391C1	354454C1	3551897C1
NZ59X-G	14	WH	GXL	2643689R1	1661375C2	9740C	A	589391C1	1661376C1	
PA39-GB	16	WH	GXL	2643681R1	3551896C1		8807	1652325C1	354454C1	3551897C1
PA39-GB	16	WH	GXL	2643681R1	1673790C1	9900E	B	1652325C1	1673791C1	
PA39B	16	GY	GXL	2643680R1	3595622C1	1701F	31	SWS_N_REQ		
PA39B	16	GY	GXL	2643680R1	1673790C1	9900E	A	1652325C1	1673791C1	
PB14CY	4	RD	SGX	2644026R1	3517760C1	4411M1	A	SWS_N_REQ		
PB14CY	4	RD	SGX	2644026R1	3517759C1	4413F1	A	SWS_N_REQ		
PC14H	4	RD	SGX	2644026R1	3517760C1	4411M	A	SWS_N_REQ		
PC14H	4	RD	SGX	2644026R1	3517759C1	4412F	A	SWS_N_REQ		
PD106B	18	GY	GXL	2643673R1	3595622C1	1701F	56	SWS_N_REQ		
PD106B	18	GY	GXL	2643673R1	1667741C1	9865M	B	1661872C1	1667771C1	
PD110B	18	GY	GXL	2643673R1	3595622C1	1701F	57	SWS_N_REQ		
PD110B	18	GY	GXL	2643673R1	1667741C1	9865M	A	1661872C1	1667771C1	
PD61B	18	GY	GXL	2643673R1	3595622C1	1701F	55	SWS_N_REQ		
PD61B	18	GY	GXL	2643673R1	1667741C1	9865M	C	1661872C1	1667771C1	
PE14E	4	RD	SGX	2645255R1	3517760C1	4411M2	A	SWS_N_REQ		
PE14E	4	RD	SGX	2645255R1	3517759C1	4413F2	A	SWS_N_REQ		
PF39-GB	16	WH	GXL	2643681R1	3551896C1		8807	1652325C1	354454C1	3551897C1
PF39-GB	16	WH	GXL	2643681R1	1673790C1	9900C	B	1652325C1	1673791C1	
PF39B	18	GY	GXL	2643673R1	3595622C1	1701F	31	SWS_N_REQ		
PF39B	18	GY	GXL	2643673R1	1673790C1	9900C	A	1652325C1	1673791C1	
PG14H	4	RD	SGX	2644026R1	3517760C1	4411A1	A	SWS_N_REQ		
PG14H	4	RD	SGX	2644026R1	3517759C1	4413A3	A	SWS_N_REQ		
PH14CY	4	RD	SGX	2644026R1	3517760C1	4411A2	A	SWS_N_REQ		
PH14CY	4	RD	SGX	2644026R1	3517759C1	4413A2	A	SWS_N_REQ		
PJ14E	4	RD	SGX	2644026R1	3517760C1	4411A3	A	SWS_N_REQ		
PJ14E	4	RD	SGX	2644026R1	3517759C1	4413A1	A	SWS_N_REQ		
PL36A	18	GY	GXL	2643673R1	3595622C1	1701F	29	SWS_N_REQ		
PL36A	18	GY	GXL	2643673R1	1661778C1	9100C	A	1661872C1	1661874C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
PL9-G	18	GY	GXL	2643673R1	3551896C1	8802	C	1652325C1	354454C1	3551897C1
PL9-G	18	GY	GXL	2643673R1	1661778C1	9100C	B	1661872C1	1661874C1	
PN39-GB	16	WH	GXL	2643681R1	3551896C1	8807	C	1652325C1	354454C1	3551897C1
PN39-GB	16	WH	GXL	2643681R1	1673790C1	9900AA	B	1652325C1	1673791C1	
PN39B	16	GY	GXL	2643680R1	3595622C1	1701F	31	SWS_N_REQ		
PN39B	16	GY	GXL	2643680R1	1673790C1	9900AA	A	1652325C1	1673791C1	
PP87EA	18	GY	TXL	3510311R1	3595622C1	1701F	41	SWS_N_REQ		
PP87EA	18	GY	TXL	3510311R1	3554317C1	9746	1	3554318C1		
PP87H	18	GY	TXL	3510311R1	3554317C1	9746	2	3554318C1		
PP87H	18	GY	TXL	3510311R1	3551896C1	8802	D	3517771C1	354454C1	3551897C1
PR94BM	16	GY	TXL	3510312R1	3595622C1	1701F	14	SWS_N_REQ		
PR94BM	16	GY	TXL	3510312R1	3558026C1	9800	24	3509903C1	355856C1	
PR94BN	16	GY	TXL	3510312R1	3595622C1	1701F	15	SWS_N_REQ		
PR94BN	16	GY	TXL	3510312R1	3558026C1	9800	23	3509903C1	355856C1	
PS39-GF	18	WH	GXL	2643674R1	3551896C1	8807	D	1652325C1	354454C1	3551897C1
PS39-GF	18	WH	GXL	2643674R1	1671610C1	9200J	B	1652325C1	167168C1	
PS39A	18	GY	GXL	2643673R1	3595622C1	1701F	40	SWS_N_REQ		
PS39A	18	GY	GXL	2643673R1	1671610C1	9200J	A	1652325C1	167168C1	
PU19	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
PU19	16	GY	GXL	2643680R1	587567C91	9108G	A	1652325C1		
PU19-G	16	WH	GXL	2643681R1	3551896C1	8805	F	1652325C1	354454C1	3551897C1
PU19-G	16	WH	GXL	2643681R1	587567C91	9108G	B	1652325C1		
PV11-GBB	12	WH	GXL	2643787R1	3551896C1	8807	F	589390C1	354454C1	3551897C1
PV11-GBB	12	WH	GXL	2643787R1	2039311C91	4450AM	G	589390C1	239342C1	
PV12BB	14	LTBL	GXL	2643694R1	3595622C1	1701F	75	SWS_N_REQ		
PV12BB	14	LTBL	GXL	2643694R1	2039311C91	4450AM	F	589391C1	239342C1	
PV54BB	14	BN	GXL	2643688R1	3595622C1	1701F	74	SWS_N_REQ		
PV54BB	14	BN	GXL	2643688R1	2039311C91	4450AM	D	589391C1	239342C1	
PV56BB	16	YL	GXL	2643684R1	3595622C1	1701F	12	SWS_N_REQ		
PV56BB	16	YL	GXL	2643684R1	2039311C91	4450AM	B	1652325C1	239342C1	
PV56BC	16	YL	GXL	2643684R1	3595622C1	1701F	42	SWS_N_REQ		
PV56BC	16	YL	GXL	2643684R1	1686834C1	4460AM	A	1652325C1	166448C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
PV57BB	16	LTGN	GXL	2643678R1	3595622C1	1701F	63	SWS_N_REQ		
PV57BB	16	LTGN	GXL	2643678R1	2039311C91	4450AM	C	1652325C1	239342C1	
PV57BC	16	LTGN	GXL	2643678R1	3595622C1	1701F	64	SWS_N_REQ		
PV57BC	16	LTGN	GXL	2643678R1	1686834C1	4460AM	B	1652325C1	166448C1	
PV68BB	14	BN	GXL	2643688R1	3595622C1	1701F	71	SWS_N_REQ		
PV68BB	14	BN	GXL	2643688R1	2039311C91	4450AM	A	589391C1	239342C1	
PV70BB	14	RD	GXL	2643686R1	3595622C1	1701F	72	SWS_N_REQ		
PV70BB	14	RD	GXL	2643686R1	1686834C1	4460AM	C	589391C1	166448C1	
PV71BB	16	LTBL	GXL	2643806R1	3595622C1	1701F	73	SWS_N_REQ		
PV71BB	16	LTBL	GXL	2643806R1	2039311C91	4450AM	E	1652325C1	239342C1	
PX19	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
PX19	16	GY	GXL	2643680R1	587567C91	9108C	A	1652325C1		
PX19-G	16	WH	TXL	3510360R1	3551896C1		8805 F	1652325C1	354454C1	3551897C1
PX19-G	16	WH	TXL	3510360R1	587567C91	9108C	B	1652325C1		
RA10-GR	14	WH	GXL	2643689R1	3572899C1	4410D	2	SWS_N_REQ	25242C1	
RA10-GR	14	WH	GXL	2643689R1	3551896C1		8809 C	589391C1	354454C1	3551897C1
RA20	16	LTGN	GXL	2643678R1	3595622C1	1701F	51	SWS_N_REQ		
RA20	16	LTGN	GXL	2643678R1	3572899C1	4410D	6	SWS_N_REQ	25242C1	
RA5E(+)	18	YL	TXL	3572112R1	3595622C1	1701F	52	SWS_N_REQ		
RA5E(+)	18	YL	TXL	3572112R1	3572899C1	4410D	3	SWS_N_REQ	25242C1	
RA5E(-)	18	GN	TXL	3572112R1	3595622C1	1701F	53	SWS_N_REQ		
RA5E(-)	18	GN	TXL	3572112R1	3572899C1	4410D	4	SWS_N_REQ	25242C1	
RB10-GR	14	WH	GXL	2643689R1	3572899C1	4410G	2	SWS_N_REQ	25242C1	
RB10-GR	14	WH	GXL	2643689R1	3551896C1		8809 C	589391C1	354454C1	3551897C1
RB20	16	LTGN	GXL	2643678R1	3595622C1	1701F	51	SWS_N_REQ		
RB20	16	LTGN	GXL	2643678R1	3572899C1	4410G	6	SWS_N_REQ	25242C1	
RB5E(+)	18	YL	TXL	3572112R1	3595622C1	1701F	52	SWS_N_REQ		
RB5E(+)	18	YL	TXL	3572112R1	3572899C1	4410G	3	SWS_N_REQ	25242C1	
RB5E(-)	18	GN	TXL	3572112R1	3595622C1	1701F	53	SWS_N_REQ		
RB5E(-)	18	GN	TXL	3572112R1	3572899C1	4410G	4	SWS_N_REQ	25242C1	
RC10-GP	14	WH	GXL	2643689R1	3572899C1	4410H	2	SWS_N_REQ	25242C1	
RC10-GP	14	WH	GXL	2643689R1	3572899C1	4410E	2	SWS_N_REQ	25242C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2	
RC20A	16	LTGN	GXL	2643678R1	3572899C1	4410H	6	SWS_N_REQ	25242C1		
RC20A	16	LTGN	GXL	2643678R1	3572899C1	4410E	6	SWS_N_REQ	25242C1		
RC5F(+)	18	YL	TXL	3572112R1	3572899C1	4410H	3	SWS_N_REQ	25242C1		
RC5F(+)	18	YL	TXL	3572112R1	3572899C1	4410E	3	SWS_N_REQ	25242C1		
RC5F(-)	18	GN	TXL	3572112R1	3572899C1	4410H	4	SWS_N_REQ	25242C1		
RC5F(-)	18	GN	TXL	3572112R1	3572899C1	4410E	4	SWS_N_REQ	25242C1		
RD10-GP	14	WH	GXL	2643689R1	3572899C1	4410L	2	SWS_N_REQ	25242C1		
RD10-GP	14	WH	GXL	2643689R1	3572899C1	4410J	2	SWS_N_REQ	25242C1		
RD20A	16	LTGN	GXL	2643678R1	3572899C1	4410L	6	SWS_N_REQ	25242C1		
RD20A	16	LTGN	GXL	2643678R1	3572899C1	4410J	6	SWS_N_REQ	25242C1		
RD5F(+)	18	YL	TXL	3572112R1	3572899C1	4410L	3	SWS_N_REQ	25242C1		
RD5F(+)	18	YL	TXL	3572112R1	3572899C1	4410J	3	SWS_N_REQ	25242C1		
RD5F(-)	18	GN	TXL	3572112R1	3572899C1	4410L	4	SWS_N_REQ	25242C1		
RD5F(-)	18	GN	TXL	3572112R1	3572899C1	4410J	4	SWS_N_REQ	25242C1		
RE59F-G	14	WH	GXL	2643689R1	3551896C1		8805	C	589391C1	354454C1	3551897C1
RE59F-G	14	WH	GXL	2643689R1	1661375C2	9740D		A	589391C1	1661376C1	
RE59G	14	WH	GXL	2643689R1	3595622C1	1701F		36	SWS_N_REQ		
RE59G	14	WH	GXL	2643689R1	1661375C2	9740D		B	589391C1	1661376C1	
RE59H	18	GY	GXL	2643673R1	3595622C1	1701F		37	SWS_N_REQ		
RE59H	18	GY	GXL	2643673R1	1661375C2	9740D		C	1652325C1	1661376C1	
RE59J	18	GY	GXL	2643673R1	3595622C1	1701F		38	SWS_N_REQ		
RE59J	18	GY	GXL	2643673R1	1661375C2	9740D		D	1652325C1	1661376C1	
RE59K	18	GY	GXL	2643673R1	3595622C1	1701F		39	SWS_N_REQ		
RE59K	18	GY	GXL	2643673R1	1661375C2	9740D		E	1652325C1	1661376C1	
RH32	18	TN	GXL	2643676R1	3595622C1	1701F		44	SWS_N_REQ		
RH32	18	TN	GXL	2643676R1	3558026C1		9800	6	3509903C1	355856C1	
RK56	14	OR	GXL	2643690R1	3595622C1	1701F		2	SWS_N_REQ		
RK56	14	OR	GXL	2643690R1	3558026C1		9800	2	3575783C1	355856C1	
RK57	14	OR	GXL	2643690R1	3595622C1	1701F		3	SWS_N_REQ		
RK57	14	OR	GXL	2643690R1	3558026C1		9800	3	3575783C1	355856C1	
RK68	14	BN	GXL	2643688R1	3595622C1	1701F		4	SWS_N_REQ		
RK68	14	BN	GXL	2643688R1	3558026C1		9800	4	3575783C1	355856C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
RK71A	14	OR	GXL	2643690R1	3595622C1	1701F	1	SWS_N_REQ		
RK71A	14	OR	GXL	2643690R1	3558026C1		9800	3575783C1	355856C1	
RL49-G	18	WH	GXL	2643674R1	3558026C1		9800	3509903C1	355856C1	
RL49-G	18	WH	GXL	2643674R1	3551896C1		8809	1652325C1	354454C1	3551897C1
RL49A	18	GY	GXL	2643673R1	3595622C1	1701F	45	SWS_N_REQ		
RL49A	18	GY	GXL	2643673R1	3558026C1		9800	3509903C1	355856C1	
RM71N	16	OR	GXL	2643682R1	3595622C1	1701F	70	SWS_N_REQ		
RM71N	16	OR	GXL	2643682R1	3522252C1	9761F	E	1661872C1	3522253C1	
RN59-GA	18	WH	GXL	2643674R1	3551896C1		8806	1652325C1	354454C1	3551897C1
RN59-GA	18	WH	GXL	2643674R1	1661778C1		9762	1661872C1	1661874C1	
RP59-GA	18	WH	GXL	2643674R1	3551896C1		8806	1652325C1	354454C1	3551897C1
RP59-GA	18	WH	GXL	2643674R1	1661778C1	9820M	B	1661872C1	1661874C1	
RP59ED	18	GY	GXL	2643673R1	3522252C1	9761F	A	1661872C1	3522253C1	
RP59ED	18	GY	GXL	2643673R1	1661778C1	9820M	A	1661872C1	1661874C1	
RR59EC	18	GY	GXL	2643673R1	3522252C1	9761F	A	1661872C1	3522253C1	
RR59EC	18	GY	GXL	2643673R1	1661778C1		9763	1661872C1	1661874C1	
RR59EF	18	GY	GXL	2643673R1	3522252C1	9761F	B	1661872C1	3522253C1	
RR59EF	18	GY	GXL	2643673R1	1661778C1		9762	1661872C1	1661874C1	
RS59EF	18	GY	GXL	2643673R1	3522252C1	9761F	A	1661872C1	3522253C1	
RS59EF	18	GY	GXL	2643673R1	1661778C1		9762	1661872C1	1661874C1	
RX9	16	GY	GXL	2643680R1	3595622C1	1701F	13	SWS_N_REQ		
RX9	16	GY	GXL	2643680R1	3551896C1		8802	1652325C1	354454C1	3551897C1
SJ59-GD	18	WH	GXL	2643674R1	3551896C1		8806	1652325C1	354454C1	3551897C1
SJ59-GD	18	WH	GXL	2643674R1	1661778C1	9820M	B	1661872C1	1661874C1	
SJ59ED	18	GY	GXL	2643673R1	3595622C1	1701F	60	SWS_N_REQ		
SJ59ED	18	GY	GXL	2643673R1	1661778C1	9820M	A	1661872C1	1661874C1	
SL10-G	12	WH	TXL	3510362R1	3558026C1		9800	3575783C1	355856C1	
SL10-G	12	WH	TXL	3510362R1	3551896C1		8807	589391C1	354454C1	3551897C1
SL11-GA	12	WH	GXL	2643787R1		9717B	1	2644038R1		
SL11-GA	12	WH	GXL	2643787R1	3551896C1		8807	589390C1	354454C1	3551897C1
SL11-GB	12	WH	GXL	2643787R1		9717B	1	2644038R1		
SL11-GB	12	WH	GXL	2643787R1	3551896C1		8809	589390C1	354454C1	3551897C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
ST22-G	16	WH	GXL	2643681R1	3551896C1	8807	F	1652325C1	354454C1	3551897C1
ST22-G	16	WH	GXL	2643681R1		STS5	-	2644000R1		
ST22-GB	18	WH	GXL	2643674R1	3538635C1	4321	A	1661872C1	3538636C1	
ST22-GB	18	WH	GXL	2643674R1		STS5	-	2644000R1		
ST22-GC	18	WH	GXL	2643674R1	3538635C1	4321	F	1661872C1	3538636C1	
ST22-GC	18	WH	GXL	2643674R1		STS5	-	2644000R1		
ST22-GD	18	WH	GXL	2643674R1	3538635C1	4321	H	1661872C1	3538636C1	
ST22-GD	18	WH	GXL	2643674R1		STS5	-	2644000R1		
ST22-GE	18	WH	GXL	2643674R1	3554089C1	4320	K2	SWS_N_REQ		
ST22-GE	18	WH	GXL	2643674R1		STS5	-	2644000R1		
ST22-GF	18	WH	GXL	2643674R1	587568C91	4323	B	1652325C1		
ST22-GF	18	WH	GXL	2643674R1		STS5	-	2644000R1		
ST22A	18	TN	GXL	2643676R1	3558026C1	9300	15	3509903C1	355856C1	
ST22A	18	TN	GXL	2643676R1	3554089C1	4320	J1	SWS_N_REQ		
ST22B	18	TN	GXL	2643676R1	3558026C1	9300	14	3509903C1	355856C1	
ST22B	18	TN	GXL	2643676R1	3554089C1	4320	K1	SWS_N_REQ		
ST22F	18	TN	GXL	2643676R1	3554089C1	4320	B2	SWS_N_REQ		
ST22F	18	TN	GXL	2643676R1	3538635C1	4321	B	1661872C1	3538636C1	
ST22H	18	TN	GXL	2643676R1	3554089C1	4320	B1	SWS_N_REQ		
ST22H	18	TN	GXL	2643676R1	3538635C1	4321	C	1661872C1	3538636C1	
ST22J	18	TN	GXL	2643676R1	3554089C1	4320	B3	SWS_N_REQ		
ST22J	18	TN	GXL	2643676R1	3538635C1	4321	D	1661872C1	3538636C1	
ST22K	18	TN	GXL	2643676R1	3554089C1	4320	D2	SWS_N_REQ		
ST22K	18	TN	GXL	2643676R1	3538635C1	4321	E	1661872C1	3538636C1	
ST22L	18	TN	GXL	2643676R1	3554089C1	4320	D1	SWS_N_REQ		
ST22L	18	TN	GXL	2643676R1	3538635C1	4321	G	1661872C1	3538636C1	
ST22M	18	TN	GXL	2643676R1	3554089C1	4320	E1	SWS_N_REQ		
ST22M	18	TN	GXL	2643676R1	3538635C1	4321	K	1661872C1	3538636C1	
ST22N	18	TN	GXL	2643676R1	3554089C1	4320	H3	SWS_N_REQ		
ST22N	18	TN	GXL	2643676R1	1667741C1	4322	A	1661872C1	1667771C1	
ST22P	18	TN	GXL	2643676R1	3554089C1	4320	H2	SWS_N_REQ		
ST22P	18	TN	GXL	2643676R1	1667741C1	4322	B	1661872C1	1667771C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
ST22R	18	TN	GXL	2643676R1	3554089C1	4320	H1	SWS_N_REQ		
ST22R	18	TN	GXL	2643676R1	1667741C1	4322	C	1661872C1	1667771C1	
ST22S	18	TN	GXL	2643676R1	3554089C1	4320	G3	SWS_N_REQ		
ST22S	18	TN	GXL	2643676R1	587568C91	4323	A	1652325C1		
ST3C(+)	18	DKBL	TXL	3510353R1	3558026C1	9300	18	3532128C1	355856C1	
ST3C(+)	18	DKBL	TXL	3510353R1	3554089C1	4320	C1	SWS_N_REQ		
ST3C(-)	18	GY	TXL	3510311R1	3558026C1	9300	19	3532128C1	355856C1	
ST3C(-)	18	GY	TXL	3510311R1	3554089C1	4320	C2	SWS_N_REQ		
ST98(+)	18	BK	TXL	3510293R1	3558026C1	9300	16	3532128C1	355856C1	
ST98(+)	18	BK	TXL	3510293R1	3554089C1	4320	K3	SWS_N_REQ		
ST98(-)	18	BK	TXL	3510293R1	3558026C1	9300	17	3532128C1	355856C1	
ST98(-)	18	BK	TXL	3510293R1	3554089C1	4320	J3	SWS_N_REQ		
SW104CA	16	DKBL	TXL	3510354R1	3595622C1	1701F	43	SWS_N_REQ		
SW104CA	16	DKBL	TXL	3510354R1	587567C91	9778	B	1652325C1		
SW59CA	16	GY	TXL	3510312R1	3595622C1	1701F	44	SWS_N_REQ		
SW59CA	16	GY	TXL	3510312R1	587567C91	9778	A	1652325C1		
SZ72	10	OR	TXL	3510321R1	3595622C1	1701F	11	SWS_N_REQ		
SZ72	10	OR	TXL	3510321R1	1664531C1	9722	A	589390C1	167553C1	
TA94SAB	18	GY	GXL	2643673R1	3601685C1	9514D	1	3601687C1		
TA94SAB	18	GY	GXL	2643673R1	3595622C1	1701F	54	SWS_N_REQ		
TA94SBB	18	GY	GXL	2643673R1	3601685C1	9514D	3	3601687C1		
TA94SBB	18	GY	GXL	2643673R1	3595622C1	1701F	56	SWS_N_REQ		
TA94SCB	18	GY	GXL	2643673R1	3601685C1	9514D	2	3601687C1		
TA94SCB	18	GY	GXL	2643673R1	3595622C1	1701F	55	SWS_N_REQ		
TA94SDB	18	GY	GXL	2643673R1	3601685C1	9514D	4	3601687C1		
TA94SDB	18	GY	GXL	2643673R1	3595622C1	1701F	57	SWS_N_REQ		
TE42	16	GY	GXL	2643680R1	3595622C1	1701F	65	SWS_N_REQ		
TE42	16	GY	GXL	2643680R1	587567C91	9754B	A	1652325C1		
TE47A	16	GY	GXL	2643680R1	3543888C1	9750	A	1661872C1		
TE47A	16	GY	GXL	2643680R1	2036583C1	9755B	A	SWS_N_REQ		
TE47B	16	GY	GXL	2643680R1	3543888C1	9750	B	1661872C1		
TE47B	16	GY	GXL	2643680R1	2036583C1	9755B	B	SWS_N_REQ		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
TG94SAB	18	GY	GXL	2643673R1	3601685C1	9514F	1	3601687C1		
TG94SAB	18	GY	GXL	2643673R1	3595622C1	1701F	54	SWS_N_REQ		
TG94SBB	18	GY	GXL	2643673R1	3601685C1	9514F	3	3601687C1		
TG94SBB	18	GY	GXL	2643673R1	3595622C1	1701F	56	SWS_N_REQ		
TG94SCB	18	GY	GXL	2643673R1	3601685C1	9514F	2	3601687C1		
TG94SCB	18	GY	GXL	2643673R1	3595622C1	1701F	55	SWS_N_REQ		
TG94SDB	18	GY	GXL	2643673R1	3601685C1	9514F	4	3601687C1		
TG94SDB	18	GY	GXL	2643673R1	3595622C1	1701F	57	SWS_N_REQ		
TM59-GB	18	WH	GXL	2643674R1	3551896C1		8806	C	1652325C1	354454C1 3551897C1
TM59-GB	18	WH	GXL	2643674R1	1661778C1		9763	B	1661872C1	1661874C1
TM59-GD	18	WH	GXL	2643674R1	3551896C1		8806	D	1652325C1	354454C1 3551897C1
TM59-GD	18	WH	GXL	2643674R1	1661778C1		9764	B	1661872C1	1661874C1
TM59ED	18	GY	GXL	2643673R1	3522252C1	9761F		C	1661872C1	3522253C1
TM59ED	18	GY	GXL	2643673R1	1661778C1		9764	A	1661872C1	1661874C1
TR42	16	GY	GXL	2643680R1	3595622C1	1701F		65	SWS_N_REQ	
TR42	16	GY	GXL	2643680R1	CB	9754D		A	SWS_N_REQ	
TR47A	16	GY	GXL	2643680R1	3543888C1		9750	A	1661872C1	
TR47A	16	GY	GXL	2643680R1	2036583C1	9755D		A	SWS_N_REQ	
TR47B	16	GY	GXL	2643680R1	3543888C1		9750	B	1661872C1	
TR47B	16	GY	GXL	2643680R1	2036583C1	9755D		B	SWS_N_REQ	
TT11-G	18	WH	TXL	3510359R1	3551896C1		8806	C	3517771C1	354454C1 3551897C1
TT11-G	18	WH	TXL	3510359R1	587567C91		4515	B	3517771C1	
TT38A	18	GY	TXL	3510311R1	3595622C1	1701F		60	SWS_N_REQ	
TT38A	18	GY	TXL	3510311R1	587567C91		4515	A	3517771C1	
TV59B	18	GY	GXL	2643673R1	3595622C1	1701F		32	SWS_N_REQ	
TV59B	18	GY	GXL	2643673R1	3522068C1		9737	A	1661872C1	1661874C1
UA65	16	OR	GXL	2643682R1	3595622C1	1701F		68	SWS_N_REQ	
UA65	16	OR	GXL	2643682R1	1661778C1		9766	A	1661872C1	1661874C1
UC59-GA	18	WH	GXL	2643674R1	3551896C1		8806	F	1652325C1	354454C1 3551897C1
UC59-GA	18	WH	GXL	2643674R1	1661778C1		9762	B	1661872C1	1661874C1
UC59EF	18	GY	GXL	2643673R1	3595622C1	1701F		60	SWS_N_REQ	
UC59EF	18	GY	GXL	2643673R1	1661778C1		9762	A	1661872C1	1661874C1

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
UD59-GB	18	WH	GXL	2643674R1	3551896C1	8806	C	1652325C1	354454C1	3551897C1
UD59-GB	18	WH	GXL	2643674R1	1661778C1	9763	B	1661872C1	1661874C1	
UD59EC	18	GY	GXL	2643673R1	3595622C1	1701F	61	SWS_N_REQ		
UD59EC	18	GY	GXL	2643673R1	1661778C1	9763	A	1661872C1	1661874C1	
UK11-GC	14	WH	GXL	2643689R1	3551896C1	8807	E	589391C1	354454C1	3551897C1
UK11-GC	14	WH	GXL	2643689R1	3551896C1	8806	A	589391C1	354454C1	3551897C1
VA95-GA	18	WH	GXL	2643674R1	3977821C1	7113B	2	SWS_N_REQ		
VA95-GA	18	WH	GXL	2643674R1	3539778C1	7114	2	SWS_N_REQ	3539785C1	
VA95A	18	TN	GXL	2643676R1	3977821C1	7113B	1	SWS_N_REQ		
VA95A	18	TN	GXL	2643676R1	3539778C1	7114	1	SWS_N_REQ	3539785C1	
VB95-GA	18	WH	GXL	2643674R1	3602747C1	7113C	2	SWS_N_REQ	3539784C1	
VB95-GA	18	WH	GXL	2643674R1	3539778C1	7114	2	SWS_N_REQ	3539785C1	
VB95A	18	TN	GXL	2643676R1	3602747C1	7113C	1	SWS_N_REQ	3539784C1	
VB95A	18	TN	GXL	2643676R1	3539778C1	7114	1	SWS_N_REQ	3539785C1	
VC95-GA	18	WH	GXL	2643674R1	3977821C1	7113D	2	SWS_N_REQ		
VC95-GA	18	WH	GXL	2643674R1	3539778C1	7114	2	SWS_N_REQ	3539785C1	
VC95A	18	TN	GXL	2643676R1	3977821C1	7113D	1	SWS_N_REQ		
VC95A	18	TN	GXL	2643676R1	3539778C1	7114	1	SWS_N_REQ	3539785C1	
VD95-GA	18	WH	GXL	2643674R1	3602747C1	7113E	2	SWS_N_REQ	3539784C1	
VD95-GA	18	WH	GXL	2643674R1	3539778C1	7114	2	SWS_N_REQ	3539785C1	
VD95A	18	TN	GXL	2643676R1	3602747C1	7113E	1	SWS_N_REQ	3539784C1	
VD95A	18	TN	GXL	2643676R1	3539778C1	7114	1	SWS_N_REQ	3539785C1	
VE10D	8	WH	GXL	2643789R1		9717A	1	2644005R1		
VE10D	8	WH	GXL	2643789R1		SS25	-	2644000R1		
VE10E	8	WH	GXL	2643789R1	3537133C1	9778F	A	3537135C1		
VE10E	8	WH	GXL	2643789R1		SS25	-	2644000R1		
VE10F	8	WH	GXL	2643789R1	3700151C1	9717	A	3537135C1		
VE10F	8	WH	GXL	2643789R1		SS25	-	2644000R1		
VE10GC	8	WH	GXL	2643789R1	BLUNT_SL_V	9738	B	SWS_N_REQ		
VE10GC	8	WH	GXL	2643789R1		SS25	-	2644000R1		
VE10GD	8	WH	GXL	2643789R1	BLUNT_SL_V	9738	B	SWS_N_REQ		
VE10GD	8	WH	GXL	2643789R1		SS25	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
VE28RW	18	TN	GXL	2643676R1	BLUNT_SL_V	9738	A	SWS_N_REQ		
VE28RW	18	TN	GXL	2643676R1	3595622C1	1701F	26	SWS_N_REQ		
VE54E	10	BN	GXL	2643779R1		SS21	-	2644000R1		
VE54E	10	BN	GXL	2643779R1	1667732C1	9779F	A	1667735C1	1667734C1	
VE54F	10	BN	GXL	2643779R1		SS21	-	2644000R1		
VE54F	10	BN	GXL	2643779R1	1667732C1	9716	A	1667735C1	1667734C1	
VE54T	10	BN	GXL	2643779R1		SS21	-	2644000R1		
VE54T	10	BN	GXL	2643779R1	3595622C1	1701F	7	SWS_N_REQ		
VE56E	10	YL	GXL	2643802R1		SS23	-	2644000R1		
VE56E	10	YL	GXL	2643802R1	1667732C1	9779F	B	1667735C1	1667734C1	
VE56F	10	YL	GXL	2643802R1		SS23	-	2644000R1		
VE56F	10	YL	GXL	2643802R1	1667732C1	9716	B	1667735C1	1667734C1	
VE56T	10	YL	GXL	2643802R1		SS23	-	2644000R1		
VE56T	10	YL	GXL	2643802R1	3595622C1	1701F	5	SWS_N_REQ		
VE57E	10	LTGN	GXL	2643776R1		SS24	-	2644000R1		
VE57E	10	LTGN	GXL	2643776R1	1667732C1	9779F	C	1667735C1	1667734C1	
VE57F	10	LTGN	GXL	2643776R1		SS24	-	2644000R1		
VE57F	10	LTGN	GXL	2643776R1	1667732C1	9716	C	1667735C1	1667734C1	
VE57T	10	LTGN	GXL	2643776R1		SS24	-	2644000R1		
VE57T	10	LTGN	GXL	2643776R1	3595622C1	1701F	6	SWS_N_REQ		
VE68E	10	BN	GXL	2643779R1		SS20	-	2644000R1		
VE68E	10	BN	GXL	2643779R1	1667733C1	9780M	B	1667735C1	1667734C1	
VE68F	10	BN	GXL	2643779R1		SS20	-	2644000R1		
VE68F	10	BN	GXL	2643779R1	1667733C1	9715	B	1667735C1	1667734C1	
VE68T	10	BN	GXL	2643779R1		SS20	-	2644000R1		
VE68T	10	BN	GXL	2643779R1	3595622C1	1701F	8	SWS_N_REQ		
VE70E	10	RD	GXL	2643698R1		SS19	-	2644000R1		
VE70E	10	RD	GXL	2643698R1	1667733C1	9780M	A	1667735C1	1667734C1	
VE70F	10	RD	GXL	2643698R1		SS19	-	2644000R1		
VE70F	10	RD	GXL	2643698R1	1667733C1	9715	A	1667735C1	1667734C1	
VE70T	10	RD	GXL	2643698R1		SS19	-	2644000R1		
VE70T	10	RD	GXL	2643698R1	3595622C1	1701F	9	SWS_N_REQ		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
VE71BZ	16	OR	GXL	2643682R1	BLUNT_SL_V	9738	B	SWS_N_REQ		
VE71BZ	16	OR	GXL	2643682R1	3595622C1	1701F	73	SWS_N_REQ		
VE72RW	10	OR	GXL	2643791R1	BLUNT_SL_V	9738	B	SWS_N_REQ		
VE72RW	10	OR	GXL	2643791R1	3595622C1	1701F	11	SWS_N_REQ		
VE94E	10	GY	GXL	2643784R1	1667733C1	9780M	C	1667735C1	1667734C1	
VE94E	10	GY	GXL	2643784R1		SS22	-	2644000R1		
VE94F	10	GY	GXL	2643784R1	1667733C1	9715	C	1667735C1	1667734C1	
VE94F	10	GY	GXL	2643784R1		SS22	-	2644000R1		
VE94T	10	GY	GXL	2643784R1	3595622C1	1701F	10	SWS_N_REQ		
VE94T	10	GY	GXL	2643784R1		SS22	-	2644000R1		
VE94Z	10	GY	GXL	2643784R1	BLUNT_SL_V	9738	B	SWS_N_REQ		
VE94Z	10	GY	GXL	2643784R1		SS22	-	2644000R1		
VF95-GA	18	WH	GXL	2643674R1	3977821C1	7113F	2	SWS_N_REQ		
VF95-GA	18	WH	GXL	2643674R1	3539778C1	7114	2	SWS_N_REQ	3539785C1	
VF95A	18	TN	GXL	2643676R1	3977821C1	7113F	1	SWS_N_REQ		
VF95A	18	TN	GXL	2643676R1	3539778C1	7114	1	SWS_N_REQ	3539785C1	
VG95-GA	18	WH	GXL	2643674R1	3602747C1	7113G	2	SWS_N_REQ	3539784C1	
VG95-GA	18	WH	GXL	2643674R1	3539778C1	7114	2	SWS_N_REQ	3539785C1	
VG95A	18	TN	GXL	2643676R1	3602747C1	7113G	1	SWS_N_REQ	3539784C1	
VG95A	18	TN	GXL	2643676R1	3539778C1	7114	1	SWS_N_REQ	3539785C1	
VH95-GA	18	WH	GXL	2643674R1	3977821C1	7113H	2	SWS_N_REQ		
VH95-GA	18	WH	GXL	2643674R1	3539778C1	7114	2	SWS_N_REQ	3539785C1	
VH95A	18	TN	GXL	2643676R1	3977821C1	7113H	1	SWS_N_REQ		
VH95A	18	TN	GXL	2643676R1	3539778C1	7114	1	SWS_N_REQ	3539785C1	
VJ95-GA	18	WH	GXL	2643674R1	3602747C1	7113J	2	SWS_N_REQ	3539784C1	
VJ95-GA	18	WH	GXL	2643674R1	3539778C1	7114	2	SWS_N_REQ	3539785C1	
VJ95A	18	TN	GXL	2643676R1	3602747C1	7113J	1	SWS_N_REQ	3539784C1	
VJ95A	18	TN	GXL	2643676R1	3539778C1	7114	1	SWS_N_REQ	3539785C1	
VK95-GA	18	WH	GXL	2643674R1	3977821C1	7113K	2	SWS_N_REQ		
VK95-GA	18	WH	GXL	2643674R1	3539778C1	7114	2	SWS_N_REQ	3539785C1	
VK95A	18	TN	GXL	2643676R1	3977821C1	7113K	1	SWS_N_REQ		
VK95A	18	TN	GXL	2643676R1	3539778C1	7114	1	SWS_N_REQ	3539785C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
VL95-GA	18	WH	GXL	2643674R1	3602747C1	7113L	2	SWS_N_REQ	3539784C1	
VL95-GA	18	WH	GXL	2643674R1	3539778C1		7114	2	SWS_N_REQ	3539785C1
VL95A	18	TN	GXL	2643676R1	3602747C1	7113L	1	SWS_N_REQ	3539784C1	
VL95A	18	TN	GXL	2643676R1	3539778C1		7114	1	SWS_N_REQ	3539785C1
VT94SJ	18	GY	GXL	2643673R1	3678796C1	9512C	1	3601687C1		
VT94SJ	18	GY	GXL	2643673R1	3595622C1	1701F	49	SWS_N_REQ		
VT94SK	18	GY	GXL	2643673R1	3678796C1	9512C	2	3601687C1		
VT94SK	18	GY	GXL	2643673R1	3595622C1	1701F	69	SWS_N_REQ		
VW95-GA	18	WH	GXL	2643674R1	3590390C1		7113	2	3536868C1	
VW95-GA	18	WH	GXL	2643674R1	3539778C1		7112	2	SWS_N_REQ	3539785C1
VW95A	18	TN	GXL	2643676R1	3590390C1		7113	1	3536868C1	
VW95A	18	TN	GXL	2643676R1	3539778C1		7112	1	SWS_N_REQ	3539785C1
VX95-GA	18	WH	GXL	2643674R1	3590390C1	7113A	2	3536868C1		
VX95-GA	18	WH	GXL	2643674R1	3539778C1		7112	2	SWS_N_REQ	3539785C1
VX95A	18	TN	GXL	2643676R1	3590390C1	7113A	1	3536868C1		
VX95A	18	TN	GXL	2643676R1	3539778C1		7112	1	SWS_N_REQ	3539785C1
VY95-GA	18	WH	GXL	2643674R1	3977821C1	7113M	2	SWS_N_REQ		
VY95-GA	18	WH	GXL	2643674R1	3539778C1		7114	2	SWS_N_REQ	3539785C1
VY95A	18	TN	GXL	2643676R1	3977821C1	7113M	1	SWS_N_REQ		
VY95A	18	TN	GXL	2643676R1	3539778C1		7114	1	SWS_N_REQ	3539785C1
VZ95-GA	18	WH	GXL	2643674R1	3602747C1	7113P	2	SWS_N_REQ	3539784C1	
VZ95-GA	18	WH	GXL	2643674R1	3539778C1		7114	2	SWS_N_REQ	3539785C1
VZ95A	18	TN	GXL	2643676R1	3602747C1	7113P	1	SWS_N_REQ	3539784C1	
VZ95A	18	TN	GXL	2643676R1	3539778C1		7114	1	SWS_N_REQ	3539785C1
WA94SH	16	GY	GXL	2643680R1	3576268C1	9524	12	SWS_N_REQ	3576263C1	
WA94SH	16	GY	GXL	2643680R1	1667740C1	9510	C	1661872C1	1667771C1	
WA94SJ	16	GY	GXL	2643680R1	3678796C1	9512	1	3601687C1		
WA94SJ	16	GY	GXL	2643680R1	3576268C1	9524	5	SWS_N_REQ	3576263C1	
WA94SK	16	GY	GXL	2643680R1	3678796C1	9512	2	3601687C1		
WA94SK	16	GY	GXL	2643680R1	3576268C1	9524	6	SWS_N_REQ	3576263C1	
WA94SL	16	GY	GXL	2643680R1	3576268C1	9524	9	SWS_N_REQ	3576263C1	
WA94SL	16	GY	GXL	2643680R1	1686834C1	9513	C	1652325C1	166448C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
WA94SM	16	GY	GXL	2643680R1	3576268C1	9524	7	SWS_N_REQ	3576263C1	
WA94SM	16	GY	GXL	2643680R1	1686834C1	9513	A	1652325C1	166448C1	
WA94SN	16	GY	GXL	2643680R1	3576268C1	9524	8	SWS_N_REQ	3576263C1	
WA94SN	16	GY	GXL	2643680R1	1686834C1	9513	B	1652325C1	166448C1	
WA94SVC	16	GY	GXL	2643680R1	3576268C1	9524	11	SWS_N_REQ	3576263C1	
WA94SVC	16	GY	GXL	2643680R1	1667740C1	9510	B	1661872C1	1667771C1	
WA94SZC	16	GY	GXL	2643680R1	3576268C1	9524	10	SWS_N_REQ	3576263C1	
WA94SZC	16	GY	GXL	2643680R1	1667740C1	9510	A	1661872C1	1667771C1	
WC94SAB	18	GY	GXL	2643673R1	3601685C1	9514H	1	3601687C1		
WC94SAB	18	GY	GXL	2643673R1	3576268C1	9524	1	SWS_N_REQ	3576263C1	
WC94SBB	18	GY	GXL	2643673R1	3601685C1	9514H	2	3601687C1		
WC94SBB	18	GY	GXL	2643673R1	3576268C1	9524	3	SWS_N_REQ	3576263C1	
WC94SCB	18	GY	GXL	2643673R1	3601685C1	9514H	3	3601687C1		
WC94SCB	18	GY	GXL	2643673R1	3576268C1	9524	2	SWS_N_REQ	3576263C1	
WC94SDB	18	GY	GXL	2643673R1	3601685C1	9514H	4	3601687C1		
WC94SDB	18	GY	GXL	2643673R1	3576268C1	9524	4	SWS_N_REQ	3576263C1	
WE42-G	18	WH	GXL	2643674R1	3551896C1	8806	B	1652325C1	354454C1	3551897C1
WE42-G	18	WH	GXL	2643674R1	587567C91	9754B	B	1652325C1		
WF42-G	18	WH	GXL	2643674R1	3551896C1	8807	E	1652325C1	354454C1	3551897C1
WF42-G	18	WH	GXL	2643674R1	587567C91	9754B	B	1652325C1		
WG94SAB	18	GY	GXL	2643673R1	3601685C1	9514	1	3601687C1		
WG94SAB	18	GY	GXL	2643673R1	3576268C1	9524	1	SWS_N_REQ	3576263C1	
WG94SBB	18	GY	GXL	2643673R1	3601685C1	9514	2	3601687C1		
WG94SBB	18	GY	GXL	2643673R1	3576268C1	9524	3	SWS_N_REQ	3576263C1	
WG94SCB	18	GY	GXL	2643673R1	3601685C1	9514	3	3601687C1		
WG94SCB	18	GY	GXL	2643673R1	3576268C1	9524	2	SWS_N_REQ	3576263C1	
WG94SDB	18	GY	GXL	2643673R1	3601685C1	9514	4	3601687C1		
WG94SDB	18	GY	GXL	2643673R1	3576268C1	9524	4	SWS_N_REQ	3576263C1	
WH95-GA	18	WH	GXL	2643674R1	3977821C1	7113Z	2	SWS_N_REQ		
WH95-GA	18	WH	GXL	2643674R1	3539778C1	7114	2	SWS_N_REQ	3539785C1	
WH95A	18	TN	GXL	2643676R1	3977821C1	7113Z	1	SWS_N_REQ		
WH95A	18	TN	GXL	2643676R1	3539778C1	7114	1	SWS_N_REQ	3539785C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
WIRE3				UNDEF	*****	**** WI	E END	OT FOUND *		
WIRE3				UNDEF	*****	*****	*****	*****		
WJ42-G	18	WH	GXL	2643674R1	3551896C1	8806	B	1652325C1	354454C1	3551897C1
WJ42-G	18	WH	GXL	2643674R1	587567C91	9754	B	1652325C1		
WK42-G	18	WH	GXL	2643674R1	3551896C1	8807	E	1652325C1	354454C1	3551897C1
WK42-G	18	WH	GXL	2643674R1	587567C91	9754	B	1652325C1		
WL42-G	16	GY	GXL	2643680R1	3551896C1	8807	E	1652325C1	354454C1	3551897C1
WL42-G	16	GY	GXL	2643680R1	CB	9754D	C	SWS_N_REQ		
WM42-G	16	GY	GXL	2643680R1	3551896C1	8806	B	1652325C1	354454C1	3551897C1
WM42-G	16	GY	GXL	2643680R1	CB	9754D	C	SWS_N_REQ		
XA19	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
XA19	16	GY	GXL	2643680R1	1671610C1	4042L	A	1652325C1	167168C1	
XA19-G	16	WH	TXL	3510360R1	3551896C1	8805	F	1652325C1	354454C1	3551897C1
XA19-G	16	WH	TXL	3510360R1	1671610C1	4042L	B	1652325C1	167168C1	
XB95-GA	18	WH	GXL	2643674R1	3977821C1	7113N	2	SWS_N_REQ		
XB95-GA	18	WH	GXL	2643674R1	3539778C1		7114	SWS_N_REQ	3539785C1	
XB95A	18	TN	GXL	2643676R1	3977821C1	7113N	1	SWS_N_REQ		
XB95A	18	TN	GXL	2643676R1	3539778C1		7114	SWS_N_REQ	3539785C1	
XM59-G	12	WH	GXL	2643787R1	3551896C1	8809	F	589390C1	354454C1	3551897C1
XM59-G	12	WH	GXL	2643787R1	3551896C1	8805	A	589390C1	354454C1	3551897C1
XN47T-G	18	GY	GXL	2643673R1	3551896C1	8806	D	1652325C1	354454C1	3551897C1
XN47T-G	18	GY	GXL	2643673R1	2206589C1		7621	3522193C1		
XN47TS	16	GY	GXL	2643680R1	3595622C1	1701F	65	SWS_N_REQ		
XN47TS	16	GY	GXL	2643680R1	2206589C1		7621	3522194C1		
XN47TV	18	GY	GXL	2643673R1			7620	2644038R1		
XN47TV	18	GY	GXL	2643673R1	2206589C1		7621	3522193C1		
XW95-GA	18	WH	GXL	2643674R1	3977821C1	7113R	2	SWS_N_REQ		
XW95-GA	18	WH	GXL	2643674R1	3539778C1		7114	SWS_N_REQ	3539785C1	
XW95A	18	TN	GXL	2643676R1	3977821C1	7113R	1	SWS_N_REQ		
XW95A	18	TN	GXL	2643676R1	3539778C1		7114	SWS_N_REQ	3539785C1	
XY19	16	GY	GXL	2643680R1	3595622C1	1701F	67	SWS_N_REQ		
XY19	16	GY	GXL	2643680R1	1671610C1	4042M	A	1652325C1	167168C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
XY19-G	16	WH	TXL	3510360R1	3551896C1	8805	F	1652325C1	354454C1	3551897C1
XY19-G	16	WH	TXL	3510360R1	1671610C1	4042M	B	1652325C1	167168C1	
YH112-GD	16	WH	TXL	3510360R1	3551896C1	8809	D	1652325C1	354454C1	3551897C1
YH112-GD	16	WH	TXL	3510360R1	3522068C1	7803	B	1661872C1	1661874C1	
YJ11-GD	16	WH	TXL	3510360R1	3551896C1	8809	D	1652325C1	354454C1	3551897C1
YJ11-GD	16	WH	TXL	3510360R1		SS1	-	2644000R1		
YJ112-GD	16	WH	GXL	2643681R1	3522068C1	7803	B	1661872C1	1661874C1	
YJ112-GD	16	WH	GXL	2643681R1		SS1	-	2644000R1		
YJ65-G	16	WH	GXL	2643681R1	1661778C1	9718A	B	1661872C1	1661874C1	
YJ65-G	16	WH	GXL	2643681R1		SS1	-	2644000R1		
YK11-GD	16	WH	TXL	3510360R1	3551896C1	8809	D	1652325C1	354454C1	3551897C1
YK11-GD	16	WH	TXL	3510360R1		SWS2	-	2644000R1		
YK112-GD	16	WH	TXL	3510360R1	3522068C1	7803	B	1661872C1	1661874C1	
YK112-GD	16	WH	TXL	3510360R1		SWS2	-	2644000R1		
YK65-G	16	WH	GXL	2643681R1	1661778C1	9766	B	1661872C1	1661874C1	
YK65-G	16	WH	GXL	2643681R1		SWS2	-	2644000R1		
YL112	16	GY	GXL	2643680R1	3595622C1	1701F	66	SWS_N_REQ		
YL112	16	GY	GXL	2643680R1	3522068C1	7803	A	1661872C1	1661874C1	
YM65-G	16	WH	GXL	2643681R1	3551896C1	8809	D	1652325C1	354454C1	3551897C1
YM65-G	16	WH	GXL	2643681R1	1661778C1	9718A	B	1661872C1	1661874C1	
YN65-G	16	WH	GXL	2643681R1	3551896C1	8809	D	1652325C1	354454C1	3551897C1
YN65-G	16	WH	GXL	2643681R1	1661778C1	9766	B	1661872C1	1661874C1	
YP112	16	GY	GXL	2643680R1	3950690C1	7803A	1	SWS_N_REQ		
YP112	16	GY	GXL	2643680R1	3595622C1	1701F	66	SWS_N_REQ		
YS112-GD	16	WH	TXL	3510360R1	3950690C1	7803A	2	SWS_N_REQ		
YS112-GD	16	WH	TXL	3510360R1	3551896C1	8809	D	1652325C1	354454C1	3551897C1
YT11-GD	16	WH	GXL	2643681R1	3551896C1	8809	D	1652325C1	354454C1	3551897C1
YT11-GD	16	WH	GXL	2643681R1		SS3	-	2644000R1		
YT112-GD	16	WH	TXL	3510360R1	3950690C1	7803A	2	SWS_N_REQ		
YT112-GD	16	WH	TXL	3510360R1		SS3	-	2644000R1		
YT65-G	16	WH	GXL	2643681R1	1661778C1	9766	B	1661872C1	1661874C1	
YT65-G	16	WH	GXL	2643681R1		SS3	-	2644000R1		

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
YU11-GD	16	WH	GXL	2643681R1	3551896C1	8809	D	1652325C1	354454C1	3551897C1
YU11-GD	16	WH	GXL	2643681R1		SS2	-	2644000R1		
YU112-GD	16	WH	TXL	3510360R1	3950690C1	7803A	2	SWS_N_REQ		
YU112-GD	16	WH	TXL	3510360R1		SS2	-	2644000R1		
YU65-G	16	WH	GXL	2643681R1	1661778C1	9718A	B	1661872C1	1661874C1	
YU65-G	16	WH	GXL	2643681R1		SS2	-	2644000R1		
ZA14H	4	RD	SGX	2644026R1	3517760C1	4411M5	A	SWS_N_REQ		
ZA14H	4	RD	SGX	2644026R1	3517759C1	4412F	A	SWS_N_REQ		
ZB14CZ	4	RD	SGX	2644026R1	3517760C1	4411M4	A	SWS_N_REQ		
ZB14CZ	4	RD	SGX	2644026R1	3517759C1	4413F1	A	SWS_N_REQ		
ZC14E	4	RD	SGX	2644026R1	3517760C1	4411M6	A	SWS_N_REQ		
ZC14E	4	RD	SGX	2644026R1	3517759C1	4413F2	A	SWS_N_REQ		
ZE10-GR	14	WH	GXL	2643689R1	3572899C1	4410F	2	SWS_N_REQ	25242C1	
ZE10-GR	14	WH	GXL	2643689R1	3551896C1	8809	C	589391C1	354454C1	3551897C1
ZE20	16	LTGN	GXL	2643678R1	3595622C1	1701F	51	SWS_N_REQ		
ZE20	16	LTGN	GXL	2643678R1	3572899C1	4410F	6	SWS_N_REQ	25242C1	
ZE5E(+)	18	YL	TXL	3572112R1	3595622C1	1701F	52	SWS_N_REQ		
ZE5E(+)	18	YL	TXL	3572112R1	3572899C1	4410F	3	SWS_N_REQ	25242C1	
ZE5E(-)	18	GN	TXL	3572112R1	3595622C1	1701F	53	SWS_N_REQ		
ZE5E(-)	18	GN	TXL	3572112R1	3572899C1	4410F	4	SWS_N_REQ	25242C1	
ZF14H	4	RD	SGX	2644026R1	3517760C1	4411A4	A	SWS_N_REQ		
ZF14H	4	RD	SGX	2644026R1	3517759C1	4413A3	A	SWS_N_REQ		
ZG14CZ	4	RD	SGX	2644026R1	3517760C1	4411A5	A	SWS_N_REQ		
ZG14CZ	4	RD	SGX	2644026R1	3517759C1	4413A2	A	SWS_N_REQ		
ZJ94AA	16	GY	GXL	2643680R1	3678796C1	6925	1	3601687C1		
ZJ94AA	16	GY	GXL	2643680R1	3595622C1	1701F	61	SWS_N_REQ		
ZJ94AB	16	GY	GXL	2643680R1	3678796C1	6925	2	3601687C1		
ZJ94AB	16	GY	GXL	2643680R1	3595622C1	1701F	65	SWS_N_REQ		
ZK10-GA	18	WH	GXL	2643674R1	3551896C1	8809	B	1652325C1	354454C1	3551897C1
ZK10-GA	18	WH	GXL	2643674R1	3522068C1	9102A	A	1661872C1	1661874C1	
ZK37C	16	TN	GXL	2643683R1	3595622C1	1701F	76	SWS_N_REQ		
ZK37C	16	TN	GXL	2643683R1	3522068C1	9102A	B	1661872C1	1661874C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
ZL36B	18	TN	GXL	2643676R1	3595622C1	1701F	27	SWS_N_REQ		
ZL36B	18	TN	GXL	2643676R1	1661778C1	9103	A	1661872C1	1661874C1	
ZL9-GB	18	GY	GXL	2643673R1	3551896C1	8802	C	1652325C1	354454C1	3551897C1
ZL9-GB	18	GY	GXL	2643673R1	1661778C1	9103	B	1661872C1	1661874C1	
ZM14E	4	RD	SGX	2644026R1	3517760C1	4411A6	A	SWS_N_REQ		
ZM14E	4	RD	SGX	2644026R1	3517759C1	4413A1	A	SWS_N_REQ		
ZN39-GB	16	WH	GXL	2643681R1	3551896C1	8807	C	1652325C1	354454C1	3551897C1
ZN39-GB	16	WH	GXL	2643681R1	1673790C1	9900C	B	1652325C1	1673791C1	
ZN39B	18	GY	GXL	2643673R1	3595622C1	1701F	31	SWS_N_REQ		
ZN39B	18	GY	GXL	2643673R1	1673790C1	9900C	A	1652325C1	1673791C1	
ZP36B	18	TN	GXL	2643676R1	3595622C1	1701F	27	SWS_N_REQ		
ZP36B	18	TN	GXL	2643676R1	1661778C1	9102C	A	1661872C1	1661874C1	
ZP9-GB	18	GY	GXL	2643673R1	3551896C1	8802	C	1652325C1	354454C1	3551897C1
ZP9-GB	18	GY	GXL	2643673R1	1661778C1	9102C	B	1661872C1	1661874C1	
ZQ10-GA	18	WH	GXL	2643674R1	3551896C1	8809	B	1652325C1	354454C1	3551897C1
ZQ10-GA	18	WH	GXL	2643674R1	3522068C1	9102D	A	1661872C1	1661874C1	
ZQ37C	16	TN	GXL	2643683R1	3595622C1	1701F	76	SWS_N_REQ		
ZQ37C	16	TN	GXL	2643683R1	3522068C1	9102D	B	1661872C1	1661874C1	
ZS10-GA	18	WH	GXL	2643674R1	3551896C1	8809	B	1652325C1	354454C1	3551897C1
ZS10-GA	18	WH	GXL	2643674R1	3522068C1	9102B	A	1661872C1	1661874C1	
ZS37C	16	TN	GXL	2643683R1	3595622C1	1701F	76	SWS_N_REQ		
ZS37C	16	TN	GXL	2643683R1	3522068C1	9102B	B	1661872C1	1661874C1	
ZT36B	18	TN	GXL	2643676R1	3595622C1	1701F	27	SWS_N_REQ		
ZT36B	18	TN	GXL	2643676R1	1661778C1	9102E	A	1661872C1	1661874C1	
ZT9-GB	18	GY	GXL	2643673R1	3551896C1	8802	C	1652325C1	354454C1	3551897C1
ZT9-GB	18	GY	GXL	2643673R1	1661778C1	9102E	B	1661872C1	1661874C1	
ZU94-G6	14	GY	TXL	3510313R1	3595622C1	1701F	25	SWS_N_REQ		
ZU94-G6	14	GY	TXL	3510313R1	3558026C1	9800	21	3509903C1	355856C1	
ZU94-G7	14	GY	TXL	3510313R1	3595622C1	1701F	24	SWS_N_REQ		
ZU94-G7	14	GY	TXL	3510313R1	3558026C1	9800	18	3509903C1	355856C1	
ZU94WL	16	GY	TXL	3510312R1	3595622C1	1701F	14	SWS_N_REQ		
ZU94WL	16	GY	TXL	3510312R1	3558026C1	9800	13	3509903C1	355856C1	

Circuit Number	Gauge	Color	Insulation	Terminal Splice Number	Connector Body Part Numbers	Connector Number	Cavity	SEAL / SLEEVE	Lock 1	Lock 2
ZU94WM	16	GY	TXL	3510312R1	3595622C1	1701F	15	SWS_N_REQ		
ZU94WM	16	GY	TXL	3510312R1	3558026C1		9800	3509903C1	355856C1	
ZU94WN	14	GY	TXL	3510313R1	3595622C1	1701F	18	SWS_N_REQ		
ZU94WN	14	GY	TXL	3510313R1	3558026C1		9800	3509903C1	355856C1	
ZU94WR	14	GY	TXL	3510313R1	3595622C1	1701F	19	SWS_N_REQ		
ZU94WR	14	GY	TXL	3510313R1	3558026C1		9800	3509903C1	355856C1	
ZU94WS	16	GY	TXL	3510312R1	3595622C1	1701F	22	SWS_N_REQ		
ZU94WS	16	GY	TXL	3510312R1	3558026C1		9800	3509903C1	355856C1	
ZU94WT	16	GY	TXL	3510312R1	3595622C1	1701F	23	SWS_N_REQ		
ZU94WT	16	GY	TXL	3510312R1	3558026C1		9800	3509903C1	355856C1	
ZU94WU	14	GY	TXL	3510313R1	3595622C1	1701F	17	SWS_N_REQ		
ZU94WU	14	GY	TXL	3510313R1	3558026C1		9800	3509903C1	355856C1	
ZU94WW	14	GY	TXL	3510313R1	3595622C1	1701F	16	SWS_N_REQ		
ZU94WW	14	GY	TXL	3510313R1	3558026C1		9800	3509903C1	355856C1	
ZV36B	18	TN	GXL	2643676R1	3595622C1	1701F	27	SWS_N_REQ		
ZV36B	18	TN	GXL	2643676R1	1661778C1	9102V	A	1661872C1	1661874C1	
ZV9-GB	18	GY	GXL	2643673R1	3551896C1		8802	1652325C1	354454C1	3551897C1
ZV9-GB	18	GY	GXL	2643673R1	1661778C1	9102V	B	1661872C1	1661874C1	
ZW10-GA	18	WH	GXL	2643674R1	3551896C1		8809	1652325C1	354454C1	3551897C1
ZW10-GA	18	WH	GXL	2643674R1	3522068C1	9102W	A	1661872C1	1661874C1	
ZW37C	16	TN	GXL	2643683R1	3595622C1	1701F	76	SWS_N_REQ		
ZW37C	16	TN	GXL	2643683R1	3522068C1	9102W	B	1661872C1	1661874C1	
ZX36B	18	TN	GXL	2643676R1	3595622C1	1701F	27	SWS_N_REQ		
ZX36B	18	TN	GXL	2643676R1	1661778C1	9102X	A	1661872C1	1661874C1	
ZX9-GB	18	GY	GXL	2643673R1	3551896C1		8802	1652325C1	354454C1	3551897C1
ZX9-GB	18	GY	GXL	2643673R1	1661778C1	9102X	B	1661872C1	1661874C1	
[CJ19A]	16	-	GXL	V-16-GXL	3756499C1		9301	1	SWS_N_REQ	
[CJ19A]	16	-	GXL	V-16-GXL	PAS1(A)	4042A		A	SWS_N_REQ	
[CK19B]	16	-	GXL	V-16-GXL	3756499C1		9301	1	SWS_N_REQ	
[CK19B]	16	-	GXL	V-16-GXL	PAS1(A)	4042B		A	SWS_N_REQ	
[CL19C]	16	-	GXL	V-16-GXL	3756499C1		9301	1	SWS_N_REQ	
[CL19C]	16	-	GXL	V-16-GXL	PAS1(A)	4042C		A	SWS_N_REQ	

A

ABS Splice Packs - 1410 Design 33

Adjustable Engine Speed Control (PTO) 4-pin Design 231

Ambient Air Temperature Design 539

Automatic Lighting - Dual Sensor Twilight/Solar Design 320

Auxiliary Gauges (Secondary) Design 27

Auxiliary Gauges (Primary) Design 28

Auxiliary Power (40A) HSD Design 103

B

B6.7 - 2-Way Radio Design 99

B6.7 - 26 inch Fuel Tank - Secondary Design 557

B6.7 - 26 inch Fuel Tank Design 554

B6.7 - Aftertreatment PDM Design 51

B6.7 - Antilock Brake System (ABS) BENDIX 4 Channel Implementation Design 245

B6.7 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale) Design 651

B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 1 Design 68

B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 2 Design 69

B6.7 - Auxiliary Air Solenoids (1 Normally Closed) Option 3 Design 72

B6.7 - Axle Temperature Monitoring (Single Rear Aux Gauge) Design 541

B6.7 - Axle Temperature Monitoring (Single Rear Virtual Gauge) Design 542

B6.7 - Back-Up Alarm (Automatic) W/ Tailboard Design 201

B6.7 - Back-Up Alarm (Automatic) W/O Tailboard Design 200

B6.7 - Back-Up Alarm (Manual) W/ Tailboard Design 203

B6.7 - Back-Up Alarm (Manual) W/O Tailboard Design 202

B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1 Design 435

B6.7 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2 Design 437

B6.7 - Backup Lights (Single Reverse Light) Eaton/Manual Trans Design 331

B6.7 - Backup Lights (Single Reverse Lights) Eaton/Manual Trans Option 1 Design 329

B6.7 - Backup Lights (Single Reverse Lights) Eaton/Manual Trans Option 2 Design 330

B6.7 - Battery International (4) 12V Design 700

B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic) Design 332

B6.7 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual) Design 335

B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 1 Design 338

B6.7 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 2 Design 339

B6.7 - Bosch LH160_LH200 Alternator Design 678

B6.7 - Cab Dome Light W/ Combo in Diamond Trim Design 609

B6.7 - Cab Dome Light W/Classic Trim Design 608

B6.7 - CAN Layout Design 9

B6.7 - CB Radio - Power Only Design 113

B6.7 - Center Chassis Ground Splice Packs - 8802/8805/8807/8809 Design 44

B6.7 - City Horn (W/ 4PIN CLK & Park Brake) Design 137

B6.7 - City Horn (W/ 4PIN CLK) Design 143

B6.7 - Clutch Monitoring (High and Low Switch to BCM) Design 690

B6.7 - Crank Inhibit (Engine Speed Inhibit Only) Design 693

B6.7 - Cranking (Starter) GEN4 BCM W/O Thermal Overcrank Design 673

B6.7 - Cranking Request (w/ Key Switch w/ BCM) Design 691

B6.7 - Current Monitoring (Ammeter) Design 530

B6.7 - Delco Remy 28SI Alternator W/Sensor Design 679

B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW Design 439

B6.7 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS Design 441

B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW Design 445

B6.7 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights Design 447

B6.7 - DLB - Remote Power Modules (1 RPM w/ Switch Packs) Design 212

B6.7 - DLB - Remote Power Modules (2 RPM w/ Switch Packs) Design 215

INDEX

B6.7 - Drain Valve Heater Design	121	B6.7 - Odometer (via BCM/EGC) Design	571
B6.7 - Driver Controlled Locking Differential - RR Axle (Dana w/ one sw) Design	632	B6.7 - Park Brake Controls (Monitoring) (Door Switch City Horn) Design	605
B6.7 - Driver Controlled Locking Differential - RR Axle (Meritor w/ one sw) Design	633	B6.7 - PTO - Fuel and Hours Design	532
B6.7 - Economy Monitor Design	593	B6.7 - Rear Lights Stop - Single Assembly Design	461
B6.7 - Engine (Control) [Cummins Euro] Design	21	B6.7 - Remote Keyless Access Design	62
B6.7 - Engine Ground Distribution - 6704 Design	39	B6.7 - Remote Start/Stop Design	227
B6.7 - Engine Oil Pressure Design	547	B6.7 - Remote Start/Stop w/ Emergency Pump Design	228
B6.7 - Engine Speed (Tachometer) Design	582	B6.7 - RIGHTSIDE AIR DRYER Design	258
B6.7 - Engine Warning_MUX Design	594	B6.7 - Service Brake Pressure (Auxiliary Gauge) Design	578
B6.7 - Extended / Crew Cab Dome Light W/ Combo in Classic Trim Design	610	B6.7 - Service Brake Pressure (Virtual Gauge) Design	579
B6.7 - Extended / Crew Cab Dome Light W/ Combo in Diamond Trim Design	611	B6.7 - Service Brake Switch Design	431
B6.7 - Forward Chassis Ground Splice Packs - 8800 Design	45	B6.7 - Speaker:Four Speakers Daycab w/BT w/QC Design	94
B6.7 - Forward Chassis Power Design	58	B6.7 - Speakers:Four Speakers Daycab n/BT w/QC Design	91
B6.7 - Front Fog Lamps Design	374	B6.7 - Speakers:Two Speakers n/BT w/QC Design	92
B6.7 - Front Marker Lights Design	451	B6.7 - Speakers:Two Speakers w/BT w/QC Design	93
B6.7 - Front Marker Lights W /Plow Lights Design	453	B6.7 - Starting Aid (Grid Heater) Design	694
B6.7 - Grid Management (CA2) Day Cab Design	53	B6.7 - Theft Deterrent (Grid Controlled) Design	63
B6.7 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK Design	366	B6.7 - Traction Control (Bendix) Design	281
B6.7 - Headlights W 10PIN CLK W/LOWW W/O Interrupt Design	350	B6.7 - Transmission (Allison 3K/4K) Design	655
B6.7 - Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt Design	354	B6.7 - Transmission Oil Temperature-Manual Trans (w/Aux Gauge) Design	586
B6.7 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt Design	358	B6.7 - Transmission Oil Temperature-Manual Trans Design	585
B6.7 - Heating Ventilation & Air Conditioning (HVAC) Design	525	B6.7 - Transmission Power Take Off (Auto Trans Single PTO w/21 Parameters) Design	236
B6.7 - I/O Expansion Design	209	B6.7 - Transmission Power Take Off (Manual Trans Single PTO w/ 21 Parameters) Design	237
B6.7 - License Plate Light (Tail Light Single Assy) Option 1 Design	457	B6.7 - Transmission Power Take Off (Single Input configurable pull up or pull down) Design	238
B6.7 - License Plate Light (Tail Light Single Assy) Option 2 Design	458	B6.7 - Transmission Shifter (Stalk Shifter Allison) Design	653
B6.7 - License Plate Light (Tail Light Single Assy) Option 3 Design	459	B6.7 - Trip Odometer (w/ECM & TCM) Design	573
B6.7 - License Plate Light (Tail Light Single Assy) W/Less Power Module Design	460	B6.7 - Trip Odometer (Gen 4 Cluster) Design	572
		B6.7 - Underhood PDM Design	59
		B6.7 - Vehicle Speedometer System (Automatic XMSN) NA Design	590
		B6.7 - WORK LIGHT 1 BULB Design	511

B6.7 - ZVR Splice Packs - 6747 Design 41
 Banana Plugs Receptacle Design 112
 Battery Grid Design 55
 BCM (Body Control Module) Design 1
 Bosch LH160_LH200 Alternator Design 676

C
 Chassis PDM Design 50
 Cigar Lighter Design 104
 Clearance and Identification Lights Design 322
 Compressed Air Supply Design 533
 Connector Assembly List 2091
 Coolant Level Monitoring (No CLA Module) Design 600
 Coolant Level Monitoring (With CLA Module) Design 601
 Coolant Temperature Monitoring (J1939 Comm) Design 534
 Cooling Fan Control Two-Speed Design 284
 Courtesy Light Cab Design 612
 Courtesy Light Crew Cab Design 613
 Cruise Control (W/ One Telltale 4 Pin) Design 115

D
 Delco Remy 28SI Alternator W/Sensor Design 677
 Door Ajar Reminder (Entry /Exit):4 Door Design 161
 Door Ajar Reminder (Entry/Exit) Design 162
 DPF - Regen Switch Only Design 602

E
 Engine Block Heater Design 286
 Engine Usage Monitoring (Base) NA Design 552
 Exterior Lamp Check Design 323
 Exterior Lamp Reminder Design 324

G
 Ground Splice Pack - 1022 & 1023 Design 35
 Ground Splice Pack - 1027 Design 36
 Ground Splice Pack Design 34

H
 Heating Ventilation & Air Conditioning (HVAC) Auto Temp Control Design 526
 Height Control Design 618
 High Exhaust System Temperature (HEST) Monitoring Design 595

I
 Instrument Cluster (Premium) Design 29
 Instrument Cluster - Bulb Check Design 31
 Instrument Cluster - Request and Status Design 32
 Interior Task Lights (Map) - Dome Combo Design 614
 IP ZVR Splice Packs - 1620 Design 43

J
 J1-1603:3598711C1 702
 J2-1604:3598710C1 714
 J3-1600:3598706C1 726
 J4-1601:3598707C1 743
 J5-1602:3598705C1 754
 J6-1606:3759005C1 770
 J7-1607:3710061C1 786

K
 K03_STARTER_GND:RING-E-1-2_0 789
 Key Switch Accessory Design 56
 Key Switch Ignition Design 57

L

L9 - 2-Way Radio Design 101

L9 - 26 inch Fuel Tank - Secondary Design 564

L9 - 26 inch Fuel Tank Design 558

L9 - Adjustable Engine Speed Control (PTO) 10-pin Design 232

L9 - Aftertreatment PDM Design 52

L9 - Alternate Flashing (Wig Wag) - Park Brake disables High Beams Design . 348

L9 - Alternate Flashing (Wig Wag) - Park Brake disables Wig Wag Design . . . 349

L9 - Ambient Temperature Monitoring Design 540

L9 - Antilock Brake System (ABS) BENDIX 4 Channel Implementation Design . 248

L9 - Antilock Brake System (ABS) Bendix 6 Channel Implementation Design . . 249

L9 - Auto Neutral (Allison with Multiplex Switch and Confirmation Telltale)
Design 659

L9 - Auto Neutral (Allison without Multiplex Switch and Confirmation Telltale)
Design 657

L9 - Automatic Lighting Design 325

L9 - Auxiliary Air Solenoids (1 Normally Closed) Design 75

L9 - Auxillary Air Solenoids Normally Closed Design 76

L9 - Axle Lift Controls Design 620

L9 - Axle Lift Controls Option 2 Design 624

L9 - Axle Loading (Weight) Rear Design 630

L9 - Axle Temperature Monitoring (Single Rear Aux Gauge) Design 543

L9 - Axle Temperature Monitoring (Single Rear Virtual Gauge) Design 544

L9 - Axle Temperature Monitoring (Tandem Rear Aux Gauge) Design 545

L9 - Axle Temperature Monitoring (Tandem Rear Virtual Gauge) Design 546

L9 - Back-Up Alarm (Automatic) W/ Tailboard Design 205

L9 - Back-Up Alarm (Automatic) W/O Tailboard Design 204

L9 - Back-Up Alarm (Manual) W/ Tailboard Design 207

L9 - Back-Up Alarm (Manual) W/O Tailboard Design 206

L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 1 Design 466

L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 2 Design 468

L9 - Backup Light (Single Reverse Light) Allison 3K/4K Option 3 Design 470

L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans Option 1
Design 462

L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans Option 2
Design 463

L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans Option 3
Design 464

L9 - Backup Lights (Single Reverse Light) Eaton/Manual Trans Option 4
Design 465

L9 - Battery International (4) 12V Design 701

L9 - Bendix Tractor or Towing Truck W/ Air SUSP J1939 Driven Lamp Design .275

L9 - Body Builder Lighting - Combined Turn and Stop Lamps (Automatic)
Design 340

L9 - Body Builder Lighting - Combined Turn and Stop Lamps (Manual) Design 343

L9 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 1
Design 346

L9 - Body Builder Lighting - Separate Turn and Stop Lamps (Blunt Cut) Option 2
Design 347

L9 - Cab Dome Light W/ Combo in Diamond Trim Design 616

L9 - Cab Dome Light W/Classic Trim Design 615

L9 - CAN Layout Design 14

L9 - CB Radio - Power Only (Single Antenna) Design 114

L9 - Center Chassis Ground Splice Packs - 8805/8806/8807/8809 Design 46

L9 - Cigar Lighter Aux APO Design 105

L9 - City Horn (W/ 4PIN CLK & Park Brake) Design 153

L9 - City Horn (W/ 4PIN CLK) Design 157

L9 - City Horn (W/ 10PIN CLK & Park Brake) Design 149

L9 - City Horn (W/ 10PIN CLK) Design 151

L9 - Clutch Monitoring (High and Low Switch to BCM) Design 695

L9 - Crank Inhibit (Engine Speed Inhibit Only) Design 697

L9 - Cranking (Starter) GEN4 BCM W/ Thermal Overcrank - External Switch
Design 675

L9 - Cranking (Starter) GEN4 BCM W/O Thermal Overcrank Design 674

L9 - Cranking Request (w/ Key Switch w/ BCM) Design 696

INDEX

L9 - Cruise Control (W/ One Telltale 10 Pin) Design	117	L9 - Engine Fuel and Block Heaters (Purchased Assembly) Design	289
L9 - Daytime Running Lights (Output to Plow Lights) Design	327	L9 - Engine Ground Distribution - 6704 Design	40
L9 - Delco Remy 36SI Alternator W/Sensor Design	680	L9 - Engine Oil and Block Heaters (Purchased Assembly) Design	290
L9 - Directional Signal (Turn) W/ LED BOX LAMPS Design	472	L9 - Engine Oil Fuel and Block Heaters Design	291
L9 - Directional Signal (Turn) W/ LED BOX LAMPS W/Plow Lights Design	474	L9 - Engine Oil Level Monitoring Design	548
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW Design	478	L9 - Engine Oil Pressure Design	549
L9 - Directional Signal (Turn) W/ Less Power Module Tail Board W/Hazard SW W/PLOW LIGHTS Design	480	L9 - Engine Oil Temperature (NA Mux) Design	550
L9 - Directional Signal (Turn) W/ Single Tail Board W/Hazard SW Design	484	L9 - Engine Oil Temperature(NA MUX AUX Gauge) Design	551
L9 - Directional Signal (Turn) W/ Single Tail Board W/Plow Lights Design	486	L9 - Engine Speed (Tachometer) Design	583
L9 - DLB - Remote Power Modules (1 RPM n/ Switch Packs) Design	219	L9 - Engine Usage Monitoring (VID Option) Design	553
L9 - DLB - Remote Power Modules (1 RPM w/ Switch Packs) Design	221	L9 - Engine Warning_MUX Design	597
L9 - DLB - Remote Power Modules (2 RPM n/ Switch Pack) Design	223	L9 - Exhaust Brake (Cummins) Design	294
L9 - DLB - Remote Power Modules (2 RPM w/ Switch Packs) Design	225	L9 - Fifth Wheel Slide Design	522
L9 - DPF - With Bistable Inhibit Sw Design	603	L9 - Fog Lights (Halogen White) Design	377
L9 - DPF - With Monostable Inhibit Sw Design	604	L9 - Fog Lights (LED White) Design	379
L9 - Drain Valve Heater Design	128	L9 - Forward Chassis Ground Splice Packs - 8800 Design	47
L9 - Driver Controlled Locking Differential - FR and RR Axle (Dana w/ one sw) Design	636	L9 - Forward Chassis Power Design	60
L9 - Driver Controlled Locking Differential - FR and RR Axle (Meritor w/ one sw) Design	637	L9 - Front Fog Lights W CONNECTOR Design	381
L9 - Driver Controlled Locking Differential - FR and RR Axles (Dana w/ two sw) Design	634	L9 - Front Marker Lights Design	490
L9 - Driver Controlled Locking Differential - FR and RR Axles (Meritor w/ two sw) Design	635	L9 - Front Marker Lights W /Plow Lights Design	492
L9 - Driver Controlled Locking Differential - RR Axle (Dana w/ one sw) Design	638	L9 - Fuel Heater (Vehicle Powered)(Davco) Design	295
L9 - Driver Controlled Locking Differential - RR Axle (Meritor w/ one sw) Design	639	L9 - Fuel Heater (Vehicle Powered)(Racor) Design	310
L9 - Economy Monitor Design	596	L9 - Grid Management (CA2) Day Cab Design	54
L9 - Engine (Control) [Cummins Euro] Design	24	L9 - Hazard Warning Light N/Trlr Socket Design	496
L9 - Engine Brake Mux Switch Design	287	L9 - Headlight W/Plowlights W/LOWW W/O Headlight Interrupt -10 PIN CLK Design	423
L9 - Engine Brake W/ Stalk Shifter Design	288	L9 - Headlights W 10PIN CLK W/LOWW W/Interrupt Design	383
		L9 - Headlights W 10PIN CLK W/LOWW W/O Interrupt Design	387
		L9 - Headlights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt Design	395
		L9 - Headlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt Design	391

INDEX

L9 - Headlights W/PlowLights W/Headlight Interrupt -10PIN CLK W/LOWW W/Interrupt Design	399	L9 - Rear Axle Load Distribution Design	640
L9 - Headlights W/PlowLights W/O Lights ON with wipers (LOWW) W/ Headlights Interrupt Design	415	L9 - Rear Light (LED BOX LAMP Tail Light) Design	509
L9 - Headlights W/Plowlights W/O Lights ON With Wipers (LOWW) W/O Headlights Interrupt Design	407	L9 - Rear Light (Tail Light) Design	510
L9 - Heated Mirrors (Hood with Door Pods) Design	170	L9 - Rear Lights Stop - Dual Assembly Design	507
L9 - Heated Windshield Design	64	L9 - Rear Lights Stop - Single Assembly Design	508
L9 - Heating Ventilation & Air Conditioning (HVAC) Design	529	L9 - Rear Suspension Pressure Monitoring (Virtual Gauge) Design	641
L9 - Hill Start Aid (Bendix) Design	661	L9 - Remote Keyless Access Design	65
L9 - I/O Expansion Design	210	L9 - Remote Start/Stop Design	229
L9 - Jaw Unlock Control Design	523	L9 - Remote Start/Stop w/ Emergency Pump Design	230
L9 - Jaw Unlock Control W/ SOLENOIDS W/SWITCH PACKS Design	524	L9 - RIGHTSIDE AIR DRYER Design	264
L9 - Leece-Neville - LN 325A Alternator W/Sensor Design	684	L9 - Seatbelt Reminder (Warning)(Driver & Passenger in parallel) Design	646
L9 - Leece-Neville 320PAH Alternator Design	683	L9 - Seatbelt Reminder (Warning)(Driver only) Design	645
L9 - Leece-Neville AVI160 Alternator Design	681	L9 - Selective Catalytic Reduction (SCR) - (Euro 4/ Euro 5) Design	199
L9 - Leece-Neville AVI160-210A/240A Alternator W/Sensor Design	682	L9 - Service Brake Pressure (Auxiliary Gauge) Design	580
L9 - License Plate Light (LED BOX LAMP Tail Light) Design	498	L9 - Service Brake Pressure (Virtual Gauge) Design	581
L9 - License Plate Light (Tail Light Single Assy) Option 1 Design	499	L9 - Service Brake Switch Design	432
L9 - License Plate Light (Tail Light Single Assy) Option 2 Design	500	L9 - Snow Valve Control Design	318
L9 - License Plate Light (Tail Light Single Assy) Option 3 Design	501	L9 - Speaker:Four Speakers Daycab w/BT w/QC Design	98
L9 - License Plate Light (Tail Light Single Assy) Option 4 Design	502	L9 - Speakers:Four Speakers Daycab n/BT w/QC Design	95
L9 - Lift Axle Controls (Center Pedestal Controls f/ 1 lift axle) Design	626	L9 - Speakers:Two Speakers n/BT w/QC Design	96
L9 - Lift Axle Controls (Center Pedestal Controls f/ 2 Lift Axles) Design	628	L9 - Speakers:Two Speakers w/BT w/QC Design	97
L9 - Lift Axle Controls (Center Pedestal Controls f/ 3 lift axles) Design	629	L9 - Stability Control (Bendix Straight Truck J1939 Driven Lamp) Design	277
L9 - Mirrors (Heat) Switch Pack Actuated includes Hood Mirrors Design	174	L9 - Standard APO Aux APO Design	108
L9 - Odometer (via BCM/EGC) Design	574	L9 - Starter Interlock (BCM LSD Controlled w/ Relay & N/ Auto SS)_EATON XMSN Design	698
L9 - Park Brake Controls (Monitoring) (Door Switch City Horn) Design	606	L9 - Starting Aid (Grid Heater) Design	699
L9 - PARK LIGHTS - W/Marker Interrupt 4 pin clockspring Design	505	L9 - TEM Electric Trailer Brake Controller Activated Stop LT Design	647
L9 - PARK LIGHTS - W/Marker Interrupt 10pin CLCKSPRING Design	503	L9 - Theft Deterrent (Grid Controlled) Design	66
L9 - Power Divider Lock Control and Monitoring Design	619	L9 - Three Auxillary Air Solenoids Design	82
L9 - Power Lift Gate Design	211	L9 - Traction Control (Bendix) Design	283
L9 - PTO - Fuel and Hours Design	535	L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option 1 Design	648

INDEX

L9 - Trailer Interface (Lighting) – BLUNT CUT (Part of Electric Trailer Brakes) Option 2 Design	649
L9 - Transfer Case - High/Low Air Sol Design	663
L9 - Transfer Case - High/Neu/Low Air Sol Design	664
L9 - Transmission (Allison 3K/4K) Design	668
L9 - Transmission Oil Temperature-Automatic Trans Design	587
L9 - Transmission Oil Temperature-Manual Trans w/Aux Gauge Design	589
L9 - Transmission Oil Temperature-Manual Transmission Design	588
L9 - Transmission Power Take Off (Auto Trans Single PTO w/21 Parameters) Design	239
L9 - Transmission Power Take Off (Auto Trans with Lectradrive) Design	240
L9 - Transmission Power Take Off (Lectrashift PTO with Manual Trans) Design	241
L9 - Transmission Power Take Off (Manual Trans Single PTO w/21 Parameters) Design	242
L9 - Transmission Power Take Off (Single Input configurable pull up or pull down) Design	243
L9 - Transmission Shifter (Stalk Shifter Allison) Design	666
L9 - Transmission Shifter Allison 5th Gen Push Button(SURHD) Design	665
L9 - Trip Odometer (w/ECM & TCM) Design	577
L9 - Trip Odometer (Gen 4 Cluster) Design	576
L9 - Trip Odometer w/VID Design	575
L9 - Two Speed Axle (AirShift on Shifter) Design	643
L9 - Underhood PDM Design	61
L9 - Vehicle Speed Control (Cruise Control) 10 Pin Design	119
L9 - Vehicle Speedometer System (Automatic XMSN) Design	591
L9 - Voltage Monitoring (Voltmeter) (with Aux gauge) Design	536
L9 - Water In Fuel (WIF) Davco N/ Heater Design	181
L9 - Water In Fuel (WIF) Davco W/ Heater Design	190
L9 - Windshield Washer Pump & Low Fluid Sensor Design	670
L9 - Windshield Wipers Design	672
L9 - WORK LIGHT 1 BULB Design	520
L9 - WORK LIGHT W BackUP 1 BULB Option 1 Design	514

L9 - WORK LIGHT W BackUP 1 BULB Option 2 Design	516
L9 - WORK LIGHT W RKE 1 BULB Design	518
L9 - Work Lights LED W/ Sw Pack - Day Cab Design	512
L9 - ZVR Splice Packs - 6747 Design	42
Light Splice Packs - 400/1623/1625 Design	37
Lighting Control Module Design	48

M

M8 B:RING-M-8_0	790
Mirrors (Heat) Switch Pack Actuated Relay Driven Design	166
Mirrors (Heated) Design	165
Mirrors (Power) Control Switch Actuated Design	167
Mirrors (Power) Door Pod Actuated Design	169
Multiplexed Switch Pack (Primary Switch) Design	208

N

N04-9740B:1661375C2	791
-------------------------------	-----

O

Operator Input Design	685
---------------------------------	-----

P

P4X_1:RING-M-8_0	794
P4X_2:RING-M-8_0	795
P4Y_1:RING-M-8_0	796
P4Y_2:BLUNT_SL_VC	797
P1898:3678796C1	793
P9074:1661778C1	798
Panel Backlighting (Cabin Dimmer) Design	617
Panel Dimmer Splice Packs - 1021 Design	38
Park Brake Control (Monitoring)(GEN IV BCM) Design	607
PARK LIGHTS - N/Marker Interrupt Design	433

Power Door Locks Crew Cab Design 164
 Power Door Locks Design 163
 Power Windows 4-Door N/W RKE Design 179
 Power Windows 4-Door W/RKE Design 180
 Power Windows Design 178

R

R01_4411P:3517760C1 799
 Radio Design 85
 Radio w/Bluetooth Design 86
 Radio w/Bluetooth without Steering Wheel Pod Design 88
 Radio w/Steering Wheel Pod Design 89
 Real Time Clock (RTC) (BCM Controlled) Design 67

S

Snow Plow Lights Design 328
 Standard APO Design 111
 Starter Interlock (BCM HSD controlled W/ Clutch SW & N/Auto SS) Design . . . 689
 Starter Interlocks (BCM Controlled with Input from Allison 3K/4K TCM) Design 687

T

Trans Range Inhibit (J1939 Comm) Design 598
 Transmission - MODE Selection Design 650
 Transmission Oil Temperature-Automatic Trans w/Aux Gauge Design 584
 Transmission Power Take Off (Single PTO W/ RPM and Auto Trans) Design . 234
 Transmission Power Take Off (Single PTO W/ RPM and Manual Trans) Design 235
 Two Speed Axle (Multiplex SW on Dash) Design 644

U

Up Shift Indicator Design 599

V

Vehicle Acceleration (w/ Two PWR Two GND & Two STS) Design 292
 Vehicle Alarm System Design 244
 Vehicle Sleep Mode Design 293
 Vehicle Speed Control (Cruise Control) 4 Pin Design 120
 Vehicle Speed Limit Override Design 537
 Vehicle Speedometer System (Manual XMSN) NA Design 592
 Voltage Monitoring (Voltmeter) Design 538

O

0009:4063156C1 804
 0009B:4063156C1 800

1

1F:3565207C1 811
 19:3752570C1 1336
 19:RING-M-6_0 1335
 100:3510243C1 820
 100:3767577C1 822
 101 Clean:475961C1 868
 101 Dirty:3753293C1 869
 1000:RING-E-1-4_0 815
 1000A:4063415C1 812
 1000B:4063415C1 813
 1000C:4063415C1 814
 1001:RING-E-1-4_0 816
 1002:2015884C1 817
 1002:2015884C1 818
 1003:2015884C1 819
 1010:3768015C1 823
 1011:3768010C1 828
 1012:3768010C1 836

INDEX

1013:3768010C1	841	1101F:3768593C1	909
1014:3768010C1	846	1101M:3507395C1	910
1015:3768015C1	850	1101M:3522071C1	911
1016:4100070C1	855	1106:3928059C1	912
1017:3768015C1	857	1107:3928059C1	913
1018:3768015C1	863	1108:3928059C1	915
1020:4063041C1	871	1111:RING-M-8_0	917
1020:RING-M-8_0	870	1112:1661260C1	919
1021:3613769C1	873	1112:RING-M-6_0	918
1021:RING-M-8_0	872	1113:1661260C1	921
1022:3613769C1	875	1200:RING-E-1-2_0	937
1023:3613769C1	881	1200A:3768152C1	922
1023A:3928059C1	878	1200B:3768153C1	926
1023B:3928059C1	880	1200C:4057474C1	929
1025:3601838C1	883	1200D:4061870C1	932
1027:3613769C1	886	1200E:4057658C1	933
1027F:1667529C1	885	1200F:4116508C1	936
1028:3601838C1	888	1201:RING-E-1-2_0	938
1032D:3709437C1	890	1202:3767197C1	939
1032E:3820176C1	892	1227:1661889C1	941
1032F:3709924C1	894	1234:3605713C1	942
1040:RING-M-6_0	895	1234:3605713C1	950
1041:RING-M-8_0	896	1235:3627615C1	958
1052:1661259C1	897	1235:3627615C1	961
1053:4116776C1	898	1236:2042685C1	962
1070:RING-M-6_0	900	1236:2042685C1	963
1071:RING-M-8_0	901	1237:2018589C1	966
1080:RING-M-8_0	902	1237:2018589C1	967
1081:RING-M-8_0	903	1300:3597143C1	970
1090:RING-M-10_0	904	1301:3600061C1	972
1091:RING-M-8_0	905	1400:3596926C1	973
1100:3546518C1	907	1401:3596929C1	976
1100MA:3546518C1	906	1402:3596928C1	979

INDEX

1403:3596927C1	983	1701F:3595622C1	1090
1410:3601838C1	987	1701F:3595622C1	1111
1420:3557922C1	992	1702:3595620C1	1168
1500A:3710061C1	993	1702:3595620C1	1172
1500A:3710061C1	1000	1702:3595621C1	1178
1501:2018589C1	1002	1702:3595621C1	1182
1501:2018589C1	1006	1703F:3595624C1	1188
1502:1661601C1	1007	1703F:3595624C1	1193
1502:1661601C1	1008	1703M:3595625C1	1201
1502:1661603C1	1011	1703M:3595625C1	1209
1503:3627615C1	1012	1800:3553649C1	1238
1503:3627615C1	1013	1800:3553649C1	1251
1600:3598706C1	1016	1800F:3612512C1	1214
1601:3598707C1	1017	1800F:3612512C1	1236
1602:3598705C1	1018	1802:3608496C1	1253
1603:3598711C1	1020	1804:1687790C1	1259
1604:3598710C1	1023	1808:1661777C1	1261
1605:373759C2	1025	1809:3547870C1	1264
1606:3759005C1	1026	1810:3539212C1	1267
1607:3710061C1	1028	1811:3540757C1	1276
1620:2007315C1	1029	1812:1678137C1	1283
1623:2007315C1	1031	1820F:1667529C1	1285
1625:3543733C1	1033	1820M:1667305C1	1287
1650/1650MA:3757649C1	1036	1821:3601800C1	1289
1650MA:3544066C1	1035	1822:1678137C1	1291
1657M:3683465C1	1037	1823:1661777C1	1293
1660:2006789C1	1038	1824:1661777C1	1295
1661:2006789C1	1039	1825F:4064551C1	1297
1700:3595624C1	1040	1852:3605445C91	1298
1700:3595625C1	1073	1873:593385C1	1312
1701:3595623C1	1134	1873B:593385C1	1299
1701:3595623C1	1154	1873D:593385C1	1300
1701:RING-E-1-2_0	1133	1873E:593385C1	1303

INDEX

1873F:593385C1 1306
1873G:593385C1 1309
1901:3590298C1 1315
1901:4094648C1 1317
1901A:4094648C1 1314
1902:3517473C1 1318
1903:3590298C1 1320
1903:4094648C1 1321
1903B:4094648C1 1319
1913:BLUNT_SL_VC 1323
1913A:BLUNT_SL_VC 1322
1916A:2005836C1 1324
1917F:188393R1 1325
1923:BLUNT_SL_VC 1326
1935N:3683465C1 1327
1939-125A:3683465C1 1328
1939-125B:3683465C1 1329
1939-125C:3683465C1 1330
1939-250A:3683465C1 1331
1939-250B:3683465C1 1332
1939_250C:3683465C1 1333
1940:BLUNT_SL_VC 1334

2

20A:RING-E-5-16_0 1337
20A:RING-E-5-16_0 1338
23XX:3534156C1 1356
254F:3662108C1 1373
254M:3510243C1 1375
254M:3510243C1 1377
2000:3544688C1 1343
2000:RING-10_0 1341
2000:RING-10_0 1342

2000F:3544687C1 1339
2001:RING-10_0 1345
2001:RING-10_0 1346
2002M:1661259C1 1347
2003M:1661259C1 1348
2004M:1661259C1 1349
2005M:1661259C1 1350
2006M:1661259C1 1351
2100M:1661889C1 1352
2100M:1661889C1 1353
2115M:1661889C1 1354
2225:3834322C1 1355
2300:3535769C1 1359
2300R:3535769C1 1358
2303F:1661196C1 1360
2303M:1661197C1 1361
2310:BLUNT_SL_VC 1362
2311:BLUNT_SL_VC 1363
2312:3533975C1 1364
2500F:3515763C1 1366
2500F:3515763C1 1367
2500M:3515762C1 1368
2500M:3515762C1 1370
2505:3811207C1 1372
2505M:3811181C1 1371
2600:2005835C1 1379
2600:2005835C1 1380
2600:2005836C1 1382
2600:2005836C1 1383

3

3000F:1661201C1 1385
3000M:1661200C1 1387

INDEX

3000M:1661200C1 1389
3000M:3538634C1 1391
3000M:3538634C1 1394
3000M:3538634C1 1397
3001:899167R1 1398
3002M:3767181C1 1399
3004:899167R1 1401
3005:899167R1 1402
3100F:1661201C1 1403
3100M:3767181C1 1404
3112M:1671610C1 1405
3200F:1661201C1 1406
3200F:1661201C1 1407
3200F:1661201C1 1410
3200F:1661201C1 1412
3200F:1661201C1 1413
3200F:1661201C1 1415
3200M:1661200C1 1416
3200M:1661200C1 1417
3200M:1661200C1 1418
3200M:1661200C1 1420
3201F:1667529C1 1421
3201F:1667529C1 1422
3201M:3709437C1 1423
3202L:1661200C1 1425
3202M:3820176C1 1427
3202M:3820176C1 1429
3202M:3820176C1 1430
3202R:1661200C1 1431
3202R:1661200C1 1432
3203M:3709924C1 1433
3203M:3709924C1 1435
3204M:1661200C1 1437

3205F:1667529C1 1439
3205M:1667305C1 1441
3208F:1661201C1 1443
3208F:1661201C1 1444
3209M:3709437C1 1446
3210M:3820176C1 1447
3211M:3709924C1 1449
3300M:3535769C1 1451
3300MR:3535769C1 1450
3400:1661259C1 1454
3400L:1667305C1 1452
3400R:1667305C1 1453
3500:239808R1 1457
3500B:239808R1 1456
3501:239808R1 1459
3501B:239808R1 1458
3502:239808R1 1461
3502B:239808R1 1460
3503:239808R1 1463
3503B:239808R1 1462

4

400:3543733C1 1465
4004:3525613C1 1464
4028C:RING-M-10_0 1468
4042A:1671610C1 1469
4060:6112506C1 1475
4060:6112506C1 1477
4060:6112506C1 1478
4060A:3690369C1 1472
4060A:3690369C1 1474
4069:BLUNT_SL_VC 1479
4087:3553404C1 1482

INDEX

4087B:3553404C1	1480	4411M1:3517760C1	1519
4101:1671610C1	1484	4411M2:3517760C1	1520
4120:3522251C1	1486	4411M2:3517760C1	1521
4307:3581768C1	1488	4411M4:3517760C1	1522
4320M:3517760C1	1489	4411M4:3572899C1	1523
4320M:3517760C1	1490	4411M4_:3517760C1	1524
4410A:3572899C1	1491	4411M5:3517760C1	1525
4410A:3572899C1	1493	4411M:3517760C1	1526
4410A:3572899C1	1494	4411M:3517760C1	1527
4410A:3572899C1	1495	4411N:3517759C1	1528
4410B:3572899C1	1496	4412F:3517759C1	1530
4410B:3572899C1	1497	4412F:3517759C1	1531
4410B:3572899C1	1498	4412M:3517760C1	1532
4410B:3572899C1	1499	4412M:3517760C1	1533
4410D:3572899C1	1503	4413F1:3517759C1	1534
4410D:3572899C1	1504	4413F2:3517759C1	1536
4410D:3572899C1	1505	4414:3517760C1	1537
4410DF:3572900C1	1500	4450AM:2039311C91	1538
4410DM:3572899C1	1501	4450BF:2039312C91	1540
4410DM:3572899C1	1502	4450BM:1686834C1	1542
4410F:3572899C1	1506	4450M:2039311C91	1544
4410F:3572900C1	1507	4450M:2039311C91	1546
4410F:3572900C1	1508	4450M:2039311C91	1549
4410G:3572899C1	1509	4450M:2039311C91	1551
4410H:3572899C1	1510	4460AM:1686834C1	1553
4410H:3572899C1	1511	4460BF:3553961C1	1554
4410H:3572899C1	1513	4460BM:2039311C91	1556
4410K:3572899C1	1514	4460M:1686834C1	1558
4410L:3572899C1	1515	4460M:1686834C1	1560
4410M:3572899C1	1516	4460M:1686834C1	1561
4411:3517760C1	1529	4460M:1686834C1	1563
4411F:3517759C1	1517	4500:1661375C2	1564
4411F:3517759C1	1518	4800:373756C2	1566

6

600:3522068C1	1593
666:3683465C1	1626
670:3690369C1	1629
670:3690369C1	1631
672M:3730560C1	1632
674:6114576C1	1638
674:6114576C1	1639
674:6114577C1	1641
674:6114577C1	1642
674M:3626435C1	1633
675:3757487C1	1645
675M:3626435C1	1644
677:3757487C1	1648
677F:6112506C1	1646
678:3991593C1	1649
679:4085662C92	1650
680:3730724C1	1654
682:3730732C1	1656
691:3714731C1	1659
6000:3614601C1	1567
6000:3614601C1	1574
6000:3945694C1	1582
6000:3945694C1	1587
6001:3557533C1	1589
6001:3557533C1	1591
6018:3952655C1	1594
6018:3952655C1	1596
6018:3952655C1	1597
6049:3866817C1	1598
6051:3866817C1	1599
6200:1671610C1	1600
6200:1671610C1	1601

6200:1671610C1	1602
6201:3662921C1	1604
6201A:3662921C1	1603
6202:3590299C1	1605
6202:3590299C1	1606
6305:RING-M-12_0	1608
6305:RING-M-12_0	1609
6305:RING-M-12_0	1610
6305M:RING-M-5_0	1607
6306:RING-M-6_0	1612
6306:RING-M-6_0	1613
6316M:2036583C1	1614
6332:1664531C1	1616
6332M:1664531C1	1615
6335:RING-M-12_0	1617
6401:3662425C1	1621
6401M:1687789C1	1618
6401R:1671610C1	1620
6565:3752570C1	1622
6566:6113338C1	1623
6567:6113341C1	1624
6704:3551896C1	1627
6747:3543733C1	1636
6747A:3543729C1	1634
6747A:3543729C1	1635
6900:1661198C1	1657
6900:1661199C1	1658
6925:3678796C1	1661
6925A:3678796C1	1660

7

71:1677851C1	1685
72:1661375C2	1686

INDEX

73:1661375C2 1687
7000:RING-M-5_0 1662
7103M:1661198C1 1663
7105:3599542C1 1664
7105:3765544C1 1666
7112:3539778C1 1667
7112:3854645C91 1671
7113:3590390C1 1681
7113A:3590390C1 1673
7113S:3590390C1 1674
7113T:3590390C1 1675
7113U:3590390C1 1676
7113V:3590390C1 1677
7113W:3590390C1 1678
7113X:3590390C1 1679
7113Y:3590390C1 1680
7150:3605713C1 1682
7150:3605713C1 1683
7151:3605713C1 1684
7500:3605713C1 1691
7500:3605713C1 1699
7500:3605713C1 1700
7500:3605713C1 1706
7500A:3605713C1 1688
7500A:3605713C1 1689
7500M:1661778C1 1690
7600:3662425C1 1707
7700K:3536864C1 1708
7700M:3536864C1 1709
7800:BLUNT_SL_VC 1710
7800:BLUNT_SL_VC 1711
7801B:3683465C1 1712
7803:3950690C1 1713

7900F:4064551C1 1714
7900M:4064552C1 1716
7909:3599542C1 1718

8

8000:1677851C1 1729
8000:1677851C1 1735
8000A:1677851C1 1719
8000A:1677851C1 1727
8001:1677851C1 1752
8001A:1677851C1 1737
8001A:1677851C1 1742
8001LF:1677851C1 1744
8102:2039311C91 1757
8102A:2039311C91 1754
8103:2039311C91 1763
8103A:2039311C91 1760
8200:587567C91 1770
8200A:6131286C1 1766
8200B:6131286C1 1767
8200C:6131286C1 1768
8200X:587567C91 1769
8201:587567C91 1775
8201A:6131286C1 1771
8201B:6131286C1 1772
8201C:6131286C1 1773
8201X:587567C91 1774
8301:1661778C1 1779
8301:1661778C1 1780
8301A:1661778C1 1776
8301A:1661778C1 1777
8301b:1661778C1 1778
8500:1686834C1 1781

INDEX

8500:1686834C1	1782
8500:1686834C1	1783
8501:1686834C1	1784
8501:1686834C1	1785
8501:1686834C1	1786
8502:3539777C1	1789
8502A:1684261C1	1787
8503A:1684261C1	1791
8503A:1684261C1	1792
8503B:1684261C1	1793
8503C:1684261C1	1794
8600:587566C91	1796
8600A:587566C91	1795
8700:587567C91	1800
8700A:587567C91	1797
8700B:587567C91	1798
8700C:587567C91	1799
8701:587567C91	1802
8701A:587567C91	1801
8702:587567C91	1804
8702A:587567C91	1803
8800:3551896C1	1805
8800:3551896C1	1810
8802:3551896C1	1814
8805:3551896C1	1818
8806:3551896C1	1824
8807:3551896C1	1826
8807:3551896C1	1829
8809:3551896C1	1834
8809:3551896C1	1836
8881:3553404C1	1839
8998:3553404C1	1840

9

945:3866817C1	1897
9001:1671610C1	1841
9002:1671610C1	1843
9002A:1671610C1	1842
9003:1671610C1	1844
9004:1671610C1	1845
9005:1671610C1	1846
9100:1661778C1	1848
9100A:1661778C1	1847
9101:1661778C1	1849
9102C:1661778C1	1853
9102V:1661778C1	1854
9102X:1661778C1	1855
9108A:587567C91	1856
9108B:587567C91	1857
9108C:587567C91	1858
9108D:587567C91	1859
9108E:587567C91	1860
9108F:587567C91	1861
9108G:587567C91	1862
9108H:587567C91	1863
9108J:587567C91	1864
9108K:587567C91	1865
9108L:587567C91	1866
9108M:587567C91	1867
9108N:587567C91	1868
9108P:587567C91	1869
9109:587567C91	1870
9200A:1671610C1	1871
9200B:1671610C1	1872
9200C:1671610C1	1873
9200J:1671610C1	1874

INDEX

9250:3866817C1	1875	9524:3549412C1	1916
9251:3866817C1	1876	9524:3576268C1	1919
9256:3866817C1	1878	9531F:6112506C1	1922
9257:3866817C1	1880	9531M:3690369C1	1924
9262F:1669834C1	1881	9532F:6112506C1	1926
9262M:1664531C1	1882	9532M:3690369C1	1929
9263F:1669834C1	1883	9540:3539777C1	1935
9263M:1664531C1	1884	9540A:3539777C1	1934
9264F:1669834C1	1885	9541:1686834C1	1937
9264M:1664531C1	1886	9541A:1686834C1	1936
9265:3512967C1	1887	9542:3539777C1	1939
9303:1661375C2	1895	9542A:3539777C1	1938
9303A:1661375C2	1888	9543:1686834C1	1941
9303A:1661375C2	1890	9543A:1686834C1	1940
9303A:1661375C2	1892	9548:1686834C1	1943
9303D:587574C91	1894	9548A:1686834C1	1942
9501:1684261C1	1898	9549:3539777C1	1945
9501:3539777C1	1899	9549A:3539777C1	1944
9502:1686834C1	1900	9550:1686834C1	1947
9503:1684261C1	1901	9550A:1686834C1	1946
9503:3539777C1	1902	9551:3539777C1	1949
9504:1686834C1	1903	9551A:3539777C1	1948
9510:1667740C1	1906	9556:1686834C1	1950
9510B:1678137C1	1904	9557:3539777C1	1951
9510M:1667741C1	1905	9558:1686834C1	1952
9512:3678796C1	1907	9559:3539777C1	1953
9513:1686834C1	1909	9560:3539777C1	1954
9514/9514H:3601685C1	1914	9561:1686834C1	1955
9514:3601685C1	1915	9562:1686834C1	1956
9514D/9514F:3601685C1	1910	9563:3539777C1	1957
9514D:3601685C1	1911	9715:1667733C1	1960
9514F:3601685C1	1912	9715F:1667732C1	1958
9514H:3601685C1	1913	9716:1667732C1	1968

INDEX

9716:1667732C1	1969	9761M:3522251C1	2021
9716:1667732C1	1971	9762:1661778C1	2025
9716M1:1667733C1	1962	9762F:3543888C1	2023
9716M1:1667733C1	1964	9762M:1661778C1	2024
9716M:1667733C1	1966	9763:1661778C1	2027
9717:3700151C1	1975	9764:1661778C1	2029
9717F1:3537133C1	1973	9766:1661778C1	2030
9717F:3517817C1	1974	9766:3543888C1	2032
9717_:3700151C1	1976	9767:1661778C1	2033
9719:3543888C1	1977	9775F:1667740C1	2035
9720:3543888C1	1981	9778:587567C91	2037
9720A:3543888C1	1979	9800:3558022C1	2038
9724:BLUNT_SL_VC	1985	9800:3558026C1	2053
9724A:BLUNT_SL_VC	1983	9813:3536864C1	2061
9736:1661375C2	1987	9814:587567C91	2064
9736:1661375C2	1989	9814A:3593684C91	2063
9736:1661375C2	1991	9815:587567C91	2066
9740:1661375C2	2013	9815A:3593684C91	2065
9740A:1661375C2	1993	9820F:3543888C1	2067
9740B:1661375C2	1995	9820F:3543888C1	2068
9740C:1661375C2	1997	9820M:1661778C1	2069
9740D:1661375C2	1999	9820M:1661778C1	2070
9740D:1661375C2	2001	9824:1661778C1	2071
9740E:1661375C2	2003	9830:1678137C1	2072
9740E:1661375C2	2005	9832:1678137C1	2074
9740F:1661375C2	2007	9865M:1667741C1	2075
9740G:1661375C2	2009	9900A:1673790C1	2083
9740H:1661375C2	2011	9900AA:1673790C1	2076
9745:3536864C1	2016	9900AC:1673790C1	2077
9745A:3536864C1	2015	9900AE:1673790C1	2078
9746:3554317C1	2018	9900AJ:1673790C1	2079
9746A:3554317C1	2017	9900AP:1673790C1	2080
9761F:3522252C1	2019	9900AQ:1673790C1	2081

INDEX

9900AR:1673790C12082
9900C:1673790C1 2084
9900D:1673790C1 2085
9900E:1673790C1 2086
9900G:1673790C1 2087
9913B:587570C91 2088
9915:3539777C1 2089
9916:4105324C1 2090